

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending January 2, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|---|---------------|
| 12-28-2017 | Ronald M. Soldo Hilton Head Island, SC Application for approval to acquire up to 9.9% of the common stock of Hyperion Bank, Philadelphia. | Approved |

Holding Company Acquisitions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|---|---------------|
| 1-1-2018 | Atlantic Community Bancshares, Inc. Camp Hill Cumberland County Application for approval to acquire 100% of BBN Financial Corp., Glastonbury, CT, and thereby indirectly acquire 100% of Bankers' Bank Northeast, Glastonbury, CT. | Effective |

Consolidations, Mergers and Absorptions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|---|---------------|
| 1-1-2018 | Atlantic Community Bankers Bank Camp Hill Cumberland County Merger of Bankers' Bank Northeast, Glastonbury, CT, with and into Atlantic Community Bankers Bank, Camp Hill, PA. As a result of the merger, the sole office of Bankers' Bank Northeast, located at the following address, became a branch office of Atlantic Community Bankers Bank: 43 Western Boulevard Glastonbury Hartford County, CT | Effective |

Branch Applications

De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 12-18-2017 | Jersey Shore State Bank Jersey Shore Lycoming County | 3081 Route 405 Highway Muncy Lycoming County | Opened |
| 12-29-2017 | Citizens Bank of Pennsylvania Philadelphia Philadelphia County | 1700 New Butler Road New Castle Lawrence County | Filed |

Branch Relocations

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 12-18-2017 | The Juniata Valley Bank Mifflintown Juniata County | <i>To:</i> 4076 William Penn Highway Mifflintown Juniata County <i>From:</i> 5294 West River Road Mifflintown Juniata County | Effective |

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-62. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will hold a meeting on Wednesday, January 24, 2018, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. Persons who wish to participate during the public comment section are encouraged to submit their comments in writing to Gretchen Leslie, Advisor, Conservation and Natural Resources Advisory Council, 400 Market Street, Harrisburg, PA 17101.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Katie Woodbury directly at (717) 783-5878 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 18-63. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Marywood University to Amend Articles of Incorporation

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval of a Certificate of Authority for Marywood University to amend its Articles of Incorporation to change the terms for members of the board of trustees.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher and Career Education, 333 Market Street, Harrisburg, PA 17126-0333 on or before the due date prescribed by this notice. Persons wishing to review the application should phone (717) 783-8228 or write to the previous address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact the Division of Higher and Career Education at (717) 783-8228 to discuss accommodations.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 18-64. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or Amendment |
| Section III | WQM | Industrial, Sewage or Animal Waste; Discharge into Groundwater |
| Section IV | NPDES | MS4 Individual Permit |
| Section V | NPDES | MS4 Permit Waiver |
| Section VI | NPDES | Individual Permit Stormwater Construction |
| Section VII | NPDES | NOI for Coverage under NPDES General Permits |

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed No.)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|---|--|--|----------------------------|
| PA0024686 (Sewage) | Mid Mon Valley WPCA PO Box 197 Allenport, PA 15412-0197 | Washington County Allenport Borough | Monongahela River (19-D and 19-C) | Yes |

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed #) | EPA Waived Y/N? |
|-----------------------|---|--------------------------------------|---|--------------------|
| PA0239321 (Sewage) | Robert Wahlmark SFTF PO Box 137 31970 Guys Mills Road Townville, PA 16360-0437 | Crawford County Randolph Township | Unnamed Tributary of Muddy Creek (16-A) | Yes |

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

Application No. PA0276049, Concentrated Animal Feeding Operation (CAFO), **Pappy's Orchard (Pappy's Orchard)**, 2474 Urffers Road, Coopersburg, PA 18036-3807.

Pappy's Orchard has submitted an application for an Individual NPDES permit for a new CAFO known as Pappy's Orchard, located in Lower Milford Township, **Lehigh County**.

The CAFO is situated near Unnamed Tributary to Licking Creek in Watershed 3-E, which is classified for Migratory Fish and High Quality Waters—Trout Stocking. The CAFO is designed to maintain an animal population of approximately 569.17 animal equivalent units (AEUs) consisting of 55,000 Turkeys. Manure is handled as floor litter. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0265535, Sewage, SIC Code 4952, 8800, **Mary Peace**, 302 Scranton Hollow Road, Warren, PA 16365. Facility Name: Mary Peace SRSTP. This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream s Mud Run, located in State Water Plan watershed 16-B and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Concentrations (mg/L) | | | Maximum |
|--|----------------------|-------------------|-----------------------|-------------------|---------------------|---------|
| | Average Monthly | Average Weekly | Minimum | Annual Average | Maximum Instant. | |
| Flow (MGD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 Daily Max | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | 1,000 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0265331, Sewage, SIC Code 8800, **Jay Anderson**, 781 Quaker Hill Road, Warren, PA 16365. Facility Name: Jay Anderson SRSTP. This proposed facility is located in Glade Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a single-family residence.

The receiving stream, an Unnamed Tributary to Conewango Creek, is located in State Water Plan watershed 16-B and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

In addition, the permit contains the following major special conditions:

- Requirement to submit an Annual Maintenance Report
- No stormwater admitted to the treatment system
- Aerobic tank pumping requirement
- Solids handling
- Abandonment of the treatment system (for public sewage)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0265543, Sewage, SIC Code 4952, 8800, **James Lane**, 3229 Davison Road, Harborcreek, PA 16421. Facility Name: James Lane SRSTP. This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an unnamed tributary to Elliotts Run, located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|------------------|------------------------------|------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (MGD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 Daily Max | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | 1,000 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

DEP Bureau of Clean Water: Environmental Program Manager, NPDES Permitting Division, 400 Market Street, PO Box 8774, Harrisburg, PA 17105-8774, Telephone: 717-787-5017.

PA0001627, Industrial, SIC Code 4911, **NRG Power Midwest LP**, 121 Champion Way Suite 300, Canonsburg, PA 15317-5817. Facility Name: NRG Power Midwest LP— Cheswick Generating Station. This existing facility is located in Springdale Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste and stormwater.

The receiving stream(s), Little Deer Creek, Unnamed Tributary to Little Deer Creek, and Allegheny River, are located in State Water Plan watershed 18-A and are classified for Warm Water Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 12.4 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | Report | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | 35 | 70 | XXX |
| Total Dissolved Solids | Report | Report | XXX | Report | Report | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Osmotic Pressure (mOs/kg) | XXX | XXX | XXX | 50 | 100 | XXX |
| Aluminum, Total | 49.64 | 99.28 | XXX | 0.48 | 0.96 | 1.86 |
| Antimony, Total | 0.58 | 0.91 | XXX | 0.0056 | 0.0088 | 0.014 |
| Arsenic, Total | 1.04 | 1.62 | XXX | 0.01 | 0.016 | 0.025 |
| Beryllium, Total | XXX | XXX | XXX | 0.01 | 0.02 | 0.025 |
| Cadmium, Total | XXX | XXX | XXX | 0.0003 | 0.0006 | 0.00075 |
| Chromium, Hexavalent | XXX | XXX | XXX | 0.006 | 0.012 | 0.015 |
| Copper, Total | XXX | XXX | XXX | 0.009 | 0.018 | 0.023 |
| Cyanide, Free | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | 155.24 | 310.25 | XXX | 1.5 | 3.0 | 3.75 |
| Lead, Total | 0.33 | 0.52 | XXX | 0.0032 | 0.005 | 0.008 |
| Manganese, Total | 103.42 | 179.95 | XXX | 0.87 | 1.74 | 2.18 |
| Selenium, Total | XXX | XXX | XXX | 0.005 | 0.01 | 0.0125 |
| Silver, Total | XXX | XXX | XXX | 0.003 | 0.006 | 0.0075 |
| Sulfate, Total | Report | Report | XXX | Report | Report | XXX |
| Thallium, Total | XXX | XXX | XXX | 0.002 | 0.004 | 0.005 |
| Pentachlorophenol | XXX | XXX | XXX | 0.0003 | 0.0006 | 0.00075 |
| Benzo(a)Anthracene (µg/L) | 0.00041 | 0.00062 | XXX | 0.004 | 0.006 | 0.01 |
| Benzo(a)Pyrene (µg/L) | 0.00041 | 0.00062 | XXX | 0.004 | 0.006 | 0.01 |
| Benzo(k)Fluoranthene (µg/L) | 0.00041 | 0.00062 | XXX | 0.004 | 0.006 | 0.01 |
| 3,4-Benzofluoranthene (µg/L) | 0.00041 | 0.00062 | XXX | 0.004 | 0.006 | 0.01 |
| Chloride | Report | Report | XXX | Report | Report | XXX |
| Bromide | Report | Report | XXX | Report | Report | XXX |
| Chrysene (µg/L) | 0.00041 | 0.00062 | XXX | 0.004 | 0.006 | 0.01 |
| Dibenzo(a,h)Anthracene (µg/L) | 0.00041 | 0.00062 | XXX | 0.004 | 0.006 | 0.01 |
| Hexachlorobutadiene (µg/L) | 0.048 | 0.074 | XXX | 0.46 | 0.72 | 1.2 |
| Indeno(1,2,3-cd)Pyrene (µg/L) | 0.00041 | 0.00062 | XXX | 0.004 | 0.006 | 0.01 |
| N-Nitrosodiphenylamine | 0.36 | 0.56 | XXX | 0.035 | 0.054 | 0.088 |
| Phenanthrene | 0.103 | 0.16 | XXX | 0.001 | 0.0016 | 0.0025 |

The proposed effluent limits for Outfall 003 are based on a design flow of 376 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|--------------------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | XXX | XXX | 0.2 |
| Temperature (°F) | XXX | XXX | XXX | Report | Report | XXX |
| Temperature (°F) | | | | | | |
| Industrial Influent | XXX | XXX | XXX | Report | Report | XXX |
| Heat Rejection Rate (MBTUs/hr) | Report | 2,960 | XXX | XXX | XXX | XXX |
| Total Dissolved Solids | Report | Report | XXX | Report | Report | XXX |
| Nitrate-Nitrite as N | Report | Report | XXX | Report | Report | XXX |
| Arsenic, Total | Report | Report | XXX | Report | Report | XXX |
| Boron, Total | Report | Report | XXX | Report | Report | XXX |
| Lead, Total | XXX | XXX | XXX | Report | Report | XXX |
| Mercury, Total | Report | Report | XXX | Report | Report | XXX |
| Selenium, Total | Report | Report | XXX | Report | Report | XXX |
| Silver, Total | XXX | XXX | XXX | Report | Report | XXX |
| Sulfate, Total | Report | Report | XXX | Report | Report | XXX |
| Chloride | Report | Report | XXX | Report | Report | XXX |
| Bromide | Report | Report | XXX | Report | Report | XXX |

The proposed effluent limits for Internal Monitoring Point 103 are based on a design flow of 0.4 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | 100.0 | XXX |
| Oil and Grease | XXX | XXX | XXX | 15.0 | 20.0 | XXX |
| | | | | Avg Qrtly | | |

The proposed effluent limits for Internal Monitoring Point 203 are based on a design flow of 1.2 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | 100.0 | XXX |
| Oil and Grease | XXX | XXX | XXX | 15.0 | 20.0 | XXX |
| Avg Qrtly | | | | | | |

The proposed effluent limits for Internal Monitoring Point 303 are based on a design flow of 1.2 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | 100.0 | XXX |
| Oil and Grease | XXX | XXX | XXX | 15.0 | 20.0 | XXX |
| Avg Qrtly | | | | | | |

The proposed effluent limits for Internal Monitoring Point 403 are based on a design flow of 1.23 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Suspended Solids | XXX | XXX | XXX | XXX | XXX | 50.0 |

The proposed Interim effluent limits for Internal Monitoring Point 503 are based on a design flow of 0.18 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | 20.0 | 25 |
| Total Dissolved Solids | Report | Report | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15.0 | 20.0 | XXX |
| Nitrate-Nitrite as N | Report | Report | XXX | Report | Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | Report | Report | XXX |
| Arsenic, Total | Report | Report | XXX | Report | Report | XXX |
| Beryllium, Total | XXX | XXX | XXX | 0.8 | 1.6 | 2 |
| Boron, Total | Report | Report | XXX | Report | Report | XXX |
| Cadmium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Chromium III, Total | XXX | XXX | XXX | Report | Report | XXX |
| Copper, Total | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |
| Iron, Dissolved | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | Report | Report | XXX |
| Lead, Total | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |
| Manganese, Total | XXX | XXX | XXX | Report | Report | XXX |
| Mercury, Total | Report | Report | XXX | 0.004 | 0.008 | 0.01 |
| Nickel, Total | XXX | XXX | XXX | Report | Report | XXX |
| Selenium, Total | Report | Report | XXX | Report | Report | XXX |
| Selenium, Dissolved | XXX | XXX | XXX | Report | Report | XXX |
| Silver, Total | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |
| Sulfate, Total | Report | Report | XXX | Report | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | Report | Report | XXX |
| Chloride | Report | Report | XXX | Report | Report | XXX |
| Bromide | Report | Report | XXX | Report | Report | XXX |

The proposed Final effluent limits for Internal Monitoring Point 503 are based on a design flow of 0.18 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | 20.0 | 25 |
| Total Dissolved Solids | Report | Report | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15.0 | 20.0 | XXX |
| Nitrate-Nitrite as N | Report | Report | XXX | Report | Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | Report | Report | XXX |
| Arsenic, Total | Report | Report | XXX | Report | Report | XXX |
| Beryllium, Total | XXX | XXX | XXX | 0.8 | 1.6 | 2 |
| Boron, Total | 780.6 | 1,217.8 | XXX | 520 | 811 | 1,300 |
| Cadmium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Chromium III, Total | XXX | XXX | XXX | Report | Report | XXX |
| Copper, Total | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |
| Iron, Dissolved | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | Report | Report | XXX |
| Lead, Total | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |
| Manganese, Total | XXX | XXX | XXX | Report | Report | XXX |
| Mercury, Total | Report | Report | XXX | 0.004 | 0.008 | 0.01 |
| Nickel, Total | XXX | XXX | XXX | Report | Report | XXX |
| Selenium, Total | Report | Report | XXX | Report | Report | XXX |
| Selenium, Dissolved | XXX | XXX | XXX | Report | Report | XXX |
| Silver, Total | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |
| Sulfate, Total | Report | Report | XXX | Report | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | Report | Report | XXX |
| Chloride | Report | Report | XXX | Report | Report | XXX |
| Bromide | Report | Report | XXX | Report | Report | XXX |

The proposed effluent limits for Internal Monitoring Point 603 are based on a design flow of 3.22 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | 100.0 | XXX |
| Oil and Grease | XXX | XXX | XXX | 15.0 | 20.0 | XXX |
| Avg Qrtly | | | | | | |

The proposed effluent limits for Internal Monitoring Point 803 are based on a design flow of 5.35 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |

The proposed effluent limits for Outfall 004 are based on a design flow of 0.85 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD (stormwater).

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|-----------------------|--------------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| pH (S.U.) | XXX | XXX | Report Inst Min | XXX | XXX | Report |
| Total Suspended Solids | XXX | XXX | XXX | Report | Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | Report | Report | XXX |
| Manganese, Total | XXX | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 010 are based on a design flow of 0 MGD (stormwater).

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Semi-Annual Average</i> | <i>Daily Maximum</i> | |
| Total Suspended Solids | XXX | XXX | XXX | Report | Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | Report | Report | XXX |
| Manganese, Total | XXX | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 011 are based on a design flow of 0 MGD (stormwater).

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|------------------------------|-----------------------------|-----------------------|--------------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| pH (S.U.) | XXX | XXX | Report Inst Min | XXX | XXX | Report |
| Chemical Oxygen Demand (COD) | XXX | XXX | XXX | Report | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | Report | Report | XXX |
| Ammonia-Nitrogen | XXX | XXX | XXX | Report | Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | Report | Report | XXX |
| Manganese, Total | XXX | XXX | XXX | Report | Report | XXX |

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Toxics Reduction Evaluation (TRE)
- 316(a) Thermal Variance
- Cooling Water Intake Structures

The discharge at Internal Monitoring Points 203 & 303 will be subject to the effluent limitation guidelines (ELGs) for Best Available Technology (BAT) at 40 CFR 423.13(k)(1)(i) starting December 31, 2023 for bottom ash transport water. In the event the U.S. Environmental Protection Agency (EPA) publishes notice of the modification of the ELGs at 40 CFR 423.13(k)(1)(i) prior to December 31, 2023, the permittee shall achieve compliance with the modified ELGs as soon as possible but no later than the date established by Federal regulations. If EPA publishes notice of the rescission or revocation of the ELGs at 40 CFR 423.13(k)(1)(i) prior to December 31, 2023, the limitation will not be applicable.

The discharge at Internal Monitoring Point 503 will be subject to the ELGs for Best Available Technology (BAT) at 40 CFR 423.13(g)(1)(i) starting December 31, 2023 for flue gas desulfurization (FGD) wastewater. In the event EPA publishes notice of the modification of the ELGs at 40 CFR 423.13(g)(1)(i) prior to December 31, 2023, the permittee shall achieve compliance with the modified ELGs as soon as possible but no later than the date established by Federal regulations. If EPA publishes notice of the rescission or revocation of the ELGs at 40 CFR 423.13(g)(1)(i) prior to December 31, 2023, the limitation will not be applicable.

The discharge at Outfall 003 is subject to thermal effluent limits based on criteria for Warm Water Fisheries outlined in 25 Pa. Code § 93.7. The permittee has submitted a request under section 316(a) of the Clean Water Act (CWA) for less stringent effluent limits. The thermal effluent limits imposed on the discharge at Outfall 003 will be a Heat Rejection Rate of 2,960 MBTUs/hr.

The draft permit contains Water Quality-Based Effluent Limits for (WQBELs) and monitoring for several pollutants at Outfall 002, Internal Monitoring Point 203/303 and Internal Monitoring Point 603 solely due to the use of laboratory methods that were insufficiently sensitive. DEP may reduce or eliminate these requirements if additional sampling for these pollutants is performed and analyzed using more sensitive methods.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-787-5017.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 1117406, Sewage, **City of Johnstown**, 401 Main Street, Johnstown, PA 15901.

This proposed facility is located in the City of Johnstown, **Cambria County**.

Description of Proposed Action/Activity: Proposed construction of sanitary sewer rehabilitation project to replace existing defective sewers in the Old Conemaugh Area of the City of Johnstown.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a potential funding source.

WQM Permit No. 5617403, Sewage, **Paint Borough**, 119 Hoffman Avenue, Windber, PA 15963.

This proposed facility is located in Paint Borough, **Somerset County**.

Description of Proposed Action/Activity: Proposed construction of Paint Borough Sanitary Sewer Rehabilitation Project to rehabilitate existing defective sewers.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a potential funding source.

WQM Permit No. WQG02111702, Sewage, **Blacklick Valley Municipal Authority**, PO Box 272, Twin Rocks, PA 15960.

This proposed facility is located in Blacklick Township, **Cambria County**.

Description of Proposed Action/Activity: Proposed construction of Route 422 Area Sanitary Sewer Extension Project to serve existing residences with on-lot septic systems.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a potential funding source.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2489202 A-9, Industrial, **Advanced Disposal Service Greentree Landfill LLC**, 635 Toby Road, Kersey, PA 15846-1033.

This existing facility is located in Fox Township, **Elk County**.

Description of Proposed Action/Activity: Addition of plate and frame filter press to dewater produced aluminum sludge.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|---|
| PAD090013 | Toll PA XIV, L.P. 250 Gibraltar Road Horsham, PA 19044 | Bucks | Warrington Township | Unnamed Tributary to Mill Creek TSF-MF |

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

| <i>Permit No.</i> | <i>Applicant & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Stream Name</i> |
|-------------------|-----------------------------------|---------------------|--------------------------|---|
| PAD650012 | Franklin Regional School District | Westmoreland County | Murrysville Municipality | Haymaker Run (HQ-CWF) Pearson Run (HQ-CWF) |

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

MS4 Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>Municipality/County</i> | <i>Waiver Application Submitted (Y/N)</i> | <i>Pollutant Reduction Plan Submitted (Y/N)</i> |
|-------------------------|---|---|---|---|
| PAG133615 | Swatara Township Dauphin County 599 Eisenhower Boulevard Harrisburg, PA 17111 | Swatara Township Dauphin County | N | Y |
| PAG133626 | Lower Windsor Township York County 2425 Craley Road Wrightsville, PA 17368-8922 | Lower Windsor Township York County | Y | Y |
| PAG133742 | West Donegal Township Lancaster County One Municipal Drive Elizabethtown, PA 17022 | West Donegal Township Lancaster County | N | Y |

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>Municipality/County</i> | <i>Waiver Application Submitted (Y/N)</i> | <i>Pollutant Reduction Plan Submitted (Y/N)</i> |
|-----------------------------|--|------------------------------------|---|---|
| PAG133564 | Rapho Township Lancaster County 971 N Colebrook Road Manheim, PA 17545-9680 | Rapho Township Lancaster County | N | Y |
| PAG133530 | Birdsboro Borough Berks County 202 E Main Street Birdsboro, PA 19508 | Birdsboro Borough Berks County | N | Y |

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Waiver Application Submitted (Y/N)</i> | <i>Pollutant Reduction Plan Submitted (Y/N)</i> |
|-----------------------------|--|--|---|---|
| PAG136341 | East Taylor Township 2402 William Penn Avenue Johnstown, PA 15909-1201 | East Taylor Township Cambria County | Y | N |
| PAG136321 | Daisytown Borough 93 Baiker Street Johnstown, PA 15902-1604 | Daisytown Borough Cambria County | Y | N |
| PAG136288 | Lower Yoder Township 128 J Street Johnstown, PA 15906-2848 | Lower Yoder Township Cambria County | Y | N |
| PAG136369 | Adams Township PO Box 112 Sidman, PA 15955-0112 | Adams Township Cambria County | Y | N |
| PAG136139 | Conemaugh Township 142 Janie Street Johnstown, PA 15902-1210 | Conemaugh Township Cambria County | Y | N |
| PAG136286 | Ferndale Borough 109 Stanton Street Johnstown, PA 15905 | Ferndale Borough Cambria County | Y | N |
| PAG136346 | Eastvale Borough 510 2nd Avenue E Beaver Falls, PA 15010-4808 | Eastvale Borough Beaver County | Y | N |
| PAG136293 | East Rochester Borough 760 Spruce Avenue East Rochester, PA 15074 | East Rochester Borough Beaver County | Y | N |
| PAG136334 | Aliquippa City 160 Hopewell Avenue Aliquippa, PA 15001-3545 | Aliquippa City Beaver County | N | Y |
| PAG136402 | Twilight Borough 8 Chestnut Road Charleroi, PA 15022-2607 | Twilight Borough Washington County | Y | N |
| PAG136245 | Johnstown City 401 Main Street Johnstown, PA 15901 | Johnstown City Cambria County | N | Y |

Northwest Regional Office: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481. Phone: 814.332.6942.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Waiver Application Submitted (Y/N)</i> | <i>Pollutant Reduction Plan Submitted (Y/N)</i> |
|-----------------------------|--|--------------------------------------|---|---|
| PAG138342 | Mahoning Township Lawrence County PO Box 99 Hillsville, PA 16132-0099 | Mahoning Township Lawrence County | N | Y |

STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>AEU's</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>New or Renewal</i> |
|---|---------------|------------------------|--------------|------------------------|---|---------------------------|
| Hollywood Casino at Penn National Race Course (Mountain View Thoroughbred Racing Association) 777 Hollywood Blvd Grantville, PA 17028 | Dauphin | 630 | 1,265 | Horses | NA | Renewal |
| Aaron Warner 7195 Old Plank Road Broad Top, PA 16621 | Huntingdon | 6 | 716.05 | Finishing Swine | N/A | New |
| Hoffman Family Farm, LLC 243 Healy Road Shinglehouse, PA 16748 | Potter | 1,450 | 1,619.26 | Dairy | Yes, HQ | Renewal |
| Hoffman Family Farm, LLC 243 Healy Road Shinglehouse, PA 16748 | Potter | 1,450 | 1,805.97 | Dairy | Yes, HQ | Renewal |

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it

is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3815506, Public Water Supply.

| | |
|---------------------------|---|
| Applicant | United States Department of Veterans Affairs |
| Municipality | South Lebanon Township |
| County | Lebanon |
| Responsible Official | Thaddeus Kocuba, Facility Manager 1700 South Lincoln Avenue Lebanon, PA 17042-7529 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | James P. Cinelli, P.E. Liberty Environmental, Inc. 50 North Street Reading, PA 19601 |
| Application Received Date | 12/28/2017 |
| Withdrawn: | |
| Description of Action | Installation of two MIOX sodium hypochlorite generators for disinfection of water served to the facility. |

Permit No. 0617520 MA, Minor Amendment, Public Water Supply.

| | |
|---------------------------|---|
| Applicant | The Caernarvon Township Authority |
| Municipality | Caernarvon Township |
| County | Berks |
| Responsible Official | Robert L. Weaver, Chairman P O Box 188 Morgantown, PA 19543 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Eric D. McCracken, P.E. Great Valley Consultants 75 Commerce Drive Wyomissing, PA 19610 |
| Application Received Date | 12/13/2017 |
| Description of Action | The Caernarvon Township Authority has submitted an application to receive a minor permit amendment for the replacement of an existing water softening system at the Well No. 6 site that is nearing the end of its usable life. The proposed softening system to be installed is a Culligan Hi-Flo HS-1504-4 Simplex 150 ASME softener. |

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0217532—Return, Public Water Supply.

| | |
|---------------------------|---|
| Applicant | Pittsburgh Water & Sewer Authority 1200 Penn Avenue Pittsburgh, PA 15222 |
| [Township or Borough] | City of Pittsburgh |
| Responsible Official | Robert Weimer, Executive Director Pittsburgh Water & Sewer Authority 1200 Penn Avenue Pittsburgh, PA 15222 |
| Type of Facility | Aspinwall Water Treatment Plant |
| Consulting Engineer | AECOM Foster Plaza 6 681 Andersen Drive Pittsburgh, PA 15220 |
| Application Received Date | March 17, 2017 |
| Description of Action | Use of EarthTec (aqueous copper). |

Permit No. 6517533, Public Water Supply.

| | |
|---------------------------|--|
| Applicant | Municipal Authority of the Borough of Derry 620 North Chestnut Street Derry, PA 15627 |
| [Township or Borough] | Derry Borough |
| Responsible Official | Amy Forsha, Manager Municipal Authority of the Borough of Derry 620 North Chestnut Street Derry, PA 15627 |
| Type of Facility | Water system |
| Consulting Engineer | Gibson-Thomas Engineering Company, Inc. 1004 Ligonier Street Box 853 Latrobe, PA 15650 |
| Application Received Date | December 27, 2017 |
| Description of Action | Replacement of two high service pumps and the backwash pump in the water treatment plant. |

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 5617511GWR, Minor Amendment.

| | |
|-----------------------|--|
| Applicant | Borough of Garrett 307 Municipal Road PO Box 218 Garrett, PA 15542 |
| [Township or Borough] | Garrett Borough |

Responsible Official Jeff McKenzie, Certified Operator
Borough of Garrett
307 Municipal Road
PO Box 218
Garrett, PA 15542

Type of Facility Water system

Consulting Engineer The EADS Group, Inc.
450 Aberdeen Drive
Somerset, PA 15501

Application Received Date December 21, 2017

Description of Action Demonstration of 4-Log Treatment of Viruses for Groundwater Sources.

Application No. 3216504GWR-A1, Minor Amendment.

Applicant **Green Township Municipal Authority**
PO Box 129
Commodore, PA 15729

[Township or Borough] Green Township

Responsible Official Charles Ishman, Water Plant Operator
Green Township Municipal Authority
PO Box 129
Commodore, PA 15729

Type of Facility Water system

Consulting Engineer G Force Engineering Services, LLC
1630 Philadelphia Street
Indiana, PA 15701

Application Received Date December 11, 2017

Description of Action Demonstration of 4-Log Treatment of Viruses for Groundwater Sources.

Application No. 0217556MA, Minor Amendment.

Applicant **Moon Township Municipal Authority**
1700 Beaver Grade Road
Suite 200
Moon Township, PA 15108

[Township or Borough] Moon Township

Responsible Official Debora A. Walker, P.E., Director of Engineering
Moon Township Municipal Authority
1700 Beaver Grade Road
Suite 200
Moon Township, PA 15108

Type of Facility Water system

Consulting Engineer Moon Township Municipal Authority
1700 Beaver Grade Road
Suite 200
Moon Township, PA 15108

Application Received Date December 28, 2017

Description of Action Installation of turbidimeters.

Application No. 0317509MA, Minor Amendment.

Applicant **Kittanning Suburban Joint Water Authority**
710 Tarrtown Road
Adrian, PA 16210

[Township or Borough] East Franklin Township

Responsible Official Ron Riesmeyer, Manager
Kittanning Suburban Joint Water Authority
710 Tarrtown Road
Adrian, PA 16210

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Application Received Date December 26, 2017

Description of Action Installation of 12-inch diameter waterline (Adrian Road waterline replacement project).

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA26-1000C, Water Allocations. **Jefferson Township Authority**, PO Box 158, Fayette City, PA 15438, **Fayette County**. The applicant is requesting the right to purchase 150,000 gallons of water per day from the Newell Municipal Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area

remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Gramby Street Elementary School, North Hazel & East Gramby Streets, Manheim, PA 17545, Manheim Borough, **Lancaster County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of Manheim Central School District, 281 White Oak Road, Manheim, PA 17545, submitted a Notice of Intent to Remediate site soil contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is the newly constructed Gramby Street Elementary School. The Notice of Intent to Remediate was published in the *LNP* on December 18, 2017.

RESIDUAL WASTE GENERAL PERMITS

Renewal Application(s) Received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR019D009. Unicast Company has submitted a general permit renewal application for its facility located at 241 North Washington Street, Boyertown, PA 19512-1114 in

Boyertown Borough, **Berks County**. This general permit authorizes the beneficial use of waste foundry sand and ferrous metal foundry system dust, slag and refractory for use as roadway construction material, a component or ingredient in the manufacturing of concrete or asphalt products, a soil additive or soil substitute, and non-roadway construction. The application for renewal was determined to be complete on January 3, 2018.

Persons interested in obtaining more information about this general permit renewal application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Application(s) Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

General Permit Application No. WMGR123SW010. Greene County Water Treatment, LLC, 401 Jefferson Road, Waynesburg, PA 15370. A request for modification of the registration for coverage under General Permit WMGR123 to install and operate a vapor compression and distillation unit at the Greene County Water Treatment facility located in Franklin Township, **Greene County**. The application was received by the Department on December 18, 2017 and deemed administratively complete by the Regional Office on January 2, 2018.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability received under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR019SC003. Boyertown Foundry Company, 9th Street and Rothermel Drive, New Berlinville, PA 19545 in Boyertown Borough, **Berks County**. This general permit authorizes the beneficial use of waste foundry sand and ferrous metal foundry system dust, slag and refractory for use as roadway construction material, a component or ingredient in the manufacturing of concrete or asphalt products, a soil additive or soil substitute, and non-roadway construction. The application for Determination of Applicability under General Permit WMGR019 was determined to be complete on December 22, 2017.

Persons interested in obtaining more information about the general permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed

before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00016: Exelon Generation Company, LLC/Croydon Generating Station (955 River Road, Croydon, PA 19020) for the modification of the Title V Operating Permit in Bristol Township, **Bucks County**. This modification incorporates the RACT II requirements into the existing operating permit in accordance with 25 Pa. Code § 129.99(a). Exelon is an electricity generating station consisting of eight (8) distillate oil-fired turbine-generator units rated at 64 MW each subject to RACT II rules. The facility is a major source for NO_x emissions. The facility has proposed the following NO_x RACT limits: Max. NO_x when burning No. 2 fuel oil—0.70 lb per MMBtu on a 30-day rolling average basis as the case by case RACT limit for each turbine. Exelon will also maintain the facility-wide NO_x limit of 1,296 tons per year and the hourly NO_x limit of 587 lbs/hr per turbine. The department will submit to the EPA the final RACT determinations once approved. This permit is being modified in accordance with 25 Pa. Code § 127.541. There is also a revision to RACT I State Implementation Plan for stack testing on the eight (8) combustion turbines. This change in the conditions of stack testing involves a reduction to only testing three of the eight combustion turbines in the duration of a single permit term and all combustion turbines tested at least once every three (3) permit terms. The modification of this operating permit does not authorize any increase in air emissions of any regulated pollutants above previously approved levels. The permit includes monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05033: Approval of a Reasonably Available Control Technology 2 (RACT 2) plan to supersede the existing RACT I plan for the **Texas Eastern Transmission LP**, Bernville facility, located in the North Heidelberg Township, **Berks County** as a significant modification to their Title V operating permit.

In accordance with 25 Pa. Code §§ 129.91—129.100, the Department has made a preliminary determination to approve a RACT 2 plan, and to have it supersede the existing RACT 1 plan, to be submitted as part of the State Implementation Plan (SIP) for the Texas Eastern Transmission LP, Bernville natural gas compressor station.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT 2 approval, and the RACT 1 plan supersedure approval for the facility, which are

intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed RACT 2 plan and RACT 1 plan supersede, if approved by DEP, will be issued as a significant modification to the facility's Title V operating permit (06-05033). The relevant RACT 2 requirements will also be submitted to the U.S. Environmental Protection Agency (EPA) for approval and incorporation into Pennsylvania's State Implementation Plan. Requirements that are not part of the RACT 2 approval will be excluded from the SIP submittal.

The following is a summary of the proposed RACT 2 requirements for this facility that will be submitted to the EPA as part of the SIP:

RACT 2 Case-by-Case Requirements (to replace in their entirety the current RACT 1 requirements for the affected sources).

Source ID 101—Nat Gas Turbine 1 (32001) and Source ID 102—Nat Gas Turbine 2 (32002).

(a) The permittee shall not permit emissions of NO_x from the gas turbines in excess of the following. These emission limits apply at all times, including startup and shutdown periods.

General Electric Frame 5 MS 5001 NTMD (32001) and LAMD (32002) turbines.

(1) 120 ppm_{dv} each corrected to 15 percent oxygen.

(2) 463 tpy and 441 tpy, respectively, on a 12-month running total.

(b) For Source ID 101, the fuel consumption for the turbine shall not exceed 2,053.6 million standard cubic feet (MMSCF) of natural gas during any consecutive 12-month period.

(c) For Source ID 102, the fuel consumption for the turbine shall not exceed 1,956.8 million standard cubic feet (MMSCF) of natural gas during any consecutive 12-month period.

(d) For Source IDs 101 & 102, the permittee shall not operate each turbine more than 8,000 hours during any consecutive 12-month period.

(e) Once in each 5-year calendar period, the permittee shall conduct, on each of the sources in this group, a Department approved emissions source test for NO_x (as NO₂) emissions that meets the requirements of Chapter 139, Subchapter A (relating to sampling and testing methods and procedures). The test shall be conducted prior to expiration of this permit, or during the applicable heating season determined by the Department. During the four years of each permit cycle when a full source test is not required, the permittee shall annually conduct a portable analyzer compliance verification of NO_x emissions for each source in this group. Results from source tests or portable analyzer tests shall be submitted to DEP no later than 60 calendar days after completion of the on-site testing portion of the emission test program. Test results for NO_x shall be reported as follows: (1) ppm_{dv} as measured; (2) ppm_{dv} corrected to 15 percent oxygen; (3) lb/hr; (4) lb/MMBtu of heat input. All test results shall be retained by the permittee at the test location and provided annually with emission statements and at other times as requested by the Department.

(f) The permittee shall maintain comprehensive and accurate records of the following for each source in this group:

(1) The number of operating hours on both a monthly and 12-month rolling basis.

(2) The amount of fuel consumed on both a monthly and 12-month rolling basis.

(g) The permittee shall maintain records including sufficient data and calculations to demonstrate that the RACT emission limitations for nitrogen oxides are met for each source in this group.

(h) All records required by this source group shall be retained by the permittee for 5 years and made available to the Department upon request.

(i) The permittee will maintain and operate each of the sources in this group in accordance with the manufacturer's specifications and with good operating practices. The permittee shall follow a routine and preventive maintenance schedule. This includes inspection of the combustion system and hot gas path on an annual basis.

(j) Source IDs 101 & 102 shall be permanently shut down by no later than January 1, 2024.

Public Comment Details:

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Thomas Hanlon, Environmental Engineering Manager, Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. A 30-day comment period from the date of publication of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT 2 condition, including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the RACT 2 approval.

Public hearing. A public hearing will be held on February 20, 2018, at 10:00 a.m. at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed permit action and the proposed SIP revision. To register to speak at the hearing, please contact Thomas Hanlon at 717-705-4862. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be February 13, 2018.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Thomas Hanlon at 909 Elmerton Avenue, Harrisburg, PA 17110.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Southcentral Regional Office at 909 Elmerton Avenue, Harrisburg, PA 17110. Appointments for scheduling a review may be made by calling Thomas Hanlon at 717-705-4862.

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Thomas Hanlon at 717-705-4862 or make accommodations through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD).

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: *Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

46-00054: Abington Memorial Hospital (1200 Old York Road, Abington, PA 19001-3720) for air emission sources at a hospital in Abington Township, **Montgomery County**. This is a renewal for an operating permit for a non-Title V (State-Only) facility. The current State-Only Operating Permit will expire on March 18, 2018. The renewed permit incorporates a previous Federally-enforceable potential to emit limit of 24.99 tons per year of nitrogen oxides (NO_x) for the entire facility. The permitted sources include four (4) dual fuel (natural gas and No. 2 fuel oil) boilers, thirteen (13) miscellaneous emergency generators with ratings ranging from 200-kW to 1,500-kW and a natural gas-fired cogeneration unit that is the facility's main source of steam.

The facility shall comply with all applicable requirements of 40 CFR Part 63, Subpart JJJJJ for the boilers, 40 CFR Part 63, Subpart ZZZZ for the emergency generators, and 40 CFR Part 60, Subpart KKKK for the cogeneration unit. The Operating Permit will contain monitoring, recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

09-00135: Fybroc Division/CECO Environmental Corp. (700 Emlen Way, Telford, PA 18969-1773) located in Telford Borough, **Bucks County** for the renewal of a State Only (Natural Minor) Operating Permit No. 09-00135. Fybroc manufactures fiberglass reinforced plastic pumps and pumping equipment. The facility's air emission sources consist of two types of molding processes. The molding processes use styrene and have a restriction on the amount of styrene used so the facility can remain a natural minor facility for Volatile Organic Compounds (VOC). The VOC emissions from these sources will not exceed 3.50 tons per year. The operating permit also contains work practice standards, monitoring and recordkeeping requirements, and operating restrictions designed to keep the sources and facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: *Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

38-03009: Regal Cast, Inc. (PO Box 1170, Lebanon, PA 17042) to issue a State Only Operating Permit for the steel foundry operations in the City of Lebanon, **Lebanon County**. The facility's potential emissions are 27.0 tpy of PM₁₀, 9.5 tpy of NO_x, 5.2 tpy of VOCs, 0.22 tpy of CO, and 0.04 tpy of SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit includes conditions from 40 CFR Part 63, Subpart ZZZZZ-National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources.

21-03101: Hoffman Roth Funeral Home & Crematory (2020 W. Trindle Road, Carlisle, PA 17013) for the operation of a human crematory facility in Carlisle Borough, **Cumberland County**. This is for renewal of the existing state-only permit. The facility potential emissions are estimated at 1.4 tpy carbon monoxide, 1.6 tpy of nitrogen oxides, and less than 1 tpy of all other criteria pollutants. The Operating Permit will include emission limits and work practice standards along with monitor-

ing, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: *Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

41-00079: Eureka Resources, LLC (454 Pine Street, Williamsport, PA 17701-6200) to issue a State only operating permit for their Second Street facility located in Williamsport, **Lycoming County**. The facility is currently operating under State Only Operating Permit 41-00079. The facility's sources include two 2.5 million Btu per hour natural gas-fired boilers, a 6.69 million Btu per hour natural gas-fired boiler, two 896 horsepower four-stroke, rich-burn natural gas-fired compressor engines and a gas well wastewater treatment operation. The volatile organic compound emission limitation established for the two 896 horsepower compressor engines was increased from 0.03 gram to 0.10 gram per brake horsepower hour. The subject modification will result in a 1.24 ton per year increase in the facility-wide emission of volatile organic compounds. The facility has potential emissions of 16.29 tons per year of nitrogen oxides, 19.77 tons per year of carbon monoxide, 0.07 ton per year of sulfur oxides, 1.44 ton per year of particulate matter, 11.31 tons per year of volatile organic compounds and 3.80 tons per year of hazardous air pollutants.

The compressor engines are subject to 40 CFR Part 63, Subpart ZZZZ of the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: *Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

03-00202: Peoples Natural Gas Company LLC (1201 Pitt Street, Pittsburgh, PA 15221-2029), in accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a State Only Operating Permit SOOP renewal (OP-03-00202) to Peoples Natural Gas Company LLC ("PNG") to authorize the continued operation of the production, storage, and transmission of natural gas in Pennsylvania at their Roaring Run Compressor Station facility located in Kiskiminetas Township, **Armstrong County**.

The facility's air contamination sources consist of a natural gas-fired Cooper Bessemer compressor engine rated at 440 bhp for natural gas transmission, an auxiliary power generating Onan engine, a parts washer, and fugitive VOC emissions from the facility. Potential emissions from the facility are 60.0 tons NO_x, 8.0 tons CO, 9.0 tons VOC, 2.0 tons HAPs, and 1.0 ton PM₁₀ per year.

This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed SOOP includes conditions relating to applicable emission restrictions, monitoring, recordkeeping, reporting, and work practice standard requirements. The Cooper Bessemer compressor engine and emergency generator are subject to the applicable requirements of 40 CFR Part 60 Subpart ZZZZ.

PNG's State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the proposed Air Quality State Only Operating Permit for this project are available for review by any interested party at the Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality State Only Operating Permit for this project, a person may contact Thomas Kaminski at thkaminski@pa.gov or 412.442.4097.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (State Only Operating Permit 03-00202) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests, and requests for a public hearing should be directed to Jesse S. Parihar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 (jparihar@pa.gov, fax 412.442.4194).

63-00643: Ametek, Inc. (1085 Route 519, Eighty Four, PA 15330) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Ametek, Inc. to authorize the operation of their metal powder manufacturing facility in North Strabane Township, **Washington County**.

The facility is comprised of metal melting furnaces, metal atomization systems, rotary dryers, an aluminum

grinder, processing tanks and cyclones and fabric filters to control particulate matter emissions from these operations. Annual potential emissions from the facility are estimated to be 6.2 tons of PM₁₀, 2.16 tons of NO_x, 0.12 ton of VOC and 1.82 ton of CO. The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Chapters 121—145 and 40 CFR Part 63 Subpart ZZZZ.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (63-00643) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Ametek, Inc. State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Ametek, Inc. State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP17-000055: The Washington (520 Walnut Street, Philadelphia, PA 19106) for operation of an office and retail facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include three (3) Cleaver Brooks boilers firing natural gas/No. 2 oil each rated at 6.0 MMBtu/hr, one (1) natural gas fired Cleaver Brooks boiler rated at 1.5 MMBtu/hr, two (2) diesel fired emergency generators each rated at 264 kW or less, and one (1) diesel fired Caterpillar fire pump rated at 196 hp.

OP17-000074: Parc Rittenhouse Condominium Association (225 S. 18th Street, Philadelphia, PA 19103) for operation of a condominium complex in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) natural gas fired Rock Mills boilers each rated at 130 hp, one (1) No. 4 oil fired Rock Mills boiler rated at 130 hp, one (1) diesel fired Caterpillar emergency generator rated at 200 kW, and one (1) diesel fired Clark fire pump rated at 200 hp.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this

notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OP17-000059: Roxborough Memorial Hospital (5800 Ridge Avenue, Philadelphia, PA 19128) for operation of a hospital in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) Cleaver Brooks boilers firing natural gas/No. 2 oil each rated 17.0 MMBtu/hr or less, and three (3) diesel fired emergency generators each rated 750 kW or less.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and

telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

63091301 and NPDES No. PA0236004. Tunnel Ridge, LLC, (2596 Battle Run Road, Triadelphia, WV 26059). To revise the permit for the Tunnel Ridge Mine in Donegal and West Finley Townships, **Washington County** and related NPDES Permit to revise 1,206.43 previously permitted acres from development to longwall mining. No additional discharges. The application was considered administratively complete on December 22, 2017. Application received October 7, 2017.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56120117 and NPDES No. PA0269182. Wilson Creek Energy, LLC, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, permit renewal for reclamation only of a bituminous surface and auger mine in Jenner Township, **Somerset County**, affecting 241.6 acres. Receiving stream: Hoffman Run and unnamed tributaries to Quemahoning Creek classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Cambria—Somerset Water Authority. Application received: December 15, 2017.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

61120107 and NPDES Permit No. PA0259331. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Renewal of an existing bituminous surface mining mine and associated NPDES permit in Irwin Township, **Venango County**, affecting 62.7 acres. Receiving streams: Unnamed tributaries to Scrubgrass Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 22, 2017.

33080105 and NPDES Permit No. PA0258547. Original Fuels, Inc. (P.O. Box 343, Punxsutawney, PA 15767) Renewal of an existing bituminous surface mine and associated NPDES permit in Perry & Young Townships, **Jefferson County**, affecting 447.4 acres. Receiving streams: Unnamed tributaries to Mahoning Creek, classified for the following uses: CWF & WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 21, 2017.

33120102 and NPDES Permit No. PA0259268. Original Fuels, Inc. (P.O. Box 343, Punxsutawney, PA 15767) Renewal of an existing bituminous surface mine and associated NPDES permit in Perry Township, **Jeffer-**

son County, affecting 232.0 acres. Receiving streams: Unnamed tributaries to Mahoning Creek and Rose Run, classified for the following uses: CWF & WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 21, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 54803203T3 and NPDES Permit No. PA0123862. Rausch Creek Fuel, LLC, (978 Gap Street, Valley View, PA 17983), transfer of an existing anthracite coal refuse reprocessing operation and NPDES Permit for discharge of treated mine drainage from Rausch Creek Land, LP in Hegins Township, **Schuylkill County** affecting 76.0 acres, receiving stream: East Branch Rausch Creek, classified for the following use: cold water fishes. Application received: December 8, 2017.

Permit No. 54880203T4. Rausch Creek Fuel, LLC, (978 Gap Street, Valley View, PA 17983), transfer of an existing anthracite coal refuse reprocessing operation from Rausch Creek Land, LP in Tremont Township, **Schuylkill County** affecting 15.8 acres, receiving stream: Swatara Creek, classified for the following uses: cold water and migratory fishes. Application received: December 8, 2017.

Permit No. 54930102T5 and NPDES Permit No. PA0223492. Rausch Creek Anthracite Coal, LLC, (978 Gap Street, Valley View, PA 17983), transfer of an existing anthracite surface mine and NPDES Permit for discharge of treated mine drainage from Rausch Creek Land, LP in Porter Township, **Schuylkill County** affecting 594.0 acres, receiving stream: East Branch Rausch Creek, classified for the following use: cold water fishes. Application received: December 8, 2017.

Permit No. 54803004T3. Rausch Creek Mine Reclamation, LLC, (978 Gap Street, Valley View, PA 17983), transfer of an existing anthracite surface mine operation from Rausch Creek Land, LP in Hegins Township, **Schuylkill County** affecting 214.0 acres, receiving streams: East Branch Rausch Creek and Good Spring Creek, classified for the following use: cold water fishes. Application received: December 8, 2017.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

| Parameter | Table 2 | | |
|--------------------------------------|----------------|---------------------------------|-----------------------|
| | 30-day Average | Daily Maximum | Instantaneous Maximum |
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Alkalinity exceeding acidity* pH* | | greater than 6.0; less than 9.0 | |

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 66040805. Charles A. Kern, (1029 Lower Demunds Road, Dallas, PA 18612), Stage I & II bond release of a quarry operation in Tunkhannock Township, **Wyoming County** affecting 1.0 acre on property owned by Charles A. Kern. Application received: December 11, 2017.

Permit No. 35910301C and NPDES No. PA0595209. Scranton Materials, LLC, (P.O. Box 127, Meshoppen, PA 18630), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Newton and Ransom Townships, **Lackawanna County** affecting 249 acres, receiving stream: Keyser Creek, classified for the following use: cold water fishes. Application received: December 18, 2017.

Permit No. 58172515 and NPDES Permit No. PA0225801. Johnson Quarries, Inc., (P.O. Box 136, LeRaysville, PA 18829), commencement, operation and restoration of a bluestone quarry operation and NPDES permit for discharge of treated mine drainage in Apolacan Township, **Susquehanna County** affecting 5.0 acres, receiving stream: Bow Bridge Creek, classified for the following uses: high quality—cold water fishes and migratory fishes. Application received: December 20, 2017.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|-------------------|---------------------------|---------------------------------|----------------------------------|
| Iron (Total) | 3.0 mg/l | 6.0 mg/l | 7.0 mg/l |
| Manganese (Total) | 2.0 mg/l | 4.0 mg/l | 5.0 mg/l |
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| pH* | | greater than 6.0; less than 9.0 | |

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0234591 (Mining Permit No. 11970106), Laurel Sand and Stone, Inc., P.O. Box 556, Ligonier, PA 15658, renewal of an NPDES permit for bituminous surface mine in Jackson Township, **Cambria County**, affecting 81.9 acres. Receiving streams: unnamed tributary to South Branch of Blacklick Creek and unnamed tributary to Bracken Run, classified for the following use: cold water fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: December 6, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to unnamed tributary to South Branch of Blacklick Creek:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 006 | N |

The following outfall discharges to unnamed tributary to Bracken Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 007 | N |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Outfalls: 001, 006 and 007</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|---|---------------------------------|--------------------------------|-----------------------------------|
| Iron (mg/l) | 1.5 | 3.0 | 3.7 |
| Manganese (mg/l) | 1.0 | 2.0 | 2.5 |
| Aluminum (mg/l) | 0.75 | 1.5 | 1.8 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0234583 (Mining permit no. 31970301), U.S. Silica Company, 12942 Oriskany Road, Mapleton Depot, PA 17052, renewal of an NPDES permit for a sandstone quarry in Brady Township, **Huntingdon County**, affecting 307 acres. Receiving stream(s): Mill Creek and Saddler Run, classified for the following use(s): Trout Stocked Fishery. Application received: December 1, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfall discharges to: Mill Creek

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 004 | N |

The following outfall discharges to: Saddler Run

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001 | N |

The proposed effluent limits for the previously listed outfall(s) are as follows:

| <i>Outfalls: 001 and 004</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|--|---------------------------------|--------------------------------|-----------------------------------|
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0227609 (Permit No. 16970301). Terra Works, Inc. (49 South Sheridan Road, Clarion, PA 16214) Renewal of an NPDES permit for a large industrial minerals surface mine in Beaver, Licking, and Richland Townships, **Clarion County**, affecting 125.7 acres. Receiving streams: Unnamed tributary to Turkey Run, classified for the following uses: HQ-CWF. TMDL: Lower Clarion River. Application received: November 21, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfall discharges to Unnamed tributary B to Turkey Run:

| <i>Outfall No.</i> | <i>New Outfall (Y/N)</i> |
|--------------------|--------------------------|
| TP1 | N |

The proposed effluent limits for the previously listed outfall(s) are as follows:

| <i>Parameter</i> | <i>Minimum</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|--|----------------|---------------------------------|--------------------------------|-----------------------------------|
| pH ¹ (S.U.) | 6.0 | | | 9.0 |
| Iron (mg/l) | | 2.5 | 5.0 | 6.25 |
| Manganese (mg/l) | | 1.7 | 3.4 | 4.25 |
| Aluminum (mg/l) | | 0.75 | 0.75 | 0.75 |
| Alkalinity greater than acidity ¹ | | | | |
| Total Suspended Solids (mg/l) | | 35 | 70 | 90 |
| Osmotic Pressure (milliosmoles/kg) | | | | 50 |

¹ The parameter is applicable at all times.

The following outfall discharges to Unnamed tributary B to Turkey Run:

| <i>Outfall No.</i> | <i>New Outfall (Y/N)</i> |
|--------------------|--------------------------|
| SP1 | N |

Outfall No.
SP2

New Outfall (Y/N)
N

The proposed effluent limits for the previously listed outfall(s) are as follows:

| Parameter | Minimum | 30-Day Average | Daily Maximum | Instant. Maximum |
|--|---------|-------------------|------------------|---------------------|
| pH ¹ (S.U.) | 6.0 | | | 9.0 |
| Iron (mg/l) | | | | 7.0 |
| Alkalinity greater than acidity ¹ | | | | |
| Total Settleable Solids (ml/l) | | | | 0.5 |

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0595721 on Surface Mining Permit No. 7876SM1. New Enterprise Stone & Lime Co., Inc. d/b/a Eastern Industries, Inc., (3724 Crescent Court West, Suite 200, Whitehall, PA 18052), renewal of an NPDES Permit for a limestone quarry operation in Whitehall Township, **Lehigh County**, affecting 89.19 acres. Receiving stream: Coplay Creek, classified for the following use: cold water fishes. Application received: August 21, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfall discharges to Coplay Creek.

| Outfall No. | New Outfall Y/N | Type |
|-------------|-----------------|---------------------|
| 001 | No | Pit Sump/Stormwater |

The proposed effluent limits for the previously listed outfall are as follows:

| Parameter | Minimum | 30-Day Average | Daily Maximum | Instantaneous Maximum |
|-------------------------------|---------|--------------------|------------------|--------------------------|
| pH ¹ (S.U.) | 6.0 | | | 9.0 |
| Total Suspended Solids | | 35.0 | 70.0 | 90.0 |
| Total Dissolved Solids (mg/l) | | Monitor and Report | | |
| Sulfates (mg/l) | | Monitor and Report | | |

¹ The parameter is applicable at all times.

NPDES Permit No. PA0612880 on Surface Mining Permit No. 7874SM2. New Enterprise Stone & Lime Co., Inc. d/b/a Eastern Industries, Inc., (3724 Crescent Court West, Suite 200, Whitehall, PA 18052), renewal of an NPDES Permit for a limestone quarry operation in North Whitehall Township, **Lehigh County**, affecting 272.0 acres. Receiving stream: Coplay Creek, classified for the following use: cold water fishes. Application received: November 13, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfall discharges to Coplay Creek.

| Outfall No. | New Outfall Y/N | Type |
|-------------|-----------------|----------------------|
| 01 | No | Groundwater/Pit Sump |

The proposed effluent limits for the previously listed outfall are as follows:

| Parameter | Minimum | 30-Day Average | Daily Maximum | Instantaneous Maximum |
|--|---------|-------------------|------------------|--------------------------|
| pH ¹ (S.U.) | 6.0 | | | 9.0 |
| Total Suspended Solids | | 35.0 | 70.0 | 90.0 |
| Alkalinity Greater Than Acidity ¹ | | | | |
| Discharge 01 | | 1.40 MGD | | |

¹ The parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments,

suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on

working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E45-612. DEPG Mosier Associates, L.P., 580 W. Germantown Pike, Suite 103, Plymouth Meeting, PA 19462, in Smithfield Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Smithfield Gateway Project.

1. A roadway crossing of a UNT to Brodhead Creek (CWF, MF) consisting of an 85-foot long 36-inch diameter HDPE pipe depressed 6-inches below the existing streambed elevation with concrete headwalls and R-7 rip rap apron.

2. To relocate approximately 200 linear feet of an existing UNT to Brodhead Creek (CWF, MF). The work consists of approximately 450 linear feet of a new watercourse channel lined with approximately 250-feet of R-5 rip rap, approximately 200-feet of permanent channel lining, and a rock filter of R-4 rip rap. Also included is a stream enclosure consisting of approximately 168-linear feet of 36-inch HDPE pipe and approximately 36-linear feet of 42-inch diameter HDPE pipe depressed 6-inches below the existing streambed elevation with two manholes, headwalls and R-7 rip rap apron.

3. An 18-inch HDPE stormwater line, 54-inch diameter HDPE stormwater line, 12-inch DIP water line, a 3-inch and 4-inch HDPE sanitary force main, 4-inch gas line, 2-inch telecommunications line and electrical line crossing the new 36-inch diameter pipe conveying the UNT to Brodhead Creek (CWF, MF) under impact # 2.

4. An outfall to a UNT to Brodhead Creek (CWF, MF) consisting of a 72-inch RCP, concrete headwall, concrete energy dissipator and R-6 rip rap apron.

5. To re-grade and line approximately 65 linear feet of a UNT to Brodhead Creek (CWF, MF) with R-8 rip rap.

The project is located at the intersection of S.R. 0209 and Music Center Drive (East Stroudsburg, PA Quadrangle Latitude: 41° 0.0' 15.97"; Longitude: -75° 8.0' 57.85").

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E32-521, Burrell Township Sewer Authority, 49 Willow Street, Black Lick, PA 15716, Burrell Township, **Indiana County**, ACOE Pittsburgh District.

The applicant proposes to:

Improve the existing Black Lick Waste Water Treatment Plant (WWTP) by demolishing and removing the existing process tanks, buildings and equipment, remove existing fence, relocate an existing shed, relocate an existing forcemain, construct and maintain an effluent aeration tank, a WWTP building, wet well, new control building and plant office, stormwater management features and regrade and pave the site. The project is located in the floodplain of Blacklick Creek (TSF), on the east side of Route 119, approximately 1,900.0 feet northeast from the intersection of Route 119 and Cresson Alley (Bolivar, PA Quadrangle; N: 18.6 inches; W: 9.8 inches; Latitude: 40°-28'-39"; Longitude: 79°-11'-39") in Burrell Township, Indiana County.

Northwest Region: Waterways & Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E61-300, PA DOT District 1-0, 255 Elm Str., Oil City, PA 16301. SR 0038 SEG 0110, in Richland Township, **Venango County**, ACOE Pittsburgh District (Emlenton, PA Quadrangle N: 41°, 12', 41.29"; W: -79°, 39', 43.86").

To remove the existing structure and to install and maintain a 12.0-foot × 6.0-foot pre-cast, reinforced concrete box culvert carrying SR 0038 over Richey Run and to repair and extend an existing 2.0-foot concrete culvert carrying SR 0038 over a UNT to Richey Run in Richland Township, Venango County. The project will result in a de minimus permanent impact of approximately 290 square feet of palustrine scrub-shrub (PSS) wetland. Approximately 75 linear feet of Richey Run will be relocated upstream of the proposed box culvert to prevent road embankment erosion. The project is located on SR 0038 Segment 0110 Offset 0000 just north of its intersection with SR 2003 (Whitehall Road).

E24-266, Johnsonburg Borough Municipal Authority, 434 Center Street, Johnsonburg, PA 15845. Water Treatment Facility Intakes, in Johnsonburg Borough, **Elk County**, ACOE Pittsburgh District (Ridgway, PA Quadrangle N: 41.493998°, W: -78.672219°).

The Applicant proposes to construct, operate, and maintain a raw water intake structure within the East Branch of the Clarion River (HQ-CWF) at a point approximately 150 feet north of the Glen Avenue and 1st Avenue intersection for the purposes of supplying a yet to be constructed water treatment facility.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing

provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or Amendment |
| Section III | WQM | Industrial, Sewage or Animal Wastes; Discharges to Groundwater |
| Section IV | NPDES | MS4 Individual Permit |
| Section V | NPDES | MS4 Permit Waiver |
| Section VI | NPDES | Individual Permit Stormwater Construction |
| Section VII | NPDES | NOI for Coverage under NPDES General Permits |

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed No.)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|--|--|--|----------------------------|
| PA0062472 (Sewage) | Blue Mountain View Estates WWTP 1716 West Lizard Creek Road Lehighton, PA 18235 | Carbon County Lower Towamensing Township | Aquashicola Creek (2-B) | Yes |
| PA0032107 (Sewage) | Beltzville State Park STP 2950 Pohopoco Drive Lehighton, PA 18235-8905 | Carbon County Franklin Township | Pohopoco Creek (2-B) | Yes |

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|---|---|--|----------------------------|
| PA0085669 SEW | Centerport Borough Municipal Authority PO Box 248 110 Callowhill Street Centerport, PA 19516-0248 | Centerport Borough, Berks County | Irish Creek in Watershed(s) 3-B | Y |
| PA0088188 SEW | Gratz Borough Municipal Authority 125 N Center Street Gratz, PA 17030 | Gratz Borough, Dauphin County | UNT to Wiconisco Creek in Watershed(s) 6-C | Y |
| PA0010375 IW | Lehigh White Cement Company 200 Hokes Mill Rd York, PA 17404-5540 | West Manchester Township, York County | UNT to Codorus Creek in Watershed(s) 7-H | Y |

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed #) | EPA Waived Y/N? |
|---------------------|---|---|------------------------------|--------------------|
| PA0083984 SEW | Ltd Ranch House Family Inc. 133 Old Trail Road Duncannon, PA 17020-7120 | Watts Township, Perry County | Watershed(s) 6-C | Y |
| PA0024902 SEW | Upper Allen Township 100 Gettysburg Pike Mechanicsburg, PA 17055-5604 | Upper Allen Township, Cumberland County | Watershed(s) 7-E | N |
| PA0266540 CAFO | Clair Burkholder Poultry Farm 1050 Oregon Hollow Road Drumore, PA 17518 | East Drumore Township, Lancaster County | Watershed(s) 7-K | N |

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed No.) | EPA Waived Y/N? |
|---------------------------|---|---------------------------------------|--|--------------------|
| PA0112411 (Sewage) | Hillside Acres Mobile Home Park 17 Hillside Acres Gillett, PA 16925-9621 | Bradford County Ridgebury Township | Unnamed Tributary of Chemung River (4-B) | Yes |
| PA0111911 (Industrial) | Const Specialties PO Box 380 6696 Route 405 Highway Muncy, PA 17756-0380 | Lycoming County Clinton Township | Turkey Run (10-C) | Yes |

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed No.) | EPA Waived Y/N? |
|---------------------------|--|--|---|--------------------|
| PA0204897 (Industrial) | Port Authority of Allegheny County—Collier Garage 345 Sixth Avenue Pittsburgh, PA 15222-2527 | Allegheny County Collier Township | Painters Run & McLaughlin Run (20-F) | No |
| PA0093882 (Industrial) | Port Authority of Allegheny County—West Mifflin Fac. 345 Sixth Avenue, 3rd Flr. Pittsburgh, PA 15222-2527 | Allegheny County West Mifflin Borough | Streets Run and Unnamed Trib. to Thompson Run (19-A) | No |

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed No.) | EPA Waived Y/N? |
|-----------------------|---|---|---|--------------------|
| PA0272639 (Sewage) | Gayle Marco & Lawrence Scanlon & Madeline Scanlon SRSTP 110 Shadow Lane Coraopolis, PA 15108-1140 | Erie County Springfield Township | Unnamed Tributary to Raccoon Creek (15-A) | Yes |
| PA0100056 (Sewage) | Rose Point Park Campground 314 Rose Point Road New Castle, PA 16101-9358 | Lawrence County Slippery Rock Township | Slippery Rock Creek (20-C) | Yes |

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0027367, Sewage, SIC Code 4952, **Greenville Borough Sanitary Authority Mercer County**, PO Box 604, Greenville, PA 16125-0604.

This existing facility is located in Greenville Borough, **Mercer County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 3517406, Sewage, **PA American Water Co.**, 800 West Hershey Park Drive, Hershey, PA 17033.

This proposed facility is located in Scranton City, **Lackawanna County**.

Description of Proposed Action/Activity: Improvements to the existing combined sewer over flow sewage conveyance system CSO # 30 located at Prescott Avenue and Ridge Row. The improvement will consist of an additional 1.34 million-gallon storage tank and equalization facility for use during extreme rain events.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6183404 A-1, Sewage, **Aqua Pennsylvania Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010-3402.

This existing facility is located in Salem Township, **Clarion County**.

Description of Proposed Action/Activity: Installation of tablet chlorinator/dechlorinator and coarse air bubble diffuser at Mariasville STP.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the MS4s listed below in lieu of NPDES permit coverage.

South West Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES

| <i>Waiver No.</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Receiving Water(s)/Use(s)</i> |
|-------------------|---|------------------------------|--|
| PAG136261 | Ingram Borough Allegheny County 40 W Prospect Avenue Pittsburgh, PA 15205-2241 | Ingram Borough, Allegheny | Chartiers Creek/WWF |
| PAG136233 | Scalp Level Borough Cambria County 422 Main Street Windber, PA 15963-1017 | Scalp Level Borough, Cambria | Paint Creek, Unnamed Tributary to Little Paint Creek, and Little Paint Creek/TSF and CWF |
| PAG136119 | Paint Borough Somerset County 119 Hoffman Avenue Windber, PA 15963-2358 | Paint Township, Somerset | Paint Creek/TSF |

V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the MS4s listed below in lieu of NPDES permit coverage.

North Central Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES

| <i>Waiver No.</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Receiving Water(s)/Use(s)</i> |
|-------------------|---|--------------------------------|---|
| PAG134825 | Catawissa Borough Columbia County 307 Main Street Catawissa, PA 17820-1315 | Catawissa Borough, Columbia | Catawissa Creek/TSF and MF |
| PAG134819 | Cooper Township Montour County 19 Steltz Road Danville, PA 17821-9132 | Cooper Township, Montour | Unnamed Tributary to Sechler Run/CWF and MF |
| PAG134827 | Briar Creek Borough Columbia County 6029 Park Road Berwick, PA 18603-5710 | Briar Creek Borough, Columbia | Briar Creek/CWF and MF |
| PAG134824 | Catawissa Township Columbia County 153 Old Reading Road Catawissa, PA 17820-7937 | Catawissa Township, Columbia | Unnamed Tributary to Catawissa Creek/CWF and MF |
| PAG134817 | Briar Creek Township Columbia County 150 Municipal Road Berwick, PA 18603-5221 | Briar Creek Township, Columbia | Glen Brook, Briar Creek, Unnamed Tributary to East Branch Briar Creek, and East Branch Briar Creek/CWF and MF |

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------|--|---------------|-----------------------------|---|
| PAD150060 | The Hankin Group 707 Eagleview Boulevard Exton, PA 19341 | Chester | Wallace Township | East Branch Brandywine Creek HQ-TSF Brandywine Creek MF |
| PAD150059 | Malvern Hill Associates, L.P. 2701 Renaissance Boulevard 4th Floor King of Prussia, PA 19406-2781 | Chester | East Whiteland Township | Little Valley Creek EV-MF |
| PAD090016 | Bensalem Redevelopment, L.P. 2310 Terwood Drive Huntingdon Valley, PA 19006 | Bucks | Bensalem Township | Delaware River WWF-MF |
| PAD150058 | Longview Swinehart, L.P. 1055 Westlakes Drive Suite 170 Berwyn, PA 19312 | Chester | West Brandywine Township | Beaver Creek CWF Culbertson Run HQ-TSF-MF |
| PAD230008 | Middletown Township 27 North Pennel Road Lima, PA 19037 | Delaware | Middletown Township | Chrome Run TSF-MF Spring Run HQ-TSF-MF |
| PAD150027 | Marsh Creek Homes 170 Crawford Road Downingtown, PA 19335 | Chester | East Brandywine Township | East Branch of Brandywine (POI No. 1) HQ-TSF-MF |
| PAD150040 | Malvern Preparatory School 418 South Warren Avenue Malvern, PA 19355 | Chester | Malvern Borough | Tributary to Crum Creek—Massacre Run HQ-CWF |
| PAD460009 | Lansdale Multifamily Development, L.P. 301 Oxford Valley Road Yardley, PA 19067 | Montgomery | Lansdale Borough | West Branch Neshaminy Creek WWF-MF |

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

NPDES

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------|--|------------------------|--------------------------------|------------------------------------|
| PAD630007 | South Strabane Township Sanitary Authority 550 Washington Road Washington, PA 15301 | Washington County | South Strabane Township | Little Chartiers Creek (HQ-WWF) |
| PAI056515003 | Joseph M. Knapp 748 New Texas Road Pittsburgh, PA 15239 | Westmoreland County | Municipality of Murrysville | UNT to Haymakers Run (HQ-CWF) |

Northwest Region: Waterways & Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------|--|---------------|---------------------|--|
| PAD250003 | Riedman Acquisitions, LLC 45 East Avenue Rochester, NY 14604 | Erie | Millcreek Township | Cascade Creek WWF, MF Walnut Creek CWF, MF |
| PAI061014001(1) | Anthony Gagliardi 120 Dittmer Road Herman, PA 16039 | Butler | Summit Township | UNT Rough Run HQ-TSF |

Individual Permit Type—PAD

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

NPDES Permit

| <i>No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|------------|--|----------------|---------------------|--|
| PAD680003 | Attention: Patrick M. Webb Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800 | Venango County | Irwin Township | Unnamed Tributary to South Sandy Creek (CWF) and Unnamed Tributary to Williams Run (CWF) |

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

| | |
|-------------|---|
| PAG-1 | General Permit for Discharges from Stripper Oil Well Facilities |
| PAG-2 | General Permit for Discharges of Stormwater Associated With Construction Activities |
| PAG-3 | General Permit for Discharges of Stormwater From Industrial Activities |
| PAG-4 | General Permit for Discharges from Small Flow Treatment Facilities |
| PAG-5 | General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems |
| PAG-6 | General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO) |
| PAG-7 | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application |
| PAG-8 | General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-8 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage |
| PAG-9 | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site |
| PAG-9 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage |
| PAG-10 | General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines |
| PAG-11 | General Permit for Discharges from Aquatic Animal Production Facilities |
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |
| PAG-14 | (To Be Announced) |
| PAG-15 | General Permit for Discharges from the Application of Pesticides |

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|--|-------------------|---|----------------------------|---|
| City of Philadelphia Philadelphia County | PAC510052 | NewCourtland Elder Services 6970 Germantown Avenue Philadelphia, PA 19119-2114 | Schuylkill River WWF-MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |
| City of Philadelphia Philadelphia County | PAC510048 | Packer Park 1218 Green Street Philadelphia, PA 19123 | Schuylkill River WWF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|---|---|
| Tunkhannock Twp, Monroe County | ESG00089170001 | Transcontinental Pipeline Company, LLC Park Place Corporate Center Two 200 Commerce Dr Pittsburgh, PA 15275 | Mud Pond Run (EV, MF) Mud Run (HQ-CWF) Tunkhannock Creek (EV, MF) | Monroe County Conservation District 570-629-3060 |
| East Brunswick Twp, Schuylkill County | PAC540016 | Miller Group Holdings, LP PO Box 472 Schuylkill Haven, PA 17972 | Schuylkill River (CWF, MF) | Schuylkill County Conservation District 570-622-3742 |
| West Brunswick Twp, Schuylkill County | PAC540009 | Faron Breiner 278 Fort Lebanon Rd Auburn, PA 17922 | Pine Creek (CWF, MF) | Schuylkill County Conservation District 570-622-3742 |
| Choconut Twp | PAC580008 | Friendsville Dollar General LLC 361 Summit Blvd, Ste 110 Birmingham, AL 35243 | UNT to Choconut Creek (WWF, MF) | Susquehanna County Conservation District 570-278-4600 |

General Permit Type—PAC

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|---|
| Jefferson Township, Washington County | PAC680010 | Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 | Harmon Creek (WWF), Unnamed Tributary to Harmon Creek (WWF) | Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800 |

General Permit Type—PAG-03

| <i>Facility Location Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|--|-------------------|--|---|---|
| Pittsburgh City Allegheny County | PAR216167 | Frank Bryan, Inc. 100 South 3rd Street Pittsburgh, PA 15219 | Monongahela River—19-A | DEP South West Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000 |
| Allentown City Lehigh County | PAG032237 | Harrys U Pull It 1213 North Plymouth Street Allentown, PA 18109 | Unnamed Tributary to Lehigh River—2-C/CWF | DEP North East Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511 |

General Permit Type—PAG-8

| <i>Facility Location & County/Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Site Name & Location</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|-------------------------------------|--|
| East Pennsboro Township Wastewater Treatment Plant 21 East Dulles Drive Camp Hill, PA 17011 East Pennsboro Township/ Cumberland County | PAG083515 | East Pennsboro Township 98 South Enola Drive Enola, PA 17025 | Same as Facility | DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |

General Permit Type—PAG-12

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|------------------------------|--|
| East Hanover Township, Lebanon County | PAG123865 | Ben Moyer 807 Ono Road Jonestown, PA 17038 | Watershed 7-D | DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Menno Township, Mifflin County | PAG123864 | Marlin Hartzler 39 Hazel Lane Belleville, PA 17004 | Watershed 12-A | DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Lurgan Township, Franklin County | PAG123867 | David Brenize 7201 Sunset Road Newburg, PA 17240 | Watershed 7-B | DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Chanceford Township, York County | PAG123701 | Cathy & David Reifsnider 2596 New Bridgeville Road Felton, PA 17322-7705 | Watershed 7-I | DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |

General Permit Type—PAG-13

| <i>Facility Location Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|--|-------------------|--|---|--|
| Churchill Borough Allegheny County | PAG136225 | Churchill Borough Allegheny County 2300 William Penn Highway Pittsburgh, PA 15235-4952 | Unnamed Tributary to Sawmill Run, Sawmill Run, Chalfant Run, and Unnamed Tributary of Chalfant Run—19-A | DEP South West Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000 |
| Emsworth Borough Allegheny County | PAG136314 | Emsworth Borough Allegheny County 171 Center Avenue Emsworth, PA 15202-1507 | Unnamed Tributary to Ohio River and Unnamed Tributary of Ohio River—20-G | DEP South West Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000 |
| Tarentum Borough Allegheny County | PAG136248 | Tarentum Borough 304 Lock Street Tarentum, PA 15084 | Bull Creek and Allegheny River—18-A (WWF, TSF, N) | DEP South West Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000 |
| Coplay Borough Lehigh County | PAG132201 | Coplay Borough 98 S. 4th Street Coplay, PA 18037 | Lehigh River—2-C (TSF/MF) | DEP North East Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511 |

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form

and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>AEU's</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Approved or Disapproved</i> |
|---|---------------|--------------------|--------------|--------------------|---|--------------------------------|
| Dwayne Brubacker 595 Brown Rd Myerstown, PA 17067 | Berks | 98.2 | 266.05 | Poultry | NA | Approved |

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 2350036, Public Water Supply.
Applicant **Aqua PA, Inc.**
1 Aqua Way
White Haven, PA 18661

[Township or Borough] **South Abington Township, Lackawanna County**
Responsible Official **Patrick R. Burke,**
Aqua PA, Inc.
1 Aqua Way
White Haven, PA 18661
Type of Facility **PWS**
Consulting Engineer **Jonathan Morris, PE**
GHD
1240 North Mountain Road
Harrisburg, PA 17112
(717) 541-0622
Operation Permit Issued **12/01/2017**
Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.
Permit No. 5017504 MA, Minor Amendment, Public Water Supply.
Applicant **Millerstown Boro Water Works**
Municipality **Millerstown Borough**
County **Perry**
Responsible Official **Billy M. Raush, President**
PO Box 739
Millerstown, PA 17062
Type of Facility **The Borough will be converting from chlorine gas disinfection to sodium hypochlorite disinfection.**
Consulting Engineer **Jennifer Miller, P.E.**
Herbert Rowland & Grubic Inc
369 East Park Drive
Harrisburg, PA 17111
Permit to Construct Issued **12/21/2017**
Permit No. 2117511 MA, Minor Amendment, Public Water Supply.
Applicant **State Correctional Institution at Camp Hill**
Municipality **Lower Allen Township**
County **Cumberland**

| | |
|----------------------------|--|
| Responsible Official | Laurel Harry, Superintendent 2500 Lisburn Road Camp Hill, PA 17001 |
| Type of Facility | A poly-orthophosphate blend will be injected to sequester calcium and magnesium and reduce scaling on components in the distribution system. |
| Consulting Engineer | Carol A. Piontkowski, P.E. Department of Corrections Bureau of Operations 1920 Technology Parkway Camp Hill, PA 17001 |
| Permit to Construct Issued | 12/27/2017 |

Operation Permit No. 3060526 issued to: **Keystone Fire Company (PWS ID No. 3060526)**, Tulpehocken Township, **Berks County** on 12/20/2017 for facilities approved under Construction Permit No. 3060526.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 4115505—Operation—Public Water Supply.

| | |
|-----------------------|--|
| Applicant | Montgomery Water & Sewer Authority |
| Township/Borough | Clinton Township |
| County | Lycoming County |
| Responsible Official | Mr. John Lynch Montgomery Water and Sewer Authority 35 South Main Street Montgomery, PA 17752 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Mr. Dave Walters, P.E. Larson Design Group 1000 Commerce Park Drive Suite 201 Williamsport, PA 17701 |
| Permit Issued | December 27, 2017 |
| Description of Action | Authorizes the use of Well No. 4 as an additional source of supply, including gas chlorine for disinfection, sodium hydroxide for pH adjustment, blended phosphate for corrosion control, and detention piping for 4-log inactivation of viruses. In addition, this permit approves operation of the upgrades to the SCADA system for Well Nos. 1 and 3 and a new submersible well pump in Well No. 3. |

Watrous Water Association (Public Water Supply), Tioga County: On December 22, 2017, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan Watrous Water Association. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (Mark R. Stephens, P.G., (570) 327-3422).

Permit No. 1717510MA—Construction—Public Water Supply.

| | |
|-----------------------|---|
| Applicant | Aqua Pennsylvania—Treasure Lake Division |
| Township/Borough | Sandy Township |
| County | Clearfield County |
| Responsible Official | Mr. Patrick Burke, Operations Manager Aqua Pennsylvania—Treasure Lake Division 204 East Sunbury Street Shamokin, PA 17872 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Mr. Robert Horvat Entech Engineering, Inc. 400 Rouser Road Building 2, Suite 200 Coraopolis, PA 15108 |
| Permit Issued | January 2, 2018 |
| Description of Action | Authorizes Aqua Pennsylvania, Inc. to install approximately 8,000 ft. of 8-inch diameter DI transmission main from connection to 8" x 12" cross joint near Bimini Well Station to metering vault near Acorn Lane cul-de-sac in Treasure Lake Pressure Zone. |

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Fox Chapel Authority**, 255 Alpha Drive, Pittsburgh, PA 15238, **(PWSID # 5020040)** Indiana Township, **Allegheny County** on December 27, 2017 for the operation of facilities approved under Construction Permit # 0216515MA.

Operations Permit issued to: **Fox Chapel Authority**, 255 Alpha Drive, Pittsburgh, PA 15238, **(PWSID # 5020040)** Indiana Township, **Allegheny County** on December 27, 2017 for the operation of facilities approved under Construction Permit # 0216517.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, **(PWSID # 5260036)** Dunbar Township, **Fayette County** on December 27, 2017 for the operation of facilities approved under Construction Permit # 2617522.

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, **(PWSID # 5020039)** Robinson Township, **Washington County** on December 21, 2017 for the operation of facilities approved under Construction Permit # 0217506MA.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

| <i>Borough or Township</i> | <i>Borough or Township Address</i> | <i>County</i> |
|----------------------------|---|---------------|
| Brown Township | 22 Brown Township Drive Reedsville, PA 17084 | Mifflin |

Plan Description: Approval is granted for an update to the Official Plan of Brown Township, Mifflin County. The project is known as the Brown Township Act 537 Sewage Facilities Plan Update (DEP Code No. A1-44905-ACT). The plan provides for the implementation of a township-wide on-lot sewage disposal system (OLDS) management program with a four-year septic tank inspection and pumping schedule. The plan also requires preliminary hydrogeologic studies in accordance with 25 Pa. Code § 71.62. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority, as appropriate.

Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

| <i>Borough or Township</i> | <i>Borough or Township Address</i> | <i>County</i> |
|----------------------------|--|---------------|
| Summit Township | 502 Bonniebrook Road Butler, PA 16002 | Butler |

Plan Description: The approved plan focuses on the area in the vicinity of Herman Road from Schnur Road west to the Summit Township boundary and north to include portions of Geibel, Bonniebrook and Brinker Roads. It concludes with the construction of a collection and conveyance system that will drain to a sequencing batch reactor WWTP on the Sechan property, located along Herman Road near the Summit and Butler Township boundary. The WWTP will be designed for a hydraulic capacity of 122,250 gpd and handle an organic load of 208 ppd. It will initially serve 404 existing EDUs, including the Summit Academy. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors,

a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Anglin Property, 3656 Mountainview Avenue, Palmer Township, **Northampton County**. GeoWorx Consulting, 1802 Route 31 North, Clinton, NJ 08809, on behalf of James Bartolacci, 760 Newlins Road East, Easton, PA 18040, has submitted a Final Report concerning remediation of site soils contaminated with # 2 fuel oil. The report is intended to document remediation of the site to meet Statewide Health Standards.

Roman Range Unit 20 Well Pad, 5312 Three Lakes Road, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, has submitted a Final Report concerning remediation of site soils contaminated with brine. The report is intended to document remediation of the site to meet Statewide Health Standards.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Roy Adams and Sons, Inc., Accident, Jordan Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Roy Adams and Sons, Inc., 7347 State Route 147, Sunbury, PA 17801, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel and motor oil. The report is intended to document remediation of the site to meet the Statewide Health Standard requirements.

Intersection of PA State Route 287 and Dam Run Road, Mifflin Township, **Lycoming County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823, on behalf of Rev Hoopes Trucking, LLC, 1004 Empson Road, Ulysses, PA 16948, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard requirements.

Gulf 40 Pad, Snow Shoe Township, **Centre County**. Mountain Research, LLC, 285 25th Street, Altoona, PA 16601, on behalf of Range Resources—Appalachia, LLC, Northern Marcellus Shale Division, 80 Health Drive, Lock Haven, PA 17745, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The report is intended to document remediation of the site to meet the Statewide Health Standard requirements.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Sheetz Store No. 136R, 105 North Erie Street, Borough of Mercer, **Mercer County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 351 Sheetz Way, Altoona, PA 16625, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX), Methyl Tert-Butyl Ether, Isopropylbenzene (Cumene), Naphthalene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential

public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Circle of Seasons Charter School, 8380 Mohr Lane, Upper Macungie Township and Weisenberg Township, **Lehigh County**. Moonstone Environmental, 1150 Glenlivet Drive, Suite A23, Allentown, PA 18106, on behalf of Circle of Seasons Charter School, 8380 Mohr Lane, Fogelsville, PA 18051, submitted a Remedial Investigation Report, Risk Assessment, and Final Report concerning remediation of site soils contaminated with lead and arsenic. The report is intended to document remediation of the site to meet the Statewide Health and Site-Specific Standard. The combined Remedial Investigation Report, Risk Assessment and Final Report was approved by the Department on December 21, 2017.

Cramer's Cashway Property, 132 Scenic Drive (SR 534), Polk Township, **Monroe County**. Pennsylvania Tectonics, Inc., 723 Main Street, Archbald, PA 18403, on behalf of Cramer's Home Building Centers, 320 North Courtland Street, East Stroudsburg, PA 18301-2198, submitted a Final Report concerning remediation of site soils and groundwater contaminated with Benzene, Ethylbenzene, Naphthalene, Toluene, 1,2,4-TMB, 1,3,5-TMB, MTBE, and Cumene. The report is intended to document remediation of the site to meet the Statewide Health Standard and was approved by the Department on March 28, 2017.

601 North Main Street Property, Taylor Borough, **Lackawanna County**. Pennsylvania Tectonics, Inc., 723 Main Street, Archbald, PA 18403, on behalf of Brent Hudak, 601 North Main Street, Taylor, PA 18517, submitted a Site-Specific Remedial Investigation Report, Cleanup Plan, and Final Report concerning remediation of site soils contaminated with Chloroethane, 1,2-Dichloroethane (EDC), 1,1-Dichloroethene (1,1-DCE), Cis-1,2-Dichloroethene (Cis-1,2-DCE), Trans-1,2-Dichloroethene (Trans-1,2-DCE), Tetrachloroethene (PCE), 1,1,1-Trichloroethane (1,1,1-TCA), Trichloroethylene (TCE), and Vinyl Chloride. The report is intended to document remediation of the site to meet the Site-Specific Standard and was approved by the Department on August 3, 2017.

Nanticoke MGP, Arch and Walnut Streets, City of Nanticoke, **Luzerne County**. Stantec Consulting Services Inc., 400 David Drive, Suite 400, Plymouth Meeting, PA 19462, on behalf of UGI Penn Natural Gas, 2525 North 12th Street, Reading, PA 19612, submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated with SVOCs, arsenic, and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard and was approved by the Department on September 25, 2015.

Silberline Manufacturing Company Inc., 201 East Dock Street, Lansford Borough, **Carbon County**, Michael S. Kozar, O'Brien & Gere Engineers Inc., has submitted an RIR (Remedial Investigation Report), on behalf of his client, Silberline Manufacturing Company Inc., concerning the remediation of soil and groundwater found to have been impacted by TCE, Vinyl Chloride (VC), and cis-1, 2-dichloroethene (cDCE) and the remediation of groundwater found to have been impacted by No. 6 fuel oil (naphthalene) as a result of historical operations at the site. The applicant proposes to remediate the site to meet the Site Specific Standard for soil and groundwater. The intended use of the site is continued commercial/industrial use. The Report was approved by the Department on June 19, 2015.

US Mini Mart-Childs Property, 511 Main Street, Carbondale Township, **Lackawanna County**. Pennsylvania Tectonics, Inc., 723 Main Street, Archbald, PA 18403, on behalf of Singh is King, LLC, 306 Glen Ridge Road, Tobyhanna, PA 18466, submitted a Final Report concerning remediation of site soils and groundwater contaminated with Benzene, Cumene, EDB, EDC, Ethylbenzene, MTBE, Naphthalene, Toluene, 1,2,4-TMB, 1,3,5-TMB, Total Xylenes, and Total Lead. The report is intended to document remediation of the site to meet the Statewide Health Standard and was approved by the Department on July 19, 2017.

Kleedorfer Residence, 117 East Aluta Mill Road, Bushkill Township, **Northampton County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Union Fuel Company, 700 Bushkill Drive, Easton, PA 18042, has submitted a Final Report concerning remediation of site soils contaminated with # 2 fuel oil. The report is intended to document remediation of the site to meet Statewide Health Standards and was approved by the Department on December 26, 2017.

McGavin E WYO 6H, 1246 Briar Crest Road, **Wyoming County**. Leidos Inc., 6310 Allentown Boulevard, Suite 10, Harrisburg, PA 17112, on behalf of Chesapeake Appalachia, LLC, 300 North 2nd Street, Harrisburg, PA 17101, has submitted a Final Report concerning remediation of site soils contaminated with brine. The report is intended to document remediation of the site to meet a combination of Statewide Health and Background Standards and was approved by the Department on January 2, 2018.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Brookside Mobile Home Park, 51 Manny Drive, Lower Swatara Township, **Dauphin County**. BL Companies, 4242 Carlisle Pike, Camp Hill, PA 17011, on behalf of Brookside Mobile Home Park, Inc., 1201 Eisenhower Boulevard, Middletown, PA 17057, submitted a Final Report concerning site soil contaminated with No. 2 fuel oil from an above-ground storage tank. The Final Report was administratively incomplete and was disapproved by the Department on December 27, 2017.

GlaxoSmithKline/Balmer Brothers Diesel Fuel Release, 325 North Bridge Street, Marietta, PA 17547, East Donegal Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Balmer Brothers, 1102 Brenneman Road, Manheim, PA 17545, and GlaxoSmithKline, 325 North Bridge Street, Marietta, PA 17547, submitted a Final Report concerning site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the

Residential Statewide Health Standard, and was approved by the Department on December 28, 2017.

Sheetz # 10, 1330 Moore Street, Huntingdon, PA 16652, Huntingdon Borough, **Huntingdon County**. Juniata Geosciences, LLC, 6872 Willow Brook Road, Alexandria, PA 16611, on behalf of Bolger Brothers, Inc., 1028 Burns Avenue, Altoona, PA 16601, submitted Final Report concerning remediation of site soil contaminated with No. 2 fuel oil and used motor oil. The Final Report was administratively incomplete and was disapproved by the Department on December 28, 2017.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

U.S. Gypsum Company, Derry Township, **Montour County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of U.S. Gypsum Company, 86 PPL Road, Danville, PA 17821, has submitted Final Report concerning remediation of the site soil contaminated with motor oil. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 26, 2017.

Volo Group Inc. Cleanup I-80 at MM 217E, East Chillisquaque Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Volo Group, Inc., 1326 E. Algonquin Road, Apt. 3H, Schaumburg, IL 60173, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 20, 2017.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Former Metallurgical Company of America (METCOA) Site, 8347 Mercer Street, Pulaski Township, **Lawrence County**. R.A.R. Engineering Group, Inc., 1135 Butler Avenue, New Castle, PA 16101, on behalf of Pulaski Industrial Corporation, 8347 Mercer Street, Pulaski, PA 16143, submitted a Cleanup Plan/Final Report concerning the remediation of site soil contaminated with arsenic, cadmium, cobalt, lithium, manganese, mercury, nickel and site groundwater contaminated with antimony, arsenic, cadmium, chromium VI, cobalt, lead, lithium, manganese, molybdenum, nickel, silver, and vanadium. The Cleanup Plan/Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on December 27, 2017.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170.

Hazardous Waste Transporter License Reissued

S-J Transportation Co., Inc., 1176 US Route 40, Woodstown, NJ 08098. License No. PA-AH 0015. Effective Dec 28, 2017.

Renewal Applications Received

S-J Transportation Co., Inc., 1176 US Route 40, Woodstown, NJ 08098. License No. PA-AH 0015. Effective Dec 22, 2017.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Nos. WMGR081D017 and WMGR081D017B. Computer Recycler of Eastern PA (CREPA), LLC, 710A Johnston Street and 35 Queen Street, Sinking Spring, PA 19608-1137, Sinking Spring Borough, Berks County. Following reissuance of General Permit No. WMGR081D017B to EZPC Recycling, LLC, these permits issued to CREPA were revoked on December 19, 2017.

Persons with questions concerning the revocation of these permits may contact John Oren, P.E., Permits Section Chief, PA DEP—Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110 or via phone at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

General Permit No. WMGR134. Homer City Generation, LP, 1750 Power Plant Road, Homer City, PA 15748. Modification to the authorization granted under General Permit No. WMGR134 for stabilized FGD-gypsum material generated in the Homer City Generating Station's Units # 1 and # 2 to be beneficially used at the Homer City Coal Refuse Disposal Site located in Center Township, **Indiana County.** Permit issued in the Regional Office on January 2, 2018.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP3-09: Richard E. Pierson Material Corp (P.O. Box 714, Bridgeport, NJ 08014) On December 27, 2017 for a portable non-metallic processing plant (crusher) in East Rockhill, **Bucks County.**

GP9-09: Richard E. Pierson Material Corp (P.O. Box 714, Bridgeport, NJ 08014) On December 27, 2017 for a diesel or No. 2 fuel-fired internal combustion engine in East Rockhill, **Bucks County.**

GP3-46-0151: Kehoe Construction Inc. (750 W. Washington Street, Norristown, PA 19401) On December 27th for a portable nonmetallic mineral processing plant (crusher) in Whitmarsh Township, **Montgomery County.**

GP9-46-0101: Kehoe Construction Inc. (750 W. Washington Street, Norristown, PA 19401) On December 27th for diesel or No. 2 fuel-fired internal combustion engine in Whitmarsh Township, **Montgomery County.**

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

GP5-58-020A: Appalachia Midstream Services, LLC (Park Place Corporate Center 2, 200 Commerce Drive, Pittsburgh, PA 15275) on December 22, 2017 the general operating permit GP5 for the operation of Natural Gas Compression and Natural Gas Dehydration plant at the facility located in Auburn Township, **Susquehanna County.**

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP1-55-0002A: PA Department of Human Service (1000 Route 522, Selinsgrove, PA 17870-8707) on December 15, 2017, for authorization to construct and operate a gas-fired boiler pursuant to the 'General Plan Approval and/or General Operating Permit BAQ-GPA/GP-1: Small Gas & No. 2 Oil Fired Combustion Units' at their Selinsgrove Center facility, located in Penn Township, **Snyder County.**

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

GP5-30-00200A: Energy Corporation of America (101 Heritage Road, Suite 1, Indiana, PA 15701) on December 29, 2017, for the continued operation of the existing equipment of at the Vecchio Compressor Station located in Greene Township, **Greene County.**

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-0196L: Abington Reldan Metals, LLC (ARM) (550 Old Bordentown Rd, Fairless Hills, PA 19330) On December 29, 2017 for the installation of a replacement Baghouse in Falls Township, **Bucks County.**

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

39-00006D: American Craft Brewery LLC (7880 Penn Drive, Breinigsville, PA 18031) issued on December 27, 2017 to increase production capacity, to provide additional brewing, blending, packaging flexibility and several changes to simplify recordkeeping at the facility located in Upper Macungie Twp., **Lehigh County.**

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05140A: Bulk Dried Materials, LLC (900 N. Hartley Street, York, PA 17404) on December 21, 2017, for a Thermal Sand Dryer controlled by a baghouse, located in the City of York, **York County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

30-00089D: Dominion Transmission, Inc. (5000 Dominion Boulevard—2NE, Glen Allen, VA 23060) on December 27, 2017, for installation of one Solar Taurus 60-7800S natural gas-fired compressor turbine rated at 7,684 HP at ISO conditions, controlled by an oxidation catalyst; one produced fluids storage tank, 2,500 gallon capacity; one lube oil tank, 1,000 gallon capacity; and piping components in natural gas service at the Crayne Compressor Station located in Franklin Township, **Greene County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0020J: Superior Tube Co. Inc. (3900 Germantown Pike, Collegeville, PA 19426-3112) On December 22, 2017 for an extension to operate the existing pickling and passivation operation with an increase in the Hydrogen Fluoride (HF) emissions limit in Lower Providence Township, **Montgomery County**.

15-0110B: Pepperidge Farm Inc. (421 Boot Road, Downingtown, PA 19335) On December 29, 2017 for an extension to operate two (2) 25-ton use bins for storage of the flour used in baking their products in Downingtown Borough, **Chester County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

14-00002S: Graymont (PA), Inc. (965 East College Avenue, Pleasant Gap, PA 16823) on December 18, 2017, extended the authorization that permitted the natural gas fuel addition of Kilns No. 6 & 7 to June 16, 2018, pending the completion of compliance evaluations and issuance of an operating permit. These rotary kilns (Source IDs P408 and P413) are located at their Pleasant Gap plant located in Spring Township, **Centre County**. The plan approval has been extended.

18-00005E: Dominion Transmission, Inc. (925 White Oakes Boulevard, Bridgeport, WV 26330) on December 28, 2017, for the construction and operation of a 11,015 brake-horsepower (bhp) natural gas-fired turbine/compressor engine (Source P111) and a 791 bhp natural gas-fired emergency generator (Source P203) at their Finnefrock Compressor Station located in Leidy Township, **Clinton County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

03-00246B: Bedrock Mines, LP (111 Freeport Rd., Pittsburgh, PA 15215-2943) Extension effective December 28, 2017, to extend the period of temporary operation for

an additional six months of a coal processing plant under plan approval PA-03-00246B at its Keystone East Facility located in Plumcreek Township, **Armstrong County**.

03-00263A: Allegheny Minerals Corporation (P.O. Box 1022, One Glade Park East, Kittanning, PA 16201-5022) Plan Approval Extension issuance date effective December 28, 2017, to authorize extension for the construction of Bison Mine limestone processing plant located in West Franklin Township, **Armstrong County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00061: PA Dept. of Correction/Graterford SCI, (Route 29, Graterford, PA 19426) On December 28, 2017 for the renewal of the Title V operating permit in Skippack Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

44-05001: Standard Steel LLC (500 N. Walnut Street, Burnham, PA 17009-1644) on December 21, 2017, for the steel foundry located in Burnham Borough, **Mifflin County**. The Title V permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

49-00007: Cherokee Pharmaceuticals (100 Avenue C, P.O. Box 367, Riverside, PA 17868) on December 19, 2017, was issued a significant modification to Title V operating permit 49-00007 to renew their volatile organic compound (VOC) Plantwide Applicability Limit (PAL), valid through December 19, 2027, for their Riverside Borough Plant located in Riverside Borough, **Northumberland County**. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

41-00016: Plastic Development Company (PO Box 4007, Williamsport, PA 17701-0607) on December 29, 2017, for renewal of their Title V operating permit for their facility in Woodward Township, **Lycoming County**. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-03094: Rocher, Inc. dba Del-Wood Kitchens, Inc. (1856 Dubs Church Road, Hanover, PA 17331-8581) on December 27, 2017 for the wood cabinet manufacturing facility located in Manheim Township, **York County**. The State-only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

11-00436: Penn Cambria School District (201 6th Street, Cresson, PA 16630-1363) State Only Operating Permit renewal issuance date effective December 12, 2017, for their Penn Cambria School District/Middle School located in Gallitzin Borough, **Cambria County**.

04-00675: Aliquippa Terminal Inc. (100 Woodlawn Road, Aliquippa, PA 15001-5404) State Only Operating Permit renewal issuance date effective December 26, 2017, for their Aliquippa River Terminal located in Aliquippa City, **Beaver County**.

63-00632: PVS Steel Services, Inc (2 Wheeling Pittsburgh Steel Drive, Route 88 S, Allenport, PA 15412) on December 27, 2017, a State Only Operating Permit (SOOP) renewal to PVS Steel Services to authorize the continued operation of their waste pickle liquor treatment/recycling facility located in Allenport, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

10-00030: Concast Metal Products Co. (131 Myoma Rd, Mars, PA 16046-2227), on December 21, 2017, the Department issued the renewal of the State-Only Operating Permit of a foundry, located in Adams Township, **Butler County**, that produces continuous cast and wrought copper alloy products. Permitted sources at the facility are electric induction furnaces and associated casters, machining operations, a diesel emergency generator, and a natural gas-fired emergency generator. Added in this renewal, the natural gas-fired emergency generator, an EPA-certified generator set, is subject to 40 CFR 60 Subpart JJJJ pertaining to New Source Performance Standards (NSPS) for Stationary Spark Ignition Internal Combustion Engines. With PTEs of 32.01, 4.77, 2.30, 0.28, 0.10, and 0.026 for PM₁₀, NO_x, CO, VOC, SO_x, and HAPs, respectively, the facility is Natural Minor for permitting purposes.

42-00193: Allegheny Bradford Corporation (1522 South Ave., Lewis Run, PA 16738), on December 21, 2017, the Department issued the renewal of the State-Only Operating Permit of a facility located in Lewis Run Borough, **McKean County** that manufactures heat exchangers, filter housings, tanks, pressure vessels, and custom fabrication in stainless steel and high nickel alloys. Working with materials containing metal hazardous air pollutants (HAPs), operations on stainless steel polishing, tungsten inert gas welding, and bead blasting at the facility are all subject to 40 CFR 63 Subpart XXXXXX (6X), which pertains to National Emission Standards for HAPs (NESHAP) Area Source Standards for Nine Metal Fabrication and Finishing Source Categories. In this renewal, bead blasting and hand coating are added as permitted sources. Conducted in a totally enclosed and unvented chamber, bead blasting is not subject to visual determination of fugitive emissions, and associated reporting and recordkeeping requirements, of 40 CFR 63 Subpart 6X. With a very low paint usage, hand coating at the facility is exempt from State regulations on surface coating. Previously a permitted source, machining operations is no longer subject to 40 CFR 63 Subpart 6X and is now considered an insignificant activity for permitting purposes. With PTE of each regulated pollutant not exceeding 2.00 TPY, the facility is Natural Minor.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

OP17-000002: Philadelphia College of Osteopathic Medicine (4190 City Avenue, Philadelphia, PA 19131) for the operation of an educational institution in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include three (3) each 999.999 BTU/hr boilers firing natural gas, two (2) 725,000 BTU/hr Bradford White Boilers firing No. 2 fuel oil and natural gas, three (3) York Absorbers each 626,000 BTU/hr firing natural gas, two (2) 60 kilowatt (kw) micro generators firing natural gas, one (1) 750 kw peak shaving generator, a Kohler 159 kw, a Caterpillar 150 kw, a Caterpillar 80 kw, and a Kohler 79 kw emergency generator each firing diesel fuel.

OP16-000008: James Abbott, Inc (2105 E. Wishart St., Philadelphia, PA 19134) for the operation of a chrome plating facility. The facility's air emission sources include two (2) trivalent chrome tanks, three (3) alkaline electro cleaners, one ultrasonic alkaline cleaner, three (3) alkaline soak cleaners, five (5) dilute acid salt baths, seventeen (17) water rinses, three (3) nickel tanks, and four (4) copper tanks.

OP17-000006: Philadelphia Tramrail Company (2207 East Ontario Street, Philadelphia, PA 19134) for the manufacturing of overhead cranes and hydraulic balers and compactors in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include includes one (1) 1.04 MMBtu/hr natural gas-fired boiler, one (1) 0.9988 MMBtu/hr natural gas-fired heater, one (1) 4.0 MMBtu/hr natural gas-fired heater, one (1) 1.75 MMBtu/hr No. 2 oil-fired space heater and three (3) painting stations with filters.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00025: Johnson Matthey, Inc. (900 River Road, Conshohocken, PA 19428) On December 28, 2017, Title V Operating Permit Minor Modification issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.462. This permit was revised to take a facility-wide VOC limit of less than 50 tons per year to remain below the applicability threshold for RACT II requirement. The permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements. This facility is located in Upper Merion Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-03018: Penn Mar Castings, Inc. (500 Broadway, Hanover, PA 17331-2001) on December 27, 2017 for the gray iron foundry located in Hanover Borough, **York**

County. The State-only permit was administratively amended in order to incorporate the requirements of Plan Approval No. 67-03018B.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

19-00002: Foam Fabricators, Ltd (7050 Columbia Blvd, Bloomsburg, PA 17815) on December 20, 2017, for the significant modification to the Title V operating permit TVOP 19-00002 for the incorporation of Reasonable Available Control Technology (RACT II) requirements pursuant to 25 Pa. Code §§ 129.96—129.100 at the Bloomsburg facility located in South Centre Township, **Columbia County**. The revised Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

53-00002: Transcontinental Gas Pipe Line Company, LLC (PO Box 1396, Houston, TX 77251-1396) on December 28, 2017, was issued a revised Title V operating permit for their Wharton Compressor Station located in Wharton Township, **Potter County** for incorporation of the applicable RACT2 requirements of 25 Pa. Code §§ 129.96—129.100. The facility's main sources include five natural gas-fired 4-stroke lean burn reciprocating compressor engines. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

32-00393: Prime Metals Acquisition LLC (101 Innovative Drive, Homer City, PA 15748) on December 27, 2017 an administrative amendment to change the name of the company from Prime Metals & Alloys, Inc. to Prime Metals Acquisition LLC in their State Only Operating Permit. The facility is located in Center Township, **Indiana County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

32061302 and NPDES No. PA0235768. Rosebud Mining Company, (301 Market Street, Kittanning, PA

16201). To revise the permit for the Knob Creek Mine in Young and Conemaugh Townships, **Indiana County** to relocate treatment ponds and outfalls 001 and 002, expand the coal handling area and add acreage to the underground mine permit and subsidence control plan permit areas. The request to amend the NPDES Permit to relocate outfalls 001 and 002 is still in process. Surface Acres Proposed 26.6, Underground Acres Proposed 4,818.0, Subsidence Control Plan Acres Proposed 4,902.0. No additional discharges. The application was considered administratively complete on April 17, 2014. Application received February 20, 2014. Permit issued December 18, 2017.

56121301 and NPDES No. PA0236152. AK Coal Resources, Inc., (1134 Stoystown Road, Friedens, PA 15541). To revise the permit for the North Fork Mine in Jenner and Quemahoning Townships, **Somerset County** and related NPDES Permit to add underground and subsidence control plan acres on the Middle Kittanning Coal Seam. Underground Acres Proposed 573.9, Subsidence Control Plan Acres Proposed 573.9. No additional discharges. The application was considered administratively complete on May 24, 2017. Application received February 7, 2017. Permit issued December 22, 2017.

30121301 and NPDES No. PA0236195. Consol Pennsylvania Coal Company LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Harvey Mine in Richhill and Morris Townships, **Greene County** and related NPDES Permit to revise 2,380.0 underground and subsidence control acres from development to longwall mining. No additional discharges. The application was considered administratively complete on July 18, 2016. Application received November 10, 2015. Permit issued December 22, 2017.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56070109. Marquise Mining Corp., P.O. Box 338, Blairsville, PA 15717, permit renewal for reclamation only of a bituminous surface and auger mine in Shade Township, **Somerset County**, affecting 238.1 acres. Receiving streams: Dixie Run and Fallentimber Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: October 6, 2017.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

33110105 and NPDES Permit No. PA0259195. Strishock, LLC (P.O. Box 1006, DuBois, PA 15801) Renewal of an existing bituminous surface mine and associated NPDES permit in Pine Creek Township, **Jefferson County**, affecting 85.0 acres. Receiving streams: Unnamed tributaries to Mill Creek. Application received: October 6, 2017. Permit Issued: December 26, 2017.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

26990301 and NPDES Permit No. PA0278220. Iron Mountain US, LLC (1 Pilarsky Way, Aliquippa, PA 15001-5958). Transfer of permit formerly issued to Vanderbilt Aggregates, LLC for continued operation and reclamation of a noncoal surface mining site located in Dunbar Township and Vanderbilt Borough, **Fayette County**, affecting 297 acres. Receiving streams: Dickerson Run and unnamed tributaries to Dickerson Run. Application received: March 16, 2016. Transfer Permit issued: December 21, 2017.

26990301 and NPDES Permit No. PA078220. Iron Mountain US, LLC (1 Pilarsky Way, Aliquippa, PA

15001-5958). Permit renewal issued for continued mining to an existing large noncoal surface mine, located in Dunbar Township and Vanderbilt Borough, **Fayette County**, affecting 297 acres. Receiving streams: Dickerson Run and unnamed tributaries to Dickerson Run. Application received: June 30, 2014. Renewal permit issued: December 21, 2017.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

PAM617050. Hillside Stone, LLC (228 Georgetown Road, Hadley, PA 16130) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 20870305 in Troy Township, **Crawford County**. Receiving streams: Sugar Creek. Application received: November 30, 2017. Permit Issued: December 26, 2017.

3075SM14 and NPDES Permit No. PA0280500. West Ridge Gravel Company (3251 Fairplain Road, P.O. Box 181, Girard, PA 16417) Revision to an existing mine drainage permit to add an NPDES Permit in Girard Township, **Erie County**. Receiving streams: Unnamed tributary to Godfrey Run. Application received: October 20, 2017. Permit Issued: December 26, 2017.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

26990301 and NPDES Permit No. PA0278220. Iron Mountain US, LLC (1 Pilarsky Way, Aliquippa, PA 15001-5958). Transfer of permit formerly issued to Vanderbilt Aggregates, LLC for continued operation and reclamation of a noncoal surface mining site located in Dunbar Township and Vanderbilt Borough, **Fayette County**, affecting 297 acres. Receiving streams: Dickerson Run and unnamed tributaries to Dickerson Run. Application received: March 16, 2016. Transfer Permit issued: December 21, 2017.

26990301 and NPDES Permit No. PA078220. Iron Mountain US, LLC (1 Pilarsky Way, Aliquippa, PA 15001-5958). Permit renewal issued for continued mining to an existing large noncoal surface mine, located in Dunbar Township and Vanderbilt Borough, **Fayette County**, affecting 297 acres. Receiving streams: Dickerson Run and unnamed tributaries to Dickerson Run. Application received: June 30, 2014. Renewal permit issued: December 21, 2017.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

53174002. Demtech, LLC (470 Dutchtown Road, Butler, PA 16002). Blasting for demolition of Keating Summit Bridge located in Keating and Summit Townships, **Potter County** with an expiration date of March 30, 2018. Permit issued: December 20, 2017.

53174102. Meshoppen Blasting, Inc. (Frantz Road, P.O. Box 127, Meshoppen, PA 18630). Basting for tank pad on Headwaters Tank Farm located in Ulysses Town-

ship, **Potter County** with an expiration date of December 22, 2018. Permit issued: December 28, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 15174107. Brubacher Excavating, Inc. (825 Reading Road, Bowmansville, PA 17507), construction blasting for Byers Station in Upper Uwchlan Township, **Chester County** with an expiration date of December 14, 2018. Permit issued: December 21, 2017.

Permit No. 67174120. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Stone Gate Commons in Conewago Township, **York County** with an expiration date of December 30, 2018. Permit issued: December 27, 2017.

Permit No. 48174003. Susquehanna Hauling & Drilling, LLC (249 Harland Street, Exeter, PA 18643), construction blasting for the Fed Ex Hub in Allen Township, **Northampton County** with an expiration date of December 31, 2018. Permit issued: December 28, 2017.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E02-1745, Township of Moon, 1000 Beaver Grade Road, Moon Township, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

Construct, operate, and maintain four pedestrian bridge crossings and three temporary stream crossings along Meeks Run (TSF) and two UNT's to Meeks Run (TSF) for the purpose of constructing a hiking trail that will connect Moon Park Trails to the Hollow Oak Land Trust trails. The project will cumulatively impact 40 LF of stream, and will temporarily impact 40 LF of stream. Mitigation for the impacts is restoration of the impacted areas. The project is located south of Downing Drive, in Moon Park (Quadrangle: Oakdale, PA; Latitude: 40° 29' 25"; Longitude: -80° 9' 42"; Sub-basin 20G; Chapter 93 Type: TSF), in Moon Township, Allegheny County.

E04-350, FirstEnergy Generation, LLC, 76 South Main Street, A-GO-13, Akron, OH 44308, Greene Township, **Beaver County**, Pittsburgh, ACOE District.

Has been given consent to:

Operate and maintain

1. A suction pump vault and a gravel pad within 0.05 acre of the floodway to an Unnamed tributary to Mill Creek (WWF);

2. A 27 foot wide, 5 LF thick gabion basket dam across the aforementioned UNT, which ponds water for 22 LF behind this dam, and has an appurtenant work consisting of a 6 ft long—24" diameter HDPE riser pipe that conveys stream flow to the aforementioned vault structure. This collection system indirectly impacts this UNT by dewatering approximately 380 LF of the watercourse;

3. Riprap along 24 LF of the left descending bank of the aforementioned UNT;

4. A 4" diameter, HDPE forecmain pipeline within the floodway of 820 LF of the aforementioned UNT;

And construct and maintain:

5. 4'-diameter, high-density-polyethylene (HDPE) sump in the aforementioned UNT below the aforementioned dam to convey any incidental seepage that gets by the aforementioned collection system;

For the purpose of collecting seepage water from the up-gradient Little Blue Run Impoundment and return it to the Impoundment. The project will cumulatively result in 407 lineal feet of permanent stream impact and 0.05 acre of permanent floodway impacts. Compensatory mitigation is proposed to offset the stream and floodway impacts by planting native vegetation along 400 LF of a second unnamed tributary of Mill Creek. The project is located south of the intersection of Georgetown Road and

Little Blue Hollow Road in Green Township (Quadrangle: Hookstown; Latitude: 40° 37' 22.90"; Longitude: -80° 29' 50.94"); in Beaver County.

E63-694, Plenary Walsh Keystone Partners, Park West Two, Third Floor, 2000 Cliff Mine Road, Pittsburgh, PA 15275, Amwell Township, **Washington County**, Pittsburgh ACOE District.

Has been given consent to:

1. Remove an existing single-span, concrete (in place), arch deck-closed bridge (Span 103 feet, Length 27.3 feet, Under-clearance 20.5 feet) over Tenmile Creek (TSF);

2. Construct and maintain a replacement single-span, P/S concrete spread box beam bridge (Span 127 feet, Length 38.2 feet, Under-clearance 18.2 feet) over Tenmile Creek (TSF) which will permanently impact 117 linear feet of perennial, Tenmile Creek (aka Stream 1) and temporarily impact 175 linear feet of Stream 1;

3. Temporarily impact 41 linear feet of an intermittent unnamed tributary to Tenmile Creek (aka Stream 2);

4. Relocate 256 linear feet of an intermittent, unnamed tributary to Tenmile Creek (aka Stream 3) to a new channel that will be 326 linear feet long and temporarily impact 78 linear feet of Stream 3;

5. Temporarily impact 31 linear feet of an intermittent, unnamed tributary to Tenmile Creek (aka Stream 4);

6. Temporarily impact two PEM wetlands (0.031 acre of Wetland 1 and 0.002 acre of Wetland 2);

7. Construct and maintain an outfall structure to Stream 1, an 18" RCP under the proposed driveway associated with the bridge replacement;

Cumulatively, the project proposes to permanently impact 373 linear feet of stream channel, temporarily impact 325 linear feet of stream channel, and temporarily impact 0.033 acre of PEM wetlands. Mitigation for the impacts will be a 326 LF channel relocation and restoration of temporary impacted streams and wetlands. The project is for the purpose of replacing the existing S.R. 0019 (Amity Ridge Road), Section 000 bridge, a structurally deficient structure over Tenmile Creek (TSF) which is located near the Amwell Township Ballpark (Amity, PA USGS Quadrangle, Latitude: 40° 1' 26"; Longitude: -80° 12' 19"; Sub-basin 19B; Pittsburgh ACOE District) in Amwell Township, Washington County.

E65-978, Plenary Walsh Keystone Partners, 2000 Cliff Mine Road, Park West Two, Third Floor, Pittsburgh, PA 15275, Fairfield Township, **Westmoreland County**, Pittsburgh ACOE District.

Has been given consent to:

1. To remove an existing single span, concrete encased steel, I beam bridge and construct and maintain a replacement single span composite prestressed adjacent box beam bridge, with a span of 43' and an under clearance of 6.37' over Hendricks Creek (TSF) (aka Stream 1),

2. Place and maintain fill within 83 linear feet of a back channel of Hendricks Creek (aka Stream 2) and relocate and maintain 83 linear feet of replacement channel to confluence with Hendricks Creek,

3. Place and maintain fill within 30 linear feet of an unnamed tributary of Hendricks Creek (TSF) (aka Stream 2),

4. Construct and maintain temporary access within 0.0003 acre of PEM wetland (Exceptional Value),

5. Place and maintain fill within 0.006 acre of PEM wetland (Exceptional Value).

For the purpose of replacing a structurally deficient bridge. The project will cumulatively result in 138 linear feet of temporary impact and 148 linear feet of permanent stream impacts to Hendricks Creek and a UNT to Hendricks Creek and 0.0003 acre of temporary wetland impact and 0.006 acre of permanent wetland impact. Mitigation consist of the design of the bridge and restoration of the impacted resources after construction. The project is located near the intersection of Love Hollow Road and Thatcher Road (Quadrangle: Wilpen; Latitude: 40° 19' 18.9"; Longitude: -79° 7' 49.8"); in Fairfield Township, Westmoreland County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX12-125-0013 Renewal
Applicant Name Range Resources—Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Boulevard
City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) Canton Township
Receiving Stream(s) and Classification(s) UNT to Georges Run (WWF)

ESCGP-2 # ESG17-063-0005
Applicant Name CNX Gas Company, LLC
Contact Person Carol Phillips
Address 1000 Consol Energy Drive
City, State, Zip Canonsburg, PA 15317
County Indiana County
Township(s) North Mahoning Township
Receiving Stream(s) and Classification(s) UNTs to Mudlick Run (HQ-CWF), Mudlick Run (HQ-CWF), & UNTs to Dutch Run (CWF)

ESCGP-2 # ESX17-125-0037
Applicant Name Range Resources—Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Boulevard

City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) Mount Pleasant Township
Receiving Stream(s) and Classification(s) UNTs to Chartiers Creek (WWF)

ESCGP-2 # ESG17-125-0032
Applicant Name MarkWest Liberty Midstream & Resources LLC
Contact Person Rick Lowry
Address 4600 J. Barry Court, Suite 500
City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) Hopewell Township and Independence Township
Receiving Stream(s) and Classification(s) UNTs to Hanen Run (HQ-WWF) & Hanen Run (HQ-WWF)
Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESX17-073-0001—Patterson Well Site
Applicant R.E. Gas Development, LLC
Contact Mr. Michael Endler
Address 600 Cranberry Woods Drive, Suite 250
City Cranberry Township State PA Zip Code 16066
County Lawrence Township(s) Little Beaver
Receiving Stream(s) and Classification(s) UNT to Jenkins Run

ESCGP-2 # ESX17-019-0019
Applicant XTO Energy Inc
Contact Melissa Breitenbach
Address 190 Thorn Hill Road
City Warrendale State PA Zip Code 15086
County Butler Township(s) Butler
Receiving Stream(s) and Classification(s) UNT to Butcher Run (WWF), Butcher Run (WWF) and UNT to Thorn Creek (CWF)

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX29-015-17-0036
Applicant Name EOG Resources Inc
Contact Person Greg Shaffer
Address 2039 S Sixth St
City, State, Zip Indiana, PA 15701
County Bradford
Township(s) Springfield
Receiving Stream(s) and Classification(s) UNT to Bentley Ck (WWF, MF); UNT to Mill Ck (WWF, MF)
Secondary—Bentley Ck and Mill Ck

ESCGP-2 # Esx13-115-0138(01)
Applicant Name Chief Oil & Gas LLC
Contact Person Jeffrey Deegan
Address 1720 Sycamore Rd
City, State, Zip Montoursville, PA 17754-9303
County Susquehanna
Township(s) Harford & Lenox
Receiving Stream(s) and Classification(s) Sterling Brok (CWF-MF) & Nine Partners Ck (CWF-MF)

ESCGP-2 # ESX12-117-0019(03)
Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 150 N Dairy Ashford, E1296-E
City, State, Zip Houston, TX 77079
County Tioga
Township(s) Shippen
Receiving Stream(s) and Classification(s) Darling Run (HQ-CWF)

ESCGP-2 # ESG29-081-17-0043
Applicant Name Range Resources Appalachia LLC

Contact Person Karl Matz
Address 3000 Town Center Blvd
City, State, Zip Canonsburg, PA 15317
County Lycoming

Township(s) Cogan House
Receiving Stream(s) and Classification(s) Little Gap Run
(HQ-CWF); Hoagland Run (HQ-CWF)
Secondary—Lycoming Ck (EV)

STORAGE TANKS CLOSURE-IN-PLACE VARIANCE

The following variance from closure requirements under the authority of the Storage Tank Spill Prevention Act (35 P.S. § 6021.501) and under 25 Pa. Code Chapter 245, Subchapter E, has been issued by the Bureau of Environmental Cleanup and Brownfields, PO Box 8762, Harrisburg, PA 17105-8762.

| <i>Variance No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Tank Type</i> | <i>Tank Capacity</i> |
|---------------------|---|---------------|----------------------|------------------|----------------------|
| U-17-0004 | 7 Eleven Incorporated PO Box 711 Dallas, Texas 75221-0711 | Philadelphia | City of Philadelphia | Gasoline | 15,000 gallons |

The variance request asks that underground storage tank (UST) 001 be excluded from part of the UST closure requirements located in 25 Pa. Code § 245.452(b). Specifically, the variance requests that UST 001 be permanently closed without being removed from the ground or filled with a non-shrinking, inert solid material as required by regulation to facilitate the installation of a new, structurally independent, field-constructed UST built within UST 001. A variance was granted with the following conditions: (1) 7 Eleven Incorporated shall comply with all remaining applicable requirements of 25 Pa. Code Chapter 245 and shall not violate any applicable provision of the Storage Tank and Spill Prevention Act; (2) The new, structurally independent, field-constructed UST built within UST 001 shall be installed within one (1) year of performing the required site assessment of UST 001; (3) This Variance Approval will remain in effect until January 2, 2021, unless amended or revoked by the Department or terminated for any reason by 7 Eleven Incorporated or the Department.

SPECIAL NOTICES

Air Quality; Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Volatile Organic Compounds, Notice of Public Hearing, and Notice of Intent to Issue Air Quality Plan Approval No: 17-00001H

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

Approval of a Reasonably Available Control Technology (RACT II) plan for **NRG REMA, LLC** located in Bradford Township, **Clearfield County**.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Department of Environmental Protection (Department) has made a preliminary determination to approve a RACT II NO_x emission averaging plan and an amendment to the State Implementation Plan (SIP) for the Shawville Generating Station owned and operated by NRG REMA, LLC in Bradford Township, Clearfield County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a revised operating permit (17-00001) for the facility. The relevant RACT II requirements will be submitted to the United States Environmental Protection Agency (EPA) as a revision to the Commonwealth's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal includes the provisions of the Department's presumptive Reasonably Available Control Technology requirements of 25 Pa. Code § 129.97, as they apply to existing NO_x air contamination sources at this facility. The facility is not a major VOC emitting facility.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

Source

Utility Boilers (Source IDs 031 through 034)

RACT II Requirement

The permittee shall utilize Department certified CEMS to calculate actual emission when determining compliance with the NO_x RACT averaging plan, or other monitoring as approved by the Department. The mass NO_x emissions from each source within the averaging plan shall be calculated for each hour of operation and expressed in pounds per hour, which will be used in calculations to determine compliance on a 30-day rolling average.

Source

Utility Boilers (Source IDs 031 through 034)

RACT II Requirement

The permittee shall utilize Department certified fuel flow monitors to calculate actual heat input when determining compliance with the NO_x RACT averaging plan. The actual heat input from each source shall be calculated for each hour of operation and expressed in million British thermal units per hour (MMBtu/hr), which will be used in calculations to determine compliance on a 30-day rolling average.

Utility Boilers (Source IDs 031 through 034)

The owner/operator of each Source ID 031, 032, 033 and 034 shall meet the applicable NO_x RACT emission limitation in 25 Pa. Code § 129.97 by averaging NO_x emissions on either a system-wide basis using a 30-day rolling average.

The owner and operator of the air contaminant sources included in a NO_x emissions averaging plan shall be liable for a violation of an applicable NO_x RACT emission limitation at each facility included in the system-wide NO_x emissions averaging plan if the sum of actual mass emissions exceeds sum of allowable mass emissions of the sources on a rolling 30 operating day basis

The sources at each facility containing in the applicable system-wide NO_x emissions averaging plan are, as follows: the combustion turbines, Source IDs 101, 201 and 301 in Title V Operating Permit No. 01-05029, located at the Hunterstown Generating Station in Straban Township, Adams County; the three (3) utility boilers, Source IDs 033, 034 and 035 in Title V Operating Permit No. 37-00023, located at the New Castle Generating Station in Taylor Township, Lawrence County; the four (4) utility boilers, Source IDs 031, 032, 033 and 034 in Title V Operating Permit No. 17-00001, located at the Shawville Generating Station in Bradford Township, Clearfield County; and the combustion turbine, Source ID 035 in Title V Permit No: 62-00012, located at the Warren Generating Station in Conewango Township, Warren County.

Compliance with the alternative NO_x RACT emissions limit of a NO_x emissions averaging plan shall be determined by comparing daily the sum of actual emissions from all the sources included in the plan to the alternative NO_x RACT emissions limit. The owner or operator shall calculate the alternative system-wide NO_x RACT emissions limitation using a 30-day rolling average for the air contamination sources included in the emission averaging plan by using the following equation to sum the emissions for all of the sources:

$$\sum_{i=1}^n E_{i\text{actual}} \leq \sum_{i=1}^n E_{i\text{allowable}}$$

Where:

\sum = Symbol used to denote summation of E_{iactual} (or E_{iallowables}) values, for “n” sources where “n” is the number of nonzero sources containing in the averaging plan, and “i” ranges from 1 to the last value “n”.

The symbol “≤” means “less than or equal to”, E_{iactual} = The actual NO_x mass emissions on a 30-day rolling basis for air contamination source i shall be expressed in pounds of NO_x, and must include emissions during start-ups, shutdowns and malfunctions.

E_{iallowable} = The allowable NO_x mass emissions computed using the allowable emission rate limitations for air contamination source i using actual heat input for air contamination source on a 30-day rolling basis specified in 25 Pa. Code § 129.97. If an air contamination source included in an averaging plan is subject to a numerical emission rate limit that is more stringent than the applicable allowable emission rate limitation set forth in 25 Pa. Code § 129.97, then the numerical emission rate limit shall be used for the calculation of the allowable NO_x mass emissions.

Source

Utility Boilers (Source IDs 031 through 034)

RACT II Requirement

[Authority for this permit condition is also derived from 25 Pa. Code §§ 129.98 and 129.100]

(a) The permittee shall not use an emission averaging plan in accordance with 25 Pa. Code § 129.98 for the demonstration of compliance with NO_x RACT emission limitation in 25 Pa. Code § 129.97, if the Department determines at any time each of the air contamination sources participating in the averaging plan can meet the NO_x RACT emission limitations.

Testing, Monitoring and Recordkeeping Requirements

The owner or operator for each source containing in the NO_x emission averaging plan shall conduct testing and monitoring to verify compliance with (a) of this condition, as follows in (1) and (2) of this condition:

(1) For all sources except the Warren Generating Station combustion turbine, continuously monitor NO_x emissions using Department certified CEMS to measure and record average NO_x emissions on an hourly, daily, and 30-operating day basis in units of lb/MMBtu or ppmvd at 15% O₂, as applicable; and

(2) Conduct NO_x and O₂ concentration measurements via periodic testing using EPA Reference Methods 7E and 3A on the Warren Generating Station combustion turbine in accordance with Appendix E to 40 CFR Part 75 and keep records of the NO_x measurements in units of ppmvd, corrected to 15% O₂.

Utility Boilers (Source IDs 031 through 034)

(a) The permittee shall keep records of the actual heat input, actual NO_x mass emissions, and allowable NO_x mass emissions under the averaging plan for all sources containing in the NO_x RACT averaging plan. The permittee shall also keep records of the actual heat input parameters necessary to calculate the allowable emissions, as well as the supporting Part 75-certified fuel flowmeter monitoring data. These records shall include all intermediate calculations.

(b) The permittee shall keep records necessary to demonstrate compliance with the NO_x RACT averaging plan on a rolling 30 operating day basis. These records shall be made available at each facility with sources contained in the NO_x RACT averaging plan.

Utility Boilers (Source IDs 031 through 034)

The permittee shall submit quarterly system-wide NO_x RACT averaging reports as part of the submission of the quarterly CEMS reports (e-submittal).

Utility Boilers (Source IDs 031 through 034)

If the decision to go back to using coal as fuel to operate Source ID 031 [032, 033 and 034] is made then the permittee shall submit as part of a significant operating permit modification application or plan approval application, if otherwise required, a written RACT proposal in accordance with the procedures in 25 Pa. Code § 129.92(a)(1)–(5) and (b) as well as satisfy all other applicable requirements as specified in 25 Pa. Code § 129.99(d)(3)–(7). In addition, Source ID 031 [032, 033 and 034] shall be prohibited to use any coal as fuel to operate until a source-specific RACT determination has been approved by the Department in writing through the issuance of a plan approval or significant operating permit modification in accordance with 25 Pa. Code § 129.99(e) and (f).

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, North Central Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. A 30-day comment period will exist upon publication of this notice for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan.

Public hearing. A public hearing will be held if requested within the 30-day comment period to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, on February, 23, 2018, at 10 a.m. at the Department North Central Regional Office, 208 West Third Street, Suite 101, Williamsport,

PA 17701-6448. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, contact Megan Lehman at (570) 327-3659. The last day to pre-register to speak at a hearing, if one is held, will be 30 days from the final publication date of this notice.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <http://www.dep.pa.gov/About/Regional/North-central-Regional-Office/Pages/default.aspx>.

Contact Megan Lehman at (570) 327-3659 or monitor the web site previously listed to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Megan Lehman at (570) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three copies of a written statement and exhibits within 10 days thereafter to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, North Central Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Department North Central Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Appointments for scheduling a review may be made by calling the Department at (570) 327-0550.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Megan Lehman at (570) 327-3659 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of December 2017 the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon-related activities in this Commonwealth. The period of certification is 2 years. (For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|---|---|------------------------------|
| Ben Chamberlin | 3 Stonehedge Way Carlisle, PA 17015 | Testing |
| Reo Cheshire | 32 Gold Smith Road Dallas, PA 18612 | Testing |
| Michael Conroy | 201 Faculty Road Duncannon, PA 17020 | Testing |
| James DeBellis | 2700 Cumberland Avenue Reading, PA 19606 | Mitigation |
| Christopher Eslinger | 421 Derstine Avenue Lansdale, PA 19446 | Testing |
| Larry Grove Grove Home Inspection Services, Inc. | 929 S. High Street, Suite 169 West Chester, PA 19382 | Testing |
| Donald Hart | 613 Zimmermans Hollow Road Sunbury, PA 17801 | Testing & Mitigation |
| Michael Imperial | 2646 Fallow Hill Lane Jamison, PA 18929 | Testing |
| Richard D. Malin | 2075 Haymaker Road Monroeville, PA 15146 | Testing |
| John Mallon, Jr. Radon Detection and Control | P.O. Box 419 South Heights, PA 15081 | Testing & Mitigation |
| Kenneth McDonald A-Z Solutions, Inc. | 7681 Tim Avenue NW North Canton, OH 44720 | Testing & Mitigation |
| Charles Morck, III | 14501 George Carter Way Suite 110 Chantilly, VA 20151 | Testing |
| Robert Raishart | 778 Armel Hollow Road Latrobe, PA 15650 | Testing |
| Jennifer Redinger | 322 Mall Boulevard, Suite 303 Monroeville, PA 15146 | Testing |
| John Rogers | 1129 Old Eagle Road Lancaster, PA 17601 | Testing |

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|---|--|------------------------------|
| Mark Schlott | 347 Indian Manor Drive Leesport, PA 19533 | Testing |
| Kenneth Schutter | P.O. Box 55 Kimberton, PA 19442 | Testing |
| Thomas Sebald | 4638 Highview Boulevard Erie, PA 16509 | Testing |
| Steven Sipe | 69 Million Dollar Road Halifax, PA 17032 | Testing |
| Jeffrey Zappel Healthy Environments, LLC | 60 Progress Avenue Cranberry Township, PA 16066 | Mitigation |

[Pa.B. Doc. No. 18-65. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

2018 Mine Map Grant Program Application Announcement

Applications for the 2018 Mine Map Grant (MMG) program are now available from the Department of Environmental Protection (Department). The MMG is a competitive grant program to establish 3-year grants that will provide funding to learning institutions and incorporated nonprofit organizations located in this Commonwealth to inventory, scan, georeference and vectorize mine maps and data.

The MMG will be funded from two special State funds under the authority in section 18(j) of the Surface Mining Conservation and Reclamation Act (52 P.S. § 1396.18(j)) and the Coal and Clay Mine Subsidence Insurance Fund regulations in 25 Pa. Code § 401.51 (relating to loans and grants).

This announcement opens on January 15, 2018, and grant applications submitted to the Department must be postmarked by February 15, 2018. Grant applications will be evaluated upon receipt, and grant agreements will be made with selected grantees at the earliest date possible thereafter. Subject to the availability of funds, up to \$2.25 million in grants will be provided over the 3-year period with a minimum grant award of \$300,000. Individual grant amounts will be based on MMG application and the quality and reliability of work proposed, which are dependent on the use of adequate and experienced staff and equipment. As a result, grants will be awarded to grantees based not only upon cost considerations, but also upon their ability to adequately and reliably complete the projects they propose, as demonstrated in their applications.

Applications may be obtained by contacting the Department of Environmental Protection, Bureau of Mining Programs, P.O. Box 8461, Harrisburg, PA 17105-8461, (717) 787-5103. For additional information and to obtain the electronic copy of the MMG application, visit the Department's web site at www.dep.pa.gov (search term: MMG) or www.pamsi.org/MMG.html.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-66. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Haven Skilled Rehabilitation and Nursing
24 Cree Drive
Lock Haven, PA 17745
FAC ID # 122202

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Riverwoods
15 Ridgcrest Circle
Lewisburg, PA 17837
FAC ID # 121702

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Christ's Home Retirement Community
1 Shepherd's Way
Suite 100
Warminster, PA 18974
FAC ID # 550202

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T

Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Acting Secretary

[Pa.B. Doc. No. 18-67. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Achieving Better Care by Monitoring All Prescriptions Board Meeting

The Pennsylvania Achieving Better Care by Monitoring All Prescriptions Board, established under the Achieving Better Care by Monitoring All Prescriptions Program (ABC-MAP) Act (35 P.S. §§ 872.1—872.40), will hold its next meeting on Tuesday, January 23, 2018, at 9:30 a.m. in Room 129, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. Items to be discussed at the meeting include program status updates, and current and upcoming activities.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact the Administrative Assistant of Prescription Drug Monitoring Program Office, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3309, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Acting Secretary

[Pa.B. Doc. No. 18-68. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P.L. 419, No. 140) (35 P.S. § 6204), will hold its quarterly public meeting on Friday, January 26, 2018, from 10 a.m. to 1 p.m. The purpose of the meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health's programs related to care and treatment. The meeting will be held in Conference Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Tara Trego, Director, Division of Child and Adult Health Services, 7th Floor East, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Acting Secretary

[Pa.B. Doc. No. 18-69. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities; Medical Assistance Day One Incentive Payments to Nonpublic Nursing Facilities for Fiscal Year 2017-2018

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make Medical Assistance Day One Incentive (MDOI) payments to qualified nonpublic nursing facilities for Fiscal Year (FY) 2017-2018. The MDOI payments to nonpublic nursing facilities will provide incentives to nonpublic nursing facilities to provide services to individuals who are Medical Assistance (MA) eligible on the day of admission. The MDOI payments are intended to encourage nonpublic nursing facilities to increase access to care for the poor and indigent citizens of this Commonwealth.

Nonpublic Medical Assistance Day One Incentive Payments

The Department will use the Total Pennsylvania Medical Assistance (PA MA) days and Total Resident Days as reported by nonpublic nursing facilities under Article VIII-A of the Human Services Code (62 P.S. §§ 801-A—815-A), regarding nursing facility assessments, to determine eligibility and calculate payments.

To qualify for MDOI payments, the nursing facility must be a nonpublic nursing facility for the full Resident Day quarter prior to the applicable quarterly reporting due dates of October 31 and January 31. In addition, the nonpublic nursing facility shall have an overall occupancy rate of at least 85% and an MA occupancy rate of at least 65% during the applicable Resident Day quarter. A nursing facility's overall occupancy rate for these payments will be determined as follows: Overall occupancy rate = (Total Resident Days ÷ (licensed bed capacity at the end of the quarter × the number of calendar days in the quarter)). A nursing facility's MA occupancy rate for these payments will be determined as follows: MA occupancy rate = Total PA MA days ÷ Total Resident Days.

Each nursing facility may qualify for a maximum of two MDOI payments. Using the nursing facility assessment quarterly resident day reporting forms available on October 31 for the first payment and January 31 for the second payment, the Department will calculate each qualified nonpublic nursing facility's MDOI payments based on the following formula:

(i) A MDOI per diem for each of the two MDOI payments will be 1/2 of the total funds appropriated for the fiscal year divided by the Total PA MA days as reported by all qualifying nursing facilities for the applicable Resident Day Quarter.

(ii) Each MDOI per diem will then be multiplied by each qualified nursing facility's Total PA MA days, as reported, for the applicable Resident Day Quarter to determine its MDOI payment.

(iii) The State funds allocated for FY 2017-2018 are \$8 million.

The Department will not retroactively revise an MDOI payment amount based on a nursing facility's late submission or revision of its report related to the previously listed dates. The Department may recoup payments based on an audit of a nursing facility's report.

The Department will submit a Medicaid State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the Department will have the authority to make MDOI payments to nonpublic nursing facilities for FY 2017-2018.

Fiscal Impact

The fiscal impact of this change is estimated at \$16.604 million (\$8.000 million in State funds) for FY 2017-2018.

Public Comment

Interested persons are invited to submit written comments regarding these payments to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Marilyn Yocum, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Acting Secretary

Fiscal Note: 14-NOT-1201. (1) General Fund; (2) Implementing Year 2017-18 is \$8,000,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$1,082,000,000; 2015-16 Program—\$968,083; 2014-15 Program—\$810,545,000; (7) Long-Term Care; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-70. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania 5X the Bucks Instant Lottery Game 1324

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 5X the Bucks (hereinafter referred to as “5X the Bucks”). The game number is PA-1324.

2. *Price:* The price of a 5X the Bucks instant lottery game ticket is \$1.

3. *Play Symbols:* Each 5X the Bucks instant lottery game ticket will contain one play area featuring a “WINNING NUMBER” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBER” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and a 5X (5TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 ticket, \$1, \$2, \$4, \$5, \$10, \$20, \$25, \$50, \$100, \$500, \$1,000 and \$5,000. A player can win up to 5 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 10,800,000 tickets will be printed for the 5X the Bucks instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$250.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$125.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$25.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(p) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WIN-

NING NUMBER” play symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 5X (5TIMES) symbol and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$5.

(s) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “WINNING NUMBER” play symbol and a prize symbol of FREE (TICKET) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of one 5X the Bucks instant lottery game ticket or one Pennsylvania Lottery instant lottery game ticket of equivalent sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>When Any Of Your Numbers Match The Winning Number; Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 10,800,000 Tickets</i> |
|--|-----------------|-----------------------------------|--|
| FREE | FREE \$1 TICKET | 9.68 | 1,116,000 |
| \$1 x 2 | \$2 | 33.33 | 324,000 |
| \$2 | \$2 | 33.33 | 324,000 |
| \$1 x 4 | \$4 | 300 | 36,000 |
| \$2 x 2 | \$4 | 300 | 36,000 |
| \$4 | \$4 | 300 | 36,000 |
| \$1 x 5 | \$5 | 1,500 | 7,200 |
| \$1 w/ 5X | \$5 | 42.86 | 252,000 |
| \$5 | \$5 | 1,500 | 7,200 |
| \$2 x 5 | \$10 | 600 | 18,000 |
| \$5 x 2 | \$10 | 1,000 | 10,800 |
| \$2 w/ 5X | \$10 | 150 | 72,000 |
| \$10 | \$10 | 1,500 | 7,200 |
| \$4 x 5 | \$20 | 3,000 | 3,600 |
| \$5 x 4 | \$20 | 3,000 | 3,600 |
| \$10 x 2 | \$20 | 3,000 | 3,600 |
| (\$2 w/ 5X) x 2 | \$20 | 1,500 | 7,200 |
| \$4 w/ 5X | \$20 | 750 | 14,400 |
| \$20 | \$20 | 3,000 | 3,600 |
| \$5 x 5 | \$25 | 8,000 | 1,350 |
| (\$10 x 2) + (\$1 w/ 5X) | \$25 | 3,429 | 3,150 |
| \$5 w/ 5X | \$25 | 3,000 | 3,600 |

| <i>When Any Of Your Numbers Match The Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 10,800,000 Tickets</i> |
|--|-------------|-----------------------------------|--|
| \$25 | \$25 | 12,000 | 900 |
| \$10 × 5 | \$50 | 12,000 | 900 |
| \$25 × 2 | \$50 | 12,000 | 900 |
| (\$5 w/ 5X) × 2 | \$50 | 8,000 | 1,350 |
| \$10 w/ 5X | \$50 | 6,000 | 1,800 |
| \$50 | \$50 | 12,000 | 900 |
| \$20 × 5 | \$100 | 48,000 | 225 |
| \$25 × 4 | \$100 | 24,000 | 450 |
| \$50 × 2 | \$100 | 24,000 | 450 |
| (\$5 w/ 5X) × 4 | \$100 | 24,000 | 450 |
| (\$10 w/ 5X) × 2 | \$100 | 24,000 | 450 |
| \$20 w/ 5X | \$100 | 8,000 | 1,350 |
| \$100 | \$100 | 48,000 | 225 |
| (\$25 w/ 5X) × 4 | \$500 | 240,000 | 45 |
| (\$50 w/ 5X) × 2 | \$500 | 240,000 | 45 |
| \$100 w/ 5X | \$500 | 240,000 | 45 |
| \$500 | \$500 | 240,000 | 45 |
| \$500 × 2 | \$1,000 | 1,080,000 | 10 |
| (\$100 w/ 5X) × 2 | \$1,000 | 1,080,000 | 10 |
| \$1,000 | \$1,000 | 1,080,000 | 10 |
| \$5,000 | \$5,000 | 1,080,000 | 10 |

Reveal a "5X" (5TIMES) symbol, win 5 times the prize shown under that symbol.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell 5X the Bucks instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of 5X the Bucks, prize money from winning 5X the Bucks instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the 5X the Bucks instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote 5X the Bucks or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-71. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania 10X the Bucks Instant Lottery Game 1323

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 10X the Bucks (hereinafter referred to as "10X the Bucks"). The game number is PA-1323.

2. *Price:* The price of a 10X the Bucks instant lottery game ticket is \$2.

3. *Play Symbols:* Each 10X the Bucks instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3

(THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), and 30 (THIRTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY) and a 10X (10TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" areas are: \$2.⁰⁰ (TWO DOL), \$4.⁰⁰ (FOR DOL), \$5.⁰⁰ (FIV DOL), \$10.⁰⁰ (TEN DOL), \$20.⁰⁰ (TWENTY), \$40.⁰⁰ (FORTY), \$50.⁰⁰ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$1,000 (ONE THO) and \$10,000 (TEN THO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$40, \$50, \$100, \$400, \$1,000 and \$10,000. The player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 8,400,000 tickets will be printed for the 10X the Bucks instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$10,000 (TEN THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X (10TIMES) symbol and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X (10TIMES) symbol and a prize symbol of \$40.⁰⁰ (FORTY) appears in the "prize" area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$400.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X (10TIMES)

symbol and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the "prize" area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$50.⁰⁰ (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X (10TIMES) symbol and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the "prize" area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$40.⁰⁰ (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X (10TIMES) symbol and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in the "prize" area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$40.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X (10TIMES) symbol and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in the "prize" area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>When Any Of Your Numbers Match Either Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 8,400,000 Tickets</i> |
|---|-------------|-----------------------------------|---|
| \$2 | \$2 | 10 | 840,000 |
| \$2 × 2 | \$4 | 37.5 | 224,000 |
| \$4 | \$4 | 37.5 | 224,000 |
| \$5 | \$5 | 34.09 | 246,400 |
| \$5 × 2 | \$10 | 150 | 56,000 |
| \$10 | \$10 | 150 | 56,000 |
| \$2 × 10 | \$20 | 1,500 | 5,600 |
| \$10 × 2 | \$20 | 1,500 | 5,600 |
| \$2 w/ 10X | \$20 | 68.18 | 123,200 |
| \$20 | \$20 | 1,500 | 5,600 |
| \$4 × 10 | \$40 | 2,400 | 3,500 |
| \$10 × 4 | \$40 | 6,000 | 1,400 |
| \$20 × 2 | \$40 | 6,000 | 1,400 |
| \$4 w/ 10X | \$40 | 800 | 10,500 |
| \$40 | \$40 | 6,000 | 1,400 |
| \$5 × 10 | \$50 | 2,000 | 4,200 |
| \$10 × 5 | \$50 | 6,000 | 1,400 |
| \$5 w/ 10X | \$50 | 1,200 | 7,000 |
| \$50 | \$50 | 6,000 | 1,400 |
| \$10 × 10 | \$100 | 4,000 | 2,100 |
| \$50 × 2 | \$100 | 12,000 | 700 |
| \$10 w/ 10X | \$100 | 3,000 | 2,800 |
| \$100 | \$100 | 12,000 | 700 |
| \$40 × 10 | \$400 | 60,000 | 140 |
| \$40 w/ 10X | \$400 | 40,000 | 210 |
| \$400 | \$400 | 120,000 | 70 |
| \$100 w/ 10X | \$1,000 | 120,000 | 70 |
| \$1,000 | \$1,000 | 120,000 | 70 |
| \$10,000 | \$10,000 | 840,000 | 10 |

Reveal a "10X" (10TIMES) symbol, win 10 times the prize shown under that symbol.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell 10X the Bucks instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter

a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of 10X the Bucks, prize money from winning 10X the Bucks instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the 10X the Bucks instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote 10X the Bucks or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-72. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania 20X the Bucks Instant Lottery Game 1321

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 20X the Bucks (hereinafter referred to as “20X the Bucks”). The game number is PA-1321.

2. *Price:* The price of a 20X the Bucks instant lottery game ticket is \$5.

3. *Play Symbols:* Each 20X the Bucks instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRTY). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 2X (DOUBLE) symbol and a 20X (20TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “prize” areas are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$40, \$50, \$100, \$200, \$500, \$1,000, \$10,000 and \$100,000. The player can win up to 12 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 10,800,000 tickets will be printed for the 20X the Bucks instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 20X (20TIMES) symbol and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 20X (20TIMES) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 2X (DOUBLE) symbol and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that 2X (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 20X (20TIMES) symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$400.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 20X (20TIMES) symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$200.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 20X (20TIMES) symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 2X (DOUBLE) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 2X (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(p) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 2X (DOUBLE) symbol and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the “prize” area under that 2X (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$40.

(q) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 2X (DOUBLE) symbol and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under that 2X (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(s) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol

of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 2X (DOUBLE) symbol and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under that 2X (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 10,800,000 Tickets</i> |
|--|-------------|-----------------------------------|--|
| \$5 | \$5 | 7.5 | 1,440,000 |
| \$5 × 2 | \$10 | 150 | 72,000 |
| \$5 w/ 2X | \$10 | 54.55 | 198,000 |
| \$10 | \$10 | 120 | 90,000 |
| \$5 × 4 | \$20 | 120 | 90,000 |
| \$10 × 2 | \$20 | 120 | 90,000 |
| \$10 w/ 2X | \$20 | 40 | 270,000 |
| \$20 | \$20 | 120 | 90,000 |
| \$5 × 8 | \$40 | 600 | 18,000 |
| \$10 × 4 | \$40 | 600 | 18,000 |
| \$20 w/ 2X | \$40 | 300 | 36,000 |
| \$40 | \$40 | 600 | 18,000 |
| \$5 × 10 | \$50 | 600 | 18,000 |
| \$10 × 5 | \$50 | 600 | 18,000 |
| (\$20 w/ 2X) + (\$5 w/ 2X) | \$50 | 600 | 18,000 |
| \$50 | \$50 | 600 | 18,000 |
| \$10 × 10 | \$100 | 4,000 | 2,700 |
| \$20 × 5 | \$100 | 2,400 | 4,500 |
| \$50 w/ 2X | \$100 | 2,400 | 4,500 |
| \$5 w/ 20X | \$100 | 266.67 | 40,500 |
| \$100 | \$100 | 6,000 | 1,800 |
| \$20 × 10 | \$200 | 24,000 | 450 |
| \$50 × 4 | \$200 | 12,000 | 900 |
| \$100 × 2 | \$200 | 12,000 | 900 |
| (\$50 × 2) + (\$10 × 10) | \$200 | 12,000 | 900 |
| (\$50 w/ 2X) × 2 | \$200 | 12,000 | 900 |
| \$10 w/ 20X | \$200 | 12,000 | 900 |
| \$200 | \$200 | 24,000 | 450 |
| \$50 × 10 | \$500 | 120,000 | 90 |
| \$100 × 5 | \$500 | 120,000 | 90 |
| (\$50 × 2) + (\$40 × 10) | \$500 | 120,000 | 90 |
| (\$20 w/ 20X) + (\$10 × 10) | \$500 | 12,000 | 900 |
| (\$20 w/ 20X) + (\$50 w/ 2X) | \$500 | 12,000 | 900 |
| \$500 | \$500 | 60,000 | 180 |
| \$100 × 10 | \$1,000 | 120,000 | 90 |
| \$500 w/ 2X | \$1,000 | 120,000 | 90 |
| \$50 w/ 20X | \$1,000 | 24,000 | 450 |
| \$1,000 | \$1,000 | 120,000 | 90 |
| \$500 w/ 20X | \$10,000 | 1,080,000 | 10 |
| \$10,000 | \$10,000 | 1,080,000 | 10 |
| \$100,000 | \$100,000 | 1,080,000 | 10 |

Reveal a “2X” (DOUBLE) symbol, win double the prize shown under that symbol.

Reveal a “20X” (20TIMES) symbol, win 20 times the prize shown under that symbol.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell 20X the Bucks instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of 20X the Bucks, prize money from winning 20X the Bucks instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the 20X the Bucks instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote 20X the Bucks or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-73. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania 50X the Bucks Instant Lottery Game 1320

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 50X the Bucks (hereinafter referred to as “50X the Bucks”). The game number is PA-1320.

2. *Price:* The price of a 50X the Bucks instant lottery game ticket is \$10.

3. *Play Symbols:* Each 50X the Bucks instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), Moneyroll (MNYROLL) symbol, Bank (WIN50) symbol and a 50X (50TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTNDOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), \$10,000 (TEN THO) and \$300,000 (THRHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$15, \$20, \$40, \$50, \$100, \$150, \$500, \$1,000, \$5,000, \$10,000 and \$300,000. The player can win up to 15 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the 50X the Bucks instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300,000 (THRHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 50X (50TIMES) symbol, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that 50X (50TIMES) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 50X (50TIMES) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "prize" area under that 50X (50TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 50X (50TIMES) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "prize" area under that 50X (50TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$150 (ONEHUNFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$150.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$150 (ONEHUNFTY) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$150.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol

of \$50⁰⁰ (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$50.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Bank (WIN50) symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area under that Bank (WIN50) symbol, on a single ticket, shall be entitled to a prize of \$50.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$40.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$20.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15⁰⁰ (FIFTNDOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$15⁰⁰ (FIFTNDOL) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$15.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneyroll (MNYROLL) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "prize" area under that Moneyroll (MNYROLL) symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 9,600,000 Tickets</i> |
|--|-------------|-----------------------------------|---|
| \$10 w/ MONEYROLL | \$10 | 17.65 | 544,000 |
| \$10 | \$10 | 17.14 | 560,000 |
| \$15 w/ MONEYROLL | \$15 | 27.27 | 352,000 |
| \$15 | \$15 | 27.27 | 352,000 |
| \$10 × 2 | \$20 | 300 | 32,000 |
| (\$10 w/ MONEYROLL) + \$10 | \$20 | 75 | 128,000 |
| \$20 w/ MONEYROLL | \$20 | 85.71 | 112,000 |
| \$20 | \$20 | 200 | 48,000 |
| \$10 × 4 | \$40 | 600 | 16,000 |
| \$20 × 2 | \$40 | 600 | 16,000 |
| \$40 w/ MONEYROLL | \$40 | 300 | 32,000 |
| \$40 | \$40 | 600 | 16,000 |
| \$10 × 5 | \$50 | 600 | 16,000 |
| \$50 w/ BANK | \$50 | 30 | 320,000 |
| \$50 w/ MONEYROLL | \$50 | 300 | 32,000 |
| \$50 | \$50 | 300 | 32,000 |
| \$10 × 10 | \$100 | 930.23 | 10,320 |
| \$20 × 5 | \$100 | 1,200 | 8,000 |
| (\$50 w/ BANK) × 2 | \$100 | 600 | 16,000 |
| \$100 w/ MONEYROLL | \$100 | 600 | 16,000 |
| \$100 | \$100 | 1,200 | 8,000 |
| \$10 × 15 | \$150 | 24,000 | 400 |
| \$50 × 3 | \$150 | 24,000 | 400 |
| (((\$50 w/ BANK) × 2) + \$50 | \$150 | 4,800 | 2,000 |
| (\$50 w/ BANK) × 3 | \$150 | 4,000 | 2,400 |
| \$150 w/ MONEYROLL | \$150 | 24,000 | 400 |
| \$150 | \$150 | 24,000 | 400 |
| \$50 × 10 | \$500 | 24,000 | 400 |
| (\$40 × 10) + (\$20 × 5) | \$500 | 24,000 | 400 |
| (\$50 w/ BANK) × 10 | \$500 | 24,000 | 400 |
| \$10 w/ 50X | \$500 | 888.89 | 10,800 |
| \$500 w/ MONEYROLL | \$500 | 24,000 | 400 |
| \$500 | \$500 | 24,000 | 400 |
| \$500 × 2 | \$1,000 | 60,000 | 160 |
| (\$100 × 5) + (\$50 × 10) | \$1,000 | 40,000 | 240 |
| (((\$50 w/ BANK) × 10) + \$500 | \$1,000 | 24,000 | 400 |
| \$20 w/ 50X | \$1,000 | 8,000 | 1,200 |
| \$1,000 w/ MONEYROLL | \$1,000 | 60,000 | 160 |
| \$1,000 | \$1,000 | 40,000 | 240 |
| \$500 × 10 | \$5,000 | 960,000 | 10 |
| \$100 w/ 50X | \$5,000 | 960,000 | 10 |
| \$5,000 | \$5,000 | 960,000 | 10 |
| (\$100 w/ 50X) × 2 | \$10,000 | 960,000 | 10 |
| \$10,000 | \$10,000 | 960,000 | 10 |
| \$300,000 | \$300,000 | 960,000 | 10 |

Reveal a "MONEYROLL" (MNYROLL) symbol, win prize shown under that symbol automatically.

Reveal a "BANK" (WIN50) symbol, win \$50 instantly.

Reveal a "50X" (50TIMES) symbol, win 50 times the prize shown under that symbol.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell 50X the Bucks instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a

winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter

a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money*: For a period of 1 year from the announced close of 50X the Bucks, prize money from winning 50X the Bucks instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the 50X the Bucks instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law*: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game*: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote 50X the Bucks or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-74. Filed for public inspection January 12, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania O'Lucky 7s Instant Lottery Game 1322

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name*: The name of the game is Pennsylvania O'Lucky 7s (hereinafter "O'Lucky 7s"). The game number is PA-1322.

2. *Price*: The price of an O'Lucky 7s instant lottery game ticket is \$5.

3. *Play Symbols*: Each O'Lucky 7s instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 7 (SVN) symbol and a \$70 Symbol (WIN70) symbol.

4. *Prize Symbols*: The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5⁰⁰ (FIV

DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$30⁰⁰ (THIRTY), \$70⁰⁰ (SVNTY), \$100 (ONE HUN), \$300 (THR HUN), \$1,000 (ONE THO) and \$50,000 (FTY THO).

5. *Prizes*: The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$30, \$70, \$100, \$300, \$1,000 and \$50,000. The player can win up to 12 times on a ticket.

6. *Second-Chance Drawing*: The Pennsylvania Lottery will conduct a Lots O'Luck Second-Chance Drawing for which non-winning O'Lucky 7s instant lottery game tickets may be eligible as provided for in section 10.

7. *Approximate Number of Tickets Printed For the Game*: Approximately 6,000,000 tickets will be printed for the O'Lucky 7s instant lottery game.

8. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50,000 (FTY THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$300 (THR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$300.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol, and a prize symbol of \$300 (THR HUN) appears in the "prize" area under that 7 (SVN) symbol, on a single ticket, shall be entitled to a prize of \$300.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that 7 (SVN) symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$70⁰⁰ (SVNTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$70.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol, and a prize symbol of \$70⁰⁰ (SVNTY) appears in the "prize" area under that 7 (SVN) symbol, on a single ticket, shall be entitled to a prize of \$70.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a \$70 Symbol (WIN70) symbol, and a prize symbol of \$70⁰⁰ (SVNTY) appears in the "prize" area under that \$70 Symbol (WIN70) symbol, on a single ticket, shall be entitled to a prize of \$70.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol, and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the "prize" area under that 7 (SVN) symbol, on a single ticket, shall be entitled to a prize of \$30.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$25.⁰⁰ (TWY FIV) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol, and a prize symbol of \$25.⁰⁰ (TWY FIV) appears in the "prize" area under that 7 (SVN) symbol, on a single ticket, shall be entitled to a prize of \$25.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol,

and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the "prize" area under that 7 (SVN) symbol, on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol, and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the "prize" area under that 7 (SVN) symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol, and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the "prize" area under that 7 (SVN) symbol, on a single ticket, shall be entitled to a prize of \$5.

9. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 6,000,000 Tickets</i> |
|--|-------------|-----------------------------------|---|
| \$5 w/ 7 | \$5 | 30 | 200,000 |
| \$5 | \$5 | 20 | 300,000 |
| \$5 × 2 | \$10 | 40 | 150,000 |
| (\$5 w/ 7) + \$5 | \$10 | 120 | 50,000 |
| (\$5 w/ 7) × 2 | \$10 | 120 | 50,000 |
| \$10 w/ 7 | \$10 | 60 | 100,000 |
| \$10 | \$10 | 60 | 100,000 |
| \$5 × 4 | \$20 | 150 | 40,000 |
| \$10 × 2 | \$20 | 150 | 40,000 |
| ((5 w/ 7) × 2) + (\$5 × 2) | \$20 | 300 | 20,000 |
| (\$10 w/ 7) + \$10 | \$20 | 300 | 20,000 |
| \$20 w/ 7 | \$20 | 150 | 40,000 |
| \$20 | \$20 | 150 | 40,000 |
| \$5 × 5 | \$25 | 200 | 30,000 |
| (\$5 w/ 7) + (\$10 × 2) | \$25 | 200 | 30,000 |
| (\$5 w/ 7) × 5 | \$25 | 200 | 30,000 |
| \$25 w/ 7 | \$25 | 200 | 30,000 |
| \$25 | \$25 | 300 | 20,000 |
| \$5 × 6 | \$30 | 600 | 10,000 |
| \$10 × 3 | \$30 | 600 | 10,000 |
| (\$10 w/ 7) × 3 | \$30 | 600 | 10,000 |
| \$30 w/ 7 | \$30 | 600 | 10,000 |
| \$30 | \$30 | 600 | 10,000 |
| \$10 × 7 | \$70 | 2,400 | 2,500 |
| (\$10 × 2) + (\$5 × 10) | \$70 | 2,400 | 2,500 |
| \$70 w/ \$70 SYMBOL | \$70 | 160 | 37,500 |
| (\$10 w/ 7) × 7 | \$70 | 2,400 | 2,500 |
| \$70 w/ 7 | \$70 | 2,400 | 2,500 |
| \$70 | \$70 | 2,400 | 2,500 |
| \$10 × 10 | \$100 | 8,000 | 750 |
| \$20 × 5 | \$100 | 8,000 | 750 |

| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 6,000,000 Tickets</i> |
|--|-------------|-----------------------------------|---|
| (\$25 × 2) + (\$5 × 10) | \$100 | 4,000 | 1,500 |
| (\$20 × 2) + (\$10 × 2) + (\$5 × 8) | \$100 | 4,000 | 1,500 |
| (\$70 w/ \$70 SYMBOL) + (\$10 × 3) | \$100 | 4,000 | 1,500 |
| (\$70 w/ \$70 SYMBOL) + \$30 | \$100 | 4,000 | 1,500 |
| \$100 w/ 7 | \$100 | 8,000 | 750 |
| \$100 | \$100 | 8,000 | 750 |
| \$30 × 10 | \$300 | 40,000 | 150 |
| \$100 × 3 | \$300 | 40,000 | 150 |
| (((\$70 w/ \$70 SYMBOL) × 4) + \$20 | \$300 | 40,000 | 150 |
| (\$100 w/ 7) × 3 | \$300 | 40,000 | 150 |
| \$300 w/ 7 | \$300 | 40,000 | 150 |
| \$300 | \$300 | 40,000 | 150 |
| \$100 × 10 | \$1,000 | 600,000 | 10 |
| (((\$70 w/ \$70 SYMBOL) × 10) + \$300 | \$1,000 | 600,000 | 10 |
| \$1,000 | \$1,000 | 600,000 | 10 |
| \$50,000 | \$50,000 | 600,000 | 10 |

Reveal a "7" (SVN) symbol, win prize shown under that symbol automatically.

Reveal a "\$70 SYMBOL" (WIN70) symbol, win \$70 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing: Pennsylvania Lottery's Lots O'Luck Second-Chance Drawing (hereafter, the "Drawing"):*

(a) *Qualifying Tickets:* Non-winning PA-1322 O'Lucky 7s (\$5) instant lottery game tickets and non-winning PA-5024 Tic-Tac-Luck (\$1) Fast Play lottery game tickets ("Qualifying Tickets") are eligible for entry into the Drawing.

(b) *Participation and Entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <https://www.palottery.state.pa.us/Vip-players-club/Login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional website, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application, during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be submitted.

(4) Only one claimant per entry allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing Description:*

(1) The Lottery will conduct one Lots O'Luck Second-Chance Drawing. All time references are Eastern Prevailing Time.

(2) *Entry Periods.* PA-1322 O'Lucky 7s instant lottery tickets go on sale on January 22, 2018 and PA-5024 Tic-Tac-Luck Fast Play lottery tickets go on sale on February 6, 2018. Due to the differences in launch dates, the entry periods for each game will be different.

(i) All PA-1322 O'Lucky 7s instant lottery ticket Drawing entries received after 11:59:59 p.m. January 21, through 11:59:59 p.m. March 22, 2018, will be entered into the Drawing, held between March 23, 2018 and April 3, 2018.

(ii) All PA-5024 Tic-Tac-Luck Fast Play lottery ticket Drawing entries received after 11:59:59 p.m. February 5, 2018, through 11:59:59 p.m. March 22, 2018, will be entered into the Drawing, held between March 23, 2018 and April 3, 2018.

(3) The entry periods for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible website.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The respective purchase prices and corresponding number of entries for Qualifying Tickets are as follows: PA-1322 O'Lucky 7s (\$5) = 5 entries; and PA-5024 Tic-Tac-Luck (\$1) = 1 entry.

(5) Players may review their entries for the Drawing via the Drawing's promotional website.

(d) *Prizes Available to be Won, Determination of Winners, and Odds of Winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 4, or those mentioned anywhere else in these rules.

(2) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c).

(3) The first entry selected from the total number of entries entered in the Drawing will be a winning entry, and the entrant who submitted the winning entry shall be entitled to a prize of \$50,000.

(4) The second through the eleventh entries selected in the Drawing will be winning entries, and the entrants who submitted the winning entries shall each be entitled to a prize of \$5,000.

(5) The twelfth through the thirty-sixth entries selected in the Drawing will be winning entries, and the entrants who submitted the winning entries shall each be entitled to a prize of \$1,000.

(6) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible website.

(7) The odds of an entry being selected in the Drawing depend upon the number of entries received for the Drawing.

(8) A computer generated randomizer will be used to select the winning entries for the Drawing.

(e) *Drawing Restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible cellular telephones or internet browsers, mobile lottery application failure, or other technical issues. If a Drawing entry is selected as a winner and disqualified or otherwise rejected during or following the Drawing, the Lottery will select another entry to replace the disqualified or otherwise rejected entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, MARC Advertising, MUSL, Scientific Games International, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) The payment of a prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same drawing will be disqualified and a replacement entry will be selected.

(14) Prizes are not transferrable.

(15) Other restrictions may apply.

11. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell O'Lucky 7s instant lottery game tickets.

12. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed Prize Money:* For a period of 1 year from the announced close of O'Lucky 7s, prize money from winning O'Lucky 7s instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the O'Lucky 7s instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote O'Lucky 7s or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-75. Filed for public inspection January 12, 2018, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

ArcelorMittal Pristine Resources, LLC v. Department of Environmental Protection; EHB Doc. No. 2017-117-R

ArcelorMittal Pristine Resources, LLC has appealed the renewal by the Department of Environmental Protection of an NPDES Permit No. PA0001317 to ArcelorMittal Pristine Resources, LLC for the Cambria Slope Mine No. 33 located in Cambria, Allegheny, Munster, Portage, Summerhill and Croyle Townships, Cambria County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's

rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 18-76. Filed for public inspection January 12, 2018, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The January 16, 2018, meeting of the Environmental Quality Board (Board) is cancelled. The next regular meeting of the Board is scheduled for Tuesday, February 20, 2018, at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

The agenda and meeting materials for the February 20, 2018, meeting will be available on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board (EQB)"). Questions concerning the Board's next scheduled meeting may be directed to Laura Edinger at (717) 783-8727 or ledinger@pa.gov.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Laura Edinger at (717) 783-8727 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 18-77. Filed for public inspection January 12, 2018, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

| <i>Reg. No.</i> | <i>Agency/Title</i> | <i>Close of the Public Comment Period</i> | <i>IRRC Comments Issued</i> |
|-----------------|---|---|-----------------------------|
| 15-459 | Department of Revenue Withholding of Tax 47 Pa.B. 6726 (October 28, 2017) | 11/27/17 | 12/27/17 |

**Department of Revenue Regulation # 15-459
(IRRC # 3183)
Withholding of Tax
December 27, 2017**

We submit for your consideration the following comments on the proposed rulemaking published in the October 28, 2017 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Department of Revenue (Department) to respond to all comments received from us or any other source.

1. Economic or fiscal impacts; Clarity, feasibility and reasonableness of requirements; Reasonableness of requirements, implementation procedures and timetables for compliance.

Section 5.2 of the RRA (71 P.S. § 745.5b) directs this Commission to determine whether a regulation is in the public interest. When making this determination, the Commission considers criteria such as economic or fiscal impact and reasonableness. To make that determination, the Commission must analyze the text of the proposed rulemaking and the reasons for the new or amended language. The Commission also considers the information

a promulgating agency is required to provide under Section 5(a) of the RRA (71 P.S. § 745.5(a)) in the Regulatory Analysis Form (RAF). Some of the information contained in the RAF submitted with this rulemaking is not sufficient to allow this Commission to determine if the regulation is in the public interest.

While we agree with the intent and purpose of the rulemaking, we raise the following issues:

- The Department estimates that 86,700 employers (with 10–249 employees) will be required to comply with electronic transmission requirements. The Department notes that this number may be overstated because some employers may already be compliant. (RAF # 16). The Department should, to the extent possible, provide more information about the number of employers that currently report electronically. This information will be beneficial to the Commission in determining whether the implementation procedures and timetables for compliance are reasonable.

- In RAF # 24, the Department reports the majority of employers (approximately 86,700) that will be subject to the regulation are considered small businesses. According to the Department, there are no significant projected reporting, recordkeeping and/or administrative costs required for compliance. Although the Pennsylvania Institute of Certified Public Accountants (PICPA) has no objections to the regulation as drafted, it shared some member concerns that lowering the threshold from 250 to 10 may prove to be a hardship for some small businesses. PICPA also asked the Department to clarify the penalties for noncompliance under the new requirements. The Department should address these concerns and continue to communicate with the regulated community as it develops the final-form rulemaking.

- In RAF # 22(b) the Department provides a link to REV1667R form. How does an employer use this form to comply with the new electronic reporting requirements? Is there an electronic version of this form through the state's Electronic Tax Information and Data Exchange System (e-TIDES)? How will employers be informed about the new threshold for electronic reporting? The Department should revise the instructions on the REV-1776R form to specify the new threshold for electronic reporting or explain why this information is not needed in the instructions.

- In RAF # 26, the Department states that there are no alternative regulatory provisions associated with the regulation. How did the Department determine the proposed threshold for electronic reporting? Did the Department consider and reject other thresholds for electronic reporting requirements? The Department should include this information in the RAF of the final-form regulation.

- In RAF # 29 the Department lists the expected delivery date of the final form regulation as the fourth quarter 2017. The effective date and expected date for compliance are "upon final publication." The Department should revise its response to reflect an updated delivery schedule for the final-form regulation. In addition, we ask the Department to ensure that the effective and compliance dates provide sufficient time for employers to comply with the new electronic reporting requirements.

2. Section 113.4. Time and place for filing reconciliation and withholding statements.—Clarity.

The new subsection (c) reads:

The annual withholding reconciliation statement and accompanying wage tax withholding statements as required under subsection (b) shall be forwarded to the Department by first class mail or electronic

transmission as specified in instructions of the Department. If an employer is required to furnish ten or more wage and tax withholding statements under subsection (a), the employer shall transmit electronically to the Department the annual withholding reconciliation statement and accompanying wage and tax withholding statements.

The new language includes two options for employers to forward the wage and tax withholding statements to the Department. However, new subsection (c) addresses only the electronic transmission requirements for those employers who are required to furnish ten or more wage and tax withholding statements to the Department. To improve clarity, the final-form regulation should explicitly state that employers who furnish less than ten wage and tax withholding statements may submit this information either via first class mail or electronic transmission.

The phrase "as specified in instruction of the Department" is vague. Where are these instructions located? The Department should specify where the instructions can be found.

The regulation does not define "electronic transmission." Does the term include email, fax or tele-file? How will the regulated community know which electronic transmission formats are acceptable? The Department should explain, in Preamble to the final rulemaking, how it will communicate with the regulated community in regards to acceptable formats of electronic transmission and define the term in the regulation.

3. Miscellaneous Clarity.

- New Section 113.4(c) reads "The annual withholding reconciliation statement and accompanying wage tax withholding statements as required under subsection (b) shall be forwarded to the Department. . . ." To be consistent, an "and" should be inserted between the words "wage" and "tax."

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 18-78. Filed for public inspection January 12, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of Allegheny Surety Company

Anthony P. Lekse has filed an application for approval to acquire control of Allegheny Surety Company, a domestic stock casualty insurance company. The filing was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401–991.1413).

Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Company Licensing Division, Insurance

Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 18-79. Filed for public inspection January 12, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Designation as a Certified Reinsurer

Hiscox Insurance Company (Bermuda) Ltd. has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on December 29, 2017, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Kimberly A. Rankin, Director, Bureau of Company Licensing and Financial Analysis, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, krarkin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 18-80. Filed for public inspection January 12, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Eligible Surplus Lines Insurer List

In accordance with section 1605(b) of The Insurance Company Law of 1921 (40 P.S. § 991.1605(b)), the Insurance Department publishes the most recent Eligible Surplus Lines Insurer List. This list replaces in its entirety the Eligible Surplus Lines Insurer List published at 47 Pa.B. 387 (January 21, 2017).

Persons with questions concerning this notice should contact Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735, cbybee@pa.gov.

| Key# | Company Name | Statutory Home Address |
|--------|---|--|
| 10512 | ADMIRAL INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10513 | ADRIATIC INSURANCE COMPANY | 314 EAST THAYER AVENUE BISMARCK, ND 58501 |
| 39135 | AGENT ALLIANCE INSURANCE COMPANY | 3800 SOLLIE ROAD MOBILE, AL 36619 |
| 119792 | AIG EUROPE LIMITED | AIG BUILDING 58 FENCHURCH STREET LONDON, United Kingdom EC3M 4AB |
| 10521 | AIG SPECIALTY INSURANCE COMPANY | 500 WEST MADISON STREET SUITE 3000 CHICAGO, IL 60661 |
| 67489 | AIX SPECIALTY INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801-1120 |
| 48099 | ALLIANZ GLOBAL CORPORATE & SPECIALTY SE | KONIGINASTRASSE 28 MUNICH, Germany D80802 |
| 10516 | ALLIANZ UNDERWRITERS INSURANCE COMPANY | 225 W. WASHINGTON STREET SUITE 1800 CHICAGO, IL 60606 |
| 10535 | ALLIED WORLD ASSURANCE COMPANY (U.S.) INC. | 251 LITTLE FALLS DRIVE SUITE 400 WILMINGTON, DE 19808 |
| 10600 | ALLIED WORLD SURPLUS LINES INSURANCE COMPANY | 425 WEST CAPITOL AVENUE SUITE 1800 LITTLE ROCK, AR 72201-3525 |
| 106563 | ALLY INTERNATIONAL INSURANCE COMPANY LTD | VICTORIA HALL 11 VICTORIA STREET HAMILTON, Bermuda HM11 |
| 10519 | AMERICAN EMPIRE SURPLUS LINES INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |

| <i>Key#</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|-------------|---|---|
| 10520 | AMERICAN EQUITY INSURANCE COMPANY | 20860 N TATUM BOULEVARD SUITE 400 PHOENIX, AZ 85050 |
| 63828 | AMERICAN MODERN SURPLUS LINES INSURANCE COMPANY | 7000 MIDLAND BLVD AMELIA, OH 45102-2607 |
| 107529 | AMERICAN NATIONAL LLOYDS INSURANCE COMPANY | ONE MOODY PLAZA GALVESTON, TX 77550 |
| 104146 | AMERICAN SAFETY INSURANCE COMPANY | 3715 NORTHSIDE PARKWAY ATLANTA, GA 30327-2806 |
| 10522 | AMERICAN WESTERN HOME INSURANCE COMPANY | 600 BANK OF OKLAHOMA PLAZA OKLAHOMA CITY, OK 73102 |
| 83774 | AMTRUST INTERNATIONAL UNDERWRITERS DAC | 40 WESTLAND ROW DUBLIN, Ireland 2 |
| 10524 | APPALACHIAN INSURANCE COMPANY | 270 CENTRAL AVENUE JOHNSTON, RI 02919-4949 |
| 33748 | ARCH EXCESS & SURPLUS INSURANCE COMPANY | 2345 GRAND BOULEVARD SUITE 900 KANSAS CITY, MO 64108 |
| 97477 | ARCH INSURANCE COMPANY (EUROPE) LIMITED | 6TH FLOOR PLANTATION PLACE SOUTH 60 GREAT TOWER STREET LONDON, United Kingdom EC3R 5AZ |
| 10587 | ARCH SPECIALTY INSURANCE COMPANY | 2345 GRAND BOULEVARD SUITE 900 KANSAS CITY, MO 64108 |
| 10588 | ARROWOOD SURPLUS LINES INSURANCE COMPANY | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 51442 | ASPEN INSURANCE UK LIMITED | 30 FENCHURCH STREET LONDON, United Kingdom EC3M 3BD |
| 35611 | ASPEN SPECIALTY INSURANCE COMPANY | 314 EAST THAYER AVENUE BISMARCK, ND 58501 |
| 22348 | ASSICURAZIONI GENERALI S.P.A. | PIAZZA DUCA DEGLI ABRUZZI, 2 TRIESTE, Italy 34132 |
| 22349 | ASSOCIATED ELECTRIC & GAS INSURANCE SERVICES LIMITED | THE MAXWELL ROBERTS BUILDING 4TH FLOOR ONE CHURCH STREET HAMILTON, Bermuda HM11 |
| 94396 | ASSOCIATED INDUSTRIES INSURANCE COMPANY | 903 N W 65TH STREET SUITE 300 BOCA RATON, FL 33487-2864 |
| 52712 | ATAIN INSURANCE COMPANY | 2301 E. LAMAR BOULEVARD 5TH FLOOR ARLINGTON, TX 76006 |
| 41586 | ATLANTIC CASUALTY INSURANCE COMPANY | 400 COMMERCE COURT GOLDSBORO, NC 27534 |
| 41562 | AXA CORPORATE SOLUTIONS ASSURANCE | 4 RUE JULES LEFEBVRE PARIS, France 75009 |
| 59554 | AXIS SPECIALTY EUROPE SE | MOUNT HERBERT COURT 34 UPPER MOUNT STREET DUBLIN, Ireland 2 |
| 10592 | AXIS SURPLUS INSURANCE COMPANY | 111 SOUTH WACKER DRIVE SUITE 3500 CHICAGO, IL 60606 |
| 115461 | BANKERS SPECIALTY INSURANCE COMPANY | 3636 SOUTH I-10 SERVICE ROAD STE. 204 METAIRIE, LA 70001 |

| <i>Key#</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|-------------|---|---|
| 10584 | BERKLEY ASSURANCE COMPANY | 11201 DOUGLAS AVENUE URBANDALE, IA 50322 |
| 75458 | BERKLEY REGIONAL SPECIALTY INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801-1120 |
| 63055 | BERKSHIRE HATHAWAY INTERNATIONAL INSURANCE LIMITED | 33 ST MARY AXE LONDON, United Kingdom EC3A 8LL |
| 116246 | BLUE HILL SPECIALTY INSURANCE COMPANY INC. | C/O CT CORPORATION SYSTEM 208 SOUTH LASALLE STREET SUITE 814 CHICAGO, IL 60604 |
| 8689 | BURLINGTON INSURANCE COMPANY | 238 INTERNATIONAL ROAD BURLINGTON, NC 27215-5129 |
| 10528 | CANAL INDEMNITY COMPANY | 400 EAST STONE AVENUE GREENVILLE, SC 29601 |
| 75544 | CANOPIUS US INSURANCE, INC | C/O THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 48319 | CAPITOL SPECIALTY INSURANCE CORPORATION | 1600 ASPEN COMMONS MIDDLETON, WI 53562 |
| 64641 | CATLIN INSURANCE COMPANY (UK) LIMITED | 20 GRACECHURCH STREET LONDON, United Kingdom 3C3V OBG |
| 63239 | CATLIN SPECIALTY INSURANCE COMPANY | C/O THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10529 | CENTENNIAL CASUALTY COMPANY | 2200 WOODCREST PLACE SUITE 200 BIRMINGHAM, AL 35209 |
| 10531 | CENTURY SURETY COMPANY | 550 POLARIS PARKWAY WESTERVILLE, OH 43082 |
| 10532 | CHUBB CUSTOM INSURANCE COMPANY | 202B HALL'S MILL ROAD WHITEHOUSE STATION, NJ 08889 |
| 48123 | CHUBB EUROPEAN GROUP LIMITED | 100 LEADENHALL STREET LONDON, United Kingdom EC3A 3BP |
| 72782 | CINCINNATI SPECIALTY UNDERWRITERS INSURANCE COMPANY (THE) | BRANDYWINE VILLAGE 1807 NORTH MARKET STREET WILMINGTON, DE 19802-4810 |
| 45736 | CLEAR BLUE SPECIALTY INSURANCE COMPANY | 6100 FAIRVIEW ROAD UNIT 103 CHARLOTTE, NC 28210 |
| 118669 | CM VANTAGE SPECIALTY INSURANCE COMPANY | 3000 SCHUSTER LANE MERRILL, WI 54452 |
| 10533 | COLONY INSURANCE COMPANY | 8720 STONY POINT PARKWAY SUITE 300 RICHMOND, VA 23235 |
| 10534 | COLUMBIA CASUALTY COMPANY | 333 S. WABASH, 43S CHICAGO, IL 60604 |
| 86914 | CONIFER INSURANCE COMPANY | 550 W. MERRILL STREET SUITE 200 BIRMINGHAM, MI 48009 |
| 115462 | COVERYS SPECIALTY INSURANCE COMPANY | 67 EAST PARK PLACE SUITE 703 MORRISTOWN, NJ 07960 |
| 96047 | COVINGTON SPECIALTY INSURANCE COMPANY | c/o NIXON PEABODY LLP 900 ELM STREET MANCHESTER, NH 03101 |
| 37372 | CRUM & FORSTER SPECIALTY INSURANCE COMPANY | 2999 NORTH 44TH STREET SUITE 250 PHOENIX, AZ 85018 |

| <i>Key#</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|-------------|---|---|
| 66658 | CUMIS SPECIALTY INSURANCE COMPANY, INC. | 2000 HERITAGE WAY WAVERLY, IA 50677 |
| 37001 | DISCOVER SPECIALTY INSURANCE COMPANY | ONE TOWER SQUARE HARTFORD, CT 06183 |
| 10541 | EMPIRE INDEMNITY INSURANCE COMPANY | BROADWAY EXECUTIVE PARK 9 200 NW 66TH STREET SUITE 965 OKLAHOMA CITY, OK 73116 |
| 63338 | ENDURANCE AMERICAN SPECIALTY INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 94256 | ENDURANCE SPECIALTY INSURANCE LTD | WATERLOO HOUSE 100 PITTS BAY ROAD PEMBROKE, Bermuda HM 08 |
| 111852 | ENDURANCE WORLDWIDE INSURANCE LIMITED | 1ST FLOOR, 2 MINSTER COURT MINCING LANE LONDON, United Kingdom EC3R 788 |
| 10543 | EVANSTON INSURANCE COMPANY | TEN PARKWAY NORTH DEERFIELD, IL 60015 |
| 10544 | EVEREST INDEMNITY INSURANCE COMPANY | CORPORATION TRUST CENTER 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10545 | EXECUTIVE RISK SPECIALTY INSURANCE COMPANY | 202B HALL'S MILL ROAD WHITEHOUSE STATION, NJ 08889 |
| 105001 | FAIR AMERICAN SELECT INSURANCE COMPANY | 80 PINE STREET NEW YORK, NY 10005 |
| 10549 | FIRST MERCURY INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10550 | FIRST SPECIALTY INSURANCE CORPORATION | 237 EAST HIGH STREET JEFFERSON CITY, MO 65101-3206 |
| 18477 | GEMINI INSURANCE COMPANY | CORPORATION TRUST CENTER 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10552 | GENERAL SECURITY INDEMNITY COMPANY OF ARIZONA | 2338 W. ROYAL PALM ROAD SUITE J PHOENIX, AZ 85021 |
| 10554 | GENERAL STAR INDEMNITY COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 58119 | GEOVERA SPECIALTY INSURANCE COMPANY | 251 LITTLE FALLS DRIVE WILMINGTON, DE 19808 |
| 73754 | GNV CUSTOM INSURANCE COMPANY | 200 MADISON AVENUE NEW YORK, NY 10016-3904 |
| 123319 | GOLDEN BEAR INSURANCE COMPANY | 1550 WEST FREMONT STREET 2ND FLOOR STOCKTON, CA 95203 |
| 10556 | GOTHAM INSURANCE COMPANY | 59 MAIDEN LANE 27TH FLOOR NEW YORK, NY 10038 |
| 10514 | GREAT AMERICAN E & S INSURANCE COMPANY | THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10518 | GREAT AMERICAN FIDELITY INSURANCE COMPANY | THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10540 | GREAT AMERICAN PROTECTION INSURANCE COMPANY | 301 EAST FOURTH STREET CINCINNATI, OH 45202 |
| 22412 | GREAT LAKES INSURANCE SE | KONIGINSTR 107 MUNICH, Germany 80802 |

| <i>Key#</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|-------------|---|--|
| 100854 | GUIDEONE NATIONAL INSURANCE COMPANY | 1111 ASHWORTH ROAD WEST DES MOINES, IA 50265-3538 |
| 36489 | GUILFORD INSURANCE COMPANY | C/O HINSHAW & CULBERTSON, LLP 400 SOUTH NINTH STREET SUITE 200 SPRINGFIELD, IL 62701-1822 |
| 10557 | GULF UNDERWRITERS INSURANCE COMPANY | ONE TOWER SQUARE HARTFORD, CT 06183 |
| 103324 | HALLMARK SPECIALTY INSURANCE COMPANY | 201 ROBERT S. KERR AVENUE SUITE 600 OKLAHOMA CITY, OK 73102 |
| 79945 | HAMILTON SPECIALTY INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 66133 | HCC SPECIALTY INSURANCE COMPANY | 201 ROBERT S. KERR AVENUE OKLAHOMA, OK 73102-4267 |
| 123955 | HDI SPECIALTY INSURANCE COMPANY | 161 N. CLARK STREET 48TH FLOOR CHICAGO, IL 60601 |
| 121546 | HELVETIA SWISS INSURANCE COMPANY IN LIECHTENSTEIN LTD. | HERRENGASSE 11 9490 VADUZ LIECHTENSTEIN, Lichtenstein |
| 100960 | HOMELAND INSURANCE COMPANY OF DELAWARE | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 44169 | HOMELAND INSURANCE COMPANY OF NEW YORK | 1000 WOODBURY ROAD SUITE 403 WOODBURY, NY 11797 |
| 124435 | HOUSING SPECIALTY INSURANCE COMPANY, INC. | 148 COLLEGE STREET BURLINGTON, VT 05401 |
| 10559 | HOUSTON CASUALTY COMPANY | 13403 NORTHWEST FREEWAY HOUSTON, TX 77040 |
| 75182 | HOUSTON SPECIALTY INSURANCE COMPANY | 800 GESSNER SUITE 600 HOUSTON, TX 77024 |
| 102374 | HSB SPECIALTY INSURANCE COMPANY | ONE STATE STREET HARTFORD, CT 06102-5024 |
| 106322 | HUDSON EXCESS INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 37373 | HUDSON SPECIALTY INSURANCE COMPANY | 100 WILLIAM STREET 5TH FLR. NEW YORK, NY 10038 |
| 10560 | ILLINOIS EMCASCO INSURANCE COMPANY | 717 MULBERRY STREET DES MOINES, IA 50309-3872 |
| 10561 | ILLINOIS UNION INSURANCE COMPANY | 525 WEST MONROE STREET SUITE 700 CHICAGO, IL 60661 |
| 10547 | INDEPENDENT SPECIALTY INSURANCE COMPANY | 160 GREENTREE DRIVE SUITE 101 DOVER, DE 19904 |
| 10562 | INDIAN HARBOR INSURANCE COMPANY | c/o THE CORPORATION TRUST CO. 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 28076 | INTERNATIONAL INSURANCE COMPANY OF HANNOVER SE | 2ND FLOOR, 1 ARLINGTON SQUARE DOWNSHIRE WAY BERKSHIRE, United Kingdom RG12 1WA |
| 10564 | INTERSTATE FIRE & CASUALTY COMPANY | 33 WEST MONROE CHICAGO, IL 60603 |

| <i>Key#</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|-------------|--|---|
| 103749 | IRONSHORE EUROPE DAC | 33 SIR JOHN ROGERSON'S QUAY 2ND FLOOR DUBLIN, Ireland 2 |
| 70118 | IRONSHORE INSURANCE LTD. | 141 FRONT STREET HAMILTON, Bermuda HM19 |
| 10596 | IRONSHORE SPECIALTY INSURANCE COMPANY | 8601 NORTH SCOTTSDALE ROAD SUITE 300 SCOTTSDALE, AZ 85253 |
| 119790 | ISMIE INDEMNITY COMPANY | 20 NORTH MICHIGAN AVENUE SUITE 700 CHICAGO, IL 60602-4811 |
| 10546 | JAMES RIVER INSURANCE COMPANY | 52 EAST GAY STREET COLUMBUS, OH 43215 |
| 36855 | KINSALE INSURANCE COMPANY | 425 W. CAPITOL AVENUE SUITE 1800 LITTLE ROCK, AR 72201 |
| 108670 | KNIGHT SPECIALTY INSURANCE COMPANY | BRANDYWINE VILLAGE 1807 NORTH MARKET STREET WILMINGTON, DE 19802-4810 |
| 80046 | LANCASHIRE INSURANCE COMPANY (UK) LIMITED | 20 FENCHURCH STREET 29TH FLR. LONDON, United Kingdom EC3M 3BY |
| 75297 | LANCASHIRE INSURANCE COMPANY LIMITED | POWERHOUSE 7 PAR-LA-VILLE ROAD HAMILTON, Bermuda HM 11 |
| 8967 | LANDMARK AMERICAN INSURANCE COMPANY | 201 ROBERT KERR AVENUE SUITE 600 OKLAHOMA CITY, OK 73102-4267 |
| 10569 | LEXINGTON INSURANCE COMPANY | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 22415 | LIBERTY MUTUAL INSURANCE EUROPE LIMITED | 3RD FLOOR, TWO MINSTER COURT MINCING LANE LONDON, United Kingdom EC3R 7YE |
| 18457 | LIBERTY SURPLUS INSURANCE CORPORATION | 175 BERKELEY STREET BOSTON, MA 02117 |
| 22416 | LLOYD'S, LONDON (UNDERWRITERS AT) | ONE LIME STREET LONDON, United Kingdom EC3M7HA |
| 92689 | MAPFRE GLOBAL RISKS COMPANIA INTERNACIONAL DE SEGUROS Y REASEGUROS S A | CARRETERA POZUELO 52 EDIFICIO M-11 MADRID, Spain |
| 22418 | MARINE INSURANCE COMPANY LIMITED | ST MARKS COURT. CHART WAY HORSHAM, WEST SUSSEX ENGLAND, Great Britain RH 12 1XL |
| 22455 | MARKEL INTERNATIONAL INSURANCE COMPANY LIMITED | THE MARKEL BUILDING 49 LEADENHALL STREET LONDON, United Kingdom EC3A2EA |
| 10527 | MAXUM INDEMNITY COMPANY | ONE HARTFORD PLAZA HARTFORD, CT 06155 |
| 69016 | MEDICAL MUTUAL LIABILITY INSURANCE SOCIETY OF MARYLAND | 225 INTERNATIONAL CIRCLE HUNT VALLEY, MD 21030 |
| 104147 | MEDICAL SECURITY INSURANCE COMPANY | 700 SPRING FOREST ROAD SUITE 400 RALEIGH, NC 27609 |
| 75542 | MERCHANTS NATIONAL INSURANCE COMPANY | 5 BEDFORD FARMS SUITE 101 BEDFORD, NH 03110 |
| 10553 | MESA UNDERWRITERS SPECIALTY INSURANCE COMPANY | 40 WANTAGE AVENUE BRANCHVILLE, NJ 07890 |

| <i>Key#</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|-------------|--|---|
| 96043 | MID-CONTINENT EXCESS AND SURPLUS INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 75518 | mitsui sumitomo insurance company (EUROPE) LIMITED | 25 FENCHURCH AVENUE LONDON, United Kingdom EC3M 5AD |
| 10571 | MT. HAWLEY INSURANCE COMPANY | 9025 N. LINDBERGH DRIVE PEORIA, IL 61615 |
| 10572 | NAMIC INSURANCE COMPANY, INC. | 3601 VINCENNES ROAD INDIANAPOLIS, IN 46268 |
| 10573 | NATIONAL FIRE & MARINE INSURANCE COMPANY | 1314 DOUGLAS STREET SUITE 1400 OMAHA, NE 68102-1944 |
| 10574 | NAUTILUS INSURANCE COMPANY | 7233 E. BUTHERUS DRIVE SCOTTSDALE, AZ 85260 |
| 10575 | NAVIGATORS SPECIALTY INSURANCE COMPANY | ONE PENN PLAZA 32nd FLOOR NEW YORK, NY 10119-0002 |
| 10537 | NOETIC SPECIALTY INSURANCE COMPANY | 100 EAST STATE STREET MONTPELIER, VT 05602 |
| 10576 | NORTH AMERICAN CAPACITY INSURANCE COMPANY | 650 ELM STREET MANCHESTER, NH 03101-2524 |
| 79123 | NORTH LIGHT SPECIALTY INSURANCE COMPANY | 2775 SANDERS ROAD NORTHBROOK, IL 60062-7127 |
| 10577 | NORTHFIELD INSURANCE COMPANY | 505 5TH AVENUE SUITE 729 DES MOINES, IA 50309 |
| 10578 | NUTMEG INSURANCE COMPANY | ONE HARTFORD PLAZA HARTFORD, CT 06155 |
| 22421 | OCEAN MARINE INSURANCE COMPANY LIMITED | ST. HELEN'S 1 UNDERSHAFT LONDON, United Kingdom EC3P3DQ |
| 10579 | OLD REPUBLIC UNION INSURANCE COMPANY | 307 NORTH MICHIGAN AVENUE CHICAGO, IL 60601 |
| 10566 | PACIFIC INSURANCE COMPANY, LIMITED | ONE HARTFORD PLAZA HARTFORD, CT 06155 |
| 99478 | PARTNERRE IRELAND INSURANCE DAC | 5TH FLOOR, BLOCK 1, THE OVAL 160 SHELBOURNE ROAD BALLSBRIDGE DUBLIN, Ireland 4 |
| 10582 | PELEUS INSURANCE COMPANY | 8720 STONY POINT PARKWAY SUITE 300 RICHMOND, VA 23235 |
| 58179 | PENN-PATRIOT INSURANCE COMPANY | 526 KING STREET ALEXANDRIA, VA 22314 |
| 74667 | PRIME INSURANCE COMPANY | 303 WEST MADISON # 2075 CHICAGO, IL 60606 |
| 23150 | PRINCETON EXCESS AND SURPLUS LINES INSURANCE COMPANY | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 44436 | PROASSURANCE SPECIALTY INSURANCE COMPANY, INC. | 100 BROOKWOOD PLACE SUITE 500 BIRMINGHAM, AL 35209 |
| 117812 | PROFESSIONAL SECURITY INSURANCE COMPANY | C/O S. DAVID CHILDERS, KUTAK ROCK, LLP 8601 N. SCOTTSDALE ROAD SUITE 300 SCOTTSDALE, AZ 85253-2742 |
| 75543 | PROTECTIVE SPECIALTY INSURANCE COMPANY | 111 CONGRESSIONAL BLVD SUITE 500 CARMEL, IN 46032 |

| <i>Key#</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|-------------|--|--|
| 22449 | QBE INSURANCE (EUROPE) LIMITED | PLANTATION PLACE 30 FENCHURCH STREET LONDON, United Kingdom EC3M 3BD |
| 47448 | QBE SPECIALTY INSURANCE COMPANY | 314 EAST THAYER AVENUE BISMARCK, ND 58501 |
| 117810 | RADNOR SPECIALTY INSURANCE COMPANY | 10330 REGENCY PARKWAY DRIVE SUITE 100 OMAHA, NE 68114 |
| 70898 | REPUBLIC-VANGUARD INSURANCE COMPANY | 2390 E. CAMELBACK ROAD PHOENIX, AZ 85016 |
| 10603 | ROCKHILL INSURANCE COMPANY | 8601 N. SCOTTSDALE ROAD SUITE 300 SCOTTSDALE, AZ 85253 |
| 122122 | ROCKINGHAM INSURANCE COMPANY | 633 EAST MARKET STREET HARRISONBURG, VA 22801 |
| 10589 | SAFECO SURPLUS LINES INSURANCE COMPANY | 62 MAPLE AVENUE KEENE, NH 03431 |
| 86970 | SAFETY SPECIALTY INSURANCE COMPANY | 1832 SCHUETZ ROAD ST. LOUIS, MO 63146 |
| 10590 | SAVERS PROPERTY AND CASUALTY INSURANCE COMPANY | 120 SOUTH CENTRAL AVENUE CLAYTON, MO 63105 |
| 94496 | SCOR UK COMPANY LIMITED | 10 LIME STREET LONDON, United Kingdom EC3M 7AA |
| 10591 | SCOTTSDALE INSURANCE COMPANY | ONE NATIONWIDE PLAZA COLUMBUS, OH 43215 |
| 107528 | SCOTTSDALE SURPLUS LINES INSURANCE COMPANY | 8877 N GAINNEY CENTER DRIVE SCOTTSDALE, AZ 85258-2108 |
| 44276 | SENECA SPECIALTY INSURANCE COMPANY | 2999 NORTH 44TH STREET SUITE 250 PHOENIX, AZ 85018-7256 |
| 33514 | SIRIUS INTERNATIONAL INSURANCE CORPORATION | BIRGER JARISGATAN 57B STOCKHOLM, Sweden SE 113 96 |
| 10593 | ST. PAUL SURPLUS LINES INSURANCE COMPANY | 251 LITTLE FALLS DRIVE WILMINGTON, DE 19808 |
| 79898 | STARR SURPLUS LINES INSURANCE COMPANY | 500 WEST MONROE STREET 31ST FLOOR CHICAGO, IL 60661 |
| 98475 | STARSTONE INSURANCE SE | ZOLLSTRASSE 82 9494 SCHAAN LIECHTENSTEIN, Lichtenstein |
| 40659 | STARSTONE SPECIALTY INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801-1120 |
| 10594 | STEADFAST INSURANCE COMPANY | 251 LITTLE FALLS DRIVE WILMINGTON, DE 19808 |
| 22453 | SWISS RE INTERNATIONAL SE | 2A, RUE ALBERT BORSCHETTE KIRCHBERG, Luxembourg L1246 |
| 10583 | TDC SPECIALTY INSURANCE COMPANY | 1050 K STREET SUITE 400 WASHINGTON, DC 20001 |
| 22456 | THROUGH TRANSPORT MUTUAL INSURANCE ASSOCIATION LIMITED | FIRST FLOOR CHEVRON HOUSE 11 CHURCH STREET HAMILTON, Bermuda HM11 |
| 73071 | TOKIO MARINE KILN INSURANCE LIMITED | 20 FENCHURCH STREET LONDON, United Kingdom EC3M 3BY |
| 8705 | TOKIO MARINE SPECIALTY INSURANCE COMPANY | 1807 NORTH MARKET STREET WILMINGTON, DE 19802 |

| Key# | Company Name | Statutory Home Address |
|--------|---|---|
| 10597 | TRAVELERS EXCESS AND SURPLUS LINES COMPANY | ONE TOWER SQUARE HARTFORD, CT 06183 |
| 54486 | TT CLUB MUTUAL INSURANCE LIMITED | 90 FENCHURCH STREET LONDON, United Kingdom ECM 4ST |
| 10598 | TUDOR INSURANCE COMPANY | 300 KIMBALL DRIVE SUITE 500 PARSIPPANY, NJ 07054 |
| 10599 | U.S. UNDERWRITERS INSURANCE COMPANY | 316 NORTH FIFTH STREET SIXTH FLOOR BISMARCK, ND 58501 |
| 64798 | UNITED SPECIALTY INSURANCE COMPANY | 160 GREENTREE DRIVE SUITE 101 DOVER, DE 19904 |
| 82097 | UTICA SPECIALTY RISK INSURANCE COMPANY | 2435 N CENTRAL EXPRESSWAY SUITE 400 RICHARDSON, TX 75080 |
| 10605 | VOYAGER INDEMNITY INSURANCE COMPANY | 260 INTERSTATE NORTH CIRCLE SE ATLANTA, GA 30339 |
| 99476 | W. R. BERKLEY INSURANCE (EUROPE) LIMITED | 2ND FLOOR 40 LIME STREET LONDON, United Kingdom EC3M 7AW |
| 117811 | WATFORD SPECIALTY INSURANCE COMPANY | 445 SOUTH STREET SUITE 15824 P.O. BOX 1988 MORRISTOWN, NJ 07962-1988 |
| 10607 | WESTCHESTER SURPLUS LINES INSURANCE COMPANY | 11575 GREAT OAKS WAY SUITE 200 ALPHARETTA, GA 30022 |
| 10608 | WESTERN HERITAGE INSURANCE COMPANY | 9200 E. PIMA CENTER PKWY SUITE 350 SCOTTSDALE, AZ 85258 |
| 10610 | WESTERN WORLD INSURANCE COMPANY | 300 KIMBALL DRIVE SUITE 500 PARSIPPANY, NJ 07054 |
| 49219 | WILSHIRE INSURANCE COMPANY | 702 OBERLIN ROAD RALEIGH, NC 27605-0800 |
| 10604 | XL SELECT INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 18-81. Filed for public inspection January 12, 2018, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held at the Conference Center, Central Penn College, 600 Valley Road, Summerdale, PA 17093 at 10 a.m. on Thursday, January 25, 2018.

Individuals with questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, RN, BSN, MBA, CPPS,
Executive Director

[Pa.B. Doc. No. 18-82. Filed for public inspection January 12, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Affiliated Interest Agreements and Certificate of Public Convenience

G-2016-2544455 and A-2017-2639994. Artesian Water Pennsylvania, Inc. Application of Artesian Water Pennsylvania, Inc. under 66 Pa.C.S. §§ 2101—2107 (relating to relations with affiliated interests) for approval of affiliated interest agreements, and application nunc pro tunc under 66 Pa.C.S. §§ 1101—1124 (relating to certificates of public convenience) for a certificate of public convenience and necessity approving transfer of property from Artesian Resources Corporation.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before March 14, 2018. Filings must be made

with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Artesian Water Pennsylvania Inc., 664 Churchmans Road, Newark, DE 19702

Through and By Counsel: Brian C. Wauhop, Buchanan Ingersoll & Rooney, PC, 409 North Second Street, Suite 500, Harrisburg, PA 17101-1357, (717) 237-4800, fax (717) 233-0852, brian.wauhop@bipc.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-83. Filed for public inspection January 12, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by January 29, 2018. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2017-2637115. Select Ambulance, Inc. (115 Little Rock Road, Unit A, Reading, Berks County, PA 19605) for the amended right to transport as a common carrier, by motor vehicle, persons in paratransit service, from points east of the Counties of Columbia, Franklin, Juniata, Luzerne, Mifflin, Montour, Northumberland, Susquehanna, Union and Wyoming, and return.

A-2017-2639334. Almond Tree Senior Solutions, LLC (207 North Wausau Road, Middleburg, Snyder County, PA 17842) for the amended right to transport as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Columbia, Juniata, Lycoming, Mifflin, Montour, Northumberland, Snyder and Union, to points in Pennsylvania, and return.

A-2017-2639472. Lazer Limousine Services, Inc. (P.O. Box 580, 112 East Broad Street, Trumbauersville, Bucks County, PA 18970) for the amended right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15

passengers, including the driver, between points in Pennsylvania; excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* Christopher M. Arfaa, Esquire, Hawke, McKeon & Sniscak, LLP, 100 North Tenth Street, Harrisburg, PA 17101.

A-2017-2640044. Made Menz Quality Transportation, LLC (327 Long Lane, Upper Darby, Delaware County, PA 19082) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Delaware County, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2017-2640264. Super Mover Bros., LLC (106 Marshall Drive, Renfrew, Butler County, PA 16053) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in the County of Butler.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-84. Filed for public inspection January 12, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Marlyn Morton, LPN; File No. 13-51-12666; Doc. No. 2282-51-15

On April 25, 2017, Marlyn Morton, LPN, Pennsylvania license No. PN281779, last known of Camden, NJ, had her practical nurse license reprimanded and was assessed a \$500 civil penalty based on receiving disciplinary action by the proper licensing authority of another state and failing to report same to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schuller, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-85. Filed for public inspection January 12, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Linda Richardson Bigay, RN, Respondent; File No. 16-51-09963; Doc. No. 0012-51-17

Notice to Linda Richardson Bigay, RN:

On January 4, 2017, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Nursing, alleging that you have violated certain provisions of the Pennsylvania Professional Nursing Law, Act of May 22, 1951, P.L. 317, ("Act"). Pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing for service of process upon you by publication.

Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary
Department of State
2601 North Third Street
P.O. Box 2649
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-86. Filed for public inspection January 12, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Maria Margaret Matlock, RN, Respondent; File No. 15-51-02795; Doc. No. 0810-51-16

Notice to Maria Margaret Matlock, RN:

On April 20, 2016, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing a Petition for Appropriate Relief, before the State Board of Nursing, alleging that you have violated certain provisions of the Pennsylvania Professional Nurse Law, Act of May 22, 1951, P.L. 317, 63 P.S. §§ 211—226, ("Act"). This notice is being filed pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing for service of process upon you by publication.

Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the Petition for Appropriate Relief or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Petition for Appropriate Relief. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary
Department of State
2601 North Third Street
P.O. Box 2649
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-87. Filed for public inspection January 12, 2018, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on February 1, 2018, at 2:30 p.m. at the Pennsylvania State Capitol, Room 8E-B, East Wing, Commonwealth Avenue, Harrisburg, PA. The public hearing will end at 5 p.m. or at the conclusion of public testimony, whichever is sooner. At this public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. These projects are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for March 8, 2018, which will be noticed separately. The public should take note that this public hearing will be the only opportunity to offer oral comment to the Commission for the listed projects. The deadline for the submission of written comments is February 12, 2018.

For further information contact Jason Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436.

Information concerning the applications for these projects is available at the Commission's Water Application and Approval Viewer at <http://mdw.srbc.net/waav>. Additional supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at www.srbc.net/pubinfo/docs/2009-02_Access_to_Records_Policy_20140115.pdf.

Supplementary Information

The public hearing will cover the following projects:

Projects Scheduled for Action

1. Project Sponsor and Facility: Brymac, Inc., d/b/a Mountain View Country Club (Pond 3/4), Harris Township, Centre County, PA. Application for surface water withdrawal of up to 0.240 mgd (peak day).
2. Project Sponsor and Facility: Cabot Oil & Gas Corporation (East Branch Tunkhannock Creek), Lenox Township, Susquehanna County, PA. Application for surface water withdrawal of up to 1.000 mgd (peak day).
3. Project Sponsor and Facility: Dillsburg Area Authority, Franklin Township, York County, PA. Modification to increase groundwater withdrawal by an additional 0.099 mgd (30-day average), for a total groundwater withdrawal of up to 0.200 mgd (30-day average) from Well 3 (Docket No. 20081207).
4. Project Sponsor and Facility: Lycoming Engines, a Division of Avco Corporation, City of Williamsport, Lycoming County, PA. Application for renewal of groundwater withdrawal of up to 0.980 mgd (30-day average) for groundwater remediation system (Docket No. 19880203).
5. Project Sponsor: Mayapple Real Estate Holdings. Project Facility: Mayapple Golf Links, South Middleton Township, Cumberland County, PA. Application for consumptive use of up to 0.200 mgd (peak day).

6. Project Sponsor: Mayapple Real Estate Holdings. Project Facility: Mayapple Golf Links, South Middleton Township, Cumberland County, PA. Application for groundwater withdrawal of up to 0.099 mgd (30-day average) from Well 1.

7. Project Sponsor and Facility: Repsol Oil & Gas USA, LLC (Fall Brook), Ward Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20140313).

8. Project Sponsor and Facility: Repsol Oil & Gas USA, LLC (Fellows Creek), Ward Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (Docket No. 20140314).

9. Project Sponsor and Facility: Seneca Resources Corporation (Arnot No. 5 Mine Discharge), Bloss Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.499 mgd (peak day) (Docket No. 20140311).

10. Project Sponsor and Facility: SWEPI, LP (Susquehanna River), Sheshequin Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 0.850 mgd (peak day) (Docket No. 20140312).

11. Project Sponsor and Facility: SWN Production Company, LLC (Susquehanna River), Great Bend Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 2.500 mgd (peak day) (Docket No. 20140302).

12. Project Sponsor and Facility: XTO Energy, Inc. (Little Muncy Creek), Moreland Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 0.249 mgd (peak day) (Docket No. 20140315).

Opportunity to Appear and Comment

Interested parties may appear at the hearing to offer comments to the Commission on any project listed previously. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Guidelines for the public hearing will be posted on the Commission's web site, www.srbc.net, prior to the hearing for review. The presiding officer reserves the right to modify or supplement the guidelines at the hearing. Written comments on any project listed previously may also be mailed to Jason Oyler, General Counsel, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through www.srbc.net/pubinfo/publicparticipation.htm. Comments mailed or electronically submitted must be received by the Commission on or before February 12, 2018, to be considered.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: December 28, 2017

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 18-88. Filed for public inspection January 12, 2018, 9:00 a.m.]