

PENNSYLVANIA BULLETIN

Volume 48

Number 20

Saturday, May 19, 2018 • Harrisburg, PA

Pages 2927—3066

Agencies in this issue

The Courts

Department of Banking and Securities

Department of Conservation and Natural
Resources

Department of Environmental Protection

Department of General Services

Department of Health

Department of Human Services

Independent Regulatory Review Commission

Insurance Department

Legislative Reference Bureau

Milk Marketing Board

Pennsylvania Public Utility Commission

Philadelphia Parking Authority


Public School Employees' Retirement Board

State Board of Nursing

State Board of Physical Therapy

State Board of Veterinary Medicine

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 522, May 2018

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pbulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 4 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2018 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

DISCIPLINARY BOARD OF THE SUPREME COURT
 List of financial institutions 2941
 Notice of disbarment 2944

JUDICIAL SYSTEM GENERAL PROVISIONS
 Proposed amendments to the Pennsylvania Rules of Professional Conduct regarding misconduct 2936

JUVENILE RULES
 Order amending Rule 191 and revising the comment to Rule 140 of the Rules of Juvenile Court Procedure; No. 766 Supreme Court rules doc. 2939

LOCAL COURT RULES
Bucks County
 District court diversionary program; administrative order No. 90 2941

PHILADELPHIA RULES
 March 14, 2018 order regarding healthcare providers insurance exchange (HPIX); administrative doc. No. 03 of 2018 2940

SUPREME COURT
 Financial institutions approved as depositories for fiduciary accounts; No. 159 disciplinary rules doc. 2944

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF BANKING AND SECURITIES
Notices
 Actions on applications 2953
 Maximum lawful rate of interest for residential mortgages for the month of June 2018 2953

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES
Notices
 Conservation and Natural Resources Advisory Council meeting 2954
 Execution of oil and gas lease for publicly-owned streambeds (2 documents) 2954

DEPARTMENT OF ENVIRONMENTAL PROTECTION
Notices
 Applications, actions and special notices 2955
 Opening of the grant application acceptance period of the Pennsylvania State Clean Diesel Grant Program 3010
 Planning and household hazardous waste education grant awards under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988 3010

DEPARTMENT OF GENERAL SERVICES
Notices
 Real estate for sale 3011

DEPARTMENT OF HEALTH

Notices
 Ambulatory surgical facilities; requests for exceptions 3011
 Approved prearrest and evidential breath testing devices 3011
 Hospitals; requests for exceptions 3019
 Laboratories approved to determine analyses of blood or serum or both for controlled substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code 3019
 Laboratories approved to determine blood alcohol content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code 3021
 Laboratories approved to determine controlled substance content of urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code 3029
 Laboratories approved to perform blood lead and/or Erythrocyte Protoporphyrin determinations under The Clinical Laboratory Act 3046
 Medical marijuana academic clinical research centers 3051

DEPARTMENT OF HUMAN SERVICES

Notices
 Payment for nursing facility services provided by county nursing facilities; medical assistance day one incentive payments to county nursing facilities for fiscal year 2018-2019 3052

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices
 Notice of filing of final rulemaking 3053

INSURANCE DEPARTMENT

Notices
 State Farm Mutual Automobile Insurance Company (SERFF # STLH-131463252); rate increase filing for LTC form 97058PA 3053

LEGISLATIVE REFERENCE BUREAU

Notices
 Documents filed but not published 3053

MILK MARKETING BOARD

Notices
 Proposed amendments to 7 Pa. Code Chapter 143; transactions between dealers and producers; public hearing 3053

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices
 Implementation of Act 40 of 2017 3054
 Service of notice of motor carrier applications 3064
 Telecommunications 3064

Available Online at <http://www.pabulletin.com>

PHILADELPHIA PARKING AUTHORITY

Notices

Service of notice of motor carrier applications in the
City of Philadelphia..... 3065

**PUBLIC SCHOOL EMPLOYEES' RETIREMENT
BOARD**

Notices

Hearing scheduled 3065

STATE BOARD OF NURSING

Notices

Bureau of Professional and Occupational Affairs v.
Elizabeth A. Leming, LPN; file No. 13-51-07951;
doc. No. 0712-51-2014..... 3065

Bureau of Professional and Occupational Affairs v.
Katie Mills, RN; file No. 16-51-09447; doc. No.
1660-51-2016 3066

Bureau of Professional and Occupational Affairs v.
Angel Pennington Parker, RN; file No. 12-51-
05151; doc. No. 0217-51-2014 3066

STATE BOARD OF PHYSICAL THERAPY

Rules and Regulations

Post-Act 38 revisions..... 2947

STATE BOARD OF VETERINARY MEDICINE

Notices

Commonwealth of Pennsylvania, Bureau of Profes-
sional and Occupational Affairs v. Nicole Erica
Dugan, CVT, respondent; file No. 13-57-02558;
doc. No. 0074-57-14 3066

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacode.com.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pabulletin.com.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2018.

1 Pa. Code (General Provisions)

Adopted Rules

301	2126
303	2126
305	2126
307	2126
309	2126
311	2126
311a	2126
315	2126

4 Pa. Code (Administration)

Adopted Rules

1	210, 1087, 1089
6	212, 214
7a	217
62	1498
64	1499
67	1500
69	1501

Statements of Policy

9	37, 299, 522, 1423, 1710, 2138, 2388, 2819
67b	2824
501	879

7 Pa. Code (Agriculture)

Adopted Rules

28a	2623
149	1416

10 Pa. Code (Banking and Securities)

Adopted Rules

1	389
59	2493
102	389
202	389
203	389
204	389
205	389
206	389
207	389
208	389
209	389
210	389
211	389
301	389
302	389
303	389
304	389
305	389
401	389
404	389
501	389
504	389
513	389
601	389
602	389
603	389
604	389
605	389
606	389
609	389
610	389
701	389

901	389
1001	389

17 Pa. Code (Conservation and Natural Resources)

Proposed Rules

53	515
----	-----

25 Pa. Code (Environmental Protection)

Adopted Rules

93	866
109	2509
121	1932
126	1932
208	251
250	1503
801	1939

Proposed Rules

77	733
245	1101, 1421
901	255
902	255
903	255

28 Pa. Code (Health and Safety)

Adopted Rules

1141	2767
1151	2767
1161	2793
1171	2801
1181	2806
1191	2810
1210	1508
1230	2814

31 Pa. Code (Insurance)

Proposed Rules

89	517
----	-----

37 Pa. Code (Law)

Proposed Rules

33	297
301	267, 742
311	267, 742

Statements of Policy

471	608
-----	-----

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

40	2947
42	2136, 2624

Proposed Rules

5	1177
33	1179
47	872

52 Pa. Code (Public Utilities)

Proposed Rules

54	1696
----	------

Statements of Policy

41	882
----	-----

58 Pa. Code (Recreation)

Adopted Rules

51 1672
 57 1672
 65 1676
 71 1672
 75 1672
 79 1672
 93 1672
 135 1677
 147 1677, 1680
 801 21
 802 21
 803 21
 804 2631
 805 1513
 806 1513
 807 1513
 808 1513
 809 2544
 810 2550
 811 2631
 812 2631
 813 2550
 814 2631
 815 2631
 817 2550
 818 2631
 1001 29
 1101 1524, 1681
 1102 1524, 1681
 1103 1524, 1681
 1104 1524, 1681
 1105 1524, 1681
 1106 1524, 1681
 1107 1524, 1681
 1108 1524, 1681
 1109 1524, 1681
 1110 1524, 1681
 1111 1524, 1681
 1112 1524, 1681
 1113 1524, 1681
 1114 1524, 1681
 1115 1524, 1681
 1116 1524, 1681
 1117 1524, 1681
 1118 1524, 1681
 1119 1524, 1681
 1120 1524, 1681
 1201 2559
 1202 2559
 1203 2559
 1204 2559
 1205 2559
 1206 2559
 1208 2559
 1209 2559

Proposed Rules

53 2655
 99a 2654
 111 2654
 135 1688
 139 1689
 141 1682, 1683, 1685, 1686, 2818
 147 1685, 1695

61 Pa. Code (Revenue)

Adopted Rules

876 1829

67 Pa. Code (Transportation)

Proposed Rules

441 1563

104 Pa. Code (Senate of Pennsylvania)

Statements of Policy

7 1833

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules

7 595

204 Pa. Code (Judicial System General Provisions)

Adopted Rules

29 222
 81 2582, 2756
 89 727
 91 727
 213 2113, 2582, 2602
 221 1092
 303 716

Proposed Rules

81 2936
 83 1270
 305 2367

207 Pa. Code (Judicial Conduct)

Adopted Rules

33 2757
 51 2757

210 Pa. Code (Appellate Procedure)

Adopted Rules

1 461
 5 461
 7 461
 9 461
 11 461
 13 461
 15 461
 17 461
 19 461
 21 461
 25 461
 27 461

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules

200 224, 475
 1000 475
 1900 477
 1910 477, 1093
 1915 477, 1095
 1920 477
 1930 477
 1940 1095
 1950 477
 2020 475
 Part II 483

Proposed Rules

1915 1813
 1920 1814
 Part II 486, 728, 1271

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules

1 487, 490, 856, 2759
 4 224
 5 487, 729, 856, 2759

Proposed Rules

4 496, 1930
 5 507

237 Pa. Code (Juvenile Rules)

Adopted Rules

1 2939
 4 2615
 11 2615

Proposed Rules

11 1098

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules

200 511
 300 2617

249 Pa. Code (Philadelphia Rules)

Unclassified 10, 227, 731, 732, 1825, 2125, 2940

255 Pa. Code (Local Court Rules)

Unclassified 10, 227, 236, 249, 513, 596, 598, 863,
 975, 976, 1497, 1827, 2383, 2385, 2619, 2620, 2941

THE COURTS

Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

PART V. PROFESSIONAL ETHICS AND CONDUCT [204 PA. CODE CH. 81]

Proposed Amendments to the Pennsylvania Rules of Professional Conduct Regarding Misconduct

Notice is hereby given that the Disciplinary Board of the Supreme Court of Pennsylvania (“Board”) is planning to recommend to the Supreme Court of Pennsylvania that it adopt amendments to Pennsylvania Rule of Professional Conduct (“RPC”) 8.4 relating to misconduct, as set forth in Annex A. This proposed rule amendment is intended to declare discriminatory and harassing conduct as misconduct when engaged in by lawyers, in the practice of law.

By way of brief background, on August 8, 2016, the American Bar Association amended Model Rule 8.4 to add new paragraph (g) relating to discrimination and harassment. In pertinent part, the new Model Rule prohibits a lawyer from engaging in conduct that the lawyer “knows or reasonably should know is harassment or discrimination on the basis of race, sex, religion, national origin, ethnicity, disability, age, sexual orientation, gender identity, marital status or socioeconomic status in conduct related to the practice of law.”

At present, in contrast with many other jurisdictions, Pennsylvania’s rules do not address harassment or discrimination in the black letter law or in the comments. In December 2016, after studying new Model Rule 8.4(g) and the rules of other jurisdictions, the Board published proposed amendments to RPC 8.4 that prohibited a lawyer from violating a federal, state or local antidiscrimination statute or ordinance.¹ Following extensive review and discussion of the numerous comments and suggestions received in response to the published proposal, the Board determined not to move forward with the proposed amendments, and renewed its study of the issue.

For a significant time, bar associations and related organizations and institutions have engaged in active debate over whether to include discrimination and harassment as professional misconduct. The Board supports these efforts and we conclude that it is in the best interest of the profession and the public for Pennsylvania to amend its rules to formally disapprove the conduct of any lawyer who knowingly engages in harassment or discrimination in the practice of law.

The Board modeled its proposed rule language on the Pennsylvania Code of Judicial Conduct. Pa.R.J.C. 2.3 governs bias, prejudice and harassment; subsection (B)

¹ See 46 Pa.B. 7519 (December 3, 2016)—“It is professional misconduct for a lawyer to: (g) violate a federal, state or local statute or ordinance that prohibits discrimination based on race, sex, religion, national origin, disability, age, sexual orientation or socioeconomic status by conduct that reflects adversely on the lawyer’s fitness as a lawyer. Whether a discriminatory act reflects adversely on a lawyer’s fitness as a lawyer shall be determined after consideration of all the circumstances, including: the seriousness of the act; whether the lawyer knew that the act was prohibited by statute or ordinance; whether the act was part of a pattern of prohibited conduct; and whether the act was committed in connection with the lawyer’s professional activities. If there is an alternative forum available to bring a complaint, no charge of professional misconduct may be brought pursuant to this paragraph until a court or administrative agency of competent jurisdiction has found that the lawyer has engaged in an unlawful discriminatory act, and the finding of the court or administrative agency has become final and enforceable and any right of judicial review has been exhausted.”

prohibits judges from engaging in such conduct in the performance of their judicial duties, and subsection (C) directs judges to require lawyers to refrain from such conduct in proceedings before the court. The Board favors similar language, in order that a lawyer’s ethical obligations under the RPC correspond to the conduct prohibited in the Code of Judicial Conduct and in order that the same protected classes are covered.

The proposed change to RPC 8.4 creates a new paragraph (g) and adds commentary as follows:

It is professional misconduct for a lawyer to:

* * *

(g) in the practice of law, by words or conduct, knowingly manifest bias or prejudice, or engage in harassment, including but not limited to bias, prejudice, or harassment based upon race, sex, gender identity or expression, religion, national origin, ethnicity, disability, age, sexual orientation, marital status, socioeconomic status, or political affiliation (except employment discrimination unless resulting in a final agency or judicial determination). This paragraph does not limit the ability of a lawyer to accept, decline or withdraw from a representation in accordance with Rule 1.16. This paragraph does not preclude legitimate advice or advocacy consistent with these Rules.

Comment:

* * *

(3) Examples of manifestations of bias or prejudice include but are not limited to epithets; slurs; demeaning nicknames; negative stereotyping; attempted humor based upon stereotypes; threatening, intimidating, or hostile acts; suggestions of connections between race, ethnicity, or nationality and crime; and irrelevant references to personal characteristics.

(4) Harassment, as referred to in paragraph (g), is verbal or physical conduct that denigrates or shows hostility or aversion toward a person on bases such as race, sex, gender identity or expression, religion, national origin, ethnicity, disability, age, sexual orientation, marital status, socioeconomic status, or political affiliation.

(5) Sexual harassment includes but is not limited to sexual advances, requests for sexual favors, and other verbal or physical conduct of a sexual nature that is unwelcome

* * *

As part of the Board’s renewed look at this matter, we revisited Model Rule 8.4(g). Based on our review, we determined not to pursue wholesale adoption of Model Rule 8.4(g). We conclude that the Model Rule language is susceptible to challenges related to constitutional rights of lawyers, such as freedom of speech, association and religion, due to the broad scope of the language “conduct related to the practice of law,” which the comment to the Model Rule explains extends to lawyers “participating in bar association, business or social activities in connection with the practice of law.” The Board has grave concerns that adoption of such language would unconstitutionally chill lawyers’ speech in forums disconnected from the provision of legal services. Parenthetically, of the many

comments received in response to the Board's first rule-making proposal, only one supported adoption of the Model Rule, and at this time, Vermont, the U.S. Virgin Islands, American Samoa and the Northern Mariana Islands are the only jurisdictions to adopt Model Rule 8.4(g) in its entirety.

The Board reviewed other jurisdictions' language relative to discrimination and harassment, particularly as to the scope of the prohibited conduct. According to the most recent compilation of data analyzing 56 jurisdictions (U.S. states, the District of Columbia, and territories),² at least 39 jurisdictions have anti-discrimination/anti-harassment provisions in their rules of professional conduct. Of those jurisdictions, 28 place the provision in the black letter law and 11 place the provision in the commentary.³ The Board proposes placing the rule amendments in the black letter law, as a black letter rule is enforceable in disciplinary proceedings.

Thirty-four jurisdictions require that the conduct have some connection to the practice of law.⁴ For example, "in the representation of a client";⁵ "in connection with the practice of law";⁶ "in a professional capacity";⁷ "in the practice of law";⁸ "in the course of representing a client";⁹ and "in connection with the lawyer's professional activities."¹⁰ Upon our review, the provisions in these jurisdictions require some nexus to delivering legal services and, the majority do not purport to reach "social activities."

Similar to the provisions in these jurisdictions, the Board proposes the language "in the practice of law" as a more narrowly-tailored scope of prohibited conduct. We conclude that private activities are not intended to be covered by this proposed rule amendment, since to do so would increase the likelihood of infringing on constitutional rights of lawyers.

The Pennsylvania RPC and the Pennsylvania Rules of Disciplinary Enforcement do not define what constitutes the practice of law; generally, the Supreme Court of Pennsylvania has explained what specific activities constitute the practice of law on a case-by-case basis. This case law is instructive and guides lawyers in determining the scope of the prohibited conduct relative to proposed new paragraph (g). The Supreme Court of Pennsylvania has outlined three broad categories of activities that constitute the practice of law: (1) the instruction and advising of clients in regard to the law so that they may pursue their affairs and be informed as to their rights and obligations; (2) the preparation of documents for clients requiring familiarity with legal principles beyond the ken of ordinary laypersons; and (3) the appearance on behalf of clients before public tribunals in order that the attorney may assist the deciding official in the proper interpretation and enforcement of the law. *Office of*

² https://www.americanbar.org/content/dam/aba/administrative/professional_responsibility/chart_adopt_8_4_g_authcheckdam.pdf

³ The following jurisdictions have black letter law: California, Colorado, Washington, D.C., Florida, Indiana, Iowa, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Jersey, New Mexico, New York, North Dakota, Ohio, Oregon, Rhode Island, Texas, Vermont, Washington, and Wisconsin. The following jurisdictions have commentary: Arizona, Arkansas, Connecticut, Delaware, Maine, South Carolina, South Dakota, Tennessee, Utah, and Wyoming.

⁴ Arizona, Arkansas, California, Colorado, Connecticut, Delaware, Washington, D.C., Florida, Idaho, Indiana, Iowa, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Jersey, New Mexico, New York, North Dakota, Ohio, Oregon, South Carolina, South Dakota, Tennessee, Texas, Utah, Washington, Wisconsin, and Wyoming.

⁵ Among the jurisdictions that use this verbiage are Colorado, Idaho and Missouri.

⁶ Among the jurisdictions that use this verbiage are Arkansas and Florida.

⁷ Among the jurisdictions that use this verbiage are Indiana, Massachusetts, Maryland, Nebraska, New Jersey and Ohio.

⁸ Among the jurisdictions that use this verbiage are Iowa and New York.

⁹ Among the jurisdictions that use this verbiage are Arizona, Connecticut, Delaware, Maine, North Dakota, New Hampshire, Oregon, South Carolina, Tennessee and Washington.

¹⁰ Among the jurisdictions that use this verbiage are Minnesota and Wisconsin.

Disciplinary Counsel v. Frank J. Marcone, 855 A.2d 654, 660 (Pa. 2004) (citing *Shortz et al. v. Farrell*, 193 A. 20, 21 (Pa. 1937)). The Court has provided additional guidance by noting that "the practice of law is implicated by the holding out of oneself to the public as competent to exercise legal judgment and the implication that he or she has the technical competence to analyze legal problems and the requisite character qualification to act in a representative capacity." *Id.*, citing *Dauphin County Bar Association v. Mazzacaro*, 351 A.2d 229, 222-223 (Pa. 1976).

Similar to social activities, employment discrimination in hiring, firing, promotion, or partnership status is not intended to be covered in the proposed rule, unless it has resulted in either an agency or judicial determination of discriminatory conduct. In its review of the rule provisions of other jurisdictions, the Board took particular note of New Jersey's rule, which excludes employment discrimination unless adjudicated.¹¹ The Board favors this exclusion, as existing agencies and courts are better able to deal with such matters, and the disciplinary resources required to investigate and prosecute discrimination and harassment in the employment area would be disproportionate to the benefits to the system given the remedies available elsewhere.

In jurisdictions that have a black letter rule, six have a *mens rea* requirement.¹² For example, "knowingly, or through callous indifference";¹³ "knowingly manifest by words or conduct";¹⁴ "knowingly intimidate or harass";¹⁵ "intentionally manifesting";¹⁶ and "willfully."¹⁷ Many of the jurisdictions that place anti-discrimination and anti-harassment provisions in their commentary also use the word "knowingly."¹⁸ The Board proposes the use of the word "knowingly," as the knowledge requirement prevents unintentional violation of the rule, and serves to exclude inadvertent conduct.

The Board proposes the inclusion of language relative to RPC 1.16, so that lawyers may retain professional independence and are not limited in their ability to accept, decline or withdraw from representation, except as set forth in RPC 1.16. This language is in Model Rule 8.4(g) and is contained in at least one other jurisdiction's provision.¹⁹ We further note that the Pennsylvania Bar Association ("PBA") and Allegheny County Bar Association ("ACBA") proposed versions of Rule 8.4(g) containing this exception.²⁰

The proposed language affirms that legitimate advocacy or advice concerning the protected classes contained in the rule does not violate the rule. As noted above, this proposed language is modeled on the Pennsylvania Code of Judicial Conduct. Pa.R.J.C. 2.3(D) advises that judges or lawyers are not precluded from making legitimate reference to the listed factors, when such factors are relevant to an issue in a proceeding. Additionally, this

¹¹ It is professional misconduct for a lawyer to: (g) engage, in a professional capacity, in conduct involving discrimination (except employment discrimination unless resulting in a final agency or judicial determination) because of race, color, religion, age, sex, sexual orientation, national origin, language, marital status, socioeconomic status, or handicap whether the conduct is intended or likely intended to cause harm. N.J. RPC 8.4(g).

¹² Florida, Maryland, New Mexico, North Dakota, Oregon, and Texas.

¹³ Florida

¹⁴ Maryland and North Dakota.

¹⁵ Oregon

¹⁶ New Mexico

¹⁷ Texas

¹⁸ Arizona, Connecticut, Delaware, Maine, New Hampshire, South Carolina, South Dakota, Tennessee, Utah, and Wyoming.

¹⁹ Washington

²⁰ Letter from PBA to Board dated December 9, 2016, enclosing PBA's proposed version of RPC 8.4(g); letter from ACBA to Chief Disciplinary Counsel dated January 9, 2017, enclosing ACBA's proposed version of RPC 8.4(g).

language concerning legitimate advocacy or advice is similar to the Model Rule language and is consistent with the rules of the vast majority of jurisdictions.²¹

The new comments proposed by the Board are modeled on the comments to Pa.R.J.C. 2.3. Proposed comments (3), (4), and (5) provide guidance to attorneys on the types of behavior covered by proposed paragraph 8.4(g), while explicitly stating that the examples provided are not limited to that list of behaviors. Although there is no uniform jurisdictional approach to providing specific examples of the prohibited conduct, upon review, the Board concludes that the proposed commentary is necessary to assist lawyers in complying with the proposed rule.

Interested persons are invited to submit written comments by mail or facsimile regarding the proposed amendments to the Office of the Secretary, The Disciplinary Board of the Supreme Court of Pennsylvania, 601 Commonwealth Avenue, Suite 5600, PO Box 62625, Harrisburg, PA 17106-2625, Facsimile number (717-231-3381), Email address Dboard.comments@pacourts.us on or before June 18, 2018.

*By the Disciplinary Board of the
Supreme Court of Pennsylvania*

JULIA FRANKSTON-MORRIS, Esq.,
Secretary

Annex A

TITLE 204. JUDICIAL SYSTEM GENERAL PROVISIONS

PART V. PROFESSIONAL ETHICS AND CONDUCT

Subpart A. PROFESSIONAL RESPONSIBILITY

CHAPTER 81. RULES OF PROFESSIONAL CONDUCT

Subchapter A. RULES OF PROFESSIONAL CONDUCT

§ 81.4. Rules of Professional Conduct.

The following are the Rules of Professional Conduct:

MAINTAINING THE INTEGRITY OF THE PROFESSION

Rule 8.4. Misconduct.

It is professional misconduct for a lawyer to:

* * * * *

(f) knowingly assist a judge or judicial officer in conduct that is a violation of applicable rules of judicial conduct or other law.

(g) in the practice of law, by words or conduct, knowingly manifest bias or prejudice, or engage in harassment, including but not limited to bias, prejudice, or harassment based upon race, sex, gender identity or expression, religion, national origin, ethnicity, disability, age, sexual orientation, marital status, socioeconomic status, or political affiliation (except employment discrimination unless resulting in a final agency or judicial determination). This paragraph does not limit the ability of a lawyer to accept, decline or withdraw from a representation in accordance with Rule 1.16. This paragraph does not preclude legitimate advice or advocacy consistent with these Rules.

²¹ Arizona, Arkansas, Connecticut, Delaware, Idaho, Indiana, Iowa, Maine, Maryland, Massachusetts, Missouri, Nebraska, New Mexico, North Dakota, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Washington, Wisconsin, and Wyoming.

Comment:

(1) Lawyers are subject to discipline when they violate or attempt to violate the Rules of Professional Conduct, knowingly assist or induce another to do so or do so through the acts of another, as when they request or instruct an agent to do so on the lawyer's behalf. Paragraph (a), however, does not prohibit a lawyer from advising a client of action the client is lawfully entitled to take.

(2) Many kinds of illegal conduct reflect adversely on fitness to practice law, such as offenses involving fraud and the offense of willful failure to file an income tax return. However, some kinds of offenses carry no such implication. Traditionally, the distinction was drawn in terms of offenses involving "moral turpitude." That concept can be construed to include offenses concerning some matters of personal morality, such as adultery and comparable offenses, that have no specific connection to fitness for the practice of law. Although a lawyer is personally answerable to the entire criminal law, a lawyer should be professionally answerable only for offenses that indicate lack of those characteristics relevant to law practice. Offenses involving violence, dishonesty, breach of trust, or serious interference with the administration of justice are in that category. A pattern of repeated offenses, even ones of minor significance when considered separately, can indicate indifference to legal obligation.

(3) Examples of manifestations of bias or prejudice include but are not limited to epithets; slurs; demeaning nicknames; negative stereotyping; attempted humor based upon stereotypes; threatening, intimidating, or hostile acts; suggestions of connections between race, ethnicity, or nationality and crime; and irrelevant references to personal characteristics.

(4) Harassment, as referred to in paragraph (g), is verbal or physical conduct that denigrates or shows hostility or aversion toward a person on bases such as race, sex, gender, religion, national origin, ethnicity, disability, age, sexual orientation, marital status, socioeconomic status, or political affiliation.

(5) Sexual harassment includes but is not limited to sexual advances, requests for sexual favors, and other verbal or physical conduct of a sexual nature that is unwelcome.

[(3)] (6) A lawyer may refuse to comply with an obligation imposed by law upon a good faith belief that no valid obligation exists. The provisions of Rule 1.2(d) concerning a good faith challenge to the validity, scope, meaning or application of the law apply to challenges of legal regulation of the practice of law.

[(4)] (7) Lawyers holding public office assume legal responsibilities going beyond those of other citizens. A lawyer's abuse of public office can suggest an inability to fulfill the professional role of lawyers. The same is true of abuse of positions of private trust such as trustee, executor, administrator, guardian, agent and officer, director or manager of a corporation or other organization.

[Pa.B. Doc. No. 18-773. Filed for public inspection May 18, 2018, 9:00 a.m.]

Title 237—JUVENILE RULES

PART I. RULES

[237 PA. CODE CH. 1]

Order Amending Rule 191 and Revising the Comment to Rule 140 of the Rules of Juvenile Court Procedure; No. 766 Supreme Court Rules Doc.

Order

Per Curiam

And Now, this 4th day of May, 2018, upon the recommendation of the Juvenile Court Procedural Rules Committee, the proposal having been published for public comment at 47 Pa.B. 7010 (November 18, 2017):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Pennsylvania Rule of Juvenile Court Procedure 191 is amended and the Comment to Pennsylvania Rule of Juvenile Court Procedure 140 is revised in the following form.

This Order shall be processed in accordance with Pa.R.J.A. No. 103(b), and shall be effective on July 1, 2018.

Annex A

TITLE 237. JUVENILE RULES

PART I. RULES

Subpart A. DELINQUENCY MATTERS

CHAPTER 1. GENERAL PROVISIONS

PART A. BUSINESS OF COURTS

Rule 140. Bench Warrants for Failure to Appear at Hearings.

* * * * *

Comment

* * * * *

Pursuant to Rule 191, the juvenile court hearing officer is to submit his or her findings and recommendation to the court. In bench warrant cases, the juvenile court hearing officer should immediately take his or her recommendation to the judge so the judge can make the final determination of whether the juvenile or witness should be released. *See* Rule [191(C)] 191(D).

If the findings and recommendation are not taken immediately to the judge, the juvenile court hearing officer is to submit the recommendation within one business day. *See* Rule [191(B)] 191(C).

Official Note: Rule 140 adopted February 26, 2008, effective June 1, 2008. Amended September 30, 2009, effective January 1, 2010. Amended April 21, 2011, effective July 1, 2011. Amended September 20, 2011, effective November 1, 2011. Amended April 6, 2017, effective September 1, 2017. **Amended May 4, 2018, effective July 1, 2018.**

Committee Explanatory Reports:

* * * * *

Final Report explaining the amendments to Rule 140 published with the Court's Order at 47 Pa.B. 2313 (April 22, 2017).

Final Report explaining the amendments to Rule 140 published with the Court's Order at 48 Pa.B. 2939 (May 19, 2018).

PART D. JUVENILE COURT HEARING OFFICERS

Rule 191. Juvenile Court Hearing Officer's Findings and Recommendation to the Judge.

A. Announcement of Findings and Recommendation. At the conclusion of the hearing, the juvenile court hearing officer shall announce in open court on the record, the juvenile court hearing officer's findings and recommendation to the judge.

B. Delinquency Recommendation. If a recommendation includes an adjudication of delinquency:

1) the juvenile shall be advised of the right to challenge the recommendation pursuant to Rule 192; and

2) a colloquy and inquiry of post-dispositional rights shall be conducted pursuant to Rule 512(C).

[B.] *C. Submission of Papers and Contents of Recommendation.* Within one business day, the juvenile court hearing officer shall submit a summary of the recommendation to the juvenile court judge. If requested, a copy of the summary shall be given to the juvenile's attorney, the juvenile, if unrepresented, the attorney for the Commonwealth, and the juvenile probation officer. The summary shall specifically state a recommendation to the judge.

[C.] *D. Judicial Action.* The judge shall by order:

- 1) accept the recommendation;
- 2) reject the recommendation and issue an order with a different disposition;
- 3) send the recommendation back to the juvenile court hearing officer for more specific findings; or
- 4) schedule a rehearing under Rule 192 within seven days.

Comment

The juvenile court may promulgate a form for juvenile court hearing officers to use. The summary of the recommendation may take the form of a court order to be adopted by the court.

The requirements of paragraph (B) are intended to ensure the juvenile is advised of the right to challenge the juvenile court hearing officer's recommendation and post-dispositional rights in the event the judge accepts the recommendation. If a party [**contests**] **challenges** the juvenile court hearing officer's decision, the copy of the summary may be used as an attachment in a motion for a rehearing in front of the judge.

The juvenile court hearing officer's decision is subject to approval of the judge. When the judge, in rejecting the juvenile court hearing officer's recommendation, modifies a factual determination, a rehearing is to be conducted. The judge may reject the juvenile court hearing officer's findings and enter a new finding or disposition without a rehearing if there is no modification of factual determinations. *See In re Perry*, 459 A.2d 789 (Pa. Super. 1983). The juvenile waives the right to complain of double jeopardy if the Commonwealth requests a rehearing before the judge. *See In re Stephens*, 419 A.2d 1244 (Pa. Super. 1980).

Nothing in this rule prohibits the court from modifying conclusions of law made by the juvenile court hearing officer.

Official Note: Rule 191 adopted April 1, 2005, effective April 1, 2006. Amended April 6, 2017, effective September 1, 2017. **Amended May 4, 2018, effective July 1, 2018.**

Committee Explanatory Reports:

Final Report explaining the provisions of Rule 191 published with the Court's Order at 35 Pa.B. 2214 (April 16, 2005).

Final Report explaining the amendments to Rule 191 published with the Court's Order at 47 Pa.B. 2313 (April 22, 2017).

Final Report explaining the amendments to Rule 191 published with the Court's Order at 48 Pa.B. 2939 (May 19, 2018).

FINAL REPORT¹

Amendment of Pa.R.J.C.P. 191 and Revision of Comment to Pa.R.J.C.P. 140

On May 4, 2018, the Supreme Court amended Rule of Juvenile Court Procedure 191 to require that a juvenile be advised of the right to challenge a juvenile court hearing officer recommendation and for a colloquy and inquiry of post-dispositional rights when a juvenile court hearing officer recommends an adjudication of delinquency. Additionally, the Comment to Rule of Juvenile Court Procedure 140 was revised to update references to Rule 191.

On May 11, 2017, Rule 512(C) was amended to require a colloquy and inquiry of post-dispositional rights by the court "after entering disposition on the record." Pa.R.J.C.P. 512(C)(1); *see also* 47 Pa.B. 2969 (May 27, 2017). Subsequently, a question arose whether the same post-dispositional rights colloquy and inquiry should be conducted when an adjudication of delinquency arises from a recommendation of a juvenile court hearing officer.

It was not evident from the text of Rule 512 concerning dispositional hearings that the requirements set forth in Rule 512, especially paragraph (C), extended to proceedings before a juvenile court hearing officer. Absent a reference in Rule 191 to Rule 512(C), the Juvenile Court Procedural Rules Committee ("Committee") did not believe that the requirements of Rule 512(C) self-evidently applied to matters arising from a juvenile court hearing officer. The Committee believed it to be procedurally inconsistent for a colloquy and inquiry to occur when a juvenile opts to have the matter heard by a judge pursuant to Rule 187(C), but not when a juvenile appears before a hearing officer for the same case type, *i.e.*, a misdemeanor.

Rule 191 was amended to add a new subparagraph (B)(2) to require a colloquy and inquiry of post-dispositional rights when a juvenile court hearing officer recommends an adjudication of delinquency. While a hearing officer may preside over a range of matters, *see* Pa.R.J.C.P. 187(A), the requirement applies only to adjudications of delinquency to maintain a parallelism with Rule 512(C)—the requirement does not apply to non-adjudicatory matters such as detention hearings, discovery, and uncontested dispositional reviews.

Further, a hearing officer recommendation lacks finality until acted upon by a judge. Yet, a colloquy and inquiry at that juncture would either require the juvenile to reappear before the hearing officer or appear in front of the

¹ The Committee's Final Report should not be confused with the official Committee Comments to the rules. Also note that the Supreme Court does not adopt the Committee's Comments or the contents of the Committee's explanatory Final Reports.

judge. Therefore, the advisement of post-dispositional rights is prospective in nature until a judge acts upon the juvenile court hearing officer's recommendation. In practice, the juvenile court hearing officer and the juvenile's counsel should explain to the juvenile that the post-dispositional rights are contingent and triggered upon on the court entering disposition.

Relatedly, there was no rule-based requirement that a juvenile be advised of the right to challenge a juvenile court hearing officer's recommendation pursuant to Rule 192. The Committee concluded that the juvenile should be advised of this right and it would be consistent for the rules to contain such a requirement. *See, e.g.*, Pa.R.J.C.P. 512(C) (requiring advisement of post-dispositional rights); Pa.R.J.C.P. 620(E) (requiring order denying post-dispositional motion to advise of appellate rights); Pa.R.J.C.P. 628(A)(3) (requiring order disposing of motion for *nunc pro tunc* relief to advise of appellate rights). Upon the recommendation of the Committee, Rule 191 was amended to add new subparagraph (B)(1).

The amendments will become effective July 1, 2018.

[Pa.B. Doc. No. 18-774. Filed for public inspection May 18, 2018, 9:00 a.m.]

Title 249—PHILADELPHIA RULES

PHILADELPHIA COUNTY

March 14, 2018 Order Regarding Healthcare Providers Insurance Exchange (HPIX); Administrative Doc. No. 03 of 2018

Order

And Now, this 1st day of May, 2018, it appearing that the Pennsylvania Property and Casualty Insurance Guarantee Association will defend insureds of Healthcare Providers Insurance Exchange (HPIX), as required by 40 P.S. § 991.1801 et seq., it is hereby *Ordered* and *Decreed* that all actions against any insured of Healthcare Providers Insurance Exchange (HPIX) which were placed into deferred status pursuant to the order entered on March 14, 2018, shall be removed from deferred status and shall proceed. The dockets of each case shall be updated to reflect the current case status.

It is further *Ordered* and *Decreed* that all actions in which Healthcare Providers Insurance Exchange (HPIX) is a named party, which were placed in deferred status pursuant to the order entered on March 14, 2018, shall remain in deferred status until further notice.

This Administrative Order is issued in accordance with the April 11, 1986 order of the Supreme Court of Pennsylvania, Eastern District, No. 55 Judicial Administration, Docket No. 1; and with the March 26, 1996 order of the Supreme Court of Pennsylvania, Eastern District, No. 164 Judicial Administration, Docket No. 1, as amended. This Order shall be filed with the Office of Judicial Records in a docket maintained for Orders issued by the First Judicial District of Pennsylvania, and one certified copy of this Order shall be filed with the Administrative Office of Pennsylvania Courts. Two certified copies of this Order, and a copy on a computer diskette, shall be distributed to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*, shall be published in *The Legal Intelligencer*, and will be posted on the First Judicial

District's website at <http://www.courts.phila.gov>. Copies shall be submitted to American Lawyer Media, the Jenkins Memorial Law Library, and the Law Library for the First judicial District of Pennsylvania.

By the Court

HONORABLE JACQUELINE F. ALLEN,
Administrative Judge
Trial Division

HONORABLE IDEE C. FOX,
Supervising Judge
Trial Division—Civil Section

[Pa.B. Doc. No. 18-775. Filed for public inspection May 18, 2018, 9:00 a.m.]

Title 255—LOCAL COURT RULES

BUCKS COUNTY

District Court Diversionary Program; Administrative Order No. 90

Order

And Now, this 7th day of May, 2018, in order to address the abuse of opioids and other drugs prevalent in our society by offering immediate treatment for offenders charged at the earliest point in our criminal justice system and to allow for alternative dispositions, it is hereby ordered and directed as follows:

1. Individual defendants shall be referred by the Magisterial District Judge, at or prior to the preliminary hearing, to the District Attorney for consideration for diversion for treatment for drug-related behavioral problems.

2. If the defendant is approved for this diversionary program, the Magisterial District Judge shall continue the preliminary hearing to permit the defendant to be assessed to determine whether he must participate in a drug treatment program. If the defendant is assessed and determined to not need treatment, then he shall be mandated to take a one-day decisions class.

3. To qualify for a referral, a defendant who is charged with violations of Sections 780-113(a)(16), (31) and (32) of the Controlled Substance, Drug, Device and Cosmetic Act related to marijuana must meet the following qualifications:

- a. Be a resident of Bucks County;
- b. Be approved by the District Attorney;
- c. Execute a waiver of the preliminary hearing and a waiver of the Rule 600 right to a speedy trial;
- d. Execute the appropriate documents, including irrevocable waivers related to treatment programs, the District Attorney and the Court; and
- e. Agree to comply with treatment conditions and to report to the Court as directed.

4. To qualify for a referral, a defendant who is charged with violations of Sections 780-113(a)(16) and (32) of the Controlled Substance, Drug, Device and Cosmetic Act related to any controlled substance other than marijuana must meet the following qualifications:

- a. Be a resident of Bucks County;
- b. Be approved by the District Attorney;

- c. Have no prior criminal convictions;
- d. Execute a waiver of the preliminary hearing and a waiver of the Rule 600 right to a speedy trial;
- e. Execute the appropriate documents, including irrevocable waivers related to treatment programs, the District Attorney and the Court; and
- f. Agree to comply with treatment conditions and to report to the Court as directed.

5. All costs associated by the District Court Diversionary Program shall be borne by the defendant, unless waived due to indigency by the referring Magisterial District Judge with the agreement of the District Attorney.

6. Upon completion of all treatment conditions and supervisory period imposed as a result of the drug assessment and payment of all costs, the criminal charges shall be dismissed by the Magisterial District Judge and all records of the charges shall be expunged for first time offenders from the system, except that the District Attorney shall retain a record of the defendant's participation in the program. The District Attorney may agree at his discretion to expunge any other offender's arrest upon application of the offender and for good cause shown.

7. Should the defendant fail to complete the program, then the case will proceed through the normal criminal case process in the Court of Common Pleas.

This Order shall take effect on July 1, 2018.

By the Court

JEFFREY L. FINLEY,
President Judge

[Pa.B. Doc. No. 18-776. Filed for public inspection May 18, 2018, 9:00 a.m.]

DISCIPLINARY BOARD OF THE SUPREME COURT

List of Financial Institutions

Notice is hereby given that pursuant to Rule 221(b), Pa.R.D.E., the following List of Financial Institutions have been approved by the Supreme Court of Pennsylvania for the maintenance of fiduciary accounts of attorneys. Each financial institution has agreed to comply with the requirements of Rule 221, Pa.R.D.E, which provides for trust account overdraft notification.

SUZANNE E. PRICE,
Attorney Registrar

Financial Institutions Approved as Depositories of Trust Accounts of Attorneys

Bank Code A.

595	Abacus Federal Savings Bank
2	ACNB BANK
613	Allegent Community Federal Credit Union
375	Altoona First Savings Bank
376	Ambler Savings Bank
532	AMERICAN BANK (PA)
615	Americhoice Federal Credit Union
116	AMERISERV FINANCIAL
648	Andover Bank (The)
377	Apollo Trust Company

Bank Code B.

558	Bancorp Bank (The)
485	Bank of America, NA
415	Bank of Landisburg (The)
642	BB & T Company
519	Beaver Valley Federal Credit Union
501	BELCO Community Credit Union
397	Beneficial Bank
652	Berkshire Bank
5	BNY Mellon, NA
392	BRENTWOOD BANK
495	Brown Brothers Harriman Trust Co., NA
161	Bryn Mawr Trust Company (The)

Bank Code C.

654	CACL Federal Credit Union
618	Capital Bank, NA
622	Carrollton Bank
16	CBT Bank
136	CENTRIC BANK
394	CFS BANK
623	Chemung Canal Trust Company
649	CHROME FEDERAL CREDIT UNION
599	Citibank, NA
238	Citizens & Northern Bank
561	Citizens Bank (PA)
206	Citizens Savings Bank
602	City National Bank of New Jersey
576	Clarion County Community Bank
591	Clearview Federal Credit Union
23	CNB Bank
354	Coatesville Savings Bank
223	Commercial Bank & Trust of PA
21	Community Bank (PA)
371	Community Bank, NA (NY)
533	Community First Bank
132	Community State Bank of Orbisonia
647	CONGRESSIONAL BANK
380	County Savings Bank
617	Covenant Bank
536	Customers Bank

Bank Code D.

339	Dime Bank (The)
239	DNB First, NA
27	Dollar Bank, FSB

Bank Code E.

500	Elderton State Bank
567	Embassy Bank for the Lehigh Valley
541	ENTERPRISE BANK
28	Ephrata National Bank
601	Esquire Bank, NA
340	ESSA Bank & Trust

Bank Code F.

629	1st Colonial Community Bank
158	1st Summit Bank
31	F & M Trust Company—Chambersburg
205	Farmers National Bank of Emlenton (The)
34	Fidelity Deposit & Discount Bank (The)
343	FIDELITY SAVINGS & LOAN ASSOCIATION OF BUCKS COUNTY
583	Fifth Third Bank
643	First Bank
417	First Bank of Lilly
174	First Citizens Community Bank
191	First Columbia Bank & Trust Company

Bank Code F.

539	First Commonwealth Bank
46	First Community Bank of Mercersburg
504	First Federal S & L Association of Greene County
525	First Heritage Federal Credit Union
42	First Keystone Community Bank
51	First National Bank & Trust Company of Newtown (The)
48	First National Bank of Pennsylvania
426	First Northern Bank & Trust Company
604	FIRST PRIORITY BANK
592	FIRST RESOURCE BANK
657	First United Bank & Trust
408	First United National Bank
151	Firsttrust Savings Bank
416	Fleetwood Bank
493	FNB BANK, NA
175	FNCB Bank
291	Fox Chase Bank
241	Franklin Mint Federal Credit Union
639	Freedom Credit Union
58	FULTON BANK, NA

Bank Code G.

499	Gratz Bank (The)
498	Greenville Savings Bank

Bank Code H.

402	Halifax Branch, of Riverview Bank
244	Hamlin Bank & Trust Company
362	Harleysville Savings Bank
363	Hatboro Federal Savings
463	Haverford Trust Company (The)
655	Home Savings Bank
606	Hometown Bank of Pennsylvania
68	Honesdale National Bank (The)
350	HSBC Bank USA, NA
364	HUNTINGDON VALLEY BANK
605	Huntington National Bank (The)
608	Hyperion Bank

Bank Code I.

365	InFirst Bank
557	Investment Savings Bank
526	Iron Workers Savings Bank

Bank Code J.

70	Jersey Shore State Bank
127	Jim Thorpe Neighborhood Bank
488	Jonestown Bank & Trust Company
72	JUNIATA VALLEY BANK (THE)

Bank Code K.

651	KeyBank NA
414	Kish Bank

Bank Code L.

74	LAFAYETTE AMBASSADOR BANK
554	Landmark Community Bank
418	Liverpool Community Bank
78	Luzerne Bank

Bank Code M.

361	M & T Bank
386	Malvern Federal Savings Bank
510	Marion Center Bank
387	Marquette Savings Bank

Bank Code M.

81	Mars Bank
43	Marysville Branch, of Riverview Bank
367	Mauch Chunk Trust Company
619	MB Financial Bank, NA
511	MCS (Mifflin County Savings) Bank
641	Members 1st Federal Credit Union
555	Mercer County State Bank
192	Merchants Bank of Bangor
610	Meridian Bank
420	Meysersdale Branch, of Riverview Bank
294	Mid Penn Bank
276	MIFFLINBURG BANK & TRUST COMPANY
457	Milton Savings Bank
614	Monument Bank
596	MOREBANK, A DIVISION OF BANK OF PRINCETON (THE)
484	MUNCY BANK & TRUST COMPANY (THE)

Bank Code N.

433	National Bank of Malvern
168	NBT Bank, NA
347	Neffs National Bank (The)
434	NEW TRIPOLI BANK
15	NexTier Bank, NA
636	Noah Bank
638	Norristown Bell Credit Union
439	Northumberland National Bank (The)
93	Northwest Bank

Bank Code O.

653	OceanFirst Bank
489	OMEGA Federal Credit Union
94	Orrstown

Bank Bank Code P.

598	PARKE BANK
584	Parkview Community Federal Credit Union
40	Penn Community Bank
540	PennCrest Bank
419	Pennian Bank
447	Peoples Security Bank & Trust Company
99	PeoplesBank, a Codorus Valley Company
556	Philadelphia Federal Credit Union
448	Phoenixville Federal Bank & Trust
79	PNC Bank, NA
449	Port Richmond Savings
451	Progressive-Home Federal Savings & Loan Association
637	Provident Bank
456	Prudential Savings Bank
491	PS Bank

Bank Code Q.

107	QNB Bank
560	Quaint Oak Bank

Bank Code R.

452	Reliance Savings Bank
220	Republic First Bank d/b/a Republic Bank
628	Riverview Bank

Bank Code S.

153	S & T Bank
316	Santander Bank, NA
460	Second Federal S & L Association of Philadelphia

Bank Code S.

646	Service 1st Federal Credit Union
458	Sharon Savings Bank
462	Slovenian Savings & Loan Association of Franklin-Conemaugh
486	SOMERSET TRUST COMPANY
633	SSB Bank
518	STANDARD BANK, PASB
542	Stonebridge Bank
517	Sun National Bank
440	SunTrust Bank
236	SWINEFORD NATIONAL BANK

Bank Code T.

143	TD Bank, NA
656	TIOGA FRANKLIN SAVINGS BANK
182	TOMPKINS VIST BANK
609	Tristate Capital Bank
640	TruMark Financial Credit Union
467	Turbotville National Bank (The)

Bank Code U.

483	UNB Bank
481	Union Building and Loan Savings Bank
133	Union Community Bank
634	United Bank, Inc.
472	United Bank of Philadelphia
475	United Savings Bank
600	Unity Bank
232	Univest Bank & Trust Co.

Bank Code V.

611	Victory Bank (The)
-----	--------------------

Bank Code W.

119	WASHINGTON FINANCIAL BANK
121	Wayne Bank
631	Wells Fargo Bank, NA
553	WesBanco Bank, Inc.
122	WEST MILTON STATE BANK
494	West View Savings Bank
473	Westmoreland Federal S & L Association
476	William Penn Bank
272	Woodlands Bank
573	WOORI AMERICA BANK
630	WSFS (Wilmington Savings Fund Society), FSB

Bank Code X.**Bank Code Y.**

577	York Traditions Bank
-----	----------------------

Bank Code Z.**Platinum Leader Banks**

The **HIGHLIGHTED ELIGIBLE INSTITUTIONS** are Platinum Leader Banks—Institutions that go above and beyond eligibility requirements to foster the IOLTA Program. These Institutions pay a net yield at the higher of 1% or 75 percent of the Federal Funds Target Rate on all PA IOLTA accounts. They are committed to ensuring the success of the IOLTA Program and increased funding for legal aid.

[Pa.B. Doc. No. 18-777. Filed for public inspection May 18, 2018, 9:00 a.m.]

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of Disbarment

Notice is hereby given that by Order of the Supreme Court of Pennsylvania dated May 4, 2018, Raphael A. Sanchez (# 88820) is Disbarred on Consent from the Bar of this Commonwealth. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

JULIA M. FRANKSTON-MORRIS, Esq.,
Secretary

[Pa.B. Doc. No. 18-778. Filed for public inspection May 18, 2018, 9:00 a.m.]

SUPREME COURT

Financial Institutions Approved as Depositories for Fiduciary Accounts; No. 159 Disciplinary Rules Doc.

Order

Per Curiam

And Now, this 1st day of May, 2018, it is hereby Ordered that the financial institutions named on the following list are approved as depositories for fiduciary accounts in accordance with Pa.R.D.E. 221.

FINANCIAL INSTITUTIONS APPROVED AS DEPOSITORIES OF TRUST ACCOUNTS OF ATTORNEYS

Bank Code A.

595	Abacus Federal Savings Bank
2	ACNB BANK
613	Allegent Community Federal Credit Union
375	Altoona First Savings Bank
376	Ambler Savings Bank
532	AMERICAN BANK (PA)
615	Americhoice Federal Credit Union
116	AMERISERV FINANCIAL
648	Andover Bank (The)
377	Apollo Trust Company

Bank Code B.

558	Bancorp Bank (The)
485	Bank of America, NA
415	Bank of Landisburg (The)
642	BB & T Company
519	Beaver Valley Federal Credit Union
501	BELCO Community Credit Union
397	Beneficial Bank
652	Berkshire Bank
5	BNY Mellon, NA
392	BRENTWOOD BANK
495	Brown Brothers Harriman Trust Co., NA
161	Bryn Mawr Trust Company (The)

Bank Code C.

654	CACL Federal Credit Union
618	Capital Bank, NA
622	Carrollton Bank

Bank Code C.

16	CBT Bank
136	CENTRIC BANK
394	CFS BANK
623	Chemung Canal Trust Company
649	CHROME FEDERAL CREDIT UNION
599	Citibank, NA
238	Citizens & Northern Bank
561	Citizens Bank (PA)
206	Citizens Savings Bank
602	City National Bank of New Jersey
576	Clarion County Community Bank
591	Clearview Federal Credit Union
23	CNB Bank
354	Coatesville Savings Bank
223	Commercial Bank & Trust of PA
21	Community Bank (PA)
371	Community Bank, NA (NY)
533	Community First Bank
132	Community State Bank of Orbisonia
647	CONGRESSIONAL BANK
380	County Savings Bank
617	Covenant Bank
536	Customers Bank

Bank Code D.

339	Dime Bank (The)
239	DNB First, NA
27	Dollar Bank, FSB

Bank Code E.

500	Elderton State Bank
567	Embassy Bank for the Lehigh Valley
541	ENTERPRISE BANK
28	Ephrata National Bank
601	Esquire Bank, NA
340	ESSA Bank & Trust

Bank Code F.

629	1st Colonial Community Bank
158	1st Summit Bank
31	F & M Trust Company—Chambersburg
205	Farmers National Bank of Emlenton (The)
34	Fidelity Deposit & Discount Bank (The)
343	FIDELITY SAVINGS & LOAN ASSOCIATION OF BUCKS COUNTY
583	Fifth Third Bank
643	First Bank
417	First Bank of Lilly
174	First Citizens Community Bank
191	First Columbia Bank & Trust Company
539	First Commonwealth Bank
46	First Community Bank of Mercersburg
504	First Federal S & L Association of Greene County
525	First Heritage Federal Credit Union
42	First Keystone Community Bank
51	First National Bank & Trust Company of Newtown (The)
48	First National Bank of Pennsylvania
426	First Northern Bank & Trust Company
604	FIRST PRIORITY BANK
592	FIRST RESOURCE BANK
657	First United Bank & Trust
408	First United National Bank
151	Firstrust Savings Bank
416	Fleetwood Bank
493	FNB BANK, NA
175	FNCB Bank

Bank Code F.

291 Fox Chase Bank
 241 Franklin Mint Federal Credit Union
 639 Freedom Credit Union
58 FULTON BANK, NA

Bank Code G.

499 Gratz Bank (The)
 498 Greenville Savings Bank

Bank Code H.

402 Halifax Branch, of Riverview Bank
 244 Hamlin Bank & Trust Company
 362 Harleysville Savings Bank
 363 Hatboro Federal Savings
 463 Haverford Trust Company (The)
 655 Home Savings Bank
 606 Hometown Bank of Pennsylvania
 68 Honesdale National Bank (The)
 350 HSBC Bank USA, NA
364 HUNTINGDON VALLEY BANK
 605 Huntington National Bank (The)
 608 Hyperion Bank

Bank Code I.

365 InFirst Bank
 557 Investment Savings Bank
 526 Iron Workers Savings Bank

Bank Code J.

70 Jersey Shore State Bank
 127 Jim Thorpe Neighborhood Bank
 488 Jonestown Bank & Trust Company
72 JUNIATA VALLEY BANK (THE)

Bank Code K.

651 KeyBank NA
 414 Kish Bank

Bank Code L.

74 LAFAYETTE AMBASSADOR BANK
 554 Landmark Community Bank
 418 Liverpool Community Bank
 78 Luzerne Bank

Bank Code M.

361 M & T Bank
 386 Malvern Federal Savings Bank
 510 Marion Center Bank
 387 Marquette Savings Bank
 81 Mars Bank
 43 Marysville Branch, of Riverview Bank
 367 Mauch Chunk Trust Company
 619 MB Financial Bank, NA
 511 MCS (Mifflin County Savings) Bank
 641 Members 1st Federal Credit Union
 555 Mercer County State Bank
 192 Merchants Bank of Bangor
 610 Meridian Bank
 420 Meyersdale Branch, of Riverview Bank
 294 Mid Penn Bank
276 MIFFLINBURG BANK & TRUST COMPANY
 457 Milton Savings Bank
 614 Monument Bank
596 MOREBANK, A DIVISION OF BANK OF PRINCETON (THE)
484 MUNCY BANK & TRUST COMPANY (THE)

Bank Code N.

433 National Bank of Malvern
 168 NBT Bank, NA
 347 Neffs National Bank (The)
434 NEW TRIPOLI BANK
 15 NexTier Bank, NA
 636 Noah Bank
 638 Norristown Bell Credit Union
 439 Northumberland National Bank (The)
 93 Northwest Bank

Bank Code O.

653 OceanFirst Bank
 489 OMEGA Federal Credit Union
 94 Orrstown Bank

Bank Code P.

598 PARKE BANK
 584 Parkview Community Federal Credit Union
 40 Penn Community Bank
 540 PennCrest Bank
 419 Pennian Bank
 447 Peoples Security Bank & Trust Company
 99 PeoplesBank, a Codorus Valley Company
 556 Philadelphia Federal Credit Union
 448 Phoenixville Federal Bank & Trust
 79 PNC Bank, NA
 449 Port Richmond Savings
 451 Progressive-Home Federal Savings & Loan Association
 637 Provident Bank
 456 Prudential Savings Bank
 491 PS Bank

Bank Code Q.

107 QNB Bank
 560 Quaint Oak Bank

Bank Code R.

452 Reliance Savings Bank
 220 Republic First Bank d/b/a Republic Bank
 628 Riverview Bank

Bank Code S.

153 S & T Bank
 316 Santander Bank, NA
 460 Second Federal S & L Association of Philadelphia
 646 Service 1st Federal Credit Union
 458 Sharon Savings Bank
 462 Slovenian Savings & Loan Association of Franklin-Conemaugh
486 SOMERSET TRUST COMPANY
 633 SSB Bank
518 STANDARD BANK, PASB
 542 Stonebridge Bank
 517 Sun National Bank
 440 SunTrust Bank
236 SWINEFORD NATIONAL BANK

Bank Code T.

143 TD Bank, NA
656 TIOGA FRANKLIN SAVINGS BANK
182 TOMPKINS VIST BANK
 609 Tristate Capital Bank
 640 TruMark Financial Credit Union
 467 Turbotville National Bank (The)

Bank Code U.

483 UNB Bank
 481 Union Building and Loan Savings Bank
 133 Union Community Bank
 634 United Bank, Inc.
 472 United Bank of Philadelphia
 475 United Savings Bank
 600 Unity Bank
 232 Univest Bank & Trust Co.

Bank Code V.

611 Victory Bank (The)

Bank Code W.

119 WASHINGTON FINANCIAL BANK
 121 Wayne Bank
 631 Wells Fargo Bank, NA
 553 WesBanco Bank, Inc.
122 WEST MILTON STATE BANK
 494 West View Savings Bank
 473 Westmoreland Federal S & L Association
 476 William Penn Bank
 272 Woodlands Bank
573 WOORI AMERICA BANK
 630 WSFS (Wilmington Savings Fund Society), FSB

*Bank Code X.**Bank Code Y.*

577 York Traditions Bank

*Bank Code Z.***Platinum Leader Banks**

The **HIGHLIGHTED ELIGIBLE INSTITUTIONS** are Platinum Leader Banks—Institutions that go above and beyond eligibility requirements to foster the IOLTA Program. These Institutions pay a net yield at the higher of 1% or 75 percent of the Federal Funds Target Rate on all PA IOLTA accounts. They are committed to ensuring the success of the IOLTA Program and increased funding for legal aid.

IOLTA Exemption

Exemptions are not automatic. If you believe you qualify, you must apply by sending a written request to the IOLTA Board's executive director: 601 Commonwealth Avenue, Suite 2400, P.O. Box 62445, Harrisburg, PA 17106-2445. If you have questions concerning IOLTA or exemptions from IOLTA, please visit their website at www.paiolta.org or call the IOLTA Board at (717) 238-2001 or (888) PAIOLTA.

**FINANCIAL INSTITUTIONS WHO HAVE FILED
 AGREEMENTS TO BE APPROVED AS A
 DEPOSITORY OF TRUST ACCOUNTS AND TO
 PROVIDE DISHONORED CHECK REPORTS IN
 ACCORDANCE WITH RULE 221, Pa.R.D.E.**

*New**Name Change**Platinum Leader Change*

541 Enterprise Bank—Add

*Correction**Removal*

[Pa.B. Doc. No. 18-779. Filed for public inspection May 18, 2018, 9:00 a.m.]

RULES AND REGULATIONS

Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

STATE BOARD OF PHYSICAL THERAPY

[49 PA. CODE CH. 40]

Post-Act 38 Revisions

The State Board of Physical Therapy (Board) amends §§ 40.16, 40.17, 40.20, 40.63, 40.67, 40.69, 40.152, 40.161, 40.163, 40.164, 40.165, 40.181 and 40.192 to read as set forth in Annex A.

Effective Date

This final-form rulemaking will be effective upon publication in the *Pennsylvania Bulletin*.

Statutory Authority

This final-form rulemaking is authorized under sections 3(a), 4(a), 6, 7.2, 9.1 and 11(a) of the Physical Therapy Practice Act (act) (63 P.S. §§ 1303(a), 1304(a), 1306, 1307.2, 1309.1 and 1311(a)).

Description and Need for this Final-Form Rulemaking

The act of July 4, 2008 (P.L. 293, No. 38) (Act 38) substantially amended the act, including qualifications for licensure as a physical therapist, continuing education for all physical therapists and physical therapist assistants, professional liability insurance for all physical therapists, physician referral, and supervision of physical therapist assistants by physical therapists on a basis that may be less than direct on-premises supervision. Due to the extensive nature and breadth of these amendments, the Board amended its regulations to implement Act 38 at 42 Pa.B. 7652 (December 22, 2012). After final promulgation, the Board discovered various typographical errors, necessary clarity edits and other items that were not, but could have been, addressed in the prior rulemaking. This final-form rulemaking addresses those items.

Summary of Comments to the Proposed Rulemaking and the Board's Response

Notice of proposed rulemaking was published at 46 Pa.B. 2417 (May 14, 2016), with a 30-day public comment period. The Board did not receive comments from the public. The Board received comments from the Independent Regulatory Review Commission (IRRC) as part of its review of the proposed rulemaking under the Regulatory Review Act (71 P.S. §§ 745.1—745.14). The Board did not receive comments from the Senate Consumer Protection and Professional Licensure Committee (SCP/PLC) or the House Professional Licensure Committee (HPLC).

Act 38 added section 6(i) of the act to require a foreign-educated applicant to apply, pay the appropriate fee and provide proof of holding an unrestricted license in the country where the applicant was educated, that the applicant's education is substantially equivalent to the education generally required for licensure and that the applicant passed the licensure examination. To implement these changes, the Board amended § 40.17 (relating to foreign-educated physical therapists applying to take the licensure examination and pursue a clinical experience). However, at that time, the Board did not amend § 40.17(3), which requires the applicant to provide written documentation of authorization to practice as a physical therapist without limitations in the country

where the professional education took place. In the proposed rulemaking, the Board explained its interpretation of section 6(i) of the act as requiring an applicant educated in a foreign country to have held an active, unrestricted license in the country where the applicant was educated, but not that the applicant shall continue to hold that license indefinitely. The Board explained that a foreign-educated physical therapist applying for licensure in this Commonwealth generally no longer has a need to retain current authorization to practice in the foreign country in which the physical therapist was educated. Moreover, it is not unreasonable to foresee that some foreign jurisdictions might rescind the professional authorization to practice of an individual who has immigrated to the United States.

Noting that it understands and agrees with the Board's explanation for the proposed amendments to § 40.17(3), IRRC suggested including language in the final-form rulemaking to clarify that if the unrestricted license in the country where the applicant was educated is not active at the time of application that the license was in good standing at the time its active status was terminated. In response to this comment, the Board revised § 40.17(3) to make clear that the foreign jurisdiction authorization to practice is either current or was in effect and to require that, if not current, the applicant's authorization to practice must have been in good standing immediately prior to expiring or being placed on inactive status.

Summary of Other Amendments to this Final-Form Rulemaking

Act 38 added sections 7.2 and 9.1(j) of the act to require physical therapists and physical therapist assistants to complete at least 30 hours of continuing physical therapy education during each 2-year renewal period. In 2012, the Board added §§ 40.67 and 40.192 (relating to continuing education for licensed physical therapist; and continuing education for certified physical therapist assistant) to implement this requirement. In addition to others, the regulations recognize the American Physical Therapy Association (APTA) and its components and the Federation of State Boards of Physical Therapy (FSBPT) and its jurisdictions as preapproved providers. Because FSBPT's affiliate ProCert reviews and certifies continuing education courses for FSBPT standards, the Board proposed to add §§ 40.67(d)(1)(i)(H) and 40.192(d)(1)(i)(E) to add to the list of preapproved providers "[a]ny provider whose course or program is certified by FSBPT's ProCert for those courses or programs so certified." In response to questions about processing applications for approval of continuing education courses when APTA and FSBPT are not the actual provider of the course, but instead have approved a course being provided by another entity as meeting their standards, the Board concluded that it should similarly add to the list of preapproved providers those providers whose courses are approved by FSBPT or its jurisdictions or are approved by APTA or its components.

Fiscal Impact and Paperwork Requirements

This final-form rulemaking will not have adverse fiscal impact on the Commonwealth or its political subdivisions. This final-form rulemaking will not impose additional paperwork requirements upon the Commonwealth, political subdivisions or the private sector.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on April 15, 2016, the Board submitted a copy of the notice of proposed rulemaking, published at 46 Pa.B. 2417, to IRRC and the Chairpersons of the HPLC and the SCP/PLC for review and comment.

Under section 5(c) of the Regulatory Review Act, the Board shall submit to IRRC, the HPLC and the SCP/PLC copies of comments received during the public comment period, as well as other documents when requested. In preparing the final-form rulemaking, the Board has considered all comments from IRRC.

Under section 5.1(j.2) of the Regulatory Review Act (71 P.S. § 745.5a(j.2)), on April 18, 2018, the final-form rulemaking was deemed approved by the HPLC and the SCP/PLC. Under section 5.1(e) of the Regulatory Review Act, IRRC met on April 19, 2018, and approved the final-form rulemaking.

Additional Information

Further information may be obtained by contacting Michelle Roberts, Board Administrator, State Board of Physical Therapy, P.O. Box 2649, Harrisburg, PA 17105-2649, ra-physical@pa.gov.

Findings

The Board finds that:

(1) Public notice of proposed rulemaking was given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 240) and regulations promulgated thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) A public comment period was provided as required by law and all comments were considered.

(3) The revisions to this final-form rulemaking do not enlarge the scope of proposed rulemaking published at 46 Pa.B. 2417.

(4) The final-form rulemaking adopted by this order is necessary and appropriate for the administration of the act.

Order

The Board, acting under its authorizing statute, orders that:

(a) The regulations of the Board, 49 Pa. Code Chapter 40, are amended by amending §§ 40.16, 40.17, 40.20, 40.63, 40.67, 40.69, 40.152, 40.161, 40.163, 40.164, 40.165, 40.181 and 40.192 to read as set forth in Annex A, with ellipses referring to the existing text of the regulations.

(b) The Board shall submit this order and Annex A to the Office of Attorney General and the Office of General Counsel for approval as required by law.

(c) The Board shall submit this order and Annex A to IRRC, the HPLC and the SCP/PLC as required by law.

(d) The Board shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(e) The final-form rulemaking shall take effect upon publication in the *Pennsylvania Bulletin*.

CYNTHIA L. POTTER, PT, DPT,
Chairperson

(Editor's Note: See 48 Pa.B. 2731 (May 5, 2018) for IRRC's approval order.)

Fiscal Note: Fiscal Note 16A-6517 remains valid for the final adoption of the subject regulations.

Annex A**TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS****PART I. DEPARTMENT OF STATE****Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS****CHAPTER 40. STATE BOARD OF PHYSICAL THERAPY****Subchapter A. PHYSICAL THERAPISTS LICENSURE****§ 40.16. Licensure by endorsement.**

(a) An applicant for licensure by endorsement who is educated in another state or territory of the United States is required to submit the professional credentials in § 40.11 (relating to educational requirements for licensure by examination), and comply with the following:

(1) Submit a written application on forms provided by the Board, together with evidence satisfactory to the Board that the applicant is licensed or otherwise registered as a physical therapist in another state or territory of the United States, or in the District of Columbia, if the requirements for licensure or registration in the state, territory or district were, at the date of licensure or registration, substantially equal to the requirements for licensure or registration in this Commonwealth under the act.

(2) A fee prescribed in § 40.5 (relating to fees) must accompany each application for licensure by endorsement.

(b) In addition to the requirements in subsection (a), an applicant for licensure by endorsement who received education in a country outside of the United States is required to meet the educational requirements as set forth in § 40.17(5) and (6) (relating to foreign-educated physical therapists applying to take the licensure examination and pursue a clinical experience).

§ 40.17. Foreign-educated physical therapists applying to take the licensure examination and pursue a clinical experience.

To be eligible to take the examination for licensure, foreign-educated applicants for licensure shall comply with the following conditions:

(1) The applicant shall submit evidence, satisfactory to the Board, indicating that the applicant has met the requirements in § 40.12(a)(1)–(3) and (b) (relating to application for licensure) and pay the fee in § 40.5 (relating to fees) for application for physical therapist licensure through foreign training.

(2) The applicant shall provide written documentation that the applicant has graduated from a physical therapist education program that prepares the applicant to engage without restriction in the practice of physical therapy and that the school of physical therapy is recognized by the authorizing agency or entity of the jurisdiction in which the school is situated.

(3) The applicant shall provide written documentation that the applicant holds or held legal authorization to practice as a physical therapist without limitations in the country where the professional education took place. If an applicant's authorization to practice in the foreign jurisdiction is not current at the time of applying to the

Board, that authorization must have been unrestricted immediately prior to expiring or being placed on inactive status.

* * * * *

§ 40.20. Inactive status of physical therapist license.

(a) A physical therapist license will become inactive upon either of the following:

(1) The licensee in writing affirmatively requests the Board to place licensure on inactive status. Written confirmation of inactive status will be forwarded to the licensee.

(2) The licensee fails to renew the license by the expiration of the renewal period.

(b) A licensee whose license has expired or been placed on inactive status may not practice as a physical therapist in this Commonwealth until the license has been reactivated. A licensee who practices the profession in this Commonwealth after the license has expired and before it has been renewed or reactivated is subject to disciplinary action under sections 4(a) and 11(a)(6) of the act (63 P.S. §§ 1304(a) and 1311(a)(6)), as set forth in § 40.52(11) (relating to unprofessional conduct; physical therapists). A licensee who has engaged in practice during a period in which the license was not active may be subject to criminal prosecution under section 12 of the act (63 P.S. § 1312).

(c) To reactivate an inactive license, the licensee shall apply on forms supplied by the Board, answering all questions fully. The licensee shall:

(1) Include the documentation required under § 40.67(b) (relating to continuing education for licensed physical therapist) for the immediately preceding biennium, which may be completed during the current biennium. Unless waived by the Board under § 40.67(a)(4), the Board will not reactivate a license until the required continuing education for the preceding biennium has been successfully completed.

(2) Pay the current renewal fee and the reactivation application fee specified in § 40.5 (relating to fees).

(3) Verify that the licensee did not practice as a physical therapist in this Commonwealth while the license was inactive.

(d) A licensee who does not make the verification required under subsection (c)(3) shall also pay prior biennial renewal fees and late fees as required under this subsection. Unless previously paid, the licensee shall pay the renewal fee for each biennial renewal period after the license became inactive and during which the licensee practiced as a physical therapist in this Commonwealth. The licensee shall also pay a late fee of \$5 per month or part of the month from the first date the licensee practiced as a physical therapist in this Commonwealth after the license became inactive until the date the licensee files a fully-completed reactivation application. The applicant for license reactivation will not be assessed a fee or penalty for preceding biennial periods in which the licensee did not engage in practice as a physical therapist in this Commonwealth. Payment of a late fee does not preclude the Board from taking disciplinary action for practicing as a physical therapist without a current license.

(e) In addition to the other requirements of this section, a licensee whose license has been inactive for 5

years or more shall demonstrate current competence to practice as a physical therapist by at least one of the following:

(1) Successful completion of the licensure examination required under § 40.13 (relating to areas of examination) and section 6(b) of the act (63 P.S. § 1306(b)).

(2) Satisfaction of the requirements in § 40.16 (relating to licensure by endorsement) and proof of licensed practice of physical therapy in one or more other jurisdictions of the United States or Canada for at least 36 months of the 5 years immediately preceding application for reactivation.

PRACTICE WITHOUT REFERRAL

§ 40.63. Continuing education for direct access certificateholder.

* * * * *

(c) *Reports to the Board.* A certificateholder shall certify compliance with the continuing education hours requirement at the time of biennial renewal of the certificate. A certificateholder shall retain proof of completion of continuing education for 5 years after completion of the continuing education or after the completion of the renewal period during which the continuing education was required or applied, whichever is later. These records are subject to audit by the Board.

* * * * *

CONTINUING EDUCATION

§ 40.67. Continuing education for licensed physical therapist.

* * * * *

(d) *Approval of continuing education courses and programs.* Continuing education courses and programs may be approved in accordance with this subsection.

(1) Provided that the course or program otherwise meets the requirements in subsection (c)(2) and the provider issues to each attending licensee a certificate of completion record in accordance with subsection (b)(1), a course or program of continuing education from a provider preapproved under this paragraph is approved by the Board.

(i) The following providers are preapproved:

(A) APTA or its components.

(B) FSBPT and its jurisdictions.

(C) A physical therapist or physical therapist assistant educational program accredited by CAPTE.

(D) The American Heart Association and the American Red Cross and their component organizations, only for purposes of providing continuing education in identifying and responding to emergency health conditions.

(E) An organization credentialed by APTA to confer a fellowship in a specialty, only for purposes of conferring the fellowship.

(F) An organization credentialed by APTA to offer a residency program, only for purposes of the residency program.

(G) The American Board of Physical Therapy Specialization or its successor organization, only for specialty certification.

(H) Any provider whose course or program is certified by FSBPT's ProCert, approved by FSBPT or its jurisdiction.

tions, or approved by APTA or its components, for those courses or programs so certified or approved.

(ii) Any other provider seeking preapproved provider status shall:

* * * * *

PROFESSIONAL LIABILITY INSURANCE

§ 40.69. Professional liability insurance.

(a) *Professional liability insurance requirements.* As required under section 9(b)(4) of the act (63 P.S. § 1309(b)(4)), a licensed physical therapist shall maintain professional liability insurance in the minimum amount of \$1 million per occurrence or claims made as a condition of practicing as a physical therapist in this Commonwealth. Coverage may be provided through:

(1) A self-insurance plan that meets the standards and procedures established by the Insurance Department in 31 Pa. Code Chapter 243 (relating to medical malpractice and health-related self-insurance plans).

(2) Personally purchased professional liability insurance.

(3) Professional liability insurance, coverage provided by the licensee's employer.

(4) A similar type of coverage.

(b) *Proof of professional liability insurance coverage.* Proof of professional liability insurance coverage must include a certificate of insurance or copy of the declaration page from the insurance policy setting forth the effective date, expiration date and dollar amounts of coverage. A license that was issued in reliance upon a letter from the applicant's insurance carrier indicating that the applicant will be covered against professional liability effective upon the issuance of the applicant's license as permitted under section 9(b)(4)(iii.2) of the act will become inactive as a matter of law 30 days after issuance of the license if the licensee has not provided proof of professional liability insurance coverage and will remain inactive until the licensee provides proof of insurance coverage.

(c) *Disciplinary action.* Failure to maintain insurance coverage as required will subject the licensee to disciplinary action under section 11(a)(6) of the act (63 P.S. § 1311(a)(6)) as provided in § 40.52(11) (relating to unprofessional conduct; physical therapists).

Subchapter C. PHYSICAL THERAPIST ASSISTANTS

GENERAL PROVISIONS

§ 40.152. Definitions.

The following words and terms, when used in this subchapter, have the following meanings, unless the context clearly indicates otherwise:

APTA—The American Physical Therapy Association.

Act—The Physical Therapy Practice Act (63 P.S. §§ 1301—1313).

CAPTE—The Commission on Accreditation in Physical Therapy Education.

FSBPT—The Federation of State Boards of Physical Therapy.

Indirect supervision—Supervision of a physical therapist assistant by a licensed physical therapist that is not direct on-premises supervision, as authorized under section 9.1(c) of the act (63 P.S. § 1309.1(c)) and this

subchapter, including § 40.173 (relating to supervision of physical therapist assistant by licensed physical therapist).

Physical therapist assistant—A person who has been certified in accordance with the act and this subchapter to provide services as a physical therapist assistant.

Physical therapist assistant certification examination—An examination adopted by the Board and administered in accordance with section 812.1 of The Administrative Code of 1929 (71 P.S. § 279.3a). The term also includes an examination administered by another state, territory or the District of Columbia if it is the same examination adopted by the Board.

Physical therapy independent private practice outpatient facility—

(i) A practice owned and operated by a licensee under the act, or by a licensee under the act and a health care practitioner, licensed by the Commonwealth, as permitted by law.

(ii) The term does not include a practice owned or affiliated with a hospital or healthcare system.

CERTIFICATION

§ 40.161. Certification as physical therapist assistants; practice; exceptions.

(a) A person may not perform or hold himself out as being able to perform as a physical therapist assistant in this Commonwealth unless the person is certified by the Board under section 9.1 of the act (63 P.S. § 1309.1) and this subchapter or exempted under this section.

(b) A person or business entity may not use in connection with a business name or activity the words "physical therapist assistant," the letters "P.T.A." or similar words and related abbreviations to imply that physical therapist assistant services are being provided, unless the services are provided by a physical therapist assistant certified under the act and this subchapter.

(c) This subchapter does not prohibit physical therapist assistant students from assisting a physical therapist licensed to practice without restriction in this Commonwealth under the direct on-premises supervision of the physical therapist as is incidental to their course of study in a program which has been approved for the education and training for physical therapist assistants by CAPTE.

(d) Physical therapist assistants shall identify themselves to patients as physical therapist assistants.

§ 40.163. Requirements for certification.

(a) Under section 9.1(a) of the act (63 P.S. § 1309.1(a)), an applicant for certification by examination shall submit evidence of the following:

(1) Graduation from a physical therapist assistant program which has been approved for the education and training of physical therapist assistants by CAPTE.

(2) A passing grade on the physical therapist assistant certification examination.

(b) Under section 6(d.1) of the act (63 P.S. § 1306(d.1)), an applicant for reciprocal certification shall submit evidence of a valid license, certificate or registration as a physical therapist assistant issued by another state, territory or the District of Columbia, where the requirements for licensure, certification or registration were on the date of issuance substantially the same as those required by this Commonwealth, and which accords simi-

lar privileges to persons certified as physical therapist assistants in this Commonwealth.

§ 40.164. Physical therapist assistant certification examination.

(a) *Application procedure.* An applicant applying for certification by examination shall take the physical therapist assistant certification examination. The applicant who is taking the examination in this Commonwealth shall comply with the following:

(1) The applicant shall complete application forms for admission to the examination obtained from the Board and return the completed form with a check or money order for the appropriate fee.

(2) The applicant shall present the required credentials of professional education at the time of application.

(b) *Failure and re-examination.* In the case of failure of examination, the following apply:

(1) After failing the first examination, the applicant has, after the expiration of 60 days and within 1 year of the date of the first failure, the privilege of a second examination upon the filing of a new application under subsection (a) and payment of the appropriate fee.

(2) After a second or successive failure to pass the examination, an applicant desiring to take a third or successive examination shall file a new application. The Board may require evidence of additional training prior to allowing a candidate to take a third or successive examination.

(3) The granting of permission to take a third or successive examination is subject to:

(i) Authorization by the Board at its discretion to include an oral or practical examination, or both, in connection with the written examination to further test the knowledge, skills and competence of the applicant.

(ii) The applicant otherwise qualifying under requirements in force at the time that permission to take the examination is sought.

§ 40.165. Authorization to provide services as a physical therapist assistant under indirect supervision.

(a) An applicant for a certificate of authority to provide services as a physical therapist assistant under indirect supervision by a licensed physical therapist shall submit to the Board on forms supplied by the Board a completed application, including all necessary supporting documents, and pay the fee in § 40.5 (relating to fees) for initial application for certification to provide services under indirect supervision.

(b) Unless there are grounds to deny the application under § 40.181 (relating to refusal, suspension or revocation of certification), the Board will grant a certificate of authority as described in this section to an applicant who:

(1) Demonstrates that the applicant satisfies the requirements in §§ 40.161—40.164.

(2) Demonstrates that the applicant satisfies the requirements of section 9.1(c)(4) of the act (63 P.S. § 1309.1(c)(4)) for certification to provide services as a physical therapist assistant under indirect supervision of a licensed physical therapist by either verifying that the applicant:

(i) Has at least 2,000 hours of experience providing patient-related acts and services while certified to do so under §§ 40.161—40.164 and this section or predecessor

registration or equivalent authorization in another jurisdiction under the supervision of one or more licensed physical therapists, as verified by those physical therapists.

(ii) Worked as a physical therapist assistant for at least 3 years between October 2, 2003, and October 2, 2008, the 5-year period immediately preceding the effective date of section 9.1(c)(4) of the act, and providing a detailed resume or other adequate documentation to corroborate the verification. Part-time work will be acceptable if it is at least equivalent to 3 years of full-time work.

DISCIPLINE

§ 40.181. Refusal, suspension or revocation of certification.

(a) Under section 9.1(f) of the act (63 P.S. § 1309.1(f)), the Board may refuse, suspend or revoke the certification of a person who has:

(1) Performed physical therapist assistant functions outside the scope of activities under § 40.171 (relating to functions of physical therapist assistants).

(2) Attempted to obtain or obtained registration by fraud or misrepresentation.

(3) Committed an act of gross negligence, or gross incompetence or repeated acts of negligence or incompetence in the providing of physical therapist assistant services.

(4) Been convicted of a felony or of a misdemeanor which relates to the person's suitability for registration as a physical therapist assistant in a Federal, state, territorial or foreign court of competent jurisdiction. Conviction as used in this paragraph includes a finding, or verdict of guilt, an admission of guilt or a plea of nolo contendere.

(5) Become addicted to alcohol or hallucinogenic, narcotic or other drugs which tend to impair judgment or coordination.

(6) Been found guilty of unprofessional conduct, which includes departure from or failure to conform to the minimal standards of acceptable and prevailing practice for physical therapist assistants in which proceeding actual injury to a patient need not be established.

(7) Been adjudged mentally incompetent by a court of competent jurisdiction.

(8) Had a certificate, license or registration to practice as a physical therapist assistant revoked, suspended or refused or otherwise been subjected to other disciplinary action taken by another state, territory, country or the District of Columbia.

(9) Made misleading, deceptive, untrue or fraudulent representations in violation of the act or otherwise in the rendering of physical therapist assistant services.

(10) Provided services as a physical therapist assistant under indirect supervision without having a current certificate of authorization to practice under indirect supervision issued under § 40.165 (relating to authorization to provide services as a physical therapist assistant under indirect supervision).

(11) Provided services as a physical therapist assistant under indirect supervision other than as authorized by section 9.1(c) of the act and § 40.173 (relating to supervision of physical therapist assistant by licensed physical therapist).

(12) Harassed, abused or intimidated a patient.

(13) Revealed information obtained as a result of the therapist-patient relationship to a third party who is not involved in the patient's care, without the prior written consent of the patient, except as authorized or required by statute.

(14) Violated a provision of the act or this chapter that establishes a standard of conduct.

(b) Actions taken by the Board regarding the refusal, suspension or revocation of a registration are taken subject to the right of notice, hearing and adjudication, and the right of appeal therefrom under 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

CONTINUING EDUCATION

§ 40.192. Continuing education for certified physical therapist assistant.

* * * * *

(d) *Approval of continuing education courses.* Continuing education courses or programs may be approved in accordance with this subsection.

(1) Provided that the course or program otherwise meets the requirements in subsection (c)(2) and the course or program provider issues to each attending certified physical therapist assistant a certificate of

completion record in accordance with subsection (b)(1), a course or program of continuing education from a provider preapproved under this paragraph is approved by the Board.

(i) The following providers are preapproved:

(A) APTA or its components.

(B) FSBPT and its jurisdictions.

(C) A physical therapist or physical therapist assistant educational program accredited by CAPTE.

(D) The American Heart Association and the American Red Cross and their component organizations, only for purposes of providing continuing education in identifying and responding to emergency health conditions as required under subsection (a)(1).

(E) Any provider whose course or program is certified by FSBPT's ProCert, approved by FSBPT or its jurisdictions, or approved by APTA or its components, for those courses or programs so certified or approved.

(ii) Any other provider seeking preapproved provider status shall:

* * * * *

[Pa.B. Doc. No. 18-780. Filed for public inspection May 18, 2018, 9:00 a.m.]

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending May 8, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-7-2018	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	176 West Street Road Feasterville-Treose Bucks County	Approved

CREDIT UNIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-7-2018	Superior Credit Union Collegeville Montgomery County	930 North Charlotte Street Pottstown Montgomery County	Filed

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-781. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of June 2018

The Department of Banking and Securities (Department), under the authority in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of June 2018, is 5 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 2.96 to which was added 2.50 percentage points for a total of 5.46 that by law is rounded off to the nearest quarter at 5 1/2%.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-782. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will hold a meeting on Wednesday, May 23, 2018, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. Persons who wish to participate during the public comment section are encouraged to submit their comments in writing to Gretchen Leslie, Advisor, Conservation and Natural Resources Advisory Council, 400 Market Street, Harrisburg, PA 17101.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Katie Woodbury directly at (717) 783-5878 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 18-783. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Execution of Oil and Gas Lease for Publicly- Owned Streambeds

Effective December 13, 2017, an Oil and Gas Lease for Publicly-Owned Streambeds, Contract No. M-2102001-04, was executed by and between the Commonwealth, acting through the Department of Conservation and Natural Resources (Department) (lessor), and Chevron Appalachia, LLC (lessee), with its principal place of business located at 700 Cherrington Parkway, Coraopolis, PA 15108.

The lease is for Streambed Tract 2001 on the Dunkard Creek encompassing a total of 124 acres of submerged lands located in Dunkard and Monongahela Townships, Greene County. The lease was recorded at the Greene County Courthouse on March 16, 2018, document No. 201800001850, book 512, page 1543-1574. The lease allows for the development of oil and natural gas below and between the ordinary low water marks of the

Dunkard Creek solely by means of directional, including horizontal, drilling on a nondevelopment basis that will not disturb the river or its bed. Contract No. M-2102001-04 may be viewed online at http://contracts.patreasury.gov/Admin/Upload/439441_M-2102001-04%20Dunkard%20Creek%20Lease%20Chevron%20Appalachia%2012_13_2017.pdf.

Questions regarding this lease should be directed to the Department's Bureau of Forestry, Minerals Division, (717) 787-2703.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 18-784. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Execution of Oil and Gas Lease for Publicly- Owned Streambeds

Effective January 4, 2018, an Oil and Gas Lease for Publicly-Owned Streambeds, Contract No. M-2102007-04, was executed by and between the Commonwealth, acting through the Department of Conservation and Natural Resources (Department) (lessor), and Chevron Appalachia, LLC (lessee), with its principal place of business located at 700 Cherrington Parkway, Coraopolis, PA 15108.

The lease is for Streambed Tract 2007 on the Monongahela River encompassing a total of 1,028.4 acres of submerged lands located in Cumberland, Luzerne, Nicholson and Monongahela Townships, Greene and Fayette Counties. The lease was recorded at the Greene County Courthouse on March 16, 2018, document No. 201800001877, book 512, page 1729-1760; and Fayette County Courthouse on March 16, 2018, book 3366, page 2072-2102. The lease allows for the development of oil and natural gas below and between the ordinary low water marks of the Monongahela River solely by means of directional, including horizontal, drilling on a nondevelopment basis that will not disturb the river or its bed. Contract No. M-2102001-04 may be viewed online at http://contracts.patreasury.gov/Admin/Upload/439443_M-2102007-04%20Monongahela%20River%20Lease%20Chevron%20Appalachia%2001_04_2018.pdf.

Questions regarding this lease should be directed to the Department's Bureau of Forestry, Minerals Division, (717) 787-2703.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 18-785. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060437 (Sewage)	Pine Grove Estates WWTP PO Box 189 Hamlin, PA 18427-0189	Wayne County Damascus Township	Unnamed Tributary to Delaware River (1-A)	Yes
PA0036081 (Sewage)	Wynnewood Terrace PO Box 3348 1053 Spruce Street Allentown, PA 18106-0348	Lehigh County North Whitehall Township	Lehigh River (2-C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0083208— SEW	Refreshing Mountain Camp, Inc. 455 Camp Road Stevens, PA 17578	Lancaster County/ Clay Township	UNT to Middle Creek/7J	Y
PA0080721— SEW	Frank T. Perano Cedar Manor MHP PO Box 677 Morgantown, PA 19543	Dauphin County/ Londonderry Township	UNT Conewago Creek/7G	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0115100 (Sewage)	George Dear MHP 32 Deer Lane Tioga, PA 16946-8446	Tioga County Lawrence Township	Mutton Lane Creek (4-A)	Yes
PAS314805 (Storm Water)	Keane FRAC, LP Mill Hall Facility 120 Airstrip Drive Mill Hall, PA 17751-9505	Clinton County Lamar Township	Unnamed Tributary of Fishing Creek (9-C)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0031933 (Industrial)	Brunot Island Generating Station P.O. Box 99907 Pittsburgh, PA 15233	Allegheny County City of Pittsburgh	Ohio River (20-F)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0030031 (Sewage)	Keystone Region Ind Park 764 Bessemer Street Meadville, PA 16335	Crawford County Greenwood Township	Unnamed Tributary to Conneaut Outlet (16-D)	Yes
PA0005029 (Industrial)	Piney Power Plant PO Box 122, 126 PPL Drive Hawley, PA 18428	Clarion County Piney Township	Clarion River (17-B)	Yes
PA0239399 (Sewage)	Craig V & Julie K King SRSTP 2552 Mercer Butler Pike Grove City, PA 16127-3722	Mercer County Liberty Township	Unnamed Tributary of Black Run (20-C)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0056731, Sewage, SIC Code 4952, **Historic Salem Village Homeowners Association**, 2193 Yellow Springs Road, Malvern, PA 19355. Facility Name: Historic Salem Village STP. This existing facility is located in Tredyffrin Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Valley Creek, is located in State Water Plan watershed 3-F and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0017 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	Report
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2

The proposed effluent limits for Internal Monitoring Point IMP 101 are based on a design flow of 0.0017 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	15	XXX	30
Total Suspended Solids	XXX	XXX	XXX	20	XXX	40
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

In addition, the permit contains the following major special conditions:

- No stormwater discharge into sewage
- Notification of responsible operator
- Lab certification

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0032093, Sewage, SIC Code 7999, **PA DCNR Shawnee State Park**, 132 State Park Road, Schellsburg, PA 15559-7300. Facility Name: Shawnee State Park. This existing facility is located in Napier Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Shawnee Branch, is located in State Water Plan watershed 11-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	40.0	50
Total Suspended Solids	XXX	XXX	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	Report	XXX	XXX	12.0	XXX	24

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Kjeldahl Nitrogen	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Phosphorus	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Per DCNR and DEP agreement, weekend sampling for pH and DO will be required from Memorial Day through Labor Day weekend.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3636.

PA0114898 A-1, Sewage, SIC Code 4952, **Madison Township Municipal Authority Columbia County**, PO Box 620, Millville, PA 17846-0620. Facility Name: Madison Township M A Jerseytown Sewer System. This existing facility is located in Madison Township, **Columbia County**.

Description of Existing Activity: The application is for an amendment of dissolved oxygen monitoring frequency within an NPDES permit for an existing discharge of treated Sewage. A decrease in monitoring frequency does not qualify as a minor amendment as defined within 40 CFR 122.63 (b) and is processed as a major amendment.

There shall be no other changes to the existing permit.

The receiving stream(s), Mud Creek, is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3636.

The EPA Waiver is in effect.

PA0234079, Sewage, SIC Code 4952, **Tiadaghton Valley Municipal Authority**, PO Box 5039, Jersey Shore, PA 17740-5039. Facility Name: Tiadaghton Valley Municipal Authority WWTP. This existing facility is located in Nippenose Township, **Lycoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 10-A and is classified for WWF-MF, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed quarterly effluent limits for Outfall 001 are based on a design flow of 1.05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Aluminum, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	Report XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	218	350	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	262	394	XXX	30	45	60
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	19,178	XXX	XXX	XXX	XXX	XXX
Effluent Net Annual Load	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	2,557	XXX	XXX	XXX	XXX	XXX
Effluent Net Annual Load	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	XXX	Report	XXX	XXX	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0271357, Sewage, SIC Code 8800, **Paula Kitelinger**, 14362 Route 19, Cambridge Springs, PA 16403-9112. Facility Name: Paula Kitelinger SRSTP. This proposed facility is located in Le Boeuf Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated domestic sewage from a single-family residence.

The receiving stream, an Unnamed Tributary to French Creek, is located in State Water Plan watershed 16-A and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Prohibition of Stormwater Discharges
- Right of Way
- Requirement to submit an Annual Maintenance Report
- Solids Handling
- Treatment tank pumping requirement
- Abandonment of the treatment facility for public sewers

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0265845, Sewage, SIC Code 4952, 8800, **James Dylon**, 12 O Dell Street, Union City, PA 16438-1474. Facility Name: James Dylon SRSTP. This proposed facility is located in Greenfield Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Townley Run, is located in State Water Plan watershed 16-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0265659, Sewage, SIC Code 4952, 8800, **Clyde Roberts**, 1289 Mercer Grove City Road, Mercer, PA 16137-6243. Facility Name: Clyde Roberts SRSTP. This proposed facility is located in Findley Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Pine Run, is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0006 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0027138, Sewage, SIC Code 4952, **Sharon City Sanitary Authority**, 155 W Connelly Boulevard, Suite 5, Sharon, PA 16146-1774. Facility Name: Sharon STP. This existing facility is located in the City of Sharon, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Shenango River, is located in State Water Plan watershed 20-A and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.66 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,806	2,889	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	2,167 Report	3,250 XXX	XXX XXX	30 Report	45 XXX	60 XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	939	XXX	XXX	13.0	XXX	26
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Cadmium, Total	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Lead, Total	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Phenolics, Total	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	11.0 Daily Max	XXX	XXX
Growth (TUc)	XXX	XXX	XXX	11.0 Daily Max	XXX	XXX

The proposed effluent limits for Outfalls 002, 003 & 004 are based on a design flow of N/A MGD.

The discharge(s) shall consist of uncontaminated stormwater runoff from the treatment plant site.

In addition, the permit contains the following major special conditions:

- Federal Pretreatment Program Implementation
- Stormwater Best Management Practices
- Sludge Handling
- Chronic Whole Effluent Toxicity Testing with a limit

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 3518402, Sewage, **Geisinger Marworth Rehab**, PO Box 36, Waverly, PA 18471-7736.

This proposed facility is located in North Abington Township, **Lackawanna County**.

Description of Proposed Action/Activity: Upgrade the existing Sewage Treatment Plant from chlorine disinfection to UV Disinfection and remove the defunct tertiary filter.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. WQG02221801, Sewerage, **Lower Paxton Township Authority**, 425 Prince Street, Suite 139, Harrisburg, PA 17109.

This proposed facility is located in Lower Paxton Twp., **Dauphin County**.

Description of Proposed Action/Activity: New Water Quality Management Permit Application.

NPDES Permit No. WQG02061801, Sewerage, **Robeson Township Municipal Authority**, 8 Boonetown Road, Birdsboro, PA 19508.

This proposed facility is located in Robeson Township, **Berks County**.

Description of Proposed Action/Activity: New Water Quality Management Permit Application.

NPDES Permit No. 6791402, Amendment # 2, Sewerage, **Penn Township**, 20 Wayne Avenue, Hanover, PA 17331.

This proposed facility is located in Penn Township, **York County**.

Description of Size and Scope of Proposed Operation/Activity: Seeking permit approval for upgrades to their UV disinfection system.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 6397407 A-1, Sewage, **East Bethlehem Township Municipal Authority**, PO Box 136, Fredericktown, PA 15333-0136.

This existing facility is located in East Bethlehem Township, **Washington County**.

Description of Proposed Action/Activity: Replacement of current chlorine disinfection system with new ultraviolet light disinfection system.

WQM Permit No. 3272407 A-7, Sewage, **Seward Generation LLC**, 595 Plant Road, New Florence, PA 15944-8927.

This existing facility is located in East Wheatfield Township, **Indiana County**.

Description of Proposed Action/Activity: Pursuant to adherence to limits in NPDES permit PA0002054, dated July 28, 2017, the following components will be installed in the sewage treatment plant:

- a.) Aeration pump (5-20 LPM air flow)
- b.) Diffuser stone
- c.) Dry tablet Sodium Bisulfate feeder

WQM Permit No. 0471411 A-2, Sewage, **Monaca Borough Beaver County**, 806 Lincoln Place, Beaver Falls, PA 15010-4557.

This existing facility is located in Monaca Borough, **Beaver County**.

Description of Proposed Action/Activity: Modifications to the primary clarifier inlet channels as well as primary clarifier chain and flight replacement at the Monaca WWTP.

WQM Permit No. 6318402, Sewage, **McConnell Trails LLC**, 375 Southpointe Boulevard, Suite 350, Canonsburg, PA 15317-8587.

This proposed facility is located in Cecil Township, **Washington County**.

Description of Proposed Action/Activity: Sewage line to convey flow from proposed 269 lot residential development along McConnell Road.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2502424 A-1, Sewage, **Summit Township Sewer Authority Erie County**, 68 Port Access Road, Erie, PA 16507-2204.

This existing facility is located in Erie City, **Erie County**.

Description of Proposed Action/Activity: Amendment to replace existing Meadows Pump Station.

WQM Permit No. 1618405, Sewage, **Randall E Reynolds**, 420 Kemmer Road, Summerville, PA 15864.

This proposed facility is located in Limestone Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4370410 A-1, Sewage, **PA DOT Maintenance & Operations Bureau**, PO Box 3060, Harrisburg, PA 17105-3060.

This existing facility is located in Shenango Township, **Mercer County**.

Description of Proposed Action/Activity: Update permit from chlorine gas disinfection to chlorine tablet disinfection.

IV. NPDES Applications for Stormwater Discharges from MS4.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

PAI133536, MS4, **Antrim Township Franklin County**, 10655 Antrim Church Road, Greencastle, PA 17225-9577. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Antrim Township, **Franklin County**. The receiving stream(s), Unnamed Tributary to Conococheague Creek, Unnamed Tributary to Muddy Run, and Unnamed Tributary of Paddy Run, is located in State Water Plan watershed 13-C and is classified for Migratory Fishes, High Quality—Cold Water, Warm Water Fishes, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

PAI133532, MS4, **North Middleton Township Cumberland County**, 2051 Spring Road, Carlisle, PA 17013. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in North Middleton Township, **Cumberland County**. The receiving stream(s), Unnamed Tributary to Wertz Run, Conodoguinet Creek, and Unnamed Tributary to Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD510026	BG Capital LLC 9310 Keystone Street Philadelphia, PA 19114	Philadelphia	City of Philadelphia	Delaware Estuary WWF-MF

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD060016	North Point Development 4825 North West 41st Street Suite 500 Riverside, MO 64150	Berks	Bethel Township	Upper Little Swatara Creek (CWF/MF)
PAD360030	Doug Metzler 81 Douts Hill Road Pequea, PA 17565	Lancaster	Martic Township	UNT Tucquan Creek (HQ-CWF) Wetlands (EV)
PAD360031	EFP, LLC 77 Greely Road Yarmouth, ME 04096	Lancaster	Elizabeth Township	Furnace Run (HQ-CWF) EV Wetlands (EV)

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAD020008	Fox Chapel Estates, LP 375 Golfside Drive Wexford, PA 15090	Allegheny County	Indiana Township	UNT to Little Pine Creek (TSF); Squaw Run (HQ-WWF)

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Lawrence County Conservation District 430 Court Street, New Castle, PA 16101, 724-652-4512.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD370005	East Fairfield Coal Company Jeremy Mackall 10900 South Avenue P.O. Box 217 North Lima, OH 44452	Lawrence	North Beaver Township	Tributary to Honey Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

CAFO Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

NPDES Permit No. PA0247031, CAFO, **Keystone Dairy Ventures LLC**, 324 Balance Meeting Road, Peach Bottom, PA 17563-9507.

This existing facility is located in Little Britain Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Dairy (Cows, Heifers, and Calves): 1,549.35 AEUs.

The receiving stream, Conowingo Creek, is in watershed 7-K and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PA0088561, CAFO, **Evergreen Farms Inc.**, 3102 Evergreen Lane, Spruce Creek, PA 16683-1508.

This existing facility is located in Franklin Township, **Huntingdon County**.

Description of size and scope of existing operation/activity: Dairy (Cows, Heifers, Calves, Bulls): 7,006.10 AEUs.

The receiving stream, Spruce Creek, is in watershed 11-A and classified for: High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

MS4 PAG-13 Notices of Intent Received.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136167	Hunker Borough Westmoreland County PO Box 350 Hunker, PA 15639-0350	Hunker Borough Westmoreland County	Y	N

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS**

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Werner Acres LLC 987 N Lancaster St Jonestown, PA 17038	Lebanon	537.9	775.56	Poultry	NA	Renewal
Makin Bacon LLC 1808 Bailey Corners Road Granville Summit, PA 16926	Bradford	141.1	726.9	Swine	NA	Renewal
Keith Heimbach 129 Don Packard Road Granville Summit, PA 16926	Bradford	324.6	713.16	Swine, beef, bison	NA	Renewal
McClellan Farms Inc. Matt McClellan 443 Coolbaugh Hill Rd Granville Summit, PA 16926	Bradford	153	509.69	Finishing Swine	NA	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Safe Drinking Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 0918506, Public Water Supply.

Applicant	Buckingham Township 4613 Hughesian Drive Buckingham, PA 18912
Township	Buckingham
County	Bucks
Responsible Official	Buckingham Township 4613 Hughesian Drive Buckingham, PA 18912
Type of Facility	PWS
Consulting Engineer	Castle Valley Consultants 10 Beulah Road New Britain, PA 18901
Application Received Date	April 9, 2018
Description of Action	Installation of an arsenic removal system at Well CS-4.

Permit No. 1518507, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	East Caln
County	Chester
Responsible Official	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Type of Facility	PWS
Consulting Engineer	GHD 1240 North Mountain Road Harrisburg, PA 17112
Application Received Date	April 9, 2018
Description of Action	Addition of ammonium sulfate feed system at the Bell Tavern Well Station.

Permit No. 1518508, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	West Whiteland
County	Chester
Responsible Official	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Type of Facility	PWS
Consulting Engineer	GHD, Inc. 1240 North Mountain Road Harrisburg, PA 17112
Application Received Date	April 9, 2018
Description of Action	Addition of ammonium sulfate feed system at the Robert Dean Well Station.

Permit No. 1518509, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	West Whiteland
County	Chester
Responsible Official	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Type of Facility	PWS
Consulting Engineer	GHD, Inc. 1240 North Mountain Road Harrisburg, PA 17112
Application Received Date	April 9, 2018
Description of Action	Addition of ammonium sulfate system at the Hillside Well Station.

Permit No. 1518510, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Township West Whiteland
 County **Chester**
 Responsible Official Aqua Pennsylvania, Inc.
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Type of Facility PWS
 Consulting Engineer GHD, Inc.
 1240 North Mountain Road
 Harrisburg, PA 17112
 Application Received Date April 9, 2018
 Description of Action Addition of ammonium sulfate
 feed system at the Shoen Road
 Well Station.

Permit No. 1518514, Public Water Supply.
 Applicant **UMH Properties, Inc.**
 150 Clay Street
 Suite 450
 Morgantown, WV 26501
 Township Honey Brook
 County **Chester**
 Responsible Official Jeffrey V. Yorick, P.E.
 C/O UMH Properties, Inc.
 150 Clay Street
 Suite 450
 Morgantown, PA 26501
 Type of Facility PWS
 Consulting Engineer Charles A. Kehew, P.E.
 James R. Holley & Associates,
 Inc.
 18 South George Street
 York, PA 17401
 Application Received Date April 25, 2018
 Description of Action Application for permanent use of
 caustic soda feed equipment at
 Well No. 6 for UMH Valley View
 Honeybrook MHP.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 1318501, Public Water Supply.
 Applicant **Pine Point Plaza**
 Smith Partnership
 P.O. Box 70
 Albrightsville, PA 18210
 [Township or Borough] Kidder Township
Carbon County
 Responsible Official Mr. Jim Smith
 Smith Partnership
 Pine Point Plaza
 P.O. Box 70
 Albrightsville, PA 18210
 Type of Facility Public Water Supply

Consulting Engineer Mr. Eric Snyder, P.E.
 Keystone Consulting Engineers
 P.O. Box 639
 Kresgeville, PA 18333
 Application Received Date 4/30/2018
 Description of Action Proposed corrosion control
 treatment per the Department's
 Lead and Copper Regulation.
*Southcentral Region: Safe Drinking Water Program
 Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

Permit No. 3418502, Public Water Supply.
 Applicant **McAlisterville Area Joint
 Authority**
 Municipality Fayette Township
 County **Juniata**
 Responsible Official Charles Schell, Authority
 Chairman
 PO Box 61
 McAlisterville, PA 17049
 Type of Facility Public Water Supply
 Consulting Engineer Michele A. Aukerman, P.E.
 RETTEW Associates Inc.
 330 Innovaiton Boulevard
 State College, PA 16803
 Application Received: 4/12/2018
 Description of Action Improvements to Well No. 3,
 including extending the well
 casing above grade, replacing the
 existing sodium hypochlorite
 injection with gas chlorination
 and removing all other well
 piping an equipment from the
 existing well pit to a new
 treatment building.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 4218501, Public Water Supply.
 Applicant **Clermont Water Association**
 Township or Borough Sergeant Township
 County **McKean**
 Responsible Official Chris Carlson
 Type of Facility Water Treatment Plant
 Consulting Engineer Christopher Finton
 ARM Group Inc.
 3548 Park Center Boulevard
 State College, PA 16801
 Application Received Date May 1, 2018
 Description of Action Permitting of additional
 groundwater supply well.
Permit No. 3391503, Public Water Supply.
 Applicant **Reynoldsville Water
 Authority**
 Township or Borough Reynoldsville
 County **Jefferson**
 Responsible Official Richard Reed
 Type of Facility Water Treatment Plant

Consulting Engineer	Robert L. Horvat, P.E. Entech Engineering 400 Rouser Road Coraopolis, PA 15108
Application Received Date	April 27, 2018
Description of Action	Revising permit to match permit conditions.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 6114503-MA3, Minor Amendment.

Applicant	City of Franklin Water Authority
Township or Borough	City of Franklin
County	Venango
Responsible Official	Ann Rudegeair
Type of Facility	Public Water Supply
Consulting Engineer	Olgierd K. Wodzianski, P.E. Wodzianski Engineering 1322 Elk Street Franklin, PA 16323
Application Received Date	May 3, 2018
Description of Action	Painting of City Tanks.

Application No. 2594501-MA12, Minor Amendment.

Applicant	Erie City Water Works
Township or Borough	City of Erie
County	Erie
Responsible Official	Craig Palmer
Type of Facility	Public Water Supply
Consulting Engineer	Donnell Duncan Utility Service Co., Inc. 1230 Peachtree Street NE Suite 1100, 11th Floor Atlanta, GA 30309
Application Received Date	May 3, 2018
Description of Action	Painting of City Tanks.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person

proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

13-17 East Green Street, 13-17 East Green Street, Hazleton City, **Luzerne County**. Barry Isett & Associates, 100 West Broad Street, Hazleton, PA 18201, on behalf of City of Hazleton Redevelopment Authority, 40 North Church Street, Hazleton, PA 18201, submitted a Notice of Intent to Remediate. Soil was contaminated as the result historic automotive maintenance and waste oil disposal. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in the *Hazleton Standard Speaker* on April 16, 2018.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Rail Trail Partners LLC Marietta Site, 421 West Market Street, Marietta, PA 17547, Marietta Borough,

Lancaster County. POWER Engineers, Inc., 1410 East Market Street, York, PA 17403, on behalf of Rail Trail Partners, LLC, 421 West Market Street, Marietta, PA 17547, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with inorganics, PCBs and # 2 fuel oil from historical foundry use. The site will be remediated to the Residential Statewide Health and Site Specific Standards. Future use of the site is unknown. The Notice of Intent to Remediate was published in the *LNP Media Group, Inc.* on April 27, 2018.

Speedway # 6719, 1070 Lincoln Highway, Chambersburg, PA 17201, Chambersburg Borough, **Franklin County.** EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18014, on behalf of Speedway LLC, 500 Speedway Drive, Enon, OH 45323, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with unleaded gasoline. The site will be remediated to the Residential Statewide Health Standard. Use of the site remains a gas station. The Notice of Intent to Remediate was published in the *The Public Opinion* on April 25, 2018.

RESIDUAL WASTE GENERAL PERMITS

Application Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit Application No. WMGR147. GMA Garnet Corporation, 1800 Hughes Landing, Suite 350, The Woodlands, TX 77380; Site: Fairless Hills Recycling Facility, 25 Sorrells Boulevard, Fairless Hills, PA 19030, **Bucks County.** GMA Garnet Corporation has requested an amendment to their permit application under General Permit No. WMGR147 to have additional storage outside of their building. The modification was received by PA DEP's Central Office on October 17, 2017 and was found to be complete on April 2, 2018.

Persons interested in reviewing the permit application may contact Chris Solloway, Permits Section Chief, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability received under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR003SC002. Post Precision Castings, Inc. has submitted an application for a Determination of Applicability under General Permit

No. WMGR003. The application is for Post Precision Castings, Inc.'s facility located at 21 Walnut Street, Strausstown, PA 19559 in Upper Tulpehocken Township, **Berks County.** This general permit authorizes the beneficial use of spent fired "ceramic" wastes (i.e., colloidal silica) generated from the lost wax casting process by a ferrous metal foundry, (Standard Industrial Classification Code 3324), as an aggregate, road base material, pipe bedding material or as a roadway construction material. The application was determined to be complete on May 3, 2018.

Persons interested in obtaining more information about the general permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

43-270L: CCL Container (1 Llodio Drive, Hermitage, PA 16148), application received which proposes the replacement of the facility's existing catalytic oxidizer control device C05 (DURR RTO 45,000 SCFM) with a new regenerative thermal oxidizer control device. The control device would reduce emissions from the following sources: Aerosol Can Manufacturing Lines 6-9 (Sources 106, 107, 108, 109, and 110). This existing non-Title V facility is located in Hermitage Township, **Mercer County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0234A: WCR, Inc.—Northeast Region (4080 Blanche Road, Bensalem, PA 19020) for the replacement of an existing spray booth with the installation of a new spray booth at an existing facility located in Bensalem Township, **Bucks County**. The primary pollutant of concern is volatile organic compound (VOC) emissions from the coatings used in the spray booth. WCR, Inc. is categorized as a synthetic minor facility. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-03069C: H & H Castings, Inc. (4300 Lincoln Highway, York, PA 17406) to issue a Plan Approval to replace the existing thermal sand reclamation system and associated a fabric collector of Source ID 104 with a new thermal sand reclamation system and a fabric collector at facility in Hellam Township, **York County**. The projected emissions are estimated 12.57 tons of PM₁₀, 1.52 ton of CO, 1.81 ton of NO_x, 0.01 ton of SO_x, 46.13 tons of VOC, and 0.03 ton of HAP. The Plan Approval will include work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. The facility is subject to 40 CFR Part 60, Subpart UUU—Standards of Performance for Calciners and Dryers in Mineral Industries. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 25 Pa. Code § 123.13 Process Particulate Matter. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

28-05015B: IESI PA Blue Ridge Landfill, Inc. (PO Box 399, Scotland, PA 17254) for the expansion of the existing (Pads 16, 17, & 18 Disposal Areas) of the landfill facility in Greene Township, **Franklin County**. The facility potential emissions are 92 tons of carbon monoxide, 36.8 tons of nitrogen oxide, 58.8 tons of particulate matter, 45 tons of sulfur dioxide, and 32.4 tons of volatile organic compounds. The facility is Title V operating permit facility. The Plan Approval will include emission limits (50 tons of VOCs) and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. The facility is subject to 40 CFR Part 60, Subpart WWW—Standards of Performance for Municipal Solid Waste Landfills, 40 CFR Part 63, Subpart AAAA—National Emission Standard for Hazardous Air Pollutants for Source Categories—Municipal Solid Waste Landfills, and 40 CFR Part 63 Subpart XXX—Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction, Reconstruction, or Modification After July 17, 2014. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 25 Pa. Code § 123.13 Process Particulate Matter. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan ap-

proval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into a Title V Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

59-00035A: Empire Pipeline, Inc. (6363 Main Street, Williamsville, NY 14221) has submitted an application (59-00035A) to the Pennsylvania Department of Environmental Protection for plan approval to construct and operate two (2) 10,727 brake-horsepower (bhp) natural gas-fired turbine/compressor engines (Sources P101 and P102) and a 1,114 bhp natural gas-fired emergency generator (Source P103) at their proposed Jackson Compressor Station located in Jackson Township, **Tioga County**. The Department's review of the information submitted by Dominion Transmission, Inc. indicates that the turbine engines will meet all applicable air quality regulatory requirements, including the Best Available Technology requirements of 25 Pa. Code §§ 127.1 and 127.12 pertaining to air contamination sources and the emission of air contaminants. The turbine/compressor engines will meet the requirements of Subpart KKKK of the New Source Performance Standards (NSPS) for Stationary Combustion Turbine Engines, 40 CFR 60.4300—60.4420. The emergency generator engine will meet the requirements of Subpart ZZZZ of the National Emission Standards for Hazardous Air Pollutants for Source Categories, 40 CFR 63.6580—63.6675 and Subpart JJJJ of the NSPS for Stationary Spark Ignition Internal Combustion Engines, 40 CFR 60.4230—60.4248. Based on these findings, the Department intends to issue plan approval for the construction of the proposed project.

The following is a brief description of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Sources P101 and P102 is a 10,727 bhp Solar Taurus model 70 natural gas-fired turbine engines. Sources P101 and P102 shall incorporate SoLoNO_x technology and be equipped with a Universal oxidation catalyst (Control Device C101 and C102) to control the air contaminant emissions. The permittee shall not operate Source P101 and P102 without the simultaneous operation of Control Device C101 and C102 at any time;

2. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall only use pipeline-quality, natural gas as fuel for Sources 031, P101, P102 and P103;

3. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, The permittee shall not permit the following air contaminant emissions from the exhaust of Control Device C101 associated with Source P101 and Control Device C102 associated with Source P102 in excess of the limitations listed below while operating in SoLoNO_x mode: nitrogen oxides (NO_x, expressed as NO₂)—9 ppm corrected to 15% oxygen, carbon monoxide (CO)—less than 2 ppm corrected to 15% oxygen, sulfur oxides (SO_x, expressed as SO₂)—0.27 pound per hour, particulate matter (PM/PM₁₀/PM_{2.5})—0.01 grain per dry standard cubic foot of exhaust gas, total combined volatile organic compound emissions—0.07

pound per hour, non-methane, non-ethane hydrocarbons (NMNEHC)—less than 1 ppm corrected to 15% oxygen, formaldehyde—0.04 pound per hour;

4. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee may not permit the emission of visible air contaminants into the outdoor atmosphere in such a manner that the opacity of the emission is equal to or greater than 10% at any time from the exhaust of Control Device C101 associated with Source P101, Control Device C102 associated with Source P102 and Source P203, respectively.

5. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall equip Control Devices C101 and C102 with instrumentation to monitor pressure drop and the inlet gas temperature of Control Devices C101 and C102. The permittee shall monitor these parameters on a continuous basis;

6. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Sources P101 and P102 shall be equipped with instrumentation to continuously monitor manufacturer's recommended operational parameters which will indicate whether Sources P101 and P102 are operating in SoLoNO_x mode;

7. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall perform inspections of Sources P101 and P102, the associated compressor and associated piping, etc., on a quarterly basis to determine the presence of fugitive volatile organic compound/volatile hazardous air pollutant emissions;

8. The permittee shall not permit the following air contaminant emissions from the exhaust of Source P103 in excess of the limitations listed below: nitrogen oxides (NO_x, expressed as NO₂)—2.0 grams per brake-horsepower hour per hour and 1.23 ton in any 12 consecutive month period, carbon monoxide (CO)—1.87 gram per brake horsepower hour and 1.14 ton in any 12 consecutive month period, total combined volatile organic compounds (VOC)—0.44 gram per brake horsepower hour and 0.27 ton in any 12 consecutive month period;

9. Source P103 shall not be operated more than 500 hours in any 12 consecutive month period;

10. Pursuant to 40 CFR 60.4243, the permittee shall not operate Source P103 no more than 100 hours per calendar year for maintenance checks and readiness testing;

11. Source P103 shall be equipped with a non-resettable hour meter to monitor the number of hours that the engine is operated. The plan approval will include all regulatory requirements, including monitoring, recordkeeping, and reporting requirements.

The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 59-00035A, the requirements established in the plan approval will be incorporated into State Only operating permit 59-00035 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. All documentation used in the evaluation of the application is available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

GP2-04-00033A: NOVA Chemicals, Inc. (400 Frankfort Road, Monaca, PA 15062) on May 7, 2018 to authorize the reactivation and operation of an existing, 20,000-gallon, Styrene Storage Tank T-3398 at their Beaver Valley Plant located in Potter Township, **Beaver County**.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

31-05005: Containment Solutions, Inc./Mount Union Plant (CSI) (14489 Croghan Pike, Mount Union, PA 17066) for approval of a Reasonably Available Control Technology 2 (RACT 2) plan to supersede the existing RACT 1 plan for the Fiberglass Reinforced Plastic (FRP) storage tank manufacturing operation in Shirley Township, **Huntingdon County**, as a significant modification to their Title V operating permit.

In accordance with 25 Pa. Code §§ 129.91–129.100, the Department of Environmental Protection has made a preliminary determination to approve a RACT 2 plan to supersede the existing RACT 1 plan, to be submitted as part of the State Implementation Plan (SIP) for the above-mentioned facility.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT 2 approval, and the RACT 1 plan supersedure approval for the facility, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed RACT 2 plan and RACT 1 plan supersedure, if approved by DEP, will be issued as a significant modification to the facility's Title V operating permit (31-05005). The relevant RACT 2 requirements will also be submitted to the U.S. Environmental Protection Agency (EPA) for approval and incorporation into Pennsylvania's State Implementation Plan. Requirements that are not part of the RACT 2 approval will be excluded from the SIP submittal.

The following is a summary of the proposed RACT 2 requirements for this facility that will be submitted to the EPA as part of the SIP:

RACT 2 Case-by-Case Requirements (to replace in their entirety the current RACT 1 requirements for the affected source):

a. The total facility resin use shall not exceed 12,910,000 pounds during any consecutive 12-month period.

b. The resin pouring layup method of tank fabrication, as described in the application, shall be employed during the fabrication of the cylindrical tank shells while operating the five large production layup mandrels.

c. Solvent -based resin cleanup solutions shall not be used at this facility.

d. The production activities, at this facility, shall not exceed 8,736 hours during any consecutive 12-month period.

e. Manufacturer supplied VOC Data sheets and/or Material Safety Data Sheets (MSDS) for all resins applied at this facility within the most recent five (5) years shall be maintained at the above location and shall be made available to the Department at any time.

f. The permittee shall maintain the daily records of the following information for the layup areas:

- a) resin identification;
- b) daily resin use in gallons and pounds;
- c) pounds per month of resin used;
- d) pounds of VOC emissions per month from resin use;
- e) hours of operation.

These records shall be maintained on-site for a minimum of five (5) years and shall be made available upon the Department's request.

g. Annual reports containing, but not limited to, the following data shall be submitted to DEP for all resins used by the layup area operations. The report for January 1 through December 31 is due no later than March 1 of the following year for each operating year authorized by the operating permit.

- a) resin identification;
- b) pounds per month of resin used;
- c) pounds of VOC and HAP (Styrene) emissions per month from resin use;
- d) hours of operation each month.

h. Source 101 shall comply with applicable provisions of 40 CFR Part 63, Subpart WWWW—National Emissions Standards for Hazardous Air Pollutants: Reinforced Plastic Composites Production.

Public Comment Details:

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to William Weaver, Air Quality Program Manager, Air Quality Program, at 909 Elmerton Avenue, Harrisburg, PA 17110. A 30-day comment period from the date of publication of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT 2 condition, including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the RACT 2 approval.

Public hearing. A public hearing will be held on 6/21/18, at 10 a.m. at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed permit action and the proposed SIP revision. To register to speak at the hearing, please contact Dawne Wilkes at 717-705-4702. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be 6/14/18.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to William Weaver, at 909 Elmerton Avenue, Harrisburg, PA 17110.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Southcentral Regional Office at 909 Elmerton Avenue, Harrisburg, PA 17110. Appointments for scheduling a review may be made by calling Dawne Wilkes at 717-705-4702.

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Dawne Wilkes at 717-705-4702 or make accommodations through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD).

67-05113: Graham Architectural Products Corp. (1551 Mt. Rose Avenue, York, PA 17403) for operation of its metal window and door manufacturing facility in Spring Garden Township, **York County**. The actual emissions from the facility in 2016 year are 34.16 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.63 and 129.77.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6131.

27-00015: Tennessee Gas Pipeline Station 307 (1001 Louisiana Street, Suite 1000, Houston, TX 77002) the Department intends to modify the Title V Operating Permit for the facility located in Howe Township, **Forest County**. The modification involves the incorporation of the presumptive Reasonably Available Control Technology (RACT II) requirements of 25 Pa. Code §§ 129.96, 129.97 and 129.100. The modification is pursuant to 25 Pa. Code § 127.463 (Operating permit revisions to incorporate applicable standards). The NO_x and VOC presumptive limits are 3.0 grams NO_x/bhp-hr and 1.0 gram VOC/bhp-hr, respectively for the compressor engines listed as Sources 131—134 and 136. The permit includes testing requirements and the affected sources shall be maintained and operated in accordance with the manufacturer's specifications and with good operating practices.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

03-00246: Bedrock Mines, LP (111 Freeport Road, Pittsburgh, PA 15215), for an initial facility-wide Natural Minor Operating Permit for the operation of a coal preparation plant, known as the Keystone East Coal Preparation Plant, located in Plumcreek Township, **Armstrong County**. The facility contains air contamination sources consisting of coal stockpiles, conveyers, two crushers, one trommel screen, four diesel engines (2-128-bhp, 1-100-bhp, and 1-84-bhp) and roadways. Air pollution prevention equipment at the facility includes covers, enclosures, a water truck, engine oxidation catalysts, and tarping of truck loads. Coal throughput is limited to a maximum of 500,000 tons of raw coal per year. Facility emissions are 4.9 tons of PM₁₀, 1.0 ton of PM_{2.5}, 4.6 tons of NO_x, and 1.1 ton of CO per year. The facility is subject to 40 CFR 60, Subparts Y and III, 40 CFR 63, Subpart

ZZZZ, and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, testing, reporting and recordkeeping requirements for the facility.

Bedrock's State Only Operating Permit renewal application, the Department's Air Quality Review Memorandum, and the proposed Air Quality State Only Operating Permit for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the State Only Operating Permit renewal application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality State Only Operating Permit for this project, a person may contact Thomas Kaminski at thkaminski@pa.gov or 412.442.4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (State Only Operating Permit 03-00246) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests and requests for a public hearing should be directed to Martin L. Hochhauser, P.E., Air Quality Engineer, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 (mhochhause@pa.gov, fax 412-442-4194).

03-00062: Freeport Terminals, Inc. (PO Box 29, Butler, PA 16003-0029) The Department intends to issue a State Only Operating Permit renewal for the Freeport Terminals plant in Freeport Borough, **Armstrong County**. Emission sources at this facility include metal crushing, a "Puckmaster", a storage tank farm, diesel-fired boilers, material handling, and truck traffic.

Potential emissions from this facility are as follows: 25.4 tons per year (tpy) NO_x, 6.4 tpy CO, 7.7 tpy VOC, 25.5 tpy PM, 9.4 tpy, PM₁₀, 9.2 tpy PM_{2.5}, 0.3 tpy SO₂, and 0.4 tpy total HAPs.

The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121–145. The boiler is subject to 40 CFR Part 63, Subpart JJJJJJ, National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, and above ground storage tanks # 4 and # 5 are potentially subject to New Source Performance Standards from 40 CFR Part 60 Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00097: Lamtec Corporation (5010 River Road, Mt. Bethel, PA 19343-5610). The Department intends to issue a renewal State-Only (Natural Minor) Permit for this paper bag and coated and treated paper manufacturing facility located in Mount Bethel, **Northampton**. The main sources at this facility consists of thirteen (13) laminated lines, mixing processes, and flexographic and ink jet printers. The control devices for the sources are baghouses. The sources are considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00012: PA Dept. of Corrections/Retreat SCI (1920 Technology Pkwy., Mechanicsburg, PA 17050-8507). The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the Correctional Institutions facility in Newport Township, **Luzerne County**. The sources consist of boilers and emergency generators. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-03091: AMZ Manufacturing/Electroplating Plant (2206 Pennsylvania Avenue, York, PA 17404-1790) to issue a State-Only Operating Permit for the operation of their manufacturing and electroplating facility in City of York, **York County**. Actual emissions from the facility in 2017 were estimated at 1.07 tons of CO, 1.27 ton of NO_x, 0.01 ton of SO_x, 0.07 ton of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart Dc—Standards of Performance for Small

Industrial-Commercial-Institutional Steam Generating Units, 40 CFR Part 63, Subpart WWWW National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations.

05-03020: Northern Bedford County School District (152 NBC Drive, Loysburg, PA 16659-9549) to issue a State-Only Operating Permit for the operation of the boilers at the high school facility in South Woodbury Township, **Bedford County**. Actual emissions from the facility in 2017 were estimated at 9.19 tons of CO, 4.92 tons of NO_x, 6.4 tons of SO_x, 0.28 ton of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subparts JJJJJJ—National Emission Standards for Area Sources of Hazardous Air Pollutants (HAPs) for Industrial, Commercial, and Institutional Boilers Area Sources and 40 CFR Part 63 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

07-03002: Pittsburgh Glass Works, LLC (PO Box 307, Tipton, PA 16684-0307) for automotive glass manufacturing facility in Antis Township, **Blair County**. The facility has the following potential air emissions: 2.9 tons of CO, 4.9 tons of NO_x, 0.27 ton of PM, 0.14 ton of SO_x, and 26.0 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63, Subpart ZZZZ—National Emission Standards of Performance for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

36-03038: Evans Eagle Burial Vaults, Inc. (15 Graybill Road, Leola, PA 17540) for the crematory operations in Upper Leacock Township, **Lancaster County**. This is for a renewal of the existing State-only operating permit. Potential air emissions from the facility are estimated to be 5.8 tpy of NO_x, 3.4 tpy of CO, 0.45 tpy of VOCs, 0.32 tpy of PM₁₀, and 0.01 tpy of SO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

44-03007: Hoenstine Funeral Home, Inc. (75 Logan Street, Lewistown, PA 17044-1860) for the operation of a human crematorium in Lewistown Borough, **Mifflin County**. This is for renewal of the existing state-only permit. Potential air emissions from the facility are estimated at 1.6 tpy PM, 1.9 tpy NO_x, 1.58 tpy CO, 0.14 tpy VOC, and less than 1 tpy SO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP17-000022: Cintas Corporation (4700 Jefferson Street, Philadelphia, PA 19131) for an industrial laundry facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include nine (9) washers each with a capacity of 463 lbs/batch, five (5)

dryers at 450 lbs/batch and 1.4 MMBtu/hr each firing natural gas, one (1) 155 lbs/batch and 0.58 MMBtu/hr pony dryer firing natural gas, a wastewater treatment process, one (1) 1.5 MMBtu/hr Steam Tunnel firing natural gas, and one (1) 8.4 MMBtu/hr boiler firing natural gas.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OP17-000001: Ashland LLC (2801 Christopher Columbus Boulevard, Philadelphia, PA 19148) for the operation of producing and distributing polyester resin in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include fugitive emissions, tank wagon, rail car, drum filling stations, two (2) particulate sources; one is controlled by a filter cartridge dust collector, fourteen (14) product storage tanks, thirteen (13) raw material storage tanks, five (5) reactors with overhead condensers, three (3) thinning tanks, eleven (11) blending tanks, one (1) mix tank, one (1) holding tank; all are controlled by a 14 MMBtu/hr natural gas or # 2 oil-fired fume afterburner, one (1) 8.4 MMBtu/hr natural gas or # 2 oil-fired steam boiler, one (1) 8.4 MMBtu/hr # 2 oil-fired temporary portable steam boiler, one (1) 75 hp # 2 oil-fired air-compressor, one (1) 12.0 MMBtu/hr natural gas or # 2 oil-fired hot oil heater, and one (1) emergency generator. Additional facility air emission control devices include four (4) sets of carbon drums as back-up equipment to the Fume Afterburner.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OP17-000026: Philadelphia Navy Public Work Department (4921 South Broad St, Building 1, Philadelphia, PA 19112) for the operation of a Navy Public Works Facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include eleven (11) boilers firing natural gas each rated 0.99 MMBtu/hr or less, three (3) air handling units firing natural gas

each rated 0.5 MMBtu/hr, one (1) emergency generator firing diesel fuel rated 85 kW, one (1) parts washer, and one (1) dust collector.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and

a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56120113 and NPDES No. PA0229115. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Jenner Township, **Somerset County**, affecting 228.7 acres. Receiving streams: unnamed tributaries to Hoffman Run and unnamed tributaries to Quemahoning creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: April 26, 2018.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

16080108. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous surface mine in Perry Township, **Clarion County** affecting 222.2 acres. This renewal is for reclamation only. Receiving streams: Unnamed tributaries to the Allegheny River and unnamed tributaries to the Clarion River, classified for the following uses: WWF and CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: April 30, 2018.

Coal Applications Withdrawn

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

32130701 and NPDES No. PA0236250. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To operate the Brush Valley Coal Refuse Disposal Area in Center Township, **Indiana County** a new coal refuse disposal facility with a related NPDES permit. Coal Refuse Disposal Support Acres Proposed 43.9, Coal Refuse Disposal Acres Proposed 17.7. Receiving stream: Unnamed Tributary to Tearing Run, classified for the following use: CWF. The application was considered administratively complete on April 28, 2015. Application received October 27, 2014. Application withdrawn April 20, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

03940110 and NPDES Permit No. PA0200999. Britt Energies, Inc. (P.O. Box 515, Indiana, PA 15701). Permit renewal withdrawn for continued mining to an existing bituminous surface mine, located in Wayne Township, **Armstrong County**, affecting 55.5 acres. Receiving streams: Unnamed tributaries to N. Branch of South Fork Pine Creek. Application received: December 31, 2015. Application withdrawn: May 4, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 54803004T3. Rausch Creek Mine Reclamation, LLC, (978 Gap Street, Valley View, PA 17983), transfer of an existing anthracite surface mine operation from Rausch Creek Land, LP in Hegins Township, **Schuylkill County** affecting 214.0 acres, receiving stream: Good Spring Creek, classified for the following uses: cold water and migratory fishes. Application received: December 8, 2017. Application withdrawn: May 3, 2018.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

10070303. Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201). Renewal of existing NPDES Permit No. PA0258440 in Slippery Rock Township, **Butler County**. Receiving streams: Unnamed tributary to Wolf Creek and unnamed tributaries to Slippery Rock Creek, both classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 2, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 64112501C2 and NPDES No. PA0225045. Robert A. Coleman, (P.O. Box 3, Susquehanna, PA 18847), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Scott Township, **Wayne County** affecting 13.3 acres, receiving stream: unnamed tributary to Sherman Creek/Lower West Branch Delaware River, classified for the following uses: high quality—cold water and migratory fishes. Application received: April 27, 2018.

Permit No. 36080301C3 and NPDES No. PA0224651. Pierson Rheems, LLC, (426 Swedesboro Road, Pilesgrove, NJ 08098), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Mt. Joy and West Donegal Townships, **Lancaster County** affecting 102.64 acres, receiving stream: unnamed tributary to Donegal Creek, classified for the following use: cold water fishes. Application received: April 27, 2018.

Permit No. 48062801. Moore Materials, LLC (615 Moorestown Drive, bath, PA 18014), Stage I & II bond release of a quarry operation in Wind Gap Borough, **Northampton County** affecting 4.92 acres on property owned by Water's Edge at Wind Gap, LLC. Application received: April 30, 2018.

Permit No. 48980301C8 and NPDES No. PA0223875. Chrin Brothers, Inc., (1225 Industrial Drive, Easton, PA 18042), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Williams Township, **Northampton County** affecting 36.8 acres, receiving stream: unnamed tributary to Lehigh River, classified for the following uses: cold water fishes and migratory fishes. Application received: April 30, 2018.

Noncoal Applications Withdrawn

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

26743202 and NPDES Permit No. PA0069736. Bute Coal Recovery, LLC (195 Enterprise Lane, Conellsville, PA 15425). Permit renewal withdrawn for reclamation only to an existing bituminous surface mine, located in Dunbar and North Union Townships, **Fayette County**, affecting 150.1 acres. Receiving streams: Rankin Run to Redstone Creek to Monongahela River. Application received: March 17, 2016. Renewal permit withdrawn: May 3, 2018.

03030104 and NPDES Permit No. PA0250392. Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201). Permit withdrawn for a contour change

to a large noncoal surface mine, located in Manor Township, **Armstrong County**, affecting 100.3 acres. Receiving streams: unnamed tributaries to Rupp Run and Garrets Run. Application received: November 18, 2016. Permit withdrawn: May 3, 2018.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0235407 (Mining Permit No. 03991301), Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). A renewal to the NPDES and mining activity permit for the Logansport Mine in Bethel Township, **Armstrong County**. Surface Acres Affected 120.9, Underground Acres Affected 12,646.2. Receiving stream: Allegheny River, classified for the following use: WWF. Receiving stream: Taylor Run, classified for the following use: WWF. The application was considered administratively complete on September 9, 2016. Application received: February 8, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 003 discharges to: Allegheny River

The proposed effluent limits for *Outfall 003* (Lat: 40° 44' 7.4" Long: 79° 35' 4.6") are:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	-	-	Report
Total Suspended Solids	(mg/l)	-	35	70	90
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-

Outfall 004 discharges to: Allegheny River

The proposed effluent limits for *Outfall 004* (Lat: 40° 44' 17.3" Long: 79° 35' 10.1") are:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	-	-	Report
Total Suspended Solids	(mg/l)	-	35	70	90
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-

Outfall 005 discharges to: Taylor Run

The proposed effluent limits for Outfall 005 (Lat: 40° 42' 27" Long: 79° 34' 19") are:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	2.0	4.0	5.0
Total Suspended Solids	(mg/l)	-	35	70	90
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-

Outfall 006 discharges to: Allegheny River

The proposed effluent limits for Outfall 006 (Lat: 40° 44' 15.2" Long: 79° 35' 9.7") are:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	1.3	2.0	3.3
Total Suspended Solids	(mg/l)	-	35	70	90
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-

EPA Waiver in effect.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0613371 (Mining Permit No. 28030301), D.L. George & Sons Construction Co., Inc., 20 East Sixth Street, Waynesboro, PA 17268, renewal of an NPDES permit for a noncoal surface mining operation in Antrim Township, **Franklin County**, affecting 43.0 acres. Receiving stream: Paddy Run, classified for the following use: warm water fishes. Application received: April 20, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The following outfall discharges to: Paddy Run.

Outfall Nos.	New Outfall (Y/N)
001—Sediment Pond	N

The proposed effluent limits for the previously listed outfall is as follows:

Outfalls: 001 Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times.			

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0225835 on Surface Mining Permit No. 58170808. Susan L. English, (16435 SR 167, Montrose, PA 18801), new NPDES Permit for a bluestone quarry operation in Silver Lake Township, **Susquehanna County**, affecting 7.0 acres. Receiving stream: unnamed tributary to Fall Brook-Silver Creek watershed, classified for the following use: EV, cold water and migratory fishes. Application received: February 20, 2018.

Non-discharge BMP's shall be in effect.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E48-451. Portland Industrial Park LP, 102 Demi Road, Portland, PA 18351, Portland Borough, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the construction of a 136,000 ft² industrial manufacturing/warehouse facility for the Ultra-Poly Corporation:

- 1) To fill and maintain an existing, abandoned, 0.95-acre water-filled lacustrine quarry pit having a permanent pool depth of approximately 15-feet.
- 2) To temporarily impact 0.12-acre of the floodway of an Unnamed Tributary to the Delaware River (CWF, MF) with work consisting of grading along a 370-LF length of stream channel.
- 3) To modify and maintain an existing stormwater outfall within the floodway of an Unnamed Tributary to the Delaware River (CWF, MF) with work consisting of a 75-foot long, 45-foot long R-4 riprap apron.

The project is located on the north side of Demi Road, approximately 0.4-mile southwest of the intersection of S.R. 611 (N. Delaware Drive) and River Road (Portland, PA Quadrangle Latitude: 40° 54' 53.76" Longitude: -75° 5' 48.34").

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E55-234. Amos O. Zimmerman, 1605 Borough Line Road, Mifflinburg, PA 17844. Poultry Houses at 647 Kerr Road, Middleburg, PA 17842, Center Township, **Snyder County**, ACOE Baltimore District. (Middleburg, PA Quadrangle Latitude: 40.859280; Longitude: -77.031641).

To construct two poultry barns, access areas, stormwater management facilities, and poultry free ranging spaces. This project is proposed in an existing farmfield with wetland inclusions along Penns Creek, a Warm Water Fishes and Migratory Fishes stream as designated in Chapter 93 of the Department's Water Quality Standards. Construction activities will permanently impact 0.24 acre of palustrine emergent wetland. Mitigation for environmental impacts is to be achieved through the creation of 0.3 acre of palustrine emergent wetland adjacent to an existing on-site wetland.

E53-455. Stephanie Rathbun, 2281 Elevenmile Road, Shinglehouse, PA 16748. SR 0044, Stephanie Rathbun Culvert Replacement and Gas Service Pipeline Crossing Elevenmile Creek, Oswayo Township, **Potter County**. USACOE Pittsburgh District (Oswayo, PA Quadrangle Latitude: 41° 57' 38.70"; Longitude: 78° 01' 48.43").

The applicant is seeking Department consent to (1) modify, operate, and maintain an existing road crossing and (2) install, operate and maintain a natural gas service pipeline crossing Elevenmile Creek for private residential use. Department water quality designation for Elevenmile Creek is High Quality—Cold Water Fishery, Migratory Fish. The existing private road crossing Elevenmile Creek shall be modified by removing an existing 36-inch diameter corrugated metal culvert pipe and installing a 95-inch (span) × 67-inch (rise) × 22-feet (length) with a 12-inch culvert invert depression. A maximum 10-feet of natural gas service pipeline shall be installed, so that the top-of-pipe or concrete encasement is 3-feet beneath Elevenmile Creek. Pipeline installation shall be by boring or dry open trench method immediately adjacent to or beneath the 95-inch by 67-inch corrugated arch metal culvert. As proposed, the culvert replacement and natural gas service pipeline installation poses no temporary or permanent wetland impacts. Temporary stream impacts for culvert replacement and gas pipeline installation shall be limited to 30-feet, whereas permanent impacts shall be limited to 23-feet. The project is located along northern right-of-ways of SR 4023 approximately 2,135-feet east of T-380 (Healey Road) and SR 4023 intersection in Oswayo Township, Potter County.

E53-454. UGI Central Penn Gas, Inc., 2525 North 12th Street, Suite 360, Reading, PA 19612-2677. Elevenmile Road Gas Pipeline Replacement Project Phase II, Oswayo and Sharon Townships, **Potter County**, USACOE Pittsburgh District (Oswayo, PA Quadrangle, Western Terminus Latitude 41° 56' 28.72" N; Longitude 78° 05' 02.03" W and Eastern Terminus Latitude 41° 56' 09.53" N; Longitude 78° 05' 42.61" W).

UGI Central Penn Gas, Inc., is seeking Department approval to abandon an existing 4-inch diameter gas distribution pipeline and construct, operate and maintain approximately 0.7-miles of new 8-inch diameter natural gas distribution pipeline within a 20-foot right-of-way requiring eight (8) watercourse and five (5) wetland water obstruction and/or encroachment activities at location as follows:

<i>Identified Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Regulated Waters</i>	<i>Designated Water Quality</i>	<i>Regulated Waters Impact</i>
Wetland 1 Permanent Pipeline Crossing	41.935981°	-78.095169°	PEM Wetland	EV	1' × 3'
Wetland 1 Temporary Pipeline Construction	41.935981°	-78.095169	PEM Wetland	EV	11' × 16'
Stream 1 Permanent Pipeline Crossing	41.936000°	-78.097922°	Tributary Elevenmile Creek	HQ-CWF, MF	3' × 3'
Stream 1 Temporary Pipeline Construction	41.936000°	-78.097922°	Tributary Elevenmile Creek	HQ-CWF, MF	3' × 16'
Wetland 2 Permanent Pipeline Crossing	41.936006°	-78.095131°	PEM Wetland	EV	1' × 3'
Wetland 2 Temporary Pipeline Construction	41.936006°	-78.095131°	PEM Wetland	EV	12' × 16'
Wetland 3 Bored Permanent Pipeline Crossing	41.937314°	-78.093239°	PSS Wetland	EV	10' × 1'
Stream 2 Bored Pipeline Crossing	41.937331°	-78.093214°	Tributary Elevenmile Creek	HQ-CWF, MF	4' × 1'
Wetland 4 Bored Pipeline Crossing	41.938089°	-78.091925°	PSS Wetland	EV	418' × 1'
Stream 3 Bored Pipeline Crossing	41.937331°	-78.093214°	Tributary Elevenmile Creek	HQ-CWF, MF	6' × 1'
Wetland 5 Bored Pipeline Crossing	41.939775°	-78.088936°	PSS Wetland	EV	179' × 1'
Stream 4 Permanent Pipeline Crossing	41.940350°	-78.087358°	Tributary Elevenmile Creek	HQ-CWF, MF	4' × 3'

<i>Identified Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Regulated Waters</i>	<i>Designated Water Quality</i>	<i>Regulated Waters Impact</i>
Stream 4 Temporary Pipeline Construction	41.940350°	-78.087358°	Tributary Elevenmile Creek	HQ-CWF, MF	4' × 15'
Stream 5 Bored Pipeline Crossing	41.940781°	-78.086214°	Tributary Elevenmile Creek	HQ-CWF, MF	4' × 1'
Stream 6 Bored Pipeline Crossing	41.940947°	-78.085378°	Tributary Elevenmile Creek	HQ-CWF, MF	2' × 1'
Stream 7 Bored Pipeline Crossing	41.941164°	-78.084611°	Tributary Elevenmile Creek	HQ-CWF, MF	3' × 1'
Stream 8 Floodway Pipeline Termini	41.941311°	-78.083897°	Tributary Elevenmile Creek	HQ-CWF, MF	103.7' × 1'

Boring of the 8-inch diameter HPDE gas distribution pipeline crossings beneath the above listed watercourses shall be performed to ensure the depth between stream channel bottom and top of bore casing is minimally 3-feet. Excavation or fill placement, as a part of pipeline maintenance within the 20-foot right-of-way, shall not be performed at the above listed EV (Exceptional Value) wetlands without prior written approval from the Department. The UGI Elevenmile Road Gas Pipeline Project Phase II is located along the southern right-of-way of SR 4023 (Elevenmile Road) for approximately 0.6-mile from the intersection of SR 4014 and SR 4023.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E11-358, Cambria Somerset Authority, 110 Franklin Street, Suite 200, Johnstown, PA 15901, City of Johnstown, **Cambria County**, Pittsburgh ACOE District.

The applicant proposes to:

1. Construct and maintain a new 12" conservation release outfall in Hinkston Run; and
2. Extend the existing 12" NPDES outfall in Hinkston Run approximately 170-linear feet to the Conemaugh River.

For the purpose of separating the conservation release for an existing dam from the Cambria Somerset Authority's (CSA) NPDES outfall in Hinkston Run, into separate outfalls in Hinkston Run and the Conemaugh River, respectively. The project will impact approximately 170 square feet of floodway. There will be zero direct impacts directly to Hinkston Run or the Conemaugh River as the 170-foot extension pipe will be attached to an existing wall along Hinkston Run. Accordingly, no mitigation is proposed. The project is located along Hinkston Run near the outfall into the Conemaugh River in the City of Johnstown, Cambria County. (Johnstown, PA Quadrangle; Latitude 40°20'27"; Longitude -78°55'27"; Sub-basin 18D; Pittsburgh Corps District).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0024759 (Sewage)	Curwensville Municipal Authority Wastewater Treatment Plant 314 South Street Curwensville, PA 16833-1237	Clearfield County Curwensville Borough	West Branch Susquehanna River (8-B)	No
PA0209350 (Sewage)	Delmar Township Smithville 610 N Lawton Road Wellsboro, PA 16901-7941	Tioga County Delmar Township	East Branch Stony Fork (9-A)	Yes
PA0218839 (Sewage)	Cherry Tree Wastewater Treatment Plant 602 Kolter Drive Indiana, PA 15701-3570	Clearfield County Burnside Township	West Branch Susquehanna River (8-B)	No
PA0115231 (Sewage)	Woodland-Bigler Area Authority Wastewater Treatment Facility P.O. Box 27 Woodland, PA 16881-0027	Clearfield County Bradford Township	Roaring Run (8-C)	No

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0240001 (Sewage)	Clear Creek State Park 38 Clear Creek Street Park Road Sigel, PA 15860-9502	Jefferson County Barnett Township	Clarion River (17-B)	Yes
PA0103292 (Sewage)	Hamilton Township Ludlow STP P.O. Box 23 Ludlow, PA 16333	McKean County Hamilton Township	Twomile Run (16-F)	Yes
PAS708328 (Storm Water)	Suit Kote 1911 Lorings Crossing Cortland, NY 13045	Crawford County West Mead Township	French Creek (16-D)	Yes
PA0263991 (Sewage)	David & Janey Whitten SRSTP 1040 Abraham Hollow Road Youngsville, PA 16371-2006	Warren County Pittsfield Township	Unnamed Tributary to Brokenstraw Creek (16-B)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

NPDES Permit No. PA0276111, Industrial, SIC Code 0782, **Paupackan Lake Association, Inc.**, 128 Sheridan Road, Hawley, PA 18428.

This project is located in Lake and Paupack Townships, **Wayne County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge associated with the application of pesticides in Paupackan Lake.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PA0234087 A-1, CAFO, SIC Code 0211, 0213, **Philip D. Courter**, 6527 Jacksonville Road, Mill Hall, PA 17751-8876.

This existing facility is located in Porter Township, **Clinton County**.

Description of Existing Action/Activity: Issuance of an NPDES CAFO Permit Amendment for an existing swine facility.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No. PA0255378, Sewage, SIC Code 8800, **Pitts Timothy**, 108 Almond Way, Sewickley, PA 15143.

This proposed facility is located in Bell Acres Borough, **Allegheny County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 3918401, Sewage, **Borough of Slatington**, 125 S. Walnut Street, Slatington, PA 18080.

This existing facility is located in the Borough of Slatington Borough, **Lehigh County**.

Description of Proposed Action/Activity: This permit is for the conversion of the existing primary anaerobic sludge digester into an aerobic digester.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

WQM Permit No. 1701407 A-3, Sewage, SIC Code 4952, **Aqua Pennsylvania Wastewater, Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010-3402.

This existing facility is located in Sandy Township, **Clearfield County**.

Description of Proposed Action/Activity: Conversion of the Treasure Lake East Plant to a pump station to deliver all wastewater to the Treasure Lake West Plant and upgrades to the Treasure Lake West Plant including new Extended Aeration train, new UV disinfection unit and two new sludge holding tanks.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 461S038 A-3, Sewage, SIC Code 4952, **Municipal Authority of Westmoreland County**, 124 Park and Pool Rd, New Stanton, PA 15672.

This existing facility is located in Ligonier Borough, **Westmoreland County**.

Description of Proposed Action/Activity: replacement of grit dewatering system.

WQM Permit No. 9248-S A-1, Sewage, SIC Code 7032, **YMCA Of Greater Pittsburgh**, 254 Deer Valley Drive, Fort Hill, PA 15540-2116.

This existing facility is located in Elk Lick Township, **Somerset County**.

Description of Proposed Action/Activity: construction and operation of aerated lagoons.

WQM Permit No. 0218400, Sewage, SIC Code 8800, **Pitts Timothy**, 108 Almond Way, Sewickley, PA 15143.

This proposed facility is located in Bell Acres Borough, **Allegheny County**.

Description of Proposed Action/Activity: Installation of a SRSTP to abate an existing on-lot malfunction.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1612402 A-1, Sewage, **PA American Water Co.**, 425 Waterworks Road, Clarion, PA 16214-2343.

This existing facility is located in Monroe Township, **Clarion County**.

Description of Proposed Action/Activity: Improvements to wastewater treatment plant solids handling.

WQM Permit No. 1617405 A-1, Sewage, **Martin Sanders**, 1036 Chestnut Ridge Road, Emlenton, PA 16373.

This existing facility is located in Richland Township, **Clarion County**.

Description of Proposed Action/Activity: Amendment to replace aerobic unit with Premier Tech Coco filter for a Single Residence Sewage Treatment Plant.

WQM Permit No. 2489202 A-9, Industrial, **Advanced Disposal Service Greentree Landfill LLC**, 635 Toby Road, Kersey, PA 15846-1033.

This existing facility is located in Fox Township, **Elk County**.

Description of Proposed Action/Activity: Addition of plate and frame filter press to dewater produced aluminum sludge.

WQM Permit No. 6217201, **Lindell Farms LLC**, 5207 Route 957, Russell, PA 16345-2045.

This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Action/Activity: Construction of an HDPE lined manure storage and farmstead BMP's, and related appurtenances.

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI136143	Brentwood Borough 3624 Brownsville Road Pittsburgh, PA 15227-3153	Brentwood Borough Allegheny	Unnamed Tributary to Streets Run and Unnamed Tributary of Sawmill Run/ WWF	Y	Y

V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the MS4s previously listed instead of NPDES permit coverage.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG136273	Frazer Township 206 First Street Pittsburgh, PA 15215	Frazer Township Allegheny	Bailey Run/WWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150045	Rouse Chamberlin Homes, Inc. 500 Exton Commons Exton, PA 19341	Chester	Wallace Township	Indian Run HQ Unnamed Tributary to Culbertson Run HQ-TSF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390043	The Sterling Dev Group, LLC 50 E Mount Pleasant Ave Livingston, NY 07039	Lehigh	City of Bethlehem	UNT to Monocacy Creek (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480038	ECOPAX, LLC c/o Jom Vozr 3600 Glover Rd Easton, PA 18040	Northampton	Forks Twp	Bushkill Creek (HQ-CWF, MF)

Wayne Conservation District, 925 Court Street, Honesdale, PA 18431.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD640012	PPL Elect Util Corp 2 N 9th St Genn 4 Allentown, PA 18101	Wayne	Dyberry Twp Oregon Twp Lebanon Twp Damascus Twp	North Branch Calkins Creek (HQ-CWF, MF) South Branch Calkins Creek (HQ-CWF, MF) Carley Brook (HQ-CWF, MF) Dyberry Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Phillips, Section Chief, Telephone 717.705.4802.

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD07002 Issued	Valley Rural Electric Cooperative, Inc. 10700 Fairgrounds Road Huntingdon, PA 16652	Blair	North Woodbury Township	UNT Clover Creek (HQ-CWF, MF)

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD300004	APV Renaissance Opco, LLC 232 Chestnut Avenue Bernardsville, NJ 07924	Greene County	Monongahela Township	Monongahela River (WWF-N); Little Whitely Creek (WWF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02**Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAC510063	PhilaPort, The Port of Philadelphia 3460 North Delaware Avenue Philadelphia, PA 19134	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAC510068	American Heritage Federal Credit Union 2054-64 Red Lion Road Philadelphia, PA 19115	Pennypack Creek TSF Poquessing Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Middletown Township Delaware County	PAC230052	Ponds Edge, LP 500 State Road Drexel Hill, PA 19026	Chester Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bristol Township Bucks County	PAC090123	HD Surgical 1507 Clyde Waite Drive Bristol, PA 19007-2916	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Northampton Township Bucks County	PAC090129	Northampton Township 55 Township Road Richboro, PA 18954	Mill Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Rockhill Township Bucks County	PAC090132	Lynn Builders, LLC 735 Minsi Trail Perkasie, PA 18944-3170	Three Mile Run Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Warwick Township Bucks County	PAC090145	Robin's Nest Properties, LLC 2153 Almshouse Road Jamison, PA 18929-1103	Little Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Makefield Township Bucks County	PAC090149	Zaveta Custom Homes, LLC 4030 Skyron Road Suite G Doylestown, PA 18902-1135	Unnamed Tributary to Jericho Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Allen Twp Northampton County	PAC480019	Johanna Chervak Rockefeller Group Dev Corp 92 Headquarters, Plaza N Tower 9th Fl Morristown, NJ 07960	Catasauqua (CWF, MF)	Northampton County Conservation District 610-829-6276

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Littlestown Borough Adams County Issued	PAC010048	Dr. Michael Strickler 24 James Avenue Littlestown, PA 17340	Tributary of Alloway Creek (CWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
Bedford Township Bedford County Issued	PAC050019	CaptiveAire Systems, Inc. 4641 Paragon Park Road Raleigh, NC 27616	Tributary of Dunning Creek (WWF)	Bedford County Conservation District 702 West Pitt Street Suite 4 Bedford, PA 15522 814.623.7900, ext. 4
Tulpehocken Township Berks County Issued	PAC060116	Nelson Auker 16 Rehrersburg Road Bethel, PA 19507	UNT Swatara Creek (CWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Ontelaunee Township Berks County Issued	PAC060118	Jasper Carswell Perdue Foods, LLC 31149 Old Ocean City Road Salisbury, MD 21802	Schuylkill River (WWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Colebrookdale Township Berks County Issued	PAC060115	Michael & Allyson Kelsch 1164 Broad Street Gilbertsville, PA 19525	UNT Swamp Creek (TSF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Monroe Township Cumberland County Issued	PAC210071	Eastern Communities, LTD 7300 Derry Street Harrisburg, PA 17111	Yellow Breeches (CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
West Lampeter Township Lancaster County Issued	PAC360194	Shirley Keener 1266 Gypsy Hill Road Lancaster, PA 17602	Big Spring Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Lancaster City Lancaster County Issued	PAC360200	Matthew Przywara 251 South Prince Street Lancaster, PA 17603	Conestoga River (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

NOTICES

2989

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Elizabethtown Borough Lancaster County Issued	PAC360243	Patrick Sampsell 1 Masonic Drive Elizabethtown, PA 17022	Conoy Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
East Earl Township Lancaster County Issued	PAC360210	Gerald Graham 26 West Main Street Leola, PA 17540	Cedar Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
West Donegal Township Lancaster County Issued	PAC360238	Donegal Woods LLC P.O. Box 277 Landisville, PA 17538	Conewago Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Penn Township Perry County Issued	PAC500011	Miller Group Holdings, L.P. 950 East Main Street Suite 107 Schuylkill Haven, PA 17972	Little Juniata Creek (CWF)	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717.582.8988, ext. 4

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Benner Twp Centre Cnty	PAC140042	Benner Commerce Park Property Owners Assoc. 2121 Old Gatesburg Rd State College, PA 16803	UNT Logan Branch UNT Spring Creek CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Berwick Boro Columbia Cnty	PAC190013	Huntsville Limited Partnership 1120 W Front St Berwick, PA 18603	Susquehanna River	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
Berwick Boro Columbia Cnty	PAC190018	Team Green Recycling, LLC 123 West 11th St Berwick, PA 18603	Susquehanna River	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
Lewis Twp Northumberland Cnty	PAC490024	Susquehanna Trail Realty Storage Building 5960 Susquehanna Trail Turbotville, PA 17772	UNT Warrior Run WWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 (570) 286-7114 ext. 4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Point Twp Northumberland Cnty	PAC490025	Hemlock Hollow Eastern Communities, L.P. Attn: John Kershner V.P. 7300 Derry St Harrisburg, PA 17111	Lithia Springs Creek CWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 (570) 286-7114 ext. 4
Riverside Boro Northumberland Cnty	PAC490026	UGI Riverside Phase 4 Extension UGI Penn Natural Gas, Inc Attn: Allison Dennison, Sr. Eng. 1 UGI Center Wilkes-Barre, PA 18711	North Branch Susquehanna River WWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 (570) 286-7114 ext. 4
Monroe Twp Snyder Cnty	PAC550015	David Brubaker Pine Lane Townhomes 230 Oak View Road Northumberland, PA 17857	UNT Susquehanna River WWF	Snyder County Conservation District 403 W Market St Middleburg, PA 17842 (570) 837-3000 X110

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Pine Township McCandless Township	PAC020193	CBRE, Inc. 333 Thornall Street Second Floor Edison, NJ 08337	UNT to Rinaman Run (CWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Ben Avon Heights	PAC020207	Shannopin Country Club 1 Windmere Road Pittsburgh, PA 15202	UNT to Spruce Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
North Fayette Township	PAC020250	O'Hara Capital Partners 285 Kappa Drive Suite 150 Pittsburgh, PA 15238	UNT to Robinson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
West Mifflin Borough	PAC02079	Liberty USA, a Division of Eby-Brown 920 Irwin Run Road West Mifflin, PA 15122	UNT to Thompson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Ross Township	PAC020204	Girty's Run Joint Sewer Authority 2236 Babcock Boulevard Pittsburgh, PA 15237	UNT to Girty's Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645

NOTICES

2991

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Wilkins Township	PAC020249	Wilkins Township 110 Peffer Road Turtle Creek, PA 15145	Thompson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
O'Hara Township Blawnox Borough	PAC020243	AMC Development, LLC 320 Grant Street Verona, PA 15147	Allegheny River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Hampton Township	PAC020202	Wildwood Acres, LLC 1550 Connor Road South Park, PA 15129	UNT to Crouse Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
City of Pittsburgh	PAC020240	City of Pittsburgh Department of Public Works 414 Grant Street Pittsburgh, PA 15219	Allegheny River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
West Deer Township	PAC020189	PTV 1018, LLC 1563 Woodward Drive Extension Greensburg, PA 15601	Dawson Run (CWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Cowanshannock Township	PAC030010	Armstrong School District 181 Heritage Park Drive Suite 2 Kittanning, PA 16201	Cowanshannock Creek (WWF)	Armstrong Conservation District Armsdale Administration Building 124 Armsdale Road Kittanning, PA 16201-3738 (724) 548-3425
Mahoning Township	PAC030011	PTV 1025, LLC 1563 Woodward Drive Extension Greensburg, PA 15601	UNT to Redbank Creek (CWF)	Armstrong Conservation District Armsdale Administration Building 124 Armsdale Road Kittanning, PA 16201-3738 (724) 548-3425

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
East Franklin Township	PAC030013	Slatelick, LP 101 Parkview Extension Kittanning, PA 16201	UNT to Glade Run (TSF)	Armstrong Conservation District Armsdale Administration Building 124 Armsdale Road Kittanning, PA 16201-3738 (724) 548-3425
Blacklick Township	PAC110028	Blacklick Valley Municipal Authority United States Route 422 Belsano, PA 15922	UNT's to Blacklick Creek (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
Cambria Township	PAC110031	Cambria County Association for the Blind and Handicapped 211 Central Avenue Johnstown, PA 15902	UNT to South Branch Blacklick Creek (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
Indiana Borough	PAC320023	Indiana University of Pennsylvania 650 South Thirteenth Street Indiana, PA 15705	Marsh Run (CWF)	Indiana County Conservation District 625 Kolter Drive Suite 8 Indiana, PA 15701 (724) 471-4751

Northwest Region: Waterways & Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Cranberry Township Butler County	PAC100088	Elmhurst Development LLC One Bigelow Square Suite 630 Pittsburgh, PA 15219	UNT of Brush Creek WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270
Cranberry Township Butler County	PAC100090	Sippel Enterprises 2000 Georgetowne Drive Suite 200 Sewickley, PA 15143	UNT to Brush Creek WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270

General Permit Type—PAG-03

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Dunnstable Township Clinton County	PAG034851	Gas Field Specialists, Inc. 2107 State Route 44 S Shinglehouse, PA 16748-4429	Big Plum Run—9-B	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Jackson Township Tioga County	PAG034849	Cameron, a Schlumberger Company 1614 E Roy Furman Highway Carmichaels, PA 15320-2415	Unnamed Tributary to Mill Creek—4-A	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636
Hermitage City Mercer County	PAG038366	Ellwood Crankshaft & Mach Co. 2727 Freedland Road Hermitage, PA 16148-9027	Unnamed Tributary of Shenango River and Unnamed Tributary to Shenango River—20-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Big Beaver Borough Beaver County	PAG036216	Lindy Paving Inc. 1807 Shenango Road New Galilee, PA 16141	Unnamed Tributary to Stockman Run—20-B	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Braddock Borough Allegheny County	PAG036199	Hanson Ready Mix Inc. 2200 Springfield Pike Connellsville, PA 15425	Monongahela River—19-A WWF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-8

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Shrewsbury Twp. York County	PAG083578	Glen Rock Sewer Authority 11714 North Main St. P.O. Box 205 Glen Rock, PA 17327	Glen Rock Sewer Authority Wastewater Treatment Plant 11714 North Main St. P.O. Box 205 Glen Rock, PA 17327	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

General Permit Type—PAG-8 (SSN)

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Conewago and Derry Townships/ Dauphin County	PAG083518	Amerigreen Inc. 96 Commerce Drive 10 Box 170 Wyomissing, PA 19610	Milton Hershey Trust Farms 50 & 92	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

*General Permit Type—PAG-9 (SSN)**Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
PAG093548	Superior Septic Services Inc. 8885 Pineville Rd Shippensburg, PA 17257	Superior Septic Services Inc. 8885 Pineville Rd Shippensburg, PA 17257	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

*General Permit Type—PAG-10**Facility Location
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG106208	Kiewit Power Constructors Co. 2862 William Penn Avenue Johnstown, PA 15909	Unnamed Tributary to Hinckston Run—18-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-12**Facility Location &
Municipality*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG123713	Malcolm R Rudolph 200 Ginzel Road New Oxford, PA 17350-9011	Watershed(s) 7F	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
PAG124844	John Pfleeger 460 Gold Road Muncy, PA 17756-5748	Unnamed Tributary of Warrior Run—10-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

*General Permit Type—PAG-13**Facility Location
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG132312	Nescopeck Borough 501 Raber Avenue Nescopeck, PA 18635	Nescopeck Creek (TSF/MF), Susquehanna River (WWF/MF)—5-D	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
PAG132267	Waverly Township P.O. Box 8 Waverly, PA 18471	Unnamed Tributary to East Branch Tunkhannock Creek, Ackerly Creek, and Unnamed Tributary to Ackerly Creek—4-F	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
PAG132236	West Easton Borough 237 7th Street West Easton, PA 18042-6172	UNT to Lehigh River—2-C	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Duquesne City Allegheny County	PAG136194	Duquesne City Allegheny County 12 S 2nd Street Duquesne, PA 15110-1148	Thompson Run and Monongahela River—19-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Lower Yoder Township Cambria County	PAG136288	Lower Yoder Township 128 J Street Johnstown, PA 15906-2848	Elk Run, Saint Clair Run, and Strayer Run 18-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Monaca Borough Beaver County	PAG136120	Monaca Borough Beaver County 928 Pennsylvania Avenue Monaca, PA 15061	Moon Run, Ohio River, and Unnamed Tributary to Ohio River—20-G	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Pleasant Hills Borough Allegheny County	PAG136303	Borough of Pleasant Hills 410 E Bruceton Road Pittsburgh, PA 15236-4504	Lewis Run, Unnamed Tributary to Lick Run and Streets Run—19-A and 19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
James McCloskey 1220 Parthemer Road McClure, PA 17814	Snyder	0 for manure application	1,253.1	Swine	NA	Approval

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 4118501MA—Construction—Public Water Supply.

Applicant	Williamsport Township Municipal Authority
Township/Borough	City of Williamsport
County	Lycoming County
Responsible Official	Ms. Wendy J. Walter Interim Executive Director Williamsport Municipal Water Authority 253 West Fourth Street Williamsport, PA 17701
Type of Facility	Public Water Supply-Construction
Consulting Engineer	N/A
Permit Issued	April 2, 2018
Description of Action	Authorizes the installation of a Grid Bee Model GS-12 portable, electric mixer in the Hill street finished-water storage tank.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4618502, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	Upper Merion
County	Montgomery
Type of Facility	PWS
Consulting Engineer	GHD, Inc. 1240 North Mountain Road Harrisburg, PA 17112
Permit to Construct Issued	May 2, 2018

Permit No. 4618503, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 West Hershey Water Company Hershey, PA 17033
Township	Limerick
County	Montgomery
Type of Facility	PWS
Consulting Engineer	Pennsylvania American Water Company 800 West Hershey Water Company Hershey, PA 17033
Permit to Construct Issued	May 3, 2017

Operations Permit # 4617510 issued to: **Aqua Pennsylvania**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWS ID # 1460073**, Lower Merion and Upper Darby Townships, **Montgomery and Delaware Counties** on April 24, 2018 for the operation of facilities approved under construction permit # 4617510.

Operations Permit # 4617517 issued to: **Aqua Pennsylvania**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWS ID # 1460073**, Lower Merion Township, **Montgomery County** on April 25, 2018 for the operation of facilities approved under construction permit # 4617517.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 2640020, Operations Permit, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 1775 North Main Street Honesdale, PA 18431
[Borough or Township]	Canaan Township
County	Wayne
Type of Facility	PWS
Consulting Engineer	Saad Yousif, PE Aqua Pa, Inc. 762 W. Lancaster Avenue Bryn Mawr, PA 19010
Permit to Operate Issued	4/26/2018

Permit No. 2450034, Public Water Supply.
 Applicant **Brodhead Creek Regional Authority**
 410 Mill Creek Road
 East Stroudsburg, PA 18301
 [Township or Borough] Stroud Township
Monroe County
 Responsible Official David Horton
 410 Mill Creek Road
 East Stroudsburg, PA 18301
 Type of Facility PWS
 Consulting Engineer Russell D. Scott IV, PE
 RKR HESS
 112 North Courtland Street
 East Stroudsburg, PA 18301
 Operation Permit Issued Date 04/26/2018

Permit. No. 4018502MA, Public Water Supply.
 Applicant **PA American Water**
 800 W. Hershey Park Drive
 Hershey, PA 17033
 [Township or Borough] Mocanaqua Borough
Luzerne County
 Responsible Official Mr. David Kaufman
 Vice President-Engineering
 Type of Facility Public Water Supply
 Consulting Engineer Mr. Scott Thomas, PE
 PA American Water Company
 2699 Stafford Avenue
 Scranton, PA 18505
 Operation Permit Issued 05/01/2018

Permit. No. 3518501MA, Public Water Supply.
 Applicant **PA American Water**
 800 W. Hershey Park Drive
 Hershey, PA 17033
 [Township or Borough] City of Scranton
Lackawanna County
 Responsible Official Mr. David Kaufman
 Vice President-Engineering
 Type of Facility Public Water Supply
 Consulting Engineer Mr. Scott Thomas, PE
 PA American Water Company
 2699 Stafford Avenue
 Scranton, PA 18505
 Operation Permit Issued 04/23/2018

Permit. No. 4018504MA, Public Water Supply.
 Applicant **PA American Water**
 800 W. Hershey Park Drive
 Hershey, PA 17033
 [Township or Borough] Plain Township
Luzerne County
 Responsible Official Mr. David Kaufman
 Vice President-Engineering
 Type of Facility Public Water Supply

Consulting Engineer Mr. Scott Thomas, PE
 PA American Water Company
 2699 Stafford Avenue
 Scranton, PA 18505
 Operation Permit Issued 04/03/2018

Permit. No. 4018503MA, Public Water Supply.
 Applicant **PA American Water**
 800 W. Hershey Park Drive
 Hershey, PA 17033
 [Township or Borough] Plain Township
Luzerne County
 Responsible Official Mr. David Kaufman
 Vice President-Engineering
 Type of Facility Public Water Supply
 Consulting Engineer Mr. Scott Thomas, PE
 PA American Water Company
 2699 Stafford Avenue
 Scranton, PA 18505
 Operation Permit Issued 04/10/2018

*Southcentral Region: Safe Drinking Water Program
 Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

Permit No. 6718504 MA, Minor Amendment, Public Water Supply.
 Applicant **Haar's Drive In**
 Municipality Carroll Township
 County **York**
 Responsible Official Vickie Hardy, Owner
 185 Logan Road
 Dillsburg, PA 17019

Type of Facility Demonstration of 4-log
 treatment of viruses.
 Consulting Engineer Craig J. Zack, P.E.
 KPI Technology
 143 Carlisle Street
 Gettysburg, PA 17325
 Permit to Construct Issued 5/3/2018

Permit No. 0618511 MA, Minor Amendment, Public Water Supply.
 Applicant **Giorgio Foods, Inc.**
 Municipality Maiden creek Township
 County **Berks**
 Responsible Official Bruce Seidel, Vice
 President—Operations
 1161 Park Road
 Blandon, PA 19510

Type of Facility Giorgio Foods, Inc. submitted a
 permit application for the
 approval to install a new
 disinfection system and contact
 tanks to provide 4-log treatment
 of viruses at Entry Point 101
 (Well Nos. 1, 2 and 3). This
 project was originally apart of
 permit application No. 0618501,
 but was separated to meet
 deadlines stated in the
 November 17, 2017 COA.

Consulting Engineer Andrew C. Hood, P.E.
Keystone Engineering Group,
Inc.
590 East Lancaster Avenue
Frazer, PA 19355

Permit to Construct 4/30/2018
Issued

Consulting Engineer Gibson-Thomas Engineering Co.,
Inc.
1004 Ligonier Street
P.O. Box 853
Latrobe, PA 15650

Permit to Construct April 30, 2018
Issued

Operation Permit No. 3118501 MA issued to: **Happy Trails Campground (PWS ID No. 4310841)**, Penn Township, **Huntingdon County** on 4/30/2018 for facilities approved under Construction Permit No. 3118501 MA.

Comprehensive Operation Permit No. 7360123 issued to: **Columbia Water Company (PWS ID No. 7360123)**, Manor Township, **Lancaster County** on 5/1/2018 for the operation of facilities approved under Construction Permit No. 3617509.

Operation Permit No. 3617517 issued to: **Quarryville Congregation of Jehovah's Witnesses (PWS ID No. 7360891)**, Colerain Township, **Lancaster County** on 4/30/2018 for facilities approved under Construction Permit No. 3617517.

Operation Permit No. 3618506 MA issued to: **Lititz Borough (PWS ID No. 7360126)**, Lititz Borough, **Lancaster County** on 4/26/2018 for facilities submitted under Application No. 3618506 MA.

Operation Permit No. 2818502 MA issued to: **Indian Lake Camp Corporation (PWS ID No. 7280055)**, Metal Township, **Franklin County** on 5/3/2018 for facilities submitted under Application No. 2818502 MA.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Harmar Water Authority**, 200 Pearl Avenue, Cheswick, PA 15024, (**PWSID # 5020009**) Harmar Township, **Allegheny County** on April 30, 2018 for the operation of facilities approved under Construction Permit # 0215529.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (**PWSID # 5260036**) Dunbar Township, **Fayette County** on April 30, 2018 for the operation of facilities approved under Construction Permit # 2618509.

Operations Permit issued to: **The Municipal Authority of the Township of Washington**, 1390 Fayette Avenue, Belle Vernon, PA 15012, (**PWSID # 5260009**) Washington Township, **Fayette County** on April 27, 2018 for the operation of facilities approved under Construction Permit # 2617517.

Permit No. 3217519MA-1, Minor Amendment. Public Water Supply.

Applicant	Indiana County Municipal Services Authority 602 Kolter Drive Indiana, PA 15701
[Borough or Township]	Center Township
County	Indiana
Type of Facility	Warren Road PRV

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operation Permit issued to **Foxburg Area Water & Sewer Authority, PWSID No. 6160004**, Foxburg Borough, **Clarion County**. Permit Number 1601502-MA1 issued May 2, 2018 for the operation of the Well No's 1 and 2. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on April 25, 2018.

Operation Permit issued to **North East Borough Water Authority, PWSID No. 6250061**, North East Township, **Erie County**. Permit Number 2518502 issued May 2, 2018 for the operation of the six top of filter sodium hypochlorite injection points. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on April 25, 2018.

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

WA 12-373C, Water Allocations. **Emporium Water Company**, 174 Nickler Road, Emporium, PA 15834, Emporium Borough, **Cameron County**. Renewal Water Allocation Permit.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 36-113C, Water Allocations. **Columbia Water Company (PWS ID No. 7360123)**, **Lancaster County**. Renewal of Water Allocation Permit No. WA 36-113B for a 6.0 MGD withdrawal from the Susquehanna River. Permittee Contact: David T. Lewis, General Manager, Columbia Water Company, 220 Locust Street, Columbia, PA 17512. Permit Issued: 4/26/2018.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
South Middleton Township	520 Park Drive Boiling Springs, PA 17007	Cumberland

Plan Description: Approval of a revision to the official plan of South Middleton Township, Cumberland County. The project is known as Mike Stamy. The plan provides for a Small Flow Treatment Facility to replace a malfunctioning

tioning onlot sewage disposal system for a single family residence. The Department's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-21926-486-3S and the APS Id is 960212. Any required NPDES Permits or WQM Permits must be obtained in the name of the property owner.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Antis Township	909 North Second Street Bellwood, PA 16617	Blair

Plan Description: Approval of a revision to the official plan of Antis Township, Blair County. The project is known as Timothy McMillen Property SFTF. The plan provides for the installation of a small flow treatment facility, to replace a failing on-lot sewage disposal system for a single-family dwelling, with discharge to an unnamed tributary of the Little Juniata River. The proposed development is located along the north side of Smith Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-07906-323-3s and the APS Id is 964513. Any permits must be obtained in the name of the property owner.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
West Lampeter Township	852 Village Road P.O. Box 237 Lampeter, PA 17537	Lancaster

Plan Description: Approval of a revision to the official plan of West Lampeter Township, Lancaster County. The project is known as Lime Valley Road Mill Development. The plan provides for Small Flow Treatment Facility plan for the conversion of an existing mill into a residence. Flows will be 400 gpd and the treated wastewater will discharge to the Pequea Creek. The proposed development is located at 914 Lime Valley Road in West Lampeter Township, Lancaster County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-36961-290-3s and the APS Id is 956995. Any permits must be obtained in the name of the property owner.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Providence Township	200 Mount Airy Road New Providence, PA 17560	Lancaster

Plan Description: Approval of a revision to the official plan of Providence Township, Lancaster County. The project is known as Charles and Glenda Perry SFTF. The plan provides for a small flow treatment facility to serve a lot containing a malfunctioning on lot system and no suitable areas for on lot disposal. The proposed development is located at 218 Snyder Hollow Road in Providence Township, Lancaster. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-36946-332-3s and the APS Id is 966212. Any permits must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

PAWC-Lake Montrose Water Treatment Plant, 15286 State Route 29, Bridgewater Township, Susquehanna County. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of PA American Water, 800 West Hersheypark Drive, PA 17033, submitted a revised final report concerning site soils contaminated with # 2 heating oil. The report is intended to document remediation of the site to meet residential Statewide Health Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Antonio Randazzo Heating Oil Release, 179, 187 & 197 South Main Street, Yoe, PA 17313, Yoe Borough, York

County. ECS Mid-Atlantic, LLC, 56 Grumbacher Road, Suite D, York, PA 17406, on behalf of F&R Romas, LLC, 970 Castle Pond Drive, York, PA 17402, submitted a Final Report concerning remediation of site soil and groundwater contaminated with # 2 fuel oil released from an aboveground storage tank. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

J. Foltz Pad 2, 773 Zicks Hill Road, Brooklyn Township, **Susquehanna County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of site soils contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, zinc and chlorides as the result of a brine release. The report documented remediation of the site to meet a combination of the Statewide Health and Background Standards and was approved by the Department on May 2, 2018.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Reading Equipment and Distribution, 1363 Bowmansville Road, Bowmansville, PA 17507, Brecknock Township, **Lancaster County**. Liberty Environmental, 50 North 5th Street, Reading, PA 19601, on behalf of The Reading Group, P.O. Box 650, Reading, PA 19607-0650, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on April 30, 2018.

Former Columbia Petroleum Corporation AOC 3, 25 Abbie Road, York, PA 17404, West Manchester Township, **York County**. Patriot Environmental Management, LLC, 21 Unionville Road, P.O. Box 629, Douglassville, PA 19518, on behalf of Columbia Petroleum Corporation, 290 West Nationwide Boulevard, Columbus, OH 43215, and Richland Partners, LLC, d/b/a Leffler Energy, Inc., P.O. Box 659, Douglassville, PA 19518, submitted a Remedial Investigation and Final Report concerning remediation of site soil and groundwater contaminated with leaded gasoline. The Final Report demonstrated attainment of the Site Specific Standard, and was approved by the Department on May 1, 2018.

York Wallcoverings, Inc., 750 Linden Avenue, York, PA 17405, City of York, **York County**. Ramboll US Corporation, 101 Carnegie Center, Suite 200, Princeton, NJ 08540, on behalf of York Wallcoverings, 750 Linden Avenue, York, PA 17405, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil, gasoline and inorganics. The combined Report/Plan was disapproved by the Department on May 2, 2018.

Sunoco Service Station # 0364-1321, 62 West King Street, Shippensburg, PA 17257, Borough of Shippensburg, **Cumberland County**. Mulry and Cresswell Environmental, Inc., 1679 Horseshoe Pike Glenmore, PA 19343, on behalf of Sunoco LP, 2 Fifth Street, Herminie, PA 15637, submitted a Remedial Investigation and Final Report concerning remediation of site soil and groundwater contaminated with unleaded gasoline from an unregistered underground storage tank. The Final Report demonstrated attainment of the Residential Statewide Health and Site Specific Standards, and was approved by the Department on May 2, 2018.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Aqua-Tex Transport, Inc., P.O. Box 1204, Hamonton, NJ 08037. License No. PA-AH S179. Effective May 03, 2018. (P. Arnt).

Earth Technology II, LLC, P.O. Box 338, North Haven, CT 06473. License No. PA-AH 0691. Effective May 04, 2018. (P. Arnt).

Ryan Environmental Transport, LLC, 5793 West Veterans Memorial Highway, Bridgeport, WV 26330. License No. PA-AH 0815. Effective May 02, 2018. (P. Arnt).

Hazardous Waste Transporter License Reissued

Aqua-Tex Transport, Inc., P.O. Box 1204, Hamonton, NJ 08037. License No. PA-AH S179. Effective May 03, 2018. (P. Arnt).

Earth Technology II, LLC, P.O. Box 338, North Haven, CT 06473. License No. PA-AH 0691. Effective May 04, 2018. (P. Arnt).

Ryan Environmental Transport, LLC, 5793 West Veterans Memorial Highway, Bridgeport, WV 26330. License No. PA-AH 0815. Effective May 02, 2018. (P. Arnt).

RESIDUAL WASTE GENERAL PERMITS

Permit(s) issued under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Waste Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit No. WMGR019SW001. McConway and Torley, LLC, 109 48th Street, Pittsburgh, PA 15201. Determination of applicability (DOA) for coverage under residual waste general permit No. WMGR019, which authorizes the beneficial use of waste foundry sand and ferrous metal foundry system dust, slag and refractories for use as roadway construction material, a component or ingredient in the manufacturing of concrete or asphalt products, a soil additive or soil substitute, and non-roadway construction activities. The DOA for the McConway and Torley Pittsburgh Steel Foundry Plant operations located in the City of Pittsburgh, **Allegheny County**, was approved in the Regional Office on May 8, 2018.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904), and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Waste Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit I.D. No. 301374. Calgon Carbon Corporation, 3000 GSK Drive, Moon Township, PA 15108. Operation of a residual waste transfer station in Neville Township, **Allegheny County**. Permit issued in the Regional Office on May 8, 2018.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-06-05082A: Dairy Farmers of America, Inc. (100 McKinley Avenue, Reading, PA 19605) on May 2, 2018, for a new 32.4 MMBtu/hr, natural gas-fired boiler, at the milk products processing facility located in Muhlenberg Township, **Berks County**.

GP6-67-03152: New Formprest, Inc. (52 North Ridge Avenue, York, PA 17403) on May 3, 2018 for the existing three petroleum dry cleaning units, under GP6, at the drycleaning facility in the City of York, **York County**. The general permit authorization was renewed.

GP3-36-03077A: Allan Myers Materials PA Inc. (638 Lancaster Avenue, Malvern, PA 19355), on May 2, 2018, for portable nonmetallic mineral processing equipment, including 2 crushers, 2 screens and 22 conveyors, under GP3, at the Cedar Hill Quarry located in Fulton Township, **Lancaster County**.

GP11-36-03077A: Allan Myers Materials PA Inc. (638 Lancaster Avenue, Malvern, PA 19355), on May 2, 2018, for four non-road engines under GP11, to operate portable nonmetallic mineral processing equipment, at the Cedar Hill Quarry located in Fulton Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

GP19-04-00736A: Valves Inc. (P.O. Box 1186, 1291 Airport Road, Aliquippa, PA 15001) on May 1, 2018, to allow to continue operation of previously installed steel shot blast recovery system controlled by dust collector rated at 16,000 scfm at their dry abrasive blasting facility located in Hopewell Township, **Beaver County**.

GP5-32-00415A: Appliance Petroleum Corporation (4150 Belden Village Ave., Canton, OH 44718) on May 1, 2018, to operate previously installed sources which include: one (1) natural gas-fired Caterpillar compressor engine, Model No. G3304 NA, 4SRB, rated at 95 bhp, two (2) produced water tank, 100-bbl capacity each; and one (1) waste oil tank, 300-gallon capacity, at their Maurer Compressor Station located in Green Township, **Indiana County**.

GP5-32-00366B: Appliance Petroleum Corporation (4150 Belden Village Ave., Canton, OH 44718) on May 1, 2018, to operate previously installed sources which include: one (1) natural gas-fired Waukesha compressor engine, Model No. F1197G, 4SRB, rated at 192 bhp, one

(1) produced water tank, 4,200-gallon capacity; and one (1) waste oil tank, 300-gallon capacity, fugitive emissions, and Truck Loading at their Onsberg Compressor Station located in Cherryhill Township, **Indiana County**.

GP5-32-00435A: Appliance Petroleum Corporation (4150 Belden Village Ave., Canton, OH 44718) on May 1, 2018, to operate previously installed sources which include: one (1) natural gas-fired Waukesha F817G compressor engine equipped with a GT Exhaust 712-R-8.4-5104, three way catalyst and an Altronic EPC-110 (or equipment) automatic air/fuel ratio controller, 4SRB, rated at 125 bhp; and one (1) produced water tank, 60-bbl capacity at their Spurlin Compressor Station located in Center Township, **Indiana County**.

04-00086: FirstEnergy Nuclear Generation Corporation (76 South Main Street). Administrative Amendment, issued on April 27, 2018, to change the names of the Responsible Official and Permit Contact, on the permit. The name of the Responsible Official is now Rod L. Penfield. The name of the Permit Contact Official is now Susan Vicinie. The Beaver Valley Power Station is located in Shippingport Borough, **Beaver County**.

03-00027: GenOn Northeast Management Company (313 Keystone Drive, Shelocta, PA 15774). Administrative Amendment, issued on April 24, 2018, to change the name of the Alternate Responsible Official on the permit. The name of the Responsible Official is now Gregory J. Mitchell. The Keystone Generating Station is located in Plumcreek Township, **Armstrong County**.

GP5-30-00155D: Greylock Midstream, LLC (500 Corporate Landing, Charleston, WV 25311) on May 3, 2018, to allow the continued operation of four natural gas-fired compressor engines, two tri ethylene glycol dehydrators controlled by thermal oxidizers, four produced water storage tanks, and other miscellaneous support equipment at the Cumberland/Henderson Compressor Station located in Cumberland Township, **Greene County**.

04-00043: NCI Building Systems, Inc. dba CENTRIA (500 Perth Drive, Ambridge, PA 15003). Administrative Amendment, issued on April 25, 2018, to change the names of the Owner/Operator, Responsible Official, and Permit Contact, on the permit. The name of the Owner/Operator is now NCI Building Systems, Inc. The name of the Responsible Official is now Todd D. Harbour. The name of the Permit Contact is now Rich Kupiec. The Ambridge Plant is located in Ambridge Borough, **Beaver County**.

03-00224: Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Administrative Amendment, issued on April 23, 2018, to change the names of the Owner/Operator, Responsible Official, and Permit Contact, on the permit. The name of the Owner/Operator is now Rosebud Mining Company. The name of the Responsible Official is now John J. St. Clair. The name of the Permit Contact, also, is now John J. St. Clair. The Clementine Mine Coal Preparation Plant is located in South Buffalo Township, **Armstrong County**.

32-00349: Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Administrative Amendment, issued on April 24, 2018, to change the names of the Responsible Official and Permit Contact, on the permit. The name of the Responsible Official is now John J. St. Clair. The name of the Permit Contact, also, is now John J. St. Clair. The I-22 Tipple is located in Burrell Township, **Indiana County**.

11-00510: Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Administrative Amendment, issued on April 20, 2018, to change the names of the Responsible Official and Permit Contact, on the permit. The name of the Responsible Official is now John J. St. Clair. The name of the Permit Contact, also, is now John J. St. Clair. The Madison Deep Mine is located in Jackson Township, **Cambria County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

08-00025B: Richards Funeral Home, Inc. (502 North Keystone Ave., South Waverly, PA 18840-2943) on May 3, 2018, to construct a crematory unit at the Northern Bradford Crematory facility located in South Waverly Borough, **Bradford County**.

18-00011K: Croda, Inc. (8 Croda Way, Mill Hall, PA 17751) on May 2, 2018, for the construction of a new Super Refined Oil plant and a Combined Heat and Power (CHP) Unit at the Mill Hall Facility located in Bald Eagle Township, **Clinton County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05077D: Can Corporation of America (326 June Avenue, Blandon, PA 19510-0170) on May 3, 2018, for replacing a sheet coater and a sheet coater oxidizer in its Blandon plant located in Maiden creek Township, **Berks County**. The plan approval was extended.

67-03178A: White Metal Recycling, Inc. (150 South Orchard Street, Yoe, PA 17313) on May 1, 2018, for the construction of two (2) natural gas-fired secondary aluminum sweat furnaces each controlled by two dedicated afterburners at the metal recycling facility located in York Township, **York County**. The plan approval was extended.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00007: Holy Redeemer Hospital & Medical Center (1648 Huntingdon Pike, Meadowbrook, PA 19047) On May 3, 2018 for incorporation of plan approval 46-0007 for a cogeneration engine and the renewal of a non-Title V, State Only, Synthetic Minor Operating Permit for the facility located in Abington Township, **Montgomery County**.

15-00082: Downingtown Area School District (445 Manor Avenue, Downingtown, PA 19335) On May 3, 2018 for the renewal of the State Only Operating Permit (Synthetic Minor) to operate six (6) boilers which provide heat to the campus buildings and three (3) emergency generators at this location in Downingtown Borough, **Chester County**.

15-00067: Herr Foods Inc., (273 Old Baltimore Pike, Nottingham, PA 19362) On May 3, 2018 for the renewal of a Non-Title V Facility, State-Only, Synthetic Minor Permit for their food manufacturing and food preparations facility located in West Nottingham Township, **Chester County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

48-00100: TierPoint Pennsylvania Two, LLC (3949 Schelden Cir, Bethlehem, PA 18017-8936) The Department issued, on 5/1/2018, a State-Only (Synthetic Minor) Operating Permit renewal for operation of a data processing center located in Hanover Township, **Northampton County**. The permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

29-03002: P & W Excavating, Inc. (882 Pigeon Cove Road, P.O. Box 882, Warfordsburg, PA 17267-0128) on May 1, 2018, for the batch asphalt plant located in Bethel Township, **Fulton County**. The State-only permit was renewed.

67-05118: Harley-Davidson Motor Co. Operations, Inc. (1425 Eden Road, York, PA 17402-1599) on May 2, 2018, for the motorcycle manufacturing facility located in Springettsbury Township, **York County**. The State-only permit was renewed.

36-05125: PA Department of Corrections (1451 North Market Street, Elizabethtown, PA 17022-1223) on May 2, 2018, for the boilers and generators at the Corrections Officer Training Facility located in Mount Joy Borough, **Lancaster County**. The State-only permit was renewed.

06-05009: New Enterprise Stone & Lime Co., Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9467) on May 3, 2018 for the batch asphalt and stone crushing operations at the Kutztown Quarry located in Maxatawny Township, **Berks County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

47-00010: Kurt Weiss Danville, LLC (233 PPL Road, Danville, PA 17821) on May 1, 2018, for their facility located in Anthony Township, **Montour County**. Sources at the facility includes nine (9) # 2 fuel oil-fired boilers and 126—# 2 fuel oil-fired space heaters. The operating permit renewal includes emission limits and work practices standards along with testing, monitoring, record

keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

08-00027: Oak Hill Veneer, Inc. (P.O. Box 304, Troy, PA 16947) on May 2, 2018 issued a State only operating permit for their facility located in Troy Township, **Bradford County**. The State only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

10-00337: McKnight Cranberry III LP (800 Cranberry Woods Drive, Suite 260, Cranberry Township, PA 16066-5211), the Department on May 7, 2018, issued a renewal of the operating permit for the facility located in Cranberry Township, **Butler County**. The facility has a 2,000 kW emergency generator that is fueled with low sulfur diesel (less than 0.3 percent sulfur by weight). The conditions of the previous plan approval and operating permit were incorporated into the renewal permit. The emergency generator is restricted to 500 hours of operation and shall only be operated during utility power outages and for periodic maintenance testing. The emergency generators are subject to 40 CFR 63 Subpart ZZZZ—NESHAP for Reciprocating Internal Combustion Engine (RICE). The facility is a Natural Minor.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

OP17-000041: Southeastern Pennsylvania Transportation Authority (SEPTA) Fern Rock Subway Shop (11th and Grange Street, Philadelphia, PA 19141) for the operation of a public utility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) boilers firing natural gas and No. 2 Fuel Oil each rated 9.96 MMBtu/hr, three (3) pressure washers firing natural gas each rated 0.49 MMBtu/hr or less, one (1) warm air furnace firing natural gas rated 0.445 MMBtu/hr, two (2) warm air furnaces firing propane each rated 0.40 MMBtu/hr, one (1) emergency generator firing diesel fuel rated 80 kW, one (1) spray booth for non-automotive parts, and eight (8) parts washers/degreasers.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00226: Nosco ODSC, Inc. (1504 Grundy Lane, Bristol, PA 19007) On May 3, 2018 for an administrative amendment to incorporate the requirements of Plan Approval 09-0226A for an HP Indigo 30000 Digital Printing Press into the facility State Only Operating Permit, 09-00226 for their facility located in Bristol Township, **Bucks County**. This Administrative Amendment is issued in accordance with the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

17141601 and NPDES No. PA0236314. E.M. Brown, Inc., (P.O. Box 767, Clearfield, PA 16830). To operate the Winburne AMD Abatement Site in Cooper Township, **Clearfield County** and related NPDES Permit. Formerly permitted under Permit No. 17881601. Coal Refuse Disposal Acres Proposed 3.4. Receiving Stream: Sulphur Run, classified for the following use: CWF-MF. The application was considered administratively complete on April 22, 2015. Application received: February 19, 2015. Permit issued: May 2, 2018.

56841603 and GP12-56841603-R17. PBS Coals, Inc., (P.O. Box 260, Friedens, PA 15541). To revise the permit for the Shade Creek Prep Plant in Shade Township, **Somerset County** to allow an additional degree of flexibility in raw coal truck routing; raw coal storage areas; and truck dumping with resulting revised PM and PM₁₀ emissions. Approval is authorized under General Permit BAQ-GPA/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-56841603-R17. The application was considered administratively complete on November 29, 2017. Application received November 29, 2017. Permit issued May 4, 2018.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

33813020 and NPDES Permit No. PA0603465. Original Fuels, Inc. (P.O. Box 343, Punxsutawney, PA 15767) Transfer of an existing surface mining permit and associated NPDES permit from Leonard W. Yenzi in Winslow Township, **Jefferson County**, affecting 285.2 acres. Receiving streams: Front Run, unnamed tributary to Front Run, unnamed tributary to Trout Run. Application received: September 18, 2017. Permit Issued: May 3, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

02823014 and NPDES Permit No. PA0617661. Settler's Ridge L.P. c/o O'Connor Capital Partners (535 Madison Avenue, 23rd Floor, New York, NY 10022). Permit renewal issued for continued treatment of an existing bituminous surface mine, located in Robinson

Township, **Allegheny County**, affecting .404 acre. Receiving streams: Campbell's Run. Application received: June 4, 2014. Renewal permit issued: May 2, 2018.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

PAM618023. Jerart, Inc. (3701 Duss Avenue, P.O. Box 172, Baden, PA 15005). General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 04910301 in Harmony Township, **Butler County**. Receiving streams: Legionville Run. Application received: March 29, 2018. Permit Issued: May 1, 2018.

20900302. Frank Tucci (25000 PA Route 99, Cambridge Springs, PA 16403). Revision to add NPDES permit No. PA0280534 in Rockdale Township, **Crawford County**, affecting 24.0 acres. Receiving streams: Kelly Run. Application received: January 3, 2018. Permit Issued: May 3, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

PAM317006. Charles L. Swenglish & Sons Coal Company, Inc. (2 Swenglish Lane, Smithfield, PA 15478). General NPDES permit for stormwater discharge associated with mining activities on an existing small noncoal (Industrial Mineral), Permit No. 26052806, located in Springhill and Georges Townships, **Fayette County** affecting 2.5 acres. Receiving streams: Unnamed tributary to Rubles Run. Application received: August 30, 2017. GP-104 permit issued: May 4, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58172515 & NPDES Permit No. PA0225801. Johnson Quarries, Inc., (P.O. Box 137, LeRaysville, PA 18829), commencement, operation and restoration of a quarry operation and NPDES permit for discharge of treated mine drainage in Apolaccon Township, **Susquehanna County** affecting 10.0 acres, receiving stream: no discharge to Bow Bridge Creek. Application received: December 20, 2017. Permit issues: May 1, 2018.

Permit No. 7975SM2A1C11 and NPDES Permit No. PA0613151. H&K Group, Inc., (P.O. Box 196, Skippack, PA 19474), renewal of NPDES permit for discharge of treated mine drainage in Plumstead Township, **Bucks County**, receiving stream: Geddes Run. Application received: January 19, 2018. Renewal issued: May 7, 2018.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

10184003. Precision Geophysical, Inc. (2695 State Route 83 South, Millersburg, OH 44654) Blasting activity permit for seismic exploration in Allegheny, Parker & Cherry Valley Townships, **Butler County**. This blasting activity permit expires on June 25, 2018. Permit Issued: May 1, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

14184102. Wampum Hardware Company (130 Weston Rd, Grove City, PA 16127). Blasting for commercial development at Maxwell Science Park located in Ferguson Township, **Centre County** with an expiration date of December 31, 2018. Permit issued: May 1, 2018.

60184101. Wampum Hardware Company (130 Weston Rd, Grove City, PA 16127). Blasting for highway/road construction located in Union Township, **Union County** with an expiration date of December 31, 2018. Permit issued: May 3, 2018.

53184001. Precision Geophysical, Inc. (2695 State Route 83 South, Millersburg, OH 44654). Blasting for seismic exploration in Pike, Ulysses, Sweden, Allegany, Summit, and Eulalia Townships, **Potter County** with an expiration date of November 5, 2018. Permit issued: May 3, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 38184108. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Owl Creek Construction in Jackson Township, **Lebanon County** with an expiration date of June 30, 2018. Permit issued: May 1, 2018.

Permit No. 38184109. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Issac Zook in Jackson Township, **Lebanon County** with an expiration date of June 30, 2018. Permit issued: May 1, 2018.

Permit No. 49184101. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Robert Milley Road Cut in Lower Mahanoy Township, **Northumberland County** with an expiration date of December 31, 2018. Permit issued: May 2, 2018.

Permit No. 48184105. Schlouch, Inc., (132 Excelsior Drive, Blandon, PA 19510), construction blasting for Brodhead Road District Center in Bethlehem Township, **Northampton County** with an expiration date of April 30, 2019. Permit issued: May 4, 2018.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the

Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E05-394: Mann Township, P.O. Box 36, Artemas, PA 17211 in Mann Township, **Bedford County**, U.S. Army Core of Engineers, Baltimore District.

To construct and maintain 173.0 feet of riprap for stream bank protection due to slope failure and streambank stabilization, along with six (6) rock vanes constructed to direct flow away from the failed right streambank. Also, approximately 125-foot gravel bar will be removed on the left stream side to enhance flow to the center of the channel. A temporary full stream width causeway will be implemented to access both banks during construction. The project will impact 0.44 acre of stream and floodway to Blackberry Lick Run (EV, MF), all for the purpose of stabilizing the collapsed stream bank and roadway above. There are no wetlands within the proposed project area or within the 0.71 acre of limit of disturbance. The project is located north of Blackberry Lick Road (T-334) approximately 0.15 mile east of its intersection with S.R. 0026 (Latitude: 39°47'02", Longitude: -78°24'31") in Mann Township, Bedford County. Permit was issued on May 1, 2018.

E01-322: Cambrian Hills, LP, 160 Ram Drive, Hanover, PA 17331, Berwick Township, **Adams County**.

To install and maintain the following:

Impact area 2: 1) 92 lineal feet of 18 inch diameter, smooth-lined corrugated plastic pipe (SLCPP) with endwalls; relocating 72 lineal feet of stream and permanently filling 724 square feet of wetland, 2) 100 lineal feet of 8 inch diameter SDR35 sewer pipe with trench plugs, 3) 100 lineal feet of 8 inch diameter, ductile iron water pipe with trench plugs, 4) 100 lineal feet of electric line bundle encased in 8 inch diameter PVC pipe with trench

plugs, 5) 100 lineal feet of 2 inch diameter gas line with trench plugs, 6) 100 lineal feet of cable TV line encased in 1 inch diameter PVC pipe with trench plugs, 7) 100 lineal feet of telephone cable encased in 1 inch diameter PVC pipe with trench plugs, and 8) 100 lineal feet of 6 inch diameter subgrade drain pipe. The impacts above are in the stream, in the floodway, or under an unnamed tributary to South Branch of Conewago Creek (WWF, MF) (Latitude: 39.8448°, Longitude: -77.0017°);

Impact area 3: 1) 80 lineal feet of 4.1 foot tall by 9.75 foot wide, metal arch box, baffled, depressed 6 inches below natural stream bed, with endwalls; permanently filling 1,197 square feet of wetland, 2) 108 lineal feet of 8 inch diameter SDR35 sewer pipe with trench plugs, 3) 108 lineal feet of 8 inch diameter, ductile iron water pipe with trench plugs, 4) 108 lineal feet of electric line bundle encased in 8 inch diameter PVC pipe with trench plugs, 5) 108 lineal feet of 2 inch diameter gas line with trench plugs, 6) 108 lineal feet of cable TV line encased in 1 inch diameter PVC pipe with trench plugs, 7) 108 lineal feet of telephone cable encased in 1 inch diameter PVC pipe with trench plugs, 8) 108 lineal feet of 6-inch diameter subgrade drain pipe, and 9) 108 lineal feet of 24 inch diameter, reinforced concrete storm drain pipe with inlet boxes and trench plugs. The impacts above are in the stream, in the floodway, or under an unnamed tributary to South Branch of Conewago Creek (WWF, MF) (Latitude: 39.8436°, Longitude: -77.0003°);

Impact area 4: 1) 67 lineal feet of 18 inch diameter, SLCPP with endwalls; permanently filling 2,988 square feet of wetland, 2) 27 lineal feet of 8 inch diameter, ductile iron water pipe with trench plugs, 3) 37 lineal feet of electric line bundle encased in 8 inch diameter PVC pipe with trench plugs, 4) 37 lineal feet of 2 inch diameter gas line with trench plugs, 5) 37 lineal feet of cable TV line encased in 1 inch diameter PVC pipe with trench plugs, 6) 37 lineal feet of telephone cable encased in 1 inch diameter PVC pipe with trench plugs, 7) 37 lineal feet of 6 inch diameter subgrade drain pipe, and 8) 37 lineal feet of 24 inch diameter, reinforced concrete storm drain pipe with trench plugs. The impacts above are in or under a PEM wetland (Latitude: 39.8426°, Longitude: -76.9984°);

Impact area 5: 1) 75 lineal feet of 2.5 foot tall by 8.66 foot wide, metal arch box, baffled, with endwalls; permanently filling 9,125 square feet of wetland, 2) 112 lineal feet of 8 inch diameter, ductile iron water pipe with trench plugs, 3) 112 lineal feet of electric line bundle encased in 8 inch diameter PVC pipe with trench plugs, 4) 112 lineal feet of 2 inch diameter gas line with trench plugs, 5) 112 lineal feet of cable TV line encased in 1 inch diameter PVC pipe with trench plugs, 6) 112 lineal feet of telephone cable encased in 1 inch diameter PVC pipe with trench plugs, The impacts above are in or under a wetland (Latitude: 39.8406°, Longitude: -76.9990°);

Impact area 6: 1) 70 lineal feet of 3.25 foot tall by 9.2 foot wide, metal arch box, baffled, depressed 6 inches below natural stream bed, with endwalls; permanently filling 24 square feet of wetland, 2) 105 lineal feet of 8 inch diameter SDR35 sewer pipe with trench plugs, 3) 105 lineal feet of 12 inch diameter, ductile iron water pipe with trench plugs, 4) 105 lineal feet of electric line bundle encased in 8 inch diameter PVC pipe with trench plugs, 5) 105 lineal feet of 2 inch diameter gas line with trench plugs, 6) 105 lineal feet of cable TV line encased in 1 inch diameter PVC pipe with trench plugs, and 7) 105 lineal feet of telephone cable encased in 1 inch diameter PVC pipe with trench plugs. The impacts above are in the

stream, in the floodway, or under an unnamed tributary to South Branch of Conewago Creek (WWF, MF) (Latitude: 39.8395°, Longitude: -77.0020°);

Impact area 7: 1) 75 lineal feet of 5.2 foot tall by 12.66 foot wide, metal arch box, baffled, depressed 6 inches below natural stream bed, with endwalls; permanently filling 24 square feet of wetland, 2) 105 lineal feet of 8 inch diameter, ductile iron water pipe with trench plugs, 3) 105 lineal feet of electric line bundle encased in 8 inch diameter PVC pipe with trench plugs, 4) 105 lineal feet of 2 inch diameter gas line with trench plugs, 5) 105 lineal feet of cable TV line encased in 1 inch diameter PVC pipe with trench plugs, and 6) 105 lineal feet of telephone cable encased in 1 inch diameter PVC pipe with trench plugs. The impacts above are in the stream, in the floodway, or under an unnamed tributary to South Branch of Conewago Creek (WWF, MF) (Latitude: 39.8389°, Longitude: -77.0031°);

Impact area 8: 1) 113 lineal feet of 8-inch diameter, SDR35 sewer pipe with trench plugs, 2) 113 lineal feet of 6-inch diameter, ductile iron sewer force main pipe with trench plugs. The impacts above are in the stream, in the floodway, or under an unnamed tributary to South Branch of Conewago Creek (WWF, MF) (Latitude: 39.8427°, Longitude: -77.0032°);

Impact area 10: Fill 6,000 square feet of the floodway of an unnamed tributary to South Branch of Conewago Creek (WWF, MF) (Latitude: 39.8427°, Longitude: -77.0031°); and

Impact area 11: 1) 970 lineal feet of 8-inch diameter, SDR35 sewer pipe, 2) 970 lineal feet of 6-inch diameter, ductile iron sewer force main pipe, 3) 970 lineal feet of 4 inch diameter, plastic gas main pipe, and 4) fill in the floodway. The impacts above are in the floodway of an unnamed tributary to South Branch of Conewago Creek (WWF, MF) (Latitude: 39.8386°, Longitude: -77.0031°).

All impacts are associated with the Cambrian Hills development. Forested and emergent wetland mitigation in the amount of 0.32 acre is required. Stream mitigation is required in the form of filling in-channel sinkholes and providing a riparian forested buffer along a 1,824 linear foot section of stream channel. Permit was issued on May 4, 2018.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E14-581. Pennsylvania Department of Transportation, Engineering District 2-0, 70 PennDot Drive, Clearfield, PA 16830. SR 0026, Section A04 Lick Run Bridge Replacement in Marion Township, **Centre County**, ACOE Baltimore District (Mingoville, PA Quadrangle; Latitude: 40° 59' 58"; Longitude -77° 38' 43").

PA DOT Engineering District 3-0 proposes to replace a single span reinforced concrete arch with a single span precast concrete spread box beam bridge. The existing bridge has a span of 40.1 Ft., a skew of 90 degrees, an underclearance of 1.78 Ft., a low chord of 795.64 Ft. and a hydraulic opening of 167 Ft². The proposed bridge has a span of 39.9 Ft., a skew of 70 degrees, an underclearance of 2.3 Ft., a low chord of 799.57 Ft. and a hydraulic opening of 188 Ft². The proposed structure will be shifted approximately 25 Ft. upstream to better align the structure with the horizontal roadway curve. The project will utilize R-8 Rip Rap scour protection around the abutments and wingwalls. The project will temporarily impact 0.01 acre and permanently impact 0.05 acre of jurisdictional wetlands and does not require mitigation. Lick Run

is classified as an Exceptional Value Stream by Title 25, Chapter 93 Water Quality Standards and a Class A Wild Trout Stream by PA Fish and Boat Commission. This permit also includes 401 Water Quality Certification.

Northwest Region: Waterways & Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E24-270, Pennsylvania Game Commission (PGC), 2001 Elmerton Avenue, Harrisburg, PA 17110-9797. SGL # 44 Beech Bottom Run Bridge, in Spring Creek Township, **Elk County**, ACOE Pittsburgh District (Portland Mills, PA Quadrangle N: 41°, 22', 48.188"; W: -78°, 52', 5.845").

To construct and maintain a 14-foot wide steel beam bridge with timber deck on concrete abutments providing a clear span of approximately 36 feet and an underclearance of 4 feet across Beech Bottom Run on an access road extending west from Arroyo-Portland Road approximately 0.5 mile north of Lake City Road in State Game Lands 44 (Portland Mills, PA Quadrangle N: 41°, 22', 48.188"; W: -78°, 52', 5.845") in Spring Creek Township, Elk County.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA.

E5929-069: SWEPI LP, 150 N. Dairy Ashford, E1296-E, Houston, TX 77079, Charleston Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain a well pad and access road impacting 710 linear feet of an unnamed tributary to Catlin Hollow (TSF) and 875 linear feet of another unnamed tributary to Catlin Hollow (TSF) (Cherry Flats, PA Quadrangle 41°44'48"N, 77°12'06"W). The impacts are a result from the previous well pad owner constructing the pad over an unnamed tributary to Catlin Hollow and rock lining the stream channel along the access road. The pad and access road construction resulted in 1,585 linear of permanent stream impacts in Charleston Township, Tioga County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX13-129-0003 Major Modification
Applicant Name CNX Gas Company, LLC
Contact Person Carol Phillips
Address 1000 Consol Energy Drive
City, State, Zip Canonsburg, PA 15317
County Westmoreland County
Township(s) Bell Township
Receiving Stream(s) and Classification(s) UNTs to Kiskikiminetas River (WWF) & Kiskikiminetas River (WWF)

ESCGP-2 # ESX17-059-004
Applicant Name Rice Poseidon Midstream, LLC
Contact Person Erin Debias
Address 2200 Energy Drive
City, State, Zip Canonsburg, PA 15317
County Greene County
Township(s) Franklin Township
Receiving Stream(s) and Classification(s) UNT to South Fork Tenmile Creek (WWF)

ESCGP-2 # ESG18-129-0003
Applicant Name CNX Gas Company, LLC
Contact Person Carol Phillips
Address 1000 Consol Energy Drive
City, State, Zip Canonsburg, PA 15317
County Westmoreland County
Township(s) Washington Township
Receiving Stream(s) and Classification(s) EV Wetlands, UNTs to Beaver Run (HQ-CWF) & Beaver Run (HQ-CWF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESG18-047-0001—Pad E09-F
Applicant Seneca Resources Corporation
Contact Mr. Doug Kepler
Address 5800 Corporate Drive, Suite 300
City Pittsburgh State PA Zip Code 15237
County Elk Township(s) Jones
Receiving Stream(s) and Classification(s) Naval Hollow/Upper Clarion River Watershed HQ EV CWF, Clarion River

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX13-115-0044(01)
Applicant Name Cabot Oil & Gas Corp
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna
Township(s) Jessup
Receiving Stream(s) and Classification(s) Snell Ck (CWF, MF) and UNT to East Branch Wyalusing Ck (CWF, MF)

ESCGP-2 # ESX29-115-18-0034
Applicant Name Cabot Oil & Gas Corp
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275-1121
County Susquehanna
Township(s) Harford
Receiving Stream(s) and Classification(s) Nine Partners Ck (CWF-MF) and UNTs thereto

ESCGP-2 # ESG29-105-16-0005(01)
 Applicant Name JKLM Energy LLC
 Contact Person Scott Blauvelt
 Address 2200 Georgetown Dr, Suite 500
 City, State, Zip Sewickley, PA 15143-8753
 County Potter
 Township(s) Summit and Sweden
 Receiving Stream(s) and Classification(s) UNTs to West Branch Pine Ck (HQ-CWF); West Branch Pine Ck (HQ-CWF); UNTs to Nelson Run (HQ-CWF); Nelson Run (HQ-CWF); Bates Hollow (HQ-CWF)
 Secondary—West Branch Pine Ck (HQ-CWF; Pine Ck (EV); Nelson Run (HQ-CWF); Mill Ck (HW-CWF); and Mill Ck (HQ-CWFP

ESCGP-2 # ESX29-015-18-0021
 Applicant Name EOG Resources Inc
 Contact Person Jon Jorgenson
 Address 2039 S Sixth St
 City, State, Zip Indiana, PA 15701
 County Bradford
 Township(s) Ridgebury and Smithfield
 Receiving Stream(s) and Classification(s) Fall Ck (WWF, MF)
 Secondary—Bentley Ck

ESCGP-2 # ESX13-115-0023(02)
 Applicant Name Chief Oil and Gas LLC
 Contact Person Jeffrey Deegan
 Address 1720 Sycamore Rd
 City, State, Zip Montoursville, PA 17754
 County Susquehanna
 Township(s) Springville
 Receiving Stream(s) and Classification(s) UNT to White Ck (CWF, MF); Thomas Ck (CWF, MF)

ESCGP-2 # ESX29-015-18-0013
 Applicant Name EOG Resources Inc
 Contact Person Jon Jorgenson
 Address 2039 S Sixth St
 City, State, Zip Indiana, PA 15701
 County Bradford
 Township(s) Athens
 Receiving Stream(s) and Classification(s) UNT to Apple Ck (WWF, MF)
 Secondary—Apple Ck

ESCGP-2 # ESG29-081-17-0051(01)
 Applicant Name ARD Operating LLC
 Contact Person Stephen Barondeau
 Address 33 W Third St, Suite 300
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Cascade
 Receiving Stream(s) and Classification(s) UNTs to Salt Run (EV); Salt Run (EV)
 Secondary—Salt Run (EV); Wallis Run (EV)

ESCGP-2 # ESG29-081-16-0004(01)
 Applicant Name ARD Operating LLC
 Contact Person Stephen Barondeau
 Address 33 W Third St, Suite 300
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Cascade
 Receiving Stream(s) and Classification(s) UNTs to Salt Run (EV); Salt Run (EV)
 Secondary—Salt Run (EV); Wallis Run (EV)

ESCGP-2 # ESX29-115-18-0016
 Applicant Name Cabot Oil & Gas Corporation
 Contact Person Kenneth Marcum
 Address 2000 Park Lane, Suite 300

City, State, Zip Pittsburgh, PA 15275
 County Susquehanna
 Township(s) Springville
 Receiving Stream(s) and Classification(s) UNTs to Meshoppen Ck (CWF, MF) and UNTs to N Branch Meshoppen Ck (CWF, MF)

ESCGP-2 # ESG29-115-18-0015
 Applicant Name Cabot Oil & Gas Corporation
 Contact Person Kenneth Marcum
 Address 2000 Park Lane, Suite 300
 City, State, Zip Pittsburgh, PA 15275
 County Susquehanna
 Township(s) Gibson
 Receiving Stream(s) and Classification(s) Tunkhannock Ck (CWF, MF) and Bell Ck (CWF, MF)

ESCGP-2 # ESG29-115-18-0007
 Applicant Name Chief Oil & Gas LLC
 Contact Person Jeffrey Deegan
 Address 1720 Sycamore Rd
 City, State, Zip Montoursville, PA 17754
 County Susquehanna
 Township(s) Lenox
 Receiving Stream(s) and Classification(s) Utlely Brook (CWF, MF)

ESCGP-2 # ESX29-115-18-0029
 Applicant Name SWN Production Co LLC
 Contact Person Nicki Atkinson
 Address 917 SR 92 N
 City, State, Zip Tunkhannock, PA 18657
 County Susquehanna
 Township(s) Jackson
 Receiving Stream(s) and Classification(s) UNT to Tunkhannock Ck and Tunkhannock Ck (CWF-MF)

SPECIAL NOTICES

Air Quality; Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Volatile Organic Compounds, Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit 08-00002

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

Approval of a Reasonably Available Control Technology (RACT II) plan for E.I. DuPont de Nemours and Company located in North Towanda Township, Bradford County.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection (Department) has made a preliminary determination to approve a RACT II plan and an amendment to the State Implementation Plan (SIP) for the Towanda facility owned and operated by E.I. DuPont de Nemours and Company in North Towanda Township, Bradford County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a revised operating permit (08-00002) for the facility. The relevant RACT II requirements will be submitted to the United States Environmental Protection Agency (EPA) as

a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal includes the provisions of the Department's presumptive Reasonably Available Control Technology (RACT II) requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

Source	RACT II Requirement
Source P147—TR-1 and Cleanup Operations Volatile Organic Compounds.	VOC emissions shall be limited to 3.70 tons in any 12-consecutive month period
Source P159—New Era Film Coater Volatile Organic Compounds	VOC emission shall be limited to 24.46 tons in any 12-consecutive month period. VOC emissions from Source P159 shall be controlled by Control Device C159

Public hearing. A public hearing will be held if requested by June 27, 2018, to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, on July 5, 2018, at 10 a.m. at the Department Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Megan Lehman at (570) 327-3659. The last day to pre-register to speak at a hearing, if one is held, will be June 27, 2018.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <http://www.dep.pa.gov/About/Regional/North-central-Regional-Office/Pages/default.aspx>.

Contact Megan Lehman at (570) 327-3659 or monitor the Department North Central Region web site to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Megan Lehman at (570) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three copies of a written statement and exhibits within 10 days thereafter to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Muhammad Q. Zaman,

Environmental Program Manager, Department of Environmental Protection Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. A 30-day comment period from May 19, 2018, will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Department Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Appointments for scheduling a review may be made by calling the Department at (570) 327-0550.

Notice of Projects under the Environmental Good Samaritan Act

The Environmental Good Samaritan Act (27 Pa.C.S. §§ 8001—8114) provides certain protections and immunities from civil liability for landowners and persons who voluntarily undertake reclamation and abatement projects to address land and water adversely affected by mining or oil or gas extraction or exploration for natural resources and left in an unreclaimed condition or left discharging water pollution. In order for landowners and persons to qualify for immunity, the projects must be approved by the Department.

The following project proposals have been received by the Department of Environmental Protection. A copy of the proposals is available for inspection at the Department Northwest (Meadville) Regional Office, 230 Chestnut Street, Meadville, PA 16335 between 9 a.m. and 4 p.m.

Written comments or objections may be submitted by any person or any office or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the proposal identification number; and a statement of sufficient detail to inform the Department of the basis of the comment or objection and the relevant facts upon which it is based.

Well Plugging; Project Proposals Received

EGSOG42-001, PGCC Good Samaritan Plugging Project #1 Abandoned Well Plugging. Pennsylvania Grade Crude Oil Coalition (PGCC), P.O. Box 149, Mt. Jewett, PA 16740. Pennsylvania Grade Crude Oil Coalition (PGCC) is planning to plug an abandoned oil and gas well (API No. 083-30868) located in Corydon Township, **McKean County**. The roadway providing access to the subject well is being decommissioned by the Allegheny National Forest, and if the well is not plugged at this time, future access will be much more difficult. The well plugging project will affect an area of less than 1 acre. Complete project proposal received April 30, 2018.

[Pa.B. Doc. No. 18-786. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Opening of the Grant Application Acceptance Period for the Pennsylvania State Clean Diesel Grant Program

The Department of Environmental Protection (Department) announces an opportunity to apply for \$688,697 that has been made available through the United States Environmental Protection Agency (EPA) and the Federal Diesel Emission Reduction Act (DERA). A portion of this funding, \$275,479, is from the settlement of a lawsuit with Volkswagen and its subsidiaries, relating to diesel vehicle emission violations, and is being used as the Commonwealth's voluntary match funding under the DERA program. This funding is available through the Pennsylvania State Clean Diesel Grant Program (Grant Program) for eligible diesel emission reduction projects that will improve air quality and protect public health and the environment in this Commonwealth by reducing emissions from diesel-powered vehicles and engines.

The Department is seeking applications for projects that will replace, repower or retrofit fleet diesel-powered highway and nonroad vehicles, engines and equipment. Funding is available for public and private entities that operate diesel-powered fleets throughout this Commonwealth. These entities may include school districts, municipal authorities, political subdivisions, other State agencies, nonprofit entities, corporations, limited liability companies or partnerships incorporated or registered in

this Commonwealth, air quality or transportation organizations, and metropolitan or rural planning organizations. Projects must use technologies certified or verified by the EPA or the California Air Resources Board to lower diesel emissions, unless otherwise noted in the Grant Program guidelines. The technology may be a single technology or a combination of available technologies. The majority of the fleet's annual operation time must occur within this Commonwealth.

The Department will not reimburse grant recipients for project costs incurred prior to the grant performance period set forth in the applicable grant agreement.

The application package, including guidance and application instructions, is available electronically on the Department's Driving PA Forward webpage at www.dep.pa.gov/drivepafoward. The application package is also available by contacting Samantha Harmon, Department of Environmental Protection, Bureau of Air Quality, 12th Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-9495.

The Department will accept online applications until 4 p.m. on July 6, 2018. A webinar on the Grant Program will be held on June 6, 2018. See the Grant Program guidelines for registration information. Fax and e-mail submissions of applications will not be accepted.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-787. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Planning and Household Hazardous Waste Education Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection hereby announces the following grants to Chester County, Clinton County and Butler County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101 for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste (HHW) and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, P.O. Box 8472, Harrisburg, PA 17105-8472 at (717) 772-5719 or mvottero@pa.gov.

Act 101, Section 901 Planning and HHW Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project</i>	<i>Grant</i>
Southeast	Chester	Chester County	Planning	\$75,000
Northcentral	Clinton	Clinton County	HHW Education	\$27,280
Northwest	Butler	Butler County	HHW Education	\$16,800

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-788. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale Monroe County

The Department of General Services (Department) will accept bids for the purchase of 0.58 acre ± and improvements, formerly known as the East Stroudsburg National Guard Armory/Readiness Center, located at 271 Washing-

ton Street, East Stroudsburg Borough, Monroe County. Bids are due Thursday, August 2, 2018. Interested parties wishing to receive a copy of Solicitation No. 94945 should view the Department's web site at www.dgs.pa.gov or call Lisa Kettering at (717) 787-1321.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 18-789. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facility (ASF) has filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Einstein Endoscopy Center—Blue Bell	28 Pa. Code § 553.1 (relating to principle)
	28 Pa. Code § 555.1 (relating to principle)
	28 Pa. Code § 557.2(a) and (b) (relating to plan)
	28 Pa. Code § 563.2 (relating to organization and staffing)
	28 Pa. Code § 567.2 (relating to committee responsibilities)

All previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-790. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

Prearrest Breath Testing Devices

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content (BAC) under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S.

§ 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish

and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

Evidential Breath Testing Devices

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984).

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 BAC, to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993.

Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The Department's list of evidential breath testing devices contains updates to the CPL published at 82 FR 50940 (November 2, 2017).

Instruments marked with an asterisk (*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Jennifer Okraska at the following address so that the Department

has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law

enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) may contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing-impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey ¹	<ul style="list-style-type: none"> • AlcoScan AL-2500. • SafeMate.² • SafeDrive. • AlcoMate.³ (aka: AlcoHAWK Pro by Q3 Innovations). • AlcoMate Accu Cell AL-9000. • AlcoMate Pro.³ • AlcoMate Core.⁴ • AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).^{4 5} • AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).^{4 6} • AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. ⁷ Alco Check 9000. ⁷
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol® .02 Detection System. ⁸
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02™ ⁹ .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> • Alco Tector Mark X. • Mark X Alcohol Checker. • Alcotector WAT89EC-1. • Alcotector WAT90.
Han International Co., Ltd., ² Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> • BACTRACK Select S50.¹⁰ • BACTRACK Select S80.¹⁰ • BACTRACK Element. • BACTRACK S 75 Pro.
Lion Laboratories, Ltd., Wales, United Kingdom	Alcometer 500 (aka: Intoxilyzer 500-CMI, Inc.).
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> • PAS Vr. • Alcovisor MARS.

Distributors/Manufacturers	Devices
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> • AlcoHAWK Precision. • AlcoHAWK Slim. • AlcoHAWK Slim 2. • AlcoHAWK Elite. • AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.). • AlcoHAWK Micro. • AlcoHAWK PRO (aka: AlcoMate by AK Solutions). • AlcoHAWK PT 500. • CA2010.
RepcO Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> • AT577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. ⁷
Varian, Inc., Lake Forest, California	On-Site Alcohol. ¹⁰

¹ The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

² Manufactured by Seju Engineering, Korea.

³ Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

⁴ Manufactured by Sentech Korea Corp.

⁵ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

⁶ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

⁷ While these devices are still being sold, they are no longer manufactured or supported.

⁸ The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

⁹ While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

¹⁰ While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
AK Global/Tech Corporation, Palisades Park, New Jersey:		
AlcoMate TS600 (aka: Alcoscan ALP-1 outside the U.S.)	X	X
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF ^{IR} Evolution	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	X
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
9000	X	X
9000 (serial numbers 90-000500 and above)	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger, Inc. (aka: Draeger Safety Diagnostics, Inc. or National Draeger) Irving, Texas:		
Alcotest Model:		
3820	X	X
5510	X	X
5820	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC, Wismar, Germany, distributed by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
AlcoQuant 6020 Plus	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Auto Intoximeter*	X	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Photo Electric Intoximeter*	—	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox DMT Dual Sensor	X	X
Intox EC/IR	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	—	X
Intox EC/IR II.t	X	X
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
(Also Listed under National Patent Analytical Systems, Inc.) BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT w/Fuel Cell option	X	X
DataMaster DMT w/Rev A Fuel Cell option	X	X
DataMaster DMT (aka: Intox MT)	X	X
Intox DMT (aka: DataMaster DMT)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
EV 30 (w/or without EASYCAL accessory)	X	X
FC 10 (w/or without EASYCAL accessory)	X	X
FC 10Plus (w/or without EASYCAL accessory)	X	X
FC 20 (w/or without EASYCAL accessory)	X	X
FC 20BT (w/or without EASYCAL accessory)	X	X
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0 (w/or without EASYCAL accessory)	X	X
Phoenix 6.0BT (w/or without EASYCAL accessory)	X	X
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	X
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
EBA*	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X
2000*	—	X
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc. (NPAS), Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT (aka: Intox DMT)	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/ Rev A Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Mark V Alcovisor	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemens-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-791. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals are requesting exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition (Guidelines)*. The following list includes the citation to the section under the Guidelines that the hospital is seeking an exception.

Facility Name	Guidelines Section
Nazareth Hospital	2.2-2.6.2.6 (relating to toilet rooms or human waste disposal rooms)
Saint Vincent Hospital	2.2-3.1.3.6(8)(a) (relating to treatment rooms or areas (location of human decontamination areas))
	2.2-3.1.6.1(4) (relating to administrative centers or nurse stations)
	2.2-3.4.6.4(2) (relating to pre-procedure patient care and observation spaces)

All previously listed requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-792. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the

Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision at 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing-impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols SB, SSe, CB, CSe indicate the following:

SB = approved for blood screening analyses
SSe = approved for serum screening analyses
CB = approved for blood confirmatory analyses
CSe = approved for serum confirmatory analyses

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SB,
SSe, CB, CSe
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,
SSe, CB, CSe
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 923-0166

21613
ARUP LABORATORIES INC—SSe, CSe
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,
SSe, CB, CSe
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

30483
AXIS FORENSIC TOXICOLOGY, INC—SBCB
5780 W 71ST STREET
INDIANAPOLIS, IN 46278
(317) 243-3894

34424
CASTLE MEDICAL, LLC—CB
5700 HIGHLANDS PARKWAY STE 100
SMYRNA, GA 30082
(678) 486-7340

00977
DRUGSCAN INC—SB, SSe, CB, CSe
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

31400
FRANCES WARDE MEDICAL LABORATORY—SSe, CSe
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

24655
HEALTH NETWORK LABORATORIES—SB, SSe, CB,
CSe
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SSe, CSe
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

05574
MEDTOX LABORATORIES INC—SB, SSe, CB, CSe
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,
CB, CSe
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

29741
NORTHERN TIER RESEARCH—SB, SSe, CB, CSe
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

30984

OFFICE OF THE DISTRICT ATTORNEY—SB, SSe, CB
37 E HIGH STREET, FORENSIC LAB
CARLISLE, PA 17013
(717) 240-6526

00250

PARKWAY CLINICAL LABORATORIES—SSe
3494 PROGRESS DRIVE, SUITE D
BENSALEM, PA 19020
(215) 245-5112

01136

QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,
SSe, CB, CSe
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376

QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—SSe, CSe
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482

QUEST DIAGNOSTICS OF PA INC—SB, SSe, CB, CSe
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461

QUEST DIAGNOSTICS VENTURE LLC—SB, SSe, CB,
CSe
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675

35309

SANO INFORMED PRESCRIBING—SB
393 NICOL MILL LANE, STE 34
FRANKLIN, TN 37067
(615) 472-2549

00151

ST JOSEPH QUALITY MEDICAL LAB—SSe
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00018

WBGH COMMONWEALTH HEALTH LAB SVS—SSe
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141

YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-793. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit

number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and the Centers for Medicare & Medicaid Services.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing-impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols S, B, and SB indicate the following:

S = approved for serum and plasma analyses
 B = approved for blood analyses
 SB = approved for serum, plasma and blood analyses

00212
 ABINGTON MEMORIAL HOSPITAL—S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 (215) 481-2324

00041
 ACMH HOSPITAL LABORATORY—S
 ONE NOLTE DRIVE
 KITTANNING, PA 16201
 (724) 543-8219

00233
 ALBERT EINSTEIN MEDICAL CENTER—S
 5501 OLD YORK RD-LABS-TOWER BLDG
 GROUND FL
 PHILADELPHIA, PA 19141-3001
 (215) 456-6102

00671
 ALLEGHENY COUNTY MED EX DIV OF LABS—SB
 1520 PENN AVENUE, 2ND FLOOR
 PITTSBURGH, PA 15222
 (412) 350-4425

28233
 ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
 320 E NORTH AVENUE
 PITTSBURGH, PA 15212
 (412) 359-6886

00077
 ALLEGHENY GENERAL HOSPITAL LAB—S
 1307 FEDERAL STREET
 PITTSBURGH, PA 15212
 (412) 359-6886

00100
 ALLEGHENY VALLEY HOSPITAL LAB—S
 1301 CARLISLE STREET
 NATRONA HEIGHTS, PA 15065
 (724) 224-5100

34874
 AMERATHON LLC, DBA AHA—S
 26300 EUCLID AVENUE, SUITE 910
 CLEVELAND, OH 44132
 (216) 472-2318

00341
 ARIA HEALTH—S
 10800 KNIGHTS ROAD
 PHILADELPHIA, PA 19114
 (215) 612-2648

00236
 ARIA HEALTH—S
 FRANKFORD AVE & WAKELING STREET
 PHILADELPHIA, PA 19124
 (215) 831-2068

00192
 ARIA HEALTH—S
 380 NORTH OXFORD VALLEY ROAD
 LANGHORNE, PA 19047-8304
 (215) 934-5227

21861
 ARGNOT-OGDEN MEMORIAL HOSPITAL—S
 600 ROE AVENUE
 ELMIRA, NY 14905
 (607) 737-4478

21613
 ARUP LABORATORIES INC—S
 500 CHIPETA WAY
 SALT LAKE CITY, UT 84108
 (800) 242-2787

00047
 ASSOCIATED CLINICAL LABORATORIES—SB
 PATHOLOGY ASSOCIATES OF ERIE, INC
 1526 PEACH STREET
 ERIE, PA 16501
 (814) 461-2400

24997
 ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB
 3520 PROGRESS DRIVE UNIT C
 BENSLEM, PA 19020
 (267) 525-2470

00320
 BARNES KASSON HOSPITAL LAB—S
 2872 TURNPIKE STREET
 SUSQUEHANNA, PA 18847
 (570) 853-5059

00001
 BERWICK HOSPITAL LABORATORY—S
 701 EAST 16TH STREET
 BERWICK, PA 18603
 (570) 759-5110

00301
 BHS LABORATORY—S
 ONE HOSPITAL WAY (911 E BRADY STREET)
 BUTLER, PA 16001
 (724) 284-4513

00152
 BLUE MOUNTAIN HOSPITAL—S
 211 NORTH 12TH STREET
 LEHIGHTON, PA 18235
 (610) 377-7083

00334
BLUE MTN HOSP-PALMERTON CAMPUS—S
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-1100

00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000

00369
BUCKTAIL MED CENTER—S
1001 PINE STREET
RENOVO, PA 17764
(570) 531-6176

00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916

00131
CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212

00157
CGOH LABORATORYS
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7973

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-1399

00026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVENUE PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

33142
CLINICAL REFERENCE LABORATORY, INC—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

00125
CONEMAUGH MEM MED CTR-MAIN LAB—SB
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787

00231
CONEMAUGH MEYERSDALE MEDICAL CTR—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 972-6913

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232

00204
DELAWARE COUNTY MEM HOSP-LAB—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 447-2232

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SB
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

00027
DUBOIS REG MED CTR-WEST UNIT—S
100 HOSPITAL AVE
DUBOIS, PA 15801
(814) 371-2200

00175
EASTON HOSPITAL LABORATORY—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000

00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-6710

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 850-3121

00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567

31400
FRANCES WARDE MEDICAL LABORATORY—SB
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169

00002
GEISINGER BLOOMSBURG HOSPITAL
LABORATORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098

00185
GEISINGER SHAMOKIN AREA COMMUNITY
HOSPITAL—S
4200 HOSPITAL ROAD
COAL TOWNSHIP, PA 17866-9697
(570) 644-4281

00005
GEISINGER COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 703-8000

00138
GEISINGER LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7113

00173
GEISINGER MEDICAL CENTER—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443

00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845

00122
GETTYSBURG HOSPITAL LABORATORY—S
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 337-4120

00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7500

00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4648

00061
GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7128

00024
GUTHRIE CLINIC LAB AT TROY COMM—S
275 GUTHRIE LANE
TROY, PA 16947
(570) 297-9289

00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-4177

00023
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00239
HAHNEMANN UNIVERSITY HOSPITAL—S
230 N BROAD ST, 5TH FLOOR NORTH TOWER
PHILADELPHIA, PA 19102
(215) 762-8375

- 00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 316-2150
- 00155
HARRISBURG HOSPITAL LABORATORY—SB
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 782-3340
- 00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236
- 24655
HEALTH NETWORK LABORATORIES—SB
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(484) 425-8150
- 00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259
- 00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000
- 00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 749-7364
- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500
- 00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2191
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2248
- 00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723
- 00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080
- 01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703
- 00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET, PO BOX 3555
LANCASTER, PA 17604
(717) 544-4331
- 00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE, PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022
- 00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623
- 00010
LEHIGH VALLEY HOSPITAL—HAZLETON—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156
- 00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300
- 00182
LVH-SCHUYLKILL E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032
- 00183
LVH-SCHUYLKILL S JACKSON ST—S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262
- 00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768
- 00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SB
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

05574
MEDTOX LABORATORIES INC—SB
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
YORK, PA 17403
(717) 849-5371

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4185

00247
MERCY HOSPITAL OF PHILADELPHIA—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9170

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

32803
MOLECULAR DX, LLC—B
620 7TH STREET SUITE C
WINDBER, PA 15963
(814) 361-6993

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2630

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD ATTN: LAB
ELKINS PARK, PA 19027
(215) 456-6152

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

29741
NORTHERN TIER RESEARCH—SB
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

30984
OFFICE OF THE DISTRICT ATTORNEY—B
37 E HIGH STREET, FORENSIC LAB
CARLISLE, PA 17013
(717) 240-6526

00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

31516
PAML LLC—SB
110 W CLIFF AVENUE
SPOKANE, WA 99204
(509) 755-8670

00053
PENN HIGHLANDS-BROOKVILLE—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312

00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1000

00022
POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3370

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

31399
QUEST DIAGNOSTICS—SB
1777 MONTREAL CIRCLE ES/F1 2
TUCKER, GA 30084
(770) 936-5007

27461
QUEST DIAGNOSTICS INC—SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4502

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675

00150
READING HOSPITAL LABORATORY—S
420 S 5TH AVE
WEST READING, PA 19611
(484) 628-8615

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS ATTN LAB DEPT
ALLENTOWN, PA 18102
(610) 776-4727

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 942-3800

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER-PATH LAB—S
1201 LANGHORNE—NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5383

00064
SHARON PA HOSPITAL COMPANY LLC—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914

00039
SOLDIERS & SAILORS MEM HOSP—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215

00209
SPRINGFIELD HOSPITAL LABORATORY—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2232

00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
160 EAST ERIE AVENUE
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134-1095
(215) 427-3165

00151
ST JOSEPH QUALITY MEDICAL LAB—SB
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00180
ST LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271

35019
ST LUKE'S MONROE CAMPUS LABORATORY—S
100 ST LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606

00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723

00195
ST LUKES QUAKERTOWN HOSPITAL—S
1021 PARK AVENUE
QUAKERTOWN, PA 18951
(215) 538-4681

32021
ST LUKES HOSPITAL-ANDERSON LAB—S
1872 ST LUKE'S BLVD
EASTON, PA 18045
(484) 503-1075

00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075

00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232

00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4470

00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD STREET
DEPT OF PATH & LAB MED—RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560

00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET, 204 FOERDERER
PAVILION
PHILADELPHIA, PA 19107
(215) 955-3941

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384

00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340

00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506

32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682

00046
UPMC HAMOT—S
201 STATE STREET
ERIE, PA 16550
(814) 877-3131

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00054
UPMC JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4082

00034
UPMC KANE—S
4372 ROUTE 6
KANE, PA 16735
(814) 837-4570

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7624

00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
(412) 367-6700

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
ATTN: LAB
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00166
UPMC PINNACLE LITITZ HEART—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5572

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
LABORATORY
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00030
UPMC SUSQUEHANNA LOCK HAVEN—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00105
WASHINGTON HEALTH SYSTEM GREENE—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00111
WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVENUE
PITTSBURGH, PA 15224
(412) 578-5779

33480
WEST SHORE HOSP LABORATORY—S
HARRISBURG HOSPITAL LABORATORY
100 SOUTH SECOND STREET
HARRISBURG, PA 17101
(717) 782-3128

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

00037
WILLIAMSPORT REGIONAL MEDICAL CENTER—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00106
WINDBER HOSPITAL—S
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-3430

25064
WVU HOSPITAL CLINICAL LABS—S
1 MEDICAL CENTER DR PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-794. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and

the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory urine drug analyses, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) may contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing-impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols S, C, SC indicate the following:

S = approved for screening analyses
 C = approved for confirmatory analyses
 SC = approved for screening and confirmatory analyses

35741
 360 LABORATORIES—SC
 1180 BEAVER RUN ROAD SUITE A
 NORCROSS, GA 30093
 (678) 235-4212

35737
 A AND R HEALTH SERVICES INC—SC
 1301 BEAVER AVENUE, SUITE 102
 PITTSBURGH, PA 15233
 (412) 434-6700

00212
 ABINGTON MEMORIAL HOSPITAL—S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 (215) 481-2324

33463
 ACCESSDX LABORATORY, LLC—S
 10301 STELLA LINK ROAD, SUITE C
 HOUSTON, TX 77025-5547
 (832) 701-0426

32917
 ACCURATE DIAGNOSTIC LABS, INC—S
 3000 HADLEY ROAD
 SOUTH PLAINFIELD, NJ 07080
 (732) 839-3300

27908
 ACM MEDICAL LABORATORY—SC
 160 ELMGROVE PARK
 ROCHESTER, NY 14624
 (716) 429-2264

34830
 ACUTIS DIAGNOSTICS—SC
 728 LARKFIELD ROAD
 EAST NORTHPORT, NY 11731
 (516) 253-2171

35414
 ADVANCED ANALYTICAL DIAGNOSTIX—S
 1101 PROFESSIONAL BLVD: SUITE—210
 EVANSVILLE, IN 47714
 (812) 202-4055

33614
 ADVANCED CLINICAL LABORATORY SOLUTIONS,
 INC—SC
 2277-83 CONEY ISLAND AVENUE, SUITE 3B
 BROOKLYN, NY 11223
 (718) 998-9899

33583
 ADVANCED MEDICAL LABORATORIES INC—SC
 1690 US HWY 1 SOUTH, SUITE D
 ST AUGUSTINE, FL 32084
 (904) 217-4255

34513
 ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC
 2 8TH STREET
 HAMMONTON, NJ 08037
 (888) 985-2727

34867
 ADVANTA LABORATORIES—SC
 10935 CR 159 SUITE 101
 TYLER, TX 75703
 (903) 805-9955

31695
 AEGIS SCIENCES CORPORATION—SC
 515 GREAT CIRCLE ROAD
 NASHVILLE, TN 37228
 (615) 255-2400

- 33664
AEGIS SCIENCES CORPORATION—SC
365 GREAT CIRCLE ROAD
NASHVILLE, TN 37228
(615) 255-2400
- 35179
AFFINICORP LLC—C
2307 RIVER ROAD, SUITE 101
LOUISVILLE, KY 40206
(502) 290-8728
- 33996
AIM LABORATORIES LLC—SC
9326 OLIVE BLVD
ST LOUIS, MO 63132
(314) 743-3749
- 00233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK RD-LABS
TOWER BLDG GROUND FL
PHILADELPHIA, PA 19141-3001
(215) 456-6102
- 24496
ALERE TOXICOLOGY SERVICES—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130
- 26008
ALERE TOXICOLOGY SERVICES INC—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989
- 31752
ALERE TOXICOLOGY SERVICES, INC—SC
9417 BRODIE LANE
AUSTIN, TX 78748
(512) 610-9955
- 35401
ALL AMERICAN LABS LLC—SC
1701 GREEN ROAD, SUITE A-2
DEERFIELD BEACH, FL 33064
(954) 350-0103
- 00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SC
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425
- 28233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886
- 00077
ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886
- 00100
ALLEGHENY VALLEY HOSPITAL LAB—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100
- 35214
ALLIANCE PHARMA, INC—SC
17 LEE BOULEVARD
MALVERN, PA 19355
(610) 296-3152
- 35456
ALTERNATE HEALTH LABS, INC—SC
1051 E NAKOMA DRIVE
SAN ANTONIO, TX 78216
(210) 318-3260
- 34917
ALTIUS DIAGNOSTICS LABORATORY—SC
12100 NORTHUP WAY, SUITE A
BELLEVUE, WA 98005
(425) 341-4818
- 34874
AMERATHON LLC, DBA AHA—S
26300 EUCLID AVENUE SUITE 910
CLEVELAND, OH 44132
(216) 472-2318
- 33871
AMERICAN CLINICAL SOLUTIONS, LLC—SC
721 CORTARO DR
SUN CITY CENTER, FL 33573
(813) 634-4529
- 31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 923-0166
- 34710
AMERICAN INSTITUTE OF TOXICOLOGY, INC
(DBA AIT LABORATORIES)—SC
1500 INTERSTATE 35W
DENTON, TX 76207
(940) 435-0242
- 31814
AMERITOX, LTD—SC
486 GALLIMORE DAIRY ROAD
GREENSBORO, NC 27409
(336) 387-7600
- 26620
AMMON ANALYTICAL LABORATORY—S
1622 SOUTH WOOD AVENUE
LINDEN, NJ 07036
(908) 862-4404
- 34650
APEX LABS, INC—SC
6015 BENJAMIN ROAD SUITE 315
TAMPA, FL 33634
(813) 385-7784
- 00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-2648
- 00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068
- 00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227
- 21861
ARNOT-OGDEN MEMORIAL HOSPITAL—S
600 ROE AVENUE
ELMIRA, NY 14905
(607) 737-4478

33097
ART OF PAIN MANAGEMENT—S
3300 GRANT AVE
PHILADELPHIA, PA 19114
(610) 352-1710

26137
ARTHRITIS & OSTEOPOROSIS CTR INC—S
2760 CENTURY BOULEVARD
WYOMISSING, PA 19610
(610) 375-4251

21613
ARUP LABORATORIES INC—SC
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

00047
ASSOCIATED CLINICAL LABORATORIES—S
PATHOLOGY ASSOCIATES OF ERIE, INC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

33789
ASSURANCE TOXICOLOGY SERVICES INC—SC
933 E NAKOMA DRIVE
SAN ANTONIO, TX 78216
(210) 267-5565

35582
ASSURITY LABS—SC
6140 S FORT APACHE RD, # 140
LAS VEGAS, NV 89148
(702) 749-5588

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

33692
AUSPICIOUS LABORATORY INC—SC
7400 HARWIN DR SUITE # 258
HOUSTON, TX 77036
(713) 266-0808

35583
AVENTUS HEALTH LCC DBA AVENTUS BIOLABS—SC
1341 SUNDIAL POINT
WINTER SPRINGS, FL 32708
(855) 282-4860

33067
AVERTEST—S
4709 LAGUARDIA DRIVE
BERKELEY, MO 63134
(314) 640-0546

34826
AXIS DIAGNOSTICS, INC—SC
1077 CENTRAL PARKWAY SOUTH, SUITE 200
SAN ANTONIO, TX 78232
(210) 375-3231

00320
BARNES KASSON HOSPITAL LAB—S
2872 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059

00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110

33959
BEST CARE LABORATORY LLC—S
14 APPLGATE DRIVE, SUITE B
ROBBINSVILLE, NJ 08691
(973) 949-3963

00301
BHS LABORATORY—S
ONE HOSPITAL WAY (911 E BRADY STREET)
BUTLER, PA 16001
(724) 284-4513

34865
BIOCONFIRM LABORATORIES, LLC—SC
6755 PEACHTREE INDUSTRIAL BLVD SUITE 150
DORAVILLE, GA 30360
(770) 449-4191

34189
BIODIAGNOSTIC LABS—S
2380 E 22 STREET
BROOKLYN, NY 11229
(718) 646-6000

27615
BIOLOGICAL SPECIALTY CORPORATION—S
2165 NORTH LINE STREET
COLMAR, PA 18915
(215) 997-8771

27617
BIOLOGICAL SPECIALTY CORPORATION—S
22 SOUTH 4TH STREET
READING, PA 19602
(610) 375-9862

22757
BIOREFERENCE LABORATORIES INC—SC
481 EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600

32486
BLA PARTNERS DBA ASPENTI HEALTH—SC
30 COMMUNITY DRIVE SUITE 2
SOUTH BURLINGTON, VT 05403
(802) 863-4105

00152
BLUE MOUNTAIN HOSPITAL—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083

00334
BLUE MTN HOSP-PALMERTON CAMPUS—S
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-1100

35307
BLUEWATER TOXICOLOGY—SC
221 SOUTH BARDSTOWN ROAD
MOUNT WASHINGTON, KY 40047
(502) 538-2980

00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000

00472
 BROOKSIDE CLINICAL LAB INC—S
 2901 W DUTTONS MILLS ROAD, SUITE 100
 ASTON, PA 19014
 (610) 872-6466

00107
 CANONSBURG HOSPITAL—S
 100 MEDICAL BOULEVARD
 CANONSBURG, PA 15317
 (724) 745-3916

34470
 CAPITAL DIAGNOSTICS LLC—SC
 14201 PARK CENTER DRIVE SUITE 407
 LAUREL, MD 20707
 (703) 424-5604

35580
 CARECO LABORATORIES LLC—SC
 1701 GREEN RD, SUITE A-6
 DEERFIELD BEACH, FL 33064
 (954) 350-0107

00131
 CARLISLE REGIONAL MEDICAL CENTER—S
 361 ALEXANDER SPRING ROAD
 CARLISLE, PA 17015-9129
 (717) 249-1212

34424
 CASTLE MEDICAL, LLC—SC
 5700 HIGHLANDS PARKWAY STE 100
 SMYRNA, GA 30082
 (678) 486-7340

35694
 CAYUGA MEDICAL CENTER—S
 101 DATES DRIVE
 ITHACA, NY 14850
 (604) 274-4474

00751
 CEDAR CREST EMERGICENTER—S
 1101 SOUTH CEDAR CREST BOULEVARD
 ALLENTOWN, PA 18103
 (610) 435-3111

34075
 CENTRAL TOX LLC—SC
 525 ROUND ROCK WEST DRIVE STE B200
 ROUND ROCK, TX 78681
 (512) 382-9710

00157
 CGOH LABORATORY—S
 4300 LONDONDERRY ROAD
 PO BOX 3000
 HARRISBURG, PA 17109
 (717) 782-3340

00132
 CHAMBERSBURG HOSPITAL DEPT OF
 PATHOLOGY—S
 112 NORTH SEVENTH STREET
 CHAMBERSBURG, PA 17201
 (717) 267-7973

36013
 CHANGE WITHIN INC DBA TESTING MATTER
 TOXICOLOGY—SC
 5150 SW 48TH WAY, SUITE 604
 DAVIE, FL 33314
 (888) 272-1633

00310
 CHARLES COLE MEMORIAL HOSPITAL—S
 1001 EAST SECOND STREET
 COUDERSPORT, PA 16915
 (814) 274-5510

35702
 CHATTAHOOCHEE PHYSICIANS LABORATORY
 SERVICES, LLC—SC
 1122 CAMBRIDGE SQUARE, STE E
 ALPHARETTA, GA 30009
 (770) 674-4468

33704
 CHEMATOX LABORATORY, INC—SC
 5401 WESTERN AVENUE
 BOULDER, CO 80301
 (303)440-4500

34920
 CHESAPEAKE TOXICOLOGY RESOURCES—SC
 8415 PROGRESS DRIVE, SUITE V
 FREDERICK, MD 21701
 (240) 397-7060

00198
 CHESTER COUNTY HOSPITAL—S
 701 E MARSHALL ST
 WEST CHESTER, PA 19380
 (610) 431-5182

00227
 CHESTNUT HILL HOSPITAL—S
 DEPARTMENT OF PATHOLOGY
 8835 GERMANTOWN AVENUE
 PHILADELPHIA, PA 19118
 (215) 248-8113

00228
 CHILDRENS HOSP OF PHILADELPHIA—S
 3401 CIVIC CENTER BLVD
 MAIN BLDG-5TH FLOOR-ROOM 5135
 PHILADELPHIA, PA 19104
 (215) 590-4446

00329
 CLARION HOSPITAL—S
 1 HOSPITAL DRIVE
 CLARION, PA 16214
 (814) 226-1399

34259
 CLEANSLATE CENTERS—SC
 59 BOBALA ROAD
 HOLYOKE, MA 01040
 (413) 584-2173

00026
 CLEARFIELD HOSPITAL LABORATORY—S
 809 TURNPIKE AVENUE PO BOX 992
 CLEARFIELD, PA 16830
 (814) 768-2280

34793
 CLIFFSIDE LABS—S
 579 BERGEN BLVD
 RIDGEFIELD, NJ 07657
 (201) 945-3467

27845
 CLINICAL REFERENCE LABORATORY—S
 8433 QUIVIRA ROAD
 LENEXA, KS 66215
 (913) 693-5481

33142
CLINICAL REFERENCE LABORATORY, INC—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106

35453
COMPASS LABORATORY SERVICES LLC—SC
1910 NONCONNAH BLVD, STE 108
MEMPHIS, TN 38132
(901) 348-5774

34980
COMPLETE BIO SOLUTIONS—SC
2546 W 6 AVE
HIALEAH, FL 33010
(305) 882-1051

31556
COMPREHENSIVE PAIN CENTER ALLENTOWN—SC
4825 W TILGHMAN STREET
ALLENTOWN, PA 18104
(610) 366-9000

00125
CONEMAUGH MEM MED CTR—MAIN LAB—S
LABORATORY DEPT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

27246
CORDANT FORENSIC SOLUTIONS—SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011

29015
CORDANT HEALTH SOLUTIONS—SC
2617 EAST L STREET # A
TACOMA, WA 98421-2205
(253) 552-1551

00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641

34732
CRESTAR LABS, LLC—SC
2001 CAMPBELL STATION PARKWAY, SUITE C-2
SPRING HILL, TN 37174
(615) 302-8411

00201
CROZER CHESTER MEDICAL CENTER-LAB—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232

34165
D2 HEALTH MANAGEMENT LLC—SC
2005 PAN AM CIRCLE SUITE 100
TAMPA, FL 33607
(855) 687-5870

35636
D2 MEDICAL MANAGEMENT—SC
2005 PANAM CIRCLE SUITE 100
TAMPA, FL 33607
(855) 687-5870

35226
DB LABS, LLC—SC
522 EAST MAIN STREET
EDMORE, MI 48829
(989) 304-3310

00204
DELAWARE COUNTY MEMORIAL HOSP-LAB—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 447-2232

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

32240
DOMINION DIAGNOSTICS, LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(877) 734-9600

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SC
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

35752
DYNIX DIAGNOSTIX, LLC—SC
2260 N US HIGHWAY 1
FORT PIERCE, FL 34946
(772) 324-6330

00175
EASTON HOSPITAL LABORATORY—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000

34056
ELITE DIAGNOSTICS, LLC—SC
10996 FOUR SEASONS PLACE, 100A
CROWN POINT, IN 46307
(888) 339-7339

33703
ELITE LABS, LLC—S
2769 E ATLANTIC BLVD
POMPANO BEACH, FL 33062
(954) 933-2317

00332
ELLWOOD CITY MEDICAL CENTER—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-6710

34625
EM1 LABS, LLC—SC
3115 NW 10TH TERRACE, SUITE 108
FORT LAUDERDALE, FL 33309
(855) 388-4870

31625
EMPIRE CITY LABORATORIES—S
229 49TH STREET
BROOKLYN, NY 11220
(718) 788-3840

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

33989
EPIC REFERENCE LABS, INC—SC
7960 CENTRAL INDUSTRIAL DRIVE—SUITE 120
RIVIERA BEACH, FL 33404
(561) 249-4272

35385
ESA TOXICOLOGY LLC—SC
2700 TECHNOLOGY FOREST BLVD, SUITE 110
THE WOODLANDS, TX 77381
(281) 962-4137

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

32030
EXCEL MEDICAL LAB INC—S
DBA EVEREST MEDICAL LABORATORY
99-107 GLENDALE AVE
EDISON, NJ 08817
(732) 777-9222

00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 850-3121

35156
EXCELLENT LABORATORY DBS SELECTA
LABORATORIES—SC
7290 SW 42ND STREET
MIAMI, FL 33155
(888) 747-7994

33432
EXCELTOX LABORATORIES, LLC—SC
9805 RESEARCH DRIVE
IRVINE, CA 92618
(877) 202-7019

35679
FAMILY LABORATORIES 1—SC
2211 CENTURY CENTER BLVD, SUITE 110
IRVING, TX 75062
(469) 565-3300

34436
FIRMUS LABS, LTD—C
1000 VIRGINIA MANOR ROAD SUITE 350
BELTSVILLE, MD 20705
(240) 280-0697

33902
FIRST CHOICE LABORATORY, LLC—SC
6061 NE 14TH AVE
FORT LAUDERDALE, FL 33334
(954) 800-1000

00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567

32166
FORENSIC FLUIDS LABORATORIES, INC—SC
225 PARSONS STREET
KALAMAZOO, MI 49007
(269) 492-7700

32497
FOX CHASE PAIN MANAGEMENT ASSOCIATES—S
4979 OLD STREET ROAD, SUITE B
TREVOSÉ, PA 19053
(267) 288-5601

31400
FRANCES WARDE MEDICAL LABORATORY—SC
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

09163
FRIENDS MEDICAL LAB INC—SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
(412) 247-4417

00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169

30188
GARCIA CLINICAL LABORATORY INC—S
2195 SPRING ARBOR ROAD
JACKSON, MI 49201
(517) 787-9200

00002
GEISINGER-BLOOMSBURG HOSPITAL
LABORATORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098

00185
GEISINGER-SHAMOKIN AREA COMMUNITY
HOSPITAL—S
4200 HOSPITAL ROAD
COAL TOWNSHIP, PA 17866-9697
(570) 644-4281

00005
 GEISINGER COMMUNITY MEDICAL CENTER—S
 1800 MULBERRY STREET
 ATTN 68-44
 SCRANTON, PA 18510
 (570) 703-7123

00312
 GEISINGER JERSEY SHORE HOSPITAL—S
 1020 THOMPSON STREET
 JERSEY SHORE, PA 17740
 (570) 398-0100

00138
 GEISINGER-LEWISTOWN HOSPITAL—S
 400 HIGHLAND AVENUE
 LEWISTOWN, PA 17044
 (717) 242-7113

00173
 GEISINGER MEDICAL CENTER—SC
 100 N ACADEMY AVENUE
 DANVILLE, PA 17822-0131
 (570) 271-7443

00019
 GEISINGER WYOMING VALLEY MC LABORATORY—S
 1000 E MOUNTAIN DRIVE
 WILKES-BARRE, PA 18711
 (570) 808-7845

35154
 GENE TOX WORLDWIDE, LLC DBA SCIENTIA
 DIAGNOSTIC LLC—C
 136 RIDGE ROAD, SUITE 1A
 LYNDHURST, NJ 07071
 (201) 844-9160

31111
 GENESIS DIAGNOSTICS—SC
 900 TOWN CENTER DRIVE SUITE H-50
 LANGHORNE, PA 19047
 (267) 212-2000

31585
 GENESIS LABORATORY MANAGEMENT—S
 1912 HIGHWAY 35 SOUTH, SUITE 203
 OAKHURST, NJ 07755
 (732) 389-1530

35160
 GENESIS REFERENCE LABORATORY, LLC—SC
 7924 FOREST CITY ROAD, SUITE 210
 ORLANDO, FL 32810
 (407) 232-7130

34333
 GENOTOX LABORATORIES, LTD—SC
 2170 WOODWARD STREET SUITE 100
 AUSTIN, TX 78745
 (512) 600-6601

00299
 GOOD SAMARITAN HOSPITAL—S
 4TH & WALNUT STS PO BOX 1281
 LEBANON, PA 17042-1218
 (717) 270-7500

33863
 GUTHRIE CORNING HOSPITAL—S
 1 GUTHRIE DRIVE
 CORNING, NY 14830
 (607) 937-7271

00654
 GUTHRIE MEDICAL GROUP LABORATORIES—S
 ONE GUTHRIE SQUARE
 SAYRE, PA 18840
 (570) 887-4177

00023
 GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S
 91 HOSPITAL DRIVE
 TOWANDA, PA 18848
 (570) 265-2191

00239
 HAHNEMANN UNIVERSITY HOSPITAL—S
 230 N BROAD ST, 5TH FLOOR NORTH TOWER
 PHILADELPHIA, PA 19102
 (215) 762-8375

00139
 HANOVER HOSPITAL LABORATORY—S
 300 HIGHLAND AVE
 HANOVER, PA 17331
 (717) 316-2150

00155
 HARRISBURG HOSPITAL LABORATORY—S
 100 SOUTH 2ND STREET
 HARRISBURG, PA 17101
 (717) 782-3340

00169
 HEALTH NETWORK LABORATORIES—S
 1627 WEST CHEW STREET
 ALLENTOWN, PA 18102
 (610) 402-2236

00549
 HEALTH NETWORK LABORATORIES—S
 1200 SOUTH CEDAR CREST BLVD
 ALLENTOWN, PA 18103
 (484) 425-8150

00600
 HEALTH NETWORK LABORATORIES—S
 2545 SCHOENERSVILLE ROAD
 BETHLEHEM, PA 18017-7384
 (484) 884-2259

24655
 HEALTH NETWORK LABORATORIES—SC
 794 ROBLE ROAD
 ALLENTOWN, PA 18109-9110
 (610) 402-8150

35736
 HEALTHQUEST LABORATORIES, INC—SC
 1800 CARNEGIE AVE
 SANTA ANA, CA 92705
 (844) 267-8378

35410
 HERITAGE LABORATORIES, LLC—S
 1556 ISLAND AVENUE
 MCKEES ROCKS, PA 15136
 (225) 301-7373

00205
 HERITAGE VALLEY BEAVER—S
 1000 DUTCH RIDGE ROAD
 BEAVER, PA 15009
 (724) 728-7000

00101
 HERITAGE VALLEY SEWICKLEY LAB—S
 720 BLACKBURN RD
 SEWICKLEY, PA 15143
 (412) 749-7364

- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500
- 35878
HIGHLINE LABS, LLC—SC
5900 NORTHWOODS BUSINESS PARKWAY SUITE K
CHARLOTTE, NC 28269
(980) 256-5315
- 00216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 938-3703
- 00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2191
- 35823
INDEPENDENT LAB SERVICES—SC
590 E WESTERN RESERVE RD
POLAND, OH 44514
(330) 403-8034
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7160
- 34295
INFINITI LABS INC—SC
6015 BENJAMIN ROAD SUITE 315
TAMPA, FL 33634
(813) 886-2616
- 33708
INFINITY DIAGNOSTIC LABORATORIES—S
370 NORTH STREET
TETERBORO, NJ 07608
(201) 843-7750
- 35545
INHEALTH DIAGNOSTICS, LLC—S
17742 PRESON RD, SUITE 210
DALLAS, TX 75252
(972) 837-0232
- 33367
INNOVATIVE LABORATORY SERVICES INC—C
8419 SHARON MERCER ROAD
MERCER, PA 16137
(724) 269-7130
- 33607
INSIGHT DIAGNOSTICS, LLC—SC
357 RIVERSIDE DR SUITE 1004
FRANKLIN, TN 37064
(615) 499-5307
- 35541
INSOURCE DIAGNOSTIC—SC
231 W CHESTNUT AVE
MONROVIA, CA 91016
(626) 386-5277
- 35507
INTEGRALABS MDG INCORPORATED—C
136A INDUSTRIAL PARK ROAD
PINEY FLATS, TN 37686
(423) 328-0527
- 33604
INTEGRALABS, INC—SC
7020 KIT CREEK ROAD SUITE 240
RESEARCH TRIANGLE PARK, NC 27709
(919) 313-9671
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2248
- 00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723
- 00200
JENNERVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080
- 30915
JOSHUASON LTD—SC
1556 ISLAND AVENUE
MCKEES ROCKS, PA 15136
(724) 598-2280
- 34192
KEYSTONE LABORATORIES, INC—SC
3 MCDOWELL STREET
ASHEVILLE, NC 28801
(828) 255-0307
- 21306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042
- 35306
LAB GEEK, LLC—SC
1701 GREEN ROAD SUITE B
POMPANO BEACH, FL 33064
(877) 727-3659
- 34228
LAB SOLUTIONS—SC
1451 NORTHSIDE DRIVE NW
ATLANTA, GA 30318
(404) 228-5027
- 20512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-6900
- 01088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703

33869
LABORATORY SERVICES, LLC—SC
108 NW 4TH STREET
BOCA RATON, FL 33432
(561) 367-3625

35032
LABPRO, INC—SC
7444 W WILSON AVE
HARWOOD HEIGHTS, IL 60706
(630) 427-8844

33995
LABSOURCE, LLC—SC
25 AIRPARK COURT
GREENVILLE, SC 29607
(864) 312-6930

34646
LABTEST LLC—SC
5000 CEDAR PLAZA PKWY # 200
ST LOUIS, MO 63128
(888) 977-8862

35680
LABXPERIOR CORPORATION—S
517 WEST MAIN STREET
WISE, VA 24293
(276) 321-7866

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET, PO BOX 3555
LANCASTER, PA 17604
(717) 544-4331

00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE, PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623

35422
LCM LABS LLC—C
6831 NW 20TH AVENUE SUITE 105
FORT LAUDERDALE, FL 33309
(810) 937-5385

32311
LEBANON PAIN RELIEF—S
918 RUSSELL DRIVE
LEBANON, PA 17042
(717) 272-7272

00010
LEHIGH VALLEY HOSPITAL—HAZLETON—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156

33702
LEHIGH VALLEY TOXICOLOGY, LLC—SC
3864 COURTNEY STREET, SUITE 150
BETHLEHEM, PA 18017
(484) 895-3716

34187
LENCO DIAGNOSTIC LABORATORIES INC—SC
1857 86TH STREET
BROOKLYN, NY 11214
(718) 232-1515

35348
LEXAR LABS ANALYSIS, LLC—C
3221 SUMMIT SQUARE PLACE, SUITE 150
LEXINGTON, KY 40509
(859) 543-2022

34254
LIFEBRITE LABORATORIES, LLC—SC
9 CORPORATE BLVD NE SUITE 150
ATLANTA, GA 30329
(678) 433-0606

33889
LOGAN LABORATORIES, LLC—SC
5050 W LEMON STREET
TAMPA, FL 33609
(813) 316-4824

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00182
LVH-SCHUYLKILL E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00183
LVH-SCHUYLKILL S JACKSON ST—S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SC
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

33620
MCKEESPORT DRUG SCREENING LAB—S
339 FIFTH AVENUE, WANDER BLDG
MCKEESPORT, PA 15132
(412) 664-8871

33842
MD SPINE SOLUTIONS LLC, DBA MD LABS—SC
10715 DOUBLE R BLVD, SUITE 102
RENO, NV 89521
(775) 391-5221

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

35673
MEDARBOR LLC DBA MEDARBOR
DIAGNOSTICS—SC
200 RITTENHOUSE CIRCLE, EAST BUILDING
SUITE 1
BRISTOL, PA 19007
(803) 351-1791

34940
MEDCOMP SCIENCES, LLC—SC
20203 MCHOST ROAD
ZACHARY, LA 70791
(225) 570-8486

32471
MEDICAL LABORATORY DIAGNOSTICS, INC—SC
DBA MEDLABS DIAGNOSTICS, INC
85 HORSE HILL ROAD
CEDAR KNOLLS, NJ 07927
(973) 731-2900

35768
MEDICUS LABORATORIES, LLC—SC
5710 LBJ FREEWAY, SUITE 204
DALLAS, TX 75240
(972) 354-6398

35682
MEDSCAN LABORATORY, INC—SC
107 22ND STREET W
WILLISTON, ND 58801
(701) 577-0498

05574
MEDTOX LABORATORIES INC—SC
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
YORK, PA 17403
(717) 849-5371

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4185

00247
MERCY HOSPITAL OF PHILADELPHIA—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9170

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

31050
MILLENUM HEALTH, LLC—SC
16981 VIA TAZON, BUILDING 1
SAN DIEGO, CA 92127
(858) 451-3535

28907
MIRMONT TREATMENT CENTER—S
100 YEARSLEY MILL ROAD
LIMA, PA 19063
(484) 227-1472

34564
MOLECULAR TESTING LABS—SC
14401 SE 1ST STREET
VANCOUVER, WA 98684
(360) 693-8850

34106
MONMOUTH BEHAVIORAL DIAGNOSTICS LLC—SC
3 CORBETT WAY
EATONTOWN, NJ 07724
(888) 687-6977

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2630

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD,
ATTN: 2ND FLOOR LABORATORY
ELKINS PARK, PA 19027
(215) 456-6152

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

34429
MY LAB CHOICE, INC—C
364 N COURTLAND STREET, 1ST FLOOR
EAST STROUDSBURG, PA 18301
(570) 872-9704

31800
MY LAB CHOICE, INC—S
391 EAST BROWN STREET, LOWER LEVEL
EAST STROUDSBURG, PA 18301
(570) 730-4411

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215

34274
NASPAC1, LLC—SC
404 CREEK CROSSING BLVD
HAINSPORT, NJ 08036
(609) 845-3988

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

3040

35609
NATIONAL PREMIER LABORATORIES, INC—SC
210 MEDICAL BLVD
STOCKBRIDGE, GA 30281
(770) 506-9985

33988
NATIONWIDE LABORATORY SERVICES—SC
4805 NW 2ND AVENUE
BOCA RATON, FL 33431
(888) 377-3522

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

35976
NEXGEN LAB LLC—SC
11350 SW VILLAGE PKWY SUITE 328
PORT ST LUCIE, FL 34987
(561) 508-3101

35423
NEXTGEN LABORATORIES—SC
4229 BIRCH ST. STE 130
NEWPORT BEACH, CA 92660
(949) 467-9770

29741
NORTHERN TIER RESEARCH—SC
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

34064
NORTHWEST PHYSICIANS LABORATORIES—SC
2840 NORTHUP WAY, STE 100
BELLEVUE, WA 98004
(425) 502-5096

32630
NOVUM LABORATORY, LLC—SC
313 E PLEASANT VALLEY RD
ALTOONA, PA 16602
(814) 943-1272

00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

35920
OPTIMUM LABS INC—S
34 WELBY ROAD
NEW BEDFORD, MA 02745
(508) 993-3710

35045
ORACLE REFERENCE LABS, INC—C
11350 SW VILLAGE PKWY SUITE 326
PORT ST LUCIE, FL 34987
(561) 365-0831

35511
ORANGE GROVE LABS—S
7859 ELLIPSE WAY
STUART, FL 34997
(561) 459-3127

33980
ORBIT LABS, LLC—S
5407 N HAVERHILL ROAD # 335
WEST PALM BEACH, FL 33407
(866) 863-1881

NOTICES

23801
PACIFIC TOXICOLOGY LABORATORIES—SC
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110

34837
PAIN AND SPINE SPECIALISTS OF MARYLAND—S
2702 BACK ACRE CIR
MOUNT AIRY, MD 21771
(301) 703-8767

29507
PAIN MED PC—SC
1556 ISLAND AVENUE
MCKEES ROCKS, PA 15136
(412) 782-1500

33938
PAIN MEDICINE OF YORK LLC—SC
313 E PLEASANT VALLEY BLVD
ALTOONA, PA 16602
(717) 848-3979

31516
PAML LLC—SC
110 W. CLIFF AVENUE
SPOKANE, WA 99204
(509) 755-8670

00250
PARKWAY CLINICAL LABORATORIES—SC
3494 PROGRESS DRIVE, SUITE D
BENSALEM, PA 19020
(215) 245-5112

35477
PARKWAY NEUROSCIENCE & SPINE INSTITUTE—S
17 WESTERN MARYLAND PARKWAY STE 100
HAGERSTOWN, MD 21740
(301) 797-9240

33054
PATHOLOGY LABORATORIES, INC—S
1946 NORTH 13TH STREET
TOLEDO, OH 43604
(419) 255-4600

35062
PATIENTS CHOICE OF INDIANA, LLC—SC
7026 CORPORATE DRIVE
INDIANAPOLIS, IN 46278
(317) 299-5227

33194
PEACHSTATE HEALTH MANAGEMENT—C
2225 CENTENNIAL DRIVE
GAINESVILLE, GA 30504
(678) 276-8412

35841
PEAK HPLA, LLC—S
216 NAZARETH PIKE
BETHLEHEM, PA 18017
(214) 552-5352

00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541

31082
PHAMATECH INC—SC
1575 INNOVATION DRIVE
SAN DIEGO, CA 92128
(858) 643-5555

32887
PHOENIX TOXICOLOGY & LAB SERVICES—SC
2432 W PEORIA AVE, # 1064
PHOENIX, AZ 85029
(602) 374-4097

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1000

33964
PINPOINT TESTING-FLORIDA, LLC—C
4201 VINELAND ROAD SUITE 1-12
ORLANDO, FL 32811
(855) 341-4080

33621
PITTSBURGH DRUG SCREENING LAB—S
440 ROSS STREET, SUITE 2033
PITTSBURGH, PA 15219
(412) 350-5808

35349
PMC REGIONAL LAB—S
3684 HIGHWAY 150 SUITE 2
FLOYDS KNOBS, IN 47119
(812) 728-8202

00022
POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3370

33950
POSITIVE RECOVERY SOLUTIONS, LLC—S
378 WEST CHESTNUT, SUITE 103
WASHINGTON, PA 15301
(412) 207-8874

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

34751
PRECISION LABS LLC—C
8150 SR 42, SUITE B
PLAIN CITY, OH 43064
(614) 504-6470

33487
PRECISION TOXICOLOGY, LLC—SC
4215 SORRENTO VALLEY BLVD
SAN DIEGO, CA 92121
(800) 635-6901

34191
PREMIER BIOTECH LABS, LLC—SC
723 KASOTA AVE SE
MINNEAPOLIS, MN 55414
(855) 718-6917

35108
PREMIER MEDICAL LABORATORY SERVICES—SC
6000A PELHAM ROAD
GREENVILLE, SC 29615
(864) 862-0517

33940
PRESCIENT MEDICINE HOLDINGS, LLC—S
1214 RESEARCH BOULEVARD
HUMMELSTOWN, PA 17036
(717) 585-3879

34030
PRINCIPLE LABS, LLC—SC
2550 BROADHEAD ROAD, SUITE 105
BETHLEHEM, PA 18020-8922
(484) 353-6661

35171
PROGRESSIVE DIAGNOSTICS ONE, LLC—S
35 NUTMEG DRIVE, SUITE 305
TRUMBULL, CT 06611
(888) 503-8803

35172
PROGRESSIVE DIAGNOSTICS, LLC—SC
35 NUTMEG DRIVE, SUITE 303
TRUMBULL, CT 06611
(888) 503-8803

21648
PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

00255
PUBLIC HEALTH LAB CITY OF PHILADELPHIA—S
500 SOUTH BROAD STREET, RM 359
PHILADELPHIA, PA 19146
(215) 685-6501

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

35662
PYXANT LABS INC—SC
4720 FORGE ROAD, SUITE 108
COLORADO SPRINGS, CO 80907
(719) 593-1165

35365
QBR DIANOSTICS—S
4065 QUAKERBRIDGE ROAD, STE 101
PRINCETON JUNCTION, NJ 08550
(609) 423-1024

34652
QUALITOX LABORATORIES, LLC—SC
1556 ISLAND AVENUE
MCKEES ROCKS, PA 15136
(412) 326-8570

34644
 QUALITY LABORATORY SERVICES—SC
 1523 VOORHIES AVENUE, SUITE/FLOOR 2
 BROOKLYN, NY 11235
 (718) 646-5100

31399
 QUEST DIAGNOSTICS—SC
 1777 MONTREAL CIRCLE ES/F1 2
 TUCKER, GA 30084
 (770) 936-5007

00315
 QUEST DIAGNOSTICS CLINICAL LABS INC—SC
 900 BUSINESS CENTER DRIVE
 HORSHAM, PA 19044
 (215) 957-9300

27461
 QUEST DIAGNOSTICS INC—SC
 400 EGYPT ROAD
 NORRISTOWN, PA 19403
 (610) 631-4502

01136
 QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
 14225 NEWBROOK DRIVE
 CHANTILLY, VA 20151
 (703) 802-6900

22376
 QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
 VALENCIA—S
 27027 TOURNEY ROAD
 VALENCIA, CA 91355
 (661) 799-6543

00482
 QUEST DIAGNOSTICS OF PA INC—SC
 875 GREENTREE ROAD 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 (412) 920-7600

25461
 QUEST DIAGNOSTICS VENTURE LLC—SC
 875 GREENTREE ROAD 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 (412) 920-7675

35701
 R A PAIN SERVICES PA—SC
 1020 NORTH KINGS HWY STE 106
 CHERRY HILL, NJ 08034
 (855) 727-8465

34188
 RADEAS LLC—SC
 11635 NORTH PARK DR SUITE 340
 WAKE FOREST, NC 27587
 (919) 435-6669

35692
 RCA LABORATORY SERVICES LLC,
 DBA GENETWORX—S
 4060 INNSLAKE DR
 GLEN ALLEN, VA 23060
 (804) 346-4363

00150
 READING HOSPITAL LABORATORY—S
 420 S 5TH AVE
 WEST READING, PA 19611
 (484) 628-8615

34074
 REALTOX LABS LLC—SC
 200 BUSINESS CENTER DRIVE
 REISTERTOWN, MD 21136
 (410) 833-3025

34939
 RED MOUNTAIN LABORATORIES, LLC—SC
 651 CORPORATE DR, SUITE 116
 GOLDEN, CO 80401-5652
 (750) 548-4343

25348
 REDWOOD TOXICOLOGY LABORATORY—SC
 3650 WESTWIND BOULEVARD
 SANTA ROSA, CA 95403
 (707) 577-7958

00336
 REGIONAL HOSPITAL OF SCRANTON—S
 746 JEFFERSON AVENUE
 SCRANTON, PA 18510
 (570) 348-7100

34374
 RELIANCE LABORATORY TESTING, INC—SC
 5387 N NOB HILL ROAD
 SUNRISE, FL 33351
 (954) 741-0830

35000
 RIDGEWOOD DIAGNOSTIC LABORATORY—SC
 201 ROUTE 17N 10TH FL SUITE 2
 RUTHERFORD, NJ 07070
 (973) 542-2343

34744
 RK CLINICAL SOLUTIONS LLC—SC
 1145 W. FAIRMONT DR
 TEMPE, AZ 85282
 (480) 275-2446

32455
 ROCKY MOUNTAIN TOX, LLC—S
 1701 CHAMBERS ROAD, UNIT J
 AURORA, CO 80011
 (303) 469-8042

00243
 ROXBOROUGH MEMORIAL HOSPITAL—S
 5800 RIDGE AVE
 PHILADELPHIA, PA 19128
 (215) 487-4394

30821
 RXTOX INC—SC
 51 PROF PLAZA,
 850 CLAIRTON BLVD, SUITE 1300
 PITTSBURGH, PA 15236
 (412) 460-1310

00171
 SACRED HEART HOSPITAL—S
 4TH & CHEW STS ATTN LAB DEPT
 ALLENTOWN, PA 18102
 (610) 776-4727

34899
 SAF TOXICOLOGY LLC—SC
 150 NW 168TH ST UNIT 307
 NORTH MIAMI BEACH, FL 33169
 (305) 816-6503

00087
 SAINT CLAIR MEMORIAL HOSPITAL—S
 1000 BOWER HILL RD
 PITTSBURGH, PA 15243
 (412) 942-3800

- 00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558
- 00328
SAINT MARY MEDICAL CENTER—PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162
- 29838
SAN DIEGO REFERENCE LABORATORY—SC
6565 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995
- 35681
SCHUYLER HOSPITAL—S
220 STEUBEN ST
MONTOUR FALLS, NY 14856
(607) 535-8607
- 28471
SECON OF LOUISIANA—S
825 KALISTE SALOOM RD
BRANDYWINE 1, SUITE 100
LAFAYETTE, LA 70508
(337) 235-3712
- 29038
SECON OF NEW ENGLAND—SC
415 MAIN STREET 4TH FLOOR
WORCESTER, MA 01608
(508) 831-0703
- 00064
SHARON PA HOSPITAL COMPANY LLC—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914
- 27649
SMA MEDICAL LABORATORIES—SC
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590
- 34458
SMART LAB, LLC—SC
10385 IRONWOOD ROAD, SUITE 130
PALM BEACH GARDENS, FL 33410
(561) 513-8440
- 35016
SOBRIETY SOLUTIONS—S
1000 GERMANTOWN PIKE, SUITE E-2
PLYMOUTH MEETING, PA 19462
(215) 450-0636
- 00039
SOLDIERS & SAILORS MEM HOSP—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133
- 00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215
- 34171
SONIC REFERENCE LABORATORY, INC—C
9200 WALL STREET, SUITE 200
AUSTIN, TX 78754
(512) 531-2100
- 35875
SPECTOR SCIENTIFIC LAB—C
160 SW 12TH AVE, UNIT 103B
DEERFIELD BEACH, FL 33442
(561) 507-0522
- 35735
SPOT ON LABS LLC—SC
11350 SW VILLAGE PARKWAY, SUITE 320
PORT SAINT LUCIE, FL 34987
(561) 635-3025
- 00209
SPRINGFIELD HOSPITAL LABORATORY—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2232
- 00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
160 EAST ERIE AVENUE
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134-1095
(215) 427-3165
- 00151
ST JOSEPH QUALITY MEDICAL LAB—S
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00180
ST LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271
- 35019
ST LUKE'S MONROE CAMPUS LABORATORY—S
100 ST LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723
- 35762
ST. ANTHONY MEDICAL LABORATORIES—S
654 AVENUE C, SUITE # 303
BAYONNE, NJ 07002
(201) 455-8940
- 32021
ST LUKES HOSPITAL-ANDERSON LAB—S
1872 ST LUKE'S BLVD
EASTON, PA 18045
(484) 503-1075
- 31613
STEELFUSION CLINICAL TOXICOLOGY
LABORATORY, LLC—C
1103 DONNER AVE
MONESSEN, PA 15062
(724) 691-0263
- 33771
STR ADDICTION COUNSELING, LLC—S
1400 VETERANS HIGHWAY SUITE 108
LEVITTOWN, PA 19056
(267) 244-1107

00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075

35128
SUNSET LABS—SC
2234 W ATLANTIC AVE
DELRAY BEACH, FL 33445
(305) 528-5659

34011
SURETOX LABORATORY—SC
495 BOULEVARD, SUITE 1A
ELMWOOD PARK, NJ 07407-2041
(201) 791-7293

35310
SUTTER HEALTH SHARED LABORATORY—S
2950 COLLIER CANYON ROAD
LIVERMORE, CA 94551
(925) 371-3800

35537
SYNERGY DIAGNOSTIC LABORATORY INC—SC
4081 SW 47TH AVENUE, SUITE 2
DAVIE, FL 33314
(954) 581-3959

33368
SYNERGY MEDICAL LABORATORIES, PC—C
42 THROCKMORTON LN-BASEMENT
OLD BRIDGE, NJ 08857
(732) 792-3609

31474
TASC INC—SC
4016 N BLACK CANYON HWY
PHOENIX, AZ 85017
(602) 257-7588

00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232

00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4470

00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD STREET
DEPT OF PATH & LAB MED—RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560

35869
TEXAS SUPERIOR CARE RX, LLC
DBA WILCO LABS—SC
1077 CENTRAL PARKWAY SOUTH, SUITE 300
SAN ANTONIO, TX 78232
(210) 765-5090

35318
THE OCCUPATIONAL HEALTH CENTER-
SAINT VINCENT—S
1910 SASSAFRAS ST, SUITE 200
ERIE, PA 16502
(814) 452-7879

00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 S 11TH STREET, 204 FOERDERER PAVILION
PHILADELPHIA, PA 19107
(215) 955-3941

34847
THREE RIVERS PAIN MANAGEMENT—SC
205 EASY STREET SUITE 204
UNIONTOWN, PA 15401
(724) 812-5580

34314
THYROID SPECIALTY LABORATORY, INC—C
10854 MIDWEST INDUSTRIAL BLVD
SAINT LOUIS, MO 63132-1611
(314) 200-3040

33899
TIMBERLANDS TESTING—SC
1616 EASTPORT PLAZA DRIVE
COLLINSVILLE, IL 62234
(618) 623-0623

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

34643
TOTAL TOXICOLOGY LABS—C
24525 SOUTHFIELD ROAD, SUITE 100
SOUTHFIELD, MI 48075
(248) 352-7171

34359
TOX MANAGEMENT—S
422 W NAKOMA ST
SAN ANTONIO, TX 78216
(210) 571-1302

34358
TRI-STATE TOXICOLOGY LLC—SC
424 W NAKOMA ST
SAN ANTONIO, TX 78216
(210) 571-1300

34190
TRUETOX LABORATORIES, LLC—SC
50 ROSE PLACE
GARDEN CITY PARK, NY 11040
(516) 741-1501

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384

34997
UNITED CLINICAL LABORATORY LLC—SC
2257 VISTA PARKWAY SUITE 2
WEST PALM BEACH, FL 33411
(561) 632-7922

- 00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340
- 00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506
- 32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682
- 00046
UPMC HAMOT—S
201 STATE STREET
ERIE, PA 16550
(814) 877-3131
- 00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100
- 00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500
- 00054
UPMC JAMESON—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4082
- 00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233
- 00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7624
- 00058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120
- 00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
ATTN: LAB
PITTSBURGH, PA 15237
(412) 367-6700
- 05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
ATTN: LAB
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370
- 00166
UPMC PINNACLE LITITZ—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5572
- 00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855
- 00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
LABORATORY
PITTSBURGH, PA 15215
(412) 784-4000
- 00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950
- 00030
UPMC SUSQUEHANNA LOCK HAVEN—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5033
- 00187
UPMC SUSQUEHANNA SUNBURY—S
350 NORTH 11TH STREET
SUNBURY, PA 17801
(570) 286-3333
- 34335
US DIAGNOSTIC SERVICE, INC—S
185 6TH AVENUE & 2ND FLOOR
PATERSON, NJ 07524
(732) 474-1120
- 27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770
- 35877
US LAB, INC—SC
3194 AIRPORT LOOP DR UNIT A
COSTA MESA, CA 92626
(888) 787-8210
- 33844
USA MEDICAL TOXICOLOGY—SC
7707 FANNIN ST STE 290
HOUSTON, TX 77054
(717) 360-3050
- 33357
UTC LABS, LLC D/B/A PRIMA HEALTH—SC
2239 POYDRAS STREET
NEW ORLEANS, LA 70119
(504) 609-3462
- 00335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500

35044
VEDANTA LABORATORIES, INC—SC
1020 CALLE RECODO
SAN CLEMENTE, CA 92673
(949) 202-4004

35707
VERRALAB JA LLC DBA BIOTAP MEDICAL—SC
716 WEST MAIN STREET SUITE 100A
LOUISVILLE, KY 40202
(502) 566-3588

34702
VISION LABORATORIES LLC—SC
6130 SHALLOWFORD ROAD, SUITE 100
CHATTANOOGA, TN 37421
(844) 484-3522

35815
VISITING PHYSICIANS ASSOCIATION PC LAB—S
500 KIRTS BLVD
TROY, MI 48084
(248) 824-6500

34864
VITAE DIAGNOSTICS—SC
3848 DEL AMO BLVD SUITE 303
TORRANCE, CA 90503
(310) 376-5812

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00105
WASHINGTON HEALTH SYSTEM GREENE—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00111
WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

33590
WAYNE MEMORIAL HAMLIN LABORATORY—S
543 EASTON TURNPIKE SUITE 105
LAKE ARIAL, PA 18436
(570) 253-8193

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

33480
WEST SHORE HOSP LABORATORY—S
100 SOUTH SECOND STREET
HARRISBURG, PA 17101
(717) 782-3128

34586
WESTERN SLOPE LABORATORY, LLC—C
1197 ROCHESTER ROAD SUITE K
TROY, MI 48083
(248) 307-1168

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

35377
WESTOX LABS LLC—C
18102 SKYPARK SOUTH STE E
IRVINE, CA 92614
(949) 371-2050

00037
WILLIAMSPORT REGIONAL MEDICAL CENTER—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-795. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the

Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ($\mu\text{g}/\text{dL}$) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 $\mu\text{g}/\text{dL}$ or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 $\mu\text{g}/\text{dL}$.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and the Centers for Medicare & Medicaid Services.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing-impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols L and P indicate the following:

L = approved for blood lead analyses
 P = approved for erythrocyte protoporphyrin analyses
 LP = approved for blood lead and erythrocyte protoporphyrin analyses

31609

ACCU REFERENCE MEDICAL LABORATORY—L
 1901 EAST LINDEN AVENUE
 SUITE 4
 LINDEN, NJ 07036
 (908) 474-1004

22912

ACL LABORATORIES—LP
 8901 WEST LINCOLN AVE
 WEST ALLIS, WI 53227
 (414) 328-7945

03224

ADVOCARE CHILDRENS MEDICAL ASSOCIATES—L
 1510 CHESTER PIKE, SUITE 105
 EDDYSTONE, PA 19022
 (610) 521-1297

35986

ALLEGHENY COUNTY HEALTH DEPARTMENT—L
 425 FIRST AVE, HARTLEY ROSE BUILDING,
 4TH FLOOR
 PITTSBURGH, PA 15219
 (412) 578-8070

10286

ALLENTOWN HEALTH BUREAU—L
 245 NORTH 6TH ST ALLIANCE HALL
 ALLENTOWN, PA 18102
 (610) 437-7577

00016

ANGELINE KIRBY MEM HEALTH CENTER—L
 71 NORTH FRANKLIN STREET
 WILKES-BARRE, PA 18701
 (570) 822-4278

21613

ARUP LABORATORIES INC—LP
 500 CHIPETA WAY
 SALT LAKE CITY, UT 84108
 (800) 242-2787

- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 22757
BIOREFERENCE LABORATORIES INC—L
481 EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 30248
CARING HANDS PEDIATRICS—L
300 CEDAR RIDGE DRIVE SUITE 309
PITTSBURGH, PA 15205
(412) 921-2345
- 30249
CARING HANDS PEDIATRICS—L
105 BRAUNLICH DRIVE, SUITE 102
PITTSBURGH, PA 15237
(412) 369-7720
- 20506
CENTRAL PA ALLIANCE LABORATORY—L
1803 MT ROSE AVENUE SUITE C3-C4
YORK, PA 17403
(717) 851-1426
- 00228
CHILDRENS HOSP OF PHILADELPHIA—L
3401 CIVIC CENTER BLVD
MAIN BLDG—5TH FLOOR—ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446
- 31847
DOCTOR'S DATA, INC—L
3755 ILLINOIS AVENUE
ST CHARLES, IL 60174-2420
(630) 377-8139
- 00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361
- 10266
EDEN PARK PEDIATRIC ASSOCIATES—L
1725 OREGON PIKE
LANCASTER, PA 17601
(717) 569-8518
- 29462
EDEN PARK PEDIATRIC ASSOCIATES—L
4221 OREGON PIKE
EPHRATA, PA 17522
(717) 859-1434
- 32339
EDEN PARK PEDIATRIC ASSOCIATES—L
779 E MAIN STREET
MOUNT JOY, PA 17552
(717) 569-8518
- 31378
ENZO CLINICAL LABS—L
60 EXECUTIVE BLVD
FARMINGDALE, NY 11735
(631) 755-5500
- 31400
FRANCES WARDE MEDICAL LABORATORY—LP
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300
- 00173
GEISINGER MEDICAL CENTER—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443
- 32839
GENOVA DIAGNOSTICS—L
3425 CORPORATE WAY
DULUTH, GA 30096
(678) 638-2918
- 31348
GREENVILLE COMMUNITY HEALTH CENTER—L
348 MAIN STREET
GREENVILLE, PA 16125
(724) 588-5250
- 01711
HANOVER PEDIATRICS—L
217 BROADWAY
HANOVER, PA 17331
(717) 632-3911
- 24655
HEALTH NETWORK LABORATORIES—L
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 29054
HILLTOP COMMUNITY HEALTHCARE CENTER—L
151 RUTH STREET
PITTSBURGH, PA 15211
(412) 431-3520
- 26490
HOPE PEDIATRICS—L
3512 STATE ROUTE 257 SUITE 106
SENECA, PA 16346
(814) 677-3717
- 33708
INFINITY DIAGNOSTIC LABORATORIES—L
370 NORTH STREET
TETERBORO, NJ 07608
(201) 843-7750
- 29564
JAMESTOWN COMMUNITY HEALTH—L
865 E JAMESTOWN ROAD
JAMESTOWN, PA 16134
(724) 932-2299
- 34794
KIDS CARE PEDIATRICS INC—L
8279 STATE RT 22 SUITE 2
NEW ALEXANDRIA, PA 15670
(724) 668-5023
- 29136
KIDS PLUS PEDIATRICS—L
108 HORNER LANE
LATROBE, PA 15650
(724) 537-2131
- 05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300

- 21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(800) 334-5161
- 01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703
- 23380
LANCASTER PEDIATRIC ASSOC LTD—L
222 WILLOW VALLEY LAKES DRIVE
SUITE 100
WILLOW STREET, PA 17584-9463
(717) 464-9555
- 10270
LANCASTER PEDIATRIC ASSOCIATES—L
2106 HARRISBURG PIKE
SUITE 1 MED OFFICE PO BOX 3200
LANCASTER, PA 17601
(717) 291-5931
- 34187
LENCO DIAGNOSTIC LABORATORIES INC—L
1857 86TH STREET
BROOKLYN, NY 11214
(718) 232-1515
- 25658
LINCOLN LEMINGTON FAMILY HCC—L
7171 CHURCHLAND STREET
PITTSBURGH, PA 15206
(412) 361-8284
- 00242
MAIN LINE HOSPITALS LAB-LANKENAU—L
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521
- 29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—LP
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458
- 24668
MCMURRAY PEDIATRIC & ADOLESCENT
MEDICINE—L
6000 WATERDAM PLAZA DRIVE # 280
MCMURRAY, PA 15317
(724) 941-8199
- 28806
MEDIA PEDIATRICS—L
401 MOORE ROAD
WALLINGFORD, PA 19086
(610) 565-3336
- 05574
MEDTOX LABORATORIES INC—LP
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466
- 20802
MERITUS MEDICAL LABORATORY, LLC—L
11110 MEDICAL CAMPUS RD STE 230
HAGERSTOWN, MD 21742
(301) 665-4900
- 26760
METRO COMMUNITY HEALTH CENTER—L
1789 S BRODDOCK AVENUE, SUITE 410
PITTSBURGH, PA 15218
(412) 247-2310
- 00504
NATIONAL MED SVCS INC-DBA/NMS LABS—LP
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900
- 30553
NATIONWIDE CHILDRENS HOSPITAL—LP
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDRENS DRIVE
COLUMBUS, OH 43205
(614) 722-5335
- 28787
NEXT GENERATION PEDIATRICS—L
100 TECHNOLOGY DRIVE
SUITE 2
BUTLER, PA 16001
(724) 482-2220
- 23205
NORTHSIDE CHRISTIAN HEALTH CENTER—L
816 MIDDLE STREET
PITTSBURGH, PA 15212
(412) 321-4001
- 30505
NORTHSIDE CHRISTIAN HEALTH CENTER NVH—L
525 MOUNT PLEASANT ROAD NORTHVIEW
HEIGHTS
PITTSBURGH, PA 15214
(412) 321-4001
- 23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110
- 31516
PAML LLC—L
110 W CLIFF AVENUE
SPOKANE, WA 99204
(509) 755-8670
- 02125
PED ALLIANCE ST CLAIR PED DIV—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121
- 10167
PEDIATRIC ALLIANCE—CHARTIERS—L
1370 WASHINGTON PIKE, SUITE 107
BRIDGEVILLE, PA 15017
(412) 221-0160
- 28764
PEDIATRIC ALLIANCE—MCMURRAY—L
3001 WATERDAM PLAZA
SUITE 220
MCMURRAY, PA 15317
(724) 941-2747

22712
PEDIATRIC ALLIANCE GREENTREE DIVISION—L
969 GREENTREE ROAD
PRIMARY CARE CENTER OF GREENTREE
PITTSBURGH, PA 15220
(412) 922-5250

28416
PEDIATRIC ALLIANCE PC, ARCADIA DIVISION—L
9795 PERRY HIGHWAY, SUITE 100
WEXFORD, PA 15090
(412) 358-9548

25436
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L
27 VISTA DRIVE
UNIT 3
WAYNESBORO, PA 17268
(717) 765-6621

33953
PEDIATRIC URGENT CARE OF FRANKLIN
COUNTY—L
5 ROADSIDE AVE
WAYNESBORO, PA 17268
(717) 765-6621

20407
PEDIATRICS—TOWER HEALTH MEDICAL GROUP—L
301 SOUTH 7TH AVENUE
SUITE 3170
WEST READING, PA 19611
(610) 898-5624

34723
PEDIATRICS ALLIANCE PC WITH AHN
BLOOMFIELD—L
4815 LIBERTY AVE, SUITE 154
WEST PENN HOSPITAL-MELLON PAVILION
PITTSBURGH, PA 15224
(412) 578-4003

10184
PEDIATRICS OF NORTHEASTERN PA—L
920 VIEWMONT DRIVE
DICKSON CITY, PA 18519
(570) 346-1464

22533
PENNSYLVANIA DEPT OF HEALTH—L
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

21982
PS MEDICAL GROUP-CORNERSTONE—L
6 WEST NEWPORT ROAD
LITITZ, PA 17543
(717) 627-2108

22899
PSMG-RED ROSE PEDIATRICS—L
233 COLLEGE AVENUE
SUITE 200
LANCASTER, PA 17603
(717) 291-7221

00255
PUBLIC HEALTH LAB CITY OF PHILA—L
500 SOUTH BROAD STREET, RM 359
PHILADELPHIA, PA 19146
(215) 685-6501

00669
QUEST DIAGNOSTICS INCORPORATED—LP
ONE MALCOLM AVENUE
TETERBORO, NJ 07608
(201) 393-5895

21422
QUEST DIAGNOSTICS INCORPORATED—LP
1901 SULPHUR SPRING ROAD
BALTIMORE, MD 21227
(410) 247-9100

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—LP
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675

29898
ROSEVILLE PEDIATRICS KISSEL HILL—L
51 PETERS ROAD SUITE 202
LITITZ, PA 17543
(717) 569-6481

10248
ROSEVILLE PEDIATRICS LTS—L
160 NORTH POINTE BLVD SUITE 110
LANCASTER, PA 17601
(717) 569-6481

24657
SANDY LAKE COMMUNITY HEALTH CENTER—L
3205 SOUTH MAIN STREET
SANDY LAKE, PA 16145
(724) 342-3002

22196
SHARON MEDICAL GROUP—L
63 PITT STREET
SHARON, PA 16146
(724) 342-6604

27649
SMA MEDICAL LABORATORIES—L
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590

24582
SOUTH PHILA PEDIATRICS—L
1400 S 5TH STREET
PHILADELPHIA, PA 19147
(215) 467-3515

00151
ST JOSEPH QUALITY MEDICAL LAB—L
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

01683
STO-ROX FAMILY HEALTH CENTER—L
710 THOMPSON AVE
MCKEES ROCKS, PA 15136
(412) 771-6462

22718
SUNRISE MEDICAL LABORATORIES INC—L
250 MILLER PLACE
HICKSVILLE, NY 11801
(631) 435-1515

21547
THE CLINIC FOR SPECIAL CHILDREN INC—L
535 BUNKER HILL RD PO BOX 128
STRASBURG, PA 17579
(717) 687-9407

26198
THE WRIGHT CENTER MEDICAL GROUP PC—L
5 SOUTH WASHINGTON AVENUE
JERMYN, PA 18433
(570) 343-2383

30336
TRI COUNTY PEDIATRICS—L
821 HUNTINGDON PIKE, SUITE 207
HUNTINGDON VALLEY, PA 19006
(215) 379-3022

04159
TRI COUNTY PEDIATRICS INC—L
205 NEWTOWN ROAD SUITE 210
WARMINSTER, PA 18974
(215) 884-5715

04575
TRI COUNTY PEDIATRICS INC—L
1939 CHELTENHAM AVENUE
ELKINS PARK, PA 19027
(215) 884-5715

27432
TRI COUNTY PEDIATRICS INC—L
140 EAST BUTLER AVENUE
CHALFONT, PA 18914
(215) 822-1770

30337
TRI COUNTY PEDIATRICS, INC—L
729 GROVE AVENUE
SUITE 1
SOUTHAMPTON, PA 18966
(215) 322-0800

29164
TRI COUNTY PEDIATRICS INC—L
9121 E ROOSEVELT BLVD
PHILADELPHIA, PA 19114
(215) 884-5715

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00539
WASHINGTON PED & ADOLESCENT MED—L
100 WELLNESS WAY BLDG 2
WASHINGTON, PA 15301
(724) 250-6001

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-796. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Academic Clinical Research Centers

Under 28 Pa. Code § 1210.25(d) (relating to certifying ACRCs), the Department of Health (Department) has certified the following Academic Clinical Research Centers as eligible to enter into a contract with a Clinical Registrant after the Clinical Registrant's application has been approved by the Department (see 48 Pa.B. 1781 (March 24, 2018)):

Lake Erie College of Osteopathic Medicine (LECOM)
1858 West Grandview Boulevard
Erie, PA 16509

Lewis Katz School of Medicine at Temple University
3500 N. Broad Street
Philadelphia, PA 19140

Penn State College of Medicine
500 University Drive, P.O. Box 850
Hershey, PA 17033

Drexel University College of Medicine
245 N. 15th Street
Philadelphia, PA 10902

University of Pittsburgh School of Medicine
Suite 401 Scaife Hall, 3550 Terrace Street
Pittsburgh, PA 15261

Perelman School of Medicine at the University of Pennsylvania
3400 Civic Center Boulevard
Philadelphia, PA 19104

The Philadelphia College of Osteopathic Medicine
4170 City Avenue
Philadelphia, PA 19131

Sidney Kimmel Medical College at Thomas Jefferson University
Office of the Dean, 1025 Walnut Street
Philadelphia, PA 19107

For additional information, including an alternative format of this notice (for example, large print, audiotape, Braille) or for persons with a disability who require an auxiliary aid, service or other accommodation to do so should contact John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-797. Filed for public inspection May 18, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by County Nursing Facilities; Medical Assistance Day One Incentive Payments to County Nursing Facilities for Fiscal Year 2018-2019

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make Medical Assistance Day One Incentive (MDOI) payments to qualified county nursing facilities through Fiscal Year (FY) 2018-2019.

Background

The Department instituted the MDOI payments in FY 2006-2007 to encourage county nursing facilities to continue to provide services to individuals who are Medical Assistance (MA) eligible on the day of admission.

For FYs 2006-2007 through 2017-2018, the Department provided MDOI payments to qualified county nursing facilities. The qualifying criteria and formula used to determine these payments, as set forth in the Commonwealth's approved State Plan, are as follows:

To qualify for a quarterly MDOI payment, the facility must be a county nursing facility both during the entire quarter for which the payment is being made and at the time the payment is made. A facility will not qualify for a quarterly payment if they are located in a geographic zone where Community Health Choices operates during the entire quarter for which the payment is being made.

The Department will calculate each qualified county nursing facility's MDOI quarterly installment payment based on the following formula:

(i) The total funds allocated for the quarter will be divided by the total MA days for all qualified county nursing facilities to determine the quarterly MDOI per diem. The total MA days used for each county nursing facility will be the MA days identified on the most recent Provider Reimbursement and Operations Management Information System (PROMISE™) data file used to determine the facility's eligibility for disproportionate share incentive payments.

(ii) The quarterly MDOI per diem will be multiplied by each qualified county nursing facility's paid MA days identified on the most recent PROMISE™ data file used to determine eligibility for disproportionate share incentive payments, to determine its quarterly MDOI amount.

The MDOI payments for each quarter of the rate year will be paid in the first month of the following quarter.

For FY 2018-2019, the Department intends to use a portion of the revenues generated from the FY 2018-2019 Nursing Facility Assessment Program (see section 815-A of the Human Services Code (62 P.S. § 815-A)) as the State share of the MDOI payments to qualified county nursing facilities. To authorize the continuance of the MDOI payments for FY 2018-2019, and the funding level for the MDOI payments for FY 2018-2019, the Department will submit a State Plan Amendment (SPA) to the Federal Centers for Medicare & Medicaid Services (CMS).

If CMS approves the SPA, the Department will have the authority to continue to make MDOI payments to county nursing facilities for FY 2018-2019.

The MDOI payments to county nursing facilities will provide incentives to county nursing facilities to provide services to individuals who are MA eligible on the day of admission. The MDOI payments are intended to assure that county nursing facilities continue to provide access to care for these individuals. These payments provide an incentive to county nursing facilities to continue to provide for the poor and indigent citizens of this Commonwealth.

Fiscal Impact

The estimated aggregate expenditures during FY 2018-2019 is \$13.461 million (\$6.428 million in State funds).

Public Comment

Interested persons are invited to submit written comments regarding these payments to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Marilyn Yocum, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments received within 30 days will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1231. (1) General Fund; (2) Implementing Year 2017-18 is \$0; (3) 1st Succeeding Year 2018-19 is \$6,428,000; 2nd Succeeding Year 2019-20 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$1,082,000,000; 2015-16 Program—\$968,083,000; 2014-15 Program—\$810,545,000; (7) MA—Long-Term Care; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-798. Filed for public inspection May 18, 2018, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
54-91	Pennsylvania Liquor Control Board Return of Liquor	4/26/18	6/28/18

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 18-799. Filed for public inspection May 18, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

State Farm Mutual Automobile Insurance Company (SERFF # STLH-131463252); Rate Increase Filing for LTC Form 97058PA

State Farm Mutual Automobile Insurance Company is requesting approval to increase the premium an aggregate 16.9% on 986 policyholders with LTC form 97058PA.

Unless formal administrative action is taken prior to August 2, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-800. Filed for public inspection May 18, 2018, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For

questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-18-005, Dated April 9, 2018. Authorizes an Agreement between the Commonwealth of Pennsylvania and the Fraternal Order of Police, Lodge # 85, Capitol Police L4 Unit. The Agreement provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2015, through June 30, 2019.

Resolution No. CB-18-006, Dated April 9, 2018. Authorizes the Agreement between the Commonwealth and the FOP Lodge # 114 (K8-Conservation Police Officers, Game Commission) signed on March 26, 2018, covering the period July 1, 2017, through June 30, 2020.

Governor's Office

Manual No. 210.9—The Commonwealth of Pennsylvania General Records Retention and Disposition Schedule, Amended April 13, 2018.

Management Directive No. 310.3—Encumbering and Lapsing of Appropriations, Amended April 4, 2018.

Laura Campbell,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 18-801. Filed for public inspection May 18, 2018, 9:00 a.m.]

MILK MARKETING BOARD

Proposed Amendments to 7 Pa. Code Chapter 143; Transactions Between Dealers and Producers; Public Hearing

The Milk Marketing Board (Board) will conduct a public hearing on July 2, 2018, at 10 a.m. in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the public hearing is to receive testimony and comments regarding proposed amendments to 7 Pa. Code Chapter 143 (relating to transactions between dealers and producers). At the request of the Department of Agriculture, the Board will consider amending 7 Pa. Code § 143.31 (relating to written notice

required) to extend the required notice period to terminate dealer-producer contracts and will consider rescinding 7 Pa. Code § 143.32 (relating to forfeit use of notice rights).

Interested persons wishing to offer testimony or comments shall provide to the Board notification of their wish to participate either electronically at deberly@pa.gov or by filing at the Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110 by 2 p.m. on June 22, 2018.

A draft of the proposed amendments may be obtained on the Board's web site at <http://www.mmb.pa.gov/Public%20Hearings> or by contacting the Board office.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 18-802. Filed for public inspection May 18, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Implementation of Act 40 of 2017

Public Meeting held
April 19, 2018

Commissioners Present: Gladys M. Brown, Chairperson; Andrew G. Place, Vice Chairperson; Norman J. Kennard; David W. Sweet; John F. Coleman, Jr.

Implementation of Act 40 of 2017; M-2017-2631527

Final Implementation Order

By the Commission:

On October 30, 2017, Governor Wolf signed into law Act 40 of 2017, which amends the Administrative Code, 71 P.S. §§ 1 et seq. Act 40, inter alia, establishes geographical limits on solar photovoltaic (solar PV) systems that qualify for the solar PV share requirement of the Alternative Energy Portfolio Standards (AEPS) Act, 73 P.S. §§ 1648.1 et seq. The Pennsylvania Public Utility Commission's (Commission) administrative responsibilities for implementing the provisions of Act 40 are contained within Section 11.1 of Act 40. In general, Section 11.1 amends Article XXVIII of The Administrative Code of 1929 (relating to the powers and duties of the Pennsylvania Public Utility Commission) by adding section 2804 (relating to the AEPS Act). This Final Implementation Order provides the Commission's interpretation as well as implementation of Section 11.1 of Act 40.

Background

Section 11.1 of Act 40 of 2017 amends the Administrative Code, 71 P.S. §§ 1 et seq., by adding Section 2804 to the Administrative Code (Adm. Code), 71 P.S. § 714, that amends the Alternative Energy Portfolio Standards Act (AEPS Act), 73 P.S. §§ 1648.1—1648.8, 66 Pa.C.S. § 2814, by establishing geographical limits on solar photovoltaic (solar PV) systems that qualify for the solar PV share requirement in Section 3 of the AEPS Act, 73 P.S. § 1648.3(b)(2). Section 2804 of the Adm. Code became effective on October 30, 2017.

On December 21, 2017, the Commission adopted a Tentative Implementation Order (Tentative Order) at the above referenced Docket seeking comments on proposed

interpretations and implementation of Section 2804 of the Adm. Code.¹ In addition to the Tentative Order, Chairman Gladys M. Brown and Vice Chairman Andrew G. Place issued a joint statement that presented supplemental interpretations of Section 2804(2)(i) and 2804(2)(ii) of the Adm. Code, as well as the status of banked solar PV alternative energy credits (SRECs) for comment. Written comments were to be submitted within 30 days of the publication of the Tentative Order in the *Pennsylvania Bulletin*, February 5, 2018.²

Comments were filed by the following: American Municipal Power, Inc. (AMP); Anthill Farm (Anthill); Sen. Argall; Back to Life Urban Sanctuary (BLUS); Lucyna de Barbaro; Dara Bortman; Rep. Carroll; Nina Catanzarite; Citizens for Pennsylvania's Future (PennFuture); Clean Air Council (CAC); Robert Concilus; Mark J. Connolly; Consolidated Edison Development, Inc. (ConEd); Constellation NewEnergy, Inc. and Exelon Generation Company, LLC (collectively, CE); Cypress Creek Renewables, LLC (CCR); William Delaney; Sen. DiSanto; DTE Energy Trading, Inc. (DTE); Duke Energy Renewables, Inc. (DER); Duquesne Light Co. (Duquesne); Energy Independent Solutions (EIS); ET Capital Solar Partners (USA), Inc. (ET); Exact Solar; Dorothy S. Falk; Richard Flarend; Sen. Fontana; Rep. Frankel; Friends Fiduciary Corp. (FFC); Future Times Energy (FTE); Gary J. Gillen; GP Energy Management (GPEM); Marjorie E. Greenfield; Sen. Greenleaf; GreenWorks Development (GWD); Brent Groce; Groundhog Solar LLC (GS); Horizon Energy, LLC (HE); Miriam E. Lindauer and Alan E. Johnson (Lindauer and Johnson); Ryan Kerney; Sen. Killion; David Krewson; Rep. Marsico & Rep. Helm; Matthew S. Matell; Dennis McOwen; Metropolitan Edison Company, Pennsylvania Electric Company, Pennsylvania Power Company and West Penn Power Company (collectively FirstEnergy); Mid-Atlantic Renewable Energy Association (MAREA); Mid-Atlantic Renewable Energy Coalition (MAREC); Nelson & Patrica Nafzinger; National Electrical Contractors Association (NECA); National Energy Marketers Association (NEM); The Nature Conservancy (NC); NextEra Energy Resources, LLC (NextEra); Office of Consumer Advocate (OCA); Office of Small Business Advocate (OSBA); Mike Pacolay; Paradise Energy Solutions (PES); Vincent J. Paul; PECO Energy Company (PECO); PennEnvironment et. al. (PennEnviro); Pennsylvania Chamber of Business and Industry (Chamber); Pennsylvania Department of Environmental Protection (DEP); Pennsylvania Farm Bureau (PFB); Pennsylvania Solar Energy Industries Association (PASEIA); Philadelphia Solar Energy Association (PSEA); Pocono Raceway (PR); Corey Poncavage; PPL Electric Utilities Corp. (PPL); Ms. Meenal Raval; Sen. Reschenthaler; Retail Energy Supply Association (RESA); Rep. Roe; Sen. Scavello; Schell Solar Farm, LLC (SSF); Henry J. Sokolowski; Solar Renewable Energy LLC (SRE); Solar Unified Network of Western Pennsylvania, et. al. (SUNWP); SOTA Construction Services, Inc. (SOTA); SRECTrade, Inc. (SRECT); Dennis & Eileen Stanton; Sunrise Energy, LLC (SE); Sunrun, Inc. (Sunrun); Teichos Energy (TE); Howard E. & Carol E. Vines; James Weaver; Sen. Yudichak & Sen. Costa.

Discussion

A. Section 2804(1)

This Section of the Adm. Code, 71 P.S. § 714(1), creates a limitation to Section 4 of the AEPS Act, 73 P.S. § 1648.4, which established, inter alia, that energy derived from alternative energy sources (AESs) inside the

¹ See Implementation of Act 40 of 2017, Tentative Implementation Order at Docket No. M-2017-2631527 (entered December 21, 2017).

² The Tentative Implementation Order was published in the *Pennsylvania Bulletin* on January 6, 2018 at 48 Pa.B. 111.

geographical boundaries of Pennsylvania shall be eligible to meet compliance requirements under the AEPS Act. Section 1648.4 also provides that energy derived from AESs located outside the geographical boundaries of the Commonwealth but within the service territory of a regional transmission organization (RTO) that manages the transmission system in any part of Pennsylvania shall be eligible to meet the AEPS Act compliance requirements of electric distribution companies (EDCs) or electric generation suppliers (EGSs) located within the service territory of the same RTO. Finally, Section 1648.4 provides that AESs located in the PJM Interconnection, L.L.C. RTO (PJM) or its successor service territory shall be eligible to fulfill the AEPS Act compliance obligations of all EDCs and EGSs. See 73 P.S. § 1648.4.

Section 2804(1) of the Adm. Code, 71 P.S. § 714(1), specifically states the following:

(1) Notwithstanding Section 4 of the Act of November 30, 2004 (P.L. 1672, No. 213), known as the “Alternative Energy Portfolio Standards Act,” in order to qualify as an alternative energy source eligible to meet the photovoltaic share of this Commonwealth’s compliance requirements under the “Alternative Energy Portfolio Standards Act” and to qualify for solar renewable alternative energy portfolio credits, each solar photovoltaic system must do one of the following:

(i) Directly deliver the electricity it generates to a retail customer of an electric distribution company or to the distribution system operated by an electric distribution company operating within this Commonwealth and currently obligated to meet the compliance requirements contained under the “Alternative Energy Portfolio Standards Act.”

(ii) Be directly connected to the electric system of an electric cooperative or municipal electric system operating within this Commonwealth.

(iii) Connect directly to the electric transmission system at a location that is within the service territory of an electric distribution company operating within this Commonwealth.

In the Tentative Order we stated that Section 2804(1), 71 P.S. § 714(1), modifies Section 4 of the AEPS Act to exclude solar PV sources located outside of Pennsylvania from qualifying as an AES eligible to generate power and solar renewable alternative energy portfolio credits (SRECs) eligible to be used to meet the solar PV share requirement. Section 2804(1) introduces a new undefined term, “solar renewable alternative energy portfolio credit.” In the Tentative Order the Commission proposed to interpret this term as identifying SRECs eligible to meet the AEPS Act solar PV share requirements found in Section 3(b)(2) of the AEPS Act, 73 P.S. § 1648.3(b)(2).

In the Tentative Order we noted that Act 40 did not amend or otherwise revise the definitions of Alternative Energy Credit, Alternative Energy Source or Tier I Alternative Energy Source found in Section 2 of the AEPS Act, 73 P.S. § 1648.2. Significantly, Section 2804(4) of the Adm. Code, 71 P.S. § 714(4), specifically defines “Alternative Energy Source” as the term “Alternative Energy Sources” is defined in Section 2 of the AEPS Act. Furthermore, Section 2804(1) of the Adm. Code only modifies Section 4 of the AEPS Act, 73 P.S. § 1648.4, and only refers to the solar PV share requirement. Accordingly, as solar PV has been and still is a Tier I AES that was eligible to meet the Tier I non-solar PV share requirements, the Commission proposed to interpret this section

as permitting any solar PV system meeting the geographic requirements of Section 4 of the AEPS Act, 73 P.S. § 1648.4, as continuing to be eligible to generate Tier I alternative energy credits (AECs) eligible to be used to meet the Tier I non-solar PV share requirements in Section 3(b)(1) of the AEPS Act, 73 P.S. § 1648.3(b)(1).

1. Comments

Duquesne, FirstEnergy, MAREC, NEM, and RESA³ indicate they support the Tentative Order interpretation permitting any solar PV system meeting the geographic requirements of Section 4 of the AEPS Act, 73 P.S. § 1648.4, as continuing to be eligible to generate Tier I alternative energy credits (AECs) eligible to be used to meet the Tier I non-solar PV share requirements in Section 3(b)(1) of the AEPS Act, 73 P.S. § 1648.3(b)(1). BLUS, Dorothy S. Falk, Sen. Fontana, Lindauer and Johnson, David Krewson, PSEA, PASEIA & SUNWP, Sen. Scavello and Dennis & Eileen Stanton⁴ concur with the Tentative Order interpretation. OCA⁵ indicates that it does not object to the Tentative Order interpretation of Section 2804(1).

2. Disposition

Upon review of the comments, the Commission adopts the Tentative Order interpretation and will permit any solar PV system meeting the geographic requirements of Section 4 of the AEPS Act, 73 P.S. § 1648.4, as continuing to be eligible to generate Tier I alternative energy credits (AECs) eligible to be used to meet the Tier I non-solar PV share requirements in Section 3(b)(1) of the AEPS Act, 73 P.S. § 1648.3(b)(1).

B. Section 2804(1)(i)

In the Tentative Order we stated that this subsection of the Adm. Code, 71 P.S. § 714(1)(i), provides two scenarios where solar PV will qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements. The first scenario that qualifies is a solar PV generation source that directly delivers its power to an EDC’s retail customer. In the Tentative Order the Commission proposed to interpret this section as applying to solar PV systems physically connected to an EDC’s customer’s internal electric system, such as a roof mounted solar PV array.

The second scenario that qualifies is a solar PV generation source that directly delivers its power to the distribution system operated by an EDC that has an obligation to meet the AEPS Act compliance requirements. In the Tentative Order the Commission proposed to interpret this provision as applying to solar PV systems physically interconnected to an EDC’s distribution system.

1. Comments

Duquesne, MAREC, and RESA⁶ indicate their support of the Tentative Order interpretations that solar PV physically connected to an EDC’s customer’s internal electric system or physically interconnected to an EDC’s distribution system will qualify to generate energy and SRECs eligible to be used to meet solar PV share requirements. OCA⁷ indicates that it does not oppose the Tentative Order interpretation of Section 2804(1)(i).

³ Duquesne Comments at 5-6; FirstEnergy Comments at 3-4; MAREC Comments at 2; NEM Comments at 2; and RESA Comments at 8.

⁴ BLUS Comments at 1; Dorothy S. Falk Comments; Sen. Fontana Comments at 1; Lindauer and Johnson Comments; David Krewson Comments; PSEA Comments at 2; PASEIA & SUNWP 12/18/2017 Comments at 1; Sen. Scavello Comments and Dennis & Eileen Stanton Comments.

⁵ OCA Comments at 2.

⁶ Duquesne Comments at 5-6; MAREC Comments at 2-3; and RESA Comments at 8.

⁷ OCA Comments at 2-3.

FirstEnergy⁸ also supports the Tentative Order interpretations. FirstEnergy, however, notes that a very small portion of the Pennsylvania Electric Company (Penelec) distribution system extends into New York State and it is possible that a Penelec customer physically located in New York could have a solar PV system connected to the Penelec customer's electrical system or connected to the Penelec distribution system. FirstEnergy believes such systems qualify as eligible for certification and asks the Commission to provide clarity.

2. Disposition

Upon review of the comments, the Commission adopts the Tentative Order interpretation with one clarification. We agree with FirstEnergy that a solar PV system connected to a Penelec customer's internal electrical system or to Penelec's distribution system, whether in Pennsylvania or New York and within the PJM control area, are eligible to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements. We find that this is appropriate as subsection 2804(1)(i) of the Adm. Code, 71 P.S. § 714(1)(i), only requires electricity generated by the PV system be delivered to a jurisdictional EDC's retail customer or delivered to a jurisdictional EDC's distribution system. Accordingly, we adopt the Tentative Order interpretation that solar PV systems will qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements when solar PV systems are physically connected to an EDC's customer's internal electric system or physically interconnected to an EDC's distribution system.

C. Section 2804(1)(ii)

In the Tentative Order we stated that this subsection of the Adm. Code, 71 P.S. § 714(1)(ii), addressed the scenario where a solar PV system is directly connected to the electric system of an electric cooperative or municipal electric system operating within Pennsylvania. In the Tentative Order the Commission proposed to interpret this subsection as permitting solar PV systems physically connected to a Pennsylvania electric cooperative's or municipal electric system's distribution network to qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements.

1. Comments

Duquesne, FirstEnergy, MAREC, and RESA⁹ indicate support of the Tentative Order interpretation that solar PV systems physically connected to a Pennsylvania electric cooperative's or municipal electric system's distribution network qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements. OCA¹⁰ indicates that it does not oppose the Tentative Order interpretation of Section 2804(1)(ii).

2. Disposition

Upon review of the comments, we adopt the Tentative Order interpretation permitting solar PV systems physically connected to a Pennsylvania electric cooperative's or municipal electric system's distribution network to qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the AEPS Act solar PV share requirements.

D. Section 2804(1)(iii)

In the Tentative Order we stated that this subsection of the Adm. Code, 71 P.S. § 714(1)(iii), addressed the scenario where a solar PV system is directly connected to the electric transmission system at a location that is within the service territory of an EDC. In the Tentative Order the Commission proposed to interpret this subsection as permitting solar PV systems physically connected to an EDC's transmission system within the EDC's service territory to qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements. In the Tentative Order we noted that this would include utility scale solar PV systems that are physically interconnected to an EDC's transmission system within the EDC's service territory and operating under PJM rules as a wholesale generator.

1. Comments

Duquesne, MAREC, and RESA¹¹ indicate support of the Tentative Order interpretation permitting solar PV systems physically connected to an EDC's transmission system within the EDC's service territory to qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements. PennFuture¹² notes that the language in Act 40 has one substantive change from SB 404, to permit solar PV systems that "connect directly to the electric transmission system...with (sic) the service territory of an electric distribution company operating within this commonwealth." PennFuture went on to note that while this potentially expands the number of photovoltaic systems that may generate SRECs, it is unambiguously limited to those with a direct physical connection to Pennsylvania.

OCA¹³ submits that the Tentative Order interpretation where it refers to "an EDC's transmission system" should be changed to permit solar PV systems physically connected to "any" transmission system in Pennsylvania. OCA contends that under Section 2804(1)(iii), any solar PV system directly connecting to a transmission system in Pennsylvania should qualify to generate energy and SRECs eligible to meet solar PV share requirements. FirstEnergy¹⁴ indicates support of the Tentative Order interpretation but notes that transmission systems serving EDCs in Pennsylvania may not be owned by the EDCs and suggests that the Commission's proposal be revised to clarify that a solar PV system interconnected with a transmission system located within a Pennsylvania EDC's service territory would meet the eligibility requirements.

2. Disposition

Upon review of the comments and in recognition of the comments from FirstEnergy and OCA, we will clarify the interpretation of this subsection to permit solar PV systems physically connected to any transmission system that is in Pennsylvania to qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the AEPS Act solar PV share requirements. This would include utility scale solar PV systems that are physically interconnected to a transmission system within an EDC's service territory and operating under PJM rules as a wholesale generator.

⁸ FirstEnergy Comments at 3-5.

⁹ Duquesne Comments at 5-6; FirstEnergy Comments at 3-4; MAREC Comments at 2-3; and RESA Comments at 8.

¹⁰ OCA Comments at 3.

¹¹ Duquesne Comments at 5-6; MAREC Comments at 2-3; and RESA Comments at 8.

¹² PennFuture Comments at 4.

¹³ OCA Comments at 3.

¹⁴ FirstEnergy Comments at 4-5.

E. Implementation of Section 2804(1)

In the Tentative Order we proposed that the Alternative Energy Credit Program Administrator (AEC Program Administrator) work with PJM-GATS to modify the Pennsylvania certification numbers it assigns to solar PV systems. Specifically, we proposed that systems that qualify to generate SRECs will be assigned a certification number in the following format: PA-NNNNNN-SUN-I. Whereas solar PV systems that only qualify to generate Tier I non-solar AECs will be assigned a certification number in the following format: PA-NNNNNN-NSTI-I.

1. Comments

FirstEnergy, GS, and RESA¹⁵ support the certification number format proposed in the Tentative Order. Duquesne¹⁶ avers that the proposed naming process is necessary and will be adequate once the AEC Administrator and the facilities are able to make changes necessary to accommodate the proposed numbering format.

PPL¹⁷ indicates support of the Tentative Order certification number format and offers two comments on the implementation of Section 2804(1). PPL emphasizes the need for a clear communication line when entities provide evidence to the Commission of contracts that are grandfathered and suggests for transparency that PJM-GATS add a new column for the new certification numbers as opposed to overwriting old certification numbers.

CE¹⁸ notes that the timing and the process for changing the SREC naming is important to entities with AEPS Act requirements. CE requests that the Commission clarify the procedure and timing for the AEC Program Administrator, in coordination with PJM-GATS, to identify and mark grandfathered SRECs in PJM-GATS.

2. Disposition

Upon review of the comments, we adopt the procedure proposed in the Tentative Order to have the AEC Program Administrator work with PJM-GATS to modify the Pennsylvania certification number it assigns to solar PV systems. Specifically, systems that qualify to generate SRECs will be assigned a certification number in the following format: PA-NNNNNN-SUN-I. Whereas solar PV systems that only qualify to generate Tier I non-solar AECs will be assigned a certification number in the following format: PA-NNNNNN-NSTI-I.

F. Section 2804(2)(i)

In the Tentative Order we stated that this section of the Adm. Code, 71 P.S. § 714(2)(i), sets forth a condition to which Section 2804(1) of the Adm. Code, 71 P.S. § 714(1), does not apply. Specifically, Section 2804(2)(i) of the Adm. Code, 71 P.S. § 714(2)(i) states the following:

(2) Nothing under this section or section 4 of the “Alternative Energy Portfolio Standards Act” shall affect any of the following:

(i) A certification originating within the geographical boundaries of this Commonwealth granted prior to the effective date of this section of a solar photovoltaic energy generator as a qualifying alternative energy source eligible to meet the solar photovoltaic share of this Commonwealth’s alternative energy portfolio compliance requirements under the “Alternative Energy Portfolio Standards Act.”

In the Tentative Order we stated that this subsection addresses the scenario where a solar PV system had received a Pennsylvania certification as an AES eligible to meet the solar PV share requirement prior to October 30, 2017, the effective date of Section 2804 of the Adm. Code. In the Tentative Order the Commission proposed to interpret this subsection to grandfather solar PV AESs certified as a Pennsylvania AES before October 30, 2017, as continuing to qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements.

In the Tentative Order the Commission proposed to interpret the language “a certification originating within the geographical boundaries of this Commonwealth” as a reference to systems certified by the Commission’s AEC Program Administrator in accordance with 52 Pa. Code §§ 75.62, 75.63 & 75.64. These systems received a unique Pennsylvania certification number that identifies them as a Pennsylvania qualifying alternative energy source eligible to meet the solar PV share requirements. We noted that many systems may also qualify for certification in another state’s renewable portfolio standards program and receive a unique certification number for that state as well, thus, many systems may have multiple state certification numbers.

Accordingly, this subsection, as the Commission proposed to interpret it, precludes a solar PV system that does not meet the Section 2804(1) of the Adm. Code, 71 P.S. § 714(1), requirements and was certified in another state, but not in Pennsylvania prior to October 30, 2017, from being qualified to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements in Pennsylvania. The Commission, however, as noted above, proposed to interpret Section 2804 of the Adm. Code as permitting such systems to be certified as a Tier I non-solar alternative energy resource eligible to be used by EDCs and EGSs to meet the Tier I non-solar requirements.

In their Statement, Chairman Brown and Vice Chairman Place stated the following:

While the Commission’s interpretation, as outlined in the [Tentative Order], reflects a strict textual review, we acknowledge that such implementation may run counter to the intent of the provisions in Act 40. Numerous iterations of legislation have been proposed over previous General Assembly sessions aiming to “close the borders” in a manner “similar to many neighboring states.” Here the [Tentative Order] only proposes to close the borders on a going forward basis, commencing on the date Act 40 was enacted. Review of the current supply and demand for AEPS qualifying Tier I solar share credits and capacity indicates that grandfathering all out-of-state solar facilities may result in, at best, a negligible impact on in-state solar development and SREC prices. Such an outcome would fail to achieve the potential intentions of the General Assembly to foster economic development in the state, to support environmental stewardship, and to instill electric reliability. Failure to effectuate the intentions of the General Assembly would conflict with the principles of statutory construction.

Chairman Brown and Vice Chairman Place went on to state that they “propose to interpret the phrase [a] certification originating within the geographical boundaries of this Commonwealth. . .’ as a facility located within Pennsylvania having received an AEPs [sic] Tier I solar photovoltaic share certification.”

¹⁵ FirstEnergy Comments at 3-4; GS Comments at 2; and RESA Comments at 13.

¹⁶ Duquesne Comments at 6.

¹⁷ PPL Comments at 2-3.

¹⁸ CE Comments at 7.

1. Comments

The Commission received comments in opposition and in support of the Commission's proposed interpretation of Subsection 2(i). Some Commentators assert that the language as written in Act 40 is unclear and ambiguous.¹⁹ Several Commentators assert that the reasonable reading of Subsection 2(i) is that a certification originates within the geographical boundaries of this Commonwealth only if the source of generation being certified is physically located within those geographical boundaries.²⁰ Senators Jay Costa and John T. Yudichak state that the Tentative Order interpretation is counter to the intentions of the General Assembly, which was to join neighboring states that have similarly "closed solar borders" and to advance a commitment to promote economic and job growth in Pennsylvania's solar energy industry.²¹ Some commentators assert that the Commission's interpretation of Subsection 2(i) would render Subsection 2(ii) redundant because there would be no need to further protect existing facilities that have entered into agreements with Pennsylvania EDCs and EGSs participating in the Pennsylvania markets.²²

Other commentators indicate their support for the Commission's interpretation in the Tentative Order of Subsection 2(i) as "grandfathering" existing certified solar PV systems physically located outside of the Commonwealth. Some commentators noted that to require a facility to be physically located within the Commonwealth to be exempted under Subsection 2(i) would be unnecessary to preserve the certification of in-state Pennsylvania facilities under Act 40.²³ SSF²⁴ asserts that failing to grandfather existing solar PV systems with existing contracts would impair obligations of contracts. Several commentators assert that the Rules of Statutory Construction presume against a retroactive effect unless the legislation clearly makes that intent known.²⁵ Several Commentators also assert that interpreting the Act this way is appropriate given that the language of the statute is clear and unambiguous.²⁶

RESA²⁷ asserts that Subsection 2(i) should be interpreted to apply to any existing SRECs (in contrast to the qualification of the solar PV facility) that has already been certified as compliant with the Pennsylvania AEPS requirements. RESA asserts that this interpretation also supports the Chairman's Joint Statement's interpretation because the integrity of the already certified SRECs are being preserved.

2. Disposition

The Core issues in this proceeding are the Commission's interpretation of Sections 2804(2)(i) and 2804(2)(ii). These read:

(2) Nothing under this section or section 4 of the "Alternative Energy Portfolio Standards Act" shall affect any of the following:

(i) A certification originating within the geographical boundaries of this Commonwealth granted prior to the effective date of this section of a solar photovoltaic energy generator as a qualifying alternative energy source eligible to meet the solar photovoltaic share of this Commonwealth's alternative energy portfolio compliance requirements under the "Alternative Energy Portfolio Standards Act."

(ii) Certification of a solar photovoltaic system with a binding written contract for the sale and purchase of alternative energy credits derived from solar photovoltaic energy sources entered into prior to the effective date of this section.

Interpretation of these sections has been challenging for the Commission, particularly because the verbiage in Section 2804(2)(i) is not precise. The question here is whether or not this statute is intended to "grandfather" out-of-state facilities certified before October 30, 2017, to generate Tier I Solar credits. Given this lack of clarity, Chairman Gladys M. Brown and Vice Chairman Andrew G. Place issued a Joint Statement in conjunction with the adoption of the Tentative Order offering supplemental statutory interpretations to spur comments in an effort to inform the record.²⁸

The OCA succinctly states the challenge in interpreting Section 2804(2)(i) of Adm. Code.

The OCA submits that the language as written in Act 40 is unclear and the OCA is unable to discern the intent of the section as written.²⁹

Likewise, the comments of PennFuture share similar sentiments as OCA, stating:

Section 2804(2)(i) of Act 40 is ambiguous in regard to how and when the qualification of a facility as an alternative energy generator originates.³⁰

We agree with the commentators that asserted that the language of Section 2804(2)(i) is unclear. Consequently, we are obligated, under rules of statutory construction, to ascertain the intent of the General Assembly. The Statutory Construction Act of 1972 provides in relevant part that:

When the words of a statute are clear and free from all ambiguity, the letter of it is not to be disregarded under the pretext of pursuing its spirit.

1 Pa.C.S. § 1921(b). Since, as the OCA and PennFuture point out, the verbiage here is unclear, we conduct a statutory analysis. The Statutory Construction Act provides in relevant part:

When the words of a statute are not explicit, the intention of the General Assembly may be ascertained by considering, among other matters:

* * *

(2) The circumstances under which it was enacted.

(3) The mischief to be remedied.

(4) The object to be attained.

* * *

(6) The consequences of a particular interpretation

(7) The contemporaneous legislative history.

(8) Legislative and administrative interpretations of such statute.

²⁸ Joint Statement of Chairman Gladys M. Brown and Vice Chairman Andrew G. Place entered December 21, 2017 at the instant Docket.

²⁹ OCA Comments at 5.

³⁰ PennFuture Comments at 1.

¹⁹ OCA Comments at 5 and PennFuture Comments at 1.

²⁰ Sen. Scavello Comments at 1; SOTA Comment at 1; Rep. Carroll Comment at 1; Lindauer and Johnson Comments at 1; Dorothy S. Falk Comments at 1; Dennis & Eileen Stanton Comments at 1; David Krewson Comments at 1; PennFuture Comments at 1-2; PSEA Comments at 1-2; Sen. Fontana Comments at 1; Sunrun Comments at 3; BLUS Comments at 1-2; GPEM Comments at 2-3; SUNWP Comments at 1; and Mark J. Connolly, Comments at 1.

²¹ Comments of Senator John T. Yudichak and Senator Jay Costa filed on February 2, 2018.

²² ET Comments at 2; NECA Comments at 1-2; PASEIA Comments at 2-3; and DEP Comments 2-3.

²³ DER Comments at 2; and NEM Comments 5.

²⁴ SSF Comments at 1.

²⁵ AMP Comments at 5-6; and NextEra Comments at 2-3.

²⁶ AMP Comments at 4-5; Duquesne Comments at 7-8; OSBA Comments at 2-3; DTE Comments at 2; CE Comments 4-5; and Chamber Comments at 1.

²⁷ RESA Comments at 9-10.

1 Pa.C.S. § 1921(c). The comments filed in response to the Tentative Order have proven instructive in regard to why the General Assembly drafted this legislation, why the Governor signed it into law, and the mischief to be remedied.

Comments filed by Governor Tom Wolf, Senators Mario M. Scavello, Tom Killion, John T. Yudichak, Jay Costa, John M. DiSanto, Steward J. Greenleaf, David G. Argall, Wayne D. Fontana, Guy Reschenthaler, and Representatives Michael B. Carroll, Eric M. Roe, Ronald S. Marsico, and Sue Helm are particularly insightful. As lawmakers who effectuated Act 40, these commenters are uniquely qualified to provide the Commission with information regarding the intent of the statute. Each of the comments provided by lawmakers states that their intent to ‘close the borders’ for Tier I solar credit qualifications was consistent with the design utilized by a number of our neighboring states to promote economic development. This interpretation is consistent with the supplemental interpretation provided in the Joint Statement of Chairman Gladys M. Brown and Vice Chairman Andrew G. Place and contrary to the proposal of the Commission in the Tentative Order.

Senators Jay Costa and John T. Yudichak descriptively summarize the sentiments and intentions of these lawmakers, stating the following:

The Commission’s proposed interpretation under the Tentative Implementation Order published in the *Pennsylvania Bulletin* on January 6, 2018, would “grandfather” systems that are certified in Pennsylvania, rather than physically located in this state. We must respectfully disagree with this interpretation, which we find counter to the intentions of the General Assembly and especially of our colleagues who supported and voted in favor of this legislation.

Instead, the joint statement submitted by Chairperson Gladys M. Brown and Vice Chairperson Andrew G. Place better reflects our intentions in approving this legislation. Please know that legislation to “close our solar borders” for the purposes of satisfying the Alternative Energy Standards Portfolio Act has been considered in recent sessions and discussions have been exclusive to the physical locations of systems.

While we certainly recognize the potential need to address and honor existing contracts, the long-term and primary goals set forth by this legislation have been clear. Specifically, we seek to join our neighboring states that similarly have “closed solar borders” and to advance our commitment to promoting economic and job growth within Pennsylvania’s solar energy industry.³¹

In further support of interpreting Sections 2804(2)(i) and 2804(2)(ii) consistent with the Joint Statement of Chairman Gladys M. Brown and Vice Chairman Andrew G. Place, DEP states that the intention of this provision was to provide certainty that solar photovoltaic energy facilities located within the Commonwealth would not be affected by the changes implemented elsewhere in Act 40. DEP also submits that the interpretation outlined in the Tentative Order would essentially nullify the purpose of Act 40 by grandfathering enough currently-certified sources to prevent the law from having any environmental or other co-benefit whatsoever.³² Comments from the PFB also echo this sentiment, stating that the Tentative

Order interpretation would limit farmers’ options for compliance with ever-increasing environmental protection standards.³³

Further, ET submits that the Commission’s tentative interpretation of Section 2804(2)(i) would make the additional language of Section 2804(2)(ii) redundant.³⁴ ET states that if the legislative intent of Section 2804(2)(i) follows the Commission’s tentative interpretation, there would be no need for the additional language of Section 2804(2)(ii) to further protect existing facilities that have entered into agreements with Pennsylvania electric distribution companies (EDCs) and electric generation suppliers (EGSs) participating in the Pennsylvania markets. Therefore, ET contends that the language of Section 2804(2)(ii) is further evidence that the legislative intent of Act 40 of 2017 is to stimulate further investment in solar facilities within the Commonwealth and not to allow out-of-state facilities to capture Pennsylvania ratepayer payments.³⁵ Again, the rules of statutory construction are guiding here. The Statutory Construction Act provides in relevant part:

In ascertaining the intention of the General Assembly in the enactment of a statute the following presumptions, among others, may be used:

* * *

(2) That the General Assembly intends the entire statute to be effective and certain.

1 Pa.C.S. § 1922. Case law further clarifies the interpretation of this provision, stating that the General Assembly does not intend words to be “mere surplusage.”³⁶

When reviewing the totality of comments described above, it becomes evident that Section 2804(1)(i), 2804(1)(ii), and 2804(1)(iii) explicitly describe the qualifications for Tier I Solar facilities after passage of Act 40; Section 2804(2)(i) clarifies that all Tier I Solar facilities certified before passage of Act 40 that are located within the geographic boundaries of Pennsylvania are to be held harmless from this legislation; and Section 2804(2)(ii) enjoins the legislation from breaching existing contracts from out-of-state Tier I Solar facilities which were entered into before passage to serve the AEPS Act needs of Pennsylvania entities. Therefore, we believe we must support the adoption of our interpretations of Section 2804(2)(i) and 2804(2)(ii) in a manner consistent with the Joint Statement by Chairman Gladys M. Brown and Vice Chairman Andrew G. Place to the Tentative Order. The interpretation of Section 2804(2)(i) of the Adm. Code, 71 P.S. § 714(2)(i) is as follows:

Section 2804(2)(i)—We interpret the phrase “[a] certification originating within the geographical boundaries of this Commonwealth. . .” as a facility located within Pennsylvania having received an AEPS Act Tier I solar photovoltaic share certification.

G. Implementation of 2804(2)(i)

In the Tentative Order we proposed that solar PV systems that were certified as a Pennsylvania AES in accordance with 52 Pa. Code §§ 75.62, 75.63 & 75.64,

³³ PFB Comments at 1.

³⁴ ET Comments at 2.

³⁵ ET Comments at 2-3.

³⁶ *Thomas Jefferson University Hospitals, Inc. v. Pa. Department of Labor and Industry*, 162 A.3d 384, 393 (Pa. 2017), see also *Holland v. March*, 883 A.2d 449, 455-56 (Pa. 2005); *Green Acres Contracting Comp. v. Commonwealth*, 163 A.3d 1147 (Pa. Cmwlth. 2017) and *Pa. State Police, Bureau of Liquor Control Enforcement v. Legion Post 304 Home Assoc.*, 164 A.3d 612, 619 (Pa. Cmwlth. 2017) (holding that the rules of statutory construction require that courts, whenever possible, give each word in a statutory section meaning and not treat any word as surplusage).

³¹ Comments of Senator John T. Yudichak and Senator Jay Costa filed on February 2, 2018.

³² DEP Comments at 1.

prior to October 30, 2017, will be identified by the following certification number format: PA-NNNNNN-SUN-I. Whereas solar PV systems that only qualify to generate Tier I non-solar AECs will be assigned a certification number in the following format: PA-NNNNNN-NSTI-I.

In the Tentative Order we noted that currently, the program administrator has 30 days from the date a complete AES application is received to provide written notice as to whether the system qualifies as an AEPS Act AES. If a system is found to qualify as an AEPS Act AES, the system qualification date can be the date the complete application was received by the program administrator. See 52 Pa. Code § 75.63(i).³⁷ The Commission sought comments on whether completed solar PV system applications that were received before October 30, 2017, but not approved by the program administrator until after October 30, 2017, should be grandfathered in as a solar PV AES eligible to meet the solar PV share requirements, as their certification date would be the date the completed application was received.

1. Comments

FirstEnergy and PPL³⁸ support grandfathering of PV system applications received before October 30, 2017, but approved by the program administrator after October 30, 2017, as solar PV AES eligible to meet the solar PV share requirements. FirstEnergy noted that the finite number of applications submitted prior to October 30, 2017, “were submitted at point where solar PV systems would have been acting in reliance upon the laws in effect at the time of the application will further minimize the cost of compliance for customers.” PPL avers that “grandfathering of such facilities supports the development of solar renewable energy and can support the State’s transition to the new Act 40 requirements.

GPEM³⁹ submits that the rules should remain consistent with the current program whereby the qualification date becomes the date the application was received rather than when it was approved and avers that consistent rules would be operationally simpler for market participants. GPEM notes that grandfathering systems with applications submitted prior to October 30, 2017, is inconsistent with the contract grandfathering language from Section 2804(2)(ii) and aligns more with the Commission’s initial interpretation of Section 2804(2)(i) that all systems certified prior to October 30, 2017 would be grandfathered in and continue creating eligible SRECs.

Anthill, Duquesne, PennFuture, PASEIA and PSEA,⁴⁰ oppose grandfathering of PV system applications received before October 30, 2017, but approved by the program administrator after October 30, 2017, as solar PV AES eligible to meet the solar PV share requirements. Duquesne avers that systems with applications submitted but not approved by October 30, 2017, are not eligible for the exemptions provided in Act 40 that only apply to systems with Pennsylvania certifications granted prior to the effective date. PennFuture, PASEIA and PSEA, note that the Act requires that to be eligible a facility must have a certification granted prior to the effective date of Act 40.⁴¹ They further state that if an out-of-state generator applies for certification prior to October 30,

³⁷ Section 75.63(i) of the Commission’s regulations states “[a]n alternative energy system may begin to earn alternative energy credits on the date a complete application is filed with the administrator, provided that a meter or inverter reading is included with the application.” 52 Pa. Code § 75.63(i).

³⁸ FirstEnergy Comments at 6; and PPL Comments at 4.

³⁹ GPEM Comments at 6-7.

⁴⁰ Anthill Comments at 1; Duquesne Comments at 8-9; PennFuture Comments at 5-6; PASEIA Comments at 5-6; and PSEA Comments at 3-4.

⁴¹ Citing Act 40 Section 2804(2)(i).

2017, but is not actually certified as of that date, the Commission lacks the authority to issue the certification under any circumstances. They further note that in such a case, 52 Pa. Code § 75.63(i) does not apply because the application must be denied.

2. Disposition

After review of the comments and based on our interpretation of Section 2804(2)(i), we agree with commenters that the language at Section 2804(2)(i) is clear that certification must have been actually granted prior to October 30, 2017, the effective date of Act 40. Therefore, only solar PV systems located within Pennsylvania that actually received certification by the AEC Program Administrator prior to October 30, 2017, fall under the Section 2804(2)(i) provisions. Accordingly, any facility that did not actually receive certification by the AEC Program Administrator prior to October 30, 2017, must meet the qualifications of Section 2804(1), 71 P.S. § 714(1) to be eligible to generate energy and credits that EDCs and EGSs can use to meet the Section 3 AEPS Act solar PV share requirements, 73 P.S. § 1648.3(b)(2).

In addition, as we have found that Section 2804(2)(i) only applies to facilities located within Pennsylvania, we direct the AEC Program Administrator work with PJM-GATS to modify the Pennsylvania certification number it assigns to all solar PV systems located outside of Pennsylvania or that do not meet the requirements of 2804(1) of the Adm. Code. Specifically, as these out-of-state solar PV systems only qualify to generate Tier I non-solar AECs they will be reassigned a certification number in the following format: PA-NNNNNN-NSTI-I.

H. Section 2804(2)(ii)

In the Tentative Order we stated that this section of the Adm. Code, 71 P.S. § 714(2)(ii), sets forth a condition to which Section 2804(1) of the Adm. Code, 71 P.S. § 714(1), does not apply. Specifically, Section 2804(2)(ii) of the Adm. Code states the following:

(2) Nothing under this section or section 4 of the “Alternative Energy Portfolio Standards Act” shall affect any of the following:

(ii) Certification of a solar photovoltaic system with a binding written contract for the sale and purchase of alternative energy credits derived from solar photovoltaic energy sources entered into prior to the effective date of this section.

In the Tentative Order we stated that this subsection of the Adm. Code addresses the scenario where a binding written contract for the sale and purchase of AECs derived from a solar PV source was entered into prior to October 30, 2017. In the Tentative Order the Commission proposed to interpret this subsection as permitting the AEC Program Administrator to certify a solar PV system that does not meet the provisions of Section 2804(1) of the Adm. Code, 71 P.S. § 714(1), and was not certified prior to October 30, 2017, to qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements under the following conditions:

(1) There is a binding written contract entered into prior to October 30, 2017.

(2) The contract is for the sale and purchase of the alternative energy credits generated by a solar PV system that is not already certified in Pennsylvania.

(3) The solar PV system does not meet the requirements of § 2804(1).

In the Tentative Order the Commission further proposed to limit the certification to the duration of the contract. For example, if the contract was for the purchase of AECs for 24 months, from June 1, 2017 through May 31, 2019, the certification to qualify to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements would end on June 1, 2019 and be transferred to a Tier I non-solar certification. Under this example, the credits generated prior to June 1, 2019 and transferred to an EDC or EGS would continue to be eligible to meet the solar PV share requirements in accordance with 52 Pa. Code § 75.69 (relating to the banking of alternative energy credits).

In their Statement, Chairman Brown and Vice Chairman Place stated the following:

[W]e propose to interpret [Section 2804(2)(ii)] to only permit out-of-state facilities already certified as AEPS Tier I Solar Photovoltaic [systems] that have entered into a contract with a Pennsylvania electric distribution company, electric generation supplier serving Pennsylvania customers, load serving entity, electric cooperative, or municipal cooperative, for the sale of SRECs may maintain [its] certification until the expiration of the contract.

1. *Comments*

Several Commentators assert that the Commission's proposed interpretation of the word "contract" in Subsection 2(ii) does not comport with the legislative intent of Act 40. Commentators suggest that the word "contract" in Subsection 2(ii) should be interpreted to only mean those entities required to comply with the AEPS Act because contracts with any other parties are irrelevant under Act 40.⁴² Others comment that the word "contract" should not only apply to contracts between entities required to comply with the AEPS Act because this would unfairly nullify other supply contracts which is not supported by the language of Act 40.⁴³

Several Commentators assert that failure to interpret Subsection 2(ii) as grandfathering solar PV generators with binding written contracts to sell SRECs in Pennsylvania entered into prior to October 30, 2017, would unduly burden projects and expose the Commonwealth to legal challenges.⁴⁴ Duquesne⁴⁵ asserts that the Commission's interpretation of Subsection 2(ii) in its Tentative Order attains Act 40's goal of closing the border over time as all facilities that were not granted Pennsylvania certification before October 30, 2017, and do not otherwise qualify under Act 40 will not be able to provide eligible SRECs. GPEM⁴⁶ asserts that the Commission's interpretation of Subsection 2(ii) conflicts with the Commission's proposed interpretation of Subsection 2(i) because the contracts would not need to be grandfathered if the entire solar PV systems were to be grandfathered.

2. *Disposition*

As discussed in the preceding section, the Statutory Construction Act dictates that when the words of a statute are clear and free from all ambiguity, the letter of it is not to be disregarded under the pretext of pursuing

its spirit. 1 Pa.C.S. § 1921(b). The Statutory Construction Act also provides in relevant part:

When the words of a statute are not explicit, the intention of the General Assembly may be ascertained by considering, among other matters:

* * *

- (2) The circumstances under which it was enacted.
- (3) The mischief to be remedied.
- (4) The object to be attained.

* * *

- (6) The consequences of a particular interpretation
- (7) The contemporaneous legislative history.
- (8) Legislative and administrative interpretations of such statute.

1 Pa.C.S. § 1921(c). The Commission finds Subsection 2(ii) to be ambiguous.

For the reasons expressed in Section F.2. above, when reviewing the totality of comments described above, it becomes evident that Section 2804(1)(i), 2804(1)(ii), and 2804(1)(iii) explicitly describe the qualifications for Tier I Solar facilities after passage of Act 40; Section 2804(2)(i) clarifies that all Tier I Solar facilities certified before passage of Act 40 that are located within the geographic boundaries of Pennsylvania are to be held harmless from this legislation; and Section 2804(2)(ii) enjoins the legislation from breaching existing contracts from out-of-state Tier I Solar facilities which were entered into before passage to serve the AEPS Act needs of Pennsylvania entities. Therefore, we believe we must support the adoption of our interpretations of Section 2804(2)(i) and 2804(2)(ii) in a manner consistent with the Joint Statement by Chairman Gladys M. Brown and Vice Chairman Andrew G. Place to the Tentative Order.

The interpretation of Section 2804(2)(ii) of the Adm. Code, 71 P.S. § 714(2)(ii) is as follows: Section 2804(2)(ii)—we interpret this section to only permit out-of-state facilities that are (a) already certified as AEPS Tier I Solar Photovoltaic and that (b) have entered into a contract with a Pennsylvania EDC or EGS serving Pennsylvania customers, for the sale of solar credits, to maintain certification until the expiration of the contract. We further wish to clarify that, consistent with the comments provided by ET, this maintained certification should only be applicable to the amount of credits contractually committed to by an out-of-state certified facility to an EDC or EGS.⁴⁷

I. *Section 2804(3)*

In the Tentative Order we stated that this section of the Adm. Code provides that contracts entered into or renewed on or after October 30, 2017, the effective date of Section 2804 of the Adm. Code, are subject to the provisions of Section 2804(1) of the Adm. Code, 71 P.S. § 714(1). In the Tentative Order the Commission proposed to interpret this subsection of the Adm. Code as limiting the eligibility of systems certified under the contract exception in Subsection 2804(2)(ii), 71 P.S. § 714(2)(ii), to the duration of the contract for the sale and purchase of AECs when it was entered into prior to October 30, 2017. We further stated that a solar PV system owner cannot extend its eligibility through a renewal of the original contract or subsequent contracts.

⁴⁷ For purposes of implementation, any alteration, such as a change, update, or extension to a contract applicable under this provision, and, entered into after October 30, 2017, would not be recognized under Section 2804(2)(i).

⁴² Sen. Scavello Comments at 1; Lindauer and Johnson Comments at 1; Dorothy S. Falk Comments at 1; Dennis & Eileen Stanton Comments at 1; David Krewson Comments at 1; PennFuture Comments 5; PSEA Comments at 3; Sunrun Comments at 3-4; BLUS Comments at 5; GS Comments 7-8; SUNWP Comments at 1; NECA Comments at 2; and PASEIA and SUNWP Comments 5.

⁴³ RESA Comments at 11; MAREC Comments at 3; DTE Comments at 2; DER Comments at 3; and CE Comments at 3-4.

⁴⁴ CE Comments at 3-4; SSF, LLC Comments at 1; RESA Comments at 10; and CCR Comments at 5.

⁴⁵ Duquesne at 9.

⁴⁶ GPEM Comments at 5-6.

We proposed that at the end of the contract entered into prior to October 30, 2017, the solar PV system would be re-certified as a Tier I non-solar alternative energy resource. The Commission, however, proposed that the AECs generated and transferred to the EDC or EGS prior to the re-certification would continue to be eligible to meet the solar PV share requirement in accordance with 52 Pa. Code § 75.69 (relating to the banking of alternative energy credits).

In their Statement, Chairman Brown and Vice Chairman Place stated the following:

The proposed supplemental interpretations above [from their statement] require that we address the status of banked SRECs from previously certified out-of-state facilities. We respectfully ask parties to address the handling of such SRECs.

1. Comments

Commentators⁴⁸ state that eligibility for banked SRECs should occur at the time when the SREC is sold to meet the AEPS Act obligation, not when the SREC is generated. Other Commentators⁴⁹ state that banked credits from out-of-state facilities that are not under contract should not be used to satisfy the solar PV share requirements. Commentators⁵⁰ also assert that previously banked SRECs must remain eligible to meet the AEPS Act compliance obligations or investments made by parties in reasonable reliance on the pre-existing statutory and regulatory regime would be unfairly impaired. OCA⁵¹ states that banked SRECs have already been purchased by EDCs or EGSs and the EDCs and EGSs would have to purchase additional SRECs if the previously purchased credits are no longer usable, increasing costs to consumers. RESA⁵² states that EGSs may elect to procure varying vintage AECs for use in future years in accordance with the prevailing banking rules, thus, the ability to rely on banked AECs is an important component necessary for EGSs to effectively manage and satisfy their AEPS Act obligations.

2. Disposition

Upon review of the comments, we adopt the Tentative Order proposal to interpret this subsection of the Adm. Code as limiting the eligibility of systems certified under the contract exception in Subsection 2804(2)(ii), 71 P.S. § 714(2)(ii), to the duration of the contract entered into by an EDC or EGS for the sale and purchase of AECs when it was entered into prior to October 30, 2017. We further state that an EDC or EGS cannot extend the eligibility of the SRECs through a renewal of the original contract or subsequent contracts.

Given the interpretations expressed in Sections F2 and H2 above, we are also required to provide implementation procedures associated with banked credits. The AEPS Act permits EDCs and EGSs to bank, or place in reserve, credits produced in one reporting year for compliance in the next two reporting years.⁵³ Implementation procedures are necessary to address handling of a credit generated by an out-of-state Tier I solar qualified facility before October 30, 2017, and not retired in PJM's Genera-

tion Attribute Tracking System before October 30, 2017. Since Act 40 omits any directive expressly empowering the Commission to modify the attributes of such credits, we believe that these credits should retain the tier attribute assigned at the time the credit was generated. To do otherwise would appear to modify the legal status, or tier attribute, of a credit without explicit statutory authority. The Statutory Construction Act does not presume retroactive effect of statutes. The Statutory Construction Act provides in relevant part:

No statute shall be construed to be retroactive unless clearly and manifestly so intended by the General Assembly.

1 Pa.C.S. § 1926.

Further, the Commonwealth Court has provided guidance here when it determined the following:

A retroactive law is one which relates back to and gives a previous transaction a legal effect different from that which it had under the law in effect when it transpired. This Court has held that “[a] law is given retroactive effect when it is used to impose new legal burdens on a past transaction or occurrence.” *R & P Services, Inc. v. Commonwealth, Department of Revenue*, 541 A.2d 432, 434 (Pa.Cmwlth. 1988). However, section 1926 of the Statutory Construction Act provides that “no statute may be construed to be retroactive unless clearly and manifestly so intended by the General Assembly.” 1 Pa.C.S. § 1926.

Kuziak v. Borough of Danville, 125 A.3d 470, 477 (Pa.Cmwlth. 2015).

Therefore, given Act 40's omission of any directive to change the attribute of these banked credits, we submit that any out-of-state Tier I solar credit generated before October 30, 2017, should retain its Tier I solar attribute for the banking life span enumerated in the AEPS Act. This interpretation is supported by the comments of RESA, which states that EGSs may elect to procure varying vintage credits for use in future years in accordance with the prevailing banking rules, thus, the ability to rely on banked credits is an important component necessary for EGSs to effectively manage and satisfy their AEPS Act obligations.⁵⁴

In conclusion, we submit that the interpretations provided herein are necessarily required by this Commission consistent with the rules of statutory construction enumerated supra and also consistent with The Statutory Construction Act, which provides that:

The object of all interpretation and construction of statutes is to ascertain and effectuate the intention of the General Assembly. Every statute shall be construed, if possible, to give effect to all its provisions.

1 Pa.C.S. § 1921(a).

J. Implementation of Sections 2804(2)(ii) and 2804(3)

To implement these provisions, in the Tentative Order the Commission proposed that any solar PV system seeking to be eligible to generate SRECs that was not certified prior to October 30, 2017, and that does not meet the requirements of 2804(1) of the Adm. Code, 71 P.S. § 714(1), must submit a copy of the binding written contract for the sale and purchase of AECs, and any additional information requested by the AEC Program Administrator, along with its application for alternative energy system qualification in accordance with 52

⁴⁸ Sen. Scavillo Comments at 1; Sen. Fontana Comments at 1-2; and BLUS Comments at 5;

⁴⁹ Lindauer and Johnson Comments at 1; Dorothy S. Falk Comments at 1; Dennis & Eileen Stanton Comments at 1; David Krewson Comments at 1; Anthill Comments at 1; GS Comments at 1, 4-7; SUNWP Comments at 1; PASEIA Comments at 2, 4; PSEA Comments at 3; and PennFuture Comments at 5.

⁵⁰ CCR Comments at 5; Duquesne Comments at 10; FirstEnergy Comments at 6; and PPL Comments at 7.

⁵¹ OCA Comments at 7-8.

⁵² RESA Comments at 7.

⁵³ The Alternative Energy Portfolio Standards Act of 2004, 73 P.S. § 1648.3(e)(6).

⁵⁴ RESA Comments at 7.

Pa. Code § 75.62. In the Tentative Order we proposed that the AEC Program Administrator would make the determination as to whether the system qualifies to generate energy and SRECs eligible to be used by EDCs and EGSs to meet the solar PV share requirements and the duration of that qualification. We further proposed that when the contract ends the AEC Program Administrator would re-certify the system as a Tier I non-solar alternative energy source. Finally, we proposed that the decision by the AEC Program Administrator may be appealed consistent with 52 Pa. Code § 5.44 (relating to petitions for reconsideration from actions of the staff).

1. Comments

PPL⁵⁵ requests clarification regarding the time the AEC Program Administrator will be governed by for review and decision surrounding such an application. CCR⁵⁶ requests that the Commission should consider implementing an orderly and transparent program for decertification of previously certified solar PV systems that are, or become, ineligible under Act 40. RESA⁵⁷ states that while there are some general types of supply contracts in use today, the specific terms and conditions of the supply contracts vary greatly and may cover only Pennsylvania obligations, while others may span multiple jurisdictions.

2. Disposition

To begin with, we note that Sections 2804(2)(ii) and 2804(3) only apply to out-of-state facilities that are (a) already certified as AEPS Tier I Solar Photovoltaic and that (b) have entered into a contract with a Pennsylvania EDC or EGS serving Pennsylvania customers, for the sale of solar credits, to maintain certification until the expiration of the contract. We further wish to clarify that, consistent with the comments provided by ET,⁵⁸ this maintained certification should only be applicable to the amount of credits contractually committed to by an out-of-state certified facility to an EDC or EGS.⁵⁹ EDCs and EGSs seeking to qualify credits under this provision are required to file a Petition within 60-days of the entry date of this order. Procedures for the 2804(2)(ii) contract approval process will be provided by the Commission at this docket.

K. Section 2804(4)

In the Tentative Order we stated that Section 2804(4) of the Adm. Code, 71 P.S. § 714(4), provides that the terms “Alternative Energy Source” and “Electric Distribution Company” maintain their respective definitions as set forth in Section 2 of the AEPS Act, 73 P.S. § 1648.2. In the Tentative Order we proposed that solar PV systems not meeting Section 2804(1) of the Adm. Code requirements or the exceptions thereto in Section 2804(2) of the Adm. Code would still generate credits eligible to meet the Tier I non-solar share requirements.

1. Comments

CCR, FirstEnergy, PPL, RESA, SRECT⁶⁰ indicate they support the Tentative Order interpretation permitting solar PV systems not meeting Section 2804(1) of the Adm. Code requirements or the exceptions thereto in Section 2804(2) of the Adm. Code would still generate credits

eligible to meet the Tier I non-solar share requirements. BLUS, NECA, PASEIA, SUNWP and Sunrun⁶¹ included language not directly supporting but concurring with the Tentative Order interpretation. OCA⁶² indicates that it does not object to the Tentative Order interpretation of Section 2804(4).

2. Disposition

Upon review of the comments, we adopt the Tentative Order interpretation permitting solar PV systems not meeting the Section 2804(1) of the Adm. Code, 71 P.S. § 714(1), requirements or the exceptions thereto in Section 2804(2) of the Adm. Code, 71 P.S. § 714(2), are still eligible to generate electricity and credits eligible to be used by EDCs and EGSs to meet the Tier I non-solar AEPS Act share requirements at 73 P.S. § 1648.3(b)(1).

Conclusion

With this Order we begin the process of implementing Act 40, while recognizing that there are complexities in implementing and complying with the Act that may reveal issues which require further Commission action. The Commission will address any such issues, at this docket, and in a manner that provides all interested parties appropriate notice and opportunity to be heard; *Therefore,*

It Is Ordered That:

1. The Commission hereby adopts the interpretation and implementation of Section 2804 of the Adm. Code, 71 P.S. § 714, as set forth in this Order.

2. A copy of this order be served on all jurisdictional electric distribution companies, all licensed electric generation suppliers, the Bureau of Investigation and Enforcement, the Office of Consumer Advocate, the Office of Small Business Advocate and any party that filed comments at this Docket.

3. Electric Distribution Companies and Electric Generation Suppliers seeking to qualify credits under Section 2804(2)(ii) of the Administrative Code, 71 P.S. § 714(2)(ii), are required to file a Petition within sixty (60) days of the entry date of this Order.

4. A copy of this Order shall be published in the *Pennsylvania Bulletin* and posted on the Commission's website at www.puc.pa.gov.

5. The Office of Competitive Market Oversight shall electronically send a copy of this Order to all persons on the contact list for the Committee Handling Activities for Retail Growth in Electricity.

6. The contact persons for this Final Implementation Order are Kriss Brown, Assistant Counsel, Law Bureau, kribrown@pa.gov, (717) 787-4518 and Darren Gill, Bureau of Technical Utility Services, dgill@pa.gov, (717) 783-5244.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-803. Filed for public inspection May 18, 2018, 9:00 a.m.]

⁵⁵ PPL Comments at 7.
⁵⁶ CCR Comments at 5.
⁵⁷ RESA Comments at 6.
⁵⁸ ET Comments at 2-3.

⁵⁹ For purposes of implementation, any alteration, such as a change, update, or extension to a contract applicable under this provision, and, entered into after October 30, 2017, would not be recognized under Section 2804(2)(i).

⁶⁰ CCR Comments at 5; FirstEnergy Comments at 3-4; PPL Comments at 7; RESA Comments at 14; and SRECT Comments at 1-2.

⁶¹ BLUS Comments at 5; NECA Comments at 2; PASEIA Comments at 4; PASEIA & SUNWP 12/18/2017 Comments at 5; SUNWP Comments at 1; and Sunrun Comments at 4.
⁶² OCA Comments at 9.

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed in the event that there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by June 4, 2018. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2018-3001088. Med Swift Transportation Services, LLC (444 South 49th Street, Philadelphia, PA 19143) in paratransit service, from points in the City of Philadelphia, to points in Delaware County, and return.

A-2018-3001454. Riding on Family Love, LLC (11 South Madison Avenue, Upper Darby, Delaware County, PA 19082) persons in paratransit service from points in the City and County of Philadelphia to correctional facilities in Pennsylvania, and return.

A-2018-3001580. The Lab Tranz, LLC (6078 Boardwalk Drive, Tobyhanna, Monroe County, PA 18466) persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Monroe County, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Applications of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.*

A-2018-3000919. Yourway Taxi and Limo, Inc. (6681 Snowdrift Road, Allentown, PA 18106) persons in limousine service, which is to be a transfer of all rights authorized under the certificate issued at A-2013-2346866 to Yourway Transport, Inc., subject to the same rights and limitations.

A-2018-3000928. Yourway Taxi and Limo, Inc. (6681 Snowdrift Road, Allentown, PA 18106) persons in airport transfer service, which is to be a transfer of all rights authorized under the certificate issued at A-2013-2346854 to Yourway Transport, Inc., subject to the same rights and limitations.

A-2018-3000933. Yourway Taxi and Limo, Inc. (6681 Snowdrift Road, Allentown, PA 18106) persons upon call or demand, which is to be a transfer of all rights authorized under the certificate issued at A-2012-2300845 to Yourway Transport, Inc., subject to the same rights and limitations.

Applications of the following for *amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.*

A-2018-3000265. ASAP Management, Inc. (P.O. Box 14375, Philadelphia, PA 19115) in paratransit service, limited to persons in wheelchairs whose personal convictions prevent them from owning or operating motor vehicles, from points in Bucks County to points in Pennsylvania, and return.

A-2018-3001513. Frank Martz Coach Company (239 Old River Road, Wilkes-Barre, Luzerne County, PA 18702) persons on schedule, for an additional stop in Allentown, Lehigh County, on the existing route from Wilkes-Barre/Scranton to Philadelphia by means of the Pennsylvania Turnpike.

A-2018-3001615. All American Amish Van and Transport Service, LLC (2373 Middlegreen Court, Lancaster, Lancaster County, PA 17601) persons in paratransit service from points in Lancaster County to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-804. Filed for public inspection May 18, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2018-3001630. United Telephone Company of Pennsylvania, d/b/a CenturyLink and Block Line Systems, LLC. Joint petition of United Telephone Company of Pennsylvania, d/b/a CenturyLink and Block Line Systems, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania, d/b/a CenturyLink and Block Line Systems, LLC, by their counsel, filed on May 2, 2018, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the United Telephone Company of Pennsylvania, d/b/a CenturyLink and Block Line Systems, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-805. Filed for public inspection May 18, 2018, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than June 4, 2018. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants.

Doc. No. A-18-05-01. SVAS Trans, Inc. (229 Rocklyn Road, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public convenience (CPC) to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-18-05-02. American Limousine, LLC (90 McKee Drive, Mahwah, NJ 07430): An application for a limousine CPC to transport persons on an exclusive basis, arranged for in advance, in 9—15 passenger vehicle service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* William H. Stewart, Esq., 310 Grant Street, Suite 2310, Pittsburgh, PA 15219.

Doc. No. A-18-05-03. American Limousine, LLC (90 McKee Drive, Mahwah, NJ 07430): An application for a limousine CPC to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* William H. Stewart, Esq., 310 Grant Street, Suite 2310, Pittsburgh, PA 15219.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 18-806. Filed for public inspection May 18, 2018, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School

Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

August 16, 2018 Mark A. Madden 10 a.m.
(Disability)

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Lori Koch, Assistant to the Executive Director, at (717) 720-4606 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matter will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), unless specific exemption is granted.

GLEN R. GRELL,
Executive Director

[Pa.B. Doc. No. 18-807. Filed for public inspection May 18, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Elizabeth A. Leming, LPN; File No. 13-51-07951; Doc. No. 0712-51-2014

On March 5, 2018, Elizabeth A. Leming, LPN, license No. PN259929L, last known of Pittsburgh, Allegheny County, had her registered nurse license revoked based on disciplinary action being taken by another state and pleading guilty to crimes of moral turpitude.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-808. Filed for public inspection May 18, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Katie Mills, RN; File No. 16-51-09447; Doc. No. 1660-51-2016

On September 25, 2017, Katie Mills, RN, Pennsylvania license No. RN647405, last known of Wellsville, NY, had her registered nurse license indefinitely suspended until at least the time as she proves that she is fit to practice and was assessed a \$500 civil penalty based on receiving disciplinary action by the proper licensing authority of another state and failing to report same to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-809. Filed for public inspection May 18, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Angel Pennington Parker, RN; File No. 12-51-05151; Doc. No. 0217-51-2014

On January 23, 2018, Angel Pennington Parker, RN, Pennsylvania license No. RN356644L, last known of Phoenix, AZ, had her registered nurse license indefinitely suspended and was assessed a \$500 civil penalty by reason of her addiction to alcohol or hallucinogenic, narcotic or other drugs which tend to impair judgment or coordination.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-810. Filed for public inspection May 18, 2018, 9:00 a.m.]

STATE BOARD OF VETERINARY MEDICINE

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Nicole Erica Dugan, CVT, Respondent; File No. 13-57-02558; Doc. No. 0074-57-14

Notice to Nicole Erica Dugan, CVT:

On January 14, 2014, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Veterinary Medicine, alleging that you have violated certain provisions of the Pennsylvania Practical Nurse Law, Act of March 2, 1956, P.L. (1955) 1211, ("Act"). Pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing for service of process upon you by publication.

Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary
Department of State
2601 North Third Street
P.O. Box 2649
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

DAVID R. WOLFGANG, VMD,
Chairperson

[Pa.B. Doc. No. 18-811. Filed for public inspection May 18, 2018, 9:00 a.m.]