

NOTICES

DEPARTMENT OF AGRICULTURE

Agricultural Research Project Contractors

The Department of Agriculture (Department) is soliciting applications to conduct agricultural research on one or more of the following research topic areas, with the research to be conducted from July 1, 2018, to June 30, 2019, with the possibility, but not the assurance, of extending that research into subsequent years.

This notice establishes the procedures by which grant applications will be solicited and reviewed, and by which grants will be awarded.

1. *Grant Solicitation.* The Department will accept grant applications for the purposes, in the form and according to the schedule set forth as follows. Additional publication and dissemination of this notice shall be made to applicants who have previously submitted grant applications to or received grants from the Department, as well as any individuals or entities who have requested notification from the Department of grant availability.

2. *Research Topic Areas.* The research topics the Department is interested in funding are as follows:

a. *Ongoing multiyear research projects.* The Department has, in previous years, provided funding for various multiyear research projects that might be continued or extended to complete research the Department identifies as addressing continued priorities of the agricultural industry. The Department will consider proposals to continue supporting previously funded research.

b. *Spotted lanternfly.* Spotted lanternfly, *Lycorma delicatula*, was detected in this Commonwealth 3 years ago, and quickly established itself as a damaging pest in neighborhoods, forests and agricultural settings. As with any new invasive species, significant knowledge gaps exist in understanding of the pest and its potential effects on this Commonwealth. The Department will consider research proposals that address basic and applied research on spotted lanternfly, with priority given to proposals that analyze the pest's economic impacts on agriculture, general commerce and communities, on integrated pest management strategies for agricultural commodities of importance to this Commonwealth and on basic biological research that will allow us to develop more sophisticated, cost-effective and environmentally-low-impact control strategies.

c. *Powdery mildew in hops.* With the increasing popularity and scale of this Commonwealth's craft beer industry, there is greater demand for hops produced within this Commonwealth. Although hops production is relatively small in this Commonwealth, a number of potential growers are considering the opportunity as a way of capitalizing on increased demand, while diversifying their operation. A growing threat to hops, however, is powdery mildew, a fungal disease that can significantly reduce yields, distort and cause defects in hop cones, and contribute to premature ripening. The Department is seeking research proposals on how to prevent powdery mildew in hops, as well as research on treatment methods.

d. *Alternative uses for fluid milk.* Increasing production combined with declining consumption has led to an oversupply of fluid milk. To build demand, some have proposed non-nutritional uses of milk, including for cos-

metic purposes, as a cleansing agent or as a plant fertilizer. The Department will accept research proposals in support of the development of alternative milk-based products that are intended for nonhuman-consumption purposes.

e. *Support for dairy product research and development.* Product innovation often is key to maintaining relevance in the eyes of consumers and protecting market share. Given the alternatives available to customers in the marketplace, there is a need for innovation in the dairy sector. The Department will consider proposals for research and development projects specific to dairy. Projects can include, but are not limited to: new types or classes of dairy products; new ways to incorporate dairy into other types of value-added products; or new ways of packaging different classes of dairy products to boost sales. Proposals submitted under this category should demonstrate a strong partnership between food or dairy, or both, processors and manufacturers and research institutions, including private operations and those affiliated with institutions of higher education.

f. *Use of blockchain technology in agricultural food systems.* Blockchain technology provides a comprehensive ledger of transactions along a supply chain. Blockchain promises to improve the traceability and transparency of agriculture value chains, enabling consumers to know more confidently the origin of their food products. The Department will accept research proposals aimed at studying ways in which this technology can be deployed within agriculture, barriers to implementation, and the technology's potential to streamline business processes, produce new cost savings and protect the integrity of food systems.

g. *Identifying gaps in agricultural infrastructure systems.* The Department's 2018 economic impact assessment and strategic recommendations report noted that gaps in production, processing and manufacturing of agricultural products limit the productivity and growth potential of this Commonwealth's agriculture. Additionally, deficiencies in this Commonwealth's other infrastructure systems—specifically, roads, bridges and broadband—restrict the ability of producers and agribusinesses to move raw materials and goods to market. The Department will accept research proposals that seek to identify these gaps in this Commonwealth's transportation and agriculture infrastructure systems, as well as recommendations for targeted investment that will yield the greatest return on investment for this Commonwealth's economy. This research is intended to supplement ongoing research focused on broadband access already in progress through the Governor's Office of Broadband Initiatives and the Center for Rural Pennsylvania.

h. *Economic impact and estimated costs of compliance with Chesapeake Bay Total Maximum Daily Load.* This Commonwealth has made considerable progress to reduce nutrient loads into waterways, particularly within the Chesapeake Bay watershed. Despite these reductions, considerable work remains for the agriculture and urban stormwater sectors to reduce nutrient runoff further within the bay watershed. Estimates of potential costs associated with this necessary work are outdated. The most recent reliable estimate of the amount of resources required to implement nonpoint source best management practices (BMP) fully for the agriculture sector is an August 2013 report from the Pennsylvania State Univer-

sity's Environmental and Natural Resources Institute that showed a need of \$3.6 billion in capital costs or, on an annualized basis and including operation and maintenance costs, \$378.3 million per year through 2025. The Department will accept research proposals to update estimated costs of nonpoint source BMP installation as the Commonwealth works to prepare the third phase of its Watershed Implementation Plan.

i. *Inventory of noncost-shared conservation BMP in agriculture.* In 2016, the Commonwealth partnered with agricultural organizations and academia to survey and inventory farmers' voluntary efforts to implement conservation BMP without the assistance of public investment. This noncost share survey and the results are part of the Commonwealth's Chesapeake Bay restoration goal in that results are used to generate credit for previously unacknowledged water quality improvements on the part of the agriculture sector. The Department will accept research proposals to replicate the survey using the 2016 design, including onfarm verification of reported improvements by a sample of the survey's total population.

j. *Market potential of industrial hemp.* Now in its second year, Pennsylvania's Industrial Hemp Pilot Research Program has grown in terms of number of permitted projects and the number of acres planted. This growth demonstrates enthusiasm on the part of growers about the market and economic potential of industrial hemp, however little research exists as to the potential market for hemp products, including seeds, oils and fiber. The Department will accept research proposals that seek to quantify the market potential for industrial hemp-derived products, including the most promising products for generating positive returns on investment and barriers to realizing this industry's fullest potential (for example, processing capacity, access to financial services, technology to harvest crops economically and efficiently, and the like).

k. *Workforce development.* Developing a workforce development plan specific to agriculture is a priority of the Department. Initial research suggests nearly 75,000 employment vacancies will occur over the next decade within this Commonwealth's agriculture and food industries. The Department is interested in finding ways to increase the education and training opportunities for people who are high school graduates in the industry who do not wish to participate in post-secondary education. It encourages proposals from entities from within or that support the agriculture and food industry to design and implement micro-credentials or badges that teach specific skills that are not a part of the formal education systems. Interested parties will use a specific format for credential development provided by the Department. Mini-grants not to exceed \$2,500 will be used to support development efforts and the process that will be used to evaluate the efficacy of the credential.

l. *Hydroponics and aquaponics.* Within this Commonwealth, hydroponics and aquaponics systems have been recognized as both an excellent way to teach STEM (science, technology, engineering and math) knowledge and skills and as cluster of technology which can support additional economic development in the food sector. The Department is interested in supporting action research where a hydroponics and aquaponics practitioner and an academic researcher get together to do research on a problem area that can solve a practical problem. These will be mini-grants of no more than \$5,000 which may address issues such as, but not limited to, bringing production to a larger scale, lighting, nutrient solutions,

integrated pest management and integration into broader market structures. The practitioner needs to apply the research-based solution and report their results for inclusion on a public database as a part of the project.

m. *Urban agriculture.* Urban agriculture and intensive agriculture practices have grown exponentially across this Commonwealth in recent years, with hundreds of projects operating in urban centers. The Department will accept proposals for research projects supported by mini-grants of no more than \$5,000 where an urban agriculture practitioner and an academic researcher collaborate to solve a problem related to urban agriculture practice. Topics may include, but are not limited to, season extension, soil testing and remediation, intensive farming, production of new crops, adding value through canning and other forms of preservation, new distribution and marketing processes, and ensuring more reliable access to safe water. The practitioner needs to apply the research-based solution and report their results for inclusion on a public database as a part of the project.

n. *Pollinator Protection Plan.* The Commonwealth released the Pennsylvania Pollinator Protection Plan in January 2018 following an extensive process of engagement with stakeholders. The report, as found on the Department's web site at www.agriculture.pa.gov under the "Hot Topics" heading, provides a series of recommendations to provide a broad framework in which to consider and improve pollinator health in this Commonwealth. The report is designed to be used by a variety of communities and stakeholder groups at multiple levels, from local to Statewide. The Department will accept proposals that align with the eight recommendations for research found in Chapter 5 of the report.

3. *Grant Agreement.* The terms and conditions of the grant will be governed by a grant agreement between the Department and the applicant which shall be tendered to the applicant for execution, returnable in no more than 30 days.

4. *Application Delivery and Deadline.* Interested applicants must deliver a complete research project proposal and grant application to the Department by 4 p.m. on Friday, September 28, 2018, if hand-delivered, or by mail postmarked on or before that same date. Applications should be addressed and delivered to the Department of Agriculture, Attn: Research Solicitation Review Committee, Room 211, 2301 North Cameron Street, Harrisburg, PA 17110.

5. *Format of the Project Proposal and Grant Application.* The project proposal and grant application shall be formatted as follows:

a. A cover page, titled Agricultural Research Project Proposal and Grant Application, providing: i) the title of the proposed project; ii) the name and address of the applicant; iii) the name, address, telephone number and e-mail address of the applicant's principal contact person for matters relating to the application; and iv) the total maximum grant amount sought for the proposed project.

b. Section 1, titled Statement of Purpose, explaining or presenting: i) the purpose for which the grant funds would be utilized; ii) how the project aligns with one or more of the research topics presented in Paragraph No. 2; and iii) details of the proposed project, including a statement of expected impact of outcomes, staffing for the project, and objectives and methodologies.

c. Section 2, titled Statement of Need, explaining the need for the grant funds sought, and identifying the presence of any additional funding partners and the extent of that funding.

d. Section 3, titled Budget, presenting a detailed budget for the proposed project.

e. Section 4, titled Criteria for Measuring Outcomes, identifying methods for measuring outcomes.

f. Section 5, titled Industry Involvement, describing the extent of any support, participation and funding from agricultural industry, including any written confirmation of that support, participation or funding.

6. *Scoring of Applications.* The Department will evaluate each complete and timely-filed project proposal and grant application it receives, using a 100-point scale assessing:

a. Up to 10 points for the research project needs statement.

b. Up to 15 points for the impact of research outcomes.

c. Up to 5 points for the presence of additional funding partners or matching funds.

d. Up to 30 points for the research methodology.

e. Up to 20 points for project evaluation and replicability.

f. Up to 20 points for support and participation from industry.

7. *Scores.* Upon completion of evaluations, the Department will prepare a record identifying each complete and timely-filed project proposal and grant application received and the numerical score assigned to each. The Department shall award grants based upon its evaluation and scoring.

8. *Multiyear Projects or Extensions.* The Department may award grant funding for multiyear projects or extensions of an ongoing project, if the Department identifies that a multiyear term or an extension advances the grant's objectives. Requests for extensions of ongoing projects shall be made, evaluated and processed in accordance with all the requirements of this notice.

9. *Notice of Award.* Applicants shall be notified by mail of the decision on their grant applications by the Department. Best efforts will be made to do so within 15 days of the application deadline.

10. *Grant Agreement.* With the mailed grant award notice, the Department will provide applicants with a grant agreement for execution and return within 30 days. The Department will obtain the required Commonwealth signatures on the grant agreements and return a copy of the fully-executed grant agreement to the applicant. No grant agreement is effective and work should not commence until all required signatures have been applied to the grant agreement. Among the terms of the grant agreement shall be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit such information as the Department may require.

11. *Nonmatching Cost-Reimbursable Grant.* Grants made hereunder do not require the applicant secure or devote a matching sum to the project, but outside funding may be considered as an evaluation criteria under section 6(c) of this solicitation. Payment of grant funds will occur on a reimbursement basis, with the possibility upon the written submission of justification and subsequent approval of the Department of an advance payment option.

12. *Allowable Indirect Cost Reimbursement.* Grants made hereunder are subject to an indirect cost cap of 15% of total project costs. For the purpose of this research grant funding solicitation, indirect costs shall include administrative salaries and benefits, office supplies and equipment, facility related cost including maintenance and repairs, telephones, memberships/dues, freight/postage cost and any consultant related costs associated with the administration of this research grant.

13. *Reporting Requirements.* Upon completion of research projects funded through this program, grant recipients will submit to the Department within 60 days a final report detailing the nature of the questions under study, an explanation of the research design and methods, findings of the research and recommendations for future study.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 18-1318. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending August 14, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-6-2018	Kish Bank Belleville Mifflin County	109 East Main Street Allensville Mifflin County	Opened
8-8-2018	The Bryn Mawr Trust Company Bryn Mawr Montgomery County	2 Greenville Crossing Greenville New Castle County, DE	Filed
8-8-2018	Mifflinburg Bank and Trust Company Mifflinburg Union County	415 Mahoning Street Milton Northumberland County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-14-2018	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 1700 Walnut Street Philadelphia Philadelphia County <i>From:</i> 214 South 20th Street Philadelphia Philadelphia County	Filed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-1319. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION**Applications, Actions and Special Notices****APPLICATIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0080683 (Sewage)	Miller Skyview MHP 200 Ridge Road Etters, PA 17319-9110	York County/ Newberry Township	UNT Bennett Run (7F)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0001864 (Industrial)	Riverbend Foods LLC 1080 River Avenue Pittsburgh, PA 15212	Allegheny County Pittsburgh City	Unnamed Tributary to Allegheny River and Allegheny River (18-A)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0103713 (Industrial Waste)	Scrubgrass Generating Plant 2151 Lisbon Road Kennerdell, PA 16374-3305	Venango County Scrubgrass Township	Falling Spring Run, unnamed tributary to the Allegheny River and Allegheny River (16-G)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0087190, Sewage, SIC Code 4952, **Saint Thomas Township Municipal Authority**, 175 Saint Thomas Edenville Road, Saint Thomas, PA 17252-9743. Facility Name: St Thomas Township Edenville STP. This existing facility is located in Saint Thomas Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Wilson Run, is located in State Water Plan watershed 13-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	12.5	20	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	15	22	XXX	30.0	45.0	60
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Oct 1 - Apr 30	8.2	XXX	XXX	16.5	XXX	33
May 1 - Sep 30	2.8	XXX	XXX	5.5	XXX	11
Nitrate-Nitrite as N	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

Sludge use and disposal description and location(s): Sludge is hauled off site for treatment and disposal at the main St. Thomas WWTP (PA0081001).

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083194, Sewage, SIC Code 4952, **HMS Host—Blue Mt. Turnpike Plaza**, PO Box 8, Middletown, PA 17057-0008. Facility Name: Blue Mt. Turnpike Plaza. This existing facility is located in Hopewell Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Newburg Run, is located in State Water Plan watershed 7-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.12	XXX	0.40
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	7.5	XXX	15
May 1 - Oct 31	XXX	XXX	XXX	2.5	XXX	5
Total Phosphorus	0.417	XXX	XXX	2.0	XXX	4
Nitrate-Nitrite as N	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

Sludge use and disposal description and location(s): Sludge is hauled off site via a local septage hauler to another WWTP for ultimate treatment and disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0248207, Sewage, SIC Code 6514, **Kevin & Melissa Nelson**, 12 Chestnut Grove Lane, Newville, PA 17241-8780. Facility Name: Nelson Res STP. This existing facility is located in Upper Frankford Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0087548, Sewage, SIC Code 4952, **Artillery Ridge Enterprises Inc.**, 610 Taneytown Road, Gettysburg, PA 17325-8777. Facility Name: Artillery Ridge Campground. This existing facility is located in Cumberland Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Rock Creek, is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0058 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	DailyMin 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.03	XXX	0.09
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0058 MGD.—Limits.

Parameter	Mass Units (lbs) ⁽¹⁾		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Ammonia—N	XXX	Report	XXX	Report	XXX	XXX
Kjeldahl—N	XXX	XXX	XXX	Annl. Avg. Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Annl. Avg. Report	XXX	XXX
Total Nitrogen	XXX	Report	XXX	Annl. Avg. Report	XXX	XXX
Total Phosphorus	XXX	Report	XXX	Annl. Avg. Report	XXX	XXX

Sludge use and disposal description and location(s): Liquid Sludge is hauled off from site by Smiths Septic in Adams County for agricultural use

In addition, the permit contains the following major special conditions:

- Solids Management for non-lagoon system, Chlorine minimization, Notification of designation of responsible operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0214396, Storm Water, SIC Code 5052, **Three Rivers Marine & Rail Terminal LP**, 17 Arentzen Boulevard, Suite 206, Charleroi, PA 15022-1085. Facility Name: Three Rivers Marine & Rail Dock. This proposed facility is located in Glassport Borough, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Industrial Stormwater.

The receiving stream(s), Unnamed Tributary to Monongahela River and Monongahela River, is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Sulfate, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Daily Min			
Chemical Oxygen Demand	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	50.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	7.0
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0255424, Industrial, SIC Code 4619, **Laurel Mountain Midstream Operations LLC**, 111 Enterprise Lane, Connellsville, PA 15425. Facility Name: Huffman Pipeline Project. This proposed facility is located in Franklin Township, **Greene County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Industrial Waste.

The receiving stream(s), Unnamed Tributary to Clear Run, is located in State Water Plan watershed 19-B and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
Flow (GPM)	Report	5.6	XXX	XXX	XXX	XXX
		IMAX				
Duration of Discharge (hours)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Daily Min			
Dissolved Oxygen	XXX	XXX	10.2	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	0	0	XXX	XXX
Total Suspended Solids	XXX	XXX	Report	Report	XXX	XXX
Oil and Grease	XXX	XXX	0	0	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	0.03	0.05	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	Report	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	253.9	395.5	XXX	XXX
Aluminum, Total (ug/L)	XXX	XXX	Report	Report	XXX	XXX
Barium (ug/L)	XXX	XXX	62.3	97.0	XXX	XXX
Beryllium (ug/L)	XXX	XXX	0	0	XXX	XXX
Bromide, Total (ug/L)	XXX	XXX	43.0	67.0	XXX	XXX
Chloride	XXX	XXX	5.1	7.9	XXX	XXX
Chromium, Total (ug/L)	XXX	XXX	Report	Report	XXX	XXX
Fluoride, Total	XXX	XXX	Report	Report	XXX	XXX
Iron, Total (ug/L)	XXX	XXX	771.6	1,202.3	XXX	XXX
Iron, Dissolved (ug/L)	XXX	XXX	Report	Report	XXX	XXX
Selenium, Total (ug/L)	XXX	XXX	60.2	93.8	XXX	XXX
Sulfate, Total	XXX	XXX	32.8	51.0	XXX	XXX
Total Volume (GPM)	Report	XXX	XXX	XXX	XXX	XXX
Zinc, Total (ug/L)	XXX	XXX	11.2	17.5	XXX	XXX

In addition, the permit contains the following major special conditions:

- The permittee shall analyze parameters using methods that will achieve DEP's quantitation limits (QLs) as listed in Part C.II.A of the permit.
- If applicable, the permittee shall obtain a Water Quality Management (WQM) permit from DEP for construction of treatment facilities and complete construction in accordance with the WQM permit application prior to commencing discharges authorized by this permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0271501, Sewage, SIC Code 4952, **Perry Township**, P.O. Box 69, Hadley, PA 16130. Facility Name: Hadley STP. This proposed facility is located in Perry Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Little Shenango River, is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.047 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	9.5	15.0	Daily Min XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml) Oct 1 - Apr 30	11.0	17.0	XXX	30.0	45.0	60
May 1 - Sep 30	XXX	XXX	XXX	2,000 Geo Mean 200 Geo Mean	XXX	10,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Ammonia-Nitrogen	9.5	XXX	XXX	25.0	XXX	50
Total Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX

Sludge use and disposal description and location(s): Septage must be disposed of in a method that is in accordance with the Pennsylvania Solid Waste Management Act.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2118201, Industrial Waste, **Ridge Penn Commerce Partners I, LLC**, 3340 Peachtree Road, Suite 1000, Atlanta, GA 30326.

This proposed facility is located in Penn Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for an Industrial Waste permit to serve the Penn Commerce Center.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0418405, Sewage, **Center Township Sanitary Authority**, 224 Center Grange Road, Aliquippa, PA 15001.

This proposed facility is located in Center Township, **Beaver County**.

Description of Proposed Action/Activity: Improvements to Markey's Run Lift Station.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1687402 A-1, Sewage, **PA American Water Co.**, 425 Waterworks Road, Clarion, PA 16214.

This existing facility is located in Paint Township, **Clarion County**.

Description of Proposed Action/Activity: Amend permit to remove decommissioned wastewater treatment plant.

WQM Permit No. 4318409, Sewage, **Larry Flick**, 207 Charleston Road, Sharpsville, PA 16150.

This proposed facility is located in Jefferson Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4318201, Industrial, **SRF Enterprises LLC**, 17 Vickilee Drive, Wrightsville, PA 17368-9151.

This proposed facility is located in Liberty Township, **Mercer County**.

Description of Proposed Action/Activity: Disposal of greensand filter backwash from drinking water treatment.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090022	Bucks County Airport Authority 3879 Old Easton Road Doylestown, PA 18902	Bucks	Milford Township	Unnamed Tributary to Unami Creek HQ-TSF
PAD090029	Wright Warrington, LLC 22 South Olive Street Suite 203 Media, PA 19063	Bucks	Warrington Township	Little Neshaminy Creek WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Pike County Conservation District, 556 Route 402, Suite 1, Hawley, PA 18428.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD520013	Charles E Peters Estate 1660 Valley Center Pkwy Ste 100 Bethlehem, PA 18017	Pike	Lehman Twp	UNT to Little Bush Kill Creek (EV, MF)

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should

include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Kiliti's Family Farm, LLC David Kiliti 22 Kiliti Road Berwick, PA 18603	Luzerne	80.6 with 54.3 for nutrients	106.23	Duck & Beef	NA	New
Wason Farms Inc 2823 Farmhouse Ln. Huntingdon, PA 16652	Huntingdon	5.3	340.49	Swine, Beef	NA	New
Burk Lea Farms 3099 Grand Point Road Chambersburg, PA 17201	Franklin	1,405	1,803.6	Dairy	NA	Renewal
John Keating Jr & James Keating 1620 Beans Cove Rd Clearville, PA 15535	Bedford	300	612.03	Swine	HQ	Renewal
Reinford Farm's Inc. 505 Cedar Grove Rd. Mifflintown, PA 17059	Juniata	1,226.5	1,280.25	Dairy	NA	Renewal
Country View Family Farms, LLC River Valley Farm 504 Doan Rd Knoxville, PA 16928	Tioga	445	3,271.50	Sow	NA	Renewal
Kish View Farm Keith and Kent Spicher 4733 East Main St. Belleville, PA 17004	Mifflin	776.1	1,279.63	Finisher Swine	NA	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701.

Application No. 3918504, PWS Major Amendment.

Applicant	Lehigh County Authority PO Box 3348 Allentown, PA 18106-3348
Township or Borough	Upper Milford Township Lehigh County

Responsible Official Charles Volk
Lehigh County Authority
1053 Spruce Street
PO Box 3348
Allentown, PA 18106-3348

Type of Facility Public Water Supply

Consulting Engineer Edward J. Diamond, P.E.
Buchart Horn
2 Eves Drive
Suite 110
Marlton, NJ 08503

Application Received Date August 6, 2018

Description of Action Construction of a new Well station to replace the existing Laurie and Gray Well station.

Application No. 5418505, Public Water Supply.

Applicant **Aqua PA, Inc.**
1 Aqua Way
White Haven, PA 18661

[Township or Borough] North Union Township
Schuylkill County

Responsible Official Patrick R. Burke, PE
Aqua PA, Inc.
204 E. Sunbury Street
Shamokin, PA 17872

Type of Facility PWS

Consulting Engineer David R. Knapton, PE
GHD
1240 North Mountain Road
Harrisburg, PA 17112

Application Received Date 08/09/2018

Description of Action Eagle Rock Well ER-7 Well Station project.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0618513, Minor Amendment, Public Water Supply.

Applicant **Giorgi Mushroom Company**

Municipality Maiden creek Township

County **Berks**

Responsible Official Joe Caldwell, President
PO Box 96
Temple, PA 19560

Type of Facility Public Water Supply

Consulting Engineer James P. Cinelli, P.E.
Liberty Environmental Inc.
505 Penn Street
Reading, PA 19601

Application Received: 5/17/2018

Description of Action The Giorgi Mushroom Farm 1 (Giorgi)—Well No. 002 water supply system is a non-transient non-community water system which supplies water to two separate systems (Tunnels and New Pole Barn Buildings). The Tunnels and New Pole Barn Buildings water systems both separate into two lines to serve potable and process water. Giorgi has proposed to install treatment consisting of a 5-micron filter, water softener, 1-micron filter, and ATS-186K-20 UV light for 4-log treatment of viruses, on the two potable water lines. The process water will not be treated.

Permit No. 0518502, Public Water Supply.

Applicant **Langdondale Country Store**

Municipality Broad Top Township

County **Bedford**

Responsible Official Lori A. Buseck, Owner
1020 Sandy Run Road
Hopewell, PA 16650

Type of Facility Public Water Supply

Consulting Engineer Stephen M. Sewalk, P.E.
The EADS Group, Inc.
227 Franklin Street
Johnstown, PA 15901

Application Received: 7/23/2018

Description of Action New transient noncommunity water system consisting of one (1) well rated for 7 gallons per minute with greensand filtration for iron and manganese removal.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 6518514, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
124 Park & Pool Road
New Stanton, PA 15672

[Township or Borough] Bell Township

Responsible Official Michael Kukura, Resident Manager
Municipal Authority of Westmoreland County
124 Park & Pool Road
New Stanton, PA 15672

Type of Facility Water system

Consulting Engineer Municipal Authority of Westmoreland County
124 Park & Pool Road
New Stanton, PA 15672

Application Received August 6, 2018
Date
Description of Action Addition of a second sodium permanganate injection site at the Beaver Run water system.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 3718502, Public Water Supply.

Applicant **Sisters of the Humility of Mary**
Township or Borough Pulaski Township
County **Lawrence**
Responsible Official Warren Chapella
Type of Facility Community Water Supply
Consulting Engineer Eric Buzza
Gannett Fleming
Foster Plaza 8
Suite 400
Pittsburgh, PA 15220
Application Received August 1, 2018
Date
Description of Action Water main extension from Aqua Ohio.

Permit No. 1018503, Public Water Supply.

Applicant **Adams Township Municipal Authority**
Township or Borough Adams
County **Butler**
Responsible Official Matthew Cranmer
Type of Facility Public Water Supply
Consulting Engineer Matthew Arena
Herbert Rowland and Grubic
200 West Kensinger Drive
Suite 400
Cranberry Township, PA 16066
Application Received August 13, 2018
Date
Description of Action New Booster Pump Station.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 2618516MA, Minor Amendment.

Applicant **Albert Gallatin Municipal Authority**
PO Box 305
Point Marion, PA 15474
[Township or Borough] Nicholson and Springhill Townships
Responsible Official Harold Whyel,
Secretary/Treasurer
Albert Gallatin Municipal Authority
PO Box 305
Point Marion, PA 15474

Type of Facility Water system
Consulting Engineer McMillen Engineering, Inc.
115 Wayland Smith Drive
Uniontown, PA 15401
Application Received August 8, 2017
Date
Description of Action Replacement of filter media.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA65-111I, Water Allocations. **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672. The applicant is requesting the right to withdraw 35,000,000 gallons of water per day, annual average, from the Beaver Run Reservoir in **Westmoreland County**.

WA26-1009, Water Allocations. **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672. The applicant is requesting the right to withdraw 50,000,000 gallons of water per day, annual average, from the Youghiogheny River in **Fayette County**.

WA2-1022, Water Allocations. **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672. The applicant is requesting the right to withdraw 10,000,000 gallons of water per day, annual average, from the Youghiogheny River in **Allegheny County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of

further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

McIntyre Property, 395 East Shore Drive, Page Lake, New Milford Township, **Susquehanna County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Karen McIntyre, 105 Decker Road, North Abington Township, PA 18414, submitted a Notice of Intent to Remediate. Soil contamination was caused by a release from an aboveground storage tank that contained heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Scranton Times* on August 4, 2018.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Witmer Brothers Garage, 2089 Lincoln Highway East, Lancaster, PA 17602, East Lampeter Township, **Lancaster County**. August Mack Environmental, Inc., 941 Wheatland Avenue, Suite 202, Lancaster, PA 17603, on behalf of Lloyd Witmer, 122 Water Street, New Holland, PA 17557, and Ellen Witmer, 279 Ridge Road, Ephrata, PA 17522, submitted a Notice of Intent to Remediate site groundwater contaminated with MTBE. The site will be remediated to the Site-Specific Standard. Future use of the site will be non-residential (automotive services). The Notice of Intent to Remediate was published in the *LNP Media Group* on August 1, 2018.

Rutter's Store No. 72, 4498 Lincoln Way West, St. Thomas, PA 17252, St. Thomas Township, **Franklin County**. United Environmental Services, Inc., P.O. Box

701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, York, PA 17404, submitted a Notice of Intent to Remediate soil and groundwater contaminated with # 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is to remain non-residential. The Notice of Intent to Remediate was published in the *The Public Opinion* on July 2, 2018.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Harlan BRA Pad, Dibble Road, New Albany, Albany Township, **Bradford County**. Leidos, Inc., 180 Gordon Drive, Suite 109, Exton, PA 19341, on behalf of Chesapeake Appalachia, LLC, 300 N. 2nd Street, 5th Floor, Harrisburg, PA 17101, has submitted a Notice of Intent to Remediate site soil contaminated with produced water. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Daily Review* on June 5, 2018.

Former PNC Branch Property, 200 North Brady Street, City of Dubois, **Clearfield County**. ATC Group Services, LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of PNC Realty Services, 1900 E. 9th Street, Mailstop Locator B7-YB13-04-04, Cleveland, OH 44114, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with dissolved chlorinated volatile organic compounds. The applicant proposes to remediate the site to meet a combination of the Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was published in *The Courier Express* on July 30, 2018.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications received, withdrawn, denied or returned under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

PAD002389559. Keystone Cement Company, P.O. Box A, Routes 329 and 987, Bath, PA 18014-0058. A permit renewal application for the continued operation of this hazardous waste treatment and storage facility located in East Allen Township, **Northampton County**. The application was received in the Regional Office on August 6, 2018, and was found to be administratively complete as of August 9, 2018.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

RCRA Part B Permit Renewal Application No. PAD067098822. Cycle Chem, Inc., 569 Industrial Drive, Lewisberry, PA 17339. Cycle Chem, Inc. has submitted a RCRA Part B permit renewal application for its facility located in Fairview Township, **York County**. The application was determined to be administratively complete on August 8, 2018.

Persons interested in obtaining more information about this permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. A copy of the permit

application is available for review at the Red Land Community Library, 70 Newberry Commons, Goldsboro, PA 17319. In addition, the public is invited to review the application at the Department's Southcentral Regional Office. File reviews may be scheduled by calling 717-705-4732.

RESIDUAL WASTE GENERAL PERMITS

Renewal Application(s) Received under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR029SC001A. Heritage-Crystal Clean, Inc. has submitted a general permit renewal application for its facility located at 2388 North Market Street, Elizabethtown, PA in West Donegal Township, **Lancaster County**. This general permit authorizes the operation of a transfer facility for the processing of waste oil (including waste oil mixed with hazardous waste), spent antifreeze, used oil filters and waste oil/water mixture. The application for renewal was determined to be complete on August 9, 2018.

Persons interested in obtaining more information about the general permit renewal applications may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 301165. Emanuel Tire of Pennsylvania, 1251 Conshohocken Road, Conshohocken, PA 19428-1030. This permit is for ten-year renewal to continue operation under Solid Waste Permit No. 301165 at Emanuel Tire Processing Facility, a residual waste tires processing facility, located at 1251 Conshohocken Road in Plymouth Township, **Montgomery County**. The application was received by the Southeast Regional Office on July 9, 2018.

Comments concerning the application should be directed to the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

42-158R: Georgia Pacific Panel Products—Mt Jewett MDF (149 Temple Drive, Mt Jewett, PA 16740), for the proposed VOC limits for MDF System 9—Saws (Source 130M); de-rate of MDF Geka Coen Burner (Source 134M); combustion byproduct limits for MDF Dryer Abort for WESP (Stack SM17); modify the PM and PM₁₀ limits for MDF Board Cooler (Source 125M); modify VOC limits for MDF Startup Cyclone (C120M); modify VOC limits for MDF System 10—Primary Sander (Source 128M); modify VOC limits for MDF System 11—Secondary Sander (Source 129M); addition of emission limits for MDF First Stage RTO (Control C121MC); and operation of the MDF Geka Coen Burner (Source 134M) in a “low-fire” condition in Sergeant Township, **McKean County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No 42-158R is for the proposed VOC limits for MDF System 9—Saws (Source 130M); de-rate of MDF Geka Coen Burner (Source 134M); combustion byproduct limits for MDF Dryer Abort for WESP (Stack SM17); modify the PM and PM₁₀ limits for MDF Board Cooler (Source 125M); modify VOC limits for MDF Startup Cyclone (C120M); modify VOC limits for MDF System 10—Primary Sander (Source 128M); modify VOC limits for MDF System 11—Secondary Sander (Source 129M); addition of emission limits for MDF First Stage RTO (Control C121MC); operation of the MDF Geka Coen Burner (Source 134M) in a “low-fire” condition; and RACT II conditions. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Source 132M, 133M, 134M, 135M, 041M, 042M, 051M, 120M, 121M, 122M, 123M, 124M, 125M, 128M, 129M, 130M, & 218M
- All conditions from the facility operating permit issued on November 16, 2017, for this source remain in effect unless modified in this plan approval.

- Source 132M, 133M, 134M, 135M, 120M, 121M, & 122M
 - o The emissions from the MDF Dryer Abort Stack for the WESP exhaust (SM17) shall not exceed the following:
 - o CO: 1.95 tpy based on a consecutive 12-month period
 - o NO_x: 2.32 tpy based on a consecutive 12-month period
 - o SO_x: 0.014 tpy based on a consecutive 12-month period
 - o The emissions from the MDF First Stage Dryer RTO Stack (SM03) shall not exceed the following:
 - o MDI (Diphenylmethane diisocyanate): 0.18 tpy based on a consecutive 12-month period.
- Source 134M
 - Subject to 40 CFR 60.48c
 - o The facility shall conduct the following to reduce the burner rating from 66 MMBtu/hr to less than 50 MMBtu/hr:
 - o The facility shall weld the mechanical linkage that regulates gas flow such that it is no longer adjustable.
 - Install a regulator sized with an orifice to limit the gas flow such that the burner is not capable to be fired at 50 MMBtu/hr or greater.
- Source 120M
 - o The emissions from the MDF Startup Cyclone (C120M) shall be measured at stack SM02 and shall not exceed the following:
 - o FPM: 0.5 tpy based on a consecutive 12-month period
 - o PM₁₀: 0.25 tpy based on a consecutive 12-month period
 - o PM_{2.5}: 0.05 tpy based on a consecutive 12-month period
 - o VOC: 0.60 #/hr
 - o VOC: 0.15 tpy based on a consecutive 12-month period
- o Source 123M
 - o The emissions from the MDF Material Reject Stack (SM05) shall not exceed the following:
 - o VOC: 2.69 tpy based on a consecutive 12-month period
- o Source 124M
 - o The fugitive emissions shall not exceed the following:
 - o VOC: 2.87 tpy based on a 12-month rolling total
 - o FPM: 1.8 tpy based on a 12-month rolling total
 - o PM₁₀: 1.21 tpy based on a 12-month rolling total
 - o PM_{2.5}: 1.21 tpy based on a 12-month rolling total
- o Source 125M
 - o The emissions from the MDF Board Cooler stack SM07 shall not exceed the following:
 - o FPM: 1.05 tpy based on a consecutive 12-month period

- o PM₁₀: 2.78 tpy based on a consecutive 12-month period
 - o PM_{2.5}: 2.23 tpy based on a consecutive 12-month period
 - o VOC: 0.61 #/hr
 - o VOC: 2.65 tpy based on a consecutive 12-month period
 - o Source 130M
 - o The VOC emissions shall not exceed 0.7 tpy based on a consecutive 12-month period from stack SM12. Compliance with this limit will be determined using OTM-26 or another Department approved method.
 - o Source 218
 - o NO_x emissions from the engine for the log chipper shall be less than 5 tpy based on a consecutive 12-month period.
 - o The NO_x emission factor each engine shall not exceed the following:
 - o The 1,000 bhp engine: 0.013 #/bhp-hr (5.9 g/bhp-hr)
 - o The 1,050 bhp engine: 0.013 #/bhp-hr (5.9 g/bhp-hr)
 - o The hours of operation for the engine shall not exceed the following:
 - o The 1,000 bhp engine: 768 hr/yr based on a consecutive 12-month period
 - o The 1,050 bhp engine: 731 hr/yr based on a consecutive 12-month period
 - o The facility must keep a record of the NO_x emissions to demonstrate emissions are less than 5 tpy based on a consecutive 12-month period. The records shall include the hours of operation and the emission factor for the engine.
 - o Source 134M (Alternate Operating Scenario)
 - o Subject to 25 Pa. Code §§ 123.13 & 123.22
 - o The permittee shall maintain the following records during Low Fire operating condition:
 - o Start (date/time) and end (date/time) of the Low Fire operating condition.
 - o The average heat input during the Low Fire operating condition.
 - o The maximum heat input during the Low Fire operating condition.
 - o No raw material shall be introduced into the dryer system during Low Fire Operation.
 - o RACT II Conditions for Source 120M, 121M, 122M, 132M, 133M, 134M, 135M, & 124M
 - o For Sources 132M & 133M, comply with existing PAL NO_x limit of 171.14 tpy based on a consecutive 12-month period. Conduct stack testing every 3 years as required by operating permit.
 - o For Sources 120M, 121M, 122M, 132M, 133M, 134M, & 135M, total VOC emissions shall be less than or equal to 12.09 #/hr and 52.94 tpy based on a consecutive 12-month period and THC (as carbon) shall not exceed 20 ppmvd. Conduct stack testing every 3 years as required by operating permit.
 - o For Source 124M, VOC emissions shall be less than or equal to 6.93 #/hr and 30.36 tpy based on a consecutive 12-month period and THC (as carbon) shall not exceed 20 ppmvd. Conduct stack testing every 3 years as required by operating permit.
 - o In accordance with § 129.100(d), the owner and operator of an air contamination source subject to this section and §§ 129.96—129.99 shall keep records to demonstrate compliance with §§ 129.96—129.99.
 - o In accordance with § 129.100(i), records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.
 - o In accordance with § 129.99(g), the emission limit and requirements specified in the plan approval or operating permit issued by the Department or appropriate approved local air pollution control agency under subsection (f) supersede the emission limit and requirements in the existing plan approval or operating permit issued to the owner or operator of the source prior to April 23, 2016, on the date specified in the plan approval or operating permit issued by the Department or appropriate approved local air pollution control agency under subsection (f), except to the extent the existing plan approval or operating permit contains more stringent requirements.
- In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.
- In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [42-158R] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.
- A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.
- In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421—127.431 for State only operating permits or §§ 127.521—127.524 for Title V operating permits.

*Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104.*

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

AMS IP18-000202: S.D. Richman & Sons, Inc. (2435 Wheatshaf Lane, Philadelphia, PA 19137) to modify Condition 15 and remove condition No. 16 of Plan Approval No. 13154 dated November 29, 2013. The original plan approval Condition No. 15 requires the Permittee to install a fifteen foot high enclosure around the shredder. The modification replaces Condition 15 with the following;

The Permittee shall install enclosure around the shredder to keep any metal ejected by the shredder from traveling beyond the facility property line, and to absorb sound generated by the shredder operation. Such an enclosure must be designed and constructed to ensure that noise generated during explosive events is:

(a) No louder than five (5) dB above background level when measured at any occupied residential property, and

(b) No louder than ten (10) dB above background level when measured at any occupied non-residential property. [Phila. Code § 10-403(3)(a)-(b)].

The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

Copies of all documents and information concerning this permit are available for review in the offices of Air Management Services, 321 University Ave., Philadelphia, PA 19104 during normal business hours. Persons wishing to review these documents should contact Debra Williams (215-685-7572) at the above address.

Persons wishing to file protest, request a public hearing, or submit comments on the above permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* at least thirty days before the hearing.

AMS Plan Approval No. IP18-000177: The Pen-novation Works (3401 Grays Ferry Avenue, Philadelphia, PA 19146) for the installation of two (2) condensing boilers, six (6) forced air heaters, four (4) gas fired boilers, and one (1) hot water boiler all below 1.06 MMBtu/hr and firing natural gas. The facility is also installing one (1) 179 kilowatt fire pump and one (1) 1,115 kilowatt emergency generator, both firing diesel fuel at their facility in the City of Philadelphia, **Philadelphia County**. Nitrogen Oxides (NO_x) have a potential emissions of 7.5 tons per year. Carbon Monoxide (CO) has a potential emissions of 4.9 tons per year. The plan approval will contain operating, monitoring, recordkeeping, testing, and reporting requirements to ensure operation within all applicable requirements.

Anyone affected by the proposed plan approval may submit written comments or a request for a public hearing by mail to Air Management Services, 321 University Avenue, 2nd Floor, Philadelphia, PA 19104, Attn: Debra Williams within thirty (30) days from today. Comments received by facsimile will not be accepted.

AMS IP18-000202: S.D. Richman & Sons, Inc. (2435 Wheatshaf Lane, Philadelphia, PA 19137) to modify Condition 15 and remove condition No. 16 of Plan Approval No. 13154 dated November 29, 2013. The original plan approval Condition No. 15 requires the Permittee to install a fifteen foot high enclosure around the shredder. The modification replaces Condition 15 with the following;

The Permittee shall install enclosure around the shredder to keep any metal ejected by the shredder from traveling beyond the facility property line, and to absorb sound generated by the shredder operation. Such an enclosure must be designed and constructed to ensure that noise generated during explosive events is:

(c) No louder than five (5) dB above background level when measured at any occupied residential property, and

(d) No louder than ten (10) dB above background level when measured at any occupied non-residential property. [Phila. Code § 10-403(3)(a)-(b)].

The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

Copies of all documents and information concerning this permit are available for review in the offices of Air Management Services, 321 University Ave., Philadelphia, PA 19104 during normal business hours. Persons wishing to review these documents should contact Debra Williams (215-685-7572) at the above address.

Persons wishing to file protest, request a public hearing, or submit comments on the above permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* at least thirty days before the hearing.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

23-00038: Delaware County Regional Water Quality Control Authority (DELCORA) (PO Box 999 Chester, PA 19016) for renewal of the Title V Operating Permit for its Western Regional Treatment Plant (WRTP), a wastewater treatment facility located in the City of Chester, **Delaware County**. The Western Regional Treatment Plant is a Title V facility for nitrogen oxides (NO_x), volatile organic compounds (VOC), hazardous air pollutants (HAP) and carbon monoxide (CO). With this operating permit renewal, the facility is taking restrictions to limit VOC emissions to under 50 tons per year (on a 12-month rolling basis) thereby becoming a synthetic minor facility for Reasonably Available Control Technology (RACT II). The facility will maintain its

current Plantwide Applicability Limit (PAL) of 82.56 tons per year of NO_x (12-month rolling basis). Current estimates indicate a potential to emit in tons per year of CO of 104.2, SO_x of 65.8 and particulate matter of 23.1, all on a 12-month rolling basis.

The WRTP comprises 2 sewage sludge incinerators, 4 boilers of about 5.7 MMBtu/hr total capacity, natural gas or No. 2 fuel oil fired, waste water treatment processes and fuel storage tanks. The incinerators are controlled by multi-venturi scrubbers, electrostatic precipitators and regenerative thermal oxidizers, installed over the term of the last operating permit. Odors from waste water treatment processes are controlled by a packed bed scrubber and a biofilter.

The facility is subject to the following Federal regulations: Federal Plan Requirements for Sewage Sludge Incineration Units Constructed on or Before October 14, 2010 promulgated as 40 CFR Part 62, Subpart LLL; two Subparts from National Emission Standards for Hazardous Air Pollutants (NESHAPs), codified at 40 CFR Part 61: National Emission Standard for Mercury (Subpart E) and the National Emission Standard for Beryllium (Subpart C); the National Emission Standard for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters, codified at 40 CFR Part 63, Subpart DDDDD; and Standards of Performance for New Stationary Sources: Standards of Performance for Sewage Treatment Plants, codified at 40 CFR Part 60, Subpart O. Sources at the facility are also subject to Commonwealth regulations on fugitive emissions, opacity, restrictions on particulate matter and sulfur dioxide emissions.

Upon final approval, the permit will be renewed for a period of five (5) years.

The renewal does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

33-00055: Glen-Gery Corporation, Hanley Plant (12637 Harrison St., Summerville, PA 15864), the Department intends to issue the renewal of the Title V Operating Permit of a brick manufacturing facility located in Summerville Borough, **Jefferson County**. Permitted sources at the facility are the tunnel kiln, two dryers, two crushers, miscellaneous natural gas usage, raw material stockpiles, access roadways, and grinding, screening and storage operations. Meeting the criteria pursuant to 40 CFR 64.2(a)(1) to (3), the tunnel kiln and the grinding, screening and storage operations have been subject to Compliance Assurance Monitoring (CAM) requirements. The tunnel kiln is also required to perform emission stack test every 5 years or upon permit renewal to demonstrate compliance with emission limits established through previous plan approvals. In this renewal, facility-wide HAP restrictions are added to clearly state that the facility is an area HAP source for MACT purposes and therefore exempt from 40 CFR 63 Subpart JJJJJ, referred to as Brick MACT, promulgated in 2015. Considering the new limitations added, the facility has potential-to-emit of 245 TPY SO_x, 194 TPY CO, 185 TPY PM₁₀, 34 TPY NO_x, 28 TPY VOC, 25 TPY multiple HAPs, and 10 TPY any single HAP.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00094: Highway Materials, Inc. (5100 Joshua Road, Plymouth Meeting, PA 19462) for a renewal/modification of State Only (Synthetic Minor) Operating Permit No. 46-00094 for the combination batch/drum hot mix asphalt (HMA) plant at its facility located in Whitmarsh Township, **Montgomery County**.

Since DEP amended the State Only Operating Permit (SOOP) in 2016, no changes to the combination batch/drum HMA plant have occurred. In this renewal, DEP has consented to (1) the increase of the HMA production restriction in the SOOP to 700,000 tons/yr, (2) the removal the pound/ton and pound/gal emission restrictions, and (3) the inclusion of a requirement that emissions from the combination batch/drum HMA plant be calculated using emission factors obtained from the most recent stack testing for both natural gas and fuel oil (or other Department-approved emission factors). These revisions are the result of an exceedance that occurred on or around October 2017, where the HMA production restriction of 499,500 tons/yr was exceeded, calculated monthly as a 12-month rolling sum. However, the facility did not exceed any emission restrictions in the SOOP, using the emission factors obtained from 2016 stack testing of the combination batch/drum HMA plant.

In addition, for the following reasons, DEP intends to remove the fuel oil throughput restrictions for the combination batch/drum HMA plant from the SOOP:

- Natural gas is the primary fuel consumed by the combination batch/drum HMA plant, while fuel oil is rarely consumed.
- The fuel oil throughput restrictions correlate to a level of HMA production that is greater than the HMA production restriction, and which would result in an exceedance of the nitrogen oxides (NO_x) emission restriction and major facility threshold of 25 tons/yr.
- The fuel oil throughput that correlates to the HMA production restriction does not result in an exceedance of any emission restrictions.

The renewal SOOP will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

The modification is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.461(1).

15-00093: West Chester Animal Hospital (1140 Pottstown Pike, West Chester, PA 19380), for renewal of a State Only, Natural Minor Operating Permit in West Goshen Township, **Chester County**. The facility operates one (1) natural-gas fired animal crematory. There have been no changes to any existing sources at the facility since the operating permit was last issued. There have been no new sources added at the facility. The permit includes monitoring, record keeping and reporting requirements designed to address all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

38-03022: Murry's Inc. (1501 Willow Street, Lebanon, PA 17042) to issue a State-Only Operating Permit for operation of their frozen food processing plant located in Lebanon City, **Lebanon County**. The subject facility has the potential-to-emit 7.5 tons per year CO, 8.9 tons per year NO_x, 53.2 tons per year PM₁₀, 0.1 ton per year SO_x, and 0.5 ton per year VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.11, 123.22 and 129.63.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

19-00019: Dillon Floral Corporation (933 Columbia Boulevard, Bloomsburg, PA 17815) to issue a renewal State Only Operating Permit for their Bloomsburg Greenhouse located in the Bloomsburg Borough, **Columbia County**. The facility's main sources include one 32.5 MMBtu per hour natural gas fired boiler, one 6 MMBtu per hour wood fired boiler, and one 176 horsepower emergency generator. The facility has potential to emit under 6.78 tons per year (tpy) of particulate matter/particulate matter with an effective aerodynamic diameter of less than or equal to 10 micrometer, 20.48 tpy of nitrogen oxides, 26.24 tpy of carbon monoxide, 1.15 tpy of volatile organic compounds, 0.84 tpy of hazardous air pollutants and 0.34 tpy of sulfur oxides. The potential emissions for all criteria pollutants remained same at the facility. The wood fired boiler is subject to 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. The natural gas fired boiler is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The emergency generator is subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60, 63 and 98.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

41-00054: P-Stone, Inc. (PO Box 254, Jersey Shore, PA 17740) to issue a renewal State Only Operating Permit for their quarry located in Limestone Township, **Lycoming County**. The facility's main sources consist of

two (2) mineral processing plants which includes hoppers, crushers, screeners and conveyors. The facility has potential to emit under 28.33 tons per year (tpy) of particulate matter/particulate matter with an effective aerodynamic diameter of less than or equal to 10 micrometer. The potential emissions for all criteria pollutants remained same at the facility. The mineral processing plants are subject to the New Source Performance Standards for Non-metallic Mineral Processing Plants, 40 CFR Part 60 Subpart OOO Sections 60.670—60.676. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Part 60. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

65-00932: C-K Composites Co. LLC (361 Bridgeport Road, Mount Pleasant, PA 15666) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to C-K Composites to authorize the continued operation of their filament-wound plastic tubes, cast and molded epoxy resin and laminated densified resin-impregnated wood manufacturing facility located in Mount Pleasant Township, **Westmoreland County**.

The activities include preparation of rough wood and plastic parts, wood impregnation and lamination, filament winding, cast resin molding and surface coating. The company is proposing federally-enforceable limits on phenolic resin usage in the Wood Impregnation/Lamination operation and on hours of operation for the Spray Booth, to result in a maximum VOC emission level below 50 tpy. The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Chapters 121—145.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (65-00932) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

C-K Composites State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the C-K

Composites State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

63-00621: AccuTrex Products, Inc. (112 Southpointe Blvd., Canonsburg, PA 15317-9559) The Department intends to issue a State Only Operating Permit renewal for AccuTrex Products, Inc. Canonsburg Plant in Cecil Township, **Washington County**. Emission sources at this facility include a spray paint booth, two powder coating booths, two drying ovens, an adhesive line with a drying oven, a Super Koropon Primer spray booth, a Shim Stock surface coating line, a sandblasting unit with a baghouse that exhausts indoors, and an emergency generator.

Potential emissions from this facility are restricted to 45.0 tons per year (tpy) of VOC, 9.0 tpy of a single HAP, and 22.0 tpy of total HAPs. Actual emissions however are less than 5.0 tpy of VOC and 1.0 tpy of HAPs. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The emergency generator is subject to 40 CFR Part 63, Subpart ZZZZ, National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

33-00108: Penn Highlands Brookville Hospital (100 Hospital Rd., Brookville, PA 15825), the Department intends to issue the renewal of the State-Only Operating Permit of a healthcare institution located in Brookville Borough, **Jefferson County**. With four (4) natural gas-fired boilers, which also run on No. 2 fuel oil, and two (2) diesel-fueled emergency generators, the healthcare institution has PTEs of 10.69 TPY for NO_x, 4.55 TPY for CO, 0.44 TPY for PM, 0.50 TPY for SO_x, and 0.77 TPY for VOC and therefore is Natural Minor for permitting purposes. In this renewal, provisions of 25 Pa. Code § 123.22 applicable to the boilers are updated to reflect the amendments made in 2013. Operating hours restrictions and a recordkeeping requirement are also added to ensure the boilers' exemption from 40 CFR 63 Subpart JJJJJJ pertaining to NESHAP for Industrial, Commercial and Institutional Boilers Area Sources. For the emergency generators, implementation of 40 CFR 63 Subpart ZZZZ, which pertains to NESHAP for Stationary Reciprocating Internal Combustion Engines, is revised and a recordkeeping requirement is added to ensure the units' status as emergency stationary engines under this subpart.

62-00148: Elkhorn Gas Processing (4613 East 91st Street, Tulsa, OK 74137-2852) The Department intends to issue a renewal of the Natural Minor Operating Permit to operate the natural gas processing plant in Sheffield Township, **Warren County**. The facility's primary emission sources include one 800 HP inlet compressor, dehydration unit, combustion emissions for the dehydration unit, a hot oil heater, a 300 HP refrigerant compressor, potential equipment leaks, product storage tanks and

loading, and an emergency generator. The two inlet compressors and the refrigerant compressor engines are subject to 40 CFR 63 Subpart ZZZZ—NESHAPs for Stationary Reciprocating Internal Combustion Units. The dehydration unit is subject to 40 CFR 63 Subpart HH—NESHAPs from Oil and Natural Gas Production Facilities. Actual emissions from the facility are less than the Title V emission thresholds. The actual emissions reported from the facility for 2017 were 13.9 TPY CO, 21.9 TPY NO_x, 0.07 TPY PM₁₀, 0.006 TPY SO_x, 26.7 TPY VOC, and 0.16 TPY xylenes. The conditions of the previous plan approval and operating permit were incorporated into the renewal permit.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Enlow Fork Mine in Richhill Township, Greene County and South Franklin Township, **Washington County** and related NPDES permit for installation of gob degas borehole. Surface Acres Proposed 5.9. No additional discharges. The application was considered administratively complete on August 9, 2018. Application received April 5, 2018.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56930104. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, permit renewal for reclamation only of a bituminous surface and auger mine in Brothersvalley Township, **Somerset County** affecting

129.0 acres. Receiving stream: unnamed tributary to/and Buffalo Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 3, 2018.

Permit No. 11880201. Ebensburg Power Company, 11 Lloyd Avenue, Suite 200, Latrobe, PA 15650, commencement, operation and restoration of a bituminous surface mine to change the land use from Wildlife Habitat to Industrial/Commercial in Cambria Township, **Cambria County**, affecting 56.5 acres. Receiving streams: unnamed tributary to/and South Branch Blacklick Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 7, 2018.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*			greater than 6.0; less than 9.0

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 44030301 and NPDES PA0269247, Glenn O. Hawbaker, Inc., 1952 Waddle Road, Suite 203, State College, PA 16803, renewal of NPDES Permit, Armagh Township, **Mifflin County**. Receiving stream: Honey Creek, classified for the following use: high quality cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 6, 2018. Permit issued: August 9, 2018.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

24092801. S. E. Dyne Stone Sales, LLC (P.O. Box 733, Kane, PA 16735) Revision to an existing small industrial mineral mine to add NPDES No. PA0280640 in Highland Township, **Elk County**. Receiving streams: Unnamed tributary to Wolf Run, classified for the following uses: HQ-CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: August 6, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 7473SM2A1C27 and NPDES Permit No. PA0118460. Hercules Cement Co., LP d/b/a Buzzi Unicem USA, (P.O. Box 69, Stockertown, PA 18083), correction to an existing quarry operation and NPDES Permit to add 10.4 acres to the SMP for the realignment

of SR 191 in Upper Nazareth and Palmer Townships, **Northampton County** affecting 307.6 acres, receiving streams: Bushkill Creek, classified for the following uses: HQ—cold water and migratory fishes and Schoeneck Creek, classified for the following uses: warm water and migratory fishes. Application received: July 2, 2018.

Permit No. 39970301T. Holcim (US), Inc., (5160 Main Street, Whitehall, PA 18052), transfer of an existing quarry operation from Lafarge North America, Inc. in Whitehall Township, **Lehigh County** affecting 211.71 acres, receiving stream: Coplay Creek, classified for the following use: cold water and migratory fishes. Application received: July 24, 2018.

Permit No. 64080301C3 and NPDES No. PA0224693. H & K Group, Inc., (P.O. Box 196, Skippack, PA 19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Palmyra Township, **Wayne County** affecting 79.2 acres, receiving stream: Lake Wallenpaupack, classified for the following use: HQ—warm water fishes. Application received: August 3, 2018.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of

an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E51-285. Buckley Holding Management, 538 Leverington Avenue, Philadelphia, PA 19128, City and County of Philadelphia, ACOE Philadelphia District.

To place a fill in an approximately 0.39 acre of an existing abandoned storm water basin for future dwelling development. The work will include the construction of approximately 200 LF of an 18-inch storm pipe which will connect to an existing 48-inch storm pipe throughout the site. The site is located at 292 Parker Avenue, near the intersection of Parker Avenue and Silver Wood Street, Germantown, PA (USGS Map, Latitude: 40.039657, Longitude: -75.230265).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E39-561. Smart Living Barber St. LLC, 260 Christopher Lane, Staten Island, NY 10314, in City of Allentown, Lehigh County, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain two outfall structures in the floodway of two separate watercourses. The first outfall structure is in the floodway of Trout Creek (HQ-CWF, MF) and consists of a 15-inch HDPE pipe with a concrete headwall and rip rap apron. The second outfall structure is in the floodway of the Little Lehigh Creek (HQ-CWF, MF) and consists of a 15-inch HDPE pipe with a concrete headwall and rip rap apron. The project is located at 324 Barber Street. (Allentown East, PA Quadrangle, Latitude: 40°35'52.63"; Longitude: -75°27'36.04").

E39-562 Lower Macungie Township, 3400 Brookside Road, Macungie, PA 18062-1427, Lower Macungie Township, Lehigh County, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Spring Ridge Crossings Park Project:

1) A 6-foot wide, 800-LF section of asphalt walking trail within the 100-year floodplain of Little Lehigh Creek (HQ-CWF, MF).

2) A 6-foot wide, 440-LF section of asphalt walking trail within the 100-year floodplain of Little Lehigh Creek (HQ-CWF, MF).

3) A 6-foot wide, 260-LF section of asphalt walking trail within the 100-year floodway of Little Lehigh Creek (HQ-CWF, MF).

4) A 6-foot wide, 30-LF section of asphalt walking trail within the 100-year floodplain of Little Lehigh Creek (HQ-CWF, MF).

The project begins directly northeast of the intersection of Brookside Road and Princeton Road and terminates approximately 0.1 mile southwest of the intersection of Wild Cherry Lane and Valley Stream Lane (Allentown West, PA Quadrangle Latitude: 40° 32' 27.75" Longitude: -75° 32' 48.55") in Lower Macungie Township, Lehigh County.

E48-453 JW Development Partners, 3150 Coffetown Road, Orefield, PA 18069, Allen Township, Northampton County, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Northampton Business Center development:

1) A utility line crossing of Dry Run (CWF, MF) and adjacent PEM wetlands consisting of an 18-LF, 16-inch diameter, concrete-encased ductile iron water pipe. The crossing will impact 0.029-acre of PEM wetlands.

2) A stream enclosure of Dry Run (CWF, MF) consisting of a 116-LF, 5.67-ft × 12-ft concrete box culvert having concrete baffles, concrete wingwalls, and an R-8 riprap apron. An 8-inch diameter, coated steel gas line and a concrete conduit carrying electrical and communications lines will also cross Dry Run (CWF, MF) below the proposed stream enclosure. The enclosure will impact 0.116-acre of PEM wetlands.

3) A stormwater outfall along the western bank of Dry Run (CWF, MF) consisting of a 30-inch diameter concrete pipe, concrete endwall, and R-8 riprap apron. The outfall will impact 0.053-acre of PEM wetlands.

4) A stormwater outfall along the eastern bank of Dry Run (CWF, MF) consisting of an 18-inch diameter concrete pipe, concrete endwall, and R-8 riprap apron. The outfall will impact 0.053-acre of PEM wetlands.

5) A utility line crossing of Dry Run (CWF, MF) consisting of a 34-LF, 8-inch diameter, PVC sanitary sewer pipe.

6) A stormwater outfall along the western bank of Dry Run (CWF, MF) consisting of a 39-inch × 68-inch diameter horizontal elliptical concrete pipe, concrete endwall, and an R-5 riprap apron.

7) A stormwater outfall along the western bank of Dry Run (CWF, MF) consisting of a 36-inch diameter concrete pipe, concrete endwall, and an R-5 riprap apron.

8) A utility line in the floodway of Dry Run (CWF, MF) consisting of a 120-LF, 8-inch diameter, PVC sanitary sewer pipe.

9) A stormwater outfall in the floodway of the eastern bank of Dry Run (CWF, MF) consisting of a 48-inch diameter concrete pipe, concrete endwall, and an R-6 riprap apron.

10) A wetland fill impacting 0.664 acre of PEM wetlands for the purpose of constructing a 300,000 sq ft warehouse, parking lot, and grading associated with an embankment.

11) A wetland fill impacting 0.134 acre of PEM wetlands for the purpose of constructing an access road and grading associated with an access road.

The project is located approximately 0.4 mile north of the intersection of Nor Bath Boulevard and Weaversville Road (Catasauqua, PA Quadrangle Latitude: 40° 42' 15.17" Longitude: -75° 28' 4.19") in Allen Township, Northampton County.

E66-166. Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Noxen Township, **Wyoming County**, Army Corps of Engineers, Baltimore District.

To construct and maintain a streambank stabilization project along a 360-foot reach of Beaver Run (HQ-CWF, MF) with work consisting of the construction of rock benches with root wad structures along northern bank areas of the stream.

The project also includes the installation and maintenance of 2 stormwater outfall structures in the floodway of Beaver Run consisting of rock aprons.

The project is located along S.R. 0029, Segments 0060 and 0070 (Noxen, PA Quadrangle, Latitude: 41° 25' 5.58"N; Longitude: -76 °04' 2.13"W) in Noxen Township, Wyoming County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E07-469: Kunzler & Company, Inc, 118 Poorman Street, Tyrone, Pennsylvania 16686 in Snyder Township, **Blair County**, US. Army Corps of Engineers Baltimore District.

To construct and maintain a 6-inch diameter stormwater outfall with associated riprap and 37 linear feet of gabion wall stream bank protection in and along the Little Juniata River (TSF, MF) and its floodway for the purpose of constructing stormwater management for a plant expansion. The project is located at the intersection of Poorman Street and East Pleasant Valley Boulevard (Latitude: 40° 39' 39"N; Longitude: 78° 15' 19"W) in Snyder Township, Blair County. No wetlands will be impacted by this project.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-605, Lauderdale Estates Improvement Association, P.O. Box 5241, Conneaut Lake, PA 16316. Lauderdale Estates, in Summit Township, **Crawford County**, ACOE Pittsburgh District (Harmonsburg, PA Quadrangle N: 47° 38' 39.49"; W: 80° 18.32' 24").

To dredge the Northern Access Canal from Route 18 to the mouth of Conneaut Lake including the marinas. Dredging will be by hydraulic dredging, except the first 175 feet, which will be conducted with a backhoe. The material removed will be placed on the adjacent property where it will be dried and land applied. Turbidity curtains will be utilized within the canal.

E25-792, Casey Bowes, 1555 South Shore Drive, Erie, PA 16505. Bowes Property Enhancement, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 42° 6' 6.7314"; W: -80° 10' 28.0452").

To construct a precast concrete block or sheet pile groin structure approximately 8 ft wide, 45 ft long, projecting approximately 32 ft lakeward of the ordinary highwater mark from the existing concrete sea wall near the foot of Powell Avenue at 3777 Lake Front Drive, Millcreek Township, Erie County. The groin will require 114 CY of fill to be placed lakeward of the ordinary highwater elevation and will result in approximately 0.006 permanent impacts and 0.028 temporary impacts to Lake Erie.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E5829-133: Great Bend and Liberty Townships, Williams Field Services Company, LLC; 310 State Route 92 North, Tunkhannock, PA 18657; Great Bend and Liberty Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary timber mat impact impacting 10,420 square feet (0.24 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 28", Longitude: -75° 51' 01"),

2) a temporary timber mat bridge impacting 15 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 28", Longitude: -75° 51' 03"),

3) a temporary timber mat impact impacting 186 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 29", Longitude: -75° 51' 03"),

4) a temporary timber mat impact impacting 2,311 square feet (0.05 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 30", Longitude: -75° 50' 55"),

5) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 3,058 square feet (0.07 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 30", Longitude: -75° 50' 53"),

6) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 58 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 30", Longitude: -75° 50' 52"),

7) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 135 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 41", Longitude: -75° 50' 31"),

8) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,223 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 41", Longitude: -75° 50' 30"),

9) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 6,361 square feet (0.15 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 40", Longitude: -75° 50' 21"),

10) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,304 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 40", Longitude: -75° 50' 19"),

11) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 16 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 39", Longitude: -75° 50' 17"),

12) a temporary timber mat impact impacting 376 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 40", Longitude: -75° 50' 17"),

13) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 2,224 square feet (0.05 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 39", Longitude: -75° 50' 15"),

14) a temporary timber mat impact impacting 2,415 square feet (0.06 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 47", Longitude: -75° 49' 55"),

15) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 40 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 47", Longitude: -75° 49' 52"),

16) a 16-inch diameter steel natural gas gathering pipeline impacting 399 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 49", Longitude: -75° 49' 47"),

17) a 16-inch diameter steel natural gas gathering pipeline impacting 84 lineal feet of Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 50", Longitude: -75° 49' 45"),

18) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 49 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 50", Longitude: -75° 49' 45"),

19) a temporary timber mat bridge impacting 07 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 51", Longitude: -75° 49' 43"),

20) a 16-inch diameter steel natural gas gathering pipeline impacting 4 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 51", Longitude: -75° 49' 43"),

21) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 22,767 square feet (0.52 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 51", Longitude: -75° 49' 42"),

22) a temporary timber mat bridge impacting 57 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 52", Longitude: -75° 49' 40"),

23) a temporary timber mat bridge impacting 138 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 52", Longitude: -75° 49' 39"),

24) a temporary timber mat impact impacting 590 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 52", Longitude: -75° 49' 39"),

25) a temporary timber mat impact impacting 2,432 square feet (0.06 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 53", Longitude: -75° 49' 38"),

26) a temporary timber mat impact impacting 1,300 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 52", Longitude: -75° 49' 38"),

27) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 55 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 57", Longitude: -75° 49' 09"),

28) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,100 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 51", Longitude: -75° 49' 06"),

29) a temporary timber mat impact impacting 29 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 57", Longitude: -75° 49' 05"),

30) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 61 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 57", Longitude: -75° 49' 05"),

31) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 3,203 square feet (0.07 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 57", Longitude: -75° 49' 02"),

32) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 55 lineal feet of a tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 59", Longitude: -75° 48' 52"),

33) a temporary timber mat bridge impacting 20 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 59", Longitude: -75° 48' 52"),

34) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 69 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 01", Longitude: -75° 48' 51"),

35) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 96 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 05", Longitude: -75° 48' 48"),

36) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 4,170 square feet (0.10 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 02", Longitude: -75° 48' 51"),

37) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 11,523 square feet (0.26 acre) of a palustrine emergent wetlands (PEM) and 3,483 square feet (0.08 acre) of a palustrine

scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 05", Longitude: -75° 49' 48"),

38) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 2,360 square feet (0.05 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 08", Longitude: -75° 48' 46"),

39) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 5,204 square feet (0.12 acre) of a palustrine emergent wetlands (PEM) and 213 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 25", Longitude: -75° 48' 33"),

40) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 53 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 26", Longitude: -75° 48' 32"),

41) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 5,873 square feet (0.14 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 27", Longitude: -75° 48' 31"),

42) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 8,081 square feet (0.19 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 29", Longitude: -75° 48' 28"),

43) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 2,291 square feet (0.05 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 43", Longitude: -75° 47' 59"),

44) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 62 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 43", Longitude: -75° 47' 59"),

45) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 11,395 square feet (0.26 acre) of a palustrine emergent wetlands (PEM) and impacting 139 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 44", Longitude: -75° 47' 56"),

46) a temporary timber mat bridge impacting 41 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 44", Longitude: -75° 47' 56"),

47) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 55 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 45", Longitude: -75° 47' 54"),

48) a temporary timber mat bridge impacting 16 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 46", Longitude: -75° 47' 53"),

49) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 51 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 46", Longitude: -75° 47' 52"),

50) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 7,924

square feet (0.18 acre) of a palustrine emergent wetlands (PEM) and impacting 402 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 47", Longitude: -75° 47' 49"),

51) a temporary timber mat bridge impacting 23 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 47", Longitude: -75° 47' 49"),

52) a temporary timber mat bridge impacting 27 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 48", Longitude: -75° 47' 47"),

53) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 3,282 square feet (0.08 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 48", Longitude: -75° 47' 47"),

54) a temporary timber mat bridge impacting 19 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 49", Longitude: -75° 47' 45"),

55) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,095 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 49", Longitude: -75° 47' 45"),

56) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,994 square feet (0.05 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 49", Longitude: -75° 47' 44"),

57) a temporary timber mat bridge impacting 31 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 49", Longitude: -75° 47' 44"),

58) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 70 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 50", Longitude: -75° 47' 43"),

59) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 5,964 square feet (0.14 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 57' 51", Longitude: -75° 47' 42"),

60) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 692 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) and impacting 508 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 01", Longitude: -75° 47' 10"),

61) a temporary timber mat impacting 127 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 01", Longitude: -75° 47' 04"),

62) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 68 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 22", Longitude: -75° 46' 23"),

63) a temporary timber mat bridge impacting 116 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 23", Longitude: -75° 46' 22"),

64) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 11,315 square feet (0.26 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 24", Longitude: -75° 46' 20"),

65) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 5,552 square feet (0.13 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 26", Longitude: -75° 46' 18"),

66) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 2,939 square feet (0.07 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 27", Longitude: -75° 46' 17"),

67) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 4,111 square feet (0.09 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 28", Longitude: -75° 46' 16"),

68) a temporary timber mat bridge impacting 11 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 29", Longitude: -75° 46' 16"),

69) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,071 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 29", Longitude: -75° 46' 15"),

70) a temporary timber mat impacting 345 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 30", Longitude: -75° 46' 14"),

71) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,590 square feet (0.04 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 31", Longitude: -75° 46' 13"),

72) a temporary timber mat impacting 887 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 32", Longitude: -75° 46' 12"),

73) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,083 square feet (0.03 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 32", Longitude: -75° 46' 11"),

74) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 87 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 33", Longitude: -75° 46' 11"),

75) a temporary timber mat impacting 105 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 36", Longitude: -75° 46' 06"),

76) a temporary timber mat impacting 29 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 37", Longitude: -75° 46' 05"),

77) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,017 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) and impacting 3,172 square feet (0.07 acre) of a

palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 38", Longitude: -75° 46' 04"),

78) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 438 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 41", Longitude: -75° 46' 02"),

79) a temporary timber mat bridge impacting 34 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 41", Longitude: -75° 46' 03"),

80) a temporary timber mat impacting 19 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 49", Longitude: -75° 45' 55"),

81) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,106 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) and impacting 1,599 square feet (0.04 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 50", Longitude: -75° 45' 51"),

82) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 775 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) and impacting 16,314 square feet (0.37 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 53", Longitude: -75° 45' 45"),

83) a temporary timber mat bridge impacting 829 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 58", Longitude: -75° 45' 38"),

84) a 16-inch diameter steel natural gas gathering pipeline impacting 41 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 58", Longitude: -75° 45' 31"),

85) a temporary timber mat impacting 1,639 square feet (0.04 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 57", Longitude: -75° 45' 39"),

86) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 788 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) and impacting 8,732 square feet (0.20 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 56", Longitude: -75° 45' 38"),

87) a 16-inch diameter steel natural gas gathering pipeline impacting 97 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 57", Longitude: -75° 45' 34"),

88) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 23,098 square feet (0.53 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 58", Longitude: -75° 45' 33"),

89) a 16-inch diameter steel natural gas gathering pipeline impacting 56 square feet (0.01 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 58", Longitude: -75° 45' 32"),

90) a 16-inch diameter steel natural gas gathering pipeline impacting 33 square feet (0.01 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 58", Longitude: -75° 45' 30"),

91) a 16-inch diameter steel natural gas gathering pipeline impacting 294 lineal feet of the Susquehanna River (WWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 59", Longitude: -75° 45' 23"),

92) a 16-inch diameter steel natural gas gathering pipeline impacting 130 square feet (0.01 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 59", Longitude: -75° 45' 20"),

93) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 101 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) and impacting 123 square feet (0.01 acre) of a palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 59' 00", Longitude: -75° 45' 18"),

94) a 16-inch diameter steel natural gas gathering pipeline impacting 74 lineal feet of Trowbridge Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 58' 56", Longitude: -75° 45' 02"),

95) a 16-inch diameter steel natural gas gathering pipeline impacting 103 lineal feet of Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 00", Longitude: -75° 44' 46"),

96) a temporary timber mat bridge impacting 86 lineal feet of an unnamed tributary Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 58' 55", Longitude: -75° 45' 02"),

97) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 4,899 square feet (0.11 acre) of a palustrine emergent wetlands (PEM) and impacting 3,892 square feet (0.09 acre) of a palustrine scrub-shrub wetlands (PSS) (Great Bend, PA Quadrangle; Latitude: 41° 58' 55", Longitude: -75° 45' 01"),

98) a temporary timber mat impacting 429 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 02", Longitude: -75° 44' 46"),

99) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,840 square feet (0.04 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 04", Longitude: -75° 44' 45"),

100) a 16-inch diameter steel natural gas gathering pipeline impacting 112 lineal feet of Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 06", Longitude: -75° 44' 45"),

101) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 315 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) and impacting 530 square feet (0.01 acre) of a palustrine scrub-shrub wetlands (PSS) (Great Bend, PA Quadrangle; Latitude: 41° 59' 08", Longitude: -75° 44' 44"),

102) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,356 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 15", Longitude: -75° 44' 40"),

103) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 9,010 square feet (0.21 acre) of a palustrine emergent wetlands (PEM) and impacting 82 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Great Bend, PA Quadrangle; Latitude: 41° 59' 18", Longitude: -75° 44' 38"),

104) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 7,272 square feet (0.17 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 23", Longitude: -75° 44' 33"),

105) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 170 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 23", Longitude: -75° 44' 33"),

106) a 16-inch diameter steel natural gas gathering pipeline impacting 16 lineal feet of an unnamed tributary to Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 24", Longitude: -75° 44' 33"),

107) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 1,046 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 26", Longitude: -75° 44' 32"),

108) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 9,811 square feet (0.23 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 38", Longitude: -75° 44' 28"),

109) a 16-inch diameter steel natural gas gathering pipeline impacting 422 lineal feet of an unnamed tributary to Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 38", Longitude: -75° 44' 28"),

110) a 16-inch diameter steel natural gas gathering pipeline impacting 72 lineal feet of an unnamed tributary to Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 39", Longitude: -75° 44' 26"),

111) a 16-inch diameter steel natural gas gathering pipeline impacting 80 lineal feet of an unnamed tributary to Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 41", Longitude: -75° 44' 24"),

112) a temporary timber mat impacting 364 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 41", Longitude: -75° 44' 23"),

113) a 16-inch diameter steel natural gas gathering pipeline impacting 70 lineal feet of an unnamed tributary to Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 43", Longitude: -75° 44' 21"),

114) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 4,490 square feet (0.10 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 44", Longitude: -75° 44' 19"),

115) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 4,359 square feet (0.10 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 45", Longitude: -75° 44' 17"),

116) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 2,788 square feet (0.06 acre) of a palustrine emergent wetlands (PEM) (Great Bend, PA Quadrangle; Latitude: 41° 59' 47", Longitude: -75° 44' 14"),

117) a 16-inch diameter steel natural gas gathering pipeline impacting 30 lineal feet of an unnamed tributary to Trowbridge Creek (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 50", Longitude: -75° 44' 10"),

118) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 3,738 square feet (0.09 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 48", Longitude: -75° 50' 05"),

119) a temporary timber mat bridge impacting 22 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 35", Longitude: -75° 50' 31"),

120) a temporary timber mat bridge impacting 31 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 59' 00", Longitude: -75° 45' 34"),

121) a temporary timber mat bridge impacting 30 lineal feet of an unnamed tributary to Susquehanna River (CWF, MF) (Great Bend, PA Quadrangle; Latitude: 41° 59' 46", Longitude: -75° 44' 29"),

122) a temporary timber mat bridge impacting 51 lineal feet of an unnamed tributary to Snake Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 44", Longitude: -75° 50' 00"),

123) a temporary timber mat impacting 2,050 square feet (0.05 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 43", Longitude: -75° 50' 00"),

124) a temporary timber mat impacting 2,452 square feet (0.06 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 43", Longitude: -75° 50' 02"),

125) a temporary timber mat impacting 2,454 square feet (0.06 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 44", Longitude: -75° 49' 58"),

126) a temporary timber mat impacting 234 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 56' 44", Longitude: -75° 49' 59").

The natural gas gathering pipeline project consists of constructing approximately 8.3 miles 16-inch steel natural gas Mingo Loop Pipeline, 0.3 mile of 16-inch steel natural gas Snake Creek Discharge Pipeline, and 209 feet 16-inch steel natural gas Northeast Discharge Pipeline located in Great Bend and Liberty Townships, Susquehanna County. The project will result in 4,139 lineal feet of stream impacts, 203,482 square feet (4.67 acres) of palustrine emergent wetland impacts, 79,112 square feet (1.82 acre) of palustrine scrub-shrub wetland impacts, and 7,616 square feet (0.17 acre) of palustrine forested wetland impacts to provide safe reliable conveyance of Marcellus Shale natural gas to market.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

EA6714-001. Dover Township, 2480 West Canal Road, Dover, PA 17315, Dover Township, **York County**, USACOE Baltimore District.

To remove approximately 27,000 cubic yards of legacy sediment from the floodplain along two unnamed tributaries to Fox Run (TSF) for the purpose of restoring natural aquatic ecosystems; to construct temporary roadways and other erosion controls during restoration activities, to rehabilitate 0.36 acre of existing wetlands and restore approximately 4 acres of wetlands within the floodplain areas; to realign approximately 4,000 lineal feet of the unnamed tributaries for the purpose of restoring approximately 6,250 lineal feet of stream channel; to place log sills, root wads, and other wood grade control structures and woody debris habitat structures in restored streams, wetlands, and floodplain areas; to place erosion control structures along the restored floodplain areas; and to construct two pedestrian bridges across restored floodplain areas. The project is located downstream of the West Canal Road bridge across the tributary to Fox Run on parcels owned by Dover Township and Dover Area High School (USGS Quadrangle: West York, PA; Latitude: 39° 59' 45"; Longitude: -76° 51' 1").

Central Office: Attn: Jack Rokavec, P.E., Chief, P.O. Box 69205, Harrisburg, PA 17106-9205.

EA1010-004. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, P.O. Box 69205, Harrisburg, PA 17106. Abandoned Mine Land Reclamation Project, in Clay Township, **Butler County**, Pittsburgh USACE District.

The applicant proposes to backfill an abandoned surface mine, which includes a 0.95 acre hazardous waterbody and a 12.51 acre spoil pile. (West Sunbury Quadrangle N: 41° 01' 11.88", W: 79° 56' 31.73")

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

D15-426. Alfred P. West, Jr., 75 Beaver Dam Road, Coatesville, PA 19320. To construct, operate, and maintain West Dam across Buck Run (TSF, MF), impacting 0.006 acre of wetlands (PEM) and 216 feet of stream for the purpose of reconstructing the dam to meet regulatory requirements. (Coatesville, PA Quadrangle Latitude: 39.9345; Longitude: -75.8545 in Highland Township, **Chester County**).

D54-178. Eagle Rock Community Association, 5495 Belt Line Road, Suite 200, Dallas, TX 75254. To modify, operate, and maintain Lake Choctaw Dam across Little Sugarloaf Creek (CWF), impacting 0.23 acre of wetlands (PEM) and providing 0.221 acre of wetland mitigation, for the purpose of meeting Dam Safety Spillway Requirements for the Probable Maximum Flood (PMF) (Nuremberg, PA Quadrangle Latitude: 40° 55' 43"; Longitude: -76° 07' 58" in North Union Township, **Schuylkill County**).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0000418 (Industrial)	Derry Borough Municipal Authority 620 N Chestnut Street Derry, PA 15627-1728	Westmoreland County Derry Borough	Unnamed Tributary to McGee Run (18-D)	Yes
PA0003832 (Industrial)	Ashland LLC 5200 Blazer Parkway Dublin, OH 43017-3309	Allegheny County Neville Township	Ohio River (20-G)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0239534 (Sewage)	Debra Hecei SRSTP 20545 Route 6 Warren, PA 16365-3685	Warren County Glade Township	Unnamed Tributary of Glade Run (16-B)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0102326 (Sewage)	Mercer State Corr Institution 801 Butler Pike P.O. Box 6747 Mercer, PA 16137-5653	Mercer County Findley Township	Neshannock Creek (20-A)	Yes
PA0030031 (Sewage)	Keystone Region Ind Park 764 Bessemer Street Meadville, PA 16335	Crawford County Greenwood Township	Unnamed Tributary to Conneaut Outlet (16-D)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0271420, Sewage, SIC Code 8800, **Mitchell Passinger**, 2496 Priest Hollow Road, Russell, PA 16345.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0026697, Sewage, SIC Code 4952, **Butler Area Sewer Authority**, 100 Litman Road, Butler, PA 16001-3256.

This existing facility is located in Butler Township, **Butler County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

NPDES Permit No. PA0271578, Sewage, SIC Code 8800, **Jean Gatesman**, 28231 Route 66, Lucinda, PA 16235.

This proposed facility is located in Knox Township, **Clarion County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0215200 A-1, Industrial, SIC Code 5052, **Three Rivers Marine & Rail Terminal LLC**, 17 Arentzen Boulevard, Suite 206, Charleroi, PA 15022-1085.

This existing facility is located in Glassport Borough, **Allegheny County**.

Description of Proposed Action/Activity: Amendment of the existing WQM Permit to upgrade stormwater management features and stormwater basin designs.

WQM Permit No. 0293201 A-3, Industrial, SIC Code 4111, **Allegheny County Port Authority**, Heinz 57 Center, 3rd Floor, Pittsburgh, PA 15222-2527.

This existing facility is located in West Mifflin Borough, **Allegheny County**.

Description of Proposed Action/Activity: Permit amendment authorizing the replacement of the two existing oil water separators for Highland Tank Double Walled Cylindrical Oil Water Separators—1) HTC 15000 and 1) HTC 12000 (or approved equals).

WQM Permit No. 6518405, Sewage, **Westmoreland County Municipal Authority**, 1146 Woodward Drive, Greensburg, PA 15601-6416.

This proposed facility is located in Hempfield Township, **Westmoreland County**.

Description of Proposed Action/Activity: Construction of flow equalization facility at New Stanton STP.

WQM Permit No. 3200406-A1, Sewage, **Blacklick Valley Municipal Authority**, P.O. Box 272, Twin Rocks, PA 15960.

This proposed facility is located in Buffington Township, **Indiana County** and Blacklick Township, **Cambria County**.

Description of Proposed Action/Activity: Proposed construction of Sludge Processing Equipment Modification at Blacklick Valley MA WWTP and Route 422 Area Sanitary Sewer Extension Project to serve existing residences with on-lot septic systems.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the Water Quality Management (Part II) Permit has not identified any significant environmental impacts resulting from this proposal.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1018405, Sewage, **Connoquenessing Borough Butler County**, P.O. Box 471, Connoquenessing, PA 16027-0471.

This proposed facility is located in Connoquenessing Borough, **Butler County**.

Description of Proposed Action/Activity: Construction of pump station and sewer system to serve Leslie Farms development.

WQM Permit No. 6218404, Sewage, SIC Code 8800, **Mitchell Passinger**, 2496 Priest Hollow Road, Russell, PA 16345.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1618407, Sewage, **Jean Gatesman**, 28231 Route 66, Lucinda, PA 16235.

This proposed facility is located in Knox Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

V. NPDES Waiver Stormwater Discharges from MS4 Actions.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

NPDES Waiver No.	Applicant Name & Address	Municipality, County	Receiving Water(s)/Use(s)
PAI136117	West Taylor Township 712 Cooper Avenue Johnstown, PA 15906-1106	West Taylor Township Cambria	Laurel Run HQ-CWF Conemaugh River WWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD230026	Trustees of the University of Pennsylvania 3930 Chestnut Street Philadelphia, PA 19104	Delaware	Radnor Township	Browns Run CWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD450053	Running Lane LLC 2090 Rt 611 Swiftwater, PA 18370	Monroe	Pocono Twp	UNT to Scot Run (HQ-CWF, MF)

Pike County Conservation District, 556 Route 402, Suite 1, Hawley, PA 18428.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD520012	Pennsylvania Department of Transportation Engineering Dist 4-0 55 Keystone Industrial Park Dunmore, PA 18512	Pike	Westfall Twp	Rosetown Creek (HQ-CWF, MF) UNT to Delaware River (HQ-CWF, MF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities

PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAC510035	PRDC Properties 740 Sansom Street Philadelphia, PA 19107	Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAC510074	Venice Island Realty Partners 2337 Philmont Avenue Huntingdon Valley, PA 19006-6200	Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Warrington Township Bucks County	PAC090192	MDG No. 3, LLC 1030 Reed Avenue Suite 100 Wyomissing, PA 19610	Unnamed Tributary to Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Buckingham Township Bucks County	PAC090182	Tyler Wille 5 Elliot Street Norwalk, CT 06855	Unnamed Tributary to Lahaska Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bensalem Township Bucks County	PAC090177	Somerton Valley Homes LP 13451 Damar Drive Philadelphia, PA 19116-1819	Poquessing Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bedminster Township Bucks County	PAC090180	Edward Lawson 82 Ervin Road Pipersville, PA 18947	Cabin Run CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hilltown Township Bucks County	PAC090167	Torrey T. Rose 451 Schultz Road Sellersville, PA 18960-2950	Unnamed Tributary to Mill Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

5395

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Derry Township Dauphin County Issued	PAC220105	LSP Investments, LLC 7360 Devonshire Heights Road Harrisburg, PA 17111	Swatara Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Middle Paxton Township Dauphin County Issued	PAC220121	Charles Vandenburg 3130 Fishing Creek Valley Road Harrisburg, PA 17112	Fishing Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Lower Swatara Township Dauphin County Issued	PAC220114	Noah W. Kreider & Sons LLP 1461 Lancaster Road Manheim, PA 17545	UNTs Swatara Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Londonderry Township Dauphin County Issued	PAC220087	Graybill Equipment & Repair 7651 Derry Street Suite B Harrisburg, PA 17111	UNT Lynch Run (TSF) Lynch Run (TSF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Rapho Township Lancaster County Issued	PAC360292	Elm Tree Properties LLC 987 Chapel Forge Court Lancaster, PA 17601	Little Chickies Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Rapho Township Lancaster County Issued	PAC360272	Daniel Reist 236 Millstone Drive Mountville, PA 17554	UNT Little Chickies Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Rapho Township Lancaster County Issued	PAC360288	Seth Custer 598 Longenecker Road Mount Joy, PA 17552	Little Chickies Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Upper Leacock Township Lancaster County Issued	PAC360285	Amos Stoltzfus 262 Snake Hill Road Bird-In-Hand, PA 17505	Conestoga River (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Derry Township Mifflin County Issued	PAC440012	DGB Properties LP 3335 Morgantown Road Mohnton, PA 19540	UNT Jacks Creek (TSF)	Mifflin County Conservation District 20 Windmill Hill Suite 4 Burnham, PA 17009-1837 717.248.4695

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Carroll Township York County Issued	PAC670080	Richard & Nancy Eichelberger 1811 County Line Road York Springs, PA 17327	NB Bermudian Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Conewago & Dover Townships York County Issued	PAC670126	Laurel Oswalt Dover Township 2480 West Canal Road Dover, PA 17315	Little Conewago Creek (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Springfield Township & Loganville Borough York County Issued	PAC670187	R. Colfax Schnorf, Jr. Logan's Reserve Development LLC 5850 Waterloo Road Suite 210 Columbia, MD 21045	EB Codorus Creek (CWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
<i>Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Harris Twp Centre Cnty	PAG02001407009R(2)	Harris Township Supervisors 224 East Main Street Boalsburg, PA 16827	UNT-Spring Creek CWF, MF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Harris Twp Centre Cnty	PAG02001407009R(2)	Ed Satalia 182 Slab Cabin Road State College, PA 16801	UNT-Spring Creek CWF, MF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Catawissa Twp Columbia Cnty	PAC190022	M & K Family Farms 244 Queen City Rd Catawissa, PA 17820	UNT to Catawissa Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
Hemlock Twp Columbia Cnty	PAC190021	Landmark Signature Homes, LLC 138 Arbutus Park Rd Bloomsburg, PA 17815	Little Fishing Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
Mahoning Twp Montour Cnty	PAC470014	Trinity United Methodist Church 84 Lombard Street Danville, PA 17821	Blizzard Run CWF, MF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140
White Deer Twp Union Cnty	PAC600017	Arthur J. Keister Jr. 211 River Breeze Ave Winfield, PA 17889	UNT to Susquehanna River WWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Hermitage Mercer County	PAC430027	Broadway Associates P.O. Box 68 Brookfield, OH 44403	Shenango River WWF	Mercer County Conservation District 747 Greenville Road Mercer, PA 16137 724-662-2242
Clinton Township Butler County	PAC100101	Gulf Coast Partners Mr. Mike Bechtold 3000 John Roebling Way Saxonburg, PA 16056	Thorn Creek CWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270

General Permit Type—PAG-03

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Redstone Township Fayette County	PAG036174	Wilson Home Heating Inc. 407 Rowes Run Road Smock, PA 15480	Rowes Run—19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-08

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Polk Township Monroe County	PAG 08-3504 PAG-08-0002 PAG-08-2203 PAG-08-9903 PAG-08-3522 PAG-08-2224 PAG-08-3547 PAG-08-0016 PAG-08-3518 PAG-08-3825 PAG-08-0007 PAG-08-3515 PAG-08-2219 PAG-08-3565/07-3508 PAG-08-3610 PAG-08-9904 PAG-08-3540 PAG-08-0022 PAG-08-3568 PAG-08-3596 PAG-08-3597 PAG-08-3556 PAG-08-3605 WMGR-099 PAG-08-3535 PAG-08-9905 PAG-08-3510 PAG-08-0011 PAG-08-2211 PAG-08-3551 PAG-08-3573 PAG-08-3600 PAG-08-3611 PAG-08-3506 PAG-07-0003 PAG-08-0004	Synagro P.O. Box B 1605 Dooley Road Whiteford, MD 21160	Johnson Farm 152 Beltzville Dr.	Northeast Region: Clean Water Program 2 Public Square Wilkes-Barre, PA 18701 570-826-2511

*Facility Location:
Municipality &
County*

Permit No.

Applicant Name & Address

*Site Name &
Location*

*Contact Office &
Phone No.*

PAG-08-0003
PAG-08-0005
PAG-08-3615
PAG-08-3581
PAG-08-2223
PAG-08-3567
PAG-08-9909
PAG-08-0021
PABIG-9903
PAG-08-0006
PAG-08-0008
PAG-07-0005
PAG-08-0023
PAG-08-0018
PAG-08-9601
PAG-08-3514
PAG-08-3501

Franklin Township
Carbon County

PAG 08-3504
PAG-08-0002
PAG-08-2203
PAG-08-9903
PAG-08-3522
PAG-08-2224
PAG-08-3547
PAG-08-0016
PAG-08-3518
PAG-08-3825
PAG-08-0007
PAG-08-3515
PAG-08-2219
PAG-08-3565/07-3508
PAG-08-3610
PAG-08-9904
PAG-08-3540
PAG-08-0022
PAG-08-3568
PAG-08-3596
PAG-08-3597
PAG-08-3556
PAG-08-3605
WMGR-099
PAG-08-3535
PAG-08-9905
PAG-08-3510
PAG-08-0011
PAG-08-2211
PAG-08-3551
PAG-08-3573
PAG-08-3600
PAG-08-3611
PAG-08-3506
PAG-07-0003
PAG-08-0004
PAG-08-0003
PAG-08-0005
PAG-08-3615
PAG-08-3581
PAG-08-2223

Synagro
P.O. Box B
1605 Dooley Road
Whiteford, MD 21160

Johnson IV Farm
Pohopoco Drive,
Grange Road, &
Fairyland Road

Northeast Region:
Clean Water Program
2 Public Square
Wilkes-Barre, PA
18701
570-826-2511

NOTICES

5399

*Facility Location:
Municipality &
County*

Permit No.

Applicant Name & Address

*Site Name &
Location*

*Contact Office &
Phone No.*

Lower Towamensing
Township
Carbon County

PAG-08-3567
PAG-08-9909
PAG-08-0021
PABIG-9903
PAG-08-0006
PAG-08-0008
PAG-07-0005
PAG-08-0023
PAG-08-0018
PAG-08-9601
PAG-08-3514
PAG-08-3501

Synagro
P.O. Box B
1605 Dooley Road
Whiteford, MD 21160

Johnson III Farm
2160 Hahn's Dairy
Road

Northeast Region:
Clean Water Program
2 Public Square
Wilkes-Barre, PA
18701
570-826-2511

PAG 08-3504
PAG-08-0002
PAG-08-2203
PAG-08-9903
PAG-08-3522
PAG-08-2224
PAG-08-3547
PAG-08-0016
PAG-08-3518
PAG-08-3825
PAG-08-0007
PAG-08-3515
PAG-08-2219
PAG-08-3565/07-3508
PAG-08-3610
PAG-08-9904
PAG-08-3540
PAG-08-0022
PAG-08-3568
PAG-08-3596
PAG-08-3597
PAG-08-3556
PAG-08-3605
WMGR-099
PAG-08-3535
PAG-08-9905
PAG-08-3510
PAG-08-0011
PAG-08-2211
PAG-08-3551
PAG-08-3573
PAG-08-3600
PAG-08-3611
PAG-08-3506
PAG-07-0003
PAG-08-0004
PAG-08-0003
PAG-08-0005
PAG-08-3615
PAG-08-3581
PAG-08-2223
PAG-08-3567
PAG-08-9909
PAG-08-0021
PABIG-9903
PAG-08-0006
PAG-08-0008
PAG-07-0005
PAG-08-0023
PAG-08-0018
PAG-08-9601
PAG-08-3514
PAG-08-3501

General Permit Type—PAG-13

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Morton Borough Delaware County	PAG130094	Morton Borough Delaware County 500 Highland Avenue Morton, PA 19070-1111	Stony Creek and Shipley Branch—3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Perkasie Borough Bucks County	PAG130139	Perkasie Borough Bucks County P.O. Box 96 620 West Chestnut Street Perkasie, PA 18944-0096	Pleasant Spring Creek, East Branch Perkiomen Creek, and Unnamed Tributary to East Branch Perkiomen Creek—3-E	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Glenolden Borough Delaware County	PAG130092	Glenolden Borough Delaware County 36 E Boon Avenue Glenolden, PA 19036-1802	Unnamed Tributary to Muckinipattis Creek, Muckinipattis Creek, and Shipley Branch—3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Maneval Poultry Dale Maneval 11203 Route 35 Mt. Pleasant Mills, PA 17853	Snyder	20.8 for manure application	420.16	Poultry	NA	Approval

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 3917514MA, Public Water Supply.

Applicant	Nestle Purina Petcare Company 2050 Pope Road Allentown, PA 18104
[Borough or Township]	South Whitehall Township
County	Lehigh
Type of Facility	PWS
Consulting Engineer	Thomas Pullar, PE EarthRes Group, Inc. P.O. Box 468 Pipersville, PA 18947
Permit to Construct Issued	July 11 2018

Permit No. 2400091, Operations Permit, Public Water Supply.

Applicant	Suez Water Pennsylvania, Inc. 4211 East Park Circle Harrisburg, PA 17111
[Borough or Township]	Dallas Township
County	Luzerne

Type of Facility	PWS
Consulting Engineer	Arthur C. Saunders, P.E. Suez Water Pennsylvania Inc. 4211 East Park Circle Harrisburg, PA 17111
Permit to Operate Issued	7/30/2018
<i>Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.</i>	
Permit No. 0618504 , Public Water Supply.	
Applicant	Borough of Kutztown
Municipality	Kutztown Borough
County	Berks
Responsible Official	Kevin J. Snyder, Council President 45 Railroad Street Kutztown, PA 19530
Type of Facility	The Borough of Kutztown (Borough) has submitted an application for the approval to install iron and manganese control equipment. With the combined iron and manganese concentration below 1.0 mg/L and manganese concentration below 0.30 mg/L, the Borough has proposed polyphosphate sequestration by injection of SeaQuest by Aqua Smart, Inc.
Consulting Engineer	Justin J. Mendinsky, P.E. Herbert, Rowland & Grubic Inc. 369 East Park Drive Harrisburg, PA 17111
Permit to Construct Issued	8/8/2018
Permit No. 6718509 MA , Minor Amendment, Public Water Supply.	
Applicant	Exelon Generation Nuclear, Peach Bottom Atomic Power Station
Municipality	Peach Bottom Township
County	York
Responsible Official	Matthew Herr, Plant Manager 1848 Lay Road Delta, PA 17314-9032
Type of Facility	The existing 3,800-gallon pressure tank called the Domestic Water Accumulator Tank will be removed and replaced with a new 3,600-gallon pressure tank.
Consulting Engineer	Amy E. Huber, P.E. Exelon Generation 207 Lancaster Avenue Quarryville, PA 17566
Permit to Construct Issued	8/8/2018
Operation Permit No. 3618502 MA issued to: City of Lancaster (PWS ID No. 7360058) , West Hempfield Township, Lancaster County on 8/10/2018 for facilities approved under Construction Permit No. 3618502 MA.	

Operation Permit No. 3117505 MA issued to: **Mount Union Municipal Authority (PWS ID No. 4310016)**, Shirley Township, **Huntingdon County** on 8/10/2018 for facilities approved under Construction Permit No. 3117505 MA.

Operation Permit No. 3117502 MA issued to: **Broad Top City Water Authority (PWS ID No. 4310023)**, Wood Township, **Huntingdon County** on 8/13/2018 for facilities approved under Construction Permit No. 3117502 MA.

Operation Permit No. 3118503 MA issued to: **Mount Union Municipal Authority (PWS ID No. 4310016)**, Shirley Township, **Huntingdon County** on 8/13/2018 for facilities submitted under Application No. 3118503 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 1718506MA—Construction—Public Water Supply.

Applicant	Quehanna Motivational Boot Camp
Township/Borough	Karthaus Township
County	Clearfield County
Responsible Official	Ms. Mary Natoli, Superintendent Quehanna Motivational Boot Camp 4395 Quehanna Highway Karthaus, PA 16845
Type of Facility	Public Water Supply-Construction
Consulting Engineer	Ms. Carol A. Piontkowski Department of Corrections/Bureau of Operations 1920 Technology Parkway Mechanicsburg, PA 17050
Permit Issued	August 13, 2018
Description of Action	Authorizes repair and improvements to the 105,000-gallon, Aquastore, glass-coated, bolted, steel, finished, water-storage tank installed by Mid-Atlantic Storage Systems, Inc. in 1995.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **East Taylor Municipal Authority**, 403 Donruth Lane, Johnstown, PA 15909, (PWSID # 4110043) Jackson Township, **Cambria County** on August 7, 2018 for the operation of facilities approved under Construction Permit # 1117501MA.

Operations Permit issued to: **Somerset Township Municipal Authority**, 2209 North Center Avenue, Somerset, PA 15501, (PWSID # 4110043) Somerset Township, **Somerset County** on August 7, 2018 for the operation of facilities approved under Construction Permit # 5618502MA.

Operations Permit issued to: **Pine Garden Realty Associates, LP**, 11 Glenview Avenue, Greensburg, PA 15601, (PWSID # 5650026) **Westmoreland County** on August 10, 2018 for the operation of facilities approved under Construction Permit # 6518513MA-E.

Operations Permit issued to: **National Pike Water Authority**, P.O. Box 10, Markleysburg, PA 15459, (PWSID # 5260048) Henry Clay Township, **Fayette County** on August 9, 2018 for the operation of facilities approved under Construction Permit # 2615513MA.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (PWSID # 5320109) Young Township, **Indiana County** on August 14, 2018 for the operation of facilities approved under Construction Permit # 3217511.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (PWSID # 5320109) Center Township, **Indiana County** on August 14, 2018 for the operation of facilities approved under Construction Permit # 3217508.

Permit No. 6518507MA, Minor Amendment. Public Water Supply.

Applicant	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
[Borough or Township]	Apollo & Oklahoma Boroughs; Kiskiminetas Township
County	Armstrong and Westmoreland
Type of Facility	Apollo River waterline crossing
Consulting Engineer	Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street P.O. Box 853 Latrobe, PA 15650
Permit to Construct Issued	August 9, 2018

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 3718501, Public Water Supply.

Applicant	PA American Water Company
Township or Borough	Ellwood City Borough
County	Lawrence
Type of Facility	Public Water Supply
Consulting Engineer	William Lage PA American Water Co. 2736 Ellwood Road New Castle, PA 16101
Permit to Construct Issued	August 9, 2018

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Connoquenessing Borough	228 Constitution Avenue P.O. Box 471 Connoquenessing, PA 16027	Butler

Plan Description: The approved plan provides for the expansion of Connoquenessing Borough's existing wastewater treatment plant (WWTP) from a design flow of 0.08 MGD to a design flow of 0.14 MGD while employing the extended aeration treatment technology. In addition, it concludes with maintaining existing onlot systems for the unsewered areas of the Borough. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Upper Saucon Township	5500 Camp Meeting Road Center Valley, PA 18034	Lehigh

Plan Description:

The Act 537 Plan Special Study, Reallocation of Sewage Capacity in Upper Saucon Township's Collection System to service Brinley Court and Traditions of America Land Development Projects (Special Study), dated November 2, 2017 with subsequent revisions, was approved by the Department on August 07, 2018. The Study Areas associated with this Special Study have been designated Existing Service Areas 11 and 12 (ESA-11 and ESA-12).

The Special Study reallocates Sewage Capacity in Upper Saucon Township's Sewage Collection System for the Brinley Court and Traditions of America Locust Valley Subdivisions. These are Residential Land Developments, consisting of 217 townhouse units for Brinley Court (49,042 GPD at 226 GPD/EDU) and 125 residential units for Traditions of America (28,250 GPD at 226 GPD/EDU). Prior to the Special Study, sewage from the Subdivisions would have entered the Borough of Coopersburg's Sewer System and reentered the Township's Sewer System. The Projects propose the construction and use of public sewer facilities, including two sewage pumping stations and associated force mains.

A gravity sewage collection system, consisting of about 3,777 LF of eight (8) inch sewer line, will be installed at Brinley Court until the system connects with the Brinley Court Pump Station. From the Pump Station, wastewater will be pumped into a four (4) inch force main (~ 3,400 LF in length) that proceeds in a westerly direction to Main Street, and then overlaid in a westerly direction to the proposed Traditions of America Locust Valley Pump Station, located at the intersection of Locust Valley Road and Gun Club Road.

A gravity sewage collection system, consisting of about 5,087 LF of eight (8) inch sewer line, will be installed at the Traditions of America Locust Valley Subdivisions until the system connects with the Traditions of America Pump Station, located at the intersection of Locust Valley Road and Gun Club Road. The Traditions of America Pump Station pumps wastewater into a four (4) and/or six (6) inch force main (~ 1,750 LF in length) that proceeds in a northerly direction along Gun Club Road until its intersection with White Oak Drive. The sewage enters Upper Saucon Township Municipal Authority's existing sewer system at Manhole 1. Wastewater will be treated at the Upper Saucon Sewage Treatment Authority's (USSTA's) Facility, which discharges to Saucon Creek.

With respect to the Traditions of America Locust Valley Subdivision, the Sewage Facilities Planning Module/Component 3 gave a Brief Project Description in Part A. Project Information.

The eleven (11) single family homes located in Springfield Township, Bucks County are not being approved from a Planning perspective. Wastewater from these homes will be disposed of via on-lot sewage disposal facilities. Much of the information included in the Special Study can be used during completion of the Sewage Facilities Planning Module/Component 2.

The Department's review of the Special Study has not identified any significant environmental impacts resulting from the proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the Upper Saucon Township Municipal Authority (USTMA) or the developer (for earthmoving activities).

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF

OCTOBER 18, 1988

Notice of Proposed Settlement Under HSCA/CERCLA

Railroad TCE HSCA Site, Warwick and Northampton Townships, Bucks County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. §§ 6020.101 et seq., has entered into a proposed Prospective Purchaser Agreement ("PPA") with Trappler Enterprises, LLC ("Purchaser") related to a certain parcel of land located at 141 Railroad Drive, Warwick Township, Bucks County, PA ("Property").

The Property is set within the Railroad TCE HSCA Site, which is defined by the Department to encompass an area of approximately 0.40 square mile in Northampton and Warwick Townships, Bucks County, Pennsylvania and is comprised of several industrial and commercial properties in the Northampton Industrial Park and Warwick Commons Industrial Park, along with a few small interspersed residential areas. It is uncertain as to whether or not the Property has contributed or is contributing to the releases of hazardous substances identified by the Department as part of the Railroad TCE HSCA Site. Purchaser wishes to purchase the Property and plans to lease the Property to a research laboratory and light manufacturing company. The Department has determined that Purchaser neither caused nor contributed to the releases of hazardous substances at the Site.

Under the terms and conditions of the Prospective Purchaser Agreement, Purchaser will make a contribution to the Department's past response costs at the Site, will agree to provide access to the properties to the Department, and will not exacerbate any of the contamination associated with the Site.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113. The PPA may be examined from 8 AM to 4 PM at the Department's office at 2 East Main Street, Norristown, PA by contacting either by contacting either Joshua Crooks at (484) 250-5784 or Anderson Lee Hartzell at (484) 250-5866. Joshua Crooks may also be contacted electronically at jcrooks@pa.gov. A public comment period on the PPA will extend for a period of 60 days from the date of this notice. Interested persons may submit written comments regarding the PPA to the Department by submitting them to Joshua Crooks at the above address.

**HAZARDOUS SITES CLEAN-UP
UNDER THE ACT OF
OCTOBER 18, 1988**

**Notice of Proposed Settlement Under
HSCA/CERCLA**

**Railroad TCE HSCA Site, Warwick and
Northampton Townships, Bucks County**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. §§ 6020.101 et seq., has entered into a proposed Consent Order and Agreement ("CO&A") with Philip S. DiVita and Alfreda C. Resinski Trappier ("Owners") related to a certain parcel of land located at 141 Railroad Drive, Warwick Township, Bucks County, PA ("Property").

The Property is set within the Railroad TCE HSCA Site, which is defined by the Department to encompass an area of approximately 0.40 square mile in Northampton and Warwick Townships, Bucks County, Pennsylvania and is comprised of several industrial and commercial properties in the Northampton Industrial Park and Warwick Commons Industrial Park, along with a few small interspersed residential areas. It is uncertain as to whether or not the Property has contributed or is contributing to the releases of hazardous substances identified by the Department as part of the Railroad TCE HSCA Site. Owners have agreed to enter the Property into the Department's Act 2 cleanup program and demonstrate attainment of one of the cleanup standards set forth in Act 2 pursuant to a specific schedule.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113. The CO&A may be examined from 8 AM to 4 PM at the Department's office at 2 East Main Street, Norristown, PA by contacting either by contacting either Joshua Crooks at (484) 250-5784 or Anderson Lee Hartzell at (484) 250-5866. Joshua Crooks may also be contacted electronically at jcrooks@pa.gov. A public comment period on the CO&A will extend for a period of 60 days from the date of this notice. Interested persons may submit written comments regarding the CO&A to the Department by submitting them to Joshua Crooks at the above address.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate

that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former Solovey Service Station, 274 North River Street, Plains Township, Luzerne County. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Roberts Oil Company, 646 Meadows Lane, Dallas, PA 18612 has submitted a revised Cleanup Plan concerning remediation of site groundwater contaminated due to historic use of underground storage tanks storing petroleum at the site. The predominant contaminants identified are volatile organic compounds and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Lehigh Valley Public Telecommunication Corp., 839 Sesame Street, Bethlehem City, Northampton County. Synergy Environmental, 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of Lehigh Valley Public Telecommunication Corp., 839 Sesame Street, Bethlehem, PA 18105 has submitted a final report concerning remediation of site soils contaminated with diesel fuel from a leaking emergency generator. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Shippensburg Borough Property, Cramer Road & Walnut Bottom Road, Shippensburg, PA 17257, Shippensburg Township, Cumberland County. Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482, on behalf of Shippensburg Investors, L.P., Ellis Preserve, 3843 West Chester Pike, Newtown Square, PA 19073, submitted a Remedial Investigation Report and Cleanup Plan concerning site soil contaminated with lead and VOCs from a municipal dump. The combined report is intended to document remediation of the site to meet the Site-Specific Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Bellows 03-078 Well Pad, 4087 Mountain Avenue, Troy, Columbia Township, **Bradford County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Repsol Oil & Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, has submitted a Final Report concerning remediation of site soil contaminated with brine. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Former Agway Energy Products Site 1, South Center Street and East Second Street, Canton Borough, **Bradford County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Yawga Energy Products, 5748 East Lake Road, Cazenova, NY 13035, has submitted a Final Report concerning site soil and groundwater contaminated with diesel fuel and unleaded gas. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Former Agway Energy Products Site 2, East Second Street, Canton Borough, **Bradford County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Yawga Energy Products, 5748 East Lake Road, Cazenova, NY 13035, has submitted a Final Report concerning site soil and groundwater contaminated with diesel fuel and unleaded gas. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Harlan BRA Pad, Dibble Road, New Albany, Albany Township, **Bradford County**. Leidos, Inc., 180 Gordon Drive, Suite 109, Exton, PA 19341, on behalf of Chesapeake Appalachia, LLC, 300 N. 2nd Street, 5th Floor, Harrisburg, PA 17101, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Leonard's Express Diesel Fuel Release, I-80 at MM 213 E, Milton, Turbot Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Leonard's Express, 6070 Collett Road, Farmington, NY 14425, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Name correction to previous submission: **National Fuel Gas Midstream Wharton Compressor Station**, Wharton Township, **Potter County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of National Fuel Gas Supply Corporation, P.O. Box 2081, 1100 State Street, Erie, PA 16512, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with organics. The report is intended to document remediation of the site to meet the Site-Specific Standard

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Stan-

dards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Kahler's Farm, 106 Kahler's Farm Lane, Bushkill Township, **Northampton County**. MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Roslyn Kahler, 375 Nolf Road, Nazareth, PA 18064, submitted a Final Report concerning remediation of releases of gasoline and diesel fuel from two underground storage tanks to site soils and groundwater. The report documented remediation of the site to meet a combination of Statewide Health and Site-Specific Standards and was approved by the Department on August 14, 2018.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Carl and Betty Martin Property, 1215 Creek Road, Manheim, PA 17545, Mount Joy Township, **Lancaster County**. Liberty Environmental, 480 New Holland Av-

enue, Suite 8203, Lancaster, PA 17602, on behalf of Carl and Betty Martin, 1215 Creek Road, Manheim, PA 17545, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on August 7, 2018.

Former Agway Lebanon Surplus/M&G Realty, 1655 Cumberland Street, Lebanon, PA 17042, West Lebanon Township, **Lebanon County**. Compliance Management International, 1350 Welsh Road, Suite 200, North Wales, PA 19454, on behalf of M&G Realty, Inc., 2295 Susquehanna Trail, York, PA 17404, and CU 16 LP, 328 North 14th Street, Lebanon, PA 17046 submitted a Remedial Investigation and Final Report concerning site soil and groundwater contaminated with VOCs, SVOCs, and inorganics. The combined Report did not demonstrate attainment of the Site-Specific Standard, and was disapproved by the Department on August 9, 2018.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Seneca Resources Corporation Well Pad C09-G, Cooks Run Road, Emporium, Shippen Township, **Cameron County**. ARM Group, Inc., 1129 West Governor Road, P.O. Box 797, Hershey, PA 17033, on behalf of Seneca Resources Corporation, 5800 Corporate Boulevard, Suite 300, Pittsburgh, PA 15237, has submitted a Final Report concerning remediation of site soil contaminated with brine. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 31, 2018.

Motor Vehicle Accident Fluid Release near 38 West Lake Glory Road, Catawissa, Locust Township, **Columbia County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Tom Schreck, 38 West Lake Glory Road, Catawissa, PA 17820, has submitted a Final Report concerning remediation of site soil contaminated with motor oil, antifreeze and transmission fluid. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 14, 2018.

Furman Foods, Inc., 770 Cannery Road, Northumberland, Point Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Furman Foods, Inc., 770 Cannery Road, Northumberland, PA 17857, has submitted a Final Report concerning remediation of site soil contaminated with mineral oil. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 9, 2018.

Leonard's Express Diesel Fuel Release, I-80 at MM 213 E, Milton, Turbot Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Leonard's Express, 6070 Collett Road, Farmington, NY 14425, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 8, 2018.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Pioneer Tank Lines, Inc., 12501 Hudson Road South, Afton, MN 55001. License No. PA-AH 0600. Effective Aug. 09, 2018.

Transervice Logistics Inc., 5 Dakota Drive, Lake Success, NY 11042. License No. PA-AH 0702. Effective Aug. 14, 2018.

Hazardous Waste Transporter License Reissued

Pioneer Tank Lines, Inc., 12501 Hudson Road South, Afton, MN 55001. License No. PA-AH 0600. Effective Aug. 09, 2018.

Transervice Logistics Inc., 5 Dakota Drive, Lake Success, NY 11042. License No. PA-AH 0702. Effective Aug. 14, 2018.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act and the act of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Environmental Maintenance Services Inc., 10 Gramar Avenue, Prospect, CT 06712. License No. PA-HC 0259. Effective Aug. 09, 2018.

Med-Flex, Inc., P.O. Box 357, Hainesport, NJ 08036. License No. PA-HC 0207. Effective Aug. 09, 2018.

Regulated Medical and Chemotherapeutic Waste Transporter Reissued

Environmental Maintenance Services Inc., 10 Gramar Avenue, Prospect, CT 06712. License No. PA-HC 0259. Effective Aug. 09, 2018.

Med-Flex, Inc., P.O. Box 357, Hainesport, NJ 08036. License No. PA-HC 0207. Effective Aug. 09, 2018.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

AG5-58-00005A: UGI Energy Services (1 Meridian Blvd, Suite 2C01, Wyomissing, PA 19610) on August 1, 2018 issued the general operating permit GP5 for the construction & operation of Natural Gas Compression plant at the facility located in Auburn Township, **Susquehanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP14-60-132: Eternal Rest Cremations, LLC (1452 Mulls Road, Selinsgrove, PA 17870) on July 31, 2018, to authorize the operation of a CFD-2300 ARMIL CFS crematory incinerator for cremation of human remains pursuant to the General Plan Approval and General Operating Permit for Human or Animal Crematories (BAQ-GPA/GP-14) at their facility in Limestone Township, **Union County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

GP5-63-01001: ETC Northeast Pipeline, LLC (6051 Wallace Road Ext., Wexford, PA 15090) on August 7, 2018, for the construction and operation of a duplicate natural gas processing at the plant known as the Revolution Cryo Plant in Smith Township, **Washington County**. New sources include fractionation equipment, 200 MMscfd amine unit controlled by a thermal oxidizer, storage tanks, plant flare, and fugitive emissions.

GP1-63-01001A: ETC Northeast Pipeline, LLC (6051 Wallace Road Ext., Suite 300, Wexford, PA 15090) on August 7, 2018, for the construction and operation of three (3) additional 40.92 MMBtu/hr natural gas-fired heat medium oil heaters at the Revolution Cryo Plant in Smith Township, **Washington County**.

GP5-03-00983 (AG5-03-00004A): Snyder Brothers (P.O. Box 1022, 281 White Road, Kittanning, PA 16201) on August 3, 2018, to authorize installation and operation of four (4) 1,380 bhp Caterpillar G3616 B natural gas-fired compressor engines with oxidation catalysts, four (4) 2,370 bhp Caterpillar G3608 B natural gas-fired, compressor engines with oxidation catalysts, two (2) 30 MMscfd tri ethylene glycol dehydrators with reboilers, seventeen (17) 100 bbl (4,200-gallon) tank pipeline water tanks, one (1) 0.000250 MMBtu/hr line heater, twenty-four (24) small storage tanks storing fresh oil, pigging operations, and other small sources of fugitive emissions at the White Compressor Station, located in Rayburn Township, **Armstrong County**.

GP14-26-00560B: Ferguson Funeral Home & Crematory, Inc. (700 Broad Avenue, Belle Vernon, PA 15012) on August 13, 2018, to allow the installation and/or operation of a second human cremation unit at the Ferguson Funeral Home & Crematory in Belle Vernon Borough, **Fayette County**.

GP5-63-01013/AG5-63-00003A: CNX Midstream Partners LP (1000 Consol Energy Drive, Cannonsburg, PA 15317) on August 07, 2018, to authorize the construction and operation of: five (5) natural gas-fired Caterpillar G3608TALE engines, each rated at 2,500 bhp, each unit will be equipped with an oxidation catalyst; two (2) storage tanks 400 bbl each, one (1) 200 MMscfd TEG associated with a reboiler rated at 2.5 MMBtu/hr, emissions controlled by an enclosed flare rated at 5.0 MMBtu/hr with 98% control efficiency, one (1) station flare (open flare) rated at 150 MMBtu/hr to control emissions from compressor blowdowns and ESD activities, one (1) VRU to control emissions of storage tanks, one (1) VDU rated at 18.40 MMBtu/hr with 98% destruction efficiency used as backup during VRU downtime, one (1) diesel-fired Cummins Emergency Generator rated at

1,490 bhp, Tier II certified, Model # QST30-G5 NR2 at their Archer Comp. Station located in Morris Township, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

GP9-10-281B: II-VI Inc. (375 Saxonburg Blvd., Saxonburg, PA 16056) on August 8, 2018, for the authority to install and operate a 1,207 bhp diesel-fired emergency generator (BAQ-GPS/GP9) located at their facility in Clinton Township, **Butler County**.

GP5-10-415B: Pine Run Midstream, LLC-Bicker Compressor Station (1000 Commerce Dr., Park Place One, Suite 400, Pittsburgh, PA 15275) on July 30, 2018, for the authority to continue operation of a natural gas production facility (BAQ-GPS/GP5) located at their facility in Winfield Township, **Butler County**.

GP5-16-156C: Snyder Brothers, Cottage Hill Compressor Station (90 Glade Dr., P.O. Box 1022, Kittanning PA 16201) on August 7, 2018, for the authority to continue operation of a natural gas production facility (BAQ-GPS/GP5) located at their facility in Porter Township, **Clarion County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-0112G: Palmer International, Inc. (2036 Lucon Road, Skippack, PA 19474, On August 14, 2018 for the replacement of a thermal oxidizer with a regenerative thermal oxidizer (RTO) at their facility located in Skippack Township, **Montgomery County**.

46-0027F: Janssen Research & Development, LLC (1400 McKean Road, Springhouse, PA 19477) On August 14, 2018 for the installation of a replacement burner, as follows, for existing Bryan boiler 1 (Source ID 035) at its existing pharmaceutical research and development facility located in Lower Gwynedd Township, **Montgomery County**:

Northwest Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00064A: Ungerer & Company (110 N Commerce Way, Bethlehem, PA 18017) on July 23, 2018 for the replacement of Spray Dryer No. 2 presently operating at the facility with a new Spray Dryer and wet scrubber at the facility located in Hanover Twp., **Northampton County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

24-083W: Mersen USA (215 Stackpole St., Saint Mary's, PA 15857), on August 8, 2018 issued a Plan Approval for the installation of a Sodium Hydroxide

Scrubber for existing Excess Air Ovens, the installation of one (1) additional heated paddle mixer with minor changes to existing pollution control equipment, and proposed modification to Title V Permit 24-00083 in City of Saint Mary's, **Elk County**. This is a Title V facility.

43-270K: CCL Container Hermitage Inc. (1 Llodio Dr., Hermitage, PA 16184), on August 9, 2018 issued a Plan Approval for the continued operation of previously authorized sources and control devices in Hermitage Township, **Mercer County**. This is a State Only facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

31-05022A: AC Products, Inc.—Mt Union Plant (12393 William Penn Highway, Thompsontown, PA 17094-8649) on August 3, 2018, for a new cabinet manufacturing facility including three automated spray lines and six auxiliary spray booths with hot water heaters/ovens, located in Shirley Township, **Huntingdon County**. The plan approval was extended, with a compliance schedule.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

41-00088A: Compass Natural Gas Partners LP (1215 Manor Drive, Suite 302, Mechanicsburg, PA 17055) on August 7, 2018, to extend the authorization for the construction of the compressed natural gas truck terminal at their Compass-Quaker CNG Truck Terminal facility located in Upper Fairfield Township, **Lycoming County** to February 3, 2019. The plan approval has been extended.

08-00010J: Global Tungsten & Powders Corp. (1 Hawes Street, Towanda, PA 18848) on August 6, 2018, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from August 18, 2018 to February 14, 2019, at their facility located in Towanda Borough, **Bradford County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

PA-04-00699H: National Gypsum Company, Inc. (168 Shippingport Hill Road, P.O. Box 346, Shippingport, PA 15077-1000) Plan Approval Extension issuance date August 08, 2018, for 180 days to prepare and submit a revised State Only Operating Permit (SOOP) application for their NGC facility located in Shippingport Borough, **Beaver County**.

PA-11-00533A: Starprint Publication, Inc. (722 Dulancey Drive, Portage, PA 15946-6902) Plan Approval Extension issuance date August 08, 2018, for 180 days to prepare and submit a State Only Operating Permit

(SOOP) application for their Starprint Publication facility located in Portage Township, **Cambria County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

25-029E: Erie Coke Corp (P.O. Box 6180, Erie, PA 16512) on July 31, 2018, effective July 31, 2018, has issued a plan approval extension to incorporate RACT II requirements in Erie City, **Erie County**. This is a TV facility. This will expire on October 31, 2018.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00124: Fairless Energy, LLC (50 Sinter Road, Fairless Hills, PA 19030) On August 14, 2018 for the renewal of facility's Phase II (Title IV) Acid Rain Permit located in Falls Township, **Bucks County**. The affected units at the facility consist of four (4) combined cycle gas turbines with duct burners. The affected units shall hold sufficient SO₂ allowances in accordance with 40 CFR 72.9(c)(1). All monitoring, recordkeeping, and reporting shall be in conformance with 25 Pa. Code § 127.531 and the Acid Rain Permit application.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

18-00030: First Quality Tissue, LLC (904 Woods Avenue, LLC, Lock Haven, PA 17745) on August 7, 2018, was issued a renewal Title V operating permit for their facility located in Castanea Township, **Clinton County**. The facility's sources include two (2) 68 million Btu per hour, natural gas fired boilers, two (2) paper machines incorporating wet-end, dryer and dry-end sections, with the dryer sections equipped with natural gas-fired burners rated at 142 million Btu per hour, an adhesive operation, a printing operation, a wastewater treatment operation and a 300 horsepower diesel fire pump. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements are included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart Dc of 40 CFR Part 60, Subpart ZZZZ of 40 CFR Part 63 and 25 Pa. Code Article III, Chapters 121—145.

55-00005: Wood-Mode, Inc. (One 2nd St., Kreamer, PA 17833) on August 7, 2018, was issued a renewal Title V Operating Permit for the Kreamer facility located in Middlecreek Township, **Snyder County**. The facility's sources include two biomass boilers, one natural gas-fired boiler, various wood handling, working and finishing operations, various storage tanks, lumber drying, veneering and gluing operations, various emergency generator engines. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

25-00035: Molded Fiber Glass Companies, Union City (55 Fourth Avenue, Union City, PA 16438-1247). On July 31, 2018, the Department issued the renewal of the Title V Operating Permit for the reinforced plastic manufacturing facility, located in Union City borough, **Erie County**. The facility's primary emission sources include: two (2) boilers, air make-up heaters, the gelcoat operation, mechanical and manual non-atomized resin application, closed molding operations, a curing oven, trimming and sanding operations, primer spray operations, a drying oven, the assembly/bonding process, two (2) reaction injection molding presses, and five (5) resin storage tanks. The potential emissions, after permit limitations, of the major pollutants from the facility are as follows: 7.78 TPY (tons per year) NO_x, 2.48 TPY CO, 75.00 TPY VOC, 58.93 TPY Styrene, 9.68 TPY PM₁₀ and PM_{2.5}, and 0.52 TPY SO_x; thus, the facility is subject to Title V requirements for potential emissions of a single hazardous air pollutant (HAP) in excess of ten (10) TPY (Styrene), as well as potential VOC emissions exceeding 50 TPY for a facility located within the Northeast Ozone Transport Region. The boilers are subject to 40 CFR 63 Subpart DDDDD, the National Emission Standards for Hazardous Air Pollutants (NESHAP) for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters. The facility is subject to 40 CFR 63 Subpart WWWW NESHAP for Reinforced Plastic Composites Production, as well as 40 CFR 63 Subpart PPPP NESHAP for Surface Coating of Plastic Parts and Products. The facility is under compliance schedule for submittal of a revised RACT analysis in accordance with 25 Pa. Code § 129.96, and for the installation of magnehelic gauges for three of its baghouses. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

10-00047: Callery LLC (1424 Mars Evans City Rd, Evans City, PA 16033-9360). On August 13, 2018, the Department issued a State Only Natural Minor Operating Permit for the industrial organic and inorganic chemical manufacturing facility located in Forward Township, **Butler County**. The facility's primary emission sources include two natural gas-fired boilers (10.5 MMBtu/hr and 14.288 MMBtu/hr), miscellaneous natural gas combustion, the superoxide process, building 24 alkylborane production, hood 1B, building 31 product & process development, building 31 R&D, building 34 laboratory activities and R&D, building 37 boranes derivatives, building 37 bag filling station, building 37 boranes derivatives hydrogen vent, heated t-butanol storage tanks, building 43 hot oil furnace, building 44 alcoholates production, building 44 dryers & powder packaging, building 44 pilot plant, building 44 filter deactivation, building 64 potassium production, building 86 cylinder cleaning, building 94 powder packaging dust collection, building 98 tank farm & truck station, miscellaneous emergency

generators (5), and miscellaneous storage tanks. The potential emissions of the primary pollutants from the facility after permit limitations are as follows: 29.02 TPY (tons per year) NO_x, 19.53 TPY CO, 42.27 TPY VOC, 11.86 TPY PM₁₀ and PM_{2.5}, 0.48 TPY SO_x, and 10.06 TPY combined HAPs; thus, the facility is a natural minor. The building 72 boiler is subject to 40 CFR 60 Subpart Dc, NSPS for Small Industrial-Commercial-Institutional Steam Generating Units. The tank farm is subject to 40 CFR 60 Subpart Kb, NSPS for Storage Vessels. Four of the emergency generators are subject to 40 CFR 63, Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The gatehouse emergency generator is subject to 40 CFR 60, Subpart JJJJ, NSPS for Stationary Spark Ignition Internal Combustion Engines. A 550-gallon gasoline storage tank permitted under miscellaneous storage tanks is subject to 40 CFR 63, Subpart CCCCC, NESHAP for Gasoline Dispensing Facilities. The renewal permit contains emission limits, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-01008: McInnes Rolled Rings (1533 E 12th St, Erie, PA 16511-1747). On August 7, 2018, the Department issued a State Only Natural Minor Operating Permit for the iron and steel forging facility located in the City of Erie, **Erie County**. The facility's primary emission sources include the nineteen (19) process furnaces used to heat metal parts for the forging or heat-treating operations, a parts washer, and an emergency generator. The potential emissions of the primary pollutants from the facility are as follows: 55.08 TPY NO_x, 46.19 TPY CO, 5.14 TPY VOC, 4.18 TPY PM₁₀ and PM_{2.5}, and 0.33 TPY SO_x; thus, the facility is a natural minor. The emergency generator is subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

42-00061: Dresser LLC (41 Fisher Avenue, Bradford, PA 16701-1649), on August 7, 2018, the Department issued the renewal of the Natural Minor State-Only Operating Permit to a facility which manufactures pipe joint products including couplings, tapping sleeves and repair clamps, located in the City of Bradford, **McKean County**. The primary sources at the facility are miscellaneous natural gas combustion, a burn-off over, spray booths and dip coating lines, heat treating ovens, parts washers, emergency generators, dry abrasive blasting operations, machining operations, dry grinding and dry polishing operations and welding operations. Potential emissions for the site are below Title V permitting thresholds for all criteria pollutants, with potential emissions being reported as NO_x, 31 tpy; CO, 25 tpy; SO_x, 0.16 tpy; PM₁₀, 9.26 tpy; VOC, 30.77 tpy; Single HAP, 1.68 tpy, Combined HAP, 10.47 tpy. The permit contains emission restrictions, along with monitoring, recordkeeping, reporting, work practice and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

42-00095: Georgia-Pacific Corrugated LLC (1 Owens Way, Bradford, PA 16701-3750). On July 31, 2018, the Department issued a State Only Natural Minor Operating Permit for the corrugated container manufacturing facility located in the Bradford Township, **McKean County**. The facility's primary emission sources include two natural gas-fired boilers (15.7 MMBtu/hr and 20.9 MMBtu/hr), miscellaneous process equipment, an outdoor

starch silo, a metal parts degreaser, and finishing operations. The potential emissions of the primary pollutants from the facility are as follows: 15.73 TPY NO_x, 13.21 TPY CO, 12.68 TPY VOC, 8.79 TPY total HAPs, 23.79 TPY PM₁₀, 8.38 TPY PM_{2.5}, and 0.09 TPY SO_x; thus, the facility is a natural minor. The boilers are subject to recordkeeping requirements of 40 CFR Part 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

61-00122: Seneca Hardwood Lumber (212 Seneca Hardwood Rd., Cranberry, PA 16319-2526), on August 3, 2018, the Department issued the renewal of the State-Only Operating Permit of a sawmill facility located in Rockland Township, **Venango County**. Permitted air emission sources at the facility are two (2) wood-fired boilers, miscellaneous woodworking operations, drying kilns, and a parts washer. With PTEs of approximately 49, 40, 22, 2, and 2 TPY for CO, NO_x, PM₁₀, SO_x, and VOC, respectively, all below major source thresholds, the facility is Natural Minor. The wood-fired boilers are subject to 40 CFR 63 Subpart JJJJJJ that pertains to NESHAP for Industrial, Commercial, and Institutional Boilers Area Sources. In this renewal, only minor changes are made in permit conditions. To be considered a limited-use boiler under 40 CFR 63 Subpart JJJJJJ, one wood-fired boiler is now subject to an operation hour restriction of 876 hours per calendar year. Amended in 2016, applicable provisions of 40 CFR 63 Subpart JJJJJJ are also updated.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

15-00037: IDEMIA America Corporation (523 James Hance Court, Bristol, PA 19341-2560) On August 14, 2018 Administrative Amendment of the Natural Minor Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 for the change of ownership from Oberthur Technologies to IDEMIA America Corporation at the existing facility located in West Whiteland Township, **Chester County**. In addition to the change in ownership, three presses (Source ID Nos. 101D, 103, and 114) were removed from the permit because they are no longer operating at this facility. The permit is for a Title V facility. Facility-wide criteria pollutant emissions are less than the major facility thresholds; therefore, the facility is classified as a Natural Minor facility. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

09-00107: Oldcastle APG Northeast Inc., (1214 Hayes Boulevard, Bristol, PA 1919007-2913) August 14, 2018 Administrative Amendment of the Natural Minor Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 for the change of ownership from American Stone Mix,

Inc. to Oldcastle APG Northeast Inc. at the existing facility located in Bristol Township, **Bucks County**. The permit is for a non-Title V (State only) facility. Facility-wide criteria pollutant emissions are less than the major facility thresholds; therefore, the facility is classified as a Natural Minor facility. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

49-00030: Glen Raven Custom Fabrics, LLC (1150 Walnut Street Extension, P.O. Box 768, Sunbury, PA 17801), issued a revised operating permit, on July 27, 2018, for their Sunbury Plant located in the City of Sunbury, **Northumberland County**. This revision is for the change of ownership of this facility from Sunbury Textile Mills, Inc. to Glen Raven Custom Fabrics, LLC in accordance with the provision of 25 Pa. Code § 127.450. The State Only operating permit contains monitoring, recordkeeping and reporting conditions to ensure compliance with applicable regulatory requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

27-00015: Tennessee Gas Pipeline Company LLC Marienville Station 307 (1001 Louisiana Street, Suite 1000, Houston, TX 77002-5089). The Department on August 13, 2018, issued an administrative amendment of the Title V Operating Permit for the facility to incorporate the change in responsible official and the change of the plant name. The facility is located in Howe Township, **Forest County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

TV-30-00077: Texas Eastern Transmission, LP (P.O. Box 1642, Houston, TX 77251). Per 25 Pa. Code § 127.449(i), this Notice is for the following de minimis emission increase at the Texas Eastern Transmission, LP Holbrook Compressor Station, located in Richhill Township, **Greene County**:

This project is for the correction of annual emission rates for existing Source ID 129, a Waukesha VGF18GL natural gas-fired emergency generator rated at 3.48 MMBtu/hr. The emission changes resulting from this action are a decrease of 0.02 ton per year NO_x, an increase of 0.11 ton per year CO, and an increase of 0.07 ton per year VOC. Section D, Condition # 002 for Source ID 129 will be deleted in the TV Operating Permit renewal. It should also be noted here that the heat input rating for Source ID 129 is incorrectly listed in the operating permit as 7.47 MMBtu/hr.

This project will not trigger the requirements of 25 Pa. Code Subchapter E or 40 CFR Part 52 at the facility. The list of de minimis increases for this facility includes only this project.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

37-00257: Mohawk Area School District (385 Mohawk School Rd, Bessemer, PA 16112-0025). On August 7, 2018, the Department revoked the permit for the facility located in North Beaver Township, **Lawrence County**. This Operating Permit was revoked because the facility no longer needs an operating permit. The sources are exempt from plan approval and the actual emissions are less than operating permit thresholds.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

33120102 and NPDES Permit No. PA0259268. Original Fuels, Inc. (P.O. Box 343, Punxsutawney, PA 15767) Renewal of an existing bituminous surface mine and associated NPDES permit in Perry Township, **Jefferson County**, affecting 232.0 acres. Receiving streams: Unnamed tributary to Foundry Run and Foundry Run, unnamed tributary to Rose Run and Rose Run, unnamed tributary to Mahoning Creek. Application received: December 21, 2017. Permit Issued: August 9, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17030101. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Permit renewal for reclamation only of a bituminous surface coal and auger mine located in Penn Township, **Clearfield County** affecting 220.8 acres. Receiving stream(s): Unnamed Tributary to Bell Run and Bell Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: March 8, 2018. Permit issued: August 2, 2018.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

PAM218010. Thomas F. Charles (838 East Central Avenue, Jersey Shore, PA 17740), hereby approves the Notice of Intent (NOI) submitted for coverage to discharge stormwater associated with Small Noncoal Permit 18900802 to the following surface water(s) in Pine Creek Township, **Clinton County**. Receiving stream(s): UNT to West Branch Susquehanna. Application received: February 20, 2018. Permit Issued: July 31, 2018.

PAM218007. George Richard Excavating, LLC (3411 Richard Road, Middleburg, PA 17842), hereby approves the Notice of Intent (NOI) submitted for coverage to discharge stormwater associated with Small Noncoal Permit SM415-1 to the following surface water(s) in Center Township, **Snyder County**. Receiving stream(s): UNT to Dry Run. Application received: February 5, 2018. Permit Issued: August 2, 2018.

17860301. North Star Aggregates, Inc. (P.O. Box R, Ridgway, PA 15853). Permit revision to change land use for 4.0 acres from Inland Water Impoundment for Recreational Purposes and Revegetated to Industrial/Commercial located in Huston Township, **Clearfield County** affecting 199.3 acres. Receiving stream(s): Bennett Branch classified as CWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 12, 2018. Permit issued: July 30, 2018.

41060801 and NPDES No. PA0269808. Jack L. McClintock (1522 US Highway 220, Muncy Valley, PA 17758) hereby approves the Individual NPDES Permit Associated with mining activities on Small Noncoal Permit 41060801 to the following surface water(s) in Penn Township, **Lycoming County**. Receiving stream(s): Muncy Creek classified for the following use(s): TSF, EV. Application received: November 13, 2017. Permit Issued: August 8, 2018.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

57184101. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345). Blasting for pipeline located in Fox Township, **Sullivan County**; Canton and Leroy Townships, **Bradford County** with an expiration date of July 30, 2019. Permit issued: August 3, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 64184001. Northeast Blasting, (403 Middle Creek Road, Honesdale, PA 18431), construction blasting for Rutledge Excavating borrow project in Damascus Township, **Wayne County** with an expiration date of July 7, 2019. Permit issued: August 7, 2018.

Permit No. 40184104. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Fairmount Township Shale Pit in Fairmount Township, **Luzerne County** with an expiration date of July 30, 2019. Permit issued: August 8, 2018.

Permit No. 48184111. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Grand Central Sanitary Landfill Cell 17 in Plainfield Township, **Northampton County** with an expiration date of July 27, 2019. Permit issued: August 8, 2018.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E46-1144. Pennsylvania Department of Transportation Engineering District 6, 7000 Geerdes Blvd.,

King of Prussia, East Norriton and Whitpain Townships, **Montgomery County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation (PennDOT) is proposing to perform the below-listed water obstruction and encroachment activities associated road widening and reconstruction of the S.R. 0202 corridor in East Norriton and Whitpain Townships, Montgomery County. Project includes compensatory mitigation for permanent wetland and stream impacts associated with S.R. 0202, Sections 61N, 61S, and 65S. The following water obstruction and encroachments are for the S.R. 0202, Section 61N section of the project and what will be authorized with this permit application:

1. To replace and extend conveyance and outfall located at S.R. 0202, Station 227+60 within an unnamed tributary to Central Branch of Stony Creek (TSF) (Waterway D). This activity includes the placement of rock apron resulting in permanent impacts of 105 linear feet (1,394 square feet) and temporary impacts of 23 linear feet (317 square feet).

2. To replace the existing 89-foot long, 6-foot 5-inch by 5-foot RC box culvert with a 119-foot long, 15-foot by 5-foot 7-inch RC box stream enclosure located at S.R. 0202, Station 236+7.07 over an unnamed tributary to East Tributary of Stony Creek (TSF) (Waterway C) resulting in permanent impacts of 67 linear feet (1,060 square feet) and temporary impacts of 80 linear feet (1,115 square feet).

3. To replace the existing T-beam bridge with 55-foot long, 6-foot underclearance culvert with a 103-foot long, 26-foot by 7-foot precast concrete box stream enclosure located at S.R. 0073, Station 1013+55.83 over East Tributary of Stony Creek (TSF) (Waterway B) resulting in permanent impacts of 93 linear feet (2,361 square feet) and temporary impacts of 66 linear feet (1,587 square feet).

4. To replace and extend an existing reinforced concrete slab bridge and 16-foot by 3-foot culvert box extension of 78 feet with a 96-foot long twin 24-foot by 5.5-foot concrete box culverts at S.R. 0202, Station 243+46.90 over East Tributary of Stony Creek (TSF) (Waterway B) resulting in permanent impacts of 83 linear feet (1,677 square feet) and temporary impacts of 122 linear feet (2,344 square feet).

5. To place rock apron for a proposed stormwater discharge outlet located at U.S. 0202, south of Station 1013+56 within the Central Branch of Stony Creek (TSF) (Waterway B) resulting in permanent impacts of 4 linear feet (5 square feet) and temporary impacts of 13 linear feet (47 square feet).

6. To replace and extend an existing 91-foot long, 8-foot by 3-foot RC box culvert with a 105-foot long, 10-foot by 4-foot precast concrete box stream enclosure at S.R. 0202, Station 262+90.77 over an unnamed tributary to East Tributary of Stony Creek (TSF) (Waterway A) resulting in permanent impacts of 44 linear feet (660 square feet) and temporary impacts of 131 linear feet (1,573 square feet).

7. To place fill in wetland (Wetland B) associated with culvert extension of stream enclosure located activity located at S.R. 0202, Station 262+90.77 in an unnamed tributary of East Tributary of Stony Creek (TSF) (Waterway A) resulting in a permanent impact of 29 square feet (0.001 acre) of the palustrine forested wetland (Wetland B).

8. To replace and extend a portion of an existing 1,200-foot long stream enclosure. A 900 feet of existing

RC box stream enclosure located under an adjacent shopping center parking lot will remain with 300 feet of 6-foot by 5-foot RC box stream enclosure to be replaced with a 10-foot 6-inch by 4-foot precast concrete box stream enclosure located at S.R. 0073, Station 1018+87.63 over an unnamed tributary of East Tributary of Stony Creek (TSF) (Waterway C) resulting in permanent impacts of 49 linear feet (743 square feet) and temporary impacts of 7 linear feet (124 square feet).

9. To mitigate for permanent stream and wetland impacts associated with S.R. 0202, Section 61N in addition to Sections 61S and 65S permanent stream and wetland impacts at Prophecy Creek Wetland Mitigation Site along Morris Road and breach dam removal located along the Wissahickon Creek. Both mitigation sites are located within Upper Dublin Township.

The project will have a total permanent impact of 441 linear feet (0.181 acre/7,900 square feet) to waterways and 36,745 square feet (0.844 acre) of permanent impact to the floodway. In addition, 29 square feet (0.001 acre) of permanent wetland impact is proposed. The project is located on U.S. 0202, Section 600 corridor between Township Line Road in East Norriton Township and Morristown Road in East Norriton Township, Montgomery County (USGS PA, Ambler Quadrangle—Latitude: 40.175744 N, Longitude: 75.281597 W).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-642: Mr. Christopher Ilgenfritz, 495 Sunday Drive, Harrisburg, PA 17111 in South Hanover Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To 1.) install and maintain a 14.5-foot long, 12.0-foot wide open bottom concrete box culvert in an unnamed tributary to Beaver Creek (WWF, MF); 2.) install and maintain a 24.0-foot long, 24.0-inch diameter HDPE culvert having a uniform depression of 1 foot in an unnamed tributary to Beaver Creek (WWF, MF); and 3.) to place and maintain fill in a palustrine emergent wetland, temporarily impacting 0.01 acre and permanently impacting 0.03 acre of wetland, all for the purpose of providing access to a proposed residential home located approximately 0.2 mile south of the intersection of Devonshire Heights Road and Oak Grove Road (Latitude: 40° 18' 39.2"N, Longitude: 76° 43' 54.3"W) in South Hanover Township, Dauphin County. The permit was issued on August 8, 2018.

E50-262: Mr. Joshua M. Jorich, 31 Cornman Lane, Landisburg, PA 17040 in Carroll Township, **Perry County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a 20-foot long 42-inch diameter SLHDPE culvert and associated fill in and across the Little Juniata Creek (WWF) and its floodway and to construct and maintain a driveway in and across 0.04 acre of Exceptional Value Palustrine Emergent wetland. The project is located north of Sandy Hollow Road (Newport, PA Quadrangle; Latitude: 40°23'39.7", Longitude: 77°9'26.3") in Carroll Township, Perry County. The purpose of the project is to construct a driveway for access to property for recreational purposes. Wetland

impacts are de minimus and compensatory mitigation is not required. The permit was issued on August 10, 2018.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E55-234. Amos O. Zimmerman, 1605 Borough Line Road, Mifflinburg, PA 17844. Poultry Houses at 647 Kerr Road, Middleburg, PA 17842 Center Township, **Snyder County**, ACOE Baltimore District. (Middleburg, PA Quadrangle Latitude: 40.859280; Longitude: -77.031641).

To construct two poultry barns, access areas, stormwater management facilities, and poultry free ranging spaces. This project is proposed in an existing farmfield with wetland inclusions along Penns Creek, a Warm Water Fishes and Migratory Fishes stream as designated in Chapter 93 of the Department's Water Quality Standards. Construction activities will permanently impact 0.24 acre of palustrine emergent wetland. Mitigation for environmental impacts is to be achieved through the creation of 0.3 acre of palustrine emergent wetland adjacent to an existing on-site wetland. This approval under Chapter 105, Section 105.12(a)(16) also includes 401 Water Quality Certification.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

EA16-050, Clarion County Conservation District, 214 South 7th St., Rm 106A, Clarion, PA 16214. West Branch Jones Run Limestone Sanding, in Millcreek Township, **Clarion County**, ACOE Pittsburgh District (Strat-antville, PA Quadrangle N: 41°, 12', 20.52"; W: -79°, 17', 16.7994").

The applicant proposes to dump high grade limestone fines in and along the stream bank of West Branch Jones Run which is impaired by acid mine drainage.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX18-059-0002
Applicant Name CNX Gas Company, LLC
Contact Person Adam White
Address 1000 Consol Energy Drive
City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) Richhill Township
Receiving Stream(s) and Classification(s) UNTs to Dunkard Fork (WWF), UNTs to Crabapple Creek (WWF), and UNT to North Fork Dunkard Fork (TSF)

ESCGP-2 # ESX17-059-0038
Applicant Name EQT Production Company
Contact Person Todd Klaner
Address 2400 Ansys Drive, Suite 200
City, State, Zip Canonsburg, PA 15317
County Greene County
Township(s) Whiteley Township
Receiving Stream(s) and Classification(s) UNTs to Whiteley Creek (TSF)

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX29-131-18-0007
Applicant Name UGI Energy Services LLC
Contact Person Michael Mara
Address One Meridian Blvd, Suite 2C01
City, State, Zip Wyomissing, PA 19610
County Wyoming
Township(s) Northmoreland
Receiving Stream(s) and Classification(s) UNT to Whitelock Ck (CWF); Whitelock Ck (CWF)
Secondary—Whitelock Ck (CWF); Susquehanna River (WWF)

ESCGP-2 # ESX10-105-0041(02)
Applicant Name JKLM Energy LLC
Contact Person Scott Blauvelt
Address 2200 Georgetown Dr, Suite 500
City, State, Zip Sewickley, PA 15143
County Potter
Township(s) Summit
Receiving Stream(s) and Classification(s) Prouty Run (HQ-CWF); UNT to Nelson Run (HQ-CWF); Nelson Run (HQ-CWF)
Secondary—First Fork Sinnemahoning Ck (HQ-CWF); Nelson Run (HQ-CWF); Mill Ck (HQ-CWF)

ESCGP-2 # ESG13-015-0020(02)
Applicant Name Chief Oil & Gas LLC
Contact Person Jeffrey Deegan
Address 1720 Sycamore Rd
City, State, Zip Montoursville, PA 17754
County Bradford & Sullivan
Township(s) Overton & Elkland
Receiving Stream(s) and Classification(s) UNT Mill Ck (EV, MF); Mill Ck (EV, MF)
Secondary—Lick Ck

ESCGP-2 # ESG29-117-18-0018
Applicant Name HEP Tioga Gathering LLC
Contact Person Jim Townsley
Address 22024 Rte 14
City, State, Zip Troy, PA 16947
County Tioga
Township(s) Liberty
Receiving Stream(s) and Classification(s) Salt Spring Run (HQ-CWF); Brion Ck (EV)

ESCGP-2 # ESG29-105-15-0001(01)
Applicant Name JKLM Energy LLC
Contact Person Scott Blauvelt
Address 2200 Georgetown Dr, Suite 500
City, State, Zip Sewickley, PA 15143
County Potter
Township(s) Summit
Receiving Stream(s) and Classification(s) Nelson Run (HQ-CWF); Mill Ck (HQ-CWF)
Secondary—Mill Ck (HQ-CWF); Allegheny River (CWF, MF)

ESCGP-2 # ESX29-115-18-0051
Applicant Name Cabot Oil & Gas Corp
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna
Township(s) Forest Lake
Receiving Stream(s) and Classification(s) Forest Lake Ck (CWF-MF) and UNTs thereto

ESCGP-2 # ESG29-081-18-0037
Applicant Name ARD Operating LLC
Contact Person Stephen Barondeau
Address 33 W Third St, Suite 300
City, State, Zip Williamsport, PA 17701
County Lycoming
Township(s) Cascade & Gamble
Receiving Stream(s) and Classification(s) UNT to E Branch Murray Run (EV); UNT to W Branch Murray Run (EV); Joe Gray Run (EV); Roaring Run (EV); UNT to Slacks Run (HQ-CWF); Shoemaker Run (HQ-CWF)
Secondary—E Branch Murray Run; W Branch Murray Run; Wallis Run; Slacks Run; Lycoming Ck

ESCGP-2 # ESG29-015-18-0036
Applicant Name EOG Resources Inc
Contact Person Greg Shaffer
Address 2039 S Sixth St
City, State, Zip Indiana, PA 15701
County Bradford
Township(s) Ridgebury
Receiving Stream(s) and Classification(s) Bentley Ck (WWF)
Secondary—Chemung River

ESCGP-2 # ESG29-081-18-0020
Applicant Name Seneca Resources Corp
Contact Person Doug Kepler
Address 5800 Corporate Dr, Suite 300
City, State, Zip Pittsburgh, PA 15237
County Lycoming
Township(s) McIntyre
Receiving Stream(s) and Classification(s) UNTs to Grays Run (HQ-CWF); Long Run (HQ-CWF)
Secondary—Grays Run (HQ-CWF)

ESCGP-2 # ESX29-081-18-0021
Applicant Name EXCO Resources PA LLC
Contact Person Brian Rushe
Address 13448 SR 422, Suite 1
City, State, Zip Kittanning, PA 16201
County Lycoming
Township(s) Penn
Receiving Stream(s) and Classification(s) UNTs to Sugar Run (CWF)
Secondary—Sugar Run (CWF)

ESCGP-2 # ESG29-081-18-0023
Applicant Name Seneca Resources Corp
Contact Person Doug Kepler
Address 5800 Corporate Dr, Suite 300

City, State, Zip Pittsburgh, PA 15237
 County Lycoming
 Township(s) Lewis
 Receiving Stream(s) and Classification(s) UNTs to Grays
 Run (HQ-CWF); Hagerman Run (HQ-CWF)
 Secondary—Grays Run (HQ-CWF); Lycoming Ck (EV)
 ESCGP-2 # ESG29-081-18-0024
 Applicant Name Seneca Resources Corp
 Contact Person Doug Kepler

Address 5800 Corporate Dr, Suite 300
 City, State, Zip Pittsburgh, PA 15237
 County Lycoming
 Township(s) Lewis & McIntyre
 Receiving Stream(s) and Classification(s) Bartoff Hollow
 (HQ-CWF); Splash Dam Run (HQ-CWF); UNT to
 Heylmun Run (HQ-CWF)
 Secondary—Grays Run (HQ-CWF); Heylmun Run (HQ-
 CWF)

SPECIAL NOTICES

102/NPDES Stormwater and 105/Water Obstruction & Encroachment Public Hearing; Erosion and Sediment Control Permit Modification

The Department of Environmental Protection (Department) provides notice of approval for a permit modification for the following listed Chapter 102, Erosion and Sediment Control Permit, issued for the Pennsylvania Pipeline Project (PPP)/Mariner East II.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
ESG0500015001	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Delaware and Chester	Southeast Region

This request, received October 11, 2017, is entitled Major Modification 1—East Swedesford Road—HDD S3-381. It involves a change in installation methodology for a portion of the project as a result of concerns raised by Aqua America (Aqua), the local water authority, regarding their Hillside Drive production well along East Swedesford Road.

Specifically, the proposed changes include an open trench installation with five conventional bore sections and one short HDD. The HDD will be conducted from Stream S-B79 and Lincoln Highway which is over 2,300 feet from Swedesford Road. Conventional bores will be added at Stations 15111+00 to 15112+25 (Exton Lane), Stations 15113+75 to 15117+00 (utilities avoidance), Stations 15121+00 to 15122+25 (E. Swedesford Road), and Stations 15135+00 to 15137+00 (sensitive area by stream S-B81) and 15137+00 to 15141+00 (stream S-B81 and wetland WL-B71).

Through the utilization of these alternative installation methods, SPLP proposes to avoid impacts to an Aqua water supply well, regulated resources, and sensitive areas.

For more detailed information regarding the Southeast (ESG0500015001) Chapter 102 permit related to this project, which is available in the Department's regional office and available online at dep.pa.gov/pipelines, contact the Southeast Regional Office, (484) 250-5160 to request a file review. Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, ra-epww-sero@pa.gov.

Erosion and Sediment Control Permit Modification

The Department of Environmental Protection (Department) provides notice of approval for a permit modification for the following listed Chapter 102, Erosion and Sediment Control Permit, issued for the Pennsylvania Pipeline Project (PPP)/Mariner East II.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
ESG0500015001	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Delaware and Chester	Southeast Region

This request, received October 18, 2017, is entitled Major Modification 2—North Pottstown Pike—HDD S3-370. This modification is a change in installation methodology for a portion of the project following more in-depth hydrogeology analysis and seismic testing.

Specifically, the proposed changes include an open trench installation with four conventional bore sections. Conventional bores will be added at Stations 15083+50 to 15085+50 (CH-0209 Parking Lot), Stations 15088+50 to 15089+50 (Stream S-C61), Stations 15092+00 to 15093+00 (Stream S-C59) and Stations 15093+50 to 15096+00 (Pottstown Pike/PA HWY 100).

After obtaining additional information, SPLP proposed to use these alternatives methods to avoid impacts to regulated resources and sensitive areas.

For more detailed information regarding the Southeast (ESG0500015001) Chapter 102 permit related to this project, which is available in the Department's regional office and available online at dep.pa.gov/pipelines, contact the Southeast Regional Office, (484) 250-5160 to request a file review. Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, ra-epww-sero@pa.gov.

[Pa.B. Doc. No. 18-1320. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft Stream Evaluation Report; Public Comment Period Extension

The Department of Environmental Protection (Department) gives notice, under 25 Pa. Code § 93.4d (relating to processing of petitions, evaluations and assessments to change a designated use), that the public comment period for the Draft Stream Evaluation Report has been extended through Monday, October 15, 2018.

<i>Stream Name</i>	<i>County</i>	<i>Tributary to</i>
Unnamed Tributary (UNT) to Whetstone Run	Delaware	Whetstone Run

The Department conducted an evaluation of the UNT to Whetstone Run located in Marple Township, Delaware County, in response to a petition submitted to the Environmental Quality Board (EQB) by the Darby Creek Valley Association. On October 18, 2016, the EQB accepted the petition for further evaluation. The entire Whetstone Run basin is currently designated Warm Water Fishes, Migratory Fishes. The petition requests the UNT to Whetstone Run be redesignated to High Quality—Warm Water Fishes, Migratory Fishes.

The draft report is available for review on the Department's eComment web site at www.ahs.dep.pa.gov/eComment.

The Department has asked the previously listed local jurisdictions to make a copy of this notification available to any interested citizens, including those who own real property in the previously listed municipalities and to any other parties the municipalities believe may be interested in this evaluation and draft report.

Interested persons may submit comments through Monday, October 15, 2018. All comments, including comments submitted by e-mail must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments may be mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. All comments received on the draft report during the public comment period will be reviewed and considered in the Department's evaluation.

For further information, contact Mark Brickner, Division of Water Quality at mbrickner@pa.gov or (717) 787-9637. Persons with a disability may use the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-1321. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Planning and Household Hazardous Waste Education Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection hereby announces the following grants to Wyoming County and Mercer County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste (HHW) and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, P.O. Box 8472, Harrisburg, PA 17105-8472 at mvottero@pa.gov or (717) 772-5719.

Act 101, Section 901 Planning and HHW Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project</i>	<i>Grant</i>
Northeast	Wyoming	Wyoming County	HHW Education	\$1,107
Northwest	Mercer	Mercer County	HHW Education	\$17,434

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-1322. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Berks Ambulatory Surgical Center, LLC	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Best Impression Surgical Center, LLC	28 Pa. Code § 553.31(a)
Gastrointestinal Endoscopy Center, LLC	28 Pa. Code § 553.31
	28 Pa. Code § 559.2 (relating to director of nursing)
Midlantic Urology Ambulatory Surgical Center, LLC	28 Pa. Code § 571.2(d) (relating to modifications to HHS requirements)

The following ASF is requesting an exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that ASFs must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition (Guidelines)*. The following list includes the citation to the section under the *Guidelines* to which the ASF is seeking exceptions, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section and Relating to</i>	<i>Year</i>
Midlantic Urology Ambulatory Surgical Center, LLC	3.1-8.7.3.2 (relating to dimensions)	2018

These previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1323. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Emergency Medical Services Operating Fund Funding Priorities for Fiscal Year 2018-2019

Under 28 Pa. Code §§ 1021.24 and 1021.25 (relating to use of EMSOF funding by a regional EMS council; and allocation of EMSOF funds to regional EMS councils), the Department of Health (Department) gives notice of priorities for the distribution by the regional emergency medical services (EMS) councils of funding from the Emergency Medical Services Operating Fund (EMSOF) for the fiscal year beginning July 1, 2018, and ending June 30, 2019.

EMSOF moneys are to be used to provide funding to maintain, improve and develop the quality of the EMS system within this Commonwealth. The Department finds that EMSOF is not sufficient to fully fund the EMS system. Therefore, it gives notice, under 28 Pa. Code § 1021.24(e), that recipients of EMSOF funding from regional EMS councils may be required to provide matching funds toward all purchases, acquisitions and projects for which the Department permits the use of EMSOF moneys.

Each regional EMS council shall prioritize the distribution of its EMSOF allocation based upon the Statewide EMS Development Plan and its regional EMS development plan, subject to the funding priorities set forth in this notice. By October 30, 2018, the regional EMS councils shall notify the providers and other appropriate entities of the established funding priorities, the application process, acquisition documentation requirements and processing deadlines. Each regional EMS council must complete all documents required for the distribution of EMSOF funding by June 30, 2019.

The Department may increase the amount of the initial payment or reimbursement from EMSOF based upon the EMS development plans (State and regional) or documented financial hardship of a provider of EMS. A provider of EMS that seeks additional funds due to financial hardship shall be required to submit a financial disclosure statement and other documentation deemed necessary by the Department.

A provider of EMS applying for EMSOF funding must be in full compliance with all regulations, policies and priorities of the State and regional EMS systems.

Funds for purchases, acquisitions and projects for the fiscal year beginning July 1, 2018, and ending June 30, 2019, must have been expended or encumbered by the regional EMS council by June 30, 2019.

Funding Priorities

The following funding priorities are listed in order of current State priority. These priorities must be considered before there is any regional distribution of EMSOF moneys for initiatives that are not listed. All funding must be distributed in a manner consistent with the regional and Statewide EMS development plans. Consequently, if the priorities in this notice have been met and additional funding is available, the request to use EMSOF money towards lower priority items must still be supported by the Statewide and regional EMS development plans.

1. Recruitment and retention programs, including scholarships or tuition reimbursement for emergency medical responder (EMR), emergency medical technician (EMT), advanced emergency medical technician (AEMT) and paramedic (P) education in areas with higher than average prehospital personnel vacancy rates or other challenges associated with the provision of EMS primary education, or both, as determined by the regional EMS council and approved by the Department.

2. Costs associated with investigating a potential merger or consolidation of services. These costs include, but are not limited to, consulting fees, studies, legal fees and statistical analysis.

3. Costs associated with the actual merger or consolidation of services.

4. Development or improvement of an organizational risk management program (safety measures, hazard recognition or mitigation and the necessary organizational structure and support processes) proposed by an ambulance service. Proposals for funding must be comprehensive and include safe vehicle operations. Approval by the Department is required prior to funding. Equipment that is required to meet basic life support (BLS), intermediate advanced life support (IALS) and advanced life support (ALS) ambulance service licensure.

5. Capnography equipment (especially wave-form end-tidal CO₂ monitors).

6. Software or computer equipment to enable services to collect and transmit EMS patient care reports electronically.

7. Bariatric equipment to equip ambulances.

8. Replacement of an ambulance, for ambulance services, that is older than 10 years or has more than 200,000 miles on it. This allowance is limited to one per fiscal year.

When two or more ambulance companies have consolidated to create one entity, for the first 5 years after the ambulance companies completed consolidation, the entity may be deemed eligible to receive funding not to exceed

the amount of the combined total for which the individual companies would have been eligible had they not consolidated.

Emergency Preparedness and Response Funding Requests

Emergency preparedness and response funding requests must be based on local and response roles of services, regional needs and needs identified by threat vulnerability analysis. Purchases must be coordinated with county emergency, fire service, hazmat and hospital organizations in the applicant's service area to assure interoperability and to prevent duplication. Funding requests related to responding to all hazard and emergency preparedness must have a clear connection to the regional EMS catastrophic plan and the regional EMS development plan. Priority will be given to fund the ambulance services in each region that have committed to participating in the EMS strike team capability project and respond to requests for EMS, both interstate and intrastate, as identified in the State and regional mass casualty plans.

Provider Equipment

Purchases by providers of EMS are not limited to equipment. If a provider of EMS requests EMSOF moneys to purchase equipment, the Eligible Provider Equipment List included with this announcement identifies equipment for which EMSOF funds will be made available to purchase. This list provides the types of providers of EMS eligible for equipment purchases supported by EMSOF funding and the maximum allowable cost upon which the EMSOF contribution will be calculated.

EMSOF funds will fund 60% of the maximum allowable cost of an equipment item for rural providers and will fund 50% of the maximum allowable cost of an equipment item for nonrural providers. Providers of EMS that receive funding are responsible for the balance of the purchase price. The provider may purchase an item for an amount that exceeds the maximum allowable cost, but the provider will be responsible for any amount exceeding that figure. The last two columns of the Eligible Provider Equipment List identify the percentage of EMSOF contribution towards the purchase price, up to the maximum allowable cost of the item, based upon whether the provider operates in a rural or nonrural area.

Examinations

Funding may be provided to EMS agencies to cover the cost to their personnel of the State written test for certification as a P, prehospital physician extender (PHPE), prehospital registered nurse (PHRN), AEMT, EMT and EMR at 100% of the cost as established by the National Registry of EMTs (NREMT). Funding for examinations is limited to two testing attempts per individual seeking certification.

Medical Director

The maximum allowable cost for an EMS agency to contract for medical director oversight is \$12,000 for Fiscal Year 2018-2019.

Eligible Provider Equipment List

Equipment Description	Life Expectancy	Eligible Purchase for:										Allowable Costs ¹	Nonrural (50%)	Rural (60%)	
		ALS	ALS/SQ	IALS	IALS/SQ	BLS	BLS/SQ	QRS	ALS	ALS/SQ	IALS				IALS/SQ
EKG Monitor/Defibrillator with Pacer	5 years	Y	Y	N	N	N	N	N	N	N	N	N	12,000	6,000	7,200
12 Lead EKG ²	5 years	Y	Y	Y	Y	N	N	N	N	N	N	N	20,000	10,000	12,000
Automated External Defibrillator (AED)	5 years	N	N	N	N	Y ³	Y ³	Y ³	Y ³	Y ³	Y ³	Y ³	1,500	750	900
Automated External Defibrillator Trainer	5 years	N	N	N	N	Y	Y	Y	Y	Y	Y	Y	400	200	240
Oxygen Equipment (any combination) Cylinder Demand Valve w/Hose and Mask Regulator (combination or constant flow—25 lpm capable) Case	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	500	250	300
Capnography Equipment	3 years	Y	Y	Y	Y	N	N	N	N	N	N	N	3,000	1,500	1,800
CPAP Ventilation Portable Equipment	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	1,500	750	900
Pulse Oximeter	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	700	350	420
Nitrous Oxide Delivery System	5 years	Y	Y	N	N	N	N	N	N	N	N	N	2,000	1,000	1,200
Intravenous Infusion Pumps	5 years	Y	Y	N	N	N	N	N	N	N	N	N	2,000	1,000	1,200
Adult/Pediatric Intubation Kits	5 years	Y ⁴	Y ⁴	N	N	N	N	N	N	N	N	N	600	300	360
Transtacheal Jet Insufflators (TTJ)	5 years	Y	Y	N	N	N	N	N	N	N	N	N	200	100	120
Splinting/Immobilization Devices (any combination) Backboard Cervical Immobilization Device Splints (rigid, traction, and the like)	3 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	500	250	300
Stairchair	5 years	Y	N	Y	N	Y	N	Y	N	N	N	N	Up to 5,000	1,325	1,590
Stretcher	5 years	Y	N	Y	N	Y	N	Y	N	N	N	N	Up to 10,000	5,000	6,400
Stair Stretcher 500 lb. Capacity	5 years	Y	N	Y	Y	Y	Y	Y	N	N	N	N	2,700	1,350	1,620
Suction (Portable)	3 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	900	450	540
Ventilator, Automatic (per Department Guidelines)	5 years	Y ⁵	Y ⁵	Y ⁶	Y ⁶	Y ⁶	Y ⁶	Y ⁶	Y ⁶	Y ⁶	Y ⁶	Y ⁶	3,000	1,500	1,800
Ambulance with Chevron Marking on Back of Unit	-	Y	N	Y	N	Y	N	Y	N	N	N	N	-	15,000	20,000
Chevron	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	1,500	750	900

Equipment Description	Life Expectancy	Eligible Purchase for:										Allowable Costs ¹	Nonrural (50%)	Rural (60%)	
		ALS	ALS/SQ	IALS	IALS/SQ	BLS	BLS/SQ	QRS	QRS	QRS	QRS				
Squad/Response Vehicle with Chevron Marking on Back of Unit	-	N	Y	N	Y	N	Y	N	Y	Y	Y	Y	-	7,500	9,000
Data Collection Software/Technology ⁷	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	1,700	850	1,020
Data Collection Hardware ⁸	3 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	2,000	1,000	1,200
Radio, Mobile (two per vehicle)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	5,000	2,500	3,000
Radio, Portable (two per vehicle per year)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	5,000	2,500	3,000
Triage Vest with Reflection Stripes Meeting ANSI National Standards	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	150	75	90
Triage System	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	750	375	450
Alerting Equipment (five per service at \$400 each)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	Y ⁹	2,000	1,000	1,200
Vehicle Safety Monitoring Systems	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	3,500	1,750	2,100
Personal Protective Equipment/Turnout Gear: Helmet, Coat, Pants, Boots	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	1,200	600	720
Protection Respiratory Protection from Communicable Diseases															
Protective Ballistic Vest	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	1,000	500	600
Global Positioning System Receiver one per licensed Ambulance or Recognized QRS Vehicle	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	500	250	275
Traffic Safety Equipment	5 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	2,500	1,250	1,500
Large Patient Moving/Carrying Device	10 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	3,000	1,500	1,800
Self-Contained Breathing Apparatus (two per licensed vehicle)	10 years	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	3,000	1,500	1,800
P/PHPE/PHRN Testing (Written)	—												Current rate established by NREMT	Current rate established by NREMT	Current rate established by NREMT
AEMT—Testing (Written)	—												Current rate established by NREMT	Current rate established by NREMT	Current rate established by NREMT
EMT Testing (Written)	—												Current rate established by NREMT	Current rate established by NREMT	Current rate established by NREMT

Equipment Description	Life Expectancy	Eligible Purchase for:							Allowable Costs ¹	Nonrural (50%)	Rural (60%)
		ALS	ALS/SQ	IALS	IALS/SQ	BLS	BLS/SQ	QRS			
EMR Testing (Written)	—								Current rate established by NREMT	Current rate established by NREMT	
CO Detectors (Monitors)	5 Years	Y	Y	Y	Y	Y	Y	Y	200	100	
12 Lead EKG Transmitter System	5 Years	Y	Y	Y	Y	Y	N	N	1,000	500	
IO Drills or Bone Injection Systems	5 Years	Y	Y	Y	Y	Y	N	N	300	150	
Narcotics Security Systems	5 Years	Y	Y	Y	Y	Y	N	N	900	450	
Refrigerators (mini)	10 Years	Y	Y	Y	Y	Y	N	N	1,200	600	
Pediatric Safe Transport Device	10 Years	Y	N	Y	N	Y	N	N	Up to 400	200	
Tourniquet (tactical)	5 Years	Y	Y	Y	Y	Y	Y	Y	25	12.50	
Bariatric equipment	5 Years	Y	Y	Y	Y	Y	Y	Y	27,000	13,500	

ALS—Advanced Life Support ambulance service; ALS/SQ—Advanced Life Support Squad service; IALS—Intermediate Advanced Life Support ambulance service; IALS/SQ—Intermediate Advanced Life Support Squad service; BLS—Basic Life Support ambulance service; BLS/SQ—Basic Life Support Squad service; QRS—Quick Response Service

¹ All figures are dollar amounts for each item of equipment.

² Amount includes \$1,000 for communications package. Receiving facility must have appropriate communications capabilities.

³ Must be an approved AED service or part of regional planning, and AED medical director required.

⁴ Must be durable equipment, not disposable equipment.

⁵ Completion of approved training program required.

⁶ Completion of approved training program required and BLS service medical director approval required.

⁷ Must be a Department-approved software program, version and vendor.

⁸ Data collection hardware may include computer, modem, printer, backup device and battery system.

⁹ Must be compatible with regional and State EMS communications plan.

Questions regarding this notice should be directed to Aaron Rhone, EMS Program Manager, Bureau of Emergency Medical Services, Department of Health, Room 606, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0701, (717) 787-8740.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Aaron Rhone at the previously listed address or telephone number or for speech or hearing impaired persons may use VTT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1324. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation</i>
Allegheny Valley Hospital	28 Pa. Code § 107.61 (relating to written orders)
Chan Soon-Shiong Medical Center at Windber	28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations)
UPMC Cole	28 Pa. Code § 51.23 (relating to positron emission tomography)

The following hospital has filed a request for exception under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition (Guidelines)*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Year</i>
Geisinger-Community Medical Hospital	2.2-2.9.11.9(4) (relating to support person changing areas)	2018

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1325. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting on Wednesday, September 12, 2018, and Thursday, September 13, 2018, from 9 a.m. to 4 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention grant for Comprehensive HIV Prevention Programs for Health Departments. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process

in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so, contact Cynthia Findley, Bureau Director, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572, or for speech and/or hearing impaired persons call V/TT at (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to cancel this meeting without prior notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1326. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(d) and (e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Asbury Health Center
700 Bower Hill Road
Pittsburgh, PA 15243
FAC ID # 132602

Avalon Place
3410 West Pittsburg Road
New Castle, PA 19101
FAC ID # 194102

Avalon Springs Place
745 Greenville Road
Mercer, PA 16137
FAC ID # 132402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.26(c) (relating to laundry):

Platinum Ridge Center for Rehabilitation and Healing
1050 Broadview Boulevard
Brackenridge, PA 15014
FAC ID # 070302

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(b) and (h) (relating to bathing facilities):

Platinum Ridge Center for Rehabilitation and Healing
1050 Broadview Boulevard
Brackenridge, PA 15014
FAC ID # 070302

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Epworth Healthcare and Rehabilitation Center
951 Washington Avenue
Tyrone, PA 16686
FAC ID # 050802

Shenandoah Manor Nursing Center
101 East Washington Street
Shenandoah, PA 17976
FAC ID # 190102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1327. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Program; Availability of Academic Clinical Research Center and Clinical Registrant Applications; Time Period to Submit Applications

The purpose of this notice is to announce implementation of sections 2000—2004 of the Medical Marijuana Act (act) (35 P.S. §§ 2000—2004), to give information regarding the availability of applications to be completed to become a certified academic clinical research center (ACRC) or a clinical registrant (CR) as described under 28 Pa. Code §§ 1211.25(b) and 1211.27(a) (relating to certifying ACRCs; and application for approval of a clinical registrant), respectively, and to establish the time period during which applications will be accepted by the Department of Health (Department).

Availability of Applications to be Approved as a Certified ACRC and Submission Deadline

Notice is hereby given, as required by section 2001.1(b) of the act (35 P.S. § 10231.2001.1(b)) and 28 Pa. Code § 1211.25(b) promulgated thereunder, that on September 6, 2018, the Department intends to make available, on its web site at www.health.pa.gov, the form of the application to be completed and submitted to the Department to be approved as a certified ACRC. The Department will accept applications until September 20, 2018. The Department will consider any application sent by mail to have been received on the date it is deposited in the mail as long as the postmark on the outside of the package is clear and legible. The Department will not consider and will return an application that is postmarked after the September 20, 2018, deadline. An applicant must submit an application by mail in an electronic format that is listed in the instructions portion of the application to the Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Availability of Applications for Approval of a CR and Submission Deadline

Notice is hereby given, as required by 28 Pa. Code § 1211.27(a), that on October 4, 2018, the Department intends to make available, on its web site at www.health.pa.gov, the form of the application required to be submitted to be approved as a CR. The Department will accept applications until November 8, 2018. The Department will consider any application sent by mail to have been received on the date it is deposited in the mail as long as the postmark on the outside of the package is clear and legible. The Department will return an application that is postmarked after the November 8, 2018, deadline. An applicant must submit an application by mail in an electronic format that is listed in the instructions of the

application to the Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Interested persons are invited to submit written comments, suggestions or objections regarding this notice to John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov.

Persons with a disability who wish to submit comments, suggestions or objections regarding this notice or who require an alternative format of this notice (for example, large print, audiotope or Braille) may do so by using the previously listed contact information. Speech and/or hearing-impaired persons may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1328. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Newborn Screening and Follow-Up Technical Advisory Board Meeting

The Newborn Screening and Follow-Up Technical Advisory Board, established under the Newborn Child Testing Act (35 P.S. §§ 621—625), will hold a public meeting on Thursday, September 20, 2018, from 10 a.m. to 3 p.m. The meeting will be held at the Department of Transportation, Materials and Testing Laboratory, DGS Annex Complex, 81 Lab Lane, Harrisburg, PA 17110-2543.

The agenda will include updates from the Bureau of Family Health (Bureau) on the Natus Phase 3 Implementation, the NewSTEPs 360 Improving Timeliness in Newborn Screening Grant, the Nursing Services Consultant-Quality Assurance vacancy and the improvement in the number of hospitals screening for Severe Combined Immunodeficiency. The Lysosomal Storage Disorders/X-ALD, Cystic Fibrosis, Critical Congenital Heart Defects and Spinal Muscular Atrophy subcommittees will provide updates and the Bureau will provide data related to these disorders. The agenda also includes updates related to newborn screening legislation and Community Systems Development and Outreach metabolic treatment center grants.

For additional information or for persons with a disability who wish to attend the meeting and require auxiliary aid, service or other accommodation to do so, contact Stacey Gustin, Public Health Program Manager, Division of Newborn Screening and Genetics, (717) 783-8143 or for speech and/or hearing impaired persons, call V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1329. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Unemployment Compensation; Work Registration Requirement

Section 401(b)(1)(i) of the Pennsylvania Unemployment Compensation Law (act) (43 P.S. § 801(b)(1)(i)), requires that as a condition to receiving unemployment compensation (UC) benefits, a claimant must register for employment search services offered by the Pennsylvania CareerLink® system or its successor agency within 30 days after the claimant's initial application for benefits (work registration requirement).

The Department of Labor and Industry (Department) promulgated 34 Pa. Code § 65.11(c) (relating to active search for work), which implements the work registration requirement and provides for disqualification from UC benefits if a claimant fails to comply with this requirement.

Section 65.11(f)(4) of 34 Pa. Code specifies that to satisfy the work registration requirement, a claimant in a labor market located outside this Commonwealth is required to register for employment search services with the employment service that serves the claimant's labor market in addition to registering with the Pennsylvania CareerLink® system.

Section 401(b)(6) of the act and 34 Pa. Code § 65.11(f)(6) provide that the Department may waive or alter the requirements of section 401(b) of the act or 34 Pa. Code § 65.11, including the work registration requirement, in cases or situations with respect to which the Secretary of the Department (Secretary) finds that compliance with these requirements would be oppressive or inconsistent with the purposes of the act.

Because the employment search services provided by the Pennsylvania CareerLink® system primarily provide job listings in this Commonwealth and immediately surrounding areas, the Department recognizes that those services may be of limited value to a claimant in a labor market located outside of this Commonwealth.

Because the employment search services provided by the Pennsylvania CareerLink® system may be of limited value to a claimant in a labor market located outside this Commonwealth and failure to register disqualifies a claimant from UC benefits, the Secretary finds that the requirement in 34 Pa. Code § 65.11(f)(4) for a claimant in a labor market located outside this Commonwealth to register with the Pennsylvania CareerLink® system is oppressive or inconsistent with the purposes of the act.

Accordingly, under to section 401(b)(6) of the act and 34 Pa. Code § 65.11(f)(6), the Secretary does hereby order and direct that the requirement in 34 Pa. Code § 65.11(f)(4) for claimants in labor markets located outside this Commonwealth to register with the Pennsylvania CareerLink® system is waived. This waiver shall apply to applications for UC benefits filed on or after the date of publication of this notice in the *Pennsylvania Bulletin*. The requirement in 34 Pa. Code § 65.11(f)(4) for the claimants to register with the employment service that serves the claimant's labor market remains in effect.

W. GERARD OLEKSIK,
Secretary

[Pa.B. Doc. No. 18-1330. Filed for public inspection August 24, 2018, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Bureau of Maintenance and Operations; Access Route Approval

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on August 9, 2018, the following access routes for use by the types of truck combinations as indicated:

1. (X) 96" wide twin trailers (28 1/2' maximum length of each trailer).
2. (X) 102" wide 53' long trailer.
3. (X) 102" wide 48' long trailer.
4. (X) 102" wide twin trailers (28 1/2' feet maximum length—each).
5. (X) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>County</i>	<i>Length Miles</i>
SR 1004	From Airport Road to Willow Brook Road	Lehigh	1.20
Willow Brook Road	From East Race Street to Radar Drive	Lehigh/Northampton	1.20

Lehigh and Northampton Counties approved the access routes within their respective jurisdiction.

Questions should be directed to George Harpster at (717) 783-6473.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 18-1331. Filed for public inspection August 24, 2018, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

ArcelorMittal Plate, LLC v. Department of Environmental Protection; EHB Doc. No. 2018-079-C

ArcelorMittal Plate, LLC has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0050326 to ArcelorMittal Plate, LLC for its facility located in Plymouth Township, Montgomery County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed

by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 18-1332. Filed for public inspection August 24, 2018, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
12-107	Department of Labor and Industry Uniform Construction Code	8/10/18	9/13/18

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 18-1333. Filed for public inspection August 24, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Agency Contract Termination of Auto Tags by Maverick, Inc. under Act 143; Progressive Casualty Insurance Company; Doc. No. AT18-08-009

Auto Tags by Maverick, Inc. has requested review of an agency contract termination by Progressive Casualty Insurance Company under sections 1—6 of The Insurance Department Act of 1921 (40 P.S. §§ 241—246).

A pre-review telephone conference initiated by this office is scheduled for September 19, 2018, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before September 17, 2018. A date for a review shall be determined, if necessary, at the pre-review conference.

Motions preliminary to those at the review, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 5, 2018, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to preliminary motions, protests, petitions to intervene or notices of intervention, if any, shall be filed on or before September 17, 2018.

Persons with a disability who wish to attend the previously-referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman at (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-1334. Filed for public inspection August 24, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Massachusetts Mutual Life Insurance Company (MILL-131506880); Proposed Rate Increase for Several LTC Forms

The Massachusetts Mutual Life Insurance Company is requesting approval to increase the premium an aggregate 77% on 5,384 policyholders of the following individual LTC forms: MM-200-P-PA, MM-201-P-PA, MM-202-P-PA, MM-203-P-PA, MM-200-P-1-PA, MM-201-P-1-PA, MM-202-P-1-PA, MM-203-P-1-PA, MM-400-P-PA, MM-401-P-PA, MM-402-P-PA, MM-403-P-PA, MM-404-P-PA, MM-405-P-PA, MM500-P-PA, MM502-P-PA, MM500-P-1-PA and MM502-P-1-PA.

Unless formal administrative action is taken prior to November 8, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actu-

ary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-1335. Filed for public inspection August 24, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Rachel Slater and Samson Reznik; Ameriprise Insurance Company; File No. 18-116-226470; Doc. No. P18-08-003; October 3, 2018, 9:30 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-1336. Filed for public inspection August 24, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the homeowners' policy. The hearing will be held in accordance with the requirements of the

act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to Administrative Rules of Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Elaine and Derrick Josephs; Penn National Mutual Casualty Insurance Company; File No. 18-198-226225; Doc. No. P18-08-011; September 18, 2018, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-1337. Filed for public inspection August 24, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

2019 Schedule of Filing Dates for Recovery of Purchased Gas Costs; Doc. No. L-840102

The regulation promulgated by the Pennsylvania Public Utility Commission (Commission) in 52 Pa. Code § 53.64(a) (relating to filing requirements for natural gas distributors with gross intrastate annual operating revenues in excess of \$40 million) directs the Commission to annually publish a schedule of filing dates for jurisdictional gas utilities subject to the procedure of 66 Pa.C.S. § 1307(f) (relating to sliding scale of rates; adjustments) for the recovery of purchased gas costs.

The 2019 schedule of filing dates is as follows:

February 1, 2019: National Fuel Gas Distribution Corporation—PA Division

March 1, 2019: Philadelphia Gas Works

April 1, 2019: Columbia Gas of Pennsylvania, Inc.; Peoples Gas Company; Peoples Natural Gas Company; Peoples Natural Gas and Peoples Equitable

June 1, 2019: PECO—Gas Division; UGI Utilities, Inc.; UGI Penn Natural Gas, Inc.; UGI Central Penn

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1338. Filed for public inspection August 24, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed in the event that there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by September 11, 2018. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under the application.

A-2018-3003884. Gutierrez Holdings, LLC, t/a Crimson Cab (680 Ben Franklin Road North, Indiana, PA 15701) upon call or demand in the City of Indiana, Indiana County.

Application of the following for the approval of the *transfer of stock* as described under the application.

A-2018-3003479. Burgit's Electric City Taxi, Inc. (45 Farrell Street, Plains, PA 18705) for the approval to transfer 1,000 shares of capital stock of Burgit's Electric City Taxi, Inc. held by Robert B. Burgit to Renee J. Hill. *Attorney:* James J. Haggerty, Esquire, 183 Market Street, Suite 100, Kingston, PA 18704.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1339. Filed for public inspection August 24, 2018, 9:00 a.m.]

STATE POLICE

Megan's Law; Registration Sites Report

The following is being published as a notice for State Police-approved Megan's Law registration sites. Chapter 97, Subchapter H of 42 Pa.C.S. (relating to registration of sexual offenders) requires the State Police to publish a list of approved registration sites in the *Pennsylvania Bulletin*. The following are the approved registered sites.

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Adams	Adams County Prison— Central Booking	45 Major Bell Lane, Gettysburg, PA 17325	717-334-7671
Adams	State Police Gettysburg	3033 Old Harrisburg Road, Gettysburg, PA 17325	717-334-8111
Allegheny	Allegheny County ID Section (walk-in Monday, Tuesday, Wednesday and Friday, 8:30 a.m.—4:30 p.m.; Thursday, 12 p.m.—8 p.m.)	660 First Avenue Municipal Courts Building, 3rd Floor, Pittsburgh, PA 15219	412-350-6700
Allegheny	State Police Pittsburgh	449 McCormick Road, Moon Township, PA 15108	412-787-2000
Armstrong	Armstrong County Adult Probation	500 East Market Street, Kittanning, PA 16201	724-548-3491
Armstrong	State Police Kittanning	130 Parkview Drive Extension, Kittanning, PA 16201	724-543-2011
Beaver	Beaver County Sheriff— Regional Booking Center	6000 Woodlawn Boulevard, Aliquippa, PA 15001	724-512-2391
Beaver	State Police Beaver	1400 Brighton Road, Beaver, PA 15009	724-773-7400
Bedford	Bedford County Adult Probation	200 South Juliana Street, Bedford, PA 15522	814-623-4830
Bedford	State Police Bedford	171 Arthur L. Hershey Drive, Bedford, PA 15522	814-623-6133
Berks	Berks County Sheriff's Department	633 Court Street, Reading, PA 19601	610-478-6240
Berks	State Police Hamburg	90 Industrial Drive, Hamburg, PA 19526	610-562-6885
Berks	State Police Reading	600 Kenhorst Boulevard, Reading, PA 19611	610-378-4011
Blair	Blair County Prison	419 Market Square Alley, Hollidaysburg, PA 16648	814-693-3155
Blair	State Police Hollidaysburg	1510 North Juniata Street, Hollidaysburg, PA 16648	814-696-6100
Bradford	Bradford County Adult Probation	301 Main Street, Towanda, PA 18848	570-265-1706
Bradford	State Police Towanda	101 Hawkins Road, Towanda, PA 18848	570-265-2186
Bucks	Bensalem Township Police	2400 Byberry Road, Bensalem, PA 19020	215-633-3700
Bucks	Bucks County Department of Corrections	1730 South Easton Road, Building L, Doylestown, PA 18901	215-340-8480
Bucks	State Police Dublin	3218 Rickert Road, Perkasio, PA 18944	215-249-9191
Bucks	State Police Trevoise	3501 Neshaminy Boulevard, Bensalem, PA 19020	215-942-3900
Butler	Butler County Prison	202 South Washington Street, Butler, PA 16001	724-284-5256
Butler	Butler County Probation— Parole Office	203 South Washington Street, Butler, PA 16001	724-284-5259
Butler	Cranberry Township Police (Monday—Friday, 8 a.m.—3 p.m. (no holidays))	2525 Rochester Road, Suite 500, Cranberry Township, PA 16066	724-776-5180
Butler	State Police Butler	200 Barracks Road, Butler, PA 16001	724-284-8100
Cambria	State Police Ebensburg	100 Casale Court, Ebensburg, PA 15931	814-471-6500
Cameron	State Police Emporium	12921 Route 120, Emporium, PA 15834	814-486-3321
Carbon	Carbon County Correctional Facility	331 Broad Street, Nesquehoning, PA 18240	570-325-2211
Carbon	State Police Lehighton	9170 Interchange Road, Lehighton, PA 18235	610-377-4270
Centre	Centre County Central Booking	700 Rishel Hill Road, Bellefonte, PA 16823	814-548-1186
Centre	State Police Rockview	330 Penntech Drive, Bellefonte, PA 16823	814-355-7545
Chester	Chester County Prison	501 South Wawaset Road, West Chester, PA 19382	610-793-1510
Chester	State Police Avondale	2 Moxley Lane, Avondale, PA 19311	610-268-2022
Chester	State Police Embreeville	997 Lieds Road, Coatesville, PA 19320	610-486-6280
Clarion	Clarion County Prison	309 Amsler Avenue, Shippensburg, PA 16254	814-226-9615
Clarion	State Police Clarion	209 Commerce Road, Clarion, PA 16214	814-226-1710
Clearfield	Clearfield County Prison	115 21st Street, Clearfield, PA 16830	814-765-7891
Clearfield	State Police Clearfield	147 Doe Hill Road, Woodland, PA 16881	814-857-3800

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Clinton	Clinton County Prison— Central Booking	58 Pine Mountain Road, McElhattan, PA 17748	570-769-7680
Clinton	State Police Lamar	113 Boyd Lane, Mill Hall, PA 17751	570-726-6000
Columbia	Bloomsburg Police	301 East 2nd Street, Bloomsburg, PA 17815	570-784-4155
Columbia	State Police Bloomsburg	6850 Hidlay Church Road, Bloomsburg, PA 17815	570-387-4701
Crawford	Crawford County Probation	903 Diamond Park, Meadville, PA 16335	814-333-7350
Crawford	State Police Meadville	11025 Murray Road, Meadville, PA 16335	814-332-6911
Cumberland	Cumberland County Prison	1101 Claremont Road, Carlisle, PA 17015	717-245-8787
Cumberland	State Police Carlisle	2 Dunwoody Drive, Carlisle, PA 17015	717-249-2121
Dauphin	Dauphin County Judicial Center	451 Mall Road, Harrisburg, PA 17111	717-547-4000
Dauphin	State Police Harrisburg	8000 Bretz Drive, Harrisburg, PA 17112	717-671-7500
Dauphin	State Police Lykens	301 State Drive, Elizabethville, PA 17023	717-362-8700
Delaware	Delaware County Probation	201 West Front Street, Media, PA 19063	610-891-4590
Delaware	State Police Media	1342 West Baltimore Pike, Media, PA 19063	484-840-1000
Elk	State Police Ridgway	48 Servidea Drive, Ridgway, PA 15853	814-776-6136
Erie	Erie County Sheriff's Department	140 West 6th Street, Room 400, Erie, PA 16501	814-351-6005
Erie	State Police Corry	11088 Route 6 East, Union City, PA 16438	814-663-2043
Erie	State Police Erie	4320 Iroquois Avenue, Erie, PA 16511	814-898-1641
Erie	State Police Girard	5950 Meadville Road, Girard, PA 16417	814-774-9611
Fayette	State Police Uniontown	1070 Eberly Way, Lemont Furnace, PA 15456	724-439-7111
Fayette	Uniontown City Police	45 East Penn Street, Uniontown, PA 15401	724-430-2929
Forest	State Police Marienville	4956 State Route 899, Marienville, PA 16239	814-927-5253
Franklin	Franklin County Sheriff's Department	157 Lincoln Way East, Chambersburg, PA 17201	717-261-3877
Franklin	State Police Chambersburg	679 Franklin Farm Lane, Chambersburg, PA 17202	717-264-5161
Fulton	Fulton County Sheriff's Department	207 North 2nd Street, McConnellsburg, PA 17233	717-485-4221
Fulton	State Police McConnellsburg	500 Fulton Drive, McConnellsburg, PA 17233	717-485-3131
Greene	Greene County Courthouse	10 East High Street, Room 103, Waynesburg, PA 15370	724-852-5250
Greene	State Police Waynesburg	255 Elm Drive, Waynesburg, PA 15370	724-627-6151
Huntingdon	Huntingdon County Sheriff's Department	241 Mifflin Street, Suite 1, Huntingdon, PA 16652	814-643-0880
Huntingdon	State Police Huntingdon	10637 Raystown Road, Huntingdon, PA 16652	814-627-3161
Indiana	Indiana County Probation	825 Philadelphia Street, Indiana, PA 15701	724-465-3820
Indiana	State Police Indiana	4221 Route 286 Highway West, Indiana, PA 15701	724-357-1960
Jefferson	Jefferson County Prison	578 Service Center Road, Brookville, PA 15825	814-849-1933
Jefferson	State Police DuBois	230 Platt Road, Dubois, PA 15801	814-371-4652
Jefferson	State Police Punxsutawney	485 North Findley Street, Punxsutawney, PA 15767	814-938-0510
Juniata	Juniata County Probation Office	11 North 3rd Street, Mifflintown, PA 17059	717-436-7716
Juniata	State Police Lewistown	140 Stoney Creek Drive, Mifflintown, PA 17059	717-320-1010
Lackawanna	Lackawanna County Probation	130 North Washington Avenue, Scranton, PA 18503	570-963-6876
Lackawanna	Scranton Police	100 South Washington Avenue, Scranton, PA 18503	570-348-4134
Lackawanna	State Police Dunmore	85 Keystone Industrial Park, Dunmore, PA 18512	570-963-3156
Lancaster	Lancaster City Police	39 West Chestnut Street, Lancaster, PA 17603	717-735-3300
Lancaster	Lancaster County Probation	40 East King Street, Lancaster, PA 17603	717-299-8181
Lancaster	State Police Lancaster	2099 Lincoln Highway East, Lancaster, PA 17602	717-299-7650
Lawrence	State Police New Castle	3539 Wilmington Road, New Castle, PA 16105	724-598-2211
Lebanon	State Police Jonestown	3185 State Route 72, Jonestown, PA 17038	717-865-2194
Lehigh	State Police Bethlehem	2930 Airport Road, Bethlehem, PA 18017	610-861-2026
Lehigh	State Police Fogelsville	8320 Schantz Road, Breinigsville, PA 18031	610-395-1438
Luzerne	State Police Hazleton	250 Dessen Drive, West Hazleton, PA 18202	570-459-3890
Luzerne	State Police Shickshinny	872 Salem Boulevard, Berwick, PA 18603	570-542-7105
Luzerne	State Police Wyoming	475 Wyoming Avenue, Wyoming, PA 18644	570-697-2000

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Lycoming	Old Lycoming Township Police Department (Monday—Friday, 10 a.m.—2 p.m.)	1951 Green Avenue, Williamsport, PA 17701	570-323-4987
Lycoming	State Police Montoursville	899 Cherry Street, Montoursville, PA 17754	570-368-5700
McKean	McKean County Prison	17013 Route 6, Smethport, PA 16749	814-887-2333
McKean	State Police Kane	3178 Route 219, Kane, PA 16735	814-778-5555
Mercer	State Police Mercer	826 Franklin Road, Mercer, PA 16137	724-662-6162
Mifflin	Mifflin County Prison	103 West Market Street, Lewistown, PA 17044	717-248-1130
Monroe	Monroe County Prison	4250 Manor Drive, Stroudsburg, PA 18360	570-992-3232
Monroe	State Police Fern Ridge	127 Parkside Avenue, Blakeslee, PA 18610	570-646-2271
Monroe	State Police Stroudsburg	2730 Rimrock Drive, Stroudsburg, PA 18360	570-619-6480
Montgomery	Abington Township Police	1166 Old York Road, Abington, PA 19001	267-536-1100
Montgomery	Montgomery County Adult Probation	100 Ross Road, Suite 120, King of Prussia, PA 19406	610-992-7777
Montgomery	Plymouth Township Police	700 Belvoir Road, Plymouth Meeting, PA 19462	610-279-1901
Montgomery	State Police Skippack	2047C Bridge Road, Schwenksville, PA 19473	610-410-3835
Northampton	Northampton County Prison	666 Walnut Street, Easton, PA 18042	610-923-4300
Northampton	State Police Belfast	654 Bangor Road, Nazareth, PA 18064	610-759-6106
Northumberland	State Police Milton	50 Lawton Lane, Milton, PA 17847	570-524-2662
Northumberland	State Police Stonington	2465 State Route 61, Sunbury, PA 17801	570-286-5601
Northumberland	Sunbury Police	440 Market Street, Sunbury, PA 17801	570-286-4584
Perry	Perry County Courthouse	2 East Main Street, New Bloomfield, PA 17068	717-582-2131
Perry	State Police Newport	155 Red Hill Road, Newport, PA 17074	717-567-3110
Philadelphia	State Police Philadelphia	2201 Belmont Avenue, Philadelphia, PA 19131	215-452-5216
Pike	Pike County Probation	506 Broad Street, Milford, PA 18337	570-296-7412
Pike	State Police Blooming Grove	434 Route 402, Hawley, PA 18428	570-226-5720
Potter	Potter County Adult Probation	1 North Main Street, Coudersport, PA 16915	814-274-8791
Potter	State Police Coudersport	3140 East Second Street, Coudersport, PA 16915	814-274-8690
Schuylkill	Schuylkill County Sheriff's Department	401 North 2nd Street, Pottsville, PA 17901	570-628-1440
Schuylkill	State Police Frackville	31 Eleanor Avenue, Frackville, PA 17931	570-874-5300
Schuylkill	State Police Schuylkill Haven	1070 State Route 183 South, Schuylkill Haven, PA 17972	570-593-2000
Snyder	Snyder County Sheriff's Department	12 South Main Street, Middleburg, PA 17842	570-837-3311
Snyder	State Police Selinsgrove	204 Universal Road, Selinsgrove, PA 17870	570-374-8145
Somerset	Somerset Borough Police	340 West Union Street, Somerset, PA 15501	814-445-4596
Somerset	State Police Somerset	142 Sagamore Street, Somerset, PA 15501	814-445-4104
Sullivan	State Police Laporte	5837 Route 220, Laporte, PA 18626	570-946-4610
Susquehanna	State Police Gibson	2856 State Route 848, New Milford, PA 18834	570-465-3154
Susquehanna	Susquehanna County Adult Probation	81 Public Avenue, Montrose, PA 18801	570-278-4600
Tioga	State Police Mansfield	785 Lambs Creek Road, Mansfield, PA 16933	570-662-2151
Tioga	Tioga County Probation Department	118 Main Street, Wellsboro, PA 16901	570-724-9340
Union	Union County Courthouse/Prison	103 South Second Street, Lewisburg, PA 17837	570-524-8716
Venango	State Police Franklin	6724 US 322, Franklin, PA 16323	814-676-6596
Warren	State Police Warren	22001 Route 6, Warren, PA 16365	814-728-3600
Warren	Warren County Prison	407 Market Street, Warren, PA 16365	814-723-2486
Washington	State Police Washington	150 Route PA 519, Eighty-Four, PA 15330	724-223-5200
Washington	Washington County Booking Center	29 West Cherry Avenue, Suite 209, Washington, PA 15301	724-229-5931
Wayne	State Police Honesdale	14 Collan Park, Honesdale, PA 18431	570-251-7207
Wayne	Wayne County Courthouse	925 Court Street, Honesdale, PA 18431	570-253-5970
Westmoreland	State Police Belle Vernon	560 Circle Drive, Belle Vernon, PA 15012	724-929-6262
Westmoreland	State Police Greensburg	100 North Westmoreland Avenue, Greensburg, PA 15601	724-832-3288
Westmoreland	State Police Kiski Valley	4451 Route 66, Apollo, PA 15613	724-727-3434

NOTICES

5431

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Westmoreland	Westmoreland County Probation	2 North Main Street, Suite 303, Greensburg, PA 15601	724-830-3457
Wyoming	State Police Tunkhannock	6039 State Route 6, Tunkhannock, PA 18657	570-836-2141
Wyoming	Wyoming County Adult Probation	1 Courthouse Square, Tunkhannock, PA 18657	570-996-2265
York	State Police York	101 North Main Street, York, PA 17403	717-428-1011
York	York County Probation	45 North George Street, York, PA 17401	717-771-9602

LIEUTENANT COLONEL ROBERT EVANCHICK,
Acting Commissioner

[Pa.B. Doc. No. 18-1340. Filed for public inspection August 24, 2018, 9:00 a.m.]
