

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 4, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
9-4-2018	<p><i>From:</i> Counsel Trust Company York York County</p> <p><i>To:</i> Counsel Trust Company York York County</p> <p>Conversion from a Pennsylvania State-chartered trust company to a Tennessee State-chartered trust company.</p>	Effective

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
8-29-2018	<p>Orrstown Financial Services, Inc. Shippensburg Cumberland County</p> <p>Application for approval to acquire 100% of Mercersburg Financial Corporation, Mercersburg, and thereby indirectly acquire 100% of First Community Bank of Mercersburg, Mercersburg.</p>	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
8-29-2018	<p>Orrstown Bank Shippensburg Cumberland County</p> <p>Application for approval to merge First Community Bank of Mercersburg, Mercersburg, with and into Orrstown Bank, Shippensburg.</p>	Approved

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-29-2018	<p>Landmark Community Bank Pittston Luzerne County</p>	<p>920 Northern Boulevard South Abington Township Lackawanna County</p>	Approved
8-30-2018	<p>Mifflinburg Bank and Trust Company Mifflinburg Union County</p>	<p>415 Mahoning Street Milton Northumberland County</p>	Approved
8-30-2018	<p>Mifflinburg Bank and Trust Company Mifflinburg Union County</p>	<p>901 State Route 522 Selinsgrove Snyder County</p>	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-30-2018	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 628 Greenwiche Street Reading Berks County <i>From:</i> 956 North Ninth Street Reading Berks County	Filed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
8-30-2018	Noah Bank Elkins Park Montgomery County Amendment to Article Fifth of the institution's Articles of Incorporation provides for a 1-for-10 reverse stock split of the Bank's common stock and sets the number of authorized shares of common stock at 20 million.	Filed

CREDIT UNIONS**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-30-2018	Hidden River Credit Union Pottsville Schuylkill County	32 Mahanoy Avenue Tamaqua Schuylkill County	Approved

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-1452. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of October 2018

The Department of Banking and Securities (Department), under the authority in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of October 2018, is 5 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government

securities is 2.96 to which was added 2.50 percentage points for a total of 5.46 that by law is rounded off to the nearest quarter at 5 1/2%.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-1453. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Pennsylvania Housing Advisory Committee Meeting; 2019—2023 Consolidated Plan and 2019 Annual Action Plan; First Public Hearing

The Department of Community and Economic Development (Department) is preparing the Commonwealth's 2019—2023 Consolidated Plan and 2019 Annual Action Plan. Both documents must be submitted to, and approved by, the United States Department of Housing and Urban Development (HUD) for the Commonwealth to receive funding under HUD's housing and community development programs of Community Development Block Grant (CDBG), HOME Investment Partnership Program (HOME), Emergency Solutions Grant Program (ESG), Housing Opportunities for People with Aids (HOPWA) and National Housing Trust Fund (HTF). The Consoli-

dated Plan creates a unified strategy for these programs to address identified needs, as well as the necessary linkages for building successful neighborhoods and communities.

As part of the planning process, the Department conducts various opportunities for citizens from across this Commonwealth to discuss or make known needs for housing, homelessness, economic and community development issues and develops goals for the programs that may affect the method of distribution of the Fiscal Years 2019—2023 funding.

First Public Hearing

The first public hearing for the 2019—2023 Consolidated Plan and 2019 Annual Action Plan will be conducted electronically by means of the Internet on Thursday, September 27, 2018, at 2 p.m. This more widely available computer access will replace the onsite public hearing, though interested persons may attend the meeting in person at the Department offices on the 4th Floor, Commonwealth Keystone Building, E-Commerce Laboratory, Harrisburg, PA. The format will be more accessible than in an in-person hearing because those who wish to make comment or discuss policy may participate directly from their telephone, personal computer or from a computer located at their public library.

Any individual or organization may give testimony or comments by means of the Internet. Comments will be accepted about topics related to the needs of the Commonwealth in the following areas: community development; housing including special needs; homelessness; economic development; any changes to the method of distribution of the existing Federal programs; and the process by which the public input is gathered. In addition, a summary of the Fiscal Year 2017 accomplishments will be presented. The Commonwealth encourages public participation in this process.

There is no registration, but individuals may join the public hearing directly using either of the following methods:

Individuals can join the public hearing by going to <https://copa.webex.com/copa/k2/j.php?MTID=t1d146fc0591bbb5535b7f9e1253d75df>, then enter their name and e-mail address (or registration ID), then enter the session password: 4hV33E7?, then select “Join Now” and follow the instructions that appear on the screen. To view in other time zones or languages use <https://copa.webex.com/copa/k2/j.php?MTID=t0875f968323980356e38a917a588d1de>.

Individuals can join the public hearing by the phone only call-in toll number for the United States or Canada at (650) 479-3208. Global call-in numbers are at <https://copa.webex.com/copa/globalcallin.php?serviceType=TC&ED=722068897&tollFree=0>, then use access code: 648 670 503.

To add this public hearing to a calendar program, for example Microsoft Outlook, select <https://copa.webex.com/copa/k2/j.php?MTID=t06576ab9504149067efc7a609c63087c>. Individuals who cannot join the public hearing should use <https://collaborationhelp.cisco.com/article/qg8vzfb>.

This hearing will be recorded for public record. The hearing will be shortened if there is no one to testify or there is minimal response.

Written Comments

Written testimony, instead of Internet testimony, must be submitted by 5 p.m. on Friday, December 7, 2018, for review for consideration for the Consolidated Plan or Action Plan, or both. Submit comments to Megan Snyder, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225, RA-DCEDcdbg&homequestions@pa.gov.

Pennsylvania Housing Advisory Committee

The Pennsylvania Housing Advisory Committee (Committee) is responsible for reviewing: housing; community development and support services; needs and priorities; as well as advising the Department in the preparation of the Commonwealth’s Consolidated Plan; annual action plans; and the coordination of Federal, State and local resources to manage the implementation of these plans in the Commonwealth.

As part of the planning process for the Consolidated Plan for 2019—2023 and 2019 Annual Action Plan, the Committee will be meeting in an open, public forum to discuss the needs of the Commonwealth in terms of housing including special needs, community development, homelessness and economic development. Reports from the six Department regions will be presented on the needs in their respective areas of this Commonwealth. There will also be a presentation of the performance of the 2017 Program Year for the CDBG, HOME, ESG, CDBG-Disaster Recovery, Neighborhood Stabilization Program (NSP 1 and 3), HOPWA programs and HTF.

Persons who wish to attend the Committee meeting may use the following information to join. There will be WebX capability to attend the meeting remotely, as well as conference calling.

Topic: PHAC Meeting

Host: DCED CHD

Date: Thursday, October 4, 2018

Time: 1:30 pm, Eastern Daylight Time (New York, GMT-04:00)

Where: Commonwealth Keystone Building, 1st Floor, Keystone Meeting Center, Desert Room, Harrisburg, PA 17120-0225

Session number: 646 365 374

Session password: QAUbVs\$4

Individuals can join the Committee meeting by going to <https://copa.webex.com/copa/k2/j.php?MTID=t638b6be1a60f990fc9eedc2de2c5bbf>, then enter their name and e-mail address, then enter the session password: QAUbVs\$4, then select “Join Now” and follow the instructions that appear on the screen. To view in other time zones or languages, use <https://copa.webex.com/copa/k2/j.php?MTID=t9ea3fb4a9dae2161ba60e42c4444ee50>.

Individuals can join the Committee meeting by phone only by the call-in toll number for the United States or Canada at (650) 479-3208. Global call-in numbers are at <https://copa.webex.com/copa/globalcallin.php?serviceType=TC&ED=722070597&tollFree=0>, then use access code: 646 365 374.

To add this Committee meeting to a calendar program, for example Microsoft Outlook, select <https://copa.webex.com/copa/k2/j.php?MTID=ta82c4b0f0228a4bdc1d191c6fb23b2c8>.

For assistance with either the public hearing or the committee meeting individuals can contact the Department CHD, kapossinge@pa.gov, (717) 720-7350.

Persons with a disability or limited English proficiency who wish to attend the public hearing or the Committee meeting and require an auxiliary aid, service or other accommodation to participate, should contact Megan Snyder, Department of Community and Economic Development, Center for Community Financing, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7404 or TDD (717) 346-0308, at a minimum of 72 hours before the meeting to discuss how the Department may best accommodate their needs.

DENNIS M. DAVIN,
Secretary

[Pa.B. Doc. No. 18-1454. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Index Calculation Required by Special Session Act 1 of 2006

Under section 333(1) of the Taxpayer Relief (53 P.S. § 6926.333(1)), the Department of Education (Department) has calculated the index for the Fiscal Year (FY) 2019-2020.

The index is the average of the percentage increase in the Statewide average weekly wage and the Employment Cost Index. For FY 2019-2020, the base index is 2.3%.

For school districts with a market value/income aid ratio greater than 0.4000, an adjusted index will be posted on the Department's web site at www.education.pa.gov by September 30, 2018.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 18-1455. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062570 (Sewage)	Covington Township Sewer Authority WWTP 1186 Drinker Turnpike Covington Township, PA 18444	Lackawanna County Covington Township	Roaring Brook (05A)	Yes
PA0065030 (Sewage)	Meshoppen Borough WWTP Sterling Street Meshoppen, PA 18630	Wyoming County Meshoppen Borough	Susquehanna River (4-G)	No
PA0070254 (Sewage)	Lynn Township Wastewater Treatment Plant PO Box 3348 1053 Spruce Road Allentown, PA 18106-0348	Lehigh County Lynn Township	Ontelaunee Creek (3-B)	Yes
PA0063011 (Water Diversion)	Hazleton City Authority Water Department 400 E Arthur Gardner Parkway Hazleton, PA 18201-7359	Luzerne County Hazle Township	Derek Creek Reservoir (2-B)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0248088 (sewage)	PA American Water Company— Franklin Wastewater Plant 852 Wesley Drive Mechanicsburg, PA 17055	Adams County/ Franklin Township	UNT Marsh Creek/ 13-D	Y
PA0087998 (sewage)	Urban Acres MHP 35 Ridge Drive Fleetwood, PA 19522	Berks County/ Alsace Township	Bernhart Creek/ 3-C	Y

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0094846 (Sewage)	Somerset Estates MHP STP 1873 Husband Road Somerset, PA 15501	Somerset County Somerset Township	Unnamed Tributary to East Branch Coxes Creek (19-F)	Yes
PA0216739 (Industrial)	Route 356 Landfill 100 River Road Brackenridge, PA 15014-1537	Westmoreland County Allegheny Township	Unnamed Tributary to Allegheny River (18-A)	Yes
PA0205991 (Industrial)	Moon Township Municipal Authority 1700 Beaver Grade Road Suite 200 Moon Township, PA 15108-3109	Allegheny County Moon Township	Ohio River (20-G)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0009458, Industrial, SIC Code 3231, **Pittsburgh Glass Works LLC**, 4408 E Pleasant Valley Boulevard, Tyrone, PA 16686. Facility Name: Pittsburgh Glass Works Tipton Auto Glass Manufacturing. This existing facility is located in Antis Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Little Juniata River, is located in State Water Plan watershed 11-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.266 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Quarterly	Maximum	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Avg Qrtly Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Avg Qrtly Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Avg Qrtly Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.266 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Quarterly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	Inst Min XXX	Report Avg Mo	Report Daily Max	XXX
Total Suspended Solids	9.5	15.0	XXX	XXX	XXX	10.5
Oil and Grease	4.5	4.5	XXX	XXX	XXX	5.5
Total Phosphorus	8.5	8.5	XXX	XXX	XXX	9.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0084450, Industrial, SIC Code 4952, 9711, **Raven Rock Mountain Complex**, 1155 Defense Pentagon, Washington, DC 20301-1155. Facility Name: Raven Rock Mountain Complex Site R. This existing facility is located in Liberty Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste and Treated Sewage

The receiving stream(s), Unnamed Tributary to Miney Branch and Miney Branch, is located in State Water Plan watershed 13-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.051 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Daily Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Temperature (deg F) (°F)						
Dec 1 - May 31	XXX	XXX	XXX	XXX	110	XXX
					Daily Max	
Jun 1 - 30	XXX	XXX	XXX	XXX	94	XXX
					Daily Max	
Jul 1 - 31	XXX	XXX	XXX	XXX	86	XXX
					Daily Max	
Aug 1 - 31	XXX	XXX	XXX	XXX	82	XXX
					Daily Max	
Sep 1 - 30	XXX	XXX	XXX	XXX	71	XXX
					Daily Max	
Oct 1 - Nov 30	XXX	XXX	XXX	XXX	65	XXX
					Daily Max	
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0

The proposed effluent limits for Outfall 003 are based on a design flow of 0.12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Phosphorus (Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	Report	XXX	XXX

Sludge use and disposal description and location(s): Settled Sludge collected and trucked off site.

In addition, the permit contains the following major special conditions:

- For Outfall 001, 004, and 005: Stormwater BMPs and Petroleum Marketing Terminals.
- For Outfall 002: Temperature 2 degree Hourly Change, No net addition of pollutants for NCCW, No PCBs may be discharged, Cooling tower maintenance chemicals, chemical additives, and industrial stormwater requirements.
- For Outfall 003: Chesapeake Bay nutrients monitoring requirements, Solids management for non-lagoon system, Notification of designation of responsible operator, and chemical additives.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0033995 A-1, Sewage, SIC Code 4952, **Berks County**, 633 Court Street, 16th Floor, Reading, PA 19601-4322. Facility Name: Berks County Prison & Rest Home. This existing facility is located in Bern Township, **Berks County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Plum Creek, is located in State Water Plan watershed 3-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Interim Limits, until upgrade completed.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.36	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	Report	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	Report	Report	XXX	30.0	45.0	60
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	16.5	XXX	33
May 1 - Oct 31	Report	XXX	XXX	5.5	XXX	11
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.36	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	Report	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Total Suspended Solids	Report	Report	XXX	30.0	45.0	60
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	16.5	XXX	33
May 1 - Oct 31	Report	XXX	XXX	5.5	XXX	11
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed reporting requirement for Internal Monitoring Point 101:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)						
Internal Monitoring Point	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				

The only proposed changes from the existing permit are to maintain Total Residual Chlorine limits after the treatment plant upgrade and to specify the Statistical Base Code as “Instantaneous Minimum” as applicable.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0080845, Industrial, SIC Code 4911, **NRG REMA LLC**, 250 Power Plant Drive, Shawville, PA 16873. Facility Name: Williamsburg Closed Ash Site. This existing facility is located in Catharine Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Frankstown Branch Juniata River, is located in State Water Plan watershed 11-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	Avg Qrtly XXX	Daily Max XXX	6.0 Daily Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	50.0	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.5	XXX

In addition, the permit contains the following major special conditions:

- Chemical additives conditions, Stormwater BMP conditions, and Landfill Leachate Conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0087696, Sewage, SIC Code 6515, **GSP Management Company**, PO Box 677, Morgantown, PA 19543. Facility Name: Shadyback Acres MHP. This existing facility is located in East Hanover Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Manada Creek, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00275 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.49	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	7.5	XXX	15
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report	XXX

Sludge use and disposal description and location(s): Digested sludge is hauled out periodically by a licensed hauler.

In addition, the permit contains the following major special conditions: Stormwater Prohibition, Approval Contingencies, Proper Waste/solids Management, and Chlorine minimization requirement.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0011371, Industrial, SIC Code 3429, **Stanley Black & Decker**, 1000 Stanley Drive, New Britain, CT 06053-1675. Facility Name: Stanley Black & Decker Reading Facility Former Baldwin Hardware. This existing facility is located in Reading City, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Schuylkill River, is located in State Water Plan watershed 3-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.482 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0	XXX
Trichloroethylene	Report	Report	XXX	0.10	0.20	0.25

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0080730, Sewage, SIC Code 8211, **West Perry School District**, 2606 Shermans Valley Road, Elliptsburg, PA 17024. Facility Name: Blain Elementary School. This existing facility is located in Blain Borough, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Sherman Creek, is located in State Water Plan watershed 7-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

Sludge use and disposal description and location(s): The disposal location was Richard Farm under DEP Permit # PAG093528 with the type of disposal being agricultural utilization.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0084034, Sewage, SIC Code 8211, **West Perry School District**, 2606 Shermans Valley Road, Elliptsburg, PA 17024. Facility Name: Carroll Elementary School. This existing facility is located in Carroll Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Sherman Creek, is located in State Water Plan watershed 7-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.007 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.37	1.2 Avg Mo	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	15.0	XXX	30
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10

The proposed effluent limits for Outfall 001 are based on a design flow of 0.007 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg	XXX	XXX

Sludge use and disposal description and location(s): The biosolids are disposed at Richard Farm at 65 Richard Lane, Landisburg, PA. The biosolids hauler is Advance Septic Services under PAG-093528.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0085278, Sewage, SIC Code 8641, **Deerwood Community HOA**, 11375 Lafayette Road, Mercersburg, PA 17236. Facility Name: Deerwood Community STP. This existing facility is located in Montgomery Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Licking Creek, is located in State Water Plan watershed 13-C and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Annl Avg	XXX	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Annl Avg	XXX	XXX	Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.21	XXX	0.69
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Geo Mean						
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6

Sludge use and disposal description and location(s): Sludge is hauled off site via a local septage hauler to another WWTP for ultimate disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261611, Sewage, SIC Code 6514, 8811, **Plank Robert E**, 477 Herrs Ridge Road, Gettysburg, PA 17325-7253. Facility Name: Robert Plank Res. This existing facility is located in Cumberland Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Willoughby Run, is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Geo Mean						

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083143, Industrial, SIC Code 4952, **Saxton Borough Municipal Authority Bedford County**, 707 9th Street, Saxton, PA 16678-1109. Facility Name: Saxton Borough Water System. This existing facility is located in Saxton Borough, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Raystown Branch Juniata River, is located in State Water Plan watershed 11-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.006 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.006 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Inst Min						
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	75

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	10
Iron, Total	XXX	XXX	XXX	2.0	4.0	5
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect

PA0261262, Sewage, SIC Code 4952, **North Londonderry Township Authority Lebanon County**, 655 E Ridge Road, Palmyra, PA 17078-9308. Facility Name: North Londonderry Township STP. This existing facility is located in South Annville Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Killinger Creek, is located in State Water Plan watershed 7-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)					Daily Max	
Nov 1 - Apr 30	250	375	XXX	20	30	40
May 1 - Oct 31	125	188	XXX	10	15	20
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	125	188	XXX	10	15	20
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	88	XXX	XXX	7.0	XXX	14
May 1 - Oct 31	31	XXX	XXX	2.5	XXX	5
Total Phosphorus	25	XXX	XXX	2.0	XXX	4
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	1.88	XXX	XXX	0.15	XXX	0.37
Toxicity, Chronic— Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	1.8	XXX	XXX
				Daily Max		

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Effluent Limitations

Parameter	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	25,936	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	3,458	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

Sludge use and disposal description and location(s):

- Dewatered Sludge is hauled to Greater Lebanon Refuse Authority Landfill for disposal.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition,
- Approval Contingencies, Proper Waste/solids Management,
- Restriction on receipt of hauled in waste under certain conditions
- WET testing requirements
- Stormwater Management Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0247421, Sewage, SIC Code 6514, **Francine & Rodney Groff**, 7723 Wertzville Road, Carlisle, PA 17013-9021. Facility Name: Groff Residence STP. This existing facility is located in Middlesex Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

Sludge use and disposal description and location(s): Sludge is hauled off site via a local septage hauler to another WWTP for ultimate treatment/disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0255459, Sewage, SIC Code 8811, **Hastings Richard**, PO Box 1466, Andover, OH 44003-1466. Facility Name: Hastings SRSTP. This proposed facility is located in Nottingham Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Mingo Creek, is located in State Water Plan watershed 19-C and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Semi-Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Semi Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	5.0	XXX	10.0

Sludge use and disposal description and location(s): Municipal Sewage Treatment Plant.

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0271659, Sewage, SIC Code 4952, 8800, **Larry Flick**, 207 Charleston Road, Sharpsville, PA 16150. Facility Name: Larry Flick SRSTP. This proposed facility is located in Jefferson Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary of Magargee Run, located in State Water Plan watershed 20-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0271543, Sewage, SIC Code 4952, 8800, **John Cole**, 10475 Old Route 99, Mckean, PA 16426. Facility Name: John Cole SRSTP. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an unnamed tributary to Lamson Run, located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 3518404, Sewage, **Waverly Township**, P.O. Box 8, Waverly, PA 18471-0008.

This existing facility is located in Waverly Township, **Lackawanna County**.

Description of Proposed Action/Activity: The project is for the replacement of two pump stations within the sewage conveyance system in Waverly Township. The existing packaged underground 9.5' diameter steel duplex dry pit pump station with a separate buried concrete wet well located on Oakford Road will be replaced with a self-contained package duplex self-priming station placed on top of the existing wet well. The existing packaged submersible duplex grinder pump station housed in a 4' diameter and 9' deep structure located on Clinton Street will be replaced in its entirety with a similar in-ground packaged submersible duplex grinder pump station. This new fiberglass station will incorporate a separate dry pit chamber to house the discharge piping and valves. The capacity of each pump station will not be changed.

WQM Permit No. 6618402, Sewage, **Aqua Pennsylvania Wastewater Inc.**, 1 Aqua Way, White Haven, PA 18861.

This proposed facility is located in Clinton Township, **Wyoming County**.

Description of Proposed Action/Activity: Repair work that replaces the Bunker Hill Sewage Treatment Plant's headworks and splitter box plus relocate the outfall line.

WQM Permit No. 6618403, Sewage, **Aqua Pennsylvania Wastewater Inc.—Rivercrest**, 1 Aqua Way, White Haven, PA 18861.

This proposed facility is located in Tunkhannock Township, **Wyoming County**.

Description of Proposed Action/Activity: A Permit for upgrades to the headworks and chlorination systems at an existing sewage treatment plant.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0471201, Industrial waste, **NCI Group, Inc.**, 500 Perth Drive, Ambridge, PA 15003-4213.

This proposed facility is located in Ambridge Borough, **Beaver County**.

Description of Proposed Action/Activity:

Replacement in kind of an existing industrial wastewater treatment system, including unit processes for metals precipitation, flocculation and an inclined plate clarifier; with the addition of multimedia effluent filters and a filter press.

WQM Permit No. 0218408, Sewage, **Allegheny County Sanitary Authority ALCOSAN**, 3300 Preble Avenue, Pittsburgh, PA 15233-1025.

This proposed facility is located in Pittsburgh City, **Allegheny County**.

Description of Proposed Action/Activity: Installation of bar screens at Combined Sewer Outfalls A-62, A-64, M-18, M-43 and O-05 on the ALCOSAN Sewer System to control/capture floatables and solids.

WQM Permit No. 0278206 A-2, Industrial, **West View Borough Municipal Authority Allegheny County**, 210 Perry Highway, Pittsburgh, PA 15229-1862.

This existing facility is located in Neville Township, **Allegheny County**.

Description of Proposed Action/Activity: Installation of a temporary belt filter press will serve to dewater the clarifier sludge during lagoon maintenance. During operation of the belt filter press, liquid effluent from the press will be further processed through a media filtration trailer. After the lagoons are restored to service, the belt filter press structures and filtration trailer will be removed.

WQM Permit No. 6316200, Industrial, **Donora Dock LLC**, 11 Lloyd Avenue, Latrobe, PA 15650-1711.

This proposed facility is located in Carroll Township, **Washington County**.

Description of Proposed Action/Activity: Construction of two treatment ponds.

IV. NPDES Applications for Stormwater Discharges from MS4.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PAI136136, MS4, **Derry Township Westmoreland County**, 5321 State Route 982, Derry, PA 15627-2726. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Derry Township, **Westmoreland County**. The receiving stream(s), Loyalhanna Creek, McGee Run, Miller Run, Trout Run, and Saxman Run, are located in State Water Plan watershed 18-D and 18-C and are classified for Cold Water Fishes, Warm Water Fishes, High Quality Waters—Cold Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted A Pollutant Reduction Plan (PRP) with the application to reduce pollutant loads to impaired waters:

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD510032	Provco Penrose, LLC 795 East Lancaster Avenue Building No. 2, Suite 200 Villanova, PA 19085-1525	Philadelphia	City of Philadelphia	Schuylkill River WWF-MF
PAD150086	Diane Herbert 432 Timber Lane Devon, PA 19333-1233	Chester	West Pikeland Township	Pickering Creek HQ
PAD0150084	Artisan Construction Group, LLC 110 Phoenixville Pike Malvern, PA 19355	Chester	East Whiteland Township	Unnamed Tributary to Valley Creek EV

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD390090	Liberty Property Trust 400 Boulder Dr Suite 200 Breinigsville, PA 18031	Lehigh	Lower Macungie Twp	Little Lehigh Creek (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Ave.—Greystone Building, Nazareth, PA 18064-9211.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD480059	County Of Northampton 669 Washington St Easton, PA 18042	Northampton	Bushkill Twp Plainfield Twp	Bushkill Creek (HQ-CWF, MF) UNT to Bushkill Creek (HQ-CWF, MF) Little Bushkill Creek (HQ-CWF, MF) EV Wetlands

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD010006	Kevin M Kauffman 160 Hoffman Road York Springs, PA 17372	Adams	Latimore Township	UNT Latimore Creek (CWF) Wetlands (EV)
PAD280005	Columbia Gas of PA 1600 Colony Road York, PA 17408	Franklin	Guilford Township	Falling Spring Branch (HQ/CWF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD140034	Penn State University 139J Physical Plant Bldg University Park, PA 16802	Centre	State College Boro	Thompson Run HQ-CWF, MF

Clearfield County Conservation District: 650 Leonard Street, Clearfield, PA 16830, (814) 765-2629.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD170002	Houtzdale Woodward Recreation Authority 276 Birch St Houtzdale, PA 16654	Clearfield	Woodward Twp	UNT Beaver Run HQ-CWF

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD180016 previously PAI041806003®	R.C. Boman, Inc 7436 Nittany Valley Drive Mill Hall, PA 17751	Clinton	Lamar Twp	Fishing Creek HQ-CWF

Columbia County Conservation District: 702 Sawmill Road, Suite 204, Bloomsburg, PA 17815, (570) 784-1310, X 102.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD190004	Aqua Pennsylvania, Inc 204 East Sunbury St Sunbury, PA 17872	Columbia	Conyngham Twp	Roaring Creek Little Catawissa Creek Shamokin Creek

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12	CAFOs
--------	-------

MS4 PAG-13 Notices of Intent Received.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES

Permit No.	Applicant Name & Address	Municipality, County	Waiver Application Submitted (Y/N)	Pollutant Reduction Plan Submitted (Y/N)
PAG136307	West Homestead Borough 456 W 8th Avenue West Homestead, PA 15120-1030	West Homestead Borough, Allegheny County	N	Y

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Timber Ridge Farms 9699 Timber Ridge Road Big Cove Tannery, PA 17212	Fulton	12	1,342.60	Swine	NA	Renewal
Kevin Martin 288 Shartlesville Rd Bernville PA 19506	Berks	42	399.70	Poultry (Broilers)	NA	Approved
Mark Leinbach 105 Hoover Lane Loysville, PA 17047	Perry	0	878.34	Swine	NA	Renewal

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5980.

Permit No. 1518517, Public Water Supply.
 Applicant **Tel Hai Retirement Community**
 1200 Tel Hai Circle
 P.O. Box 190
 Honey Brook, PA 19344
 Township Honey Brook
 County **Chester**
 Responsible Official David Shentz
 1200 Tel Hai Circle
 P.O. Box 190
 Honey Brook, PA 19344
 Type of Facility PWS
 Consulting Engineer Thomas J. Whitehall, P.E.
 Whitehall Consulting Engineer
 763 Conowingo Road
 Quarryville, PA 17566
 Application Received Date June 22, 2018
 Description of Action Addition of one (1) water supply well and one (1) water storage standpipe.

Permit No. 4618512, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010
 Township Upper Merion
 County **Montgomery**
 Responsible Official Curt R. Steffy
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010
 Type of Facility PWS
 Consulting Engineer Peter J. Lusardi, P.E.
 GHD, Inc.
 1240 Mountain Road
 Harrisburg, PA 17112
 Application Received Date July 26, 2018
 Description of Action New granular activated carbon treatment room for removal of 1, 2, 3 trichloropropane.

Permit No. 4618511, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010
 Township Multiple
 County **Montgomery, Delaware,
 Chester, Bucks**
 Responsible Official Curt R. Steffy
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010
 Type of Facility PWS
 Consulting Engineer Brennan Kelly
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010
 Application Received Date July 20, 2018
 Description of Action Permit approval of bulk water
 hauler trucks.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 4018521, Public Water Supply.
 Applicant **Hazleton City Authority**
 400 E. Arthur Gardner Parkway
 Hazleton, PA 18201
 [Township or Borough] City of Hazleton
 Responsible Official Randy Cahalan
 Hazleton City Authority
 400 E. Arthur Gardner Parkway
 Hazleton, PA 18201
 Type of Facility PWS
 Consulting Engineer John Synoski, PE
 Hazleton City Authority
 400 E. Arthur Gardner Parkway
 Hazleton, PA 18201
 Application Received Date 8/15/2018
 Description of Action The application proposes
 rehabilitating the Park Place
 Tank and upgrading the Barnes
 Run and Drifton water booster
 pumping stations.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 6318504, Public Water Supply.
 Applicant **Red Rooster Grill**
 557 Farra School Road
 Avella, PA 15312
 [Township or Borough] Hopewell Township
 Responsible Official George Zimmerman, Owner
 Red Rooster Grill
 557 Farra School Road
 Avella, PA 15312
 Type of Facility Water system
 Consulting Engineer GAI Consultants
 385 East Waterfront Drive
 Homestead, PA 15120

Application Received Date August 21, 2018
 Description of Action Approval for hauled potable
 water and a treatment system.
Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.
Permit No. 3718503, Public Water Supply.
 Applicant **PA American Water Company**
 Township or Borough Jackson Township
 County **Butler County**
 Responsible Official William Lage
 Type of Facility Public Water Supply
 Consulting Engineer Kurt Todd
 Gateway Engineers
 201 South Main Street
 Butler, PA 16001
 Application Received Date August 24, 2018
 Description of Action Installation of water booster
 station for Condominium
 Development.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 1940, 484-250-5980.

WA-09-936-A, Water Allocations, **Hulmeville Municipal Authority**, 321 Main Street, Hulmeville, PA 19047, Hulmeville Borough, **Bucks County**. Subsidiary Water Allocation renewal for purchase of water from Bucks County Water and Sewer Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the

intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Inflection TLC Well Site, 448 Yeagle Road, Montoursville, Eldred Township, **Lycoming County**. GeoServices, Ltd, 1525 Cedar Cliff Drive, Camp Hill, PA 17011, on behalf of Inflection Energy (PA) LLC, 101 W. Third Street, Floor 5, Williamsport, PA 17701, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with produced water.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGR046-NE001. Summit Anthracite, Inc., 196 Vista Road, Klingers-town, PA 17941. A permit renewal application for continued coverage under General Permit WMGR046 for the composting of waste paper and paper mill sludge for beneficial use as a soil amendment at the Feather

Stripping Site located in Porter Township, **Schuylkill County**. The application was received by the Department on August 17, 2018 and supplemental information was received on August 30, 2018. The application was deemed administratively complete by the Regional Office on August 30, 2018.

Comments concerning the application should be directed to Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E,

or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

54-00021A: Pine Grove Landfill, Inc (100 Brandywine Blvd, Suite 300, Newtown, PA 18940) for the installation and operation of one (1) new open flare to be added to the existing landfill gas collection system, which includes two (2) enclosed ground landfill gas flares currently installed at their facility in Pine Grove Township, **Schuylkill County**.

This change does not represent a reactivation of the closed landfill and no current emission limits in the facility Title V permit will change as a result of this modification. The Plan Approval will contain additional recordkeeping, testing, and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 54-00021. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 54-00021A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

10-281P: II-VI Incorporated (375 Saxonburg Blvd., Saxonburg, PA 16056), for the construction and initial operation of a zinc selenide/zinc sulfide chemical deposition furnace at their existing facility in Clinton Township, **Butler County**. Emissions from the deposition process will be reduced by particulate matter filtration and a scrubber. Potential emissions associated with the project are estimated to be: PM, less than 0.01 ton per year; Hydrogen Selenide, less than 0.01 tpy; Hydrogen Sulfide, less than 0.01 tpy.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0197A: Hiossen Inc. (85 Ben Fairless Drive, Fairless Hills, PA 19030) to construct and operate an acid etching machine with two (2) scrubbers at an existing State-Only facility located in Falls Township, **Bucks County**. The project does not trigger applicability toward the Federal PSD regulation or the Department's NSR regulation. The potential emissions increase (in tons) from this project will be as follows: Hydrochloric Acid—0.26, Hydrofluoric Acid—0.0025, and Sulfuric Acid—0.26. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

AMS IP18-000169: Kinder Morgan Liquid Terminals, LLC—Point Breeze Terminal (6310 West Passyunk, Philadelphia, PA 19153) for the installation of a 902 actual cubic feet per minute (ACFM) hydrocarbon vapor recovery unit with a new volatile organic compound (VOC) continuous emissions monitoring system (CEMS) as a primary control device to control loading/unloading from the tank truck rack during gasoline and fuel grade ethanol loading. The facility's gasoline throughput will be reduced from 365,000,000 to 353,000,000 gallons per year. The plan approval includes a changes to the facility's

hourly and annual emission limits for gasoline loading. The potential emissions from the facility will be limited to less than 25 tons per rolling 12-month period of VOCs, 10 tons per rolling 12-month period of individual Hazardous Air Pollutants (HAPs), and 25 tons per rolling 12-month period of combined HAPs. The plan approval will contain operating, monitoring, testing, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05001: Magnesita Refractories Company (425 S. Salem Church Road, York, PA 17408-5955) for approval of a Reasonably Available Control Technology 2 (RACT 2) plan to supersede the existing RACT 1 plan for the refractories manufacturing facility in West Manchester Township, **York County**, as a significant modification to the facility's Title V operating permit.

In accordance with 25 Pa. Code Sections 129.91 through 129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT 2 plan to supersede the existing RACT 1 plan, to be submitted as part of the State Implementation Plan (SIP) for the above-mentioned facility.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT 2 approval, and the RACT 1 plan supersedure approval for the facility, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed RACT 2 plan and RACT 1 plan supersedure, if approved by DEP, will be issued as a significant modification to the facility's Title V operating permit (67-05001). The relevant RACT 2 requirements will also be submitted to the U.S. Environmental Protection Agency (EPA) for approval and incorporation into Pennsylvania's State Implementation Plan. Requirements that are not part of the RACT 2 approval will be excluded from the SIP submittal.

The following is a summary of the proposed RACT 2 requirements for this facility that will be submitted to the EPA as part of the SIP:

RACT 2 Case-by-Case Requirements (to replace in their entirety the current RACT 1 requirements for the affected source):

I. Rotary Kilns (Sources 405 and 415)

a. Emissions from the Rotary Kilns shall not exceed the following:

1. Kiln 1: 34.0 pounds of NO_x per ton of product
2. Kiln 2: 38.0 pounds of NO_x per ton of product

b. The permittee shall do the following O&M activities related to the Rotary Kilns:

1. Oxygen and carbon monoxide analyzers associated with the automated combustion control system on each rotary kiln shall be inspected for proper operation at least weekly, with corrective action taken if problems are noted.

2. Kiln feed controls on each rotary kiln shall be verified for proper calibration at least every six months, with adjustments made as necessary.

3. Fuel feed controls on each kiln shall be verified for proper calibration at least annually, with adjustments made as necessary.

4. Coal mill level controls on each kiln shall be verified for proper calibration at least annually, with adjustments made as necessary.

5. Thermocouples associated with the combustion control system on each rotary kiln shall be inspected and verified for proper calibration at least annually, with adjustments made or corrective actions taken as necessary.

6. The flame pattern on each kiln shall be visually inspected at least each week, with corrective actions taken as necessary.

7. The burner pipe on each kiln shall be inspected at least annually, with corrective actions taken as necessary.

c. The permitted shall keep records of the following for the Rotary Kilns:

1. Weekly oxygen and carbon monoxide analyzer inspections, plus records of any maintenance done in response to problems noted during the inspections

2. 6-month rotary kiln feed control calibration verifications, plus records of any adjustments made as a result of the verifications

3. Annual rotary kiln fuel feed control calibration verifications, plus records of any adjustments made as a result of the verifications

4. Annual rotary kiln coal mill level control calibration verifications, plus records of any adjustments made as a result of the verifications

5. Annual rotary kiln thermocouple inspections and calibration verifications are maintained, plus adjustments or maintenance performed as a result of the inspections or verifications

6. Weekly rotary kiln flame pattern inspections, plus records of any corrective actions taken as a result of each inspection.

7. Annual rotary kiln burner pipe inspections, plus records of any corrective actions taken as a result of each inspection.

- d. NO_x emissions from each of Sources 405 and 415 shall be verified one time in each 5-year calendar period. This testing shall be conducted in accordance with the provisions of Chapter 139 of the Department's rules and regulations.

II. Tunnel Kilns 5 and 6 (Sources 810 and 820), Kiln 7 (Source 830), Curing Oven (Source 801)

a. The permittee shall do the following O&M activities:

1. Visually inspect each Source 801 burner at least annually.
2. Visually inspect each burner on each kiln (Sources 810 and 820) at least once each week.
3. Physically inspect each burner on each kiln (Sources 810 and 820) at least once each calendar month, and adjust the air to fuel ratio if necessary.
4. Monthly change the filters for the combustion air and diffusion air (secondary air) for Source 830.
5. Physically inspect each burner for Source 830 at least every 500 hours of operation.

b. The permittee shall keep records of the following:

1. Periodic burner inspections for Sources 801, 810, 820 and 830.
2. All inspections, adjustments or maintenance related to burner or kiln operation for Sources 801, 810, 820 and 830.
3. Monthly filter changes for Source 830.

Note: The above conditions shall supersede the SIP-ed RACT 1 requirements for this facility, upon approval by EPA as a SIP revision.

Public Comment Details:

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to William Weaver, Air Quality Program Manager, Air Quality Program, at 909 Elmerton Avenue, Harrisburg, PA 17110. A 30-day comment period from the date of publication of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT 2 condition, including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the RACT 2 approval.

Public hearing. A public hearing will be held on 10/23/18, at 10:00 a.m. at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed permit action and the proposed SIP revision. To register to speak at the hearing, please contact Dawne Wilkes at 717-705-4702. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be 10/16/18.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to William Weaver, at 909 Elmerton Avenue, Harrisburg, PA 17110.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Southcentral Regional Office at 909 Elmerton Avenue, Harrisburg, PA 17110. Appointments for scheduling a review may be made by calling Dawne Wilkes at 717-705-4702.

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Dawne Wilkes at 717-705-4702 or make accommodations through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD).

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

13-00017: Mountain Crest Crematory, Inc. (10 E. Kline Road, McAdoo, PA 18237) The Department intends to issue a renewal State-Only (Natural Minor) Permit for the human crematory facility located in the Banks Township, **Carbon County**. The primary sources consist of one (1) crematory incinerator. The control device consists of an afterburner. The source is considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05157: Ivy Creek Custom Cabinetry, Inc. (99 Elmwood Avenue, Landisville, PA 17538-1305) to issue a State-Only Operating Permit for the operation of their wood furniture surface coating facility in East Hempfield Township, **Lancaster County**. Past actual emissions from the facility are estimated to be 2.42 tpy VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

60-00021: Iddings Quarry Inc. (900 Chestnut St., Mifflinburg, PA 17844) to issue a renewal State Only "Synthetic Minor" Operating Permit for their Limestone Township Quarry located in Limestone Township, Union County. The facility is currently operating under State Only "Synthetic Minor" Operating Permit 60-00021. The facility's main sources include a stone screening and crushing operation and four diesel-fired engines. Particulate emissions from the stone screening and crushing operation are controlled by a water spray dust suppression system.

The facility has potential emissions of 3.8 tons per year (TPY) of particulate matter, 5.7 TPY of nitrogen oxides, 1.2 TPY of carbon monoxide, 0.4 TPY of sulfur oxides, 0.5 TPY of volatile organic compounds, 0.1 TPY of hazardous air pollutants, and 213 TPY of greenhouse gases (carbon

dioxide equivalents). No emission or equipment changes are being proposed by this action.

The emission limits and work practice standards along with monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145 and 40 CFR Part 63 Subpart ZZZZ.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief— Telephone: 412-442-4336.

30-00109: Equitrans, LP (EQT Plaza, 625 Liberty Ave., Suite 1700, Pittsburgh, PA, 15222).

The Department intends to issue a State Only Operating Permit renewal for the Rogersville Compressor Station in Center Township, **Greene County**. Equipment at this facility includes one (1) 83.4 bhp natural gas-fired emergency generator engine, one (1) 127 MMscfd triethylene glycol dehydration unit controlled by a 7.0 MMBtu/hr natural gas-fired enclosed ground flare, one (1) 0.77 MMBtu/hr natural gas-fired dehydration unit reboiler, one (1) condensate storage tank, one (1) glycol line heater, one (1) parts washer, blowdown emissions, and fugitive emissions. Potential annual emissions from this facility are as follows: 5.71 tons NO_x, 1.34 tons VOCs, and 5.66 tons CO, 0.42 ton PM₁₀, 0.42 ton PM_{2.5}, 0.18 ton sulfur oxides, 0.08 ton HAPs, and 7,721 tons of greenhouse gases. The facility is subject to the applicable requirements of Title 25 Pa. Code Chapters 121–145. The emergency generator engine is subject to 40 CFR Part 60, Subpart JJJJ, NSPS for Stationary Spark Ignition Internal Combustion Engines. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

65-00769: Raven Industries, Inc. (5049 Center Drive, Latrobe, PA 15650) Natural Minor Operating Permit is for a facility that produces toner and is located in Unity Township, **Westmoreland County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the above-mentioned facility. Sources of emissions consist of various blending, milling, and extruding equipment, as well as machines for filling toner cartridges. These sources are controlled by nine different baghouses. Emissions at the facility are primarily particulate matter (PM₁₀) emissions and are based on material throughput. Emissions are projected to be 11.53 tons per year PM₁₀. The facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes operation requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be

considered prior to the issuance of the State-Only Operating Permit may submit the information to Bradley Spayd, Air Quality Engineering Trainee, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments; identification of the proposed Operating Permit (65-00769) and a concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Bradley Spayd, Air Quality Engineering Trainee, at the above address. For additional information concerning the permit or the issuance procedure, contact Bradley Spayd at the same address above or phone at (412) 442-5227.

All comments must be received prior to the close of business 30 days after the date of this publication.

56-00164: George E. Mason Funeral Home, Inc. (1687 Tire Hill Road, Davidsville, PA 15928) Natural Minor Operating Permit is for a funeral home that operates two crematories and is located in Conemaugh Township, **Somerset County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the above-mentioned facility. Sources of emissions consist of two crematories. The first is a propane-fired, 1.92 MMBtu/hr All Crematory Corporation (Model L-1701) with a capacity of 100 lbs/hr; the second is a propane-fired, 1.80 MMBtu/hr Matthews International (Model IE43-PPI) with a capacity of 150 lbs/hr. Emission estimates were provided using stack tests from identical units. Facility-wide emission estimates are projected to be 1.35 ton per year (TPY) SO₂, 1.90 TPY NO₂, 1.46 TPY VOC, 2.0 TPY PM, 2.0 TPY PM₁₀, 2.68 TPY CO, 0.28 TPY HAP, and < 0.001 TPY lead. The facility is required to conduct surveys of the site once per cremation cycle to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes operation requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Bradley Spayd, Air Quality Engineering Trainee, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments; identification of the proposed Operating Permit (32-00390) and a concise statement regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone,

where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Bradley Spayd, Air Quality Engineering Trainee, at the above address. For additional information concerning the permit or the issuance procedure, contact Bradley Spayd at the same address above or phone at (412) 442-5227.

All comments must be received prior to the close of business 30 days after the date of this publication.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00044A: Just Born, Inc. (1300 Stefko Blvd, Bethlehem, PA 18017) for their facility located in City of Bethlehem, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Just Born, Inc. (1300 Stefko Blvd, Bethlehem, PA 18017) for their facility located in City of Bethlehem, Northampton County. This Plan Approval No. 48-00044A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 48-00044A is for the insulation and operation of a new sugar dust filter system. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions and 25 Pa. Code §§ 127.1 and 127.12 for particulate matter. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00044A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania*

Bulletin or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

35-00003B: General Dynamics Ordinance and Tactical Systems (156 Cedar Avenue, Scranton, PA 18505-1138) for their facility located in Scranton, **Lackawanna County**.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **General Dynamics Ordinance and Tactical Systems** (156 Cedar Avenue, Scranton, PA 18505-1138) for their facility located in Scranton, **Lackawanna County**. This Plan Approval No. 35-00003B will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 35-00003B is for the operation of a welding line with fume hood and two Descaling shot blast booths with dust collectors to control emissions at their facility. Particulate emissions will not exceed 0.04 grain/dscf. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments; identification of the proposed permit No.: 35-00003B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Con-

rol Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

17051601 and NPDES No. PA02351601. Junior Coal Contracting, Inc. (2330 Six Mile Road, Phillipsburg, PA 16866). To renew the Leslie Tipple in Decatur Township, **Clearfield County**. No additional discharges. The application was considered administratively complete on August 27, 2018. Application received: February 12, 2018.

26970702 and NPDES No. PA0215112. Matt Canestrone Contracting, Inc., (P.O. Box 234, Belle Vernon, PA 15012). To renew the permit for the LaBelle Site in Luzerne Township, **Fayette County**. No additional discharges. The application was considered administratively complete on August 28, 2018. Application received: December 12, 2017.

30831303 and NPDES No. PA0013511. Cumberland Contura, LLC, (158 Portal Road, P.O. Box 1020,

Waynesburg, PA 15370). To renew the permit for the Cumberland Mine in Center, Franklin, Greene, Jackson, Perry, Richhill, Wayne, and Whiteley Townships, **Greene County**. No additional discharges. The application was considered administratively complete on August 28, 2018. Application received: November 8, 2017.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56020104, Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, commencement, operation and restoration of a bituminous surface mine to change land use from Unmanaged Natural habitat and from Forestland to Industrial/Commercial and from Forestland to Unmanaged Natural Habitat in Brothersvalley Township, **Somerset County**, affecting 128.8 acres. Receiving stream: unnamed tributary to Buffalo Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 29, 2018.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

61980103 and NPDES Permit No. PA0227846. Bedrock Mines, LP (111 Freeport Road, Pittsburgh, PA 15215) Renewal of an existing bituminous surface mine and associated NPDES permit in Irwin Township, **Venango County** affecting 111.0 acres. Receiving streams: Scrubgrass Creek classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: August 27, 2018.

16090102. Reichard Contracting, Inc. (212 Olean Trail, New Bethlehem, PA 16242). Revision to an existing bituminous surface and auger mine to change the post-mining land use from forestland and forestland abandoned surface mine to unmanaged natural habitat on the Jack A. and Paulette C. Schultz and Edward Jay Baer and Dorothy Marie Divelbiss properties in Porter Township, **Clarion County**. Receiving streams: Three unnamed tributaries to Leisure Run, Leisure Run, and one unnamed tributary to Long Run, classified for the following uses: CWF. The first downstream potable water supply intake from the point of discharge is New Bethlehem Borough. Application received: August 27, 2018.

24080101 and NPDES Permit No. PA0258555. RES Coal, LLC (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920) Renewal of an existing bituminous surface and auger mine and associated NPDES permit in Fox Township, **Elk County** affecting 225.0 acres. Receiving streams: One unnamed tributary to Kyler Run and Kyler Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: August 27, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17060112. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Permit revision in land use change from forestland to unmanaged natural habitat to a bituminous surface and auger mine in Bell Township, **Clearfield County** affecting 367.0 acres. Receiving streams: Laurel Run and Lost Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: August 21, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

02070104 and NPDES Permit No. PAPA0251224. Collier Land & Coal Development, LP (223 Fourth Avenue, 4th Floor, Pittsburgh, PA 15222). Renewal application for continued mining to an existing bituminous surface mine, located in Collier Township, **Armstrong County**, affecting 33.3 acres. Receiving streams: un-

named tributaries to Robinson Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: August 24, 2018.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 7474SM1A1C14 and NPDES Permit No. PA119253. New Enterprise Stone & Lime Co., Inc. d/b/a Eastern Industries, Inc., (3724 Crescent Court West, Suite 200, Whitehall, PA 18052), correction to move NPDES Point 001 on existing NPDES Permit for discharge of treated mine drainage in Palmer, Upper and Lower Nazareth Townships, **Northampton County** affecting 140.4 acres, receiving stream: unnamed tributary to Schoeneck Creek, classified for the following uses: warm water and migratory fishes. Application received: August 6, 2018.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0243485 (Mining permit no. 17030107), Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, renewal of an NPDES permit for surface coal mining with passive treatment facilities only in Lawrence Township, **Clearfield County** affecting 3.5 acres. Receiving stream(s): Unnamed Tributary to Moose Creek, classified for the following use(s): CWF, MF. Moose Creek TMDL. Application received: July 25, 2018.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon existing baseline pollution load or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to Unnamed Tributary to Moose Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
004	N

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		6.7	13.4	16.8
Aluminum (mg/l)		7.6	7.6	7.6
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0122629 (Mining Permit No. 5074SM1), New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, new NPDES permit for noncoal surface mining in Guilford Township, **Franklin County**, affecting 396.92 acres. Receiving stream: Intermittent unnamed tributary to Conococheague Creek, classified for the following use: warm water fishes. Application received: July 19, 2018.

The following outfalls require a non-discharge alternative:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N
003	Y

The proposed effluent limits for the emergency spillways are as follows:

Outfalls: 002 & 003

<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0258318 (Permit No. 24070301). Advanced Disposal Services Greentree Landfill, LLC (635 Toby Road, Kersey, PA 15846) Renewal of an existing NPDES permit for a large industrial minerals surface mine in Fox Township, **Elk County**, affecting 227.0 acres. Receiving streams: Unnamed tributaries to Bear Run, classified for the following uses: CWF. TMDL: Little Toby Creek. Application received: July 6, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to unnamed tributaries to Bear Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TP1	N
TP3	N
TP6	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
¹ The parameter is applicable at all times.				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35	70	90

The following outfalls discharge to unnamed tributaries to Bear Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
SP1	N
SP2	N
SP3	N
SP6	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
¹ The parameter is applicable at all times.				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35	70	90

The following outfall discharges to unnamed tributaries to Bear Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
SP4	N

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
¹ The parameter is applicable at all times.				
Iron (mg/l)		2.2	4.4	5.5

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Manganese (mg/l)		1.3	2.6	3.25
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35	70	90

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0237825 (Mining permit no. 14980301), Graymont (PA) Inc., 965 East College Avenue, State College, PA 16823, renewal of an NPDES permit for industrial minerals deep mine noncoal operation in Spring Township, **Centre County** affecting 481.1 acres. Receiving stream(s): Logan Branch (Spring Creek), classified for the following use(s): CWF. Application received: June 29, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Logan Branch:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Location</i>
001	N	Eby Sink
002	N	Eby Sink
003	N	McJunkin Injection Site
001B	N	Whiterock Sink
002B	N	Agway Sink
005B	N	Smeltzer Farm

The proposed effluent limits* for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	3.0	3.75
Manganese (mg/l)		1.0	2.0	2.5
Total Suspended Solids (mg/l)		25.0	45.0	62.5

*As measured one time per day, when discharging, at the following sampling locations: final discharge point from the ponds at Gentzel Quarry (when discharging to the Eby sink (002) or McJunkin Injection Site (003) or from pipeline monitoring port located at the holding tank near the Whiterock sink hole for Eby Sink (001), Whiterock Sink (001-B), Agway Sink (002-B) or Smeltzer Farm (005-B)).

The following outfall discharges to Logan Branch:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Location</i>
010B	N	Logan Branch pipeline

The proposed effluent limits* for the previously listed outfall is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	3.0	3.75
Manganese (mg/l)		1.0	2.0	2.5
Total Suspended Solids (mg/l)		35	70	90

*As measured one time per day, when discharging, at pipeline monitoring port located between the holding tank near the Whiterock sinkhole and the final pipeline discharge.

<i>Parameter</i>	<i>Period</i>	<i>Measurement Frequency</i>	<i>Instant. Maximum</i>
Temperature (°F)	June 15—September 30	Once per hour when discharging at outfall at Logan Branch	Monitor Only

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as

relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a

concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-812. Ken Churchill, 906 Lakeside Drive, Harveys Lake, PA 18612, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To remove an existing dock and boathouse and to construct and maintain a 1,062 sq. ft., pile-supported dock and boathouse within the basin of Harveys Lake (HQ-CWF). The project is located at Pole # 88 along Lakeside Drive (S.R. 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 35"; Longitude: -76° 1' 48") in Harveys Lake Borough, Luzerne County. (Harveys Lake, PA Quadrangle, Latitude: 41°22'35"; Longitude: -76°1'48").

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-517, PA Department of Transportation, District 10-0, 2550 Oakland Ave., Indiana PA 15701. Shawood Pipe Replacement, in Muddy Creek Township, **Butler County**, ACOE Pittsburgh District (Portersville, PA Quadrangle N: 40°, 57', 48"; W: 80°, 08', 14").

To remove and/or grout shut the existing 1,211-ft long corrugated metal pipe and to construct and maintain a 521-ft long, 7.5-ft diameter reinforced concrete pipe under the Ramp Q infield area and SR 0422. The project will result in daylighting of approximately 858-ft of UNT Muddy Creek by constructing a designed stream channel to the inlet of the proposed concrete pipe. The project will result in 1,280-ft of permanent impact to UNT Muddy Creek, which includes 858-ft of stream daylighting and the proposed concrete pipe, and a total of 1,416-ft of temporary stream impacts to UNT Muddy Creek. Additionally, the project will result in 0.495-ac of permanent wetland impacts (0.243-ac to PEM; 0.192-ac to PSS; 0.060-ac to PFO) which will be offset by the creation of 0.553-ac of wetland (0.255-ac PEM; 0.216-ac PSS; 0.082-ac PFO) to be constructed along the proposed floodplain bench area on the left descending bank of the daylighted portion of UNT Muddy Creek.

Northwest Region: District Oil and Gas Office, 230 Chestnut Street Meadville PA 16335, 814-332-6860.

E16-08-004, Laurel Mountain Production, LLC, 61 McMurray Road, Suite 300, Pittsburgh, PA 15241. Windy Oakland Major Modification to ESG17-031-0003, in Perry Township, **Clarion County**, ACOE Pittsburgh District, Parker, PA Quadrangle N: 41°, 07', 20"; W: 79°, 38', 38".

The project involves the widening of McNany Road to accommodate additional heavy truck traffic associated with the construction of the Windy Oakland Well Pad and future drilling activities. The proposed project impacts in Clarion County include a total of 43 linear feet of permanent impacts to a UNT of Clarion River WWF. The project also has 0.03 acre of permanent impact to Palustrine Emergent (PEM) wetland(s). One floodway will be impacted having 0.105 acre of permanent impacts.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential

septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0086673 SEW	Marklesburg Borough Authority P.O. Box 24 3322 Old Mountain Road Suite B James Creek, PA 16657-0024	Marklesburg Borough, Huntingdon County	Unnamed Tributary to James Creek in Watershed(s) 11-D	Y
PA0042528 SEW	Margaretta MHP 1446 Prayer Mission Road York, PA 17406-8624	Lower Windsor Township, York County	Cabin Creek in Watershed(s) 7-I	Y
PA0087050 SEW	Valley Creek Estates Home Owners Association 20475 Route 19, # 4 Cranberry Township, PA 16066	Montgomery Township, Franklin County	Licking Creek in Watershed(s) 13-C	Y
PA0030171 SEW	Llewellyns Manufactured Home Community Inc. 4550 Bull Road Dover, PA 17315-2025	Conewago Township, York County	Unnamed Tributary of Little Conewago Creek in Watershed(s) 7-F	Y
PA0261793 SEW	Laura Lee Kauffman & William S Kauffman 110 Union Hall Road Carlisle, PA 17013	North Middleton Township, Cumberland County	Unnamed Tributary to Conodoguin Creek in Watershed(s) 7-B	Y
PA0046302 IW	PA American Water Company 800 W Hershey Park Drive Hershey, PA 17033-2400	South Hanover Township, Dauphin County	Manada Creek and Swatara Creek in Watershed(s) 7-D	Y
PA0086215 SEW	Peifer Brothers P.O. Box 247 Silver Spring, PA 17575-0247	Lower Windsor Township, York County	Unnamed Tributary to Cabin Creek in Watershed(s) 7-I	Y
PA0082465 SEW	Camp Penn Susquehanna Conference of U.M. Church P.O. Box 511 8005 Old Forge Road Waynesboro, PA 17268	Quincy Township, Franklin County	Trucker Run in Watershed(s) 13-C	Y
PA0081795 SEW	TKSM LLC 1190 Wyndsong Drive York, PA 17043	Monroe Township, Cumberland County,	Yellow Breeches Creek in Watershed(s) 7-E	Y

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0253588 A-1 (Industrial)	Crooked Creek Treatment Facility 1000 Consol Energy Drive Canonsburg, PA 15317-6506	Armstrong County South Bend Township	Crooked Creek (17-E)	No
PA0254231 (Storm Water)	Ingram Barge Co. Monongahela Mile Marker 22.2 P.O. Box 238 100 Atlantic Avenue Elizabeth, PA 15037-0238	Allegheny County Elizabeth Borough	Monongahela River (19-C)	Yes
PA0097110 (Industrial)	Shade Landfill 1176 No 1 Road Cairnbrook, PA 15924-8406	Somerset County Shade Township	Dark Shade Creek and Laurel Run (18-E)	No
PA0090948 (Industrial)	Chestnut Valley Landfill 1184 McClellandtown Road McClellandtown, PA 15458	Fayette County German Township	Unnamed Tributary of Dunlap Creek (19-C)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES Permit No. PA0032352, Sewage, SIC Code 8211, **Williamsport Area School District**, 1400 W 3rd Street, Williamsport, PA 17701-7898.

This existing facility is located in Hepburn Township, **Lycoming County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit Amendment for an existing discharge of treated Sewage.

NPDES Permit No. PA0008443, Industrial, SIC Code 1795, 2999, 4911, **Montour LLC**, 18 McMichael Rd, Washingtonville, PA 17884.

This existing facility is located in Derry Township, **Montour County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated industrial wastewater.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No. PA0035360, Sewage, SIC Code 4952, **Plum Borough Municipal Authority**, 4555 New Texas Road, Pittsburgh, PA 15239-1197.

This existing facility is located in Plum Borough, **Allegheny County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit Amendment for an existing discharge of treated sewage.

NPDES Permit No. PA0254983, Storm Water, SIC Code 4491, **Donora Dock LLC**, 11 Lloyd Avenue, Suite 200, Latrobe, PA 15650-1711.

This proposed facility is located in Carroll Township, **Washington County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Storm Water.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0265829, Sewage, SIC Code 5541, **Loves Travel Stops & Country Stores Inc.**, 10601 N Pennsylvania Avenue, Oklahoma City, OK 73120-4108.

This proposed facility is located in Worth Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0271659, Sewage, SIC Code 8800, **Larry Flick**, 207 Charleston Road, Sharpsville, PA 16150.

This proposed facility is located in Jefferson Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0271543, Sewage, SIC Code 8800, **John Cole**, 10475 Old Route 99, McKean, PA 16426

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2118401, Sewerage, **Rodney Groff**, 7723 Wertzville Road, Carlisle, PA 17013.

This proposed facility is located in Middlesex Township, **Cumberland County**.

Description of Proposed Action/Activity:

This permit approves the construction/operation of a single residence sewage treatment system to serve their single-family residence located on 7725 Wertzville Road, Carlisle, PA 17013.

WQM Permit No. WQG01211801, Sewerage, **Shannon L. Dunlap-Mullin**, 128 Woods Road, Newville, PA 17241.

This proposed facility is located in Upper Mifflin Township, **Cumberland County**.

Description of Proposed Action/Activity:

This permit approves the construction/operation of a single residence sewage treatment system to serve their single-family residence located on 695 Brandy Run Road, Newville, PA 17241.

WQM Permit No. WQG01501801, Sewerage, **Abram K Beiler**, 1766 Valentine Road, Ickesburg, PA 17037.

This proposed facility is located in Northeast Madison Township, **Perry County**.

Description of Proposed Action/Activity:

This permit approves the construction and operation of a Small Flow Treatment Facilities designed according to the Small Flow Treatment Facilities Manual DEP ID 362-0300-002.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

WQM Permit No. 4104401 A-3, Sewage, SIC Code 8211, **Williamsport Area School District**, 1400 W 3rd Street, Williamsport, PA 17701-7898.

This existing facility is located in Hepburn Township, **Lycoming County**.

Description of Proposed Action/Activity: Permit issued authorizing the conversion of chlorine contact tank to effluent holding tank with pump station, installation of flow meter, effluent filter and UV disinfection system to replace existing erosion chlorination.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4318406, Sewage, **Shenango Township Municipal Authority Mercer County**, 155 Campground Road, West Middlesex, PA 16159-2803.

This proposed facility is located in Shenango Township, **Mercer County**.

Description of Proposed Action/Activity: Pump station and force main to convey sewage flows from Oak Tree subdivision to Shenango Township Municipal Authority sewage treatment plant.

WQM Permit No. 2410402 A-2, Sewage, **Benezette Township Elk County**, P.O. Box 10, Benezette, PA 15821-0010.

This existing facility is located in Benezette Township, **Elk County**.

Description of Proposed Action/Activity: Wastewater treatment plant improvements.

WQM Permit No. 1018406, Sewage, **Loves Travel Stops & Country Stores Inc.**, 10601 N Pennsylvania Avenue, Oklahoma City, OK 73120-4108.

This proposed facility is located in Worth Township, **Butler County**.

Description of Proposed Action/Activity: New WQM permit for a new travel stop business.

IV. NPDES Stormwater Discharges from MS4 Permit Actions.

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI132266	Smithfield Township 1155 Red Fox Road East Stroudsburg, PA 18301	Smithfield Township, Monroe	Brodhead Creek (TSF/MF, CWF/MF existing use) and Sambo Creek (CWF/MF)	N	Y

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality County</i>	<i>Receiving Waters/ User</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI136141	Upper St. Clair Township 1820 McLaughlin Run Road Upper Saint Clair, PA 15241	Upper Saint Clair Township, Allegheny	Unnamed Tributaries of Painters Run, Painters Run, Unnamed Tributaries of Brush Run, Unnamed Tributaries of Chartiers Creek, Chartiers Creek, Unnamed Tributaries of McLaughlin Run, McLaughlin Run, and Greasers Run/ WWF	Y	Y

V. NPDES Waiver Stormwater Discharges from MS4 Actions.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/ Use(s)</i>
PAG136157	Big Beaver Borough 114 Forest Drive Darlington, PA 16115-3206	Big Beaver Borough, Beaver	Beaver River/WWF
PAG136371	Penn State Beaver Campus 100 University Drive Monaca, PA 15061-2764	Monaca Borough, Beaver	Unnamed Tributary to Ohio River and Unnamed Tributary to Moon Run/WWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/ Use</i>
PAD090010	St. Luke's Quakertown Hospital 1021 Park Avenue Quakertown, PA 18951-0130	Bucks	Milford Township	Unnamed Tributary 01396 and 01397 to Unami Creek HQ-TSF-MF
PAD090030	Rebecca River Road, LLC 190 Witherspoon Street Princeton, NJ 08542	Bucks	New Hope Borough	Aquetong Creek HQ-CWF-MF
PAD150094	Stoltzfus Enterprises, Inc. 23 East Main Street Elverson, PA 19520	Chester	East Nantmeal Township	South Branch French Creek EV-MF
PAD150057	The Hankin Group 707 Eagleview Boulevard Exton, PA 19341	Chester	Uwchlan Township	Shamona and Marsh Creeks HQ-TSF-MF
PAD230028	Melmark 2600 Wayland Road Berwyn, PA 19312-2307	Delaware	Newtown Township	Crum Creek HQ-CWF-MF
PAD460017	Toll PA III, L.P. 250 Gibraltar Road Horsham, PA 19044	Montgomery	Lower Moreland Township	POI A—Pennypack Creek Tributary TSF-MF

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD510010	City of Philadelphia, Division of Aviation (DOA) Philadelphia International Airport Terminal D, Third Floor Philadelphia, PA 19153	Philadelphia	City of Philadelphia	Pennypack Creek TSF-MF
PAD510023	Philaport, the Port of Philadelphia 3460 North Delaware Avenue Philadelphia, PA 19134	Philadelphia	City of Philadelphia	Delaware River WWF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.
Lackawanna County Conservation District, 1038 Montdale Road, Scott Township, PA 18447.*

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350007	Lackawanna Heritage Valley National and State Heritage Area 213 South 7th Avenue Scranton, PA 18505	Lackawanna	Dickson City Borough	Lackawanna River (CWF, MF) EV Wetlands

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350063	Bruce Fosselman Lower Macungie Twp 3400 Brookside Rd Macungie, PA 18062	Lehigh	Lower Macungie Township	Little Lehigh Creek (HQ-CWF, MF)

Susquehanna County Conservation District, 88 Chenango Street, Montrose, PA 18801.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD580006	Elk Mountain Ski Resort, Inc. RR2, Box 3328 Union Dale, PA 18470	Susquehanna	Herrick Township	East Branch Tunkhannock Creek (HQ-CWF, MF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bedminster Township Bucks County	PAC090171	Mariusz Jastrzebski 17 Candlewood Road Williamstown, NJ 08094-9133	WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Warrington Township Bucks County	PAC090186	MDG No. 4, LLC 1030 Reed Avenue Wyomissing, PA 19610	TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Makefield Township Bucks County	PAC090185	Caddis Acquisition Partners, LLC 5910 North Central Expressway Suite 1400 Dallas, TX 75206	WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Southampton Township Bucks County	PAC090162	Oliver Healthcare Packaging, Inc. 3840 Symmes Road Hamilton, OH 45015	TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Warrington Township Bucks County	PAC090187	Dorothy W. Ball 981 Lower State Road Chalfont, PA 18914	TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Makefield Township Bucks County	PAC090197	Toll Bros. Inc. 250 Gibraltar Road Horsham, PA 19044-2323	WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Allentown City Lehigh County	PAC390036	Allentown School District 31 S Penn St Allentown, PA 18102	Jordan Creek (TSF, MF)	Lehigh County Conservation District 610-391-9583
Whitehall Twp Lehigh County	PAC390050	PA CVS Pharmacy LLC C/O Summit Realty Advisors LLC 201 S Maple Ave Ste 100 Ambler, PA 19002	Lehigh River (CWF, MF)	Lehigh County Conservation District 610-391-9583
Plains Twp Wilkes-Barre City Luzerne County	PAC400035	Wilkes-Barre Veterans Affairs Medical Center Chris Colegrove 1111 East End Blvd Wilkes-Barre, PA 18711	Mill Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991
Pringle Boro Luzerne County	PAC400077	Double U Developers Joseph Usefara 68 Pettibone St Swoyersville, PA 18704	Tobys Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991
West Easton Boro Northampton County	PAC480052	Peter J Rossi 1105 Appleblossom Rd Easton, PA 18040	Lehigh River (WWF, MF)	Northampton County Conservation District 610-829-6276

*Facility Location:
Municipality &
County*

Permit No.

*Applicant Name &
Address*

*Receiving
Water/Use*

*Contact Office &
Phone No.*

West Mahanoy Twp
Schuylkill County

PAC540024

John Rampolla
GCC Realty
10 Gilberton Rd
Gilberton, PA 17934

Mill Creek
(CWF, MF)
Stoney Creek
(CWF, MF)
Mahanoy Creek
(WWF, MF)

Schuylkill County
Conservation District
570-622-3742

John Rampolla
Gilberton Power Co
81 Eleanor Ave
Frackville, PA 17931

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

*Facility Location:
Municipality &
County*

Permit No.

*Applicant Name &
Address*

*Receiving
Water/Use*

*Contact Office &
Phone No.*

East St. Clair
Township
Bedford County
Issued

PAC050024

New Paris DPP, LLC
9010 Overlook Boulevard
Brentwood, TN 37027

UNT Dunning Creek
(WWF)

Bedford County
Conservation District
702 West Pitt Street
Suite 4
Bedford, PA 15522
814.623.7900, ext. 4

Bedford Township
Bedford County
Issued

PAC050026

Hoss's Steak and
Seahouse Corporation HQ
170 Patchway Road
Duncansville, PA 16635

Raystown Branch
Juniata River
(TSF)

Bedford County
Conservation District
702 West Pitt Street
Suite 4
Bedford, PA 15522
814.623.7900, ext. 4

Tyrone Borough
Blair County
Issued

PAC070037

Albemarle Corporation
2858 Black Vail Road
Tyrone, PA 16686

UNT S. Bald Eagle
Creek
(TSF, MF)

Blair County
Conservation District
1407 Blair Street
Holidaysburg, PA 16648
814.696.0877, ext. 5

Upper Allen
Township
Cumberland County
Issued

PAC210081

Upper Allen &
Shepherdstown
Elementary Schools
100 East Elmwood
Avenue
2nd Floor
Mechanicsburg, PA 17055

UNT Yellow
Breeches Creek
(CWF, MF)

Cumberland County
Conservation District
310 Allen Road
Suite 301
Carlisle, PA 17013-9101
717.240.7812

Chambersburg
Borough
Franklin County
Issued

PAC280046

Rande LLC
420 Lindman Drive
Chambersburg, PA 17202

Conococheague
Creek
(WWF, MF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
717.264.5499

Greene Township
Franklin County
Issued

PAC280077

Kirk Martin
4961 Cumberland
Highway
Chambersburg, PA 17202

UNT East Branch
Conococheague
Creek
(CWF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
717.264.5499

Letterkenny
Township
Franklin County
Issued

PAC280103

LIDA
5540 Coffey Avenue
Chambersburg, PA 17201

Rocky Springs
(TSF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
717.264.5499

Guilford Township
Franklin County
Issued

PAC280108

Willis Leshner
1153 Swamp Fox Road
Chambersburg, PA 17201

UNT Conococheague
Creek
(WWF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
717.264.5499

NOTICES

5785

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Southampton Township Franklin County Issued	PAC280086	Jay P. Zimmerman 3670 Roxbury Road Shippensburg, PA 17257	UNT Conodoguinet Creek (WWF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Greene Township Franklin County Issued	PAC280101	Jeryl Martin 4961 Cumberland Highway Chambersburg, PA 17202	Back Creek (TSF, MF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Chambersburg Borough Franklin County Issued	PAC290100	Jonathan Stahl 6259 Reynolds Mill Road Seven Valleys, PA 17260	Falling Springs Branch (YTSF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Chambersburg Borough/ Green Township Franklin County Issued	PAC280034	Hugh Davis 2011 Scotland Avenue Chambersburg, PA 17201	Conococheague Creek (CWF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Washington Township Franklin County Issued	PAC280097	Ronnie Martin 1400 East Main Street Waynesboro, PA 17268	West Branch Antietam Creek (CWF, MF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Delaware Township Juniata County Issued	PAC340018	Kurtz Valley Energy, LLC 396 Dairy Lane Mifflintown, PA 17059	UNT Delaware Creek-Intermittent (TSF, MF)	Juniata County Conservation District 146 Stoney Creek Drive Suite 4 Mifflintown, PA 17059-8709 717.436.8953, ext. 5
Union Township Lebanon County Issued	PAC380076	Debra A. Shuey 30 Bohn Lane Jonestown, PA	Forge Creek (WWF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
West Manchester Township York County Issued	PAC670006	UPMC Pinnacle Memorial Paul Toburen 205 South Front Street Harrisburg, PA 17101	Willis Run/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Conewago Township York County Issued	PAC670096	Adept Corporation Walter E. Gropp 4601 Susquehanna Trail North York, PA 17406	Billion Run/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Franklin Township York County Issued	PAC670134	Heavenwood Farm Land Holdings LLC William K. Wilkison 6256 Stirrup Court Harrisburg, PA 17111	NB Bermudian Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
York Township York County Issued	PAC670178	Kehinde & Sholayida Adebayo c/o Shane Baldwin 2525 Eastern Blvd York, PA 17402	Inners Creek/CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
West Mead Township, Crawford County	PAC200045	Meadville (322) DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027	UNT to French Creek WWF	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
Lawrence Park Township, Erie County	PAC250054	GE Transporation 2901 East Lake Road Erie, PA 16531	UNT Four Mile Creek WWF; UNT Lake Erie WWF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
Borough of Grove City, Mercer County	PAC430026	McDonald's USA, LLC 200 West Main Street Grove City, PA 16127	Wolf Creek CWF	Mercer County Conservation District 747 Greenville Road Mercer, PA 16137 724-662-2242

General Permit Type—PAG-3

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
New Castle City Lawrence County	PAG038372	Ellwood Remelt Steel LLC 40 Furnace Street New Castle, PA 16101	Shenango River—20-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942
Jenkins Township Luzerne County	PAG032246	IDC Property, LP 4 Radnor Corporate Center Suite 105 Radnor, PA 19087	Lampblack Creek—5-B CWF/MF	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
Harford Township Susquehanna County	PAR212224	Herb Kilmer & Sons, Inc. P.O. Box 129 Kingsley, PA 18826	Tower Branch—4-F CWF/MF	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511

General Permit Type—PAG-4

Facility Location & Municipality

<i>Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Cumberland County/ Upper Mifflin Township	PAG043969	Shannon L. Dunlap-Mullin 128 Woods Road Newville, PA 17241	Brandy Run/ CWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Cumberland County/ Upper Middlesex Township	PAG043968	Rodney Groff 7723 Wertzville Road Carlisle, PA 17013	UNT Conodoguinet Creek/WWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Perry County/ Northeast Madison Township,	PAG043970	Abram Beiler 1766 Valentine Road Ickesburg, PA 17037	UNT to Bixler Run which is listed in Watershed 7-A	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-05

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Pittsburgh City Allegheny County	PAG056268	7 Eleven Inc. P.O. Box 711 (Loc 0148) Dallas, TX 75221-0711	Unnamed Tributary to Yellow Creek— 20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-8 (SSN)

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Tupper Sverduk Farm Tiger Alloy Mount Wolf, PA 17347	PAG08	Jesse Boro, Inc. 157 Quarry Road Douglasville, PA 19518	Tupper Sverduk Farm Tiger Alloy Mount Wolf, PA 17347	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707
East Manchester Township/ York County				

General Permit Type—PAG-9

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
W. Chillisquaque Twp, Northumberland County	PAG094836	Mark C. Cromley 69 Campbell Mill Rd. Lewisburg, PA 17837	Mark Cromley Farm Chillisquaque Twp Northumberland County	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

General Permit Type—PAG-13

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Coraopolis Borough Allegheny County	PAG136162	Borough of Coraopolis and Coraopolis Water and Sewer Authority Allegheny County 1301 Fourth Avenue Suite 1 Coraopolis, PA 15108	Montour Run McCabe Run, and the Ohio River— 20-G TSF and WWF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Rochester Township Beaver County	PAG136298	Rochester Township 1013 Elm Street Rochester, PA 15074-1357	Beaver River, Unnamed Tributary to Beaver River, Lacock Run, McKinley Run, and Dutchman Run— 20-G and 20-B	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2

Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of

practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 1518503, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010-3402

Township East Caln

County **Chester**

Type of Facility PWS

Consulting Engineer GHD
1240 Mountain Road

Permit to Construct August 10, 2018
Issued

Permit No. 1518506, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010-3402

Township Upper Uwchlan

County **Chester**

Type of Facility PWS

Consulting Engineer GHD, Inc.
1240 Mountain Road
Harrisburg, PA 17112

Permit to Construct August 21, 2018
Issued

Permit No. 1518507, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010-3402

Township East Caln

County **Chester**

Type of Facility PWS

Consulting Engineer GHD, Inc.
1240 Mountain Road
Harrisburg, PA 17112

Permit to Construct August 21, 2018
Issued

Permit No. 1518508, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010-3402

Township West Whiteland

County **Chester**

Type of Facility PWS

Consulting Engineer GHD, Inc.
1240 Mountain Road
Harrisburg, PA 17112

Permit to Construct August 21, 2018
Issued

Permit No. 1518509, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010-3402

Township West Whiteland

County **Chester**

Type of Facility PWS

Consulting Engineer GHD, Inc.
1240 Mountain Road
Harrisburg, PA 17112

Permit to Construct August 21, 2018
Issued

Permit No. 1518510, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010-3402

Township West Whiteland

County **Chester**

Type of Facility PWS

Consulting Engineer GHD, Inc.
1240 Mountain Road
Harrisburg, PA 17112

Permit to Construct August 21, 2018
Issued

Permit No. 0918510, Public Water Supply.

Applicant **Warminster Municipal Authority**
415 Gibson Avenue
Warminster, PA 18974

Township Warminster

County **Bucks**

Type of Facility PWS

Consulting Engineer CKS Engineering, Inc.

Permit to Construct August 3, 2018
Issued

Permit No. 1518505, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010-3402

Township Upper Uwchlan

County **Chester**

Type of Facility PWS

Consulting Engineer GHD, Inc.
1240 Mountain Road
Harrisburg, PA 17112

Permit to Construct August 1, 2018
Issued

Operations Permit No # 2317502 issued to: **Chester Water Authority**, 415 Welsh Street, P.O. Box 467, Chester, PA 19016, **PWS ID # 1230004**, Aston Township, **Delaware County**, on August 10, 2018 for the operation of the Village Green Tank No. 6 Interior Painting and PAX Mixer, approved under construction permit # 2317502.

Operations Permit # 0918502 issued to: **Perkasie Regional Authority**, 150 Ridge Road, Sellersville, PA 18960, **PWS ID # 1090046**, East Rockhill Township, **Bucks County** on March 14, 2018 for the operation of Perkasie Regional Authority-East Rockhill System facilities approved under construction permit # 0918502.

Operations Permit # 0916511 issued to: **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWS ID # 1460073**, Middletown Township, **Bucks County** on March 23, 2018 for the operation of transmission main from Bristol WTP Neshaminy WTP and Neshaminy transfer station facilities approved under construction permit # 0916511.

Operations Permit # 0917516 issued to **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010 **PWS ID # 1090001**, Bristol Borough, **Bucks County** on March 27, 2018 for the operation of the relocated chlorine dioxide generator, sodium chlorine bulk storage tanks, and abandonment of potassium permanganate feed system Bristol Water Treatment Plant facilities approved under construction permit # 0917516.

Operations Permit # 4616521 issued to **Aqua Pennsylvania, Inc.**, 1885 Swamp Pike, Suite 109, Gilbertsville, PA 19525, **PWS ID # 1460085**, Douglass Township, **Montgomery County** on August 1, 2018 for the operation of the Well SWC-14, Disinfection and Certification of 4-log Treatment of Viruses approved under construction permit # 4616521.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 4518508MA, Public Water Supply.

Applicant **Pennsylvania American Water Company**
800 W. Hershey Park Dr.
Hershey, PA 17033

[Borough or Township] Hamilton Township
County **Monroe**

Type of Facility PWS

Consulting Engineer Scott Thomas, PE
PAWC
852 Wesley Dr.
Mechanicsburg, Pa 17055

Permit to Construct 8/15/2018
Issued

Permit No. 3130012, Operations Permit, Public Water Supply.

Applicant **Mr Barry Scherer**
Public Works Supervisor &
Certified Operator
Palmerton Municipal Authority
443 Delaware Avenue
Palmerton PA 18071

[Borough or Township] Palmerton Borough
County **Carbon**

Type of Facility PWS

Consulting Engineer Mr Eric Snyder PE
Keystone Consulting Engineers
Inc
863 Interchange Rd, Suite 101
P.O. Box 639
Kresgeville, PA 18331

Permit to Operate 8/9/2018
Issued

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 28189507, Public Water Supply.

Applicant **Rutter's**
Municipality Quincy Township
County **Franklin**

Responsible Official Tim L. Rutter, President
2295 Susquehanna Trail Road
Suite C
York, PA 17404

Type of Facility Installation of 4-log Treatment of
Viruses at Store No. 78.

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Associates,
Inc.
18 South George Street
York, PA 17401

Permit to Construct 8/23/2018
Issued

Permit No. 2818508 MA, Minor Amendment, Public Water Supply.

Applicant **Bear Valley, Franklin County, Pennsylvania Joint Authority**

Municipality Peters Township
County **Franklin**

Responsible Official Wayne Henry, Chairman
218 School House Road
St. Thomas, PA 17752-0308

Type of Facility Repairs to the existing
sedimentation basin effluent
channel concrete.

Consulting Engineer Christopher M. Echenrode, P.E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602

Permit to Construct 8/29/2018
Issued

Operation Permit No. 3117505 MA issued to: **Mount Union Municipal Authority (PWS ID No. 4310016)**, Shirley Township, **Huntingdon County** on 8/29/2018 for facilities approved under Construction Permit No. 3117505 MA.

Transferred Comprehensive Operation Permit No. 7220048 issued to: **Mr. Jason Ficks (PWS ID No. 7220048)**, Washington Township, **Dauphin County** on 8/30/2018. Action is for a Change in Ownership for Short Mountain Village MHP, Dauphin County for the operation of facilities previously issued to J & T Rentals.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (**PWSID # 5320109**) Conemaugh Township, **Indiana County** on August 28, 2018 for the operation of facilities approved under Construction Permit # 3217520MA.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (**PWSID # 5320048**) Center Township, **Indiana County** on August 22, 2018 for the operation of facilities approved under Construction Permit # 3217506-A1.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (**PWSID # 5320109**) Center Township, **Indiana County** on August 23, 2018 for the operation of facilities approved under Construction Permit # 3217519-A1.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (**PWSID # 5320048**) Center Township, **Indiana County** on August 23, 2018 for the operation of facilities approved under Construction Permit # 3217505-A1.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (**PWSID # 5320109**) Conemaugh Township, **Indiana County** on August 23, 2018 for the operation of facilities approved under Construction Permit # 3217521-A1.

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (**PWSID # 5320025**) White Township, **Indiana County** on August 23, 2018 for the operation of facilities approved under Construction Permit # 3218510.

Operations Permit issued to: **Latrobe Municipal Authority**, 104 Guerrier Street, Latrobe, PA 15650, (**PWSID # 5650060**) Derry Township, **Westmoreland County** on August 29, 2018 for the operation of facilities approved under Construction Permit # 6517502MA.

Permit No. 0218513MA, Minor Amendment. Public Water Supply.

Applicant	Monroeville Municipal Authority 219 Speelman Lane Monroeville, PA 15146
[Borough or Township]	Monroeville Borough
County	Allegheny
Type of Facility	Monroeville Boulevard waterline

Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road Suite 200 Cheswick, PA 15024
---------------------	---

Permit to Construct Issued	August 23, 2018
----------------------------	-----------------

Permit No. 6518503MA, Minor Amendment. Public Water Supply.

Applicant	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
-----------	--

[Borough or Township]	Conemaugh Township
County	Indiana
Type of Facility	Speranza/Elders Ridge Road waterline

Consulting Engineer	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
---------------------	---

Permit to Construct Issued	August 28, 2018
----------------------------	-----------------

Permit No. 6518511MA, Minor Amendment. Public Water Supply.

Applicant	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
-----------	--

[Borough or Township]	Murrysville Borough
County	Westmoreland
Type of Facility	Trafford Road waterline

Consulting Engineer	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
---------------------	---

Permit to Construct Issued	August 29, 2018
----------------------------	-----------------

Permit No. 2618514MA, Minor Amendment. Public Water Supply.

Applicant	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
-----------	--

[Borough or Township]	Hempfield Township
County	Westmoreland
Type of Facility	Trafford Road waterline

Consulting Engineer	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
---------------------	---

Permit to Construct Issued	August 31, 2018
----------------------------	-----------------

Permit No. 3018501MA, Minor Amendment. Public Water Supply.

Applicant	Southwestern Pennsylvania Water Authority P.O. Box 187 1442 Jefferson Road Jefferson, PA 15344
-----------	--

[Borough or Township]	Franklin Township
-----------------------	-------------------

County **Greene**
 Type of Facility Elm Drive waterline
 Consulting Engineer Bankson Engineers, Inc.
 267 Blue Run Road
 Suite 200
 Cheswick, PA 15024
 Permit to Construct August 30, 2018
 Issued

Permit No. 3018503MA, Minor Amendment. Public Water Supply.

Applicant **Southwestern Pennsylvania Water Authority**
 P.O. Box 187
 1442 Jefferson Road
 Jefferson, PA 15344
 [Borough or Township] Cumberland Township
 County **Greene**
 Type of Facility Renaissance Energy Center waterline
 Consulting Engineer Bankson Engineers, Inc.
 267 Blue Run Road
 Suite 200
 Cheswick, PA 15024
 Permit to Construct August 31, 2018
 Issued

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 2084504-T2-MA2, Public Water Supply.

Applicant **Conneaut Lake Trustees**
 Township or Borough Summit Township
 County **Crawford County**
 Type of Facility Public Water Supply
 Consulting Engineer Hugh Haire
 Pittsburgh Tank And Tower Group
 1 Watertank Place
 Henderson KY 42419
 Permit to Construct August 27, 2018
 Issued

Permit No. 4296502-T2-MA1, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
 Township or Borough Mt. Jewett Borough
 County **McKean County**
 Type of Facility Public Water Supply
 Consulting Engineer Robert Horvat
 Entech Engineering
 400 Rouser Road
 Coraopolis, PA 15108
 Permit to Construct August 27, 2018
 Issued

Operation Permit issued to **Aiken Water Treatment Plant, PWSID No. 6420010**, Keating Township, **McKean County**. Permit Number 4297502-MA3 issued August 27, 2018 for the operation of the newly installed liquid sodium hypochlorite feed system. This permit is

issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on August 2, 2018.

Interim Operation Permit issued to **PA American Water Company, PWSID No. 6370011**, Wayne Township, **Lawrence County**. Permit Number 3716502-Interim 1 issued August 31, 2018 for the operation of the 24" waterline along Wampum Road.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 4918503MA—Construction—Public Water Supply.

Applicant **Aqua Pennsylvanian, Inc.**
 Township/Borough Coal Township
 County **Northumberland County**
 Responsible Official Mr. Chad M. Angle
 GHD, Inc.
 1240 North Mountain Road
 Harrisburg, PA 17112
 Type of Facility Public Water Supply—Construction
 Consulting Engineer Mr. Patrick R. Burke
 Director of Operations
 Aqua Pennsylvania, Inc.
 204 E. Sunbury Street
 Shamokin, PA 17872
 Permit Issued August 29, 2018

Description of Action Authorizes Aqua Pennsylvania, Inc—Roaring Creek Division to install a temporary carbon-feed system at the Roaring Creek Water Treatment Plant until a full carbon-feed system is designed, permitted and built.

Permit No. 1718503MA—Operation—Public Water Supply.

Applicant **Aqua Pennsylvania, Treasure Lake Division**
 Township/Borough Sandy Township
 County **Clearfield County**
 Responsible Official Mr. Patrick Burke
 Director of Operations
 Aqua Pennsylvania, Inc.
 204 E. Sunbury Street
 Shamokin, PA 17872
 Type of Facility Public Water Supply—Operation
 Consulting Engineer Mr. Robert Horvat
 Entech Engineering, Inc.
 400 Rouse Road
 Building 2, Suite 200
 Coraopolis, PA 15108
 Permit Issued September 4, 2018

Description of Action Authorizes Aqua Pennsylvania, Treasure Lake Division to operate the sodium hypochlorite-based disinfection system installed at N-4 Well Station.

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. § 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 07-331C, Water Allocations. **Bellwood Borough Authority (PWS ID No. 4070009), Blair County.** The Authority is requesting a subsidiary water allocation permit for the right to purchase 0.45 million gallon per day (MGD), based on a 30-day average, from the Altoona Water Authority. Permittee Contact: Jennifer Eger, Secretary/Treasurer, Bellwood Borough Authority, 516 Main Street, P.O. Box 96, Bellwood, PA 16617. Permit Issued: 8/23/2018.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

WA 17-106B, Water Allocations. **Houtzdale Municipal Authority, 561 Kirk Street, Houtzdale, PA 16651, Clearfield County.** Maximum 700,000-gallons-per-day Water Allocation Permit.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WA-15-228-B, Water Allocations, **Borough of Phoenixville, 351 Bridge Street, 2nd Floor, Phoenixville, PA 19460 Borough of Phoenixville, Chester County.** Granting the right to withdraw 5,881,000 per day of water from the Schuylkill River, in Chester County.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
South Annville Township	1042 Horseshoe Pike Lebanon, PA 17042	Lebanon

Plan Description: Approval is granted for an update to the Official Plan of South Annville Township, Lebanon County. The project is known as the Act 537 Sewage Facilities Plan for South Annville Township, Lebanon County (DEP Code No. B3-38920-ACT). The plan provides for the installation of a collection and conveyance system to serve the residents of the Horseshoe Drive area of the Township with sewage disposal and treatment at the South Londonderry Township Municipal Authority's Campbelltown East Wastewater Treatment Facility within five years of this Act 537 Plan approval. The Plan also provides for the continued implementation of an on-lot sewage disposal system (OLDS) management program with a three-year septic tank inspection and pumping schedule; and the continued operation of the public sewer system serving the areas of the Township known as the Fink Development, Valley Estates, Behney Development, the Spruce Road area, and the proposed developments in the northern growth area. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or

WQM Permits must be obtained in the name of the municipality or authority, as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Wheatfield Township	1280 New Bloomfield Road New Bloomfield, PA 17068	Perry

Plan Description: The planning exemption for Roush Estate, DEP Code No. A3-50930-461-2E, APS Id 975283, consisting of one new residential lot using an individual onlot sewage disposal system, is disapproved. The proposed development is located on Roseglen Road. This plan is disapproved because the submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the use of onlot sewage disposal systems in an area within a high quality or exceptional value watershed as per Chapter 71, Section 71.51(b)(1)(iii).

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Carroll Township	50 Rambo Hill Road Shermans Dale, PA 17090	Perry

Plan Description: The planning exemption for Harry Conrad, DEP Code No. A3-50905-461-2E, APS Id 975209, consisting of one new residential lot using an individual onlot sewage disposal system, is disapproved. The proposed development is located on Fox Hollow Road. This plan is disapproved because the submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the use of onlot sewage disposal systems in an area underlain by carbonate geology as per Chapter 71, Section 71.51(b)(1)(ii).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the

selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Wallenpaupack Energy and Home Center, 2587 US Route 6, Palmyra Township, **Pike County**. Bluestone Environmental Inc., 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of The Dime Bank, 120 Sunrise Avenue, Honesdale, PA 18431, submitted a final report concerning remediation of site soils and groundwater contaminated with heating oil from underground storage tanks. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Newman Development Group of Muhlenberg LLC, 4225 North Fifth Street Highway, Muhlenberg, PA 19560, Muhlenberg Township, **Berks County**. Liberty Environmental, 505 Penn Street, Reading, PA 19601, on behalf of Newman Development Group of Muhlenberg LLC, 300 Plaza Drive, P.O. Box 678, Vestal, NY 13851-0678, and Teresa Friedman, Trustee, 603 Trent Avenue, Wyomissing, PA 19610 submitted a Final Report concerning site soil contaminated with semi-volatile organic compounds. The Report is intended to document remediation of the site to meet the Nonresidential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Penelec—Former Sayre District Office, Sayre Borough, **Bradford County**. SE Technologies, LLC, 98 Vanadium Road, Bridgeville, PA 15017, on behalf of Penelec/First Energy Corp., 1900 Centre Avenue, Reading, PA 19601, has submitted a Final Report and Cleanup Plan concerning the remediation of site soil and groundwater contaminated with lead and pentachlorophenol. The Final Report and Cleanup Plan are intended to document remediation of the site to meet the Background and Site-Specific Standards.

Eagle Express Lines/Hoovestol, Inc. Diesel Spill Cleanup, I-80 at MM 215.7E, Milton, Turbot Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Eagle Express Lines/Hoovestol, Inc., 925 175th Street, Homewood, IL 60430, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

IAC Carlisle LLC/Former Masland Carpets, 50 Spring Road, Carlisle, PA 17013, Borough of Carlisle, **Cumberland County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of Carlisle Auto Industries, Inc., 10000B Bryn Mawr Road, Carlisle, PA 17013, submitted a Remedial Investigation and Final Report concerning remediation of site soil contaminated with metals, volatile organic and semi-volatile compounds. The Final Report demonstrated attainment of the Site Specific and Background Standards, and was approved by the Department on August 27, 2018.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

MyTBIInv 6076 Natural Gas Well Pad, 302 Doan Road, Knoxville, Deerfield Township, **Tioga County**. SWEPI, LP, 12880 Route 6, Wellsboro, PA 16901, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The Final Report demonstrated attainment of the Background and State-wide Health Standards and was approved by the Department on August 17, 2018.

Harlan BRA Pad, Dibble Road, New Albany, Albany Township, **Bradford County**. Leidos, Inc., 180 Gordon Drive, Suite 109, Exton, PA 19341, on behalf of Chesapeake Appalachia, LLC, 300 N. 2nd Street, 5th Floor, Harrisburg, PA 17101, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 28, 2018.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

ARG Refinery, 77 North Kendall Avenue, City of Bradford, **McKean County**. Wood Environmental & Infrastructure Solutions, Inc, 4600 J. Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of American Refining Group, 77 North Kendall Avenue, Bradford, PA 16701, submitted a Remedial Investigation Report concerning the remediation of site soil contaminated with 1,2,4-trimethylbenzene, benzene, toluene, total xylenes, 2-methylnaphthalene, benzo[a]anthracene, anthracene, chrysene, benzidine, dibenzo[a,h]anthracene, naphthalene, benzo[a]pyrene, dibenzofuran, fluorene, antimony, arsenic, iron, lead, manganese, thallium, mercury, zinc and site groundwater contaminated with 1,1-dichloroethane, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, 2-butanone (MEK), 2-hexanone, benzene, chloroform, cis-1,2-dichloroethene, ethylbenzene, isopropylbenzene, methyl tert-butyl ether, n-propylbenzene, tetrachloroethene, toluene, total xylenes, trichloroethene, vinyl chloride, 2-methylnaphthalene, benzidine, benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, bis[2-ethylhexyl]phthalate, dibenzofuran, indeno[1,2,3-cd]pyrene, naphthalene, pentachlorophenol, pyrene, aluminum, antimony, arsenic, barium, beryllium, cobalt, copper, iron, manganese, mercury, nickel (oxides), thallium, vanadium, and zinc. The Report was disapproved by the Department on July 3, 2018.

Lord Corporation West 12th Street Erie Facility, 1635 West 12th Street, City of Erie, **Erie County**, Wood

Environment & Infrastructure Solutions Inc., 4600 J. Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of Lord Corporation, 2455 Robison Road West, Erie, PA 16509, submitted a Final Report concerning the remediation of site soil contaminated with acetone, chloroform, toluene, tetrachloroethene, trichloroethene, xylenes (total), acenaphthene, acenaphthylene, acetophenone, anthracene, benzaldehyde, benzo[a]anthracene, benzo[b]fluoranthene, benzo[k]fluoranthene, benzo[g,h,i]perylene, benzo[a]pyrene, bis[2-chloroethoxy]methane, bis[2-ethylhexyl]phthalate, butyl benzyl phthalate, 1,1-biphenyl, carbazole, chrysene, methylnaphthalene, 2, dibenz[a,h]anthracene, dibenzofuran, di-n-butyl phthalate, fluoranthene, fluorene, indeno[1,2,3-CD]pyrene, naphthalene, pyrene, phenanthrene, polychlorinated biphenyl compound-1254, polychlorinated biphenyl compound-1260, silver, aluminum, arsenic, barium, beryllium, calcium, cadmium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, lead, antimony, selenium, thallium, vanadium, zinc, mercury; site groundwater contaminated with acetone, benzene, bromodichloromethane, 2-butanone (MEK), chlorobenzene, chloroform, dibromochloromethane, dichloroethane, 1,1-, dichloroethene, 1,1-, dichloroethene, cis-1,2-, dichloroethene, trans-1,2-, methylene chloride, 4-methyl-2-pentanone (MIBK), tetrachloroethene, toluene, trichloroethene, vinyl chloride, xylenes (total), acenaphthene, acetophenone, bis[2-ethylhexyl]phthalate, butyl benzyl phthalate, dimethylphenol, 2,4-, methylnaphthalene, 2-, methylphenol, 3 & 4, diethyl phthalate, fluoranthene, fluorene, naphthalene, pyrene, phenol, phenanthrene, silver, aluminum, arsenic, barium, beryllium, calcium, cadmium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, lead, antimony, selenium, thallium, vanadium, zinc, mercury, cyanide (total); and site surface water contaminated with acetone, chloroform, tetrachloroethene, trichloroethene, dichloroethene, cis-1,2-, dichloroethene, trans-1,2-, vinyl chloride, chlorodibromomethane, and dichlorobromomethane. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on August 24, 2018.

NWREC Mineral Oil Release (11297 Prenatt Road), 11297 Prenatt Road, East Mead Township, **Crawford County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Northwestern Rural Electric Company Association, 22534 Highway 86, Cambridge Springs, PA 16403, submitted a Final Report concerning the remediation of site soil contaminated with 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzene, PCB-1016, PCB-1221, PCB-1232, PCB-1242, PCB-1248, PCB-1254, PCB-1260. The Final Report demonstrated attainment of the Statewide Health standard, and was approved by the Department on August 29, 2018.

Sheetz Store No. 613, 2 Bolivar Drive, Foster Township, **McKean County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of MBC Properties, LP, 950 East Main Street, Schuylkill Haven, PA 17972, submitted a combined Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning the remediation of site soil and site groundwater contaminated with 1,2,4-trimethylbenzene, toluene, ethylbenzene, xylenes, benzene, cumene, naphthalene, methyl tert-butyl ether, 1,3,5-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloroethane, and lead. The Risk Assessment Report/Remedial Investigation Report/Cleanup Plan was disapproved by the Department on August 29, 2018.

Southwest Region: Environmental Cleanup & Brown-field Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Former Jeannette Glass Plant Site, Bullitt Ave. & South 2nd St, City of Jeanette, **Westmoreland County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Westmoreland County Industrial Development Corp., 5th Floor, Suite 520, 40 North Pennsylvania Avenue, Greensburg, PA 15601 has submitted a Final Report for the site where elevated concentrations of hazardous constituents including petroleum products, arsenic, lead and PCBs from historic use have impacted soil and groundwater. The Department approved the report on August 24, 2018.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

Northridge Group, Inc., 254 Reitz Ave., Winfield, PA 17889. License No. PA-AH 0878. Effective Aug. 30, 2018.

Subsurface Technologies Inc., 1301 Avondale Rd., New Windsor, MD 21776. License No. PA-AH 0877. Effective Aug. 22, 2018.

Renewal Applications Received

Bionomics, Inc., P.O. Box 817, Kingston, TN 37763. License No. PA-AH 0730. Effective Aug. 27, 2018.

Cousins Waste Control, LLC, 1701 East Matzinger Road, Toledo, OH 43612. License No. PA-AH 0344. Effective Aug. 24, 2018.

Eldredge, Inc., 898 Fern Hill Road, West Chester, PA 19380. License No. PA-AH 0056. Effective Aug. 24, 2018.

Midwest Sanitary Service, Inc, P.O. Box 83, Wood River, IL 62095. License No. PA-AH 0872. Effective Aug. 22, 2018.

Westmoreland Sanitary Landfill, 111 Conner Lane, Belle Vernon, PA 15012. License No. PA-AH 0874. Effective Aug. 27, 2018.

Hazardous Waste Transporter License Issued

Midwest Sanitary Service, Inc, P.O. Box 83, Wood River, IL 62095. License No. PA-AH 0872. Effective Aug. 22, 2018.

Westmoreland Sanitary Landfill, 111 Conner Lane, Belle Vernon, PA 15012. License No. PA-AH 0874. Effective Aug. 27, 2018.

Hazardous Waste Transporter License Reissued

Cousins Waste Control, LLC, 1701 East Matzinger Road, Toledo, OH 43612. License No. PA-AH 0344. Effective Aug. 24, 2018.

Eldredge, Inc., 898 Fern Hill Road, West Chester, PA 19380. License No. PA-AH 0056. Effective Aug. 24, 2018.

Hazardous Waste Transporter License Voluntarily Terminated

Med-Flex, Inc., P.O. Box 365, Hainesport, NJ 08036. License No. PA-AH 0847. Effective Aug. 23, 2018.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP3-39-008B: Northledge LLC (930 East Market Street, Bethlehem, PA 18017) on August 27, 2018, for the operation of a portable stone crushing plant at the facility located in Whitehall Township, **Lehigh County**.

GP3-40-026: Kriger Construction, Incorporated (7 Oakwood Drive, Scranton, PA 18504) on August 23, 2018, for the construction and operation of a portable stone crushing plant at the facility located in Jenkins Township, **Luzerne County**.

GP9-45-009A: Pocono Shredding LLC (2213 Shafer Road, Stroudsburg, PA 18360) on August 17, 2018 for the installation of an additional Diesel IC Engine at the site located in Hamilton Twp., **Monroe County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP3-08-386A: Insinger Excavating, Inc. (3046 Dushore-Overton Road, Dushore, PA 18613) on August 23, 2018, for the authorization to relocate and operate a 2006 Terex Pegson model XR400 portable crushing plant, a 2010 Terex Pegson model XR400S portable crushing plant, a 2010 Terex Pegson model XA400 portable crushing plant, a 2012 Terex Pegson model 1300 Maxtrak portable crushing plant, a 2011 Terex Pegson model XA400 portable crushing plant, a 2005 Terex Powerscreen Chieftain 1800 portable screening plant, a 2008 Terex Powerscreen Warrior 1800 portable screening plant, a 2010 Terex Powerscreen Chieftain 2100 portable screening plant, a 2010 Terex Powerscreen Warrior 2400 portable screening plant and two Telestacker conveyor/stackers pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Ward Quarry located in West Burlington Township, **Bradford County**.

GP9-08-386A: Insinger Excavating, Inc. (3046 Dushore-Overton Road, Dushore, PA 18613) on August 23, 2018, for the authorization to relocate and operate three (3) 275 bhp Cat C9 DITA, one (1) 350 bhp Scania DC13, one (1) 300 bhp Scania DC9, two (2) 111 bhp Cat C4.4, and one (1) 192 bhp Deutz BF4M2012 diesel-fired engines pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) along with plan approval exemption of one (1) 96 bhp Deutz BF4M201296 and two (2) 40 bhp Deutz D2011L02i diesel-fired engines to power portable non-metallic portable crushers, screeners and stacker/conveyors at the Ward Quarry located in West Burlington Township, **Bradford County**.

GP3-08-355B: Insinger Excavating, Inc. (3046 Dushore-Overton Road, Dushore, PA 18613) on August 23, 2018, for the authorization to relocate and operate a 2006 Terex Pegson model XR400 portable crushing plant, a 2010 Terex Pegson model XR400S portable crushing plant, a 2010 Terex Pegson model XA400 portable crushing plant, a 2012 Terex Pegson model 1300 Maxtrak portable crushing plant, a 2011 Terex Pegson model XA400 portable crushing plant, a 2005 Terex Powerscreen Chieftain 1800 portable screening plant, a 2008 Terex Powerscreen Warrior 1800 portable screening plant, a 2010 Terex Powerscreen Chieftain 2100 portable screening plant, a 2010 Terex Powerscreen Warrior 2400 portable screening plant and two Telestacker conveyor/stackers pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Windham Quarry located in Windham Township, **Bradford County**.

GP9-08-355B: Insinger Excavating, Inc. (3046 Dushore-Overton Road, Dushore, PA 18613) on August 23, 2018, for the authorization to relocate and operate three (3) 275 bhp Cat C9 DITA, one (1) 350 bhp Scania DC13, one (1) 300 bhp Scania DC9, two (2) 111 bhp Cat C4.4, and one (1) 192 bhp Deutz BF4M2012 diesel-fired engines pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) along with plan approval exemption of one (1) 96 bhp Deutz BF4M201296 and two (2) 40 bhp Deutz D2011L02i diesel-fired engines to power portable non-metallic portable crushers, screeners and stacker/conveyors at the Windham Quarry located in Windham Township, **Bradford County**.

GP3-57-054D: Insinger Excavating, Inc. (3046 Dushore-Overton Road, Dushore, PA 18613) on August 23, 2018, for the authorization to relocate and operate a 2006 Terex Pegson model XR400 portable crushing plant, a 2010 Terex Pegson model XR400S portable crushing plant, a 2010 Terex Pegson model XA400 portable crushing plant, a 2012 Terex Pegson model 1300 Maxtrak portable crushing plant, a 2011 Terex Pegson model XA400 portable crushing plant, a 2005 Terex Powerscreen Chieftain 1800 portable screening plant, a 2008 Terex Powerscreen Warrior 1800 portable screening plant, a 2010 Terex Powerscreen Chieftain 2100 portable screening plant, a 2010 Terex Powerscreen Warrior 2400 portable screening plant and two Telestacker conveyor/stackers pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Quarry # 2 located in Forks Township, **Sullivan County**.

GP9-57-054D: Insinger Excavating, Inc. (3046 Dushore-Overton Road, Dushore, PA 18613) on August 23, 2018, for the authorization to relocate and operate three (3) 275 bhp Cat C9 DITA, one (1) 350 bhp Scania DC13, one (1) 300 bhp Scania DC9, two (2) 111 bhp Cat C4.4, and one (1) 192 bhp Deutz BF4M2012 diesel-fired engines pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) along with plan approval exemption of one (1) 96 bhp Deutz BF4M201296 and two (2) 40 bhp Deutz D2011L02i diesel-fired engines to power portable non-metallic portable crushers, screeners and stacker/conveyors at the Quarry # 2 located in Forks Township, **Sullivan County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

10-028K: Armstrong Cement & Supply (100 Clearfield Rd., Cabot, PA 16023), on August 29, 2018 issued a Plan Approval for the installation of an SNCR control device in Winfield Township, **Butler County**. This is a Title V facility.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP18-000016: Eastern Crematory, Inc. (2215 West Hunting Park Avenue, Philadelphia, PA 19140) for the operation of a human crematory in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one (1) natural gas fired 150 pounds per hour cremation unit with 1.5 MMBtu/hr natural gas burners.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

23-0113A: AT&T Communications of PA LLC (P.O. Box 5095, Room 4W200M) On August 22, 2018, for modification to certain requirements specified in State Only Operating Permit No. and corresponding requirements in Radnor Township, **Delaware County**.

15-0013C: Infiana USA, Inc. (2400 Continental Blvd, Malvern, PA 19355-2326) On August 28, 2018 for manufacturing, bags, and laminated and coated material in Tredyffrin Township, **Chester County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

08-00009A: Tennessee Gas Pipeline Company LLC (1001 Louisiana Street, Houston, TX 77002): was issued on an extension to plan approval for an additional 180 days from August 27, 2018, to February 23, 2019, to permit continued operation of their Solar Titan 130 Gas Turbine (Source ID P201) pending completion of the compliance evaluation on the source. The source is located in Wyalusing Township, **Bradford County**.

49-00064B: Milton Sewer Regional Authority (5585 State Route 405, P.O. Box 433, Milton, PA 17847), on August 30, 2018, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from September 18, 2018, to March 17, 2019, at

their facility located in West Chillisquaque Township, **Northumberland County**. The plan approval has been extended.

17-00063D: Pennsylvania Grain Processing, LLC (250 Technology Drive, Clearfield, PA 16830) on August 27, 2018, to extend the authorization an additional 180 days until February 25, 2019, in order to continue the compliance evaluation and permit operation pending issuance of an operating permit for the sources. The extension authorization allows continued operation of the grain storage silos located in Clearfield Borough, **Clearfield County**. The plan approval has been extended.

55-00026A: Panda Hummel Station LLC (5001 Spring Valley Road, Suite 1150, West, Dallas, TX 75244) on August 27, 2018, to extend the authorization an additional 180 days until February 22, 2019, in order to continue the compliance evaluation and permit operation pending issuance of an operating permit for the sources located in the Borough of Shamokin Dam, **Snyder County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

26-00535B: Dynegy Fayette II, LLC (100 Energy Drive, Masontown, PA 15461) Extension effective August 28, 2018, to allow continued temporary operation of the modified combustion gas turbines (“CGT”) at Fayette Energy Center located in Masontown Borough, **Fayette County**. Components of the turbine section have been replaced and combustion control logic change to increase combustion air flow.

65-00979A: Laurel Mountain Midstream Operating, LLC (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275) Extension effective August 28, 2019 to extend the period of temporary operation of the Caterpillar G3612LE lean burn natural gas-fired compressor engine rated at 3,550 bhp and controlled by an oxidation catalyst authorized under plan approval PA-65-00979A at the Herminie Compressor Station located in South Huntingdon Township, **Westmoreland County**.

26-00588: Laurel Mountain Midstream Operating, LLC (1550 Coraopolis Heights Road, Suite 140, Moon Township, PA 15108) Extension effective August 28, 2018, to extend the period of temporary operation of the three Caterpillar G3516B natural gas-fired compressor engines rated at 1,380 bhp each and controlled by oxidation catalysts, and a Solar Mars 100 gas-fired turbine rated at 15,525 bhp authorized under plan approval PA-26-00588 at Shamrock Compressor Station located in German Township, **Fayette County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

16-148B: RV Burns Crematorium Inc. (638 Wood St., Clarion, PA 16214) on August 28, 2018, effective July 31, 2018, has issued a plan approval extension to continue operation of an existing human crematory without installing a door interlock system in Clarion Township, **Clarion County**. This will expire on January 31, 2019.

43-182D: Wheatland Tube Co., Council Avenue Plant (700 S Dock Street, Sharon, PA 16146) on August

28, 2018, effective August 31, 2018, has issued a plan approval extension for the construction and operation of a venture scrubber in Wheatland Borough, **Mercer County**. This is a Title V facility. This will expire on February 28, 2019.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

AMS IP18-000312: Philly Shipyard, Inc., (2100 Kitty Hawk Ave, Philadelphia, PA 19112) to modify Condition 34(c) of Plan Approval IP17-000074 dated December 20, 2017. Condition 34(c) of Plan Approval IP 17-000074 stated;

VOC and HAP emissions from Painting Operations shall be determined using material balance calculations based on material usage and VOC and HAP content. The Permittee shall monitor and record these emissions in accordance with Conditions 9 and 27-33 of this plan approval and the November 2003 NESHAP Implementation Plan or successor MACT Implementation Plan approved by both AMS and EPA.

The proposed modification of the above monitoring and recordkeeping requirement under Condition 34(c) is as follows;

VOC and HAP emissions from Painting Operations shall be determined using material balance calculations based on material usage and VOC and HAP content. The Permittee shall monitor and record these emissions in accordance with Conditions 9 and 27-33 of this plan approval. The Permittee shall certify that the monthly VOC and HAP emissions calculations include all VOC and HAP materials used during the month. This certification shall be provided as part of the semi-annual monitoring report required pursuant to 25 Pa. Code § 127.511(c) and 40 CFR 63.788(c).

The plan approval will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Anyone affected by the proposed plan approval amendment may submit written comments or a request for a public hearing by mail to Air Management Services, 321 University Avenue, 2nd Floor, Philadelphia, PA 19104, Attn: Debra Williams within thirty (30) days from today. Comments received by facsimile will not be accepted.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00030: Brightsmith LLC (120 Enterprise Ave, Morrisville, PA 19067-3703) On February 2, 2017 for the renewal of their Title V Operating Permit for their metal coil coating operation located in Falls Township, **Bucks County**.

23-00021: Congoleum Corp. (4401 Ridge Rd, Trainer, PA 19061) August 22, 2018 for the renewal of their Title V operating permit for operation of boilers, rotogravure printing presses/coaters and a thermal oxidizer at their facility located in Trainer Borough, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05027: York Wallcoverings, Inc. (750 Linden Avenue, York, PA 17404) on August 31, 2018, for their wallpaper manufacturing facility in York City, **York County**. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00110: Bryn Hill IND, (407 Industrial Park Dr, Yeadon, PA 19050) On August 22, 2018 for renewal of a State-Only Operating Permit for their urethane foam manufacturing facility located in Yeadon Borough, **Delaware County**.

09-00216: B. Blair Corporation (95 Louise Drive, Ivyland, PA 18974) On August 23, 2018 for renewal of a State Only Operating Permit for the operation of a portable crusher in Northampton Township, **Bucks County**.

23-00031: Mercy Fitzgerald Hospital (1500 Lansdowne Avenue, Darby, PA 19023-1291) On August 22, 2019 for renewal of a State Only Operating Permit for the operation of three boilers and three emergency generators at their facility located in Darby Borough, **Delaware County**.

09-00062: Oldcastle Precast, Inc. (200 Keystone Drive, Telford, PA 18969) On August 21, 2018 for renewal of a State Only Operating Permit for a concrete casting and coating company located in West Rockhill Township, **Bucks County**.

15-00018: Vanguard Group/Frazer, (1200 Brennan Blvd, Malvern, PA 19087) August 28, 2018 for renewal of a State-Only Operating Permit for the operation of boilers and generators at their facility located in East Whiteland Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

22-03022: Wenger's Feed Mill, Inc. (101 W. Harrisburg Avenue, Rheems, PA 17570) on August 29, 2018 for the animal feed mill in Lykens Township, **Dauphin County**. The State-only permit was renewed.

21-05037: Union Quarries, Inc. (P.O. Box 686, Carlisle, PA 17013-0686) on August 29, 2018 for the Bonny Brook stone crushing and batch asphalt plants in South Middleton Township, **Cumberland County**. The State-only permit was renewed.

21-05067: Carlisle Syntec, Div. Carlisle Construction Materials, LLC (P.O. Box 7000, Carlisle, PA 17013-

0925) on August 23, 2018, for the rubber sheet roofing manufacturing facility located in Carlisle Borough, **Cumberland County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

63-00874: Therm-O-Rock East, Inc./Plant II (85 Washington Street, Donora, PA 15033) on August 28, 2018, the Department of Environmental Protection (DEP) authorized a renewed a State-Only Operating Permit for the above-mentioned facility that blends and bags various materials which include cement, lime, sand, perlite, vermiculite, and other minerals. The permit includes operating requirements, monitoring requirements, and record-keeping requirements for the site.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

10-00281: II VI Inc., (375 Saxonburg Boulevard, Saxonburg, PA 16056-9430), on August 22, 2018, the Department issued the renewal of the Synthetic Minor State-Only Operating Permit to a facility which manufactures specialized engineered materials and optoelectronic components for military, communications and semiconductor industries. This facility is located in Clinton Township, **Butler County**. The primary sources at the facility are miscellaneous combustion sources, a batch vapor degreaser, chemical vapor deposition units, hydrogen selenide gas production, H₂Se Transfer Process, thin film production, diesel generators, natural gas generators and a spray booth. Potential emissions for the site are below Title V permitting thresholds for all criteria pollutants, after taking limits. Facility NO_x potential emissions are 15.73 tons per year (tpy) and HAPs potential emissions are 4.6 tpy. The permit contains emission restrictions, along with testing, monitoring, recordkeeping, reporting, work practice and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

16-00122: Northwestern PA Crematory (330 Wood Street, Clarion, PA 16214-1341), on August 28, 2018, the Department issued a renewal of the Natural Minor Operating Permit to operate a human cremator in Clarion Borough, **Clarion County**. The facility's primary emission source is a cremator installed in June 1982. The conditions of the previous plan approval and operating permit were incorporated into the renewal permit. The cremator is fired with natural gas and is controlled by an afterburner rated at 1.4 MMBtu/hr. Particulate matter from the exhaust is restricted to 0.1 grain per dry standard cubic foot, corrected to 12% carbon dioxide.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00167: Parkhouse Operating LLC (1600 Black Rock Road, Royersford, PA 19468-3109) On August 21, 2018, an Administrative Amendment of the Synthetic Minor Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 for the change of ownership from Parkhouse Nursing and Rehabilitation Center, L.P. to Parkhouse Operating LLC. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements. The facility is located in Upper Providence Township, **Montgomery County**.

46-00142: Custom Processing Services LLC, (461 State Street, East Greenville, PA 18041) On August 17, 2018 for an Administrative Amendment of the Natural Minor Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 to incorporate the conditions of Plan Approval 46-0142E for the replacement of an existing dust collector with a new cyclone and new dust collector in series on the Coarse System into their State Only Operating Permit. Custom Processing Services LLC is located in East Greenville Borough, **Montgomery County**. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

59-00017: Waupaca Foundry, Inc. (18986 Route 287, Tioga, PA 16946), issued a revised State only (synthetic minor) operating permit on August 24, 2018, for a change in responsible official. The Plant Manager is Mr. Joseph Smith. This facility is located in Lawrence Township, **Tioga County**. This revised State only (synthetic minor) operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions.

18-00006: Dominion Energy Transmission, Inc (5000 Dominion Boulevard Glen Allen, VA 23060-3308) was issued a revised Title V operating permit on August 24, 2018, for the significant modification to the Title V operating permit TVOP 18-00006 for the incorporation of Reasonably Available Control Technology (RACT II) requirements pursuant to 25 Pa. Code §§ 129.96—129.100 in accordance with the significant operating permit modification requirements of 25 Pa. Code § 127.541 at the Leidy Station facility located in Leidy Township, **Clinton County**. The revised Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

11-00434: New Enterprise Sand & Stone, Inc (P.O. Box 77, New Enterprise, PA 16664) on August 24, 2018 an administrative amendment to change the name of the owner from Laurel Sand & Stone, Inc./Vintondale Quarry to New Enterprise Sand & Stone, Inc./Vintondale Quarry in the Permit. The facility is in Jackson Township, **Cambria County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56763114 and NPDES No. PA0608238, Svonavec Inc., 2555 New Centerville Road, Rockwood, PA 15557, commencement, operation and restoration of a bituminous surface mine to change the land use from cropland and forest land to industrial commercial in Milford Township, **Somerset County**, affecting 96.8 acres. Receiving streams: unnamed tributaries to/and South Glade Creek classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 1, 2018. Permit Issued: August 27, 2018.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

10970105 and NPDES No. PA0227625. State Industries, Inc. (P.O. Box 1022, Kittanning, PA 16201). Renewal of an existing bituminous surface and auger mine in Concord and Fairview Townships, **Butler County** affecting 4.8 acres. Receiving streams: Unnamed tributary to Bear Creek and Bear Creek. Application received: April 13, 2018. Permit issued: August 28, 2018.

10820122 and NPDES No. PA0604852. Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201). Renewal of an existing bituminous surface and auger mine in Marion and Mercer Townships, **Butler County** affecting 598.6 acres. Receiving streams: Unnamed tributaries to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek. Application received: April 9, 2018. Permit issued: August 28, 2018.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

25082802. Hull Excavating, Incorporated (12417 Davis Road, North East, PA 16428). Final bond release for a small industrial minerals surface mine in Greenfield Township, **Erie County**. Restoration of 5.0 acres completed. Receiving streams: West Branch French Creek. Application Received: June 11, 2018. Final bond release approved: August 16, 2018.

16030302. IA Construction Corp. (24 Gibb Road, P.O. Box 568, Franklin, PA 16323). Renewal of NPDES Permit No. PA0242365 in Richland and Licking Townships, **Clarion County**. Receiving streams: Unnamed tributary to Turkey Run and unnamed tributaries to Clarion River. Application received: May 30, 2018. NPDES Renewal Permit issued: August 28, 2018.

10070303. Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201). Renewal of NPDES Permit No. PA0258440 in Slippery Rock Township, **Butler County**. Receiving streams: Unnamed tributaries to Slippery Rock Creek and unnamed tributaries to Wolf Creek. Application received: May 2, 2018. NPDES Renewal Permit issued: August 28, 2018.

3074SM13. Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201). Renewal of NPDES Permit No. PA0107433 in Slippery Rock Borough, Slippery Rock and Worth Townships, **Butler County**. Receiving streams: Unnamed tributaries to Slippery Rock Creek and Slippery Rock Creek, and unnamed tributaries to Wolf Creek. Application received: May 29, 2018. NPDES Renewal Permit issued: August 28, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 40180801. Piacenti Trucking & Excavating, Inc., (Rear 538 Putnam Street, West Hazleton, PA 18202), commencement, operation and restoration of a quarry operation in Hazle Township, **Luzerne County** affecting 2.0 acres, receiving stream: unnamed tributary to Black Creek. Application received: May 22, 2018. Permit issued: August 28, 2018.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 40184106. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Resubmit Pittston Warehouse (119-09-00545) in Jenkins Township, **Luzerne County** with an expiration date of August 16, 2019. Permit issued: August 29, 2018.

Permit No. 40184105. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Hanover 9 Warehouse in Hanover Township, **Luzerne County** with an expiration date of August 17, 2019. Permit issued: August 29, 2018.

Permit No. 46184109. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Gwynedd Ridge in Upper Gwynedd Township, **Montgomery County** with an expiration date of October 31, 2019. Permit issued: August 30, 2018.

Permit No. 46184110. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Ragusa Development in Lower Frederick

Township, **Montgomery County** with an expiration date of August 29, 2019. Permit issued: August 30, 2018.

Permit No. 58184107. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for GI Parish Trench for new barn in Bridgewater Township, **Susquehanna County** with an expiration date of December 31, 2018. Permit issued: August 30, 2018.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-807. Michael and Meg Cramton, 10 Highwoods Road, Wyoming, PA 18644, Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions and encroachments at Pole # 306 in Harveys Lake:

1) To remove an existing retaining wall and to construct and maintain a 50-ft long, 5.5-ft high concrete block retaining wall on the shoreline of Harveys Lake (HQ-CWF).

2) To construct and maintain a 755 sq. ft., pile-supported dock having a 200 sq. ft. boat slip within the basin of Harveys Lake (HQ-CWF).

The project is located approximately 200-ft northwest of the intersection of Lakeside Drive (S.R. 415) and Sunset Terrace (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 8.4"; Longitude: -76° 2' 10.13"). Subbasin 5B.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E06-724: PennDOT Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101-1013 in Maxatawny Township, **Berks County**, U.S. Army Corps of Engineers Baltimore District.

To (1) remove existing structure and restore the channel and (2) to install and maintain a 42-linear foot 10-foot x 4-foot box culvert with 1-foot depression in UNT Sacony Creek (TSF, MF) for the purpose of improving traffic safety. The project will permanently impact 102 linear feet of stream channel and temporarily affect 48 linear feet. The project is located along SR 0737 (40.5328°, -75.7836°) in Maxatawny Township, Berks County. The permit was issued on August 29, 2018.

E22-639: Vanguard Realty Group, Inc., 4090 Continental Drive, Harrisburg, PA 17112 in Lower Paxton Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To place and maintain fill in 0.422 acre of palustrine emergent wetlands for the purpose of constructing a commercial retail center. No stream or floodway impacts are proposed. The project is located at 4220 Linglestown Road (Latitude 40°20'15.5", Longitude -76°49'37.7") in Lower Paxton Township, Dauphin County. To compensate for wetland impacts, the permittee is required to create 0.422 acre of palustrine emergent wetlands. The permit was issued on August 28, 2018.

E67-939: Endurance Real Estate Group, LLC, 4 Radnor Corporate Center, Suite 105, Radnor, PA 19087, in Springettsbury Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

To relocate approximately 997 feet of an unnamed tributary to Mill Creek (WWF, MF) for the purpose of constructing a warehouse facility at 693 North Hills Road (York, PA Quadrangle, Latitude: 39.979433 Longitude: -76.692347) in Springettsbury Township, York County. The permit was issued on August 31, 2018.

E36-970: Transcontinental Gas Pipe Line Company, LLC, 2800 Post Oak Boulevard, Level 11, Houston, Texas 77056 in **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

Giving its consent to install and maintain a 42.0-inch diameter, cathodically protected, welded metal gas pipe line in and across the following water resource impacts:

1) Open Cut across Wissler Run (HQ-WWF, MF) and its floodway, permanently impacting 1 square foot of Exceptional Value Palustrine Emergent Wetland (Latitude: 39.8236, Longitude: -76.2751);

2) Open Cut across Fishing Creek (HQ-CWF, MF) and its floodway, permanently impacting 0.10 acre of Exceptional Value Wetland (Latitude: 39.8372, Longitude: -76.2511);

3) Open Cut across an unnamed tributary to Fishing Creek (HQ-CWF, MF) and its floodway, permanently impacting 0.19 acre of Exceptional Value Palustrine Emergent Wetland, and 217 square feet of Exceptional Value Palustrine Scrub Shrub Wetland (Latitude: 39.8487, Longitude: -76.2286);

4) Open Cut across an unnamed tributary to Conowingo Creek (HQ-CWF, MF) and its floodway, permanently impacting 0.43 acre of Exceptional Value Palustrine Emergent Wetland, 122 square feet of Exceptional Value Palustrine Scrub Shrub Wetland, and 0.03 acre of Exceptional Value Forested Wetland (Latitude: 39.8543, Longitude: -76.2168);

5) Open Cut across Conowingo Creek (HQ-CWF, MF) and its floodway (Latitude: 39.8603, Longitude: -76.2044);

6) Open Cut across an unnamed tributary to Conowingo Creek (HQ-CWF, MF) (Latitude: 39.8611, Longitude: -76.2018);

7) Open Cut across an unnamed tributary to Conowingo Creek (HQ-CWF, MF) and its floodway, permanently impacting 0.04 acre of Exceptional Value Palustrine Emergent Wetland (Latitude: 39.8670, Longitude: -76.1907);

8) Open Cut across Palustrine Emergent Wetlands, permanently impacting 0.07 acre of wetland (Latitude: 39.8725, Longitude: -76.1794);

9) Open cut across an unnamed tributary to Stewart Run (HQ-CWF, MF) and its floodway, permanently impacting 0.36 acre of Exceptional Value Palustrine Emergent Wetland and 0.02 acre of Exceptional Value Palustrine Scrub Shrub Wetland (Latitude: 39.8754, Longitude: -76.1737);

10) Open Cut across Palustrine Emergent Wetlands, permanently impacting 0.15 acre of Wetland (Latitude: 39.8776, Longitude: -76.1698);

11) Conventional bore across an unnamed tributary to Stewart Run (HQ-CWF, MF) and its floodway, permanently impacting 0.01 acre of palustrine emergent wetland (Latitude: 39.8822, Longitude: -76.1597);

12) Open Cut across an unnamed tributary to Bowery Run (HQ-CWF, MF) and its floodway, permanently impacting 0.06 acre of Palustrine Emergent Wetland (Latitude: 39.8920, Longitude: -76.1422);

13) Open Cut, permanently impacting 0.31 acre of Palustrine Emergent Wetlands (Latitude: 39.8956, Longitude: -76.1364);

All impacts are associated with the 10.17-mile Northeast Supply Enhancement Project—Quarryville Loop. No wetland acreage loss is proposed and wetland replacement is not required. The permit was issued on August 30, 2018.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX17-129-0011 Major Modification
Applicant Name Huntley & Huntley Energy Exploration, LLC

Contact Person Jennifer Hoffman
Address 501 Technology Drive, Suite 1200
City, State, Zip Canonsburg, PA 15317
County Westmoreland County
Township(s) Penn Township
Receiving Stream(s) and Classification(s) Tributary 37295 to Bushy Run (TSF), Bushy Run (TSF)

ESCGP-2 # ESX18-125-0023
Applicant Name EQM Gathering OPCO, LLC
Contact Person Cory Harris
Address 2200 Energy Drive
City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) East Finley Township
Receiving Stream(s) and Classification(s) Tributaries 32732 & 32733 to Templeton Fork (TSF) and Templeton Fork (TSF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESX13-073-0009—Pulaski Mijavec Well Pad
Applicant Hilcorp Energy Company
Contact Ms. Stephanie McMurray
Address 1111 Travis Street
City Houston State TX Zip Code 77002
County Lawrence Township(s) Pulaski
Receiving Stream(s) and Classification(s) Coffee Run (WWF)

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESG29-035-16-0003(01)
Applicant Name Dominion Transmission Inc
Contact Person Jason Bach
Address 925 White Oaks Blvd
City, State, Zip Bridgeport, WV 26330
County Clinton
Township(s) Leidy
Receiving Stream(s) and Classification(s) Painter Hollow (EV)
Secondary—Kettle Ck (EV)

ESCGP-2 # ESX29-015-18-0022
Applicant Name SWN Production Co LLC
Contact Person Nicki Atkinson
Address 917 SR 92 N
City, State, Zip Tunkhannock, PA 18657
County Bradford
Township(s) Stevens
Receiving Stream(s) and Classification(s) UNT to Wyalusing Ck (WWF, MF); Rockwell Ck (WWF, MF)
Secondary—Wyalusing Ck

ESCGP-2 # ESG29-015-18-0037
Applicant Name Repsol Oil & Gas USA LLC
Contact Person Lance Ridall
Address 337 Daniel Zenker Dr
City, State, Zip Horseheads, NY 14845
County Bradford
Township(s) Troy
Receiving Stream(s) and Classification(s) UNT to North Branch Sugar Ck (TSF, MF)
Secondary—North Branch Sugar Ck

ESCGP-2 # ESX29-117-18-0008(01)
Applicant Name Repsol Oil & Gas USA LLC
Contact Person Lance Ridall
Address 337 Daniel Zenker Dr
City, State, Zip Horseheads, NY 14845
County Tioga
Township(s) Ward
Receiving Stream(s) and Classification(s) Fall Brook (CWF)

ESCGP-2 # ESG29-117-18-0019
Applicant Name UGI Texas Ck LLC
Contact Person Amber Holly
Address One Meridian Blvd, Suite 2C01
City, State, Zip Wyomissing, PA 19610
County Tioga
Township(s) Liberty
Receiving Stream(s) and Classification(s) Brion Ck (EV)

ESCGP-2 # ESX29-115-18-0057
Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Susquehanna
Township(s) Rush
Receiving Stream(s) and Classification(s) Elk Lake Stream (CWF, MF)

ESCGP-2 # ESX29-115-18-0056
Applicant Name Matt Anderson
Contact Person Williams Field Svcs Co LLC
Address 310 SR 29 N
City, State, Zip Tunkhannock, PA 18657
County Susquehanna
Township(s) Harford
Receiving Stream(s) and Classification(s) UNT to Butler Ck (CWF, MF) and Nine Partners Ck (CWF, MF)

ESCGP-2 # ESG29-018-18-0026
 Applicant Name Inflection Energy PA LLC
 Contact Person Gregg Saunders
 Address 101 W Third St, 5th Fl
 City, State, Zip Williamsport, PA 17701

County Lycoming
 Township(s) Gamble
 Receiving Stream(s) and Classification(s) UNT to Calebs
 Run (EV)
 Secondary—Calebs Run (EV)

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of August 2018 the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon-related activities in this Commonwealth. The period of certification is 2 years. (For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Keith Angelitis	14501 George Carter Way Suite 110 Chantilly, VA 20151	Testing
Michael Biechler	2466 Roundtop Road Middletown, PA 17057	Testing
Jeffrey Biondo	443 Second Street Blakely, PA 18447	Testing
Vilas Godbole	307 Dogwood Lane Wallingford, PA 19086	Mitigation
Melanie Heying	1936 Butler Bridge Road Mills River, NC 28759	Laboratory Analysis
Home Team Inspection Service	1216 Edgewood Drive West Homestead, PA 15720	Testing
Judith Hood-Scheidler Alltech Inspection Services	5225 Library Road Bethel Park, PA 15102	Testing
Kevin Kenny	47 Cook Road Duncannon, PA 17020	Testing
Daniel Keogh	518 Kimberton Road PMB311 Phoenixville, PA 19460	Testing
Harry Lehman Alpha Radon Reduction, LLC	375 Ivyland Road, Unit 26 Warminster, PA 18974	Mitigation
Christopher Marshall	4638 Curly Hill Road Doylestown, PA 18902	Testing
Tony McDonald	7681 Tim Avenue NW North Canton, OH 44720	Testing & Mitigation
David Murdick	127 South Woodlawn Road Butler, PA 16001	Testing
Troy Rudy	P.O. Box 4214 Lancaster, PA 17604	Mitigation
Dennis Skladanowski	5140 Amherst Road Erie, PA 16506	Testing
Jeffrey Smith	1213 Allie Buck Road Nanty Glo, PA 15943	Testing
Michael Stoehr	441 Mars Valencia Road Valencia, PA 16059	Testing
Justin Weber	19 Chelsey Drive Mountain Top, PA 18707	Testing
John White	8 Redwood Drive Lewistown, PA 17044	Testing

Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities (ESCGP-2), Notice of Intent (NOI) under Technical Review for Transcontinental Gas Pipe Line Company, LLC's Northeast Supply Enhancement Project—Compressor Station 200 Modifications

The Department of Environmental Protection (Department) provides notice that the Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities (ESCGP-2), Notice of Intent (NOI) is currently under technical review for Transcontinental Gas Pipe Line Company, LLC's Northeast Supply Enhancement Project—Compressor Station 200 Modifications, including ancillary earth disturbance activities.

This authorization of coverage is required for earth disturbance activities associated with oil and gas exploration, production, processing or treatment operations or transmission facilities when earth disturbance is 5 acres or greater. Review of this application is being coordinated by the Southeast Regional Office and with the Chester County Conservation District.

The ESCGP2 application under review is as follows:

<i>ESCGP2 Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESG00029170005	Transcontinental Gas Pipe Line Company, LLC 2800 Post Oak Boulevard Level 11 Houston, TX 77056	Chester	East Whiteland Township	Valley Creek (EV-CWF, MF)

More detailed information regarding the ESCGP-2 NOI related to this proposed project is available in the Department regional office. Contact the Department Southeast Region File Review Coordinator at (484) 250-5910 to request a file review of this ESCGP-2 NOI. The Department will accept written comments on this ESCGP-2 NOI through June 5, 2018. Comments on the NOI can be e-mailed or sent by postal mail to the Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, ra-epww-sero@pa.gov.

Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities (ESCGP-2), Notice of Intent (NOI) under Technical Review for Transcontinental Gas Pipe Line Company, LLC's Northeast Supply Enhancement Project—Quarryville Loop

The Department of Environmental Protection (Department) provides notice that the Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities (ESCGP-2), Notice of Intent (NOI) is currently under technical review for Transcontinental Gas Pipe Line Company, LLC's Northeast Supply Enhancement Project—Quarryville Loop, including the associated valve sites, access roads and other ancillary earth disturbance activities.

This authorization of coverage is required for earth disturbance activities associated with oil and gas exploration, production, processing or treatment operations or transmission facilities when earth disturbance is 5 acres or greater. Review of this application is being coordinated by the Southcentral Regional Office and with the Lancaster County Conservation District.

The ESCGP2 application under review is as follows:

<i>ESCGP2 Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESG3617801(1)	Transcontinental Gas Pipe Line Company, LLC 2800 Post Oak Boulevard Level 11 Houston, TX 77056	Lancaster	Drumore Township East Drumore Township Eden Township	Wissler Run (HQ-WWF, MF) Fishing Creek (HQ-CWF, MF) Exceptional Value Wetlands UNT to Fishing Creek (HQ-CWF, MF) UNT to Conowingo Creek (HQ-CWF, MF) Conowingo Creek (HQ-CWF, MF) UNT to Conowingo Creek (HQ-CWF, MF) UNT to Conowingo Creek (HQ-CWF, MF) Stewart Run (HQ-CWF, MF)

ESCGP2
Permit No.

Applicant Name & Address

County

Municipality

Receiving Water/Use

UNT to Stewart Run
(HQ-CWF, MF)
UNT to Stewart Run
(HQ-CWF, MF)
UNT to Bowery Run
(HQ-CWF, MF)

More detailed information regarding the ESCGP-2 NOI related to this proposed project is available in the Department regional office. Contact the Department Southcentral Region File Review Coordinator at (717) 705-4732 to request a file review of this ESCGP-2 NOI. The Department will accept written comments on this ESCGP-2 NOI through June 4, 2018. Comments on the NOI can be e-mailed or sent by postal mail to the Department of Environmental Protection, Southcentral Regional Office, Waterways and Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, ra-epww-scro@pa.gov.

[Pa.B. Doc. No. 18-1456. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of the Fiscal Year Report for the Reclamation Fee O & M Trust Account

The Department of Environmental Protection (Department) announces the availability of a draft Fiscal-Year Report (report) for the Reclamation Fee O & M Trust Account. This account was established to provide money for the operation and maintenance of mine drainage treatment facilities at mine sites with post-mining discharges at ABS Legacy Sites as defined in 25 Pa. Code § 86.1 (relating to definitions). As required by the regulations in 25 Pa. Code § 86.17(e) (relating to permit and reclamation fees) this report contains a financial analysis of the revenue and expenditures from the account for Fiscal Year (FY) 2017-2018 and provides projections for the FY 2018-2019.

The report is available at <https://www.dep.pa.gov/Business/Land/Mining/BureauofMiningPrograms/Reports/Pages/default.aspx>.

The Department will accept comments on this draft report through Monday, October 15, 2018. Comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment system at www.ahs.dep.pa.gov/eComment. Written comments may also be submitted by e-mail to ecomment@pa.gov, or by mail to the Policy Office, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17101.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-1457. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 02(0459)102.1, Abandoned Mine Reclamation Project, Chalfant Run, Churchill Borough, Allegheny County. The principal items of work and approximate quantities include: cast-in-place inlet box, 1 each;

subsurface drains—tie-in to existing concrete inlet, 1 lump sum; 12" N-12 dual wall HDPE solid pipe, 32 linear feet; 8" PVC SDR-35 solid pipe, 42 linear feet; 8" PVC SDR-35 perforated pipe with cleanouts, 240 linear feet; removal and disposal of excavated material, 1 lump sum; in-kind replacement, 1 lump sum; and pavement replacement, 1 lump sum.

This bid issues on September 28, 2018, and bids will be opened on October 25, 2018, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-1458. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Advisory Board Meeting

The Department of Health gives notice that the Health Advisory Board will meet on Tuesday, September 18, 2018, at 10:30 a.m. in Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA to review and approve proposed amendments to the communicable and noncommunicable disease regulations, relating to complete reporting of CD4 T-lymphocyte, viral load and genotyping test results relating to Human Immunodeficiency Virus.

For further information regarding the meeting or to obtain a copy of the draft regulations, interested persons should contact Erik Huet, Department of Health, Office of Policy, 8th Floor, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3311.

Persons with a disability who wish to attend the meeting, and require an auxiliary aid, service or other accommodation to do so, or who require a copy of this

notice or the draft regulations in an alternative format (for example, large print, audiotape, Braille) should contact Erik Huet at the previously listed address or telephone number, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1459. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Hospital Payments

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2017-2018 disproportionate share hospital payments to qualifying Medical Assistance (MA) enrolled acute care general hospitals that promote access to comprehensive inpatient services for MA eligible persons by providing an adequate supply of health care professionals who have been trained in high volume MA enrolled hospital settings. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 48 Pa.B. 3492 (June 9, 2018). The Department received no comments during the 30-day comment period and will implement the change as described in the notice of intent.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$54.398 million (\$26.209 million in State general funds and \$28.189 million in Federal funds).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1268. (1) General Fund;

(7) MA—Academic Medical Centers; (2) Implementing Year 2017-18 is \$1,000,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$21,181,000; 2015-16 Program—\$17,431,000; 2014-15 Program—\$17,431,000;

(7) MA—Fee-for-Service (2) Implementing Year 2017-18 is \$23,709,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; 2014-15 Program—\$564,772,000;

(7) MA—Physician Practice Plans (2) Implementing Year 2017-18 is \$1,500,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$10,071,000; 2015-16 Program—\$9,571,000; 2014-15 Program—\$9,071,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-1460. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payments

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2017-2018 disproportionate share hospital payments to qualifying hospitals that provide a high volume of services to the Medical Assistance population to promote continued access to inpatient and ancillary outpatient services in this Commonwealth and to support academic medical programs that provide integrated patient-centered medical services. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 48 Pa.B. 3171 (May 26, 2018). The Department received no comments during the 30-day comment period and will implement the change as described in the notice of intent.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$16.634 million (\$8.014 million in State general funds and \$8.620 million in Federal funds).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1269. (1) General Fund;

(7) Medical Assistance—Academic Medical Centers; (2) Implementing Year 2017-18 is \$4,500,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$21,181,000; 2015-16 Program—\$17,431,000; 2014-15 Program—\$17,431,000;

(7) Medical Assistance—Fee-for-Service (2) Implementing Year 2017-18 is \$3,514,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; 2014-15 Program—\$564,772,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-1461. Filed for public inspection September 14, 2018, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

Under 67 Pa. Code § 495.4(d) (relating to application procedure), an application to lease highway right-of-way has been submitted to the Department of Transportation by the Egan Family Trust, 241 North Plum Street, Lancaster, PA 17602 seeking to lease highway right-of-way located at the northeast corner of SR 6023 and Ranck Avenue, Lancaster, PA 17602, 16,000.00 square feet, adjacent to SR 6023 for the purpose of parking.

Interested persons are invited to submit, within 30 days of the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections

regarding the approval of this application to Michael Keiser, PE, District Executive, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103.

Questions regarding this application or the proposed use may be directed to Jon P. Murdoch, Real Estate Specialist, 2140 Herr Street, Harrisburg, PA 17103, (717) 783-3125.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 18-1462. Filed for public inspection September 14, 2018, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Three Rivers Waterkeeper and Sierra Club v. Department of Environmental Protection and NRG Power Midwest LP; EHB Doc. No. 2018-088-R

Three Rivers Waterkeeper and Sierra Club have appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0001627 to NRG Power Midwest LP, for its facility located in Springdale Borough, Allegheny County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 18-1463. Filed for public inspection September 14, 2018, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
57-320	Pennsylvania Public Utility Commission Minimum Insurance Requirements for Motor Carriers of Passengers 48 Pa.B. 3951 (July 7, 2018)	8/6/18	9/5/18
16A-7022	State Board of Certified Real Estate Appraisers Federally-Mandated Revisions 48 Pa.B. 3955 (July 7, 2018)	8/6/18	9/5/18

Pennsylvania Public Utility Commission Regulation # 57-320 (IRRC # 3204)

Minimum Insurance Requirements for Motor Carriers of Passengers

September 5, 2018

We submit for your consideration the following comments on the proposed rulemaking published in the July 7, 2018 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Pennsylvania Public Utility Commission (PUC) to respond to all comments received from us or any other source.

Section 32.11. Passenger carrier insurance.—Reasonableness; Need; Fiscal impact; Less costly or less intrusive method of achieving the goal of the regulation for small businesses; implementation procedures.

This proposed rulemaking will increase the amount of liability insurance a common or contract carrier of passengers (carriers) must maintain on each vehicle capable of transporting fewer than 16 passengers from \$35,000 to \$125,000 to cover liability for bodily injury, death or property damage incurred in an accident arising from authorized service.

The PUC has explained that the increase “will ensure that the public is adequately protected in the event of an accident while not imposing an insurmountable burden on passenger carriers operating smaller vehicles.” In support

of this proposal, the PUC reviewed the minimum insurance requirements in other jurisdictions and concluded that the current minimum of \$35,000 is too low. The PUC also asserts that the increase will bring these minimum insurance requirements in line with requirements for transportation network companies (TCNs) in Pennsylvania.

As the PUC prepares the final-form rulemaking, we ask that the following questions and concerns be addressed. First, we acknowledge that existing minimum liability amounts are lower than those of other states, TCNs and federal requirements. How do the minimum liability amounts compare to the amounts required for carriers that operate under the jurisdiction of the Philadelphia Parking Authority? This information will assist this Commission in determining the reasonableness of the proposed regulation.

Second, a commentator has asked if the existing rates have caused any problems or are inadequate for the riding public. Does the PUC have data that demonstrates the inadequacy of the existing rates?

Third, a commentator is concerned that the proposed increase could force some carriers out of business and also raise rates for the riding public. Of particular concern are small and rural carriers that do not have the volume of rides that larger and urban carriers have on a regular basis. A less costly or less intrusive alternative for achieving the goal of the regulation could be to phase in the increase over a period of time. This would lessen the immediate fiscal impact that carriers would experience. We ask the PUC to consider this approach as it develops the final-form rulemaking. In addition, we ask the PUC to quantify and consider the potential increase in price for the riding public.

Fourth, Question 29 of the Regulatory Analysis Form (RAF) indicates that the effective date of the new requirement is when the final rulemaking is published in the *Pennsylvania Bulletin*. We question if this implementation schedule is reasonable. Has the PUC considered providing a later effective date to allow carriers to obtain the additional insurance coverage? If the PUC wants to require compliance upon publication of the final rulemaking, we ask the PUC to explain what steps will be taken to ensure the carriers have sufficient time to meet the new requirements.

Finally, the PUC states in the RAF and Preamble that existing Form-E is used to certify compliance with minimum liability insurance requirements. How will the PUC ensure that carriers are meeting the new minimum liability insurance requirements? Will a new or amended Form-E have to be filed with the PUC once additional insurance coverage is obtained? We ask the PUC to explain how it will implement the new requirement as it pertains to compliance.

**State Board of Certified Real Estate Appraisers
Regulation # 16A-7022 (IRRC # 3205)**

Federally-Mandated Revisions

September 5, 2018

We submit for your consideration the following comments on the proposed rulemaking published in the July 7, 2018 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the State Board of Certified Real Estate Appraisers (Board) to respond to all comments received from us or any other source.

1. Section 36.11. Qualifications for certification as residential real estate appraiser. Section 36.12. Qualifications for certification as general real estate appraiser.—Protection of public health, safety and welfare; Reasonableness of requirements.

In the Preamble, the Board states that it proposes to maintain its current requirement in Section 36.11(e)(2) that at least 50 percent of the total number of hours of the experience acquired by the applicant shall be in the actual preparation of real estate appraisal reports. The Board states that this provision is not required by the Appraiser Qualifications Board (AQB), but the Board “continues to believe that appraisal report writing is a critical component of experience and thus has determined that this requirement is appropriate.” The Board makes these same statements about the value of appraisal report writing in regards to Section 36.12(e)(2).

Existing Section 36.11(e)(1) relating to qualifications for residential real estate appraisers requires at least 1,250 hours in actual preparation of real estate appraisal reports. However, the Board’s proposed adoption of the AQB Qualification Criteria for total experience hours will result in reducing the requirement for actual preparation of real estate appraisal reports to 750 hours.

In Section 36.12 relating to qualifications for general real estate appraisers, the Board proposes to change the existing requirement of “at least 1,500 hours” of experience in actual preparation of real estate appraisal reports to the AQB Qualification Criteria of “at least 50 percent” of the total experience. However, unlike Section 36.11, the proposed language in Section 36.12 would not change the required number of hours since the AQB Qualification Criteria requires 3,000 hours of experience in total (equating to 1,500 hours of actual preparation).

As noted above, the Board places significant emphasis on experience in actual preparation of real estate appraisal reports as a critical component of qualifications for both residential and general real estate appraisers. However, the Board doesn’t explain why it is rather significantly reducing the number of hours of preparation of appraisal reports for residential real estate appraisers. In light of a comment from the Coalition of Pennsylvania Real Estate Appraisers that the Board should, in fact, require 75 percent of the experience to be acquired by the actual preparation of appraisals for both residential and general real estate appraisers, we find the proposed regulation concerning. Did the Board consider requiring a higher percentage of actual preparation hours to account for the lower number of total hours required by the AQB Qualification Criteria?

In the Preamble of the final regulation, we ask the Board to explain why the number of hours of actual preparation of real estate appraisal reports required for both residential and general real estate appraisers is reasonable to protect the public health, safety and welfare.

2. Clarity and lack of ambiguity.

We have one additional concern related to the lack of notification to the regulated community and applicants when there is a change in the AQB Qualification Criteria. Did the Board consider a mechanism for notification? We ask the Board to clarify how the regulated community will be notified of changes to the AQB Qualification Criteria by including in the final regulation a notification requirement such as publication in the *Pennsylvania*

Bulletin within a certain period of time, prominent notice on the Board's Web site, links to the AQB Qualification Criteria and/or offering a subscription service.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 18-1464. Filed for public inspection September 14, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Redomesticate from the Commonwealth of Pennsylvania by 21st Century Security Insurance Company

21st Century Security Insurance Company, a domestic stock casualty insurance company, has filed for approval of a plan of redomestication whereby the state of domicile would change from the Commonwealth of Pennsylvania to New Jersey. The filing was made under section 357 of The Insurance Company Law of 1921 (40 P.S. § 477e).

Persons wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department (Department) within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-1465. Filed for public inspection September 14, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Geisinger Quality Options (GSHP-131627452); Individual PPO—Grandfathered Filing

Geisinger Quality Options submitted a rate filing to increase the premium rates for its Individual PPO Grandfathered Plans. The filing proposes a rate increase of 19.8% and will affect approximately 740 members. The proposed rate increase will generate an annualized revenue of approximately \$487,000 and will be effective January 1, 2019.

Unless formal administrative action is taken prior to November 29, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (click on the "Consumers" tab, then under "Resources" select "Product Notices").

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-1466. Filed for public inspection September 14, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Geisinger Quality Options (GSHP-131628494); Individual PPO—Transitional Filing

Geisinger Quality Options submitted a rate filing to increase the premium rates for its Individual PPO Non-Grandfathered Plans. The filing proposes a rate increase of 8.4% and will affect approximately 1,791 members. The proposed rate increase will generate an annualized revenue of approximately \$551,000 and will be effective January 1, 2019.

Unless formal administrative action is taken prior to November 29, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (click on the "Consumers" tab, then under "Resources" select "Product Notices").

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-1467. Filed for public inspection September 14, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Steven Morgan Kifer; License Denial Appeal; Doc. No. AG18-08-026

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Steven Morgan Kifer has appealed the denial of the application for a 1033 Written Waiver to engage in the business of insurance. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for October 11, 2018, at 9:30 a.m. Each

party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 9, 2018. A hearing shall occur on October 25, 2018, at 9:30 a.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 27, 2018, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to preliminary motions, protests, petitions to intervene or notices of intervention, if any shall be filed on or before October 9, 2018.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-1468. Filed for public inspection September 14, 2018, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-18-009, Dated August 7, 2018. Authorizing the side letter between the Commonwealth and AFSCME concerning the salary, working conditions and the Articles of the Master Agreement which are applicable to all temporary clerical pool employees and temporary adjunct custodial pool employees for the period July 1, 2016 through June 30, 2019.

Governor's Office

Manual No. 110.1—2019-20 Budget Instructions, Amended August 15, 2018.

Management Directive No. 215.16—Contract Compliance Program, Amended August 2, 2018.

DUANE M. SEARLE,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 18-1469. Filed for public inspection September 14, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pro Forma Consolidation and Abandonment of Competitive Access Services

A-2018-3004385; A-2018-3004387, A-2018-3004388. TVC Albany, Inc., Finger Lakes Technology Group, Inc. and ION Holdco, LLC. Joint application of TVC Albany, Inc., Finger Lakes Technology Group, Inc. and ION Holdco, LLC for approval of: (1) the pro forma consolidation of Finger Lakes Technology Group, Inc. and ION Holdco, LLC into TVC Albany, Inc.; and (2) the abandonment of competitive access services by Finger Lakes Technology Group, Inc. and ION Holdco, LLC and interexchange and competitive local exchange services by Finger Lakes Technology Group, Inc. upon completion of the pro forma consolidation.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 1, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: TVC Albany, Inc.; Finger Lakes Technology Group, Inc.; ION Holdco, LLC

Through and By Counsel: Anthony C. DeCusatis, Esquire, Catherine G. Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921; Catherine Wang, Esquire, Danielle Burt, Esquire, Morgan, Lewis & Bockius, LLP, 1111 Pennsylvania Avenue, NW, Washington, DC 20004-2541

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1470. Filed for public inspection September 14, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed in the event that there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by October 1, 2018. Documents filed in support of the

applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2018-3003343. Samuel Groff, t/a A & M Community Travel (10793 State Route 44, Watsontown, Northumberland County, PA 17777) in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, between points in the Counties of Centre, Clinton, Columbia, Dauphin, Huntingdon, Juniata, Lycoming, Mifflin, Montour, Northumberland, Perry, Snyder and Union.

A-2018-3003974. Best at Home Senior Care, LLC, t/d/b/a Best at Home Senior Care, d/b/a On Point Transportation (101 Route 130, Suite 6, Cinnaminson, NJ 08077-2843) in paratransit service between points in the City and County of Philadelphia.

A-2018-3004114. All State Limo Service, LLC (3400 Eastern Boulevard, Apartment E3, York, York County, PA 17402) in limousine service, between points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.

A-2018-3004115. Network Connect Tours, LLC (336 Jackson Street, Apartment A, Olyphant, Lackawanna County, PA 18447) in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, and persons in wheelchairs, from the Counties of Carbon, Delaware, Lackawanna, Lehigh, Luzerne, Monroe, Montgomery, Northampton, Philadelphia, Schuylkill, Susquehanna and Wyoming, to points in Pennsylvania, and return.

Application of the following for amendment to the permit approving the operation of motor vehicles as contract carriers for transportation of persons as described under the application.

A-2018-3004463. Zenride, LLC (122 Chestnut Street, Suite 300B, Philadelphia, Philadelphia County, PA 19106) for Medical Transportation Management, Inc. between points in Pennsylvania.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of household goods as described under the application.

A-2018-3004237. Keystone Moving & Junk Removal, LLC (207 West Maplewood Avenue, Mechanicsburg, Cumberland County, PA 17055) household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1471. Filed for public inspection September 14, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due October 1, 2018, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Circle S Transport, Inc.; Docket No. C-2018-3002700

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Circle S Transport, Inc., (respondent) is under suspension effective June 03, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 4701 Olentangy River Rd, Suite 204, Columbus, OH 43214.
3. That respondent was issued a Certificate of Public Convenience by this Commission on February 08, 2011, at A-8913090.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8913090 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may

include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/23/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Arrive In Class Limousine Service, LLC; Docket No. C-2018-3003407

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Arrive In Class Limousine Service, LLC, (respondent) is under suspension effective July 02, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 404 Schrader St., Taylor, PA 18517.
3. That respondent was issued a Certificate of Public Convenience by this Commission on February 16, 2017, at A-6419550.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The

Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6419550 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/25/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Rudy's Trucking, Inc.; Docket No. C-2018-3003413

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth

of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Rudy's Trucking, Inc., (respondent) is under suspension effective July 05, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 297 Felker Hill Road, Lindley, NY 14858.

3. That respondent was issued a Certificate of Public Convenience by this Commission on February 17, 2011, at A-8913064.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8913064 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/25/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound

by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

—————

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Nairn Transfer and Storage, LLC; Docket No. C-2018-3003711

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Nairn Transfer and Storage, LLC, (respondent) is under suspension effective July 21, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 169 Hallman Road, Douglassville, PA 19518.

3. That respondent was issued a Certificate of Public Convenience by this Commission on February 01, 2018, at A-8919975.

4. That respondent has failed to maintain evidence of Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8919975 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/31/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Ronald E. Fink; Docket No. C-2018-3003718

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Ronald E. Fink, (respondent) is under suspension effective July 21, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 20 West Orange Street, Shippensburg, PA 17257.

3. That respondent was issued a Certificate of Public Convenience by this Commission on April 21, 2008, at A-899903.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commis-

sion. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-899903 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/31/2018

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1472. Filed for public inspection September 14, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications Services

A-2018-3004320. TVC Albany, Inc., d/b/a FirstLight Fiber. Application of TVC Albany, Inc., d/b/a FirstLight Fiber for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territories of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, Frontier Communications of Pennsylvania, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC and Frontier Communications of Oswayo River, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 1, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: TVC Albany, Inc., d/b/a FirstLight Fiber

Through and By Counsel: Anthony C. DeCusatis, Esquire, Catherine G. Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1473. Filed for public inspection September 14, 2018, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than October 1, 2018. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-18-09-01. G & M Virk Carrier, Inc. (33 North Harwood Avenue, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public

convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-18-09-02. T & G Trans, Inc. (819 Tyson Avenue, Philadelphia, PA 19111): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 18-1474. Filed for public inspection September 14, 2018, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Taxicab and Limousine Division Formal Complaint

Philadelphia Parking Authority, Taxicab and Limousine Division v. Christopher De La Paz; Doc. No. C-18-07-111

Attention Christopher De La Paz, last known address of 710 South 10th Street, Allentown, PA 18103: Citation T-24904 has been issued to you by first-class proof-of-mail on July 18, 2018, by the Enforcement Department of the Philadelphia Parking Authority's Taxicab and Limousine Division (TLD) citing you have committed a violation of 53 Pa.C.S. § 57A09 for "any violation of the PennDot Inspection Code—Inspection Sticker Missing or Expired," which carries a recommended penalty of \$100. Pursuant to 52 Pa. Code § 1005.13(b) (relating to answer to citations), an answer to the Citation was due no later than August 6, 2018.

However, the Citation was mailed to you at your last known address referenced above but has been returned to the TLD by the United States Postal Service marked as "return to sender, attempted, moved, unable to forward." Therefore, this notice is being published pursuant to 52 Pa. Code § 1001.51(e) (relating to alternative service). To avoid a default order being entered against you, including possible disbarment from providing Transportation Network Company (TNC) service in Pennsylvania, within 15 days after the date of this publication, you shall answer the Citation by doing one of the following:

(1) Plead liable and remit payment of the full penalty amount identified in the Citation as referenced above and in a form as provided in 52 Pa. Code § 1001.42 (relating to mode of payment), payable to the Philadelphia Parking Authority; or

(2) Plead not liable by filing a hearing request as provided in 52 Pa. Code § 1005.13(b).

The payments and/or hearing request shall be filed with the TLD Clerk at: Philadelphia Parking Authority, Taxicab and Limousine Division, Attn: Office of the Clerk, 2415 S. Swanson Street, Philadelphia, PA 19148-4113.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 18-1475. Filed for public inspection September 14, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Rochelle Marisa Armendariz, RN, Respondent; File No. 17-51-06594; Doc. No. 1828-51-17

Notice to Rochelle Marisa Armendariz, RN:

On September 22, 2017, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Nursing, alleging that you have violated certain provisions of the Pennsylvania Professional Nursing Law, Act of May 22, 1951, P.L. 317, ("Act"). Pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, the State Board of Nursing has issued an Order authorizing service of process upon you by publication.

Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary
Department of State
2601 North Third Street
P.O. Box 2649
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-1476. Filed for public inspection September 14, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Angie Kromah, RN, Respondent; File No. 17-51-07500; Doc. No. 2119-51-17

Notice to Angie Kromah, RN:

On October 31, 2017, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Nursing, alleging that you have violated certain provisions of the Pennsylvania Professional Nursing Law, Act of May 22, 1951, P.L. 317, ("Act"). Pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, the State Board of Nursing has issued an Order authorizing service of process upon you by publication.

Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary
Department of State
2601 North Third Street
P.O. Box 2649
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-1477. Filed for public inspection September 14, 2018, 9:00 a.m.]

STATE HORSE RACING COMMISSION

Claiming Regulations and Procedures; Standardbred Horse Racing

The State Horse Racing Commission (Commission) provides notice that on August 28, 2018, at its regularly scheduled public meeting, it issued an Order adopting, as a temporary regulation, an amendment to its existing standardbred claiming rules and regulations in 58 Pa. Code § 183.151(l) (relating to claiming regulations and procedures) by changing the present 30-day time period to a 60-day time period for a subsequent transfer or sale of the horse. Entry of one's horses in claiming races and the ability to claim (that is, purchase) horses from out of those races is part of a voluntary program. Licensed individuals participating in claiming races understand the provisions, requirements and significant restrictions within claiming procedures. This Order was adopted under authority of 3 Pa.C.S. §§ 9311(h) and 9312(6)(i) (relating to State Horse Racing Commission; and additional powers of Commission), under Administrative Doc. No. 2018-8.

The general purpose of the Order is: (1) to increase the time period within which a properly claimed horse may be subsequently sold or transferred; (2) to maintain a steady and consistent horse population at each licensed standardbred racetrack by increasing the horse's presence at the particular racetrack; and (3) to create uniformity and consistency between existing "house" rules presently in place at licensed standardbred racetracks within the Commonwealth.

This Order and the Annex A will take effective upon publication in the *Pennsylvania Bulletin*. In addition, the Order and specific provisions have been posted and published on the Commission's web site at <http://www.agriculture.pa.gov/Animals/RacingCommission/commission/Pages/Publications.aspx>. The Commission will also provide copies of the Order upon request directed to (717) 787-5539.

BRETT REVINGTON,
Director
Bureau of Standardbred Horse Racing

[Pa.B. Doc. No. 18-1478. Filed for public inspection September 14, 2018, 9:00 a.m.]

