

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending December 11, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-26-2018	Mifflinburg Bank and Trust Company Mifflinburg Union County	901 State Route 522 Selinsgrove Snyder County	Effective
12-05-2018	InFirst Bank Indiana Indiana County	1007 Georges Station Road Greensburg Westmoreland County	Filed
12-06-2018	Ambler Savings Bank Ambler Montgomery County	1515 The Fairway Rydal Montgomery County (Limited Service Facility)	Approved
12-06-2018	FNCB Bank Dunmore Lackawanna County	360 South Mountain Boulevard Mountain Top Luzerne County	Approved
12-06-2018	Bank of Bird-in-Hand Bird-in-Hand Lancaster County	3314 Lincoln Highway East Paradise Lancaster County	Approved
12-11-2018	Republic First Bank Philadelphia Philadelphia County	830 Third Avenue New York New York County, NY	Approved

##### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-10-2018	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 2753 West Main Street Norristown Montgomery County  <i>From:</i> 2701 Ridge Pike Trooper Montgomery County	Approved

##### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-30-2018	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	3590 West Chester Avenue Newtown Square Delaware County	Closed
11-30-2018	Lafayette Ambassador Bank Bethlehem Northampton County	3397 Bath Pike Bethlehem Northampton County	Closed

## CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 18-1973. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**I. NPDES Renewal Applications.**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060259 (Sewage)	Tyler Hill Camp 1017 Cochection Turnpike Tyler Hill, PA 18469	Wayne County Damascus Township	Laurel Lake (on Tributary 6248 to North Branch Calkins Creek)—(1-A)	Yes
PA0063401 (Sewage)	Monteforte Enterprises, Inc. 1491 Oliver Road New Milford, PA 18834-7516	Susquehanna County New Milford Township	Unnamed Tributary to Nine Partners Creek (4-F)	Yes
PA0064157 (Sewage)	New Ringgold Borough Wastewater Treatment Facility 112 S. Railroad St. New Ringgold, PA 17960	Schuylkill County New Ringgold Borough	Little Schuylkill River (3-A)	Yes
PA0063819 (Industrial)	Lafayette College Easton, PA 18042	Northampton County Easton City	Bushkill Creek (1-F)	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0262102 (Sew)	Jack A Larkin 275 Pilgert Street Alburtis, PA 18011-2435	Berks County/ Longswamp Township	UNT Little Lehigh Creek/2-C	Y
PA0080093 (Sew)	Carroll Valley Sewer & Water Authority 5685 Fairfield Road Fairfield, PA 17320	Adams County/ Carroll Valley Borough	UNT Tom's Creek/13-D	Y
PA0261866 (Sew)	Kevin & Mariola McGee P.O. Box 596 Birdsboro, PA 19508	Berks County/ Amity Township	UNT Monacy Creek/3-D	Y
PA0032964 (Sew)	DCNR—Cowans Gap State Park 6235 Aigjwoel Road Fort Loudon, PA 17224-9801	Fulton County/ Todd Township	UNT Little Aughwick Creek/12-C	Y
PA0081841 (Sew)	Hershey Preserve 493 S Mt. Pleasant Lebanon, PA 17042-8945	Lebanon County/ South Annville Township	UNT Gingrich Run/7-D	Y
PA0248240 (Sew)	Zemir Alic 191 Shatto Drive Carlisle, PA 17013	Cumberland County/ North Middleton Township	Conodoguinet Creek/7-B	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0229172 (Industrial)	Duncan Township Municipal Water Authority 42 Duncan Township Road Wellsboro, PA 16901-8544	Tioga County Duncan Township	Unnamed Tributary to Wilson Creek (9-A)	Yes
PA0113514 (Sewage)	Madison Township Hilner Project WWTP P.O. Box 620 Millville, PA 17846-0620	Columbia County Madison Township	Unnamed Tributary to Mud Creek (10-D)	Yes
PA0228621 (Sewage)	Smithfield Township Wastewater Treatment Plant P.O. Box 102 East Smithfield, PA 18817-0102	Bradford County Smithfield Township	Tomjack Creek (4-C)	Yes
PA0232360 (Sewage)	Paul & Sarah Eberly SRSTP 1255 Industrial Park Road Milton, PA 17847-8552	Northumberland County West Chillisquaque Township	Unnamed Tributary to Chillisquaque Creek (10-D)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

Revision to previous permit notification that was published on December 1, 2018. This notification documents that a draft permit has been issued for comment.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0217689 (Industrial)	Joseph A Berkley WTP 210 Perry Highway Pittsburgh, PA 15229-1862	Allegheny County Neville Township	Ohio River (20-G)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0239976 (Industrial Waste)	Redbank Valley WTP 243 Broad Street New Bethlehem, PA 16242-1001	Clarion County New Bethlehem Borough	Redbank Creek (17-C)	No

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

**PA0247201**, Industrial, SIC Code 4941, **Lancaster City Water Bureau Lancaster County**, P.O. Box 1599, Lancaster, PA 17608-1599. Facility Name: Susquehanna Water Treatment Plant. This existing facility is located in West Hempfield Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Strickler Run, is located in State Water Plan watershed 7-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.18 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	0.9	XXX	XXX	0.05	XXX	0.16
Total Suspended Solids	Report	Report	XXX	30	60	75
Aluminum, Total	13.6	27.3	XXX	0.75	1.5	1.9
Iron, Total	34.5	69.1	XXX	1.9	3.8	4.8
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0261939**, Sewage, SIC Code 6514, **Sprout Brandy & Sprout Jason**, 790 Oliver Street, Newport, PA 17074-8901. Facility Name: Sprout Res. This existing facility is located in Oliver Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Juniata River, is located in State Water Plan watershed 12-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3636.

**PA0026239**, Sewage, SIC Code 4952, **University Area Joint Authority**, 1576 Spring Valley Road, State College, PA 16801-8401. Facility Name: Spring Creek Pollution Control Facility. This existing facility is located in Benner Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Spring Creek, is located in State Water Plan watershed 9-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 6 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	6.0 Annl Avg	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 6 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	500	750	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	500	750	XXX	10.0	15.0	20
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)						
(lbs)						
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
(lbs)						
Ammonia-Nitrogen						
Jan 1 - 31	225	335	XXX	4.5	6.7	9
Feb 1 - 28	250	375	XXX	5.0	7.5	10
Mar 1 - 31	275	410	XXX	5.5	8.2	11
Apr 1 - 30	200	300	XXX	4.0	6.0	8
May 1 - 31	150	225	XXX	3.0	4.5	6
Jun 1 - 30	125	185	XXX	2.5	3.7	5
Jul 1 - Nov 30	50	75	XXX	1.0	1.5	2
Dec 1 - 31	200	300	XXX	4.0	6.0	8
Ammonia-Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
(lbs)						
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Phosphorus, Dissolved	6.5	XXX	XXX	0.13	XXX	0.26
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Copper, Total (µg/L)	2.68	5.37	XXX	53.69	107.3	134.2
Sulfate, Total	XXX	Daily Max	XXX	XXX	Daily Max	XXX
		Report			Report	
Zinc, Total	16.01	Daily Max	XXX	0.32	Daily Max	0.8
		Report			Report	
Chloride	XXX	Daily Max	XXX	XXX	Report Daily	XXX
		Report			Max	
Bromide	XXX	Daily Max	XXX	XXX	Report	XXX
		Report			Daily Max	
Bis(2-Ethylhexyl)Phthalate (µg/L)	0.56	1.13	XXX	11.32	22.64	28.3
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 6 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Cadmium, Total (µg/L)	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Lead, Total	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	164,381	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Total Annual	XXX	XXX	XXX	XXX
		Report				
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Total Annual	XXX	XXX	XXX	XXX
		Report				
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Total Annual	XXX	XXX	XXX	XXX
		Report				
Effluent Net	XXX	21,918	XXX	XXX	XXX	XXX
		Total Annual				

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

Sludge use and disposal description and location(s): The facility creates Class A biosolids marketed for public use.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

**PA0232998**, Sewage, SIC Code 4952, **Eldred Township**, 5558 Warrensville Road, Montoursville, PA 17754-9022. Facility Name: Eldred Township Municipal Township Bldg SFTF. This proposed facility is located in Eldred Township, **Lycoming County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF Sewage.

The receiving stream(s), Mill Creek, is located in State Water Plan watershed 10-B and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min Report Avg Mo	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

**PA0233005**, Sewage, SIC Code 4952, **Michael W. & Robin J. Fleming**, 1197 Pleasant Hills Road, Williamsport, PA 17701. Facility Name: Michael W & Robin J Fleming. This proposed facility is located in Eldred Township, **Lycoming County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary of Millers Run, is located in State Water Plan watershed 10-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Annl Avg	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 6618404**, Sewage, **Lemon Township Tunkhannock Township Joint Municipal Sewer Authority**, 113 Tunkhannock Twp Drive, Tunkhannock, PA 18657.

This proposed facility is located in Tunkhannock Township, **Wyoming County**.

Description of Proposed Action/Activity: This is a proposal to build and operate a new 0.120 MGD sewage treatment plant to service 382 existing homes with future provisions for an additional 98 new residences. The design proposal is for an Oxidation Ditch treatment system employing an activated sludge process. It will also utilize an influent screen, sludge holding tank, dual clarifiers and dual Ultra Violet Disinfection units. The treated effluent will discharge to Tunkhannock Creek under NPDES Permit PA0276073.

**WQM Permit No. 4818405**, Sewage, **Bethlehem Township Municipal Authority**, 3535 Orth Street, Bethlehem, PA 18020.

This proposed facility is located in Bethlehem Township, **Northampton County**.

Description of Proposed Action/Activity: The project is for the construction of a pump station to serve portions of the proposed Traditions of America subdivision, the proposed Mill Creek Corporate Campus, and other existing parcels. Two pumps (one on standby) rated for 207 gallons per minute at 48.4 ft TDH will convey wastewater to a 4-inch force main. The wet well-mounted pump station includes a control building, emergency generator, ventilation, and other associated appurtenances.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. WQG02671803**, Sewerage, **York Regent Acres, LP**, 4775 North Sherman St., Unit 1, Mt. Wolf, PA 17437.

This proposed facility is located in Fairview and Newberry Townships, **York County**.

Description of Proposed Action/Activity: Applicant applying for new Sewage Pumping Station.

**WQM Permit No. 6718405**, Sewerage, **Jackson Twp. Sewer Authority**, 439 Roths Church Rd, Spring Grove, PA 17362.

This proposed facility is located in Jackson Township, **York County**.

Description of Proposed Action/Activity: Applicant is applying for pump station replacements.

**WQM Permit No. WQG02221802**, Sewerage, **Susquehanna Twp. Authority**, 1900 Linglestown Rd., Harrisburg, PA 17110-3302.

This proposed facility is located in Susquehanna Twp., **Dauphin County**.

Description of Size and Scope of Proposed Operation/Activity: Applicant is applying for a Water Quality Management General Permit for Sewer Extension.

**WQM Permit No. WQG02501801**, Sewerage, **Penn Township Municipal Authority**, 102 Municipal Building Road, Duncannon, PA 17020-1130.

This proposed facility is located in Penn Twp., **Perry County**.

Description of Size and Scope of Proposed Operation/Activity: Applicant is applying for a Water Quality Management General Permit for Sewer Extension.

**WQM Permit No. 1518201**, CAFO, **Mason's Chrome View, Ltd.**, 86 Chrome Rd, Nottingham, PA 19362.

This proposed facility is located in East Nottingham Township, **Chester County**.

Description of Size and Scope of Proposed Operation/Activity: Applicant is applying for a Water Quality Management.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 368S010 A-3**, Sewage, **Center Township Sanitary Authority**, 224 Center Grange Road, Aliquippa, PA 15001-1421.

This existing facility is located in Center Township, **Beaver County**.

Description of Proposed Action/Activity: Markey Run Interceptor Improvement Project.

**WQM Permit No. 6518406**, Sewage, **Hastings Richard**, P.O. Box 1466, Andover, OH 44003-1466.

This proposed facility is located in Nottingham Township, **Washington County**.

Description of Proposed Action/Activity: Installation/construction of a SRSTP to abate an on-lot malfunction.

**WQM Permit No. 0308201 A-1**, Industrial, **Alliance Petroleum Corporation**, 101 McQuiston Drive, Jackson Center, PA 16133-1633.

This existing facility is located in South Bend Township, **Armstrong County**.

Description of Proposed Action/Activity: Transfer of permit and installation of two (2) 100-barrel flow equalization tanks, a physical/chemical treatment with automatic, flow proportioned sodium sulfate feed and flocculation treatment with automatic, flow proportioned polymer feed, prior to existing precipitation ponds, for the reduction of total barium.

**WQM Permit No. 2618401**, Sewage, **Connellsville Municipal Authority**, P.O. Box 925, Connellsville, PA 15425-0925.

This proposed facility is located in Connellsville City, **Fayette County**.

Description of Proposed Action/Activity: Replacement, expansion and upgrade of existing sewage treatment plant and pump stations to addresses combined sewage overflows. The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a potential funding source.

---

#### **IV. NPDES Individual Permit Applications for Stormwater Discharges from MS4.**

---

*Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.*

**PAI132249**, MS4, **Archbald Borough Lackawanna County**, 400 Church Street, Archbald, PA 18403. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Archbald Borough, **Lackawanna County**. The receiving streams, Lackawanna River and Wildcat Creek, is located in State Water Plan watershed 5-A and is classified for Cold Water Fishes, Migratory Fishes, High Quality—Cold Water, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)



The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**PAI133522**, MS4, **Womelsdorf Borough Berks County**, 101 West High Street, Womelsdorf, PA 19567. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Womelsdorf Borough, **Berks County**. The receiving stream(s), Tulpehocken Creek and Unnamed Tributary of Tulpehocken Creek, is located in State Water Plan watershed 3-C and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

---

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD510038	NewCourtland Elder Services 6970 Germantown Avenue Philadelphia, PA 19119	Philadelphia	City of Philadelphia	Delaware River WWF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lackawanna County Conservation District, 1038 Montdale Road, Scott Township, PA 18447.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350010	Moscow DPP, LLC 9010 Overlook Blvd. Brentwood, TN 37027	Lackawanna	Moscow Borough	Langan Creek (HQ-CWF, MF) Van Brunt Creek (HQ-CWF, MF)

*Lehigh County Conservation District, 4184 Dorney Park Road, Allentown, PA 18104-5728.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390104	Woodmont at Upper Mac, LP 100 Passaic Ave, Ste 240 Fairfield, NJ 07004	Lehigh	Upper Macungie Township	Cedar Creek (HQ-CWF, MF)

---

#### **VII. List of NOIs for NPDES and/or Other General Permit Types.**

---

PAG-12	CAFOs
--------	-------

---

#### **CAFO Notices of Intent Received.**

---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**NPDES Permit No. PAG123611**, CAFO, **Petre Daniel L**, 3409 Smoketown Road, Spring Grove, PA 17362.

This existing facility is located in Manheim Township, **York County**.

Description of size and scope of existing operation/activity: Poultry (Layers), Beef (Finishing): 513.34 AEUs.

The receiving stream, Unnamed Tributary to Codorus Creek and Unnamed Tributary to West Branch Codorus Creek, is in watershed 7-H and classified for: Migratory Fishes, Warm Water Fishes, and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

#### MS4 PAG-13 Notices of Intent Received.

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

NPDES Permit No.	Applicant Name & Address	Municipality, County	Waiver Application Submitted (Y/N)	Pollutant Reduction Plan Submitted (Y/N)
PAG136404	Luzerne Township 415 Hopewell Road Brownsville, PA 15417	Luzerne Township, Fayette County	N	Y

### PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### SAFE DRINKING WATER

#### Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5980.*

**Permit No. 0918525**, Public Water Supply.

Applicant	<b>PA American Water Company</b> 1145 Edgewood Road Yardley, PA 19067
Township	Yardley

County	<b>Bucks</b>
Responsible Official	David R. Kaufman 1145 Edgewood Road Yardley, PA 19067
Type of Facility	PWS
Consulting Engineer	Gannett Fleming, Inc. P.O. Box 67100 Harrisburg, PA 17106
Application Received Date	December 6, 2018
Description of Action	Disinfection modifications at the Yardley Plant, including addition of UV disinfection.

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Application No. 4818506**, Public Water Supply.

Applicant	<b>Easton Suburban Water Authority</b> P.O. Box 3819 Easton, PA 18043-3819
[Township or Borough]	Lower Nazareth Township
Responsible Official	Roy White, Manager Easton Suburban Water Authority P.O. Box 3819 Easton, PA 18043-3819
Type of Facility	PWS
Consulting Engineer	David E. Marks, PE Gannett Fleming, Inc. P.O. Box 67100 Harrisburg, PA 17106
Application Received Date	12/03/2018
Description of Action	Project involves the construction of a new pumping station to serve the Lower Nazareth service area as well as the installation of approximately 9,500 lineal feet of suction and discharge mains including the replacement of water main along Hecktown Road. The project also includes the replacement of approximately 7,600 lineal feet of water main on Route 191.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 0718506**, Public Water Supply.

Applicant **Altoona Water Authority**  
Municipality Antis Township  
County **Blair**  
Responsible Official Mark A. Perry, General Manager  
900 Chestnut Avenue  
Altoona, PA 16601

Type of Facility Public Water Supply  
Consulting Engineer Christopher M. Echenrode, PE  
Gwin, Dobson & Foreman, Inc.  
3121 Fairway Drive  
Altoona, PA 16602

Application Received: 11/19/2018  
Description of Action Upgrades to the existing  
Bellwood Water Treatment Plant  
including new membrane  
filtration system, liquid oxygen  
system, and chemical feed  
system upgrades.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 2018502**, Public Water Supply.

Applicant **BPOE Meadville Lodge 219**  
Township or Borough City of Meadville  
County **Crawford**  
Responsible Official Dennis Duryea  
Type of Facility Public Water Supply  
Consulting Engineer Dennis Duryea, PE  
DDsquared  
220 Sylvan Drive  
Lower Burrell, PA 15068

Application Received Date December 4, 2018  
Description of Action 30 gal hypochlorite tank for  
compliance with 4-Log  
Treatment

#### WATER ALLOCATIONS

#### Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. § 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**WA 22-1038A**, Water Allocations. **Pennsylvania American Water (PWS ID No. 7220017), Dauphin County.** The right to purchase a maximum of 800,000 gallons per day (gpd), based on a thirty (30) day average, from the City of Lebanon Authority through an existing interconnection located in Annville Township, **Lebanon County.** Applicant Address: David R. Kauffman, Vice-President—Engineering, Pennsylvania-American Water, 800 West Hershey Park Drive, Hershey, PA 17033. Consulting Engineer: Anthony M. Nokovich, PE, PA American Water, 852 Wesley Drive, Mechanicsburg, PA 17055. Application Received: 10/12/2018.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation



to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-05007Q: Carpenter Technology Corp.** (101 Bern Street, Reading, PA 19601) to restart the Block 1 steel coil cleaning line in their specialty steel alloy manufacturing facility located in the City of Reading, **Berks County**. There will be no potential emission increases from this project to restart the Block 1 coil cleaning line, due to emission limits being placed on it, and other equipment. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR 63 Subpart DDDDD. Based on these findings, the Department proposes to issue a plan approval for the proposed restart of the Block 1 coil cleaning line. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**08-00052B: REV LNG SSL BC, LLC** (120 Tredgar St., Richmond, VA 23219) for the construction of three 2,175 bhp Caterpillar G3516C, 4-stroke, ultra-lean burn, natural gas fired generator engines, each equipped with an oxidation catalyst, at the proposed Towanda liquified natural gas (LNG) facility located in Herrick Township, **Bradford County**. The project also includes the following sources: one 302 bhp Kohler 200 REZXB standby generator equipped with an oxidation catalyst; three 60,000 gallon LNG storage tanks; an LNG truck loading station; and various fugitive emissions. The Department of Environmental Protection's (Department's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR 63.6580—63.6675, the Standards of Performance for Stationary Spark Ignition Inter-

nal Combustion Engines, 40 CFR 60.4230—60.4248, 25 Pa. Code Chapter 123 and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction.

The emissions from each proposed Caterpillar engine included in this project will not exceed the following limits: 0.50 g/bhp-hr and 10.50 TPY NO<sub>x</sub>, 0.20 g/bhp-hr and 4.20 TPY CO, 0.15 g/bhp-hr and 3.15 TPY VOCs, 0.000588 lbs/MMBtu and 0.04 TPY SO<sub>x</sub>, 0.00999 lbs/MMBtu and 0.74 TPY PM, 0.05 g/bhp-hr and 1.05 TPY formaldehyde; no visible emissions equal to or greater than 10% for a period or periods aggregating more than three minutes in any 1 hour and equal to or greater than 30% at any time. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: restrict the engines to natural gas firing only; performance testing requirement for all Caterpillar engines to verify compliance with the emissions limitations; in addition to performance testing, establish follow-up portable analyzer testing for NO<sub>x</sub> and CO for all Caterpillar engines every 2,500 hours of operation; establish a facility-wide leak detection and repair (LDAR) program to account for fugitive emissions from high pressure natural gas connections.

The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 08-0052B, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

**59-00037A: Energy Water Solutions, LLC** (9070 Gleannloch Forest Dr., Ste. 100, Spring, TX 77379) for the construction of three produced water evaporator/concentrator (VOX) systems, each equipped with a 9.5 MMBtu/hr, natural gas-fired burner and set of drift eliminators and each powered by a 60 kW, natural gas-fired engine/generator set, at EQT Production Company's existing Phoenix S Well Pad located in Duncan Township, **Tioga County**.

The Department of Environmental Protection's (Department's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR 63.6580—63.6675, the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR 60.4230—60.4248, 25 Pa. Code Chapter 123 and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The emissions from each proposed VOX system included in this project will not exceed the following limits: 0.0023 grain per dry standard cubic foot and 6.87 TPY PM (filterable and condensable), 2.7 TPY VOCs for all three VOX units combined; no visible

emissions equal to or greater than 10% for a period or periods aggregating more than three minutes in any 1 hour and equal to or greater than 30% at any time. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: restrict the VOX systems' burners and generator engines to natural gas firing only; performance testing requirement for one of the VOX systems to verify compliance with the particulate matter emissions limitation; require periodic monitoring of the Phoenix S Well Pad water; restrict the VOX systems to processing only waters generated at the Phoenix S Well Pad; prohibit the VOX systems from processing waters that contain methanol unless prior Department approval is obtained.

The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 59-00037A, the applicants will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**16-132N: Clarion Boards, Inc.** (143 Fiberboard Road, Shippensburg, PA 16254), for the proposed facility VOC limit to become a synthetic minor for VOC in Paint Township, **Clarion County**. This is a Title V facility and will remain Title V after approval. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No 16-132N is for the proposed facility VOC limit to become a synthetic minor VOC facility. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Site:
- VOC emissions from the facility shall not exceed 49.5 tpy on a 12-month rolling basis. The facility consists of the Boards & Laminates plants.
- Records shall be retained for a minimum of five (5) years and shall be made available to the Department, upon request.
- The owner or operator of the facility shall maintain records that clearly demonstrate that the facility is not a major source of VOC emissions. In addition, the owner or operator shall keep records to verify compliance with the facility-wide VOC emission limitation of 49.5 tpy. The records shall be maintained, at a minimum, on a monthly basis and the emissions shall be calculated on a 12-month

rolling basis. VOC emissions from sources that have conducted approved stack testing shall be calculated using the results from the latest Department approved stack testing along with actual production records. VOC emissions from sources that have not conducted approved stack testing shall be calculated using Department approved emission factor along with actual production records.

- The facility shall submit an Application for Action for both the Boards Facility and the Laminates Facility to incorporate conditions from this plan approval into the respective facility operating permit.
- All conditions from the Laminate facility operating permit (16-00149) revised on November 8, 2017, remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP Office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [16-132N], and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

**43-252B: Grove City College** (100 Campus Drive, Grove City, PA 16127), for the modification of Boiler 034 for natural gas to be the primary fuel with fuel oil as backup in Grove City Borough, **Mercer County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in



accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

Plan approval No 43-252B is for the proposed modification of Boiler 034 (Source 034) by adding fuel oil as a backup fuel. The potential emissions after the modification for Boiler 034 are as follows: 0.90 tpy for PM, 0.795 tpy for PM<sub>10</sub>, 0.717 tpy for PM<sub>2.5</sub>, 11.12 tpy for NO<sub>x</sub>, 7.51 tpy for SO<sub>x</sub>, 8.11 tpy for CO, and 0.521 tpy for VOC. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Site Level:
  - No changes from plan approval 43-252A
  - Source 031 (Boiler 031):
    - No changes from plan approval 43-252A
    - Source 032 (Boiler 032):
      - No changes from plan approval 43-252A except for the following:
        - The following condition from plan approval 43-252A is deleted: Boilers 032 & 033 combined shall not exceed # 2 Fuel Oil usage of 210,000 gallons per year based on a consecutive 12-month period.
        - Source 033 (Boiler 033):
          - No changes from plan approval 43-252A except for the following:
            - Boilers 033 & 034 combined shall not exceed # 2 Fuel Oil usage of 210,000 gallons per year based on a consecutive 12-month period. [This condition replaces the following condition from plan approval 43-252A: Boilers 032 & 033 combined shall not exceed # 2 Fuel Oil usage of 210,000 gallons per year based on a consecutive 12-month period.]
            - Source 034 (Boiler 034):
              - No changes from plan approval 43-252A except for the following:
                - Subject to 40 CFR 60 Subpart Dc
                - The source shall be capable of reducing NO<sub>x</sub> and CO emissions to or below:
                  - NO<sub>x</sub>: 30 ppmvd @ 3% O<sub>2</sub> when firing natural gas
                  - NO<sub>x</sub>: 90 ppmvd @ 3% O<sub>2</sub> when firing fuel oil
                  - CO: 300 ppmvd @ 3% O<sub>2</sub>
                - The source shall burn gaseous fuels not combined with any solid fuels and burn liquid fuel only during periods of gas curtailment, gas supply interruption, start-ups, or periodic testing on liquid fuel. Periodic testing of liquid fuel shall not exceed a combined total of 48 hours during any calendar year.
                - The source shall be fired only on gas (natural or liquefied petroleum) or No. 2 commercial fuel oil to which there has been no reclaimed or waste oil or other waste materials added. [This condition replaces the following condition from plan approval 43-252A: The source shall only burn natural gas as a fuel.]
                - Boilers 033 & 034 combined shall not exceed # 2 Fuel Oil usage of 210,000 gallons per year based on a consecutive 12-month period.

- The permittee shall perform a stack test for SO<sub>x</sub> in accordance with 25 Pa. Code Chapter 139 and US EPA Reference Method 8 or equivalent test procedure with the source at rated capacity and burning only # 2 Fuel Oil within 90 days of burning # 2 Fuel Oil for greater than a combined total of 48 hours during the 5-year term of the facility operating permit. The permittee shall report the results (as SO<sub>2</sub>) of this test in units consistent with the emission limitation (lb/MMBtu) and the emission factor used for compliance (lb SO<sub>x</sub> per 1,000 gallons # 2 Fuel Oil burned).

- The permittee shall maintain the following:
  - Operating log of steam flow (lbs/hr)
  - Natural gas usage (cf/hr)
  - Fuel oil usage (gallons/hr)
  - Source 035 (Miscellaneous Natural Gas Consumption):
    - No changes from plan approval 43-252A

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [43-252B], and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

## OPERATING PERMITS

**Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**23-00001: Sunoco LLC, Marcus Hook Refinery** (100 Green Street, Marcus Hook, PA 19061) for the operation of a gasoline blending plant in Marcus Hook Borough, **Delaware County**. As a result of potential emissions of VOCs and HAPs, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. There are currently no new sources and no new applicable regulations to this facility. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting for the remaining sources at the facility.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**28-05028: Chambersburg Energy, LLC** (225 Alleman Road, Chambersburg, PA 17201) for the operation of the electrical generation station located in Guilford Township, **Franklin County**. The facility 2017 actual air emissions were 39.77 tons of CO, 68.4 tons of NO<sub>x</sub>, 0.14 ton of PM<sub>10</sub>, 0.7 ton of SO<sub>x</sub>, 1.82 ton of VOC, and 0.62 ton of total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 60, Subpart GG-Standards of Performance for Stationary Gas Turbines, and Cross-State Air Pollution Rule (CSAPR) requirements.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**10-00001: AK Steel Corporation, Butler Works** (Route 8 South, Butler, PA 16001), the Department intends to issue the renewal of the Title V Operating Permit of a steel mini-mill facility, located in Butler Township, **Butler County**, that manufactures flat-rolled electrical and stainless steel and supplies stainless semi-finished slabs. As of this renewal, there are 82 permitted sources at the facility that include electric arc furnaces (EAF), an argon-oxygen decarburization (AOD) reactor, a ladle metallurgical facility (LMF), continuous casters, cold rolling mills, pickle lines, boilers, furnaces, heaters, and other various units needed to perform steel melting, casting, rolling, and finishing. The facility is a major source of CO, NO<sub>x</sub>, PM<sub>10</sub>, SO<sub>x</sub>, and VOCs. Meeting the criteria pursuant to 40 CFR 64.2(a)(1)—(3), the two EAFs, the AOD reactor, the LMF, and one cold rolling mill have been subject to Compliance Assurance Monitoring (CAM) requirements for PM/PM<sub>10</sub> emissions. In this renewal, a back-up boiler and a heater are incorporated as permitted sources. With the facility subject to Addi-

tional Reasonably Available Control Technology for Major Sources of NO<sub>x</sub> and VOC (RACT II, 25 Pa. Code §§ 129.96—129.100), applicable RACT II presumptive requirements are incorporated into the operating permit. Proposed changes to reduce frequencies for several testing, monitoring, and reporting conditions established through PA 10-0010 have also been granted. An on-going plan approval (PA 10-001P) is incorporated into the permit by reference. The RACT II alternative requirements (Case-by-Case) will be reviewed separate from this renewal.

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00048: H & K Materials, Inc.** (300 Skunk Hollow Road, Chalfont, PA 18914) for renewal of a State Only, Synthetic Minor Operating Permit in Hilltown Township, **Bucks County**. H & K Materials operates an Asphalt Plant at this site. Plan Approval 09-0048E has been incorporated into the permit. The facility maintains a synthetic minor operating status by maintaining total NO<sub>x</sub> emissions to less than 12.40 tons per year. The batch asphalt plant, without the Duodrum, shall not exceed the following: CO < 79 TPY; PM<sub>10</sub> < 8.29 TPY; SO<sub>x</sub> < 11.85 TPY; NO<sub>x</sub> < 10.27 TPY; VOC as propane < 5.73 TPY. The renewed permit includes testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**54-00035: Tredegar Corporation** (30 Maple Avenue, Pottsville, PA 17901). The Department intends to issue a renewal State-Only (Natural Minor) Permit to manufacture unsupported plastics, film, and sheet facility located in Norwegian Township, **Schuylkill County**. The primary sources consist of fifteen (15) plastic extrusion lines. The control devices consist of a baghouse. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**22-03048: Reiff & Nestor Co.** (P.O. Box 147, Lykens, PA 17048) for the operation of a steel tap manufacturing plant in Lykens Borough, **Dauphin County**. This is for the renewal of the existing State-only operating permit. The facility is a minor source of particulate matter emissions related to machining and grinding operations and an insignificant source of chromic acid mist from

hard chrome plating operations. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and 40 CFR Part 63, Subpart N—National Emission Standards for Chromium Emissions From Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks.

**07-03063: Sorge Funeral Home, Inc.** (422 North Juniata Street, Hollidaysburg, PA 16648) to issue a Natural Minor Operating Permit for the operation of a Human Crematory 1 in the Borough of Hollidaysburg, **Blair County**. The crematory is controlled by an afterburner. The subject facility has estimated potential emissions of 2.29 tons of nitrogen oxide, 1.91 ton of carbon monoxide, 1.62 ton of particulate matter, 0.72 ton of sulfur dioxide, and 0.16 ton of volatile organic compounds from this operation. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**67-05140: Bulk Dried Materials, LLC** (900 North Hartley Street, York, PA 17404) to issue a State-Only Operating Permit for the operation of a thermal sand dryer in the City of York, **York County**. Thermal Sand Dryer is controlled by a fabric collector. The subject facility has estimated potential Particulate Matter controlled emissions from this operation of 9.29 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**65-00623: Wabtec Rubber Products, Inc.** (269 Donahoe Road, Greensburg, PA 15601) Natural Minor Operating Permit is for a facility that produces rubber products for railroad applications and is located in Hempfield Township, **Westmoreland County**. In accordance with 25 Pa. Code § 127.424 and § 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the previously-mentioned facility. Sources of emissions consist of a urethane spray booth controlled by particulate filters, a mixing area controlled by two dust collectors, a few natural gas-fired heating sources, and one small rubber grinder. Facility-wide potential emissions are projected to be 6.54 TPY VOC, 6.03 TPY NO<sub>x</sub>, 5.06 TPY CO, 1.95 TPY HAP, 0.54 TPY PM<sub>10</sub>, 0.54 TPY PM<sub>2.5</sub>, and 0.04 TPY SO<sub>x</sub>. The facility is required to conduct weekly surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes operation requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be

considered prior to the issuance of the State-Only Operating Permit may submit the information to Bradley Spayd, Air Quality Engineering Trainee, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00623) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Bradley Spayd, Air Quality Engineering Trainee, at the previously listed address. For additional information concerning the permit or the issuance procedure, contact Bradley Spayd at the same previously listed address or phone at (412) 442-5227.

All comments must be received prior to the close of business 30 days after the date of this publication.

**56-00294: New Enterprise Stone and Lime Co.** (1715 Water Level Road, Somerset, PA 15501) Synthetic Minor Operating Permit is for an asphalt plant located in Jefferson Township, **Somerset County**. In accordance with 25 Pa. Code § 127.424 and § 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the previously-mentioned facility. The asphalt plant is considered the single source of emissions at this site and is controlled by a cyclone and baghouse system. There are production limits to keep the facility under Title V thresholds. Periodic testing using a portable analyzer is required for CO emission monitoring. With the production limit, facility-wide potential emissions are 99.9 TPY CO, 48.6 TPY NO<sub>x</sub>, 22.6 TPY SO<sub>x</sub>, 8.9 TPY total HAP, 5.6 TPY VOC, and 1.7 TPY PM<sub>10</sub>. Actual production at this facility is much lower than the production limit. Hence, actual emissions are anticipated to be much lower than those previously stated. The facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes operation requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Bradley Spayd, Air Quality Engineering Trainee, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (56-00294) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspa-



per or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Bradley Spayd, Air Quality Engineering Trainee, at the previously listed address. For additional information concerning the permit or the issuance procedure, contact Bradley Spayd at the same previously listed address or phone at (412) 442-5227.

All comments must be received prior to the close of business 30 days after the date of this publication.

#### PLAN APPROVALS

**Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**40-00063B: Kappa Graphics, L.P.** (50 Rock Street, Pittston, PA 18604) for their facility in Hughestown Borough, Luzerne County.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Kappa Graphics, L.P. (50 Rock Street, Pittston, PA 18604) for their facility in Hughestown Borough, Luzerne County. This Plan Approval No. 40-00063B will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 40-00063B is for the installation of one (1) non-heatset web printing press and (1) heat set web printing press with two (2) natural gas dryers controlled by a regenerative thermal oxidizer (RTO) with VOC destruction efficiency of 98%. Volatile Organic Compound (VOC) emissions from the facility will remain under their 50 TPY limit, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions and 25 Pa. Code § 129.67 for surface coatings and use of an RTO. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 40-00063B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

#### COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

*Coal Applications Received*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 11130201 and NPDES PA0269280. Ebensburg Power Co.**, 11 Lloyd Ave, Latrobe, PA 15650, permit renewal for the continued operation and restoration of a bituminous surface coal refuse reprocessing mine in Richland and Paint Townships, **Cambria and Somerset Counties**, affecting 63.6 acres. Receiving stream:

Paint Creek, classified for the following use, trout stocked fishes. There are no potable water supply intakes within 10 miles downstream. Application received: November 28, 2018.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

| <i>Parameter</i>                     | <i>Table 2</i>        |                                 |                              |
|--------------------------------------|-----------------------|---------------------------------|------------------------------|
|                                      | <i>30-day Average</i> | <i>Daily Maximum</i>            | <i>Instantaneous Maximum</i> |
| Suspended solids                     | 10 to 35 mg/l         | 20 to 70 mg/l                   | 25 to 90 mg/l                |
| Alkalinity exceeding acidity*<br>pH* |                       | greater than 6.0; less than 9.0 |                              |

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 58130807. William Shay**, (258 Shay Road, Thompson, PA 18465), Stage II bond release of a quarry operation in Gibson Township, **Susquehanna County** affecting 1.0 acre on property owned by Harold Davis. Application received: November 15, 2018.

**Permit No. 7373SM1C6 and NPDES No. PA0595683. H & K Group, Inc.**, (P.O. Box 196, Skippack, PA 19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Penn Forest Township, **Carbon County** affecting 20.0 acres, receiving stream: Stony Creek, classified for the following use: Exceptional Value Waters. Application received: November 21, 2018.

**Permit No. 64030806. G.K. Flagstone, Inc.**, (405 State Route 374, Nicholson, PA 18446), Stage I & II bond release of a quarry operation in Lebanon Township, **Wayne County** affecting 3.0 acres on property owned by Upper Woods Hunting Club, Inc. Application received: November 21, 2018.

*Noncoal Applications Withdrawn*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 7773SM1A2C17. H & K Group, Inc.**, (P.O. Box 196, Skippack, PA 19474), correction to an existing quarry operation to add a water plant and dewatering plant in Douglass Township, **Berks County** affecting 243.95 acres, receiving stream: unnamed tributaries to the Schuylkill River. Application received: June 8, 2018. Application withdrawn: December 4, 2018.

**Permit No. 7473SM2A1C24. Hercules Cement Co., LP d/b/a Buzzi Unicem USA**, (501 Hercules Drive, Stockertown, PA 18083), correction to an existing quarry for a boundary and depth correction in Palmer and Upper Nazareth Townships, **Northampton County** affecting 298.3 acres, receiving streams: Bushkill and Schoeneck Creek. Application received: September 14, 2015. Application withdrawn: December 5, 2018.

**MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i>  | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|-------------------|-----------------------|----------------------|------------------------------|
| Iron (Total)      | 3.0 mg/l              | 6.0 mg/l             | 7.0 mg/l                     |
| Manganese (Total) | 2.0 mg/l              | 4.0 mg/l             | 5.0 mg/l                     |



| <i>Parameter</i>                 | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i>        | <i>Instantaneous<br/>Maximum</i> |
|----------------------------------|---------------------------|---------------------------------|----------------------------------|
| Suspended solids                 | 35 mg/l                   | 70 mg/l                         | 90 mg/l                          |
| pH*                              |                           | greater than 6.0; less than 9.0 |                                  |
| Alkalinity greater than acidity* |                           |                                 |                                  |

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**NPDES No. PA0607550 (Mining Permit No. 11830102), M. B. Energy, Inc.**, 175 McKnight Road, Blairsville, PA 15717, renewal of an NPDES permit for bituminous surface mine in Lower Yoder Township, **Cambria County**, affecting 25.0 acres. Receiving stream: unnamed tributary to St. Clair Run, classified for the following use: cold water fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: November 28, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for coal mining activities.

The following outfall discharges to unnamed tributary to St. Clair Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001                 | N                        |

The proposed effluent limits for the previously listed outfall is as follows:

| <i>Outfalls:<br/>Parameter</i>                                      | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|---|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l)   | 3.0                       | 6.0                      | 7.0                         |
| Manganese (mg/l)  | 1.7                       | 3.4                      | 4.2                         |
| Aluminum (mg/l)   | 1.2                       | 2.4                      | 3.0                         |
| Total Suspended Solids (mg/l)                                       | 35.0                      | 70.0                     | 90.0                        |
| Temperature (°C)  |                           |                          | Report                      |
| Specific Conductance (mohs/cm)                                      |                           |                          | Report                      |
| Sulfate (mg/l)  |                           |                          | Report                      |
| Flow (gpm)  |                           |                          | Report                      |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. |                           |                          |                             |
| Alkalinity must exceed acidity at all times.                        |                           |                          |                             |

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**NPDES No. PA0259667 (Permit No. 33180101). P. and N. Coal Company, Inc.** (P.O. Box 332, Punxsutawney, PA 15767) Revision to add an addition sedimentation trap to an existing NPDES permit for a bituminous surface mine in Rose & Clover Townships, **Jefferson County**, affecting 190.3 acres. Receiving streams: Unnamed tributaries to Rattlesnake Run and Rattlesnake Run; unnamed tributaries to Redbank Creek, all classified for the following uses: CWF. TMDL: Redbank Creek. Application received: October 25, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for coal mining activities.

The following outfalls discharge to unnamed tributaries to Rattlesnake Run and Rattlesnake Run, unnamed tributaries to Redbank Creek:

| <i>Outfall No.</i> | <i>New Outfall (Y/N)</i> |
|--------------------|--------------------------|
| TB1                | N                        |
| TB2                | N                        |
| TB3                | N                        |
| TB4                | N                        |
| TB5                | N                        |

The proposed effluent limits for the previously listed outfall(s) are as follows:

| <i>Parameter</i>                             | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|----------------|---------------------------|--------------------------|-----------------------------|
| pH <sup>1</sup> (S.U.)                       | 6.0            |                           |                          | 9.0                         |
| Alkalinity greater than acidity <sup>1</sup> |                |                           |                          |                             |
| Iron (mg/l)                                  |                | 3.0                       | 6.0                      | 7.0                         |
| Manganese (mg/l)                             |                | 2.0                       | 4.0                      | 5.0                         |
| Aluminum (mg/l)                              |                | 0.75                      | 0.75                     | 0.75                        |
| Total Suspended Solids (mg/l)                |                | 35.0                      | 70.0                     | 90.0                        |
| Osmotic Pressure (milliosmoles/kg)           |                |                           |                          | 50.0                        |

<sup>1</sup> The parameter is applicable at all times.

The following outfalls discharge to unnamed tributaries to Rattlesnake Run:

| <i>Outfall No.</i> | <i>New Outfall (Y/N)</i> |
|--------------------|--------------------------|
| ST1                | N                        |
| ST2                | Y                        |

The proposed effluent limits for the previously listed outfall(s) are as follows:

| <i>Parameter</i>                             | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|----------------|---------------------------|--------------------------|-----------------------------|
| pH <sup>1</sup> (S.U.)                       | 6.0            |                           |                          | 9.0                         |
| Alkalinity greater than acidity <sup>1</sup> |                |                           |                          |                             |
| Iron (mg/l)                                  |                | 3.0                       | 6.0                      | 7.0                         |
| Manganese (mg/l)                             |                | 2.0                       | 4.0                      | 5.0                         |
| Aluminum (mg/l)                              |                | 0.75                      | 0.75                     | 0.75                        |
| Total Suspended Solids (mg/l)                |                | 35.0                      | 70.0                     | 90.0                        |
| Osmotic Pressure (milliosmoles/kg)           |                |                           |                          | 50.0                        |

<sup>1</sup> The parameter is applicable at all times.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**NPDES No. PA0278355 (Mining Permit No. 26-17-02), Harry Lee**, 413 West Church Avenue, Masontown, PA 15461. New NPDES permit for Government-Financed Construction Contract in Nicholson Township, **Fayette County** affecting 6.4 acres. A 500-foot variance is requested to affect within 10 feet of UNT A for removal of coal refuse and to stabilize the slope. Receiving stream(s): UNT A to Monongahela River and Monongahela River classified for the following use: WWF. Application received: November 20, 2018. There will be no discharge from this site.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

### Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

---

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570.826.2511.*

**E45-616. Hamilton Township Supervisors, Lawrence Buzzard Chairman**, 229 Fenner Ave, P.O. Box 285, Sciota, PA 18354, in Hamilton Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove an existing stormwater outfall and to construct and maintain a new stormwater outfall in a different location along Manor Drive (T-318) as part of the SR 2010/Manor Drive superstructure replacement/drainage improvements project located along Manor Drive (T-318) within the floodplain of McMichael Creek (HQ-CWF, MF). (Saylorsburg, PA Quadrangle, Latitude: 40° 57' 55.9188"; Longitude: -75° 15' 26.0964").

*Southwest Region: Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

**E02-1803, PennDOT District 11-0**, 45 Thoms Run Road, Bridgeville, PA 15017, Lincoln Borough, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Remove the existing 37.5' long 18" corrugated metal pipe carrying SR 2023 over an unnamed tributary to Wylie Run (WWF) with a drainage area less than 100 acres; construct and maintain a replacement 80' long 18" CMP in the same location.
2. To construct and maintain a 15' extension to the existing 35' long 18" CMP conveying SR 2023 over a second UNT to Wylie Run (WWF) with a drainage area less than 100 acres. The total pipe length will be 50'.
3. Place and maintain 7,402 square feet of fill in the floodway of a third UNT to Wylie Run (WWF) with a drainage area of approximately 100 acres.
4. Place and maintain fill in a de minimis 0.01 acre of PEM/PFO wetland.
5. Construct and maintain roadway associated stormwater facilities.
6. Temporarily impact 441' of stream and 0.035 acre of PEM/PFO wetland for the purpose of constructing these encroachments.
7. No wetland mitigation is required. Stream mitigation will occur onsite.

These impacts are associated with a landslide remediation project along SR 2023 (Harrison Road). The project site is located approximately 0.75 mile from the intersection of Harrison Road and Lovedale Road (McKeesport, PA USGS topographic quadrangle; N: 40°, 17', 26.2"; W: -79°, 51', 18.6"; Sub-basin 19C; USACE Pittsburgh District), in Lincoln Borough, Allegheny County.

**E32-523, PennDOT District 10-0**, 2550 Oakland Avenue, Indiana, PA 15701, White Township, **Indiana County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct and maintain a 175' long extension to the existing 180' long 48" reinforced concrete pipe enclosure conveying SR286 over an unnamed tributary to McCarthy Run (CWF) with a drainage area less than 100 acres.
2. Construct and maintain a 10.5' long extension to the existing 10' by 64' concrete box culvert conveying SR 422 over McCarthy Run (CWF) with a drainage area of 2.74 square miles.
3. Construct and maintain a 24' long extension to the existing 61' long 18" concrete pipe conveying SR 286 over a second UNT to McCarthy Run (CWF) with a drainage area less than 100 acres.
4. Place and maintain fill in 0.057 acre of PEM wetland.
5. Construct and maintain roadway associated stormwater facilities and temporarily impact 0.005 acre of PEM wetland and 623' of stream for the purpose of constructing these encroachments.
6. Wetland mitigation will occur via debiting of 0.057 acre of PEM wetland credit from the PennDOT District 10-0 Indiana County Wetland Bank. Stream mitigation will occur onsite.

These impacts are associated with a roadway widening project located at the intersection of SR 286 and SR 422 (Conemaugh, PA USGS topographic quadrangle; N: 40°,



36', 10.47"; W: -79°, 11', 15.96"; Sub-basin 18D; USACE Pittsburgh District), in White Township, Indiana County.

*District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**E5929-083: Eclipse Resources—PA, LP**, 2121 Old Gatesburg Road, State College, PA 16803 Gaines Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) An intake structure, intake waterline, bank stabilization, and access road impacting 188 feet of Pine Creek (EV), 94,419 square feet of floodway, and 399 square feet of an exceptional value palustrine (EV-PEM) wetland (Marshlands, PA Quadrangle 41° 44' 58"N, 77° 33' 4" W);

2) An 18 inch diameter waterline, a 3 inch diameter airline, a temporary road crossing using timber mats, and two electric utility poles impacting 32,237 square feet of an exceptional value palustrine (EV-PEM) wetland (Marshlands, PA Quadrangle 41° 44' 54"N, 77° 34' 10"W);

3) An 18 inch diameter waterline and a 3 inch diameter airline impacting 76 linear feet of an unnamed tributary to Pine Creek (EV) (Marshlands, PA Quadrangle 41° 44' 57"N, 77° 33' 58"W);

4) An 18 inch diameter waterline, a 3 inch diameter airline, and a temporary road crossing using timber mats impacting 1,032 square feet of an exceptional value palustrine (EV-PEM) wetland (Marshlands, PA Quadrangle 41° 44' 57"N, 77° 34' 00"W);

5) An 18 inch diameter waterline, a 3 inch diameter airline, a temporary road crossing using timber mats impacting 721 square feet of an exceptional value palustrine (EV-PEM) wetland (Marshlands, PA Quadrangle 41° 44' 57"N, 77° 34' 07"W);

6) An temporary timber mat bridge impacting 668 square feet of an exceptional value palustrine (EV-PEM) wetland (Marshlands, PA Quadrangle 41° 45' 00"N, 77° 34' 08"W);

7) An 18 inch diameter waterline, a 3 inch diameter airline, a temporary road crossing using timber mats impacting 1,162 square feet of an exceptional value palustrine (EV-PEM) wetland (Marshlands, PA Quadrangle 41° 45' 02"N, 77° 34' 09"W);

8) An 18 inch diameter waterline, a 3 inch diameter airline, a temporary road crossing using timber mats impacting 2,583 square feet of an exceptional value palustrine (EV-PEM) wetland (Marshlands, PA Quadrangle 41° 45' 02"N, 77° 34' 09"W).

The project will result in 188 linear feet of permanent stream impacts, 76 linear feet of temporary stream impacts, 399 square feet (0.01 acre) of permanent wetland impacts, 38,403 square feet (0.88 acre) of temporary wetland impacts, and 94,419 square feet of floodway

impacts along Pine Creek for permanent access road all for the purpose of installing and maintaining a waterline and intake structure in Gaines Township, Tioga County.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.*

**D01-071. Mr. Peter Sheppard**, 117 Frederick Street, Hanover, PA 17331, Union Township, **Adams County**, USACOE Baltimore District.

Project proposes to remove approximately 9.6 acres of accumulated silt and sediment from the reservoir impounded by the Sheppard Dam located across a tributary to the South Branch Conewago Creek (WWF, MF) (McSherrystown, PA Quadrangle, Latitude: 39.7510; Longitude: -77.0159).

**D48-091EA. Leslie Huhn**, Township Manager, Lower Saucon Township, 3700 Old Philadelphia Pike, Bethlehem, PA 18015, Hellertown Borough and Lower Saucon Township, **Northampton County**, USACOE Philadelphia District.

Project proposes to remove the breached remains of Kulp Dam to eliminate a threat to public safety and to restore approximately 1,000 feet of stream channel to a free-flowing condition. The project is located across Saucon Creek (CWF, MF) (Hellertown, PA Quadrangle, Latitude: 40.5788; Longitude: -75.3453).

#### WATER QUALITY CERTIFICATIONS REQUESTS

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQ20-004, US Department of Agriculture—Natural Resource Conservation Service**, 359 East Park Drive, Suite 2, Harrisburg, PA 17111. Rauterkus Wetland Reserve Project, in North Shenango Township, **Crawford County**, ACOE Pittsburgh District (Hartstown, PA Quadrangle N: 41.61666°; W: 80.458333°).

Applicant is requesting Clean Water Act Section 401 State Water Quality Certification for modification of an existing wetland enhancement project through the US Department of Agriculture—Natural Resource Conservation Service Wetland Reserve Program. The purpose of this project is to increase the quantity, quality, and diversity of wetland wildlife habitat and improve water quality by improving the original site hydrology retention and promoting native vegetation. The proposed work consists of enhancing the structural integrity of existing embankments and removing additional, existing embankments to enhance and create new wetlands onsite. This project is anticipated to result in permanent impact to 0.17 acre of existing wetland, provide enhancement to 0.94 acre of existing wetland, and create 6.62 acres of new wetland.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i>                            |
|-----------------|-------------------------|--|
| Section I       | NPDES                   | Renewals   |
| Section II      | NPDES                   | New or Amendment   |
| Section III     | WQM                     | Industrial, Sewage or Animal Wastes; Discharges to Groundwater |
| Section IV      | NPDES                   | MS4 Individual Permit  |
| Section V       | NPDES                   | MS4 Permit Waiver  |
| Section VI      | NPDES                   | Individual Permit Stormwater Construction                      |
| Section VII     | NPDES                   | NOI for Coverage under NPDES General Permits                   |

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### **I. NPDES Renewal Permit Actions.**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>  | <i>County &amp;<br/>Municipality</i>        | <i>Stream Name<br/>(Watershed)</i>    | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|---|---|---------------------------------------|----------------------------|
| PA0054526<br>(Industrial)   | Unitech Services Group<br>401 North 3rd Avenue<br>Royersford, PA 19468-1950     | Montgomery County<br>Royersford Borough     | Schuylkill River<br>3-D               | Y                          |
| PA0052035<br>(Sewage)       | Heritage Hills WWTP<br>1076 Eagle Road<br>Newtown, PA 18940-2818                | Bucks County<br>Upper Makefield<br>Township | Houghs Crk &<br>Delaware River<br>3-D | Y                          |
| PA0044776<br>(Sewage)       | Honey Brook STP<br>P.O. Box 308<br>5277 Horseshoe Pike<br>Honey Brook, PA 19344 | Chester County<br>Honey Brook<br>Township   | West Branch Brandywine<br>3-H         | Y                          |

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>                                       | <i>County &amp;<br/>Municipality</i>           | <i>Stream Name<br/>(Watershed No.)</i>                           | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|--|--|----------------------------|
| PA0063096<br>(Sewage)       | Seiders Hill STP<br>S.R. 0901—Gordon Nagle Trail<br>Pottsville, PA 17901 | Schuylkill County<br>North Manheim<br>Township | West Branch Schuylkill<br>River<br>(03A)                         | Yes                        |
| PA0065145<br>(Sewage)       | The Preserve at Dunn Lake WWTP<br>May Road<br>Thompson, PA 18465         | Susquehanna<br>County<br>Ararat Township       | Unnamed Tributary to<br>East Branch Lackawanna<br>River<br>(05A) | Yes                        |
| PA0061565<br>(Sewage)       | Chestnut Lake Camp WWTP<br>326 Trails End Road<br>Beach Lake, PA 18405   | Wayne County<br>Berlin Township                | Unnamed Tributary to<br>Beach Lake<br>(1-A)                      | Yes                        |



| <i>NPDES No.<br/>(Type)</i>  | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>             | <i>Stream Name<br/>(Watershed No.)</i>   | <i>EPA Waived<br/>Y/N?</i> |
|--|--|--|--|----------------------------|
| PA0065188<br>(Sewage)  | Sterling Business Park<br>32 Commercial Street<br>Suite 1<br>Honesdale, PA 18431                               | Wayne County<br>Sterling Township                | West Branch<br>Wallenpaupack Creek<br>(1-C)  | Yes                        |
| PA0061204<br>(Sewage)  | Lake Harmony WWTP—<br>Aqua PA Wastewater Inc.<br>762 W Lancaster Avenue<br>Bryn Mawr, PA 19010-3489            | Carbon County<br>Kidder Township                 | Shingle Mill Run<br>(2-A)  | Yes                        |
| <i>Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.</i> |  |  |  |                            |
| <i>NPDES No.<br/>(Type)</i>  | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>             | <i>Stream Name<br/>(Watershed #)</i>   | <i>EPA Waived<br/>Y/N?</i> |
| PA0247243<br>IW  | Pennsylvania Cherry LLC<br>P.O. Box 269<br>Mercersburg, PA 17236   | Montgomery<br>Township<br>Franklin County        | Unnamed Tributary to<br>West Branch<br>Conococheague Creek in<br>Watershed(s) 13-C | Y                          |
| PA0248207<br>SEW   | Kevin & Melissa Nelson<br>12 Chestnut Grove Lane<br>Newville, PA 17241-8780                                    | Upper Frankford<br>Township<br>Cumberland County | Unnamed Tributary to<br>Conodoguinet Creek in<br>Watershed(s) 7-B                  | Y                          |
| PA0087530<br>SEW   | Paul McAnulty<br>3651 Waggoners Gap Road<br>Carlisle, PA 17015-9540  | North Middleton<br>Township<br>Cumberland County | Unnamed Tributary of<br>Conodoguinet Creek in<br>Watershed(s) 7-B                  | Y                          |
| PA0083194<br>SEW   | HMS Host—<br>Blue Mt. Turnpike Plaza<br>P.O. Box 8<br>Middletown, PA 17057-0008                                | Hopewell Township<br>Cumberland County           | Newburg Run in<br>Watershed(s) 7-B   | Y                          |
| PA0261742<br>SEW   | Samuel J Smith<br>22215 Back Road<br>Doylestown, PA 17219  | Fannett Township<br>Franklin County              | Unnamed Tributary of<br>Doylestown Stream in<br>Watershed(s) 12-B                  | Y                          |
| PA0087033<br>SEW   | Benuel F Blank<br>6350 McClays Mill Road<br>Newburg, PA 17240  | Lurgan Township<br>Franklin County               | Unnamed Tributary of<br>Conodoguinet Creek in<br>Watershed(s) 7-B                  | Y                          |
| PA0087190<br>SEW   | Saint Thomas Township Municipal<br>Authority<br>175 Saint Thomas Edenville Road<br>Saint Thomas, PA 17252-9743 | Saint Thomas<br>Township<br>Franklin County      | Unnamed Tributary to<br>Wilson Run in<br>Watershed(s) 13-C                         | Y                          |
| PA0033995<br>SEW   | Berks County<br>633 Court Street<br>16th Floor<br>Reading, PA 19601-4322                                       | Bern Township<br>Berks County                    | Plum Creek in<br>Watershed(s) 3-C  | Y                          |
| PA0261955<br>CAFO  | S & A Kreider & Son Inc.<br>761 Spring Valley Road<br>Quarryville, PA 17566-9773                               | East Drumore<br>Township<br>Lancaster County     | Watershed(s) 7-K Jackson<br>Run  | Y                          |
| PA0260746<br>SEW   | David J Perchard<br>6227 Big Creek Road<br>Clearville, PA 15535  | Monroe Township<br>Bedford County                | Unnamed Tributary to<br>Shaffer Creek in<br>Watershed(s) 11-C                      | Y                          |
| PA0084221<br>SEW   | Mark and Lisa Duvall<br>815 Beans Cove Road<br>Clearville, PA 15535-8049                                       | Southampton<br>Township<br>Bedford County        | Rocky Gap Run in<br>Watershed(s) 13-A  | Y                          |
| PA0087718<br>IW  | Crystal Spring Hardwood Inc.<br>345 South Valley Road<br>Crystal Spring, PA 15536-0034                         | Brush Creek<br>Township<br>Fulton County         | Little Brush Creek in<br>Watershed(s) 11-C   | Y                          |
| PA0259802<br>CAFO  | Wen Crest Farms LLC<br>549 Schaeffer Road<br>Lebanon, PA 17042-9730  | South Lebanon<br>Township<br>Lebanon County      | Watershed(s) 7-J<br>Unnamed Tributary to<br>Hammer Creek                           | Y                          |

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>                          | <i>County &amp;<br/>Municipality</i>          | <i>Stream Name<br/>(Watershed No.)</i>        | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|---|---|---|----------------------------|
| PA0111414<br>(Sewage)       | McEwensville STP<br>105 Sodom Road<br>Milton, PA 17847-9232 | Northumberland<br>County<br>Delaware Township | Unnamed Tributary to<br>Warrior Run<br>(10-D) | No                         |

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>       | <i>Stream Name<br/>(Watershed No.)</i> | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|--|--|----------------------------|
| PA0204269<br>(Industrial)   | Inter-Power/AhlCon Partners, L.P.<br>141 Interpower Drive<br>Colver, PA 15927                            | Cambria County<br>Barr Township            | Elk Creek<br>(18-D)                    | No                         |
| PA0097799<br>(Sewage)       | Laurel Highlands Campland STP<br>1001 Clubhouse Drive<br>Donegal, PA 15628                               | Westmoreland<br>County<br>Donegal Township | Minnow Run<br>(19-E)                   | Yes                        |
| PA0205877<br>(Sewage)       | Redstone Township Sewer Authority<br>WWTP<br>1010 Main Street<br>P.O. Box 753<br>Republic, PA 15475-0751 | Fayette County<br>Redstone Township        | Dunlap Creek<br>(19-C)                 | Yes                        |
| PA0217140<br>(Sewage)       | Shelocta STP<br>602 Kolter Drive<br>Indiana, PA 15701-3570   | Indiana County<br>Armstrong Township       | Crooked Creek<br>(17-E)                | Yes                        |
| PA0218316<br>(Sewage)       | Dunbar Township Municipal<br>Authority STP<br>P.O. Box 815<br>Connellsville, PA 15425-0815               | Fayette County<br>Dunbar Township          | Youghiogheny River<br>(19-D)           | Yes                        |

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i> | <i>Stream Name<br/>(Watershed #)</i> | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|--------------------------------------|--------------------------------------|----------------------------|
| PA0221872<br>(Industrial)   | Universal Stainless & Alloy Products<br>600 Mayer Street<br>Bridgeville, PA 15017-2705 | Crawford County<br>Titusville City   | Church Run and Oil Creek<br>(16-E)   | Yes                        |

## **II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**NPDES Permit No. PA0245020**, Storm Water, **Janssen Biotech, Inc.**, 200 Great Valley Parkway, Malvern, PA 19355-1307.

This proposed facility is located in East Whiteland Township, **Chester County**.

Description of Action/Activity; Issuance of an NPDES Permit for a new discharge of treated Storm Water.

**NPDES Permit No. PA0245054**, Sewage, **Shawn Dougherty Jr.**, 1507 Charles Road, West Chester, PA 19382.

This proposed facility is located in Westtown Township, **Chester County**.

Description of Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0051985**, Sewage, **Horsham Township Water & Sewer Authority**, 617 Horsham Road, Horsham, PA 19044-1207.

This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

*Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.*

**NPDES Permit No. PA0276146**, Storm Water, SIC Code 2041, **Ardent Mills, LLC** (f/k/a Horizon Milling, LLC), 258 Harvest Lane, Pocono Summit, PA 18346.

This proposed facility is located in Mount Pocono Borough, **Monroe County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated stormwater.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

**NPDES Permit No. PA0111759**, Industrial, SIC Code 2011, 2077, **Cargill Meat Solutions Corporation**, P.O. Box 188, Wyalusing, PA 18853-0188.

This existing facility is located in Wyalusing Township, **Bradford County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated industrial wastewater.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**NPDES Permit No. PA0002062**, Industrial, SIC Code 4911, **GenOn Northeast Management Company**, 313 Keystone Lane, Shelocta, PA 15774-2305.

This existing facility is located in Plumcreek Township, **Armstrong County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for existing discharges of treated industrial wastes, treated sewage, groundwater, and treated and untreated storm water.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**NPDES Permit No. PA0271659**, Sewage, SIC Code 4952, 8800, **Larry Flick**, 207 Charleston Road, Sharpsville, PA 16150.

This proposed facility is located in Jefferson Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0271691**, Sewage, SIC Code 8800, **H Todd & Susan White**, 749 Lafeil Drive, Manchester, MO 63021.

This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0271675**, Sewage, SIC Code 4952, 8800, **James Schmitz**, 10333 Lake Pleasant Road, Waterford, PA 16441.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

### **III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.*

**WQM Permit No. 4615201**, Sewage, **Unitech Service Group**, 401 North 3rd Avenue, Royersford, PA 19468-1950.

This proposed facility is located in Royersford Borough, **Montgomery County**.

Description of Action/Activity: Add 3 additional 12,000 gallon flow equalization tanks to current treatment plant.

**WQM Permit No. 4618402**, Sewage, **Lower Perkiomen Valley Regional Sewer Authority**, 101 Station Avenue, P.O. Box 297, Oaks, PA 19456.

This proposed facility is located in Collegeville Township, **Montgomery County**.

Description of Action/Activity: Installation of 42", 48", 54" and 60" sanitary sewer interceptor approximately 17,200 ft. in length.

**WQM Permit No. 4618412**, Sewage, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sewage pump station.

**WQM Permit No. 4618411**, Sewage, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sewage pump station.

**WQM Permit No. 4601401**, Sewage, Amendment, **Lower Salford Township Authority**, 57 Main Street, Harleysville, PA 19438-2515.

This proposed facility is located in Lower Salford Township, **Montgomery County**.

Description of Action/Activity: Modifications aeration equipment for wastewater treatment tanks.

**WQM Permit No. 1518410**, Sewage, **Shawn Dougherty Jr.**, 1507 Charles Road, West Chester, PA 19382.

This proposed facility is located in Westtown Township, **Chester County**.

Description of Action/Activity: Construction and operation of a single residence small flow sewage treatment plant.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 4818402**, Sewage, SIC Code 4952, **Bethlehem Wastewater Treatment Plant**, Bethlehem City Northampton County, 10 East Church Street, Bethlehem, PA 18018.

This proposed facility is located in Bethlehem City, **Northampton County**.

Description of Proposed Action/Activity: Replacement/Upgraded WWTP headworks' Influent Mechanical Fine Screens and detritor system.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 6718402**, Sewerage, **York Township Water & Sewer Authority**, 190 Oak Road, Dallastown, PA 17313-9300.

This proposed facility is located in York Township, **York County**.

Description of Proposed Action/Activity: This General Permit approves the modification of sewage facilities consisting of the replacement of approximately 200 ft of the existing 18" Tyler Run Interceptor in the vicinity of Country Club Road and S. George Street with new 24" DIP. The project will include the replacement of two existing manholes and the installation of a new manhole to facilitate construction and bypass operations.

**WQM Permit No. 0518402**, Sewerage, **Broad Top Township Bedford County**, P.O. Box 57, Defiance, PA 16633.

This proposed facility is located in Broad Top Township, **Bedford County**.

Description of Proposed Action/Activity: This permit approves the construction of sewage facilities consisting of:

- Concrete Norweco Singulair 960 (600 GPD rated capacity)
- Concrete Norweco Hydro-Kinetic Biofilm Reactor (BFR)
- Norweco AT-1500 ultraviolet disinfection

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

**WQM Permit No. 4796402 A-1**, Sewage, SIC Code 4952, **Liberty Township Montour County**, 123 Mooresburg Road, Danville, PA 17821-7038.

This existing facility is located in Liberty Township, **Montour County**.

Description of Proposed Action/Activity: Installation of a chemical addition feed system for phosphorus removal.

**WQM Permit No. 4110403 A-2**, Sewage, SIC Code 4952, **Williamsport Sanitary Authority**, 253 W 4th Street, Williamsport, PA 17701-6113.

This existing facility is located in City of Williamsport, **Lycoming County**.

Description of Proposed Action/Activity: Sludge Handling Improvements Project.

**WQM Permit No. 1701407 A-4**, Sewage, SIC Code 8412, **Aqua Pennsylvania Wastewater Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010-3402.

This existing facility is located in Sandy Township, **Clearfield County**.

Description of Proposed Action/Activity: Replacement of Bilowich, Mayro, and Shroud Cay pump stations.

**WQM Permit No. 4905403 A-1**, Sewage, SIC Code 4952, **PA American Water Co.**, 105 Sodom Road, Milton, PA 17847-9232.

This existing facility is located in Delaware Township, **Northumberland County**.

Description of Proposed Action/Activity: Replacement of pumps at Influent Pump Station and consolidation of permit requirements of WQM Permit Nos. 4982402, 4988415, 4973404, and 4992404.

**WQM Permit No. 1908201 A-6**, Industrial, SIC Code 2047, **Big Heart Pet Brands Inc.**, 6670 Low Street, Bloomsburg, PA 17815-8613.

This existing facility is located in South Centre Township, **Columbia County**.

Description of Proposed Action/Activity: Major wastewater treatment plant improvements including new equalization tank, new aeration tank, new anoxic tanks, new clarifier and new disinfection system.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. WQG01631802**, Sewage, **Southern Amy D**, 9691 Old Steubenville Pike, Bulgar, PA 15019.

This proposed facility is located in Chartiers Township, **Washington County**.

Description of Proposed Action/Activity: Proposed SRSTP to replace malfunctioning on-lot system.

**WQM Permit No. 0418406**, Sewage, SIC Code 4952, **Center Township Sanitary Authority**, 224 Center Grange Road, Aliquippa, PA 15001-1421.

This proposed facility is located in Center Township & Potter Township, **Beaver County**.

Description of Proposed Action/Activity: The applicant proposes to construct a gravity sewer system to serve The Bluffs at Glade Path Development. Sewage will be conveyed and treated at Center Township Sanitary Authority's Elkhorn Run WPCP.



**WQM Permit No. 0418404**, Sewage, **Castlebrook Development Group, LLC**, 428 Boulevard of the Allies, Suite 100, Pittsburgh, PA 15219.

This proposed facility is located in Center Township & Potter Township, **Beaver County**.

Description of Proposed Action/Activity: The applicant proposes to construct a 400 gpm pump station and 6-inch diameter forcemain to serve The Bluffs at Glade Path Development. Sewage will be conveyed and treated at the Center Township Sanitary Authority's Elkhorn Run WPCP.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 4318409**, Sewage, **Larry Flick**, 207 Charleston Road, Sharpsville, PA 16150.

This proposed facility is located in Jefferson Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 6218406**, Sewage, **H Todd & Susan White**, 749 Lafeil Drive, Manchester, MO 63021.

This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 2518413**, Sewage, **James Schmitz**, 10333 Lake Pleasant Road, Waterford, PA 16441.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

#### IV. NPDES Stormwater Discharges from MS4 Permit Actions.

*Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.*

| <i>NPDES Permit No.</i> | <i>Permittee Name &amp; Address</i>   | <i>Municipality, County</i>           | <i>Receiving Water(s)/Use(s)</i>  | <i>TMDL Plan Submitted (Y/N)</i> | <i>Pollutant Reduction Plan Submitted (Y/N)</i> |
|-------------------------|---|---------------------------------------|---|----------------------------------|---|
| PAI132269               | Moosic Borough<br>Lackawanna County<br>715 Main Street<br>Moosic, PA 18507-1023             | Moosic<br>Borough<br>Lackawanna       | Lackawanna River,<br>Covey Swamp Creek,<br>Spring Brook, Mill<br>Creek, Unnamed<br>Tributary to Covey<br>Swamp Creek, and<br>Stafford Meadow<br>Brook/HQ-CWF,<br>CWF and MF | N                                | Y   |
| PAI132220               | Plainfield Township<br>Northampton County<br>6292 Sullivan Trail<br>Nazareth, PA 18064-9335 | Plainfield<br>Township<br>Northampton | Little Bushkill<br>Creek, Unnamed<br>Tributary of Little<br>Bushkill Creek, and<br>Unnamed Tributary<br>to Little Bushkill<br>Creek/HQ-CWF and<br>MF                        | N                                | Y   |

#### V. NPDES Waiver Stormwater Discharges from MS4 Actions.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

| <i>NPDES Waiver No.</i> | <i>Applicant Name &amp; Address</i>                     | <i>Municipality, County</i>      | <i>Receiving Water(s)/Use(s)</i> |
|-------------------------|---|----------------------------------|----------------------------------|
| PAI132252               | Tatamy Borough<br>P.O. Box 218<br>Tatamy, PA 18085-0218 | Tatamy<br>Borough<br>Northampton | Bushkill Creek/HQ-CWF and MF     |

*Southcentral Regional Office: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Phone: 717.705.4800.*

| <i>NPDES Waiver No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i> | <i>Receiving Water(s)/Use(s)</i>  |
|-------------------------|--|-----------------------------|---|
| PAG133574               | Douglass Township<br>Berks County<br>1068 Douglass Drive<br>Boyertown, PA 19512-7621 | Douglass Township<br>Berks  | Schuylkill River, Unnamed Tributary to<br>Minister Creek, Unnamed Tributary to<br>Schuylkill River, Ironstone Creek, and<br>Unnamed Tributary to Manatawny<br>Creek/TSF, WWF, CWF, and MF |



| <i>NPDES Waiver No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i> | <i>Receiving Water(s)/Use(s)</i>  |
|-------------------------|--|-----------------------------|---|
| PAG133575               | Earl Township<br>Berks County<br>19 Schoolhouse Road<br>Boyertown, PA 19512-7926 | Earl Township<br>Berks      | Unnamed Tributary to Ironstone Creek,<br>Manatawny Creek, and Furnace<br>Run/TSF, CWF, and MF |

---

**VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.**


---

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i>        | <i>Receiving Water/Use</i>   |
|-------------------------|---|---------------|----------------------------|--|
| PAD450068               | LTS Homes<br>815 Seven Bridge Rd.<br>East Stroudsburg, PA 18301                               | Monroe        | Stroud Twp.                | Brodhead Creek<br>(HQ-CWF, MF)<br>UNT to Brodhead<br>Creek<br>(HQ-CWF, MF) |
| PAD450069               | Robert & Christina McFadden<br>443 Belle Lane<br>Harleyville, PA 19438                        | Monroe        | Stroud Twp.<br>Pocono Twp. | UNT Brodhead Creek<br>(HQ-CWF, MF)   |
| PAD450059               | Tobyhanna DG, LLC<br>Attn: Steve Camp<br>361 Summit Blvd<br>Suite 110<br>Birmingham, AL 35243 | Monroe        | Coolbaugh Twp.             | Lake Carobeth<br>(HQ-CWF, MF)<br>Buck Hill Creek<br>(EV, MF)               |

*Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i>                                |
|-------------------------|---|---------------|---------------------|---|
| PAD480070               | Lehigh University<br>c/o Mr. Brent Stringfellow<br>461 Webster St., 3A<br>Bethlehem, PA 18015 | Northampton   | City of Bethlehem   | Lehigh River<br>(WWF, MF)<br>Saucon Creek<br>(HQ-CWF, MF) |

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Phillips, Section Chief, Telephone 717.705.4802.*

| <i>Permit #</i>     | <i>Applicant Name &amp; Address</i>                             | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i>                               |
|---------------------|---|---------------|---------------------|--|
| PAD210024<br>Issued | Paul Zimmerman<br>2274 Pine Road<br>Newville, PA 17241          | Cumberland    | Penn Township       | Yellow Breeches<br>Creek<br>(HQ-CWF, MF)<br>EV Wetlands  |
| PAD360038<br>Issued | Ben S. Stoltzfus<br>5186 Dogwood Drive<br>New Holland, PA 17557 | Lancaster     | Salisbury Township  | UNT Umbles<br>(HQ-CWF, MF)<br>Umbles Run<br>(HQ-CWF, MF) |

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i>   |
|-------------------------|---|---------------|---------------------|------------------------------|
| PAI041415001            | Village of Nittany Glen, LP<br>940 W. Sproul Road<br>Suite 301<br>Springfield, PA 19064 | Centre        | Benner Township     | UNT-Buffalo Run<br>HQ-CWF    |
| PAD140032               | Halfmoon Township<br>1948 Halfmoon Valley Road<br>Port Matilda, PA 16870                | Centre        | Halfmoon Township   | UNT-Halfmoon Creek<br>HQ-CWF |

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager; 412-442-4000.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>                                       | <i>County</i>                      | <i>Municipality</i>                                   | <i>Receiving Water/Use</i> |
|-------------------------|---|------------------------------------|---|----------------------------|
| PAD260006               | Deer Lake Improvement Association<br>P.O. Box 112<br>Chalk Hill, PA 15421 | Fayette County<br>Wharton Township | Meadow Run (HW-CWF);<br>UNT to Meadow Run<br>(HQ-CWF) |                            |

### **VII. Approvals to Use NPDES and/or Other General Permits.**

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

#### **List of NPDES and/or Other General Permit Types.**

|             |   |
|-------------|---|
| PAG-1       | General Permit for Discharges from Stripper Oil Well Facilities   |
| PAG-2       | General Permit for Discharges of Stormwater Associated With Construction Activities   |
| PAG-3       | General Permit for Discharges of Stormwater From Industrial Activities  |
| PAG-4       | General Permit for Discharges from Small Flow Treatment Facilities  |
| PAG-5       | General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems   |
| PAG-6       | General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)  |
| PAG-7       | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application  |
| PAG-8       | General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-8 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage   |
| PAG-9       | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site   |
| PAG-9 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage   |
| PAG-10      | General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines   |
| PAG-11      | General Permit for Discharges from Aquatic Animal Production Facilities   |
| PAG-12      | Concentrated Animal Feeding Operations (CAFOs)  |
| PAG-13      | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)   |
| PAG-14      | (To Be Announced)   |
| PAG-15      | General Permit for Discharges from the Application of Pesticides  |

#### *General Permit Type—PAG-02*

*Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

| <i>Facility Location &amp; Municipality</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>Receiving Water/Use</i>                                 | <i>Contact Office &amp; Phone No.</i>   |
|---|-------------------|---|--|---|
| New Britain Township<br>Bucks County        | PAC090210         | Provco Pinegood Chalfont, LLC<br>795 East Lancaster Avenue<br>Building 2<br>Suite 200<br>Villanova, PA 19085-1525 | Unnamed Tributary to West Branch<br>Neshaminy Creek<br>WWF | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Plumstead Township<br>Bucks County          | PAC090202         | Jeff Petty<br>993 Valley View Drive<br>Jenkintown, PA 19046-1317  | Geedes Run<br>CWF-MF                                       | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Richland Township<br>Bucks County           | PAC090181         | Gorski Engineering, Inc.<br>1 Iron Bridge Road<br>Collegetown, PA 19426-2058                                      | Unnamed Tributary to Tohickon Creek<br>TSF-MF              | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Buckingham Township<br>Bucks County         | PAC090195         | Robert P. Levy, Jr.<br>457 Lurgan Road<br>New Hope, PA 18938-9214   | Unnamed Tributary to Mill Creek<br>WWF                     | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |

## NOTICES

7813

| <i>Facility Location &amp; Municipality</i>    | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving Water/Use</i>   | <i>Contact Office &amp; Phone No.</i>   |
|--|-------------------|--|--|---|
| Wrightstown Township<br>Bucks County           | PAC090223         | Edward Dougherty<br>939 Cedar Lane<br>Newtown, PA 18940-4112   | Unnamed Tributary to Neshaminy Creek<br>WWF-MF   | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Buckingham Township<br>Bucks County            | PAC090221         | Kristopher Griffith<br>2175 Geoffrey Drive<br>Willow Grove, PA 19090-2219                              | Unnamed Tributary to Mill Creek<br>WWF-MF  | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Kennett Township<br>Chester County             | PAC150081         | North Walnut Holding Company, L.P.<br>649 West South Street<br>Kennett Square, PA 19348                | East Branch Red Clay Creek<br>TSF-MF   | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Caln Township<br>Chester County                | PAC150085         | Coatesville Veterans Affairs Medical Center<br>1400 Blackhorse Hill Road<br>Coatesville, PA 19320-2040 | Unnamed Tributary to Brandywine Creek<br>TSF-MF<br>Unnamed Tributary to Beaver Creek<br>CWF-MF | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| West Goshen Township<br>Chester County         | PAC150091         | West Chester University<br>201 Carter Drive<br>Suite 500<br>West Chester, PA 19383                     | Unnamed Tributary to Plum Run<br>WWF   | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| West Whiteland Township<br>Chester County      | PAC150101         | West Chester Area School District<br>1181 McDermott Drive<br>West Chester, PA 19380                    | Valley Creek<br>CWF  | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Borough of South Coatesville<br>Chester County | PAC150113         | Fairview Cemetery<br>786 Oak Street<br>Coatesville, PA 19320   | Unnamed Tributary to West Branch Brandywine Creek<br>WWF                                       | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| New Garden Township<br>Chester County          | PAC150114         | Basciani Mushroom Farms<br>8876 Gap Newport Pike<br>Avondale, PA 19311                                 | Unnamed Tributary to Egypt Run<br>CWF-MF   | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Easttown Township<br>Chester County            | PAC150117         | Ashley Smith<br>338 Beaumont Road<br>Devon, PA 19333   | Unnamed Tributary to Darby Creek<br>CWF-MF   | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| West Nottingham Township<br>Chester County     | PAC150118         | R. Samuel McMichael<br>P.O. Box 296<br>Oxford, PA 19363  | Unnamed Tributary to Stone Run<br>TSF-MF   | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Media Borough<br>Delaware County               | PAC230085         | B&G Properties, LLC<br>29 West 6th Street<br>Media, PA 19063   | Ridley Creek<br>TSF-MF   | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Facility Location:*

| <i>Municipality &amp; County</i>       | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving Water/Use</i>     | <i>Contact Office &amp; Phone No.</i>                   |
|--|-------------------|--|--------------------------------|---|
| Lower Towamensing Twp<br>Carbon County | PAC130009         | Architectural Polymers, Inc.<br>1220 Little Gap Rd.<br>Palmerton, PA 18071               | Aquashicola Creek<br>(TSF, MF) | Carbon County<br>Conservation District<br>610.377.4894  |
| Mahoning Twp<br>Carbon County          | PAC130008         | First Northern Bank &<br>Trust Co.<br>Fourth St. & Lafayette Ave.<br>Palmerton, PA 18071 | Mahoning Creek<br>(CWF, MF)    | Carbon County<br>Conservation District<br>610.377.4894  |
| Upper Saucon Twp<br>Lehigh County      | PAC390066         | Kenneth Bertka<br>5239 Blue Sky Dr.<br>Orefield, PA 18069                                | Laurel Run<br>(CWF, MF)        | Lehigh County<br>Conservation District<br>610.391.9583  |
| Tunkhannock Twp<br>Wyoming County      | PAC660012         | D & C Fuel Sales, Inc.<br>6313 SR 6<br>Tunkhannock, PA 18657                             | Tunkhannock Creek<br>(TSF, MF) | Wyoming County<br>Conservation District<br>570.836.2589 |

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.*

*Facility Location:*

| <i>Municipality &amp; County</i>                           | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving Water/Use</i>          | <i>Contact Office &amp; Phone No.</i>   |
|--|-------------------|--|-------------------------------------|---|
| Hamiltonban<br>Township<br>Adams County<br>Issued          | PAC010057         | Nick Kalathas<br>1661 Cold Spring Road<br>Fairfield, PA 17320                        | Rattling Run<br>(CWF)               | Adams County<br>Conservation District<br>670 Old Harrisburg<br>Road<br>Suite 201<br>Gettysburg, PA<br>17325-3404<br>717.334.0636  |
| Allegheny Township<br>Blair County<br>Issued               | PAC070041         | Chad Shirey<br>114 Vision Drive<br>Duncansville, PA 16635                            | UNT Blair Gap Run<br>(CWF)          | Berks County<br>Conservation District<br>1238 County Welfare<br>Road<br>Suite 200<br>Leesport, PA<br>19533-9710<br>610.372.4657   |
| South Middleton<br>Township<br>Cumberland County<br>Issued | PAC210082         | RSJ Holdings, LLC<br>1747 West Trindle Road<br>Carlisle, PA 17015                    | Hogestown Run<br>(CWF)              | Cumberland County<br>Conservation District<br>310 Allen Road<br>Suite 301<br>Carlisle, PA<br>17013-9101<br>717.240.7812           |
| Swatara Township<br>Dauphin County<br>Issued               | PAC220136         | Fresh Express Inc.<br>7505 Grayson Road<br>Harrisburg, PA 17111                      | Beaver Creek<br>(WWF, MF)           | Dauphin County<br>Conservation District<br>1451 Peters<br>Mountain Road<br>Dauphin, PA 17018<br>717.921.8100                      |
| Ephrata Township<br>Lancaster County<br>Issued             | PAC360182         | Property Investing &<br>Management Inc.<br>341 Clay School Road<br>Ephrata, PA 17522 | UNT Conestoga<br>River<br>(WWF, MF) | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |



**NOTICES**

**7815**

| <i>Facility Location:<br/>Municipality &amp;<br/>County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>Receiving<br/>Water/Use</i>  | <i>Contact Office &amp;<br/>Phone No.</i>  |
|---|-------------------|---|---|--|
| Upper Leacock Township<br>Lancaster County<br>Issued        | PAC360306         | David Stoltfoos<br>232 South Groffdale Road<br>Leola, PA 17540                  | UNT Mill Creek<br>(WWF, MF)<br>Mill Creek<br>(WWF, MF)                  | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5  |
| Rapho Township<br>Lancaster County<br>Issued                | PAC360292         | Elm Tree Properties LLC<br>P.O. Box 277<br>Landisville, PA 17538                | UNT Little<br>Chiques Creek<br>(TSF)                                    | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5  |
| Manor Township<br>Lancaster County<br>Issued                | PAC360338         | Justin Cappiello<br>1515 Ridge Road<br>Lancaster, PA 17603                      | UNT Susquehanna<br>River<br>(WWF, MF)<br>Susquehanna River<br>(WWF, MF) | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5  |
| Leacock Township<br>Lancaster County<br>Issued              | PAC360100         | Reuben Fisher<br>4138 Red Well Drive<br>Gordonville, PA 17529                   | UNT Pequea Creek<br>(CWF, MF)   | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5  |
| West Earl Township<br>Lancaster County<br>Issued            | PAC360332         | Robert Brandt Jr. Family LTD<br>4124 Oregon Pike<br>Ephrata, PA 17522           | Conestoga River<br>(WWF, MF)  | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5  |
| West Lampeter Township<br>Lancaster County<br>Issued        | PAC360291         | Daniel Fisher<br>825 Strasburg Pike<br>Strasburg, PA 17579                      | Pequea Creek<br>(WWF, MF)   | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5  |
| Penn Township<br>Perry County<br>Issued                     | PAC500015         | Abundant Harvest Church, Inc.<br>510 New Bloomfield Road<br>Duncannon, PA 17020 | UNT Shermans<br>Creek<br>(WWF)  | Perry County<br>Conservation District<br>31 West Main Street<br>P.O. Box 36<br>New Bloomfield, PA<br>17068<br>717.582.8988, ext. 4 |

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

| <i>Facility Location:<br/>Municipality &amp;<br/>County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>Receiving<br/>Water/Use</i> | <i>Contact Office &amp;<br/>Phone No.</i>  |
|---|-------------------|---|--------------------------------|--|
| Franklin Township<br>Butler County                          | PAC100103         | E & E Developers Inc<br>Mr. Edward J. Etzel<br>198 Saxonburg Road<br>Butler, PA 16002 | Mulligan Run<br>CWF            | Butler County<br>Conservation District<br>122 McCune Drive<br>Butler, PA 16001<br>724-284-5270 |

*Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.*

*Facility Location:*

| <i>Municipality &amp; County</i>                  | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving Water/Use</i> | <i>Contact Office &amp; Phone No.</i>   |
|---|-------------------|--|----------------------------|---|
| Coal and Zerbe Townships<br>Northumberland County | PAC680017         | Bureau of Abandoned Mine Reclamation<br>Cambria Office<br>286 Industrial Park Road<br>Ebensburg, PA 15931-4119 | Carbon Run (CWF)           | Attention: Patrick M. Webb<br>PA DEP<br>Cambria Office<br>286 Industrial Park Road<br>Ebensburg, PA<br>15931-4119<br>814-472-1800 |

*General Permit Type—PAG-3*

*Facility Location:*

| <i>Municipality &amp; County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>                                     | <i>Receiving Water/Use</i>                          | <i>Contact Office &amp; Phone No.</i>  |
|----------------------------------|-------------------|---|---|--|
| Erie City<br>Erie County         | PAG038374         | Rehrig Pacific Co.<br>1738 W 20 Street<br>Erie, PA 16502-2116           | Unnamed Tributary to West Branch Cascade Creek—15-A | DEP Northwest Regional Office<br>Clean Water Program<br>230 Chestnut Street<br>Meadville, PA<br>16335-3481<br>814.332.6942 |
| Bradford City<br>McKean County   | PAG038376         | Microtech Knives Inc.<br>300 Chestnut Street<br>Bradford, PA 16701-2200 | East Branch Tunungwant Creek—16-C                   | DEP Northwest Regional Office<br>Clean Water Program<br>230 Chestnut Street<br>Meadville, PA<br>16335-3481<br>814.332.6942 |

*General Permit Type—PAG-04*

*Facility Location*

| <i>Municipality &amp; County</i>        | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>                            | <i>Receiving Water/Use</i>                | <i>Contact Office &amp; Phone No.</i>  |
|---|-------------------|--|---|--|
| Chartiers Township<br>Washington County | PAG046470         | Southern Amy<br>9691 Old Steubenville Pike<br>Bulgar, PA 15019 | Unnamed Tributary of Chartiers Creek—20-F | DEP Southwest Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000 |

*General Permit Type—PAG-8*

*Facility Location:*

| <i>Municipality &amp; County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>                                | <i>Site Name &amp; Location</i>                   | <i>Contact Office &amp; Phone No.</i>  |
|----------------------------------|-------------------|--|---|--|
| Spring Township<br>Centre County | PAG084814         | Borough of Bellefonte<br>236 West Lamb St.<br>Bellefonte, PA 16823 | Borough of Bellefonte Waste Water Treatment Plant | DEP Northcentral Regional Office<br>Clean Water Program<br>208 W Third Street<br>Suite 101<br>Williamsport, PA<br>17701-6448<br>570.327.0530 |

*General Permit Type—PAG-8 (SSN)**Facility Location:*

| <i>Municipality &amp; County</i>   | <i>Permit No.</i>          | <i>Applicant Name &amp; Address</i>                            | <i>Site Name &amp; Location</i> | <i>Contact Office &amp; Phone No.</i>  |
|--|----------------------------|--|---------------------------------|--|
| Pennland Grain—<br>Mellinger Road Farm<br>16093 Mellinger Road<br>Stewartstown, PA<br>17363          | PAG08<br>PAG07<br>WMGR-099 | Synagro<br>1605 Dorley Rd<br>P.O. Box B<br>Whiteford, MD 21160 | Same as Facility                | DEP—SCRO—Clean<br>Water Program<br>909 Elmerton Avenue<br>Harrisburg, PA<br>17110-8200<br>717-705-4707 |
| Hopewell Township<br>York County   |                            |  |                                 |  |
| Pennland Grain—<br>Bridgewater Road<br>Farm<br>3029 Bridgewater<br>Road<br>Stewartstown, PA<br>17363 | PAG08<br>PAG07<br>WMGR-099 | Synagro<br>1605 Dooley Rd<br>P.O. Box B<br>Whiteford, MD 21160 | Same as Facility                | DEP—SCRO—Clean<br>Water Program<br>909 Elmerton Avenue<br>Harrisburg, PA<br>17110-8200<br>717-705-4707 |
| Hopewell Township<br>York County   |                            |  |                                 |  |
| Pennland Grain—<br>Spice Road Farm<br>13386 Spice Road<br>New Freedom, PA<br>17349                   | PAG08<br>PAG07<br>WMGR-099 | Synagro<br>1605 Dooley Rd<br>P.O. Box B<br>Whiteford, MD 21160 | Same as Facility                | DEP—SCRO—Clean<br>Water Program<br>909 Elmerton Avenue<br>Harrisburg, PA<br>17110-8200<br>717-705-4707 |
| North Hopewell<br>Township<br>York County  |                            |  |                                 |  |

*General Permit Type—PAG-12*

| <i>Facility Location &amp; Municipality</i>    | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>                      | <i>Receiving Water/Use</i> | <i>Contact Office &amp; Phone No.</i>                                      |
|--|-------------------|--|----------------------------|--|
| East Nottingham<br>Township,<br>Chester County | PAG120009         | Windy Pine Farm<br>410 Barnsley Road<br>Oxford, PA 19363 | Watershed(s) 7-K           | DEP—SCRO—CW<br>909 Elmerton Avenue<br>Harrisburg, PA 17110<br>717-705-4707 |

*General Permit Type—PAG-13*

| <i>Facility Location<br/>Municipality &amp;<br/>County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>Receiving<br/>Water/Use</i>  | <i>Contact Office &amp;<br/>Phone No.</i>   |
|--|-------------------|---|---|---|
| Spring City Borough<br>Chester County                      | PAG130070         | Spring City Borough<br>Chester County<br>6 S. Church Street<br>Spring City, PA 19475-1876 | Unnamed Stream<br>3-D   | DEP Southeast<br>Regional Office<br>Clean Water Program<br>2 E Main Street<br>Norristown, PA 19401<br>484.250.5970                |
| South Hanover<br>Township<br>Dauphin County                | PAG133500         | South Hanover Township<br>Dauphin County<br>161 Patriot Way<br>Hershey, PA 17033          | Beaver Creek and<br>Unnamed Tributary<br>to Manada Creek in<br>Watershed(s) 7-D | DEP Southcentral<br>Regional Office<br>Clean Water Program<br>909 Elmerton Avenue<br>Harrisburg, PA<br>17110-8200<br>717.705.4707 |
| Bellevue Borough<br>Allegheny County                       | PAG136216         | Bellevue Borough<br>537 Bayne Avenue<br>Pittsburgh, PA 15202-3120                         | Spruce Run<br>Ohio River Unnamed<br>Tributary to Ohio<br>River—20-G             | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000   |

| <i>Facility Location<br/>Municipality &amp;<br/>County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving<br/>Water/Use</i>   | <i>Contact Office &amp;<br/>Phone No.</i>   |
|--|-------------------|--|--|---|
| Marshall Township<br>Allegheny County                      | PAG136306         | Marshall Township<br>525 Pleasant Hill Road<br>Suite 100<br>Wexford, PA 15090-7413 | Brush Creek<br>Wexford Run,<br>Big Sewickley Creek<br>20-G                                   | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000 |
| Braddock Hills<br>Borough<br>Allegheny County              | PAG136257         | Braddock Hills Borough<br>1300 Brinton Road<br>Pittsburgh, PA 15221-4634           | Unnamed Tributary<br>to Monongahela<br>River<br>Unnamed Tributary<br>to Turtle Creek<br>19-A | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000 |

### STATE CONSERVATION COMMISSION NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

#### NUTRIENT MANAGEMENT PLAN PUBLIC NOTICE SPREADSHEET—ACTIONS

| <i>Agricultural Operation<br/>Name and Address</i>                      | <i>County</i> | <i>Total<br/>Acres</i> | <i>AEU's</i> | <i>Animal<br/>Type</i> | <i>Special<br/>Protection<br/>Waters (HQ<br/>or EV or NA)</i> | <i>Approved or<br/>Disapproved</i> |
|---|---------------|------------------------|--------------|------------------------|---|------------------------------------|
| Gorrell Dairy, LLC<br>Glenn Gorrell<br>392 Wood Road<br>Milan, PA 18831 | Bradford      | 1,600                  | 1,675.5      | Dairy                  | NA  | Approved                           |
| L&W Farms LLC<br>4251 Fletcher Dr<br>Greencastle, PA 17225              | Franklin      | 273.89                 | 376.73       | Layers &<br>Heifers    | N/A   | Approved                           |

### PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2

Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of



practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. 721.1—721.17).

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Operations Permit # 0918503** issued to: **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010. **PWS ID # 1090005**, Chalfont Borough, **Bucks County** on December 10, 2018 for the operation of emergency interconnection between Aqua Pennsylvania, Inc. and North Penn Water Authority facilities approved under construction permit # 0918503.

**Operations Permit # 0918510** issued to **Warminster Municipal Authority**, 415 Gibson Avenue, Warminster, PA 18974. **PWS ID # 1090069**, Warminster Township, **Bucks County** on December 10, 2018 for the operation of County Line Road interconnection with North Wales Water Authority, facilities approved under construction permit # 0918510.

**Operations Permit # 0916527** issued to: **Pennsylvania American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033. **PWS ID # 1090074**, Lower Makefield Township, **Bucks County** on December 10, 2018 for the operation of Zinc Orthophosphate Storage and Feed Pumps facilities approved under construction permit # 0916527.

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Permit No. 3540071**, Public Water Supply.

|                       |  |
|-----------------------|--|
| Applicant             | <b>Aqua PA, Inc.</b><br>1 Aqua Way<br>White Haven, PA 18661  |
| [Township or Borough] | East Union Township<br><b>Schuylkill County</b>  |
| Responsible Official  | Patrick R. Burke, PE<br>Aqua PA, Inc.<br>204 E. Sunbury Street<br>Shamokin, PA 17872               |
| Type of Facility      | PWS  |
| Consulting Engineer   | Steven C. Roselle, PE<br>GHD<br>1240 North Mountain Road<br>Harrisburg, PA 17112<br>(814) 643-8260 |
| Permit Issued Date    | 11/13/2018   |

**Permit No. 2359008**, Public Water Supply.

|                       |  |
|-----------------------|--|
| Applicant             | <b>PA American Water</b><br>(Lake Scranton)<br>800 W. Hershey Park Drive<br>Hershey, PA 17033    |
| [Township or Borough] | City of Scranton<br><b>Lackawanna County</b>   |
| Responsible Official  | Mr. David Kaufman<br>Vice President-Engineering  |
| Type of Facility      | Public Water Supply  |
| Consulting Engineer   | Mr. Richard Dudek, PE<br>PA American Water Company<br>4 Wellington Blvd.<br>Wyomissing, PA 19610 |
| Permit Issued         | 11/20/2018   |

**Permit No. 2409003**, Public Water Supply.

|                       |  |
|-----------------------|--|
| Applicant             | <b>PA American Water</b><br>(Crystal Lake)<br>800 W. Hershey Park Drive<br>Hershey, PA 17033       |
| [Township or Borough] | Wright Township<br><b>Luzerne County</b>   |
| Responsible Official  | Mr. David Kaufman<br>Vice President-Engineering  |
| Type of Facility      | Public Water Supply  |
| Consulting Engineer   | Mr. Bruce Brubaker, PE<br>PA American Water Company<br>852 Wesley Drive<br>Mechanicsburg, PA 17055 |
| Permit Issued         | 11/07/2018   |

**Permit No. 2409011**, Public Water Supply.

|                       |  |
|-----------------------|--|
| Applicant             | <b>PA American Water</b><br>(Watres WTP)<br>800 W. Hershey Park Drive<br>Hershey, PA 17033         |
| [Township or Borough] | Plains Township<br><b>Luzerne County</b>   |
| Responsible Official  | Mr. David Kaufman<br>Vice President-Engineering  |
| Type of Facility      | Public Water Supply  |
| Consulting Engineer   | Mr. Bruce Brubaker, PE<br>PA American Water Company<br>852 Wesley Drive<br>Mechanicsburg, PA 17055 |
| Permit Issued         | 11/08/2018   |

**Permit No. 2359008**, Public Water Supply.

|                       |   |
|-----------------------|---|
| Applicant             | <b>PA American Water</b><br>(Mt. Margaret Tank)<br>800 W. Hershey Park Drive<br>Hershey, PA 17033 |
| [Township or Borough] | Roaring Brook Township<br><b>Lackawanna County</b>  |
| Responsible Official  | Mr. David Kaufman<br>Vice President-Engineering   |
| Type of Facility      | Public Water Supply   |
| Consulting Engineer   | Mr. Jeremy Nelson, PE<br>PA American Water Company<br>2699 Stafford Avenue<br>Scranton, PA 18505  |

Permit Issued 11/06/2018

**Permit No. 2350004**, Public Water Supply.

Applicant **Aqua PA, Inc.**  
1 Aqua Way  
White Haven, PA 18661

[Township or Borough] South Abington Township  
**Lackawanna County**

Responsible Official Patrick R. Burke, PE  
Aqua PA, Inc.  
204 E. Sunbury Street  
Shamokin, PA 17872

Type of Facility PWS

Consulting Engineer Jonathan Morris, PE  
GHD  
1240 North Mountain Road  
Harrisburg, PA 17112  
(814) 643-8260

Permit Issued Date 10/23/2018

**Permit No. 2359008**, Public Water Supply.

Applicant **PA American Water Company**  
(Lake Scranton)  
800 W. Hershey Park Drive  
Hershey, PA 17033

[Township or Borough] Roaring Brook Township  
**Lackawanna County**

Responsible Official Mr. David Kaufman  
Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Bruce Brubaker, PE  
PA American Water Company  
852 Wesley Drive  
Mechanicsburg, PA 17055

Permit Issued 11/08/2018

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 2218507**, Public Water Supply.

Applicant **SUEZ Water Pennsylvania Inc**

Municipality Susquehanna Township

County **Dauphin**

Responsible Official John D. Hollenbach, General Manager  
4211 East Park Circle  
Harrisburg, PA 17111-0151

Type of Facility Maintenance to the existing raw water intake structure including the construction of a new wet well with new pumps, conversion of the old wet well into a grit settling chamber and upgrades to the air scouring system.

Consulting Engineer Jamie R. Shambaugh, P.E.  
Gannett Fleming, Inc.  
P.O. Box 67100  
Harrisburg, PA 17106-7100

Permit to Construct Issued 12/6/2018

**Permit No. 30618525 MA, Minor Amendment**, Public Water Supply.

Applicant **Reading Area Water Authority**

Municipality Ontelaunee Township

County **Berks**

Responsible Official William Murray, Executive Director  
1801 Kutztown Road  
Reading, PA 19604

Type of Facility Replacement of the south siphon chamber at the existing filtration plant.

Consulting Engineer Agustin E. Conesa, P.E.  
Spotts Stevens & McCoy  
1047 North Park Road  
Reading, PA 19610

Permit to Construct Issued 12/6/2018

**Operation Permit No. 2818511** issued to: **Pennsylvania Cherry, LLC (PWS ID No. 7280940)**, Peters Township, **Franklin County** on 12/6/2018 for facilities submitted under Application No. 2818511.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 2789-T1-MA5**, Public Water Supply.

Applicant **Erie City Water Authority**

Township or Borough Erie City

County **Erie**

Type of Facility Public Water Supply

Consulting Engineer Jason G Saylor, P.E.  
Utility Service Co. Inc  
1230 Peachtree Street NE  
Suite 1100  
11th Floor Promenade II  
Building  
Atlanta, GA 30309

Permit to Construct Issued December 7, 2018

#### **SEWAGE FACILITIES ACT PLAN DISAPPROVAL**

**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

#### *Plan Location:*

| <i>Borough or Township</i> | <i>Borough or Township Address</i>          | <i>County</i> |
|----------------------------|---|---------------|
| East Hanover Township      | 8848 Jonestown Road<br>Grantville, PA 17028 | Dauphin       |

*Plan Description:* The planning module for Umberger Subdivision, DEP Code No. A3-22913-401-1, APS Id 981389, consisting of 2 single family residential lots, is disapproved. The proposed development is located on Laudermilch Road. This plan is disapproved because the submission did not include a general site suitability plot plan, did not include Site Investigation and Percolation Test Reports, and Section K of the Component 1 form was not completed.

*Plan Location:*

|                            |  |               |
|----------------------------|--|---------------|
| <i>Borough or Township</i> | <i>Borough or Township Address</i>                 | <i>County</i> |
| Centre Township            | 2971 Cold Storage Road<br>New Bloomfield, PA 17068 | Perry         |

*Plan Description:* The planning exemption for Gantt Subdivision, DEP Code No. A3-50906-257-2E, APS Id 980841, consisting of one new single family residential lot, is disapproved. The proposed development is located on Laurel Grove Road. This plan is disapproved because the submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the use of onlot sewage disposal systems and each lot of the subdivision does not have separate sites available for both a permittable primary soil absorption area or spray field and a replacement soil absorption area or spray field as per Chapter 71, Section 71.51(b)(1)(v).

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Saint Martin of Tours Church**, State Routes 92 and 492, Jackson Township, **Susquehanna County**. Geological & Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of the Diocese of Scranton, 300 Wyoming Avenue, Scranton, PA 18503, submitted a Final Report concerning remediation of site soil contaminated with heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

**Robert Slivka Residence**, 9587 Jacktown Road, Lower Mount Bethel Township, **Northampton County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169, submitted a Final Report concerning remediation of site soil and groundwater contaminated as the result of a release of # 2 fuel oil from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

**Suburban Propane**, 245 Smith Street, New Milford, **Susquehanna County**. Cemats, 3232 Seneca Turnpike, P.O. Box 68, Canastota, NY 13032, on behalf of Suburban Propane, P.O. Box 4833, Syracuse, NY 13221, submitted a Final Report concerning remediation of soil and groundwater contaminated due historic releases from a petroleum distribution facility at the site. The predominant contaminants identified are volatile organic compounds. The report is intended to document remediation of the site to meet a combination of Statewide Health and Site-Specific Standards.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Speedway # 6719**, 1070 Lincoln Highway, Chambersburg, PA 17201, Chambersburg Borough, **Franklin County**. EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18014, on behalf of Speedway LLC, 500 Speedway Drive, Enon, OH 45323, submitted a Final Report concerning site soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection



of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Barile Property**, 11 Evergreen Road, Franklin Township, **Carbon County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Fegley Oil Company, 551 West Penn Pike, Tamaqua, PA 18252, submitted a Final Report concerning remediation of site soils contaminated with heating oil released from an aboveground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by the Department on December 6, 2018.

**Linwood Nursing and Rehab Center**, 100 Florida Avenue, Scranton City, **Lackawanna County**. Bluestone Environmental Inc., 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of Pennsylvania LTC, Inc., 100 Florida Avenue, Scranton, PA 18505 submitted a final report concerning remediation of site soils and groundwater contaminated with diesel from an underground storage tanks. The report documented remediation of the site to meet Statewide Health Standards and was approved by the Department on December 10, 2018.

**Silberline Manufacturing Company Inc.**, 201 East Dock Street, Lansford Borough, **Carbon County**. Leidos,

Inc, 6310 Allentown Boulevard, Harrisburg, PA 17112 on behalf of Silberline Manufacturing Company, 201 East Dock Street, Lansford, PA 18232, submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated due to releases of # 6 fuel oil and volatile organic compounds at the site. The report documented plans to remediate the site to meet the Site-Specific Standard and was approved by the Department on December 10, 2018.

**R. Mackey Pad 1**, 17281 Dimock to Nicholson Road, Lathrop Township, **Susquehanna County**. Woodward & Curran, 12 Frear Hill Road, Tunkhannock, PA 18657, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of a release of brine to the soil. The report documented remediation of the site to meet a combination of Background and Statewide Health Standards and was approved by the Department on December 11, 2018.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Wenger Feeds, LLC/Witmer Property**, 2484 Gamber Road, Washington Borough, PA 17582, Manor Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Donald Witmer, 2484 Gamber Road, Washington Borough, PA 17582, submitted a Final Report concerning remediation of site soil contaminated with unleaded gasoline released from an above-ground storage tank. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on December 4, 2018.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.*

*Hazardous Waste Transporter License Reissued*

**Dart Trucking Company, Inc.**, P.O. Box 157, North Lima, OH 44452. License No. PA-AH 0219. Effective Dec. 10, 2018.

**Environmental Transport Group, Inc.**, P.O. Box 296, Flanders, NJ 07836-0296. License No. PA-AH 0104. Effective Dec 11, 2018.

**Neier, Inc.**, P.O. Box 151, Coatesville, IN 46121. License No. PA-AH 0777. Effective Dec 10, 2018.

**Transport Rollex Ltee**, 910 Boulevard Lionel-Boulet, Varennes, QC J3X 1P7. License No. PA-AH 0544. Effective Dec 06, 2018.

#### RESIDUAL WASTE GENERAL PERMITS

**Permit(s) Renewed Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**



*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit No. WMGR096 Base.** On October 6, 2018, The Department of Environmental Protection (Department) published notice of its intent to modify and renew the base general permit (GP) WMGR096. This permit authorizes the beneficial use of regulated fill as a construction material. Under General Permit No. WMGR096, regulated fill may only be moved to a property that is approved for construction and meets one of the following criteria:

- The property is zoned and used exclusively for commercial and industrial uses, or
- The property is unzoned but exclusively used for commercial and industrial uses (excluding parks, playgrounds, nursing homes, child care facilities, schools or other residential-style facilities or recreation areas).

General Permit No. WMGR096 does not authorize blending or processing of fill with the purpose of meeting the concentration limits specified in Table GP-1 of the permit.

The Department received a significant level of public interest on the proposed modifications to the base GP. Due to the volume and extensiveness of the comments received, as well as the short amount of time available to evaluate the comments prior to the expiration date of the base GP, the Department has renewed the existing version of WMGR096 for one year and added a permit condition relating to renewal. All general permits that are renewed and that do not already contain the following condition are updated to include the condition as a standard practice:

In the event that a timely and complete application for renewal has been submitted and the Department is unable, through no fault of the permittee, to reissue the general permit or approval for coverage before its current coverage expiration date, the terms and conditions of the approved coverage will automatically continue and will remain fully effective and enforceable pending the issuance or denial of the renewal for permit coverage, provided the permittee is, and has been, operating in compliance with the terms and conditions of the general permit.

The permit was renewed by Central Office and becomes effective on December 23, 2018. This action will provide the Department with the appropriate amount of time to thoughtfully consider the comments received and evaluate whether additional modifications to the base GP are necessary. The Department plans to re-notice proposed modifications to the base GP in the *Pennsylvania Bulletin* and provide for another 60-day public comment period after the comments received have been appropriately evaluated and addressed.

Persons interested in obtaining a copy of the renewed general permit may contact Chris Solloway, Environmental Group Manager, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, (717) 787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

## OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Permit Application No. 400695. Bio-Haz Solutions,** 23 Tonoli Road, Nesquehoning, PA 18240. A permit application for a new medical waste processing facility located in Nesquehoning Borough, **Carbon County**. The application was approved by the Regional Office on December 6, 2018.

Persons interested in reviewing the permit may contact Roger Bellas, Regional Waste Management Program Manager, Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**GP1-40-004: DWMP Associates, LLC** (126 Bell Mountain Road, Jermyn, PA 18433) on December 4, 2018 renewal for the operation of natural gas/# 2 oil fired boiler at the facility located in City of Hazleton, **Luzerne County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP4-67-03169: Strip-it-Clean, LLC** (605 Loucks Mill Road, York, PA 17403) on December 4, 2018, for two existing burnoff ovens, under GP4, at the facility located in Spring Garden Township, **York County**. The general permit authorization was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**GP3-14-342: R.S. Services** (119 Falls Road, Beech Creek, PA 16822) on November 29, 2018, for an authorization to construct and operate one (1) 2008 KPI model FT4240 crusher, one (1) 2011 McCloskey model C44 crusher, one (1) 2012 McCloskey model R155 screener, one (1) 2007 Extex S5 screener, and one (1) 2018 McCloskey J45 crusher pursuant to the General Plan Approval and/or General Operating Permit for Portable

Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at "The Cottages at State College" residential construction site located in Ferguson Township, **Centre County**.

**GP11-14-342: R.S. Services** (119 Falls Road, Beech Creek, PA 16822) on November 29, 2018, for an authorization to construct and operate one (1) 2007 model 345 bhp Cummins QSL9-G3 diesel-fired engine, one (1) 2011 model 440 bhp Caterpillar C-13 diesel-fired engine, one (1) 2010 model 129.4 bhp Caterpillar C4.4 diesel-fired engine, one (1) 2007 model 100.4 bhp Deutz BF4M2010 diesel-fired engine, and one (1) 2016 model 374 bhp Caterpillar C-9 diesel-fired engine pursuant to the General Plan Approval and/or General Operating Permit for Nonroad Engines (BAQ-GPA/GP-11) at "The Cottages at State College" residential construction site located in Ferguson Township, **Centre County**.

**GP3-57-052: Dushore Materials, LLC** (8724 Route 220, Dushore, PA 18614) on December 10, 2018, to construct and operate one Extec C12 crusher (Crusher # 1) rated at 400 tons per hour (tph), one Terex C1545 crusher (Crusher # 2) rated at 550 tph, and one Sandvik QE330 screener rated at 100 tph with associated water spray dust suppression systems pursuant to the General Plan Approval And/Or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at their Dushore Materials facility located in Cherry Township, **Sullivan County**.

**GP9-57-052: Dushore Materials, LLC** (8724 Route 220, Dushore, PA 18614) on December 10, 2018, to construct and operate one 350 bhp Deutz AG 9157011 diesel-fired engine, one 444 bhp Scania DC13 084A diesel-fired engine, and one 99.9 bhp Caterpillar model C4 diesel-fired engine pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-9: Diesel or No. 2 fuel-fired Internal Combustion Engines at their Dushore Materials facility located in Cherry Township, **Sullivan County**.

**GP4-19-193: K-Fab, Inc.** (1408 Vine Street, Berwick, PA 18603) on December 4, 2018, authorized the construction and operation of 0.45 million Btu per hour, Pollution Control Products Company, model PRO 390 4464 natural gas-fired burn off oven pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-4: Burn off Ovens at the Dickson Street facility located in Briar Creek Township, **Columbia County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.*

**GP13-26-00597: Bullsken Stone and Lime, LLC** (P.O. Box 528, 117 Marcia Street, Latrobe, PA 15650) on December 5, 2018, to authorize the installation and operation of a 600 ton per hour Hot Mix Asphalt Plant for a fixed period of 5 years at their West Pad Asphalt facility located at 986 Pleasant Valley Road in Bullsken Township, **Fayette County**.

**AG5A-63-00002A: Range Resources Appalachia, LLC** (3000 Town Center Boulevard, Canonsburg, PA 15317) on December 5, 2018, received authorization under GP-5A for construction and/or operation of sources and controls associated with a natural gas well pad at its Brownlee Kelley 12333 facility located in Hopewell Township, **Washington County**.

**GP1-65-00726: Gutchess Hardwoods, Inc.** (185 Devereux Drive, Latrobe, PA 15650) on November 14, 2018, received authorization under GP-1 for construction

and operation of a natural gas-fired burner in an existing wood-fired boiler at its Latrobe Plant in Unity Township, **Westmoreland County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**GP5-37-339C: PennEnergy Resources, LLC, Patterson Compressor Station** (1000 Commerce Dr., Park Place One, Suite 400, Pittsburgh, PA 15275) on December 7, 2018, for the authority to operate a 690 bhp 4-stroke lean burn (4SLB) natural gas-fired engine, a 7.0 MMSCF/d capacity glycol dehydrator & reboiler, produced water and lube oil storage tank(s), truck loading operations, and associated fugitive emissions (BAQ-GPS/GP5) located at their facility in Little Beaver Township, **Lawrence County**.

---

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-0241: Richard E. Pierson Materials Corp.** (P.O. Box 714, Bridgeport, NJ 08014) On December 5, 2018 for the construction of a 1,000-ton per hour non-metallic mineral processing plant equipped with a wet suppression system at the existing Hanson Quarry in East Rockhill Township, **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**28-03068A: Pennsylvania Cherry, LLC** (P.O. Box 269, Mercersburg, PA 17236) on December 4, 2018, for the installation of a lumber processing facility, located in Montgomery and Peters Townships, **Franklin County**. The Plan Approval will authorize to install a wood fired boiler controlled by an electrostatic precipitator, and lumber trimming and grinding operations controlled by cyclone separators, and a wood drying kiln.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**10-027H: Calumet Karns City Refining, LLC** (138 Petrolia St., Karns City, PA 16041), on November 29, 2018 issued a Plan Approval for the construction of a refrigerated condenser in Karns City Borough, **Butler County**. This is a Title V facility.

**25-987G: Hanes Erie, Inc.** (7601 Klier Dr. South, South Fairview Business Park, Fairview, PA 16415), on December 5, 2018 issued a Plan Approval for the installation and operation of an additional paint booth in Fairview Township, **Erie County**. This is a State Only facility.



**27-015A: Tennessee Gas Pipeline, Marienville Station 307** (1001 Louisiana St., Ste 1000, Houston, TX 77002), on December 7, 2018 issued a Plan Approval for the installation of a RACT II control device for Source 135 and the installation of the oxidation catalyst in Howe Township, **Forest County**. This is a Title V facility.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.*

**04-00727B: Lambeth LLC** (2061 Brodhead Rd, Aliquippa, PA 15001) plan approval transferred from Five Points Veterinary Clinic effective on November 14, 2018, for operation of one (1) Matthews International-Cremation Division IEB-20 natural gas-fired animal crematory at its facility located in Hopewell Township, **Beaver County**.

**32-00438A: Rairigh-Bence Funeral Home, Inc.** (965 Philadelphia Street, Indiana, PA 15701) plan approval extension effective on November 28, 2018, with expiration date of May 28, 2019, to extend the period of temporary operation of the crematory at the referenced facility in Indiana Borough, **Indiana County**.

**30-00072I: Consol Pennsylvania Coal Company, LLC** (1000 Consol Energy Drive, Canonsburg, PA 15317) plan approval extension effective on November 28, 2018, with expiration date of May 28, 2019, to extend the period of temporary operation of sources and controls associated with the Enlow Fork Overland Conveyor located in Richhill Township, **Greene County** and East Finley Township, **Washington County**.

**30-00072H: Consol Pennsylvania Coal Company, LLC** (1000 Consol Energy Drive, Canonsburg, PA 15317) plan approval extension effective on November 28, 2018, with expiration date of May 28, 2019, to extend the period of temporary operation of sources and controls associated with the Bailey Prep Plant expansion located in Richhill Township, **Greene County**.

**30-00195: Equitrans, LP** (625 Liberty Avenue, Suite 1700, EQT Plaza, Pittsburgh, PA 15222) plan approval extension effective on November 28, 2018, with expiration date of May 28, 2019, to extend the period of temporary operation of sources and controls at the Jefferson Compressor Station located in Jefferson Township, **Greene County**.

**32-00394A: Teawood, Inc. DBA Bowser Minich Pet Crematory** (498 Ben Franklin Road South, Indiana, PA 15701) plan approval extension effective on November 28, 2018, with expiration date of May 28, 2019, to extend the period of temporary operation of the crematory at the referenced facility in White Township, **Indiana County**.

**26-00575A: Green Ridge Cemeteries, Inc.** (2901 Memorial Blvd., Connellsville, PA 15425) plan approval extension effective on November 28, 2018, with expiration date of May 28, 2019, to extend the period of temporary operation of the crematory at the referenced facility in Bullskin Township, **Fayette County**.

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**05-05006: Columbia Gas Transmission LLC** (455 Racetrack Road, Washington, PA 15301-8910) on December 4, 2018, for the Artemas natural gas compressor station located in Mann Township, **Bedford County**. The Title V permit was renewed.

**06-05033: Texas Eastern Transmission, LP** (5400 Westheimer Court, Houston, TX 77056-5353) on December 4, 2018, for the Bernville natural gas transmission station located in North Heidelberg Township, **Berks County**. The Title V permit was renewed.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**25-00069: BASF Corporation** (1729 East Ave., Erie, PA 16503). On December 6, 2018, the Department issued a Title V Operating Permit for the BASF catalyst manufacturing plant located in the City of Erie, **Erie County**. This facility does not have potential emissions above the major source thresholds for any criteria pollutants, VOC, or HAPs. This facility is required to obtain a Title V permit under 40 CFR § 63.11494(e). Potential emissions are as follows: 27.1 tpy NO<sub>x</sub>; 12.3 tpy CO; 0.1 tpy SO<sub>x</sub>; 1.3 tpy PM<sub>10</sub>; 1.3 tpy PM<sub>2.5</sub>; 24.4 tpy VOC; and 0.5 all HAPs combined. Actual 2016 emissions are as follows: 12.35 tons NO<sub>x</sub>; 6.03 tons CO; 0.04 ton SO<sub>x</sub>; 0.30 ton PM<sub>10</sub>; 0.30 ton PM<sub>2.5</sub>; 3.25 tons VOC; and 0.07 ton all HAPs combined. The significant sources at the facility include 5 natural gas fueled boilers with combined total rated heat input of 55.06 million Btu/hr; blenders; material conveying equipment; 3 natural gas fueled emergency generators; and 3 parts washers. This facility is subject to the following Federal regulations: 40 CFR Part 60 Subpart Dc, NSPS for Small ICI Steam Generating Units; 40 CFR Part 63 Subpart VVVVVV, NESHAP for Chemical Manufacturing Area Sources; and 40 CFR Part 63 Subpart ZZZZ, NESHAP for Stationary RICE. The conditions from Plan Approval 25-069Q are included in the operating permit. The permit includes a modification to remove the requirement to monitor pressure drop across 3 scrubbers in favor of monitoring the inlet water flow rate to each scrubber. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**23-00027: 3M Company** (50 Milton Dr, Aston, PA 19014-2217) On December 5, 2018 for a renewal of a

State Only, Synthetic Minor Operating Permit as well as a minor operating permit modification in Chester Township, **Delaware County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**39-00057: St. Luke's Hospital—Allentown Campus** (1736 Hamilton Street, Allentown, PA 18104-5353). On December 6, 2018 the Department issued a renewal State-Only Synthetic Minor Permit for St. Luke's Hospital located in the City of Allentown, **Lehigh County**. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**48-00055: Hilltop Center, LLC** (300 Cherryville Road, Northampton, PA 18067-9548). On December 10, 2018 the Department issued a renewal State-Only Natural Minor Permit for Hilltop Center, LLC located in Lehigh Township, **Northampton County**. The source at this location is a boiler. The source is considered a minor emission source of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**13-00010: AMETEK Corp., AMETEK/Westchester Plastics Div.** (42 Mountain Avenue, Nesquehoning, PA 18240-2201). On December 4, 2018, the Department issued a renewal State-Only (Natural Minor) Permit for manufacturing of plastics materials and resins facility in Nesquehoning, **Carbon County**. The primary sources at this facility are extruders and production lines. The control devices are Baghouses and a Burnoff Oven. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), particulate matter (PM<sub>10</sub>), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-05141: IWM International LLC** (500 East Middle Street, Hanover, PA 17331-2027) on December 5, 2018, for the woven metal mesh products manufacturing facility located in Hanover Borough, **York County**.

**67-03144: KRB Machinery** (1058 Cool Creek Road, Wrightsville, PA 17368-9126) on December 4, 2018, for the machinery manufacturing facility located in Lower Windsor Township, **York County**. The State-only permit was renewed.

**21-03023: The AMES Company, Inc.** (465 Railroad Avenue, Camp Hill, PA 17011-5611) on December 3, 2018, for the lawn and garden tool manufacturing facility

located in Hampden Township, **Cumberland County**. The State-only permit was renewed.

**07-05044: New Enterprise Stone & Lime Co., Inc.** (P.O. Box 77, New Enterprise, PA 16664-0077) on December 4, 2018, for the stone crushing and blacktop operations at the Roaring Spring Quarry located in Taylor Township, **Blair County**. The State-only permit was renewed.

**67-05015: TopFlight Corporation** (277 Commerce Drive, Glen Rock, PA 17327-8625) on December 4, 2018, for the label printing facility located in Springfield Township, **York County**. The State-only permit was renewed.

**67-03043: Envirite of PA, Inc.** (730 Vogelsong Road, York, PA 17404-6707) on December 4, 2018, for the hazardous waste disposal facility located in York City, **York County**. The State-only permit was renewed.

**36-03063: Debord Snyder Funeral Home & Crematory** (141 East Orange Street, Lancaster, PA 17602-2851) on December 4, 2018, for the human crematory facility located in Lancaster City. The State-only permit was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**41-00086: LBV Professional Services, LLC** (350 Spruce Street, Montoursville, PA 17754-1706) on December 7, 2018 issued a State only operating permit for their facility located in Montoursville Borough, **Lycoming County**. The State only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**60-00012: Ritz-Craft Corporation of Pa, Inc.** (P.O. Box 70, 15 Industrial Park Road, Mifflinburg, PA 17844-0070) on December 7, 2018 issued a State only operating permit for their facility located in Middleburg Borough, **Union County**. The State only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.*

**16-00133: Clarion Bathware** (16273 Route 208, Marble, PA 16334-1515). On December 6, 2018, the Department issued the renewal of the Title V Operating Permit for the bath product and unit production facility located in Elk Township, **Clarion County**. The facility's primary emission sources include: miscellaneous natural gas usage, the open molding processes (production resin, gelcoat, and acrylic resin), and saws and grinders. The potential emissions, after permit limitations, of the major pollutants from the facility are as follows: 2.01 TPY (tons per year) NO<sub>x</sub>, 1.21 TPY CO, 150.00 TPY VOC, 146.10 TPY total HAPs (hazardous air pollutants), 132.26 TPY Styrene, 10.07 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, and 0.01 TPY SO<sub>x</sub>; thus, the facility is subject to Title V requirements for potential emissions of a single HAP in excess of ten (10) TPY (Styrene) and total HAPs in excess of 25 TPY, as well as potential VOC emissions exceeding 50 TPY for a facility located within the Northeast Ozone Transport Region. The open molding processes are subject to 40 CFR 63 Subpart WWWW NESHAP for Reinforced Plastic Composites Production. The miscellaneous natural gas sources are subject to presumptive RACT under 25



Pa. Code § 129.97(c)(3), and the open molding processes are subject to alternative RACT under 25 Pa. Code § 129.99(c) and (d), which will be addressed under another authorization. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**24-00121: Northwest Hardwoods, Inc.** (299 Hardwood Dr., Ridgway, PA 15853-7059). On December 3, 2018, the Department issued a State Only Natural Minor Operating Permit for the hardwood lumbers sawmill located in Ridgway Township, **Elk County**. The facility's primary emission sources include an 11.9 MMBtu/hr wood-fired boiler controlled by a multiclone, three (3) wood-fired space heaters, and miscellaneous woodworking operations controlled by a cyclone. The potential emissions of the primary pollutants from the facility are as follows: 12.38 TPY (tons per year) NO<sub>x</sub>, 33.77 TPY CO, 0.96 TPY VOC, 19.01 TPY PM<sub>10</sub>, 11.69 TPY PM<sub>2.5</sub>, and 1.41 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The boiler is subject to 40 CFR 63 Subpart JJJJJ, NESHAP for Industrial, Commercial, and Institutional Boilers Area Sources. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**42-00223: Tennessee Gas Pipeline Company Station 310** (1001 Louisiana Street, Suite 1000, Houston, TX 77002-5089). On November 28, 2018, the Department issued a renewal of the Natural Minor Operating Permit for a natural gas transmission station located in Sergeant Township, **McKean County**. The facility's primary emission sources include a 16,000 hp combustion turbine, a 570 hp emergency natural gas engine, miscellaneous natural gas fired sources and minor fugitive emissions. The turbine is subject to 40 CFR 60 Subpart KKKK pertaining to the NSPS for Stationary Combustion Turbines. The emergency engine is subject to 40 CFR 60 Subpart JJJJ pertaining to the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The potential emissions from the facility are 31 TPY NO<sub>x</sub>; 67 TPY CO; 5 TPY VOC; 2 TPY SO<sub>x</sub>; 4 TPY PM<sub>10</sub>; 2 TPY formaldehyde; 2 TPY HAPs; and 73,167 TPY GHG CO<sub>2e</sub>.

**61-00218: Tennessee Gas Pipeline Company Station 303** (1001 Louisiana Street, Suite 1000, Houston, TX 77002-5089) the Department on December 7, 2018 issued a renew of the Natural Minor Operating Permit for the natural gas transmission station located in Cranberry Township, **Venango County**. The facility's primary emission sources include a 14,721 hp natural gas compressor turbine, a 578 hp emergency generator fueled by a natural gas engine, miscellaneous natural gas fired sources and minor fugitive emissions. The turbine is subject to 40 CFR 60 Subpart KKKK pertaining to the NSPS for Stationary Combustion Turbines. The emergency engine is subject to 40 CFR 60 Subpart JJJJ pertaining to the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The potential emissions from the facility are 31 TPY NO<sub>x</sub>; 68 TPY CO; 5 TPY VOC; 2 TPY SO<sub>x</sub>; 4 TPY PM<sub>10</sub>; 2 TPY formaldehyde; 2TPY HAPs; and 65,910 TPY GHG CO<sub>2e</sub>. The conditions of the plan approval were incorporated into the operating permit.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**15-00017: Transcontinental Gas Pipe Line Company, LLC**, (60 North Bacton Hill Road, Malvern, PA 19355), on December 3, 2018 for the Administrative Amendment of the Title V Operating Permit to amend the responsible official contact and the permit contact for their facility in East Whiteland Township, **Chester County**. This was conducted in accordance with the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

**46-00081: Markel Corporation**, (435 School Lane, Plymouth Meeting, PA 19462), on December 5, 2018 for the Administrative Amendment of the State-Only Operating Permit to change the responsible official contact for their facility in Plymouth Township, **Montgomery County**. This was conducted in accordance with the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**53-00001: Tennessee Gas Pipeline Company LLC** (1001 Louisiana Street, Houston, TX 77002) administratively amended on November 20, 2018, to revise the Responsible Official and add the Duly Authorized Representative with Responsible Official signatory on the Title V operating permit. This Tennessee Gas Pipeline Company LLC facility (Station 313 Coudersport) is in Hebron Township, **Potter County**.

---

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Dave Balog, New Source Review Chief or Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6340.*

**62-00172: Glenn O Hawbaker—Brokenstraw Plant 22** (110 Muzzle Loaders Lane, Pittsfield, PA 16340) for its facility located in Pittsfield Township, **Warren County**. The De minimis emission increase is for the proposed construction of a Bin, Belt Feeder, and Conveyor. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the Operating Permit issuance on November 29, 2017.

| Date                     | Source                      | PM <sub>10</sub> (tons)           | SO <sub>x</sub> (tons)            | NO <sub>x</sub> (tons)          | VOC (tons)                      | CO (tons)                         |
|--------------------------|-----------------------------|-----------------------------------|-----------------------------------|---------------------------------|---------------------------------|-----------------------------------|
| 12-5-18                  | Bin, Belt Feeder & Conveyor | 0.072                             |                                   |                                 |                                 |                                   |
| Total Reported Increases |                             | 0.072                             |                                   |                                 |                                 |                                   |
| Allowable                |                             | 0.6 ton/source<br>3 tons/facility | 1.6 ton/source<br>8 tons/facility | 1 ton/source<br>5 tons/facility | 1 ton/source<br>5 tons/facility | 4 tons/source<br>20 tons/facility |

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6328.*

**37-00003: Argos USA LLC Bessemer Plant** (3015 Winward Plaza, Suite 300, Alpharetta, GA 30005) on December 7, 2018, the permit was revoked for the facility located in Bessemer Borough, **Lawrence County**. This State Operating Permit was revoked because the sources have not operated since May 2017 and the facility did not submit a deactivation notice or maintenance plan for the sources.

**ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a).** The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

*Coal Permits Issued*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**02733702 and NPDES No. PA0023370.** **Consol Mining Company LLC**, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). To renew the NPDES permit for the Renton Refuse Area in Plum Township, **Allegheny County**. No additional discharges. The application was considered administratively complete on July 29, 2015. Application received: May 29, 2014. Permit issued: December 3, 2018.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 32030110, Fossil Fuel, Inc.**, 690 Weaver Road, Marion Center, PA 15759-5511, renewal for reclamation

only of a bituminous surface and auger permit in East Mahoning & Grant Townships, **Indiana County**, affecting 43.0 acres. Receiving stream: unnamed tributaries to Crooked Run to Little Mahoning Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: October 15, 2018. Permit issued: December 3, 2018.

**Permit No. 11070201 and NPDES No. PA0262391, Fuel Recovery Inc.**, 254 Interpower Drive, Colver, PA 15927, permit renewal for reclamation only of a bituminous surface mine in Washington Township, **Cambria County**, affecting 87.8 acres. Receiving streams: unnamed tributary to/and Bear Rock Run and Burgoon Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 11, 2018. Permit issued: December 6, 2018.

**Permit No. 32070103, RES Coal, LLC**, 51 Airport Road, Clearfield, PA 16830, permit renewal for reclamation only of a bituminous surface and auger mine in East Mahoning Township, **Indiana County**, affecting 201.4 acres. Receiving stream: Little Mahoning Creek, classified for the following use: high quality—cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 11, 2018. Permit issued: December 7, 2018.

*Noncoal Permits Issued*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**4976SM4 and NPDES PA0608858. DeCristo, Inc.** (9070 Route 414, Canton, PA 17724). Transfer and renewal of an existing large noncoal mine site from New Enterprise Stone & Lime, Inc. dba Eastern Industries, Inc. located in Middlebury Township, **Tioga County** affecting 38.1 acres. Receiving stream(s): Norris Brook classified for the following use(s): TSF, MF, EV. There are no potable water supply intakes within 10 miles downstream. Application received: February 8, 2018. Permit issued: November 29, 2018.

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

---

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

**E02-1794, City of Pittsburgh Department of Mobility and Infrastructure**, City County Building, Room 215B, 514 Grant Street, Pittsburgh, PA 15219, City of Pittsburgh, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

1. Construct and maintain grouted and non-grouted rock bank protection, and the construction of modular concrete jumbo blocks and gabion walls along 955 linear feet of stream.

2. Remove gravel bars and nonnative materials from the stream bed along 1,000 linear feet of stream.

For the purpose of improving bank stability and stream flood conditions. The project will take place within Streets Run (WWF). Due to the aforementioned areas overlapping the project will cumulatively impact 1,000 linear feet of stream. Mitigation is not required due to the nature of the project. The project site is located in the Hays neighborhood (Pittsburgh East, PA USGS topographic quadrangle; N: 40°, 23', 02"; W: -79°, 55', 59"; Sub-basin 19A; USACE Pittsburgh District), in the City of Pittsburgh, Allegheny County.

**ENVIRONMENTAL ASSESSMENTS**

*Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**EA36-052: Mr. James Zimmerman**, 201 Wanner Road, Ephrata, PA 17522 in Earl Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To the regrading and maintenance of 1,675 feet of the left bank of the Conestoga River for the purposes of reducing the frequency of flooding and restoring the riparian buffer. The project is located near the intersection of Kurtz Road and Martindale Road (Latitude: 40° 09' 13" N; Longitude: 76° 06' 43" W) in Earl Township, Lancaster County. No wetlands will be impacted by this project. The permit was issued on December 6, 2018.

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.*

**D21-206EA. Cindy Foster**, Borough Manager, Borough of Lemoyne, 510 Herman Avenue, Lemoyne, PA 17043, Lemoyne Borough, **Cumberland County**, USACOE Baltimore District.

Project proposes to remove the breached remains of the Lemoyne Borough Dam to eliminate a threat to public safety and to restore approximately 220 feet of stream channel to a free-flowing condition. The proposed restoration project includes construction of grade and erosion control structures in the stream channel through the former reservoir and immediately downstream from the dam where significant erosion has occurred. The project is located across a tributary to the Susquehanna River (WWF, MF) (West Harrisburg, PA Quadrangle, Latitude: 40.2509; Longitude: -76.9089).

**DAM SAFETY**

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.*

**D54-001A. Lofty Reservoir Dam**, Mahanoy Township Authority, 46 North Main Street, Mahanoy City, PA 17948. Permit issued to operate and maintain Lofty Reservoir Dam across Messers Run (HQ-CWF) in accordance with all permit conditions (Delano, PA Quadrangle; Latitude: 40° 52' 20", Longitude: -76° 02' 42") in Kline Township, **Schuylkill County**.

**EROSION AND SEDIMENT CONTROL**

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of



publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.*

ESCGP-2 # ESX18-019-0025—Chamaeleon Well Pad  
Applicant EM Energy PA, LLC  
Contact Hugh Caperton  
Address 1800 Marin Street, Suite 220  
City Canonsburg State PA Zip Code 15317  
County Butler  
Township(s) Parker  
Receiving Stream(s) and Classification(s) UNT to Bear Creek/Bear Creek CWF

ESCGP-2 # ESG13-083-0011B—West Branch Pad O  
Applicant Seneca Resources Company, LLC  
Contact Doug Kepler  
Address 5800 Corporate Drive, Suite 300  
City Pittsburgh State PA Zip Code 15237  
County McKean  
Township(s) Sergeant  
Receiving Stream(s) and Classification(s) UNT to Straight Creek/Upper Clarion River; UNT to Dead Mans Lick/Sinnemahoning Creek

ESCGP-2 # ESG18-083-0002—Tally Ho Pipeline Replacement  
Applicant Pennhills Resources  
Contact Stuart Morris  
Address 3055 Route 219  
City Kane State PA Zip Code 16735  
County McKean  
Township(s) Lafayette & Hamlin  
Receiving Stream(s) and Classification(s) Windfall Run (HQ-CWF), Kinzua Creek (CWF), UNT to Wintergreen Run (CWF) UNT to Turnup Run, Lewis Run & Miami Run (HQ-CWF)

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

ESCGP-2 # ESG29-027-18-0002  
Applicant Name ARD Operating, LLC  
Contact Person Stephen Barondeau  
Address 33 West Third Street, Suite 300  
City, State, Zip Williamsport, PA 17701  
County Centre  
Township(s) Curtin Twp.  
Receiving Stream(s) and Classification(s) Primary Watershed(s): UNT to Hayes Run (EV).  
Secondary Watershed(s): Hayes Run (EV).

ESCGP-2 # ESX29-115-18-0067  
Applicant Name Williams Field Services Company, LLC  
Contact Person Adam Weightman  
Address 400 1st Center, Suite 404  
City, State, Zip Horseheads, NY 14845  
County Susquehanna  
Township(s) Auburn & Springville Twps.  
Receiving Stream(s) and Classification(s) Unnamed tributaries to Riley Creek (CWF-MF) and Unnamed tributaries to White Creek (CWF-MF)

ESCGP-2 # ESG29-117-18-0022  
Applicant Name UGI Texas Creek, LLC  
Contact Person Dante D'Alessandro  
Address One Meridian Boulevard, Suite 2C01  
City, State, Zip Wyomissing, PA 19610  
County Tioga  
Township(s) Liberty Twp.  
Receiving Stream(s) and Classification(s) Brion Creek (EV), Salt Spring Run (EV)

ESCGP-2 # ESG29-117-18-0006  
Applicant Name REPSOL Oil and Gas USA, LLC  
Contact Person Lance Ridall  
Address 337 Daniel Zenker Drive  
City, State, Zip Horseheads, NY 14845  
County Tioga  
Township(s) Sullivan and Ward Twps.  
Receiving Stream(s) and Classification(s) Fall Brook (CWF), Fellows Creek (CWF)

ESCGP-2 # ESX29-115-18-0055  
Applicant Name UGI Energy Services, LLC  
Contact Person Michael Mara  
Address One Meridian Boulevard, Suite 2C01  
City, State, Zip Wyomissing, PA 19610  
County Susquehanna  
Township(s) Auburn Twp.  
Receiving Stream(s) and Classification(s) Dority Creek (CWF-MF)

---

## SPECIAL NOTICES

---

### Proposed State Water Quality Certification Required by Section 401 of the Clean Water Act for the Temple Truck Rack Expansion Project

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**DEP File No.: WQ03-004 UGI LNG, Inc.** (UGI or Applicant), 1 Meridian Boulevard, Suite 2C01, Wyomissing, PA 19610, Temple Truck Rack Expansion Project (Project) located at 5665 Leesport Ave., Reading, Ontelaunee Township, **Berks County** (Lat: 40° 25' 28.18"; Long: -75° 55' 19.95").

On November 14, 2016, UGI applied to the Federal Energy Regulatory Commission (FERC) for a certificate of public convenience and necessity (Docket No. CP17-14-000) pursuant to Section 7(c) of the Natural Gas Act. UGI proposes to construct and operate certain natural gas pipeline facilities to expand their existing Temple Liquefied Natural Gas (LNG) Peak-shaving Facility (aka: Temple Truck Rack Expansion Project) in Berks County.

On October 1, 2018, UGI requested a State water quality certification from the Department of Environmental Protection (Department), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in this Commonwealth through compliance with State water quality standards



and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

The proposed overall Project consists of the following activities: construction and operation of two additional LNG loading and unloading terminals, two rack scales, transfer piping, and associated equipment in support of the truck rack expansion, as well as a new driveway for the expansion to Willow Creek Road at the Project site. Approximately 9.5 acres of earth disturbance is proposed within the property footprint of the existing truck rack site, with approximately 5.6 acres of permanent use areas proposed.

The receiving surface water for the Project is Willow Creek. No watercourse, floodway, water body or wetland impacts are proposed by UGI for this Project.

The Department anticipates issuing a State water quality certification to Applicant for the Temple Truck Rack Expansion Project that will require compliance with the following State water quality permitting programs, criteria and conditions established under State law to ensure the Temple Truck Rack Expansion Project does not violate applicable State water quality standards set forth in 25 Pa. Code Chapter 93:

1. *Discharge Permit*—Applicant shall obtain and comply with a Department National Pollutant Discharge Elimination System (NPDES) permit for the discharge of water from the hydrostatic testing of the Project under Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and all applicable implementing regulations (25 Pa. Code Chapter 92a) if such discharges are proposed.

2. *Erosion and Sediment Control Permit*—Applicant shall comply with the Department's Chapter 102 Individual NPDES permit for the discharge of stormwater associated with construction activities, NPDES Permit No. PAD060002 issued pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17), and all applicable implementing regulations (25 Pa. Code Chapter 102).

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Department Chapter 105 Water Obstruction and Encroachment Permits for the construction, operation and maintenance of all water obstructions and encroachments associated with the Project under Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.) and all applicable implementing regulations (25 Pa. Code Chapter 105), if such water resource impacts are proposed and as these requirements are applicable.

4. *Delaware River Basin Commission*—The Applicant shall comply with any Delaware River Basin Commission (DRBC) approvals that may be necessary from the DRBC for the Project.

5. *Water Quality Monitoring*—The Department retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—Applicant shall at all times properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this State Water Quality Certification and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate

laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of the Department to determine compliance with this State Water Quality Certification, including all required State water quality permits and State water quality standards. A copy of this certification shall be available for inspection by the Department, or an authorized representative thereof, during such inspections of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project which is affected by this State Water Quality Certification, Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least 30 days prior to the contemplated transfer and shall simultaneously inform the Department's Regional Office of such intent. Notice to the Department shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the Certification and any permits, authorizations and approvals obtained to comply with the Certification. The new owner shall submit to the Department a new application form for the Certification and any permits, authorizations and approvals required to comply with the Certification signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to the Department concerning this State Water Quality Certification shall be addressed to the Department of Environmental Protection, Southcentral Regional Office, Program Manager, Waterways and Wetlands, 909 Elmerton Avenue, Harrisburg, PA 17110.

10. *Reservation of Rights*—The Department may suspend or revoke this State Water Quality Certification if (i) the Department becomes aware of new facts about the Project that warrant such action; or (ii) the Department determines that the Applicant has not complied with the terms and conditions of this certification. The Department may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution of any legal action or relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable Federal or State law or regulation.

12. *Severability*—The provisions of this State Water Quality Certification are severable and should any provision of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

The Environmental Assessment prepared by FERC may be viewed on FERC's website at [www.ferc.gov](http://www.ferc.gov) under the Docket No. CP17-14-000.

Prior to issuance of the final State water quality certification, the Department will consider all relevant and timely comments, suggestions or objections submitted to the Department within 30 days of this notice. Written comments should be submitted by e-mail to EP, WW-SCRO@pa.gov or by mail at the previously listed address or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) and should be directed to Program Manager, Waterways and Wetlands Program. Comments must be submitted in writing and contain the name, address and telephone number of the person commenting

and a concise statement of comments, objections or suggestions on this proposal. No comments submitted by facsimile will be accepted.

[Pa.B. Doc. No. 18-1974. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Coal Mining Reclamation Fee Amount for 2019

The Department of Environmental Protection (Department) announces the amount of the per acre Reclamation Fee for 2019. Effective January 1, 2019, the per acre Reclamation Fee will be \$0. The fee amount is recalculated each year in accordance with 25 Pa. Code § 86.17(e)(4) (relating to permit and reclamation fees). Refer to 25 Pa. Code § 86.17 for more detailed information.

Annual adjustments to the per acre Reclamation Fee are based on a fiscal year report that contains a financial analysis of the revenue and expenditures from the Reclamation Fee O & M Trust Account for Fiscal Year (FY) 2017-2018. The report also provides projections for FY 2018-2019. The report was reviewed with the Department's Mining and Reclamation Advisory Board on October 25, 2018.

The final fiscal year report is available at <http://www.dep.pa.gov/Business/Land/Mining/BureauofMiningPrograms/Reports/Pages/default.aspx>.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 18-1975. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting on Wednesday, January 16, 2019, and Thursday, January 17, 2019, from 9 a.m. to 4 p.m. at the Best Western Premier, 800 East Park Drive, Harrisburg, PA 17111.

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention grant for Comprehensive HIV Prevention Programs for Health Departments. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so, contact Cynthia Findley, Bureau Director, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572, or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to cancel this meeting without prior notice.

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 18-1976. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Infant Hearing Screening Advisory Committee Meeting

The Infant Hearing Screening Advisory Committee, established under the Infant Hearing, Education, Assessment, Reporting and Referral (IHEARR) Act (11 P.S. §§ 876-1—876-9), will hold a public meeting on Thursday, January 10, 2019, from 1 p.m. until 3 p.m. The meeting will be held at the Department of Transportation Materials and Testing Laboratory, DGS Annex Complex, 81 Lab Lane, Harrisburg, PA 17110-2543. Agenda items will include updates about the program, reports by the cytomegalovirus and Audiology subcommittees, and review of Audiologist and Primary Care Provider informational documents.

For additional information or for persons with a disability who wish to attend the meeting and require auxiliary aid, service or other accommodation to do so contact Mark Beall, Program Administrator, Division of Newborn Screening and Genetics, (717) 783-8143, or for speech and/or hearing impaired persons use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 18-1977. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking exception to 28 Pa. Code § 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Valley View Rehab and Nursing Center  
2140 Warrensville Road  
Montoursville, PA 17754  
FAC ID # 027602

The following long-term care nursing facility is seeking exception to 28 Pa. Code § 201.22(h) and (j):

Moravian Hall Square Health and Wellness Center  
175 West North Street  
Nazareth, PA 18064  
FAC ID # 392702

The following long-term care nursing facility is seeking exception to 28 Pa. Code § 205.6(a) (relating to function of building):

SpiriTrust Lutheran the Village at Luther Ridge  
2735 Luther Drive  
Chambersburg, PA 17202  
FAC ID # 25750201

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 18-1978. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Disproportionate Share Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds for Fiscal Year (FY) 2018-2019 disproportionate share hospital (DSH) payments for qualifying Medical Assistance (MA) enrolled acute care general hospitals that have a low commercial-payer ratio, a negative trend in their net patient revenue and are located in an area of this Commonwealth with a disproportionate need for MA services. The payment is intended to promote continued access to care for the MA population. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

#### *Fiscal Impact*

The FY 2018-2019 impact, as a result of the funding allocation for these payments, is \$0.628 million (\$0.300

million in State general funds and \$0.328 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

#### *Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1300. (1) General Fund; (2) Implementing Year 2018-19 is \$300,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$0; (4) 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-1979. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Disproportionate Share Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2018-2019 disproportionate share hospital (DSH) payments to certain Medical Assistance (MA) enrolled acute care general hospitals that participate in an academic medical program. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are still applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

#### *Fiscal Impact*

The FY 2018-2019 impact, as a result of these payments, is \$7.330 million (\$3.500 million in State general funds and \$3.830 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

#### *Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider all comments received within 30 days in determining the final payment methodology for these payments.



Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1298. (1) General Fund; (2) Implementing Year 2018-19 is \$3,500,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$0; (4) 2017-18 Program—\$24,681,000; 2016-17 Program—\$21,181,000; 2015-16 Program—\$17,431,000; (7) MA—Academic Medical Centers; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-1980. Filed for public inspection December 21, 2018, 9:00 a.m.]

**DEPARTMENT OF  
HUMAN SERVICES**

**Disproportionate Share Payments to Qualifying Hospitals**

The Department of Human Services (Department) is announcing its intent to allocate funds for Fiscal Year (FY) 2018-2019 disproportionate share hospital (DSH) payments for qualifying Medical Assistance (MA) enrolled acute care general hospitals to promote access to acute care services for MA eligible persons in less urban areas of this Commonwealth. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are still applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

**DEPARTMENT OF HUMAN SERVICES**

**Fee Increases for Certain Ambulance Transportation Services**

The Department of Human Services (Department) announces that it will increase fees in the Medical Assistance (MA) Program for certain ambulance transportation services in both the fee-for-service and managed care delivery systems for dates of service on and after January 1, 2019.

*Discussion*

Act 2018-42 (P.L. 281, No. 42) (Act 42), enacted on June 22, 2018, authorizes increased MA fees for ambulance transportation services in both the fee-for-service and managed care delivery systems. Specifically, Act 42 authorizes the following fees: not less than \$180 per loaded trip for basic life support ambulance transportation services; not less than \$300 per loaded trip for advanced life support ambulance transportation services; and not less than \$3,325.53 per loaded trip for air ambulance transportation services. Act 42 also authorizes a fee of not less than \$2 per loaded mile for each loaded mile beyond 20 loaded miles for ground mileage and a fee of not less than \$22.45 per loaded mile for each loaded mile beyond 20 loaded miles for air mileage.

As a result, the Department is revising the fees on the MA Fee Schedule for the following procedure codes effective with dates of service on and after January 1, 2019:

| <i>Procedure Code</i> | <i>Procedure Code Definition</i>   | <i>Pricing Modifier</i> | <i>Current MA Fee</i> | <i>New MA Fee</i> |
|-----------------------|--|-------------------------|-----------------------|-------------------|
| A0426                 | Ambulance service, advanced life support, nonemergency transport, level 1 (ALS1) |                         | \$200                 | \$300             |

*Fiscal Impact*

The FY 2018-2019 impact, as a result of these payments, is \$1.571 million (\$0.750 million in State general funds and \$0.821 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

*Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1301. (1) General Fund;

(a) Health Program Assistance and Services

(7) MA—Fee-for-Service; (2) Implementing Year 2018-19 is \$300,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$0; (4) 2017-18 Program—\$5,000,000; 2016-17 Program—\$0; 2015-16 Program—\$0;

(b) Autism Intervention and Services

(7) MA—Fee-for-Service; (2) Implementing Year 2018-19 is \$450,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$0; (4) 2017-18 Program—\$27,669,000; 2016-17 Program—\$22,496,000; 2015-16 Program—\$21,501,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-1981. Filed for public inspection December 21, 2018, 9:00 a.m.]



| <i>Procedure Code</i> | <i>Procedure Code Definition</i>  | <i>Pricing Modifier</i> | <i>Current MA Fee</i>                                   | <i>New MA Fee</i>  |
|-----------------------|---|-------------------------|---|--|
| A0427                 | Ambulance service, advanced life support, emergency transport, level 1 (ALS1—emergency) |                         | \$200   | \$300  |
| A0428                 | Ambulance service, basic life support, nonemergency transport (BLS)                     |                         | \$120   | \$180  |
| A0429                 | Ambulance service, basic life support, emergency transport (BLS, emergency)             |                         | \$120   | \$180  |
| A0430                 | Ambulance service, conventional air services, transport, one way (fixed wing)           | U8                      | \$200   | \$3,325.53   |
| A0431                 | Ambulance service, conventional air services, transport, one way (rotary wing)          |                         | \$200   | \$3,325.53   |
| A0433                 | Advanced life support, level 2 (ALS 2)  |                         | \$200   | \$300  |
| A0434                 | Specialty care transport (SCT)  |                         | \$200   | \$300  |
| A0435                 | Fixed wing air mileage, per statute mile  |                         | \$2 per mile beyond the first 20 loaded miles of a trip | \$22.45 per mile for each loaded mile beyond 20 loaded miles of a trip |
| A0436                 | Rotary wing air mileage, per statute mile   |                         | \$2 per mile beyond the first 20 loaded miles of a trip | \$22.45 per mile for each loaded mile beyond 20 loaded miles of a trip |

#### *Fiscal Impact*

The Fiscal Year (FY) 2018-2019 fiscal impact is \$3.672 million (\$1.351 million in State general funds and \$2.321 million in Federal funds).

The FY 2019-2020 fiscal impact is an annualized amount of \$5.753 million (\$1.940 million in State general funds and \$3.813 million in Federal funds).

#### *Public Comment*

Interested persons are invited to submit written comments regarding the revised ambulance transportation fees to the Department of Human Services, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision to ambulance transportation fees.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1296. (1) General Fund; (2) Implementing Year 2018-19 is \$1,351,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$1,940,000; (4) 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-1982. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Inpatient Hospitals Qualifying for Medical Assistance Disproportionate Share Payments

On July 1, 1988, the Department of Human Services (Department) implemented a disproportionate share payment system. The Department is required to annually publish the names of each inpatient acute care general hospital, rehabilitation hospital and private psychiatric hospital qualifying for a disproportionate share payment and their respective disproportionate share payment percentage as set forth in 55 Pa. Code §§ 1151.54(i),

1163.67(k) and 1163.459(j) (relating to disproportionate share payments).

#### A. *Disproportionate Share for Acute Care General Hospitals, Rehabilitation Hospitals and Private Psychiatric Hospitals.*

The following lists identify the inpatient acute care general hospitals, psychiatric units, drug and alcohol units and rehabilitation units of acute care general hospitals, rehabilitation hospitals, private psychiatric hospitals and private drug and alcohol hospitals eligible for disproportionate share payments for the period of July 1, 2017, through June 30, 2018, and their respective payment percentages. For all inpatient facilities, disproportionate share payments are calculated as a percentage of projected Medical Assistance (MA) inpatient income.

Payment period July 1, 2017, to June 30, 2018, disproportionate share payment percentages:

|  |        |
|--|--------|
| ALBERT EINSTEIN MEDICAL CENTER             | 4.92%  |
| ALFRED I. DUPONT INSTITUTE                 | 7.64%  |
| BARNES KASSON HOSPITAL                     | 1.43%  |
| BRADFORD REGIONAL MEDICAL CENTER           | 10.00% |
| CHARLES COLE MEMORIAL HOSPITAL             | 1.00%  |
| CHILDREN'S HOSPITAL OF PHILADELPHIA        | 7.19%  |
| CROZER CHESTER MEDICAL CENTER              | 3.10%  |
| DELAWARE COUNTY MEMORIAL HOSPITAL          | 2.18%  |
| DIVINE PROVIDENCE HOSPITAL                 | 5.54%  |
| GEISINGER MEDICAL CENTER                   | 6.84%  |
| GUTHRIE TOWANDA MEMORIAL HOSPITAL          | 3.36%  |
| HAHNEMANN UNIVERSITY HOSPITAL              | 4.52%  |
| HIGHLANDS HOSPITAL AND HEALTH CENTER       | 4.56%  |
| J.C. BLAIR MEMORIAL HOSPITAL               | 4.78%  |
| KENSINGTON HOSPITAL                        | 14.00% |
| LOCK HAVEN HOSPITAL                        | 3.16%  |
| MERCY FITZGERALD HOSPITAL                  | 2.69%  |
| MERCY HOSPITAL OF PHILADELPHIA             | 5.19%  |
| MILLCREEK COMMUNITY HOSPITAL               | 5.00%  |
| PENN HIGHLANDS DUBOIS                      | 9.00%  |
| PENN PRESBYTERIAN MEDICAL CENTER           | 2.88%  |
| PENNSYLVANIA HOSPITAL                      | 3.66%  |
| SCHUYLKILL MEDICAL CENTER SOUTH POTTSVILLE | 6.68%  |
| SOLDIERS AND SAILORS MEMORIAL HOSPITAL     | 8.75%  |
| SUNBURY COMMUNITY HOSPITAL                 | 6.26%  |
| ST. CHRISTOPHER'S HOSPITAL FOR CHILDREN    | 15.00% |
| TEMPLE UNIVERSITY HOSPITAL                 | 6.66%  |
| THOMAS JEFFERSON UNIVERSITY HOSPITAL       | 2.60%  |
| TITUSVILLE AREA HOSPITAL                   | 2.84%  |
| TROY COMMUNITY HOSPITAL                    | 3.98%  |
| UNIONTOWN HOSPITAL                         | 1.84%  |
| UNIVERSITY OF PENNSYLVANIA HOSPITAL        | 3.13%  |
| UPMC BEDFORD MEMORIAL                      | 2.96%  |
| UPMC CHILDREN'S HOSPITAL OF PITTSBURGH     | 9.14%  |
| UPMC MAGEE WOMEN'S HOSPITAL                | 5.55%  |
| UPMC MERCY                                 | 1.65%  |
| UPMC PRESBYTERIAN SHADYSIDE                | 2.48%  |
| VALLEY FORGE MEDICAL CENTER AND HOSPITAL   | 5.05%  |
| WEST VIRGINIA UNIVERSITY HOSPITALS         | 5.76%  |
| WPAHS ALLEGHENY GENERAL HOSPITAL           | 1.37%  |
| WPAHS WESTERN PENNSYLVANIA HOSPITAL        | 2.44%  |

*Psychiatric Units of Inpatient Hospitals*

|                                  |       |
|----------------------------------|-------|
| ALBERT EINSTEIN MEDICAL CENTER   | 2.97% |
| BRADFORD REGIONAL MEDICAL CENTER | 2.81% |
| CROZER CHESTER MEDICAL CENTER    | 2.02% |
| DIVINE PROVIDENCE HOSPITAL       | 3.30% |
| EAGLEVILLE HOSPITAL              | 1.74% |
| GEISINGER MEDICAL CENTER         | 2.06% |
| HAHNEMANN UNIVERSITY HOSPITAL    | 2.76% |
| HIGHLANDS HOSPITAL               | 2.78% |
| J.C. BLAIR MEMORIAL HOSPITAL     | 1.63% |
| MERCY FITZGERALD HOSPITAL        | 1.80% |
| MERCY HOSPITAL OF PHILADELPHIA   | 3.11% |
| MILLCREEK COMMUNITY HOSPITAL     | 3.02% |
| NPHS GIRARD MEDICAL CENTER       | 2.98% |

|  |       |
|--|-------|
| PENN HIGHLANDS DUBOIS                      | 2.52% |
| PENN PRESBYTERIAN MEDICAL CENTER           | 1.90% |
| PENNSYLVANIA HOSPITAL                      | 2.31% |
| SCHUYLKILL MEDICAL CENTER SOUTH POTTSVILLE | 2.03% |
| SUNBURY COMMUNITY HOSPITAL                 | 1.94% |
| TEMPLE UNIVERSITY HOSPITAL                 | 3.89% |
| THOMAS JEFFERSON UNIVERSITY HOSPITAL       | 1.75% |
| UPMC MERCY                                 | 1.26% |
| UPMC PRESBYTERIAN SHADYSIDE                | 1.69% |

*Drug and Alcohol Units of Acute Care Hospitals*

|  |       |
|--|-------|
| PENN PRESBYTERIAN MEDICAL CENTER         | 1.95% |
| VALLEY FORGE MEDICAL CENTER AND HOSPITAL | 3.63% |

*Medical Rehabilitation Units of Acute Care Hospitals*

|                                      |       |
|--------------------------------------|-------|
| ALBERT EINSTEIN MEDICAL CENTER       | 3.53% |
| ALFRED I. DUPONT INSTITUTE           | 5.65% |
| CHILDREN'S HOSPITAL OF PHILADELPHIA  | 5.29% |
| CROZER CHESTER MEDICAL CENTER        | 2.12% |
| DELAWARE COUNTY MEMORIAL HOSPITAL    | 1.41% |
| MERCY FITZGERALD HOSPITAL            | 1.80% |
| PENN HIGHLANDS DUBOIS                | 2.87% |
| TEMPLE UNIVERSITY HOSPITAL           | 4.88% |
| THOMAS JEFFERSON UNIVERSITY HOSPITAL | 1.73% |
| UNIVERSITY OF PENNSYLVANIA HOSPITAL  | 2.14% |
| UPMC MERCY                           | 1.00% |
| UPMC PRESBYTERIAN SHADYSIDE          | 1.64% |

*Freestanding Rehabilitation Hospitals*

|                                    |        |
|------------------------------------|--------|
| CHILDREN'S HOME OF PITTSBURGH      | 10.00% |
| CHILDREN'S INSTITUTE OF PITTSBURGH | 6.33%  |

*Private Psychiatric Hospitals*

|                                       |        |
|---------------------------------------|--------|
| BELMONT BEHAVIORAL HOSPITAL           | 3.97%  |
| BROOKE GLEN BEHAVIORAL HEALTH         | 3.09%  |
| CLARION PSYCHIATRIC CENTER            | 5.81%  |
| DEVEREUX CHILDREN'S BEHAVIORAL HEALTH | 10.00% |
| FAIRMOUNT BEHAVIORAL HEALTH SYSTEM    | 4.70%  |
| FIRST HOSPITAL WYOMING VALLEY         | 4.73%  |
| FOUNDATIONS BEHAVIORAL HEALTH         | 5.27%  |
| FRIENDS BEHAVIORAL HEALTH SYSTEM      | 4.01%  |
| HORSHAM PSYCHIATRIC HOSPITAL          | 4.15%  |
| KIDSPACE HOSPITAL                     | 7.48%  |
| KIRKBRIDE CENTER                      | 4.27%  |
| MEADOWS PSYCHIATRIC CENTER            | 5.95%  |
| MONTGOMERY COUNTY EMERGENCY SERVICES  | 4.90%  |
| ROXBURY PSYCHIATRIC HOSPITAL          | 1.00%  |
| SOUTHWOOD PSYCHIATRIC HOSPITAL        | 9.00%  |
| WELLSPAN PHILHAVEN                    | 4.04%  |

*Private Drug and Alcohol Hospitals*

|                     |       |
|---------------------|-------|
| EAGLEVILLE HOSPITAL | 1.72% |
|---------------------|-------|

*B. Additional Disproportionate Share Payments*

Additional disproportionate share payments are made to inpatient facilities with a Medicaid inpatient utilization rate of not less than 1%, which have provided services to Title XIX beneficiaries, 21 years of age or older but under 65 years of age, who have been determined to be low income by meeting the income and resource standards for the Commonwealth's MA Program. The

payment adjustments are paid directly proportional to the payment received for services rendered by institutions for mental diseases under the fee-for-service and capitation programs.

The following hospitals are eligible for this payment adjustment:

*Acute Care General Hospitals*

ABINGTON MEMORIAL HOSPITAL  
 ADVANCED SURGICAL HOSPITAL  
 ALBERT EINSTEIN MEDICAL CENTER  
 ALFRED I. DUPONT INSTITUTE  
 ALLE KISKI MEDICAL CENTER  
 AMERICAN ONCOLOGIC HOSPITAL  
 ARIA HEALTH HOSPITAL  
 ARMSTRONG COUNTY MEMORIAL HOSPITAL  
 BARNES KASSON HOSPITAL  
 BRADFORD REGIONAL MEDICAL CENTER  
 BRANDYWINE HOSPITAL  
 BRYN MAWR HOSPITAL  
 BUCKTAIL MEDICAL CENTER  
 BUTLER MEMORIAL HOSPITAL  
 CANONSBURG GENERAL HOSPITAL  
 CH HOSPITAL OF ALLENTOWN  
 CHAMBERSBURG HOSPITAL  
 CHARLES COLE MEMORIAL HOSPITAL  
 CHESTER COUNTY HOSPITAL  
 CHESTNUT HILL HOSPITAL  
 CHILDREN'S HOSPITAL OF PHILADELPHIA  
 CHS BERWICK HOSPITAL CENTER  
 CLARION HOSPITAL  
 CONEMAUGH MEMORIAL MEDICAL CENTER  
 CONEMAUGH MEYERSDALE MEDICAL CENTER  
 CONEMAUGH MINERS MEDICAL CENTER  
 CONEMAUGH NASON MEDICAL CENTER  
 COORDINATED HEALTH ORTHOPEDIC HOSPITAL  
 CORRY MEMORIAL HOSPITAL  
 CROZER CHESTER MEDICAL CENTER  
 DELAWARE COUNTY MEMORIAL HOSPITAL  
 DIVINE PROVIDENCE HOSPITAL  
 DOYLESTOWN HOSPITAL  
 EASTON HOSPITAL  
 EINSTEIN MEDICAL CENTER MONTGOMERY  
 ELLWOOD CITY HOSPITAL  
 ENDLESS MOUNTAINS HEALTH SYSTEM  
 EVANGELICAL COMMUNITY HOSPITAL  
 FRICK HOSPITAL  
 FULTON COUNTY MEDICAL CENTER  
 GEISINGER BLOOMSBURG HOSPITAL  
 GEISINGER COMMUNITY MEDICAL CENTER  
 GEISINGER LEWISTOWN HOSPITAL  
 GEISINGER MEDICAL CENTER  
 GEISINGER WYOMING VALLEY MEDICAL CENTER  
 GOOD SAMARITAN HOSPITAL  
 GOOD SHEPHERD PENN PARTNERS SPECIALTY  
 HOSPITAL AT RITTENHOUSE  
 GOOD SHEPHERD SPECIALTY HOSPITAL  
 GRAND VIEW HOSPITAL  
 GROVE CITY MEDICAL CENTER  
 GUTHRIE TOWANDA MEMORIAL HOSPITAL  
 HAHNEMANN UNIVERSITY HOSPITAL  
 HERITAGE VALLEY BEAVER  
 HERITAGE VALLEY SEWICKLEY  
 HIGHLANDS HOSPITAL AND HEALTH CENTER  
 HOLY REDEEMER HOSPITAL  
 HOLY SPIRIT HOSPITAL  
 INDIANA REGIONAL MEDICAL CENTER  
 J.C. BLAIR MEMORIAL HOSPITAL  
 JEANES HOSPITAL  
 JEFFERSON HEALTH SERVICES

JENNERSVILLE REGIONAL HOSPITAL  
 JERSEY SHORE HOSPITAL  
 KANE COMMUNITY HOSPITAL  
 KENSINGTON HOSPITAL  
 KINDRED HOSPITAL PHILADELPHIA  
 KINDRED HOSPITAL PHILADELPHIA SOUTH  
 LANCASTER GENERAL HOSPITAL  
 LANSDALE HOSPITAL  
 LATROBE AREA HOSPITAL  
 LEHIGH VALLEY HOSPITAL  
 LEHIGH VALLEY HOSPITAL HAZLETON  
 LEHIGH VALLEY HOSPITAL MUHLENBERG  
 LIFECARE HOSPITALS OF CHESTER COUNTY  
 LIFECARE HOSPITALS OF MECHANICSBURG  
 LIFECARE HOSPITAL OF PITTSBURGH SUBURBAN  
 LOCK HAVEN HOSPITAL  
 LOWER BUCKS HOSPITAL  
 MAIN LINE HOSPITAL LANKENAU  
 MEADVILLE MEDICAL CENTER  
 MERCY FITZGERALD HOSPITAL  
 MERCY PHILADELPHIA HOSPITAL  
 MILLCREEK COMMUNITY HOSPITAL  
 MILTON S. HERSHEY MEDICAL CENTER  
 MONONGAHELA VALLEY HOSPITAL  
 MOSES TAYLOR HOSPITAL  
 MOUNT NITTANY MEDICAL CENTER  
 MUNCY VALLEY HOSPITAL  
 NAZARETH HOSPITAL  
 OHIO VALLEY GENERAL HOSPITAL  
 OSS ORTHOPAEDIC HOSPITAL  
 PAOLI MEMORIAL HOSPITAL  
 PENN HIGHLANDS BROOKVILLE  
 PENN HIGHLANDS CLEARFIELD  
 PENN HIGHLANDS DUBOIS  
 PENN HIGHLANDS ELK  
 PENN PRESBYTERIAN MEDICAL CENTER  
 PENNSYLVANIA HOSPITAL  
 PHOENIXVILLE HOSPITAL  
 PHYSICIANS CARE SURGICAL HOSPITAL  
 PINNACLE HEALTH CARLISLE REGIONAL MEDICAL  
 CENTER  
 PINNACLE HEALTH HEART OF LANCASTER  
 MEDICAL CENTER  
 PINNACLE HEALTH HOSPITALS  
 PINNACLE HEALTH LANCASTER REGIONAL  
 MEDICAL CENTER  
 PINNACLE HEALTH MEMORIAL HOSPITAL  
 POCONO MEDICAL CENTER  
 POTTSTOWN HOSPITAL  
 PUNXSUTAWNEY AREA HOSPITAL  
 READING HOSPITAL  
 REGIONAL HOSPITAL OF SCRANTON  
 RIDDLE MEMORIAL HOSPITAL  
 ROBERT PACKER HOSPITAL  
 ROXBOROUGH MEMORIAL HOSPITAL  
 SACRED HEART HOSPITAL  
 SAINT VINCENT HEALTH CENTER  
 SCHUYLKILL MEDICAL CENTER EAST NORWEGIAN  
 STREET  
 SCHUYLKILL MEDICAL CENTER SOUTH  
 POTTSVILLE  
 SELECT SPECIALTY CENTRAL PENNSYLVANIA  
 SELECT SPECIALTY DANVILLE  
 SELECT SPECIALTY ERIE  
 SELECT SPECIALTY JOHNSTOWN  
 SELECT SPECIALTY LAUREL HIGHLANDS  
 SELECT SPECIALTY MCKEESPORT  
 SELECT SPECIALTY PITTSBURGH UPMC  
 SHARON REGIONAL MEDICAL CENTER



SHRINERS HOSPITALS FOR CHILDREN  
 SOLDIERS AND SAILORS MEMORIAL HOSPITAL  
 SOMERSET COMMUNITY HOSPITAL  
 ST. CHRISTOPHER'S HOSPITAL FOR CHILDREN  
 ST. CLAIR MEMORIAL HOSPITAL  
 ST. JOSEPH REGIONAL HEALTH NETWORK  
 ST. LUKE'S HOSPITAL ANDERSON CAMPUS  
 ST. LUKE'S HOSPITAL OF BETHLEHEM  
 ST. LUKE'S HOSPITAL GNADEN HUETTEN CAMPUS  
 ST. LUKE'S HOSPITAL PALMERTON CAMPUS  
 ST. LUKE'S HOSPITAL QUAKERTOWN  
 ST. LUKE'S MINERS MEMORIAL HOSPITAL  
 ST. MARY MEDICAL CENTER  
 SUBURBAN COMMUNITY HOSPITAL  
 SUNBURY COMMUNITY HOSPITAL  
 SURGERY CENTER AT EDGEWOOD PLACE  
 SURGICAL INSTITUTE OF READING  
 TEMPLE UNIVERSITY HOSPITAL  
 THOMAS JEFFERSON UNIVERSITY HOSPITAL  
 TITUSVILLE AREA HOSPITAL  
 TROY COMMUNITY HOSPITAL  
 TYLER MEMORIAL HOSPITAL  
 TYRONE HOSPITAL  
 UNIONTOWN HOSPITAL  
 UNIVERSITY OF PENNSYLVANIA HOSPITAL  
 UPMC ALTOONA  
 UPMC BEDFORD MEMORIAL  
 UPMC CHILDREN'S HOSPITAL OF PITTSBURGH  
 UPMC EAST  
 UPMC HAMOT  
 UPMC HORIZON  
 UPMC JAMESON  
 UPMC MAGEE WOMEN'S HOSPITAL  
 UPMC MCKEESPORT  
 UPMC MERCY  
 UPMC NORTHWEST  
 UPMC PASSAVANT HOSPITAL  
 UPMC PINNACLE HANOVER  
 UPMC PRESBYTERIAN SHADYSIDE  
 UPMC ST. MARGARET  
 VALLEY FORGE MEDICAL CENTER AND HOSPITAL  
 WARREN GENERAL HOSPITAL  
 WASHINGTON HEALTH SYSTEM GREENE  
 WASHINGTON HOSPITAL  
 WAYNE MEMORIAL HOSPITAL  
 WAYNESBORO HOSPITAL  
 WELLSPAN EPHRATA COMMUNITY HOSPITAL  
 WELLSPAN GETTYSBURG HOSPITAL  
 WELLSPAN SURGERY AND REHABILITATION  
 HOSPITAL  
 WEST VIRGINIA UNIVERSITY HOSPITALS  
 WESTMORELAND REGIONAL HOSPITAL  
 WILKES BARRE GENERAL HOSPITAL  
 WILLIAMSPORT HOSPITAL  
 WPAHS ALLEGHENY GENERAL HOSPITAL  
 WPAHS FORBES REGIONAL CAMPUS  
 WPAHS WESTERN PENNSYLVANIA HOSPITAL  
 YORK HOSPITAL

*Psychiatric Units of Inpatient Hospitals*

ABINGTON MEMORIAL HOSPITAL  
 ALBERT EINSTEIN MEDICAL CENTER  
 ALLE KISKI MEDICAL CENTER  
 ARIA HEALTH HOSPITAL  
 ARMSTRONG COUNTY MEMORIAL HOSPITAL  
 BRADFORD REGIONAL MEDICAL CENTER  
 BRANDYWINE HOSPITAL  
 BRYN MAWR HOSPITAL  
 BUTLER MEMORIAL HOSPITAL

CHAMBERSBURG HOSPITAL  
 CHS BERWICK HOSPITAL CENTER  
 CONEMAUGH MEMORIAL MEDICAL CENTER  
 CROZER CHESTER MEDICAL CENTER  
 DIVINE PROVIDENCE HOSPITAL  
 EAGLEVILLE HOSPITAL  
 GEISINGER BLOOMSBURG HOSPITAL  
 GEISINGER COMMUNITY MEDICAL CENTER  
 GEISINGER LEWISTOWN HOSPITAL  
 GEISINGER MEDICAL CENTER  
 GEISINGER SHAMOKIN  
 GIRARD MEDICAL CENTER  
 HAHNEMANN UNIVERSITY HOSPITAL  
 HERITAGE VALLEY BEAVER  
 HERITAGE VALLEY SEWICKLEY  
 HIGHLANDS HOSPITAL  
 HOLY SPIRIT HOSPITAL  
 INDIANA REGIONAL MEDICAL CENTER  
 J.C. BLAIR HOSPITAL  
 JEFFERSON REGIONAL MEDICAL CENTER  
 LANCASTER GENERAL HOSPITAL  
 LATROBE AREA HOSPITAL  
 LEHIGH VALLEY HOSPITAL  
 LOWER BUCKS HOSPITAL  
 MEADVILLE MEDICAL CENTER  
 MERCY FITZGERALD HOSPITAL  
 MERCY PHILADELPHIA HOSPITAL  
 MILLCREEK COMMUNITY HOSPITAL  
 MONONGAHELA VALLEY HOSPITAL  
 MOSES TAYLOR HOSPITAL  
 MOUNT NITTANY MEDICAL CENTER  
 OHIO VALLEY GENERAL HOSPITAL  
 PENN HIGHLANDS CLEARFIELD HOSPITAL  
 PENN HIGHLANDS DUBOIS  
 PENN HIGHLANDS ELK  
 PENN PRESBYTERIAN MEDICAL CENTER  
 PENNSYLVANIA HOSPITAL  
 PINNACLE HEALTH LANCASTER REGIONAL  
 MEDICAL CENTER  
 POCONO HOSPITAL  
 POTTSTOWN HOSPITAL  
 READING HOSPITAL  
 ROBERT PACKER HOSPITAL  
 SACRED HEART HOSPITAL  
 SAINT VINCENT HEALTH CENTER  
 SCHUYLKILL MEDICAL CENTER SOUTH  
 POTTSVILLE  
 SHARON REGIONAL MEDICAL CENTER  
 SOMERSET COMMUNITY HOSPITAL  
 SPECIAL CARE HOSPITAL  
 ST. CLAIR MEMORIAL HOSPITAL  
 ST. LUKE'S HOSPITAL OF BETHLEHEM  
 ST. LUKE'S HOSPITAL GNADEN HUETTEN CAMPUS  
 ST. LUKE'S HOSPITAL PALMERTON  
 ST. LUKE'S HOSPITAL QUAKERTOWN  
 SUNBURY COMMUNITY HOSPITAL  
 TEMPLE UNIVERSITY HOSPITAL  
 THOMAS JEFFERSON UNIVERSITY HOSPITAL  
 UPMC ALTOONA  
 UPMC MCKEESPORT  
 UPMC MERCY  
 UPMC NORTHWEST  
 UPMC PRESBYTERIAN SHADYSIDE  
 WARREN GENERAL HOSPITAL  
 WASHINGTON HEALTH SYSTEM GREENE  
 WASHINGTON HOSPITAL  
 WELLSPAN EPHRATA COMMUNITY HOSPITAL  
 WESTMORELAND REGIONAL HOSPITAL  
 WPAHS FORBES REGIONAL CAMPUS



## YORK HOSPITAL

*Drug and Alcohol Units of Inpatient Hospitals*

BUTLER MEMORIAL HOSPITAL  
 MEADVILLE MEDICAL CENTER  
 NPHS ST JOSEPH'S HOSPITAL  
 PENN PRESBYTERIAN MEDICAL CENTER  
 VALLEY FORGE MEDICAL CENTER AND HOSPITAL

*Medical Rehabilitation Units of Inpatient Hospitals*

ABINGTON MEMORIAL HOSPITAL  
 AEMC MOSS  
 ALFRED I. DUPONT INSTITUTE  
 CANONSBURG GENERAL HOSPITAL  
 CHAMBERSBURG HOSPITAL  
 CHILDREN'S HOSPITAL OF PHILADELPHIA  
 CONEMAUGH MEMORIAL MEDICAL CENTER  
 CROZER CHESTER MEDICAL CENTER  
 DELAWARE COUNTY MEMORIAL HOSPITAL  
 EASTON HOSPITAL  
 GEISINGER WYOMING VALLEY MEDICAL CENTER  
 GOOD SAMARITAN HOSPITAL  
 HERITAGE VALLEY BEAVER  
 HERITAGE VALLEY SEWICKLEY  
 INDIANA REGIONAL MEDICAL CENTER  
 JEFFERSON REGIONAL MEDICAL CENTER  
 LEHIGH VALLEY HOSPITAL HAZLETON  
 MERCY FITZGERALD HOSPITAL  
 MILLCREEK COMMUNITY HOSPITAL  
 MONONGAHELA VALLEY HOSPITAL  
 NAZARETH HOSPITAL  
 OHIO VALLEY HOSPITAL  
 PENN HIGHLANDS DUBOIS  
 PHOENIXVILLE HOSPITAL  
 PINNACLE HEALTH CARLISLE REGIONAL MEDICAL  
 CENTER  
 PINNACLE HEALTH HOSPITALS  
 PINNACLE HEALTH LANCASTER REGIONAL  
 MEDICAL CENTER  
 READING HOSPITAL  
 SAINT VINCENT HEALTH CENTER  
 SCHUYLKILL MEDICAL CENTER EAST NORWEGIAN  
 STREET  
 ST. LUKE'S HOSPITAL GNADEN HUETTEN CAMPUS  
 ST. LUKE'S HOSPITAL OF BETHLEHEM  
 TEMPLE UNIVERSITY HOSPITAL  
 THOMAS JEFFERSON UNIVERSITY HOSPITAL  
 UNIVERSITY OF PENNSYLVANIA HOSPITAL  
 UPMC CHILDREN'S HOSPITAL OF PITTSBURGH  
 UPMC EAST  
 UPMC HORIZON  
 UPMC JAMESON  
 UPMC MCKEESPORT  
 UPMC MERCY  
 UPMC NORTHWEST  
 UPMC PASSAVANT HOSPITAL  
 UPMC PINNACLE HANOVER  
 UPMC PRESBYTERIAN SHADYSIDE  
 UPMC ST. MARGARET  
 WASHINGTON HOSPITAL  
 WELLSPAN SURGERY AND REHABILITATION  
 HOSPITAL  
 WESTMORELAND HOSPITAL  
 WILLIAMSPORT HOSPITAL  
 WPAHS FORBES REGIONAL CAMPUS  
 WPAHS WESTERN PENNSYLVANIA HOSPITAL

*Freestanding Rehabilitation Hospitals*

ALLIED SERVICES INSTITUTE OF REHABILITATION  
 MEDICINE  
 BRYN MAWR REHABILITATION HOSPITAL  
 CHILDREN'S HOME OF PITTSBURGH  
 CHILDREN'S INSTITUTE OF PITTSBURGH  
 GOOD SHEPHERD REHABILITATION HOSPITAL  
 HEALTHSOUTH ALTOONA  
 HEALTHSOUTH ERIE  
 HEALTHSOUTH HARMARVILLE  
 HEALTHSOUTH MECHANICSBURG  
 HEALTHSOUTH NITTANY VALLEY  
 HEALTHSOUTH PENN STATE GEISENGER  
 HEALTHSOUTH READING  
 HEALTHSOUTH SEWICKLEY  
 HEALTHSOUTH YORK  
 HELEN M SIMPSON REHABILITATION HOSPITAL  
 JOHN HEINZ INSTITUTE  
 LANCASTER REHABILITATION HOSPITAL  
 MAGEE MEMORIAL HOSPITAL  
 PENN STATE HERSHEY REHABILITATION HOSPITAL

*Private Psychiatric Hospitals*

BELMONT BEHAVIORAL HOSPITAL  
 BROOKE GLEN BEHAVIORAL HOSPITAL  
 CLARION PSYCHIATRIC CENTER  
 DEVEREUX CHILDREN'S BEHAVIORAL HEALTH  
 CENTER  
 FAIRMOUNT BEHAVIORAL HEALTH SYSTEM  
 FIRST HOSPITAL WYOMING VALLEY  
 FOUNDATIONS BEHAVIORAL HEALTH  
 FRIENDS BEHAVIORAL HEALTH SYSTEM  
 HAVEN BEHAVIORAL HOSPITAL OF EASTERN  
 PENNSYLVANIA  
 HAVEN BEHAVIORAL HOSPITAL OF PHILADELPHIA  
 HORSHAM CLINIC  
 KIDSPACE HOSPITAL  
 KIRKBRIDE CENTER  
 MEADOWS PSYCHIATRIC CENTER  
 MONTGOMERY COUNTY EMERGENCY SERVICES  
 PENNSYLVANIA PSYCHIATRIC INSTITUTE  
 ROXBURY PSYCHIATRIC HOSPITAL  
 SOUTHWOOD PSYCHIATRIC HOSPITAL  
 WELLSPAN PHILHAVEN

*Private Drug and Alcohol Hospitals*

EAGLEVILLE HOSPITAL

*C. Additional Class of Disproportionate Share Payments*

Effective March 1, 1998, the Department established a new class of disproportionate share payments to hospitals which render uncompensated care and which the Department has determined are experiencing significant revenue loss as a result of MA Program revisions under the act of May 16, 1996 (P.L. 175, No. 35).

Effective January 15, 1999, the Department established a new class of disproportionate share payments to include a Charity Care component of the Community Access Fund. A disproportionate share payment will be made to qualifying hospitals based on each hospital's percentage of charity care cost to the total charity care costs of all qualifying hospitals. The Department also established a disproportionate share payment for those hospitals which the Department has determined advanced its goal of enhanced access to multiple types of medical care in economically distressed areas of this Commonwealth.

The following hospitals qualify for this payment:

ALFRED I. DUPONT INSTITUTE  
 ABINGTON MEMORIAL HOSPITAL  
 ALBERT EINSTEIN MEDICAL CENTER  
 ARIA HEALTH HOSPITAL  
 BARNES KASSON HOSPITAL  
 CHARLES COLE MEMORIAL HOSPITAL  
 CHILDREN'S HOSPITAL OF PHILADELPHIA  
 CLARION HOSPITAL  
 CROZER CHESTER MEDICAL CENTER  
 DOYLESTOWN HOSPITAL  
 EAGLEVILLE HOSPITAL  
 EASTON HOSPITAL  
 EVANGELICAL COMMUNITY HOSPITAL  
 FULTON COUNTY MEDICAL CENTER  
 GEISINGER MEDICAL CENTER  
 GUTHRIE TOWANDA MEMORIAL HOSPITAL  
 HAHNEMANN UNIVERSITY HOSPITAL  
 INDIANA REGIONAL MEDICAL CENTER  
 J.C. BLAIR HOSPITAL  
 LEHIGH VALLEY HOSPITAL  
 LEHIGH VALLEY HOSPITAL HAZLETON  
 LOCK HAVEN HOSPITAL  
 MAIN LINE HOSPITAL LANKENAU  
 MEADVILLE MEDICAL CENTER  
 MERCY FITZGERALD HOSPITAL  
 MERCY PHILADELPHIA HOSPITAL  
 MILTON S. HERSHEY MEDICAL CENTER  
 PENN HIGHLANDS CLEARFIELD HOSPITAL  
 PENN HIGHLANDS DUBOIS  
 PENN PRESBYTERIAN MEDICAL CENTER  
 PENNSYLVANIA HOSPITAL  
 PUNXSUTAWNEY AREA HOSPITAL  
 READING HOSPITAL  
 SOLDIERS AND SAILORS MEMORIAL HOSPITAL  
 ST. LUKE'S HOSPITAL OF BETHLEHEM  
 TEMPLE UNIVERSITY HOSPITAL  
 THOMAS JEFFERSON UNIVERSITY HOSPITAL  
 TITUSVILLE AREA HOSPITAL  
 UNIVERSITY OF PENNSYLVANIA HOSPITAL  
 UPMC ALTOONA  
 UPMC BEDFORD  
 UPMC HAMOT  
 UPMC JAMESON  
 UPMC MAGEE WOMEN'S HOSPITAL  
 UPMC MERCY  
 UPMC PRESBYTERIAN SHADYSIDE  
 VALLEY FORGE MEDICAL CENTER & HOSPITAL  
 WAYNE MEMORIAL HOSPITAL  
 WEST VIRGINIA UNIVERSITY HOSPITAL  
 WPAHS ALLEGHENY GENERAL HOSPITAL  
 WPAHS WESTERN PENNSYLVANIA HOSPITAL  
 YORK HOSPITAL

*Public Comment*

Interested persons are invited to submit written comments regarding these payments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1302. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 18-1983. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds for Fiscal Year (FY) 2018-2019 supplemental payments to qualifying acute care general hospitals (hospitals) that provide a high volume of services to Medical Assistance (MA) and low-income populations in medically underserved areas. These payments are intended to promote the hospitals' continued participation in the MA Program. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

*Fiscal Impact*

The FY 2018-2019 impact, as a result of the funding allocation for these payments, is \$3.142 million (\$1.500 million in State general funds and \$1.642 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

*Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1299. (1) General Fund; (2) Implementing Year 2018-19 is \$1,500,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$0; (4) 2017-18 Program—\$10,071,000; 2016-17 Program—\$10,071,000; 2015-16 Program—\$9,571,000; (7) Physician Practice Plans; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-1984. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Determination of the Average Wholesale Price of Prescription Drugs by the Department

Under 34 Pa. Code § 127.131(b) (relating to payments for prescription drugs and pharmaceuticals—generally),

the Department of Labor and Industry, Bureau of Workers' Compensation, gives notice that it utilizes the *Red Book*, published by Truven Health Analytics, to determine the average wholesale price of prescription drugs.

W. GERARD OLEKSIK,  
*Secretary*

[Pa.B. Doc. No. 18-1985. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Maximum Pennsylvania Workers' Compensation Payable

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 2018, the maximum compensation payable under sections 105.1 and 105.2 of the Workers' Compensation Act (77 P.S. §§ 25.1 and 25.2) shall be \$1,049 per week for injuries occurring on and after January 1, 2019. For purposes of calculating the update to payments for medical treatment rendered on and after January 1, 2019, the percentage increase in the Statewide Average Weekly Wage is 2.3%.

W. GERARD OLEKSIK,  
*Secretary*

[Pa.B. Doc. No. 18-1986. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Unemployment Compensation; Table Specified for the Determination of Rate and Amount of Benefits

The purpose of this notice is to announce the Table Specified for the Determination of Rate and Amount of Benefits (Table) and the maximum weekly benefit rate for 2019.

The Table, in section 404(e)(1) of the Unemployment Compensation Law (law) (43 P.S. § 804(e)(1)), was amended by the act of November 3, 2016 (P.L. 1100, No. 144) (Act 144). Under sections 14 and 15 of Act 144, the amended Table was effective November 3, 2016, and applies to benefit years that begin after December 31, 2016.

As enacted, the amended Table establishes a maximum weekly benefit rate of \$561. Section 404(e)(2) of the law provides that the Table shall be extended or contracted annually to the point where the maximum weekly benefit rate for a calendar year equals 66 2/3% of the average weekly wage for the 36-month period ending on the previous June 30. However, section 404(e)(2)(iii) of the law, as amended by Act 144, contains limitations on the growth of the maximum weekly benefit rate. Section 404(e)(2)(iii) provides that the maximum weekly benefit rate for 2017 through 2019 may not exceed \$561. Therefore, the Department of Labor and Industry is not

extending the Table for 2019, and the maximum weekly benefit rate will remain at \$561.

The Table, as amended by Act 144, was published at 47 Pa.B. 362 (January 21, 2017) and is presently codified in 34 Pa. Code Chapter 65, Appendix A (relating to table specified for the determination of rate and amount of benefits). Under section 201(a) of the law (43 P.S. § 761(a)), section 404(e)(2) of the law and 34 Pa. Code § 65.111 (relating to benefit table), the Table in 34 Pa. Code Chapter 65, Appendix A is being adopted by this notice for 2019.

Questions concerning this notice should be directed to William L. Trusky, Jr., Deputy Secretary for Unemployment Compensation Programs, Department of Labor and Industry, Labor and Industry Building, 651 Boas Street, Harrisburg, PA 17121.

W. GERARD OLEKSIK,  
*Secretary*

[Pa.B. Doc. No. 18-1987. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania \$500 Loaded Instant Lottery Game 1378

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$500 Loaded (hereinafter "\$500 Loaded"). The game number is PA-1378.

2. *Price:* The price of a \$500 Loaded instant lottery game ticket is \$5.

3. *Play Symbols:* Each \$500 Loaded instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYSIX), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYSIX), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), \$500 Burst (WIN500) symbol and a Star (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$15<sup>00</sup> (FIFTEEN), \$20<sup>00</sup> (TWENTY), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$5,000 (FIV THO) and \$100,000 (ONEHUNTHO).



5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$40, \$50, \$100, \$500, \$5,000, and \$100,000. A player can win up to 12 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 15,000,000 tickets will be printed for the \$500 Loaded instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a \$500 Burst (WIN500) symbol, and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that \$500 Burst (WIN500) symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Star (WINALL) symbol, and a prize symbol of \$100 (ONE HUN) appears in two of the "prize" areas, a prize symbol of \$40<sup>00</sup> (FORTY) appears in five of the "prize" areas, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Star (WINALL) symbol, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in eight of the "prize" areas, a prize symbol of \$40<sup>00</sup> (FORTY) appears in two of the "prize" areas, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in two of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Star (WINALL) symbol, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in two of the "prize" areas, a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in two of the "prize" areas, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in eight of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Star (WINALL) symbol, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in eight of the "prize" areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40<sup>00</sup> (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15<sup>00</sup> (FIFTEEN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number.<br/>Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 15,000,000 Tickets</i> |
|--|-------------|-----------------------------------|--|
| \$5  | \$5         | 8.57                              | 1,750,000  |
| \$5 × 2  | \$10        | 40                                | 375,000  |
| \$10   | \$10        | 40                                | 375,000  |
| \$5 × 3  | \$15        | 200                               | 75,000   |



| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number.<br/>Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 15,000,000 Tickets</i> |
|--|-------------|-----------------------------------|--|
| \$10 + \$5   | \$15        | 150                               | 100,000  |
| \$15   | \$15        | 200                               | 75,000   |
| \$5 × 4  | \$20        | 300                               | 50,000   |
| \$10 × 2   | \$20        | 600                               | 25,000   |
| \$15 + \$5   | \$20        | 300                               | 50,000   |
| \$20   | \$20        | 300                               | 50,000   |
| \$5 × 8  | \$40        | 600                               | 25,000   |
| \$10 × 4   | \$40        | 600                               | 25,000   |
| (\$15 × 2) + (\$5 × 2)   | \$40        | 600                               | 25,000   |
| \$40   | \$40        | 600                               | 25,000   |
| \$5 × 10   | \$50        | 600                               | 25,000   |
| \$10 × 5   | \$50        | 600                               | 25,000   |
| (\$20 × 2) + (\$5 × 2)   | \$50        | 600                               | 25,000   |
| \$50   | \$50        | 600                               | 25,000   |
| STAR w/ ((\$10 × 8) + (\$5 × 4))   | \$100       | 12,000                            | 1,250  |
| STAR w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))  | \$100       | 12,000                            | 1,250  |
| \$20 × 5   | \$100       | 12,000                            | 1,250  |
| \$50 × 2   | \$100       | 12,000                            | 1,250  |
| \$100  | \$100       | 12,000                            | 1,250  |
| STAR w/ ((\$50 × 8) + (\$40 × 2) + (\$10 × 2))   | \$500       | 2,000                             | 7,500  |
| STAR w/ ((\$100 × 2) + (\$40 × 5) + (\$20 × 5))  | \$500       | 2,000                             | 7,500  |
| \$50 × 10  | \$500       | 12,000                            | 1,250  |
| (\$50 × 6) + (\$40 × 4) + (\$20 × 2)   | \$500       | 12,000                            | 1,250  |
| \$500 w/ \$500 BURST   | \$500       | 800                               | 18,750   |
| \$500  | \$500       | 6,000                             | 2,500  |
| (\$500 w/ \$500 BURST) × 10  | \$5,000     | 1,500,000                         | 10   |
| \$5,000  | \$5,000     | 1,500,000                         | 10   |
| \$100,000  | \$100,000   | 1,500,000                         | 10   |

Reveal a “\$500 BURST” (WIN500) symbol, win \$500 instantly.

Reveal a “STAR” (WINALL) symbol, win all 12 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell \$500 Loaded instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000.

Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of \$500 Loaded, prize money from winning \$500 Loaded instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$500 Loaded instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the

prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$500 Loaded or through normal communications methods.

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 18-1988. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania \$1,000,000 Cash Club Instant Lottery Game 1377

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$1,000,000 Cash Club (hereinafter “\$1,000,000 Cash Club”). The game number is PA-1377.

2. *Price:* The price of a \$1,000,000 Cash Club instant lottery game ticket is \$20.

3. *Play Symbols:* Each \$1,000,000 Cash Club instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area, a “5X CASH” area and two “BONUS” areas. The “BONUS” areas are played separately. The play symbols and their captions located in the “WINNING NUMBERS” area and the “5X CASH” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), \$\$\$ Burst (WINPRZ) symbol and a CLUB (WINALL) symbol. The play symbols and their captions located in the “BONUS” areas are: Stack of Coins (TRY AGAIN) symbol, Padlock (NO BONUS) symbol, Safe (TRY AGAIN) symbol, Gold Bar (NO BONUS) symbol, Crown (TRY AGAIN) symbol and a STACK OF CASH (CASH) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$20<sup>00</sup> (TWENTY), \$30<sup>00</sup> (THIRTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$100,000 (ONEHUNTHO) and \$1MILL (ONE MIL). The prize symbols and their captions located in the “BONUS” areas are: \$20<sup>00</sup> (TWENTY), \$30<sup>00</sup> (THIRTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN) and \$500 (FIV HUN).

5. *Prizes:* The prizes that can be won in this game are: \$20, \$30, \$50, \$100, \$200, \$500, \$1,000, \$10,000, \$100,000 and \$1,000,000. The prizes that can be won in the “BONUS” areas are: \$20, \$30, \$50, \$100, \$200 and \$500. A player can win up to 22 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 5,400,000 tickets will be printed for the \$1,000,000 Cash Club instant lottery game.

#### 7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1MILL (ONE MIL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000. This prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$\$ Burst (WINPRZ) symbol, and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under that \$\$\$ Burst (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a CLUB (WINALL) symbol, and a prize symbol of \$500 (FIV HUN) appears in all twenty “prize” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a CLUB (WINALL) symbol, and a prize symbol of \$1,000 (ONE THO) appears in four of the “prize” areas, a prize symbol of \$500 (FIV HUN) appears in six of the “prize” areas, and a prize symbol of \$200 (TWO HUN) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$9,000.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$\$ Burst (WINPRZ) symbol, and a prize symbol of \$1,000 (ONE

THO) appears in the “prize” area under that \$\$\$ Burst (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “5X CASH” play symbol, and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a CLUB (WINALL) symbol, and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas, a prize symbol of \$50<sup>00</sup> (FIFTY) appears in five of the “prize” areas, a prize symbol of \$30<sup>00</sup> (THIRTY) appears in five of the “prize” areas, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a CLUB (WINALL) symbol, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in all twenty “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a CLUB (WINALL) symbol, and a prize symbol of \$100 (ONE HUN) appears in four of the “prize” areas, a prize symbol of \$50<sup>00</sup> (FIFTY) appears in six of the “prize” areas, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$900.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$\$ Burst (WINPRZ) symbol, and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that \$\$\$ Burst (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$500.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “5X CASH” play symbol, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(p) Holders of tickets upon which a STACK OF CASH (CASH) symbol appears in either of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$500.

(q) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a CLUB (WINALL) symbol, and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in ten of the “prize” areas and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a CLUB (WINALL) symbol, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in all twenty “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(s) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol

of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$\$ Burst (WINPRZ) symbol, and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that \$\$\$ Burst (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$200.

(u) Holders of tickets upon which a STACK OF CASH (CASH) symbol appears in either of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$200.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “5X CASH” play symbol, and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$150.

(w) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$\$ Burst (WINPRZ) symbol, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that \$\$\$ Burst (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$100.

(y) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches the “5X CASH” play symbol, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(z) Holders of tickets upon which a STACK OF CASH (CASH) symbol appears in either of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(bb) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$\$ Burst (WINPRZ) symbol, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the “prize” area under that \$\$\$ Burst (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets upon which a STACK OF CASH (CASH) symbol appears in either of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$50.

(dd) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(ee) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$\$ Burst (WINPRZ) symbol, and a prize symbol of \$30<sup>00</sup> (THIRTY)



appears in the “prize” area under that \$\$\$ Burst (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$30.

(ff) Holders of tickets upon which a STACK OF CASH (CASH) symbol appears in either of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$30.

(gg) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(hh) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$\$ Burst (WINPRZ) symbol, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “prize” area under that \$\$\$ Burst (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$20.

(ii) Holders of tickets upon which a STACK OF CASH (CASH) symbol appears in either of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$20.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number.<br/>Win With:</i> | <i>Bonus Areas:</i>                               | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 5,400,000 Tickets</i> |
|--|---|-------------|-----------------------------------|---|
|  | \$20 w/ STACK OF CASH                             | \$20        | 30                                | 180,000   |
| \$20 w/ \$\$\$ BURST   |   | \$20        | 14.29                             | 378,000   |
| \$20   |   | \$20        | 60                                | 90,000  |
|  | \$30 w/ STACK OF CASH                             | \$30        | 150                               | 36,000  |
| \$30 w/ \$\$\$ BURST   |   | \$30        | 42.86                             | 126,000   |
| \$30   |   | \$30        | 150                               | 36,000  |
| \$30 + \$20  |   | \$50        | 150                               | 36,000  |
| \$20   | \$30 w/ STACK OF CASH                             | \$50        | 75                                | 72,000  |
|  | (\$30 w/ STACK OF CASH) + (\$20 w/ STACK OF CASH) | \$50        | 75                                | 72,000  |
|  | \$50 w/ STACK OF CASH                             | \$50        | 75                                | 72,000  |
| \$50 w/ \$\$\$ BURST   |   | \$50        | 37.50                             | 144,000   |
| \$50   |   | \$50        | 300                               | 18,000  |
| \$50 × 2   |   | \$100       | 300                               | 18,000  |
| (((\$20 w/ \$\$\$ BURST) × 2) + (\$30 × 2))  |   | \$100       | 300                               | 18,000  |
| (\$50 w/ \$\$\$ BURST) × 2   |   | \$100       | 300                               | 18,000  |
| (\$30 w/ \$\$\$ BURST) + \$20  | \$50 w/ STACK OF CASH                             | \$100       | 300                               | 18,000  |
| \$50 w/ \$\$\$ BURST   | \$50 w/ STACK OF CASH                             | \$100       | 300                               | 18,000  |
|  | (\$50 w/ STACK OF CASH) × 2                       | \$100       | 300                               | 18,000  |
|  | \$100 w/ STACK OF CASH                            | \$100       | 300                               | 18,000  |
| \$20 w/ 5X CASH  |   | \$100       | 300                               | 18,000  |
| \$100 w/ \$\$\$ BURST  |   | \$100       | 100                               | 54,000  |
| \$100  |   | \$100       | 300                               | 18,000  |
| \$20 × 10  |   | \$200       | 1,333.33                          | 4,050   |
| \$50 × 4   |   | \$200       | 2,400                             | 2,250   |
| (\$100 w/ \$\$\$ BURST) × 2  |   | \$200       | 1,200                             | 4,500   |
| \$100 w/ \$\$\$ BURST  | \$100 w/ STACK OF CASH                            | \$200       | 1,200                             | 4,500   |
| \$30 w/ 5X CASH  | \$50 w/ STACK OF CASH                             | \$200       | 1,200                             | 4,500   |
|  | \$200 w/ STACK OF CASH                            | \$200       | 2,400                             | 2,250   |
| \$200 w/ \$\$\$ BURST  |   | \$200       | 1,200                             | 4,500   |
| \$200  |   | \$200       | 2,400                             | 2,250   |
| CLUB w/ ((\$30 × 10) + (\$20 × 10))  |   | \$500       | 1,200                             | 4,500   |
| CLUB w/ (\$20 × 20)  | (\$50 w/ STACK OF CASH) × 2                       | \$500       | 1,200                             | 4,500   |



| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Bonus Areas:</i>                                 | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 5,400,000 Tickets</i> |
|--|---|-------------|-----------------------------------|---|
| \$100 × 5  |   | \$500       | 24,000                            | 225   |
| \$50 × 5   | (\$200 w/ STACK OF CASH) + (\$50 w/ STACK OF CASH)  | \$500       | 24,000                            | 225   |
| (\$50 w/ \$\$\$ BURST) × 4   | (\$200 w/ STACK OF CASH) + (\$100 w/ STACK OF CASH) | \$500       | 12,000                            | 450   |
| \$100 w/ \$\$\$ BURST  | (\$200 w/ STACK OF CASH) × 2                        | \$500       | 24,000                            | 225   |
|  | \$500 w/ STACK OF CASH                              | \$500       | 12,000                            | 450   |
| \$100 w/ 5X CASH   |   | \$500       | 12,000                            | 450   |
| \$500 w/ \$\$\$ BURST  |   | \$500       | 6,000                             | 900   |
| \$500  |   | \$500       | 24,000                            | 225   |
| CLUB w/ (\$50 × 20)  |   | \$1,000     | 12,000                            | 450   |
| CLUB w/ ((\$100 × 5) + (\$50 × 5) + (\$30 × 5) + (\$20 × 5))   |   | \$1,000     | 12,000                            | 450   |
| CLUB w/ ((\$100 × 4) + (\$50 × 6) + (\$20 × 10))   | (\$50 w/ STACK OF CASH) × 2                         | \$1,000     | 8,000                             | 675   |
| \$100 × 10   |   | \$1,000     | 120,000                           | 45  |
| \$200 × 5  |   | \$1,000     | 120,000                           | 45  |
| \$100 × 6  | (\$200 w/ STACK OF CASH) × 2                        | \$1,000     | 60,000                            | 90  |
| \$200 × 3  | (\$200 w/ STACK OF CASH) × 2                        | \$1,000     | 60,000                            | 90  |
|  | (\$500 w/ STACK OF CASH) × 2                        | \$1,000     | 60,000                            | 90  |
| \$200 w/ 5X CASH   |   | \$1,000     | 60,000                            | 90  |
| \$1,000 w/ \$\$\$ BURST  |   | \$1,000     | 60,000                            | 90  |
| \$1,000  |   | \$1,000     | 120,000                           | 45  |
| CLUB w/ (\$500 × 20)   |   | \$10,000    | 1,080,000                         | 5   |
| CLUB w/ ((\$1,000 × 4) + (\$500 × 6) + (\$200 × 10))   | (\$500 w/ STACK OF CASH) × 2                        | \$10,000    | 1,080,000                         | 5   |
| \$500 × 20   |   | \$10,000    | 1,080,000                         | 5   |
| (\$1,000 × 8) + (\$200 × 9)  | (\$100 w/ STACK OF CASH) × 2                        | \$10,000    | 1,080,000                         | 5   |
| (\$1,000 w/ 5X CASH) + ((\$500 w/ 5X CASH) × 2)  |   | \$10,000    | 1,080,000                         | 5   |
| \$10,000 w/ \$\$\$ BURST   |   | \$10,000    | 1,080,000                         | 5   |
| \$10,000   |   | \$10,000    | 1,080,000                         | 5   |
| \$100,000  |   | \$100,000   | 1,080,000                         | 5   |
| \$1,000,000  |   | \$1,000,000 | 1,080,000                         | 5   |

Reveal a “\$\$\$ BURST” (WINPRZ) symbol, win prize shown under that symbol automatically.

Reveal a “CLUB” (WINALL) symbol, win all 20 prizes shown!

5X CASH: When the 5X CASH number matches any YOUR NUMBER, win 5 times the prize shown under the matching number.

BONUS: Reveal a “STACK OF CASH” (CASH) symbol in either BONUS area, win prize shown under that symbol. BONUS areas are played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$1,000,000 Cash Club instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a

Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not

exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money*: For a period of 1 year from the announced close of \$1,000,000 Cash Club, prize money from winning \$1,000,000 Cash Club instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$1,000,000 Cash Club instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law*: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game*: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$1,000,000 Cash Club or through normal communications methods.

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 18-1989. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Cupid's Cash Instant Lottery Game 1381

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name*: The name of the game is Pennsylvania Cupid's Cash (hereinafter "Cupid's Cash"). The game number is PA-1381.

2. *Price*: The price of a Cupid's Cash instant lottery game ticket is \$2.

3. *Play Symbols*: Each Cupid's Cash instant lottery game ticket will contain one play area. The play symbols and their captions, located in the play area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), Heart (HEART) symbol, XO (DOUBLE) symbol and a Cupid (WIN20) symbol.

4. *Prize Symbols*: The prize symbols and their captions, located in the play area are: \$2<sup>00</sup> (TWO DOL), \$3<sup>00</sup> (THR DOL), \$4<sup>00</sup> (FOR DOL), \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$15<sup>00</sup> (FIFTEEN), \$20<sup>00</sup> (TWENTY), \$30<sup>00</sup> (THIRTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO) and \$10,000 (TEN THO).

5. *Prizes*: The prizes that can be won in this game are: \$2, \$3, \$4, \$5, \$10, \$15, \$20, \$30, \$50, \$100, \$250, \$500, \$1,000 and \$10,000. The player can win up to 12 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game*: Approximately 5,400,000 tickets will be printed for the Cupid's Cash instant lottery game.

#### 7. *Determination of Prize Winners*:

(a) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$10,000 (TEN THO) in the "Prize" area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(b) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$1,000 (ONE THO) in the "Prize" area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with an XO (DOUBLE) symbol in the play area, and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under that XO (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$500 (FIV HUN) in the "Prize" area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets with an XO (DOUBLE) symbol in the play area, and a prize symbol of \$250 (TWOHUNFTY) appears in the "Prize" area under that XO (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$250 (TWOHUNFTY) in the "Prize" area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$250.

(g) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$100 (ONE HUN) in the "Prize" area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets with an XO (DOUBLE) symbol in the play area, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "Prize" area under that XO (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$50<sup>00</sup> (FIFTY) in the "Prize" area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$30<sup>00</sup> (THIRTY) in the "Prize" area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$30.

(k) Holders of tickets with an XO (DOUBLE) symbol in the play area, and a prize symbol of \$15<sup>00</sup> (FIFTEEN) appears in the "Prize" area under that XO (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$30.

(l) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$20<sup>00</sup> (TWENTY) in the “Prize” area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets with a Cupid (WIN20) symbol in the play area, and a prize symbol of \$20<sup>00</sup> (TWENTY) in the “Prize” area under that Cupid (WIN20) symbol, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets with an XO (DOUBLE) symbol in the play area, and a prize symbol of \$10<sup>00</sup> (TEN DOL) in the “Prize” area under that XO (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$15<sup>00</sup> (FIFTEEN) in the “Prize” area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$15.

(p) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$10<sup>00</sup> (TEN DOL) in the “Prize” area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets with an XO (DOUBLE) symbol in the play area, and a prize symbol of \$5<sup>00</sup> (FIV DOL) in the “Prize” area under that XO (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$5<sup>00</sup> (FIV DOL) in the “Prize” area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$5.

(s) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$4<sup>00</sup> (FOR DOL) in the “Prize” area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$4.

(t) Holders of tickets with an XO (DOUBLE) symbol in the play area, and a prize symbol of \$2<sup>00</sup> (TWO DOL) in the “Prize” area under that XO (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$4.

(u) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$3<sup>00</sup> (THR DOL) in the “Prize” area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$3.

(v) Holders of tickets with a Heart (HEART) symbol in the play area, and a prize symbol of \$2<sup>00</sup> (TWO DOL) in the “Prize” area under that Heart (HEART) symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>Reveal A “Heart” (HEART) Symbol,<br/>Win Prize Shown Under That Symbol.<br/>Win With:</i> | <i>Win:</i> | <i>Approximate<br/>Odds Are 1 In:</i> | <i>Approximate No.<br/>Of Winners Per<br/>5,400,000 Tickets</i> |
|--|-------------|---------------------------------------|---|
| \$2  | \$2         | 9.68                                  | 558,000   |
| \$3  | \$3         | 50                                    | 108,000   |
| \$2 w/ XO SYMBOL   | \$4         | 50                                    | 108,000   |
| \$4  | \$4         | 150                                   | 36,000  |
| \$3 + \$2  | \$5         | 75                                    | 72,000  |
| \$5  | \$5         | 75                                    | 72,000  |
| \$2 × 5  | \$10        | 300                                   | 18,000  |
| (\$4 w/ XO SYMBOL) + \$2   | \$10        | 166.67                                | 32,400  |
| \$5 w/ XO SYMBOL   | \$10        | 150                                   | 36,000  |
| \$10   | \$10        | 300                                   | 18,000  |
| \$3 × 5  | \$15        | 1,500                                 | 3,600   |
| (((\$3 w/ XO SYMBOL) × 2) + \$3  | \$15        | 750                                   | 7,200   |
| (\$5 w/ XO SYMBOL) + \$5   | \$15        | 750                                   | 7,200   |
| \$15   | \$15        | 1,500                                 | 3,600   |
| \$2 × 10   | \$20        | 1,500                                 | 3,600   |
| (\$5 w/ XO SYMBOL) × 2   | \$20        | 750                                   | 7,200   |
| \$10 w/ XO SYMBOL  | \$20        | 750                                   | 7,200   |
| \$20 w/ CUPID  | \$20        | 88.24                                 | 61,200  |
| \$20   | \$20        | 1,500                                 | 3,600   |
| \$5 × 6  | \$30        | 6,000                                 | 900   |
| (\$20 w/ CUPID) + (\$5 w/ XO SYMBOL)   | \$30        | 800                                   | 6,750   |
| \$15 w/ XO SYMBOL  | \$30        | 6,000                                 | 900   |
| \$30   | \$30        | 6,000                                 | 900   |
| \$5 × 10   | \$50        | 6,000                                 | 900   |
| (((\$10 w/ XO SYMBOL) × 2) + (\$5 w/ XO SYMBOL)  | \$50        | 6,000                                 | 900   |
| (((\$20 w/ CUPID) × 2) + (\$5 w/ XO SYMBOL)  | \$50        | 1,200                                 | 4,500   |



| <i>Reveal A "Heart" (HEART) Symbol,<br/>Win Prize Shown Under That Symbol.<br/>Win With:</i> | <i>Win:</i> | <i>Approximate<br/>Odds Are 1 In:</i> | <i>Approximate No.<br/>Of Winners Per<br/>5,400,000 Tickets</i> |
|--|-------------|---------------------------------------|---|
| \$50   | \$50        | 6,000                                 | 900   |
| \$10 × 10  | \$100       | 12,000                                | 450   |
| (\$10 × 8) + (\$5 × 4)   | \$100       | 12,000                                | 450   |
| (\$20 w/ CUPID) × 5  | \$100       | 2,400                                 | 2,250   |
| \$50 w/ XO SYMBOL  | \$100       | 12,000                                | 450   |
| \$100  | \$100       | 12,000                                | 450   |
| \$50 × 5   | \$250       | 120,000                               | 45  |
| (((\$20 w/ CUPID) × 10) + \$30 + \$20  | \$250       | 120,000                               | 45  |
| (((\$20 w CUPID) × 5) + ((\$10 w/ XO SYMBOL) × 5) + 30 + \$20                                | \$250       | 120,000                               | 45  |
| \$250  | \$250       | 120,000                               | 45  |
| \$100 × 5  | \$500       | 540,000                               | 10  |
| (((\$100 w/ XO SYMBOL) × 2) + ((\$20 w/ CUPID) × 5)  | \$500       | 36,000                                | 150   |
| \$250 w/ XO SYMBOL   | \$500       | 540,000                               | 10  |
| \$500  | \$500       | 540,000                               | 10  |
| \$100 × 10   | \$1,000     | 540,000                               | 10  |
| \$500 w/ XO SYMBOL   | \$1,000     | 90,000                                | 60  |
| \$1,000  | \$1,000     | 540,000                               | 10  |
| \$10,000   | \$10,000    | 540,000                               | 10  |

Reveal an "XO" (DOUBLE) symbol, win double the prize shown under that symbol.

Reveal a "CUPID" (WIN20) symbol, win \$20 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Cupid's Cash instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Cupid's Cash, prize money from winning Cupid's Cash instant lottery game tickets

will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Cupid's Cash instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Cupid's Cash or through normal communications methods.

C. DANIEL HASSELL,  
*Secretary*

[Pa.B. Doc. No. 18-1990. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Love to Win Instant Lottery Game 1379

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of

instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Love to Win (hereinafter "Love to Win"). The game number is PA-1379.

2. *Price:* The price of a Love to Win instant lottery game ticket is \$5.

3. *Play Symbols:* Each Love to Win instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWININ) and 30 (THIRTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWININ), 30 (THIRTY), Hearts (HEARTS) symbol and a WIN (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$20<sup>00</sup> (TWENTY), \$25<sup>00</sup> (TWY FIV), \$50<sup>00</sup> (FIFTY), \$75<sup>00</sup> (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$50,000 (FTY THO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$50, \$75, \$100, \$200, \$400, \$1,000, \$5,000 and \$50,000. The player can win up to 12 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 5,400,000 tickets will be printed for the Love to Win instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50,000 (FTY THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under

the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WIN (WINALL) symbol, and a prize symbol of \$200 (TWO HUN) appears in two of the "prize" areas, a prize symbol of \$100 (ONE HUN) appears in five of the "prize" areas, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$400.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WIN (WINALL) symbol, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in ten of the "prize" areas, a prize symbol of \$200 (TWO HUN) appears in one of the "prize" areas, and a prize symbol of \$100 (ONE HUN) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WIN (WINALL) symbol, and a prize symbol of \$100 (ONE HUN) appears in two of the "prize" areas and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WIN (WINALL) symbol, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in ten of the "prize" areas, a prize symbol of \$100 (ONE HUN) appears in one of the "prize" areas, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WIN (WINALL) symbol, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in two of the "prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the

“WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a WIN (WINALL) symbol, and a prize symbol of \$20.<sup>00</sup> (TWENTY) appears in two of the “prize” areas, a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in two of the “prize” areas, and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in eight of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a WIN (WINALL) symbol, and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in eight of the “prize” areas and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$75.<sup>00</sup> (SVY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$75.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$75.<sup>00</sup> (SVY FIV) appears in the “prize” area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$75.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a WIN (WINALL) symbol, and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in three of the “prize” areas and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in nine of the “prize” areas, on a single ticket, shall be entitled to a prize of \$75.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50.<sup>00</sup> (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(w) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$50.<sup>00</sup> (FIFTY) appears in

the “prize” area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25.<sup>00</sup> (TWY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(y) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$25.<sup>00</sup> (TWY FIV) appears in the “prize” area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$25.

(z) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20.<sup>00</sup> (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$20.<sup>00</sup> (TWENTY) appears in the “prize” area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$20.

(bb) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(cc) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in the “prize” area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$10.

(dd) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(ee) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Hearts (HEARTS) symbol, and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in the “prize” area under that Hearts (HEARTS) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 5,400,000 Tickets</i> |
|--|-------------|-----------------------------------|---|
| \$5 w/ HEARTS  | \$5         | 17.14                             | 315,000   |
| \$5  | \$5         | 20                                | 270,000   |
| \$5 × 2  | \$10        | 300                               | 18,000  |
| (\$5 w/ HEARTS) + \$5  | \$10        | 300                               | 18,000  |
| (\$5 w/ HEARTS) × 2  | \$10        | 60                                | 90,000  |
| \$10 w/ HEARTS   | \$10        | 60                                | 90,000  |



| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 5,400,000 Tickets</i> |
|--|-------------|-----------------------------------|---|
| \$10   | \$10        | 60                                | 90,000  |
| \$5 × 4  | \$20        | 300                               | 18,000  |
| \$10 × 2   | \$20        | 300                               | 18,000  |
| (\$10 w/ HEARTS) × 2   | \$20        | 100                               | 54,000  |
| \$20 w/ HEARTS   | \$20        | 100                               | 54,000  |
| \$20   | \$20        | 300                               | 18,000  |
| \$5 × 5  | \$25        | 600                               | 9,000   |
| (\$10 × 2) + \$5   | \$25        | 600                               | 9,000   |
| (((\$10 w/ HEARTS) × 2) + \$5  | \$25        | 300                               | 18,000  |
| (\$20 w/ HEARTS) + (\$5 w/ HEARTS)   | \$25        | 150                               | 36,000  |
| \$25 w/ HEARTS   | \$25        | 150                               | 36,000  |
| \$25   | \$25        | 600                               | 9,000   |
| \$5 × 10   | \$50        | 600                               | 9,000   |
| (((\$10 w/ HEARTS) × 4) + (\$5 × 2)  | \$50        | 300                               | 18,000  |
| (((\$20 w/ HEARTS) × 2) + \$10   | \$50        | 600                               | 9,000   |
| \$50 w/ HEARTS   | \$50        | 600                               | 9,000   |
| \$50   | \$50        | 600                               | 9,000   |
| WIN w/ ((\$10 × 3) + (\$5 × 9))  | \$75        | 400                               | 13,500  |
| \$25 × 3   | \$75        | 4,000                             | 1,350   |
| (\$25 × 2) + (\$5 × 5)   | \$75        | 4,000                             | 1,350   |
| (\$25 w/ HEARTS) + (\$20 w/ HEARTS) + (\$5 × 6)  | \$75        | 4,000                             | 1,350   |
| \$75 w/ HEARTS   | \$75        | 4,000                             | 1,350   |
| \$75   | \$75        | 4,000                             | 1,350   |
| WIN w/ ((\$10 × 8) + (\$5 × 4))  | \$100       | 2,400                             | 2,250   |
| WIN w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))   | \$100       | 2,400                             | 2,250   |
| \$10 × 10  | \$100       | 3,000                             | 1,800   |
| \$50 × 2   | \$100       | 3,000                             | 1,800   |
| (((\$25 w/ HEARTS) × 2) + ((\$10 w/ HEARTS) × 5)   | \$100       | 3,000                             | 1,800   |
| \$100 w/ HEARTS  | \$100       | 3,000                             | 1,800   |
| \$100  | \$100       | 3,000                             | 1,800   |
| WIN w/ ((\$50 × 2) + (\$10 × 10))  | \$200       | 5,000                             | 1,080   |
| WIN w/ ((\$5 × 10) + \$100 + \$50)   | \$200       | 5,000                             | 1,080   |
| \$20 × 10  | \$200       | 60,000                            | 90  |
| \$50 × 4   | \$200       | 30,000                            | 180   |
| (((\$20 w/ HEARTS) × 8) + ((\$10 w/ HEARTS) × 4)   | \$200       | 30,000                            | 180   |
| (\$100 w/ HEARTS) × 2  | \$200       | 30,000                            | 180   |
| \$200 w/ HEARTS  | \$200       | 60,000                            | 90  |
| \$200  | \$200       | 60,000                            | 90  |
| WIN w/ ((\$100 × 2) + (\$20 × 10))   | \$400       | 60,000                            | 90  |
| WIN w/ ((\$10 × 10) + \$200 + \$100)   | \$400       | 60,000                            | 90  |
| \$100 × 4  | \$400       | 60,000                            | 90  |
| (((\$50 w/ HEARTS) × 4) + ((\$25 w/ HEARTS) × 8)   | \$400       | 60,000                            | 90  |
| \$400 w/ HEARTS  | \$400       | 60,000                            | 90  |
| \$400  | \$400       | 60,000                            | 90  |
| WIN w/ ((\$200 × 2) + (\$100 × 5) + (\$20 × 5))  | \$1,000     | 540,000                           | 10  |

| <i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 5,400,000 Tickets</i> |
|--|-------------|-----------------------------------|---|
| \$100 × 10   | \$1,000     | 540,000                           | 10  |
| \$1,000 w/ HEARTS  | \$1,000     | 540,000                           | 10  |
| \$1,000  | \$1,000     | 540,000                           | 10  |
| \$5,000 w/ HEARTS  | \$5,000     | 540,000                           | 10  |
| \$5,000  | \$5,000     | 540,000                           | 10  |
| \$50,000   | \$50,000    | 540,000                           | 10  |

Reveal a "HEARTS" (HEARTS) symbol, win prize shown under that symbol automatically.

Reveal a "WIN" (WINALL) symbol, win all 12 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Love to Win instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Love to Win, prize money from winning Love to Win instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Love to Win instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Love to Win or through normal communications methods.

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 18-1991. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Royal Riches Instant Lottery Game 1380

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Royal Riches (hereinafter "Royal Riches"). The game number is PA-1380.

2. *Price:* The price of a Royal Riches instant lottery game ticket is \$3.

3. *Play Symbols:* Each Royal Riches instant lottery game ticket will contain two "play grid" areas and a "WINNING SYMBOLS" area. Each "play grid" area consists of 16 spaces on a grid four vertical "LINES" wide and four horizontal "LINES" tall. The four vertical "LINES" on the first "play grid" are designated as "LINE 1," "LINE 2," "LINE 3" and "LINE 4." The four horizontal "LINES" on the first "play grid" are designated as "LINE 5," "LINE 6," "LINE 7" and "LINE 8." The four vertical "LINES" on the second "play grid" are designated as "LINE 9," "LINE 10," "LINE 11" and "LINE 12." The four horizontal "LINES" on the second "play grid" are designated as "LINE 13," "LINE 14," "LINE 15" and "LINE 16." Each "LINE" offers a separate chance to win. The play symbols and their captions located in the two "play grid" areas and the "WINNING SYMBOLS" area are: Coins (COINS) symbol, Dollar Sign (DLRSN) symbol, Diamond (DIAMND) symbol, Topaz (TOPAZ) symbol, Safe (SAFE) symbol, Ring (RING) symbol, Moneybag (MNYBAG) symbol, Earring (EARRNG) symbol, Sapphire (SAPPHR) symbol, Candle (CANDLE) symbol, Chest (CHEST) symbol, Emerald (EMERLD) symbol, Necklace (NCKLAC) symbol, Card (CARD) symbol, Silver Coin (SILVER) symbol, Check (CHECK) symbol, Key (KEY) symbol, Briefcase (BRCASE) symbol, Crown (CROWN) symbol, Star (STAR) symbol, Coat (COAT) symbol, Money

Roll (MNYRLL) symbol, Castle (CASTLE) symbol, Cash (CASH) symbol, Ruby (RUBY) symbol, Wallet (WALLET) symbol, Purse (PURSE) symbol, Gold Bar (GOLD) symbol, Knight (KNIGHT) symbol, Rainbow (RNBOW) symbol, Lock (LOCK) symbol and a Pot of Gold (PTGOLD) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "Prize" area at the end of each "LINE" are: \$3.<sup>00</sup> (THR DOL), \$5.<sup>00</sup> (FIV DOL), \$10.<sup>00</sup> (TEN DOL), \$15.<sup>00</sup> (FIFTN), \$30.<sup>00</sup> (THIRTY), \$50.<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$300 (THR HUN), \$1,000 (ONE THO), \$3,000 (THR THO) and \$50,000 (FTY THO).

5. *Prizes:* The prizes that can be won in this game are: \$3, \$5, \$10, \$15, \$30, \$50, \$100, \$150, \$300, \$1,000, \$3,000 and \$50,000. The player can win up to 6 times on each ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 10,800,000 tickets will be printed for the Royal Riches instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$50,000 (FTY THO) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$3,000 (THR THO) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$3,000.

(c) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$300 (THR HUN) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$300.

(e) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or

horizontal "LINE," and a prize symbol of \$150 (ONEHUNFTY) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$150.

(f) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$50.<sup>00</sup> (FIFTY) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$30.<sup>00</sup> (THIRTY) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$30.

(i) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$15.<sup>00</sup> (FIFTN) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$15.

(j) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$5.

(l) Holders of tickets upon which four of the "WINNING SYMBOLS" play symbols match the same exact four play symbols appearing in a complete vertical or horizontal "LINE," and a prize symbol of \$3.<sup>00</sup> (THR DOL) appears in the "Prize" area at the end of that "LINE," on a single ticket, shall be entitled to a prize of \$3.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| <i>Scratch The Winning Symbols Area. Then Scratch The Corresponding Symbols Found On Either Grid. When You Match All Four Symbols In Any Horizontal Or Vertical Line, Win Prize Shown For That Line.</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 10,800,000 Tickets</i> |
|--|-------------|-----------------------------------|--|
| <i>Win With:</i>   |             |                                   |  |
| \$3  | \$3         | 9.09                              | 1,188,000  |
| \$5  | \$5         | 14.29                             | 756,000  |
| \$5 × 2  | \$10        | 62.50                             | 172,800  |



| <i>Scratch The Winning Symbols Area. Then Scratch The Corresponding Symbols Found On Either Grid. When You Match All Four Symbols In Any Horizontal Or Vertical Line, Win Prize Shown For That Line.<br/>Win With:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 10,800,000 Tickets</i> |
|--|-------------|-----------------------------------|--|
| \$10   | \$10        | 100                               | 108,000  |
| \$3 × 5  | \$15        | 250                               | 43,200   |
| \$5 × 3  | \$15        | 1,000                             | 10,800   |
| \$15   | \$15        | 1,000                             | 10,800   |
| \$5 × 6  | \$30        | 500                               | 21,600   |
| \$15 × 2   | \$30        | 1,000                             | 10,800   |
| (\$5 × 4) + \$10   | \$30        | 166.67                            | 64,800   |
| \$30   | \$30        | 1,000                             | 10,800   |
| \$10 × 5   | \$50        | 1,000                             | 10,800   |
| (\$15 × 2) + (\$5 × 4)   | \$50        | 1,000                             | 10,800   |
| (\$15 × 3) + \$5   | \$50        | 1,000                             | 10,800   |
| \$50   | \$50        | 1,000                             | 10,800   |
| \$50 × 2   | \$100       | 3,000                             | 3,600  |
| (\$10 × 5) + \$50  | \$100       | 1,200                             | 9,000  |
| (\$30 × 2) + (\$10 × 4)  | \$100       | 1,412                             | 7,650  |
| \$100  | \$100       | 3,000                             | 3,600  |
| \$30 × 5   | \$150       | 8,000                             | 1,350  |
| \$50 × 3   | \$150       | 12,000                            | 900  |
| (\$10 × 2) + \$100 + \$30  | \$150       | 12,000                            | 900  |
| (\$30 × 3) + \$50 + \$10   | \$150       | 8,000                             | 1,350  |
| (\$50 × 2) + (\$15 × 2) + (\$10 × 2)   | \$150       | 8,000                             | 1,350  |
| \$150  | \$150       | 12,000                            | 900  |
| \$50 × 6   | \$300       | 13,333                            | 810  |
| \$100 × 3  | \$300       | 60,000                            | 180  |
| (\$50 × 3) + (\$30 × 5)  | \$300       | 13,333                            | 810  |
| (\$100 × 2) + (\$50 × 2)   | \$300       | 40,000                            | 270  |
| \$300  | \$300       | 60,000                            | 180  |
| (\$300 × 3) + \$100  | \$1,000     | 120,000                           | 90   |
| (\$150 × 4) + \$300 + \$100  | \$1,000     | 120,000                           | 90   |
| \$1,000  | \$1,000     | 120,000                           | 90   |
| \$3,000  | \$3,000     | 1,080,000                         | 10   |
| \$50,000   | \$50,000    | 1,080,000                         | 10   |

Each line is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Royal Riches instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000

shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-

winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Royal Riches, prize money from winning Royal Riches instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Royal Riches instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Royal Riches or through normal communications methods.

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 18-1992. Filed for public inspection December 21, 2018, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Findings

Under section 2002(b) of the Administrative Code of 1929 (71 P.S. § 512(b)) establishing the Department of Transportation (Department), the Director of the Bureau of Project Delivery, as delegated by the Secretary of Transportation, makes the following written findings:

The Department is planning the following listed projects. Environmental and Section 4(f) Documentation have been developed for the following identified projects to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System <http://www.dotdom2.state.pa.us/ceea/ceeamain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the proposed identified projects, and all reasonable steps have been taken to minimize such effects.

• **SR 1016, Section 570—New Milford Borough, Susquehanna County.**

*Project Description:* The proposed project is the replacement of the existing bridge, which carries SR 1016, Section 570 (Montrose Street) over Norfolk Southern Railroad. The new structure will have increased vertical clearance and will be replaced on existing alignment.

*Environmental Documents:* CE 2 Reevaluation approved on July 6, 2018, and a Final Individual Section 4(f) Evaluation approved March 15, 2012.

*Proposed Use of Section 4(f)/2002 Resource:* The Delaware, Lackawanna and Western Railroad's Nicholson Cutoff were determined to be eligible for listing on the National Register of Historic Places (NRHP). The existing bridge is considered a contributing resource.

• **SR 9900, Section BR—Middlesex Township, Cumberland County.**

*Project Description:* The proposed project is a bridge replacement of the existing Wolf Bridge, SR 9900, Section BR, carrying Wolf Bridge Road over Conodoguinet Creek.

*Environmental Documents:* CE 2 Evaluation approved on August 6, 2018, a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitates the Use of Historic Bridges approved on March 18, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on July 30, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* Wolf Bridge was determined to be eligible for listing on the NRHP. The new structure will require approximately 0.035 acre of right-of-way (ROW) from the 485-acre Fish and Boat Commission designated Conodoguinet Creek Water Trail, which qualifies as a Section 4(f)/2002 resource.

• **SR 0472, Section 006—Quarryville Borough, Lancaster County.**

*Project Description:* The proposed project is the replacement of the existing bridge, carrying SR 0472, Section 006 (South Lime Street) over a tributary to the South Fork of Beaver Creek.

*Environmental Documents:* ED BRPA Evaluation approved on September 28, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on September 18, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* The project will require approximately 0.071 acre of ROW from the 7.7-acre Quarryville Elementary School, Riparian Buffer Corridor, which qualifies as a Section 4(f)/2002 resource.

• **SR 1015, Section 02B—South Woodbury Township, Bedford County.**

*Project Description:* The proposed project is the replacement of the existing Replogle School Bridge that carries SR 1015, Section 02B over a tributary to Three Springs Run.

*Environmental Documents:* ED 2 Evaluation approved on August 14, 2018, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on July 19, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* The existing Replogle School Bridge is a contributing resource to the South Morrison's Cove Rural Historic District, which was determined to be eligible for listing on the NRHP.

• **SR 4017, Section A07—Shaler Township, Allegheny County.**

*Project Description:* This project involves replacing the existing bridge carrying SR 4017, Section A07 over Little Pine Creek. The project also includes updating guiderail, approach work and drainage improvements.

*Environmental Documents:* ED 1a Evaluation approved on July 11, 2018, and a Determination of Section 4(f) De

Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on June 15, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.002 acre of ROW are required from the 0.46-acre Eagle Canyon Trail, which qualifies as a Section 4(f)/2002 resource.

• **SR 0000, Section 001—Jim Thorpe Borough, Carbon County.**

*Project Description:* The project proposes a pedestrian bridge over the Lehigh Valley River to link the Delaware and Lehigh Trail to the Delaware and Lehigh Towpath Trail.

*Environmental Documents:* CE 2 Reevaluation approved on July 17, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on April 22, 2015.

*Proposed Use of Section 4(f)/2002 Resources:* The project will require approximately 0.06 acre of ROW from the Central Railroad of New Jersey/Lehigh and Susquehanna Railroad, and approximately 0.22 acre of ROW from the Lehigh Canal. The Central Railroad of New Jersey/Lehigh and Susquehanna Railroad was determined to be eligible for listing on the NRHP, and the Lehigh Canal is listed on the NRHP.

• **SR 0322, Section B00—West Fallowfield Township, Crawford County.**

*Project Description:* The project includes the replacement of the existing bridge carrying SR 0322, Section B00 over the Crooked Creek Tributary. The project also includes guide rail, roadway and drainage updates.

*Environmental Documents:* CE BRPA Evaluation approved on September 18, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on September 18, 2018.

*Proposed Use of Section 4(f)/2002 Resource:* The 44-acre William Henry House was determined to be eligible for listing on the NRHP. Approximately 0.093 acre of ROW will be required from the resource.

• **SR 1006, Section 005—Greene Township, Franklin County.**

*Project Description:* The project proposes to resurface/reconstruct SR 1006, section 005 and includes new sidewalk, pedestrian railing and supporting slopes along Elevator Street.

*Environmental Documents:* CE 1b Evaluation approved on August 22, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on July 23, 2018.

*Proposed Use of Section 4(f)/2002 Resource:* Approximately 0.076 acre of ROW are required from the 65.3-acre Greene Township Municipal Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 0562, Section 02B—Exeter Township, Berks County.**

*Project Description:* The proposed project is the replacement of the existing structure carrying SR 0562, Section 02B (Boyertown Pike) over Monocacy Creek.

*Environmental Documents:* CE BRPA Evaluation approved on September 5, 2018, and a Determination of

Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties, approved on September 4, 2018.

*Proposed Use of Section 4(f)/2002 Resource:* The Limekiln Valley Rural Historic District was determined to be eligible for listing on the NRHP. Approximately 0.044 acre of ROW will be required from the resource.

• **SR 7023, Section 237—Folcroft Borough, Delaware County.**

*Project Description:* The proposed project is a bridge replacement for the existing structure that carries SR 7023, Section 237 (Tribbett Avenue) over Hermesprota Creek.

*Environmental Documents:* CE 1b Reevaluation approved on August 14, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on August 15, 2013.

*Proposed Use of Section 4(f)/2002 Resource:* The project will require approximately 0.70 acre of ROW from the 5.43-acre Darby Township playground owned by the Redevelopment Authority of Delaware County, which qualifies as a Section 4(f)/2002 resource.

• **SR 2007, Section A02—Gregg Township, Centre County.**

*Project Description:* The project involves the replacement of the existing structures carrying SR 2007, Section A02 over an unnamed tributary to Penns Creek. The project includes roadway approach work, drainage improvements and guide rail updates.

*Environmental Documents:* CE BRPA Evaluation approved on August 20, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 17, 2018.

*Proposed Use of Section 4(f)/2002 Resource:* The Penns Valley Brush Valley Rural Historic District was determined to be eligible for listing on the NRHP. Approximately 0.571 acre of ROW will be required from the resource.

• **SR 7207, Section 000—Gregg Township, Centre County.**

*Project Description:* The proposed project is a replacement of the existing bridge that carries T419 (Lower Georges Valley Road) over Muddy Creek. Work will also include new approach pavement, guide rail and signage.

*Environmental Documents:* CE BRPA Evaluation approved on July 31, 2018, a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on July 26, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* The Penns Valley Brush Valley Rural Historic District was determined to be eligible for listing on the NRHP. Approximately 0.104 acre of ROW will be required from the resource.

• **SR 0030, Section 116—Saint Thomas Township, Franklin County.**

*Project Description:* The proposed project is a replacement of the existing bridge that carries SR 0030, Section 116 (Lincoln Highway) over a branch of Campbell Run. Minor drainage improvements and guide rail updates will also occur.

*Environmental Documents:* CE BRPA Evaluation approved on September 25, 2018, and a Determination of



Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 30, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* The John Reynolds Campbell Homestead Property was determined to be eligible for listing on the NRHP. Approximately 0.226 acre of ROW will be required from the property.

• **SR 4010, Section J10—Franklin Township, Fayette County.**

*Project Description:* The proposed project is the replacement of the existing bridge that carries SR 4010, Section J10 over Bute Run. Minor roadway approach work and drainage work will occur as well.

*Environmental Documents:* ED 2 Evaluation approved on July 3, 2018, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on June 25, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* The existing structure was determined to be eligible for listing on the NRHP.

• **SR 4025, Section DFP—Cold Spring Township, Lebanon County.**

*Project Description:* This project involves replacing the existing corrugated metal pipe culvert that carries SR 4025, Section DFP (Gold Mine Road) over Evening Branch. The new structure will be a precast concrete box culvert.

*Environmental Documents:* ED BRPA Evaluation approved on July 10, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on April 16, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.154 acre of ROW are required from the 44.343-acre State Game Lands No. 211, which qualifies as a Section 4(f)/2002 resource.

• **SR 2005, Section 02B—North Woodbury Township, Blair County.**

*Project Description:* The project proposes to replace the existing bridge carrying SR 2005, Section 02B over Middletown Run.

*Environmental Documents:* ED BRPA Evaluation approved on July 30, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on July 11, 2018.

*Proposed Use of Section 4(f)/2002 Resources:* The project will require approximately 0.07 square feet of ROW from the South Morrison Cove Rural Historic District, which was determined to be eligible for listing on the NRHP.

• **SR 0381, Section OMG—Ohiopyle Borough, Fayette County.**

*Project Description:* The project includes multimodal improvements to better serve all members of the traveling public along SR 0381, Section OMG in Ohiopyle State Park.

*Environmental Documents:* ED 2 Evaluation approved on July 20, 2018, and a Nationwide/Programmatic Section 4(f) Evaluation for Transportation Projects that have Net Beneficial Use (Net Benefit) approved on June 22, 2018.

*Proposed Use of Section 4(f)/2002 Resource:* The project will require approximately 1.46 acre of permanent ROW from the approximately 20,000-acre Ohiopyle State Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 4012, Section B10—Brighton Township, Beaver County.**

*Project Description:* The project involves landslide remediation on SR 4012, Section B10, which runs along Bradys Run.

*Environmental Documents:* ED 1b Evaluation approved on September 27, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on August 29, 2018.

*Proposed Use of Section 4(f)/2002 Resource:* Approximately 0.4961 acre of ROW is required from the 2,000-acre Bradys Run Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 3011, Section DFP—Franklin Township, Adams County.**

*Project Description:* The project involves the replacement of the existing structure that carries SR 3011, Section DFP (Cashtown Road) over an unnamed tributary to Marsh Creek.

*Environmental Documents:* ED BRPA Evaluation approved on September 12, 2018, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 22, 2018.

*Proposed Use of Section 4(f)/2002 Resource:* Approximately 0.05 acre of ROW will be required from the 63,587-acre Northern Adams County Fruitbelt Historic District, which was determined to be eligible for listing on the NRHP.

MELISSA J. BATULA, PE,  
Acting Director  
Bureau of Project Delivery

[Pa.B. Doc. No. 18-1993. Filed for public inspection December 21, 2018, 9:00 a.m.]

## HISTORICAL AND MUSEUM COMMISSION

### Proposed Requirements for Permanent Records

The Local Government Records Committee (Committee), authorized through the Municipal Records Act (53 Pa.C.S. 1381—1389), is proposing: 1) a new policy to allow municipalities to keep permanent records in electronic format; and 2) updating the existing electronic-records policy found in the Municipal Records Manual.

The Committee requests public comment on the new policy which can be found at <https://www.phmc.pa.gov/Archives/News-Programs/Pages/Current-News.aspx>.

Interested persons are invited to submit written comments, suggestions or objections regarding the proposed policy by submitting a form on the State Archives web site or they may be submitted to the Local Government Records Committee, c/o Cynthia Bendroth, Chief, Records Services Division, State Archives, Historical and Museum Commission, 350 North Street, Harrisburg, PA 17120, (717) 783-7330, RA-LocalGovernment@pa.gov no later than January 31, 2019.

ANDREA LOWERY,  
Executive Director

[Pa.B. Doc. No. 18-1994. Filed for public inspection December 21, 2018, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, December 6, 2018, and announced the following:

*Action Taken—Regulation Approved:*

Department of Labor and Industry # 12-109: Uniform Construction Code (amends 34 Pa. Code Section 403.21)

#### Approval Order

Public Meeting Held  
December 6, 2018

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry  
Uniform Construction Code  
Regulation No. 12-109 (# 3219)*

On October 22, 2018, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Labor and Industry (Department). This rulemaking amends 34 Pa. Code Section 403.21. Notice of proposed rulemaking was omitted for this final regulation. Governor Tom Wolf certified the regulation as necessary to meet an emergency on October 18, 2018. The regulation became effective upon publication in the *Pennsylvania Bulletin* on November 3, 2018.

This regulation adds fire and smoke protection features to the Commonwealth's Uniform Construction Code for elevator lobbies.

We have determined this regulation is consistent with the statutory authority of the Department (35 P.S. § 7210.304(a)(1)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 18-1995. Filed for public inspection December 21, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be

filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by January 7, 2019. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2018-3005786. Superior Medical Transportation Services, LLC** (4420 Susan Drive, Bethlehem, PA 18017) in paratransit service, between points in Northampton and Lehigh Counties.

**A-2018-3006337. Ready Limo Car Service, LLC** (319 Pine Street, Reading, PA 19602) in limousine service, from points in Berks County, to points in Pennsylvania, and return.

**A-2018-3006344. John M. Butler, II** (1320 Chartiers Avenue, Pittsburgh, PA 15220) in limousine service, between points in Allegheny County.

**A-2018-3006345. One EZ Life, Inc.** (29 Beechwood Boulevard, Feasterville, PA 19053) in paratransit service from points in the County of Delaware and the City and County of Philadelphia to points in Pennsylvania, and return. *Attorney:* David P. Temple, Esquire, 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

**A-2018-3006394. Miracle Transport Services, LLC** (654 Patriot Drive, Lancaster, PA 17601) in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

**Applications of the following for approval to begin operating as contract carriers for transportation of persons as described under each application.**

**A-2018-3005423. Kensington Capital Group, LLC** (5200 Hilltop Drive, M-13, Brookhaven, PA 19015) for Access 2 Care, LLC, between points in the City of Philadelphia.

**A-2018-3006379. ZenRide, LLC** (122 Chestnut Street, Suite 300B, Philadelphia, PA 19106) for LogistiCare Solutions, LLC between points in Pennsylvania.

**Application of the following for approval to begin operating as common carriers for transportation of household goods in use as described under the application.**

**A-2018-3001973. Mt. Everest Moving Company, Inc.** (261 Wabash Road, Ephrata, PA 17522) household goods in use, between points in Pennsylvania. *Attorney:* Kenneth Olsen, 33 Philhower Road, Lebanon, NJ 08833.

**Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of household goods in use as described under the application.**

**A-2018-3005740. Mooster's Hauling, LLC, t/a College Hunks Hauling Junk and Moving of Kennett**

**Square** (555 Rosedale Avenue, Kennett Square, Chester County, PA 19348) household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 18-1996. Filed for public inspection December 21, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due January 7, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

#### **Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. L & M Movers, LP; Docket No. C-2018-3005663**

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to L & M Movers, LP, (respondent) is under suspension effective October 19, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 9912 Medway Road, Philadelphia, PA 19115.
3. That respondent was issued a Certificate of Public Convenience by this Commission on June 03, 2013, at A-8914637.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue

an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8914637 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/7/2018

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current



insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
 Pennsylvania Public Utility Commission  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions, you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Cheryl Sefchok, t/a Double R Trucking; Docket No. C-2018-3005664**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Cheryl Sefchok, t/a Double R Trucking, (respondent) is under suspension effective October 19, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 102 Perryopolis Road, Perryopolis, PA 15473.

3. That respondent was issued a Certificate of Public Convenience by this Commission on June 28, 2001, at A-00117840.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00117840 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
 David W. Loucks, Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/7/2018

David W. Loucks, Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If

your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
 Pennsylvania Public Utility Commission  
 Bureau of Investigation and Enforcement  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
 Pennsylvania Public Utility Commission  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions, you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. S&H Fast Speed, LLC; Docket No. C-2018-3005670**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to S&H Fast Speed, LLC, (respondent) is under suspension effective October 19, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 8012 Williams Avenue, Philadelphia, PA 19150-1220.

3. That respondent was issued a Certificate of Public Convenience by this Commission on March 31, 2016, at A-8918613.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918613 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
 David W. Loucks, Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the

statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/7/2018

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmpltResp@pa.gov](mailto:RA-PCCmpltResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of

insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions, you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Horvath, Douglas D., t/a Horvath Hauling; Docket No. C-2018-3005733**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Horvath, Douglas D., t/a Horvath Hauling, (respondent) is under suspension effective October 22, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 10831 Guffey Rillton Road, Rillton, PA 15678.

3. That respondent was issued a Certificate of Public Convenience by this Commission on February 18, 1997, at A-00113621.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00113621 for failure to maintain evidence of current insurance on file with the



Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/7/2018

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days

of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions, you may call 717-783-3847.

### **Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Michael T. Wheeler; Docket No. C-2018-3005742**

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Michael T. Wheeler, (respondent) is under suspension effective October 22, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at P.O. Box 391, Loganville, PA 17342-0391.

3. That respondent was issued a Certificate of Public Convenience by this Commission on May 06, 2013, at A-8915570.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8915570 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/7/2018

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions, you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Robert D. Smoker, t/a Red Hill Auto Transport;**  
**Docket No. C-2018-3005861**

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth

of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Robert D. Smoker, t/a Red Hill Auto Transport, (respondent) is under suspension effective October 29, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 316 East 6th Street, Red Hill, PA 18076.
3. That respondent was issued a Certificate of Public Convenience by this Commission on October 15, 2014, at A-8916713.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8916713 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/8/2018

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmpltntResp@pa.gov](mailto:RA-PCCmpltntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.



E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions, you may call 717-783-3847.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1997. Filed for public inspection December 21, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications Services

**A-2018-3005390. Delta Telecom of PA, Inc.** Application of Delta Telecom of PA, Inc. for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territories of Verizon Pennsylvania, LLC; Verizon North, LLC; The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink; Citizens Telecommunications of New York, Inc., d/b/a Frontier Communications of New York; Frontier Communications of Pennsylvania, LLC; Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company; Frontier Communications of Breezewood, LLC; Frontier Communications of Canton, LLC; Frontier Communications of Lakewood, LLC; and Frontier Communications of Oswayo River, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 7, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

*Applicant:* Delta Telecom of PA, Inc.

*Through and By Counsel:* Julie T. Muething, Keating, Muething & Klekamp, PLL, One East Fourth Street, Suite 1400, Cincinnati, OH 45202

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1998. Filed for public inspection December 21, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Wastewater Service

**A-2018-3006505. Exeter Township.** Application of Exeter Township for a certificate of public convenience, nunc pro tunc, to offer, render, furnish and supply wastewater service to the public in certain portions of Lower Alsace Township, Berks County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 7, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

*Applicant:* Exeter Township

*Through and By Counsel:* Barnett Satinsky, Esquire, Fox Rothschild, LLP, 2000 Market Street, 20th Floor, Philadelphia, PA 19103; Samuel W. Cortes, Esquire, Fox Rothschild, LLP, Eagleview Corporate Center, 747 Constitution Drive, Suite 100, Exton, PA 19341-0673

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1999. Filed for public inspection December 21, 2018, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Broker Application in the City of Philadelphia

The following registration application to render service as a broker in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than January 7, 2019. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD with Administrative Counsel between 9 a.m. and 4 p.m., Monday through Friday (contact Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business address of the respective applicant.

**Doc. No. A-18-12-02. Zakaria Z. Jamshidi** (1614 Porter Street, Philadelphia, PA 19145): An application for the registration of an individual to act as a broker to prepare and file application related documents, appear at settlements and otherwise act on behalf of a party as to matters related to applications, sales and/or transfers of transferable rights.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 18-2000. Filed for public inspection December 21, 2018, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than January 7, 2019. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-18-12-03. Pars Taxi, LLC** (624 Gawain Road, Plymouth Meeting, PA 19462): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 1080 North Delaware Avenue, Suite 505, Philadelphia, PA 19125.

**Doc. No. A-18-12-04. Afnan Corporation** (4650 Strahle Street, Philadelphia, PA 19136): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-18-12-05. Khubayb Khan, Inc.** (4316 Palmetto Street, Philadelphia, PA 19124): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 18-2001. Filed for public inspection December 21, 2018, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Reminder Notice of Citation Complaint

**Philadelphia Parking Authority, Taxicab and  
Limousine Division v. Crown Limousine Inc.;**  
**Doc. No. C-18-10-106**

Attention Crown Limousine Inc., last known address of 15 Joshua Drive, Richboro, PA 18954, this is a reminder notice that on October 26, 2018, Citation Complaint T-25271 (Citation) was issued against you by the Taxicab and Limousine Division's (TLD) Enforcement Department via United States Mail, citing a violation of 52 Pa. Code § 1051.10 (relating to record retention), which carries a

recommended penalty of \$1,000. Pursuant to 52 Pa. Code § 1005.13(b) (relating to answers to citations), an answer to the Citation was due no later than November 13, 2018.

Respondents must either request a hearing on a citation or pay the penalty identified in a citation within fifteen (15) days of issuance. See 52 Pa. Code § 1005.13(b). If you fail to take immediate action by either requesting a hearing or paying the penalty identified above, it may result in the entry of a default order as to the Citation and the penalty; along with imposing any suspension or revocation identified in the Citation.

Please take the necessary actions to satisfy the above referenced Citation immediately. Payments made payable to the Philadelphia Parking Authority or requests for a hearing may be submitted to:

Office of the Clerk  
Philadelphia Parking Authority  
Taxicab and Limousine Division  
2415 South Swanson Street  
Philadelphia, PA 19148

If you have any questions concerning this notice, you may contact the TLD's Office of the Clerk, Heidi Robb, (215) 683-9498, TLDclerk@philapark.org.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 18-2002. Filed for public inspection December 21, 2018, 9:00 a.m.]

## STATE BOARD OF NURSING

### Bureau of Professional and Occupational Affairs v. Katie Lynn Neistadt-Kissel, LPN; Case No. 17-51- 08853

On October 31, 2018, Katie Lynn Neistadt-Kissel, LPN, license No. PN296206, of Nazareth, Northampton County, was indefinitely suspended, retroactive to May 29, 2018, and ordered to pay \$525 in costs of investigation, based on her being unable to practice practical nursing with reasonable skill and safety to patients by reason of addiction to alcohol or hallucinogenic, narcotic or other drugs which tend to impair judgement or coordination, so long as the dependence continues.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,  
*Chairperson*

[Pa.B. Doc. No. 18-2003. Filed for public inspection December 21, 2018, 9:00 a.m.]

## STATE CONSERVATION COMMISSION

### Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg,

PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**Odor Management Plan—Public Notice Spreadsheet—Actions**

| <i>Ag Operation Name, Address</i>  | <i>County/Township</i>                    | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>New, Amended or Existing</i> | <i>Action Taken</i> |
|--|---|--------------------------------|--------------------|---------------------------------|---------------------|
| Downs Racing, LP—<br>Mohegan Sun at Pocono Downs<br>1280 Highway 315<br>Wilkes-Barre, PA 18702 | Luzerne County/<br>Plains Township        | 0                              | Equine             | New                             | Approved            |
| Adam S. Martin, Jr.<br>390 Midway Road<br>Bethel, PA 19507                                     | Berks County/<br>Bethel Township          | 98.7                           | Broilers           | New                             | Approved            |
| Schrack Farms—Home Farm<br>James Harbach<br>860 West Valley Road<br>Loganton, PA 17747         | Clinton County/<br>Greene Township        | 435                            | Cattle             | Amended                         | Approved            |
| Jairus L. Musser<br>95 Ferebees Road<br>Pine Grove, PA 17963                                   | Schuylkill County/<br>Washington Township | 395                            | Broilers           | New                             | Approved            |
| Maneval Poultry<br>Dale and Terry Maneval<br>11203 Route 35<br>Mount Pleasant Mills, PA 17835  | Snyder County/<br>West Perry Township     | 71.01                          | Broiler            | Amended                         | Approved            |
| Norman J. Zook<br>324 Smullton Road<br>Rebersburg, PA 16872                                    | Centre County/<br>Miles Township          | 73.58                          | Turkey/Broiler     | New                             | Approved            |
| Casey Carowick<br>16946 Beavertown Road<br>Todd, PA 16685                                      | Huntingdon County/<br>Cass Township       | 716.05                         | Swine              | New                             | Approved            |
| Landis Farms<br>Tim Landis<br>2607 Klingerstown Road<br>Herndon, PA 17830                      | Northumberland County/<br>Jordan Township | 390.6                          | Swine              | New                             | Approved            |
| Mervin and Wilmer Zimmerman<br>543 Laurel Road<br>Millmont, PA 17845                           | Union County/<br>Hartley Township         | 125.85                         | Broilers           | Existing                        | Rescind             |
| Kevin Sellers<br>180 Horseshoe Road<br>Lebanon, PA 17042                                       | Lebanon County/<br>West Cornwall Township | 112.5                          | Cattle             | Existed                         | Rescind             |



| <i>Ag Operation Name, Address</i>  | <i>County/Township</i>                  | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>New, Amended or Existing</i> | <i>Action Taken</i> |
|--|---|--------------------------------|--------------------|---------------------------------|---------------------|
| John E. King<br>439 Lehman Road<br>Allenwood, PA 17810                   | Lycoming County/<br>Washington Township | 34.49                          | Pullets            | New                             | Approved            |
| Leonard R. Martin<br>Parcel East of Bordner Road<br>Richland, PA 17087   | Berks County/<br>Bethel Township        | 385.15                         | Broilers           | New                             | Approved            |
| Dwight Manbeck<br>917 Schwartz Valley Road<br>Schuylkill Haven, PA 17972 | Schuylkill County/<br>Wayne Township    | 339.58                         | Swine              | New                             | Approved            |

PATRICK McDONNELL,  
*Chairperson*

[Pa.B. Doc. No. 18-2004. Filed for public inspection December 21, 2018, 9:00 a.m.]

## STATE EMPLOYEES' RETIREMENT BOARD

### Hearings Scheduled

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimants' request concerning the indicated accounts.

The hearings will be held before a hearing officer at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

|                  |   |        |
|------------------|---|--------|
| January 10, 2019 | Suellen M. Wolfe<br>Purchase of Service Issue                   | 1 p.m. |
| March 7, 2019    | David L. Divita<br>Purchase of Service Issue                    | 1 p.m. |
| April 12, 2019   | Michael C. Santilli (Deceased)<br>Contested Death Benefit Issue | 9 a.m. |

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,  
*Secretary*

[Pa.B. Doc. No. 18-2005. Filed for public inspection December 21, 2018, 9:00 a.m.]

