

NOTICES

DEPARTMENT OF AGING

Pennsylvania Long-Term Care Council Meetings; Correction

The Pennsylvania Long-Term Care Council (Council) will hold meetings at 10 a.m. on February 13, 2019, April 18, 2019, June 12, 2019, August 29, 2019, October 24, 2019, and December 12, 2019. This notice was previously published at 49 Pa.B. 219 (January 12, 2019).

Meetings of the Council will be held at the Pennsylvania Farm Show Complex and Expo Center, Keystone

Conference Center, 2300 North Cameron Street, Harrisburg, PA. The Keystone Conference Center is located on the second floor of the Maclay Street side of the Complex.

Persons with any questions or in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Charles Quinnan, Council Executive Director, (717) 705-7296, cquinnan@pa.gov.

TERESA OSBORNE,
Secretary

[Pa.B. Doc. No. 19-67. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending January 8, 2019.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
1-2-2019	Financial Hybrid Opportunity Fund, LLC FJ Capital Management, LLC McLean, VA Application for approval to acquire up to 9.9% of the common stock of LINKBANCORP, Inc., Camp Hill.	Approved

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-20-2018	Republic First Bank Philadelphia Philadelphia County	199 New Road Somers Point Atlantic County, NJ	Opened
12-28-2018	Mercer County State Bank Sandy Lake Mercer County	549 South Main Street Harrisville Butler County	Opened
01-02-2019	InFirst Bank Indiana Indiana County	340 Waugman Road Harrison City Westmoreland County	Approved
01-02-2019	InFirst Bank Indiana Indiana County	1007 Georges Station Road Greensburg Westmoreland County	Approved
01-02-2019	Northwest Bank Warren Warren County	1228-1242 Jefferson Avenue Buffalo Erie County, NY	Opened

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
01-07-2019	Luzerne Bank Luzerne Luzerne County	285 South Main Street Pittston Luzerne County	Opened

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-27-2018	CONSOL Employees Credit Union McMurray Allegheny County Application for approval to merge CONSOL Employees Credit Union, McMurray, with and into Heritage Federal Credit Union, Pittsburgh.	Approved
12-31-2018	TruMark Financial Credit Union Fort Washington Montgomery County Merger of Ward Federal Credit Union, Philadelphia, with and into TruMark Financial Credit Union, Fort Washington.	Effective

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 19-68. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of February 2019

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of February 2019, is 5 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 2.97 to which was added 2.50 percentage points for a total of 5.47 that by law is rounded off to the nearest quarter at 5 1/2%.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 19-69. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Acquisition of Land to be Acquired by the Department of Conservation and Natural Resources for the Purpose of Resolving Multiple Land and Water Conservation Fund Conversions

Department of Conservation and Natural Resources (Department) Acquisition of Strawbridge Property

In partnership with the Conservation Fund, the Department is planning to acquire a 987-acre property, referred to as the Strawbridge Property (Property), situated in Elk, Franklin and New London Townships, Chester County. The Strawbridge Property is comprised of seven parcels (Chester County Tax Parcel Nos. 70-5-6, 70-5-7, 70-5-8, 71-4-32.3, 72-6-1, 72-6-4 and 72-6-10). A majority of the Property is currently utilized for farming with the remainder consisting of undeveloped woodland.

The Property is bounded by Lewisville/Strickersville Road to the south, Chesterville Road to the west, residential properties and a portion of Walker Road to the north, and agricultural land and residential properties to the east. The Property is adjacent to the Department's White Clay Creek Preserve and will provide passive recreation such as hiking, hunting and wildlife watching. The Property will be maintained by the Department's Bureau of State Parks. No recreational facilities are proposed to be developed at this time.

Goals in acquiring the Property include the conservation of extensive and diverse critical natural resources and the resolution of multiple Land and Water Conservation Fund (LWCF) conversions. The Property includes more than 7 miles of Big Elk Creek and its tributaries, important forested riparian buffers along them, over 353 acres of mature and young woodlands, over 145 acres of floodplain, 668 acres of prime farmland soils and soils of

Statewide importance, and moderate and steep slopes. The Property also contains habitat for various threatened and endangered plant and animal species. The Property represents a critical resource in a rapidly developing area of southeastern Pennsylvania.

The Department owns and oversees lands encumbered, in part, by the National Park Service LWCF program. In accordance with the restrictions and requirements set forth in section 200301 of the LWCF (54 U.S.C.A. § 200301(f)(3)), the Department is required to provide replacement lands for portions of formerly funded LWCF sites that are converted from recreational to nonrecreational use. The replacement land must meet or exceed both the acreage and appraised value of the land being converted.

The National Park Service has determined that the Property is eligible for acquisition and for the potential resolution of multiple LWCF conversions throughout this Commonwealth. The Department will work with the National Park Service after the Property is acquired to complete the conversion process for the individual property conversions identified in the Environmental Assessment document which is being published for public review.

The Department will acquire the Property from the Conservation Fund and place the LWCF restrictive covenant in the Property deed, to read as follows:

This property, or interest in property, was acquired by the Pennsylvania Department of Conservation and Natural Resources ("Department") to comply with the conversion provisions under the Land and Water Conservation Fund Act, 54 U.S.C. §§ 200301 et seq. ("Act"), provided through the National Park Service. This property, or any portion of it, may not be converted to purposes other than those authorized under the Act. No change of use and no transfer of ownership, control, or interest in this property may occur, and no encumbrance may be placed on this property, without the written consent of the Department or its successor. The restriction in this paragraph applies to both the surface and subsurface of the property. This restriction has the effect of a covenant running in perpetuity with the land and is binding upon the owner(s) of the property and upon all subsequent owners, successors, and assigns. This restriction is enforceable by the Department and its successors.

The DCNR will have five (5) consecutive years to resolve conversions with the excess value and recreational usefulness established as part of the Property acquisition.

Review and Comment:

As part of the National Park Service requirements, an Environmental Assessment of the Property has been completed and is available for review and comment.

The Environmental Assessment will be available for review from January 19, 2019, until March 4, 2019, at the Department's web site at http://www.docs.dcnr.pa.gov/cs/groups/public/documents/document/DCNR_20033787.pdf.

Questions or comments on this proposal should be forwarded to Thomas Ford, Director, Bureau of Recreation and Conservation, 400 Market Street, Rachel Carson State Office Building, 5th Floor, Harrisburg, PA

17101-2301 or RA-NRBRC_CONVERSIONS@pa.gov. Comments must be received within 45 days following publication of this notice.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 19-70. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Community Conservation Partnerships Program Grants Available

The Department of Conservation and Natural Resources (Department) announces the 2019 open application period for the Community Conservation Partnerships Program Grants administered by the Bureau of Recreation and Conservation (Bureau). The open application period opens January 22, 2019, and will end at 4 p.m. on April 10, 2019. Depending on the funding source, eligible applicants include municipalities and appropriate non-profit organizations in this Commonwealth.

Applications must be submitted electronically through the Department's Grants portal. No paper, faxed or e-mailed applications will be accepted. Grant information, project guidance documents, program policies, applications and instructions are available online at <http://www.dcnr.state.pa.us/brc/grants>. For assistance with the Department's Grants portal, contact the Department's Grants Customer Service Center, at (800) 326-7734, DCNR-Grants@pa.gov.

Grant assistance from the Department helps communities and organizations in this Commonwealth plan, acquire and develop recreation, park and trail facilities, and conserve open space.

The Bureau administers the Community Conservation Partnerships Program, which combines several State and Federal funding sources including the Keystone Recreation, Park and Conservation Fund, Environmental Stewardship Fund, Snowmobile Restricted Account, All-Terrain Vehicle Restricted Account, Pennsylvania Recreation Trails Program and the Land and Water Conservation Fund.

The Statewide Comprehensive Outdoor Recreation Plan 2014—2019 at www.paoutdoorrecplan.com identifies the Commonwealth's outdoor recreation priorities. Projects will be selected, in part, on how well they align to these priorities. These priorities include:

Community parks and recreation: Planning and development projects that focus on rehabilitation of existing parks.

Land conservation: Land conservation projects that protect critical habitat, forested watersheds, wetlands and riparian corridors, or create critical connections between public or conservation lands.

Watershed restoration/rivers implementation: Projects that enhance public access to this Commonwealth's waterways or projects that improve this Commonwealth's watersheds and waterways including the planting of riparian forest buffers.

Trails: Projects that close priority trail gaps as well as projects that rehabilitate or upgrade existing trails.

Bureau staff are available to assist applicants with developing a competitive grant application. Staff contact information can be found on the Bureau's web site at http://www.docs.dcnr.pa.gov/cs/groups/public/documents/document/d_001184.pdf.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 19-71. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Grant Funding for ATV or Snowmobile Trail Projects and Programs

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation has available grant funding for projects proposing land acquisition, planning, development, rehabilitation, maintenance, equipment purchase or educational programs for all-terrain vehicle (ATV) or snowmobile trails. Grant funding will be awarded through a competitive grant application process. Applicants can apply for this funding between February 1, 2019, and March 29, 2019, by means of the Department's online grant application portal. A brief recorded webinar on the ATV and snowmobile grant program is available on the Department's web site. More information about these grant opportunities and the application process is available at <https://brcgrants.dcnr.pa.gov/Pages/Home.aspx>.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 19-72. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Inter American University of Puerto Rico—Arecibo Campus to Operate a Location in this Commonwealth

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval for Inter American University of Puerto Rico—Arecibo Campus to open a location in Philadelphia, PA. Inter American University of Puerto Rico—Arecibo Campus has applied to offer a Bachelor of Arts in Early Childhood Education: Preschool Level.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in

accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher and Career Education, 333 Market Street, 12th Floor, Harrisburg, PA 17126-0333 on or before the due date prescribed by this notice. Persons wishing to review the application should phone (717) 783-8228 or write to the previous address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodations to participate, should contact the Division of Higher and Career Education at (717) 783-8228 to discuss accommodations.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 19-73. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by La Roche College to Amend Articles of Incorporation

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval of a Certificate of Authority for La Roche College to amend its Articles of Incorporation to change the name to La Roche University.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher and Career Education, 333 Market Street, Harrisburg, PA 17126-0333 on or before the due date prescribed by this notice. Persons wishing to review the application should phone (717) 783-8228 or write to the previous address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact the Division of Higher and Career Education at (717) 783-8228 to discuss accommodations.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 19-74. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF EDUCATION**Application for University Status and Name
Change by La Roche College**

Under the act of June 18, 2014 (P.L. 769, No. 67), the Department of Education (Department) is publishing the

application by La Roche College to operate as a university under the fictitious name of La Roche University.

The Department has reviewed and accepted the notification.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 19-75. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION**Applications, Actions and Special Notices****APPLICATIONS**

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063525 (Sewage)	Clear Run Treatment Plant School Road Mount Pocono, PA 18344	Monroe County Coolbaugh Township	Clear Run (2-A)	Yes
PA0062596 (Sewage)	Laceyville Borough Joint Municipal Authority Wastewater Treatment Plant Tannery Street Laceyville, PA 18623	Wyoming County Laceyville Borough	Little Tuscarora Creek (4-D)	Yes

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0113298 (Sewage)	Elkland Borough STP and Lines 105 Parkhurst Street Elkland, PA 16920-1109	Tioga County Elkland Borough	Cowanesque River (4-A)	No
PA0229245 (Sewage)	Shawville Post Office Ryan Corl 3084 Jodi Lane Dover, PA 17315	Clearfield County Goshen Township	Trout Run (8-C)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0023566 (Sewage)	Emlenton Area STP 665 South Dock Street Sharon, PA 16146	Venango County Emlenton Borough	Allegheny River (16-G)	Yes
PA0210781 (Sewage)	Hazel Hurst WWTP 664 Dewey Avenue Hazel Hurst, PA 16733	McKean County Hamlin Township	Marvin Creek (16-C)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0052094, Sewage, SIC Code 4952, **Montgomery Sewer Co. Inc.**, P.O. Box 851, Montgomeryville, PA 18936-0851. Facility Name: Orchard Development STP. This existing facility is located in Montgomery Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Little Neshaminy Creek, is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.6

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.07	XXX	0.22

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	25	XXX	XXX	20	XXX	40
May 1 - Oct 31	12.5	XXX	XXX	10	XXX	20
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	37.5	XXX	XXX	30	XXX	60
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N						
Jul 1 - Oct 31	11.0	XXX	XXX	9.0	XXX	18
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	7.5	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	2.5	XXX	XXX	2.0	XXX	4
Total Phosphorus						
Nov 1 - Mar 31	2.0	XXX	XXX	1.6	XXX	3.2
Apr 1 - Oct 31	1.0	XXX	XXX	0.8	XXX	1.6

Sludge use and disposal description and location(s): Hatfield TWP Municipal Authority.

In addition, the permit contains the following major special conditions:

I. Other Requirements

- A. No Stormwater
- B. Property Rights
- C. Sludge Disposal
- D. Abandoning Facility due to Act 537
- E. Chlorine Minimization
- F. Notification of Designation of Operator
- G. Small Stream
- H. Seasonal Fecal Coliform Effluent Limitations
- I. O&M Plan
- II. Requirements for TRC

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PA0020168, Sewage, SIC Code 4952, **East Stroudsburg Borough**, P.O. Box 303, East Stroudsburg, PA 18301. Facility Name: East Stroudsburg Borough WWTP. This existing facility is located in East Stroudsburg Borough, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Brodhead Creek, is located in State Water Plan watershed 01E and has an existing use classification of Cold Water Fishes and Migratory Fishes (CWF, MF), aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Antimony, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
Lead, Total	Report	Report	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Silver, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total	Report	Report	XXX	Report	Report	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.0	XXX	2.3

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Antimony, Total	1.31	2.06	XXX	0.07	0.11	XXX
Copper, Total	0.70	1.10	XXX	0.03	0.05	XXX
Lead, Total	0.76	1.19	XXX	0.04	0.06	XXX
Silver, Total	0.19	0.29	XXX	0.01	0.015	XXX
Thallium, Total	0.057	0.090	XXX	0.003	0.004	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	469	751	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)		Wkly Avg			Wkly Avg	
Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	563	844	XXX	30	45	60
		Wkly Avg			Wkly Avg	
Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	375	XXX	XXX	20.0	XXX	XXX
May 1 - Oct 31	178	XXX	XXX	9.5	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Arsenic, Total	Report	Report	XXX	Report	Report	XXX
Selenium, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX
1,4-Dioxane	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX

Quarterly Avg

Sludge use and disposal description and location: Sludge is dewatered and hauled off-site for disposal at Keystone Landfill in Dunmore, PA.

In addition, the permit contains the following major special conditions:

- WET Testing
- Toxics Reduction Evaluation (TRE)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570.826.5472.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0229067, CAFO, **Murmac Farms LLC**, 2336 Zion Road, Bellefonte, PA 16823-6704.

This existing facility is located in Spring Township, **Centre County**.

Description of size and scope of existing operation/activity: Dairy (Cows, Heifers): 2,723.50 AEU's.

The receiving stream, Unnamed Tributary to Nittany Creek, is in watershed 9-C and classified for: Cold Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

PA0266833, Sewage, SIC Code 6514, **Mike & Rebecca Stamy**, 575 Mountain Road, Boiling Springs, PA 17007. Facility Name: Stamy SRSTP. This proposed facility is located in South Middleton Township, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Old Town Run, is located in State Water Plan watershed 7-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Sludge will be hauled off site via a local septic hauler to another treatment facility for ultimate treatment/disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0203661, Industrial, SIC Code 2819, **Reaxis Inc.**, P.O. Box 279, McDonald, PA 15057-0279. Facility Name: Reaxis Inc. This existing facility is located in Robinson Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste—Non-Contact Cooling Water and Stormwater.

The receiving stream(s), Unnamed Tributary to Robinson Run is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.183 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min		Daily Max	
Temperature (deg F) (°F)						
Jan 1 - 31	XXX	XXX	XXX	XXX	54.5	XXX
					Daily Max	
Feb 1 - 28	XXX	XXX	XXX	XXX	54.3	XXX
					Daily Max	
Mar 1 - 31	XXX	XXX	XXX	XXX	54.6	XXX
					Daily Max	
Apr 1 - 15	XXX	XXX	XXX	XXX	54.3	XXX
					Daily Max	
Apr 16 - 30	XXX	XXX	XXX	XXX	58.5	XXX
					Daily Max	
May 1 - 15	XXX	XXX	XXX	XXX	65.0	XXX
					Daily Max	
May 16 - 31	XXX	XXX	XXX	XXX	73.7	XXX
					Daily Max	

NOTICES

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Jun 1 - 15	XXX	XXX	XXX	XXX	81.5	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	Daily Max 85.7	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	Daily Max 85.9	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	Daily Max 85.8	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	Daily Max 84.7	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	Daily Max 78.5	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	Daily Max 72.4	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	Daily Max 66.3	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	Daily Max 58.2	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	Daily Max 54.2	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	Daily Max 54.4	XXX

The proposed effluent limits for Outfall 102 are based on a design flow of 0.180 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)						
Internal Monitoring Point	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)						
Internal Monitoring Point	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Temperature (deg F) (°F)						
Internal Monitoring Point	XXX	XXX	XXX	XXX	110 Daily Max	XXX

Note: Pursuant to 25 Pa. Code § 92a.82(c) and 40 CFR 124.57 and 123.25, the following Public notice of an NPDES draft permit for a discharge where a CWA section 316(a) request has been filed under § 122.21(l):

- The thermal component of the discharge is subject to effluent limitations under CWA section 301 or 306;
- A section 316(a) request has been filed and that alternative less stringent effluent limitations may be imposed on the thermal component of the discharge under section 316(a) and
- The applicant has filed an early screening request under § 125.72 for a section 316(a) variance.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0255432, Storm Water, SIC Code 3299, **Detroit Salt Co. LLC**, 365 Bassett Road, Hooversville, PA 15936-7608. Facility Name: Johnstown Storage. This proposed facility is located in Franklin Borough, **Cambria County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Industrial Stormwater.

The receiving stream(s), Little Conemaugh River, is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 4507402 A-1, Sewage, **Arrowhead Sewer Co. Inc.**, 961 Arrowhead Drive, Pocono Lake, PA 18347-7856.

This existing facility is located in Coolbaugh Township, **Monroe County**.

Description of Proposed Action/Activity: Improvements to an existing Sewage Treatment Plant operating under NPDES Permit PA0061662. The improvements include an additional Flow Splitter Box, new influent equalization pumps, new sludge pumps, and chemical feed equipment.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 6718406, Sewerage, **Dover Township Sanitary Sewer System**, 2480 West Canal Road, Dover, PA 17315.

This proposed facility is located in Dover Township, **York County**.

Description of Proposed Action/Activity: Applicant is submitting a WQM permit application.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. WQG02561801, Sewage, **Meyersdale Municipal Authority**, P.O. Box 37, Meyersdale, PA 15552-0037.

This proposed facility is located in Summit Township, **Somerset County**.

Description of Proposed Action/Activity: construction of sanitary sewers, pump station and force main for 30 homes along Mt. Davis Road.

WQM Permit No. 0218409, Sewage, **Breakneck Creek Region Authority**, 1166 Mars Evans City Road, Mars, PA 16046-2216.

This proposed facility is located in Adams Township, **Butler County**.

Description of Proposed Action/Activity: Construction of a new sanitary gravity sewer collection system to serve new residential and commercial development known as The Pittsburgh Cut Flowers Subdivision in Richland Township along Bakerstown Road.

WQM Permit No. 9656-S A-1, Sewage, **Arnold City Westmoreland County**, 1829 5th Avenue, Arnold, PA 15068.

This proposed facility is located in Arnold City, **Westmoreland County**.

Description of Proposed Action/Activity: Partial separation of sewage and storm water along Moore and Drey Street.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 3718406, Sewage, **Shawn Boyer**, 53 Valley View Drive, New Wilmington, PA 16142.

This proposed facility is located in Pulaski Township, **Lawrence County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6219401, Sewage, **Steven Bugajski**, 2277 Lindale Court, North Huntingdon, PA 15642-8728.

This proposed facility is located in Deerfield Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

V. Applications for NPDES Waiver Stormwater Discharges from MS4.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAG133697	Lebanon County 400 S 8th Street Lebanon, PA 17042	Lebanon Lebanon County	Y	N

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390108	Ketan & Trusha Jones 1610 Chestertown Rd Allentown, PA 18104	Lehigh	N Whitehall Twp	Hassen Creek (HQ-CWF, MF)
	Studio 26 Homes 1748 Central Park Orefield, PA 18069			

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD400025	PPL Electric Utilities Corp Colleen Kester 2 N 9th St Allentown, PA 18101-1139	Luzerne	Bear Creek Twp Plains Twp	Laurel Run (CWF, MF) Pine Creek (CWF, MF) Mill Creek (CWF, MF) Deep Hollow (CWF, MF) Gardner Creek (CWF, MF)

Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480078	Michael Hieger Freshpet 176 N Commerce Way Bethlehem, PA 18017	Northampton	Hanover Twp	Monocacy Creek (HQ-CWF, MF)
PAD480037	Joe Correia JG Petrucci Co 171 Rt 173 Ste 201 Asbury, NJ 08802-1365	Northampton	Forks Twp	Bushkill Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD360041	PPL Electric Utilities Corporation 2 North Ninth Street Allentown, PA 18101	Lancaster	Martic, Drumore, East Drumore, Eden, Colerain, Bart, Sadsbury, & Pequea Townships	Susquehanna River (WWF, MF) Tobe Run (WWF, MF) Crystal Brook (TSF, MF) Muddy Creek (TSF, MF) Fishing Creek (HG-CWF, NRT, MF) Conowingo Creek (HG-CWF, NRT, MF) Stewart Run (HG-CWF, MF) South Fork BigBeaver Creek (TSF, MF) Bowery Run (HG-CWF, MF) West Branch

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
				Octoraro Creek (HG-CWF, MF) Valley Run (TSF, MF) Knott Run (TSF, MF) Kellys Run (WWF, MF) Tucquan Creek (HG-CWF, MF) Pequea Creek (WWF, MF) Climbers Run (CWF, MF) Silver Mine Run (TSF, MF)

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Jefferson County Conservation District, 1514 Route 28, Brookville, PA 15825, 814-849-7463.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD330006	Cresco Yeltrah Mr. Derek McCarthy 646 Service Center Road Brookville, PA 15825	Jefferson	Pine Creek Township	UNT to North Fork Redbank Creek HQ-CWF
	Co-Applicant Innovative Building Solutions LLC Mr. Darrin Brooks 218 Gander Drive Wexford, PA 15090			UNT to Mill Creek CWF

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

MS4 PAG-13 Notices of Intent Received.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No.	Applicant Name & Address	Municipality, County	Waiver Application Submitted (Y/N)	Pollutant Reduction Plan Submitted (Y/N)
PAG136405	Nottingham Township 909 Sugar Run Road Eighty Four, PA 15330-2447	Nottingham Township Washington County	N	Y

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration

of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office

listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 4818506, Public Water Supply.

Applicant	Nestle Waters North America, Inc. 305 Nestle Way Breinigsville, PA 18031
[Township or Borough]	Upper Macungie Township Lehigh County
Responsible Official	Michael Franceschetti, Plant Manager Nestle Waters North America, Inc. 305 Nestle Way Breinigsville, PA 18031
Type of Facility	Bottled Water Facility
Consulting Engineer	Edward E. Davis, PE Miller Brothers Construction, Inc. P.O. Box 472 Schuylkill Haven, PA 17972
Application Received Date	December 20, 2018
Description of Action	The applicant has proposed the addition of a new source of supply, the White Cedar Spring Boreholes No. 1 and 2 to be treated at their existing bottling facility located in Breinigsville, PA.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2118513, Public Water Supply.

Applicant	Pennsylvania American Water Company
Municipality	Silver Spring Township
County	Cumberland
Responsible Official	David Kauffman, Vice President Engineering 852 Wesley Drive Mechanicsburg, PA 17055
Type of Facility	Public Water Supply
Consulting Engineer	Diana M. Young, P.E. Buchart-Horn, Inc. 445 West Philadelphia Street York, PA 17401
Application Received:	12/26/2018

Description of Action

The plant will change from gaseous chlorine disinfection to sodium hypochlorite disinfection. Ultraviolet disinfection will also be installed to provide an additional 1-log treatment for *Cryptosporidium* in accordance with the recent Bin 2 classification of the Conodoguinet Creek at the point of taking under the Long Term 2 Enhanced Surface Water Treatment Rule. Additionally, the existing bulk chemical storage facility for ferric chloride, corrosion inhibitor, fluoride, sodium permanganate, sodium hydroxide, and calcium thiosulfate will be replaced. A second wash water tank will also be constructed to provide additional backwashing supply.

Permit No. 6718513, Public Water Supply.

Applicant	Pennsylvania American Water Company
Municipality	Fairview Township
County	York
Responsible Official	David Kauffman, Vice President Engineering 852 Wesley Drive Mechanicsburg, PA 17055
Type of Facility	Public Water Supply
Consulting Engineer	Diana M. Young, P.E. Buchart-Horn, Inc. 445 West Philadelphia Street York, PA 17401
Application Received:	12/26/2018
Description of Action	The plant will change from gaseous chlorine disinfection to sodium hypochlorite disinfection. Ultraviolet disinfection will also be installed to provide an additional 1-log treatment for <i>Cryptosporidium</i> in accordance with the recent Bin 2 classification of the Yellow Breeches Creek at the point of taking under the Long Term 2 Enhanced Surface Water Treatment Rule.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 2618517, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 West Hersheypark Drive Hershey, PA 17033
[Township or Borough]	California Borough
Responsible Official	David Kaufman, VP-Engineering Pennsylvania American Water Company 800 West Hersheypark Drive Hershey, PA 17033

Type of Facility Water system
 Consulting Engineer Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Application Received Date December 10, 2018
 Description of Action Installation of a mixing system in the California water storage tank.

Central Office: Bureau Director, Safe Drinking Water, P.O. Box 8467, Harrisburg, PA 17105-8467.

Permit No. [9996014], Public Water Supply.

Applicant **[Chemung Bottled Water from Culligan]**
 [Township or Borough] [Elmira, NY]
 Responsible Official [Jim Davis, Vice President]
 Type of Facility [Out-of-State Bottled Water System]
 Application Received Date [December 19, 2018]
 Description of Action [Applicant requesting Department approval to change source water from Chemung Spring No. 1 and Well No. 1 to Eagle Spring and Elmira Water Board Public Water System]

Permit No. [9996619], Public Water Supply.

Applicant **[Central Carolina Bottling Company, Inc.]**
 [Township or Borough] [Alton, VA]
 Responsible Official [Robert Smith, President]
 Type of Facility [Out-of-State Bottled Water System]
 Application Received Date [January 3, 2019]
 Description of Action [Applicant requesting Department approval to sell Alkaline 88 bottled water in Pennsylvania.]

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0419501MA, Minor Amendment.

Applicant **Beaver Falls Municipal Authority**
 1425 8th Avenue
 Beaver Falls, PA 15010
 [Township or Borough] Daugherty Township
 Responsible Official Jerry Ford, Chairman of the Board
 Beaver Falls Municipal Authority
 1425 8th Avenue
 Beaver Falls, PA 15010

Type of Facility Water system
 Consulting Engineer Utility Service Company, Inc.
 1230 Peachtree Street
 Suite 1100
 Atlanta, GA 30309
 Application Received Date January 8, 2019
 Description of Action Rehabilitating/painting the Oak Hill water storage tank.

Application No. 6518540MA, Minor Amendment.

Applicant **Municipal Authority of Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672
 [Township or Borough] Daugherty Township
 Responsible Official Michael Kukura, Resident Manager
 Municipal Authority of Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672
 Type of Facility Water system
 Consulting Engineer Municipal Authority of Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Application Received Date December 17, 2018
 Description of Action Installation of approximately 4,050 feet of waterline to service Tulip Drive, Woodland Avenue, Grandview Avenue, Silver Alley and Indiana Avenue.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. § 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

WA 34-19D, Water Allocations. Mifflintown Municipal Authority (PWS ID No. 4340008), Juniata County. The Authority is requesting the right to withdraw 700,000 gallons per day (gpd), based on an annual average, from Clearview Reservoir on East Licking Creek, a maximum of 1,210,000 gpd from the Juniata River with a combined maximum withdraw of 1,210,000 gpd from both sources. Applicant Address: Michael Robinson, Manager, Mifflintown Municipal Authority, 259 Water Company Road, Mifflintown, PA 17059. Consulting Engineer: Patrick J. Ward, P.E., Uni-Tec Consulting Engineers, Inc., 2007 Cato Avenue, State College, PA 16801. Application Received: 5/14/2018.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA-625E, Water Allocations. Municipal Authority of the Township of Robinson, 4200 Campbells Run Road, Pittsburgh, PA 15205, Allegheny County. The applicant is requesting the right to withdraw 12,000,000 gallons of water per day, peak day, from the Ohio River.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Interstate 80 at MM 215.5W, Milton, East Chillisquaque Township, Northumberland County. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Point 2 Point Express, 11538 Timber Edge Place, Strongsville, OH 44136, has submitted a Notice of Intent to Remediate site soil contaminated with diesel fuel, motor oil and antifreeze. The applicant proposes to remediate the site to meet the Statewide Health Standard for Non-Residential use. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on December 22, 2018.

Southwest Region: Environmental Cleanup & Brownfields Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

EQT—Shipman Well Pad, 1135 Washington Road, Washington Township, Greene County. SE Technologies, LLC, 98 Vanadium Road, Building D, 2nd Floor, Bridgeville, PA 15017 on behalf of EQT Corporation, 625 Liberty Avenue, Pittsburgh, PA 15222 has submitted a Notice of Intent to Remediate. Gel additive (virgin product) was released on the well pad from natural gas drilling operations on December 2, 2018. Primary constituents of concern are organics in surface soil. The proposed future use of the property will be non-residential. The proposed cleanup standard for the site is Residential Statewide Health. The Notice of Intent to Remediate was published in the *Greene County Messenger* on December 21, 2018.

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Klingel Cleaners, 1710 West Main Street, Stroud Township, Monroe County. Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite A-23, Allentown, PA 18106, on behalf of the Estate of Arthur and Mary Klingel, 1710 West Main Street, Stroudsburg, PA 18360, submitted a Notice of Intent to Remediate. Soil and groundwater at this former dry-cleaning operation were contaminated with chlorinated solvents (PCE). Future use of the site will be residential. Site-Specific remediation standards are planned for this site. The Notice of Intent to Remediate was published in *The Pocono Record* on December 27, 2018.

MUNICIPAL WASTE GENERAL PERMITS

Proposed Permit Renewal Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGM038 Base. The Department of Environmental Protection is proposing to renew General Permit No. WMGM038. This permit authorizes the grinding, shredding, and screening of untreated and unpainted gypsum wallboard products using a regular or Type X gypsum core and faced with paper, generated at residential homes and commercial construction sites, or

manufacturing facilities. The resultant ground gypsum can be beneficially used in the following applications:

1. For sale or distribution as a component of mushroom growing media;
2. For sale or distribution in the production of a soil additive material or in the production of mulch;
3. For land application as a soil amendment;
4. For use as a component or ingredient in a manufacturing process, provided the ground gypsum conforms to applicable National, State or industry standards for which it is being used;
5. For use as a bulking agent;
6. For use as an ingredient in cement, concrete, grout, asphalt or flowable backfill mixtures for construction purposes, provided such usage meets applicable performance criteria and standards such as those specified by PennDOT, ASTM, AASHTO, etc.; or
7. For utilization of the backing paper as an animal bedding material.

The Department is re-organizing and re-formatting the general permit for overall clarity and ease of use.

Persons interested in obtaining a copy of the draft proposed general permit, or persons interested in providing written comments concerning the proposed modifications, should be directed to Chris Solloway, Group Manager, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGM038" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the proposed permit renewal. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

RESIDUAL WASTE GENERAL PERMITS

Proposed Permit Renewal Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR046 Base. The Department of Environmental Protection is proposing to renew General Permit No. WMGR046. This permit authorizes processing by separation, size reduction (grinding), screening, mixing, windrow composting or static composting of the following wastes for beneficial use as a manufactured soil or soil amendment:

- drinking water treatment sludge,
- yard waste,
- bark ash,
- coal ash,
- agricultural residues,

- waste cardboard or paper,
- sludge generated by paper or pulp mills (SIC Code 2621 and 2611),
- waste from vegetable food processing,
- unused sands,
- waste foundry sand that is authorized for use as a soil additive or soil substitute under General Permit Number WMGR019,
- spent mushroom substrate, or
- freshwater, brackish and marine dredged material.

The Department is re-organizing and re-formatting the general permit for overall clarity and ease of use.

Persons interested in obtaining a copy of the draft proposed general permit, or persons interested in providing written comments concerning the proposed modifications, should be directed to Chris Solloway, Group Manager, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR046" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the proposed permit renewal. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Application Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 400593. Covanta Delaware Valley LP, 10 Highland Avenue, Chester, PA 19013. This permit application is for ten-year renewal to continue operation under Solid Waste Permit No. 400593 at the Delaware Valley Resource Recovery Facility, an existing municipal waste resource recovery facility, located at 10 Highland Avenue, Chester, PA 19013, in the City of Chester, **Delaware County**. The application was received by the Southeast Regional Office on December 7, 2018.

Comments concerning the application should be directed to the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation

to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

16-1320: Clarion Boards Inc.: (143 Fiberboard Road, Shippensburg, PA 16254), plan approval application received for the installation of a replacement bag house and the re-ducting of an existing bag house at their facility located in Paint Township, **Clarion County**. This is an existing Title V facility.

24-131U: SGL Carbon, LLC: (900 Theresia Street, St. Marys, PA 15857), plan approval application received for the installation of a second power supply. The additional power supply would allow the simultaneous operation of two furnaces at their facility located in the City of Saint Marys, **Elk County**. This is an existing non-Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0210B: Waste Management of Fairless, LLC (1000 New Ford Mill Road, Morrisville, PA 19067) for the installation of three (3) enclosed ZULE flares and two (2) emergency diesel-fired generator engines located in Falls Township, **Delaware County**. The three flares will be used to combust the landfill gas that is collected from three landfill areas—Fairless, GROWS, and the GROWS North landfill areas. The new flares and associated equipment are to be connected to the existing gas collection and control system (GCCS) and will serve as the primary control of landfill gases (VOC).

The project itself will result in a NO_x emission increase of 65.35 tons per year and a VOC emission increase of 21.55 tons per year. The 5-year and 10-year contemporaneous emission increases make this project subject to the requirements of 25 Pa. Code Chapter 127, Subchapter E—New Source Review. The facility shall apply Best Available Control Technology (BACT) to this project and must acquire emission reduction credits (ERCs) to offset the contemporaneous net emission increases of NO_x and VOC. The required ERCs are 107.0 tons NO_x and 60.0 tons VOC, based on a ratio of 1.3:1.

Copies of the application, draft Plan Approval and other documents used in evaluation of the application are

available for public inspection during normal business hours at 2 E. Main St., Norristown, PA 19401.

09-0024K: Waste Management of Pennsylvania, Inc. (1000 New Ford Mill Rd, Morrisville, PA 19067) for two 6000 scfm ultra low emission flares (ULE) to combust the landfill gas collected from the Tullytown Resource Recovery Facility (TRRF), a landfill located in Tullytown Borough, **Bucks County**. TRRF is a major facility. The two flares will serve as primary control for the landfill gas, collected with an existing landfill gas collection system. Two existing 5,000 scfm Back-Up flares will continue to serve in the case the ULE flares are inoperative periodically for maintenance purposes. A portion of the landfill gas generated at TRRF will continue to be sent to an IC engine to create power for on-site activities. The proposed construction of the ULE flares was precipitated by loss of a contract to purchase the landfill gas for beneficial use. The company is seeking other beneficial use projects to consume the landfill gas. The ULE flares are anticipated to serve as interim primary control.

Emissions from both flares are estimated in tons per year as: volatile organic compounds (VOC)—14.28, nitrogen oxides (NO_x)—39.8, carbon monoxide (CO)—95.52, sulfur dioxide (SO₂)—159.6. A representative flare will be stack tested to assure emission limits are met. There is an existing facility wide restriction of 100 tons per year particulate matter (PM₁₀). Each flare is further restricted to a 98 percent non-methane organic carbon (NMOC) destruction efficiency, or a NMOC outlet concentration of 20 parts per million dry volume as hexane at 3 percent oxygen.

The project is subject to the requirements of Non-Attainment New Source Review, codified at 25 Pa. Code § 127.203. In order to comply, the applicant will need to procure emission reduction credits (ERCs), in accordance with 25 Pa. Code § 127.210, prior to commencing construction. The total net increase of 41.1 tons NO_x due to the project will be offset at a ratio of 1.3:1, for a total of 53.4 tons (1.3 × 41.1) NO_x ERCs.

The ULE flares are subject to the New Source Performance Standard for Municipal Solid Waste Landfills, promulgated at 40 CFR Part 60, Subpart WWW. The facility is also subject to the requirements of National Emissions Standard for Hazardous Air Pollutants for Source Categories (Maximum Achievable Control Technology), Subpart AAAA: Municipal Solid Waste Landfills. The ULE flares with good combustion design, satisfy the requirements of Best Available Technology (BAT) at 25 Pa. Code § 127.12(a)(5). The flares are subject to limits in the 25 Pa. Code for particulate matter, sulfur compound concentration and visible emissions. The company will comply with all applicable requirements.

The Plan Approval contains conditions for monitoring and recordkeeping designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

PA-65-01040 Elliott Company (901 North Fourth Street, Jeannette, PA 15644-1474). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (“Department”) intends to issue Air Quality Plan Approval: PA-65-01040 to Elliott Company (“Elliott”) for the construction

of a Product Testing Facility to be located at the former Jeannette Glass site in the city of Jeannette, **Westmoreland County**.

Air contamination sources and controls to be authorized at this site include:

- Source 101 LNG Tanks and Delivery System—((3) 20,000-gallon ASTs, piping and appurtenances, equipped with a closed vent system and a control device (enclosed flare, F01));
- Source 102 LPG Tanks and Delivery System—((2) 18,000-gallon ASTs, piping and appurtenances);
- Source 103 Test Stands—controlled by an enclosed flare, F01; SCADA leak detection and monitoring system; heat exchanger;
- Source 104 Staging Area—exhaust hood controlled by a two-bed carbon adsorption system in series, C01;
- Source 105 Natural Gas Emergency Generator—459 HP—rich burn; Manufacturer TBD
- F01 Enclosed Flare-Zeeco or equivalent, 1,614 scfm design volume; minimum chamber temperature of 1,400°F with continuous pilot < 0.065 MMBtu/hr; 12’D × 44’H;
- C01—Carbon Adsorber—Calgon Carbon Corp or equivalent; Two (2) Vapor PAC 10 Carbon Units; 5,500 scfm in series. Not regenerated on site; 175—200 lb carbon use/day; equipped with a breakthrough detector on lead bed.

The facility is a natural minor source of air pollution with a facility-wide potential to emit from the authorized activities summarized as follows:

Facility Wide Potential to Emit

<i>Air Contaminant</i>	<i>Emission Rate (tpy)</i>
Nitrogen Oxides (NO _x)	18.29
Carbon Monoxide (CO)	28.57
Total Particulate Matter (PM)	0.18
Particulate Matter Less Than 10 Microns In Diameter (PM ₁₀)	0.69
Particulate Matter Less Than 2.5 Microns In Diameter (PM _{2.5})	0.69
Sulfur Oxides (SO _x)	0.06
Volatile Organic Compounds (VOC)	42.18
Hazardous Air Pollutants (HAP)	0.16
Carbon Dioxide Equivalents (CO _{2e})	13,565

This authorization is subject to State regulations including 25 Pa. Code Chapters 123—Standards for Contaminants; 124—National Emission Standards for Hazardous Air Pollutants, 127—Construction, Modification, Reactivation, and Operation of Sources; 129—Standards for Sources; 135—Reporting of Sources; and 139—Sampling and Testing. State standards for contaminants and sources are superseded in most cases by more stringent Best Available Technology (BAT) determinations in accordance with 25 Pa. Code § 127.12(a)(5) requirements. This authorization is also subject to Federal New Source Performance Standards (NSPS) including 40 CFR Part 60 Subparts A, Kb, and JJJJ and National Emission Standards for Hazardous Air Pollutants (NESHAP) including 40 CFR Part 63 Subparts A and ZZZZ. Other applicable Federal regulations include 40 CFR Parts

68—Chemical Accident Prevention Provisions and Part 98—Mandatory Greenhouse Gas Reporting.

Plan approval conditions will include source specific and facility-wide VOC emission limitation, operational restrictions, compliance testing and monitoring requirements, work practice standards, and associated recordkeeping and reporting requirements. The Department has determined that the proposed facility satisfies the Department's Best Available Technology (BAT) requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to submit a State Only Operating Permit (SOOP) application in accordance with 25 Pa. Code Subchapter F.

A person may oppose the proposed plan approval by filing a written protest with the Department through Sheri Guerrieri via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to shguerrieri@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-01040) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

Elliott's Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Elliott Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Plan Approval for this project, a person may contact Sheri Guerrieri at shguerrieri@pa.gov or 412.442.4069.

All comments must be received prior to the close of business 30 days after the date of this publication.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing in writing or by publication in the newspaper and the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

AMS IP18-000352: Kinder Morgan Liquid Terminals, LLC—Point Breeze Terminal (6310 West Passyunk, Philadelphia, PA 19153) to increase the facility's gasoline throughput from 353,000,000 to 424,400,000 gallons per year and correct the tank type for five (5) gasoline storage tanks to internal floating roof. The plan approval includes a change to the facility's hourly and annual emission limits for gasoline loading. The potential emissions from the facility will be limited to less than 41.55 tons per rolling 12-month period of VOCs, 10 tons per rolling 12-month period of individual Hazardous Air Pollutants (HAPs), and 25 tons per rolling 12-month period of combined HAPs. The plan approval will contain

operating, monitoring, testing, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03021: J. Walter Miller Co. (411 East Chestnut Street, Lancaster, PA 17602) to issue a State Only Operating Permit for the copper foundry operations in the City of Lancaster, **Lancaster County**. The potential emissions from the facility are estimated at 94.4 tpy of PM, 16.7 tpy of VOC, and 1.2 tpy of Lead. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart ZZZZZZ—National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries, and 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

06-03087: Arkema, Inc. (1112 Lincoln Road, Birdsboro, PA 19508) to issue a State-Only Operating Permit for the operation of the nylon polymer manufacturing facility in Exeter Township, **Berks County**. The subject facility has the potential-to-emit 11.1 tpy of CO, 9.0 tpy of NO_x, 4.6 tpy of PM₁₀, 0.4 tpy of SO_x, & 22.1 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.11, 123.13, 123.22, 129.63, 40 CFR 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR 63, Subpart CCCCCC—National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Paints and Allied Products Manufacturing & 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, & 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

16-00035: Commodore Homes of PA (299 Hardwood Dr., Ridgway, PA 15853-7059). The Department is providing notice that they intend to renew a State Only Synthetic Minor Operating Permit for the mobile and modular home manufacturing facility located in Paint Township, **Clarion County**. The facility's primary emission sources include facility heaters, the adhesive and surface coating application processes, woodworking processes with particulate emissions controlled by cyclones and baghouses, drywall finishing, a parts washer, an emergency power generator, and an emergency water

pump for fire suppression. The potential emissions of the primary pollutants from the facility after permit limitations are as follows: 2.42 TPY (tons per year) NO_x, 1.51 TPY CO, 49.00 TPY VOC, 4.45 TPY PM₁₀ and PM_{2.5}, and 0.07 TPY SO_x. The facility has elected to take an operation hour restriction of production to 2,500 hours per year on a 12-month rolling basis, a production limit of 5,500 units per calendar year, as well as a firm VOC restriction of 49 tons per year in order to ensure compliance with their synthetic minor status. The adhesive and surface coating processes are potentially subject to 25 Pa. Code §§ 129.52 and 129.52c for control of VOC emissions from surface coating processes. The parts washer is subject to 25 Pa. Code § 129.63 for degreasing operations. The emergency generator and water pump are both subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Existing Emergency CI RICE and Existing Emergency SI RICE at an Area Source of HAP. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

33-00139: Owens-Brockway Glass Container, Inc., (Two O-I Plaza, One Michael Owens Way, Perrysburg, OH 43551). The Department intends to renew a State Only Operating Permit for the machine repair plant # 76 located at 4189 Route 219, Brockport, in Snyder Township, **Jefferson County**. The primary sources at the facility are 13 natural gas fueled space heaters, machining operations, and 2 parts washers. Potential Emissions for the site are less than the Title V thresholds. The facility is a Natural Minor. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00343: Woodcraft Industries, Inc., (62 Grant Road, Greenville, PA 16125). The Department intends to renew a State Only Operating Permit for the wood component production facility located in Pymatuning Township, **Mercer County**. The primary sources at the facility are a 14.33 million Btu/hr wood boiler, natural gas fueled space heaters, wood dryer, wood kilns, and rough mill operations. Potential Emissions for the facility are as follows: 30.668 tpy PM₁₀; 0.105 tpy PM_{2.5}; 1.574 tpy SO_x; 32.070 tpy NO_x; 5.410 tpy VPC; and 38.739 tpy CO. The facility is a Natural Minor. The boiler is subject to 40 CFR Part 60 Subpart Dc, the NSPS for Small ICI Steam Generating Units, and 40 CFR Part 63 Subpart JJJJJ, the NESHAP for Area Source Boilers. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Envi-

ronmental Protection (DEP) has received and intends to issue a Plan Approval to Roundtop Energy LLC (North Shore Place I, 358 North Shore Drive, Suite 201, Pittsburgh, PA 15212) for their facility located in Auburn Twp., Susquehanna County. This Plan Approval No. 58-00013B will be incorporated into a Natural Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-00013B is for a like-kind replacement of one of their existing engines at the electric generating plant. The replacement natural gas fired engine will have oxidation catalyst and SCR technology. The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NO_x emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. Total PM, SO_x, and CO emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum. The Plan approval and Operating Permit will include testing, monitoring, record keeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

The facility is subject to NSPS Subpart JJJJ, MACT Subpart ZZZZ and 25 Pa. Code § 127.12(a)(5) Best Available Technology (BAT) requirements. The visible emission opacity shall not be equal to or greater than 20 % at any time. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions.

Emissions from the engine will meet BAT, MACT ZZZZ & NSPS Subpart JJJJ requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 58-00013B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, EEM, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

56851303 and NPDES No. PA0215350. RoxCOAL, Inc., (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To revise the permit for the Barbara No. 1 & No. 2 Mines in Brothersvalley and Stonycreek Townships, **Somerset County** and related NPDES permit to install a waterline and relocate NPDES outfall 003 to new NPDES outfall 007. Surface Acres Proposed 4.1. Receiving Streams: Unnamed Tributary to Buffalo Creek, classified for the following use: CWF. The application was consid-

ered administratively complete on January 2, 2019. Application received: May 3, 2018.

17131301 and NPDES No. PA0235504. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Horning Run Passive Treatment in Huston Township, **Clearfield County** and related NPDES permit. No additional discharge. The application was considered administratively complete on January 3, 2019. Application received: May 14, 2018.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56180101 and NPDES No. PA0269492, PBS Coals, Inc., P.O. Box 260, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface & auger mine to add an NPDES point to allow the construction of additional treatment ponds for the Schrock Run Mine in Stonycreek Township, **Somerset County**, affecting 348.3 acres. Receiving streams: Schrock Run and unnamed tributary # 2 to Glades Creek classified for the following uses: cold water fishes & warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: December 14, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17020112 and NPDES PA0243337. Junior Coal Contracting, Inc. (2330 Six Mile Road, Philipsburg, PA 16866). Permit renewal for continued operation and restoration of a bituminous surface coal and auger mine located in Decatur Township, **Clearfield County** affecting 228.0 acres. Receiving stream(s): Big Run, Shimel Run, and Unnamed Tributary to Moshannon Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 18, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

03060103 and NPDES Permit No. PA0250911. Bedrock Mines, LP (111 Freeport Road, Pittsburgh, PA 15215). Renewal application for reclamation only to an existing bituminous surface mine, located in Burrell Township, **Armstrong County**, affecting 75.3 acres. Receiving streams: unnamed tributaries to Crooked Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: December 31, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 54190201. Rausch Creek Fuel, LLC, (978 Gap Street, Valley View, PA 17893), commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Hegins Township, **Schuylkill County** affecting 34.22 acres, receiving streams: West Branch Rausch Creek and East Branch Rausch Creek, classified for the following use: cold water fishes. Application received: November 21, 2018.

Permit No. 54190202. Rausch Creek Fuel, LLC, (978 Gap Street, Valley View, PA 17893), commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Tremont Township, **Schuylkill County** affecting 15.8 acres, receiving stream: Lorberrry Creek, classified for the following uses: cold water and migratory fishes. Application received: November 21, 2018.

Permit No. 13980201R4. Rossi Excavating Company, (10 Centtown Road, Beaver Meadows, PA 18216), renewal of an existing anthracite coal refuse reprocessing operation in Banks Township, **Carbon County** affecting 18.0 acres, receiving stream: Beaver Creek, classified for the following uses: cold water and migratory fishes. Application received: November 26, 2018.

Permit No. 13990201R4. Rossi Excavating Company, (10 Centtown Road, Beaver Meadows, PA 18216), renewal of an existing anthracite coal refuse reprocessing operation in Banks Township, **Carbon County** affecting 493.0 acres, receiving stream: Beaver Creek, classified for

the following uses: cold water and migratory fishes. Application received: November 26, 2018.

Permit No. 54830105R7. Joe Kuperavage Coal Company, (916 Park Avenue, Port Carbon, PA 17965), renewal of an existing anthracite surface mine operation in Schuylkill Township, **Schuylkill County** affecting 412.6 acres, receiving stream: Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: November 26, 2018.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

14120302 and NPDES PA0118001. Graymont (PA) Inc. (375 Graymont Road, Bellefonte, PA 16823). Renewal for an existing NPDES on a large noncoal surface mining site located in Spring Township, **Centre County** affecting 67.3 acres. Receiving stream(s): Logan Branch classified for the following use(s): CWF, MF. Application received: December 20, 2018.

1479401 and NPDES PA0118001. Graymont (PA) Inc. (375 Graymont Road, Bellefonte, PA 16823). Renewal for an existing NPDES on a large noncoal surface mining site located in Spring Township, **Centre County** affecting 257.8 acres. Receiving stream(s): Logan Branch classified for the following use(s): CWF, MF. Application received: December 20, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 66880301C6 and NPDES No. PA0594229. H & K Group, Inc., (P.O. Box 196, Skippack, PA 19474), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Falls Township, **Wyoming County** affecting 94.6 acres, receiving stream: Buttermilk Creek, classified for the following use: cold water fishes. Application received: December 24, 2018.

Permit No. 06820601C8 and NPDES No. PA0612791. Allan Myers, L.P. d/b/a Allan Myers Materials PA, Inc., (638 Lancaster Avenue, Malvern, PA 19355), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in New Morgan Borough, **Berks County** affecting 97.6 acres, receiving stream: Conestoga River, classified for the following uses: warm water and migratory fishes. Application received: December 24, 2018.

Permit No. 13930301C7 and NPDES No. PA0595829. H & K Group, Inc., (P.O. Box 196, Skippack, PA 19474), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Penn Forest Township, **Carbon County** affecting 14.9 acres, receiving stream: Stony Creek, classified for the following use: exceptional value waters. Application received: December 26, 2018.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0214752 (Mining Permit No. 30743705), Dana Mining Company of Pennsylvania, LLC, (966 Crafts Run Road, Maidsville, WV 26541). A revision and renewal to the NPDES and mining activity permit for the Mundell Hollow Refuse Disposal Area in Dunkard Township, **Greene County**. Outfalls 003—005 are being deleted from the NPDES permit because they are not being constructed. Surface Acres Affected 107. Receiving stream: Unknown Tributary 41430 to Mundell Hollow, classified for the following use: WWF. Dunkard Creek Watershed TMDL. The application was considered administratively complete on May 2, 2012. Application received: April 22, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for coal mining activities.

Outfall 001 discharges to: Unnamed Tributary 41430 to Mundell Hollow

The proposed effluent limits for Outfall 001 (Lat: 39° 46' 24" Long: 79° 58' 46") are:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.86	3.71	4.65
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.28	2.55	3.2
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-

Outfall 002 discharges to: Unnamed Tributary 41430 to Mundell Hollow

The proposed effluent limits for Outfall 002 (Lat: 39° 46' 18" Long: -79° 58' 46") are:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.86	3.71	4.65
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.28	2.55	3.2
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-

The EPA Waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0597341, Mining Permit No. 11850107, Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, renewal of an NPDES permit for bituminous coal surface mining in Portage Township, **Cambria County**, affecting 85.7 acres. Receiving streams: unnamed tributaries to/and Spring Run and Trout Run, classified for the following use: cold water fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: August 1, 2018.

The following treated waste water outfall discharges to unnamed tributary to Spring Run:

Outfall Nos.	New Outfall (Y/N)
001	N

The proposed effluent limits for the previously listed outfall is as follows:

Outfalls: (All Weather Conditions) Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

The following stormwater outfalls discharge to unnamed tributary to Spring Run and Trout Run:

Outfall Nos.	New Outfall (Y/N)
002	N
003	N
004	N
005	N

Outfalls: (All Weather Conditions) Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75

<i>Outfalls: (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES PA0269883 (Government Financed Construction Contract (GFCC) No. 17-18-01), Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, new NPDES permit for reclaiming abandoned mine land in Pike Township, **Clearfield County** affecting 16.8 acres. Receiving stream(s): Unnamed Tributary to the West Branch Susquehanna River classified for the following use(s): CWF. West Branch Susquehanna River Watershed TMDL. Application received: December 20, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for coal mining activities.

The following outfall discharges to Unnamed Tributary to the West Branch Susquehanna River:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Location</i>
001	Y	TB01

The proposed effluent limits for the previously listed outfalls is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.5
Manganese (mg/l)		2.0	4.0	5.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

NPDES No. PA0601047 (Mining Permit No. 65840119), Derry Stone & Lime Co., Inc., NPDES permit renewal/revision for continued mining at a surface coal mine in Derry Township, **Westmoreland County** affecting 643.7 acres. The permit revision is to allow mining through and south of Ankney Road (T889). Receiving stream(s): UNTs to Stony Run and McGee Run classified for the following use: CWF (UNTs to Stony Run and McGee Run, Stony Run); TSF (McGee Run). Application received: August 16, 2017.

The following treated wastewater outfall discharges to UNT to Stony Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
022	Y	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfall is as follows:

<i>Outfalls: 022 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (mOsm/kg)	50	50	50
Sulfates (mg/l)		Monitor & Report	
Total Cyanide (mg/l)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following stormwater outfalls discharge to UNTs to McGee Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Stormwater Outfall
019	N	Stormwater Outfall
020	N	Stormwater Outfall

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 019, 020 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90

<i>Outfalls: 001, 019, 020</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Osmotic Pressure (mOsm/kg)	50	50	50
Sulfates (mg/l)		Monitor & Report	
Total Cyanide (mg/l)		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The following stormwater outfalls discharge to UNTs to Stony Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
015	N	Stormwater Outfall
016	N	Stormwater Outfall
021	Y	Stormwater Outfall

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 015, 016, 021</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (mOsm/kg)	50	50	50
Sulfates (mg/l)		Monitor & Report	
Total Cyanide (mg/l)		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E46-1173. Philadelphia Country Club, 1601 Spring Mill Road, Gladwyne, PA 19035, Lower Merion Township, **Montgomery County**, ACOE Philadelphia District.

To construct, expand, and maintain the existing irrigation Ponds in and along Saw Mill Run at two locations for a total of 0.515 acre, and also to construct and expand Fairway 5 Pond Area by 0.108 acre.

The site is located at the Philadelphia Country Club at 1601 Spring Mill Road.

(Norristown, PA USGS map; Lat: 40.060316; Long: -75.290986).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40022-817. Joel and Sally Freed, 644 West Timber Branch Parkway, Alexandria, VA 22302, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To remove an existing dock and to construct and maintain a 550 sq. ft., pile-supported dock within the basin of Harveys Lake (HQ-CWF). The project is located at Pole # 270 along Lakeside Drive (S.R. 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 11"; Longitude: -76° 2' 37") in Harveys Lake Borough, Luzerne County. (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 11"; Longitude: -76° 2' 37").

E58021-325. Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Brooklyn Twp, **Susquehanna County**, Army Corps of Engineers, Baltimore District.

To remove the existing structure and to construct and maintain a road crossing of Hop Bottom Creek (CWF, MF) consisting of a pre-cast concrete arch having a span of 28-foot and an underclearance of 6-foot.

The project is located at S.R. 2055, Section 18F, Segment 0080, Offset 3618 (Montrose East, PA Quadrangle Latitude: 41° 47' 36.5"; Longitude: -75° 47' 58.8"), in Brooklyn Township, Susquehanna County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E01-327: PennDOT Engineering District 8-0, 2140 Herr St., Harrisburg, PA 17103 in Latimore and Huntington Townships, **Adams County**, U.S. Army Corps of Engineers Baltimore District.

To (1) place 48 sq. ft of fill within wetlands (PEM), (2) impact 551 sq. feet of wetlands (PEM) and, (3) install 2 outfalls to UNT Gardner Run (WWF, MF) impacting 45 linear feet of stream channel and 4,165 sq. feet of floodway for the purpose of improving roadway safety along SR 0015 in Latimore and Huntington Townships, Adams County (40.0708°, -77.0575). The project is associated with E67-946.

E67-946: PennDOT Engineering District 8-0, 2140 Herr St., Harrisburg, PA 17103 in Franklin and Carroll Townships, **York County**, U.S. Army Corps of Engineers Baltimore District.

To (1) extend an existing 42-inch diameter culvert 14 linear feet in UNT N. Branch Bermudian Creek (WWF, MF) and create 17 linear feet of stream channel upstream, (2) temporarily impact 2 linear feet of UNT N. Branch Bermudian Creek (WWF, MF) and (3) extend an existing 54-inch diameter culvert 13 linear feet in UNT Dogwood Run (CWF, MF) for the purpose of improving roadway safety along SR 0015 in Franklin and Carroll Townships, York County (40.0708°, -77.0575).

The project will permanently impact 33 linear feet of UNT N. Branch Bermudian Creek (WWF, MF) and permanently impact 26 linear feet and temporarily impact 20 linear feet of UNT Dogwood Run (CWF, MF). The project is associated with E01-327.

Southwest Region: Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E02-1799, PennDOT District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017, South Fayette Township, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

Remove the existing 55' wide reinforced concrete slab bridge with a minimum underclearance of 2'-2" carrying SR 3005 over an unnamed tributary to Chartiers Creek (WWF) with a drainage area of 0.78 square mile; construct and maintain a replacement 60' long 14' by 4' precast concrete box culvert on a new alignment. Place and maintain fill in 266' of this same UNT to Chartiers Creek and construct and maintain a 236' long relocated replacement channel. In addition, place and maintain fill in 0.097 acre of PEM wetland, construct and maintain roadway associated stormwater facilities, and temporarily impact 0.029 acre of PEM wetland for the purpose of

constructing these encroachments. Stream mitigation will occur onsite. Permanent wetland impacts will be mitigated through the purchase of mitigation credits from the Robinson Fork Mitigation Bank (DEP File No MB990563-003). The project site is located at the intersection of SR 3005 (Mayview Road) and SR 3006 (Boyce Road) (Bridgeville, PA USGS topographic quadrangle; N: 40°, 19', 8.99"; W: -80°, 7', 5.17"; Sub-basin 20F; USACE Pittsburgh District), in South Fayette Township, Allegheny County.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E5829-140: Auburn and Springville Townships, Williams Field Services Company, LLC; 400 IST Center, Suite 404, Horseheads, NY, 14845; Auburn and Springville Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary timber mat crossing impacting 302 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Springville, PA Quadrangle; Latitude: 41° 39' 26", Longitude: -75° 56' 51"),

2) a temporary timber mat crossing impacting 503 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Springville, PA Quadrangle; Latitude: 41° 39' 37", Longitude: -75° 57' 01"),

3) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 2,216 square feet (0.05 acre) of a palustrine emergent wetland (PEM) and 1,498 square feet (0.03 acre) of palustrine forested wetland (PFO) (Springville, PA Quadrangle; Latitude: 41° 39' 41", Longitude: -75° 57' 03"),

4) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 109 linear feet of an unnamed tributary to West Branch Meshoppen Creek (CWF, MF) (Springville, PA Quadrangle; Latitude: 41° 40' 03", Longitude: -75° 57' 12"),

5) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 147 linear feet of West Branch Meshoppen Creek (CWF, MF) (Springville, PA Quadrangle; Latitude: 41° 40' 24", Longitude: -75° 57' 22"),

6) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 7,103 square feet (0.16 acre) of a palustrine emergent wetland (PEM) and 1,992 square feet (0.05 acre) of palustrine scrub-shrub wetland (PSS) (Springville, PA Quadrangle; Latitude: 41° 40' 24", Longitude: -75° 57' 23"),

7) a temporary timber mat crossing impacting 716 square feet (0.02 acre) of a palustrine emergent wetland (PEM) and 944 square feet (0.02 acre) of palustrine forested wetland (PFO) (Springville, PA Quadrangle; Latitude: 41° 40' 27", Longitude: -75° 57' 34"),

8) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 273 square feet (0.01 acre) of a palustrine emergent wetland (PEM) and 3,842 square feet (0.09 acre) of palustrine forested wetland (PFO) (Springville, PA Quadrangle; Latitude: 41° 40' 26", Longitude: -75° 58' 17"),

9) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 123 linear feet of an unnamed tributary to West Branch Meshoppen Creek (CWF, MF) (Springville, PA Quadrangle; Latitude: 41° 40' 26", Longitude: -75° 58' 17").

The natural gas gathering pipeline project consists of constructing approximately 12,596 lineal feet of 12-inch steel natural gas pipeline located in Auburn and Springville Townships, Susquehanna County. The project will result in 379 lineal feet of stream impacts, 10,308 square feet (0.24 acre) of palustrine emergent wetland, 1,992 square feet (0.05 acre) of palustrine scrub-shrub wetland, and 6,011 square feet (0.14 acre) of palustrine forested wetland impacts to provide safe reliable conveyance of Marcellus Shale natural gas to market.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

EA36-053: Manheim Township, 1840 Municipal Drive, Lancaster, PA 17601 in Manheim Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To regrade approximately 1,336 feet of Landis Run (WWF, MF) including the construction of floodplain benches on both sides of the watercourse for the purpose of reducing sediment and nutrient loading to the stream. The project is located near the intersection of Butler Road and Heatherstone Way (Latitude: 40° 04' 50" N; Longitude: 76° 16' 17" W) in Manheim Township, Lancaster County. No wetlands will be impacted by this project.

EA36-054: Manheim Township, 1840 Municipal Drive, Lancaster, PA 17601 in Manheim Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To regrade approximately 1,567 feet of Bachman Run (TSF, MF), including the construction of floodplain benches on both sides of the watercourse, impacting 0.26 acre of palustrine emergent wetlands, all for the purpose of reducing sediment and nutrient loading to the stream.

The project is located approximately 0.20 mile south of the intersection of Petersburg Road and Fruitville Pike (Latitude: 40° 06' 05" N; Longitude: 76° 20' 01" W) in Manheim Township, Lancaster County. No wetland loss is proposed, and replacement is not required.

EA36-055: Manheim Township, 1840 Municipal Drive, Lancaster, PA 17601 in Manheim Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To regrade approximately 1,620 feet of Landis Run (WWF, MF) including the construction of floodplain benches on both sides of the watercourse, impacting 0.26 acre of palustrine scrub shrub wetlands and 0.13 acre of palustrine emergent wetlands, all for the purpose of reducing sediment and nutrient loading to the stream. The project is located approximately 0.19 mile southwest of the intersection of East Delp Road and Valleybrook Drive (Latitude: 40° 05' 18" N; Longitude: 76° 17' 23.62" W) in Manheim Township, Lancaster County. No wetland loss is proposed, and replacement is not required.

EA36-056: Columbia Borough, 308 Locust Street, Columbia, PA 17512 in Columbia Borough, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To 1.) construct and maintain floodplain benches along 750 feet of Shawnee Run (WWF, MF); and 2.) to install and maintain a 55.0-foot long by 4.2-foot wide wooden pedestrian bridge across Shawnee Run (WWF, MF) and its floodway, for the purposes of reducing sediment and nutrient loading and providing pedestrian access to walking trails on both sides of the stream. The project is located near the intersection of S. 5th Street and Mill Street (Latitude: 40° 01' 41" N; Longitude: 76° 29' 44" W) in Columbia Borough, Lancaster County. No wetlands will be impacted by this project.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0033472 (Sewage)	Camp Starlight 151 Starlight Lake Road Starlight, PA 18461	Wayne County Preston Township	Unnamed Tributary to Shehawken Creek (1-A)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0095524 (Sewage)	Tri-Community STP P.O. Box 86 Bolivar, PA 15923-0086	Indiana County West Wheatfield Township	Conemaugh River (18-D)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0271730, Sewage, SIC Code 8800, **Christopher Kovac**, 528 Dick Station Road, Irwin, PA 15642.

This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 4818404, Sewage, SIC Code 8211, **Bangor Area School District**, 123 Five Points Richmond Road, Bangor, PA 18013.

This proposed facility is located in Upper Mount Bethel Township, **Northampton County**.

Description of Proposed Action/Activity: This permit is for replacement of the existing 0.023 MGD Bangor Area School District wastewater treatment plant with a new package wastewater treatment plant. New process units include: flow equalization tanks, a blower system, aeration tanks with aerobic or oxic zones, a clarifier, a tertiary filter, ultraviolet (UV) radiation disinfection and a sludge holding tank. There are no proposed increases in hydraulic or organic capacities associated with this project and the existing outfall to an unnamed tributary to Jacoby Creek will remain unchanged. The proposed project is located at the District's existing wastewater treatment plant along Five Points Richmond Road, approximately 0.5 mile southeast of the intersection with S.R. 0512.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0605408, Sewerage, **Bear Creek Management Co.**, 1950 Old Gallows Road, Suite 600, Vienna, VA 22182-3970.

This proposed facility is located in Longswamp Township, **Berks County**.

Description of Proposed Action/Activity:

This Permit approves construction/operation of sewage facilities consisting of:

- Sewage Treatment Facilities: extended aeration, anoxic tanks, mixed media filtration, Ultraviolet disinfection;
- Land Application to spray field (Slow Rate Infiltration) at a maximum rate of 0.035 MGD as liquid effluent or as snow (and in accordance with attached Special Conditions); or alternatively, Reuse of treated effluent by snowmaking on ski

slopes during cold months using a freshwater to treated effluent ratio of 10:1 (and in accordance with attached Special Conditions) and with no treated effluent (not including surface runoff) being introduced into the existing freshwater ponds;

- Lined Impoundment holding treated effluent before land application or reuse;
- Groundwater Monitoring Wells around lined impoundment and spray field;
- In-Stream Monitoring of Swabia Creek (which has a HQ-CWF-Trout classification).

Planning Approval: A3-06939-120-3.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2718401, Sewage, **Christopher Kovac**, 528 Dick Station Road, Irwin, PA 15642.

This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Phillips, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD380004 Issued	M&G Realty, Inc. 2100 North George Street York, PA 17404	Lebanon	West Lebanon Township	Quitapahilla Creek (TSF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140016	The Standard at State College, LLC 315 Oconee Street Athens, GA 30601	Centre	State College Borough	UNT-Thompson Run HQ-CWF

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD110005	East Carroll Township 3350 Brick Road Carrolltown, PA 15722	Cambria County	East Carroll Township Patton Borough	Chest Creek (HQ-CWF); Little Chest Creek (CWF)
PAD630031	Guardian Storage Development of North Strabane, LLC 5879 Centre Avenue Pittsburgh, PA 15206	Washington County	North Strabane Township	UNT to Little Chartiers Creek (HQ-WWF)
PAD650011	Majestic Estates, LLC 2366 Golden Mile Highway Pittsburgh, PA 15239	Westmoreland County	Murrysville Municipality	UNT to Haymakers Run (HQ-CWF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)

PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC390068	Valerie L Barber 5291 High Vista Dr Orefield, PA 18069	Lehigh	Upper Saucon Twp	UNT to Saucon Creek (CWF, MF)
PAC390055	USA Home Corp DBA Lennar Corp 2465 Kuser Rd, Fl 3 Hamilton, NJ 08690	Lehigh	Upper Saucon Twp	UNT to Laurel Run (CWF, MF)
PAC390054	USA Home Corp DBA Lennar Corp 2465 Kuser Rd, Fl 3 Hamilton, NJ 08690	Lehigh	Upper Saucon Twp	UNT to Laurel Run (CWF, MF)
PAC390057	USA Home Corp DBA Lennar Corp 2465 Kuser Rd, Fl 3 Hamilton, NJ 08690	Lehigh	Upper Saucon Twp	UNT to Laurel Run (CWF, MF)
PAC390058	USA Home Corp DBA Lennar Corp 2465 Kuser Rd, Fl 3 Hamilton, NJ 08690	Lehigh	Upper Saucon Twp	UNT to Laurel Run (CWF, MF)

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC400060	Cornell Cookson Ryan Murphy 24 Elmwood Ave Mtn Top, PA 18707	Luzerne	Wright Twp	Watering Run (CWF, MF)
PAC400092	Leonard Crawford Electric LLC 313 Mooretown Rd Sweetvalley, PA 18656	Luzerne	Lehman Twp	Unt To Huntsville Creek (CWF, MF)

Schuylkill Conservation District, 1206 AG Center Drive, Pottsville, PA 17901-9733.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC540044	Glenn Weist N Schuylkill County High School 15 Academy Ln Ashland, PA 17921	Schuylkill	E Union Twp	UNT to Mahanoy Creek (CWF, MF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC540050	Kirk Farrelly Sheppton DG LLC 361 Summit Blvd Ste 110 Birmingham, AL 35243	Schuylkill	E Union Twp	Little Tomhicken Creek (CWF, MF)

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

*Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Tyrone Township Adams County Issued	PAC010080 Hillandale Gettysburg, LP 3910 Oxford Road Gettysburg, PA 17325	Tributary to Conewago Creek (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
Washington Township Berks County Issued	PAC060182 Mark Stinley 391 Weinsteiner Road Bechtelsville, PA 19505	Middle Creek (TSF, MF) Swamp Creek (TSF, MF) Perkiomen Creek (TSF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Hampden Township Cumberland County Issued	PAC210108 4814 Development Associates, Inc. 100 Crystal A Drive Hershey, PA 17033-9524	UNT Sears Run (WWF, MF) Pine Run (WWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
Mt. Holly Springs Borough Cumberland County Issued	PAD210023 Westgate Development, LLC 10 Hidden Meadow Drive Mechanicsburg, PA 17050	Yellow Breeches Creek (HQ-CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
Penn Township Cumberland County Issued	PAD210031 Edwin N. Reiff 2098 Pine Road Newville, PA 17241	Yellow Breeches Creek (HQ-CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
Susquehanna Township Dauphin County Issued	PAC220149 Triple Crown Corporation 5351 Jaycee Avenue Harrisburg, PA 17112	Paxton Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
South Hanover Township Dauphin County Issued	PAC220065 Aikon, LP 2524 Knob Hill Road York, PA 17403	UNT Swatara Creek (WWF) UNT Kellock Run (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Derry Township Dauphin County Issued	PAC220106	Milton Hershey School P.O. Box 830 Hershey, PA 17033-0830	UNT Spring Creek East (WWF) Spring Creek East (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Caernarvon Township Lancaster County Issued	PAC360324	Morgantown Developers LLC 1195 Route 70 Suite 200 Lakewood, NJ 08701	West Branch Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Penn Township Lancaster County Issued	PAC360348	Manheim Auto Auction 1190 Lancaster Road Manheim, PA 17545	Chiques Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Mount Joy Borough Lancaster County Issued	PAC360346	Messiah Family Services 100 Mount Allen Drive Mechanicsburg, PA 17055	UNT Donegal Creek (CWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
<i>Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Patton Twp Centre Cnty	PAC140065 Renewal	Liberty Lutheran Housing Development Corp d/b/a Village at Penn State 361 Presidents Drive State College, PA 16801	Big Hollow CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Patton Twp Centre Cnty	PAC140057	Charter Central LLC P.O. Box 430 Talbott, TN 37877	UNT-Big Hollow CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
College Twp Centre Cnty	PAC140063 Renewal	NPK Southridge Associates, LP 210 West Hamilton Ave State College, PA 16801	UNT-Slab Cabin Run CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Benner Twp Centre Cnty	PAC140064 Renewal	Fisherman's Paradise LLC 2121 Old Gatesburg Rd State College, PA 16801	UNT-Spring Creek CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Old Lycoming Twp Lycoming Cnty	PAC410028	Timothy Waltz 1264 Colvis Rd Williamsport, PA 17701	Thorn Brook WWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003

General Permit Type—PAG-03

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

Facility Location

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lenox Township Susquehanna County	PAG032251	S&A Stone Sawing, Inc. 4282 Whengreen Road Nicholson, PA 18446	Unnamed Tributary to East Branch Tunkhannock Creek—4-F	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511

*General Permit Type—PAG-08**Facility Location*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Vanport Township Beaver County	PAG086113	Vanport Township Municipality Authority 285 River Avenue Vanport, PA 15009	Vanport Water Pollution Control Plant Vanport Township Beaver County Pennsylvania	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-12**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
South Lebanon Township Lebanon County	PAG123879	Jeffrey H Zuck 135 Fox Road Lebanon, PA 17042	Watershed(s) 7-D	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4800
Lincoln Township Huntingdon County	PAG123880	Wason Farms LLC 2823 Farmhouse Lane Huntingdon, PA 16652	Watershed(s) 11-D	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4800

*General Permit Type—PAG-13**Facility Location*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Franklin Township Carbon County	PAG132281	Franklin Township 350 N Pine Street Summit Hill, PA 18250-1302	Pohopoco Creek and Lehigh River—TSF, CWF and MF	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
West Cornwall Township Lebanon	PAG133699	West Cornwall Township Lebanon County 73 S Zinns Mill Road Lebanon, PA 17042-9551	Snitz Creek and Unnamed Tributary to Snitz Creek/TSF and MF	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4800

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Dunbar Borough Fayette County	PAG136137	Dunbar Borough 47 Connellsville Street Dunbar, PA 15431-1536	Dunbar Creek 19-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Operations Permit No. 4618520 issued to: **Red Hill Authority**, P.O. Box 205, East Greenville, PA 18041, **PWS ID # 1460039**, Red Hill Borough, **Montgomery County** on December 31, 2018 for certification of 4-log treatment of viruses at Red Hill System Entry Points 101, 102, and 104 approved under construction permit # 44618520.

Operations Permit No. 1518528 issued to: **Upper Octorara Church**, 1121 Octorara Trail, Parkesburg, PA 19365, **PWS ID # 1150696**, Sadsbury Township, **Chester County** on January 4, 2019, for the operation of one (1) well, nitrate treatment, softener, pH adjustment, uv

disinfection, hydropneumatics tank, and distribution system approved under construction permit # 1518528.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 2640028, Operations Permit, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 1 Aqua Way White Haven, PA 18661
[Borough or Township]	Palmyra Township
County	Wayne
Type of Facility	PWS
Consulting Engineer	Douglas Berg, PE Entech Engineering, Inc. 8 Silk Mill Drive Suite 211 Hawley, PA 18428
Permit to Operate Issued	12/20/2018

Permit No. 4518517MA, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 W. Hersheypark Dr. Hershey, PA 17033
[Borough or Township]	Hamilton Township
County	Monroe
Type of Facility	PWS
Consulting Engineer	Scott Thomas, PE PAWC 852 Wesley Dr. Mechanicsburg, PA 17055
Permit to Construct Issued	December 19, 2018

Permit No. 3390090-E3, Operations Permit, Public Water Supply.

Applicant	MHC Green Acres LP Equity Lifestyle Properties 8785 Turkey Ridge Road Breinigsville, PA 18031-2042
[Borough or Township]	Upper Macungie Township
County	Lehigh
Type of Facility	PWS
Consulting Engineer	Mr John R Poff PE Light-Heigel & Associates Inc 430 E Main St Palmyra, PA 17078
Permit to Operate Issued	December 19, 2018

Permit No. 4818505MA, Public Water Supply.
 Applicant **Easton Suburban Water Authority**
 3700 Hartley Avenue
 P.O. Box 3819
 Easton, PA 18043-3819
 [Borough or Township] City of Easton
 County **Northampton**
 Type of Facility PWS
 Consulting Engineer Mr. Samuel F. Wood, PE
 Project Design Engineer
 Gannett Fleming, Inc.
 P.O. Box 67100
 Harrisburg, PA 17106-7100
 Permit to Construct Issued 12/26/2018

Permit No. 2520037, Operations Permit, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 1775 Main Street
 Honesdale, PA 18431
 [Borough or Township] Lackawaxen Twp.
 County **Pike**
 Type of Facility PWS
 Consulting Engineer Michael Bisignani, P.E.
 GHD Inc.
 320 E. Second St.
 Bloomsburg, PA 17815
 Permit to Operate Issued 12/26/2018

Permit No. 2400104, Operations Permit, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 1 Aqua Way
 White Haven, PA 18661
 [Borough or Township] Kingston Twp.
 County **Luzerne**
 Type of Facility PWS
 Consulting Engineer Michael Bisignani, PE
 GHD, Inc.
 320 E. Second St.
 Bloomsburg, PA 17815
 Permit to Operate Issued 12/26/2018

Permit No. 2660017, Operations Permit, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 1 Aqua Way
 White Haven, PA 18661
 [Borough or Township] Tunkhannock Twp.
 County **Wyoming**
 Type of Facility PWS
 Consulting Engineer Michael Bisignani, PE
 GHD, Inc.
 320 E. Second St.
 Bloomsburg, PA 17815
 Permit to Operate Issued 12/26/2018

Permit No. 2400108, Operations Permit, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 1 Aqua Way
 White Haven, PA 18661
 [Borough or Township] White Haven Borough
 County **Luzerne**
 Type of Facility PWS
 Consulting Engineer Michael Bisignani, PE
 GHD, Inc.
 320 E. Second St.
 Bloomsburg, PA 17815
 Permit to Operate Issued 12/26/2018

Permit No. 2400095, Operations Permit, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 1 Aqua Way
 White Haven, PA 18661
 [Borough or Township] Lehman Township
 County **Luzerne**
 Type of Facility PWS
 Consulting Engineer Michael Bisignani, PE
 GHD, Inc.
 320 E. Second St.
 Bloomsburg, PA 17815
 Permit to Operate Issued 12/26/2018

Permit No. 2450044, Public Water Supply.
 Applicant **Aqua PA, Inc.**
 1 Aqua Way
 White Haven, PA 18661
 [Township or Borough] Hamilton Township
Monroe County
 Responsible Official Patrick R. Burke, PE
 Aqua PA, Inc.
 204 E. Sunbury Street
 Shamokin, PA 17872
 Type of Facility PWS
 Consulting Engineer Michael Bisignani, PE
 GHD
 1240 North Mountain Road
 Harrisburg, PA 17112
 (814) 643-8260
 Permit Issued Date 12/13/2018

Permit No. 2400140, Public Water Supply.
 Applicant **Aqua PA, Inc.**
 1 Aqua Way
 White Haven, PA 18661
 [Township or Borough] Butler Township
Luzerne County
 Responsible Official Patrick R. Burke, PE
 Aqua PA, Inc.
 204 E. Sunbury Street
 Shamokin, PA 17872
 Type of Facility PWS

Consulting Engineer Michael Bisignani, PE
GHD
1240 North Mountain Road
Harrisburg, PA 17112
(814) 643-8260

Permit Issued Date 12/13/2018

Permit No. 2359008, Public Water Supply.

Applicant **PA American Water Company**
(Lake Scranton Bellefonte Tank)
800 W. Hershey Park Drive
Hershey, PA 17033

[Township or Borough] Scranton City
Lackawanna County

Responsible Official Mr. David Kaufman
Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Bruce Brubaker, PE
PA American Water Company
852 Wesley Drive
Mechanicsburg, PA 17055

Permit Issued 11/16/2018

Permit No. 2450034, Public Water Supply.

Applicant **Brodhead Creek Regional Authority**
410 Mill Creek Road
East Stroudsburg, PA 18301

[Township or Borough] Stroud Township
Monroe County

Responsible Official David Horton
410 Mill Creek Road
East Stroudsburg, PA 18301

Type of Facility PWS

Consulting Engineer Chris A. Borger, PE
Brodhead Creek Regional Authority
410 Mill Creek Road
East Stroudsburg, PA 18301

Operation Permit Issued Date 12/07/2018

Permit No. 3918505MA, Public Water Supply.

Applicant **Aqua PA, Inc.**
1 Aqua Way
White Haven, PA 18661

[Township or Borough] South Whitehall Township
Lehigh County

Responsible Official Patrick R. Burke, PE
Aqua PA, Inc.
204 E. Sunbury Street
Shamokin, PA 17872

Type of Facility PWS

Consulting Engineer Benjamin Segal, PE
GHD
1240 North Mountain Road
Harrisburg, PA 17112
(814) 643-8260

Permit Issued Date 12/10/2018

Permit No. 3518507MA, Public Water Supply.
Applicant **PA American Water**
(PEI Tank)

800 W. Hershey Park Drive
Hershey, PA 17033

[Township or Borough] Archbald Borough
Lackawanna County

Responsible Official Mr. David Kaufman
Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Bruce Brubaker, PE
PA American Water Company
2699 Stafford Avenue
Scranton, PA 18505

Permit Issued 12/20/2018

Permit No. 3540070, Public Water Supply.

Applicant **Aqua PA, Inc.**
1 Aqua Way
White Haven, PA 18661

[Township or Borough] Hazle Township
Luzerne County

Responsible Official Patrick R. Burke, PE
Aqua PA, Inc.
204 E. Sunbury Street
Shamokin, PA 17872

Type of Facility PWS

Consulting Engineer Michael Bisignani, PE
GHD
1240 North Mountain Road
Harrisburg, PA 17112
(814) 643-8260

Permit Issued Date 12/13/2018

Permit No. 2580012, Public Water Supply.

Applicant **Aqua PA, Inc.**
1 Aqua Way
White Haven, PA 18661

[Township or Borough] Hop Bottom Borough
Susquehanna County

Responsible Official Patrick R. Burke, PE
Aqua PA, Inc.
204 E. Sunbury Street
Shamokin, PA 17872

Type of Facility PWS

Consulting Engineer Michael Bisignani, PE
GHD
1240 North Mountain Road
Harrisburg, PA 17112
(814) 643-8260

Permit Issued Date 12/13/2018

Permit No. 3918504, PWS Major Amendment.

Applicant **Lehigh County Authority**
P.O. Box 3348
Allentown, PA 18106-3348

Township or Borough Upper Milford Township
Lehigh County

Responsible Official Charles Volk
Lehigh County Authority
1053 Spruce Street
P.O. Box 3348
Allentown, PA 18106-3348

Type of Facility Public Water Supply
 Consulting Engineer Edward J. Diamond, P.E.
 Buchart Horn
 2 Eves Drive
 Suite 110
 Marlton, NJ 08503

Issued Date December 18, 2018

Permit No. 3518506MA, Public Water Supply.

Applicant **PA American Water**
 (Morgan Manor Tank)
 800 W. Hershey Park Drive
 Hershey, PA 17033

[Township or Borough] Scranton City
Lackawanna County

Responsible Official Mr. David Kaufman
 Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Bruce Brubaker, PE
 PA American Water Company
 2699 Stafford Avenue
 Scranton, PA 18505

Permit Issued 12/21/2018

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Operation Permit No. 0614501 issued to: **Blue Mountain Academy (PWS ID No. 3060807)**, Tilden Township, **Berks County** on 12/31/2018 for facilities approved under Construction Permit No. 0614501.

Operation Permit No. 0616512 issued to: **Reading Area Water Authority (PWS ID No. 3060059)**, Ontelaunee Township, **Berks County** on 12/31/2018 for facilities approved under Construction Permit No. 0616512.

Operation Permit No. 0616515 issued to: **Reading Area Water Authority (PWS ID No. 3060059)**, Reading, **Berks County** on 12/31/2018 for facilities approved under Construction Permit No. 0616515.

Operation Permit No. 2216511 MA issued to: **Lykens Borough Authority (PWS ID No. 7220022)**, Jackson Township, **Dauphin County** on 1/4/2019 for facilities approved under Construction Permit No. 2216511 MA.

Operation Permit No. 0617519 MA issued to: **First Energy Corporation (PWS ID No. 3061076)**, Bethel Township, **Berks County** on 12/31/2018 for facilities at Met-Ed Bethel Warehouse approved under Construction Permit No. 0617519 MA.

Operation Permit No. 6718501 issued to: **The York Water Company (PWS ID No. 7670100)**, East Manchester Township, **York County** on 1/7/2019 for facilities at Starview Booster Station approved under Construction Permit No. 6718501.

Operation Permit No. 2118510 issued to: **Pennsylvania American Water (PWS ID No. 7210029)**, Silver Spring Township, **Cumberland County** on 12/31/2018 for facilities submitted under Application No. 2118510.

Operation Permit No. 2118511 MA issued to: **SUEZ Water Pennsylvania, Inc (PWS ID No. 7210054)**, Upper Allen Township, **Cumberland County** on 12/27/2018 for facilities submitted under Application No. 2118511 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 5518503MA—Construction—Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.—Monroe Manor**

Township/Borough Monroe Township

County **Snyder County**

Responsible Official Mr. Patrick R. Burke
 Director of Operations
 Aqua Pennsylvania, Inc.
 204 E. Sunbury Street
 Shamokin, PA 17872

Type of Facility Public Water Supply—Construction

Consulting Engineer Mr. Jonathan Morris
 GHD, Inc.
 326 East Second Street
 Bloomsburg, PA 17815

Permit Issued January 7, 2019

Description of Action Authorizes Aqua Pennsylvania, Inc. to connect the Well No. 4 pitless adapter to new 3-inch diameter DI-yard piping configured to enter the first floor of Well Station No. 4, where new 3-inch DI piping, new 3-inch, double-check-valve-backflow preventer, new 3-inch water meter, existing chemical feed, and new pressure gauge with transmitter are to be installed on pipe supports on the first floor of Well No. 4 Station.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 3217515-A1, Public Water Supply.

Applicant **Indiana County Municipal Services Authority**
 602 Kolter Drive
 Indiana, PA 15701

[Borough or Township] Young Township

County Indiana

Type of Facility Grove Chapel water storage tank

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
 1004 Ligonier Street
 P.O. Box 853
 Latrobe, PA 15650

Permit to Construct/Operate Issued December 28, 2018

Operations Permit issued to: **Pittsburgh Water & Sewer Authority**, 1200 Penn Avenue, Pittsburgh, PA 15222, (PWSID # 5020038) City of Pittsburgh, **Allegheny County** on December 21, 2018 for the operation of facilities approved under Construction Permit # 0216544-A1.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672 (**PWSID # 5650032**) Bell Township, **Westmoreland County** on January 3, 2019 for the operation of facilities approved under Construction Permit # 6518518MA.

Operations Permit issued to: **Highridge Water Authority**, 17 Maple Avenue, Blairsville, PA 15717 (**PWSID # 5650069**) Burrell Township, **Indiana County** on December 21, 2018 for the operation of facilities approved under Construction Permit # 6516501MA-1.

Operations Permit issued to: **Highridge Water Authority**, 17 Maple Avenue, Blairsville, PA 15717 (**PWSID # 5650069**) Burrell Township, **Indiana County** on December 21, 2018 for the operation of facilities approved under Construction Permit # 6516501MA-2.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701 (**PWSID # 5320109**) Armstrong Township, **Indiana County** on December 30, 2018 for the operation of facilities approved under Construction Permit # 3217514-A1.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701 (**PWSID # 5320109**) Washington Township, **Indiana County** on January 7, 2019 for the operation of facilities approved under Construction Permit # 3218504MA.

Permit No. 3018517MA, Minor Amendment. Public Water Supply.

Applicant	Southwestern Pennsylvania Water Authority P.O. Box 187 1442 Jefferson Road Jefferson, PA 15344
[Borough or Township]	Wayne Township
County	Greene
Type of Facility	Yeager Road waterline project
Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road Suite 200 Cheswick, PA 15024
Permit to Construct Issued	December 21, 2018

Permit No. 0418520MA, Minor Amendment. Public Water Supply.

Applicant	Ambridge Water Authority P.O. Box 257 600 Eleventh Street Ambridge, PA 15003
[Borough or Township]	Ambridge Borough
County	Beaver
Type of Facility	Water system
Consulting Engineer	NIRA Consulting Engineers, Inc. 950 Fifth Avenue Coraopolis, PA 15108
Permit to Operate Issued	December 31, 2108

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WA-46-1006, Water Allocations. **Pennsylvania American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17035, Whitpain Township, **Montgomery County**. Granting the right to purchase 520,000 gallons per day of water, based on a 30-day average, from North Wales Water Authority in Montgomery County.

WA-46-1007, Water Allocations. **Pennsylvania American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17035, Whitpain Township, **Montgomery County**. Granting the right to purchase 92,000 gallons per day of water, based on a 30-day average, from Aqua Pennsylvania, Inc., Montgomery County.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

WA 60-1003A, Water Allocations. **West Buffalo Township Municipal Authority**, P.O. Box 237, Mifflinburg, PA 17844, West Buffalo Township, **Union County**. Subsidiary Water Allocation Permit.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Butler Township	2379 Table Rock Road Biglerville, PA 17307	Adams

Plan Description: Approval is granted for an update to the Official Plan of Butler Township, Adams County. The project is known as the Act 537 Plan for Butler Township, Adams County (DEP Code No. A1-01909-ACT). The plan provides for the adoption and implementation of an on-lot sewage disposal system (OLDS) management program with a three-year septic tank inspection and pumping schedule for all systems within Butler Township to begin in 2019. The Plan also provides for a reevaluation of planning needs in the Yellow Hill and Guernsey Road areas of the township within six years of this Act 537 Plan approval. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority, as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Hopewell Township	P.O. Box 429 3336 Bridgeview Road Stewartstown, PA 17363	York

Plan Description: Approval of a revision to the official plan of Hopewell Township, York County. The project is known as Mayberry at Stewartstown. The plan provides for a 136-lot single-family residential subdivision on 142.81 acres with 132 building lots, two open space lots, one lot for a proposed pump station and a residual tract. Total estimated sewage flows are 30,360 gpd, and they will be tributary to the Stewartstown Borough Authority collection and conveyance system and wastewater treatment plant. The proposed development is located on the west side of Barrons Road North and north of Cedar Lane in Hopewell Township, York County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-67930-228-3 and the APS ID Number is 981759. Any permits must be obtained in the name of the Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Interstate 80 at MM 215.5W, Milton, East Chillisquaque Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Point 2 Point Express, 11538 Timber Edge Place, Strongsville, OH 44136, has submitted a Final report concerning remediation of site soil contaminated with diesel fuel, motor oil and antifreeze. The report is intended to document remediation of the site to meet the Statewide Health Standard for Non-Residential use.

Palmer Station Facility, 446 Palmer Road, Lawrenceville, Farmington Township, **Tioga County**. GEI Consultants, Inc., 18000 Horizon Way, Suite 200, Mt. Laurel, NJ 08054, on behalf of UGI Utilities, Inc., 2525 North 12th Street, Suite 360, Reading, PA 19612, has submitted a Final Report concerning remediation of site soil contaminated with benzene, ethylbenzene, total xylenes, 1,1,2-trichloroethane and arsenic. The report is intended to document remediation of the site to meet the Statewide Health Standard for Non-Residential use.

Repsol Oil & Gas USA, LLC, Blake Road, Blossburg, Covington Township, **Tioga County**. Golder Associates, Inc., 209 North Main Street, Suite 3, Horseheads, NY 14845, on behalf of Repsol Oil & Gas USA, LLC, 37 Daniel Zenker Drive, Horseheads, NY 14845, has submitted a Final Report concerning remediation of site soil contaminated with gear oil. The report is intended to document remediation of the site to meet the Statewide Health Standard for Residential use.

EQT Phoenix Pad C Methanol Release, 782 Antrim Road, Wellsboro, Duncan Township, **Tioga County**. Groundwater Sciences Corporation, 2601 Market Place, Suite 310, Harrisburg, PA 17110, on behalf of EQT Production Company, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222, has submitted a final report concerning remediation of site soil contaminated with methanol. The report is intended to document remediation of site to meet the Statewide Health Standard for soil.

State Route 15 Southbound, Allenwood, Gregg Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Fought's Disposal Service, Inc., 2705 Snyder Avenue, Bloomsburg, PA 17815, has submitted a Final report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediate of the site to meet the Statewide Health Standard for Non-Residential use.

Weis Markets, 238 Chestnut Street, Mifflinburg Borough, **Union County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Weis Markets, 1000 South Second Street, Sunbury, PA 17801, has submitted a Cleanup Plan/Final Report concerning remediation of site soil and groundwater contaminated with leaded and unleaded gasoline. The reports are intended to document remediation of the site to meet the Non-Residential Statewide Health Standard for soil and the Site-Specific Standard for groundwater.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Saint Martin of Tours Church, State Routes 92 and 492, Jackson Township, **Susquehanna County**. Geological & Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of the Diocese of Scranton, 300 Wyoming Avenue, Scranton, PA 18503, submitted a Final Report concerning remediation of site soil contaminated with heating oil from an underground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on January 4, 2019.

Jainnini Property, 2555 Creek Road, Jackson Township, **Susquehanna County**, GeoLogic NY, P.O. Box 350, 37 Copeland Avenue, Homer, NY 13077, on behalf of Lindsey Oil Company, P.O. Box 277, New Milford, PA 18834, submitted a final report concerning remediation of

site soil contaminated with heating oil from an aboveground storage tank. The report was intended to document remediation of the site to meet Statewide Health Standards but was disapproved by the Department on January 2, 2019.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

SWN Production Company, LLC, Greenzweig Large Impoundment, 329 E. Cole Road, Wyalusing, PA 18853, Herrick Township, **Bradford County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, has submitted a Final Report concerning remediation of site soil contaminated with recycled water. The report demonstrated attainment of the Background and Statewide Health Standards and was approved by the Department on December 27, 2018.

Claudia BRA Pad, 13825 Route 187, Wyalusing, Terry Township, **Bradford County**. Leidos Inc, 6310 Allentown Blvd, Suite 110, Harrisburg, PA 17112, on behalf of Chesapeake Appalachia, LLC, 330 N. 2nd Street, 5th Floor, Harrisburg, PA 17101, has submitted a Final Report concerning remediation of site soil contaminated with inorganics. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 18, 2018.

Coldstream B Well Pad, 2323 Coldstream Road, Goshen Township, **Clearfield County**. Moody and Associates, Inc., 199 Johnson Road, Building 2, Suite 101, Houston, TX 15342 on behalf of Greylock Production, LLC, 500 Corporate Landing, Charleston, WV 25311, has submitted a Remedial Investigation Report and Risk Assessment Report concerning remediation of site soil and groundwater contaminated with brine-related constituents. The reports were approved by the Department on December 10, 2018.

Grassmid Transport Release, Interstate 80 at MM 172.2E, Lamar, Porter Township, **Clinton County**. Northridge Group, Inc, P.O. Box 231, Northumberland, PA 17857, on behalf of Grassmid Transport, 9525 Ransom Street, Zeeland, MI 49464, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on December 17, 2018.

Interstate 80 Eastbound at Mile Marker 190.4, Greene Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Bhullar & Virk Trucking, Inc., 3360 Shaw Avenue, Unit # 204, Fresno, CA 93722, has submitted a Final Report concerning site soil contaminated with diesel fuel, motor oil and antifreeze. The report demonstrated attainment of the Statewide Health Standard for residential use and was approved by the Department on January 2, 2019.

Furmano Foods Hydraulic Oil Cleanup, 1284 Brouse Road, Montgomery, Clinton Township, **Lycoming County**. Northridge Group, Inc, P.O. Box 231, Northumberland, PA 17857, on behalf of Furmano Foods, 770 Cannery Road, Northumberland, PA 17857, has submitted a Final Report concerning remediation of site soil contaminated with hydraulic oil. The report demonstrated attainment of the non-residential Statewide Health Standard and was approved by the Department on January 3, 2019.

Furmano Foods Hydraulic Oil Cleanup, State Route 405, Milton, West Chillisquaque Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Furmano Foods, 770 Cannery Road, Northumberland, PA 17857, has submitted a Final Report concerning remediation of site soil contaminated with hydraulic oil. The report demonstrated attainment of the non-residential Statewide Health Standard and was approved by the Department on January 7, 2018.

JKLM Headwaters Well Pad 142, 80 Longfellow Lane, Ulysses Township, **Potter County**. Penn Environmental & Remediation, 13180 Route 6, Mansfield, PA 16933, on behalf of JKLM Energy, LLC, 2200 Georgetowne Drive, Suite 500, Sewickley, PA 15143, has submitted a Final Report concerning remediation of site soil contaminated with inorganics. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 18, 2018.

Reese Hollow Well Pad 115, 783 Seneca Drive, Coudersport, Eulalia Township, **Potter County**. Penn Environmental & Remediation, 13180 Route 6, Mansfield, PA 16933, on behalf of JKLM Energy, LLC, 2200 Georgetowne Drive, Suite 500, Sewickley, PA 15143, has submitted a Final Report concerning remediation of site soil contaminated with inorganics. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 20, 2018.

JKLM Energy, LLC—Sweden Valley Well Pad 107, 498 Fairway Drive, Coudersport, Sweden Township, **Potter County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of JKLM Energy, LLC, 2200 Georgetowne Drive, Suite 500, Sewickley, PA 15143, has submitted a Final Report concerning soils contaminated with brine. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 26, 2018.

Greenlick Compressor Station, 1211 Shephard Road, Cross Fork, Stewardson Township, **Potter County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Dominion Energy Transmission, Inc., 40741 Consolidated Lane, Leesburg, VA 20175, has submitted a Final Report concerning remediation of site groundwater contaminated with PCBs and Petroleum Distillate. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 26, 2018.

Rockdale Marcellus, LLC, Lynn 719 Well Pad, 555 Decoursey Road, Liberty Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Rockdale Marcellus, LLC, 4600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Site Characterization and Final Report concerning remediation of site soil contaminated with produced water. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2018.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

World Resource Company, 170 Walnut Lane, Pottsville, PA 17901. License No. PA-AH 0883. Effective Dec 31, 2018.

Transwaste, Inc., 3 Barker Drive, Wallingford, CT 06492. License No. PA-AH 0674. Effective Dec 31, 2018.

Hazardous Waste Transporter License Reissued

Ferrick Construction Co., Inc., 811 Ivy Hill Road, Philadelphia, PA 19150. License No. PA-AH 0473. Effective Dec 31, 2018.

Transwaste, Inc., 3 Barker Drive, Wallingford, CT 06492. License No. PA-AH 0674. Effective Dec 31, 2018.

Empire Wrecking Co. of Reading, PA, 1420 Clarion Street, Reading, PA 19601. License No. PA-AH 0255. Effective Dec 31, 2018.

Environmental Coordination Services And Recycling, Inc., 3237 US Highway 19, Cochranton, PA 16314. License No. PA-AH 0757. Effective Jan 02, 2019.

Renewal Applications Received

Ferrick Construction Co., Inc., 811 Ivy Hill Road, Philadelphia, PA 19150. License No. PA-AH 0473. Effective Dec 31, 2018.

Transwaste, Inc., 3 Barker Drive, Wallingford, CT 06492. License No. PA-AH 0674. Effective Dec 31, 2018.

Empire Wrecking Co. of Reading, PA, 1420 Clarion Street, Reading, PA 19601. License No. PA-AH 0255. Effective Dec 31, 2018.

Environmental Coordination Services And Recycling, Inc., 3237 US Highway 19, Cochranton, PA 16314. License No. PA-AH 0757. Effective Dec 26, 2018.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

FECC, Inc., 3652 Old Winter Garden Rd, Orlando, FL 32805. License No. PA-HC 0278. Effective Dec 21, 2018.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Permit issued under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

PAD987266715. Safety Kleen Systems, Inc., 2600 North Central Expressway, Suite 400, Richardson, TX 75080. This permit application is for the 10-year permit renewal to continue operation of the solid waste permit No. PAD987266715 of the RCRA Part B Permit with minor modification for the Safety-Kleen Systems, Inc.'s Fairless Hills Service Center, a hazardous waste management facility, located at 1140 Greenhill Road in West Goshen Township, **Chester County**. The Permit was issued by the Southeast Regional Office on October 29, 2018.

Comments concerning the application should be directed to the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

MUNICIPAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southcentral Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

General Permit No. WMGM044SC002. Pequea Mobile Home Service, LLC, 360 Radcliff Road, Willow Street, PA 17584, located in Providence Township, **Lancaster County**. A minor permit modification was issued under General Permit WMGM044SC002 that approves the change of the permittee's name and ownership from Pequea Mobile Home Salvage, LLC, to Pequea Mobile Home Service, LLC. This permit modification was issued on January 4, 2019.

Persons interested in reviewing the general permit may contact John Oren, Permits Section Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

General Permit No. WMGR029NC002. Appalachian Drilling Services, Inc., 105 Industrial Park Road, Beech Creek, PA 16822, Beech Creek Township, **Clinton County**. General Permit Renewal for processing waste oil, spent antifreeze, used oil filters, waste oil/water mixtures and commercial fuel products at their residual waste transfer station facility. The permit was issued by Northcentral Regional Office on December 13, 2018.

Persons interested in reviewing the general permit may contact Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3740. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Permit(s) Renewed Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR029 Base. This permit authorizes the operation of transfer facilities for the processing of waste oil (including waste oil mixed with hazardous waste in accordance with 25 Pa. Code § 298.10(b)(2)(ii) or (iii), or fuels mixed in accordance with 25 Pa. Code § 298.10(d)(1)); commercial fuel products exempt from regulation as hazardous waste under 40 CFR 261.2, as incorporated by reference under 25 Pa. Code § 261a.1, and modified at 25 Pa. Code § 261a.2; used oil filters; spent antifreeze; or waste oil/water mixtures prior to beneficial use. The approved processing is limited to collection, bulking, storage, and passive oil/water separation. The permit was renewed by Central Office on December 13, 2018.

Persons or municipalities that propose to operate under the terms and conditions of this general permit after the date of permit renewal must obtain a "Determination of Applicability" ("DOA") from the appropriate Department Regional Office prior to commencing authorized activities under this general permit. A completed application on forms provided by the Department along with an application fee for a DOA must be submitted to the appropriate Department Regional Office (see the final page of the general permit for a list of regional offices).

Persons interested in obtaining a copy of the renewed general permit can download a copy at <http://www.dep.pa.gov/Business/Land/Waste/SolidWaste/Residual/Permitting/Pages/BeneficialUsePermits.aspx> or may contact Chris Solloway, Environmental Group Manager, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits renewed under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

Permit No. 400592, Lancaster County Solid Waste Management Authority Resource Recovery Facility, 1911 River Road, Bainbridge, PA 17502.

The permit for the Lancaster County Solid Waste Management Authority Resource Recovery Facility which expires on March 30, 2019, was renewed on January 7, 2019, and is extended until March 30, 2029, for Solid Waste Permit No. 400592, for the continued operation of the Resource Recovery Facility in accordance with Article V of the Solid Waste Management Act, 35 P.S. Sections 6018.101, et seq.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-67-03024: North Metal & Chemical Co. (609 East King Street, P.O. Box 1985, York, PA 17405) on December 31, 2018, for two existing natural gas-fired boilers, under GP1, at the facility located in the City of York, **York County**. The general permit authorization was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

GP3-32-00320B: Penn Run Quarry # 2 (456 Weston Road, Penn Run, PA 15765) on January 4, 2019, for the operation of portable nonmetallic mineral processing equipment at the Spruce Mine in Cherry Hill Township, **Indiana County**.

GP9-32-00320C: Penn Run Quarry # 2 (456 Weston Road, Penn Run, PA 15765) on January 4, 2019, for the operation of five (5) diesel-fired engines to power nonmetallic mineral processing equipment at the Spruce Mine in Cherry Hill Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

AG5-41-00005A: ARD Operating, LLC (33 West Third Street, Suite 300, Williamsport, PA 17701) on January 2, 2019, authorizing construction and operation

of new sources and continued operation of existing sources, those sources being: one (1) 1,380 bhp Caterpillar model G3516B LE four-stroke ultra-lean-burn natural-gas-fired compressor engine equipped with oxidation catalyst; one (1) 40 MMscf/day J.W. Williams dehydration unit equipped with a 1.15 MMBtu/hr natural-gas fired reboiler and flash tank, one (1) Capstone model C65 Microturbine generator, eight (8) Gas Production Units, four (4) Produced Fluids Tanks, two (2) 500-gallon engine oil tanks, one (1) 520-gallon engine coolant tank, one (1) 1,000-gallon produced fluids tank, one (1) 4,200-gallon dehydration unit produced fluids tank, all pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Elbow Pad B Compressor Station located in Cogan House Township, **Lycoming County**.

AG5-41-00006A: Pennsylvania General Energy Co., LLC (120 Market St., Warren, PA 16365) on December 19, 2018, for the continued operation of six (6) 1,775 bhp Caterpillar model # G3606 LE, natural gas-fired compressor engines, each equipped with a Powertherm catalytic oxidizer; four (4) 268.2 bhp Capstone # C200, natural gas-fired microturbines; one (1) 1.77 MMBtu/hr, natural gas fired gun barrel heater; two (2) 60 MMscfd Frederick Logan Co. TEG dehydration units each equipped with a 2.31 MMBtu/hr natural gas-fired reboiler; six (6) storage tanks for ethylene glycol, lube oil and produced water; one (1) truck load-out operation; various fugitive emissions from fittings/connections, blowdowns and pigging operations, pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Tract 729 Compressor Station located in Cummings Township, **Lycoming County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-0296A: Woot Services LLC (2455 Boulevard of the Generals, Norristown, PA 19403-3661) On January 7, 2019 for the installation and construction of 24 additional digital printers (total: 72 printers), 4 UV printers, 10 sublimation printers, 20 sublimation heat presses and 2 additional dryers at an existing facility located in West Norriton Township, **Montgomery County**.

46-0289A: Scott Contractors, Inc. (2939 Felton Road, Norristown, PA 19401) On January 7, 2019 for installation of a new portable non-metallic processing plant (Source ID 102) located in East Norriton Township, **Montgomery County**.

23-0105A: Hanson Aggregate PA LLC—Glen Mills Hot Mix Asphalt Plant (533 Forge Road, Glen Mills, PA 19342) On January 7, 2019 for modification of the particulate matter emission limit on the existing Hot Mix Asphalt Plant (Source ID 100) located in Middletown Township, **Delaware County**.

15-0077A: Hanson Aggregates (Downingtown Quarry) (499 Quarry Road, Downingtown, PA 19335) On January 7, 2019 for the installation of a wet suppression

system on the existing tertiary crusher, downstream screen and associated transfer points in East Caln Township, **Chester County**.

15-0081B: Johnson Matthey Inc. (1401 King Rd., West Chester, PA 19380) On January 7, 2019 for the modification of an existing wet scrubber control device to ensure that emissions of hydrochloric acid (HCl) and nitric acid (HNO₃) are within the permitted limits at their precious metals processing facility in West Whiteland Township, **Chester County**.

15-0157: USSC Acquisition Corp. (101 Gordon Drive, Exton, PA 19341) On January 7, 2019 for a relocation of its operations for manufacturing seating for first responder transit vehicles to a new location in Uwchlan Township, **Chester County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

AMS IP17-000474: Domestic Linen (4100 Frankford Ave, Philadelphia, PA 19124) issued on January 1, 2019 for the installation of an industrial laundry facility processing print and shop towels in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) 2.7 MMBtu/hr natural gas fired dryers with lint filters and cyclones, eight (8) 600 lbs/load or less washers using non-HAP materials for laundering, 12% VOC by weight laundry detergent, two (2) Midwest units, one (1) 20.0 MMBtu/hr natural gas fired boiler, and fugitive sources. The facility will be taking various throughput operating scenario limits and emission limits for print and shop towels. The facility will also be taking various throughput operating scenario limits for the usage of the VOC containing laundry detergent. The potential emissions from the facility will be limited to less than 25 tons per rolling 12-month period of Volatile Organic Compounds (VOCs) and less than 10 tons per rolling 12-month period of combined Hazardous Air Pollutants (HAPs). There will be potential Nitrogen Oxides (NO_x) emissions of 10.91 tpy, Total Particulate Matter (PM) emissions of 0.83 tpy, VOC emissions of 24.91 tpy, Carbon Monoxide (CO) emissions of 9.16 tpy, and Sulfur Dioxide (SO₂) emissions of 0.06 tpy, and HAP emissions of 0.93 tpy. The plan approval contains operating, monitoring, testing, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

23-0003Z: Monroe Energy, LLC (4101 Post Rd., Trainer, PA 19061-5052) On January 2, 2019 for the construction of three (3) new cooling towers at Trainer Refinery in Trainer Borough, **Delaware County**.

46-0294: Crazy Aaron Enterprises Inc (700 E Main St., Norristown, PA 19401-4102) On January 2, 2019 for the relocation of their permitted putty manufacturing equipment to and for the installation of a new mixer and a new packed tower scrubber in Norristown Borough, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05069AA: East Penn Manufacturing Co., Inc. (P.O. Box 147, Lyon Station, PA 19536) on December 28, 2018, for proposed changes to operations in the Industrial Battery Manufacturing Facility. The Industrial Battery Manufacturing Facility is located at the Lyon Station Plant in Richmond Township, **Berks County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

14-00002T: Graymont (PA) Inc. (965 East College Avenue, Pleasant Gap, PA 16823) on December 13, 2018, to extend the plan approval expiration date to June 28, 2019 to allow completion of construction of several sources for the production of quicklime and hydrated lime at the Pleasant Gap facility in Spring Township, **Centre County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

63-01001A: EQM Gathering Opco LLC (2200 Energy Drive, Canonsburg, PA 15317) plan approval transferred from EQT Gathering LLC on December 21, 2018, for operation of sources and controls at the McIntosh Compressor Station located in Union Township, **Washington County**.

63-01003A: EQM Gathering Opco LLC (2200 Energy Drive, Canonsburg, PA 15317) plan approval extension effective on December 28, 2018, with expiration date of June 28, 2019, to extend the period of temporary operation of sources and controls at the McIntosh Compressor Station located in Union Township, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

24-009H: Domtar Paper Company, LLC (100 Center Street, Johnsonburg, PA 15845) on December 31, 2018, effective December 31, 2018, has issued a plan approval extension for the conversion of two (2) existing 297 MMBtu/hr capacity coal-fired boilers (with natural gas and # 2 fuel oil backup) to natural gas-fired boilers (with # 2 fuel oil backup) in Johnsonburg Borough, **Elk County**. This will expire on June 30, 2019. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00039: Exelon Generation Company, LLC (Moser Generating Station, 1595 Industrial Highway, Pottstown,

PA 19464) On January 2, 2019 for renewal of a Title V Operating Permit for their peak power generating station in Lower Pottsgrove Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

13-00008: Kovatch Mobile Equipment Corp. (1 Industrial Complex, Nesquehoning, PA 18240-1420) The Department issued, on 1/8/2019, a Title V Operating Permit renewal for operation of a specialty mobile equipment manufacturing facility in Nesquehoning Borough, **Carbon County**. The Title V Operating Permit includes all applicable emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05024: Lehigh White Cement Co. LLC (200 Hokes Mill Road, York, PA 17404-5540) on January 3, 2019, for the cement manufacturing facility located in West Manchester Township, **York County**. The Title V permit was renewed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

43-00272: Tennessee Gas Pipeline Co., Compressor Station 219 (1211 Greenville Mercer Rd, Mercer, PA 16137), on January 2, 2019, the Department issued the renewal of the Title V Operating Permit of a natural gas transmission facility located in Jefferson Township, **Mercer County**. Permitted sources at the facility include fourteen (14) compressor engines, three (3) electric generators, an emergency engine for an air compressor, two (2) water jacket heaters, parts washers, and miscellaneous fugitive emissions. The facility is Title V because of its PTEs for NO_x (1,541 TPY), CO (603 TPY), VOC (188 TPY), and HAPs (133 TPY). The compressor engines and electric generators have been subject to the original RACT (RACT I, 25 Pa. Code §§ 129.91—129.95) requirements. The electric generators are subject to 40 CFR 63 Subpart ZZZZ pertaining to NESHAP for stationary RICE. The water jacket heaters are subject to 40 CFR 63 Subpart DDDDD pertaining to NESHAP for industrial, commercial, and institutional boilers and process heaters at major HAP sources. In this renewal, the presumptive and alternative requirements pursuant to the additional RACT (RACT II, 25 Pa. Code §§ 129.96—129.100) are incorporated into the operating permit. Also subject to 40 CFR 63 Subpart ZZZZ, the emergency engine used to drive an air compressor is added as a permitted source. Test protocol and report submissions are revised based on the latest instructions from the Department's Source Testing Division.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00177: North Penn Polishing and Plating, Inc., (40 West Park Avenue, Sellersville, PA 18960) On January 7, 2019 for the renewal of a Non-Title V Facility, State-Only, Natural Minor Permit for their electroplating and electro-less plating operations in Sellersville Borough, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00067: New Enterprise Stone & Lime (3912 Brumbaugh Road, New Enterprise, PA 16664-0077) The Department issued, on 12/20/18, a State-Only (Synthetic Minor) Operating Permit renewal for operation of a crushing plant located in Lower Nazareth Township, **Northampton County**. The sources include a primary, secondary, and two tertiary crushers. Associated other sources include screening and conveying material. Control devices include a water spray system. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-03140: McNeilus Truck & Mfg., Inc. (941 Hemlock Road, P.O. Box 219, Morgantown, PA 19543-9767) on December 21, 2018, for the truck repair facility located in Caernarvon Township, **Berks County**. The State-only permit was renewed.

36-05096: Pennsy Supply, Inc. (P.O. Box 3331, Harrisburg, PA 17105-3331) on January 2, 2019, for the batch asphalt plant located in Paradise Township, **Lancaster County**. The State-only permit was renewed.

06-03117: Custom Processing Services, Inc. (2 Birchmont Drive, Reading, PA 19606-3266) on January 2, 2019, for the grinding and blending facility located in Exeter Township, **Berks County**. The State-only permit was renewed.

38-03020: Tech Cast Holdings LLC (640 South Cherry Street, Myerstown, PA 17067-1511) on January 2, 2019, for the investment casting foundry located in Myerstown Borough, **Lebanon County**. The State-only permit was renewed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

37-00328: Resco Products Incorporated New Castle Plant (606 McCleary Avenue, New Castle, PA 16101-7502). The Department on January 2, 2019 issued the renewal of the Natural Minor Operating Permit for the clay refractory manufacturing operations located in New Castle City, **Lawrence County**. The primary sources include the clay mix line, a shuttle kiln, a bell kiln, Ware Dryers 1-4, a mold dryer/ware dryer and a clay

graphite mixer, a crushing line and drying room. The facility also has a parts washer and natural gas fired space heaters. The facility-wide potential particulate emissions are 3.3 TPY. The potential NO_x and CO emissions are 7.2 TPY and 8.8 TPY, respectively. The potential SO_x and VOC emissions are 1.2 TPY and 0.53 TPY, respectively. Potential HAP emissions are 2.1 TPY. The conditions of the previous operating permit are incorporated into the renewal permit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00069: Highway Materials, Inc.—Plymouth Meeting Quarry (5100 Joshua Road, Plymouth Meeting, PA 19462) On January 7, 2019 for an Administrative Amendment of their non-Title V (State Only) Operating Permit for their facility located in Whitemarsh Township, **Montgomery County**. The Administrative Amendment of the Synthetic Minor Operating Permit was issued in accordance with the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The Administrative Amendment incorporates terms and conditions of General Permit No. GP3-46-0153 (Source ID 1004—Portable Crusher) and General Permit No. GP9-46-0102 (Source 1019—Scania Engine); Particulate Matter (PM) emissions from the crusher are controlled by a new wet suppression system. Sources at the facility are required to comply with the New Source Performance Standards of 40 CFR Part 60 Subpart OOO. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

65-00630: MSA Safety Pittsburgh Manufacturing, LLC (3880 Meadowbrook Road, Murrysville, PA 15668-1753). Administrative Amendment, issued on January 4, 2019, to change the name of the owner on the permit. The name of the new owner is now MSA Safety Pittsburgh Manufacturing, LLC from the previous owner of Mine Safety Appliances Company, LLC. This facility is located in Murrysville, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

10-00220: ESM Group Inc. Myoma Plant (955 Saxonburg Blvd., Saxonburg, PA 16056-2317). The Department on December 24, 2018, issued an administrative amendment of the State Operating Permit for the facility to incorporate the change of responsible official and permit contact. The facility is located in Adams Township, **Butler County**.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA. 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.

OP18-000015: Navy Yard Peaker Station (1901 Kitty Hawk Avenue, Philadelphia, PA 19112) for the operation of an electrical services facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include four (4) peak shaving generators firing natural gas each rated 2,118 kilowatts.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

33-00162: Coolspring Sand & Gravel Company (P.O. Box 243, DuBois, PA 15801-0243) on January 4, 2019, the permit was revoked for the facility located in Oliver Township, **Jefferson County**. This State Operating Permit was revoked because the sources have not operated since 2017 and the equipment is no longer operable and is being removed from the site.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56980107 and NPDES No. PA0234877. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, permit renewal for reclamation only of a bituminous surface and auger mine in Milford Township, **Somerset County** affecting 227 acres. Receiving streams: unnamed tributaries to/and Casselman River and South Glade Creek, classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 1, 2018. Permit issued: January 2, 2019.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

03130101 and NPDES Permit No. PA0252409. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Permit renewal issued for continued mining to an existing bituminous surface mine, located in Madison Township, **Armstrong County**, affecting 186.0 acres. Receiving streams: unnamed tributaries to Mahoning

Creek. Application received: October 25, 2017. Renewal permit issued: January 4, 2019.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

PAM218016. Meshoppen Stone, Inc. (P.O. Box 127, Meshoppen, PA 18630), hereby approves the Notice of Intent (NOI) submitted for coverage to discharge stormwater associated with Small Noncoal Permit No. 08052802 to the following surface water(s) in Rome Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to Parks Creek. Application received: June 11, 2018. Permit Issued: January 4, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58180803. James J. Foltz, (1353 Wright Road, Kingsley, PA 18826), commencement, operation and restoration of a quarry operation in Brooklyn Township, **Susquehanna County** affecting 5.0 acres, receiving stream: draining East—Dry Creek, draining West—Hop Bottom Creek, Tunkhannock Creek. Application received: June 25, 2018. Permit issued: January 7, 2019.

Permit No. PAM118027. James J. Foltz, (1353 Wright Road, Kingsley, PA 18826), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58180803 in Brooklyn Township, **Susquehanna County**, receiving stream: draining East—Dry Creek, draining West—Hope Bottom Creek, Tunkhannock Creek. Application received: June 25, 2018. Permit issued: January 7, 2019.

PRIMACY BOND FORFEITURE PROJECT

New Stanton District Mining Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, Telephone 724-925-5542.

Primacy Bond Forfeiture Project	PBF 03890108.2
Location	Washington Township Armstrong County Pennsylvania
Description	Darmac Silver Rock Mine, Phase I
Contractor	Armstrong County Conservation District 120 South Grant Avenue, Suite 2 Kittanning, PA 16201-1450
Amount	\$155,700.00
Date of Award	December 12, 2018

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 15184120. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Dowlin Forge Station in East Brandywine Township,

Chester County with an expiration date of December 31, 2019. Permit issued: December 28, 2018.

Permit No. 22184106. M & J Explosives, LLC, (P.O. Box 1248, Carlisle, PA 17013), construction blasting for Stray Winds 5B in Lower Paxton Township, **Dauphin County** with an expiration date of December 18, 2019. Permit issued: December 28, 2018.

Permit No. 36183144. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Lititz Reserves in Warwick Township, **Lancaster County** with an expiration date of December 31, 2019. Permit issued: January 3, 2019.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E51-267. Delaware River Waterfront Corporation, 121 N. Columbus Boulevard, Philadelphia, PA 19106, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To construct and maintain a new steel pile bulkhead, to place fill in approximately 1.8 acre in the Delaware River, and to remove a total of 2.4 acres of existing fill and structures in the area between Pier 27 to Pier 30 and Pier 31 to Pier 35 in Delaware River, resulting in a net restoration of 0.60 acre of open water of the Delaware River near the area of Spring Garden and Festival piers. This work is for the purpose of developing 575 residential apartments, 36,000 SF of street level retail space, parking and two interconnected areas of public open space along the waterfront including a promenade.

This site development incorporates the following requirements set forth in the Master Plan for the Central Delaware Overlay District:

- Continuation of the Spring Garden Street View corridor through the development to the Delaware River
- A public Waterfront Promenade
- Integration of Compelling public spaces and amenities creating a vibrant public destination
- Extension of the Multi- Use Recreational Trail
- Active ground floor retail and dining that faces a public plaza and Spring Garden Street view corridor to support the public space.

The site is located approximately 2,000 feet north of the Ben Franklin Bridge crossing of the Delaware River (Philadelphia, PA USGS map Lat. 39.959277, Long. -75.136134).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E23-537. Newtown Township, Delaware County Municipal Authority, 209 Bishop Hollow Road, Newtown Square, PA 19073, Newtown Township, **Delaware County**, ACOE Philadelphia District.

To construct and maintain an extension of an existing public network of gravity sanitary sewer collection pipes, pump stations, and force mains. The work includes thirteen (13) stream crossings in and along Hunter Run, Preston Run, an unnamed tributary of Preston Run, and Reeses Run. The project purpose is for providing sewer service within the overall Central Delaware County Authority, a.k.a. "Camelot service area public Sewer Expansion Project."

The site is located near Bishop Hollow Road and West Chester Pike (Media, PA, USGS Map; Latitude: 39.9829; Longitude: -75.4348).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E15-900. Township of Kennett, 801 Burrows Run Road, Chadds Ford, PA 19317, Kennett Square Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain a single span steel bridge across the West Branch of Red Clay Creek (TSF, MF) having a waterway opening of 43.32 feet wide by 3.2 feet wide by 3.2 feet high and measuring 18.99 feet in length associated with the Rehabilitation of Chandler Mill Road Bridge Project. The site is located Chandler Mill Road over the West Branch Red Clay Creek in Kennett Square, Chester County (USGS PA, Kennett Square Quadrangle—Latitude 39.811389 N, Longitude 75.713333 W).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E15-906: Kennett Township, 801 Burrows Run Rd, Kennett Square, PA 19348, Chadds Ford, Kennett Township, **Chester County**, ACOE Philadelphia District.

Kennett Township is proposing to perform the below listed water obstruction and encroachment activities within the floodway and 100-year floodplain of the West Branch Red Clay Creek (TSF-MF):

1. To construct and maintain a 5-foot wide pedestrian-only trail adjacent to Chandler Mill Rd. with portions of the project within the floodway and 100-year floodplain of the West Branch Red Clay Creek (TSF-MF) at five (5) locations. The proposed trail will be supported by Helical Piles and elevated above native soil material resulting in a total of 4,536 square feet of permanent floodway and 7,287 square feet of permanent floodplain impacts.
2. To construct and maintain three (3) culvert extensions varying between an additional 4 to 8 linear feet carrying flows from unnamed tributaries to West Branch Red Clay Creek (TSF-MF) resulting in a total of 829 square feet of permanent floodway impact. This activity includes the construction of new concrete end walls.

The proposed project is located on Chandler Mill Rd. between Hillandale and Buck Roads in Kennett Township, Chester County (USGS PA Kennett Square Quadrangle—Latitude 39.812433 N, Longitude 75.714715 W).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E58-323. Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Oakland Twp, **Susquehanna County**, Army Corps of Engineers, Baltimore District.

To remove the existing structure and to construct and maintain a road crossing of Lewis Creek (CWF, MF) consisting of a 12-foot diameter corrugated metal pipe culvert depressed 1-foot below streambed elevation with aluminum structural plate wingwalls and riprap aprons.

The project is located at S.R. 1012, Segment 0130, Offset 3040 (Great Bend, PA Quadrangle Latitude: 41° 54' 57.3"; Longitude: -75° 37' 44.5"), in Oakland Twp, Susquehanna County.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E02-1751, Mount Nebo Development, LP, 1121 Boyce Road, Pittsburgh, PA 15241, Ohio Township, **Allegheny County**; Pittsburgh ACOE District.

Has been given consent to:

1. Permanently place and maintain fill in a de minimis amount of PEM wetland (0.024 acre in Wetland 3).

For the purpose of constructing a multi-commercial site. The project will permanently impact 0.024 acre of wetland. To mitigate for the wetland impacts, the permittee will contribute Five Hundred Dollars (\$500.00) into the Pennsylvania Wetland Replacement Project. The project site is located near the intersection of Mt. Nebo Road (SR 4022) and Duff Road (SR 4080), (Emsworth, PA USGS topographic quadrangle; N: 40° 33' 10"; W: -80° 6' 40") Sub-basin 20-G; USACE Pittsburgh District), in Ohio Township, Allegheny County.

E04-374, Borough of Rochester, 305 Adams Street, Rochester, PA 15074, Rochester Borough, **Beaver County**; Pittsburgh ACOE District.

Has been given consent to:

Place fill in 0.60-acre of floodplain in accordance with 25 Pa. Code Chapter 106 for the purposes of building a maintenance building. Due to the project nature, mitigation is not proposed. The project is located off Water Street in Rochester, PA (Beaver, PA USGS topographic quadrangle; N: 40°, 41', 55"; W: -80°, 17', 02"; Sub-basin 20G; USACE Pittsburgh District), in Rochester Borough, Beaver County.

E26-383, PennDOT District 12-0, 825 North Gallatin Avenue, Uniontown, PA 15401, Luzerne Township, **Fayette County**; Pittsburgh ACOE District.

Has been given consent to:

Remove the existing 15' long, 32.9' wide, 25 SF opening, slab bridge carrying SR 4001 over Rush Run (WWF) with a drainage area of 1.23 square mile; construct and maintain a replacement 22' long, 39.5' wide, 3.5' underclearance box culvert on existing alignment; place and maintain fill in 78' of Rush Run and construct and maintain 63' of replacement relocated channel to align with the culvert replacement and road improvement work; regrade 53' of Rush Run to maintain the hydraulic opening at the proposed culvert outlet; construct and maintain 141' of rip-rap streambank stabilization. In addition, place and maintain fill in a de minimis 0.032 acre of PEM wetlands, construct and maintain associated stormwater facilities, and temporarily impact 0.065 acre of PEM wetlands and 551' of stream for the purpose of constructing these encroachments. The project results in a total permanent stream impact of 455'. Stream impacts will be mitigated onsite via construction of a mudd sill along Rush Run, and removal of two abandoned railroad abutments which are currently restricting streamflow.

The project site is located approximately one half mile south of the intersection of SR 4001 (Rush Run Road) and Telegraph Road (Carmichaels PA Quadrangle; Latitude: 39° 58' 42"; Longitude: -79° 56' 32"; Sub-basin 19C; USACE Pittsburgh District) in Luzerne Township, Fayette County.

E63-721, Peters Township School District, 631 East McMurray Road, Peters Township, **Washington County**; Pittsburgh ACOE District.

Has been given consent to:

Place and maintain fill in 1,279 linear feet of Tributary 36925 to Brush Run (WWF) for the purpose of constructing a new 294,000 square foot high school. Permanent stream impacts will include 171 linear feet for the placement of a new culvert, 1,025 linear feet for the replacement of an existing culvert, and 83 linear feet for

the placement of a culvert for a road crossing. Temporary stream impacts include 80 linear feet for the placement of a new culvert, and 40 linear feet for the placement of a new culvert for a road crossing. As mitigation the permittee will plant 1.18 acre of riparian buffer and preserve 2.36 acres of forested riparian buffer along an unnamed tributary of Brush Creek.

The project site is located at the intersection of Center Church Road and East McMurray Road, Bridgeville, PA USGS topographic quadrangle; N: 40°, 16', 39.45"; W: -80°, 06', 16.44"; Sub-basin 20F; USACE Pittsburgh District), in Peters Township, Washington County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E25-792, Casey Bowes, 1555 South Shore Drive, Erie, PA 16505. Bowes Property Enhancement, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 42°, 6', 6.7314"; W: -80°, 10', 28.0452").

Construct, operate, and maintain a precast concrete block or sheet pile groin structure approximately 8 feet wide by 45 feet long projecting approximately 32 feet lakeward of and 1.6 feet above the ordinary highwater mark from the existing concrete sea wall in front of property at 3777 Lake Front Drive, Erie, PA 16505 (Swanville, PA Quadrangle N: 42°, 6', 6.7314"; W: -80°, 10', 28.0452") in Millcreek Township, Erie County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX16-125-0001
Applicant Name Rice Drilling B, LLC
Contact Person Todd Klaner
Address 2400 Ansys Drive, Suite 200
City, State, Zip Canonsburg, PA 15317

County Washington
Township(s) Somerset
Receiving Stream(s) and Classification(s) UNTs to Center Branch Pigeon Creek and Center Branch Pigeon Creek of Pigeon Creek Watershed. Chapter 93 classifies these streams as Warm Water Fishes (WWF) for Designated and Existing use

ESCGP-2 # ESX18-059-0024
Applicant Name CNX Gas Company LLC
Contact Person Adam White
Address 1000 Consol Energy Drive
City, State, Zip Canonsburg, PA 15317
County Greene
Township(s) Richhill

Receiving Stream(s) and Classification(s) UNTs to Barney's Run and Barney's Run of Wheeling Buffalo Creek Watershed. Chapter 93 classifies these streams as Trout Stock Fishery (TSF) for Designated and Existing Use.

ESCGP-2 # ESX18-125-0028
Applicant Name EQT Production Company, LLC
Contact Person Todd Klaner
Address 2400 Ansys Drive, Suite 200
City, State, Zip Canonsburg, PA 15317
County Washington
Township(s) Centerville Borough

Receiving Stream(s) and Classification(s) UNTs to Pike Run and Barneys Run of Middle Monongahela Watershed. Chapter 93 classifies these streams as Trout Stock Fishery (TSF) and Warm Water Fishes (WWF) for Designated and Existing Use.

ESCGP-2 # ESX18-059-0017
Applicant Name Chevron Appalachia, LLC
Contact Person Branden Weimer
Address 700 Cherrington Parkway
City, State, Zip Coraopolis, PA 15108
County Greene
Township(s) Dunkard and Monongahela Townships

Receiving Stream(s) and Classification(s) UNT to Monongahela River (WWF), Monongahela River (WWF), UNTs to Dunkard Creek (WWF), Dunkard Creek (WWF), UNTs to Roberts Run (WWF), UNTs to Meadow Run (WWF) Monongahela River Watershed (WWF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESG14-019-0026 Renewal
Applicant EM Energy PA LLC
Contact Jaime Johnson
Address 1800 Main Street Suite 220
City Canonsburg State PA Zip Code 15317
County Butler
Township(s) Oakland & Concord

Receiving Stream(s) and Classification(s) Tributary 35325 to Connoquenessing Creek, Tributary 35321 to Connoquenessing Creek, Connoquenessing Creek.
Secondary Receiving Water Connoquenessing Creek.

ESCGP-2 # ESX14-073-0001—Renewal
Applicant Hilcorp Energy Co.
Contact Stephanie McMurray
Address 111 Travis Street
City Houston State TX Zip Code 77002
County Lawrence
Township(s) Pulaski
Receiving Stream(s) and Classification(s) Turkey Run (WWF)

ESCGP-2 # ESG14-019-0026 Renewal
Applicant EM Energy PA LLC
Contact Jaime Johnson
Address 1800 Main Street Suite 220
City Canonsburg State PA Zip Code 15317
County Butler
Township(s) Oakland & Concord

Receiving Stream(s) and Classification(s) Tributary 35325 to Connoquenessing Creek, Tributary 35321 to Connoquenessing Creek, Connoquenessing Creek.
Secondary Receiving Water Connoquenessing Creek.

ESCGP-2 # ESG18-083-0003- Lot 6 Unit 1414 Well Site
Applicant SWEPI, LP
Contact Mr. Jason Shoemaker
Address 150 N. Dairy Ashford, E1296-E
City Houston State TX Zip Code 77079
County Mckean
Township(s) Corydon
Receiving Stream(s) and Classification(s) UNT to North Chappel Fork (HQ-CWF) North Chappel Fork (HQ-CWF)

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101—6201.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
19-61-009	Heath Oil, Inc. P.O. Box 1128 Oil City, PA 16301 Attn: Daniel Heath	Venango	Barkeyville Borough	1 AST storing transmix	25,000 gallons
19-46-012	Oehlert Bros., Inc. 1203 South Township Line Road Royersford, PA 19468 Attn: Steve Oehlert	Montgomery	Limerick Township	1 AST storing heating oil	683,000 gallons

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 E. Main St., Norristown, PA 19401-4915.

Sunoco 0363 3807, 51-30578, 6865 Rising Sun Ave, **City of Philadelphia**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Sunoco (R&M), LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former Noble Residence, 64-52705, 705 West Park Street, Honesdale Borough, **Wayne County**, Barry Isset and Associates, 100 West Broad Street, Hazleton, PA 18201, submitted a Remedial Action Completion Report on behalf of ESSA Bank and Trust, 200 Palmer Street, Stroudsburg, PA 18360-0160, concerning remediation of soils and groundwater contaminated with benzene. The Remedial Action Completion Report demonstrated attainment of the Residential Statewide Health Standard for soils and groundwater and was approved by DEP on January 2, 2019.

Tamaqua Terminal, 54-50104, 65 Tuscarora Park Road, Rush Township, **Schuylkill County**, Mulry and Cresswell Environmental, 1679 Horseshoe Pike, Glenmoore, PA 19343, submitted a Remedial Action Plan on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, concerning remediation of soil and groundwater contaminated with 1,2,4-Trimethylbenzene. The Remedial Action Plan was acceptable to meet Statewide Health Standards for groundwater and Site-Specific Standards for soil and was approved by DEP on January 4, 2019.

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of December 2018 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon-related activities in this Commonwealth. The period of certification is 2 years. (For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Allied Inspection Services	63 South Seventh Street Emmaus, PA 18049	Testing
A-Stat Inspection Services	4 Versailles Circle Doylestown, PA 18901	Testing
Core Inspection Group	5656 Cricket Lane Bensalem, PA 17020	Testing
Bruce Eichenlaub	535 Derr Hill Road Lock Haven, PA 17745	Testing
Raymond Fonos	1216 Edgewood Drive West Homestead, PA 15120	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
David Glick	2061 Kenbrook Road Lebanon, PA 17046	Testing
Margie Gordon	125 Nevins Way Coatesville, PA 19320	Testing & Laboratory Analysis
JCN Radon Services, Inc.	613 Zimmermans Hollow Road Sunbury, PA 17801	Mitigation
Steven Johnson Homechek, Inc.	526 Greenbriar Road York, PA 17404	Testing
Daniel Jones Alpha Detection & Control	6 Chestwood Drive Connellsville, PA 15425	Testing
Randy Knesnik	413 Long Meadow Road Milford, PA 18337	Mitigation
Eric Kraklio	69 Curtis Street Pittston, PA 18640	Testing
Bruce Lampe	9615 Berea Street Philadelphia, PA 19114	Testing
Jackson LeVault	4149 Lehr Lane Spring Grove, PA 17362	Testing
Tyler Long	379 Aston Mountain Road Spring Brook, PA 18444	Testing
Karl May, Jr	82 Walnut Street Wellsboro, PA 16901	Testing
Jocelyne Melton Baxter Group, Inc.	941 Progress Road Chambersburg, PA 17201	Testing & Mitigation
Thomas Poole Testing Services, Inc.	1844 Swatara Street Harrisburg, PA 17104	Testing &
David Scott Rawlings	2607 Rhawn Street Suite 310 Philadelphia, PA 19152	Testing
RHIS, Inc.	100 Kennett Road Wilmington, DE 19801	Mitigation
Lloyd Scarborough	600 Valley Road, A-53 Warrington, PA 18976	Testing
Joel Schachter Precise Home Inspections, LLC	2901 Hemlock Farms Lords Valley, PA 18428	Testing
Matthew Shaw	721 Dempseytown Gresham Road Titusville, PA 16354	Testing
John Staz, III	1738 North Third Street Harrisburg, PA 17102	Mitigation
Matthew Steger	2133 Andrew Avenue Elizabethtown, PA 17022	Testing

**Final State Water Quality Certification
Required by Section 401 of the Clean Water Act for
the Line N to Monaca Pipeline**

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, P.E., 412.442.4149.

WQ05-022, National Fuel Gas Supply Corporation (Applicant), 1100 State Street, Erie, PA 16501. Line N to Monaca Pipeline Project (Project), in Center and Potter Townships, **Beaver County** and Buffalo Township, **Washington County**, Pittsburgh ACOE District. The proposed project starts at Applicant's existing Line N pipeline in Center Township (Aliquippa, PA Quadrangle N: 40° 36' 58.39"; W: 80° 18' 8.94") and ends at the Shell Chemical Appalachia, LLC (Shell) Pennsylvania Chemical

Project facility (Shell Facility) (Beaver, PA Quadrangle N: 40° 39' 45.88"; W: 80° 20' 20.23"). Additional work is located at Applicant's existing Buffalo Compressor Station in Buffalo Township, Washington County (Washington West, PA Quadrangle N: 40° 9' 25.47"; W: 80° 20' 38.92").

On March 23, 2018, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under the prior notice provisions set forth in 18 CFR 157.205, 157.208, 157.210, and 157.211 for authorization to construct and operate its Project (FERC Docket No. CP18-135-000). The Applicant's submission may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; Docket No. CP18-135-000).

On March 26, 2018, Applicant requested a State water quality certification from the Department of Environmental Protection (Department), as required by Section 401 of

the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in this Commonwealth through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

The Project includes an approximately 4.5 mile-long, 12-inch diameter pipeline for the purpose of transporting natural gas from Applicant's existing Line N transmission pipeline in Center Township at the proposed interconnect to a proposed metering and regulating (M&R) station located at the Shell Facility in Potter Township. The Project also includes installation of a new mainline valve adjacent to the interconnect in Center Township; and installation of a pipeline heater, pressure control worker monitor setup (single run with manual bypass), measurement, and a regulation building at Applicant's existing Buffalo Compressor Station in Buffalo Township. The Project will require approximately 80.5 acres of earth disturbance, and impacts to 770 linear feet of streams classified as Warm Water Fishes (WWF), including unnamed tributaries (UNTs) to Raccoon Creek, Shafers Run, UNTs to Shafers Run, and UNTs to Poorhouse Run; 1.65 acre of floodway; 0.03 acre of temporary palustrine emergent wetland impacts.

The Department published notice of its proposed State water quality certification in the *Pennsylvania Bulletin* on June 9, 2018 (Vol. 48 Pa.B. No. 23) and received 0 comments from the public.

The Department certifies to Applicant that the construction, operation and maintenance of the Project will not violate applicable State water quality standards set forth in 25 Pa. Code Chapter 93, provided Applicant complies with the permitting programs, criteria and conditions established pursuant to State law and specifically Permits No. GP050417242-53, GP080417246-60, GP070417201, ESG00-007-17-0004, ESG00-007-17-0005, and PAG10-9616 and all modifications and/or amendments thereto:

1. *Discharge Permit*—Applicant shall comply with the existing Department National Pollutant Discharge Elimination System (NPDES) permit for the discharge of water from the hydrostatic testing of the pipeline and any modifications and/or amendments thereto under Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), and all applicable implementing regulations (25 Pa. Code Chapter 92a).

2. *Erosion and Sediment Control Permit*—Applicant shall comply with the Department's existing Chapter 102 Erosion and Sediment Control General Permits for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment and any modifications and/or amendments thereto issued pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17), and all applicable implementing regulations (25 Pa. Code Chapter 102).

3. *Water Obstruction and Encroachment Permits*—Applicant shall comply with the Department's existing Chapter 105 Water Obstruction and Encroachment Permits for the construction, operation and maintenance of all water obstructions and encroachments associated with the project and any modifications and/or amendments thereto pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), and all applicable implementing regulations (25 Pa. Code Chapter 105).

4. *Water Quality Monitoring*—The Department retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Applicant.

5. *Operation*—Applicant shall at all times properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this State Water Quality Certification and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

6. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of the Department to determine compliance with this State Water Quality Certification, including all required State water quality permits and State water quality standards. A copy of this certification shall be available for inspection by the Department during such inspections of the Project.

7. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project which is affected by this State Water Quality Certification, Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least 30 days prior to the contemplated transfer and shall simultaneously inform the Department Regional Office of such intent. Notice to the Department shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of certification responsibility, coverage, and liability between them.

8. *Correspondence*—All correspondence with and submittals to the Department concerning this State Water Quality Certification shall be addressed to the Department of Environmental Protection, Program Manager, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222.

9. *Reservation of Rights*—The Department may suspend or revoke this State Water Quality Certification if it determines that Applicant has not complied with the terms and conditions of this certification. The Department may require additional measures to achieve compliance with applicable law, subject to Applicant's applicable procedural and substantive rights.

10. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution of any legal action or relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable Federal or State law or regulation.

11. *Severability*—The provisions of this State Water Quality Certification are severable and should any provision of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

12. *Seasonal Restriction*—Where disturbance is necessary, the United States Fish and Wildlife Service advises that clearing natural or semi-natural habitats (e.g. forests, woodlots, reverting fields, shrubby areas) and maintenance activities (e.g. mowing) occur between September 1 and March 31, which is outside the nesting season for most native bird species.

13. *Archaeological Artifacts*—The permittee and his/her agents will be watchful for archaeological artifacts and

will assure that ground disturbance activities will cease immediately upon discovery of archaeological artifacts, and immediately notify the Department Regional Office and the Pennsylvania Historical and Museum Commission at P.O. Box 1026, Harrisburg, PA 17120-1026, telephone (717) 783-8947.

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act (15 U.S.C.A. § 717r(d)), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 United States Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 within 30 days of publication of this notice, or within 30 days of receipt of written notice of this action, whichever occurs first. Important legal rights are at stake, so you should show this document to a lawyer at once.

Notice of Projects under the Environmental Good Samaritan Act

The Environmental Good Samaritan Act (27 Pa.C.S. §§ 8001—8114) provides certain protections and immunities from civil liability for landowners and persons who voluntarily undertake reclamation and abatement projects to address land and water adversely affected by mining or oil or gas extraction or exploration for natural resources and left in an unreclaimed condition or left discharging water pollution. In order for landowners and persons to qualify for immunity, the projects must be approved by the Department of Environmental Protection (Department).

Written comments or objections may be submitted by any person or any office or head of any Federal, State, or local government agency or authority to the Department at the same address within 30 days of this publication.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the proposal identification number; and a statement of sufficient detail to inform the Department of the basis of the comment or objection and the relevant facts upon which it is based.

Environmental Good Samaritan Act Project Proposals Received

The following project proposal has been received by the Department of Environmental Protection (Department). A copy of the proposal is available for inspection at the Department's Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, between the hours of 9 a.m. and 4 p.m.

EGSOG62-0002—Warrant 487 16, Abandoned Well Plugging, Gas and Oil Management Assoc., Inc., 80 Dillon Dr., Youngsville, PA 16371. Gas and Oil Management Assoc., Inc. is planning to plug an abandoned oil and gas well (API No. 123-01547) located in Pleasant Township, **Warren County**. The well is located 50 feet North of Morrison Run on Lot 487. Complete project proposal received 12/10/2018.

The following project proposal has been received by the Department. A copy of the proposal is available for inspection at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 between the hours of 8 a.m. and 4 p.m.

EGS65-0001—WCIDC JW Goodman # 1 Abandoned Well Plugging. Westmoreland County Industrial Development Corporation is planning to plug an abandoned oil and gas well (API No. 129-29071) located in Sewickley Township, **Westmoreland County**. The well is located at

241 Waltz Flat Rd., West Newton, PA 15089. Complete project proposal received 12/21/2018.

[Pa.B. Doc. No. 19-76. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Air Quality Technical Advisory Committee Meeting Cancellation

The February 7, 2019, Air Quality Technical Advisory Committee (Committee) meeting is cancelled. The next Committee meeting is scheduled for Thursday, April 11, 2019, at 9:15 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Questions concerning the April 11, 2019, meeting should be directed to Kirit Dalal, Bureau of Air Quality, at kdalal@pa.gov or (717) 772-3436. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at <http://www.dep.pa.gov> (select "Public Participation," then "Advisory Committees," then "Air Advisory Committees," then "Air Quality Technical Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Kirit Dalal at (717) 772-3436 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-77. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at <http://www.eLibrary.dep.state.pa.us>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final TGD: Substantive Revision

DEP ID: 261-0300-101. **Title:** Land Recycling Program Technical Guidance Manual. **Description:** A substantive revision of the Land Recycling Program Technical Guidance Manual (TGM) is necessary because the current TGM is from 2002 and is out of date. Many of the procedures and processes used by the Land Recycling Program have been updated and multiple clarifications have been made. Revising the TGM will help to avoid confusion for remediators and regional office staff when assessing and remediating sites to satisfy the requirements of Act 2 and the regulations in 25 Pa. Code Chapter 250 (relating to administration of land recycling program).

Contact: Questions regarding the TGM should be directed to Troy Conrad, Bureau Director for Environmental Cleanup and Brownfields, at tconrad@pa.gov or (717) 783-9480.

Effective Date: January 19, 2019

Rescission of Technical Guidance

DEP ID: 383-3000-102. **Title:** Total Coliform Rule Guidance. **Description:** This document is obsolete due to revisions to 25 Pa. Code Chapter 109 (relating to safe drinking water). Rescinding it will have no impact on the program. Technical Guidance Document 393-2129-001 has been published to provide guidance on the revisions to 25 Pa. Code Chapter 109.

Contact: Questions regarding this TGD should be directed to Jeff Allgyer at jallgyer@pa.gov or (717) 772-4015.

Effective Date: February 4, 2019

DEP ID: 263-2320-001. **Title:** Policy for Existing Field-Constructed Hazardous Substance Underground Storage Tanks at Facilities Regulated Under the Safe Drinking Water Act. **Description:** This policy was intended to minimize duplicative regulatory requirements by excluding existing underground field-constructed hazardous substance tanks at facilities regulated under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) from the definition of underground storage tank in the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.110). These storage tank systems became regulated by the Environmental Protection Agency resulting from revisions to the Federal Underground Storage Tank regulations, in 40 CFR 280 (relating to technical standards and corrective action requirements for owners and operators of underground storage tanks (UST)). To maintain Commonwealth Program Approval, the Department's regulations must be no less stringent than the Federal requirements. This TGD will be inaccurate upon publication of the Department's final rule-making of 25 Pa. Code Chapter 245 (relating to administration of the Storage Tank and Spill Prevention Program).

Contact: Questions regarding this TGD should be directed to E. Alex Eckman at eckman@pa.gov or (717) 772-5827.

Effective Date: January 19, 2019

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-78. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Adelphia Gateway Project

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that Adelphia Gateway, LLC is proposing the Adelphia Gateway Project natural gas pipeline project, portions of which are located within Delaware Estuary Coastal Zone (DECZ) in Delaware County.

The applicant is seeking authorization from the Federal Energy Regulatory Commission for the Adelphia Gateway Project. The entire proposed project includes 4.4 miles of existing 20-inch mainline pipeline, 84 miles of existing 18-inch mainline pipeline, two new compressor stations, two new lateral pipelines, seven new blowdown assemblies, one new tap valve and two new mainline valves. Project components proposed within the DECZ include a new Marcus Hook Compressor Station, portions of the existing 18-inch mainline, a portion of the Parkway Lateral, and the Tilghman Lateral and its associated meter stations. The Marcus Hook Compressor Station includes expansion and improvements to ground facilities at the existing Marcus Hook Terminal. The site is located entirely on existing paved/graveled industrial-use land. The proposed Parkway Lateral consists of a 0.25-mile segment of new 16-inch pipeline beginning at the proposed Marcus Hook Compressor Station and ending at an existing meter station in Claymont, DE. The proposed Tilghman Lateral consists of a 4.4-mile segment of new 16-inch-diameter pipeline that would start at the proposed Marcus Hook Compressor Station and end at a new delivery point located within the boundaries of an existing meter station in Chester City. Adelphia Gateway, LLC also proposes to install five delivery points along the Tilghman Lateral, four of which would be installed entirely within existing industrial meter station sites. The remaining delivery point would be installed on a 2.1-acre site in Lower Chichester, Delaware County. No work is proposed to occur on the segment of existing 18-inch mainline located within the DECZ.

This project is subject to Department review for Federal consistency because it is a Federal license and permit activity and will have reasonably foreseeable effects on the Commonwealth's coastal resources or uses.

In accordance with National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), Adelphia Gateway, LLC has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before February 4, 2019, before issuing a final Federal consistency concurrence or objection. Comments, includ-

ing comments submitted by e-mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment system at www.ahs.dep.pa.gov/eComment or by e-mail at ecomment@pa.gov. Written comments may be submitted by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, Harrisburg, PA 17101.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-79. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Maintenance Dredging and Bank Stabilization along the Delaware River

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that Hueber Launch Services is seeking authorization from the United States Army Corp of Engineers (USACE) for a 10-year maintenance dredging permit and to perform rip-rap bank stabilization along the Delaware River in Marcus Hook Borough, Delaware County.

The applicant is seeking USACE authorization to dredge approximately 93 cubic yards of material from a 315 square foot area between mean high water and 5 feet below mean low water (3 feet design depth plus 2 feet of overdredge) at 45 East Delaware Street in Marcus Hook Borough. The applicant proposes to conduct maintenance dredging every 2 years during the 10-year maintenance period to the same depth, as needed. Recovered materials will be stored upland at the site for dewatering and then disposed onsite. The applicant also proposes to place 49 cubic yards of rip-rap along 60 linear feet of bank within 663 square feet of open water below the high tide line. The applicant will deploy a turbidity curtain during all dredging and filling operations below the high tide line.

This project is subject to Department review for Federal consistency because it is a Federal license and permit activity and will have reasonably foreseeable effects on the Commonwealth's coastal resources or uses.

In accordance with National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), Hueber Launch Services has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before February 4, 2019, before issuing a final Federal

consistency concurrence or objection. Comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment system at www.ahs.dep.pa.gov/eComment or by e-mail at ecomment@pa.gov. Written comments can be submitted by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, Harrisburg, PA 17101.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-80. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Maintenance Dredging at Hog Island Wharf

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that Sunoco Partners Marketing and Terminals (Sunoco) is seeking authorization from the United States Army Corp of Engineers (USACE) for a 10-year maintenance dredging permit at Hog Island Wharf in Tincum Township, Delaware County.

Sunoco is seeking USACE authorization to conduct periodic maintenance dredging at Dock # 3 and Dock # 4 at Hog Island Wharf to a maximum depth of 37 feet below mean low water (35 feet plus 2 feet of overdredge). The applicant estimates the removal of approximately 123,000 cubic yards of material per dredging event and up to 370,000 cubic yards of material over the duration of the 10-year maintenance permit. Dredging will be conducted using a closed-clamshell environmental bucket. Recovered materials will be transferred to either White's Basin or Biles Island disposal facilities. The applicant proposes to adhere to dredging restrictions during the spawning and migrating periods of anadromous fish.

This project is subject to Department review for Federal consistency because it is a Federal license and permit activity and will have reasonably foreseeable effects on the Commonwealth's coastal resources or uses.

In accordance with National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), Sunoco has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before February 4, 2019, before issuing a final Federal

consistency concurrence or objection. Comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment system at www.ahs.dep.pa.gov/eComment or by e-mail at ecomment@pa.gov. Written comments can be submitted by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, Harrisburg, PA 17101.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-81. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Promulgate Uniform National Discharge Standards for Vessels of the Armed Forces—Phase II Batch Two

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that the United States Environmental Protection Agency (EPA) and Department of Defense (DoD) are jointly proposing to promulgate Uniform National Discharge Standards for Vessels of the Armed Forces (UNDS)—Phase II Batch Two.

The applicants are proposing UNDS—Phase II Batch Two performance standards for the following discharges: catapult water brake tank and post-launch retraction exhaust; controllable pitch propeller hydraulic fluid; deck runoff; firemain systems; graywater; hull coating leachate; motor gasoline and compensating discharge; sonar dome discharge; submarine bilgewater; surface vessel bilgewater/oil-water separator effluent; and underwater ship husbandry. The performance standards, a detailed Federal consistency determination, and the applicants' analysis of the proposed rulemaking is available at www.epa.gov/vessels-marinas-and-ports/uniform-national-discharge-standards-unds-rulemaking-process.

This project is subject to Department review for Federal consistency because it is a Federal agency activity and will have reasonably foreseeable effects on the Commonwealth's coastal resources or uses.

In accordance with National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), the EPA and DoD have determined that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Determination from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before February 4, 2019, before issuing a final Federal

consistency concurrence or objection. Comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment system at www.ahs.dep.pa.gov/eComment or by e-mail at ecomment@pa.gov. Written comments can be submitted by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, Harrisburg, PA 17101.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-82. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale Franklin County

The Department of General Services (Department) will accept bids for the purchase of 6.05 acres ± and improvements, formerly known as PennDOT Driver's Licensing Center, located at 190 Mill Road, Borough of Chambersburg, Franklin County. Bids are due Thursday, April 25, 2019. Interested parties wishing to receive a copy of Solicitation No. 94977 should view the Department's web site at www.dgs.pa.gov or call Lisa Kettering at (717) 787-1321.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 19-83. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k) (relating to electric requirements for existing and new construction):

Moravian Hall Square Health and Wellness Center
175 West North Street
Nazareth, PA 18064
FAC ID # 392702

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Dunmore Health Care Center
1000 Mill Street
Dunmore, PA 18512
FAC ID # 120902

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-84. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Maternal Mortality Review Committee Meeting

The Maternal Mortality Review Committee (Committee) will meet on February 13, 2019, from 4 p.m. to 5 p.m. The meeting will be held in Conference Room 812, 8th Floor, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. The meeting will provide an update and information on procedures for the Committee.

For additional information, including an alternative format of this notice (for example, large print, audiotape or Braille), or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Carolyn Byrnes, Special Advisor, Office of the Secretary of Health, 625 Forster Street, 8th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-6436, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-85. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Program; Availability of Clinical Registrant Applications; Time Period to Submit Applications

The purpose of this notice is to announce implementation of sections 2000—2004 of the Medical Marijuana Act (act) (35 P.S. §§ 10231.2000—10231.2004), to give information regarding the availability of the application to be completed for approval as a clinical registrant (CR) as described under 28 Pa. Code § 1211.27 (relating to application for approval of a clinical registrant), and to establish the time period during which applications will be accepted by the Department of Health (Department).

Availability of Application for Approval of a CR and Submission Deadline

Notice is hereby given, as required by 28 Pa. Code § 1211.27(a), that on March 7, 2019, the Department intends to make available, on its web site at www.health.pa.gov, the form of the application required to be submitted to be approved as a CR. The Department will accept applications until April 11, 2019. The Department will consider any application sent by mail to have been received on the date it is deposited in the mail as long as the postmark on the outside of the package is clear and legible. The Department will return an application that is postmarked after the April 11, 2019, deadline. An applicant must submit an application by mail in an electronic format that is listed in the instructions of the application to the Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Interested persons are invited to submit written comments, suggestions or objections regarding this notice to John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov.

Persons with a disability who wish to submit comments, suggestions or objections regarding this notice or who require an alternative format of this notice (for example, large print, audiotape or Braille) may do so by using the previously listed contact information. Speech and/or hearing-impaired persons may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-86. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Program; Fees for Second and Subsequent Replacement Identification Cards

Notice is hereby given, under 28 Pa. Code § 1191.26(c) (relating to application fees), that for 2019, the Department of Health is establishing the following fee schedule for second and subsequent replacement identification cards:

First replacement card—\$25

Second replacement identification card—\$50

Subsequent replacement identification card—\$50

Interested persons are invited to submit written comments, suggestions or objections regarding this notice to John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov.

Persons with a disability who wish to submit comments, suggestions or objections regarding this notice or who require an alternative format of this notice (for example, large print, audiotape or Braille) may do so by using the previously listed contact information. Speech

and/or hearing-impaired persons may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-87. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Program; Qualifications for Financial Hardship

Notice is hereby given, under 28 Pa. Code § 1191.26(d) (relating to application fees), of the qualifications for financial hardship necessary to obtain a waiver or reduction of the application fee for a medical marijuana identification card. The Department of Health (Department) may waive or reduce the fee for an identification card application or an identification card renewal application for an applicant who demonstrates financial hardship. For 2019, the Department has determined that an applicant may demonstrate financial hardship by verifying, subject to the penalties of perjury, that the applicant is currently participating in one or more of the following programs:

Children's Health Insurance Program (CHIP)
Medicaid
Programs of All-Inclusive Care for the Elderly (PACE)
PACE Needs Enhancement Tier (PACENET)
Supplemental Nutrition Assistance Program (SNAP)
Women, Infants and Children (WIC)

The Department may verify an applicant's current participation in any of the previously listed programs.

Interested persons are invited to submit written comments, suggestions or objections regarding this notice to John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov.

Persons with a disability who wish to submit comments, suggestions or objections regarding this notice or who require an alternative format of this notice (for example, large print, audiotope or Braille) may do so by using the previously listed contact information. Speech and/or hearing-impaired persons may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-88. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on Thursday, February 7, 2019, from 9:30 a.m. to 3 p.m. The purpose of

the meeting is to review progress in the area of organ and tissue donation in this Commonwealth, recommend education and awareness activities, recommend priorities in expenditures from the Organ and Tissue Donation Awareness Fund (Fund) and advise the Secretary of Health on matters relating to the administration of the Fund. The meeting will be held at the Gift of Life Donor Program Office, 800 North 3rd Street, Suite 504, Harrisburg, PA 17102.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Amy Flaherty, Director, Division of Nutrition and Physical Activity, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 787-5876, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-89. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Pharmacy Prior Authorization

The Department of Human Services (Department) announces it will add Radicava (edaravone) and Symdeko (tezacaftor/ivacaftor) to the Medical Assistance (MA) Program's list of services and items requiring prior authorization.

Section 443.6(b)(7) of the Human Services Code (62 P.S. § 443.6(b)(7)) authorizes the Department to add items and services to the list of services requiring prior authorization by publication of notice in the *Pennsylvania Bulletin*.

The MA Program will require prior authorization of all prescriptions for Radicava (edaravone) and Symdeko (tezacaftor/ivacaftor). These prior authorization requirements apply to prescriptions dispensed on or after January 22, 2019.

The Department will issue MA Bulletins to providers enrolled in the MA Program specifying the procedures for obtaining prior authorization of prescriptions for Radicava (edaravone) and Symdeko (tezacaftor/ivacaftor).

Fiscal Impact

These changes are estimated to result in minimal savings in the MA Fee-for-Service Program.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions to these prior authorization requirements.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania

AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1303. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 19-90. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Clover Ca\$h Instant Lottery Game 1384

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Clover Ca\$h (hereinafter “Clover Ca\$h”). The game number is PA-1384.

2. *Price:* The price of a Clover Ca\$h instant lottery game ticket is \$2.

3. *Play Symbols:* Each Clover Ca\$h instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), Clover (CLOVER) symbol and a Stack of Cash (WIN20) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$2.⁰⁰ (TWO DOL), \$4.⁰⁰ (FOR DOL), \$5.⁰⁰ (FIV DOL), \$10.⁰⁰ (TEN DOL), \$20.⁰⁰ (TWENTY), \$30.⁰⁰ (THIRTY), \$40.⁰⁰ (FORTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$1,000 (ONE THO) and \$10,000 (TEN THO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$30, \$40, \$100, \$200, \$400, \$1,000 and \$10,000. The player can win up to 10 times on a ticket.

6. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct an O’Lucky Day Second-Chance Drawing for which non-winning Clover Ca\$h instant lottery game tickets may be eligible as provided for in section 10.

7. *Approximate Number of Tickets Printed For the Game:* Approximately 5,400,000 tickets will be printed for the Clover Ca\$h instant lottery game.

8. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “Prize” area under

the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$400 (FOR HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$400 (FOR HUN) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$400.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$40.⁰⁰ (FORTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$40.⁰⁰ (FORTY) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$40.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER)

symbol, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$30.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Stack of Cash (WIN20) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under that Stack of Cash (WIN20) symbol, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol

of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$5.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$4.

(w) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Clover (CLOVER) symbol, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “Prize” area under that Clover (CLOVER) symbol, on a single ticket, shall be entitled to a prize of \$2.

9. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Either Winning Number; Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets</i>
\$2 w/ CLOVER	\$2	15.79	342,000
\$2	\$2	25	216,000
\$2 × 2	\$4	150	36,000
\$4 w/ CLOVER	\$4	75	72,000
\$4	\$4	75	72,000
\$5 w/ CLOVER	\$5	57.69	93,600
\$5	\$5	41.67	129,600
\$2 × 5	\$10	1,500	3,600
(\$2 w/ CLOVER) × 5	\$10	300	18,000
(\$5 w/ CLOVER) × 2	\$10	150	36,000
\$10 w/ CLOVER	\$10	300	18,000
\$10	\$10	1,500	3,600
\$5 × 4	\$20	1,500	3,600
(\$10 w/ CLOVER) + \$10	\$20	1,500	3,600
\$20 w/ STACK OF CASH	\$20	75	72,000
\$20 w/ CLOVER	\$20	1,500	3,600
\$20	\$20	1,500	3,600
\$5 × 6	\$30	12,000	450
(\$20 w/ STACK OF CASH) + (\$10 w/ CLOVER)	\$30	2,400	2,250

<i>When Any Of Your Numbers Match Either Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets</i>
(\$10 w/ CLOVER) × 3	\$30	1,000	5,400
\$30 w/ CLOVER	\$30	6,000	900
\$30	\$30	12,000	450
\$10 × 4	\$40	6,000	900
(\$20 w/ STACK OF CASH) + (\$4 × 5)	\$40	2,400	2,250
(\$20 w/ CLOVER) + (\$20 w/ STACK OF CASH)	\$40	2,400	2,250
(\$20 w/ STACK OF CASH) × 2	\$40	1,200	4,500
\$40 w/ CLOVER	\$40	2,400	2,250
\$40	\$40	6,000	900
\$10 × 10	\$100	12,000	450
(((\$20 w/ STACK OF CASH) × 2) + (\$10 × 6)	\$100	6,000	900
(\$40 w/ CLOVER) + (((\$20 w/ STACK OF CASH) × 3)	\$100	6,000	900
(\$10 w/ CLOVER) × 10	\$100	12,000	450
(\$20 w/ STACK OF CASH) × 5	\$100	6,000	900
\$100 w/ CLOVER	\$100	6,000	900
\$100	\$100	12,000	450
\$40 × 5	\$200	120,000	45
(((\$40 w/ CLOVER) × 2) + (((\$20 w/ STACK OF CASH) × 6)	\$200	60,000	90
(\$20 w/ STACK OF CASH) × 10	\$200	60,000	90
\$200 w/ CLOVER	\$200	60,000	90
\$200	\$200	120,000	45
\$40 × 10	\$400	120,000	45
(((\$100 w/ CLOVER) × 2) + (\$200 w/ CLOVER)	\$400	120,000	45
(((\$100 w/ CLOVER) × 3) + (((\$20 w/ STACK OF CASH) × 5)	\$400	60,000	90
\$400 w/ CLOVER	\$400	120,000	45
\$400	\$400	120,000	45
\$1,000 w/ CLOVER	\$1,000	540,000	10
\$1,000	\$1,000	540,000	10
\$10,000	\$10,000	540,000	10

Reveal a "CLOVER" (CLOVER) symbol, win prize shown under that symbol automatically.

Reveal a "STACK OF CASH" (WIN20) symbol, win \$20 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* Pennsylvania Lottery's O' Lucky Day Second-Chance Drawing for qualifying instant lottery game tickets (hereafter, the "Drawing").

(a) *Qualifying Tickets:* Non-winning PA-1383 Go for the Green (\$5) and PA-1384 Clover Ca\$h (\$2) instant lottery game tickets ("Qualifying Tickets") are eligible for entry in the Drawing.

(b) *Participation and Entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional website, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(4) Only one claimant per entry allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing Description.*

(1) The Lottery will conduct one O'Lucky Day Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. January 20, 2019, through 11:59:59 p.m. March 21, 2019, will be entered into the Drawing to be held between March 22, 2019 and April 1, 2019.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible website.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The respective purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1383 Go for the Green (\$5) = 5 entries; and PA-1384 Clover Ca\$h (\$2) = 2 entries.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional website.

(d) *Prizes Available to be Won, Determination of Winners, and Odds of Winning.*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or mentioned anywhere else in these rules.

(2) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted the winning entry shall each be entitled to a prize of \$50,000, less required income tax withholding.

(ii) The second through the third entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(iii) The fourth through the eighth entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$5,000.

(iv) The ninth through the thirty-eighth entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$1,000.

(3) All prizes will be paid as a lump-sum cash payment.

(4) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible website.

(5) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(6) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing Restrictions.*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile lottery application failure or other technical issues. If an entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, MARC USA, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within one year of the drawing date of the drawing in which the prize was won. If no claim is made within one year of the drawing date of the drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(14) Prizes are not transferrable.

(15) Other restrictions may apply.

11. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Clover Ca\$h instant lottery game tickets.

12. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Clover Ca\$h, prize money from winning Clover Ca\$h instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Clover Ca\$h instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Clover Ca\$h or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-91. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Double Frenzy Instant Lottery Game 1385

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Double Frenzy (hereinafter “Double Frenzy”). The game number is PA-1385.

2. *Price:* The price of a Double Frenzy instant lottery game ticket is \$1.

3. *Play Symbols:* Each Double Frenzy instant lottery game ticket will contain one play area. The play symbols and their captions, located in the play area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), FRENZY (WINPRZ) symbol and a DOUBLE (DOUBLE) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$3, \$5, \$10, \$20, \$40 \$100, \$500 and \$5,000. The player can win up to five times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 8,400,000 tickets will be printed for the Double Frenzy instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$5,000 (FIV THO) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$500 (FIV HUN) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$100 (ONE HUN) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with a DOUBLE (DOUBLE) symbol in the play area, and a prize symbol of \$40⁰⁰ (FORTY) appears in the “Prize” area under that DOUBLE (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$80.

(e) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$40⁰⁰ (FORTY) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$40.

(f) Holders of tickets with a DOUBLE (DOUBLE) symbol in the play area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under that DOUBLE (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$40.

(g) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$20⁰⁰ (TWENTY) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets with a DOUBLE (DOUBLE) symbol in the play area, and a prize symbol of \$10⁰⁰ (TEN DOL) in the “Prize” area under that DOUBLE (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$10⁰⁰ (TEN

DOL) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$10.

(j) Holders of tickets with a DOUBLE (DOUBLE) symbol in the play area, and a prize symbol of \$5.00 (FIV DOL) in the “Prize” area under that DOUBLE (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets with a DOUBLE (DOUBLE) symbol in the play area, and a prize symbol of \$3.00 (THR DOL) in the “Prize” area under that DOUBLE (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$6.

(l) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$5.00 (FIV DOL) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$5.

(m) Holders of tickets with a DOUBLE (DOUBLE) symbol in the play area, and a prize symbol of \$2.00 (TWO DOL) in the “Prize” area under that DOUBLE (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$4.

(n) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$3.00 (THR DOL) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$3.

(o) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$2.00 (TWO DOL) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$2.

(p) Holders of tickets with a DOUBLE (DOUBLE) symbol in the play area, and a prize symbol of \$1.00 (ONE DOL) in the “Prize” area under that DOUBLE (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$2.

(q) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area, and a prize symbol of \$1.00 (ONE DOL) in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$1.

(r) Holders of tickets with a FRENZY (WINPRZ) symbol in the play area and a prize symbol of FREE (TICKET) appears in the “Prize” area under that FRENZY (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of one Double Frenzy instant game ticket or one Pennsylvania Lottery instant game ticket with a \$1 sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal A “FRENZY” (WINPRZ) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets</i>
FREE	FREE \$1 TICKET	10	840,000
\$1 w/ DOUBLE SYMBOL	\$2	25	336,000
\$2	\$2	100	84,000
(\$1 w/ DOUBLE SYMBOL) + \$1	\$3	100	84,000
\$3	\$3	100	84,000
\$1 × 5	\$5	500	16,800
(\$1 w/ DOUBLE SYMBOL) + \$3	\$5	125	67,200
(\$2 w/ DOUBLE SYMBOL) + \$1	\$5	100	84,000
\$5	\$5	500	16,800
\$2 × 5	\$10	500	16,800
(\$3 w/ DOUBLE SYMBOL) + (\$1 × 4)	\$10	500	16,800
(\$3 w/ DOUBLE SYMBOL) + (\$2 × 2)	\$10	333.33	25,200
\$5 w/ DOUBLE SYMBOL	\$10	200	42,000
\$10	\$10	500	16,800
\$5 × 4	\$20	2,400	3,500
(\$2 w/ DOUBLE SYMBOL) × 5	\$20	480	17,500
\$10 w/ DOUBLE SYMBOL	\$20	685.71	12,250
\$20	\$20	2,400	3,500
\$10 × 4	\$40	24,000	350
(\$5 w/ DOUBLE SYMBOL) + (\$10 × 3)	\$40	3,000	2,800
\$20 w/ DOUBLE SYMBOL	\$40	3,000	2,800
\$40	\$40	24,000	350

<i>Reveal A "FRENZY" (WINPRZ) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets</i>
\$20 × 5	\$100	24,000	350
(\$40 w/ DOUBLE SYMBOL) + (\$10 w/ DOUBLE SYMBOL)	\$100	24,000	350
\$100	\$100	24,000	350
\$100 × 5	\$500	420,000	20
\$500	\$500	420,000	20
\$5,000	\$5,000	840,000	10

Reveal a "DOUBLE" (DOUBLE) symbol, double the prize shown under that symbol!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Double Frenzy instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Double Frenzy, prize money from winning Double Frenzy instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Double Frenzy instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Double Frenzy or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-92. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Fantastic 10s Instant Lottery Game 1382

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Fantastic 10s (hereinafter referred to as "Fantastic 10s"). The game number is PA-1382.

2. *Price:* The price of a Fantastic 10s instant lottery game ticket is \$10.

3. *Play Symbols:* Each Fantastic 10s instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FRTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38

(THYEGT), 39 (THYNIN), 40 (FRTY), 10 Burst (TEN) symbol, \$10 Bill (WIN10) symbol and a 10X (10TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$30,000 (TRY THO) and \$300,000 (THRHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$15, \$20, \$40, \$50, \$100, \$200, \$500, \$1,000, \$10,000, \$30,000 and \$300,000. The player can win up to 15 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the Fantastic 10s instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300,000 (THRHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30,000 (TRY THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$30,000 (TRY THO) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10X (10TIMES) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10X (10TIMES) symbol, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the

“prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10X (10TIMES) symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10X (10TIMES) symbol, and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$400.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10X (10TIMES) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$200.

(p) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$200.

(q) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10X (10TIMES) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$100.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in

the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$50.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(w) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$40.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(y) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$20.

(z) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol

of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$15.

(bb) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(cc) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10 Burst (TEN) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that 10 Burst (TEN) symbol, on a single ticket, shall be entitled to a prize of \$10.

(dd) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$10 Bill (WIN10) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that \$10 Bill (WIN10) symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number: Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets</i>
\$10 w/ \$10 BILL	\$10	20	480,000
\$10 w/ 10 BURST	\$10	20	480,000
\$10	\$10	30	320,000
\$15 w/ 10 BURST	\$15	30	320,000
\$15	\$15	37.5	256,000
\$10 × 2	\$20	120	80,000
(\$10 w/ \$10 BILL) + \$10	\$20	60	160,000
\$20 w/ 10 BURST	\$20	100	96,000
\$20	\$20	120	80,000
\$10 × 4	\$40	600	16,000
\$20 × 2	\$40	600	16,000
(\$10 w/ \$10 BILL) × 4	\$40	300	32,000
((\$15 w/ 10 BURST) × 2) + (\$10 w/ \$10 BILL)	\$40	150	64,000
\$40 w/ 10 BURST	\$40	300	32,000
\$40	\$40	600	16,000
\$10 × 5	\$50	600	16,000
(\$10 w/ \$10 BILL) × 5	\$50	600	16,000
((\$20 w/ 10 BURST) × 2) + (\$10 w/ 10 BURST)	\$50	600	16,000
(\$40 w/ 10 BURST) + (\$10 w/ \$10 BILL)	\$50	100	96,000
\$50 w/ 10 BURST	\$50	300	32,000
\$50	\$50	600	16,000
\$10 × 10	\$100	600	16,000
\$20 × 5	\$100	600	16,000

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets</i>
(\$10 w/ \$10 BILL) × 10	\$100	600	16,000
\$100 w/ 10 BURST	\$100	600	16,000
\$10 w/ 10X	\$100	300	32,000
\$100	\$100	600	16,000
\$20 × 10	\$200	12,000	800
\$40 × 5	\$200	24,000	400
\$50 × 4	\$200	24,000	400
(((\$10 w/ 10 BURST) × 10) + (\$20 × 5))	\$200	12,000	800
(\$10 w/ 10X) + (((\$10 w/ \$10 BILL) × 10))	\$200	12,000	800
(\$10 w/ 10X) × 2	\$200	12,000	800
\$200 w/ 10 BURST	\$200	6,000	1,600
\$20 w/ 10X	\$200	3,000	3,200
\$200	\$200	12,000	800
\$50 × 10	\$500	24,000	400
\$100 × 5	\$500	24,000	400
(((\$40 w/ 10 BURST) × 10) + (\$20 × 5))	\$500	24,000	400
(\$40 w/ 10X) + (((\$10 w/ \$10 BILL) × 10))	\$500	24,000	400
\$500 w/ 10 BURST	\$500	24,000	400
\$50 × 10X	\$500	20,000	480
\$500	\$500	24,000	400
\$500 × 2	\$1,000	24,000	400
(\$10 w/ 10X) × 10	\$1,000	12,000	800
(((\$100 w/ 10 BURST) × 5) + (\$50 × 10))	\$1,000	12,000	800
\$1,000 w/ 10 BURST	\$1,000	12,000	800
\$100 w/ 10X	\$1,000	6,000	1,600
\$1,000	\$1,000	24,000	400
\$1,000 × 10	\$10,000	960,000	10
\$10,000 w/ 10 BURST	\$10,000	960,000	10
\$1,000 w/ 10X	\$10,000	960,000	10
\$10,000	\$10,000	960,000	10
\$10,000 × 3	\$30,000	960,000	10
\$30,000 w/ 10 BURST	\$30,000	960,000	10
\$30,000	\$30,000	960,000	10
\$300,000	\$300,000	960,000	10

Reveal a "10 BURST" (TEN) symbol, win prize shown under that symbol automatically.

Reveal a "\$10 BILL" (WIN10) symbol, win \$10 instantly.

Reveal a "10X" (10TIMES) symbol, win 10 times the prize shown under that symbol!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Fantastic 10s instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket

that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of

at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Fantastic 10s, prize money from winning Fantastic 10s instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Fantastic 10s instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Fantastic 10s or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-93. Filed for public inspection January 18, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Go for the Green Instant Lottery Game 1383

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Go for the Green (hereinafter referred to as “Go for the Green”). The game number is PA-1383.

2. *Price:* The price of a Go for the Green instant lottery game ticket is \$5.

3. *Play Symbols:* Each Go for the Green instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions printed in green ink and located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRTY). The play symbols and their captions printed in black ink and located in the “WIN-

NING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRTY). The play symbols and their captions printed in green ink and located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRTY). The play symbols and their captions printed in black ink and located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY) and a Pot of Gold (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$50,000 (FTY THO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$250, \$400, \$500, \$1,000, \$5,000 and \$50,000. A player can win up to 12 times on a ticket.

6. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct an O’Lucky Day Second-Chance Drawing for which non-winning Go for the Green instant lottery game tickets may be eligible as provided in section 10.

7. *Approximate Number of Tickets Printed For the Game:* Approximately 6,000,000 tickets will be printed for the Go for the Green instant lottery game.

8. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50,000 (FTY THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the “WINNING NUMBERS” play symbols, with the symbol and the caption printed in black ink, and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the “WINNING NUMBERS” play symbols, with the symbol and the caption printed in black ink, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the match-

ink, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the “prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in six of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Pot of Gold (WINALL) symbol, with the symbol and the caption printed in black ink, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the “WINNING NUMBERS” play symbols, with the symbol and the caption printed in black ink, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(w) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, with either the “YOUR NUMBERS” or the “WINNING NUMBERS” play symbol and caption printed in green ink, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the “WINNING NUMBERS” play symbols, with the symbol and the caption printed in black ink, and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(y) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the

“WINNING NUMBERS” play symbols, with the symbol and the caption printed in black ink, and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(z) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, with either the “YOUR NUMBERS” or the “WINNING NUMBERS” play symbol and caption printed in green ink, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the “WINNING NUMBERS” play symbols, with the symbol and the caption printed in black ink, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(bb) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the “WINNING NUMBERS” play symbols, with the symbol and the caption printed in black ink, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(cc) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols, with the symbol and the caption printed in black ink, matches any of the “WINNING NUMBERS” play symbols, with the symbol and the caption printed in black ink, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

9. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets</i>
\$5	\$5	8.7	690,000
\$5 × 2	\$10	30	200,000
\$10	\$10	42.86	140,000
\$5 × 4	\$20	300	20,000
(\$5 × 2) + \$10	\$20	200	30,000
\$10 × 2	\$20	200	30,000
\$20	\$20	600	10,000
\$5 × 5	\$25	600	10,000
(\$5 × 3) + \$10	\$25	600	10,000
\$5 w/ GREEN MATCH	\$25	50	120,000
\$25	\$25	600	10,000
\$10 × 4	\$40	600	10,000
\$20 × 2	\$40	600	10,000
(\$5 w/ GREEN MATCH) + (\$5 × 3)	\$40	600	10,000

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets</i>
\$40	\$40	600	10,000
\$5 × 10	\$50	600	10,000
(\$5 w/ GREEN MATCH) + \$25	\$50	600	10,000
(\$5 w/ GREEN MATCH) × 2	\$50	600	10,000
\$10 w/ GREEN MATCH	\$50	600	10,000
\$50	\$50	600	10,000
POT OF GOLD w/ ((\$10 × 8) + (\$5 × 4))	\$100	1,200	5,000
POT OF GOLD w/ ((\$10 × 5) + (\$5 × 6) + \$20)	\$100	1,200	5,000
\$10 × 10	\$100	12,000	500
\$20 × 5	\$100	24,000	250
(((\$5 w/ GREEN MATCH) × 2) + (\$10 w/ GREEN MATCH))	\$100	2,400	2,500
(\$10 w/ GREEN MATCH) × 2	\$100	2,400	2,500
\$20 w/ GREEN MATCH	\$100	2,400	2,500
\$100	\$100	24,000	250
POT OF GOLD w/ ((\$25 × 2) + (\$20 × 10))	\$250	8,000	750
POT OF GOLD w/ ((\$50 × 2) + (\$20 × 5) + (\$10 × 5))	\$250	8,000	750
\$50 × 5	\$250	24,000	250
(\$40 w/ GREEN MATCH) + \$50	\$250	12,000	500
\$50 w/ GREEN MATCH	\$250	1,200	5,000
\$250	\$250	24,000	250
POT OF GOLD w/ ((\$40 × 8) + (\$20 × 4))	\$400	40,000	150
POT OF GOLD w/ ((\$100 × 2) + (\$20 × 10))	\$400	40,000	150
\$40 × 10	\$400	120,000	50
\$100 × 4	\$400	120,000	50
(\$50 w/ GREEN MATCH) + (\$20 w/ GREEN MATCH) + (\$10 w/ GREEN MATCH)	\$400	60,000	100
(\$40 w/ GREEN MATCH) × 2	\$400	60,000	100
\$400	\$400	120,000	50
POT OF GOLD w/ ((\$50 × 8) + (\$25 × 4))	\$500	120,000	50
POT OF GOLD w/ ((\$100 × 2) + (\$40 × 5) + (\$20 × 5))	\$500	120,000	50
\$50 × 10	\$500	120,000	50
\$100 w/ GREEN MATCH	\$500	120,000	50
\$500	\$500	120,000	50
POT OF GOLD w/ ((\$50 × 6) + (\$40 × 5) + \$500)	\$1,000	600,000	10
POT OF GOLD w/ ((\$250 × 2) + (\$50 × 10))	\$1,000	600,000	10
\$250 × 4	\$1,000	1,200,000	5
(\$100 w/ GREEN MATCH) + \$500	\$1,000	600,000	10
(\$100 w/ GREEN MATCH) × 2	\$1,000	600,000	10
\$1,000	\$1,000	1,200,000	5
\$1,000 × 5	\$5,000	1,200,000	5
\$5,000	\$5,000	1,200,000	5
\$50,000	\$50,000	600,000	10

When one of the matching numbers is GREEN, win 5 times the prize shown under the matching number.

Reveal a "POT OF GOLD" (WINALL) symbol, win all 12 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing*: Pennsylvania Lottery's O'Lucky Day Second-Chance Drawing for qualifying instant lottery game tickets (hereafter, the "Drawing").

(a) *Qualifying Tickets*: Non-winning PA-1383 Go for the Green (\$5) and PA-1384 Clover Ca\$h (\$2) instant lottery game tickets ("Qualifying Tickets") are eligible for entry in the Drawing.

(b) *Participation and Entry*:

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional website, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(4) Only one claimant per entry allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing Description*.

(1) The Lottery will conduct one O'Lucky Day Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. January 20, 2019, through 11:59:59 p.m. March 21, 2019, will be entered into the Drawing to be held between March 22, 2019 and April 1, 2019.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible website.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The respective purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1383 Go for the Green (\$5) = 5 entries; and PA-1384 Clover Ca\$h (\$2) = 2 entries.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional website.

(d) *Prizes Available to be Won, Determination of Winners, and Odds of Winning*.

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or mentioned anywhere else in these rules.

(2) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted the winning entry shall each be entitled to a prize of \$50,000, less required income tax withholding.

(ii) The second through the third entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(iii) The fourth through the eighth entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$5,000.

(iv) The ninth through the thirty-eighth entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$1,000.

(3) All prizes will be paid as a lump-sum cash payment.

(4) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible website.

(5) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(6) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing Restrictions*.

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile lottery application failure or other technical issues. If an entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, MARC USA, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be

tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within one year of the drawing date of the drawing in which the prize was won. If no claim is made within one year of the drawing date of the drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(14) Prizes are not transferrable.

(15) Other restrictions may apply.

11. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Go for the Green instant lottery game tickets.

12. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize,

either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Go for the Green, prize money from winning Go for the Green instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Go for the Green instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Go for the Green or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-94. Filed for public inspection January 18, 2019, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
7-532	Environmental Quality Board Federal Office of Surface Mining Reclamation and Enforcement Program Consistency 48 Pa.B. 6844 (October 27, 2018)	11/26/18	12/24/18

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
57-323	Pennsylvania Public Utility Commission Assumption of Commission Jurisdiction Over Pole Attachments from the Federal Communications Commission 48 Pa.B. 6273 (September 29, 2018)	11/28/18	12/24/18
16A-60	Bureau of Professional and Occupational Affairs Expungement; Fees 48 Pa.B. 7120 (November 10, 2018)	12/10/18	01/09/19

**Environmental Quality Board Regulation # 7-532
(IRRC # 3217)**

**Federal Office of Surface Mining Reclamation and
Enforcement Program Consistency Rule
December 24, 2018**

We submit for your consideration the following comments on the proposed rulemaking published in the October 27, 2018 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the Environmental Quality Board (Board) to respond to all comments received from us or any other source.

1. Section 86.31. Public notices of filing of permit applications.—Protection of the public health, safety and welfare; Reasonableness of the regulation.

In the Preamble, the Board states that Paragraph (c)(1) “requires notification by registered mail to the municipality where mining is proposed.” In the Annex, we note that the Board is deleting the phrase “by registered mail, the city, borough, incorporated town or township” [Emphasis added.] and replacing that with “the municipality.” The Board states in the Preamble that it is making this change because notification by registered mail is not required by the federal rules and the amended regulation will be consistent with federal regulations. The Board also states that this proposal will allow for electronic notice “in cases where it is appropriate.” We have several concerns. First, existing Section 86.1 (relating to definitions) defines “municipality” as “a county, city, borough, town, township, school district, institution or an authority created by any one or more of the foregoing.” Is it the Board’s intent to expand the notification requirement to all of these entities? Second, the Pennsylvania State Association of Township Supervisors comments that this notification is too important not to be sent by registered mail. We note that Pennsylvania is permitted to be more stringent than the federal rules, and ask the Board to explain the reasonableness of not requiring notification by registered mail for proposed mining activities. Finally, in what circumstances is electronic notice appropriate? If electronic notification is kept in the final regulation, we ask the Board to set standards for when its use is appropriate. Also, we ask the Board to explain how the notification requirements in the final regulation adequately protect public health, safety and welfare.

2. Regulatory Analysis Form (RAF)

In response to RAF Question # 10 the Board states: “Tables in sections 87.103, 88.93, 88.188, 88.293, 89.53, and 90.103 currently use outdated climatological data from the early 1980s. The proposed regulation replaces

these tables with a general reference to data available from the National Oceanic and Atmospheric Administration (NOAA). NOAA’s data is currently available online through its precipitation and storm event tool, which provides a more accurate account of storm events and, generally, lower precipitation levels.” However, in response to RAF Question # 28, the Board states that data is not the basis for the proposed regulatory amendments. In the Preamble and RAF to the final regulation, the Board should amend its response to Question # 28 to note that data is the basis for the change to climatological data in the sections listed in response to RAF Question # 10. The Board should also restate the reason for the change and include a link to the information on the NOAA website.

Further, with reference to the sections listed in response to RAF Question # 10, the actual language of the change in each of those sections states “. . . shall be determined by reference to data provided by the National Oceanic Atmospheric Administration or equivalent resources.” What are “equivalent resources?”

**Pennsylvania Public Utility Commission Regulation
57-323 (IRRC # 3214)**

**Assumption of Commission Jurisdiction Over
Pole Attachments from the Federal
Communications Commission**

December 24, 2018

We submit for your consideration the following comments on the proposed rulemaking published in the September 29, 2018 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Pennsylvania Public Utility Commission (PUC) to respond to all comments received from us or any other source.

1. Whether the regulation is in the public interest; Fiscal impact; Need.

This proposal adopts Federal Communications Commission (FCC) regulations regarding pole attachments as those regulations have been promulgated and as may be amended. The exercise of this reverse-preemption is permitted under Section 224(c) of the Telecommunications Act of 1996. 47 U.S.C. § 224(c). The PUC explains that the regulation of pole attachments at the state level instead of the federal level “will assist policymakers in efforts to expand access to both wireline and wireless broadband services” and will “dovetail with executive and legislative branch efforts to enhance high-speed internet access.”

In addition to seeking comment on the new language proposed as Chapter 77, relating to pole attachments, the

PUC is seeking comment from the regulated community on numerous, specific issues affecting pole attachments. As noted in the PUC's Executive Summary of this proposal, the issues include:

... the coordination of the FCC's development of its regulations with [PUC] enforcement, the character and potential number of pole attachment adjudications before the [PUC], the development of streamlined dispute resolution procedures, and the creation of a pole attachment registry with the [PUC].

Given the number of issues identified by the PUC and the diverse responses provided by the regulated community, we question the need for the rulemaking at this time. Commentators have provided valuable input on the pros and cons of incorporating the FCC regulations by reference as they currently stand and as they may be amended. A particular concern noted by commentators is the fact that the FCC has significantly amended its regulations twice since the PUC began this proceeding on June 14, 2018. If the PUC decides that major amendments to this rulemaking are needed to effectively expand broadband in the Commonwealth, we believe it would be in the public interest to start with a new proposed rulemaking. This would allow the regulated community an opportunity to provide input on their experiences working under the revised FCC regulations and the major amendments being considered by the PUC.

If the PUC decides to move forward with this proposal, we suggest that an Advance Notice of Final Rulemaking be issued before it delivers a final-form rulemaking. We also ask that it review and consider the recent changes to the FCC pole attachment regulations and provide a detailed explanation of why it believes the recent changes are appropriate for the Commonwealth and in the public interest.

2. Section 77.1. Statement of purpose and preemption.—Possible conflict with or duplication of statutes or existing regulations; Clarity.

This section includes a reference to 47 CFR 1.1401—1.1425. Since the publication of this proposal, it is our understanding the reference has changed to 47 CFR 1.1401—1.1415. We ask the PUC to ensure that the final-form rulemaking includes the correct reference to FCC regulations. We note that § 77.2, relating to applicability, § 77.4, relating to adoption of FCC regulations, and § 77.5, relating to resolution of disputes, also include that reference.

3. Section 77.4. Adoption of Federal Communications Commission regulations.—Statutory authority; Implementation procedures; Reasonableness.

This section adopts the federal regulations noted above and includes the phrase "... inclusive of future changes as those regulations may be amended." This provision has generated significant interest from the regulated community. Most commentators agree with the PUC that adoption of the federal rules would be beneficial to the Commonwealth, but disagree on how that adoption should take place. Some believe that automatic adoption of future amendments, as proposed, is appropriate. They cite to examples of other Commonwealth agency and PUC regulations that use a similar approach to incorporating federal regulations. Others believe that the automatic adoption is not consistent with the Pennsylvania statutes that govern the rulemaking process. Finally, some believe that automatic adoption of unknown amendments would not be in the public interest of the Commonwealth. These commentators believe Pennsylvania businesses and indi-

viduals affected by future amendments should have the opportunity to participate in the rulemaking process for regulations that directly and uniquely affect them. They would be in favor of the PUC initiating its own rulemaking proceeding to adopt future FCC amendments of its pole attachment regulations.

We have two concerns. First, while the PUC may impose requirements already mandated by the federal government, the automatic adoption of all future, and consequently unknown, requirements may be an improper delegation of the agency's statutory authority. Further, new obligations may be imposed without members of the regulated community and other parties having the opportunity for public comment as provided in the Commonwealth Documents Law (45 P.S. §§ 1102—1208) and the RRA.

Second, the Preamble to this rulemaking explains the rationale for its "turn-key" approach to adopting existing FCC pole attachment regulations, but does not explain the rationale associated with automatically adopting future amendments to FCC pole attachment regulations. In the Preamble to the final-form rulemaking, we ask the PUC to explain its rationale for including language that automatically adopts future changes to FCC pole attachment regulations without being vetted through the regulatory review process of the Commonwealth.

4. Section 77.5. Resolution of disputes.—Implementation procedures; Need; Clarity.

This section provides direction on how mediation and formal complaints will be adjudicated under Chapter 77. We have two concerns. First, Subsection (a) permits parties subject to this Chapter to utilize PUC complaint and adjudicative procedures found in its existing regulations to resolve disputes or terminate controversies. Subsection (b) states that parties before the PUC shall employ the procedural requirements of the FCC pole attachment regulations "except where silent or in cases of conflict" where the PUC regulations will control. A commentator has stated that it will be difficult for parties to determine the sections that are silent or do not control. We ask the PUC to explain how it will implement Subsection (b) in the Preamble to the final-form regulation.

Second, Subsection (c) reads as follows:

When exercising authority under this Chapter the [PUC] will consider Federal Communications Commission orders promulgating and interpreting Federal pole attachment rules and Federal court decisions reviewing those rules and interpretations as persuasive authority in construing the provisions of 47 U.S.C. § 224 and 47 CFR 1.1401—1.1425.

We do not have a particular concern with this subsection, but ask for clarification of the intent of it compared to the following sentence from the PUC's response to Question # 10 of the RAF. The sentence reads as follows: "If adopted, Chapter 77 will provide stakeholders with the opportunity to access the [PUC's] adjudicatory resources and to develop precedent relevant to the challenges of broadband development in Pennsylvania." (Emphasis added.) If the rulemaking is adopted and implemented, will the adjudicatory functions and processes of the PUC look to Federal decisions and precedent to resolve disputes as required by Subsection (c), or will the PUC look to precedent it develops over the years as it adjudicates these matters? We ask the PUC to explain its intent in the Preamble to the final-form regulation.

5. Compliance with the provisions of the Regulatory Review Act or the regulations of the Commission in promulgating the regulation; Fiscal impact.

When this Commission is reviewing a rulemaking to determine if it is in the public interest, we look at the proposed language in the Annex, the promulgating agency's description of the rulemaking in the Preamble, and the information provided by the promulgating agency in the RAF. The information requested in the RAF is required by the RRA and this Commission's regulations. We acknowledge that the PUC is seeking input on the potential number of pole attachment adjudications and potential workload increase for PUC staff. However, a quantification of the potential fiscal impact of a proposed rulemaking is required to be provided in RAF Questions # 19, 20, 21 and 23. If and when the PUC returns this rulemaking in final-form, we ask that the RAF identify the number of pole attachment adjudications it expects, the costs associated with adjudicating a dispute for both parties of a dispute, and the costs to adjudicate a dispute for the PUC.

In addition, we ask the PUC to provide additional information related to how this rulemaking compares to other states as required by Question # 12 of the RAF. What other states have exercised "reverse-preemption" under the Telecommunication Act of 1996? For states that have exercised this power, have they taken a "turn-key" approach or have they modified the federal rules in some manner? For the states that adopted the federal rules, how many of them automatically adopt future FCC rule changes automatically?

Finally, we ask the PUC to identify the type and number of small businesses that will be affected by the regulation as required by Question # 15 of the RAF.

**Bureau of Professional and Occupational Affairs
Regulation # 16A-60
(IRRC # 3220)**

Expungement; Fees

January 9, 2019

We submit for your consideration the following comments on the proposed rulemaking published in the November 10, 2018 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Bureau of Professional and Occupational Affairs (Bureau) to respond to all comments received from us or any other source.

1. Section 43b.101. Definitions.—Statutory authority and whether the regulation conforms to the intention of the General Assembly and Clarity.

"Expunge or expungement"

The Bureau defines "expunge or expungement" as the "Removal of a disciplinary record from a licensee's record accomplished by (1) permanently sealing the affected record from public access; (2) deeming the proceedings to which the affected record refers as not having occurred; and (3) except with respect to any subsequent application for expungement, affording the affected party the right to represent that *no disciplinary record exists regarding the matter.*" (Emphasis added)

Act 6 defines "expunge or expungement" as the "Removal of a disciplinary record, accomplished by:

(1) Permanently sealing the affected record from public access;

(2) Deeming the proceedings to which the affected record refers as not having occurred; and

(3) Except with respect to any subsequent application for expungement, affording the affected party the right to represent *that no record exists regarding the subject matter of the affected record.*" (Emphasis added)

The Bureau proposes to exclude the phrase "of the affected record" from the definition of "expunge or expungement." The Bureau should explain in the Preamble to the final-form regulation how the definition is consistent with the statute and why the phrase regarding the affected record is unnecessary.

2. Section 43b.103. Application for expungement.—Statutory authority and whether the regulation conforms to the intention of the General Assembly.

Under this section, a licensee may apply for expungement in accordance with the subchapter "*in the manner prescribed by the Commissioner.*" (Emphasis added) In the Preamble to the proposed rulemaking, the Bureau explains that it anticipates that licensees will apply for expungement through the Bureau's online PA Licensing System (PALS) which contains all records associated with a license, registration, certificate or permit, including all disciplinary records.

Act 6 of 2018 states that:

"The Commissioner of the Professional and Occupational Affairs shall expunge the disciplinary record of a licensee, registrant, certificate holder or permit holder if the imposition of discipline was for a violation involving failure to complete continuing education requirements or practicing for six months or less on a lapsed license, registration, certificate or permit, subject to the following:

- (i) The licensee, registrant, certificate holder or permit holder must *make written application* to the commissioner for expungement not earlier than four years from the final disposition of the disciplinary record" [Emphasis added]

The Bureau should explain how permitting licensees to apply through the Bureau's online licensing system and allowing the Commissioner to prescribe the manner in which a licensee may apply for expungement is consistent with the statute that explicitly requires a licensee, registrant or permit holder to make written application to the commissioner for expungement of certain disciplinary records.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 19-95. Filed for public inspection January 18, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Kenneth F. Geering; License Denial Appeal; Doc. No. AG18-12-015

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Kenneth F. Geering has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be

governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for February 6, 2019, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before February 4, 2019. A hearing shall occur on February 20, 2019, at 10 a.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Protests, petitions to intervene or notices of intervention, if any, must be filed on or before January 23, 2019, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to protests, petitions to intervene or notices of intervention, if any shall be filed on or before February 4, 2019.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-96. Filed for public inspection January 18, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the homeowner's policy. The hearing will be held in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of MaryAnn Clapsaddle; Brethren Mutual Insurance Company; File No. 18-118-230540; Doc. No. P18-12-021; February 21, 2019, 9:30 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-97. Filed for public inspection January 18, 2019, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 505.32—Governor's Awards for Excellence, Amended December 19, 2018.

Administrative Circular No. 18-13—Holiday Trees and Decorations in Commonwealth-Owned or Leased Buildings, Dated November 26, 2018.

Administrative Circular No. 18-14—Inauguration Day, Dated December 20, 2018.

DUANE M. SEARLE,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 19-98. Filed for public inspection January 18, 2019, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; All Milk Marketing Areas; Over-Order Premium

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302) the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on March 8, 2019, at 10 a.m. in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning the level and duration of the Class I over-order premium.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of

parties by: (1) having their attorney file with the Board on or before 12 p.m. on February 1, 2019, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 12 p.m. on February 1, 2019, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@state.pa.us.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. Copies of the filings will be available on the Board web site at <http://www.mmb.pa.gov/Public%20Hearings/>.

1. By 2 p.m. on February 7, 2019, the petitioner shall file with the Board, in person or by mail, one original and five copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a written report or written testimony explaining the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on February 21, 2019, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on February 28, 2019, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents, or records in other proceedings before the Board, or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, five copies shall be provided for Board use and one copy shall be provided to each interested party.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 12 p.m. on February 22, 2019.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 19-99. Filed for public inspection January 18, 2019, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held at the Conference Center, Central Penn College, 600 Valley Road, Summerdale, PA 17093 at 10 a.m. on Tuesday, January 29, 2019.

Individuals with questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, RN, BSN, MBA, CPPS,
Executive Director

[Pa.B. Doc. No. 19-100. Filed for public inspection January 18, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by February 4, 2019. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2018-3003052. Jennifer P. Woody (611 Marion Court, Levittown, PA 19055) in paratransit service, between points in the County of Bucks and the City and County of Philadelphia.

A-2018-3005466. Uka-Onyee Family Enterprises, LLC (25 Victory Way, Limerick, Montgomery County, PA 19468) in nonmedical emergency paratransit service, from points in Chester and Montgomery Counties, to points in Pennsylvania, and return.

A-2018-3006482. GMB Cares, LLC (2019 McKean Street, Philadelphia, Philadelphia County, PA 19145) in paratransit service between points in the Counties of Berks, Bucks, Chester, Delaware, Lancaster and Lehigh, and the City and County of Philadelphia.

A-2018-3006676. Silver Moon Trans, LLC (2301 Tremont Street, Apartment G106, Philadelphia, Philadelphia County, PA 19115) in paratransit service, from points in Delaware County and the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney:* David P. Temple, Esquire, 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

A-2018-3006689. Pittsburgh Limousine Company (11 Cedar Street, Masontown, Fayette County, PA 15461) in limousine service, from points in Fayette County, to points in Pennsylvania, and return, and between points in the Counties of Allegheny, Fayette, Greene, Somerset and Washington; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2018-3006690. Pittsburgh Limousine Company (11 Cedar Street, Masontown, Fayette County, PA 15461) in airport transfer service, from points in the Counties of Fayette and Somerset, to Pittsburgh International Airport, and from the Pittsburgh International Airport to points in Allegheny, Fayette, Greene, Somerset and Washington Counties; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.

A-2018-3005148. Guardian Transport Services, LLC (8796 Route 219, Brockway, PA 15824) in paratransit service, between points in Pennsylvania.

Application of the following for approval to begin operating as contract carriers for transportation of persons as described under the application.

A-2018-3005900. Supreme Transit, LLC, t/a Supreme Transit (3908 Montella Circle, Collegeville, Montgomery County, PA 19426) for Sweet Home Healthcare, from points in the Counties of Allegheny, Berks, Chester, Montgomery and Philadelphia, to points in Pennsylvania, and return.

Application of the following for approval to begin operating as common carriers for transportation of household goods in use as described under the application.

A-2018-3006572. Spirit Moving Company, LLC (5040 Louise Drive, Mechanicsburg, Cumberland County, PA 17055) household goods in use, between points in Pennsylvania.

Application of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle as described under the application.

A-2018-3006815. Delaware County Transportation Service, Inc. (370 Crooked Lane, King of Prussia, PA 19406) for the discontinuance of service and cancellation of the certificate A-00106960F3 as a common carrier, by motor vehicle, of persons in paratransit service, between points in the City and County of Philadelphia, and within an airline distance of 100 statute miles of the limits thereof, subject to the following condition: provided no right, power or privilege is granted to provide service to,

from or between points in the County of Chester. *Attorney:* Margaret A. Morris, 2929 Arch Street, 13th Floor, Philadelphia, PA 19104.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-101. Filed for public inspection January 18, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due February 4, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Sherry A. Thomas, Inc.; Docket No. C-2018-3006119

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Sherry A. Thomas, Inc., (respondent) is under suspension effective November 11, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 3842 Chestnut Grove Hwy, Grampian, PA 16838.
3. That respondent was issued a Certificate of Public Convenience by this Commission on March 23, 2012, at A-8913370.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation

and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8913370 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/27/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current

insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Greensburg Yellow Cab Co.; Docket No. C-2018-3006381

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Greensburg Yellow Cab Co., (respondent) is under suspension effective November 24, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 951 W Pittsburgh Street, Greensburg, PA 15601.

3. That respondent was issued a Certificate of Public Convenience by this Commission on January 05, 2004, at A-00120017.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00120017 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 12/11/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this num-

ber if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-102. Filed for public inspection January 18, 2019, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

April 11, 2019	John C. Hosler (Disability)	10 a.m.
----------------	--------------------------------	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Dennis Filipovich, Board Liaison, at (717) 720-4617 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matter will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

GLEN R. GRELL,
Executive Director

[Pa.B. Doc. No. 19-103. Filed for public inspection January 18, 2019, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Richard Arjun Kaul, MD; File No. 18-49-008536

On October 30, 2018, Richard Arjun Kaul, MD, last known of Palisades Park, NJ, was denied Pennsylvania licensure based on disciplinary action taken by another state and country.

Individuals may obtain a copy of the final order by writing to Kerry E. Maloney, Board Counsel, State Board of Medicine, P.O. Box 69523, Harrisburg, PA 17106-9523.

This final order represents the final State Board of Medicine (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in

accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KEITH E. LOISELLE,
Chairperson

[Pa.B. Doc. No. 19-104. Filed for public inspection January 18, 2019, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Anthony John Marx, RN; Case No. 17-51-00212

On October 2, 2018, Anthony John Marx, RN, license No. RN662289, last known of Gibsonia, Allegheny County, was indefinitely suspended, retroactive to June 26, 2017, and ordered to pay \$700 in costs of investigation, based on being unable to practice professional nursing with reasonable skill and safety to patients by reason of mental or physical illness or condition or physiological or psychological dependence upon alcohol, hallucinogenic, narcotic or other drugs which tend to impair judgement or coordination and failure to submit to a mental and physical examination.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

ANN M. COUGHLIN, MBA, MSN, RN,
Chairperson

[Pa.B. Doc. No. 19-105. Filed for public inspection January 18, 2019, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Kristen Iris Mikos, RN; Case No. 17-51-07937

On October 2, 2018, Kristen Iris Mikos, RN, license No. RN554438, last known of Philadelphia, Philadelphia County, had her registered nurse license indefinitely suspended until she proves that she is fit to practice professional nursing with reasonable skill and safety and was assessed a \$500 civil penalty based on receiving disciplinary action by the proper licensing authority of another state and failing to report same to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

ANN M. COUGHLIN, MBA, MSN, RN,
Chairperson

[Pa.B. Doc. No. 19-106. Filed for public inspection January 18, 2019, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on February 7, 2019, at 2:30 p.m. at the Pennsylvania State Capitol, North Office Building, Hearing Room 1, 401 North Street, Harrisburg, PA. The public hearing will end at 5 p.m. or at the conclusion of public testimony, whichever is sooner. At this public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. These projects are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for March 15, 2019, which will be noticed separately. The public should take note that this public hearing will be the only opportunity to offer oral comment to the Commission for the listed projects. The deadline for the submission of written comments is February 18, 2019.

For further information contact Ava Stoops, Administrative Specialist, (717) 238-0423, fax (717) 238-2436.

Information concerning the applications for these projects is available at the Commission's Water Application and Approval Viewer at <https://mdw.srbc.net/waav>. Additional supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at www.srbc.net/regulatory/policies-guidance/docs/access-to-records-policy-2009-02.pdf.

Supplementary Information

The public hearing will cover the following projects:
Projects Scheduled for Action

1. Project Sponsor and Facility: ADLIB Resources, Inc. (Meshoppen Creek), Springville Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.499 mgd (peak day) (Docket No. 20150301).

2. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Beech Mountain System, Butler Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.144 mgd (30-day average) from Beech Mountain Well 1.

3. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Beech Mountain System, Butler Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.144 mgd (30-day average) from Beech Mountain Well 2.

4. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Beech Mountain System, Butler Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.124 mgd (30-day average) from Beech Mountain Well 3.

5. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Susquehanna River), Braintrim Township, Wyoming County, PA. Application for renewal of surface water withdrawal of up to 3.000 mgd (peak day) (Docket No. 20150303).

6. Project Sponsor: Corning Incorporated. Project Facility: Corning Innovation Support Center, Town of Big Flats, Chemung County, NY. Application for groundwater withdrawal of up to 0.540 mgd (30-day average) from Carpenter Road Well 1.

7. Project Sponsor: Corning Incorporated. Project Facility: Corning Innovation Support Center, Town of Big Flats, Chemung County, NY. Application for groundwater withdrawal of up to 0.540 mgd (30-day average) from Carpenter Road Well 2.

8. Project Sponsor and Facility: Farmers Pride, Inc., Bethel Township, Lebanon County, PA. Application for renewal of groundwater withdrawal of up to 0.060 mgd (30-day average) from Well 1 (Docket No. 19881101).

9. Project Sponsor and Facility: Linde Corporation (Lackawanna River), Fell Township, Lackawanna County, PA. Application for renewal of surface water withdrawal of up to 0.905 mgd (peak day) (Docket No. 20150307).

10. Project Sponsor and Facility: Shadow Ranch Resort, Inc. (Tunkhannock Creek), Tunkhannock Township, Wyoming County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20150309).

11. Project Sponsor and Facility: State College Borough Water Authority, Ferguson Township, Centre County, PA. Application for renewal of groundwater withdrawal of up to 0.490 mgd (30-day average) from Well 57 (Docket No. 19890504).

12. Project Sponsor: SUEZ Water Pennsylvania, Inc. Project Facility: Center Square Operation, Upper Allen Township, Cumberland County, PA. Application for groundwater withdrawal of up to 0.107 mgd (30-day average) from Well 1.

13. Project Sponsor: SUEZ Water Pennsylvania, Inc. Project Facility: Center Square Operation, Upper Allen Township, Cumberland County, PA. Application for renewal of groundwater withdrawal of up to 0.379 mgd (30-day average) from Well 2 (Docket No. 19861104).

14. Project Sponsor and Facility: Sugar Hollow Water Services, LLC (Martins Creek), Hop Bottom Borough, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.360 mgd (peak day) (Docket No. 20150304).

15. Project Sponsor and Facility: SWEPI, LP (Cowanessque River), Westfield Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.375 mgd (peak day) (Docket No. 20150311).

16. Project Sponsor and Facility: SWN Production Company, LLC (Martins Creek), Brooklyn Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.997 mgd (peak day) (Docket No. 20150310).

17. Project Sponsor and Facility: Village of Windsor, Broome County, NY. Application for groundwater withdrawal of up to 0.380 mgd (30-day average) from Well 1.

18. Project Sponsor and Facility: Village of Windsor, Broome County, NY. Application for groundwater withdrawal of up to 0.380 mgd (30-day average) from Well 2.

Commission-Initiated Project Approval Modifications

1. Project Sponsor and Facility: East Donegal Township Municipal Authority, East Donegal Township, Lancaster County, PA. Conforming the grandfathering amount with the forthcoming determination for a withdrawal of up to 0.351 mgd (30-day average) from Glatfelter Springs (Docket No. 20110305).

2. Project Sponsor and Facility: Hanover Country Club, Abbottstown Borough, Adams County, PA. Conforming the grandfathering amount with the forthcoming determination for a groundwater withdrawal of up to 0.122 mgd (30-day average) from Well 1 and up to 0.108 mgd (30-day average) from Well 2 (Docket No. 20020828).

3. Project Sponsor and Facility: Mars Wrigley Confectionary US, LLC, Elizabethtown Borough, Lancaster County, PA. Conforming the grandfathering amount with the forthcoming determination for groundwater withdrawal of up to 0.112 mgd (30-day average) from Well 6 (Docket No. 20010804).

Opportunity to Appear and Comment

Interested parties may appear at the hearing to offer comments to the Commission on any previously listed business required to be subject of a public hearing. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Guidelines for the public hearing are posted on the Commission's web site, www.srbc.net, prior to the hearing for review. The presiding officer reserves the right to modify or supplement the guidelines at the hearing. Written comments on any previously listed business required to be subject of a public hearing may also be mailed to Ava Stoops, Administrative Specialist, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through www.srbc.net/about/meetings-events/public-hearing.html. Comments mailed or electronically submitted must be received by the Commission on or before February 18, 2019, to be considered.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: January 3, 2019

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 19-107. Filed for public inspection January 18, 2019, 9:00 a.m.]