

NOTICES

DEPARTMENT OF AGING

Pennsylvania Long-Term Care Council; Location and Time Change for August 29, 2019 Meeting

The Pennsylvania Long-Term Care Council's (Council) August 29, 2019, meeting will be held at the Governor's Residence, 2035 North Front Street, Harrisburg, PA 17102, and will begin at 9 a.m.

Persons with any questions or in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Charles Quinnan, Council Executive Director, (717) 705-7296, cquinnan@pa.gov.

ROBERT TORRES,
Secretary

[Pa.B. Doc. No. 19-1207. Filed for public inspection August 9, 2019, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending July 30, 2019.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
07-26-2019	Andrew S. Samuel Dillsburg York County Application for approval to acquire 10% or more of the common stock of LINKBANCORP, Inc., Camp Hill.	Filed

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-30-2019	Mars Bank Mars Butler County	109 South Broad Street Grove City Mercer County	Filed
07-30-2019	The Muncy Bank and Trust Company Muncy Lycoming County	2190 Route 54 Montgomery Lycoming County	Filed
07-30-2019	Hyperion Bank Philadelphia Philadelphia County	3525 Piedmont Road Atlanta Fulton County, GA	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-09-2019	ESSA Bank & Trust Stroudsburg Monroe County	<i>To:</i> 76 South Main Street Nazareth Northampton County <i>From:</i> 14 South Main Street Nazareth Northampton County	Effective

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-24-2019	Northwest Bank Warren Warren County	<i>To:</i> 1035 Payne Avenue North Tonawanda Niagara County, NY <i>From:</i> 275 Meadow Drive North Tonawanda Niagara County, NY	Filed
07-30-2019	Sharon Bank Darby Delaware County	<i>To:</i> 153 Saxer Avenue Springfield Delaware County <i>From:</i> 5 East Springfield Road Springfield Delaware County	Filed

CREDIT UNIONS**Branch Applications****Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
7-19-2019	BHCU Ridley Park Delaware County	<i>To:</i> 1100 Baltimore Pike Glen Mills Delaware County <i>From:</i> 1810 Wilmington Pike Glen Mills Delaware County	Filed

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 19-1208. Filed for public inspection August 9, 2019, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Community Services Block Grant Program's Proposed State Plan; Public Hearing

The Department of Community and Economic Development (Department) publishes notice of a public hearing to be held at 3 p.m. on Thursday, August 15, 2019, in PUC Hearing Room 3, Plaza Level, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA. The purpose of this hearing is to receive comments on the proposed Community Services Block Grant (CSBG) Program State Plan (State Plan) for Federal Fiscal Years 2020 and 2021.

The 2020-2021 State Plan will authorize the current formula-based distribution for each of the 43 Federally designated Community Action Agencies in this Commonwealth. The State Plan includes the following:

- A description of the State's roles and responsibilities in administering the CSBG Program,
- A listing of the 43 current eligible entities and their service areas,
- A description of the process for allocating funds,
- A projected goal for each year's rate of agency compliance with required organizational standards,

- A plan for training and technical assistance provision to the eligible entities,
- A description of potential discretionary spending projects,
- A plan for agency risk assessment, program monitoring and corrective action.

Copies of the 2020-2021 State Plan may be obtained by contacting the Department of Community and Economic Development, Center for Community Services, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120, (717) 425-7597 or it can be downloaded from the Department's web site at dced.pa.gov.

Written comments may be submitted to Lynette Praster, Director, Center for Community Services, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120 until 5 p.m. on August 23, 2019.

Persons with a disability who wish to attend this hearing and require auxiliary aid, services or other accommodations to participate in the proceedings should contact Yvonne Adams at (717) 425-7597 to discuss how the Department may accommodate their needs.

DENNIS M. DAVIN,
Secretary

[Pa.B. Doc. No. 19-1209. Filed for public inspection August 9, 2019, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Regional Housing Advisory Committee Meetings; 2020 Annual Action Plan

The Department of Community and Economic Development (Department) is preparing the Commonwealth's 2020 Annual Action Plan. This document must be submitted to, and approved by, the United States Department of Housing and Urban Development (HUD) in order for the Commonwealth to receive funding under HUD's housing and community development programs of Community Development Block Grant, HOME Investment Partnership Program, Emergency Solutions Grant Program, Housing Opportunities for People with AIDS and National Housing Trust Fund.

As part of the planning process, the Department conducts meetings across this Commonwealth to discuss regional needs for housing, homelessness, economic and community development issues and develops priorities for the programs that may affect the method of distribution of the Fiscal Year 2020 funding. The first of these meetings are the Regional Housing Advisory Committee (RHAC) meetings.

RHAC Meetings

There are six RHACs across this Commonwealth comprised of appointed members. Meetings of these RHACs are open to the public under 65 Pa.C.S. §§ 701—716 (relating to the Sunshine Act). These RHACs advise the Department regarding housing, homelessness, economic and community development needs as well as assist in fair housing planning. The RHAC meetings will take place electronically by means of a webinar or onsite at the Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225 on the following specified dates and times:

Northwest RHAC Meeting (Cameron, Centre, Clarion, Clearfield, Elk, Erie, Forest, Jefferson, Lawrence, McKean, Mercer, Potter, Venango and Warren Counties)

Date: Tuesday, August 20, 2019

Time: 1:30 p.m.

Place: Conference Room 4 West

Visit <https://meet.lync.com/pagov/jmichael/2VWUIEDU> to join the meeting. Contact (717) 787-5327 prior to the meeting. To join by phone, call (267) 332-8737. Conference ID: 83178871.

Northeast RHAC Meeting (Bradford, Carbon, Clinton, Columbia, Lackawanna, Luzerne, Lycoming, Montour, Pike, Schuylkill, Sullivan, Susquehanna, Tioga, Wayne and Wyoming Counties)

Date: Wednesday, August 21, 2019

Time: 10 a.m.

Place: Conference Room E-Commerce Lab

Visit <https://meet.lync.com/pagov/jmichael/92NSYSRE> to join the meeting. Contact (717) 787-5327 prior to the meeting. To join by phone, call (267) 332-8737. Conference ID: 11462884.

Southwest RHAC Meeting (Allegheny, Armstrong, Beaver, Bedford, Blair, Butler, Cambria, Fayette, Greene, Indiana, Somerset, Washington and Westmoreland Counties)

Date: Wednesday, August 21, 2019

Time: 1:30 p.m.

Place: Conference Room 4 East

Visit <https://meet.lync.com/pagov/jmichael/BKCHTS9Q> to join the meeting. Contact (717) 787-5327 prior to the meeting. To join by phone, call (267) 332-8737. Conference ID: 82588344.

Southeast RHAC Meeting (Bucks, Chester, Delaware, Lancaster, Montgomery and Philadelphia Counties)

Date: Thursday, August 29, 2019

Time: 2 p.m.

Place: Conference Room 4 West

Visit <https://meet.lync.com/pagov/jmichael/JT7CN5O3> to join the meeting. Contact (717) 787-5327 prior to the meeting. To join by phone, call (267) 332-8737. Conference ID: 18055760.

Central RHAC Meeting (Adams, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Mifflin, Perry and York Counties)

Date: Tuesday, September 3, 2019

Time: 1:30 p.m.

Place: Conference Room 4 West

Visit <https://meet.lync.com/pagov/jmichael/GJHZEVCN> to join the meeting. Contact (717) 787-5327 prior to the meeting. To join by phone, call (267) 332-8737. Conference ID: 34909545.

Lehigh Valley RHAC Meeting (Berks, Lebanon, Lehigh, Monroe, Northampton, Northumberland, Snyder and Union Counties)

Date: Wednesday, September 4, 2019

Time: 1:30 p.m.

Place: Conference Room 4 West

Visit <https://meet.lync.com/pagov/jmichael/431GOQ78> to join the meeting. Contact (717) 787-5327 prior to the meeting. To join by phone, call (267) 332-8737. Conference ID: 40373374.

For assistance with any of the previously listed sessions, contact Jody Michael at (717) 720-7410.

Persons who have a disability or limited English proficiency who wish to participate in any of the RHAC meetings and require an auxiliary aid, service or other accommodation to participate should contact Megan Snyder, Department of Community and Economic Development, Center for Community Financing, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7404 or TDD (717) 346-0308, megsnyder@pa.gov at a minimum of 72 hours prior to the hearing to discuss how the Department may best accommodate their needs.

DENNIS M. DAVIN,
Secretary

[Pa.B. Doc. No. 19-1210. Filed for public inspection August 9, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0261220 (SEW)	Jason Brenneman 11973 Hartslog Valley Road Huntingdon, PA 16652-7338	Huntingdon County/ Walker Township	11-B/Crooked Creek	Y

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0217905 (Industrial)	Oakmont Municipal Authority Hulton Purification Plant P.O. Box 73 721 Allegheny Avenue Oakmont, PA 15139-0073	Allegheny County Oakmont Borough	Allegheny River (WWF) and Falling Springs Run (WWF) (18-A)	Yes
PA0096628 (Sewage)	Hamill Manufacturing STP 500 Pleasant Valley Road Trafford, PA 15085-2701	Westmoreland County Penn Township	Lyons Run (TSF) (19-A)	Yes
PA0002933 (Industrial)	Connellsville West Side Facility 311 South 7th Street Connellsville, PA 15425-3015	Fayette County Connellsville City	Youghiogheny River (HQ-CWF) (19-D)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0011851, Industrial, SIC Code 3317, 3356, 3451, **Superior Tube Co. Inc.**, 3900 Germantown Pike, Colledgeville, PA 19426-3112. Facility Name: Superior Tube Colledgeville Facility. This existing facility is located in Lower Providence Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Perkiomen Creek (WWF, MF) and Unnamed Tributary to Perkiomen Creek (TSF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes, Warm Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0.10 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX
Trichloroethylene	XXX	XXX	XXX	Report	Report	XXX
n-Propyl Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0.10 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	110	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0 Avg Mo	60.0	75
Total Dissolved Solids	XXX	XXX	XXX	1,000 Avg Mo	2,000	2,500
Oil and Grease	XXX	XXX	XXX	15.0 Avg Mo	XXX	30

The proposed effluent limits for Outfall 108 are based on a design flow of 0.03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Toxic Organics	XXX	XXX	XXX	1.06 SEMI AVG	XXX	XXX

The proposed effluent limits for Outfall 108 are based on a design flow of 0.03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Chromium, Total	0.143	0.231	XXX	0.573 Avg Qrtly	0.924	1.43
Copper, Total	0.172	0.282	XXX	0.689 Avg Qrtly	1.125	1.72
Cyanide, Total	0.054	0.100	XXX	0.216 Avg Qrtly	0.4	0.54
Lead, Total	0.036	0.058	XXX	0.143 Avg Qrtly	0.229	0.357
Nickel, Total	0.199	0.334	XXX	0.795 Avg Qrtly	1.33	1.98
Silver, Total	0.02	0.036	XXX	0.08 Avg Qrtly	0.143	0.2

The proposed effluent limits for Outfall 108 are based on a design flow of 0.03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX Avg Mo	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	2.69 Avg Mo	5.24	XXX	10.7	20.9	26.9
Oil and Grease	2.21 Avg Mo	4.44	XXX	8.84	17.7	22.11
Ammonia-Nitrogen	0.226 Avg Mo	0.226	XXX	0.9	0.9	0.904

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Cadmium, Total	0.021	0.057	XXX	0.086	0.229	0.229
	Avg Mo					
Fluoride, Total	XXX	XXX	XXX	2.5	XXX	5
Zinc, Total	0.123	0.218	XXX	0.492	0.879	1.23
	Avg Mo					

In addition, the permit contains the following major special conditions:

- TTO definition
- Subject to DRBC limitations and conditions
- Chemical Additives
- Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0040991, Industrial, SIC Code 5171, **Mipc LLC**, 920 Cherry Tree Road, Aston, PA 19014-1570. Facility Name: Philly G Street Terminal. This existing facility is located in Philadelphia City, **Philadelphia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Stormwater.

The receiving stream(s), Frankford Creek (WWF) and Frankford Creek (WWF, MF), is located in State Water Plan watershed 3-J and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a stormwater:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	15.0	XXX	30.0

In addition, the permit contains the following major special conditions:

- I. Stormwater Outfalls and Authorized Non-Stormwater Discharges
- II. Best Management Practices
- III. Routine Inspections
- IV. PPC Plan
- V. Stormwater Monitoring Requirements
- VI. Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0244473, Storm Water, SIC Code 3272, **Delaware Valley Concrete Co. Inc.**, 248 E County Line Road, Hatboro, PA 19040-2116. Facility Name: Delaware Valley Concrete Kennett Square Facility. This existing facility is located in Kennett Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Stormwater.

The receiving stream(s), Unnamed Tributary of East Branch Red Clay Creek (TSF, MF), is located in State Water Plan watershed 3-I and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
pH (S.U.) Downstream Monitoring	XXX	XXX	Report	XXX	Report Max	XXX
pH (S.U.) Upstream Monitoring	XXX	XXX	Report	XXX	Report Max	XXX
Total Suspended Solids	XXX	XXX	XXX	50	100	100
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions: Preparedness, Prevention and Contingency (PPC) Plan; Annual inspection; Stormwater sampling; Property Rights; Collected screenings; Instream pH.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0055689, Sewage, SIC Code 4952, **Clemens Andrew S & Clemens Elaine R**, 485 Camp Rock Hill Road, Quakertown, PA 18951-5352. Facility Name: Clemens SRSTP. This existing facility is located in Richland Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Butter Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-E and is classified for Mi and High-Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00005 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	19
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Residual Chlorine (TRC)	XXX	XXX	Report	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0052761, Sewage, SIC Code 4952, **Buckingham Valley Rehab & Nursing Center, Inc.**, 820 Durham Road, Newtown, PA 18940. Facility Name: Buckingham Valley Nursing Center. This existing facility is located in Buckingham Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Mill Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.25
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N						
Jul 1 - Oct 31	XXX	XXX	XXX	8.0	XXX	16
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus						
Nov 1 - Mar 31	0.2	XXX	XXX	1.6	XXX	3.2
Apr 1 - Oct 31	0.1	XXX	XXX	0.8	XXX	1.6

Sludge use and disposal description and location(s): Sludge is hauled by Clemens to Hatfield Township Authority for treatment and disposal.

In addition, the permit contains the following major special conditions:

- Designation of responsible operator
- TRC minimization in effluent
- Operation & Maintenance Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0045021, Industrial, SIC Code 3479, **Brightsmith, LLC**, 120 Enterprise Avenue, Morrisville, PA 19067. Facility Name: Brightsmith IWWTP. This existing facility is located in Falls Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Biles Creek (WWF, MF), is located in State Water Plan watershed 2-E and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0334 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min 0.5	XXX	XXX	1.2
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Suspended Solids	8.4	16.7	30	XXX	60	75
Total Dissolved Solids	698	1,396	2,500	XXX	5,000	6,250
Oil and Grease	4.2	XXX	15	XXX	XXX	30
Aluminum, Total	0.228	0.552	Report	XXX	XXX	2.05
Chromium, Hexavalent	0.006	0.012	0.02	XXX	0.04	0.05
Chromium, Total	0.11	0.271	Report	XXX	XXX	0.97
Copper, Total	0.240	0.450	0.887	XXX	1.63	2.21
Iron, Dissolved	0.2	0.4	0.72	XXX	1.43	1.80

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Iron, Total	0.336	0.659	Report	XXX	XXX	2.50
Zinc, Total	0.380	0.867	1.37	XXX	3.13	3.42

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0334 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0334 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Cyanide, Free	Report	Report	XXX	Report	Report	XXX
Cyanide, Total	Avg Qrtly 0.078	0.188	XXX	Report	XXX	0.70

The proposed effluent limits for Stormwater Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Use of Chemical Additives
- Approved Test Methods
- Operation and Maintenance Plan
- Stormwater Requirements
- PCBs Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

Application No. PA0262188, Concentrated Animal Feeding Operation (CAFO), **Weaver James (James Weaver Farm CAFO)**, 135 Herr Drive, Peach Bottom, PA 17563-9677.

James Weaver has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as James Weaver Farm CAFO, located in Fulton Township, **Lancaster County**.

The CAFO is situated near Peters Creek in Watershed 7-K, which is classified for High Quality—Warm Water Fishes. The CAFO is designed to maintain an animal population of approximately 705.60 animal equivalent units (AEUs) consisting of 202,500 Poultry Broilers and 90 Holstein Cows. Manure is stored in three locations, a liquid dairy underbarn measuring 133 ft × 50 ft × 8 ft, a 72 ft × 60 ft × 5 ft roofed concrete solid manure storage, and a proposed 200 ft × 80 ft × 8 ft roofed concrete solid manure storage. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0026972, Sewage, SIC Code 4952, **PA American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055.

Facility Name: Exeter Township WWTP Birdsboro. This existing facility is located in Exeter Township, **Berks County**.

Description of Existing Activity: The application is for a renewal and transfer to new owner of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.40	XXX	1.3
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	203	305	XXX	20.3	30.5	40.6
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	244	366	XXX	24.4	36.6	48.8
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	1,500.0	XXX	3,000
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	200	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	71	XXX	XXX	7.1	XXX	14.2
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	0.53	0.83	XXX	0.053	0.083	0.13
PCBs Dry Weather Analysis (ng/L)	XXX	XXX Daily Max	XXX	XXX	Daily Max Report	XXX
PCBs Wet Weather Analysis (ng/L)	XXX	XXX	XXX	XXX	Daily Max Report Daily Max	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 5.9 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.40	XXX	1.3
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	999	1,501	XXX	20.3	30.5	40.6
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	1,201	1,801	XXX	24.4	36.6	48.8
Total Dissolved Solids	Report	XXX	XXX	1,500.0	XXX	3,000
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	984	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	349	XXX	XXX	7.1	XXX	14.2
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	2.6	4.1	XXX	0.053	0.083	0.13
		Daily Max			Daily Max	
PCBs Dry Weather Analysis (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
PCBs Wet Weather Analysis (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

Sludge use and disposal description and location(s): Off-site disposal including to permitted landfills.

In addition, the permit contains the following major special conditions:

- Whole Effluent Toxicity Tests at least annually, with a Toxics Reduction Evaluation required following failures of re-tests
- Sludge Inventory and Reporting
- Record-keeping of Hauled-in Wastes
- Industrial Pretreatment Program with user limits, headworks analysis, routine monitoring, and annual report
- Preparation and implementation of a Pollutant Minimization Plan for PCBs
- Control of stormwater quality by use of Best Management Practices, maintaining a Preparedness Prevention and Contingency (PPC) Plan, and visual inspections

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0032557, Sewage, SIC Code 4952, **Logan Township Blair County**, 100 Chief Logan Circle, Altoona, PA 16602-4337. Facility Name: Logan Township Greenwood STP. This existing facility is located in Logan Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Juniata River (TSF, MF), is located in State Water Plan watershed 11-A and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.14 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	238	380	XXX	25.0	40.0	50

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	285	428	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)						
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	228	XXX	XXX	24.0	XXX	XXX
May 1 - Oct 31	76	XXX	XXX	8.0	XXX	16
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	10	XXX	XXX	1.0	XXX	2
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)						
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s): Disposed at Veolia Landfill in Elk County (PA0259058).

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0032379, Industrial, SIC Code 4911, **Safe Harbor Water Power Corporation**, 1 Powerhouse Road, Conestoga, PA 17516-9651. Facility Name: Safe Harbor Hydroelectric Generating Station. This existing facility is located in Manor Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Conestoga River (WWF) and Susquehanna River (WWF), are located in State Water Plan watershed 7-J and are classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
DO	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
UV Light Dosage (mWsec/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-N	XXX	XXX	XXX	Report	XXX	XXX
Kjeldahl-N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite-N	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 1.181 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids Intake	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids Effluent Net	XXX	XXX	XXX	30	60	75
Oil and Grease Intake	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease Effluent Net	XXX	XXX	XXX	4.0	8.0	10
Aluminum, Total Intake	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total Effluent Net	XXX	XXX	XXX	4.0	8.0	10
Iron, Total Intake	XXX	XXX	XXX	Report	Report	XXX
Iron, Total Effluent Net	XXX	XXX	XXX	2.0	4.0	5.0
Magnesium, Total Intake	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Total Effluent Net	XXX	XXX	XXX	1.0	2.0	2.5
Bromide	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081302, Sewage, SIC Code 4952, **South Londonderry Township Municipal Authority Lebanon County**, 27 W Market Street, Palmyra, PA 17078-8736. Facility Name: South Londonderry Campbelltown West STP. This existing facility is located in South Londonderry Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Spring Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .215 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.30
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	44.8	71.7	XXX	25	40	50
May 1 - Oct 31	35.8	53.7	XXX	20	30	40
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	53.7	Daily Max 80.6	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Geo Mean XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
					Daily Max	
Ammonia-Nitrogen						
Nov 1 - Apr 30	16.1	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	5.3	XXX	XXX	3.0	XXX	6
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	3.5	XXX	XXX	2.0	XXX	4
Copper, Total (Interim)	Report	XXX	XXX	Report	Report	XXX
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .215 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Copper, Total (Final)	0.027	XXX	XXX	0.015	0.030	XXX
					Daily Max	

Sludge use and disposal description and location(s):

Digested sludge is hauled out by a licensed hauler (Gingrich Hauling) periodically or spread on reed beds onsite during warmer months.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition,
- Approval Contingencies,
- Proper Waste/solids Management,
- Restriction on receipt of hauled in waste under certain conditions,
- Chlorine Minimization,
- Site specific criteria study and data collection.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081787, Sewage, SIC Code 6515, **Telco Development Inc.**, 5 Maple Avenue, Manheim, PA 17545-8911. Facility Name: Greta Springs MHP. This existing facility is located in West Cornwall Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chiques Creek (WWF, MF), is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0264 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.22	XXX	0.73
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	7.5	XXX	15
May 1 - Oct 31	XXX	XXX	XXX	2.5	XXX	5
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX

Sludge use and disposal description and location(s):

Digested sludge is hauled to Manheim STP by a license hauler (Kline's Services)

In addition, the permit contains the following major special conditions:

1. Stormwater Prohibition.
2. Approval Contingencies.
3. Management of collected screenings, slurries, sludges and other solids.
4. Requirement to connect if a public sewer becomes available in the area.
5. Chlorine minimization.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0027596, Industrial, SIC Code 3273, **New Enterprise Stone & Lime Co. Inc.**, P.O. Box 77, New Enterprise, PA 16664-0077. Facility Name: New Enterprise Stone Roaring Spring Quarry. This existing facility is located in Taylor Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Halter Creek (CWF (existing use)), is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .345 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Annual Average</i>	<i>Daily Maximum</i>		<i>Annual Average</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Sulfate, Total	Report	XXX	XXX	Report	XXX	XXX
Chloride	Report	XXX	XXX	Report	XXX	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .345 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Annual Average</i>	<i>Daily Maximum</i>		<i>Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	Avg Mo XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	Report Avg Mo	Report	XXX	30 Avg Mo	50	60

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0088676, Sewage, SIC Code 6515, **Creek View Community**, 493 Potato Road, Carlisle, PA 17015-8938. Facility Name: Creek View MHP. This existing facility is located in Upper Frankford Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	1.0	XXX	2

Sludge use and disposal description and location(s): Sludge is hauled off site via a local septage hauler to another WWTP for ultimate disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0008150, Industrial, SIC Code 2621, **Mt Holly Springs Specialty Paper Inc.**, 1 Mountain Street, Mount Holly Springs, PA 17065-1406. Facility Name: Mount Holly Springs Spec Paper Inc. This existing facility is located in Mount Holly Springs Borough, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Mountain Creek (CWF, MF), is located in State Water Plan watershed 7-E and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0 Daily Min	XXX	XXX	XXX
Temperature (deg F) (°F)						
Jan 1 - 31	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Feb 1 - 28	XXX	XXX	XXX	XXX	103.2 Daily Max	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Apr 1 - 30	XXX	XXX	XXX	XXX	Report Daily Max	XXX
May 1 - 15	XXX	XXX	XXX	XXX	87.6 Daily Max	XXX
May 16 - 31	XXX	XXX	XXX	XXX	91.6 Daily Max	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	82.6 Daily Max	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	86.6 Daily Max	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	82.5 Daily Max	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	79.7 Daily Max	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	73.8 Daily Max	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	67.8 Daily Max	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	63.4 Daily Max	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	59.4 Daily Max	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	56.8 Daily Max	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	61.7 Daily Max	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	214	390	XXX	Report	XXX	42

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	171	351	XXX	Report	XXX	34
Copper, Total	0.225	0.45	XXX	0.018	0.036	0.045
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0255564, Sewage, SIC Code 8800, **Keith Stepp**, 131 Fort Cherry Road, McDonald, PA 15057. Facility Name: Stepp Properties STP. This proposed facility is located in Mount Pleasant Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream, Unnamed Tributary to Cherry Run (WWF), is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	Report

Sludge use and disposal description and location: Facility to be constructed.

The EPA Waiver is in effect.

PA0038181, Sewage, SIC Code 4952, **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672. Facility Name: New Stanton STP. This existing facility is located in Hempfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sewickley Creek (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 7.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 7.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.06	XXX	0.19

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,500.0	2,400.0	XXX	25.0	40.0 Wkly Avg	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	1,800.0	2,700.0	XXX	30.0	45.0 Wkly Avg	60
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	510.0	XXX	XXX	8.5	XXX	17.0
May 1 - Oct 31	210.0	XXX	XXX	3.5	XXX	7.0
Copper, Total	XXX	XXX	XXX	0.026	0.04	XXX
Cyanide, Free	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX

Sludge use and disposal description and location(s): Sludge is gravity thickened in the holding tank, dewatered by belt filtration and taken to Greenridge Reclamation Landfill, Permit No. 100281, for disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0272221, Sewage, SIC Code 8800, **Elizabeth & Philip Hutchinson**, P.O. Box 561, North East, PA 16428. Facility Name: Elizabeth & Philip Hutchinson SRSTP. This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), an unnamed tributary to Lake Erie, is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by PADEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0104442 A-1, Sewage, SIC Code 4952, **Breakneck Creek Regional Authority**, 1166 Mars Evans City Road, Mars, PA 16046-2216. Facility Name: Breakneck Creek STP. This existing facility is located in Adams Township, **Butler County**.

Description of Existing Activity: The application is for an amendment to an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Breakneck Creek, is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.0 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	375	575	XXX	15	23	30
May 1 - Oct 31	250	375	XXX	10	15	20
Total Suspended Solids	751	1126	XXX	30	45	60
Ammonia-Nitrogen						
Nov 1 - Apr 30	82.6	XXX	XXX	3.3	XXX	6.6
May 1 - Oct 31	37.5	XXX	XXX	1.5	XXX	3
Total Phosphorus	50	XXX	XXX	2.0	XXX	4
Total Nitrogen	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 4.5 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	375	560	XXX	10.0	15.0	20
Total Suspended Solids	375	560	XXX	10.0	15.0	20
Total Nitrogen	185	XXX	XXX	5.0	XXX	10
Ammonia-Nitrogen						
Nov 1 - Apr 30	165	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	56	XXX	XXX	1.5	XXX	3
Total Phosphorus	18	XXX	XXX	0.5	XXX	1

The proposed effluent limits for Outfall 001 are based on a design flow of 3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 6.0	XXX	Daily Max XXX	XXX
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX

Sludge use and disposal description and location(s): Sludge is dewatered and sent to Seneca Landfill for disposal.

In addition, the permit contains the following major special conditions:

- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

PA0272311, Sewage, SIC Code 8800, **Matthew Getner**, 595 Irvine Run Road, Irvine, PA 16329. Facility Name: Matthew Getner SRSTP. This proposed facility is located in Brokenstraw Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Irvine Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0272329, Sewage, SIC Code 8800, **Steven Erdman**, 618 Conneaut Lake Road, Adamsville, PA 16110. Facility Name: Steven Erdman SRSTP. This proposed facility is located in Sugar Grove Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Stream (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0272272, Sewage, SIC Code 8800, **Mark Gennuso**, 5371 Bear Creek Road, Fairview, PA 16415. Facility Name: Mark Gennuso SRSTP. This proposed facility is located in Fairview Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream, an Unnamed Tributary to the Bear Run (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP, or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0272256, Sewage, SIC Code 8800, **Steven Croud**, 416 Western Avenue, Beaver, PA 15009. Facility Name: Steven Croud SRSTP. This proposed facility is located in Limestone Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream, the Allegheny River (WWF), is located in State Water Plan watershed 16-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP, or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0687409, A5, Sewerage, **Fleetwood Borough Authority**, 110 West Arch Street, Suite 104, Fleetwood, PA 19522-1321.

This proposed facility is located in Richmond Township, **Berks County**.

Description of Proposed Action/Activity: Seeking permit approval for the switching from gaseous chlorine RAS disinfection to liquid sodium hypochlorite RAS disinfection to control filamentous bacteria growth. Disinfectant is used only on an "as needed" basis.

WQM Permit No. 3419402, Amendment, Sewerage, **Juniata County School District**, East Juniata High School, South 7th Street, Box D HV 63, Mifflintown, PA 17059.

This proposed facility is located in Fayette Township, **Juniata County**.

Description of Proposed Action/Activity: Seeking permit approval for the replacement of an existing UV Disinfection system with a more modern system.

WQM Permit No. 0619404, Sewerage, **Reading City**, 815 Washington Street, Reading, PA 19601.

This proposed facility is located in Reading City, **Berks County**.

Description of Size and Scope of Proposed Operation/Activity: Seeking permit approval for the construction/operation of upgrades to the existing 6th & Canal Streets Pump Station.

WQM Permit No. 3119401, Sewerage, **Karen L. Johnson**, 11531 Johnson Acres Lane, Hesston, PA 16647.

This proposed facility is located in Walker Township, **Huntingdon County**.

Description of Size and Scope of Proposed Operation/Activity: Seeking permit approval for the construction/operation of single residence sewage treatment system to serve their properties at 11882 and 11892 Redstone Ridge Road, Hesston, PA 16647

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 6370414 A-4, Sewage, **Municipal Authority of the City of Monongahela**, 521 West Main Street, Monongahela, PA 15063.

This existing facility is located in Monongahela City, **Washington County**.

Description of Proposed Action/Activity: The Authority proposes to construct one wedgewater sludge drying bed at their wastewater treatment plan. The sludge drying beds would be used for drying sludge from the Authority's two pump stations, EQ tank and interceptor sewers. The dry solids would be disposed of in a dumpster under contract with Waste Management for hauling and disposal.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4319409, Sewage, **Jonathan Crumbacher**, 816 Hamburg Road, Fredonia, PA 16124-1818.

This proposed facility is located in Delaware Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1619405, Sewage, **Washington Township Municipal Authority Clarion County**, P.O. Box 124, Fryburg, PA 16326-0124.

This proposed facility is located in Washington Township, **Clarion County**.

Description of Proposed Action/Activity: Sanitary sewer extension.

IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PAI130027, MS4, **Valley Township Chester County**, P.O. Box 467, Coatesville, PA 19320-0467. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Valley Township, **Chester County**. The receiving stream(s), West Branch Brandywine Creek, Sucker Run (WWF, MF), and Unnamed Tributary to West Branch Brandywine Creek (TSF, MF), is located in State Water Plan watershed 3-H and is classified for Migratory Fishes, Warm Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

PAI130032, MS4, **Kennett Square Borough Chester County**, 120 Marshall Street, Kennett Square, PA 19348-3108. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Kennett Square Borough, **Chester County**. The receiving stream(s), East Branch Red Clay Creek (TSF, MF), West Branch Red Clay Creek (TSF, MF), and Unnamed Tributary to West Branch Red Clay Creek (TSF, MF), is located in State Water Plan watershed 3-I and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150132	151 Sheree Boulevard Parnters, LLC 120 Pennsylvania Avenue Malvern, PA 19355	Chester	Uwchlan Township	Shamona Creek HQ-TSF
PAD230033	Castleway Properties, LLC 10 Industrial Highway MS No. 1 East Building Suite No. 105 Lester, PA 19029	Delaware	Tinicum Township	Delaware River WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450086	Sanofi Pasteur Inc. Discover Dr. SR 611 Swiftwater, PA 18370	Monroe	Pocono Twp	Swiftwater Creek (HQ-CWF, MF)

Wayne Conservation District, 925 Court Street, Honesdale, PA 18431.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD640018	UGI Utilities Inc. 1 UGI Dr. Denver, PA 17517-9039	Wayne	Waymart Boro Canaan Twp	Van Auken Creek (HQ-TSF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210036	Carlisle Steel Supply, LLC 131 Stover Drive Carlisle, PA 17015	Cumberland	Middlesex Township	UNT Letort Spring Run (Designated Use CWF; Existing Use HQ-CWF)
PAD220001	Pennsylvania Department of Transportation Engineering District 8-0 2140 Herr Street Harrisburg, PA 17103-1699	Dauphin	Lower Paxton Township	Slotznick Run (CWF, MF) UNT Spring Creek (CWF, MF) UNT Asylum Run (WWF, MF) Asylum Run (WWF, MF) UNT Paxton Creek (WWF, MF) EV Wetlands

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Ridge Valley Farms Roberts S. Martin 4227 Ridge Road Beaver Springs, PA 17812	Snyder	117.9 for manure application	1,190.7	Swine/ Turkeys	NA	Renewal
Walmoore Holstein (Walt Moore) 1826 Howellmoore Rd West Grove, PA 19390	Chester, London Grove Township	1,467.9	1,881.5	Dairy	EV	Renewal
Arthur Astle 560 Lancaster Pike Oxford, PA 19363	Chester, Lower Oxford Township	142	1,078.18	Swine	N/A	Renewal
Pleasant View Farms, Inc. 261 Pleasant View Farms Lane Martinsburg, PA 16662	Blair/ Bedford	3,959.8	4,395.05	Dairy	Clover Creek—HQ Piney Creek—HQ Yellow Creek—HQ Plum Creek—HQ	Renewal

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995
PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate
Submitted under the Land Recycling and Environ-
mental Remediation Standards Act (35 P.S.
§§ 6026.101—6026.907).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person

proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall

not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Church Hill Mall (former Hazleton Custom Cleaners), 1099 North Church Street, Hazle Township, **Luzerne County**. Quad 3 Group, 37 North Washington Street, Wilkes-Barre, PA 18701, on behalf of Timmus Development Corporation, 1065 North Church Street, Hazleton, PA 18202, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with TCE, PCE, and cis-1,2 DCE from a former dry-cleaning operation. Future use of the site will be non-residential. The Notice of Intent to Remediate was published in *The Standard Speaker* on July 19, 2019.

Mid Atlantic Xpress, 834 South Church Street, Hazleton City, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Mid Atlantic Xpress, 139 US Highway 46, Hackettstown, NJ 07840, submitted a Notice of Intent to Remediate. Soil was contaminated with diesel from the dispenser of an aboveground storage tank. Future use of the site will be residential. Statewide Health remediation standards are planned for this site. The Notice of Intent to Remediate was published in *The Standard Speaker* on July 2, 2019.

Southwest Region: Environmental Cleanup & Brownfields Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

555 Gold Way, 555 Gold Way, City of Pittsburgh, **Allegheny County**. PVE, LLC, Waterfront Corporate Park III, Suite 101, 2000 Georgetown Drive, Sewickley, PA 15143 on behalf of Gold Way Associates, LLC, 1802 Frick Building, 437 Grant Street, Pittsburgh, PA 15219 has submitted a Notice of Intent to Remediate. A Phase II

ESA (sub-slab soil vapor sampling) identified elevated levels of tetrachloroethylene (PCE) and trichloroethylene (TCE) below the ground/garage level of the building on the Property. Elevated VOC levels were measured with a PID meter during the removal of a steel single-walled underground storage tank (UST) located under the building. Soil sample results from the UST excavation pit identified PCE concentrations in the soil. The proposed future use of the Property is non-residential commercial use. The proposed cleanup standard for the Property is non-residential Statewide Health Standard for PCE & TCE in soil and groundwater. The Notice of Intent to Remediate was published in the *Pittsburgh Post-Gazette* on July 26, 2019.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

54-00041C: Silberline Manufacturing Co., Inc. (130 Lincoln Drive, Tamaqua, PA 18252) has submitted an application to the Pennsylvania Department of Environmental Protection for plan approval to construct a new manufacturing process line with control devices and one (1) new boiler at their facility in Rush Township, **Schuylkill County**.

Plan Approval No. 54-00041C is for installation of a new encapsulation process for pigments including one (1) new Particulate Matter (PM) condenser. VOC emission increases from this source are not to exceed 9.08 Tons/year. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 54-00041C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

43-385A: Cronimet Specialty Metals USA, Inc. (209 Reynolds Industrial Park Road, Greenville, PA 16125), for the proposed construction of 2 burn-off ovens and the change in operation of 3 existing burn-off ovens permitted under GP4-43-385A/B/C in Pymatuning Township, **Mercer County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code §§ 127.450 or 127.505, be incorporated into the State Only operating permit at a later date.

Plan approval No 43-385A is for the proposed construction of 2 burn-off ovens and the change in operation of 3 existing burn-off ovens permitted under GP4-43-385A/B/C. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Source 101 [Burn-Off Oven], Source 102 [Burn-Off Oven], Source 103 [Burn-Off Oven 3], Source 104 [Burn-Off Oven 4], & Source 105 [Burn-Off Oven 5]:
- The Burn Off Ovens are authorized to be constructed that meets best available technology (BAT) required under 25 Pa. Code §§ 127.1 and 127.12(a)(5) which shall include installation of a secondary chamber capable of reducing particulate matter emissions to or below 0.02 grains per dry standard cubic foot (gr/dscf) corrected to 12% CO₂.
- The operation of a burn off oven shall not at any time result in the emission of:
 - Particulate matter emissions in excess of:
 - 0.02 gr/dscf corrected to 12% CO₂
 - Visible emissions from air pollution control devices in excess of the following limitations:
 - Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
 - Equal to or greater than 60% at any time.

- Sulfur compound emissions in excess of 500 parts per million, by volume, dry basis, as specified in 25 Pa. Code § 123.21.
 - Odor emissions in such a manner that the malodors are detectable outside the property of the permittee as specified in 25 Pa. Code § 123.31.
 - Burn off ovens shall not be used to burn coatings that contain halogenated hydrocarbons like PVC, or Teflons.
 - Burn off ovens may be used to remove cured hydrocarbon coatings, grease or oils from metal parts.
 - Burn off ovens may be used for the following list of materials: Drying grindings, Shavings, Swarf, Turnings, Chips, Sludge, Pucked grindings (briquette), Burn-off filters, Filter paper cartridges, Cartridges, & Filter rolls only if the material meets one of the following:
 - The precious metal content must be over 0.05 percent by weight;
 - The combined metal or oxide forms of Ni, Co, Mo, W, V, Cu, Zn, Al, Ti, Si, Fe, B, Cr, Mg, Mn, Zr, Nb, Ta, Sn, Ga, In, or Hf in total must be over 5 percent by weight; or
 - The rare earth metals content must be over 10 percent by weight.
 - If, at any time, the Department has cause to believe that air contaminant emissions from a burn off oven covered by this plan approval are in excess of the limitations specified in, or established pursuant to, any applicable regulation contained in 25 Pa. Code, Subpart C, Article III, the permittee shall conduct tests deemed necessary by the Department to determine the actual emission rate(s).
 - All recordkeeping shall commence upon source startup. Records shall be kept for a period of five (5) years and shall be made available to the Department upon its request.
 - The permittee shall maintain records of the material [see Condition # 002(c)] that enters the burn-off ovens. This includes the following:
 - Type of material
 - The weight percent of the recoverable metals
 - The permittee shall comply with applicable monitoring, recordkeeping and reporting requirements set forth in 25 Pa. Code Chapter 135 (relating to reporting of sources), 139 (relating to sampling and testing), the Air Pollution Control Act, the Clean Air Act, or the regulations thereunder as applicable to the source.
 - The permittee shall, upon Department request, provide fuel analysis, or fuel samples, of the fuel used in the burn off oven. The permittee shall install, maintain, and operate a temperature indicator and recorder to measure and record the temperature in the secondary chamber of the burn off oven.
 - Any notification submitted to the Department shall be sent to the appropriate Regional Office responsible for issuing plan approvals in the county in which the burn off oven is located.
 - The permittee shall immediately notify the Department of any malfunction of the burn off oven which results in, or may possibly be resulting in, the emission of air contaminants in excess of the limitations specified in, or established pursuant to, any applicable rule or regulation contained in 25 Pa. Code, Subpart C, Article III (relating to air resources).
 - The permittee shall immediately notify the Department of any malfunction of plant equipment or associated air cleaning device(s) which results in or may possibly be resulting in the emission of air contaminants in excess of any applicable limitation.
 - The burn off oven secondary chamber shall be designed to: a) maintain a minimum temperature of 1400°F during the period of operation; and, b) have a minimum retention time of gas within the secondary chamber of at least 0.5 seconds.
 - The burn off oven secondary chamber shall be maintained at a minimum temperature of 1400°F during the period of operation. This minimum temperature of 1400°F must be established prior to the commencement of parts burn off in the burn off chamber. Instrumentation shall be provided for the monitoring of the secondary chamber temperature. The minimum retention time of gas within the secondary chamber shall be 0.5 seconds.
 - Any burn off oven operating must comply with the terms and conditions of this plan approval. The burn off ovens and any associated air cleaning devices shall be:
 - Operated in such a manner as not to cause air pollution.
 - Operated and maintained in a manner consistent with good operating and maintenance practices.
 - Operated and maintained in accordance with the manufacturer's specifications.
- In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP Office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.
- In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the following:
- Name, address and telephone number of the person submitting the comments
 - Identification of the proposed plan approval [43-385A]
 - A concise statement regarding the relevancy of the information or objections to the issuance of the permit.
- A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air

Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone # (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

37-337C: Hickory Run Energy (NE intersection of McClelland & Edinburg Road, New Castle, PA 16102), for the proposed inclusion of the required ERCs for the facility in North Beaver Township, **Lawrence County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No 37-337C is for the proposed inclusion of the required ERCs for the construction of the facility consisting of a natural gas-fired combined cycle 900 MW electric generation facility consisting of two combustion turbine generators, two heat recovery steam generators, and some ancillary equipment. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Site:
 - The facility shall not permit the emission into the outdoor atmosphere of CO₂(e) (including SF₆) in excess of the following:
 - If Siemens H option is chosen: 3,679,784 tpy based on a 12-month rolling total
 - Emission Reduction Credit Requirements
 - The permittee shall not operate the source(s) until the required emission reduction credits are provided to and processed through the ERC registry in accordance with 25 Pa. Code § 127.206(d)(1) and the Department certifies the required emissions reductions.
 - The permittee shall secure NO_x and VOC ERCs. ERCs shall be properly generated and certified by the Department. Upon transfer, the permittee shall provide the Department with documentation clearly specifying the details of the ERC transaction. The facility NO_x PTE is based on 1.01 tpy for the Auxiliary Boiler, 1.1 tpy for the Emergency Generator, 0.09 tpy for the Emergency Fire Pump, and the NO_x PTE for the Combined Cycle Units. The facility VOC PTE is based on 0.14 tpy for the Auxiliary Boiler, 0.03 tpy for the Emergency Generator, 0.06 tpy for the Emergency Fire Pump, and the VOC PTE for the Combined Cycle Units. The NO_x and VOC PTE for the Siemens H are 344.5 tpy and 172.70 tpy resulting in a facility NO_x and VOC PTE of 346.7 tpy and 172.93 tpy. The permittee shall obtain the following NO_x and VOC ERCs based on the facility NO_x and VOC PTE times the offset of 1.15:
 - Siemens H: NO_x—398.7 tons and VOC—198.9 tons
 - If the amount of required emission reduction credits increases, the company shall secure emission offsets according to a schedule determined by the Department.
 - The facility acquired the following credits and the transfer of ownership was recorded in the Pennsylvania ERC Registry System (May 3, 2019):
 - NO_x: 399.1 tons with expiration date of June 30, 2025 from AES Beaver Valley, LLC on March 15, 2018
 - VOC: 198.9 tons with expiration date of March 4, 2026 from Quad/Graphics, Inc. on April 10, 2017
 - VOC: 1.0 ton with expiration date of April 1, 2022 from Viking Energy, LLC on February 28, 2018
 - The facility has the following credits remaining:
 - NO_x: 0.4 ton with expiration date of June 30, 2025
 - VOC: 1 ton with expiration date of March 4, 2026
 - This plan approval will supersede plan approval 37-337B issued on June 21, 2016, with an expiration date of May 31, 2021.
 - Source 031 (Combined Cycle Unit # 1) & 032 (Combined Cycle Unit # 2):
 - No person may permit the emission from each CCU into the outdoor atmosphere of the following in a manner that exceeds the following:
 - Siemens H
 - Nitrogen Oxides (NO_x):
 - Normal operation with or without duct burner: 2.0 ppmvd at 15% oxygen [This condition also assures compliance with 40 CFR 60 Subpart KKKK (60.4320)]
 - Normal operation with duct burner: 29.2 #/hr
 - Normal operation without duct burner: 25.36 #/hr
 - Total normal operation: 109.24 tpy based on a 12-month rolling total
 - Total including startup and shutdown: 172.25 tpy based on a 12-month rolling total
 - Carbon Monoxide (CO):
 - Normal operation with or without duct burner: 2.0 ppmvd at 15% oxygen
 - Normal operation with duct burner: 17.78 #/hr
 - Normal operation without duct burner: 15.44 #/hr
 - Total normal operation: 66.5 tpy based on a 12-month rolling total
 - Total including startup and shutdown: 267.32 tpy based on a 12-month rolling total
 - Volatile Organic Compounds (VOC):
 - Normal operation with duct burner: 1.5 ppmvd at 15% oxygen

- Normal operation without duct burner: 0.7 ppmvd at 15% oxygen
 - Normal operation with duct burner: 7.64 #/hr
 - Normal operation without duct burner: 3.09 #/hr
 - Total normal operation: 21.48 tpy based on a 12-month rolling total
 - Total including startup and shutdown: 86.35 tpy based on a 12-month rolling total
 - Sulfur Oxides (SO_x):
 - Normal operation with duct burner: 7.19 #/hr
 - Normal operation without duct burner: 6.15 #/hr
 - Total normal operation: 26.72 tpy based on a 12-month rolling total
 - Total including startup and shutdown: 28.15 tpy based on a 12-month rolling total
 - Total per calendar day: 172.4 #/day
 - Sulfuric Acid (H₂SO₄):
 - Normal operation with duct burner: 1.08 #/hr
 - Normal operation without duct burner: 0.92 #/hr
 - Total normal operation: 4.01 tpy based on a 12-month rolling total
 - Total including startup and shutdown: 4.24 tpy based on a 12-month rolling total
 - Particulate Matter (PM)/Particulate Matter 10 (PM₁₀)/Particulate Matter 2.5 (PM_{2.5}):
 - Normal operation with duct burner: 18.5 #/hr
 - Normal operation without duct burner: 11.0 #/hr
 - Total normal operation: 59.06 tpy based on a 12-month rolling total
 - Total including startup and shutdown: 62.89 tpy based on a 12-month rolling total
 - Total per calendar day: 353.7 #/day for PM₁₀/PM_{2.5}
 - Ammonia Slip (NH₃):
 - Total normal operation: 110.2 tpy based on a 12-month rolling total
 - No person may permit the emission into the outdoor atmosphere of CO₂(e) in excess of the following:
 - If Siemens H option is chosen: 3,665,974 tpy based on a 12-month rolling total for both units
 - The startup and shutdown emissions from each CCU shall be limited to the following:
 - Siemens H
 - NO_x: S/U: 44.73 tpy & S/D: 18.28 tpy
 - CO: S/U: 149.72 tpy & S/D: 51.09 tpy
 - VOC: S/U: 44.72 tpy & S/D: 20.16 tpy
 - SO_x: S/U: 1.07 tpy & S/D: 0.38 tpy
 - H₂SO₄: S/U: 0.17 tpy & S/D: 0.06 tpy
 - PM/PM₁₀/PM_{2.5}: S/U: 2.52 tpy & S/D: 1.31 tpy
 - shall submit the specifications to the Department for review and inclusion into the facility operating permit. [Siemens H option chosen]
 - Source 101 [1500 kW Emergency Generator (2,328 BHP Engine)]
 - The emissions shall not exceed the following:
 - PM/PM₁₀/PM_{2.5}: 0.66 #/hr or 0.033 tpy based on a 12-month rolling total [Compliance with this requirement will show compliance with 25 Pa. Code § 123.13]
 - NO_x: 21.0 #/hr or 1.1 tpy based on a 12-month rolling total
 - CO: 12.0 #/hr or 0.58 tpy based on a 12-month rolling total
 - VOC: 0.7 #/hr or 0.03 tpy based on a 12-month rolling total
 - SO_x: 0.024 #/hr or 0.0012 tpy based on a 12-month rolling total [Compliance with this requirement will show compliance with 25 Pa. Code § 123.21]
 - H₂SO₄: 0.0055 #/hr or 0.00028 tpy based on a 12-month rolling total
 - No person may permit the emission into the outdoor atmosphere of the following in a manner that exceeds the following:
 - CO₂(e): 143.4 tpy based on a 12-month rolling basis
 - Source 103 (Cooling Water Tower)
 - The PM emissions shall not exceed 2.75 #/hr and 12.05 tpy based on a 12-month rolling basis.
 - The PM₁₀ emissions shall not exceed 0.83 #/hr and 3.62 tpy based on a 12-month rolling basis.
 - The PM_{2.5} emissions shall not exceed 0.0050 #/hr and 0.022 tpy based on a 12-month rolling basis.
- In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP Office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.
- In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the following:
- Name, address and telephone number of the person submitting the comments
 - Identification of the proposed plan approval [37-337C]
 - A concise statement regarding the relevancy of the information or objections to the issuance of the permit.
- A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests

for a public hearing should be directed to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut St., Meadville, PA 16335; Phone # (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

16-1320: Clarion Boards Inc. (143 Fiberboard Road, Shippensburg, PA 16254). The Department of Environmental Protection intends to issue a plan approval to Clarion Boards Inc. for the installation and initial operation of a replacement bag house control device and the repurposing of the existing (replaced) control device at their facility located in Paint Township, **Clarion County**. This is an existing Title V facility. It is a major emitter of NO_x emissions. VOC emissions are limited facility wide to a total of 49.5 tpy making it a synthetic minor facility for VOC. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44.

Source 107 Mat Reject, also referred to as System 7 by Clarion Boards, will receive the replacement control device. The current control device of Source 107 will be repurposed for use at Source 105 Forming Area and Dust Extraction. The repurposed control device's exhaust will be either recirculated in process or vented indoors. The repurposed control device will not be included in the plan approval because of its' exhausting path.

The applicant estimates emissions of PM will be generated at a rate of 1.69 lbs/hr. This estimation assumes the control device's flow rate will be 49,358 dscf/min and that the PM concentration will remain constant at 0.004 gr/dscf. Exhaust PM concentration will be limited to 0.004 gr/dscf. Clarion estimates the source will operate for a maximum of 8,280 hours per year. That operation duration would result in 7.0 tpy of PM emissions. The emission estimates and compliance with the emission restriction will be verified through the required stack testing.

The source is an affected source under 40 CFR Part 64—Compliance Assurance Monitoring. The proposed bag house will be equipped with leak detection system. Additionally, monitoring of the stacks opacity and pressure will be required. Monitoring and associated requirements will be added to the plan approval which satisfy the CAM monitoring standards.

Fugitive emissions will be prohibited. Monitoring of the baghouse pressure drop will be required. Visible stack emissions will be prohibited. The quality of the filter media (bags) will be monitored through yearly inspections and the use of a triboelectric leak detection system. A copy of the control device manufacturer's operational and maintenance literature will be maintained onsite at all times. Records of all monitoring and maintenance will be kept. Spare bags and parts for monitoring systems will be kept on site. All excursions from normal operating values will be recorded and corrected as needed. A plan to resolve repeated excursions will be developed and implemented as needed.

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP Office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments; identification of the proposed plan approval [16-1320: Clarion Boards Inc.]; and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone # (814) 332-6819.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05142: Mars Wrigley Confectionery US LLC (295 South Brown Street, Elizabethtown, PA 17022-2127) on July 18, 2019, for the significant modification of the Title V operating permit for the chocolate manufacturing facility located in Elizabethtown Borough, **Lancaster County**. The Title V permit significant modification, in addition to other changes outlined in DEP's review materials, incorporated approval of ERCs; and incorporated approval of a Reasonably Available Control Technology 2 (RACT 2) plan for sources at the facility subject to case-by-case RACT 2 review. The case-by-case RACT 2 permit changes will be submitted to US EPA for approval and incorporation into Pennsylvania's State Implementation Plan (SIP). Requirements that are not part of the RACT approval will be excluded from the SIP submittal.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

TIVOP 08-00045: Panda Liberty, LLC (151 Liberty Lane, Towanda, PA 18848) has submitted an application to the Pennsylvania Department of Environmental Protection for the Acid Rain Permit, TIVOP 08-00045, for the Panda Liberty Power Project plant located in Asylum Township, **Bradford County**. This Title V facility is subject to the Acid Rain Requirements of Title IV of the Clean Air Act. The application is subject to the regulatory requirements specified in 40 CFR Part 72. The Acid Rain Permit will cover the two (2) combined cycle combustion turbine units at the facility. The Acid Rain Permit incorporates the applicable requirements to the units, as specified in 25 Pa. Code § 127.531 and 40 CFR Parts 72 through 80. The SO₂ allowance allocated by the Acid Rain Program pursuant to 40 CFR Part 73 for this facility is zero. The Title IV permit includes special permit conditions for the allowance tracking system. The units are not subject to the NO_x emission limitations of 40 CFR Part 96 since they are only authorized to combust natural gas for operation. Based on the information presented above and included in the application for the Acid Rain Permit, TIVOP 08-00045, the Department intends to issue TIVOP 08-00045 for the Panda Liberty Power Project. The proposed permit will expire on the same date as the Title V Operating Permit TIVOP 08-00045, which is April 19, 2023. The Acid Rain Permit will be incorporated into the Title V operating permit for the facility. Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: name, address and telephone number of the person submitting the comments; identification of the proposed permit (specify TIVOP 08-00045); concise statements regarding the relevancy of the information or objections to issuance of the permit. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

TIVOP 41-00084: Panda Patriot LLC (50 Patriot Lane, Montgomery, PA 17752) has submitted an application to the Pennsylvania Department of Environmental Protection for the Acid Rain Permit, TIVOP 41-00084, for the Panda Patriot Generation Plant located in Clinton Township, **Lycoming County**. This Title V facility is subject to the Acid Rain Requirements of Title IV of the Clean Air Act. The application is subject to the regulatory requirements specified in 40 CFR Part 72. The Acid Rain Permit will cover the two (2) combined cycle combustion turbine units at the facility. The Acid Rain Permit incorporates the applicable requirements to the units, as specified in 25 Pa. Code § 127.531 and 40 CFR Parts 72 through 80. The SO₂ allowance allocated by the Acid Rain Program pursuant to 40 CFR Part 73 for this facility is zero. The Title IV permit includes special permit conditions for the allowance tracking system. The units are not subject to the NO_x emission limitations of 40 CFR Part 96 since they are only authorized to combust natural gas for

operation. Based on the information presented above and included in the application for the Acid Rain Permit, TIVOP 41-00084, the Department intends to issue TIVOP 41-00084 for the Panda Patriot Generating Station. The proposed permit will expire on the same date as the Title V Operating Permit TIVOP 41-00084, which is May 7, 2023. The Acid Rain Permit will be incorporated into the Title V operating permit for the facility. Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: name, address and telephone number of the person submitting the comments; identification of the proposed permit (specify TIVOP 41-00084); concise statements regarding the relevancy of the information or objections to issuance of the permit. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

49-00033: Watsonstown Brick Co. (P.O. Box 68, Route 405, Watsonstown, PA 17777-0068) to issue a renewal Title V operating permit for their facility in Delaware Township, **Northumberland County**. The facility is currently operating under Title V Operating Permit 49-00033. The facility's main sources include a three natural gas fired brick kilns, various material sizing and handling equipment, several small natural gas/No. 2 fuel oil fired space heaters, and emergency diesel generators. The facility has potential emissions of 144.5 tons per year of carbon monoxide, 83.3 tons per year of nitrogen oxides, 249.9 tons per year of sulfur oxides, 107.7 tons per year of particulate matter, 8.25 tons per year of volatile organic compounds, 24.9 tons per year of total hazardous air pollutants (HAPs), and 50,657 tons per year of carbon dioxide equivalents (greenhouse gases). The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Parts 52, 60, 62, 63, 64 and 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00186: Kinder Morgan Bulk Terminals, Inc. (1000 South Port Road, Fairless Hills, PA 19030) for the renewal of a Synthetic Minor Operating Permit in Falls

Township, **Bucks County**. The initial operating permit was issued on April 22, 2008. Kinder Morgan Bulk Terminals, Inc. owns and operates a bulk material handling facility. The main sources of emissions are the transfer points from transferring of material, stockpiling of material, and roadway emissions. Sources include hoppers, conveyors, storage domes, stockpiles, one on-site emergency generator and one portable emergency generator, two (2) waste oil heaters, and a gas pumping station with a 2,000-gallon gasoline storage tank. The emergency generators and waste oil heaters are deemed as insignificant sources. The gasoline storage tank (Source ID 107) is subject to 40 CFR Part 63, Subpart CCCCC. Potential emissions from the facility are: PM—54.82 TPY, PM₁₀—26.79 TPY, PM_{2.5}—5.57 TPY, NO_x—11.6 TPY, CO—3.01 TPY, SO_x—3.74 TPY, VOC—2.49 TPY, and HAP—1.27 TPY. In the initial operating permit, there was a limit of 99.0 tons per 12-month rolling period for PM₁₀ as a result of PM₁₀ being used as a pre-cursor for the NSR pollutant PM_{2.5}. This has been revised to state that PM_{2.5} shall be restricted to 99.0 tons per 12-month rolling period, as PM₁₀ is no longer used as a pre-cursor for PM_{2.5}. The permit will contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

46-00132: Lansdale Crematory Inc. (701 Derstine Ave, Lansdale, PA 19446) for operation of a human crematory in Lansdale Borough, **Montgomery County**. The permit is for a non-Title V (State only) facility. Sources of air emissions include three (3) human crematory units. The renewed permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

54-00067: Keystone Potato Products, LLC (P.O. Box 27, Hegins, PA 17938-0027). The Department intends to issue a renewal State-Only Natural Minor Permit for Keystone Potato Products, LLC located in Frailey Township, **Schuylkill County**. The facility processes raw potatoes into dehydrated potato products. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00038: Lion, Inc. (700 North Pennsylvania Avenue, Wilkes-Barre, PA 18705). The Department intends to issue a renewal State-Only Natural Minor Permit for The Lion Brewery facility located in the City of Wilkes-Barre, **Luzerne County**. This facility brews and bottles malt beverages. Operations include malt grain handling, two boilers, spent grain handling and an emergency generator. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

35-00010: MACtac, Inc./Scranton (802 Corey Street, Scranton, PA 18505-3595). The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the coated and laminated manufacturing facility in Moosic Borough, **Lackawanna County**. The primary sources consist of three (3) boilers and coater lines. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), particulate matter (PM₁₀), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56080109, PBS Coals, Inc., P.O. Box 260, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface & auger mine to change the land use from Cropland and Unmanaged Natural Habitat in Somerset Township, **Somerset County**, affecting 320.7 acres. Receiving stream: unnamed tributaries to Wells Creek to Stonycreek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 17, 2019.

New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

63110101 and NPDES Permit No. PA0252069. Neiswonger Construction, Inc. (17592 Route 322, Stratantville, PA 16258). Revision application for land use change from forestland to pastureland or land occasionally cut for hay to an existing bituminous surface mine, located in Deemston Borough, **Washington County**, affecting 24.4 acres. Receiving streams: unnamed tributaries to Ten Mile Creek and Ten Mile Creek, classified for the following use: TSF. Tri-County Joint Municipal Authority is the potable water supply intake within 10 miles downstream from the point of discharge. Application received: July 18, 2019.

02080102 and NPDES Permit No. PA0251500. Cherep's Excavating, LLC (9742 Saltsburg Road, Pittsburgh, PA 15239). Renewal application for continued mining to an existing bituminous surface mine, located in N. Fayette and Collier Townships, **Allegheny County**, affecting 138.2 acres. Receiving streams: unnamed tributaries to Robinson Run and Pinkertons Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: July 23, 2019.

03130101 and NPDES Permit No. PA0252409. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal application for continued mining to an existing bituminous surface mine, located in Madison Township, **Armstrong County**, affecting 186.0 acres. Receiving streams: unnamed tributaries to Mahoning Creek, classified for the following use: CWF. Kittanning Suburban Joint Water Authority is the potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: July 26, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 54921601R5. Gale Mining Company (1441 Oak Road, Pottsville, PA 17901), renewal of an existing anthracite coal preparation plant operation in Rush Township, **Schuylkill County** affecting 17.1 acres, receiving stream: Little Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: July 15, 2019.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56190301 and NPDES No. PA0279749. Windber Stone, LLC, 117 Marcia Street, Latrobe, PA 15650, commencement, operation and restoration of a large noncoal (industrial minerals) operation in Ogle Township, **Somerset County**, affecting 99.8 acres. Receiving streams: unnamed tributaries to Clear Shade Creek, unnamed tributary to South Fork Little Conemaugh River classified for the following uses: cold water fishes and high-quality—cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 21, 2019.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

14060302 and NPDES PA0256447. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803). Renewal for an existing NPDES on a large noncoal surface mining site located in Spring Township, **Centre County** affecting 23.3 acres. Receiving stream(s): Spring Creek classified for the following use(s): CWF. Application received: July 11, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 7175SM1A1C15. Pennsy Supply, Inc. (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110), correction of an existing quarry operation to update the post-mining land use to add industrial park in South Hanover Township, **Dauphin County** affecting 205.0 acres, receiving stream: Swatara Creek, classified for the following use: warm water fishes. Application received: July 12, 2019.

Permit No. 64012804. Johnston & Rhodes Bluestone Company (P.O. Box 130, East Branch, NY 13756-0130), Stage I & II bond release of a quarry operation in Scott Township, **Wayne County** affecting 5.0 acres on property owned by Muscle Mountain, LLC. Application received: July 15, 2019.

Permit No. 58010824. Cal's Automotive, Inc. (811 St. Frances Drive, Broomall, PA 19008), Stage I & II bond release of a quarry operation in Great Bend Township, **Susquehanna County** affecting 2.0 acres owned by Cal's Automotive, Inc. Application received: July 15, 2019.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0214761 (Mining Permit No. 56841605), Croner, Inc. (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). A revision to the NPDES and mining activity permit for the Goodtown Preparation Plant in Brothersvalley Township, **Somerset County**. This is a DEP initiated amendment being issued to remove arsenic, cadmium, selenium and silver monitoring from the NPDES permit part B because there is no reasonable potential for the discharge of these metals to cause an excursion above the water quality criterion. Surface Acres Affected 13.5. Receiving stream: Unnamed Tributary to Buffalo Creek, classified for the following use: CWF. Buffalo Creek Somerset TMDL. The application was considered administratively complete on June 19, 2019. Application received: June 19, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 003 discharges to: Unnamed Tributary to Buffalo Creek.

The proposed effluent limits for *Outfall 003* (Lat: 39° 53' 21" Long: -78° 58' 45") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	REPORT
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	REPORT
Total Dissolved Solids	(mg/l)	-	-	-	REPORT
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	REPORT
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	REPORT
Alkalinity, Net	(mg/l)	0.0	-	-	-

EPA waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0248878 (Mining Permit No. 4072SM2), Penn Coal Land, Inc., P.O. Box 68, Boswell, PA 15531, renewal of an NPDES permit for treatment of a post-mining discharge in Elk Lick Township, **Somerset County**, affecting 117.5 acres. Receiving stream: unnamed tributary to Meadow Run, classified for the following use: cold water fishes. This receiving stream is included in the Casselman River TMDL. Application received: April 8, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for coal mining activities.

The following outfall discharges to unnamed tributary to Meadow Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfall: 002 (All Weather Conditions)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times.			

<i>Outfall: 002 (Dry Weather) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.9	3.8	4.8
Manganese (mg/l)	1.2	2.5	3.2
Aluminum (mg/l)	0.75	1.2	1.2
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: (≥ 10-yr / 24-hr Precip. Event) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times.			

Compliance Schedule

(1) The Department has determined that the water quality based effluent limitations (WQGEL) identified in Part A for outfall 002 are necessary to fulfill the present requirements of the Casselman River TMDL.

(2) Whereas the final WQBEL set out in Part A for outfall 002 are significantly more stringent than past effluent limits for this outfall, and whereas the final effluent limits assigned in Part A cannot be met without modifications to the existing treatment facilities, the permittee shall comply with the interim effluent limits set forth in Part A during the compliance period and shall comply with the following paragraphs. The permittee shall:

a. Within the six months following permit issuance, conduct an evaluation of the existing treatment facilities for Outfall 002 and determine what modifications are required for each facility to meet the effluent limitations set out in Part A. By the end of the first six months following permit reissuance, the permittee shall submit a report to the Department evaluating the treatment options and identifying the facility modifications required to meet the WQBEL set in Part A.

b. As part of the report described in paragraph (a), the permittee shall also submit a Treatment Plan to the Department for approval including specifications of the facility modifications, proposed schedule for construction will be performed as soon as possible. In addition, the permittee shall submit complete applications for all permits or permit amendments necessary to install and operate the modifications to the Department for review. Following approval of the Treatment Plan and issuance of all necessary permits for the facility modifications, construction and the revised treatment systems shall commence no later than one year after reissuance of this NPDES permit. Construction and start-up of the facility modifications shall be completed, and attainment of the WQBEL set in part A for Outfall 002 shall be achieved, by no later than eighteen months after reissuance (renewal) of this NPDES permit.

(3) The permittee shall implement the treatment facility modifications necessary to achieve the WQBEL set in Part A according to the following compliance schedule:

a.	Submit a report describing its evaluation of treatment facility modification which will assure compliance with the effluent limitations assigned in Part A	As soon as possible, but no later than within six months, of permit reissuance.
b.	Submit a treatment plan and complete applications for all permits necessary for the treatment equipment to the Department for approval.	As soon as possible, but no later than within six months, of permit reissuance.
c.	Commence construction of system modifications required to meet the WQBELS in Part A.	As soon as possible, but no later than within 12 months, of permit reissuance.
d.	Complete treatment plant modifications/additions. Compliance with final limits.	As soon as possible, but no later than within 18 months, of permit reissuance.
e.	Submit progress reports. Reports shall include updates, attainment, or any progress made toward milestones, summary of results of any supplemental sampling and a discussion of compliance or non-compliance with interim and final requirements.	Every 6 months after permit reissuance until completion of the compliance period.

(4)

a. Pursuant to 40 CFR § 122.62, the permittee may make request to the Department for approval of a modification of the time period for completing step (d) of the compliance schedule in the table above (completion of construction and start-up of the treatment facility modifications within eighteen months of NPDES permit reissuance). The permittee's request for approval of a modification must demonstrate that the respective compliance schedule step cannot be completed within the prescribed time period. The permittee shall also provide an alternative time frame for completion of construction and start-up of the treatment technology; the alternative must be based on completing construction as soon as possible. The permittee's economic inability to comply with any of the obligations of this Compliance Schedule shall not be grounds for any extension of time.

b. The permittee shall submit a request for modification of the compliance schedule pursuant to this paragraph in writing to the Department within 10 working days of the date the permittee becomes aware or reasonably should have become aware of the event impeding performance. The written submission shall include all necessary documentation specifying the reasons for the delay, the expected duration of the delay, and the efforts which have been made to minimize the length of the delay. The initial written submission may be supplemented within ten working days of its submission.

The Department will decide whether to grant all or part of the extension requested on the basis of all documentation submitted by the permittee and any other information available to the Department and will notify the permittee in writing of its decision. In any subsequent litigation, Penn Coal Lands, Inc. shall have the burden of proving that the Department's refusal to grant the request extension was an abuse of discretion based upon the information then available.

NPDES No. PA0248886 (Mining Permit No. 4072SM11), Penn Coal Land, Inc., P.O. Box 68, Boswell, PA 15531, renewal of an NPDES permit for treatment of a post-mining discharge in Summit Township, **Somerset County**, affecting 167.8 acres. Receiving stream: unnamed tributary to Miller Run, classified for the following use: cold water fishes. This receiving stream is included in the Casselman River TMDL. Application received: April 8, 2019.

The following outfall discharges to unnamed tributary to Miller Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	2.0	4.0	5.0
Manganese (mg/l)	1.3	2.7	3.3
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0609382. (Mining permit no. 17840123) River Hill Coal Company, Inc., P.O. Box 147, Kylertown, PA 16847, renewal of an NPDES permit for coal surface mining in Karthaus Township, **Clearfield County**, affecting 161.0 acres. Receiving stream(s): Saltlick Run classified for the following use(s): HQ-CWF. Application received: February 6, 2019.

The outfall(s) listed as follows require a non-discharge alternative:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
3H	N

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0242276 (Permit No. 37020307). Amerikohl Aggregates, Inc. (202 Sunset Drive, Butler, PA 16001) Renewal of an NPDES permit for a large industrial minerals surface mine in Wayne Township, **Lawrence County**, affecting 243.4 acres. Receiving streams: Unnamed tributary to Snake Run and an unnamed tributary to Beaver River, classified for the following uses: WWF. TMDL: None. Application received: June 10, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The following outfall(s) discharge to an unnamed tributary to Snake Run and an unnamed tributary to Beaver River:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TP06	N
TP07	N

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
¹ The parameter is applicable at all times.				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	75.0	90.0

The following outfall(s) listed discharge to an unnamed tributary to Snake Run and an unnamed tributary to Beaver River:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
SP01	N
SP02	N
SP03	N
SP04	N
SP09	N

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
¹ The parameter is applicable at all times.				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.

E46-1177 Amendment: Lower Moreland Township, 640 Red Lion Road, Huntingdon Valley, PA 19006, Lower Moreland Township, **Montgomery County**, ACOE Philadelphia District.

Original approval of Permit No. E46-1177, authorized to construct and maintain 550 linear feet of 12 feet wide pedestrian trail in and along the 100-year floodway of Huntingdon Valley Creek situated near 2375 Philmont Avenue property. The site is located near intersection of Philmont Avenue and Huntingdon Pike (Route 232) (Hatboro and Frankford, PA, USGS Maps; Latitude: 40.118076; Longitude: -75.06477).

This amendment to Permit No. E46-1177 requests the inclusion of the following activities:

a. To extend the existing 12 feet wide pedestrian trail approximately 585 linear feet in and along the 100-year floodway of Huntingdon Valley Creek between Huntingdon Valley Creek and Philmont Avenue to provide an egress and recreational activities.

b. To stabilize approximately 150 linear feet of the existing streambank of Huntingdon Valley Creek due to severe existing bank erosion.

c. To install a new outfall structure beneath the new proposed trail.

No additional permanent or temporary impact to the Huntingdon Valley Creek are necessary for completing the proposed work.

All conditions specified in the original permit remain in effect and are to be complied with as part of this amendment.

E15-910: Kennett Township, 801 Burrows Run Road, Chadds Ford, Kennett Township, **Chester County**, ACOE Philadelphia District.

Chapter 106 application to construct and maintain about 260 feet long and 10 feet wide shared use pedestrian path along the floodplain of the West Branch Red Clay Creek (TSF, MF) associated with the Kennett Greenway, Manor Trail to provide the safe pedestrian route between Pemberton Road and State Street.

The site is located between Pemberton Road and State Street (USGS Kennett, PA, Quadrangle, Latitude: 39.848433; Longitude: -75.724296).

E46-1184: Pennsylvania Department of Transportation Engineering, District 6-0, 7000 Geerdes Boulevard, King of Prussia, Lower Pottsgrove and Limerick Townships, **Montgomery County**, ACOE Philadelphia District.

PennDOT, District 6-0, is proposing to perform the following water obstruction and encroachment activities associated with the S.R. 0422, Section MAB Advanced Bridge Replacement Project for Pleasantview and Park Road Bridges.

1. To construct and maintain a 54-inch RCP stream enclosure extension from 154 feet to a total length of 192 feet carrying an unnamed tributary to Sanatoga Creek (Stream 1, WWF-MF) and is associated with the placement of fill for roadway embankment construction at Park Road Bridge, north of S.R. 0422. This activity will result in 38 linear feet (321 square feet) of permanent waterway impact, 112 linear feet (1,956 square feet) of temporary waterway impact and includes the construction of new headwalls and the placement of riprap rock aprons.

2. To construct and maintain a 24-inch RCP stream enclosure extension from 126 feet to a total length of 130 feet carrying an unnamed tributary to Sanatoga Creek (Stream 4, WWF-MF) associated with minor grading. This activity will result in 4 linear feet (18 square feet) of permanent waterway impact, 114 linear feet (806 square feet) of temporary waterway impact and includes the construction of new headwall and placement of riprap rock apron.

3. To construct and maintain a 174-foot stream relocation (Stream 2, WWF-MF) associated with the placement of fill for roadway embankment construction at Park Road Bridge, south of S.R. 0422. This activity will result in 174 linear feet (545 square feet) of temporary waterway impact and is located directly adjacent to the existing stream.

4. To construct and maintain 229 linear feet (2,360 square feet) of new stream channel (New Stream 80, WWF-MF) associated with the day-lighting of an existing storm pipe at the Park Road Bridge location south of SR 0422. This activity will result in 23 linear feet (483 square feet) of permanent waterway impact and 17 linear feet (204 square feet) of temporary waterway impact to the existing water course (Stream 80, WWF-MF).

5. To relocate, construct, and maintain a 30-inch stream enclosure to carry the newly created stream (Stream 80, WWF-MF) and an unnamed tributary to Sanatoga Creek (Stream 2, WWF-MF) at Park Road Bridge south of S.R. 0422 that will impact a wetland (Wetland 2, PSS). This activity will result in 253 square feet (0.006 acre) of permanent wetland impact, 1,291 square feet (0.030 acre) of temporary wetland impact and downstream riprap apron is included within the 54-inch RCP stream enclosure extension impact.

No resource impacts are associated with the Pleasantview Road Bridge replacement. This project is located at Parks Road and Pleasantview Road along the S.R. 0422 corridor in Lower Pottsgrove and Limerick Townships, Montgomery County and is associated with the future widening of the S.R. 0422 main corridor widening project (USGS PA Phoenixville Quadrangle—Latitude: 40.241528, Longitude: 75.593961 W).

EA09-013/WL0919301: Solebury Township, 3092 Sagan Road, P.O. Box 139, Solebury, PA 18963, Solebury Township, **Bucks County**, ACOE Philadelphia District. To perform the following water obstruction and encroachment activities along approximately 1,200 linear feet of two (2) unnamed tributaries to the Aquetong Creek (Perennial, HQ, MF):

1. Excavation of unconsolidated sediment to stabilize channel dimensions.

2. Expanding and realigning portions of the existing channel for geomorphic stability.

3. Grading along the stream channel to create a floodplain bench.

4. Installation of large woody debris to create aquatic habitat and enhance channel bed and bank stability.

5. Installation of gravel, cobble, and boulder substrate to enhance existing insufficient channel substrate conditions where needed.

6. Impacts to existing wetlands associated with the installation of various streambank stabilization techniques, channel realignment and streambank grading for floodplain connectivity. Overall, a net gain of wetland acreage is expected to result from enhanced floodplain connectivity.

The southern limit of the site is located at the former terminus of the Aquetong Lake impoundment (Lambertville, NJ, USGS Quadrangle, Latitude 40.354181N°; Longitude - 74.988711W°).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E13021-193. Pa Department of Transportation, Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Lower Towamensing Township, **Carbon County**, Army Corps of Engineers, Philadelphia District.

To construct a roadway improvement project along S.R. 2006 consisting of replacement of the existing structure and to construct and maintain a road crossing of tributary Aquashicola Creek (HQ-CWF, MF) consisting of a 21-inch RCP culvert. The project also includes the widening of the roadway shoulder and installation of pavement base drains impacting 0.01 acre of adjacent PEM EV wetlands.

The project is located along S.R. 2006 Segment 0020 Offset 1283 (Palmerton, PA Quadrangle, Latitude: 40° 49' 29.5" N; Longitude: -75° 30' 46.7" W) in Lower Towamensing Township, Carbon County.

E4002219-006. Aqua Pennsylvania Inc., 1 Aqua Way, White Haven, PA 18661, in Penn Lake Park Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 6-inch DIP water line crossing of a UNT to Wright Creek (HQ-CWF, MF) and approximately 234 linear feet of adjacent PFO wetland (EV). The project is located approximately 0.1 mile east of the Terrance Road and Lakeview Drive intersection at the base of the Penn Lake Dam. (White Haven, PA Quadrangle, Latitude: 41° 06' 39"; Longitude: -75° 46' 11").

Southwest Region: Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E63052-735, Water Dam Associates-IV, LP, 1301 Grandview Avenue, Suite 220, Pittsburgh, PA 15211, North Strabane Township, **Washington County**; Pittsburgh ACOE District.

The applicant is proposing to:

1. Construct and Maintain a 20' span by 4' rise Concrete Culvert, within approximately 32 LF, of an unnamed tributary (UNT) to Little Charters Creek (WWF) (Culvert Crossing No. 1).

2. Construct and Maintain an 8' by 8' RCP Culvert within approximately 81 LF of another section of the same tributary to Little Charters Creek (Culvert Crossing No. 2).

For the purpose of developing a 23.10-acre site into 29 single family lots. The Project will permanently impact 113 LF of UNT to Little Charters Creek. The project site is located near the intersection of Ross Road and Thomas Road (PA USGS topographic quadrangle; N: 40°, 14', 33.2770"; W: -80°, 5', 42.3896"; Sub-basin 20F; USACE Pittsburgh District), in North Strabane Township, Washington County.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E1006219-004, Ben Giovengo, 417 Sandy Hill Road, Valencia, PA 16059. Givengo Pond, in Middlesex Township, **Butler County**, ACOE Pittsburgh District (Valencia, PA Quadrangle N: 40.701552°; W: -79.897335°).

To permanently impact a total of 0.40 acre of wetlands and 110 feet of a tributary to Glade Run having a contributory drainage area less than 100 acres associated with the construction of a non-jurisdictional earth embankment dam and excavation for the pool area and forebay of the dam at property located at 417 Sandy Hill Road approximately 344 feet south the intersection of Steiner Bridge Road. Applicant proposes enhancement to existing on-site wetland as mitigation for permanent impacts.

E6206219-003, Caledonia Land Company LLC, 450 Saybrook Road, Sheffield, PA 16347. Weatherby Bridge, in Pine Grove Township, **Warren County**, ACOE Pittsburgh District (Scandia, PA Quadrangle N: 41°, 56', 14.158"; W: -79°, 4', 58.398").

The Applicant proposes to construct, operate, and maintain a 42 feet long by 16 feet wide concrete abutment supported bridge crossing of Akeley Run (CWF) at a point approximately 3,000 feet west of the Priest Hollow Road and Renolds Road intersection in Pine Grove Township, Warren County.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E6629-029: Meshoppen Township, Wyoming County; Appalachia Midstream Services; 30351 Route 6, Wysox, PA 18854; ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary timber mat bridge crossing impacting 305 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 46"),

2) a temporary timber mat bridge crossing impacting 2,526 square feet (0.06 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 46"),

3) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,133 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 44"),

4) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 9,583 square feet (0.22 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 21", Longitude: -76° 04' 43"),

5) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 2,788 square feet (0.06 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 04", Longitude: -76° 04' 39"),

6) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,133 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 05", Longitude: -76° 04' 39"),

7) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 10,846 square feet (0.25 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 06", Longitude: -76° 04' 39"),

8) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 348 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 25", Longitude: -76° 04' 37"),

9) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 14,288 square feet (0.33 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 30", Longitude: -76° 04' 34"),

10) a temporary timber mat bridge crossing impacting 697 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 36", Longitude: -76° 04' 24"),

11) a temporary timber mat bridge crossing impacting 479 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 36", Longitude: -76° 04' 23"),

12) a temporary timber mat bridge crossing impacting 50 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 38", Longitude: -76° 04' 21"),

13) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 523 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 37", Longitude: -76° 04' 20"),

14) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 5,053 square feet (0.12 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 42", Longitude: -76° 04' 09"),

15) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 61 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 43", Longitude: -76° 04' 08"),

16) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 958 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 43", Longitude: -76° 04' 06"),

17) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,263 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),

18) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 50 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),

19) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 62 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),

20) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 4,138 square feet (0.10 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 04"),

21) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 51 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 00", Longitude: -76° 03' 55"),

22) a temporary timber mat bridge crossing impacting 174 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 03", Longitude: -76° 04' 00"),

23) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,612 square feet (0.04 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 05", Longitude: -76° 04' 03"),

24) a temporary timber mat bridge crossing impacting 44 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 14"),

25) a temporary timber mat bridge crossing impacting 17 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 14"),

26) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,089 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 15"),

27) a temporary timber mat bridge crossing impacting 44 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 23", Longitude: -76° 04' 20"),

28) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 958 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 24", Longitude: -76° 04' 20"),

29) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 653 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 27", Longitude: -76° 04' 20"),

30) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 52 lineal feet of an unnamed tributary to Carter Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 27", Longitude: -76° 04' 20"),

31) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 697 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 29", Longitude: -76° 04' 21"),

32) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,699 square feet (0.04 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 32", Longitude: -76° 04' 24"),

33) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 78 lineal feet of an unnamed tributary to Carter Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 34", Longitude: -76° 04' 25"),

34) a temporary timber mat bridge crossing impacting 87 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 34", Longitude: -76° 04' 25"),

35) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 479 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 36", Longitude: -76° 04' 26"),

36) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 8,451 square feet (0.20 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 42", Longitude: -76° 04' 29"),

37) a temporary timber mat bridge crossing impacting 3,136 square feet (0.07 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 47", Longitude: -76° 04' 29").

The Constable Loop natural gas pipeline project consists of constructing approximately 3.6 miles of 12-inch steel natural gas pipeline located in Meshoppen Township, Wyoming County and Auburn Township, Susquehanna County. The project will result in 404 lineal feet of stream impacts and 61,654 square feet (1.42 acre) of palustrine emergent (PEM) wetlands to provide safe reliable conveyance of Marcellus Shale natural gas to market. Note: Impacts 1 through 4 are located within Wyoming County and impacts 5 through 37 are located within Susquehanna County.

E5829-146: Auburn Township, **Susquehanna County;**
Appalachia Midstream Services; 30351 Route 6,
Wysox, PA 18854; ACOE Baltimore District.

To construct, operate, and maintain:

- 1) a temporary timber mat bridge crossing impacting 305 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 46"),
- 2) a temporary timber mat bridge crossing impacting 2,526 square feet (0.06 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 46"),
- 3) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,133 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 44"),
- 4) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 9,583 square feet (0.22 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 21", Longitude: -76° 04' 43"),
- 5) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 2,788 square feet (0.06 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 04", Longitude: -76° 04' 39"),
- 6) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,133 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 05", Longitude: -76° 04' 39"),
- 7) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 10,846 square feet (0.25 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 06", Longitude: -76° 04' 39"),
- 8) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 348 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 25", Longitude: -76° 04' 37"),
- 9) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 14,288 square feet (0.33 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 30", Longitude: -76° 04' 34"),
- 10) a temporary timber mat bridge crossing impacting 697 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 36", Longitude: -76° 04' 24"),
- 11) a temporary timber mat bridge crossing impacting 479 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 36", Longitude: -76° 04' 23"),
- 12) a temporary timber mat bridge crossing impacting 50 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 38", Longitude: -76° 04' 21"),
- 13) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 523 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 37", Longitude: -76° 04' 20"),
- 14) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 5,053 square feet (0.12 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 42", Longitude: -76° 04' 09"),
- 15) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 61 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 43", Longitude: -76° 04' 08"),
- 16) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 958 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 43", Longitude: -76° 04' 06"),
- 17) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,263 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),
- 18) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 50 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),
- 19) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 62 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),
- 20) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 4,138 square feet (0.10 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 04"),
- 21) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 51 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 00", Longitude: -76° 03' 55"),
- 22) a temporary timber mat bridge crossing impacting 174 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 03", Longitude: -76° 04' 00"),
- 23) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,612 square feet (0.04 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 05", Longitude: -76° 04' 03"),
- 24) a temporary timber mat bridge crossing impacting 44 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 14"),
- 25) a temporary timber mat bridge crossing impacting 17 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 14"),

26) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,089 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 15"),

27) a temporary timber mat bridge crossing impacting 44 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 23", Longitude: -76° 04' 20"),

28) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 958 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 24", Longitude: -76° 04' 20"),

29) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 653 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 27", Longitude: -76° 04' 20"),

30) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 52 lineal feet of an unnamed tributary to Carter Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 27", Longitude: -76° 04' 20"),

31) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 697 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 29", Longitude: -76° 04' 21"),

32) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,699 square feet (0.04 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 32", Longitude: -76° 04' 24"),

33) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 78 lineal feet of an unnamed tributary to Carter Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 34", Longitude: -76° 04' 25"),

34) a temporary timber mat bridge crossing impacting 87 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 34", Longitude: -76° 04' 25"),

35) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 479 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 36", Longitude: -76° 04' 26"),

36) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 8,451 square feet (0.20 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 42", Longitude: -76° 04' 29"),

37) a temporary timber mat bridge crossing impacting 3,136 square feet (0.07 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 47", Longitude: -76° 04' 29").

The Constable Loop natural gas pipeline project consists of constructing approximately 3.6 miles of 12-inch steel natural gas pipeline located in Meshoppen Township, Wyoming County and Auburn Township, Susquehanna County. The project will result in 404 lineal feet of stream impacts and 61,654 square feet (1.42 acre) of palustrine emergent (PEM) wetlands to provide safe reliable conveyance of Marcellus Shale natural gas to market. Note: Impacts 1 through 4 are located within Wyoming County and impacts 5 through 37 are located within Susquehanna County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0247910 SEW	Bethel Township Municipal Authority P.O. Box 274 60 Klahr Road Bethel, PA 19507-0274	Bethel Township Berks County	Little Swatara Creek (CWF) in Watershed(s) 7-D	Y
PA0088251 SEW	Upper Bern Township Berks County 25 N 5th Street Shartlesville, PA 19554-0185	Upper Bern Township Berks County	Wolf Creek (CWF) in Watershed(s) 3-C	Y
PA0021601 SEW	Hamburg Borough Municipal Authority Berks County 61 N 3rd Street Hamburg, PA 19626	Hamburg Borough Berks County	Schuylkill River in Watershed(s) 3-B	N

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0114367 (Sewage)	Danny Deivert Res 55 Conley Road Mifflinburg, PA 17844-7761	Union County Buffalo Township	Unnamed Tributary to Rapid Run (HQ-CWF) (10-C)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0205915 (Sewage)	Dayton Borough STP P.O. Box 396 Dayton, PA 16222-0396	Armstrong County Dayton Borough	Glade Run (CWF) (17-D)	Yes
PA0098094 (Sewage)	Pittsburgh Airport Park MHP STP 3499 US Highway 9 Suite 3c Freehold, NJ 07728-3277	Beaver County Independence Township	Raccoon Creek (WWF) (20-D)	Yes
PA0096466 (Sewage)	Contura Energy Services P.O. Box 1020 158 Portal Road Waynesburg, PA 15370-3020	Greene County Franklin Township	Unnamed Tributary to Smith Creek (WWF) (19-B)	Yes
PA0025810 (Sewage)	Shade Central City Joint Authority 429 Sunshine Avenue Central City, PA 15926	Somerset County Shade Township	Dark Shade Creek (CWF) (18-E)	Yes
PA0028452 (Sewage)	Dunkard Bobtown STP P.O. Box 352 Bobtown, PA 15315-0352	Greene County Dunkard Township	Dunkard Creek (WWF) (19-G)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0217778 (Industrial)	Dawson TP P.O. Box 2223 Johnson City, TN 37605-2223	Fayette County Dunbar Township	Youghiogheny River (WWF) (19-D)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0090514 (Sewage)	Gulick MHP 400a Frost Hollow Road Easton, PA 18040	Butler County Winfield Township	Unnamed Tributary of Buffalo Creek (HQ-TSF) (18-F)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.
Phone: 412.442.4000.*

NPDES Permit No. PA0026522, Sewage, **West Mifflin Sanitary Sewer Municipal Authority**, 1302 Lower Bull Run Road, West Mifflin, PA 15122.

This existing facility is located in West Mifflin Borough, **Allegheny County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0272132, Sewage, SIC Code 8800, **Jason Hickernell**, 53 Quarry Hill Road, Greenville, PA 16125.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272205, Sewage, SIC Code 8800, **Aaron A Mocny**, 2338 Priest Hollow Road, Russell, PA 16345-5404.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.
Phone: 412.442.4000.*

WQM Permit No. WQG02651901, Sewage, SIC Code 4952, **Westmoreland County Bureau of Parks & Recreation**, 1744 Rostraver Road, Belle Vernon, PA 15012-4001.

This proposed facility is located in Rostraver Township, **Westmoreland County**.

Description of Proposed Action/Activity: Installation of new sanitary sewer system to serve Cedar Creek Park.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4319403, Sewage, **Jason Hickernell**, 53 Quarry Hill Road, Greenville, PA 16125.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6219405, Sewage, **Aaron A Mocny**, 2338 Priest Hollow Road, Russell, PA 16345-5404.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD460036 Phase 2	PennDOT 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406	Montgomery	Whitpain Township East Norriton Township	East Branch of Stony Creek TSF-MF Tributary 00965 of Stony Creek TSF-MF Center Branch Stony Creek TSF-MF Unnamed Tributary to Central Branch of Stony Creek TSF-MF
PAD510033 Phase 7	Department of the Navy Public Works Department Pennsylvania 4921 South Broad Street Philadelphia, PA 19112-1303	Philadelphia	City of Philadelphia	Schuylkill River CWF-MF Delaware Estuary WWF-MF-N

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390110	Liberty Property Trust 400 Boulder Dr. Suite 200 Breinigsville, PA 18031	Lehigh	Lower Macungie Township & Alburtis Borough	Little Lehigh Creek, HQ-CWF, MF

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450082	Trap Enterprises 41 Mountain View Drive Tannersville, PA 18372	Monroe	Pocono Township	Scot Run HQ-CWF

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Phillips, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD280006 Issued	Guilford Water Authority 115 Spring Valley Road Chambersburg, PA 17202	Franklin	Guilford Township	Falling Spring Branch (HQ-CWF, MF)
PAD360032 Issued	Thomas M. Wolgemuth 1940 East Mount Hope Road Manheim, PA 17545	Lancaster	Penn Township	UNT Shearers Creek (HQ-CWF, MF) Shearers Creek (HQ-CWF, MF)

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020022	Duquesne Light Company 2841 New Beaver Avenue Pittsburgh, PA 15233	Allegheny County	Franklin Park Borough	Little Sewickley Creek (HQ-TSF)
PAD650018	11040 Holdings, Inc. 11040 Parker Drive Irwin, PA 15642	Westmoreland County	North Huntingdon Township	UNT to Long Run (HQ-TSF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Doylestown Township Bucks County	PAC090257	Cherry Lane, LLC 400 Crossing Drive Bristol, PA 19007-1510	Unnamed Tributary to Neshaminy Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Hanover Township Montgomery County	PAC460388	Traynor Holdings, LLC 5416 Reppert Lane Allentown, PA 18106	Macoby Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Limerick Township Montgomery County	PAC460104	Moscariello Development Company, Inc. 24 Donny Brook Way Collegetown, PA 19426	Unnamed Tributary Landis Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Gwynedd Township Montgomery County	PAC460329	Pennsylvania Department of Transportation District 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406	Wissahickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Greenville Borough Montgomery County	PAC460321	MBI Development Company, Inc. 5 Powell Lane Collingswood, PA 08108	Unnamed Tributary of Perkiomen Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Moreland Township Montgomery County	PAC460322	Blair Mill Associates 409 Stenton Avenue Flourtown, PA 19031	Pennypack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Pottsgrove Township Montgomery County	PAC460293	PennDOT District 6-0 7000 Geerdes Blvd King of Prussia, PA 19406-1525	Sprogels Run and Sanatoga Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Township Montgomery County	PAC460358	CFC Towamencin Properties, Inc. 2700 Clemens Road Hatfield, PA 19440	Unnamed Tributary of Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Montgomery Township Montgomery County	PAC460385	General Hancock Partnership 2312 North Broad Street Colmar, PA 18915	Unnamed Tributary to Little Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Frederick Township Montgomery County	PAC460393	Perkiomen Mennonite Church P.O. Box 59 Perkiomenville, PA 18074	Perkiomen Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Providence Township Montgomery County	PAC460125	Providence Business Park 3 LLC 1030 West Germantown Pike East Norriton, PA 19403	Schuylkill River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Township Montgomery County	PAC460335	Advance Living Management & Development 1290 Allentown Road Lansdale, PA 19446	Schuylkill River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Norristown Borough Montgomery County	PAC460316	Elmwood Park Zoo 1661 Harding Boulevard Norristown, PA 19401	Stony Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Limerick Township Montgomery County	PAC460334	Sukonik Limerick Homes LLC 1250 Germantown Pike Suite 100 Plymouth Meeting, PA 19462	Unnamed Tributary to Mine Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAC460336	Glenn-Montgomery Holding, LP 110 Gallagher Road Wayne, PA 19087	Trout Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC390089	Lehigh Valley Assoc 225 W Washington St Indianapolis, IN 46204	Lehigh	Whitehall Twp	Jordan Creek (TSF, MF)

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC400137	315 Realty Corp Inc. Gene Cosklo 1092 Rt 315 Wilkes-Barre, PA 18702	Luzerne	Plains Twp	Mill Creek (CWF, MF)

Schuylkill Conservation District, 1206 AG Center Drive, Pottsville, PA 17901-9733.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC540056	Singh & Kaur, Inc. 351 Midway Rd Bethel, PA 19507	Schuylkill	Butler Twp	Mahanoy Creek (WWF, MF)

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

*Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bethel Township Berks County Issued	PAC060215 Mid Atlantic Interstate Transmission 76 South Main Street Akron, OH 44308-1812	UNT Little Swatara Creek (CWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Exeter Township Berks County Issued	PAC060081 DBJ Properties, LLC 2446 New Holland Road Reading, PA 19607	UNT Antietam Creek (CWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Derry Township Dauphin County Issued	PAC220186 Swatara Station Partners, LLC P.O. Box 944 Hershey, PA 17033	UNT Spring Creek East (WWF) Spring Creek East (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Manheim Township Lancaster County Issued	PAC360432 Irwin & Weinhold Holdings, LLC 129 Briar Hill Road Lititz, PA 17543	Bachman Run (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Conestoga Township Lancaster County Issued	PAC360426 Jacob Fisher 10 Tanyard Road Conestoga, PA 17516	UNTs Stehman Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Mount Joy Township Lancaster County Issued	PAC360399 Darrel Lehman Dump Truck Services, LLC 2474 Mount Gretna Road Elizabethtown, PA 17022	Conewago Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

*Facility Location:
Municipality &
County*

West Hempfield
Township
Lancaster County
Issued

Permit No.
PAC360438

Applicant Name & Address
Sylvan Partners LP
3024 Columbia Avenue
Suite 2
Lancaster, PA 17603

*Receiving
Water/Use*
UNT Strickler Run
(WWF)

*Contact Office &
Phone No.*
Lancaster County
Conservation District
1383 Arcadia Road
Room 200
Lancaster, PA
17601-3149
717.299.5361, ext. 5

Manheim Township
Lancaster County
Issued

PAC360300

Elam Fisher
435 Newport Road
Ronks, PA 17572

Conestoga River
(WWF)

Lancaster County
Conservation District
1383 Arcadia Road
Room 200
Lancaster, PA
17601-3149
717.299.5361, ext. 5

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

*Facility Location &
Municipality*

State College Boro &
College Twp
Centre Cnty

Permit No.
PAC140083

Applicant Name & Address
The Pennsylvania State
University
139J Physical Plant Bldg
University Park, PA 16802

*Receiving
Water/Use*
Big Hollow
CWF

*Contact Office &
Phone No.*
Centre County
Conservation
District
414 Holmes Ave
Ste 4
Bellefonte, PA 16823
(814) 355-6817

Ferguson Twp
Centre Cnty

PAC140084
Renewal
Previously
PAG02001412009R

Circleville Road
Partners B, L.P.
600 Grant Street
Suite 484
Pittsburgh, PA 15219

Big Hollow
CWF

Centre County
Conservation
District
414 Holmes Ave
Ste 4
Bellefonte, PA 16823
(814) 355-6817

Penn Twp
Snyder Cnty

PAC550022
Major Amend

Marvin Weaver
93 Church Road
Selinsgrove, PA 17870

UNT to Penns
Creek
CWF, MF

Snyder County
Conservation
District
403 W Market St
Middleburg, PA
17842
(570) 837-3000 X110

Hartley Twp
Union Cnty

PAC600045

Allen Reiff
2565 Creek Road
Millmont, PA 17845

CWF, MF

Union County
Conservation
District
Union County
Government Center
155 N 15th St
Lewisburg, PA 17837
(570) 524-3860

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake,
Waterways and Wetlands Program Manager, 412-442-4000.*

*Facility Location and
Municipality*

New Sewickley
Township

Permit No.
PAC040056

Applicant Name and Address
PennDOT District 11-0
45 Thoms Run Road
Bridgeville, PA 15017

*Receiving
Water/Use*
Crows Run
(WWF)

*Contact Office and
Phone No.*
Beaver County
Conservation District
156 Cowpath Road
Aliquippa, PA 15001
(724) 378-1701

Brighton Township

PAC040057

R.E.D. Mantini, LLC
717 Sixth Avenue
Ford City, PA 16226

UNT to South
Branch Brady Run
(TSF)

Beaver County
Conservation District
156 Cowpath Road
Aliquippa, PA 15001
(724) 378-1701

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Richland Township	PAC110052	Crystal Crown Acres, LLC 542 Tire Hill Road Johnstown, PA 15905	UNT to Paint Creek (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Shenango Township Mercer County	PAC430038 Major Modification	Cortland Investment Properties LLC Mike Wish P.O. Box 5506 New Castle, PA 16105	Unnamed tributary Shenango River	Mercer County Conservation District 747 Greenville Road Mercer, PA 16137 724-662-2242
Shenango Township Mercer County	PAC430019 Major Modification	Shenango Township Municipal Authority 155 Campground Road P.O. Box 266 West Middlesex, PA 16159	Shenango River WWF, Hogback Run WWF, West Branch Little Neshannock Creek TSF	Mercer County Conservation District 747 Greenville Road Mercer, PA 16137 724-662-2242
Cranberry Township Butler County	PAC100156	Victory Family Church of North Pittsburgh 21150 Route 19 Cranberry Township, PA 16066	UNT Brush Creek WWF, Likens Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hickory Township Lawrence County	PAG038378	Custom Pallet & Mulch Inc. 1799 County Line Road New Castle, PA 16101-2948	Unnamed Tributary to Big Run (WWF)—20-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942

General Permit Type—PAG-12

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Millcreek Township Lebanon County	PAG123887	Malcolm J Sonnen 101 Sonnens Road Richland, PA 17087-9401	Millcreek Township Lebanon County Watershed(s) 3-C	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be

sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and

procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 2520062, Operations Permit, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 West Hershey Park Dr. Hershey, PA 17033
[Borough or Township]	Lehman Township
County	Pike
Type of Facility	PWS
Consulting Engineer	Jeremy Nelson, PE PAWC 2699 Stafford Avenue Scranton, PA 18505
Permit to Operate Issued	July 18, 2019

Permit No. 4819502, Public Water Supply.

Applicant	Bethlehem Authority 10 East Church Street Bethlehem, PA 18018
[Borough or Township]	East Allen Township
County	Northampton
Type of Facility	PWS
Consulting Engineer	Mr. Michael A Schober, PE T&M Associates 74 West Broad Street Bethlehem, PA 18108
Permit to Construct Issued	7/22/2019

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0619506 MA, Minor Amendment, Public Water Supply.

Applicant	Laurel Health Resources
Municipality	Tilden Township
County	Berks
Responsible Official	Cheryl Koch, CED 125 Holly Road Hamburg, PA 19526

Type of Facility	Installation of a new pH monitor and nitrate analyzer to monitor the pH and nitrate concentration at the entry point.
------------------	---

Consulting Engineer	Jeremy S. Madaras, P.E. J.S. Madaras Consulting LLC 250 Indian Lane Boyertown, PA 19512
---------------------	--

Permit to Construct Issued	7/23/2019
----------------------------	-----------

Operation Permit No. 3617516 MA issued to: **Mount Joy Borough Authority (PWS ID No. 7360091)**, East Donegal Township, **Lancaster County** on 7/19/2019 for facilities approved under Construction Permit No. 3617516 MA.

Operation Permit No. 0619504 MA issued to: **Kutztown Borough (PWS ID No. 3060041)**, Kutztown Borough, **Berks County** on 7/23/2019 for facilities approved under Construction Permit No. 0619504 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 1418502—Operation—Public Water Supply.

Applicant	Madisonburg Water Works
Township/Borough	Miles Township
County	Centre County
Responsible Official	Mr. Thomas Snyder President Madisonburg Water Works 107 Madisonburg, PA 16852
Type of Facility	Public Water Supply—Operation
Consulting Engineer	Mr. Michael J. Peleschak Alfred Benesch & Company 400 One Norwegian Plaza Pottsville, PA 17901
Permit Issued	July 25, 2019

Description of Action	Authorizes Madisonburg Water Works to add orthophosphate to source water to optimize corrosion control and further reduce lead and copper.
-----------------------	--

Permit No. 4104501-A2—Operation—Public Water Supply.

Applicant	Williamsport Municipal Water Authority
Township/Borough	City of Williamsport
County	Lycoming County
Responsible Official	Mr. Michael D. Miller Executive Director 253 West Fourth Street Williamsport, PA 17701
Type of Facility	Public Water Supply—Operation
Consulting Engineer	N/A
Permit Issued	July 25, 2019

Description of Action	Authorizes change in availability designation of wellfield Entry Point 103 and Third Street Treatment Plant # 303 from "Emergency" to "Reserve."
-----------------------	--

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operation Permit issued to **Pennsylvania American Water Ellwood, PWSID No. 6370011**, New Beaver Borough and Wayne Township, **Lawrence County**. Permit Number 3716502 Interim 2 issued July 26, 2019 for the operation of the new Ellwood City Surface Water Filtration Treatment. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on July 12, 2019.

Permit No. 3790501-MA8, Public Water Supply

Applicant	PA American Water Company
Township or Borough	Ellwood City
County	Lawrence County
Type of Facility	Public Water Supply
Consulting Engineer	Scott Thomas PA American Water Company 852 Wesley Drive Mechanicsburg, PA 17055
Permit to Construct Issued	July 31, 2019

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Marion Township	Marion Township P.O. Box 141 Boyers, PA 16020	Butler County

Plan Description: The approved plan provides for the approved Special Study provides for a change in treatment technology as previously approved by the Department on July 6, 2017, for Marion Township in the areas of the Village of Boyers and Atwells Crossing. The 2017 Official Plan Update had provided for construction of a gravity system with approximately 8 grinder pumps, a new influent pump station and an engineered wetlands (EW) treatment facility designed for 0.03 MGD. Approval of this special study was granted and changes treatment technology from the EW treatment facility to a Recirculating Sand Filter (RSF) Wastewater Treatment Plant. No other changes to the 2017 Plan are proposed. This Special Study for Marion Township includes 23 existing customers, 88 proposed customers, and 28 EDUs for future growth. The Department’s review of the special study has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location: South Centre Township, Columbia County

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
South Centre Township	6260 Fourth Street Bloomsburg, PA 17815	Columbia

Plan Description: The plan provides for the construction of a collection system for a portion of the township with conveyance to the Berwick Area Joint Sewer Authority for treatment. The plan was denied by the Department because it is administratively incomplete.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act’s remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Bethlehem Commerce Center Site—Lot 62, 2675 Commerce Center Avenue, Bethlehem City, **Northampton County**. HDR Engineering, Inc., 1720 Spillman Drive, Bethlehem, PA 18015, on behalf of Lehigh Valley Industrial Park, Inc., 1720 Spillman Drive, Bethlehem, PA 18015, submitted a Site-Specific cleanup plan concerning remediation of site soils contaminated with historical fill. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Sheetz Store No. 613, 2 Bolivar Drive, Foster Township, **McKean County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of Miller Brothers Construction, Inc., P.O. Box 472, Schuylkill Haven, PA 17972, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with 1,2,4-trimethylbenzene, benzene, toluene, ethylbenzene, xylenes, MTBE, naphthalene, cumene, 1,3,5-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloroethane, and lead. The report is intended to document remediation of the site to meet a combination of the Site-Specific and Statewide Health Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to

achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

13-17 East Green Street, 13-17 East Green Street, Hazleton City, **Luzerne County**. Barry Isett & Associates, 100 West Broad Street, Hazleton, PA 18201, on behalf of City of Hazleton Redevelopment Authority, 40 North Church Street, Hazleton, PA 18201, submitted a Final Report concerning remediation of soil contaminated as the result historic automotive maintenance and waste oil disposal. The report documented remediation of the site to meet Site-Specific Standards and was approved by DEP on July 25, 2019.

Tannery Place, 498 South Main Street, Montrose Borough, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of ESE Equity LLC, 466 South Main Street, Montrose, PA 18801, submitted a final report. Soil and groundwater contamination were caused by releases from an underground storage tank that stored gasoline. The report documented remediation of the site to meet residential Statewide Health Standards and was approved by DEP on July 30, 2019.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Kmart Plaza Dry Cleaners, 1901 Lincoln Highway, North Versailles **Allegheny County**. American Geosciences, Inc., 3925 Reed Blvd., Suite 400, Murrysville, PA 15668 on behalf of Riverview Plaza Associates LP, 3 Gateway Center, Pittsburgh, PA 15222 has submitted a cleanup plan and final report regarding the site where elevated concentrations of chlorinated volatile organic compounds associated with dry cleaning solvents were found in soil and groundwater. Public notice of the reports was published in the *Pittsburgh Post-Gazette* on May 15, 2019. The plans were approved by the Department on July 24, 2019.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Mountain Energy Services Inc., 205 West Tioga Street, Tunkhannock, PA 18657. License No. PA-AH 0832. Effective Jul 29, 2019.

Transporter Licenses Reissued

Mountain Energy Services Inc., 205 West Tioga Street, Tunkhannock, PA 18657. License No. PA-AH 0832. Effective Jul 29, 2019.

New Applications Received

Drug & Laboratory Disposal, Inc., 331 Broad Street, Plainwell, MI 49080. License No. PA-AH 0887. Effective Jul 26, 2019.

New Transporter Licenses Issued

Drug & Laboratory Disposal, Inc., 331 Broad Street, Plainwell, MI 49080. License No. PA-AH 0887. Effective Jul 26, 2019.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 101592. Tri-County Transfer Station, 159 TCI Drive, Grove City, PA 16127; Pine and Liberty Townships, **Mercer County**. On July 25, 2019 the Northwest Regional Office issued a major permit modification to the existing municipal waste transfer station permit owned by Tri-County Industries, Inc. The application increased the maximum daily volume of the facility from 800 tons per day to 1,200 tons per day. The major modification was received on September 5, 2018. A Local Municipal Involvement Policy meeting was conducted with the local municipal officials on January 23, 2019. The application was considered complete by the Northwest Regional Office on February 6, 2019.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

AG5-58-00009A: Repsol Oil & Gas USA, LLC (50 Pennwood Place, Warrendale, PA 15086) on July 25, 2019 for the renewal of their existing permit at the Repine Compressor Station site located in Apolaccon Twp., **Susquehanna County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

08-00058A: Bradford County Real Estate Partners LLC (111 West 19th Street, 8th Floor, New York, NY 10011) on July 24, 2019, to construct a liquified natural gas (LNG) production facility, BCRP/Natural Gas Processing Plant, located in Wyalusing Township, **Bradford County**.

41-00041A: Lonza, Inc. (3500 Trenton Ave, Williamsport, PA 17701) on July 26, 2019, to construct a CarbonAir model Stat 180 air stripper at the Williamsport facility located in the City of Williamsport, **Lycoming County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

IP19-000242: Saint Martin of Tours Church (5450 Roosevelt Blvd., Philadelphia, PA 19124) On July 26, 2019, for the operation of a private school and church in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include six (6) boilers firing natural gas as primary fuel and No. 2 fuel oil during periods of natural gas curtailment each rated less than 5 MMBtu/hr, and one (1) boiler firing No. 2 fuel oil rated 1.736 MMBtu/hr. The Boiler (B-07) located in the Convent is considered a residential boiler, but it is included in the Plan Approval for facility-wide emission calculation. The plan approval contains operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05015H: Dart Container Corporation of PA (60 East Main Street, Leola, PA 17540) on July 24, 2019, for the construction of new extrusion and thermoforming lines and construction of new equipment for the recycling of consumer EPS scrap at the facility located in Upper Leacock Township, **Lancaster County**. The plan approval was extended.

67-05004T: Pixelle Specialty Solutions, LLC (228 South Main Street, Spring Grove, PA 17362) on July 23, 2019, for the pulp and paper manufacturing facility located in the Spring Grove Borough, **York County**. The plan approval revises the selected continuous monitoring option in Plan Approval 67-05004S regarding the 40 CFR Part 63 Subpart DDDDD (Boiler MACT) Hydrogen Chloride (HCL) emission limit for Power Boiler Number 5. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

19-00007B: Transcontinental Gas Pipe Line Company, LLC (P.O. Box 1396, Houston, TX 77251-1396) on July 18, 2019, to extend the authorization to construct the sources pursuant to the plan approval an additional 180 days from July 27, 2019 to January 23, 2020, at their Compressor Station 517 located in Jackson Township, **Columbia County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

PA-04-00699H: National Gypsum Company, Inc. (168 Shippingport Hill Road, P.O. Box 346, Shippingport, PA 15077-1000) Plan Approval Extension issuance date July 29, 2019, for 180 days to allow temporary operation and submit the plan approval application for their NGC facility located in Shippingport Borough, **Beaver County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00060: Southeastern Chester County Refuse Authority (SECCRA) (219 Street Road, West Grove, PA 19390) On July 29, 2019, for the renewal of the Title V Operating Permit for its municipal solid waste landfill and its associated landfill gas collection and control system, located in London Grove Township, **Chester County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

14-00003: Pennsylvania State University (101P Physical Plant Bldg, University Park, PA 16802) on July 26, 2019, was issued a renewal Title V operating permit for their facility located in College Township and State College Borough, **Centre County**. The facility's main sources are the boilers and combustion turbine at the facility's two steam plants, a waste incinerator, as well as several generators and smaller boilers located throughout the campus. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

25-00783: Haysite Reinforced Plastics, LLC (5599 Perry Highway, Erie, PA 16509). On July 24, 2019, the Department renewed the Title V Operating Permit for the manufacture of fiberglass reinforced plastics and plastic products in Millcreek Township, **Erie County**. The facility's emission sources include two 4 million Btu/hr natural gas fueled boilers; 10 natural gas fueled space heaters and 5 natural gas fueled furnaces, all rated 250,000 Btu/hr or less; 9 flat sheet molding presses; 14 compression molding machines; 5 pultrusion molding machines and saws; a sheet molding compound machine; a mix room; and a sheet sander and a panel saw. The facility is a major facility due to its potential to emit Styrene, both a HAP and a VOC. Actual 2018 emissions are as follows: 24.15 tons VOC, 24.07 tons HAPs, 1.52 ton NO_x, 0.01 ton SO_x, 1.28 ton CO, and 0.12 ton PM₁₀. This facility is subject to 40 CFR Part 63 Subpart WWWW, NESHAPs for Reinforced Plastic Composites Production. The facility also has a 30 hp natural gas fueled emergency generator subject to 40 CFR Part 63 Subpart ZZZZ. RACT Requirements of 25 Pa. Code §§ 129.96—129.100 are included in the permit. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00179: Erie City Sewer Authority (68 Port Access Road, Erie, PA 16507-2204). On July 19, 2019, the Department renewed the Title V Operating Permit for the wastewater treatment plant located in the City of Erie, **Erie County**. This facility does not have potential emissions above the major source thresholds for any criteria pollutants, VOC, or HAPs. This facility is required to obtain a Title V permit under the provisions of 40 CFR § 60.5240 of Subpart MMMM and § 62.15395 of Subpart LLL. Potential emissions are as follows: 68.09 tpy NO_x; 35.92 tpy CO; 20.02 tpy SO_x; 37.11 tpy Particulate Matter; 18.95 tpy VOC; and 1.937 all HAPs combined. Actual 2018 emissions are as follows: 7.56 tons NO_x; 10.93 tons CO; 1.39 ton SO_x; 1.99 ton PM₁₀; 1.99 ton PM_{2.5}; 6.72 tons VOC; and 0.18 ton all HAPs combined. The significant sources are two sewage sludge incinerators and two natural-gas/oil fired boilers, as well as an ash loading process, 1 oil fueled and 5 natural-gas fueled emergency generators, a fuel oil storage tank, and five aeration tanks. The conditions of the previous plan approvals and operating permit were incorporated into the renewal permit. This facility is subject to the following Federal regulations for which the applicable requirements are included in the permit renewal: 40 CFR Part 60 Subpart O, Standards of Performance for Sewage Treatment Plants; 40 CFR Part 60 Subpart MMMM, Emission Guidelines and Compliance Times for Existing Sewage Sludge Incineration Units; 40 CFR Part 61 Subpart C, National Emissions Standard for Beryllium; 40 CFR Part 61 Subpart E, National Emissions Standard for Mercury; 40 CFR Part 62 Subpart LLL, Federal Plan Requirements for Sewage Sludge Incineration Units Constructed on or Before October 14, 2010; 40 CFR Part 503 Subpart E, Standards for the Use or Disposal of Sewage Sludge—Incineration; and 40 CFR Part 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

20-00104: Lord Corporation, Saegertown Operations (601 South St, Saegertown, PA 16433). On July 22, 2019, the Department issued a modification of the Title V Operating Permit to incorporate RACT II case-by-case and presumptive requirements for the manufacturing facility. The facility is major for VOC and not NO_x; thus, the RACT II Review only addresses emissions of VOC. Adhesives and coatings are the primary products manufactured at this facility. The manufacturing consists of several operations including pre-assembly, premix and reactions, pigment grinding or milling, product finishing, product filling, and equipment cleaning. The major emission source types at this facility are storage tanks, reactors, blend/mix tanks, grinders/mills, filters, scales, natural gas combustion sources, and other miscellaneous sources. This RACT II major modification addresses several VOC emission sources subject to an alternative RACT proposal pursuant to § 129.99(c), including Source 7000 (Reactors), Source 7000C (Portable Process Vessel Requiring Covers), Source 102 (Urethane Manufacturing), and Source 105 (Adhesive Manufacturing, Building 1). This RACT II major modification also addresses several VOC sources subject to presumptive RACT pursuant to § 129.97(c), including combustion units rated less than 20 MMBtu/hr, various VOC sources with PTE less than 2.7 tpy, emergency generator engines rated less than 500 bhp (gross), and a thermal oxidizer. The highest actual emissions reported in the previous five years are 30.40 tons of VOC from the facility in 2017; this complies with the RACT I facility-wide limit of 160 tpy. The permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00118: Ursinus College, (601 E. Main Street, Colledgeville, PA 19426) On July 29, 2019, for a renewal for a Non-Title V Facility, State-Only, Synthetic Minor Permit in Colledgeville Borough, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

39-00071: Diamond Dye and Finishing, Inc. (15 South Albert Street, Allentown, PA 18109). On July 29, 2019 the Department issued a renewal State-Only Natural Minor Permit for Diamond Dye and Finishing, located in the City of Allentown, **Lehigh County**. Operations performed at this facility include the dyeing and finishing of textile piece goods. The sources are considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03132: Ira G. Steffy & Son, Inc. (1780 Newport Road, Ephrata, PA 17522-8762) on July 23, 2019, for the specialty structural metal manufacturing facility located in West Earl Township, **Lancaster County**. The State-only operating permit was renewed.

38-03014: Pennsy Supply, Inc. (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110) on July 23, 2019, for the Millard Stone Plant located in North Londonderry Township, **Lebanon County**. The State-only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

30-00087 Emerald Contura, LLC (158 Portal Road, Waynesburg, PA 15370) In accordance with 25 Pa. Code §§ 127.441 and 127.425, the Department of Environmental Protection (DEP) is providing notice that on July 20, 2019, DEP issued a renewed synthetic minor State Only Operating Permit to Emerald Contura, LLC for the continued operation of a coal preparation plant, known as the Emerald Mine Coal Preparation Plant, located in Franklin Township, **Greene County**.

Emerald Mine Coal Preparation Plant contains air contamination sources consisting equipment for mining, conveying, unloading, breaking, screening, chemical froth flotation, sizing, storing, loading coal, and roads. Air pollution prevention equipment at the facility includes enclosures, baghouse, minimization of drop height, and a water truck and sweeper for the plant roads.

No emission or equipment changes have been approved by this action. Sources at Emerald Mine Coal Preparation Plant are subject to 40 CFR Part 60, Subparts A and Y and 25 Pa. Code Chapters 121—145. The permit includes emission limitations and operational, monitoring, reporting, and recordkeeping requirements for the plant. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60 and 70, and 25 Pa. Code, Article III, Chapters 121—145.

26-00057: Matt Canestrone Contracting, Inc./Labelle Site (1035 Labelle Road, La Belle, PA 15450) Synthetic Minor State-Only Operating Permit on July 23, 2019, the Department of Environmental Protection (DEP) authorized a renewed State-only operating permit for barge unloading and transferring facility located in Luzerne Township, **Fayette County**. The site's operations support a reclamation project using coal ash and river dredge material to cap material on a coal refuse pile. The permit includes operating requirements, monitoring requirements, and recordkeeping requirements for the site.

03-00076: Peoples Natural Gas Company, LLC (375 North Shore Drive, Suite 600, Pittsburgh, PA 15212) Synthetic Minor Operating Permit on July 30, 2019, the Department of Environmental Protection (DEP) authorized a renewed synthetic minor State-only operating permit for a natural gas compressor station located in South Bend Township, **Armstrong County**. The permit includes emission limits, operating requirements, monitoring requirements, and recordkeeping requirements for the site.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

27-00008: Northwest Hardwoods, Inc.—Endeavor Division, (10689 Campbell Road, Titusville, PA 16354). On July 24, 2019, the Department renewed a State Only Operating Permit for the saw mill & dry kiln facility located in Hickory Township, **Forest County**. The primary sources at the facility are a 23.4 million Btu/hr wood-fueled boiler, wood drying kilns, saw mill operations, saw dust collection, and a parts washer. Potential Emissions for the site are less than the Title V thresholds. The facility is a Natural Minor. The 23.4 million Btu/hr boiler is subject to 40 CFR Part 63 Subpart JJJJJJ, the NESHAP for Area Source Boilers. It is also subject to 40 CFR Part 60 Subpart Dc, the Standard of Performance for Small ICI Steam Generating Units. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-01025: Erie Cemetery Association (2116 Chestnut St., Erie, PA 16502-2617). On July 22, 2019, the Department issued the renewal State Only Natural Minor Operating Permit for operation of the cremation facility located in the City of Erie, **Erie County**. The facility's primary emission sources consist of two human cremators and their secondary chambers. The potential emissions of the primary pollutants from the facility are as follows: 2.102 TPY (tons per year) NO_x, 1.766 TPY CO, 0.116 TPY VOC, 0.001 TPY Pb, 0.06 TPY filterable PM₁₀ and PM_{2.5}, and 0.013 TPY SO_x; thus, the facility is a natural minor. The crematories are subject to Plan Approval 25-1025A which includes opacity limitations, monitoring, recordkeeping, and work practice requirements. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

17-00036: Stella-Jones Corp. (392 Larkeytown Road, DuBois, PA 15801) on July 22, 2019, was issued a State Only (Synthetic Minor) permit revision to incorporate a physical change to the facility. The physical change is to include only a replacement of a natural gas fired boiler with another natural gas fired boiler with a heat input rating of less than 10 MMBtu/hr. No change in emissions at the facility is expected due to this change. The facility is located in Sandy Township, **Clearfield County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

20-00043: Lindy Paving Incorporated Conneaut Lake Asphalt Plant (2340 2nd Avenue, Pittsburgh, PA 15219). The Department on July 23, 2019, issued an administrative amendment of the State Operating Permit for the asphalt plant to incorporate the change of ownership, tax ID, responsible official and the permit contact

into the permit. The facility is located in Sadsbury Township, **Crawford County**.

37-00012: Lindy Paving Incorporated Hillsville Asphalt Plant (2340 2nd Avenue, Pittsburgh, PA 15219). The Department on July 23, 2019, issued an administrative amendment of the State Operating Permit for the asphalt plant to incorporate the change of ownership, tax ID, responsible official and the permit contact into the permit. The facility is located in Mahoning Township, **Lawrence County**.

43-00034: Lindy Paving Incorporated Wheatland Asphalt Plant (2340 2nd Avenue, Pittsburgh, PA 15219). The Department on July 23, 2019, issued an administrative amendment of the State Operating Permit for the asphalt plant to incorporate the change of ownership, tax ID, responsible official and the permit contact into the permit. The facility is located in Wheatland Borough, **Mercer County**.

25-00006: Lindy Paving Incorporated Wheelertown Asphalt Plant (2340 2nd Avenue, Pittsburgh, PA 15219). The Department on July 23, 2019, issued an administrative amendment of the State Operating Permit for the asphalt plant to incorporate the change of ownership, tax ID, responsible official and the permit contact into the permit. The facility is located in Le Beouf Township, **Erie County**.

25-00929: Lindy Paving Incorporated Erie Asphalt Plant (2340 2nd Avenue, Pittsburgh, PA 15219). The Department on July 23, 2019, issued an administrative amendment of the State Operating Permit for the asphalt plant to incorporate the change of ownership, tax ID, responsible official and the permit contact into the permit. The facility is located in the Millcreek Township, **Erie County**.

62-00032: Ellwood National Forge Company/Irvine (1 Front Street, Irvine, PA 16329-1801). The Department on July 24, 2019, issued an administrative amendment of the Title V Operating Permit for the facility to incorporate the applicable requirements of plan approval 62-032M. The facility is located in Brokenstraw Township, **Warren County**.

37-00317: Ellwood Mill Products Company (712 Moravia Street, New Castle, PA 16101-3948). The Department on July 22, 2019, issued an administrative amendment of the State Operating Permit for the facility to incorporate the applicable requirements of plan approval 37-317C. The facility is located in New Castle City, **Lawrence County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP19-00008: Thomas Jefferson University & Hospital (214 S 11th Street, Philadelphia, PA 19107) on July 29, 2019 for the operation of a hospital in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are eighteen (18) emergency generators firing diesel fuel, of which two (2) rated 1,415 HP, two (2) rated 1,341 HP, three (3) rated 1,274 HP, four (4) rated 1,073 HP, one (1) rated 1,005.8 HP, and six (6) rated less than or equal to 670.5 HP.

OP18-00035: Drexel University—Queen Lane Campus (2900 Queen Lane, Philadelphia, PA 19129) on July 29, 2019 for the operation of a university campus in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are four (4) boilers each rated less than 10 MMBtu/hr firing natural gas as primary fuel and No. 2 fuel oil during periods of natural

gas curtailment, three (3) boilers each rated 2.5 MMBtu/hr firing natural gas, two (2) emergency generators rated 2,168 HP and 364 HP firing diesel fuel, and one (1) fire pump rated 110 HP firing diesel fuel.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief or Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6340.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
1-28-19	Rotary Breaker/ Screen & Conveyors	0.03				
7-25-19	Refined Coal System	0.41				
Total Reported Increases		0.44				
Allowable		0.6 ton/source 3 tons/facility	1.6 ton/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00165: Boekel Ind. Inc. (855 Pennsylvania Boulevard, Feasterville, PA 19053) On July 29, 2019, for operation of an institutional furniture manufacturing facility located in Lower Southampton Township, **Bucks County**. The operating permit was revoked because of the permanent shutdown of the vapor degreaser at the facility. The remaining exempt source shall operate in accordance with the requirements of Chapter 127.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

32-00040: Seward Generating Station (595 Power Plant Road, New Florence, PA 15944) for its facility located in East Wheatfield Township, **Indiana County**. The de minimis emission increase is for the proposed construction of the Refined Coal System. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the de minimis emission increase. The following table is a list of the de minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the de minimis emission increases since the Operating Permit issuance on February 11, 2013.

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 05753004 and NPDES No. PA0124869, J&J Svonavec Excavating, Inc., 110 Windermere Lane, Somerset, PA 15501, permit renewal for the continued operation and restoration of a bituminous surface mine in Broad Top and Carbon Townships, **Bedford and Huntingdon Counties**, affecting 222.1 acres. Receiving streams: unnamed tributaries to/and Coal Bank Run, classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: May 2, 2019. Permit issued: July 23, 2019.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

08020810. Robert Lerch (2813 Patten Hill Road, LeRaysville, PA 18829). Final bond release for a small industrial minerals surface mine, located in Pike Township, **Bradford County**. Restoration of 1.0 acre(s) completed. Receiving stream(s): Unnamed Tributary to Wyalusing Creek. Application received: June 26, 2019. Final bond release approved: July 23, 2019.

New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

26980601 and NPDES Permit No. PA0202193. Hanson Aggregates BMC, Inc. (2200 Springfield Pike, Connellsville, PA 15425-9503). Permit issued for commencement, operation and restoration of a large noncoal surface mine, located in Bullskin Township, **Fayette County**, affecting 856.4 acres. Receiving streams: unnamed tributaries to Polecat Hollow Run, unnamed tributaries to Breakneck Run and Breakneck Run. Application received: September 27, 2018. Permit issued: July 29, 2019.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

63194106. Wampum Hardware Company (636 Paden Road, New Galilee, PA 16141). Blasting activity permit for the construction of the Trumbull Redd Pad II, located in Fallowfield Township, **Washington County** with an expiration date of December 31, 2019. Blasting permit issued: July 9, 2019.

02194104. Wampum Hardware Company (636 Paden Road, New Galilee, PA 16141). Blasting activity permit for the construction of the Beaver Republic Landfill, located in Findlay Township, **Allegheny County** with an expiration date of December 31, 2019. Blasting permit issued: July 23, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 38194110. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Jeff Martin chicken house in South Annville Township, **Lebanon County** with an expiration date of September 30, 2019. Permit issued: July 25, 2019.

Permit No. 09194106. J Roy's, Inc. (P.O. Box 125, Bowmansville, PA 17507), construction blasting for Weis Store 227 in Bedminster Township, **Bucks County** with an expiration date of July 18, 2020. Permit issued: July 26, 2019.

Permit No. 36194134. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Robert Zimmerman Pit in East Earl Township, **Lancaster County** with an expiration date of September 30, 2019. Permit issued: July 26, 2019.

Permit No. 36194135. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for The Summit at Stonehill in West Donegal Township, **Lancaster County** with an expiration date of July 23, 2020. Permit issued: July 26, 2019.

Permit No. 35194109. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Alliance Sanitary Landfill in Ransom Township, **Lackawanna County** with an expiration date of July 22, 2020. Permit issued: July 29, 2019.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sec-

tions 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E4502219-001. Steve Dutterer & Diane Gabriel, 18 High Street # 158, Hanover, PA 17331. Tobyhanna Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a floating dock with 104 square feet of structure encroaching into the normal pool of Arrowhead Lake (EV). The project is located at 1467 Arrowhead Drive (Thornhurst, PA Quadrangle, Latitude: 41° 09' 05.83"; Longitude: -75° 33' 29.39") in Tobyhanna Township, Monroe County.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E63-715. Castlewood Fields, 375 Golfside Drive, Wexford, PA 15090, Nottingham Township, **Washington County**, Pittsburgh ACOE District.

Has been given consent to:

1. Construct and maintain a new culvert crossing in a tributary to Peters Creek (aka R002) (WWF). The crossing will consist of a 24-inch corrugated plastic pipe and rip-rap apron with a total length of 92-linear feet;

2. Construct and maintain a new culvert crossing in a tributary to Peters Creek (aka R001D) (WWF). The crossing will consist of a 48-inch corrugated plastic pipe and rip-rap apron with a total length of 171-linear feet;

3. Construct and maintain a new culvert crossing in a tributary to Peters Creek (aka R001 Lower) (WWF). The crossing will consist of a 60-inch plastic pipe and rip-rap apron with a total length of 322-linear feet;

4. Construct and maintain a reestablished tributary to Peters Creek (aka R001 Upper) (WWF) through drawn down Impoundment No. 1. The re-established stream channel will have a total length of 711-linear feet.

5. Construct and maintain a utility line crossing with 8LF permanent impact to a tributary to Peters Creek (aka R001C).

6. Construct and maintain a utility line crossing with 7LF permanent impact to a tributary to Peters Creek (aka R002).

7. Construct and maintain four erosion and sediment pond outfalls to a tributary to Peters Creek with a total permanent impact of 22LF (aka R001 Lower, R002, R003, and the re-established stream) (WWF).

The project will permanently impact 1,337-linear feet of stream. 0.48-acre of floodway will permanently be impacted by the proposed activities. Proposed mitigation for the project is the restoration of 711-linear feet of stream channel through the project. The structure and activities are requiring authorization for the Castlewood Fields residential development located north of Venetia Road (SR 1006), east of Thomas Road (SR 1053) and west of the Walnut Ridge Plan in Nottingham Township, Washington County. (Hackett, PA Quadrangle; Latitude: 40° 14' 23.72"; Longitude: -80° 5' 20.71"; Sub-basin: 19C; Pittsburgh Corps District).

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E5829-142: Bridgewater Township, Williams Field Services Company, LLC, 400 IST Center, Suite 404, Horseheads, NY 14845; Bridgewater Township, Susquehanna County, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary timber mat crossing impacting 115 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 50' 39", Longitude: -75° 49' 06"),

2) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 2,162 square feet (0.05 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 50' 43", Longitude: -75° 49' 05"),

3) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 7,055 square feet (0.16 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 50' 45", Longitude: -75° 49' 05"),

4) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 5,666 square feet (0.13 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 50' 48", Longitude: -75° 49' 04"),

5) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 277 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 50' 50", Longitude: -75° 49' 04"),

6) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 79 lineal feet of a tributary to Snake Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 50' 49", Longitude: -75° 49' 04"),

7) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 6,037 square feet (0.14 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 50' 51", Longitude: -75° 49' 03"),

8) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 75 lineal feet of a tributary to Snake Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 50' 52", Longitude: -75° 49' 04"),

9) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 56 lineal feet of a tributary to Snake Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 50' 54", Longitude: -75° 49' 04"),

10) a temporary timber mat crossing impacting 845 square feet (0.02 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 50' 57", Longitude: -75° 49' 00"),

11) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 5,626 square feet (0.13 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 50' 57", Longitude: -75° 48' 54"),

12) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 963 square feet (0.02 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 51' 18", Longitude: -75° 49' 03"),

13) a temporary timber mat crossing impacting 280 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 51' 20", Longitude: -75° 49' 14"),

14) a temporary timber mat crossing impacting 205 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 51' 21", Longitude: -75° 49' 16"),

15) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 5,333 square feet (0.12 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 51' 22", Longitude: -75° 49' 18").

The natural gas gathering pipeline project consists of constructing approximately 1.8 mile of 16-inch steel natural gas pipeline located in Bridgewater Township, Susquehanna County. The project will result in 210 lineal feet of stream impacts and 34,564 square feet (0.79 acre)

of palustrine emergent (PEM) wetlands to provide safe reliable conveyance of Marcellus Shale natural gas to market.

E1829-004: STL Resources, LLC, 12300 Perry Highway, Suite 308, Wexford, PA 15090, Gallagher Township, **Clinton County**, ACOE Baltimore District.

To construct, operate and maintain the Browns Run North Impoundment to Sturgis B Waterline Project, which consists of one 12-inch temporary waterline, with the following impacts:

1. 3.0 linear feet of a UNT to Robbins Run (EV, CWF) via an aerial waterline crossing (Glen Union, PA Quadrangle, Latitude: N 41° 19' 41.21", Longitude: W 77° 30' 25.30");

2. 32.0 linear feet of Lick Run (EV, CWF) via an aerial waterline crossing (Glen Union, PA Quadrangle, Latitude: N 41° 19' 00.72", Longitude: W 77° 30' 49.27");

3. 3.0 linear feet of a UNT to Lick Run (EV, CWF) via an aerial waterline crossing (Glen Union, PA Quadrangle, Latitude: N 41° 19' 00.02", Longitude: W 77° 30' 50.86"); and

4. 3.0 linear feet of a UNT to Lick Run (EV, CWF) via an aerial waterline crossing (Glen Union, PA Quadrangle, Latitude: N 41° 18' 29.21", Longitude: W 77° 31' 05.29").

The project will result in 42.0 linear feet of temporary stream impacts via aerial waterline crossings all for the purpose of installing a temporary waterline for Marcellus shale development.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

D67-483EA. Jane Rineer, 155 Oak Road, Dallastown, PA 17313, and Harlowe and Susan Prindle, 255 School Street, York, PA 17402, York Township, **York County**, USACOE Baltimore District.

Project proposes to remove the Kehm Run Dam to eliminate a threat to public safety and to restore approximately 1,000 feet of stream channel to a free-flowing condition. The project is located across a tributary to Mill Creek (WWF, MF) (York, PA Quadrangle, Latitude: 39.9233 Longitude: -76.6675).

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This

paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-3 # ESX140050005-01—Ambrose Well Pad Project
Major Modification
Applicant Snyder Brothers, Inc.
Contact Carl Rose
Address P.O. Box 1022
City Kittanning State PA Zip Code 16201
County Armstrong Township East Franklin
Receiving Streams and Classifications: Tributary 46963 to Allegheny River and Tributary 46964 to Allegheny River

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-3 # ESG290819014-00
Applicant Name Appalachia Midstream Services, LLC
Contact Person Scott Kinter
Address 30351 Route 6
City, State, Zip Wysox, PA 18854
County Bradford
Township(s) Wilmot Twp.
Receiving Stream(s) and Classification(s) UNT to Panther Lick Creek (CWF, MF)
Secondary: Panther Lick Creek (CWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical re-

sults which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Gas Star, 23-45575, 249 B Concord Rd, Aston Township, **Delaware County**. Lanchester Soil Consultants, Inc., 311 East Avondale Road, West Grove, PA 19390, on behalf of Diana Chiapetta, 148 Mattson Road, Garnet Valley, PA 19060 submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with petroleum products. The report is intended to document remediation of the site to meet residential Statewide health standards.

Grandview Depot, 09-30531, 396 N Main St, Sellersville Borough, **Bucks County**. Clayton Services, 1815 Gallagher Road, Plymouth Meeting, PA 19462, on behalf of Ghotra Enterprises, LLC, Grandview Depot, 396 North Main Street, Sellersville, PA 18960 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Thomas M Durkin & Sons, 51-02338, 3030 Grant Avenue, **City of Philadelphia**. Aeon Geoscience, Inc., 2120 Bellemead Avenue, Suite 14-2, Havertown, PA 19083-2250 on behalf of Durkin Contracting Company, Inc., 3030 Grant Avenue, Philadelphia, PA 19114 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site specific standards.

Telford Suburban Heating Oil, 09-15554, 3115 State Rd, West Rockhill Township, **Bucks County**. Coventry Environmental, Inc., P.O. Box 1052, Kimberton, PA 19442-1052, on behalf of Telford Suburban Heating Oil, 3115 State Road, Telford, PA 18969-1076 submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with petroleum products. The report is intended to document remediation of the site to meet residential Statewide health standards.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Green Meadows Golf Course, Storage Tank Facility ID # 37-91077, 193 Green Meadows Lane, Washington Township, **Lawrence County**. R.A.R. Engineering Group, Inc., 1135 Butler Avenue, New Castle, PA 16010 on behalf of Green Meadows Association, 193 Green Meadows Avenue, Volant, PA 16156 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, 1,2,4-trimethylbenzene, 1,3,4-trimethylbenzene, and methyl tert-butyl

ether. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Exxon RS 2 5092, 09-06930, 300 S. West End Blvd., Quakertown Borough, **Bucks County**. Arcadis U.S., Inc., 6041 Wallace Road Ext., Suite 300, Wexford, PA 15090, on behalf of ExxonMobil Environmental Services, 1900 East Linden Avenue, Building 28a, Linden, NJ 19380 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet site specific standards and was approved by the DEP on July 18, 2019.

Ameri, 46-01757, 1401 E Ridge Pike, Plymouth Township, **Montgomery County**. Comstock Environmental Services LLC, P.O. Box 509, Lafayette Hill, PA 19444, on behalf of American Gasoline, 1401 East Ridge Pike, Plymouth Meeting, PA 19462 submitted a Remedial Ac-

tion Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report was acceptable to meet site specific standards and was approved by the DEP on July 24, 2019.

Lukoil 69235, 46-41507, 3401 W Moreland Rd, Upper Moreland Township, **Montgomery County**. Envirotrac Ltd., 3070 Bristol Pike, Building 1, Suite 221, Bensalem, PA 19020, on behalf of Sannet Inc., 2042 Broad Street, Philadelphia, PA 19121 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report was acceptable to meet nonresidential Statewide health and site specific standards and was approved by the DEP on July 25, 2019.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Citizen's Steam Fire Company Number 2, Storage Tank ID # 54-29162, 202 West Centre Street, Mahanoy City Borough, **Schuylkill County**. United Environmental Services, 1143 Long Run Road, Schuylkill Haven, PA 17972, on behalf of Citizen's Steam Fire Company Number 2, 202 West Centre Street, Mahanoy City, PA 17948, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Plan was acceptable to meet Non-Use Aquifer, Non-Residential Statewide Health Standards and was approved by DEP on July 30, 2019.

Shell Dickson City # 8, Storage Tank ID # 35-27646, 1031 Scranton-Carbondale Highway (Route 6), Dickson City Borough, **Lackawanna County**. LaBella, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of SMS Petroleum LLC, 50 Cragwood Road, Suite 308, South Plainfield, NJ 07080, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with Benzene, Toluene, Ethylbenzene, Methyl tert-butyl Ether, Xylenes (total), Isopropylbenzene (Cumene), Naphthalene, 1,3,5-Trimethylbenzene, and 1,2,4-Trimethylbenzene and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Methyl tert-butyl Ether, Xylenes (total), Isopropylbenzene (Cumene), Naphthalene, 1,3,5-Trimethylbenzene, and 1,2,4-Trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of a combination of Site-Specific and Statewide Health Standards and was approved by DEP on July 24, 2019.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

7-Eleven 36147, Storage Tank Primary Facility ID # 10-31774, 1559 Route 228, Cranberry Township, **Butler County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Incorporated, P.O. Box 711, Dallas, TX 75221 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, 1,2,4-trimethylbenzene, 1,3,4-trimethylbenzene, and methyl tert-butyl ether. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by DEP on July 23, 2019.

Nancy's Country Store, Storage Tank Facility ID # 61-13295, 1777 South Main Street, Cooperstown Borough, **Venango County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Harper Oil

Company, P.O. Box 1128, Oil City, PA 16301-0628 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Xylenes, Cumene, Naphthalene, MTBE, 1,2,4 Trimethylbenzene, 1,3,5 Trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standard and was approved by DEP on July 26, 2019.

Pilot Travel Center 311, Storage Tank Primary Facility ID # 25-34927, 8035 Perry Highway, Summit Township, **Erie County**, ATC Group Services, Inc., 270 William Pitt Way, Pittsburgh, PA 15238 on behalf of Pilot Travel Center, LLC, 5508 Lonas Road, Knoxville, TN 37909, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, cumene, methyl tertiary butyl ether (MTBE), naphthalene, toluene, xylenes, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of the Site-Specific Standard and was approved by DEP on July 30, 2019.

SPECIAL NOTICES

Notice of Projects under the Environmental Good Samaritan Act

The Environmental Good Samaritan Act (27 Pa.C.S.A. §§ 8001—8114) provides certain protections and immunities from civil liability for landowners and persons who voluntarily undertake reclamation and abatement projects to address land and water adversely affected by mining or oil or gas extraction or exploration for natural resources and left in an unreclaimed condition or left discharging water pollution. In order for landowners and persons to qualify for immunity, the projects must be approved by the Department.

The following project proposals have been received by the Department of Environmental Protection. A copy of the proposals is available for inspection at the DEP Northwest (Meadville) Regional Office at 230 Chestnut Street, Meadville, PA 16335 between the hours of 9:00 a.m. and 4:00 p.m.

Written comments or objections may be submitted by any person or any office or head of any Federal, State, or local government agency or authority to the Department at the same address within 30 days of this publication.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the proposal identification number; and a statement of sufficient detail to inform the Department of the basis of the comment or objection and the relevant facts upon which it is based.

Project Proposals Received

EGSOG08-0001—CV Morris Well Plugging. Chesapeake Energy, 14 Chesapeake Lane, Sayre, PA 18840. Chesapeake Energy is planning to plug an abandoned oil and gas well (API No. 015-90010) located in Orwell Township, **Bradford County**. The well emits combustible gas into the shallow aquifer in the vicinity of the well. The well plugging project will affect an area of less than 1 acre. Complete project proposal received 07/11/2019.

EGSOG59-0001—Clyde Mitstifer Well, SWN Production Co LLC, 10000 Energy Drive, Spring, TX 77389-4954. SWN Production Co LLC is planning to plug an abandoned oil and gas well (API117-21912) located in Liberty Township, **Tioga County**. The plugging of this

well will improve HSE conditions for the landowner. The well plugging project will affect an area of less than 1 acre. Complete project proposal received 07/24/2019.

[Pa.B. Doc. No. 19-1211. Filed for public inspection August 9, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.elibrary.dep.state.pa.us. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number are listed with each document.

Draft TGD: Substantive Revision

DEP ID: 263-0900-022. **Title:** Verification of Emergency Containment Structures for Aboveground Storage Tanks. **Description:** This guidance provides information to assist tank owners and professional engineers when determining the adequacy of emergency containment structures and compliance with the technical regulations for aboveground storage tanks. This TGD is being revised to reflect amendments to 25 Pa. Code Chapter 245 (relating to administration of the Storage Tank and Spill Prevention Program) that went into effect on December 22, 2018. Minor editorial changes were also made.

Written Comments: Interested persons may submit written comments on this draft TGD through Monday, September 9, 2019. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Alex Eckman at eckman@pa.gov or (717) 772-5827.

Effective Date: Upon publication as final in the *Pennsylvania Bulletin*.

Draft TGD: Substantive Revision

DEP ID: 263-0900-011. **Title:** Storage Tank Modification and Maintenance Issues. **Description:** This guidance specifies the classification of various storage tank system modification and maintenance activities and when certified installers/inspectors are required. This TGD is being revised to reflect amendments to 25 Pa. Code Chapter 245. Throughout the guidance, minor editorial changes were also made. Finally, several specific examples of what are considered Major Modification, Minor Modification, and Maintenance Activities were added or updated, or both.

Written Comments: Interested persons may submit comments on this draft TGD through Monday, September 9, 2019. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Alex Eckman at eckman@pa.gov or (717) 772-5827.

Effective Date: Upon publication as final in the *Pennsylvania Bulletin*.

DEP ID: 263-2300-001. **Title:** Underground Storage Tank Class A and Class B Operator Training Courses. **Description:** This document provides guidance on training required for Class A and Class B operators and Department approval of related training courses and training providers. This TGD is being revised to reflect amendments to 25 Pa. Code Chapter 245.

Written Comments: Interested persons may submit written comments on this draft TGD through Monday, September 9, 2019. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Alex Eckman at eckman@pa.gov or (717) 772-5827.

Effective Date: Upon publication as final in the *Pennsylvania Bulletin*.

Rescission of Technical Guidance

DEP ID: 291-4100-001. **Title:** Radiation Protection Compliance and Enforcement Guidance. **Description:** This document had previously been used by the regulated community to learn how radiation protection non-compliance would be handled by the Department. The Department is rescinding this TGD because the guidance is out of date due to administrative process changes and an extensive regulatory revision that took effect on January 24, 2019.

Contact: Questions regarding this TGD can be directed to John Chippo at jchippo@pa.gov or (717) 783-9730.

Effective Date: August 10, 2019

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1212. Filed for public inspection August 9, 2019, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Friends of York County Family Farms v. Department of Environmental Protection and Hillandale Gettysburg, LP, Permittee; EHB Doc. No. 2019-093-R

Friends of York County Family Farms has appealed the Department of Environmental Protection's authorization of coverage to Hillandale Gettysburg, LP under NPDES General Permit PAG-12 for the operation of a CAFO located in York County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 19-1213. Filed for public inspection August 9, 2019, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Marjorie Hudson, Lorne Swope, Delores Steiner, Linda Harr and Sara Hutzell v. Department of Environmental Protection and Country View Family Farms, LLC, Permittee; EHB Doc. No. 2019-095-L

Marjorie Hudson, Lorne Swope, Delores Steiner, Linda Harr and Sara Hutzell have appealed the Department of Environmental Protection's authorization of coverage to Country View Family Farms, LLC under NPDES General Permit PAG-12 for the operation of a CAFO located in Ayr Township, Fulton County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 19-1214. Filed for public inspection August 9, 2019, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Montgomery Township Friends of Family Farms v. Department of Environmental Protection and Herbruck's Poultry Ranch, Inc., Permittee; EHB Doc. No. 2019-094-R

Montgomery Township Friends of Family Farms has appealed the Department of Environmental Protection's authorization of coverage to Herbruck's Poultry Ranch, Inc. under NPDES General Permit PAG-12 for the operation of a CAFO located in Montgomery Township, Franklin County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 19-1215. Filed for public inspection August 9, 2019, 9:00 a.m.]

GOVERNOR'S OFFICE

Regulatory Agenda

Executive Order 1996-1 requires all agencies under the jurisdiction of the Governor to submit for publication semi-annually an agenda of regulations under development or consideration.

The agendas are compiled to provide members of the regulated community advanced notice of regulatory activity. It is the intention of the Administration that these agendas will serve to increase public participation in the regulatory process.

Agency contacts should be contacted for more information regarding the regulation and the procedure for submitting comments.

This Agenda represents the Administration's present intentions regarding future regulations. The information provided is current as of July 1, 2019. The nature and complexity of an individual regulation obviously will determine whether and when any particular regulation listed (as well as any considered subsequent to publication of this Agenda) is published.

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>Department of Aging</i>			
Older Adult Daily Living Centers 6 Pa. Code Chapter 11	Fall 2019, as Proposed	The purpose of 6 Pa. Code Chapter 11 is to protect the health, safety, and well-being of persons with functional impairments for the licensure and operation of Older Adult Daily Living Centers (OADLC). These regulations—the statutory authority for which is found in Act 118 of 1990 and in 62 P.S. Chapter 2 § 1511—were adopted on July 2, 1993 and effective October 12, 1993. The Pennsylvania Department of Aging is responsible for the enforcement of these regulations. OADLC services provide a structured program of services to clients who require the service along with valuable respite to caregivers. The proposed rulemaking would update the existing regulatory language to address changes in other statutes, regulations, codes, ordinances, and other professional standards and practices, along with addressing the increasing frailty of clients served in OADLC.	Barb Valaw (717) 787-4522
Pennsylvania Community Adult Respite Services Program Act 166 of 2014	Fall 2019, as Proposed	Act 166 of 2014 (P.L. 2615, Oct. 22, 2014, No. 166) created a new program called the Pennsylvania Community Adult Respite Services Program (CARP), authorizing the Department of Aging to license and inspect community adult respite services programs that serve participants with minor functional impairments. The purpose of the proposed rulemaking is to provide guidance to persons wishing to provide community adult respite services to eligible persons for part of a 24-hour day, filling a niche between senior centers and older adult daily living centers, as required by Act 166 of 2014.	Barb Valaw (717) 787-4522
<i>Department of Agriculture</i>			
Pennsylvania Preferred Program Regulations 7 Pa. Code Chapter 107 (# 2-186)	November 2019, as Final	This regulation will establish standards required under the Pennsylvania Preferred Act (3 Pa.C.S. §§ 4601—4611).	Laura England (717) 783-8462

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Agricultural Conservation Easement Purchase Program 7 Pa. Code Chapter 138e (# 2-192)	November 2019, as Proposed	The regulation will be revised to address the five amendments of the Agricultural Area Security Law that occurred since 2004, when the regulation was last revised. The revision will accomplish a “housekeeping” update to reflect the Department’s experience in administering the Agricultural Conservation Easement purchase program.	Doug Wolfgang (717) 783-3167
<i>Department of Banking and Securities (DOBS)</i>			
Modernization of Banking regulations under the Banking Code of 1965— Title 10, Parts I—VI	Spring 2020, as Proposed	The Banking Code of 1965 underwent substantial modernization in 2014. There is a need to amend the regulations to reflect this modernization and other recent legislative changes on the state level as well as to conform with federal legislative and regulatory changes.	Leo Pandeladis (717) 787-1471
Promulgation of agency rules of administrative practice and procedure, to be added to Title 10, Part I	Spring 2020, as Proposed	The Department currently uses the General Rules of Administrative Practice and Procedure (“GRAAP”), which contemplate that an agency may promulgate its own rules. 1 Pa. Code § 31.1(c). The agency desires to enact rules more suited to its statutory requirements.	Leo Pandeladis (717) 787-1471
<i>Department of Community and Economic Development (DCED)</i>			
Industrialized Housing and Components 12 Pa. Code Chapter 145	Fall 2019, as Proposed	The proposed regulation would reduce the frequency of Department inspections for a factory or manufacturing facility with approved building system documentation from once a year to every other year.	Jill B. Busch (717) 720-7314
<i>Department of Conservation and Natural Resources (DCNR)</i>			
Snowmobile and All-Terrain Vehicle Grants 17 Pa. Code Chapter 53 (# 7B-9)	Fall 2019, as Final	The regulation would implement a grant program using funds from the snowmobile and ATV management restricted accounts.	Alex MacDonald (717) 772-4586 Lisa Maiorana, Esq. (717) 783-0139
<i>Department of Corrections (DOC)</i>			
Inmate Correspondence 37 Pa. Code § 93.2	Fall 2019, as Proposed	Inmate correspondence regulations are being revised to reflect new DOC procedures for processing mail.	Tracey Tubbs (717) 728-7763
Inmate Visiting Privileges 37 Pa. Code § 93.3	Fall 2019, as Proposed	Inmate visiting privileges regulations are being revised to reflect DOC changes to its visiting policy.	Tracey Tubbs (717) 728-7763
Purchase for Inmates by Family and Friends 37 Pa. Code § 93.4	Fall 2019, as Proposed	Purchase for inmates by family and friends regulations are being revised for clarification and to more accurately comport with current standards.	Tracey Tubbs (717) 728-7763
<i>Department of Drug and Alcohol Programs (DDAP)</i>			
Recovery Home Regulations 28 Pa. Code Chapter _ (new)	Summer 2019, as Final-Omitted	Act 59 of 2017 directs DDAP to establish regulations for recovery houses that receive public funds or referrals. Recovery homes provide support to those suffering from addiction subsequent to leaving inpatient treatment or correctional facilities. Preparation of final-form reg. package under way.	Derrick Pelletier (717) 214-1937

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>Department of Education (PDE)</i>			
Regulations of the State Board of Private Academic Schools 22 Pa. Code Chapters 51, 53, 55, 57, 59, 61 and 63	Spring 2019, as Proposed	These regulations define the requirements for obtaining licensure as a Private Academic School. The Board is currently in the process of updating the regulations, which were promulgated in 1988. The regulations are promulgated under the authority of the Private Academic Schools Act (24 P.S. §§ 6701 et. seq.).	Matthew Stem (717) 787-2127
Standards for Approved Private Schools 22 Pa. Code Chapter 171, Subchapters A and C	Winter 2020, as Proposed	These standards define the elements of Approved Private Schools and the Chartered Schools (schools for the deaf and blind). This subchapter contains general provisions, which the Department seeks to update to conform to intervening changes in applicable law. The standards are promulgated under the authority of sections 1376 and 1376.1 of the Public School Code of 1949, 24 P.S. §§ 13-1376 and 1376.1.	Wallace Rejrat (717) 787-5500
Professional Standards and Practices Commission 22 Pa. Code Chapter 235	Spring 2019, as Proposed	This chapter sets forth the standards for professional practice and conduct applicable to educators. The Commission plans to update this chapter to conform to the 2014 amendments to the Educator Discipline Act (24 P.S. §§ 2070.1a et seq.) and to expound the obligations educators owe to students, colleagues and the profession, with an emphasis on appropriate student-teacher boundaries, electronic communications with students and role model responsibilities. The regulation is promulgated under the authority of sections 5(a)(10) and 5(a)(14) of the Educator Discipline Act (24 P.S. §§ 2070.5(a)(10) and 2070.5(a)(14)).	Shane Crosby (717) 787-6576
Department of Education	Fall 2019, as Proposed	These regulations will address the possession and use of medical marijuana by students and employees on the grounds of a preschool, primary school and a secondary school. These regulations are promulgated under authority of the Medical Marijuana Act (2016 Pa. Laws 16).	Wallace Rejrat (717) 787-5500
Department of Education	Fall 2019, as Final	This regulation will establish the permanent fees for institutions of higher education to participate in the state authorization reciprocity agreement. These regulations are promulgated under authority granted by the Act 35 of 2016 (24 P.S. § 1-124(b)).	Patricia Landis (717) 783-8228
Regulations of the State Board of Private Licensed Schools 22 Pa. Code Chapter 73	Fall 2019, as Proposed	These regulations define the requirements for obtaining and maintaining licensure as a Private Licensed School. The Board is currently in the process of updating the regulations and establishing outcomes benchmarks. The regulations are promulgated under the authority of the Private Licensed Schools Act (24 P.S. §§ 6501 et. seq.).	Patricia Landis (717) 783-8228

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Regulations of Special Education Services and Programs 22 Pa. Code Chapter 14	Fall 2019, as Final-Omitted	This regulation supports Pennsylvania's people with an intellectual disability by updating the language in 22 Pa. Code relating to education by replacing the terms "mentally retarded" and "mental retardation" with the terms "intellectual disability" or "intellectual disabilities." The regulation is promulgated under the authority of Sections 502, 1372, 26-2603-B, of the Public School Code of 1949, as amended, 24 P.S. Sections 5-502, 13-1372, 26-2603-B. Sections 875-101 through 875-503 of the Early Intervention Services System Act, as amended, 11 P.S. Sections 875-101 through 875-503.	Karen Molchanow (717) 787-3787
Regulations of Charter School and Cyber Charter School Services and Programs for Children with Disabilities 22 Pa. Code Chapter 711	Fall 2019, as Final-Omitted	This regulation supports Pennsylvania's people with an intellectual disability by updating the language in 22 Pa. Code relating to education by replacing the terms "mentally retarded" and "mental retardation" with the terms "intellectual disability" or "intellectual disabilities." The regulation is promulgated under the authority of Sections 1701-A through 1732-A, 1749-A(b)(8), 1751-A, of the Public School Code of 1949, as amended, 24 P.S. §§ 17-1701-A through 17-1732-A, 17-1749-A(b)(8), 17-1751-A, and §§ 875-101 through 875-503 of the Early Intervention Services System Act, as amended, 11 P.S. §§ 875-101 through 875-503.	Carole Clancy (717) 783-6134
State Board of Education 22 Pa. Code Chapter 49	Fall 2019, as Proposed	These regulations establish requirements for certification of professional personnel employed in the public schools of the Commonwealth. The regulations will be open for a periodically required major review. In Spring 2019, the Board began initial stakeholder outreach on the draft amendments proposed by the Secretary of Education by conducting statewide public hearings and inviting the submission of written comments. The regulations are promulgated under the authority of the Public School Code of 1949, 24 P.S. § 2603-B.	Karen Molchanow (717) 787-3787
State Board of Education 22 Pa. Code Chapter 4	Fall 2019, as Final-Omitted	The Board will make technical updates to Chapter 4 to align relevant sections of the regulation with changes to high school graduation requirements that were enacted by Act 158 of 2018.	Karen Molchanow (717) 787-3787
Regulations of the State Library and Advisory Council on Library Development 22 Pa. Code Chapters 131, 133, 135, 137, 141, 142 and 143	Winter 2020, as Proposed	The Department will be promulgating regulations under the authority of the Public Library Code of 2012, Act 210 of 2012, P.L. 2411. The Department plans to update the regulations (promulgated in 1962) in 2018. These regulations will address the use of the State Library, the Advisory Council on Library Development, general provisions and plans for the use of State Aid, certification of library personnel, library traineeships, use of the state library, grants for public library facilities, and state document depositories.	Susan Banks (717) 214-4046

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>Environmental Hearing Board (EHB)</i>			
Practice and Procedure 25 Pa. Code Chapter 1021 (# 106-13)	EHB is expected to vote on proposed rulemaking the 3rd quarter of 2019. EHB expects to submit proposed rulemaking to OGC for review the 3rd quarter of 2019; Final rulemaking is expected 3rd or 4th quarter of 2020.	This proposed rulemaking is expected to make minor revisions to the Board's rules in the following categories: motions for admission pro hac vice; responses to petitions to appeal nunc pro tunc; the inclusion of a table of contents in briefs exceeding 30 pages; and other minor corrections to the rules.	Maryanne Wesdock, Senior Assistant Counsel (412) 565-5245
<i>Department of Environmental Protection (DEP)</i>			
Federal Office of Surface Mining (OSM) Program Consistency Updates 25 Pa. Code Chapters 86, 89 and 90 (# 7-532)	Quarter 4, 2019, EQB Consideration, as Final	This rulemaking amends Chapter 86 in order to comply with Federal regulatory requirements; to revise (Chapter 89) effluent limits for passive treatment systems to comply with Federal regulations, and to update (Chapter 90) coal refuse site selection regulations to comply with the revised Coal Refuse Disposal Control Act. (Surface Mining Conservation and Reclamation Act)	Bill Allen (717) 783-9580 wallen@pa.gov
Water Supply Replacement for Coal Surface Mining 25 Pa. Code Chapters 87—90 (# 7-545)	Quarter 3, 2019, Publication, as Proposed	This rulemaking proposes to revise Chapters 87—90, to clarify what is necessary to meet the coal mine operator's obligation to permanently pay the operation and maintenance costs for replacement water supplies. (Surface Mining Conservation and Reclamation Act)	Sharon Hill (717) 787-6842 shill@pa.gov
Noncoal Mining Clarifications and Corrections 25 Pa. Code Chapter 77 (# 7-554)	Quarter 4, 2019, EQB Consideration, as Proposed	This rulemaking proposes to clarify and correct existing regulatory requirements for noncoal mining. The rulemaking also proposes to update the blasting section to be consistent with the recently revised Chapter 211 and to reflect current technology. (Noncoal Surface Mining Conservation and Reclamation Act, Clean Streams Law)	Bill Allen (717) 783-9580 wallen@pa.gov
Unconventional Well Permit Application Fees 25 Pa. Code Chapter 78a (# 7-542)	Quarter 3, 2019, EQB Consideration, as Final	This rulemaking amends 25 Pa. Code §§ 78a.1 (relating to definitions) and 78a.19 (relating to permit application fee schedule). These amendments are necessary to increase fees to support the administration of 58 Pa.C.S. Chapter 32 (related to development) (2012 Oil and Gas Act) by the DEP's Office of Oil and Gas Management. The rulemaking increases the current well permit application fees from \$5,000 for nonvertical unconventional wells and \$4,200 for vertical unconventional wells, to \$12,500 for all unconventional well permit applications to administer the 2012 Oil and Gas Act. (2012 Oil and Gas Act)	Kurt Klapkowski (717) 772-2199 kklapkowski@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Environmental Protection Performance Standards for Conventional Oil and Gas Operators 25 Pa. Code Chapter 78 (# 7-539)	Quarter 1, 2020, EQB Consideration, as Proposed	This rulemaking proposes to amend the Oil and Gas regulations applicable to conventional operators (Chapter 78) to update the environmental protection performance standards related to oil and gas activities. (2012 Oil and Gas Act, Clean Streams Law, Solid Waste Management Act, Dam Safety Encroachment Act, Land Recycling and Environmental Remediation Standards Act, Radiation Protection Act, Unconventional Well Report Act, Act 126 of 2014)	Kurt Klapkowski (717) 772-2199 kklapkowski@pa.gov
Radiation Safety Requirements for Non-Healing Arts Radiation Generating Devices 25 Pa. Code Chapters 227 and 228 (# 7-555)	Quarter 1, 2020, EQB Consideration, As Proposed	This rulemaking proposes to update Chapter 227 to stay current with advances that have occurred in the uses of non-medical X-ray equipment. The revisions will ensure consistency with other government agencies that similarly regulate these devices. (Radiation Protection Act)	John Chipppo (717) 787-2480 jchipppo@pa.gov
Administration of the Land Recycling Program 25 Pa. Code Chapter 250 (# 7-552)	Quarter 4, 2019, EQB Consideration, as Proposed	The rulemaking proposes to amend 25 Pa. Code Chapter 250 to update the medium specific concentrations (MSCs) established under the Statewide health standard based on the most recent published scientific information. MSCs are concentrations of contaminants in soil and groundwater that are protective of human health and the environment under various exposure scenarios. The regulations identify the formulas DEP must use to calculate MSCs and the sources of the toxicological information. Additional changes to the regulations may be needed to clarify regulatory language, update outdated information, and to make other corrections. DEP is required by § 250.11 to propose appropriate MSC changes based on current scientific information no more than 36 months after the effective date of the most recently promulgated MSCs. (Land Recycling and Environmental Remediation Standards Act)	Lee McDonnell (717) 783-3006 lemcdonnell@pa.gov
Triennial Review of Water Quality Standards and Updates to Toxics Management Strategy—Statement of Policy 25 Pa. Code Chapters 93 and 16 (# 7-534)	Quarter 3, 2019, EQB Consideration, as Final	This rulemaking revises the Commonwealth's water quality criteria and standards in Chapter 93 and updates the Chapter 16 Statement of Policy to reflect the latest scientific information and Federal guidelines for criteria development, as required by the triennial review requirements in the Federal Clean Water Act. (40 CFR Section 131.20)	Tom Barron (717) 787-9637 tbarron@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Water Quality Standards— Class A Stream Redesignations 25 Pa. Code Chapter 93 (# 7-548)	Quarter 4, 2019, EQB Consideration, as Final	The proposed regulatory changes included in this rulemaking are the result of stream evaluations conducted by DEP in response to a submittal of data from the Pennsylvania Fish and Boat Commission (PFBC). In this rulemaking, redesignations rely on § 93.4b(a)(2)(ii) to qualify streams for High Quality (HQ) designations based upon their classifications as Class A wild trout streams. DEP staff conducted an independent review of the trout biomass data in the PFBC's fisheries management reports for streams throughout the Commonwealth to ensure that the HQ criteria were met. Based on these data and appropriate regulatory criteria, DEP developed this package of stream redesignations including HQ stream redesignations in the Delaware, Susquehanna and Ohio River basins. (Section 303(c)(1) of the Federal Clean Water Act)	Tom Barron (717) 787-9637 tbarron@pa.gov
Water Quality Standard for Manganese 25 Pa. Code Chapters 93 and 96 (# 7-553)	Quarter 4, 2019, EQB Consideration, as Proposed	This rulemaking will propose to address a provision regarding the water quality standards for manganese included in Act 40 of 2017. (Administrative Code of 1929, Pennsylvania Clean Streams Law, Federal Clean Water Act)	Tom Barron (717) 787-9637 tbarron@pa.gov
Water Quality Management and NPDES Permit Application Fees and Annual Fees 25 Pa. Code Chapters 91 and 92a (# 7-533)	Quarter 4, 2019, EQB Consideration, as Final	This rulemaking proposes to amend fees related to water quality management permitting (Chapter 91) and proposes to amend the fee schedule for NPDES permit applications (Chapter 92a). Chapter 91 establishes, among other things, a water quality management (WQM) permitting program for the construction of sewage and industrial waste treatment facilities and for land application of sewage and industrial wastes. DEP began its Chapter 92a annual invoicing and fee collection program in December 2010. Chapter 92a updated the fee schedule for NPDES permit applications for persons to discharge pollutants from point sources into surface waters. In addition, Chapter 92a introduced an annual fee for certain facilities authorized to discharge pollutants by individual NPDES permits. A fee analysis that DEP presented to the EQB in 2014 highlighted that, despite the fee increase in 2010, revenue continues to fall short of expenses, impeding the work of Programs to carry out necessary tasks for protecting water resources in the Commonwealth. (Pennsylvania Clean Streams Law)	Sean Furjanic (717) 787-2137 sefurjanic@pa.gov
Dam Safety and Waterway Management 25 Pa. Code Chapter 105 (# 7-556)	Quarter 4, 2019, EQB Consideration, as Proposed	This proposed rulemaking would amend Chapter 105; clarifying existing requirements; deleting or updating obsolete and antiquated requirements; incorporating new or revised sections and definitions; and correcting typographical errors. (Federal Clean Water Act, Pennsylvania Clean Streams Law, Dam Safety and Encroachment Act)	Sid Freyermuth (717) 772-5977 sfreyermuth@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Air Quality Fee Schedule Amendments 25 Pa. Code Chapters 127 and 139 (# 7-536)	Quarter 1, 2020, EQB Consideration, as Final	This rulemaking proposes to revise existing requirements and fee schedules codified in Chapter 127, Subchapter I to ensure that fees collected are sufficient to cover the costs of administering the air program as required under Section 6.3(a) of the Air Pollution Control Act (35 P.S. § 4006.3(a)). Upon promulgation, the final-form regulation would be submitted to the EPA for approval as a revision to the SIP or the Title V Program Approval, as appropriate. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Control of VOC Emissions from Oil and Natural Gas Sources 25 Pa. Code Chapter 129 (# 7-544)	Quarter 4, 2019, EQB Consideration, as Proposed	This rulemaking proposes to establish emission limitations and other requirements codified in 25 Pa. Code Chapter 129 consistent with reasonably available control technology (RACT). The proposed rulemaking would establish RACT requirements for volatile organic compounds and other pollutants from existing oil and natural gas production facilities, compressor stations, processing plants, and transmission stations. Upon promulgation, the final-form regulation would be submitted to the EPA for approval as a SIP revision. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Control of VOCs from Gasoline Dispensing Facilities (Stage I and Stage II) 25 Pa. Code Chapters 121 and 129 (# 7-525)	Quarter 4, 2019, EQB Consideration, as Proposed	This rulemaking proposes to remove the requirement to install new Stage II vapor recovery systems and establish procedures for the decommissioning of existing Stage II vapor recovery systems. Stage II systems that are not decommissioned will be required to comply with existing Stage II regulatory maintenance requirements. Industry standards for Stage I and Stage II vapor leak monitoring and relating measures will be added for small gasoline storage tanks. Upon promulgation, the final-form regulation would be submitted to the EPA for approval as a SIP revision. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Revision of Sulfur Limits in No. 2 and Lighter Commercial Fuel Oil 25 Pa. Code § 123.22 (# 7-546)	Quarter 3, 2019, Publication, as Proposed	This rulemaking proposes to amend 25 Pa. Code § 123.22 to reduce the maximum allowable sulfur content in No. 2 and lighter commercial fuel oil, sold for and used in combustion units, from the current limit of 500 parts per million (ppm) of sulfur to 15 ppm. The rulemaking would require No. 2 fuel oil offered for sale, delivered for use, exchanged in trade or used in Pennsylvania to meet the new sulfur limit. Emissions of sulfur dioxide contribute to the formation of regional haze, which degrades visibility in urban and rural areas and contributes to fine particulate matter. Upon promulgation, the final-form regulation would be submitted to the EPA for approval as a SIP revision. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Additional Requirements for Control of Fine Particulate Matter in the Nonattainment New Source Review Program 25 Pa. Code Chapters 121 and 127 (# 7-551)	Quarter 3, 2019, EQB Consideration, as Final	This rulemaking proposes to amend Chapter 127, Subchapter E to incorporate Federal requirements issued by the EPA on August 26, 2016, for the regulation of precursor emissions to the formation of particulate matter less than and equal to 2.5 micrometers in diameter (PM _{2.5}). The EPA's final rule requires states with nonattainment areas for PM _{2.5} to amend their new source review (NSR) regulations to include emissions of volatile organic compounds (VOC) and ammonia as PM _{2.5} precursors. See 81 FR 58010. The proposed amendments would limit the emissions of VOC and ammonia as PM _{2.5} precursors for new major sources or major sources being modified in certain counties of this Commonwealth that are designated as nonattainment for the PM _{2.5} National Ambient Air Quality Standard. This proposed rulemaking would also add PM _{2.5} significant impact levels (SIL) to conform with the EPA guidance for SILs published on April 17, 2018. Upon promulgation, the final-form regulation would be submitted to the EPA for approval as a SIP revision. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Hazardous Waste Generator Improvements 25 Pa. Code Chapters 260a—270a (# 7-543)	Quarter 4, 2019, EQB Consideration, as Final-Omitted	The rulemaking adopts final corrections to certain provisions in 25 Pa. Code Chapters 261a—270a (relating to hazardous waste management) consistent with recent changes to the federal regulations that are incorporated by reference into these chapters. (Solid Waste Management Act, Hazardous Sites Cleanup Act)	Tom Mellott (717) 783-3390 mtmellott@pa.gov
<i>Department of General Services (DGS)</i>			
State Metrology Laboratory Fee Schedule 70 Pa. Code Chapter 110 (# 8-27)	Summer 2019, as Proposed	These regulations will increase the fees charged by the State Metrology Laboratory and update the description fields to accurately reflect the Metrology Lab's measurement parameters and ranges. Preparation of proposed regulation is complete and awaiting final approval prior to submittal to the standing committees, Legislative Reference Bureau, and Independent Regulatory Review Commission.	Ken Hess (717) 787-4352 Mary Fox (717) 787-6789
<i>Department of Health (DOH)</i>			
Health Facilities and Hospitals 28 Pa. Code Chapters 51 and 101—158	September 2019, as Proposed	The Secretary of Health created a task force of hospital industry representatives to review the current hospital regulations and provide recommendations to improve the quality of care in hospitals across the state. The hospital regulations will be updated to reflect those recommendations.	Sara Kurish (717) 783-2500 Susan Coble (717) 233-4252 Ann Chronister (717) 787-8015 Larry Clark (717) 547-3047

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Long Term Care Facilities 28 Pa. Code Chapters 201—211	November 2019, as Proposed	Pennsylvania's long-term care facility licensure regulations were last updated in 1999. Since that time, the clinical complexity of nursing home residents has changed substantially. The Nursing Home Quality Improvement Task Force was commissioned by the Secretary of Health to make recommendations for revisions to the regulations. The long-term care facility regulations will be updated to reflect those recommendations.	Jamie Black (717) 783-2500 Susan Coble (717) 233-4252 Ann Chronister (717) 787-8015 Larry Clark (717) 547-3047
Communicable and Noncommunicable Diseases 28 Pa. Code Chapter 27	December 2019, as Proposed	To revise the listing and details associated with the reportable disease regulations (Chapter 27) to include additional and emerging diseases, new laboratory tests, and changes to exclusion policies for individuals with evidence of disease. Changes will allow for alignment with national standards and improve disease surveillance, investigation and response efforts.	Larry Clark (717) 547-3047 Raphael Barishansky (717) 772-5025 Sharon Watkins (717) 547-3517
The Controlled Substance, Drug, Device and Cosmetic Act P.L. 233, No. 64	October 2019, as Proposed	Act 96 of 2018 amends the Controlled Substance, Drug, Device and Cosmetic Act to provide for the required use of electronic prescribing for scheduled II—V controlled substances, including provisions for exemptions and penalties. Per Act 96 the Department of Health will promulgate regulations necessary to implement the requirements of the Act. <i>Action/Progress:</i> The internal workgroup continues to meet to determine content of the regulations.	Keith Fickel (717) 783-2500 Larry Clark (717) 547-3047 Meghna Patel (717) 547-3144
Screening and Follow-up for Diseases of the Newborn 28 Pa. Code Chapter 28	December 2019, as Proposed	To revise and update the newborn screening regulations (Chapter 28) to include additional diseases, changes to policies and reporting requirements. Critical congenital heart defects in accordance with the Newborn Child Pulse Oximetry Screening Act and hearing screening in accordance with the Infant Hearing, Education, Assessment, Reporting, and Referral Act will be added to the regulations.	Jonathan Koltash (717) 783-2500 Kelly Holland (717) 783-8143
<i>Department of Human Services (DHS)</i>			
Outpatient Psychiatric Services and Psychiatric Outpatient Clinics 55 Pa. Code Chapters 1153 and 5200 (# 14-538)	August 2019, as Final	These amendments will update the current regulations to align outpatient psychiatric services with current industry standards and parity requirements and will include provisions for mobile mental health treatment.	Lindsey Mauldin (717) 783-4726
Psychiatric Rehabilitation Services	July 2019, as Proposed	This regulation will amend psychiatric rehabilitation services for individuals 14 years of age and older with serious mental health.	Lindsey Mauldin (717) 783-4726
Intensive Behavioral Health Services 55 Pa. Code Chapters 1155, 5270 (# 14-546)	October 2019, as Final	This regulation will govern the provision of the array of in-home and community-based behavioral health rehabilitation services for children, including services for children with autism spectrum disorder.	Lindsey Mauldin (717) 783-4726

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Subsidized Child Care Eligibility 55 Pa. Code Chapters 3041, 3042	Fall 2019, as Proposed	This regulation will rescind Chapter 3041 and replace it with Chapter 3042 to add requirements imposed by the 2014 Reauthorization of the Child Care Development Block Grant and amend other requirements regarding redetermination, continuation of subsidy during job loss, reporting and verification, financial eligibility, and prioritized groups.	Lindsey Mauldin (717) 783-4726
Child Day Care Centers, Group Child Care Day Care Homes, Family Child Day Care Homes 55 Pa. Code Chapters 3270, 3280 and 3290 (# 14-542)	September 2019, as Final	This regulation will add new requirements imposed by the 2014 Reauthorization of the Child Care Development Block Grant and other requirements, including employment, background checks, training, water safety training, and equipment.	Lindsey Mauldin (717) 783-4726
Home and Community-Based Supports and Licensing 55 Pa. Code Chapters 51, 2380, 2390, 6100, 6200, 6400 and 6500 (# 14-540)	Summer 2019, as Final	This regulation will rescind Chapter 51 and replace it with a new Chapter 6100, which will govern the program, operational and fiscal components of the Office of Developmental Programs' home and community-based waiver programs, State plan services, and block grant and base-funded programs. It also will amend licensing requirements in chapters 2380, 2390, 6200, 6400 and 6500.	Lindsey Mauldin (717) 783-4726
Definitions and Requirements 55 Pa. Code Chapters 123 and 133	Fall 2019, as Proposed	This regulation will allow applicants for and recipients of Temporary Assistance to Needy Families (TANF) to fulfill requirements without a face-to-face interview.	Lindsey Mauldin (717) 783-4726
Medical Assistance Manual 55 Pa. Code Chapter 1101.51	Summer 2019, as Proposed	This regulation will be amended to rescind the outdated "shared space" language at § 1101.51(b)(3) to allow for a more integrated approach to the provision of health care by multi-disciplinary and co-location arrangements.	Lindsey Mauldin (717) 783-4726
Medical Marijuana in Facilities 55 Pa. Code Chapters 3270, 3280, 3290, 3800, 5310, 6400 and 6600	December 2019, as Proposed	This regulation will amend Chapters 3270, 3280, 3290, 3800, 5310, 6400 and 6600 as directed by Section 2105 of Act 16 of 2016, the Medical Marijuana Act, regarding possession and use of medical marijuana in child care centers or other social services centers.	Lindsey Mauldin (717) 783-4726
Adult Protective Services 55 Pa. Code Chapter 15	November 2019, as Proposed	This regulation will govern the investigation of allegations of abuse, neglect, exploitation or abandonment of adults between the ages of 18 and 59 years, and the provision of protective services as indicated by the results of those investigations. The authority for the regulation and resulting services is provided by Act 70 of 2010, the Adult Protective Services Act.	Lindsey Mauldin (717) 783-4726

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Assisted Living Regulations 55 Pa. Code Chapter 2800	Fall 2019, as Proposed	The current regulation provides standards to protect the health, safety and well-being of assisted living residents, identifying the minimum requirements to obtain a license and operate at a level of compliance necessary. The proposed revisions are needed to address industry changes in the assisted living program since the initial regulations were adopted on July 16, 2011. Current regulations limit the ability of the industry to grow and to support the development of the provider network statewide that can assist other health and safety needs of aging consumers.	Lindsey Mauldin (717) 783-4726
<i>Pennsylvania Insurance Department (PID)</i>			
Privacy and Opt Out Notices for Financial Information (NAIC Model Regulation update) (# 11-257)	Spring 2019, as Final	Amendments to Chapter 146a in accordance with NAIC model regulation # 672 regarding requirements for annual privacy policy notices.	Bridget E. Burke Regulatory Coordinator (717) 787-2567
Health Insurance Reserves (NAIC Model Regulation)	Spring 2019, as Proposed	Amendments to Chapter 84a based upon NAIC Model amendments regarding actuarial reserving requirements.	Bridget E. Burke Regulatory Coordinator (717) 787-2567
Producer Licensing Modernization Regulatory Updates	Summer 2019, as Proposed	Repeal of outdated regulations and replacement with a new chapter implementing sections 601-A—699.1-A of the Act (40 P.S. §§ 310.1—310.99a), which will set forth requirements and standards for the operation of a single licensing system for insurance producers in this Commonwealth.	Bridget E. Burke Regulatory Coordinator (717) 787-2567
<i>Department of Labor and Industry (L&I)</i>			
Flammable and Combustible Liquids Title 34, Part I, Chapters 14 and 14a Bureau of Occupational and Industrial Safety	Fall 2019, as Proposed	Update regulations based on Act 144 of 2012 and adopt requirements for storage and dispensing of compressed natural gas as vehicular fuel.	Matthew Kegg (717) 783-6304
Unemployment Compensation Title 34, Chapter 101 Board of Review	Winter 2019, as Proposed	Update regulation to reflect statutory and operational changes. Also, update regulations based on needs for Benefits Modernization System.	Randy Brandes (717) 787-5122
Unemployment Compensation Title 34, Chapter 65 Employee Provisions	Winter 2019, as Proposed	Update regulations based on needs for Benefits Modernization System and other operational changes.	Susan Dickinson (717) 787-4403
Services for the Blind and Visually Impaired Currently Title 55, Part IV, Adult Services Manual, Subpart D Non-residential Agencies/Facilities/Services Chapter 2430 to be moved to Title 34	Winter 2019, as Proposed	Deletion of current regulations and creation of new regulations for the Business Enterprise Program to reflect operational changes, based on the transfer of the program from the Department of Welfare to L&I, Act 15 of 1999.	Stanley Swaintek (570) 826-2361

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Special Rules of Administrative Practice and Procedure Before the Workers' Compensation Appeal Board Title 34, Part VII Chapter 111 Workers' Compensation Appeal Board (# 12-105)	Fall 2019, as Proposed	Modernize regulations to reflect judicial best practices in scheduling hearings through technology.	Steven Loux (717) 783-7838
Minimum Wage Title 34, Part 12 Chapter 231 Bureau of Labor Law Compliance	Fall 2019, as Final	Revise regulations to update the executive, administrative and professional exemptions from the Minimum Wage Act of 1968.	Bryan Smolock (717) 787-0606
Sign Language Interpreter and Transliterator State Registration Act, Act 57 of 2004	January 2020, revised Proposed	Update the regulations to ensure the protection of deaf consumers' rights and to increase the number of qualified interpreters in PA.	Melissa Hawkins (717) 783-4912
Apprenticeship EEO Regulations Title 34, Chapter 81 Equal Opportunity in Apprenticeship Programs	Winter 2019, as Proposed	Update the PA apprenticeship regulations to align with new federal EEO regulations.	Eric Ramsay (717) 787-6997
Uniform Construction Code Regulations Title 34, Part I, Chapter 405 Bureau of Occupational and Industrial Safety	Winter 2019, as Proposed	Update regulations related to lifting devices based on Act 68 of 2018 and adopt certification standards for third party inspection agencies.	Matthew Kegg (717) 787-6304
Bureau of Workers' Compensation Title 34, Chapter 123 Subchapter B. Impairment Ratings	Spring 2020, as Proposed	Update regulations to reflect new statutory provisions and changes to the IRE process enacted by Act 111 of 2018.	Marianne Saylor (717) 783-5421
Uniform Construction Code Regulations Title 34, Part I, Chapters 401 and 403 Bureau of Occupational and Industrial Safety	Spring 2020, as Proposed	Update regulations related to administration of the Uniform Construction Code and the certification of code administrators.	Matthew Kegg (717) 787-6304
Employment of Minors Title 34, Part 1, Chapter 11 Bureau of Labor Law Compliance	Spring 2020, as Proposed	Update regulations related to employment of minors to reflect 2012 updates to the Child Labor Act.	Bryan Smolock (717) 787-0606
<i>Department of Military and Veterans Affairs (DMVA)</i>			
Veterans' Homes Regulations 43 Pa. Code Chapter 7	Fall 2019, as Proposed	The Department wishes to promulgate a comprehensive update to its regulations on State Veterans' Homes. The statutory authority for these regulations is section 902(10) of the Military and Veterans Code (51 Pa.C.S § 903(10)). These regulations are out-of-date. They were last updated in 1986. The purpose of the changes to these regulations is to bring them in line with best practices in the long-term care arena.	Elizabeth Pettis (717) 861-8503

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Bureau of Veterans' Affairs 43 Pa. Code Chapter 5	Spring 2020, as Proposed	The Department wishes to promulgate a comprehensive update to its regulations related to the former Bureau of Veterans' Affairs that is now the Bureau of Programs, Initiatives, Reintegration and Outreach. The statutory authority for these regulations is Sections 1704(7) and 7701 of the Military and Veterans Code (51 Pa.C.S.). These regulations are out-of-date. They were last updated in 1991.	Elizabeth Pettis (717) 861-8503
Fort Indiantown Gap 43 Pa. Code (new Chapter)	Fall 2021, as Proposed	Fort Indiantown Gap is owned by the Commonwealth of Pennsylvania and operated by the Department of Military and Veterans Affairs. The post is home to tens of thousands of Soldiers and civilians every year for training and other activities. Department wishes to promulgate regulatory authority and installation regulations that enhance the safety of military and civilian personnel and protect the military and Commonwealth property. The statutory authority for these regulations Chapter 7 § 708 of the Military and Veterans Code (51 Pa.C.S.).	Elizabeth Pettis (717) 861-8503
<i>Municipal Police Officers' Education and Training Commission (MPOETC)</i>			
Administration of the Municipal Police Officers' Education and Training Program 37 Pa. Code Chapter 203 (# 17-80)	Summer 2019, as Proposed This regulatory packet was revised and re-submitted to OGC and GBO in May 2019 for review and processing.	Title 53 Pa.C.S. § 2164(14) conveys powers and duties to the Municipal Police Officers' Education and Training Commission to make such rules and regulations and to perform such other duties as may be reasonably necessary or appropriate to implement the education and training program for police officers. Omnibus revisions to Chapter 203, which pertains to the certification and training of the Commonwealth's municipal police officers, are necessary to modernize these regulations, as they have not undergone a major revision since 1996. The amendments that will be proposed are the product of an extensive review project that included key stakeholders of the regulated community.	Sergeant Patrick Beaver (717) 705-1749
<i>Pennsylvania Commission on Crime and Delinquency (PCCD)</i>			
Sheriffs' and Deputy Sheriffs' Education and Training Program 37 Pa. Code Chapter 421	Fall 2019, as Proposed	The Deputy Sheriffs' Education and Training Board (Board), an advisory board within the Commission on Crime and Delinquency, plans to amend the regulations at 37 Pa. Code Chapter 421 (relating to Deputy Sheriffs' Education and Training Board) due to statutory changes in Act 114 of 2014 (Act of Jul. 9, 2014, P.L. 1006, No. 114).	Derin Myers (717) 265-8466 Debra Sandifer (717) 265-8517

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>Pennsylvania Emergency Management Agency (PEMA)</i>			
No regulations being developed or considered at this time.			
<i>Pennsylvania Infrastructure Investment Authority (PENNVEST)</i>			
No regulations being developed or considered at this time.			
<i>Pennsylvania State Police (PSP)</i>			
Training and Minimum Standards Under the Wiretapping and Electronic Surveillance Control Act 37 Pa. Code Chapter 51	Fall 2019, as Proposed	Title 18 Pa.C.S. § 5724 requires the Commissioner of the Pennsylvania State Police (PSP) and the Attorney General to establish a training course for certification related to conducting wiretapping and electronic surveillance. Revisions to Chapter 51 as it relates to officer certification/re-certification and authorization to engage in the conduct of communications interception will be proposed to adjust the training to current technology and operational needs.	Sergeant Patrick Beaver (717) 705-1749
<i>Department of Revenue (DOR)</i>			
Amendments to Local Option Small Games of Chance (SGOC) 61 Pa. Code Chapter 901a	October 2019, as Proposed	The Department is proposing to replace Chapter 901 with a new Chapter 901a as a result of the amendments to the SGOC law. The proposed rulemaking will reorganize and clarify the SGOC regulations as well as incorporate necessary changes to implement Acts 2 and 184 of 2012 and Acts 90 and 92 of 2013.	John Brenner (717) 705-3906
Amendments to Realty Transfer Tax (RTT) Regulations 61 Pa. Code Chapter 91	September 2019, as Proposed	Amendments to the RTT regulations are being proposed to improve the clarity and effectiveness of the regulations. Additionally, the proposed amendments will be consistent with Department policy and the language in the RTT statute.	John Brenner (717) 705-3906
iLottery [Games] 61 Pa. Code Chapter 876 (# 15-460)	Proposed rulemaking published at 49 Pa.B. 2242 (May 4, 2019); March 2020, as Final	Act 42 of 2017 authorized the Department to promulgate “temporary” regulations for iLottery games, effective for two years upon publication in the <i>Pennsylvania Bulletin</i> . The temporary regulations for iLottery Games were published at 48 Pa.B. 1829 (March 31, 2018) and codified in the June 2018 Supplement to the <i>Pennsylvania Code</i> . The temporary regulations expire on March 31, 2020. The Department is promulgating permanent regulations.	Casey Fenstermaker (717) 346-1860
<i>Department of State (DOS)</i>			
<i>State Architects Licensure Board</i>			
Electronic Seals and Signing 49 Pa. Code Chapter 9 (# 16A-4111)	Summer 2019, as Proposed	The proposed regulations would update existing regulations on seals and set forth standard requirements for electronic seals and electronic signing of design documents. The goal of this proposal is to be consistent with proposed regulations of the State Registration Board for Professional Engineers, Land Surveyors and Geologists and the State Board of Landscape Architects to provide all design professionals with standards that are as consistent as possible with respect to both traditional seals and electronic seals to benefit both the design professionals and their clients.	Amanda Li (717) 783-3397

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>State Board of Auctioneer Examiners</i>			
Schedule of Fees 49 Pa. Code § 1.41 (# 16A-6411)	Summer 2019, as Proposed	The proposed rulemaking is needed to increase application and biennial renewal fees to provide sufficient biennial revenue to meet projected expenditures as required under section 6(a) of the Auctioneer Licensing and Trading Assistant Registration Act (63 P.S. § 734.6).	Terrie Kocher (717) 783-3397
<i>State Board of Barber Examiners</i>			
Schedule of Fees 49 Pa. Code § 3.103 (# 16A-4230)	Fall 2019, as Proposed	The proposed rulemaking is needed to increase the application and biennial renewal fees to provide sufficient biennial revenue to meet the projected expenditures as required under section 14 of the Barbers' License Law (63 P.S. § 564).	Kelly Diller (717) 783-1261
<i>State Board of Chiropractic</i>			
Chiropractic Specialties 49 Pa. Code Chapter 5 (# 16A-4312)	Fall 2019, as Final	The Chiropractic Practice Act prohibits licensees from holding themselves out as specialists unless they possess a post-graduate certification in that specialty. The final-form rulemaking prohibits a chiropractor from advertising that the chiropractor holds certification or otherwise is a specialist in a chiropractic specialty unless the chiropractor holds certification or diplomate status from a specialty board recognized by the American Board of Chiropractic Specialties, and other organizations approved by the Board. This proposal protects consumers of chiropractic services who can be misled by advertising of "certifications" that do not truly reflect advanced knowledge, training or skill.	Elizabeth Wecker (717) 783-7155
Government Employee Liability Coverage 49 Pa. Code §§ 5.17(f) and 5.41 (# 16A-4325)	Winter 2019-2020, as Proposed	The Chiropractic Practice Act requires chiropractors to maintain professional liability insurance, including self-insurance. This regulation would permit a licensee who practices exclusively on behalf of the government to meet this requirement by reliance upon the coverage provided under the Federal Tort Claims Act or the Sovereign Immunity Act as administered by the Commonwealth's Employee Liability Self-insurance Program.	Elizabeth Wecker (717) 783-7155
<i>Commissioner of Professional and Occupational Affairs</i>			
Expungement; Fees 49 Pa. Code Chapter 43b, §§ 43b.101—43b.103 and 43b.201 (# 16A-060)	Summer 2019, as Final	The proposed rulemaking would implement the expungement provisions in the act of February 15, 2018 (P.L. 14, No. 6), which authorizes the Commissioner of Professional and Occupational Affairs to expunge certain disciplinary actions upon application, and to require the applicant to pay a fee to cover all costs associated with the expungement as established by the Commissioner by regulation.	Cynthia Montgomery (717) 783-7200

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Bureau of Commissions, Elections and Legislation			
Notaries Public 4 Pa. Code Part VIII, Subpart C (# 16-59)	Winter 2019-2020, as Final	The proposed rulemaking would implement the act of October 9, 2013 (P.L. 609, No. 73), which adopted the Revised Uniform Law on Notarial Acts (RULONA).	Martha Brown (717) 787-6802
State Board of Crane Operators			
Schedule of Civil Penalties 49 Pa. Code Chapter 43b (# 16A-7103)	Winter 2019-2020, as Proposed	The proposed regulation would create a schedule of civil penalties for violations of the Crane Operator Licensure Act and regulations of the State Board of Crane Operators.	Amanda Li (717) 783-1404
State Board of Dentistry			
Anesthesia Update 49 Pa. Code Subchapter E, §§ 33.331—33.342 (# 16A-4621)	Winter 2019-2020, as Proposed	This proposed rulemaking would update the standards for the administration of general anesthesia, deep sedation, moderate sedation, minimal sedation and nitrous oxide/oxygen analgesia in dental offices to conform to and adopt the current standards used by the dental profession.	Lisa Burns (717) 783-7162
Child Abuse Reporting Requirements 49 Pa. Code § 33.250 (# 16A-4626)	Fall 2019, as Final	This proposed regulation would update the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL) to conform to recent amendments to the CPSL, including the requirement that all applicants and licensees of the State Board of Dentistry obtain required training in child abuse recognition and reporting.	Lisa Burns (717) 783-7162
General Revisions 49 Pa. Code Chapter 33 (# 16A-4628)	Winter 2019, as Proposed	The State Board of Dentistry has undertaken a review of existing regulations with the goal of updating the regulations and eliminating outdated and obsolete provisions. This proposed rulemaking would generally amend, update and clarify the regulations relating to fictitious names, biennial renewal, inactive status, reactivation, licensure by criteria approval, acceptable proof of professional liability insurance, use of titles, advertising, unprofessional conduct, multi-disciplinary professional corporations, exclusion of auxiliary personnel from performing radiological procedures and continuing dental education. It would also implement two new licensure categories: restricted faculty licenses (incorporating into this rulemaking the subject matter from prior Reg. # 16A-4632) and temporary volunteer dental licenses (incorporating into this rulemaking the subject matter from prior Reg. # 16A-4631).	Lisa Burns (717) 783-7162

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Expansion of PHDHP Practice Sites 49 Pa. Code § 33.205b (# 16A-4633)	Winter 2019-2020, as Final	This proposed regulation would clarify and expand the practice settings in which public health dental hygiene practitioners (PHDHPs) may perform dental hygiene services without the supervision of a dentist.	Lisa Burns (717) 783-7162
Fees 49 Pa. Code § 33.339 # 16A-4634	Summer 2019, as Proposed	This proposed regulation would amend § 33.339 (relating to fees) to increase the application fees, biennial renewal fees, restricted facility license fees and unrestricted permit fees.	Lisa Burns (717) 783-7126
<i>State Registration Board for Professional Engineers, Land Surveyors and Geologists</i>			
Electronic Seals and Signatures 49 Pa. Code Chapter 37 (# 16A-4712)	Summer 2019, as Proposed	The proposed regulations would update existing regulations on seals and set forth standard requirements for electronic seals and electronic signing of design documents. The goal of this proposal is to be consistent with proposed regulations of the State Architects Licensure Board and the State Board of Landscape Architects to provide all design professionals with standards that are as consistent as possible with respect to both traditional seals and electronic seals to benefit both the design professionals and their clients.	Jeannie Bronshtein (717) 783-7049
<i>State Board of Landscape Architects</i>			
Electronic Seals and Signatures 49 Pa. Code Chapter 15 (# 16A-6112)	Summer 2019, as Proposed	The proposed regulations would update existing regulations on seals and set forth standard requirements for electronic seals and electronic signing of design documents. The goal of this proposal is to be consistent with proposed regulations of the State Architects Licensure Board and the State Registration Board for Professional Engineers, Land Surveyors and Geologists to provide all design professionals with standards that are as consistent as possible with respect to both traditional seals and electronic seals to benefit both the design professionals and their clients.	Terrie Kocher (717) 772-8528
<i>State Board of Medicine</i>			
Practitioners of Oriental Medicine 49 Pa. Code Chapter 18 (# 16A-4956)	Summer 2019, as Proposed	This proposed rulemaking would revise the regulations relating to acupuncturists and practitioners of Oriental medicine (POM) to transform the current POM license into a one-time registration, make amendments to reflect legislative changes regarding acupuncturists which have occurred since the prior regulatory amendments on the topic, and to address acceptable testing scores due to new test formats. The rulemaking is in accordance to the Governor's recommendation for occupational licensure reform.	Suzanne Zerbe (717) 787-7768

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Naturopathic Doctor 49 Pa. Code Chapter 18 (# 16A-4953)	Summer 2019, as Proposed	The proposed rulemaking will amend the Board's regulations to implement the Naturopathic Doctor Registration Act, Act of Nov. 3, 2016, P.L. 997, No. 128, 63 P.S. §§ 272.101—272.301, which provides for the registration of naturopathic doctors. The proposal establishes fees, registration requirements, continuing education requirements, standards of practice, required records, advertising, grounds for discipline and types of discipline.	Suzanne Zerbe (717) 787-7768
Fees 49 Pa. Code Chapter 16 (# 16A-4951)	Fall 2019, as Proposed	This proposed regulation revises initial and biennial renewal fees for applicants, licensees, registrants, and certificate holders, and removes references to fees for licensure classifications which are no longer issued.	Suzanne Zerbe (717) 787-7768
<i>State Board of Nursing</i>			
Fees 49 Pa. Code Chapter 21 (# 16A-5142)	Summer 2019, as Final	This regulation revises initial and biennial renewal fees for applicants and licensees and revises and sets additional fees for nursing education programs. The final form regulation was approved by the Independent Regulatory Review Commission on June 20, 2019.	Cindy Miller (717) 783-7142
<i>State Board of Examiners of Nursing Home Administrators</i>			
Continuing Education Requirements 49 Pa. Code § 39.11 (# 16A-6219)	Summer 2019, as Proposed	The proposed regulation amends the biennial continuing education requirement to conform with the Governor's recommendations for licensure reform that were generated by Executive Order 2017-3. The biennial requirement of 48 credit hours will be reduced to 36. Additionally, the rulemaking provides for showing of continued competence where a licensee has been inactive for a period of time.	Chris Stuckey (717) 783-4856
<i>State Board of Optometry</i>			
General Revisions 49 Pa. Code Chapter 23 (# 16A-5213)	Winter 2019-2020, as Final	Section 3(b)(14) of the Optometric Practice and Licensure Act (act) gives the Board the authority to promulgate all rules and regulations necessary to carry out the purposes of the act. Section 5(b) of the act provides the minimal requirements for continuing education of 30 hours in a biennial period for licensed optometrists. The Board is proposing amendments to its existing regulations to ensure that clear guidance is given to licensees in prescribing contact lenses, reporting continuing education and the standards for accepting commercial support from the providers of continuing education.	Elizabeth Wecker (717) 783-7155

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
State Board of Osteopathic Medicine			
Prescribing 49 Pa. Code § 25.218 (# 16A-5330)	Fall 2019, as Proposed	The State Board of Osteopathic Medicine proposes this rulemaking to set forth the minimum acceptable standards of practice that an osteopathic physician or physician assistant licensed by the Board must follow when prescribing, administering or dispensing drugs, including the requirements of the Safe Emergency Prescribing Act (Act 122 of 2016), the provisions of Chapter 52A of Title 35, relating to prescribing opioids to minors, and the provisions of Chapter 51 of Title 35 relating to safe opioid prescription and voluntary non-opioid directives.	Aaron Hollinger (717) 783-4858
Fees 49 Pa. Code §§ 25.231 and 25.503 (# 16A-5334)	Summer 2019, as Proposed	This proposed rulemaking provides for increased application fees and biennial renewal fees for board-regulated practitioners and is needed to ensure sufficient biennial revenue to meet expected expenditures.	Aaron Hollinger (717) 783-4858
State Board of Pharmacy			
Administration of Injectable Medications, Biologicals and Immunizations 49 Pa. Code §§ 27.12 and 27.401—27.407 (# 16A-5429)	Summer 2019, as Proposed	This proposed rulemaking addresses amendments to section 9.2 of the Pharmacy Act (63 P.S. § 380-9.2) which reduce the age of patients to whom pharmacists can administer influenza immunizations and permit pharmacy interns to administer injectable medications, biologicals and immunizations.	Melanie Zimmerman (717) 783-7156
State Board of Physical Therapy			
Fees 49 Pa. Code § 40.5 (# 16A-6521)	Fall 2019, as Proposed	This proposed rulemaking would amend the Board's regulations so that application fees would be set to recover the cost of processing the application and biennial renewal fees would be reduced yet would still cover the balance of the Board's cost of operations each biennium. Additionally, the Board wishes to lower the fee for approval of continuing education programs, create a fee and application for pre-approved CE provider status, and create a fee for biennial renewal of pre-approved CE provider status.	Michelle Roberts (717) 783-7134
Early Exam and CE for Clinical Instruction 49 Pa. Code Chapter 27 (# 16-6522)	Fall 2019, as Proposed	This proposed rulemaking would allow physical therapist students, and physical therapist assistant students, to sit for the requisite examinations up to 90 days prior to graduation from their respective programs. Additionally, this proposed rulemaking would allow physical therapists (PTs) and physical therapist assistants (PTAs) who provide clinical instruction to student PTs and student PTAs, at clinical facilities affiliated with accredited programs, to receive credit for one (1) contact hour of continuing education for each 40 hours of clinical instruction up to a maximum of four (4) contact hours per biennial period.	Michelle Roberts (717) 783-7134

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>State Board of Podiatry</i>			
Continuing Education 49 Pa. Code § 29.61 (# 16A-4417)	Summer 2019, as Proposed	This proposed rulemaking would reduce the biennial requirement for continuing education, in accordance with the Governor's recommendations for licensure reform; additionally, the rulemaking would provide for the use of distance learning to satisfy the continuing education requirement and provide for exemptions.	Aaron Hollinger (717) 783-4858
<i>State Board of Psychology</i>			
Continuing Education 49 Pa. Code § 41.59 (# 16A-6317)	Fall 2019, as Proposed	The Board, in its effort to continually review the efficacy of its regulations, has again reviewed the continuing education regulations and has determined that amendments are needed to update, revise and clarify the continuing education requirements. This proposed rulemaking would amend the requirements relating to home study, instruction and carry over.	Chris Stuckey (717) 783-7155
Code of Ethics 49 Pa. Code § 41.61 (# 16A-6324)	Fall 2019, as Proposed	This proposed rulemaking will update the Board's Code of Conduct to adopt the American Psychological Association's (APA) Ethical Principles of Psychologists and Code of Conduct and various enumerated APA practice guidelines.	Chris Stuckey (717) 783-7155
<i>State Board of Certified Real Estate Appraisers</i>			
General Revisions for Certified Real Estate Appraisers 49 Pa. Code Chapter 36 (# 16A-7022)	Summer 2019, as Final	This rulemaking updates the Board's regulations to reflect mandated Federal changes made by the Appraisal Qualifications Board of the Appraisal Foundation, which is charged with establishing education and experience requirements for real estate appraisers under the Financial Institutions Reform, Recovery and Enforcement Act of 1989 (FIRREA).	Heidy Weirich (717) 783-4866
Appraisal Management Companies 49 Pa. Code Chapter 36 (# 16A-7023)	Summer 2019, as Final-Omitted	This rulemaking updates two definitions within the Board's regulations to ensure compliance with Federal law.	Heidy Weirich (717) 783-4866
<i>State Real Estate Commission</i>			
Advertising 49 Pa. Code Chapter 35 (# 16A-5616)	Summer 2019, as Proposed	This proposed rulemaking would codify the Commission's current guidelines for advertising, specifically with regard to names and team advertising. The rulemaking is intended to assist the public in evaluating advertising by real estate brokers and salespersons.	Krista Linsenchach (717) 783-3658
Broker Price Opinions 49 Pa. Code Chapter 35 (# 16A-5624)	Summer 2019, as Temporary Regulations	The temporary rulemaking facilitates the prompt implementation of Act 75 of 2018. The temporary rulemaking sets forth minimum requirements for licensees and permitted uses of a broker price opinion.	Krista Linsenchach (717) 783-3658

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>State Board of Social Workers, Marriage and Family Therapists and Professional Counselors</i>			
Licensed Bachelor Social Worker 49 Pa. Code Chapter 47 (# 16A-6922)	Winter 2019-2020, as Final	The rulemaking would amend the Board's regulations to implement the act of October 22, 2014 (P.L. 2884, No. 179) (Act 179) which provides for the establishment of a bachelor level social worker's license. The proposal establishes fees, licensure requirements, continuing education requirements, and standards of practice for licensed bachelor social workers.	Sandra Matter (717) 783-1389
General Revisions 49 Pa. Code Chapters 47—49 (# 16A-6923)	Fall 2019, as Proposed	Beginning in 2012, and culminating with this proposed rulemaking, the Board has undertaken a comprehensive review of its regulations relating to qualifications for licensure, supervision of clinical experience, including the provision of supervision through electronic means, and continuing education. The purpose of this rulemaking is to eliminate outdated provisions, update standards to reflect modern technology, and to modernize the Board's processes relating to licensure.	Sandra Matter (717) 783-1389
<i>State Board of Veterinary Medicine</i>			
Licensure of Euthanasia Technicians 49 Pa. Code Chapter 31 (# 16A-5726)	Winter 2019-2020, as Proposed	This proposed rulemaking is necessary to implement the act of October 24, 2012 (P.L. 1452, No. 182) (Act 182 of 2012) which amended the Animal Destruction Method Authorization Law to require the State Board of Veterinary Medicine to register animal welfare organizations and to license euthanasia technicians to permit the organizations to purchase controlled substances and employ euthanasia technicians for the humane euthanasia of small domestic animals.	Michelle Roberts (717) 783-7134
Certified Veterinary Technicians; Veterinary Assistants 49 Pa. Code § 31.39 (# 16A-5727)	Summer 2019, as Final	The rulemaking would implement the Governor's recommendation generated from Executive Order 2017-3, and update regulations relating to unlicensed veterinary assistants and certified veterinary technicians. The purpose of this rulemaking is to remove unnecessary burdens to credentialing otherwise qualified applicants.	Michelle Roberts (717) 783-7134
<i>Department of Transportation (DOT)</i>			
Registration Class Stickers 67 Pa. Code Chapter 55	Summer 2019, as Proposed	This rulemaking will delete Chapter 55 and eliminate the issuance of weight class stickers. The elimination of these stickers will result in cost savings to the Department and the regulated community.	Anita Wasko (717) 787-2171 Jeffrey Spotts (717) 787-5299
School Bus Drivers 67 Pa. Code Chapter 71	Winter 2019, as Proposed	This rulemaking will add requirements related to Entry Level Driver Training for CDL drivers to be consistent with Federal Final Rule.	Kara N. Templeton (717) 787-2977 Jeffrey Spotts (717) 787-5299

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Photographic Driver's License 67 Pa. Code Chapter 73	Fall 2019, as Proposed	This rulemaking will update the standards and procedures for initial issuance, renewal, replacement and duplicate issuance of a driver's license.	Kara N. Templeton (717) 787-2977 Jeffrey Spotts (717) 787-5299
Identification Cards 67 Pa. Code Chapter 91	Fall 2019, as Proposed	This rulemaking will update the standards and procedures for initial issuance, renewal, replacement and duplicate issuance of a Department issued identification card.	Kara N. Templeton (717) 787-2977 Jeffrey Spotts (717) 787-5299
Vehicle Equipment and Inspection 67 Pa. Code Chapter 175	Summer 2019, as Proposed	This rulemaking updates vehicle equipment and inspection standards to better reflect current technologies, consistent with recommendations made by the Department's Inspection Advisory Board.	Anita Wasko (717) 787-2171 Jeffrey Spotts (717) 787-5299
Vehicle Equipment and Inspection 67 Pa. Code Chapter 175	Summer 2019, as Proposed	This rulemaking adds financial penalties authorized at 75 Pa.C.S. §§ 4724 and 4726 to Chapter 175.	Anita Wasko (717) 787-2171 Jeffrey Spotts (717) 787-5299
Oversize and Overweight Loads and Vehicles 67 Pa. Code Chapter 179	Winter 2020, as Proposed	This rulemaking accommodates the planned implementation of the Automated Permit Routing/Analysis System (APRAS), updates outdated language, and ensures references in this chapter are consistent with amendments to 75 Pa.C.S. §§ 4901—4983.	Bob Pento (717) 783-6265 Jeffrey Spotts (717) 787-5299
Hauling in Excess of Posted Weight Limit 67 Pa. Code Chapter 189	Summer 2020, as Proposed	This rulemaking will update regulations to be consistent with amendments to the Vehicle Code under Act 89 of 2013.	Halley Cole, P.E. (717) 783-6146 Jeffrey Spotts (717) 787-5299
Intrastate Motor Carrier Safety 67 Pa. Code Chapter 231	Summer 2019, as Proposed	This rulemaking is necessary to waive hours of service and other requirements for mass transportation organizations and their drivers, while establishing new requirements consistent with the public interest.	Danielle Spila (717) 787-1208 Jeffrey Spotts (717) 787-5299
Access to and Occupancy of Highways by Driveways and Local Roads 67 Pa. Code Chapter 441	Fall 2019, as Proposed	The Department will be promulgating a regulation to rewrite the entire Chapter 441 to include comments received during the promulgation of the Chapter 441 regulation redefining the term "owner."	Bob Pento (717) 783-6265 Jeffrey Spotts (717) 787-5299
Permanent Regulation for LIDAR for State Police and Automated Enforcement Systems 67 Pa. Code Chapter 205	Fall 2019, as Proposed	The Department will be promulgating a regulation to define proper testing and calibration of LIDAR System to be used by state police and automated enforcement systems.	Daniel Farley (717) 783-0333 Jeffrey Spotts (717) 787-5299
Permanent School Bus Stop Arm Cameras 67 Pa. Code Chapter not yet known	Spring 2020, as Proposed	This rulemaking will make temporary regulations permanent and establish a grant program authorized by Act 159 of 2018.	Kara N. Templeton (717) 787-2977 Jeffrey Spotts (717) 787-5299

[Pa.B. Doc. No. 19-1216. Filed for public inspection August 9, 2019, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-7022	State Board of Certified Real Estate Appraisers Federally-Mandated Revisions	7/29/19	9/19/19

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 19-1217. Filed for public inspection August 9, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by August 26, 2019. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2019-3011422. Juana A. Vidal, t/a Juana Transportation (598 Hayes Street, Hazleton, Luzerne County, PA 18201) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, between points in Luzerne County.

A-2019-3011747. Limoman416, LLC (416 Coreopsis Drive, Lancaster, Lancaster County, PA 17602) persons in limousine service, from points in Lancaster County, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2019-3011748. Premier Limousine Services, LLC (111 Robinson Road, Greentown, Pike County, PA 18426) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Pike and Wayne to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2019-3011813. Jay D. Transport, LLC (1323 Washburn Street, Scranton, PA 18504) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Pike, Susquehanna, Wayne and Wyoming, to points in Pennsylvania, and return.

A-2019-3011816. CMC Transport, LLC (P.O. Box 126, Kelayres, Schuylkill County, PA 18231) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, between points in the Counties of Luzerne and Schuylkill.

A-2019-3011840. Woodrow Cothran, Jr., t/a Moving Others Around Safely (6730 North 15th Street, Philadelphia, PA 19126) persons, in group and party service, in vehicles seating between 11 and 15 passengers, including the driver, from points in the Counties of Bucks, Chester, Delaware and Montgomery, to points in Pennsylvania, and return; excluding service in areas under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under the application.

A-2019-3008929. D & S Airport Transportation Services, LLC (128 Hazle Street, Barnesville, PA 18214) for the additional right to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in Carbon, Luzerne and Schuylkill Counties, to Harrisburg International Airport, Lehigh Valley International Airport, Philadelphia International Airport and Wilkes-Barre/Scranton International Airport; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2019-3011733. Joyce Joyner Puckett (35 Blackburn Road, Quarryville, Lancaster County, PA 17566) discontinuance of service and cancellation of her certificate, to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating a motor vehicle, between points in the County of

Lancaster, and from points in said county, to points in Pennsylvania, and vice versa.

A-2019-3011734. Keith Pack (14544 Lake Underhill Road, Orlando, FL 32828) discontinuance of service and cancellation of his certificate, to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1218. Filed for public inspection August 9, 2019, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Default Order

Philadelphia Parking Authority, Taxicab and Limousine Division v. Emily Taxi, Inc.; Doc. No. C-18-09-021

Attention Emily Taxi, Inc., last known address of 2351 South Swanson Street, Philadelphia, PA 19148, this notice advises that a Default Order of Hearing Officer, Hon. Sheldon C. Jelin was issued and entered on July 25, 2019, with the Philadelphia Parking Authority's (Authority) Taxicab and Limousine Division's (TLD) Office of the Clerk.

On September 7, 2018, the Enforcement Department of the TLD of the PPA issued Citation T-25062 to Emily Taxi, Inc., (Respondent) for violation of 52 Pa. Code § 1011.3, annual filing requirements not met.

The complaint was served on Respondent on September 7, 2018, by first class mail.

Respondent did not pay the penalty amount identified on the citation or file a request for a hearing with the TLD Clerk within 15 days after the date of service as provided in 52 Pa. Code § 1005.13(b).

On October 1, 2018, the TLD Clerks' office sent Respondent a reminder notice of the outstanding citation and to either pay the penalty or request a hearing, or suffer a default.

To date, more than 15 days have expired and Respondent has failed to pay the penalty or file a request for a hearing with the TLD Clerk. Therefore, pursuant to 52 Pa. Code § 1005.31(c) the complaint is sustained and a Default Order is entered against Respondent.

A penalty of \$100 is imposed along with an administration fee of \$75 for a total of \$175.

In addition, Respondent's CPC No. 1000517-01 is hereby CANCELLED with respect to medallion P-1089.

Respondent is Ordered to pay \$175 by August 9, 2019.

Pursuant to 52 Pa. Code § 1001.13(b) this Order will become effective on August 9, 2019, as an adjudication of the Authority if not selected for review by the Authority.

Respondent is hereby notified to cease and desist from further violations of the Taxicab and Limousine regulation, 52 Pa. Code §§ 1001.1 et seq.

Hon. Sheldon C. Jelin (Ret.)
Hearing Officer

If you have any questions concerning this notice, you may contact the TLD's Office of the Clerk, Heidi Robb, at (215) 683-9498 or at TLDclerk@philapark.org.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 19-1219. Filed for public inspection August 9, 2019, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Default Order

Philadelphia Parking Authority, Taxicab and Limousine Division v. SHH Cab Corp.; Doc. No. C-19-04-016

Attention SHH Cab Corp., last known address of 681 Marshall Street, Somerville, MA 02145, this notice advises that a Default Order of Hearing Officer, Hon. Sheldon C. Jelin was issued and entered on June 25, 2019, with the Philadelphia Parking Authority's (Authority) Taxicab and Limousine Division's (TLD) Office of the Clerk.

The Complaint issued by the TLD is sustained as to the charges in Citation T-28264, failure to pay assessment.

Respondent is in violation of 52 Pa. Code § 1011.4 for which a penalty of \$125 is imposed plus an administration fee of \$75 for a total of \$200.

In addition, Respondent's CPC No. 1027013-01 is hereby CANCELLED.

Pursuant to 52 Pa. Code § 1001.13(b) this Order will become effective on July 10, 2019, as an adjudication of the Authority if not selected for review by the Authority.

Respondent is Ordered to pay \$200 by July 10, 2019.

The record at this docket is marked closed.

Hon. Sheldon C. Jelin (Ret.)
Hearing Officer

If you have any questions concerning this notice, you may contact the TLD's Office of the Clerk, Heidi Robb, at (215) 683-9498 or at TLDclerk@philapark.org.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 19-1220. Filed for public inspection August 9, 2019, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Default Order

Philadelphia Parking Authority, Taxicab and Limousine Division v. SHH Cab Corp.; Doc. No. C-19-04-093

Attention SHH Cab Corp., last known address of 681 Marshall Street, Somerville, MA 02145, this notice ad-

vises that a Default Order of Hearing Officer, Hon. Sheldon C. Jelin was issued and entered on July 25, 2019, with the Philadelphia Parking Authority's (Authority) Taxicab and Limousine Division's (TLD) Office of the Clerk.

On April 26, 2019, the Enforcement Department of the TLD of the PPA issued Citation T-28402 to SHH Cab Corp., (Respondent) for violation of 52 Pa. Code § 1011.13, failure to report interruption of service.

The complaint was served on Respondent on April 26, 2019, by first class mail.

Respondent did not pay the penalty amount identified on the citation or file a request for a hearing with the TLD Clerk within 15 days after the date of service as provided in 52 Pa. Code § 1005.13(b).

On May 20, 2019, the TLD Clerks' office sent Respondent a reminder notice of the outstanding citation and to either pay the penalty or request a hearing, or suffer a default.

To date, more than 15 days have expired and Respondent has failed to pay the penalty or file a request for a hearing with the TLD Clerk. Therefore, pursuant to 52 Pa. Code § 1005.31(c) the complaint is sustained and a Default Order is entered against Respondent.

A penalty of \$100 is imposed along with an administration fee of \$75 for a total of \$175.

In addition, Respondent's CPC No. 1027013-01 is hereby CANCELLED.

Respondent is Ordered to pay \$175 by August 9, 2019.

Pursuant to 52 Pa. Code § 1001.13(b) this Order will become effective on August 9, 2019, as an adjudication of the Authority if not selected for review by the Authority.

Respondent is hereby notified to cease and desist from further violations of the Taxicab and Limousine regulation, 52 Pa. Code §§ 1001.1 et seq.

Hon. Sheldon C. Jelin (Ret.)
Hearing Officer

If you have any questions concerning this notice, you may contact the TLD's Office of the Clerk, Heidi Robb, at (215) 683-9498 or at TLDclerk@philapark.org.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 19-1221. Filed for public inspection August 9, 2019, 9:00 a.m.]

On April 26, 2019, the Enforcement Department of the TLD of the PPA issued Citation T-28180 to SHH Cab Corp., (Respondent) for violation of 52 Pa. Code § 1011.13, failure to report interruption of service.

The complaint was served on Respondent on April 26, 2019, by first class mail.

Respondent did not pay the penalty amount identified on the citation or file a request for a hearing with the TLD Clerk within 15 days after the date of service as provided in 52 Pa. Code § 1005.13(b).

On May 20, 2019, the TLD Clerks' office sent Respondent a reminder notice of the outstanding citation and to either pay the penalty or request a hearing, or suffer a default.

To date, more than 15 days have expired and Respondent has failed to pay the penalty or file a request for a hearing with the TLD Clerk. Therefore, pursuant to 52 Pa. Code § 1005.31(c) the complaint is sustained and a Default Order is entered against Respondent.

A penalty of \$100 is imposed along with an administration fee of \$75 for a total of \$175.

In addition, Respondent's CPC No. 1027013-01 is hereby CANCELLED with respect to medallions P-0305, P-0307 and P-1087.

Respondent is Ordered to pay \$175 by August 9, 2019.

Pursuant to 52 Pa. Code § 1001.13(b) this Order will become effective on August 9, 2019, as an adjudication of the Authority if not selected for review by the Authority.

Respondent is hereby notified to cease and desist from further violations of the Taxicab and Limousine regulation, 52 Pa. Code §§ 1001.1 et seq.

Hon. Sheldon C. Jelin (Ret.)
Hearing Officer

If you have any questions concerning this notice, you may contact the TLD's Office of the Clerk, Heidi Robb, at (215) 683-9498 or at TLDclerk@philapark.org.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 19-1222. Filed for public inspection August 9, 2019, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Default Order

Philadelphia Parking Authority, Taxicab and Limousine Division v. SHH Cab Corp.; Doc. No. C-19-04-095

Attention SHH Cab Corp., last known address of 681 Marshall Street, Somerville, MA 02145, this notice advises that a Default Order of Hearing Officer, Hon. Sheldon C. Jelin was issued and entered on July 25, 2019, with the Philadelphia Parking Authority's (Authority) Taxicab and Limousine Division's (TLD) Office of the Clerk.

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than August 26, 2019. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money

order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-19-07-05. Lima Trans, LLC (3346 Mary Street, Drexel Hill, PA 19026): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

Doc. No. A-19-07-06. Nur Trans, LLC (359 Avon Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 19-1223. Filed for public inspection August 9, 2019, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for a 54" Latex Printer and Cutter, 55" Mounter Laminator and a 100" Table Top Trimmer for the Graphic Communications and Printing Lab. Bid documents can be

obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 19-1224. Filed for public inspection August 9, 2019, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for a Content Management System (CMS). Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 19-1225. Filed for public inspection August 9, 2019, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for required electrical materials and labor to complete kitchen upgrades in the Schwalm Building. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 19-1226. Filed for public inspection August 9, 2019, 9:00 a.m.]
