

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending August 6, 2019.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
08-01-2019	Somerset Trust Company Somerset Somerset County Application for approval to merge First Bank of Lilly, Lilly, PA, with and into Somerset Trust Company, Somerset, PA.	Approved
08-05-2019	The Gratz Bank Gratz Dauphin County Application for approval to purchase assets and assume liabilities of one branch of Riverview Bank, Marysville, PA, located at: 450 West Shamokin Street Trevorton Northumberland County, PA	Approved

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-31-2019	Mid Penn Bank Millersburg Dauphin County	1213 North Church Street Hazle Township Luzerne County	Filed
08-02-2019	Wayne Bank Honesdale Wayne County	1130 Wyoming Avenue Exeter Luzerne County	Filed

#### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
08-01-2019	Noah Bank Elkins Park Montgomery County	<i>To:</i> 308 Fifth Avenue New York New York County  <i>From:</i> 38 West 32nd Street Suite 1100 New York New York County	Approved

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
08-01-2019	Northwest Bank Warren Warren County	To: 1035 Payne Avenue North Tonawanda Niagara County, NY  From: 275 Meadow Drive North Tonawanda Niagara County, NY	Approved

**CREDIT UNIONS**

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 19-1232. Filed for public inspection August 16, 2019, 9:00 a.m.]

**DEPARTMENT OF  
BANKING AND SECURITIES**

**Maximum Lawful Rate of Interest for Residential  
Mortgages for the Month of September 2019**

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of September 2019, is 4 3/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 2.33 to which was added 2.50 percentage points for a total of 4.83 that by law is rounded off to the nearest quarter at 4 3/4%.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 19-1233. Filed for public inspection August 16, 2019, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Applications, Actions and Special Notices**

**APPLICATIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**

**APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION  
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)  
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### **I. NPDES Renewal Applications.**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0039861 (Industrial)	Altadis McAdoo Plant 1000 Tresckow Road McAdoo, PA 18237-2504	Schuylkill County Banks Township	Catawissa Creek (CWF/MF) (5-E)	Yes
PA0061212 (Sewage)	Christopher Yerger WWTP 655 Route 61 Orwigsburg, PA 17961-2231	Schuylkill County North Manheim Township	Mahannon Creek (CWF, MF) (3-A)	Yes
PA0062723 (Industrial)	Sunoco Partners Marketing & Terminals, L.P.— Fullerton Terminal 2480 Main Street Whitehall, PA 18052	Lehigh County Whitehall Township	Unnamed Tributary to Lehigh River (CWF, MF) (2-C)	Yes
PA0065072 (Industrial)	Pilot Travel Centers LLC— Flying J # 710 1623 Oliver Road New Milford, PA 18834	Susquehanna County New Milford Township	Unnamed Tributary to Nine Partners Creek (CWF, MF) (4-F)	Yes
PA0063797 (Sewage)	Pocono Valley Personal Care (PACONA Corporation)— Glucolodge Wastewater Treatment Plant 1127 Kimmertown Road Stroudsburg, PA 18360-6799	Monroe County Hamilton Township	Unnamed Tributary of Cherry Creek (HQ-CWF, MF) (1-E)	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0085073 (SEW)	Wood-Broad Top-Wells JMA	Bedford County/ Broad Top Township, Wells Township & Wood Township P.O. Box 7 Wood, PA 16694	UNT Trough Creek/11-D	Y

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0209431 (Sewage)	Thomas R. ShROUT Res 788 Beaver Branch Road Pa Furnace, PA 16865-9734	Centre County Halfmoon Township	Unnamed Tributary of Halfmoon Creek (HQ-CWF) (11-A)	Yes
PA0229181 (Sewage)	Penn's Tavern 113 River Road Sunbury, PA 17801-5243	Northumberland County Lower Augusta Township	Unnamed Tributary of Susquehanna River (WWF, MF) (6-B)	Yes
PA0229237 (Industrial)	Clearfield Municipal Authority Water System (Moose Creek Plant) 107 E Market Street Clearfield, PA 16830-2405	Clearfield County Lawrence Township	Moose Creek (CWF) (8-B)	Yes
PA0113158 (Sewage)	Daniel R Hawbaker Single Res 5881 W Buffalo Run Road Port Matilda, PA 16870-7609	Centre County Patton Township	Unnamed Tributary to Buffalo Run (HQ-CWF) (9-C)	Yes
PA0044245 (Sewage)	Parker Dam State Park 28 Fairview Road Penfield, PA 15849-7902	Clearfield County Huston Township	Laurel Run (HQ-CWF, MF) (8-A)	Yes
PA0209589 (Sewage)	Girard Township Collection Treatment Facility 165 Girard Circle P.O. Box 36 Leontes Mills, PA 16850-9730	Clearfield County Girard Township	West Branch Susquehanna River (WWF) (8-C)	Yes
PA0044547 (Sewage)	Hills Creek State Park 111 Spill Way Road Wellsboro, PA 16901-7022	Tioga County Charleston Township	Hills Creek (WWF) (4-A)	Yes
PA0208558 (Sewage)	Shamokin Township Municipal Authority Wastewater Treatment Plant 649 Seven Points Road Sunbury, PA 17801-7091	Northumberland County Shamokin Township	Lick Creek (CWF) (6-B)	Yes

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0254151 (Industrial)	Sprague Energy Bridge Street Bulk Plant 1045 W Chestnut Street Washington, PA 15301-4136	Washington County Washington City	Catfish Creek (WWF) (20-F)	Yes

## **II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0081353**, Sewage, SIC Code 4212, **Crowe Transportation**, 2388 N Market Street, Elizabethtown, PA 17022-1141. Facility Name: Southern States Elizabethtown Petro Products. This existing facility is located in West Donegal Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary to Conewago Creek (TSF), is located in State Water Plan watershed 7-G and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .007 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.3	XXX	1.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	21	XXX	42
May 1 - Oct 31	XXX	XXX	XXX	7.0	XXX	14
TKN	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	43	XXX	2.0	XXX	4.0
	Total Mo	Total Annual				

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0088439**, Sewage, SIC Code 6515, **RET Developers, LLC**, 347 Village View Drive, McConnellsburg, PA 17233. Facility Name: School House Village. This existing facility is located in Licking Creek Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal and transfer of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sindeldecker Branch, is located in State Water Plan watershed 13-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	15.0	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

Parameters	Mass Units (lbs)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

Sludge use and disposal description and location(s): Liquid biosolids are hauled-off from site by County Septic.

In addition, the permit contains the following major special conditions:

- Solids management for non-lagoon system, chlorine optimization, notification of designation of responsible operator
- You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0087106**, Sewage, SIC Code 8661, **Freedom Valley Worship Center AOG Inc.**, 3185 York Road, Gettysburg, PA 17325-8259. Facility Name: Freedom Valley Worship Center. This existing facility is located in Straban Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Swift Run, is located in State Water Plan watershed 7-F and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	18	XXX	36
May 1 - Oct 31	XXX	XXX	XXX	6.0	XXX	12

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0261912**, Sewage, SIC Code 5812, **David Bard**, 4587 Chambersburg Road, Biglerville, PA 17307-9531. Facility Name: Scooters Mountainside Tavern. This existing facility is located in Franklin Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Marsh Creek (CWF, MF), is located in State Water Plan watershed 13-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0015 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0083674**, Sewage, SIC Code 3999, 5812, **Rainworth Inc.**, 1979 Biglerville Road, Gettysburg, PA 17325-8038. Facility Name: Rainworth Apartments. This existing facility is located in Straban Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to White Run (WWF, MF), is located in State Water Plan watershed 13-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0012 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
	Wkly Avg	Wkly Avg				
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0246590**, Sewage, SIC Code 8811, **Dennis A McClure & Janice E McClure**, 3469 McAlevys Fort Road, Petersburg, PA 16669-2802. Facility Name: McClure Residence. This existing facility is located in Jackson Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Laurel Run (HQ-CWF, MF), is located in State Water Plan watershed 11-B and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**NPDES Permit No. PAI120502**, CAFO, **Inguran LLC Dva St Genetics**, 1141 State Road, Lincoln University, PA 19352-1005.

This existing facility is located in New London Township, **Chester County**.

Description of size and scope of existing operation/activity: 1,404.60 AEU's.

The receiving stream, Unnamed Tributary to Hodgson Run (HQ-TSF, MF), is in watershed 7-K and classified for: High Quality Waters—Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.*

**PA0255581**, Sewage, **Jackson Clayton**, 130 White Street, Washington, PA 15301. Facility Name: Jackson Properties SRSTP Washington County. This proposed facility is located in Canton Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage to replace malfunctioning on-lot system.

The receiving stream(s), Drainage Swale to Unnamed Tributary of Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Instant. Minimum	Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

Sludge use and disposal description and location(s): Septage hauler will transport for further treatment.

The EPA Waiver is in effect.

**PA0255572**, Storm Water, **River Materials Inc.**, 103 Yost Boulevard, Suite 200, Pittsburgh, PA 15221. Facility Name: Mckeessport Handling Facility. This proposed facility is located in McKeessport City, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.



The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0253308**, Industrial, SIC Code 9999, **AK Steel Corporation**, P.O. Box 832, Butler, PA 16003. Facility Name: AK Steel Hillside Landfill Site. This facility is located in Harmony Township, **Beaver County**.

Description of Activity: The application is for a new NPDES permit for discharges of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Ohio River, is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Boron, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
PCB-1016 (ug/L)	XXX	XXX	XXX	Report	Report	XXX
PCB-1242 (ug/L)	XXX	XXX	XXX	Report	Report	XXX
PCBs, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Boron, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
PCB-1016 (ug/L)	XXX	XXX	XXX	Report	Report	XXX
PCB-1242 (ug/L)	XXX	XXX	XXX	Report	Report	XXX
PCBs, Total (ug/L)	XXX	XXX	XXX	0.000064	0.000064	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 3919402**, Sewage, **Bendel Daniel and Mary**, 1590 Canary Road, Quakertown, PA 18951.

This proposed facility is located in Washington Township, **Lehigh County**.

Description of Proposed Action/Activity: The project is for a new private residence Small Flow Treatment Facility to replace a failing on-lot system.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 6319408**, Sewage, **Jackson Clayton L**, 130 White Street, Washington, PA 15301.

This proposed facility is located in Canton Township, **Washington County**.

Description of Proposed Action/Activity: Installation of a SRSTP to replace malfunctioning on-lot system.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 1017407 A-1**, Sewage, **William Crispen**, 233 Hall Road, Slippery Rock, PA 16057.

This existing facility is located in Clay Township, **Butler County**.

Description of Proposed Action/Activity: Amendment to switch from aerobic unit to coco filter unit for a single residence sewage treatment plant.

#### **IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).**

*Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.*

**PAI132265**, MS4, **Stroud Township**, 1211 North 5th Street, Stroudsburg, PA 18360. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Stroud Township, **Monroe County**. The receiving streams, Brodhead Creek (TSF/MF, CWF/MF existing use), Tributary 4777 to Brodhead Creek (TSF/MF), Tributary 4929 to Brodhead Creek (HQ-CWF/MF), Unnamed Tributary to Tributary 4929 to Brodhead Creek (HQ-CWF/MF), McMichael Creek (HQ-CWF/MF), Pocono Creek (HQ-CWF/MF), Tributary 4785 to Pocono Creek (HQ-CWF/MF), Little Pocono Creek (HQ-CWF/MF), Tributary 4782 to Little Pocono Creek (HQ-CWF/MF), Big Meadow Run (HQ-CWF/MF), Flagler Run (HQ-CWF/MF), Tributary 4784 to Flagler Run (HQ-CWF/MF), Wigwam Run (HQ-CWF/MF) and Sambo Creek (CWF/MF), are located in State Water Plan watershed 1-E and are classified as indicated above, as well as for aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

**PAI132254**, MS4, **Lower Milford Township**, 7607 Chestnut Hill Church Road, Coopersburg, PA 18036-3712. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Lower Milford Township, **Lehigh County**. The receiving streams, Tributary 1401 to Licking Creek (HQ-TSF/MF), Tributary 3382 to Saucon Creek (CWF/MF), Saucon Creek (CWF/MF, HQ-CWF/MF existing use), Tributary 1402 to Unami Creek (HQ-TSF/MF) and Tributary 1404 to Unami Creek (HQ-TSF/MF), are located in State Water Plan watersheds 3-E and 2-C and are classified as indicated above, as well as for aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD510050	Provco Good MCB Byberry, L.P. 795 Lancaster Avenue Building No. 2 Suite 200 Villanova, PA 19085-1500	Philadelphia	City of Philadelphia	Walton Run WWF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390113	Maplewood Residential Inc. 1030 W Germantown Pike P.O. Box 287 E Norriton, PA 19403	Lehigh	Lower Milford Twp	Saucon Creek (HQ-CWF, MF)

*Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450092	Airstrip Rd Dc LLC 221 Skyline Dr Ste 208/201 East Stroudsburg, PA 18301	Monroe	Smithfield Twp	Sambo Creek (CWF, MF) EV Wetlands (EV)

*Pike County Conservation District, 556 Route 402, Suite 1, Hawley, PA 18428.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD520022	Raymondskill Properties LLC 1800 S Brand Blvd Ste 203 Glendale, CA 91204	Pike	Dingman Twp	Raymondskill Creek (HQ-CWF, MF)

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD060033	Rick Furches 12 Fox Tale Lane Oley, PA 19547	Berks	Pike Township	Oysterville Creek (HQ-CWF, EV)
PAD310008	American Transmission Systems, Inc. FirstEnergy Corp 341 White Pond Drive Akron, OH 44320	Huntingdon Mifflin	Mount Union Borough Brady Township Shirley Township Wayne Township	Juniata River (WWF) UNTs Juniata River (HQ-CWF) Hill Valley Creek (HQ-CWF) UNT Hill Valley Creek (HQ-CWF)

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

<i>Permit No.</i>	<i>Applicant &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAD300009	Greene County 93 East High Street Waynesburg, PA 15370	Greene County	Franklin Township	Wisecarver Run (HQ-WWF)
PAD630032	Myers Well Service 40 Industry Drive Eighty Four, PA 15330	Washington County	North Strabane Township	UNT to Chartiers Creek (HQ-WWF)
PAD630037	KHET PA, LLC 8777 Rockside Road Cleveland, OH 44125	Washington County	Somerset Township	Opossum Run (HQ-WWF)

*Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Clarion County Conservation District: 217 S 7th Avenue, Room 106A, Clarion, PA 16214, 814-297-7813.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD160002	Washington Township Municipal Authority P.O. Box 124 Fryburg, PA 16326	Clarion	Washington Township	McCauley Run EV, East Sandy CWF

**VII. List of NOIs for NPDES and/or Other General Permit Types.**

PAG-12                      CAFOs

**CAFO Notices of Intent Received.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**NPDES Permit No. PAG123892**, CAFO, **Carowick Casey S**, 6109 Country Lane, Todd, PA 16685.

This proposed facility is located in Cass Township, **Huntingdon County**.

Description of size and scope of proposed operation/activity: 766.08 AEUs.

The receiving stream, Curfman Run (TSF, MF), is in watershed 11-D and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**NPDES Permit No. PAG126107**, CAFO, **Vangilder David C**, 582 Rocky Lane, Berlin, PA 15530-6535.

This proposed facility is located in Brothersvalley Township, **Somerset County**.

Description of size and scope of proposed operation/activity: 1,122.04 AEUs.

The receiving stream, Unnamed Tributary of Buffalo Creek (CWF), is in watershed 19-F and classified for: Cold Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**STATE CONSERVATION COMMISSION**

**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Stone Hog Production, LLC Bronson Stone 12547 Stage Road McClure, PA 17841	Snyder	410.9 for manure application	946.15	Swine/ Finishing	NA	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Glenn & Joel Martin 2077 Mountain Road Manheim, PA 17545	Lancaster	212.9	36.5	Ducks	HQ	R
Leshner's Poultry Farm, Inc. 1153 Swamp Fox Road Chambersburg, PA 17202	Franklin	2,560	1,286.75	Poultry	HQ	Renewal
Randy Brubaker 1908 Valley Road Manheim, PA 17545	Lancaster	26.7	801.77	Broiler/ Swine	NA	R
Hillandale Gettysburg, LP 3910 Oxford Road Gettysburg, PA 17325	Adams	1,185.6	221,241.89	Poultry— layers	NA	Renewal
Jodie Brubaker 1908 Valley Road Manheim, PA 17545	Lancaster	84.2	455.18	Broilers	NA	R
A&L Farms, Linford Snyder 831 Greble Road Lebanon, PA 17046	Berks	37.3	254.92	Poultry	NA	Approved

**PUBLIC WATER SUPPLY (PWS) PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. 0919517, Public Water Supply.**

Applicant	<b>Plumstead Township</b> P.O. Box 387 5186 Stump Road Plumsteadville, PA 18949
Township	Plumstead
County	<b>Bucks</b>
Responsible Official	Ms. Carolyn McCreary P.O. Box 387 5186 Stump Road Plumsteadville, PA 18949
Type of Facility	PWS
Consulting Engineer	Gilmore & Associates, Inc. 65 E. Butler Avenue New Britain, PA 18901
Application Received Date	July 23, 2019
Description of Action	Installation of Greensand filtration

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Application No. 4519506, Public Water Supply.**

Applicant	<b>Brodhead Creek Regional Authority</b> 410 Mill Creek Road East Stroudsburg, PA 18301
Municipality	Pocono Township
County	<b>Monroe</b>
Type of Facility	Public Water Supply
Consulting Engineer	Russell D. Scott IV, P.E. RKR Hess, a Division of UTRS, Inc. 112 North Courtland Street East Stroudsburg, PA 18301

Application Received Date July 22, 2019  
 Description of Application The applicant is proposing to construct two (2) 750,000 gallon water storage tanks, a booster pump station and 4,500 feet of two (2) 16-inch D.I.P. waterlines along S.R. 0715 in Tannersville to moderate water service pressure in the lower half of the Pocono Township Water Service Area. Additional work proposed as part of this project consists of the following: a re-chlorination system building at the proposed tanks site; modifications and re-rate of the existing Pocono Pump Station located in Bartonsville; and water main installations along Frantz Road from the existing Frantz Road water storage tank.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 5019509**, Public Water Supply.  
 Applicant **Suez Water Pennsylvania, Inc.**  
 Municipality Marysville Borough  
 County **Perry**  
 Responsible Official John D. Hollenbach  
 General Manager  
 4211 East Park Circle  
 Harrisburg, PA 17111-0151  
 Type of Facility Public Water Supply  
 Consulting Engineer Max E. Stoner, P.E.  
 Glace Associates, Inc.  
 3705 Trindle Rd  
 Camp Hill, PA 17011  
 Application Received: 7/31/2019  
 Description of Action Installation of a booster pump station for the Rockville Estates Development located in Marysville, Perry County.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 2619510**, Public Water Supply.  
 Applicant **Pennsylvania American Water Company**  
 852 Wesley Drive  
 Mechanicsburg, PA 17055  
 [Township or Borough] North Union Township  
 Responsible Official David Kaufman, P.E.  
 Vice President of Engineering  
 Pennsylvania American Water Company  
 852 Wesley Drive  
 Mechanicsburg, PA 17055  
 Type of Facility Uniontown water system  
 Consulting Engineer Gwin, Dobson & Foreman, Inc.  
 3121 Fairway Drive  
 Altoona, PA 16602

Application Received Date July 26, 2019  
 Description of Action Construction of the High Street booster station and the installation of approximately 4,100 feet of waterline.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**  
**UNDER ACT 2, 1995**  
**PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appro-

priate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Titanium Wire**, 235 Industrial Park Road, West Mahanoy Township, **Schuylkill County**. HRG Inc., 369 East Park Drive, Harrisburg, PA 17111, on behalf of Titanium Wire Corporation, 1000 Six PPG Place, Pittsburgh, PA 15222, submitted a Notice of Intent to Remediate. Groundwater was contaminated with volatile organic compounds as the result of historic site operations. Future use of the site will be non-residential. Statewide Health remediation standards are planned for this site. The Notice of Intent to Remediate was published in *The Republican Herald* on July 23, 2019.

**WY 10 Falconero Well Pad**, 456 Main Road, Forkston Township, **Wyoming County**. Woodard & Curran, 12 Frear Hill Road, Tunkhannock, PA 18657, on behalf of Falconero Family LP, 22 Tranquility Drive, Malvern, PA 19355, submitted a Notice of Intent to Remediate. Soil contamination was caused by a release of production fluid (brine) from a natural gas well. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Wyoming County Press Examiner* on July 17, 2019.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit

number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**24-083Y: Mersen USA** (215 Stackpole St., St. Marys, PA 15857) for the installation of a backup thermal oxidizer at their facility in the City of St. Marys, **Elk County**. This is a Title V facility.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 24-083Y to Mersen USA for the installation of a backup thermal oxidizer at their facility in the City of St. Marys, Elk County. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 24-083Y is for the installation of a thermal oxidizer as a backup to an existing regenerative thermal oxidizer (RTO) for control of VOC emissions from existing Source ID 129. Based on the information provided by the applicant and DEP's own analysis, installation of the proposed control device will result in potential

emissions increases of approximately 0.54 ton of nitrogen oxides (NO<sub>x</sub>) and 0.11 ton of carbon monoxide per year.

The Plan Approval will contain monitoring, reporting, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown below. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the address shown below. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the following: name, address, and telephone number of the person submitting comments; identification of the proposed Plan Approval; No. 24-083Y; and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

### OPERATING PERMITS

#### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00006: US Steel Corp, Mon Valley Works—Fairless Plant** (400 Middle Drive, Fairless Hills, PA 19030) located in Falls Township, **Bucks County**. This action is a renewal of the Title V Operating Permit, the current permit expired on November 19, 2017. As a result of the potential emissions of NO<sub>x</sub>, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. This facility is an area source for HAP emissions. There are no new applicable regulations and no new sources since the permit was last issued in August 2016. The renewal contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-05007: Adhesive Research, Inc.** (P.O. Box 100, Glen Rock, PA 17327) for the adhesive manufacturing operations at the facility in Springfield Township, **York County**. The actual emissions from the facility in 2018 are estimated at 4.31 tons of NO<sub>x</sub>, 3.63 tons of CO, 10.46 tons of VOC, 4.91 tons total HAP, 3.60 tons of Toluene, and less than 1 ton each of PM<sub>10</sub> and SO<sub>x</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements of 40 CFR Part 60 Subpart RR—NESHAP for Pressure Sensitive Tape and Label Surface Coating Operations for VOC, 40 CFR Part 63 Subpart DDDDD—Boiler MACT, 40 CFR Part 63 Subpart JJJJ—NESHAP for Paper and other Web Coating Operating limits, 40 CFR Part 63 Subpart FFFF—NESHAP for miscellaneous organic chemical manufacturing, 40 CFR Part 63 Subpart UU—NESHAP equipment leaks, as referenced from Subpart FFFF, 40 CFR Part 63 Subpart HHHHH—Miscellaneous Coating Manufacturing, and 40 CFR Part 63, Subpart SS—NESHAP Closed Vent Systems, Control Devices, Recovery Devices and Routing to a Fuel Gas System or a Process. Source IDs 115A, 115B, 116, 118, 125, C03, C04, C10, and C11 are subject to 25 Pa. Code §§ 129.96—129.100 Presumptive RACT.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426.*

**V15-001: Sunoco Partners Marketing & Terminals L.P.—Belmont Terminal** (2700 Passyunk Avenue, Philadelphia, PA 19145) for the operation of a gasoline loading terminal in the City of Philadelphia, **Philadelphia County**. The Title V facility's air emission sources include a gasoline and distillate truck loading process controlled by two vapor combustion units, one (1) 80 kilowatt diesel-fired emergency generator, and fugitive emissions from pumps, valves, and flanges.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Ave., Philadelphia, PA 19104. For further information, contact Mr. Edward Wiener (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the above operating permit must submit the protest, comments, or public hearing request within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

**OP18-000003: Philadelphia Ship Repair, LLC** (5195 South 19th Street, Philadelphia, PA 19112) for the operation of a ship repairing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include: one (1) natural gas-fired heating boiler rated at 0.792 MMBtu/hr; one (1) No. 2 Oil-fired portable heating boiler less than 8.4 MMBtu/hr; ship painting operations including underwater hulls, interior, superstructure, and interior tanks; abrasive blasting opera-



tions; fugitive emissions from containment tarps and dust collector; three (3) diesel-fired portable rental compressors less than 440 horsepower; five (5) diesel-fired portable rental washers less than 250 HP, and one diesel-fired fire pump rated at 225 horsepower.

The facility is a major source of Volatile Organic Compounds (VOCs) and Hazardous Air Pollutants (HAPs). The facility is taking rolling 12-month fuel usage to assure the facility's potential NO<sub>x</sub> emissions are less than 25 tons per rolling 12-month period and the facility remains a minor source of NO<sub>x</sub>. The facility must keep records. As per Plan Approval 12093 dated 12/17/2012, the facility shall emit less than 25 tons of NO<sub>x</sub>, 42.5 tons of VOC, 32 tons of any singular HAP, and 38 tons of total HAPs per rolling 12-month period. The Permittee shall monitor and record monthly verification or calculations to demonstrate compliance with the fuel usage limits, VOC, and HAP rolling 12-month emission limits.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Ave., Philadelphia, PA 19104. For further information, contact Mr. Edward Wiener (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the above operating permit must submit the protest, comments, or public hearing request within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**15-00114: Action Manufacturing Company** (500 Bailey Crossroads, Atglen, PA 19310) for the renewal of a Non-Title V Facility, State-Only, Natural Minor Operating Permit in West Fallowfield Township, **Chester County**. The initial operating permit was issued on April 1, 2009, and was effective May 1, 2009. Action Manufacturing Company produces ordinance detonators of various shapes and sizes, along with other miscellaneous components of the detonators. The primary sources of air emissions from the facility are Misc. Combustion Sources (Source ID 030), Six (6) Detonator Chambers (Source ID 100), and a Thermal Treatment Unit (Source ID 101). The boilers associated with Source ID 030 are all rated at less than 2.5 MMBtu/Hr and are therefore uncontrolled. Source ID 100 and 101 are each controlled by particulate filtration systems (Source ID C100 and C101). Potential emissions of SO<sub>x</sub> from the facility will be less than 4.0 TPY. CO emissions will be less than 3.0 TPY. Emissions of NO<sub>x</sub>, VOC, PM, and HAP will each be less than 2.0 TPY. The permit will contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

**46-00231: Judson A. Smith Company**, (857-863 Sweinhart Road, Boyertown, PA 19512) for the renewal of a Natural Minor Operating Permit in Douglass Township, **Montgomery County**. The initial operating permit was issued on April 9, 2009, and was effective May 01, 2009. Judson A. Smith Company fabricates metal tubing components used for the medical, auto, aerospace, and electronic industries. The primary sources of air emissions from the facility are Cold Cleaning Machines (Source ID 103), Two (2) Emergency Generators (Source ID 104), and an UltraKool Vapor Degreaser (CTP1812) (Source ID 105). The following requirements have been incorporated: (1) 25 Pa. Code § 129.63 and 40 CFR Part 63, Subpart T for the various degreasers., and (2) 40 CFR Part 63, Subpart ZZZZ for the emergency generators. Potential emissions from the facility are less than the following emission rates: 16.0 tpy for VOCs, 6.0 tpy for HAP, 6.0 tpy for PM, 3.0 tpy for NO<sub>x</sub>, and 2.0 tpy for SO<sub>x</sub> and CO. The permit contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

**15-00085: Lincoln University** (1570 Baltimore Pike, Lincoln University, PA 19352), for the renewal of a non-Title V, State-Only, Synthetic Minor Operating Permit in Lower Oxford Township, **Chester County**. The initial operating permit was issued on December 10, 2002. The facility is a college campus that has various combustion sources (boilers, water heaters, space heaters) and various emergency generators as pollution sources. The facility is a Synthetic Minor for NO<sub>x</sub>. The facility is subject to an existing site-wide limit of 24.9 TPY for NO<sub>x</sub>. The following are potential emissions for criteria pollutants apart from NO<sub>x</sub>: CO—33.4 TPY, PM—2.8 TPY, SO<sub>x</sub>—0.7 TPY, VOC—2.2 TPY, and HAP—0.9 TPY. This permit renewal incorporates RFD No. 3675, for the installation of two (2) 1,500 kW emergency generators. The permit will continue to include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**54-00089: Schuylkill Alliance Crematory, LLC** (1172 Morea Road, Mahanoy City, PA 17948). The Department intends to issue an initial State-Only Natural Minor Permit for the Schuylkill Alliance Crematory, LLC located in Mahanoy Township, **Schuylkill County**. This facility operates a liquid propane fired cremation system. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-03051: Johnson & Johnson Consumer, Inc.** (1838 Colonial Village Lane, Lancaster, PA 17601-6700) to issue a State-Only Operating Permit for the pharmaceuti-

cal manufacturing facility in East Lampeter Township, **Lancaster County**. The subject facility has the potential-to-emit 14.0 tpy of NO<sub>x</sub>, 12.3 tpy of CO, 0.2 tpy of SO<sub>x</sub>, 4.9 tpy of PM<sub>10</sub>, 5.6 tpy of VOC, and 0.25 combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.11, 123.13, 123.22, 129.63, 40 CFR 60, Subpart III—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, and 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

**01-05040: Texas Eastern Transmission LP, Heidlersburg CS** (P.O. Box 1642, Houston, TX 77251) for the operation of a natural gas pipeline compressor station in Tyrone Township, **Adams County**. This is for renewal of the existing State-only permit. The potential emissions from the facility are estimated at 2.70 tpy NO<sub>x</sub>, 2.21 tpy CO, 45.6 tpy VOC, 4.40 tpy HAPs, 0.27 tpy SO<sub>2</sub> and 0.15 tpy PM. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**07-05033: Grannas Bros. Stone & Asphalt Co., Inc.—Ganister Quarry** (P.O. Box 488, Hollidaysburg, PA 16648) for the operation of a limestone quarry and asphalt mixing plant located in Catherine Township, **Blair County**. This is for renewal of the existing state-only permit. The potential emissions from the facility are estimated at 11.5 tpy NO<sub>x</sub>, 53.3 tpy CO, 19.3 tpy VOC, 1.5 tpy SO<sub>2</sub> and 13.9 tpy PM<sub>10</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**67-05143: York Plant Holding** (651 Memory Ln, York, PA 17402) to issue a State Only Operating Permit for the electrical generation facility located in Springettsbury, **York County**. The potential emissions from the facility are estimated at 95.8 tons per year NO<sub>x</sub>, 70.5 tons per year CO, 4.8 tons per year PM<sub>10/2.5</sub>, 4.1 tons per year VOC, and less than 1 ton per year each of SO<sub>x</sub> and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.91—control of major sources of NO<sub>x</sub>, additional RACT requirements for major sources of NO<sub>x</sub> pursuant to 25 Pa. Code §§ 129.96—129.100, 25 Pa. Code § 129.63—Degreasing Operations, and 40 CFR Part 60, Subpart GG—Standards of Performance for Stationary Gas Turbines.

**28-03025: Wenger Feed Mill, Inc.** (101 West Harrisburg Avenue, Rheems, PA 17570) to issue a State Only Operating Permit for Shippensburg plant located in Southampton Township, **Franklin County**. The facility's potential PM<sub>10</sub> emissions are estimated at 59.81 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions from 25 Pa. Code Chapter 123 and 40 CFR 63 Subpart DDDDDDD.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**63-00968: MarkWest Liberty Midstream & Resources, LLC** (320 Point Pleasant Road, Burgettstown, PA 15021) Synthetic Minor Operating Permit is for a natural gas compressor station and is located in Smith Township, **Washington County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the above-mentioned facility. Sources of emissions consist of eight 1,980 BHP compressor engines, two 1,480 BHP compressor engines, one dehydration unit and reboiler, one flare, five storage tanks, pigging operations, venting/blowdowns, crankcase vents, and other fugitive emission sources such as truck loadout. The facility is required to conduct regular surveys of the site while operating to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The facility-wide potential-to-emit is 41.9 TPY NO<sub>x</sub>, 60.9 TPY CO, 48.0 TPY VOC, 6.8 TPY PM, 6.8 TPY PM<sub>10</sub>/PM<sub>2.5</sub>, 0.50 TPY SO<sub>x</sub>, 92,270 TPY CO<sub>2e</sub>, 12.8 TPY total HAP, and 1.87 TPY for single HAP (formaldehyde). The air quality permit includes operation requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the following: name, address and telephone number of the person submitting the comments; identification of the proposed Operating Permit (63-00968); and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Bradley Spayd, Air Quality Engineering Specialist, at the above address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**24-00111: Penn Highlands Elk** (763 Johnsonburg Rd, Saint Marys, PA 15857), the Department intends to issue the renewal of the State-Only Operating Permit of a

healthcare institution located in Saint Marys City, **Elk County**. Permitted air contamination sources are two gas-fired/oil-fired boilers, a backup biomass boiler, and two emergency generators. The facility is a Natural Minor and an area source for permitting and MACT purposes. The gas-fired/oil-fired boilers are subject to 25 Pa. Code § 123.22. The backup biomass boiler is subject to § 40 CFR 60 Subpart Dc and § 40 CFR 63 Subpart JJJJJ. The emergency generators are subject to § 40 CFR 63 Subpart ZZZZ. In this renewal, applicable changes in 25 Pa. Code § 123.22 as amended in 2013 are incorporated into the operating permit. Operating hour restrictions are added for the gas-fired/oil-fired boilers to assure exemption from § 40 CFR 63 Subpart JJJJJ. Initially permitted through PA 24-111A, the biomass boiler previously functioned as the primary boiler for normal operations. With the rising costs of woodchips and decreasing price in natural gas, however, the gas-fired/oil-fired boilers have been operated as the primary boilers since early 2015 while the biomass boiler is kept as a backup unit, fired once or twice per year for testing and certification purposes. Based on the approved request, the 5-year stack test requirement for the biomass boiler is removed from the operating permit.

This is a republish notice to inform of the removal of the 5-year stack test requirement for the biomass boiler. The first *Pennsylvania Bulletin* notice was published on June 29, 2019.

**43-00037: Development of Sharpsville Furnace, Ltd.** (2 North Sixth Street, Sharpsville, PA 16150), the Department intends to issue a State Only Operating Permit for the facility located in Sharpsville Borough, **Mercer County**. The facility is a Natural Minor. The primary sources at the facility include nonmetallic mineral processing plant, feeder, crusher, and roadways. The potential emissions from the facility are less than the Title V thresholds. The permit includes a federally enforceable restriction on slag processing of not to exceed 54,000 tons per year. The permit renewal contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**32-00380: Tipple Four J, Armstrong Township** (8612 Route 422 W, Shelocta, PA 15774). The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for the coal preparation plant located in Armstrong Township, **Indiana County**. The facility's primary emission sources include the coal yard (screening operations, crushing operations, transfer operations, stockpiles, road dust), a diesel-fueled 188-hp engine that runs the crusher, and a diesel-fueled 87-hp engine that runs the draw screens. The potential emissions of the primary pollutants from the facility are as follows: 6.60 TPY (tons per year) NO<sub>x</sub>, 1.42 TPY CO, 0.54 TPY VOC, 13.22 TPY filterable PM<sub>10</sub>, 0.88 TPY filterable PM<sub>2.5</sub>, and 0.44 TPY SO<sub>2</sub>; thus, the facility is a natural minor. The facility is subject to 40 CFR 60 Subpart Y, Standards of Performance for Coal Preparation and Processing Plants. The diesel engines are subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**25-00970: F3Metalworx Inc.** (12069 East Main Road, North East, PA 16428-3641). The Department on July 18, 2019 issued a renewal of the Natural Minor Operating Permit to operate a manufacturing and powder coating of

wire shelving systems for the retail industry located in North East Township, **Erie County**. The emitting sources include a Fluidized Bed Sand Stripper, a burn off oven and, miscellaneous natural gas usage. The facility is a natural minor. The facility wide potential emissions are: NO<sub>x</sub>: 15.73 TPY (tons per year), VOC: 2.69 TPY, CO: 16.02 TPY, PM: 3.04 TPY, and emissions of all other criteria pollutants are less than a ton per year, each.

**42-00215: Kane Area School District—Kane Area High School** (400 West Hemlock Avenue, Kane, PA 16735-1644) the Department on July 18, 2019 issued a renewal of the Natural Minor Operating Permit for this educational facility in Wetmore Township, **McKean County**. The facility's primary emissions are from a Wood Fired Boiler (7.1 MMBtu/hr) controlled by a multicyclone and (2) Natural Gas Fired Boilers (2.79 MMBtu/hr each) used to provide comfort heat and hot water to the school. There is also an Emergency Power Generator (125 HP) powered by a natural gas engine to provide limited power in the event of a power outage. The generator was installed in Summer 2018 and is subject to the requirement of 40 CFR Part 60 Subpart IIII pertaining to Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The engine is an EPA certified engine.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as

provided by 25 Pa. Code §§ 77.123 or 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

#### *Coal Applications Received*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 56040103. Fieg Brothers**, P.O. Box 38, Berlin, PA 15530, permit renewal for reclamation only of a bituminous surface mine in Southampton Township, **Somerset County**, affecting 74.8 acres. Receiving stream: unnamed tributaries to North Branch Jennings

Run classified for the following uses: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 2, 2019.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**17831601. River Hill Coal Company, Inc.** (P.O. Box 141, Kylertown, PA 16847). Permit revisions on a coal preparation plant/processing facility for postmining land use change from Forestland to Industrial/Commercial in Karthaus Township, **Clearfield County** affecting 16.0 acres. Receiving streams: West Branch of the Susquehanna River classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: July 24, 2019.

#### *Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity*			
pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 56920301 and NPDES No. PA0599417, New Enterprise Stone & Lime Co., Inc.**, P.O. Box 77, New Enterprise, PA 16664, commencement, operation and restoration of a large noncoal (industrial minerals) mine to delete 99 acres from the existing permit that will be re-permitted by Windber Stone, LLC in Ogle Township, **Somerset County**, affecting 222.5 acres. Receiving streams: unnamed tributaries to Clear Shade Creek, classified for the following use: exceptional value. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Stonycreek SWW. Application received: July 16, 2019.

**Permit No. 05910301 and NPDES No. PA0599085, New Enterprise Stone & Lime Co., Inc.**, P.O. Box 77, New Enterprise, PA 16664, commencement, operation and restoration of a large noncoal (industrial minerals) mine to change the land use from Forestland & Pastureland to Unmanage Natural Habitat in Napier & West St. Clair Townships, **Bedford County**, affecting 133 acres. Receiving streams: unnamed tributary to/and Dunning Creek classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 25, 2019.

**Permit No. 28010301 and NPDES No. PA0123811, Redi, LLC**, 6801 Rice Road, P.O. Box 426, Shippensburg, PA 17257, transfer of an existing large noncoal (industrial minerals) from R.A. Hill, Inc., 1364 Lincoln Way East, Chambersburg, PA 17201, located in Hamilton Township, **Franklin County**, affecting 31.54 acres. Receiving streams: Conococheague Creek classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 5, 2019.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**25191001. McDonald Sand & Gravel, Inc.** (11425 Neiger Road, Girard, PA 16417). Application for new NPDES Permit No. PA0280712 in Springfield Township, **Erie County**. Receiving streams: Unnamed tributary to Crooked Creek, classified for the following uses: HQ. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 11, 2019.

**16030302 and NPDES Permit No. PA0242365. IA Construction Corporation** (24 Gibb Road, P.O. Box 568, Franklin, PA 16323). Revision to an existing large industrial minerals mine to add 20.0 acres in Richland and Licking Townships, **Clarion County** affecting 163.5 acres. Receiving streams: Two unnamed tributaries to Turkey Run and two unnamed tributaries to the Clarion River, classified for the following: HQ-CWF and CWF, respectively. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 24, 2019.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 7975SM4C8 and NPDES Permit No. PA0226041. Edison Quarry, Inc.** (25 Quarry Road, Doylestown, PA 18901), correction to include an NPDES Permit for discharge of treated mine drainage from a quarry operation in

Doylestown Township, **Bucks County** affecting 17.7 acres, receiving stream: Neshaminy Creek, classified for the following uses: trout stocking fishes and migratory fishes. Application received: July 22, 2019.

**Permit No. 64142801C and NPDES Permit No. PA0226050. Litts & Sons Stone Co., Inc.** (19 Primrose Drive, Springbrook Township, PA 18444), correction to include an NPDES Permit for discharge of treated mine drainage from a quarry operation in Sterling Township, **Wayne County** affecting 6.3 acres, receiving stream: Butternut Creek/Wallenpaupack Creek, classified for the following uses: exceptional value and high quality waters, cold water fishes and migratory fishes. Application received: July 26, 2019.

**Permit No. 5273SM1C9 and NPDES Permit No. PA0594261. H&K Group, Inc.** (P.O. Box 196, 2052 Lucon Road, Skippack, PA 19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Aston Township, **Delaware County** affecting 37.08 acres, receiving stream: Chester Creek, classified for the following use: trout stock fishery. Application received: July 26, 2019.

#### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

##### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity\*

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

##### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments

received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### Coal NPDES Draft Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**NPDES No. PA0279706 (Mining Permit No. 56190102), Fieg Brothers**, P.O. Box 38, Berlin, PA 15530, new NPDES permit for a bituminous surface mine in Somerset Township, **Somerset County**, affecting 29.0 acres. Receiving stream(s): unnamed tributaries to Kimberly Run, classified for the following use(s): cold water fishes. This receiving stream is included in the Coxes Creek TMDL. Application received: July 9, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The following outfall(s) discharge to unnamed tributaries to Kimberly Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	Y
002	Y
003	Y
004	Y

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Outfalls: 001 and 002 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			
<i>Outfalls: 003 (Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)			Report
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			
<i>Outfalls: 004 (Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			
<i>Outfalls: 003 (≤ 10-yr/24-hr Precip. Event)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			
<i>Outfalls: 003 (&gt;10-yr/24-hr Precip. Event)</i>			
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Noncoal NPDES Draft Permits*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**NPDES No. PA0280712 (Permit No. 25191001). McDonald Sand & Gravel, Inc.** (11425 Neiger Road, Girard, PA 16417), new NPDES permit for a small industrial minerals surface mine in Springfield Township, **Erie County**, affecting 88.9 acres. Receiving streams: Unnamed tributary to Crooked Creek to Crooked Creek to Lake Erie, classified for the following uses: HQ-CWF. TMDL: None. Application received: July 11, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

There will be no discharge from this site.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**NPDES No. PA0269841 (Mining Permit No. 53170301), Duffy, Inc.**, P.O. Box 374, 1 Delta Drive, Smethport, PA 16749, new NPDES permit for industrial minerals mining in Roulette Township, **Potter County** affecting 175.0 acres. Receiving stream(s): Unnamed Tributary No. 1 to the Allegheny River and Fishing Creek to the Allegheny River classified for the following use(s): CWF. Application received: May 21, 2018.

The following sediment pond outfalls 001, 002, and 003 discharge to Unnamed Tributary No. 1 and 004 to the Allegheny River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	Y
002	Y
003	Y
004	Y

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Flow (GPM or MGD)		Monitor Only	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

*New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**NPDES No. PA0252051 (Mining permit no. 65100401) Hanson Aggregates BMC, Inc.**, NPDES renewal permit for a surface noncoal mine in Fairfield Township, **Westmoreland County** affecting 179.3 acres. A variance is included on both sides of UNT A beginning approximately 1.5 mile upstream of SR 259 and continuing upstream 200 feet, for haul road access, stream crossing, and erosion control features within 100 feet of Freeman Run. Receiving stream(s): UNTs to Freeman Run classified for the following use: TSF. The receiving stream is subject to the Kiskiminetas-Conemaugh Total Maximum Daily Load. Application received: May 17, 2018.

The following treated wastewater outfall discharges to UNT C to Freeman Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (mOsm/kg)	N/A	N/A	N/A
Sulfates (mg/L)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following stormwater outfalls discharge to UNTs A and C to Freeman Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>TYPE</i>
003	N	Stormwater Outfall
004	N	Stormwater Outfall
005	N	Stormwater Outfall

The proposed effluent limits under all weather conditions for the previously listed outfalls are as follows:

<i>Outfalls: 003, 004, 005</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (mOsm/kg)	N/A	N/A	N/A
Sulfates (mg/L)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**NPDES Permit No. PA0224588 on Surface Mining Permit No. 06070301C2. H & K Group, Inc.,** (P.O. Box 194, Skippack, PA 19474), renewal of an NPDES Permit for a sandstone and siltstone quarry operation in Brecknock Township, **Lancaster County**, affecting 131.7 acres, receiving stream: unnamed tributary to Black Creek, classified for the following uses: HQ—warm water and migratory fishes. Application received: May 8, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The following outfall discharges to unnamed tributary to Black Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Mine Drainage Treatment

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instantaneous</i> <i>Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Net Alkalinity (mg/L)	0.0			
Alkalinity, Total (as CaCO <sub>3</sub> ) (mg/L)				Report
Acidity, Total (as CaCO <sub>3</sub> ) (mg/L)				Report
Total Suspended Solids		35.0	70.0	90.0
Turbidity (NTU)		40.0	80.0	100.0
Oil and Grease (mg/L)				Report

<sup>1</sup> The parameter is applicable at all times.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request

are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E1302219-001. UGI Utilities, Inc.,** 1 UGI Drive, Denver, PA 17517, in Lehighon Borough, **Carbon County**, U.S. Army Corps of Engineers, Philadelphia District.

To stabilize and maintain a 50-foot reach of Mahoning Creek (CWF, MF) for the purpose of protecting an existing exposed 4-inch diameter petroleum pipeline. The watercourse will be stabilized with rip rap choked with streambed material up to a depth of approximately 1.5-feet. The pipeline will be protected with sand bags, articulating concrete revetment mats and rip rap choked



with streambed material. The project is located approximately 0.2 mile south of the intersection of East Bridge Street and Blakeslee Boulevard Drive in Lehighon Borough, Carbon County. (Lehighon, PA Quadrangle, Latitude: 40° 49' 27.7"; Longitude: -75° 42' 15").

**E3502219-004. Lackawanna County**, 1280 Mid Valley Drive, Jessup, PA 18434, in Greenfield Township, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Lee Road (T-572) Structure Replacement over Dundaff Creek (CWF, MF):

1) To remove an existing dual CMP culvert stream crossing and to construct and maintain a 28.6-foot long, 22.0-foot span single cell precast concrete box culvert crossing of Dundaff Creek (CWF, MF) having a 6.0-foot underclearance to the normal flow elevation, riprap, and precast concrete upstream and downstream wingwalls. The proposed culvert crossing, and roadway alignment will be relocated approximately 60-feet upstream of the existing crossing.

2) To relocate approximately 206 linear feet of a UNT to Dundaff Creek (CWF, MF). The unnamed tributary is being relocated slightly east, due to the embankment grading associated with the new crossing of Dundaff Creek (CWF, MF). The new channel will be seeded and lined gravel and cobble to mimic a natural stream bed.

3) To place fill in 0.27 acre of the floodway of Dundaff Creek (CWF, MF) for the construction of the new culvert crossing and channel realignment.

The project is located north of the intersection of Lee Road (T-572) and SR 0106 in Greenfield Township, Lackawanna County (Clifford, PA Quadrangle, Latitude: 41° 38' 8"; Longitude: -75° 34' 48").

**E3502219-002. Buckeye Partners, L.P.**, Five TEK Park, 9999 Hamilton Boulevard, Breinigsville, PA 18031, in Moosic Borough, **Lackawanna County**, U.S. Army Corps of Engineers, Philadelphia District.

To stabilize and maintain a 40-foot reach of Covey Swamp Creek (CWF, MF) for the purpose of protecting an existing exposed 8-inch diameter petroleum pipeline. The watercourse will be stabilized with a boulder grade control structure and rip rap choked with streambed material up to a depth of approximately 1.5-feet. The pipeline will be protected with sand bags, articulating concrete revetment mats and rip rap choked with streambed material. The project is located approximately 0.16 mile northeast of the Interstate-476 and Rocky Glen Road intersection (Avoca, PA Quadrangle, Latitude: 41° 21' 2"; Longitude: -75° 42' 30").

*Southwest Region: Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

**E30052-265, Greene County**, 93 East High Street, Waynesburg, PA 15370, Franklin Township, **Greene County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Place and maintain fill in 0.0058-acre of Wetland 01 (POW);
2. Place and maintain fill in 0.0043-acre of Wetland 03 (PEM); and

3. Place and maintain fill in approximately 225 linear feet of unnamed tributaries to Browns Creek (HQS-WWF), which have a drainage area of less than 100 acres.

For construction of three softball fields and associated parking area. The project will permanently impact 225 linear feet of watercourses and 0.01-acre of de minimis wetland. Due to the project nature and impacts, compensatory mitigation is not required. The project site is located on State Route 4035, 0.25 mile north of the intersection between State Route 18 and State Route 4035 (Waynesburg, PA USGS topographic quadrangle; N: 39° 54' 18"; W: -80° 12' 29.39"; Sub-basin 19B; USACE Pittsburgh District), in Franklin Township, Greene County.

**E65052-1000, Westmoreland County Industrial Development Corporation**, 40 North Pennsylvania Avenue, 5th Floor, Suite 520, Greensburg, PA 15601, Sewickley Township, **Westmoreland County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct and maintain an 18" RCP stormwater pipe within the floodplain of an unnamed tributary (UNT) to Sewickley Creek (WWF);
2. Construct and maintain an 18" SLCPP stormwater pipe within the floodplain of an unnamed tributary (UNT) to Sewickley Creek (WWF);
3. Construct and maintain fill within the floodplain of an unnamed tributary (UNT) to Sewickley Creek (WWF).

For the purpose of developing an industrial park. The project site is located approximately 550 feet northwest of the intersection of Tomajko Road and Waltz Mill Road, Smithton, PA USGS topographic quadrangle; N: 40° 12' 56.71"; W: -79° 40' 12.63"; Sub-basin 19D; USACE Pittsburgh District), in Sewickley Township, Westmoreland County.

*Northwest Region: District Oil and Gas Office, 230 Chestnut Street, Meadville, PA 16335, 814-332-6860.*

**E42-08-022, Seneca Resources Company LLC**, 51 Zents Boulevard, Brookville, PA 15825. Elk Fork Realignment, in Norwich Township, **McKean County**, ACOE Pittsburgh District, Wildwood Fire Tower, PA Quadrangle N: 41° 37' 04.34"; W: 78° 26' 32.2".

The project involves a road realignment with the installation of a full metal bottom arch culvert. The project also includes the removal of an existing stream crossing and associated stream restoration grading. The proposed project impacts in McKean County include a total of 345 linear feet of permanent impacts, and 241 linear feet of temporary impacts to South Fork of West Branch Potato Creek HQ-CWF. The project also has 0.05 acre of permanent impact and 0.002 acre of temporary impacts to Palustrine Emergent (PEM) wetland(s). Total floodway impacts will be 0.3 acre of permanent impacts and 0.26 acre of temporary impacts.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**EA0603219-012: Texas Eastern Transmission LP**, 890 Winter Street, Suite 300, Waltham, MA 02451, in Washington Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To remove existing structures and to 1.) install and maintain a 72.0-foot long, 11.0-foot wide by 4.0-foot high concrete box culvert with fish baffles, uniformly depressed 1.0-foot in the streambed of an unnamed tributary to West Branch Perkiomen Creek (EV, MF); and 2.) construct and maintain a stream restoration project on 964 feet of two unnamed tributaries to West Branch Perkiomen Creek (EV, MF), including the installation of 4 boulder cascades, 1 log cascade, 15 root wads, 15 log step pools, 22 boulder step pools, 2 boulder cross vanes, 1 boulder j hook, and 29 constructed rock riffles, all for the purpose of reducing the frequency of flooding at the Bechtelsville Compressor Station. The project is located approximately 0.25 mile southeast of the intersection of Forgedale Road and Lenape Road in Washington Township, Berks County. No wetlands will be impacted by this project.

**EA6703219-001: Defense Logistics Agency Installation Support**, 5750 3rd Street, New Cumberland, PA, in Fairview Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to 1) restore and maintain 1,110 linear feet of a UNTs to Marsh Run (WWF), permanently impacting 0.01 acre of PFO wetland and temporarily impacting 0.03 acre of PFO wetland (40.2010, -76.8412); 2) restore and maintain 0.38 acre of PEM wetland (40.2037, -76.8402); 3) restore and maintain 383 linear feet of Marsh Run (WWF) and its tributaries, impacting 0.11 acre of PFO wetlands and 0.29 acre of PEM wetlands (40.1995, -76.8321); 4) restore and maintain 360 linear feet of Marsh Run (WWF) and a tributary (40.1985, -76.8229); and 5) create 5 floating wetland treatment islands, totaling 0.01 acre in the impounded section of Marsh Run (WWF) (40.2054, -76.8507). Stream restoration will include natural stream channel design, utilizing channel relocations, log vanes, J-hooks, cross vanes, channel grading and floodplain grading for floodplain restoration. All wetland impacts will be mitigated on-site and in-place with floodplain grading. The project reaches are located immediately north of the PA Turnpike and west of the Susquehanna River in Fairview Township, York County.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. NPDES Renewal Permit Actions.**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062421 (Industrial)	Jim Thorpe Borough WWTP 101 E 10th Street Jim Thorpe, PA 18229-2528	Carbon County Jim Thorpe Borough	Unnamed Tributary to Lehigh River (CWF) (2-B)	Yes
PA0061832-A1 (Industrial Waste)	Prysmian Cables and System, LLC One Tamaqua Boulevard Schuylkill Haven, PA 17972	Schuylkill County Schuylkill Haven Borough	Schuylkill River (CWF, MF) (03A)	Yes
PA0032999 (Sewage)	Hickory Run State Park RR1, Box 81 White Haven, PA 18661-9712	Carbon County Kidder Township	Hickory Run (HQ-CWF) (2-A)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0263460 (Sewage)	Joseph Landis SFTF 414 Freeport Street Saxonburg, PA 16056-9416	Butler County Clinton Township	Unnamed Tributary to Sarver Run (HQ-TSF) (18-F)	Yes

**II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**NPDES Permit No. PA0266949**, Sewerage, **Broad Top Township**, P.O. Box 57, Defiance, PA 16633.

This proposed facility is located in Broad Top Township, **Bedford County**.

Description of Proposed Action/Activity: Permit approval for the Harding Residence located in Watershed 11-D.

**NPDES Permit No. PA0088927**, CAFO, **John W. Keating, Jr. and James Keating**, 1620 Beans Cove Road, Clearville, PA 15535-8037.

This proposed facility is located in Southampton Township, **Bedford County**.

Description of Size and Scope of Proposed Operation/Activity: Permit approval for authorization to discharge to UNT West Branch Octoraro Creek.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**NPDES Permit No. PA0255441**, Storm Water, SIC Code 4953, **Duquesne Light Co.**, 2825 New Beaver Avenue # N6-Tng, Pittsburgh, PA 15233-1003.

This proposed facility is located in Indiana Township, **Allegheny County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of industrial storm water.

**III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. WQG02281901**, Sewerage, **Guilford Township Authority**, 115 Spring Valley Road, Chambersburg, PA 17202-9079.

This proposed facility is located in Guilford Township, **Franklin County**.

Description of Proposed Action/Activity: This General Permit approves construction and operation of the Route 11 Loop Road North (motel design) sewer extension.

**WQM Permit No. 3619404**, Sewerage, **Lancaster City**, 120 New Danville Pike, Lancaster, PA 17603.

This proposed facility is located in Lancaster City, **Lancaster County**.

Description of Proposed Action/Activity: This permit approves the replacement of portions of the Eden Manor Interceptor.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

**WQM Permit No. 4771403 A-3**, Sewage, SIC Code 4952, **Washingtonville Borough Municipal Authority Montour County**, P.O. Box 147, Washingtonville, PA 17884-0147.

This existing facility is located in Derry Township, **Montour County**.

Description of Proposed Action/Activity: WWTP Upgrade project to include a new mechanical fine screen, new SBR Biologic process system, and new aerobic digesters.

**WQM Permit No. 5391403 A-3**, Sewage, SIC Code 4952, **Shinglehouse Borough**, P.O. Box 156, Shinglehouse, PA 16748-0156.

This existing facility is located in Shinglehouse Borough, **Potter County**.

Description of Proposed Action/Activity: Permit issued authorizing upgrades to primary treatment and disinfection systems at the existing WWTF.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 1091402 A-1**, Sewage, **Pittsburgh District Church Of The Nazarene**, 177 North Road, Butler, PA 16001-0281.

This existing facility is located in Franklin Township, **Butler County**.

Description of Proposed Action/Activity: Amendment to install aerobic sludge tank at existing wastewater treatment plant.

**WQM Permit No. 4319402**, Sewage, **Judith DeAngelis**, 2419 Kelly Road, Hermitage, PA 16148.

This proposed facility is located in Hermitage City, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090042	The Pennsylvania Turnpike Commission 700 South Eisenhower Boulevard Middletown, PA 17057-5529	Bucks	Bensalem Township Bristol Township Middletown Township	Unnamed Tributaries Neshaminy Creek and Neshaminy Creek WWF-MF Unnamed Tributaries to Mill Creek, Black Ditch Creek, and Mill Creek WWF Delaware River WWF-MF
PAD150098	The Hankin Group 707 Eagleview Boulevard Exton, PA 19341	Chester	Upper Uwchlan Township	Marsh Creek (CP-1) HQ-TSF-MF
PAD150136	TI McKee Bradford, L.P. 940 West Sproul Road Suite 301 Springfield, PA 19064	Chester	West Bradford Township	Broad Run EV-MF Unnamed Tributary to Chestnut Run EV-MF
PAD510045	South Philadelphia 1, LLC c/o Cedar Realty Trust, Inc. 1100 Superior Avenue Suite 600 Cleveland, OH 44114	Philadelphia	City of Philadelphia	Lower Schuylkill River WWF
PAD510039 Phase 2	Burriss Logistics/ Honor Foods, Inc. 1801 North 5th Street Philadelphia, PA 19122	Philadelphia	City of Philadelphia	Delaware River WWF Tributary 02407 to Delaware River WWF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD130014	Phase III Environmental 1120 Mauch Chuck Road Palmerton, PA 18071-1110	Carbon County	Palmerton Borough	Lehigh River (TSF, MF)

*Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.*

**NPDES**

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480059	Chrin Land Developers 400 South Greenwood Avenue Easton, PA 18045	Northampton	Palmer Township & Tatamy Borough	UNT to Schoeneck Creek (WWF, MF), Schoeneck Creek (WWF, MF) & Bushkill Creek (HQ-CWF, MF)

*Schuylkill Conservation District, 1206 AG Center Drive, Pottsville, PA 17901-9733.*

**NPDES**

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD540012	Heisler's Egg Farm, Inc. 1485 Valley Road Tamaqua, PA 18252	Schuylkill	Walker Township	Beaver Creek, (HQ-CWF, MF) and UNT to Beaver Creek (HQ-CWF, MF)

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Phillips, Section Chief, Telephone 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210035 Issued	Joe, LLC 1485 Fairmont Drive Harrisburg, PA 17109	Cumberland	Hampden Township Mechanicsburg Borough	Trindle Spring Run (HQ-CWF, MF)

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000*

**NPDES**

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD260009	Dunbar Borough-Township Sanitary Authority 93 Connellsville Street Dunbar, PA 15431	Fayette County	Dunbar Borough/ Township	Irishtown Run (HQ-CWF); Gist Run (TSF)

---

**VII. Approvals to Use NPDES and/or Other General Permits.**


---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

---

**List of NPDES and/or Other General Permit Types.**


---

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

- PAG-13 Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
- PAG-14 (To Be Announced)
- PAG-15 General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02*

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.*

<i>NPDES</i>				<i>Receiving</i>
<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Water/Use</i>
PAC390031	TMC Management Corp 4511 Falmer Dr Bethlehem, PA 18020	Lehigh	North Whitehall Twp	UNT to Coplay Creek (CWF, MF)

*Schuylkill Conservation District, 1206 AG Center Drive, Pottsville, PA 17901-9733.*

<i>NPDES</i>				<i>Receiving</i>
<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Water/Use</i>
PAC540071	BTY Properties LLC Timothy Klick 1030 Wilson Ave Hanover, PA 17331-7961	Schuylkill	W Brunswick Twp	UNT to Schuylkill River (CWF, MF)

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.*

*Facility Location:  
Municipality &  
County*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving</i>	<i>Contact Office &amp; Phone No.</i>
Womelsdorf Borough Berks County Issued	PAC060205 John F. Martin & Sons, LLC 55 Lower Hillside Road Stevens, PA 17578	Tulpehocken Creek (TSF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
East Hempfield Township Lancaster County Issued	PAC360417 Turkey Hill Mini Markets 257 Centerville Road Lancaster, PA 17603	Brubaker Run (WWF, CWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Lititz Borough Lancaster County Issued	PAC360412 Tybec Inc. 12 Royal Drive Lititz, PA 17543	UNT Lititz Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Lancaster City Lancaster County Issued	PAC360097 35 Erick Road LLC 2450 Marietta Avenue Lancaster, PA 17601	Millers Run (WWF-MF) Little Conestoga Creek (WWF-MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Salisbury Township Lancaster County Issued	PAC360367 Houston Run Properties LLC 1324 Main Street East Earl, PA 17519	UNT Pequea Creek (CWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

*Facility Location:  
Municipality &  
County*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Hellam Township York County Issued	PAC670253	Alro Steel 3100 East High Street Jackson, MI 46203	Kreutz Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Penn Township York County Issued	PAC670309	Stonewicke, LP 107 Little Bridge Road Hanover, PA 17331	Plum Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Hanover Borough York County Issued	PAC670273	Nighthawk Investments, LLC 600 West Elm Avenue Hanover, PA 17331	South Branch Conewago Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Fairview Township York County Issued	PAC670268	DLA Installation Management— Operations Susquehanna 5750 3rd Street Building 750 New Cumberland, PA 17070-5076	Susquehanna River (WWF, MF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Wrightsville Borough York County Issued	PAC670302	Wrightsville Borough 610 Water Street Wrightsville, PA 17368	Susquehanna River (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake,  
Waterways and Wetlands Program Manager, 412-442-4000.*

*Facility Location and  
Municipality*

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Franklin Township; Marion Township	PAC040062	Zelienople Airport Authority 1857 Route 588 Zelienople, PA 16063	UNT to Connoquenessing Creek (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
Koppel Borough; North Sewickley Township	PAC040064	Pennsylvania Department of Transportation District 11-0 45 Thoms Run Road Bridgeville, PA 15017	Beaver River (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
Richland Township	PAC110054	Develoco, LP 334 Bloomfield Street Johnstown, PA 15904	UNT to Little Paint Creek (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
Berlin Borough and Brothersvalley Township	PAC560026	The Municipal Authority of the Borough of Berlin 700 North Street Berlin, PA 15530	Buffalo Creek (CWF); Stonycreek River (CWF)	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 289-4250

## NOTICES

4581

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Quemahoning Township	PAC560028	Mayak Family Trust 5079 Lincoln Highway Stoystown, PA 15563	UNT to Stonycreek River (CWF)	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 289-4250

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Summit Township Erie County	PAC250085	Peter Fedorko Jr. 2500 South Shore Drive Erie, PA 16505	Walnut Creek; CWF-MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6033
Girard Township Erie County	PAC250084	Airborn, Inc. 2700 Mechanic Street Lake City, PA 16423	UNT Lake Erie CWF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6033
Clarion Borough Clarion County	PAC160025	Clarion University of PA 840 Wood Street Clarion, PA 16214	Trout Run CWF	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214
Adams Township Butler County	PAC100151	Municipal Authority of Adams Township P.O. Box 807 Mars, PA 16046	Breakneck Creek WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
City of St. Marys Elk County	PAC240014	Carrols LLC 968 James St. P.O. Box 6969 Syracuse, NY 13217-6969	Iron Run	Elk County Conservation District 850 Washington Street St. Marys, PA 15857 814-776-5373
White Township Indiana County	PAC320034	Indiana County Conservation District 431 Hamill Road Indiana, PA 15701	UNT to McKee Run CWF, UNT to Ramsey Run CWF	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-648-3425
City of Hermitage Mercer County	PAC430035	HGG Real Estate Holdings LLC 2070 Samuel Court Canfield, OH 44406	Pine Hollow Run WWF	Mercer County Conservation District 747 Greenville Road Mercer, PA 16137 724-662-2242

*General Permit Type—PAG-03*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Jackson Township Cambria County	PAG036258	CPV Fairview LLC 2862 William Penn Avenue Johnstown, PA 15909-3628	Unnamed Tributary of Hinckston Run (CWF) and Unnamed Tributary to Hinckston Run (CWF)—18-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000



<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Bethel Park Borough Allegheny County	PAR216125	Kiefer Coal & Supply Co. 5088 W Library Avenue Bethel Park, PA 15102-2732	Unnamed Tributary to Graesers Run (WWF)—20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-8 (SSN)*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
Loganbell Farm Loganbell Lane Altoona, PA 16601 Antis Township/ Blair County	PAG083511 PAG083512	Altoona Water Authority 144 Westerly Treatment Plant Duncansville, PA 16635-7814	Same As Facility	DEP— SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

*General Permit Type—PAG-10*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Luzerne Township Fayette County	PAG106222	Laurel Mountain Midstream Operating LLC 2000 Commerce Drive Pittsburgh, PA 15275-1026	Cox Run (WWF) and Rush Run (WWF)—19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-12*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Lower Mahanoy Township/ Northumberland County	PAG124832, A-1	Elam B. Stoltzfus, Jr. 552 Mountain Road Dalmatia, PA 17017-8210	6-C	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707

**STATE CONSERVATION COMMISSION****NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Bivouac Sow Farm 15197 Great Cove Road McConnellsburg, PA 17233	Fulton	224	3,271.50	Swine Sow/Gilt	N/A	Renewal

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

<b>Permit No. 4619503</b> , Public Water Supply.	
Applicant	<b>Perkiomen View Hotel</b> 532 Gravel Pike Collegeville, PA 19426
Township	Perkiomen
County	<b>Montgomery</b>
Type of Facility	PWS

Consulting Engineer	Suburban Water Technology, Inc. 1697 Swamp Pike Gilbertsville, PA 19525
Permit to Construct Issued	August 5, 2019
<b>Permit No. 1519512</b> , Public Water Supply.	
Applicant	<b>Aqua Pennsylvania, Inc.</b> 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	West Whiteland
County	<b>Chester</b>
Type of Facility	PWS
Consulting Engineer	GHD, Inc. 1240 Mountain Road Harrisburg, PA 17112
Permit to Construct Issued	July 25, 2019
<b>Permit No. 0919509</b> , Public Water Supply.	
Applicant	<b>North Penn Water Authority</b> 300 Forty Foot Road P.O. Box 1659 Lansdale, PA 19446
Township	Hilltown
County	<b>Bucks</b>
Type of Facility	PWS
Consulting Engineer	RK&K, LLP 3501 Concord Road Suite 100 York, PA 17402
Permit to Construct Issued	July 25, 2019
<b>Permit No. 4619509</b> , Public Water Supply.	
Applicant	<b>Horsham Water &amp; Sewer Authority</b> 617 Horsham Road Horsham, PA 19044
Township	Horsham
County	<b>Montgomery</b>
Type of Facility	PWS
Consulting Engineer	Gilmore & Associates 350 East Butler Avenue New Britain, PA 18901
Permit to Construct Issued	July 26, 2019

**Operations Permit # 4619512** issued to **Horsham Water & Sewer Authority**, 617 Horsham Road, Horsham, PA 19044, **PWS ID # 1460033**, Horsham Township, **Montgomery County**, for the operation of granular activated carbon filtration at Well Nos. 4 and 19 facilities approved under construction permit # 4616524.

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Permit No. 3390065, Operation Permit**, Public Water Supply.

Applicant	<b>South Whitehall Township</b> 4444 Whitehall Avenue Allentown, PA 18104
Municipality	South Whitehall Township
County	<b>Lehigh</b>
Type of Facility	Public Water Supply
Consulting Engineer	Jason M. Newhard Spotts, Stevens and McCoy Roma Corporate Center Suite 106 1605 N. Cedar Crest Blvd. Allentown, PA 18104
Permit to Operate Issued	July 22, 2019

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 3819501, Minor Amendment**, Public Water Supply.

Applicant	<b>Shree Om Balaji, LLC</b>
Municipality	Heidelberg Township
County	<b>Lebanon</b>
Responsible Official	Tarak Mehta, Member 4221 Stiegel Pike Newmanstown, PA 17073
Type of Facility	GWR 4-log inactivation of viruses for EP 100. Installation of sodium hypochlorite disinfection and chlorine contact tanks to meet the required contact time.
Consulting Engineer	Charles A. Kehew II, P.E. James R. Holley & Associates, Inc. 18 South George Street York, PA 17401
Permit to Construct Issued	7/30/2019

**Permit No. 3619506 MA, Minor Amendment**, Public Water Supply.

Applicant	<b>K.C. Desai</b>
Municipality	Rapho Township
County	<b>Lancaster</b>
Responsible Official	K C. Desai, Owner 980 Lebanon Road Manheim, PA 17545

Type of Facility	GWR 4-log inactivation of viruses for EP 100. Installation of sodium hypochlorite disinfection and chlorine contact tanks to meet the required contact time.
------------------	--

Consulting Engineer	Charles A. Kehew II, P.E. James R. Holley & Associates, Inc. 18 South George Street York, PA 17401
---------------------	---

Permit to Construct Issued	7/30/2019
----------------------------	-----------

**Permit No. 6719510 MA, Minor Amendment**, Public Water Supply.

Applicant	<b>The York Water Company</b>
Municipality	Lower Windsor Township
County	<b>York</b>
Responsible Official	Mark S. Snyder Engineering Manager 130 East Market Street P.O. Box 15089 York, PA 17405-7089

Type of Facility	Replacement of the Almonee Road standpipe.
------------------	--

Consulting Engineer	Mark S. Snyder, P.E. The York Water Company 130 East Market Street P.O. Box 15089 York, PA 17405-7089
---------------------	---

Permit to Construct Issued	8/2/2019
----------------------------	----------

**Operation Permit No. 6715505 MA** issued to: **ATG Properties LLC (PWS ID No. 7670098)**, Hellam Township, **York County** on 7/29/2019 for facilities at Brookhaven Mobile Home Park approved under Construction Permit No. 6715505 MA.

**Operation Permit No. 0518502** issued to: **Langdon-dale Country Store (PWS ID No. 4050299)**, Broad Top Township, **Bedford County** on 7/29/2019 for facilities approved under Construction Permit No. 0518502.

**Operation Permit No. 5019506 MA** issued to: **Robert L. Brunner (PWS ID No. 7500009)**, Carroll Township, **Perry County** on 7/30/2019 for facilities at Village Square Condominiums approved under Construction Permit No. 5019506 MA.

**Operation Permit No. 6719514 MA** issued to: **York Water Company (PWS ID No. 7670100)**, Spring Garden Township, **York County** on 7/30/2019 for facilities submitted under Application No. 6719514 MA.

**Transferred Comprehensive Operation Permit No. 7360324** issued to: **Dutch Market Place, LLC (PWS ID No. 7360324)**, East Lampeter Township, **Lancaster County** on 7/31/2019. Action is for a Change in Ownership for Dutch Market Place, Lancaster County for the operation of facilities previously issued to Oasis of Life, LP.

**Operation Permit No. 7010338** issued to: **Messersmith Properties, LLC (PWS ID No. 7010338)**, Oxford Township, **Adams County** on 7/30/2019 for facilities at Bourbon at the Mill submitted under Application No. 7010338.

**Transferred Comprehensive Operation Permit No. 7010942** issued to: **48Forty Solutions, LLC (PWS ID No. 7010942)**, Butler Township, **Adams County** on 7/30/2019. Action is for a Change in Ownership for 48 Forty Solutions, Adams County for the operation of facilities previously issued to IFCO Systems, Inc.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 1418502—Operation—Public Water Supply.**

Applicant **Madisonburg Water Works**  
 Township/Borough Miles Township  
 County **Centre County**  
 Responsible Official Mr. Thomas Snyder, President  
 Madisonburg Water Works 107  
 Madisonburg, PA 16852  
 Type of Facility Public Water Supply— Operation  
 Consulting Engineer Mr. Michael J. Peleschak  
 Alfred Benesch & Company  
 400 One Norwegian Plaza  
 Pottsville, PA 17901  
 Permit Issued July 25, 2019  
 Description of Action Authorizes Madisonburg Water  
 Works to add orthophosphate to  
 source water to optimize  
 corrosion control and further  
 reduce lead and copper.

**Permit No. 4104501-A2—Operation—Public Water Supply.**

Applicant **Williamsport Municipal Water Authority**  
 Township/Borough City of Williamsport  
 County **Lycoming County**  
 Responsible Official Mr. Michael D. Miller  
 Executive Director  
 253 West Fourth Street  
 Williamsport, PA 17701  
 Type of Facility Public Water Supply—Operation  
 Consulting Engineer N/A  
 Permit Issued July 25, 2019  
 Description of Action Authorizes change in availability  
 designation of wellfield Entry  
 Point 103 and Third Street  
 Treatment Plant # 303 from  
 “Emergency” to “Reserve.”

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 0219511, Public Water Supply.**

Applicant **Coraopolis Water and Sewer Authority**  
 1301 Fourth Avenue  
 Suite 1  
 Coraopolis, PA 15108

[Borough or Township] Coraopolis Borough  
 County **Allegheny**  
 Type of Facility Chemical injection at the  
 Moon Township interconnection  
 Consulting Engineer Lennon, Smith, Souleret  
 Engineering, Inc.  
 846 Fourth Avenue  
 Coraopolis, PA 15108  
 Permit to Construct July 29, 2019  
 Issued

**Permit No. 5610506-A1, Public Water Supply.**

Applicant **Central City Water Authority**  
 314 Ventral Avenue  
 Suite 203  
 Central City, PA 15926  
 [Borough or Township] Shade Township  
 County **Somerset**  
 Type of Facility Booster station at Sorber tank  
 site  
 Consulting Engineer The EADS Group, Inc.  
 450 Aberdeen Drive  
 Somerset, PA 15501  
 Permit to Construct August 2, 2019  
 Issued

**Permit No. 0418513, Public Water Supply.**

Applicant **Heritage Valley Health System, Inc.**  
 1000 Dutch Ridge Road  
 Beaver, PA 15009  
 [Borough or Township] City of Beaver  
 County **Beaver**  
 Type of Facility Secondary disinfection  
 Consulting Engineer Wayne F. Jacobs, P.E.  
 1914 Mt. Royal Boulevard  
 Glenshaw, PA 15116  
 Permit to Construct August 2, 2019  
 Issued

**Permit No. 0218532, Public Water Supply.**

Applicant **West Penn Allegheny Health System, Inc.**  
 4800 Friendship Avenue  
 Pittsburgh, PA 15224  
 [Borough or Township] City of Pittsburgh  
 County **Allegheny**  
 Type of Facility Secondary disinfection  
 Consulting Engineer Wayne F. Jacobs, P.E.  
 1914 Mt. Royal Boulevard  
 Glenshaw, PA 15116  
 Permit to Construct August 2, 2019  
 Issued

**Operations Permit** issued to: **PA DCNR, Bureau of State Parks, RCSOB 8th Floor, 400 Market Street, Harrisburg, PA 17105, (PWSID # 5040376)** Hanover Township, **Beaver County** on July 30, 2019 for the operation of facilities approved under Construction Permit # 0472501-A2.

**Operations Permit** issued to: **Moon Township Municipal Authority**, 1700 Beaver Grade Road, Suite 200, Moon Township, PA 15108, (PWSID # 5020011) Moon Township, **Allegheny County** on July 30, 2019 for the operation of facilities approved under Permit # 0202502-A2.

**Operations Permit** issued to: **Pittsburgh Water & Sewer Authority**, 1200 Penn Avenue, Pittsburgh, PA 15222, (PWSID # 5020038), City of Pittsburgh, **Allegheny County** on August 2, 2019 for the operation of facilities approved under Permit # 0219522-E.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 6105501-MA2**, Public Water Supply.

Applicant	<b>Sugarcreek Borough</b>
Township or Borough	Sugarcreek Borough
County	<b>Venango</b>
Type of Facility	Public Water Supply
Consulting Engineer	Christina Sporer, P.E. Arcadis 6041 Wallace Road Extension Wexford, PA 15090
Permit to Construct Issued	July 31, 2019

**SEWAGE FACILITIES ACT PLAN APPROVAL**

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Silver Spring Township	8 Flowers Dr Mechanicsburg, PA 17050	Cumberland

*Plan Description:* Approval of a revision to the official plan of Silver Spring Township, Cumberland County. The project is known as Sample Bridge Road Site. The plan provides for 20 residential lots to be served by the Silver Spring Township Authority sewage collection, conveyance and treatment system using a new force main collection system. The proposed development is located on Sample Bridge Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-21925-600-3 and the APS Id is 987986. Any required NPDES Permits or WQM permits must be obtained in the name of the property owner.

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Tilden Township	874 Hex Hwy Hamburg, PA 19526	Berks

*Plan Description:* The planning module for new land development for the Walnut Acres Subdivision, DEP Code No. A3-06965-128-2, consisting of the subdivision of a 74-acre tract into 29 building lots using three community on lot sewage disposal systems and two individual on lot sewage disposal systems, and one vacant agricultural lot is denied. The project is located on the west side of

Walnut Road, north of the Hex Highway in Tilden Township, Berks County. The plan is denied because the applicant failed to submit information necessary for the Department to adequately evaluate the chosen alternative for the project. The results of the double ring infiltrometer testing that have been run through the appropriate equation to determine the field saturated hydraulic conductivity was not provided in the planning module and a comparison of the bed sizes using the percolation testing results and 10% of the field saturated hydraulic conductivity was not provided as required by Chapter 71, Section 71.62(c)(1).

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Penn Township	100 Municipal Building Road Duncannon, PA 17020	Perry

*Plan Description:* Approval of a revision to the official plan of Penn Township, Perry County. The project is known as ACD Realty. The plan provides for a Small Flow Treatment Facility to serve an automobile dealership that is expanding, with total flows of 960 gallons per day. The proposed development is located at 2215 State Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-50921-185-3S and the APS Id is 990652. Any required NPDES Permits or WQM permits must be obtained in the name of the property owner.

**SEWAGE FACILITIES ACT PLAN DISAPPROVAL**

**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Tilden Township	874 Hex Hwy Hamburg, PA 19526	Berks

*Plan Description:* The planning module for new land development for the Walnut Acres Subdivision, DEP Code No. A3-06965-128-2, consisting of the subdivision of a 74-acre tract into 29 building lots using three community on lot sewage disposal systems and two individual on lot sewage disposal systems, and one vacant agricultural lot is denied. The project is located on the west side of Walnut Road, north of the Hex Highway in Tilden Township, Berks County. The plan is denied because the applicant failed to submit information necessary for the Department to adequately evaluate the chosen alternative for the project. The results of the double ring infiltrometer testing that have been run through the appropriate equation to determine the field saturated hydraulic conductivity was not provided in the planning module and a comparison of the bed sizes using the percolation testing results and 10% of the field saturated hydraulic conductivity was not provided as required by Chapter 71, Section 71.62(c)(1).

**HAZARDOUS SITES CLEAN-UP  
UNDER THE ACT OF  
OCTOBER 18, 1988**

**Notice of Proposed Settlement Under  
HSCA/CERCLA**

**BoRit Asbestos Superfund Site**

**Ambler Borough, Montgomery County**

The Department of Environmental Protection (“Department”), under the authority of the Hazardous Sites Cleanup Act (“HSCA”), 35 P.S. §§ 6020.101 et seq., and the Comprehensive Environmental Response, Compensation, and Liability Act (“CERCLA”), 42 U.S.C.A. §§ 9601 et seq., has entered into a proposed Consent Decree with the United States of America (“United States”) and Whitpain Township (“Whitpain”) regarding the BoRit Asbestos Superfund Site (“Site”), located in Ambler Borough, Upper Dublin Township, and Whitpain Township, **Montgomery County**, PA. The United States lodged the proposed Consent Decree with the United States District Court, Eastern District of Pennsylvania on July 25, 2019.

The Site consists of approximately 33 acres of three adjacent parcels. Whitpain is the owner of an approximately 11-acre parcel (“Park Parcel”) that is part of the Site and is in Whitpain Township. The Site was used by Keasbey & Mattison Company for the disposal of asbestos-containing material (“ACM”), spent magnesium and calcium slurry, waste asbestos products, and other waste products, starting in the 1930s. The United States Environmental Protection Agency (“USEPA”) performed a removal action and remedial action, which has included the removal of ACM and various wastes, site stabilization, capping, fencing, the installation of other engineering controls, and the implementation of institutional controls.

The Department and the United States of America have entered into the Consent Decree with Whitpain, in part, to assure that the Site, including the Park Parcel, will receive long-term operation and maintenance to assure the integrity and longevity of the removal action. Under the terms of the proposed Consent Decree, Whitpain agrees, in part, to perform certain enumerated operation and maintenance activities at the Park Parcel, not to perform activities that would modify or adversely affect the remedial action at the Site, and to provide access and right of entry to the Department and the USEPA to the Park Parcel for, among other activities, monitoring and verifying the integrity of the response actions and remedial activities, as fully set forth in the proposed Consent Decree.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113. The proposed Consent Decree may be examined from 8 AM to 4 PM at the Department’s office at 2 East Main Street, Norristown, PA by contacting either Colin Wade at (484) 250-5722 or Adam Bram, Esquire at (484) 250-5930. Mr. Wade and Mr. Bram may also be contacted by e-mail at [cowade@pa.gov](mailto:cowade@pa.gov) and [abram@pa.gov](mailto:abram@pa.gov), respectively. A public comment period on the proposed Consent Decree will extend for a period of 60 days from the date of this notice. Interested persons may submit written comments regarding these agreements to the Department by submitting them to Mr. Wade in the Environmental Cleanup and Brownfields Program at the above address.

**LAND RECYCLING AND  
ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act’s remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Klingel Cleaners**, 1710 West Main Street, Stroud Township, **Monroe County**. Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite A-23, Allentown, PA 18106, on behalf of the Estate of Arthur and Mary Klingel, 1710 West Main Street, Stroudsburg, PA 18360, submitted a combined Remedial Investigation Report and Final Report concerning remediation of soil and groundwater at this former dry-cleaning operation. The report is intended to document remediation of the site to meet Site-Specific Standards.

**WY 10 Falconero Well Pad**, 456 Main Road, Forkston Township, **Wyoming County**. Woodard & Curran, 12 Frear Hill Road, Tunkhannock, PA 18657, on behalf of Falconero Family LP, 22 Tranquility Drive, Malvern, PA

19355, submitted a Final Report concerning remediation of soil and groundwater contaminated by a release of production fluid (brine) from a natural gas well. The report is intended to document remediation of the site to meet Residential Statewide Health Standards.

**Lehigh Valley Hospital**, 1200 South Cedar Crest Boulevard, Salisbury Township, **Lehigh County**. Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite A-23, Allentown, PA 18106, on behalf of Lehigh Valley Health Network, 1200 South Cedar Crest Boulevard, Allentown, PA 18103, submitted a Final Report concerning remediation of soil contaminated by a release of aviation fuel. The report is intended to document remediation of the site to meet Residential Statewide Health Standards.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Ware/Sener Property**, 1099 Twin Lakes Drive, Harrisburg, PA 17111, Lower Paxton Township, **Dauphin County**. Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of State Farm Insurance, 520 Fellowship Road, Suite E-506, Mt. Laurel, NJ 08054, and Glenda Ware, 1099 Twin Lakes Drive, Harrisburg, PA 17111 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

**Dutch Way Farm Market**, 649 East Lincoln Avenue, Myerstown, PA 17067, Jackson Township, **Lebanon County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of A.H. Moyer, 820 East Lincoln Avenue, Myerstown, PA 17067, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Alumax Mill Products**, 1480 Manheim Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. Tetra Tech, 661 Andersen Drive, Pittsburgh, PA 15220-2745, on behalf of Alumax Mill Products, 1480 Manheim Pike, Lancaster, PA 17601, submitted a Remedial Investigation Report and Risk Assessment concerning remediation of site soils contaminated with Linpar® oil. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Martin's Electric Plant**, 280 Pleasant Valley Road, Ephrata, PA 17522, West Earl Township, **Lancaster County**. ARRO Consulting, Inc., 10 West Airport Road, Lititz, PA 17543, on behalf of IPR, LLC, 10 Miller Road, Akron, PA 17501, submitted a Remedial Investigation Report concerning remediation of site soil contaminated with lead, arsenic, and materials associated with a former municipal dump. The report is intended to document remediation of the site to meet the Site Specific-Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Stan-

dards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**2797 Fair Road Property**, 2797 Fair Road, South Manheim Township, **Schuylkill County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Mr. Francis Courtney, 2797 Fair Road, Auburn, PA 17922, submitted a revised Final Report concerning remediation of site soil and groundwater contaminated with Benzene, Cumene, Ethylbenzene, MTBE, Naphthalene, Toluene, 1,2,4-Trimethyl benzene, and 1,3,5-Trimethyl benzene from heating oil by a release of heating oil from an aboveground storage tank. The report documented remediation of the site to meet Residential Statewide Health Standards and was approved by DEP on July 31, 2019.

**Kline Building and Service Station**, 107-111 Hamilton Street & 14-28 North Front Street, Allentown City, **Lehigh County**. HDR Engineering, 1720 Spillman Drive, Bethlehem, PA 18015, on behalf Allentown Commercial and Industrial Development Authority (ACIDA), 905 Harrison Street, Allentown, PA 18103, submitted a remedial investigation report and cleanup plan concerning remediation of site soils and groundwater contaminated with metals, volatile organic compounds, and semi-volatile organic compounds from historic use at this former warehouse and gas station. The report was approved by DEP on August 1, 2019.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Brian & Janette Parsons Residence**, 14369 Dickeys Road, Mercersburg, PA 17236, Peters Township, **Franklin County**. Triad Engineering, Inc., 1075D Sherman Avenue, Hagerstown, MD 21740, on behalf of Griffith Energy Services Inc., 6996 Columbia Gateway Drive, Suite 202, Columbia, MD 21046 and Federated Mutual Insurance Co., P.O. Box 486, Owatonna, MN 55060, submitted Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard and was disapproved by the Department on July 31, 2019.

**Tate Access Floors, Inc.**, 52 Springvale Road, Red Lion, PA 17356, Windsor Township, **York County**. Wood Environmental & Infrastructure, 4600 J Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of USG Interiors LLC, 550 West Adams Street, Floor 13, Chicago, IL 60661, and Tate Access Floors Inc., 52 Springvale Road, Red Lion, PA 17356-0398 submitted Final Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents and their associated breakdown products. The Final Report demonstrated attainment of the Site-Specific and Statewide Health Standards and was approved by the Department on July 31, 2019.

#### REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

**Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.**

#### *Renewal Applications Received*

**Asepsis, Inc.**, 424 W Lincoln Hwy, Penn del, PA 19047. License No. PA-HC 0014. Effective Aug 01, 2019.

**York Hospital**, 1001 S George St, York, PA 17405. License No. PA-HC 0017. Effective Aug 01, 2019.

#### *Transporter License Reissued*

**Asepsis, Inc.**, 424 W Lincoln Hwy, Penn del, PA 19047. License No. PA-HC 0014. Effective Aug 01, 2019.

**York Hospital**, 1001 S George St, York, PA 17405. License No. PA-HC 0017. Effective Aug 01, 2019.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**GP3-57-052A: Dushore Materials, LLC** (8700 Route 220, Dushore, PA 18614) on July 31, 2019, to construct and operate one KPI-JCI FT200DF crusher (Crusher # 3) rated at 320 tph and one Saco screener (Screen # 2) rated at 130 tph with associated water spray dust suppression systems pursuant to the General Plan Approval And/OR General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at their Dushore Materials facility located in Cherry Township, **Sullivan County**.

**GP9-57-052A: Dushore Materials, LLC** (8700 Route 220, Dushore, PA 18614) on July 31, 2019, to construct and operate one 380 bhp Cummins QSL9 diesel-fired engine and one 360 bhp Cummins model ISB 6.7 diesel-fired engine pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-9: Diesel or No. 2 fuel-fired Internal Combustion Engines at their Dushore Materials facility located in Cherry Township, **Sullivan County**.

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**PA 48-00027B: Bethlehem Landfill Company** (2335 Applebutter Road, Bethlehem, PA 18015) On August 6, 2019 for the construction and operation of a new enclosed flare at their facility in Lower Saucon Township, **Northampton County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-05069AB: East Penn Manufacturing Co., Inc.** (P.O. Box 147, Lyon Station, PA 19536) on July 26, 2019, for the installation of battery manufacturing equipment controlled by baghouses, mist eliminators or filtration systems. The equipment will be installed in the Industrial Battery Manufacturing Facility located at East Penn's



Lyon Station Plant in Richmond Township, **Berks County**. The plan approval was extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**49-00063A: Sensenig Milling Services, Inc.** (10705 State Route 44, Watsonstown, PA 17777) on July 22, 2019 to extend the authorization to operate the bakery waste rotary dryer at their facility located in Lewis Township, **Northumberland County** on a temporary basis to January 18, 2020. The plan approval has been extended.

**08-00025B: Richards Funeral Home, Inc.** (502 North Keystone Ave., South Waverly, PA 18840-2943) on July 31, 2019, to extend the authorization for the construction of a crematory unit the Northern Bradford Crematory facility located in South Waverly Borough, **Bradford County** to January 29, 2020. The plan approval has been extended.

**41-00088A: Compass Natural Gas Partners LP** (1215 Manor Drive, Suite 302, Mechanicsburg, PA 17055) on August 1, 2019, to extend the authorization for the construction of the compressed natural gas truck terminal at their Compass-Quaker CNG Truck Terminal facility located in Upper Fairfield Township, **Lycoming County** to January 29, 2020. The plan approval has been extended.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.*

**30-00233B: Hill Top Energy Center, LLC** (P.O. Box 169, Carmichaels, PA 15320) on August 1, 2019, to update the mailing address, Responsible Official, and Contact Person for the proposed Hill Top Energy Center natural gas-fired combined cycle power plant in Cumberland Township, **Greene County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-00048: Wyeth Pharmaceuticals** (500 Arcola Road, Collegeville, PA 19426) On August 1, 2019, for renewal of the Title V Operating Permit for its corporate, subsidiary, and regional management offices in Upper Providence Township, **Montgomery County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-05002: Lehigh Cement Co., LLC** (537 Evansville Road, Fleetwood, PA 19522-8541) on July 30, 2019, for the facility located in Maidencreek Township, **Berks County**. The Title V Operating Permit underwent a significant modification to: 1) incorporate the findings of the Best Available Retrofit Technology (BART) evaluation into Lehigh's Title V Operating Permit No. 06-05002. 2)

incorporate an alternative data substitution methodology as an approved method for demonstrating compliance with portions of the facility's CO, NO<sub>x</sub> & SO<sub>x</sub> Plantwide Applicability Limit (PAL) requirements. 3) incorporate the presumptive NO<sub>x</sub> limit/requirements of 25 Pa. Code §§ 129.96—129.100, Additional RACT Requirements for Major Sources of NO<sub>x</sub> and VOCs, commonly referred to as RACT II, 4) remove monitoring & recordkeeping requirements based on Lehigh's past aggregation determination with the adjacent third party quarry operations, and 5) revise the PM, PM<sub>10</sub>, PM<sub>2.5</sub>, CO, NO<sub>x</sub>, SO<sub>x</sub>, and VOC PAL limits based on the data substitution methodology, the presumptive RACT II NO<sub>x</sub> emission limit and the removal of emissions associated with third party quarry operations.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**33-00033: Owens-Illinois Inc., Owens-Brockway Glass Container Plant 18** (1260 Cherry St., Brockway, PA 15824), on August 1, 2019, the Department issued the renewal of the Title V Operating Permit of a glass container manufacturing facility located in Brockway Borough, **Jefferson County**. Permitted sources at the facility include a glass melting furnace, a refiner, forehearths, forming machines, lehrs, and other supporting operations. The facility is Title V because of its potential to emit NO<sub>x</sub> and SO<sub>x</sub>. The glass melting furnace has been subject to 25 Pa. Code §§ 129.301 to 129.310, § 60 Subpart CC, and § 63 Subpart SSSSSS. In this renewal, applicable RACT II (§§ 129.96—129.100) requirements are incorporated into the renewal permit. A 400-kW emergency generator is added as a permitted source and subject to § 60 Subpart IIII. To ensure exemption from plan approval requirements, the emergency generator is also subject to operating hour restrictions of 500 hours in any 12-month rolling period and 326 hours during ozone season (May through September). The RACT I-based biennial NO<sub>x</sub> stack testing for the glass melting furnace is removed because the corresponding RACT I-based NO<sub>x</sub> limit is streamlined out by a more stringent limit (§ 129.304), which requires CEMS for compliance demonstration (§§ 129.308, 129.309). Source test submittals are updated based on Source Testing Section's latest instructions. Sources no longer operated are removed from the operating permit.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**07-05024: Zenith Energy Terminals PA Holdings LLC** (3900 Essex Lane, Suite 700, Houston, TX 77027-5166) on July 26, 2019, for the petroleum products distribution terminal located in Allegheny Township, **Blair County**. The State-only operating permit was renewed.

**67-03117: GEA Systems North America LLC** (3475 Board Road, York, PA 17406-8414) on July 29, 2019, for the refrigeration equipment manufacturing facility in Manchester Township, **York County**. The State-only permit was renewed.

**67-03182: Separation Technologies LLC** (P.O. Box 98, York Haven, PA 17370) on July 30, 2019, for the fly ash processing facility located in East Manchester Township, **York County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**08-00019: Bimbo Bakeries USA, Inc.** (901 North Elmer Avenue, P.O. Box 158, Sayre, PA 18840-0158), on July 31, 2019, for their Sayre Plant facility located in Sayre Borough, **Bradford County**. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**47-00011: Hanson Aggregates PA, LLC** (7660 Imperial Way, Allentown, PA 18195) on July 31, 2019, was issued a renewal State Only (Synthetic Minor) operating permit for their Milton Quarry located in Limestone Township, **Montour County**. The State Only (Synthetic Minor) operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**04-00723: McDanel Advanced Ceramic Technologies, LLC** (510 Ninth Ave., Beaver Falls, PA 15010-4700) on August 6, 2019, the Department of Environmental Protection (DEP) authorized an initial State-Only Operating Permit for a technical ceramics manufacturing facility located in Beaver Falls, **Beaver County**. The permit includes operating requirements, monitoring requirements, and recordkeeping requirements for the site.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.*

**25-00883: Millcreek Township** (3608 W 26th St, Erie, PA 16506). On August 1, 2019, the Department issued a renewal State Only Natural Minor Operating Permit for operation of the hot mix asphalt (HMA) facility located in Millcreek Township, **Erie County**. The facility's primary emission sources include the HMA process (including a 34 MCF/hr natural gas-fired burner) controlled by a baghouse and three parts washers. The potential emissions of the primary pollutants from the facility are as follows: 18.71 TPY (tons per year) NO<sub>x</sub>, 31.62 TPY CO, 6.51 TPY VOC, 1.04 TPY total HAPs, 1.51 TPY filterable PM<sub>10</sub>, 0.57 TPY filterable PM<sub>2.5</sub>, and 0.59 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The HMA process is subject to 40 CFR 60 Subpart I, Standards of Performance for Hot Mix Asphalt Facilities, as well as Plan Approval 25-883A that limits throughput for the plant to 120 tons per hour and 294,000 tons per year during any 12 consecutive month period. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**10-00287: Minteq International Incorporated** (395 Grove City Road, Slippery Rock, PA 16057) On August 5, 2019, the Department issued a renewal of the Synthetic Minor Operating Permit to operate manufacturing equipment to produce clay refractory for glass furnace lining and ceramic shapes. The facility is located in Slippery Rock Township, **Butler County**. The sources at the facility include mixers, dryers, kilns, and the mold shop. Particulate from the mixers is controlled by three fabric filters. The facility has previously taken a restriction on VOC emissions from the facility. The VOC emissions shall not exceed 49 tons per year. The facility is a Synthetic Minor. The potential emissions from the facility as stated in the renewal permit application are NO<sub>x</sub>: 1.0 Ton per year, PM: 19.0 TPY, PM<sub>10</sub>: 19.0 TPY, PM<sub>2.5</sub>: 19 TPY, SO<sub>2</sub>: 0.3 TPY, VOC: 41.2 TPY, and, CO: 39.3 TPY. Actual VOC emissions, particulate matter, and CO emissions from the facility over the past five years have been less than 4.0 TPY, 5.0 TPY, and 1.0 TPY for each year, respectively.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**39-00006: American Craft Brewery LLC** (7880 Penn Dr, Breinigsville, PA 18031) on July 17, 2019, in Upper Macungie Township, **Lehigh County** for an amendment to incorporate process modification. The conditions from Plan Approval 39-00006E were copied into the Title V Operating Permit No. 39-00006. Administrative Amendment of Title V Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

---

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**32-00203: Sharp Paving Inc. Shelocta Asphalt Plant** (P.O. Box 156, 7425 Route 422 Hwy, Shelocta, PA 15774-0156) on June 26, 2019, the permit was revoked for the facility located in Armstrong Township, **Indiana County**. This State Operating Permit was revoked because the facility has not operated since September 23, 2016 and did not submit a deactivation notice or maintenance plan in accordance with 25 Pa. Code §§ 127.11a and 127.215 pertaining to reactivation of sources. The facility must obtain a General Permit (GP-13) or Plan Approval prior to operating.

**16-00152: Pennkraft Building Systems LLC** (P.O. Box 640, 1 Mauro Ave., Knox, PA 16232-0640) on June 25, 2019, the permit was revoked for the facility located in Knox Borough, **Clarion County**. This State Operating Permit was revoked because the facility is no longer operating. Control of the building has reverted to the landlord.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).**

### *Coal Permits Issued*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC** (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Enlow Fork Mine in Richhill Township, **Greene County** and South Franklin Township, **Washington County** and related NPDES Permit for installation of GOB Degas Borehole. Surface Acres Proposed 5.9. No additional discharges. The application was considered administratively complete on August 9, 2018. Application received: April 5, 2018. Permit issued: August 2, 2019.

**30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC** (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Enlow Fork Mine in Morris Township, **Greene County** and Morris Township, **Washington County** and related NPDES Permit for installation of a waterline to convey potable water to bathhouse. Surface Acres Proposed 3.1. No additional discharges. The application was considered administratively complete on February 1, 2019. Application received: July 16, 2018. Permit issued: August 2, 2019.

**56121301 and NPDES No. PA0236152 and GP12-56121301-R12. AK Coal Resources, Inc.** (1134 Stoystown Road, Friedens, PA 15541). To renew the permit for the North Fork Mine in Jenner and Quemahoning Townships, **Somerset County** and related NPDES Permit. Includes renewal of Air Quality GPA/GP-12 authorization. Approval is authorized under General Permit BAQ-GPA/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-56121301-R12. No additional discharges. The application was considered administratively complete on April 4, 2018. Application received: December 1, 2017. Permit issued: August 2, 2019.

**56121301 and NPDES No. PA0236152. AK Coal Resources, Inc.** (1134 Stoystown Road, Friedens, PA 15541). To revise the permit for the North Fork Mine in Jenner and Quemahoning Townships, **Somerset County** and related NPDES Permit for expanding the pit and constructing additional support area (supply yard). Surface Acres Proposed 17.6. No additional discharges. The application was considered administratively complete on

February 1, 2019. Application received: October 26, 2018. Permit issued: August 2, 2019.

**10841302 and NPDES No. PA0002780. ArcelorMittal Pristine Resources, LLC** (P.O. Box 36, 129 Bethlehem Road, Revloc, PA 15948). To renew the NPDES permit for the Fawn Mine # 91 in Clinton Township, **Butler County**. No additional discharges. The application was considered administratively complete on March 13, 2017. Application received: November 7, 2016. Permit issued: August 2, 2019.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 56180103 and NPDES No. PA0279650. Heritage Coal & Natural Resources, LLC**, 550 Beagle Road, Rockwood, PA 15557, commencement, operation and restoration of a bituminous surface and auger mine in Brothersvalley and Summit Townships, **Somerset County**, affecting 58.1 acres. Receiving stream: Bear Run, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 22, 2018. Permit issued: July 31, 2019.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**17840126 and NPDES PA0609781. P & N Coal Company, Inc.** (P.O. Box 332, Punxsutawney, PA 15767). Permit transfer of a bituminous surface coal and auger mine from Rosebud Mining Company located in Jordan Township, **Clearfield County** affecting 341.7 acres. Receiving stream(s): Tributary to Comfort Run and Comfort Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: October 2, 2018. Permit issued: July 29, 2019.

**17714022 and NPDES PA0611034. A. W. Long** (127 Logan Street, Philipsburg, PA 16866). Permit renewal for continued operation and restoration of a bituminous surface coal mine located in Morris Township, **Clearfield County** affecting 149.6 acres. Receiving stream(s): Hawk Run to Moshannon Creek and Moshannon Creek classified for the following use(s): TSF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: March 13, 2019. Permit issued: July 29, 2019.

### *Noncoal Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. PAM118025. Delaware Quarries, Inc.** (P.O. Box 778, New Hope, PA 18938), coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 48010302 in Lower Mt. Bethel Township, **Northampton County**, receiving stream: Delaware River. Application received: June 5, 2018. Permit issued: August 1, 2019.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

### *Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 36194133. Keystone Blasting Service** (15 Hopeland Road, Lititz, PA 17543), construction blasting for Tim Weaver dwelling in Earl Township, **Lancaster County** with an expiration date of October 30, 2019. Permit issued: July 30, 2019.

**Permit No. 36194136. Keystone Blasting Service** (15 Hopeland Road, Lititz, PA 17543), construction blasting for Allen Newswanger dwelling in Earl Township, **Lancaster County** with an expiration date of September 30, 2019. Permit issued: August 1, 2019.

**Permit No. 52194105. Holbert Explosives, Inc.** (237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting for Mast Hope Rapids in Lackawaxen Township, **Pike County** with an expiration date of July 25, 2022. Permit issued: August 2, 2019.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501–508 and 701–704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E4002219-002. Christopher DiLeo**, 2040 Tumblebrook Road, Coopersburg, PA 18036. Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To remove an existing 869 square foot boathouse and dock structure and to construct and maintain a pile supported boathouse and dock with 2,769 square feet of structure encroaching into the normal pool of Harveys Lake (HQ-CWF, MF). The project is located at Pole # 289 along Lakeside Drive (S.R. 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 1.40"; Longitude: -76° 2' 36.92") in Harveys Lake Borough, Luzerne County.

**E40022-816. Earth Conservancy**, 101 South Main Street, Ashley, PA 18706. Hanover Township, **Luzerne County**, Army Corps of Engineers Philadelphia District.

To permanently impact approximately 0.44 acre of wetland (PSS/PEM) for the purpose of reclaiming mine scarred land. The permittee is required to provide 0.91 acre of replacement wetlands. The project is located approximately 0.25 mile south of the Middle Road and Lincoln Avenue intersection in Hanover Township, Luzerne County. (Wilkes-Barre West Quadrangle Latitude: 41° 10' 57"; Longitude: -75° 59' 35")

**E54022-373. Schuylkill County**, 401 North 2nd Street, Pottsville, PA 17901. Port Clinton Borough, **Schuylkill County**, Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a 34.17-foot wide, dual-span, concrete I-beam, asphalt deck bridge with a concrete pier, abutments, wingwalls and riprap protection across the Little Schuylkill River (CWF, MF) having 170-foot span and a minimum 13.9-foot underclearance. Additionally, a 15" stormwater outfall incidental to the project will be replaced. The project is located at the intersection of Broad Street and Dock Street (Auburn, PA Quadrangle, Latitude: 40° 34' 48"; Longitude: -76° 1' 35") in Port Clinton Borough, Schuylkill County.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E2506219-001, Erie County Conservation District**, 1927 Wager Road, Erie, PA 16509. Headwaters Park and Trail Development, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Erie South, PA Quadrangle N: 42.092062°; W: -80.012691°).

Construct, operate, and maintain a 20 feet long by 18 feet wide by 6.5 feet tall precast concrete box culvert crossing of Mill Creek (WWF-MF) and to construct, operate, and maintain approximately 300 feet of 8 feet wide elevated wooden boardwalk within a wetland adjacent to Mill Creek resulting in de minimus resource impacts all at a point approximately 1,500 feet west of the U.S. Route 90 and S.R. Route 8 interchange (Erie South, PA Quadrangle N: 42.092062°; W: -80.012691°) in Millcreek Township, Erie County.

**E2006219-003, Vernon Township Sanitary Authority**, 16678 McMath Avenue, Meadville, PA 16335. Roche Park Pumpstation # 2 Replacement, in Vernon Township,

**Crawford County**, ACOE Pittsburgh District (Geneva, PA Quadrangle N: 41°, 36', 32.7"; W: 80°, 11', 19.5").

To remove the existing Roche Park pump station including backfilling the area and capping the existing subsurface structures at the facility and to construct and maintain a new pump station directly adjacent to the existing that will generate a 60-feet by 35-feet gravel pad which permanently impacts 0.048 acre of wetland within 50-feet of an Unnamed Tributary to French Creek at the East end of Patricia Drive (Geneva, PA Quadrangle N: 41°, 36', 32.7"; W: 80°, 11', 19.5") in Vernon Township, Crawford County.

### DAM SAFETY

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.*

**D52-209. Gold Key Country Club** (111 Gold Key Road, Milford, PA 18337). Dam Operation and Maintenance Permit issued to operate and maintain Gold Key Lake Dam across Dwarfskill Creek (HQ-CWF, MF), for the purpose of complying with the Commonwealth's regulations (Edgemere, PA Quadrangle Lat: 41.3105°; Long: -74.9519°) in Dingman Township, **Pike County**.

### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This

paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.*

ESCGP-3 # ESG14-059-0030—Renewal  
Applicant Name EQT Production Company  
Contact Person Todd Klaner  
Address 2400 Ansys Drive, Suite 200  
City, State, Zip Canonsburg, PA 15317  
County Greene  
Township(s) Center Township  
Receiving Stream(s) and Classification(s) Pursley Creek (HQ-WWF), Maple Run (HQ-WWF)/South Fork Tenmile Creek (HQ-WWF)

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

ESCGP-3 # ESG294119014-00  
Applicant Name ARD Operating, LLC  
Contact Person Stephen Barondeau  
Address 33 West Third Street, Suite 300  
City, State, Zip Williamsport, PA 17701  
County Lycoming  
Township(s) Cascade Twp.  
Receiving Stream(s) and Classification(s) UNT to Salt Run (EV), UNT to West Branch Wallis Run (EV)  
Secondary Receiving Waters: Salt Run (EV), West Branch Wallis Run (EV)

ESCGP-3 # ESG294119016-00  
Applicant Name SWN Production Company, LLC  
Contact Person Afton Sterling  
Address 917 State Route 92 North  
City, State, Zip Tunkhannock, PA 18657  
County Lycoming  
Township(s) Cogan House Twp.  
Receiving Stream(s) and Classification(s) Flicks Run (EV)  
Secondary Receiving Waters: Blockhouse Creek (EV)

## STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
19-51-032	ACE American Insurance Company 436 Walnut Street Philadelphia, PA 19106 Attn: Michael Bachmann	Philadelphia	City of Philadelphia	3 ASTs storing petroleum products	41,825 gallons total

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

---

**The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

---

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Fleet Site 4 258**, 51-20204, 26th & Master, **City of Philadelphia**. Oxford Engineering Company, 336 Point Street, Camden, NJ 08102, on behalf of the City of Philadelphia, Office of Fleet Management, 100 S. Broad Street, 3rd Floor, Philadelphia, PA 19125 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum compounds. The report is intended to document remediation of the site to meet site specific standards.

**Horsley Auto Svc**, 46-30090, 925 Montgomery Ave, Lower Merion Township, **Montgomery County**. Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440, on behalf of MBA Equities LTD, 114 Forest Avenue, Suite 100, Narberth, PA 19401 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet residential Statewide Health Standards.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Motor Transportation Company**, Storage Tank ID # 40-16231, Fulton Court and Holly Street, Hazleton City, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Motor Transportation Company Inc., 141 North Laurel Street, Hazleton, PA 18201, submitted a combined Site Characterization Report and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Methyl tert-butyl Ether, Isopropylbenzene (Cumene), Naphthalene, 1,3,5-Trimethylbenzene, and 1,2,4-Trimethylbenzene. The report is intended to document remediation of the site to meet Site-Specific Standards.

**Auto in Motion**, Storage Tank ID # 45-26268, 1142 State Route 390, Barrett Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Mountainhome Investment Group, P.O. Box 254, Cresco, PA 18326, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet residential Statewide Health Standards.

**Former Exxon 22166**, Storage Tank ID # 54-06664, 825 Minersville-Llewellyn Highway, Branch Township, **Schuylkill County**. Kleinfelder, 1745 Dorsey Road, Suite J, Hanover, MD 21076, on behalf of Exxon Mobil Environmental and Property Solutions Company, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Site-Specific Standards.

**Bowman Creek Service Center**, Storage Tank ID # 66-25655, 2513 State Route 29 South, Monroe Township, **Wyoming County**. Quad 3 Group, 37 North Washington Street, Wilkes-Barre, PA 18701, on behalf of Bowman Creek Service Center, 2513 State Route 29 South, Tunkhannock, PA 18657, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting Site-Specific Standards.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Kwik Fill S 151**, Storage Tank Facility ID # 05-22444, 8739 Lincoln Highway, Bedford, PA 15522, Bedford Township, **Bedford County**, Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of United Refining Company, P.O. Box 780, Warren, PA 16365, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Former Renzie Mart**, Storage Tank Primary Facility ID # 02-80598, 2010 Eden Park Boulevard, McKeesport, PA 15132, City of McKeesport, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of North Side Industrial Development Company, 700 River Avenue, Pittsburgh, PA 15212, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with

petroleum products. The report is intended to document remediation of the site to meet the site-specific standard.

**Donegal Construction**, Storage Tank Primary Facility ID # 65-80118, 1235 Marguerite Lake Road, Greensburg, PA 15601, Unity Township, **Westmoreland County**. ATC Group Services, LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of Donegal Construction, RR 8 Box 340, Greensburg, PA 15601, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Dick's Service Center**, Storage Tank Facility ID # 62-21834, 3 North Main Street, Youngsville Borough, **Warren County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823, on behalf of Ed's Property Maintenance, 1449 Ferry Street, Easton, PA 18042 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Xylenes, Cumene, Naphthalene, MTBE, 1,2,4 Trimethylbenzene, 1,3,5 Trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

**Faulkners Country Market**, Storage Tank Facility ID # 25-90487, 13580 Routes 8 & 89, Venango Township, **Erie County**. ATC Group Services, LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of Howard Faulkner, 13580 Routes 8 & 89, Wattsburg, PA 16442, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, cumene, methyl tertiary butyl ether, naphthalene, toluene, xylenes, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, 1,2-dibromomethane, 1,2-dichloroethane, and lead. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern,

documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Wawa Lansdale PA**, 46-33834, 1857 N. Broad St., Hatfield Township, **Montgomery County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA 19063, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report was acceptable to meet site specific standards and was approved by the DEP on July 30, 2019.

**1892 S State Rd Upper Darby**, 23-07042, 1892 S. State Rd., Upper Darby Township, **Delaware County**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of 1892 S. State Road Upper Darby, LLC, 645 Hamilton Street, Suite 500, Allentown, PA 18101, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of residential Statewide Health Standards and site specific standards and was approved by the DEP on July 31, 2019.

**Former Fishers**, 46-22682, 919 E. Willow Grove Ave., Comstock Environmental Services LLC, P.O. Box 509, Lafayette Hill, PA 19444, on behalf of Wyndmoor Properties LLC, 8218 Ardmore Avenue, Wyndmoor, PA 19038 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of nonresidential Statewide health and site specific standards and was approved by the DEP on August 2, 2019.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Citizen's Steam Fire Company Number 2**, Storage Tank ID # 54-29162, 202 West Centre Street, Mahanoy City Borough, **Schuylkill County**. United Environmental Services, 1143 Long Run Road, Schuylkill Haven, PA 17972, on behalf of Citizen's Steam Fire Company Number 2, 202 West Centre Street, Mahanoy City, PA 17948, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Plan was acceptable to meet Non-Use Aquifer, Non-Residential Statewide Health Standards and was approved by DEP on July 30, 2019.

**Shell Dickson City # 8**, Storage Tank ID # 35-27646, 1031 Scranton-Carbondale Highway (Route 6), Dickson City Borough, **Lackawanna County**. LaBella, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of SMS Petroleum LLC, 50 Cragwood Road, Suite 308, South Plainfield, NJ 07080, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with Benzene, Toluene, Ethylbenzene, Methyl tert-butyl Ether, Xylenes (total), Isopropylbenzene (Cumene), Naphthalene, 1,3,5-Trimethylbenzene, and 1,2,4-Trimethylbenzene and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Methyl tert-butyl Ether, Xylenes (total), Isopropylbenzene (Cumene), Naphthalene, 1,3,5-Trimethylbenzene, and 1,2,4-Trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of a combination of Site-Specific and Statewide Health Standards and was approved by DEP on July 24, 2019.

**Cranes Landing**, Storage Tank ID # 40-38395, 2 Manor Drive, Kingston Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Harry Salavantis, 16 South Main Street, Pittston, PA 18640, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet Residential Statewide Health Standards and was approved by DEP on August 1, 2019.

**Pottsville Fuel Stop**, Storage Tank ID # 54-50599, 1471 SR 61, New Castle Township, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Pottsville Fuel Stop Inc., 1471 SR 61, Pottsville, PA 17901, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report was acceptable to meet Site-Specific Standards and was approved by DEP on August 2, 2019.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Longstown Getty 67632**, Storage Tank Primary Facility ID # 67-26028, 2873 East Prospect Road, York, PA 17402, York Township, **York County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of Getty Properties Corporation, Two Jericho Plaza, Suite 110, Wing C, Jericho, NY 11753 submitted a combination Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Site-Specific Standard. The combination Remedial Action Plan and Remedial Action Completion Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on July 31, 2019.

**Turkey Hill Minit Markets**, Store # 195, Storage Tank Primary Facility ID # 06-40726, 3248 Morgantown Road, Mohnton, PA 19540, Mohnton Borough, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Turkey Hill

Minit Markets, 257 Centerville Road, Lancaster, PA 17603 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report did not demonstrate attainment of the Site-Specific Standards and was disapproved by the Department on July 29, 2019.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Meadville Yard**, Storage Tank Primary Facility ID # 20-90278, Water and Linden Street, Meadville, PA 16335, City of Meadville, **Crawford County**. AECOM Technical Services, Inc., 681 Andersen Drive, Suite 400, Pittsburgh, PA 15220, on behalf of Norfolk Southern Corporation, 1200 Peachtree Street, NE—Box 13, Atlanta, GA 30309, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Remedial Action Plan was not acceptable to meet the Statewide Health Standard and was disapproved by DEP on July 26, 2019.

**Freeport Transportation**, Storage Tank Facility ID # 10-16346, 1200 Butler Road, Buffalo Township, **Butler County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Freeport Transport Industries, Inc., 1200 Butler Road, P.O. Box A, Freeport, PA 16229 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, 1,2,4-trimethylbenzene (TMB), 1,3,4-TMB, and methyl tert-butyl ether. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by DEP on July 30, 2019.

**Radhe Oil**, Storage Tank Primary Facility ID # 03-29674, 222 Buffalo Street, Freeport Borough, **Armstrong County**. Letterle & Associates, LLC, 191 Howard Street, Franklin, PA 16323, on behalf of Superior Petroleum Company, 8199 McKnight Road, Pittsburgh, PA 15237, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, cumene, methyl tertiary butyl ether (MTBE), naphthalene, toluene, xylenes, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by DEP on July 30, 2019.

**GD Leasing**, Storage Tank Primary Facility ID # 43-90667, 3035 Lynwood Drive, Hermitage, **Mercer County**. Letterle & Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323 on behalf of Kirila Realty, 505 Bedford Road, Brookfield, OH 44403 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzenes, cumene, methyl tert-butyl ether, naphthalene, and trimethylbenzenes (1,2,4- and 1,3,5-). The Remedial Action Plan was not acceptable to meet the Site-Specific Standard and was disapproved by DEP on August 2, 2019.

---

## SPECIAL NOTICES

---

### Notice of Proposed Consent Decree

The following notice of proposed settlement is placed as required by Section 616 of the Pennsylvania Solid Waste Management Act, 35 P.S. § 6018.616.

#### **Brunner Island Steam Electric Station, East Manchester Township, York County**

The Department of Environmental Protection, the Lower Susquehanna Riverkeeper Association, Waterkeeper Alliance and Penn Environment (Plaintiffs) along with Talen Energy Corporation and Brunner Island LLC (Defendants) have



lodged a proposed Consent Decree to resolve all claims alleged by the Plaintiffs against Defendants in the United States District Court for the Middle District of Pennsylvania, Civil Action Nos. 1:19-cv-01324-CCC and 1:19-cv-01329-JEJ. A copy of the proposed Consent Decree may be obtained at <https://www.dep.pa.gov/About/Regional/SouthcentralRegion/Community%20Information/Pages/Brunner-Island-NPDES.aspx>.

Any public comments concerning the proposed Consent Decree are required be submitted within thirty (30) days and shall be addressed to Department of Environmental Protection, Attention: Southcentral Regional Counsel, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

#### Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of July 2019 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).)

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
A-Z Tech Home Inspections, Inc.	36 East Tacoma Avenue Latrobe, PA 15650	Testing
Chad Albright	4101 Beale Avenue Altoona, PA 16601	Testing
All in One Home Inspections, Inc.	80 Cedar Ridge Hawley, PA 18428	Testing
Daniel Ayers	900 Eisenhower Boulevard Suite C Harrisburg, PA 17111	Testing
Bass Home Inspection, Inc.	7501 East Parkside Drive Boardman, OH 44512	Testing
Harold Beers H.E. Beers, Company	2421 Fishing Creek Valley Road Harrisburg, PA 17112	Mitigation
Matthew Beinhaur HEI Radon, LLC	810 Main Street Strattanville, PA 16258	Testing
CA Construction	4101 Beale Avenue Altoona, PA 16601	Mitigation
Scott Coslett	332 East 11th Street Berwick, PA 18603	Testing
D-Tech, Inc.	P.O. Box 902 Blue Bell, PA 19422	Testing
Mark Dilts	6801 West Tilghman Street Unit 115 Allentown, PA 18106	Testing
Edwin Dunckley	1357 Elbow Lane Chester Springs, PA 19425	Testing
Joseph Dunlap	115 Heather Drive Monaca, PA 15061	Testing
Barbara Fischer	1385 North River Road Yardley, PA 19067	Testing
Stephen Genzale	417 East Beil Avenue Nazareth, PA 18064	Testing
Vilas Godbole	307 Dogwood Lane Wallingford, PA 19086	Testing
Richard Haag Safe Shelter Environmental	346 North Pottstown Pike Exton, PA 19341	Testing & Mitigation
John Haslip	5656 Cricket Lane Bensalem, PA 19020	Testing
Ara Jones	14 Morgan Drive Leechburg, PA 15656	Testing
Robert Kolenda	212 Kleber Road Glenshaw, PA 15116	Mitigation

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Anthony Kovalto	224 Walker Road Macungie, PA 18062	Testing
Robert Krause	113 Stanton Drive South Abington, PA 18411	Testing
Daniel Laurie	130 West Caracas Avenue Hershey, PA 17033	Testing
Seymour Levine	198 Rose Hill Drive New Cumberland, PA 17070	Testing & Mitigation
Bradley Longosky	101 North Sycamore Street Newtown, PA 18940	Testing
James Makara	146 South Marmic Drive Holland, PA 18966	Testing
Ryan McGrady	1000 Dunham Drive Dunmore, PA 18512	Testing
James McDonald	564 Mountain Road Tamaqua, PA 18252	Testing
Robert Meyer, Jr.	247 Mine Bank Road Wellsville, PA 17365	Mitigation
Joseph Miloser, Jr.	160 Rustic Ridge Fombell, PA 16123	Testing
Lewis Nelson First Choice Radon Testing Company, Inc.	P.O. Box 830 Huntingdon Valley, PA 19006	Testing
Jill Newton Air Chek	1936 Butler Bridge Road Mills River, NC 28759	Laboratory Analysis
Pillar To Post Philadelphia, LLC	2607 Rhawn Street Suite 310 Philadelphia, PA 19152	Testing
Derek Pragle	1728 South Delaware Drive Mount Bethel, PA 18343	Testing
Paul Suhrie	2648 Majestic Court East Stroudsburg, PA 18302	Testing
R. Daniel Sullivan, II	428 North Hanover Street Hershey, PA 17033	Testing
Michael Watson	129 Colonial Village Drive Pittsburgh, PA 15235	Testing

#### **EROSION AND SEDIMENT CONTROL PERMITS**

This application was originally published on February 16, 2019 with an incorrect application number, ESG02000160001. The republishing of the application serves solely to correct the application number. The proper application number is ESG02000160002. Comments previously submitted in response to the February 16, 2019 *Pennsylvania Bulletin* Notice do not have to be resubmitted.

The following parties have applied for Erosion and Sediment Control Permits (ESCP) for earth disturbance associated with oil and gas exploration, production, processing, or treatment operations or transmission facilities.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department regional office listed above the application within 30 days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department regional office during the 30-day public comment period.

Following the 30-day comment period, the program manager from the appropriate Department regional office will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the United States Court of Appeals for the 3rd Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the appropriate Department regional office.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Department regional office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**Applications received under sections 5 and 402 of The Clean Streams Law (35 P.S. §§ 691.5 and 691.402).**

---

*Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Domenic Rocco, PE, Program Manager, 717-772-5987.*

The applicant is proposing the installation and maintenance of an approximately 77.3-mile-long, 36-inch diameter pipeline and appurtenant facilities in various municipalities within **Luzerne, Carbon, Monroe, Northampton and Bucks Counties** for the purpose of transporting natural gas from Marcellus Shale production areas to an existing pipeline in Mercer County, NJ. The project also includes 0.5 mile of 4-inch diameter Blue Mountain Lateral and 2.1-mile-long, 24-inch diameter Hellertown Lateral. The project consists of four Water Obstruction and Encroachment Permits and one Chapter 102 Erosion and Sediment Control Permit.

**ESG02000160002.** The Department of Environmental Protection (Department) provides notice of receipt of an application for a Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. The application is currently under technical review for PennEast Pipeline Project, including the associated compressor station, metering stations, regulator stations, valve stations, access roads and other ancillary earth disturbance activities.

This authorization is required for earth disturbance activities associated with oil and gas exploration, production, processing or treatment operations or transmission facilities when earth disturbance is five acres or greater. Review of this application is being coordinated among the Department and the associated county conservation districts.

The application under review is as follows:

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Counties</i>	<i>DEP Office</i>
ESG02000160002	PennEast Pipeline Company 835 Knitting Mills Way Wyomissing, PA 19610	Luzerne, Carbon, Monroe, Northampton, & Bucks Counties	Regional Permitting Coordination Office

More detailed information regarding the permit applications related to this proposed project is available online at [www.dep.pa.gov/pipelines](http://www.dep.pa.gov/pipelines). Additional information may be available in the Department's Regional Permit Coordination Office which may be contacted at (717) 772-5987 to request a file review.

Comments on the applications can be e-mailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, RA-EPPENNEAST@pa.gov.

[Pa.B. Doc. No. 19-1234. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Climate Change Advisory Committee Meeting Rescheduled and Meeting Cancellation

The August 27, 2019, meeting of the Climate Change Advisory Committee (Committee) has been rescheduled to Tuesday, October 1, 2019. The meeting will begin at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Additionally, the Committee meeting scheduled for October 22, 2019, has been cancelled.

Questions concerning the October 1, 2019, meeting can be directed to Lindsay Byron, Energy Programs Office, at [lbyron@pa.gov](mailto:lbyron@pa.gov) or (717) 772-8951. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Climate Change Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-8951 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-1235. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Coastal Zone Grants; 2020 Grant Opportunity

The Department of Environmental Protection (Department) invites interested parties to apply for the Federal Fiscal Year 2020 Coastal Zone grants.

Applicants must meet certain eligibility requirements (for example, the applicant must be an authority, an

incorporated nonprofit organization, a political subdivision or an educational institution). Projects must be located within the Delaware Estuary Coastal Zone or the Lake Erie Coastal Zone boundaries as noted in the Coastal Zone Grant Application Instruction Guide. Proposals must also support the Coastal Resources Management Program's mission to protect and enhance coastal resources in this Commonwealth.

The grant guidelines and application instructions are available on the Department's web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Businesses," then "Water," then "Compacts and Commissions," then "Coastal Resources Management Program," then "Grants").

Applications must be submitted through the Department of Community and Economic Development's Electronic Single Application web site, eGrants, at [www.esa.dced.state.pa.us](http://www.esa.dced.state.pa.us).

The Department will begin accepting applications on Monday, August 19, 2019. Applications must be received no later than 4 p.m. on Tuesday, October 15, 2019.

Questions concerning the grant program can be directed to the Department of Environmental Protection, Compacts and Commissions Office, 400 Market Street, P.O. Box 8465, Harrisburg, PA 17105-8465, RA-epcoastalzone@pa.gov or (717) 772-4785.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-1236. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Laboratory Accreditation Advisory Committee Meeting Rescheduled

The September 4, 2019, meeting of the Laboratory Accreditation Advisory Committee has been rescheduled to Thursday, December 12, 2019. The meeting will begin at 9 a.m. at the Department of Environmental Protection, Bureau of Laboratories Building, 2575 Interstate Drive, Harrisburg, PA 17110.

Questions concerning the December 12, 2019, meeting can be directed to Aaren S. Alger at [aaalger@pa.gov](mailto:aaalger@pa.gov) or (717) 346-7200. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Lab Accreditation Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aaren Alger at (717) 346-8212 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-1237. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Nutrient Credit Trading Program; Actions; Administrative Extension

The Department of Environmental Protection (Department) has approved a 1-year administrative extension from October 1, 2019, to September 30, 2020, of the following previously approved certifications of pollutant reduction activities to generate nitrogen (N) and phosphorus (P) credits under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed) that were set to expire on September 30, 2019. Proposed pollutant reduction activities include the following agriculture best management practices (BMP): continuous no-till planting methods (CNT), planting cover crops, conservation tillage, grass buffers, riparian forest buffers, off-stream watering with and without fencing, precision grazing and horse pasture management. These certification administrative extension approvals authorize the generation of N or P credits, or both, for use by facilities with National Pollutant Discharge Elimination System permits in the compliance year in which the credits are generated. This approval is valid until September 30, 2020, provided the pollution reduction activities are implemented, maintained and verified in accordance with the plans contained in the original approved certification requests.

<i>Cert. ID</i>	<i>Generator</i>	<i>Site Contact Name</i>	<i>BMP Name</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Cert. Letter</i>	<i>Cert. Exp.</i>
298	LYCOMING COUNTY	Barbour	Off-Stream Watering with Fencing, Off-Stream Watering without Fencing, Precision Grazing, Riparian Forest Buffer	229	0	7/29/16	9/30/20
219	LYCOMING COUNTY	Bischcroft	CNT, Conservation Tillage, Cover Crops	12,363	0	9/15/15	9/30/20
300	LYCOMING COUNTY	Bosch	CNT, Conservation Tillage, Cover Crops	646	0	7/29/16	9/30/20
354	LYCOMING COUNTY	Dincher	Riparian Forest Buffers, Off-Stream Watering with Fencing	625	0	9/30/17	9/30/20
299	LYCOMING COUNTY	Brown, Er.	Off-Stream Watering with Fencing, Off-Stream Watering without Fencing, Precision Grazing, Riparian Forest Buffer	227	0	7/29/16	9/30/20

<i>Cert. ID</i>	<i>Generator</i>	<i>Site Contact Name</i>	<i>BMP Name</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Cert. Letter</i>	<i>Cert. Exp.</i>
301	LYCOMING COUNTY	Brown, Ev.	Off-Stream Watering with Fencing, Off-Stream Watering without Fencing, Precision Grazing, Riparian Forest Buffer	206	0	7/29/16	9/30/20
302	LYCOMING COUNTY	Fogelman	CNT, Conservation Tillage, Cover Crops	368	0	7/29/16	9/30/20
316	LYCOMING COUNTY	Gavitt	CNT, Conservation Tillage, Cover Crops, Off-Stream Watering with Fencing, Riparian Forest Buffer, Rotational Grazing	332	0	7/29/16	9/30/20
303	LYCOMING COUNTY	Harvey	CNT, Cover Crops	243	0	7/29/16	9/30/20
317	LYCOMING COUNTY	Jarrett	CNT, Conservation Tillage, Cover Crops	377	0	7/29/16	9/30/20
318	LYCOMING COUNTY	Knepp	CNT, Conservation Tillage, Cover Crops	179	0	7/29/16	9/30/20
308	LYCOMING COUNTY	Koons	CNT, Conservation Tillage, Cover Crops	172	0	7/29/16	9/30/20
356	LYCOMING COUNTY	McCoy	CNT, Conservation Tillage, Cover Crops, Riparian Forest Buffers, Off-Stream Watering with Fencing, Precision Grazing	646	0	9/30/17	9/30/20
218	LYCOMING COUNTY	Lambert	CNT, Conservation Tillage, Cover Crops	5,853	0	9/15/15	9/30/20
355	LYCOMING COUNTY	London	CNT, Conservation Tillage, Cover Crops, Riparian Forest Buffers, Off-Stream Watering with Fencing, Precision Grazing	185	0	9/30/17	9/30/20
309	LYCOMING COUNTY	Mowery	CNT, Conservation Tillage, Cover Crops	546	0	7/29/16	9/30/20
310	LYCOMING COUNTY	Reitz	Horse Pasture Management, Off-Stream Watering with Fencing, Precision Grazing	1,410	0	7/29/16	9/30/20
241	LYCOMING COUNTY	Rogers	CNT, Conservation Tillage, Cover Crops	85	0	9/15/15	9/30/20
243	LYCOMING COUNTY	Schrack	CNT, Conservation Tillage, Cover Crops, Riparian Forest Buffer	11,000	0	9/15/15	9/30/20
321	LYCOMING COUNTY	Sherman	CNT, Cover Crops, Off-Stream Watering with Fencing, Precision Grazing, Riparian Forest Buffer	90	0	7/29/16	9/30/20
357	LYCOMING COUNTY	Snyder	CNT, Conservation Tillage, Cover Crops, Riparian Forest Buffer	632	0	9/30/17	9/30/20
312	LYCOMING COUNTY	Styer	CNT, Conservation Tillage, Cover Crops	57	0	7/29/16	9/30/20
304	LYCOMING COUNTY	Tebbs	CNT, Conservation Tillage, Cover Crops	2,194	0	7/29/16	9/30/20
313	LYCOMING COUNTY	Ulmer	CNT, Conservation Tillage, Cover Crops	3,551	0	7/29/16	9/30/20
314	LYCOMING COUNTY	Vandine	CNT, Cover Crops	122	0	7/29/16	9/30/20
315	LYCOMING COUNTY	Worthington	CNT, Cover Crops, Off-Stream Watering with Fencing, Riparian Forest Buffer, Rotational Grazing	223	0	7/29/16	9/30/20

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457.

TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Appeals must be filed with the Board within 30 days of receipt of notice of this action unless the appropriate statute provides a different time. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Copies of the appeal form and the Board's rules of practice and procedure may be obtained at <http://ehb.courtapps.com> or by contacting the Secretary to the Board at (717) 787-3483. The appeal form and the Board's rules are also available in braille and on audiotape from the Secretary to the Board.

Important legal rights are at stake. Individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information. A lawyer is not needed to file an appeal with the Board.

For individuals who wish to challenge this action, appeals must be filed with and be received by the Board within 30 days of receipt of notice of this action.

For further information about this action or the Nutrient Credit Trading Program, contact the Division of Operations, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, RA-EPPANutrientTrad@pa.gov, (717) 787-6744 or visit the Department's web site at [www.dep.pa.gov/nutrient\\_trading](http://www.dep.pa.gov/nutrient_trading).

PATRICK McDONNELL,  
Secretary

[Pa.B. Doc. No. 19-1233. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Public Notice of Draft NPDES General Permit for Stormwater Discharges Associated with Con- struction Activities (PAG-02)

The Department of Environmental Protection (Department) is announcing the availability of a draft National Pollutant Discharge Elimination System (NPDES) General Permit for Stormwater Discharges Associated with Construction Activities (PAG-02) for reissuance. To access the draft PAG-02 and related documents, visit the Department's eLibrary at [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/) (select "Permit and Authorization Packages," then "Clean Water," then "PAG-02 NPDES General Permit (Draft)").

The PAG-02 General Permit is intended to provide NPDES permit coverage to persons discharging stormwater associated with construction activities to surface waters of this Commonwealth in satisfaction of State NPDES permit requirements (25 Pa. Code §§ 92a.1(b) and 102.5(a) (relating to purpose and scope; and permit requirements)) and Federal NPDES permit requirements (40 CFR 122.26(b)(14)(x) and (b)(15) (relating to storm water discharges (applicable to State NPDES programs, see § 123.25)). This draft PAG-02 General Permit would apply to eligible projects proposing an earth disturbance activity that involves 1 acre or more of earth disturbance, or an earth disturbance on any portion, part, or during any stage of a larger common plan of development or sale that involves 1 acre or more of earth disturbance. If a project requires NPDES permit coverage but is ineligible for PAG-02 coverage, an applicant may apply for an individual NPDES permit.

Notices of Intent (NOI) to use this draft PAG-02 General Permit for NPDES permit coverage would be submitted to county conservation districts (CCD) that are delegated by the Department to complete reviews of NPDES permit applications under 25 Pa. Code Chapter 102 (relating to erosion and sediment control), or in the absence of a delegated CCD, a regional office of the Department. An eligible applicant may not commence a discharge under the General Permit until the following conditions have been met:

1. The applicant has submitted a complete NOI package (3800-PM-BCW0405b and required attachments) in accordance with the requirements of the General Permit and the NOI instructions.

2. The applicant has received written approval of coverage under PAG-02, signed by the appropriate Department/CCD manager or supervisor.

3. All other permits and approvals relating to the earth disturbance activities reported in the NOI, including but not limited to sewage planning approval required by the Pennsylvania Sewage Facilities Act (35 P.S. §§ 750.1—750.20a), if applicable, have been obtained.

4. A pre-construction meeting has been held unless waived in writing by the Department/CCD.

The following bullet points summarize the proposed changes for the reissuance of this draft PAG-02 General Permit in comparison to the PAG-02 General Permit currently in effect, which expires on December 7, 2019:

- *Expiration date of coverage*—Coverage under this draft PAG-02 would expire on the date the master General Permit expires, which is currently planned for December 7, 2024.

- New requirements are proposed to ensure onsite personnel are properly trained and are aware of responsibilities under the General Permit.

- The proposed draft General Permit would include changes to non-compliance reporting to align with the reporting requirements of 25 Pa. Code §§ 91.33 and 92a.41(b) (relating to incidents causing or threatening pollution; and conditions applicable to all permits).

- This draft General Permit would clarify the appropriate form that must be used for documenting visual site inspections (or equivalent) and the measurable rainfall that triggers a post-storm inspection (that is, 0.25 inches).

- New forms would be available for notifying municipalities and counties of construction projects to satisfy Acts 14, 67, 68 and 127.

- Prohibitions concerning discharge to impaired waters, with and without a Total Maximum Daily Load, would be revised to clarify the causes of impairment triggering additional measures, and to specify that the additional measures include non-discharge alternatives or

antidegradation best available combination of technologies best management practices.

- For the proposed General Permit, the Department is seeking to improve the efficiency and consistency of Department/CCD completeness and technical reviews by requiring the use of templates for the narrative components of Erosion and Sediment (E&S) and Post-Construction Stormwater Management (PCSM) Plans (that is, E&S Module 1 and PCSM Module 2).

Additional information on the proposed terms and conditions of this draft PAG-02 General Permit can be found in the draft PAG-02 General Permit Fact Sheet and other supporting documents available in the Department's eLibrary.

Applicants must submit a \$500 administrative filing fee and the NOI package to the delegated CCD, along with any additional fees the CCD requires. Applicants must also submit a fee in the amount of \$100 for each disturbed acre to the Department. If a project is located in a county without a delegated CCD, both the disturbed acre fee and the administrative filing fee must be submitted to the Department.

The Department is also announcing the availability of a draft Department PCSM Spreadsheet that may be used to facilitate calculations for PCSM Plans. The PCSM Spreadsheet may be accessed by visiting the Department's Construction Stormwater web site at [www.dep.pa.gov/constructionstormwater](http://www.dep.pa.gov/constructionstormwater) (select "E&S Resources"). The PCSM Spreadsheet is macro-enabled and requires the use of Microsoft Excel.

#### *Written Comments*

Interested persons are invited to submit written comments regarding the draft PAG-02 General Permit, associated documents and PCSM Spreadsheet through Monday, September 16, 2019. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Written comments submitted during the 30-day public comment period will be retained by the Department and considered before finalization of the General Permit. The Department will provide an opportunity for any interested person or group of persons, any affected state, any affected interstate agency, the United States Environmental Protection Agency or any interested agency to request or petition for a public hearing with respect to the draft General Permit. The request or petition for public hearing, which must be filed within the 30-day time period allowed for filing of written comments, must indicate the interest of the party filing the request and the reasons why a hearing is warranted. A hearing will be scheduled if there is significant public interest.

Questions regarding the draft PAG-02 can be directed to Sean Furjanic at [sfurjanic@pa.gov](mailto:sfurjanic@pa.gov) or (717) 787-2137.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-1239. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting on Wednesday, September 11, 2019, from 9 a.m. to 4 p.m. and on Thursday, September 12, 2019, from 9 a.m. to 4 p.m. at the Best Western Premier The Central Hotel, 800 East Park Drive, Harrisburg, PA 17111.

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention grant for Comprehensive HIV Prevention Programs for Health Departments. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so should contact Cynthia Findley, Bureau Director, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel this meeting without prior notice.

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-1240. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Riverside Healthcare and Rehabilitation Center  
500 West Hospital Street  
Taylor, PA 18517  
FAC ID # 201302

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-1241. Filed for public inspection August 16, 2019, 9:00 a.m.]

**DEPARTMENT OF  
HUMAN SERVICES**

**Disproportionate Share Payments to Qualifying Hospitals**

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2018-2019 disproportionate share hospital payments to qualifying Medical Assistance (MA) enrolled acute care general hospitals. These payments are intended to provide additional support for the operation of academic medical programs through the medical education of health care professionals needed to treat the MA population. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

**DEPARTMENT OF HUMAN SERVICES**

**Medical Assistance Program Fee Schedule Revisions; 2019 Healthcare Common Procedure Coding System Updates and Fee Adjustments; Prior Authorization Requirements**

The Department of Human Services (Department) announces changes to the Medical Assistance (MA) Program Fee Schedule. These changes are effective for dates of service on and after August 19, 2019.

The Department is adding and end-dating procedure codes as a result of implementing the 2019 updates published by the Centers for Medicare & Medicaid Services (CMS) to the Healthcare Common Procedure Coding System (HCPCS). The Department is also adding other procedure codes and making changes to procedure codes currently on the MA Program Fee Schedule, including fee adjustments. As follows, some of the procedure codes being added to the MA Program Fee Schedule will require prior authorization. The Department will also issue an MA Bulletin to advise all enrolled providers of the changes in this notice, to include the fee adjustments.

*Procedure Codes Being Added or End-dated*

The Department is adding the following procedure code and modifier combinations to the MA Program Fee Schedule as a result of the 2019 HCPCS updates:

<i>Procedure Codes and Modifiers</i>				
10004	10005	10005 (SG)	10006	10007
10007 (SG)	10008	10009	10009 (SG)	10010
10011	10012	11102	11102 (SG)	11103
11104	11104 (SG)	11105	11106	11106 (SG)
11107	27369 (RT)	27369 (LT)	27369 (50)	33285
33285 (SG)	33286	33286 (SG)	36572	36572 (SG)
36573	36573 (SG)	38531 (SG)	38531 (RT)	38531 (LT)
38531 (50)	43762	43763	43763 (SG)	50436 (SG)

The Department published notice of its intent to allocate funding for these payments at 48 Pa.B. 7715 (December 15, 2018). The Department received no comments during the 30-day comment period and will implement the change as described in the notice of intent.

*Fiscal Impact*

The FY 2018-2019 impact, as a result of the funding allocation for these payments, is \$10.576 million (\$5.050 million in State general funds and \$5.526 million in Federal funds).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1350. (1) General Fund;

(7) MA—Academic Medical Centers; (2) Implementing Year 2018-19 is \$1,550,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$0; (4) 2017-18 Program—\$24,681,000; 2016-17 Program—\$21,181,000; 2015-16 Program—\$17,431,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2018-19 is \$500,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$0; (4) 2017-18 Program—\$10,071,000; 2016-17 Program—\$10,071,000; 2015-16 Program—\$9,571,000;

(7) MA—Fee-for-Service; (2) Implementing Year 2018-19 is \$3,000,000; (3) 1st Succeeding Year 2019-20 through 5th Succeeding Year 2023-24 are \$0; (4) 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 19-1242. Filed for public inspection August 16, 2019, 9:00 a.m.]



<i>Procedure Codes and Modifiers</i>				
50436 (RT)	50436 (LT)	50436 (50)	50437 (SG)	50437 (RT)
50437 (LT)	50437 (50)	77046	77046 (TC)	77046 (26)
77047	77047 (TC)	77047 (26)	77048	77048 (TC)
77048 (26)	77049	77049 (TC)	77049 (26)	81163
81164	81165	81166	81167	81329
81336	81337	81596	83722	92273
92273 (TC)	92273 (26)	92274	92274 (TC)	92274 (26)
95976	95977	95983	95984	96112
96113	96121	96130	96131	96132
96133	99491	0509T	0509T (TC)	0509T (26)
A5514 (RT)	A5514 (LT)	A5514 (50)	D1516	D1516 (SG)
D1517	D1517 (SG)	V5171	V5172	V5181
V5211	V5212	V5213	V5214	V5215
V5221				

The Department is adding the following procedure codes, and procedure code and modifier combinations to the MA Program Fee Schedule based upon provider requests or clinical review:

<i>Procedure Codes and Modifiers</i>				
22853	22853 (80)	81015	81162	81528
82542	91200	91200 (TC)	91200 (26)	99484
99492	99493	99494	A4333	A4398
A4399	A4432	A4433	D0140	D1320
E0277 (NU)	E0277 (RR)	E0986 (NU)	E0986 (RR)	E1012 (NU)
E1012 (RR)				

The Department is end-dating the following procedure codes from the MA Program Fee Schedule as a result of the 2019 HCPCS updates:

<i>Procedure Codes</i>					
10022	11100	11101	20005	27370	31595
33282	33284	41500	46762	50395	61332
61480	61610	61612	64508	66220	76001
77058	77059	78270	78271	78272	81211
81213	81214	92275	95974	95975	95978
95979	96101	96111	96118	96119	D1515
K0903	V5170	V5180	V5210	V5220	

#### *Prior Authorization Requirements*

The following procedure codes and modifiers being added to the MA Program Fee Schedule are considered advanced radiology services and will require prior authorization, as authorized under section 443.6(b)(7) of the Human Services Code (code) (62 P.S. § 443.6(b)(7)), and as described in MA Bulletin 01-14-42 titled Advanced Radiologic Imaging Services which may be viewed online at <http://www.dhs.pa.gov/publications/bulletinsearch/bulletinselected/index.htm?bn=01-14-42>.

<i>Procedure Codes and Modifiers</i>				
77046	77046 (TC)	77046 (26)	77047	77047 (TC)
77047 (26)	77048	77048 (TC)	77048 (26)	77049
77049 (TC)	77049 (26)			

The following durable medical equipment (DME) procedure codes and modifier combinations being added to the MA Program Fee schedule will require prior authorization. Procedure codes with the NU modifier now require prior authorization for purchase, as authorized under section 443.6(b)(2) of the code, and procedure codes with RR modifier now require prior authorization after 3 months of rental under section 443.6(b)(3) of the code:

<i>Procedure Codes and Modifiers</i>		
E0277 (NU)	E0277 (RR)	E0986 (NU)
E0986 (RR)	E1012 (NU)	E1012 (RR)

The following prosthetic procedure codes being added to the MA Program Fee Schedule will require prior authorization, as authorized under section 443.6(b)(1) of the code:

<i>Procedure Codes and Modifiers</i>				
V5171	V5172	V5181	V5211	V5212
V5213	V5214	V5215	V5221	

*Updates to Procedure Codes Currently on the MA Program Fee Schedule*

*Physicians' Services*

The Department is adding modifiers RT (right side), LT (left side) and 50 (bilateral) to the following procedure codes and modifier combinations for Provider Type (PT)/Specialty (Spec)/Place of Service (POS) combination 31 (Physician)/All/21 (Inpatient Hospital) as these services may be performed laterally or bilaterally by all physician specialties in this setting:

<i>Procedure Codes</i>				
23470	23470 (80)	23472	23472 (80)	27122
27122 (80)	27130	27130 (80)	27132	27132 (80)
27138	27138 (80)	27445	27445 (80)	27446
27446 (80)	27447	27447 (80)	27486	27486 (80)
27487	27487 (80)			

The Department is end-dating PT/Spec/POS combinations 01 (Inpatient Facility)/All/23 (Emergency Room), 01/183 (Hospital Based Medical Clinic)/22 (Outpatient Hospital), and 08 (Clinic)/All/49 (Independent Clinic) for the following procedure codes as the settings were determined to be clinically inappropriate:

<i>Procedure Codes</i>		
23470	27445	27446
27447	27486	27487

The Department is end-dating POS 23 and 99 (Special Treatment Room) for the following surgical procedure codes and modifiers for PT/Spec combination 31/All as the settings were determined to be clinically inappropriate:

<i>Procedure Codes</i>				
23470	23470 (80)	27445	27445 (80)	27446
27446 (80)	27486	27486 (80)	27487	27487 (80)

The Department is updating unit or service limits, or both, for the following surgical procedure codes to allow for bilateral services and to limit to once per lifetime, as a result of clinical review:

<i>Procedure Code</i>	<i>Old Unit Limit</i>	<i>New Unit Limit</i>	<i>Present Limit</i>	<i>New Limit</i>
23470	1:1	1:2	Once per day	Once per right side per lifetime and once per left side per <b>lifetime</b>
23472	1:1	1:2	Once per day	Once per right side per lifetime and once per left side per <b>lifetime</b>
27122	1:2	1:2	Twice per day	Once per right side per lifetime and once per left side per <b>lifetime</b>
27130	1:1	1:2	Once per day	Once per right side per lifetime and once per left side per <b>lifetime</b>
27132	1:1	1:2	Once per day	Once per right side per lifetime and once per left side per <b>lifetime</b>
27138	1:1	1:2	Once per day	Once per right side and/or once per left side per <b>day</b>
27446	1:1	1:2	Once per day	Once per right side and/or once per left side per <b>day</b>
27447	1:1	1:2	Once per day	Once per right side per lifetime and once per left side per <b>lifetime</b>
27487	1:1	1:2	Once per day	Once per right side and/or once per left side per <b>day</b>

The Department is opening the following PT/Spec combinations for surgical procedure code 49465, as determined by clinical review, in POS 11 (Office) 21, 22, 23 and/or 99:

<i>Procedure Code</i>	<i>New PT/Spec</i>	<i>POS</i>
49465	01/017 (Emergency Room Arrangement 2)	23
	01/183	22
	31/All	11, 21, 23, 99

The Department is end-dating PT 31/Specialties 319 (Surgery), 322 (Internal Medicine) and 341 (Radiology) for surgical procedure code 49465, as clinical review determined it is appropriate for all physician specialties to perform this service.

The Department is opening PT/Spec 31/All in POS 21 and end-dating PT 31 specialties 318 (General Practitioner), 319, 322 and 328 (Obstetrics and Gynecology) for surgical procedure code 58294 with and without the pricing modifier 80 (Assistant Surgeon), as the Department determined it is appropriate for all physician specialties to perform this service.

The Department is opening PT/Spec combinations for procedure code 95971, as determined by clinical review, in POS 22 and 49:

<i>Procedure Code</i>	<i>New PT/Spec</i>	<i>POS</i>
95971	01/183	22
	08/082 (Independent Medical/Surgical Clinic)	49

Procedure codes 95970 and 95971 will have POS 99 added for the PT/Spec 31/All as the Department determined this setting is appropriate for the performance of these services.

The Department is end-dating the informational modifier 78 (unplanned return to the operating room) for medical procedure codes 95971 and 95972 as clinical review determined that modifier 78 does not apply to these procedure codes.

*Ambulatory Surgical Center/Short Procedure Unit Services*

The Department is opening PT/Spec combinations 01/021 (SPU), 02 (ASC)/020 (ASC), or both for the procedure codes identified below in POS 24 (ASC) with the SG (ASC/SPU facility support component) modifier. The Department determined these procedure codes are appropriate for additional specialties, can be performed safely in a SPU, ASC, or both, and will be paid the facility support component fee of \$776:

<i>Procedure Code</i>	<i>New PT/Spec</i>	<i>POS</i>
10021 (SG)	01/021	24
	02/020	
22551 (SG)	01/021	24
	02/020	
23473 (SG)	01/021	24
58294 (SG)	01/021	24
58553 (SG)	02/020	24

The Department is adding POS 24 for PT/Spec 31/All for the following procedure codes and modifier combinations as the result of clinical review and the Department's determination that this setting is appropriate for the performance of these services:

<i>Procedure Codes</i>				
10021	22551	22551 (80)	22552	22552 (80)
23473 (RT)	23473 (LT)	23473 (50)	23473 (80) (RT)	23473 (80) (LT)
23473 (80) (50)	49465	58294	58294 (80)	95970
95971	95972			

The Department is adding modifiers RT, LT and 50 to the following procedure codes and modifier combinations for PT/Spec/POS combination 31/All/24 as these services may be performed laterally or bilaterally by these providers in this setting:

<i>Procedure Codes</i>			
23470	23470 (80)	27446	27446 (80)
27447	27447 (80)		

The Department is end-dating PT/Spec/POS combinations 01/021/24 or 02/020/24, or both for the following procedure codes with the SG modifier as the setting was determined to be clinically inappropriate for the PT/Spec combinations:

<i>Procedure Code</i>	<i>End-dated PT/Spec/POS combinations</i>
23470 (SG)	02/020/24
23472 (SG)	01/021/24; 02/020/24
27446 (SG)	02/020/24
27447 (SG)	02/020/24
27486 (SG)	01/021/24; 02/020/24
27487 (SG)	01/021/24; 02/020/24

The Department is end-dating POS 24 for the following surgical procedure codes and modifiers for PT/Spec combination 31/All as the setting was determined to be clinically inappropriate:

<i>Procedure Codes</i>			
23472	23472 (80)	27130	27130 (80)
27486	27486 (80)	27487	27487 (80)

*Podiatrist Services*

The Department is adding PT/Spec 14 (Podiatrist)/140 (Podiatrist) to procedure code 10021 in POS 11, 21, 23 and 24 as a result of clinical review because the Department determined it is appropriate for this provider to perform this service in these settings.

*Laboratory Services*

The Department is removing prior authorization requirements for the following laboratory procedure codes based on clinical review:

<i>Procedure Codes</i>				
81212	81215	81216	81217	81220
81240	81241	81370	81371	81372
81373	81374	81375	81376	81377
81378	81379	81380	81381	81382
81383	81420	81435	81436	81507

The Department is adding a limitation of “once per lifetime” to the following laboratory procedure codes based on clinical review:

<i>Procedure Codes</i>				
81370	81371	81372	81373	81374
81375	81376	81377	81378	81379
81380	81381	81382	81383	

The Department is changing the limitations for procedure codes 81420 and 81507 from “once per day” to “once per pregnancy” based on clinical review.

The Department is adjusting the MA Program fee for the laboratory procedure codes identified as follows as they are used more widely, and industry rates have been reduced for these services:

<i>Procedure Code</i>	<i>Description</i>	<i>Current Fee</i>	<i>MA Fee Effective August 19, 2019</i>
81216	BRCA2 (BRCA2, DNA repair associated) (for example, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	\$1,482.35	\$148.10
81220	CFTR (cystic fibrosis transmembrane conductance regulator) (for example, cystic fibrosis) gene analysis; common variants (for example, ACMG/ACOG guidelines)	\$1,092.53	\$445.28

*Neurobehavioral Status Exam*

The Department is updating the procedure description (in bold as follows) and service limitation for procedure code 96116 due to the addition of new procedure 96121 for additional hours. The Department is adjusting the fee for procedure code 96116 to reflect the fee for the “first hour” of service.

<i>Procedure Code</i>	<i>New Procedure Description</i>	<i>Present Limit</i>	<i>New Limit</i>	<i>Current Fee</i>	<i>MA Fee Effective August 19, 2019</i>
96116	Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [for example, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; <b>first hour</b>	Up to 12 per day	Once per day	\$52.50	\$68.72

The Department is opening the following PT/Spec combinations in POS 11, 12 (Patient’s Home), 15 (Mobile Unit), 21 or 57 (Non-Residential Substance Abuse Treatment Facility) for procedure code 96116 based on clinical review:

<i>Procedure Code</i>	<i>New PT/Spec</i>	<i>POS</i>
96116	08/074 (Mobile Mental Health Unit)	15

<i>Procedure Code</i>	<i>New PT/Spec</i>	<i>POS</i>
	08/184 (Outpatient Drug and Alcohol)	12, 57
	31/339 (Psychiatrist)	11, 21

The Department is end-dating the following PT/Spec combinations for procedure code 96116. Based on clinical review, the Department has determined it is not appropriate for these specialties to bill for this service.

<i>Procedure Code</i>	<i>End-dated PT/Spec</i>
96116	11 (Mental Health/Substance Abuse)/548 (Therapeutic Staff Support)
	11/549 (Mobile Therapy)
	11/559 (Behavioral Specialist Consultant)

The Department is adding POS 49 or 52 (Psychiatric Facility/Partial Hospitalization) to, and end-dating POS 11 and 99 from, procedure code 96116. The Department determined the new POS are appropriate and the end-dated POS are not appropriate for the provision of this service.

<i>Procedure Code</i>	<i>PT/Spec</i>	<i>New POS</i>	<i>End-dated POS</i>
96116	08/110 (Psychiatric Outpatient Clinic)	49	11, 99
	11/113 (Child Partial Psychiatric Hospital)	52	11, 99
	11/114 (Adult Partial Psychiatric Hospital)	52	11, 99

#### *DME and Medical Supplies*

The Department is adding modifiers RT, LT and 50 to the following DME procedure codes, as these items may be provided laterally or bilaterally. Procedure codes with the NU modifier now require prior authorization for purchase, as authorized under section 443.6(b)(2) of the code. Prior authorization for procedure codes with the RR modifier is changing from “with first month’s rental” to “after three months of rental” under section 443.6(b)(3) of the code:

<i>Procedure Codes</i>			
E0667 (NU)	E0667 (RR)	E0668 (NU)	E0668 (RR)

The Department is adding or changing limits to the following DME procedure codes:

<i>Procedure Code</i>	<i>Present Limit</i>	<i>New Limit</i>	<i>Reason</i>
E0651 (NU)	No limit	1 per 3 calendar years	This limit is based on clinical review.
E0667 (NU)	No limit	2 per 365 days	This limit is added to permit bilateral items every 365 days.
E0667 (RR)	1 per calendar month	2 per calendar month	This item may be provided for each leg, so the maximum limit has been increased to allow for bilateral items.
E0668 (NU)	No limit	2 per 365 days	This limit is added to permit bilateral items every 365 days.
E0668 (RR)	1 per calendar month	2 per calendar month	This item may be provided for each arm, so the maximum limit has been increased to allow for bilateral items.

The Department is updating unit limits for the following procedure codes:

<i>Procedure Code</i>	<i>Old Unit Limit</i>	<i>New Unit Limit</i>	<i>Reason</i>
E0667 (NU) E0667 (RR)	1:1	1:2	This item may be provided for each leg, so the maximum limit has been increased to allow for bilateral items.
E0668 (NU) E0668 (RR)	1:1	1:2	This item may be provided for each arm, so the maximum limit has been increased to allow for bilateral items.

The Department is end-dating the NU pricing modifier for DME procedure code K0108 pertaining to the hardware for head support system as this is included as part of companion code E0955 (wheelchair accessory, headrest, cushioned, any type, including fixed mounting hardware, each).

The Department is adjusting the fee for medical supply procedure code A4455 to reflect the rate per ounce, as indicated in the procedure code description, and not by cubic centimeter:

<i>Procedure Code</i>	<i>Description</i>	<i>Current Fee</i>	<i>MA Fee Effective August 19, 2019</i>
A4455	Adhesive remover or solvent (for tape, cement or other adhesive), per oz.	\$0.04	\$1.26

#### *Fiscal Impact*

The estimated cost for Fiscal Year 2019-2020 is \$0.466 million (\$0.222 million in State funds). The estimated cost for Fiscal Year 2020-2021 is \$0.699 million (\$0.334 million in State funds).

*Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received will be reviewed and considered for any subsequent revisions to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1353. (1) General Fund; (2) Implementing Year 2019-20 is \$222,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$334,000; (4) 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 19-1243. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Renewal of the Office of Long-Term Living's Home and Community-Based Community HealthChoices Waiver

The Department of Human Services (Department) is making available for public review and comment the Office of Long-Term Living's (OLTL) proposed Community HealthChoices (CHC) waiver renewal. The Department proposes to renew the CHC waiver with an effective date of January 1, 2020, to align the waiver with the calendar year. In addition, the Department proposes the following substantive and technical changes to the CHC waiver:

- Revise the Residential Habilitation service definition by modifying the number of hours that are defined as a day unit from a minimum of 12 hours to a minimum of 8 hours.

- To the service definitions of Job Finding, Job Coaching, Employment Skills Development, Career Assessment and Benefits Counseling, add language that Office of Vocational Rehabilitation (OVR) services are considered to not be available if OVR has not made an eligibility determination within 120 days; and add language to address when employment services through the CHC waiver can be provided should OVR close the order of selection, thereby creating a waiting list for OVR services.

- Modify the qualifications for Service Coordinators and Service Coordinator supervisors.

- Clarify that, if a CHC Managed Care Organization (MCO) identifies that a participant has not been receiving services for 5 or more days, and if the suspension of services was not pre-planned, then the CHC-MCO must communicate with the participant to determine the reason for the service suspension within 24 hours. If the participant's health status or needs have changed, then the CHC-MCO must conduct a comprehensive needs reassessment of the participant's needs within 14 days of identifying the issue.

- Add that an emergency back-up plan must be included in the Person-Centered Service Plan.

- Remove and modify language to reflect that the CHC waiver will be fully operational Statewide as of January 1, 2020.

- Update language to reflect that the Department utilizes IDEMIA as the data system to process fingerprint-based Federal Bureau of Investigation criminal record checks.

- Update the OLTL bureau names and responsibilities.
- Other minor editorial language changes.

*Background*

To continue receiving Federal matching funds for Home and Community-Based Services (HCBS) waiver services, the Centers for Medicare & Medicaid Services (CMS) requires that existing HCBS waivers be renewed every 5 years. See 42 CFR 430.25(h)(2)(i) (relating to waivers of State plan requirements). The proposed CHC waiver renewal is to be submitted to CMS by no later than October 2, 2019.

The proposed CHC waiver renewal and a summary of all revisions are available for review at <http://www.dhs.pa.gov/learnaboutdhs/dhsorganization/officeoflongtermliving/oltlwaiverinfo/index.htm> or by contacting the Department's Office of Long-Term Living at (717) 857-3280.

*Fiscal Impact*

There is no direct fiscal impact associated with this notice.

*Public Comment*

Interested persons are invited to submit written comments regarding the proposed waiver renewal to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Marilyn Yocum—CHC Waiver Renewal, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments may also be submitted to the Department at RA-waiverstandard@pa.gov. Use "CHC Waiver Renewal" in the subject line. Comments received within 30 days will be reviewed and considered for revisions to the proposed waiver renewal.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1351. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 19-1244. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Mega Millionaire Instant Lottery Game 1417

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Mega Millionaire (hereinafter “Mega Millionaire”). The game number is PA-1417.

2. *Price:* The price of a Mega Millionaire instant lottery game ticket is \$20.

3. *Play symbols:* Each Mega Millionaire instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area, and three “BONUS” areas. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Coin (COIN) symbol, Stack of Cash (WINALL) symbol, and a MEGA (\$1MIL) symbol. The play symbols and their captions located in the three “BONUS” areas are: NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol, NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol, \$20<sup>00</sup> (WIN\$20) symbol, \$40<sup>00</sup> (WIN\$40) symbol, \$50<sup>00</sup> (WIN\$50) symbol, \$100 (WIN\$100) symbol, \$200 (WIN\$200) symbol, \$300 (WIN\$300) symbol, \$400 (WIN\$400) symbol, \$500 (WIN\$500) symbol, \$1,000 (WIN\$1K) symbol, 2X (DOUBLE) symbol and 5X (5TIMES) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$20<sup>00</sup> (TWENTY), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$100,000 (ONEHUNTHO) and \$1MILL (ONE MIL).

5. *Prizes:* The prizes that can be won in this game are: \$20, \$40, \$50, \$100, \$200, \$400, \$500, \$1,000, \$10,000, \$100,000, and \$1,000,000. The prizes that can be won in the “BONUS” area are: \$20, \$40, \$50, \$100, \$200, \$300, \$400, \$500, and \$1,000. A player can win up to 23 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 6,000,000 tickets will be printed for the Mega Millionaire instant lottery game.

#### 7. *Determination of prize winners:*

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a MEGA (\$1MIL) symbol and a prize symbol of \$1MILL (ONE MIL) appears in the “prize” area under that MEGA (\$1MIL) play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Coin (COIN) symbol and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under that Coin (COIN) play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Stack of Cash (WINALL) symbol and a prize symbol of \$500 (FIV HUN) appears in all twenty of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a “Coin” (COIN) symbol and any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and prize symbols of \$1,000 (ONE THO) appear in the “prize” areas under that Coin (COIN) symbol and under the matching “YOUR NUMBERS” play symbol, and upon which a 5X (5TIMES) symbol appears in any of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(g) Holders of tickets upon which any five of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and prize symbols of \$1,000 (ONE THO) appear in the “prize” areas under the matching “YOUR NUMBERS” play symbols, and upon which a 2X (DOUBLE) symbol appears in any of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Coin (COIN) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Coin (COIN) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets with a \$1,000 (WIN\$1K) symbol in any of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, and upon

which a 2X (DOUBLE) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 5X (5TIMES) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Stack of Cash (WINALL) symbol and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in all twenty of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Stack of Cash (WINALL) symbol, a prize symbol of \$40<sup>00</sup> (FORTY) appears in fifteen of the "prize" areas, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$700.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Coin (COIN) symbol, and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that Coin (COIN) symbol, on a single ticket, shall be entitled to a prize of \$500.

(q) Holders of tickets with a \$500 (WIN\$500) symbol in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$500.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 5X (5TIMES) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$500.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Stack of Cash (WINALL) symbol, a prize symbol of \$40<sup>00</sup> (FORTY) appears in four of the "prize" areas, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in sixteen of the "prize" areas, on a single ticket, shall be entitled to a prize of \$480.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Coin (COIN) symbol and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under that Coin (COIN) symbol, on a single ticket, shall be entitled to a prize of \$400.

(v) Holders of tickets with a \$400 (WIN\$400) symbol in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$400.

(w) Holders of tickets upon which any ten of the "YOUR NUMBERS" play symbols match any of the

"WINNING NUMBERS" play symbols, and prize symbols of \$20<sup>00</sup> (TWENTY) appear in the "prize" areas under the matching "YOUR NUMBERS" play symbols, and upon which a 2X (DOUBLE) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$400.

(x) Holders of tickets upon which any two of the "YOUR NUMBERS" play symbols are Coin (COIN) symbols, and any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and prize symbols of \$20<sup>00</sup> (TWENTY) appear under those Coin (COIN) symbols, and a prize symbol of \$40<sup>00</sup> (FORTY) appears under the matching "YOUR NUMBERS" symbol, and upon which a 5X (5TIMES) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$400.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Stack of Cash (WINALL) symbol and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in all twenty of the "prize" areas, and upon which a 2X (DOUBLE) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$400.

(z) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(aa) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Coin (COIN) symbol and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under that Coin (COIN) symbol, on a single ticket, shall be entitled to a prize of \$200.

(bb) Holders of tickets with a \$200 (WIN\$200) symbol in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$200.

(cc) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 2X (DOUBLE) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$200.

(dd) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40<sup>00</sup> (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 5X (5TIMES) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$200.

(ee) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(ff) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Coin (COIN) symbol, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that Coin (COIN) symbol, on a single ticket, shall be entitled to a prize of \$100.

(gg) Holders of tickets with a \$100 (WIN\$100) symbol in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$100.



(hh) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 2X (DOUBLE) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$100.

(ij) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 5X (5TIMES) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$100.

(jj) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(kk) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Coin (COIN) symbol, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under that Coin (COIN) symbol, on a single ticket, shall be entitled to a prize of \$50.

(ll) Holders of tickets with a \$50<sup>00</sup> (WIN\$50) symbol in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$50.

(mm) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40<sup>00</sup> (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(nn) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Coin (COIN) symbol, and a prize symbol of \$40<sup>00</sup> (FORTY) appears in

the "prize" area under that Coin (COIN) play symbol, on a single ticket, shall be entitled to a prize of \$40.

(oo) Holders of tickets with a \$40<sup>00</sup> (WIN\$40) symbol in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$40.

(pp) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Coin (COIN) symbol and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "prize" area under that Coin (COIN) symbol, and upon which a 2X (DOUBLE) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$40.

(qq) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 2X (DOUBLE) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$40.

(rr) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(ss) Holders of tickets where any one of the "YOUR NUMBERS" play symbols is a Coin (COIN) symbol and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "prize" area under that Coin (COIN) symbol, on a single ticket, shall be entitled to a prize of \$20.

(tt) Holders of tickets with a \$20<sup>00</sup> (WIN\$20) symbol in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$20.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number; Win Prize Shown Under The Matching Number. Win With:</i>	<i>Bonus:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$20 w/ COIN		\$20	15	400,000
\$20		\$20	17.65	340,000
\$20 × 2		\$40	150	40,000
\$20	2X SYMBOL	\$40	100	60,000
\$20 w/ COIN	2X SYMBOL	\$40	60	100,000
\$40 w/ COIN		\$40	150	40,000
\$40		\$40	150	40,000
\$50 w/ COIN		\$50	30	200,000
\$50		\$50	30	200,000
\$20 × 5		\$100	300	20,000
\$50 × 2		\$100	300	20,000
\$20	5X SYMBOL	\$100	150	40,000
(\$20 w/ COIN) + \$20	\$20 × 3	\$100	150	40,000
\$20 w/ COIN	5X SYMBOL	\$100	300	20,000

## NOTICES

4615

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Bonus:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$50 w/ COIN	2X SYMBOL	\$100	150	40,000
\$100 w/ COIN		\$100	300	20,000
\$100		\$100	300	20,000
\$20 × 10		\$200	4,000	1,500
\$50 × 4		\$200	4,000	1,500
(\$50 w/ COIN) + \$50	\$50 × 2	\$200	1,200	5,000
\$40	5X SYMBOL	\$200	1,200	5,000
\$100	2X SYMBOL	\$200	545.45	11,000
\$100 w/ COIN	\$100	\$200	1,200	5,000
	\$200	\$200	1,200	5,000
\$200 w/ COIN		\$200	6,000	1,000
\$200		\$200	6,000	1,000
STACK OF CASH w/ (\$20 × 20)		\$400	1,200	5,000
\$40 × 10		\$400	6,000	1,000
(((\$20 w/ COIN) × 2) + \$40	5X SYMBOL	\$400	6,000	1,000
\$20 × 10	2X SYMBOL	\$400	12,000	500
	\$400	\$400	6,000	1,000
\$400 w/ COIN		\$400	6,000	1,000
\$400		\$400	12,000	500
STACK OF CASH w/ (\$20 × 20)	\$100	\$500	6,000	1,000
STACK OF CASH w/ ((\$40 × 4) + (\$20 × 16))	\$20	\$500	12,000	500
\$50 × 10		\$500	24,000	250
(((\$50 w/ COIN) × 4) + (\$20 × 10)	\$100	\$500	12,000	500
(\$100 w/ COIN) + \$100	\$100 × 3	\$500	12,000	500
\$100	5X SYMBOL	\$500	12,000	500
	\$500	\$500	24,000	250
\$500 w/ COIN		\$500	24,000	250
\$500		\$500	24,000	250
STACK OF CASH w/ (\$50 × 20)		\$1,000	12,000	500
STACK OF CASH w/ ((\$40 × 15) + (\$20 × 5))	\$100 × 3	\$1,000	6,000	1,000
\$100 × 10		\$1,000	24,000	250
(\$50 × 10) + (\$40 × 10)	(\$40 × 2) + \$20	\$1,000	24,000	250
(((\$200 w/ COIN) × 2) + ((\$50 w/ COIN) × 4)	\$300 + \$100	\$1,000	24,000	250
(\$500 w/ COIN) + (\$20 × 10)	\$100 × 3	\$1,000	24,000	250
\$200	5X SYMBOL	\$1,000	24,000	250
\$500	2X SYMBOL	\$1,000	24,000	250
	\$1,000	\$1,000	120,000	50
\$1,000 w/ COIN		\$1,000	120,000	50
\$1,000		\$1,000	120,000	50
STACK OF CASH w/ (\$500 × 20)		\$10,000	1,200,000	5
\$1,000 × 5	2X SYMBOL	\$10,000	1,200,000	5
(\$1,000 w/ COIN) + \$1,000	5X SYMBOL	\$10,000	1,200,000	5

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Bonus:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$10,000 w/ COIN		\$10,000	1,200,000	5
\$10,000		\$10,000	1,200,000	5
\$100,000		\$100,000	1,200,000	5
\$1,000,000 w/ MEGA SYMBOL		\$1,000,000	1,200,000	5

Reveal a "COIN" (COIN) symbol, win prize shown under that symbol automatically.

Reveal a "STACK OF CASH" (WINALL) symbol, win all 20 prizes shown.

Reveal a "MEGA" (\$1MIL) symbol, win \$1 million instantly!

BONUS: Reveal a cash prize amount, win that amount instantly. Reveal a "2X" (DOUBLE) or "5X" (5TIMES) symbol, multiply any prize won in the play area below!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Mega Millionaire instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Mega Millionaire, prize money from winning Mega Millionaire instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Mega Millionaire instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Mega Millionaire or through normal communications methods.

C. DANIEL HASSELL,  
*Secretary*

[Pa.B. Doc. No. 19-1245. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania My Best Life Instant Lottery Game 1420

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania My Best Life (hereinafter "My Best Life"). The game number is PA-1420.

2. *Price:* The price of a My Best Life instant lottery game ticket is \$2.

3. *Play symbols:* Each My Best Life instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area, a "YOUR NUMBERS" area, a "LEFT BONUS" area and a "RIGHT BONUS" area. Each "BONUS" area is played separately. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), and 20 (TWENT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), and a BEST (LIFE) symbol. The play symbols and their captions located in the "LEFT BONUS" area are: Bank (TRY AGAIN) symbol, Stack of Coins (NO BONUS) symbol, Piggy Bank (TRY AGAIN) symbol, Wallet (NO BONUS) symbol, Gold Bar (TRY AGAIN) symbol, and a \$10 Burst (WIN10) symbol. The play symbols and their captions located in the "RIGHT BONUS" area are: Purse (TRY AGAIN) symbol,

Diamond Ring (NO BONUS) symbol, Necklace (TRY AGAIN) symbol, Vault (NO BONUS) symbol, Stack of Cash (TRY AGAIN) symbol, and a \$20 Burst (WIN20) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$2.<sup>00</sup> (TWO DOL), \$4.<sup>00</sup> (FOR DOL), \$5.<sup>00</sup> (FIV DOL), \$10.<sup>00</sup> (TEN DOL), \$20.<sup>00</sup> (TWENTY), \$30.<sup>00</sup> (THIRT), \$50.<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$750 (SVNHUNFTY), and a \$1000WK (FOR LIFE) symbol.

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$30, \$50, \$100, \$200, \$400, \$750, and \$1,000 a week for life (described in more detail in section 7(a)). The player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 21,000,000 tickets will be printed for the My Best Life instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a BEST (LIFE) symbol and a prize symbol of \$1000WK (FOR LIFE) appears in the "prize" area under that BEST (LIFE) symbol, on a single ticket, shall be entitled to the applicable prize as defined below:

(1) *Annuity option:* If the annuity option is selected, the winner shall be entitled to \$1,000 a week paid over the applicable Measuring Life. A Measuring Life is (i) the natural life of the individual who claims the prize if the individual is 18 years of age or older at the time the prize claim is submitted; or (ii) a fixed term of twenty (20) years if the prize is claimed by: an individual who is less than 18 years old at the time the prize claim is submitted; a person other than an individual; or more than one person for the same winning ticket. If the applicable Measuring Life is the natural life of the individual who claims the prize, the winner will be entitled to \$1,000 a week for their natural life, paid in annual installments of \$52,000, less required income tax withholding, with the first twenty (20) payments guaranteed. If the applicable Measuring Life is a fixed term of twenty (20) years, the winner will be entitled to \$1,000 a week for twenty (20) years payable in annual installments of \$52,000, less required income tax withholding, with all twenty (20) payments guaranteed. If a winner who selected the annuity option dies before receiving any guaranteed payment(s), the remaining guaranteed payment(s) will be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of prize winner).

(2) *Lump-sum option:* If the lump-sum option is selected, the winner will receive a one-time, lump-sum payment of \$1,040,000, less required income tax withholding.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$750 (SVNHUNFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$750.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$50.<sup>00</sup> (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$30.<sup>00</sup> (THIRT) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20.<sup>00</sup> (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets where a \$20 Burst (WIN20) symbol appears in the "RIGHT BONUS" area, on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets where a \$10 Burst (WIN10) symbol appears in the "LEFT BONUS" area, on a single ticket, shall be entitled to a prize of \$10.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$4.<sup>00</sup> (FOR DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$2.<sup>00</sup> (TWO DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning.

<i>When Any Of Your Numbers Match Either Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Bonus Spots:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 21,000,000 Tickets:</i>
\$2		\$2	8.57	2,450,000
\$2 × 2		\$4	50	420,000
\$4		\$4	42.86	490,000
\$5		\$5	30	700,000
\$5 × 2		\$10	1,500	14,000
	\$10 w/ \$10 BURST	\$10	150	140,000
\$10		\$10	1,500	14,000
\$2 × 10		\$20	1,500	14,000
\$10 × 2		\$20	1,500	14,000
(\$4 × 3) + (\$2 × 4)		\$20	1,500	14,000
(\$5 × 2) + (\$4 × 2) + \$2		\$20	1,500	14,000
	\$20 w/ \$20 BURST	\$20	187.5	112,000
\$20		\$20	1,500	14,000
\$5 × 6		\$30	12,000	1,750
\$10 × 3		\$30	12,000	1,750
(\$2 × 5) + (\$5 × 2)	\$10 w/ \$10 BURST	\$30	2,400	8,750
\$2 × 5	\$20 w/ \$20 BURST	\$30	1,333	15,750
\$2 × 10	\$10 w/ \$10 BURST	\$30	1,500	14,000
	(\$20 w/ \$20 BURST) + (\$10 w/ \$10 BURST)	\$30	1,200	17,500
\$30		\$30	6,000	3,500
\$5 × 10		\$50	6,000	3,500
\$10 × 5		\$50	6,000	3,500
\$2 × 10	(\$20 w/ \$20 BURST) + (\$10 w/ \$10 BURST)	\$50	1,000	21,000
\$50		\$50	6,000	3,500
\$10 × 10		\$100	60,000	350
\$20 × 5		\$100	60,000	350
(\$10 × 5) + (\$4 × 5)	(\$20 w/ \$20 BURST) + (\$10 w/ \$10 BURST)	\$100	12,000	1,750
(\$10 × 5) + (\$5 × 4) + \$20	\$10 w/ \$10 BURST	\$100	12,000	1,750
\$20 × 4	\$20 w/ \$20 BURST	\$100	12,000	1,750
\$100		\$100	60,000	350
\$20 × 10		\$200	120,000	175
\$50 × 4		\$200	120,000	175
(\$20 × 8) + (\$10 × 2)	\$20 w/ \$20 BURST	\$200	120,000	175
(\$30 × 5) + (\$10 × 3) + (\$5 × 2)	\$10 w/ \$10 BURST	\$200	60,000	350
(\$30 × 2) + (\$20 × 5) + \$10	(\$20 w/ \$20 BURST) + (\$10 w/ \$10 BURST)	\$200	60,000	350
(\$50 × 2) + (\$30 × 2) + \$10	(\$20 w/ \$20 BURST) + (\$10 w/ \$10 BURST)	\$200	60,000	350
\$200		\$200	120,000	175
\$50 × 8		\$400	120,000	175
\$100 × 4		\$400	120,000	175
(\$50 × 5) + (\$30 × 4) + \$20	\$10 w/ \$10 BURST	\$400	120,000	175

<i>When Any Of Your Numbers Match Either Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Bonus Spots:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 21,000,000 Tickets:</i>
(\$50 × 6) + (\$20 × 4)	\$20 w/ \$20 BURST	\$400	120,000	175
\$400		\$400	120,000	175
(\$200 × 2) + (\$50 × 5) + \$100		\$750	120,000	175
(\$200 × 2) + (\$100 × 2) + (\$50 × 3)		\$750	120,000	175
\$750		\$750	120,000	175
BEST SYMBOL		\$1K/WK/LIFE	4,200,000	5

Reveal a “BEST” (LIFE) symbol, win \$1,000 a week for life!

BONUS: Reveal a “\$10 BURST” (WIN10) symbol, win \$10 instantly! Reveal a “\$20 BURST” (WIN20) symbol, win \$20 instantly! BONUS spots played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell My Best Life instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of My Best Life, prize money from winning My Best Life instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the My Best Life instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101–3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote My Best Life or through normal communications methods.

C. DANIEL HASSELL,  
*Secretary*

[Pa.B. Doc. No. 19-1246. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Rocket Crossword Instant Lottery Game 1419

Under the State Lottery Law (72 P.S. §§ 3761-101–3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Rocket Crossword (hereinafter “Rocket Crossword”). The game number is PA-1419.

2. *Price:* The price of a Rocket Crossword instant lottery game ticket is \$3.

3. *Play symbols:* Each Rocket Crossword instant lottery game ticket will feature a “YOUR LETTERS” area, two crossword puzzle play grids known as “GRID 1” and “GRID 2” respectively, and a “QUICK \$10” area. The “QUICK \$10” area is played separately. The play symbols located in the “YOUR LETTERS” area are: the letters A through and including Z. The play symbols located in “GRID 1” are: the letters A through and including Z; and a Rocket symbol. The play symbols located in “GRID 2” are: the letters A through and including Z. The play symbols and their captions located in the “QUICK \$10” area are: Galaxy (TRY AGAIN) symbol, Moon (NO BONUS) symbol, Saturn (TRY AGAIN) symbol, Spaceship (NO BONUS) symbol, Burst (TRY AGAIN) symbol, Earth (NO BONUS) symbol, Sun (TRY AGAIN) symbol, and \$10 Bill (WIN10) symbol.

4. *Prizes:* The prizes that can be won in “GRID 1” are: \$3, \$10, \$20, \$30, \$50, \$60, \$100, \$200, \$300, \$600, \$1,000, \$2,000, \$3,000, \$6,000, and \$50,000. The prizes that can be won in “GRID 2” are: \$5, \$15, \$50, and \$150. The prize that can be won in the “QUICK \$10” area is: \$10. A player can win up to two times on a ticket.

5. *Approximate number of tickets printed for the game:* Approximately 13,200,000 tickets will be printed for the Rocket Crossword instant lottery game.

6. *Determination of prize winners:*

(a) Holders of tickets where the player completely matches ten entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets where the player completely matches nine entire words in "GRID 1," in which the winning combination contains a Rocket symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$6,000.

(c) Holders of tickets where the player completely matches nine entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$3,000.

(d) Holders of tickets where the player completely matches eight entire words in "GRID 1," in which the winning combination contains a Rocket symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$2,000.

(e) Holders of tickets where the player completely matches eight entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets where the player completely matches seven entire words in "GRID 1," in which the winning combination contains a Rocket symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$600.

(g) Holders of tickets where the player completely matches seven entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$300.

(h) Holders of tickets where the player completely matches six entire words in "GRID 1," in which the winning combination contains a Rocket symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(i) Holders of tickets where the player completely matches five entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$150.

(j) Holders of tickets where the player completely matches six entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets where the player completely matches five entire words in "GRID 1," in which the winning combination contains a Rocket symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets where the player completely matches four entire words in "GRID 1," in which the winning combination contains a Rocket symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$60.

(m) Holders of tickets where the player completely matches five entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets where the player completely matches four entire words in "GRID 2," using only the

letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets where the player completely matches four entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$30.

(p) Holders of tickets where the player completely matches three entire words in "GRID 1," in which the winning combination contains a Rocket symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets where the player completely matches three entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$15.

(r) Holders of tickets where the player completely matches three entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets where a \$10 Bill (WIN10) symbol appears in the "QUICK \$10" area, on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets where the player completely matches two entire words in "GRID 1," in which the winning combination contains a Rocket symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$6.

(u) Holders of tickets where the player completely matches two entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$5.

(v) Holders of tickets where the player completely matches two entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$3.

7. *Game play instructions for the Rocket Crossword game are:*

(a) The player shall scratch the "YOUR LETTERS" area to reveal 18 letters. For each of the 18 letters revealed in the "YOUR LETTERS" area, the player shall rub the same letter each time it is found in "GRID 1" and "GRID 2." Each letter's square, when rubbed gently, will turn white.

(b) When a player matches the letters to reveal two or more entire words in "GRID 1" or "GRID 2," the player is entitled to win a prize as described in Section 6.

(c) Each Crossword "GRID" is played separately.

(d) The player shall scratch each Rocket symbol that appears in "GRID 1." Each Rocket symbol is a free space. When a Rocket symbol appears in any winning combination of words, DOUBLE the corresponding prize found in the "GRID 1" PRIZE KEY.

(e) The player shall also scratch the "QUICK \$10" area. If the player reveals a \$10 Bill (WIN10) symbol, on a single ticket, the player wins a prize of \$10.

(f) Only the highest prize won in each "GRID" will be paid if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

(g) For purposes of this game, a word in either crossword "GRID" must contain at least three letters and cannot be formed by linking letters diagonally or by reading the letters from the bottom to the top.

(h) Every single letter square of a word must be matched and letters combined to form a word. The word must appear in an unbroken horizontal or vertical string of letters in "GRID 1" or "GRID 2." There will only be one word in an unbroken horizontal or vertical string of letters.

(i) Every single letter in the unbroken string must be revealed in the "YOUR LETTERS" area on a single ticket and must be included to form a word.

(j) The possible complete words for each ticket in the game are shown on the "GRID 1" and "GRID 2" play areas. The player must match all of the letters in a possible complete word in order to complete the word.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>GRID 1 Win With:</i>	<i>GRID 2 Win With:</i>	<i>QUICK \$10 Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 13,200,000 Tickets:</i>
2 WORDS			\$3	8.33	1,584,000
	2 WORDS		\$5	16.13	818,400
2 WORDS w/ ROCKET			\$6	100	132,000
		\$10 w/ \$10 BILL	\$10	50	264,000
3 WORDS			\$10	100	132,000
	2 WORDS	\$10 w/ \$10 BILL	\$15	166.67	79,200
3 WORDS	2 WORDS		\$15	500	26,400
	3 WORDS		\$15	1,000	13,200
3 WORDS		\$10 w/ \$10 BILL	\$20	333.33	39,600
3 WORDS w/ ROCKET			\$20	125	105,600
	3 WORDS	\$10 w/ \$10 BILL	\$25	1,000	13,200
3 WORDS	3 WORDS		\$25	1,000	13,200
3 WORDS w/ ROCKET	2 WORDS		\$25	200	66,000
3 WORDS w/ ROCKET		\$10 w/ \$10 BILL	\$30	500	26,400
4 WORDS			\$30	1,000	13,200
	4 WORDS		\$50	2,400	5,500
5 WORDS			\$50	4,000	3,300
	4 WORDS	\$10 w/ \$10 BILL	\$60	2,400	5,500
5 WORDS		\$10 w/ \$10 BILL	\$60	2,400	5,500
3 WORDS	4 WORDS		\$60	6,000	2,200
4 WORDS w/ ROCKET			\$60	2,000	6,600
5 WORDS	4 WORDS		\$100	6,000	2,200
5 WORDS w/ ROCKET			\$100	6,000	2,200
6 WORDS			\$100	6,000	2,200
5 WORDS w/ ROCKET	4 WORDS		\$150	12,000	1,100
6 WORDS	4 WORDS		\$150	24,000	550
	5 WORDS		\$150	24,000	550
5 WORDS	5 WORDS		\$200	12,000	1,100
6 WORDS w/ ROCKET			\$200	12,000	1,100
7 WORDS			\$300	12,000	1,100
7 WORDS w/ ROCKET			\$600	60,000	220
8 WORDS			\$1,000	440,000	30
8 WORDS w/ ROCKET			\$2,000	440,000	30



<i>GRID 1</i> Win With:	<i>GRID 2</i> Win With:	<i>QUICK \$10</i> Win With:	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 13,200,000 Tickets:
9 WORDS			\$3,000	440,000	30
9 WORDS w/ ROCKET			\$6,000	440,000	30
10 WORDS			\$50,000	1,320,000	10

Scratch each "ROCKET" symbol that appears in Crossword GRID 1. Each "ROCKET" symbol is a FREE spot. When a "ROCKET" symbol appears in any winning combination of words, DOUBLE the corresponding PRIZE found in the GRID 1 PRIZE KEY.

QUICK \$10: Reveal a "\$10 BILL" (WIN10) symbol, win \$10 instantly! Quick \$10 is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Rocket Crossword instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Rocket Crossword, prize money from winning Rocket Crossword instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Rocket Crossword instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Rocket Crossword or through normal communications methods.

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 19-1247. Filed for public inspection August 16, 2019, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Win Big Instant Lottery Game 1418

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Win Big (hereinafter "Win Big"). The game number is PA-1418.

2. *Price:* The price of a Win Big instant lottery game ticket is \$5.

3. *Play symbols:* Each Win Big instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), and 30 (THIRT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Star (STAR) symbol and a BIG (WINALL) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$20<sup>00</sup> (TWENTY), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$40, \$50, \$100, \$200, \$400, \$1,000, \$5,000, and \$100,000. A player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the Win Big instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which a BIG (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in two of the "prize" areas, a prize symbol of \$100 (ONE HUN) appears in five of the "prize" areas, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a BIG (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$100 (ONE HUN) appears in eight of the "prize" areas and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(h) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$400.

(i) Holders of tickets upon which a BIG (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in seven of the "prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(j) Holders of tickets upon which a BIG (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in four of the "prize" areas, and a prize symbol of \$40<sup>00</sup> (FORTY) appears in two of the "prize" areas, and a prize symbol of

\$20<sup>00</sup> (TWENTY) appears in six of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which a BIG (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in two of the "prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets upon which a BIG (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in eight of the "prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which a BIG (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in two of the "prize" areas, a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in two of the "prize" areas, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in eight of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which a BIG (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in eight of the "prize" areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(t) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40<sup>00</sup> (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(v) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$40<sup>00</sup> (FORTY) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$40.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(x) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$20.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(z) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$10.

(aa) Holders of tickets upon which a Star (STAR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the "prize" area under that Star (STAR) symbol, on a single ticket, shall be entitled to a prize of \$5.

(bb) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$5	\$5	20	540,000
\$5 w/ STAR	\$5	15	720,000
\$5 × 2	\$10	120	90,000
(\$5 w/ STAR) + \$5	\$10	60	180,000
\$10 w/ STAR	\$10	60	180,000
\$10	\$10	150	72,000
\$5 × 4	\$20	300	36,000
(((\$5 w/ STAR) × 2) + (\$5 × 2))	\$20	150	72,000
(\$10 w/ STAR) × 2	\$20	120	90,000
\$20 w/ STAR	\$20	60	180,000
\$20	\$20	300	36,000
\$5 × 8	\$40	600	18,000
\$10 × 4	\$40	600	18,000
(\$10 w/ STAR) + (\$10 × 2) + (\$5 × 2)	\$40	600	18,000
(\$20 w/ STAR) + (\$5 × 4)	\$40	600	18,000
\$40	\$40	600	18,000
\$5 × 10	\$50	600	18,000
(\$20 w/ STAR) + ((\$10 w/ STAR) × 2) + (\$5 × 2)	\$50	600	18,000
(\$5 w/ STAR) × 10	\$50	600	18,000
\$50 w/ STAR	\$50	300	36,000
\$50	\$50	600	18,000
BIG w/ ((\$10 × 8) + (\$5 × 4))	\$100	1,200	9,000
BIG w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))	\$100	1,200	9,000
\$20 × 5	\$100	12,000	900
(((\$20 w/ STAR) × 2) + ((\$10 w/ STAR) × 2) + ((\$5 w/ STAR) × 8))	\$100	4,000	2,700

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
$(\$50 \text{ w/ STAR}) + ((\$10 \text{ w/ STAR}) \times 3) + (\$5 \times 4)$	\$100	4,000	2,700
$(\$10 \text{ w/ STAR}) \times 10$	\$100	4,000	2,700
\$100 w/ STAR	\$100	12,000	900
\$100	\$100	12,000	900
BIG w/ $(\$20 \times 8) + (\$10 \times 4)$	\$200	1,200	9,000
BIG w/ $(\$50 \times 2) + (\$10 \times 10)$	\$200	1,200	9,000
$\$20 \times 10$	\$200	12,000	900
$(\$20 \times 8) + (\$10 \times 4)$	\$200	12,000	900
$((\$20 \text{ w/ STAR}) \times 5) + (\$20 \times 5)$	\$200	12,000	900
$(\$100 \text{ w/ STAR}) + (\$50 \text{ w/ STAR}) + (\$5 \times 10)$	\$200	8,000	1,350
$(\$20 \text{ w/ STAR}) \times 10$	\$200	12,000	900
\$200 w/ STAR	\$200	12,000	900
\$200	\$200	24,000	450
BIG w/ $(\$50 \times 4) + (\$40 \times 2) + (\$20 \times 6)$	\$400	24,000	450
BIG w/ $(\$50 \times 7) + (\$10 \times 5)$	\$400	24,000	450
$\$40 \times 10$	\$400	120,000	90
$\$100 \times 4$	\$400	120,000	90
$((\$50 \text{ w/ STAR}) \times 4) + (\$40 \times 3) + (\$20 \times 3) + (\$10 \times 2)$	\$400	120,000	90
$(\$40 \text{ w/ STAR}) \times 10$	\$400	120,000	90
$(\$200 \text{ w/ STAR}) \times 2$	\$400	120,000	90
\$400 w/ STAR	\$400	120,000	90
\$400	\$400	120,000	90
BIG w/ $(\$100 \times 8) + (\$50 \times 4)$	\$1,000	540,000	20
BIG w/ $(\$200 \times 2) + (\$100 \times 5) + (\$20 \times 5)$	\$1,000	540,000	20
$\$100 \times 10$	\$1,000	1,080,000	10
$\$200 \times 5$	\$1,000	1,080,000	10
\$1,000 w/ STAR	\$1,000	1,080,000	10
\$1,000	\$1,000	1,080,000	10
$\$1,000 \times 5$	\$5,000	1,080,000	10
$(\$1,000 \text{ w/ STAR}) \times 5$	\$5,000	1,080,000	10
\$5,000	\$5,000	1,080,000	10
\$100,000	\$100,000	1,080,000	10

Reveal a "STAR" (STAR) symbol, win prize shown under that symbol automatically.

Reveal a "BIG" (WINALL) symbol, win all 12 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Win Big instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket

that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single

installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Win Big, prize money from winning Win Big instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Win Big instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Win Big or through normal communications methods.

C. DANIEL HASSELL,  
*Secretary*

[Pa.B. Doc. No. 19-1248. Filed for public inspection August 16, 2019, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

### Rosebud Mining Company v. Department of Environmental Protection; EHB Doc. No. 2019-097-B

Rosebud Mining Company has appealed the renewal by the Department of Environmental Protection of NPDES Permit No. PA0250082 to Rosebud Mining Company for the Job 119 operation located in Unity Township, Westmoreland County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 19-1249. Filed for public inspection August 16, 2019, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Classification of Wild Trout Streams; Proposed Additions; October 2019

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on October 21 and 22, 2019, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Armstrong	UNT to Allegheny River (RM 84.07)	Headwaters to Mouth	Allegheny River	41.105976 79.681094
Bedford	UNT to Bobs Creek (RM 9.44)	Headwaters to Mouth	Bobs Creek	40.241953 78.574965
Blair	Brush Creek	Headwaters to Mouth	Frankstown Branch Juniata River	40.444004 78.353408
Blair	Schmucker Run	Headwaters to Mouth	Frankstown Branch Juniata River	40.481244 78.173201
Blair	Snare Run	Headwaters to Mouth	Clover Creek	40.473731 78.171643
Blair	UNT to New Creek (RM 0.82)	Headwaters to Mouth	New Creek	40.477504 78.293606

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Cameron	UNT to East Branch Hicks Run (RM 3.66)	Headwaters to Mouth	East Branch Hicks Run	41.416580 78.305260
Cameron	UNT to East Branch Hicks Run (RM 3.74)	Headwaters to Mouth	East Branch Hicks Run	41.417313 78.306123
Cameron	UNT to East Branch Hicks Run (RM 7.11)	Headwaters to Mouth	East Branch Hicks Run	41.444286 78.351136
Centre	Bechtol Gap Run	Headwaters to Mouth	Sinking Creek	40.766311 77.692314
Centre	UNT to Council Run (RM 0.53)	Headwaters to Mouth	Council Run	41.092775 77.807826
Centre	UNT to Council Run (RM 1.21)	Headwaters to Mouth	Council Run	41.090697 77.819210
Centre	UNT to Council Run (RM 1.95)	Headwaters to Mouth	Council Run	41.085682 77.831044
Centre	UNT to Eddy Lick Run (RM 3.27)	Headwaters to Mouth	Eddy Lick Run	41.151994 77.833469
Centre	UNT to Galbraith Gap Run (RM 2.60)	Headwaters to Mouth	Galbraith Gap Run	40.764187 77.737623
Clearfield	Lucas Run	Headwaters to Mouth	Upper Three Runs	41.165989 78.074166
Clearfield	UNT to Gifford Run (RM 4.40)	Headwaters to Mouth	Gifford Run	41.179383 78.285313
Clearfield	UNT to Medix Run (RM 5.00)	Headwaters to Mouth	Medix Run	41.228380 78.408979
Clearfield	UNT to Upper Three Runs (RM 3.77)	Headwaters to Mouth	Upper Three Runs	41.170220 78.089500
Clearfield	UNT to Upper Three Runs (RM 5.26)	Headwaters to Mouth	Upper Three Runs	41.185460 78.102420
Clinton	Cole Run	Headwaters to Mouth	Cooks Run	41.289357 77.918633
Clinton	UNT to Lower Three Runs (RM 2.25)	Headwaters to Mouth	Lower Three Runs	41.180128 78.050117
Clinton	UNT to Lower Three Runs (RM 2.42)	Headwaters to Mouth	Lower Three Runs	41.181874 78.052292
Clinton	UNT to Lower Three Runs (RM 3.04)	Headwaters to Mouth	Lower Three Runs	41.187394 78.060529
Clinton	UNT to Middle Branch Big Run (RM 3.83)	Headwaters to Mouth	Middle Branch Big Run	41.191481 77.781799
Elk	UNT to Hoffman Run (RM 0.53)	Headwaters to Mouth	Hoffman Run	41.599527 78.735391
Jefferson	UNT to Elk Run (RM 2.40)	Headwaters to Mouth	Elk Run	40.977705 78.966127
Jefferson	UNT to Elk Run (RM 3.72)	Headwaters to Mouth	Elk Run	40.994020 78.971696
Jefferson	UNT to Mahoning Creek (RM 51.57)	Headwaters to Mouth	Mahoning Creek	40.939201 79.007951
Lackawanna	UNT to Dundaff Creek (RM 2.89)	Headwaters to Mouth	Dundaff Creek	41.634729 75.575176
Potter	Little Portage Creek	Headwaters to Mouth	Freeman Run	41.603946 78.065550
Susquehanna	UNT to East Branch Tunkhannock Creek (RM 7.15)	Outlet of Mud Pond to Mouth	East Branch Tunkhannock Creek	41.665708 75.617748
Venango	UNT to Hemlock Creek (RM 1.67)	Headwaters to Mouth	Hemlock Creek	41.436550 79.539050

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Venango	UNT to Pithole Creek (RM 11.17)	Headwaters to Mouth	Pithole Creek	41.553910 79.536060
Venango	UNT to Pithole Creek (RM 9.54)	Headwaters to Mouth	Pithole Creek	41.545260 79.556920
Venango	UNT to Porcupine Creek (RM 0.41)	Headwaters to Mouth	Porcupine Creek	41.435210 79.548430

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at [www.fishandboat.com/regcomments](http://www.fishandboat.com/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 19-1250. Filed for public inspection August 16, 2019, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Changes to List of Class A Wild Trout Waters; October 2019

The Fish and Boat Commission (Commission) is considering changes to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild Brook Trout Fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild Brown Trout Fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed Wild Brook and Brown Trout Fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild Rainbow Trout Fisheries*

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed Wild Brook and Rainbow Trout Fisheries*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed Wild Brown and Rainbow Trout Fisheries*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. The Commission intends to consider adding these waters to its list of Class A Wild Trout Streams at its meeting on October 21 and 22, 2019.

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>	<i>Brook Trout (kg / ha)</i>	<i>Brown Trout (kg / ha)</i>	<i>Rainbow Trout (kg / ha)</i>	<i>Length (miles)</i>	<i>Survey Year</i>
Cameron	Brooks Run	2	State Forest Road Bridge 2.9 km upstream of the Mouth to Mouth	First Fork Sinnemahoning Creek	41.423889 78.028610	56.69	2.99	—	1.80	2018
Potter	East Fork Sinnemahoning Creek	2	Dolliver Trail to Wild Boy Run	First Fork Sinnemahoning Creek	41.529444 78.021667	10.32	72.17	—	3.30	2018
Potter	East Fork Sinnemahoning Creek	4	Camp Run to Williams Run	First Fork Sinnemahoning Creek	41.529444 78.021667	2.37	46.86	—	1.80	2018



Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at [www.fishandboat.com/regcomments](http://www.fishandboat.com/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 19-1251. Filed for public inspection August 16, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Appeal of Dale R. Wittick, Jr.; Consent Waiver; Doc. No. CW01-10-052

The proceedings in this matter will be held in accordance with 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for August 28, 2019, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before August 26, 2019. A hearing shall occur on September 12, 2019, at 10 a.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

Protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 16, 2019, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to protests, petitions to intervene or notices of intervention, if any, shall be filed on or before August 26, 2019.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing should contact Joseph Korman, (717) 787-4429, [jkorman@pa.gov](mailto:jkorman@pa.gov).

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 19-1252. Filed for public inspection August 16, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Merger of Le Mars Insurance Company with and into Atlantic States Insurance Company

An application has been received requesting approval of the merger of Le Mars Insurance Company, a stock casualty insurance company organized under the laws of the State of Iowa, with and into Atlantic States Insurance

Company, a stock casualty insurance company organized under the laws of the Commonwealth. The filing was made under Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1413).

Persons wishing to comment on the grounds of public or private interest in this merger are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Lori Bercher, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, [lbercher@pa.gov](mailto:lbercher@pa.gov).

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 19-1253. Filed for public inspection August 16, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Merger of Sheboygan Falls Insurance Company with and into Atlantic States Insurance Company

An application has been received requesting approval of the merger of Sheboygan Falls Insurance Company, a stock casualty insurance company organized under the laws of the State of Wisconsin, with and into Atlantic States Insurance Company, a stock casualty insurance company organized under the laws of the Commonwealth. The filing was made under Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1413).

Persons wishing to comment on the grounds of public or private interest in this merger are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Lori Bercher, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, [lbercher@pa.gov](mailto:lbercher@pa.gov).

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 19-1254. Filed for public inspection August 16, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### MedAmerica Insurance Company; Rate Increase Filing for Several Individual LTC Forms (TRIP-132027241)

MedAmerica Insurance Company is requesting approval to increase the premium an aggregate 34.1% on

534 policyholders with the following individual LTC policy form numbers: SPL2-336-PA, SPL2-336-PA rev, FSPL2-336-PA and FSPL2-336-PA rev. The increase will average 34.1% but individual policyholders can receive increases ranging from 20% to 74.5%. Unless formal administrative action is taken prior to October 31, 2019, the subject filing may be deemed approved by operation of law. A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 19-1255. Filed for public inspection August 16, 2019, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### *Governor's Office*

Manual No. 210.3—Index of Issuances, Amended July 1, 2019.

Administrative Circular No. 19-08—Revenue Estimates, 2019-20 & 2020-21 Fiscal Years, Dated July 13, 2019.

DUANE M. SEARLE,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 19-1256. Filed for public inspection August 16, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Acquisition by Purchase

**A-2019-3011929. Peoples Natural Gas Company, LLC.** Application of Peoples Natural Gas Company, LLC for approval of the acquisition by purchase from Allegheny Valley Connector, LLC of certain pipeline facilities located in Allegheny County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities)

on or before September 3, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* Peoples Natural Gas Company, LLC

*Through and By Counsel:* William H. Roberts II, Esquire, Peoples Natural Gas Company, LLC, 375 North Shore Drive, Suite 600, Pittsburgh, PA 15212

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-1257. Filed for public inspection August 16, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### General Rule Transaction

**A-2019-3011934. Fusion Connect, Inc., Fusion, LLC, Fusion Cloud Services, LLC and Telecom Holdings, LLC.** Joint application of Fusion Connect, Inc., Fusion, LLC, Fusion Cloud Services, LLC and Telecom Holdings, LLC for approval of a general rule transaction that will result in a change to the ownership and control of Fusion, LLC and Fusion Cloud Services, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 3, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* Fusion Connect, Inc.; Fusion, LLC; Fusion Cloud Services, LLC; Telecom Holdings, LLC

*Through and By:* Michael A. Gruin, Esquire, Steven & Lee, 17 North Second Street, 16th Floor, Harrisburg, PA 17101; Wayne D. Johnson, Esquire, Wiley Rein LLP, 1776 K Street Northwest, Washington, DC 20006

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-1258. Filed for public inspection August 16, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility

Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by September 3, 2019. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2019-3011310. Gehringer Property Management, LLC, t/a Yoder's Guest House** (106 Meyers Avenue, Meyersdale, Somerset County, PA 15552) persons in paratransit service, between points in the Counties of Somerset, Westmoreland, Fayette and Allegheny.

**A-2019-3011370. Rochelle Bush Jones, t/a Rose Transport** (5002 North 11th Street, Philadelphia, Philadelphia County, PA 19141) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, from points in the City and County of Philadelphia to the following correctional facilities and entertainment venues: SCI Benner Township, SCI Camp Hill, SCI Chester, SCI Coal Township, SCI Frackville, SCI Houtzdale, SCI Huntingdon, SCI Laurel Highlands, SCI Mahanoy, SCI Muncy, SCI Phoenix, SCI Pine Grove, Quehanna Motivational Boot Camp, SCI Retreat, SCI Rockview, SCI Smithfield, SCI Somerset, SCI Waymart, Dorney Park, Hershey Park, Sesame Place and the Philadelphia Zoo, and return.

**A-2019-3011855. DEM Transit, LLC** (2006 South 62nd Street, Philadelphia, PA 19142) persons in paratransit service, from points in Delaware County, and the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney:* David P. Temple, 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

**A-2019-3011860. Moga Trans, LLC** (5718 Spruce Street, Philadelphia, PA 19139) persons in paratransit service, from points in Delaware County, and the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney:* David P. Temple, 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

**A-2019-3011886. Team Transport and Hauling, LLC** (7 Brookwood Drive, Lititz, Lancaster County, PA 17543) persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

**A-2019-3011916. H & M Limo, LLC** (19 Liberte Lane, Chester Brook, Chester County, PA 19087) for the right to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in Pennsylvania, excluding points in the Counties of Lehigh, Montgomery, and the City and County of Philadelphia.

**Application of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under the application.**

**A-2019-3011958. BGP, LLC, t/a PA Transportation Services** (4329 Rexford Drive, Bethlehem, Northampton County, PA 18020) persons in paratransit service from points in Berks County, to points in Pennsylvania, and return.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.**

**A-2019-3011338. Joseph A. Kondor, t/a Joe A. Kondor Transporting** (1297 South Ogontz Street, York, York County, PA 17403) household goods in use, from points in the City of York, York County, to points within 100 airline miles, and vice versa.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-1259. Filed for public inspection August 16, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due September 2, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Eory Rojas t/a A & E Towing Service; Docket No. C-2019-3010828

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Eory Rojas, t/a A & E Towing Service, (respondent) is under suspension effective June 07, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 401 S Bradford Street, Allentown, PA 18109.

3. That respondent was issued a Certificate of Public Convenience by this Commission on September 06, 2016, at A-8919086.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8919086 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 6/19/2019

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of  
Investigation and Enforcement v. Jessie Express  
Limited Liability Corporation;  
Docket No. C-2019-3011570**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Jessie Express Limited Liability Corporation, (respondent) is under suspension effective July 07, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 1412 Washburn Street, Scranton, PA 18504.

3. That respondent was issued a Certificate of Public Convenience by this Commission on May 22, 2017, at A-6419268.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6419268 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the

statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/23/2019

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-1260. Filed for public inspection August 16, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Universal Service Reporting Requirements; Doc. No. M-2019-3011814

This Secretarial Letter establishes a docket to review universal service reporting (USR) requirements. A working group of stakeholders and Commission staff has been established as part of this process. In particular, this Secretarial Letter releases the existing USR data dictionary and a new document posing possible changes to the data dictionary, along with the PowerPoint presentation regarding the proposed changes to the data dictionary that were shared at the July 30, 2019 Stakeholder Working Group meeting. Additionally, this Secretarial Letter establishes a timeline for submission of comments and reply comments.

#### *Background*

On January 17, 2019, the Pennsylvania Public Utility Commission (Commission) entered an Order at Docket No. M-2017-2587711, releasing a staff report titled Home Energy Affordability for Low-Income Customers in Pennsylvania (Report). The Report found, inter alia, that inconsistencies and limitations in reported data impacted the analysis and evaluation of Customer Assistance Programs (CAPs) and other universal service programs.

Additionally, the January 2019 Order directed staff in the Bureau of Consumer Services (BCS) and the Law Bureau to convene, no later than July 31, 2019, a universal service reporting working group (USRWG) to standardize USR protocols for data definitions, tracking, and reporting. In accordance with the January 2019 Order, the USRWG is to conclude its work no later than December 31, 2019, and BCS is to provide a consensus/non-consensus report to the Commission prior to January 31, 2020. January 2019 Order at 23.

The initial USRWG meeting was held on July 30, 2019, in Hearing Room 1 of the Keystone Building, Harrisburg. At the meeting, BCS reviewed potential updates to the

USR requirements and the USR data dictionary.<sup>1</sup> Stakeholders may file comments and reply comments at Docket No. M-2019-3011814 to address the current USR data dictionary and the potential changes. Comments and reply comments are to relate to USR data and the USR data dictionary and to follow the numerical order of the existing USR data numbering convention in the existing USR data dictionary and the potential changes articulated in the new document. Parties may suggest deletions and additions to the USR data to be collected.

This letter will be published in the *Pennsylvania Bulletin*. Interested parties are directed to this docket on the Commission website to access the USR data dictionary, the document posing possible changes to the USR directory, and the PowerPoint discussed in this Secretarial Letter.

Interested parties may submit written comments by August 30, 2019. Written reply comments may be submitted by September 13, 2019. Comments and reply comments may be e-filed or filed in hard copy.<sup>2</sup> The staff contacts for this matter are Eric Tuttle, [etuttle@pa.gov](mailto:etuttle@pa.gov), and Louise Fink Smith, Law Bureau, [finksmith@pa.gov](mailto:finksmith@pa.gov). Word copies of filings are to be provided to these staff contacts.

The Commission intends to schedule a second USRWG meeting, via Secretarial Letter at this docket, following the initial comment and reply comment period.

Please contact Eric Tuttle at [etuttle@pa.gov](mailto:etuttle@pa.gov) if you have any questions.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-1261. Filed for public inspection August 16, 2019, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Default Order

#### Philadelphia Parking Authority, Taxicab and Limousine Division v. G & V Cab Corp.; Doc. No. C-18-04-139

Attention G & V Cab Corp., last known address of 2351 South Swanson Street, Philadelphia, PA 19148, this notice advises that a Default Order of Hearing Officer, Hon. Sheldon C. Jelin was issued and entered on August 1, 2019, with the Philadelphia Parking Authority's (Authority) Taxicab and Limousine Division's (TLD) Office of the Clerk.

On April 16, 2018, the Enforcement Department of the Taxicab and Limousine Division (TLD) of the Philadelphia Parking Authority (PPA) issued Citation T-24195 to G & V Cab Corp., (Respondent) for violation of 52 Pa. Code § 1011.4, failure to pay assessment.

The complaint was served on Respondent on April 16, 2018, by first class mail.

<sup>1</sup> The existing USR data dictionary was established for electric distribution companies (EDCs) pursuant to 52 Pa. Code § 54.71 (1998). It was amended to add provisions for natural gas distribution companies (NGDCs) pursuant to 52 Pa. Code § 62.1 (2000). In addition to the inconsistencies in the ways that utilities within the same industry interpret the reporting requirements, there are inconsistencies between the requirements for EDCs and NGDCs. Further, as detailed in the Report, there are voids in the reporting requirements.

<sup>2</sup> For filing instruction, see [http://www.puc.pa.gov/filing\\_resources.aspx](http://www.puc.pa.gov/filing_resources.aspx).

Respondent did not pay the penalty amount identified on the citation or file a request for a hearing with the TLD Clerk within 15 days after the date of service as provided in 52 Pa. Code § 1005.13(b).

On June 7, 2018, the TLD Clerks' office sent Respondent a reminder notice of the outstanding citation; to either pay the penalty, request a hearing, or suffer a default.

To date, more than 15 days have expired and Respondent has failed to pay the penalty or file a request for a hearing with the TLD Clerk. Therefore, pursuant to 52 Pa. Code § 1005.31(c), the complaint is sustained and a Default Order is entered against Respondent.

A penalty of \$500 is imposed along with an administration fee of \$75 for a total of \$575.

In addition, Respondent's CPC No. 1000376-01 is hereby CANCELLED with respect to medallion P-0819.

Respondent is Ordered to pay \$575 by August 16, 2019.

Pursuant to 52 Pa. Code § 1001.13(b) this Order will become effective on August 16, 2019 as an adjudication of the Authority if not selected for review by the Authority.

Respondent is hereby notified to cease and desist from further violations of the Taxicab and Limousine regulation, 52 Pa. Code §§ 1001.1 et seq.

Hon. Sheldon C. Jelin (Ret.)  
Hearing Officer

If you have any questions concerning this notice, you may contact the TLD's Office of the Clerk, Heidi Robb, at (215) 683-9498 or at [TLDClerk@philapark.org](mailto:TLDClerk@philapark.org).

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 19-1262. Filed for public inspection August 16, 2019, 9:00 a.m.]

## STATE EMPLOYEES' RETIREMENT BOARD

### Hearing Scheduled

The following hearing has been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

November 20, 2019	Justin L. Weaver Disability Retirement Issue	1 p.m.
-------------------	---	--------

Parties in the respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,  
*Secretary*

[Pa.B. Doc. No. 19-1263. Filed for public inspection August 16, 2019, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Commission Meeting

The Susquehanna River Basin Commission (Commission) will hold its regular business meeting on September 6, 2019, at 9 a.m. at the Big Flats Community Center, 476 Maple Street, Big Flats, NY 14814. Details concerning the matters to be addressed at the business meeting are contained in the Supplementary Information section of this notice. The Commission also published a document at 84 FR 31976 (July 3, 2019), concerning its public hearing on August 1, 2019, in Harrisburg, PA.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, fax (717) 238-2436.

#### *Supplementary Information*

The business meeting will include actions or presentations on the following items: (1) informational presentation of interest to the upper Susquehanna River region; (2) proposed rulemaking on consumptive use regulation; (3) ratification/approval of contracts/grants; (4) a report on delegated settlements; (5) Regulatory Program projects; and (6) approval of a settlement with Sunoco Pipeline, LP.

This agenda is complete at the time of issuance, but other items may be added, and some stricken without further notice. The list of an item on the agenda does not necessarily mean that the Commission will take final action on it at this meeting. When the Commission does take final action, notice of these actions will be published in the *Federal Register* after the meeting. Any actions specific to projects will also be provided in writing directly to project sponsors.

Regulatory Program projects listed for Commission action were those that were the subject of public hearings conducted by the Commission on August 1, 2019, and identified in the notices for such hearings, which was published at 84 FR 31976.

The public is invited to attend the Commission's business meeting. Comments on the Regulatory Program projects are subject to a deadline of August 12, 2019. Written comments pertaining to other items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through [www.srbc.net/about/meetings-events/business-meeting.html](http://www.srbc.net/about/meetings-events/business-meeting.html). The comments are due to the Commission on or before September 2, 2019. Comments will not be accepted at the business meeting noticed herein.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* August 1, 2019

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 19-1264. Filed for public inspection August 16, 2019, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Grandfathering Registration Notice

The Susquehanna River Basin Commission (Commission) lists the following Grandfathering (GF) Registration for projects under 18 CFR 806, Subpart E (relating to registration of grandfathered projects) from June 1, 2019, through June 30, 2019.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### Supplementary Information

This notice lists GF Registration for projects, described as follows, under 18 CFR 806, Subpart E for the time period previously specified:

#### GF Registration Under 18 CFR Part 806, Subpart E

1. Borough of Akron; GF Certificate No. GF-201906033; Borough of Akron, Lancaster County, PA; Well 1, Well 2 and the Spring; Issue Date: June 14, 2019.

2. Leola Sewer Authority; GF Certificate No. GF-201906034; Upper Leacock Township, Lancaster County, PA; Wells 6, 9 and 12; Issue Date: June 14, 2019.

3. Martinsburg Municipal Authority; GF Certificate No. GF-201906035; Martinsburg Borough, Blair County, PA; Hershberger Well; Issue Date: June 17, 2019.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* August 1, 2019

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 19-1265. Filed for public inspection August 16, 2019, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) approved by rule the following list of projects from May 1, 2019, through June 30, 2019.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(e) and (f) (relating to standards for consumptive uses of water) for the time period previously specified:

*Water Source Approvals Issued Under 18 CFR 806.22(f)(13):*

1. Repsol Oil & Gas USA, LLC; Pad ID: ALEXANDER (01 124), ABR-201905003; Armenia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: May 9, 2019.

2. Chesapeake Appalachia, LLC; Pad ID: Benscoter, ABR-20090601.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 3, 2019.

3. Chesapeake Appalachia, LLC; Pad ID: Strom, ABR-20090602.R2; Monroe Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 3, 2019.

4. Chesapeake Appalachia, LLC; Pad ID: Evanchick, ABR-20090604.R2; Asylum Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 3, 2019.

5. Chesapeake Appalachia, LLC; Pad ID: Vargson, ABR-20090605.R2; Granville Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 3, 2019.

6. Chief Oil & Gas, LLC; Pad ID: Baumunk North B Drilling Pad, ABR-201406004.R1; Fox Township, Sullivan County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: June 4, 2019.

7. Chief Oil & Gas, LLC; Pad ID: Wissler Drilling Pad, ABR-201406005.R1; McNett Township, Lycoming County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: June 4, 2019.

8. Chief Oil & Gas, LLC; Pad ID: IDC-INNES UNIT PAD, ABR-201906004; Fox Township, Sullivan County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: June 7, 2019.

9. Seneca Resources Company, LLC; Pad ID: Gamble Pad G, ABR-201906005; Gamble Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 7, 2019.

10. Repsol Oil & Gas USA, LLC; Pad ID: SHEDDEN (01 013/043) D, ABR-20090603.R2; Troy Township, Bradford County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: June 10, 2019.

11. Chief Oil & Gas, LLC; Pad ID: SGL 12 O Pad, ABR-2019006002; Franklin Township, Bradford County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: June 11, 2019.

12. Seneca Resources Company, LLC; Pad ID: CRV D08-Pad G, ABR-201406007.R1; Norwich Township, McKean County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 13, 2019.

13. Chief Oil & Gas, LLC; Pad ID: Clark Drilling Pad, ABR-201406008.R1; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: June 13, 2019.

14. Repsol Oil & Gas USA, LLC; Pad ID: WARNER (05 121) W, ABR-201906001; Rush Township, Susquehanna County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: June 17, 2019.

15. Chesapeake Appalachia, LLC; Pad ID: MTL, ABR-201906003; Wyalusing Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 17, 2019.

16. ARD Operating, LLC; Pad ID: C.O.P. Tract 285 (1000), ABR-20190406.R2; Grugan Township, Clinton County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 17, 2019.



17. Repsol Oil & Gas USA, LLC; DCNR 587 (02 001), ABR-20090609.R2; Ward Township, Tioga County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: June 17, 2019.

18. ARD Operating, LLC; Pad ID: COP Tract 285 (1001H, 1002H), ABR-20190413.R2; Grugan Township, Clinton County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 17, 2019.

19. ARD Operating, LLC; Pad ID: COP Tr 252 #1000H, ABR-20190444.R2; Grugan Township, Clinton County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 17, 2019.

20. Chesapeake Appalachia, LLC; Pad ID: Welles 1, ABR-20090610.R2; Terry Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 18, 2019.

21. Chief Oil & Gas, LLC; Pad ID: Czop Drilling Pad, ABR-201406009.R1; Fox Township, Sullivan County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: June 19, 2019.

22. Repsol Oil & Gas USA, LLC; Pad ID: WILLIAMS (01 041/042) R, ABR-20090611.R2; Rush Township, Susquehanna County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: June 24, 2019.

23. Seneca Resources Company, LLC; Pad ID: CRV Pad C08-X, ABR-201406010.R1; Shippen Township, Cameron County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 26, 2019.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* August 1, 2019

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 19-1266. Filed for public inspection August 16, 2019, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Rescinded for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has rescinded the following projects from June 1, 2019, through June 30, 2019.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commis-

sion, 4423 North Front Street, Harrisburg, PA 17110-1788. Also see the Commission web site at www.srbc.net.

### *Supplementary Information*

This notice lists the projects, described as follows, being rescinded for the consumptive use of water under the Commission's approval by rule process at 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified:

### *Rescinded ABR Issued:*

1. SWEPI LP; Pad ID: Allen 620, ABR-20100623.R1; Charleston Township, Tioga County, PA; Rescinded Date: June 10, 2019.

2. SWEPI LP; Pad ID: Baker 1105, ABR-201101011.R1; Deerfield Township, Tioga County, PA; Rescinded Date: June 14, 2019.

3. SWEPI LP; Pad ID: Davis 841, ABR-201505002; Chatham Township, Tioga County, PA; Rescinded Date: June 19, 2019.

4. SWEPI LP; Pad ID: Dietz 490, ABR-201010030.R1; Richmond Township, Tioga County, PA; Rescinded Date: June 18, 2019.

5. SWEPI LP; Pad ID: Harman 565, ABR-201010028.R1; Charleston Township, Tioga County, PA; Rescinded Date: June 18, 2019.

6. SWEPI LP; Pad ID: Williams 889, ABR-201009051.R1; Deerfield Township, Tioga County, PA; Rescinded Date: June 10, 2019.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* August 1, 2019

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 19-1267. Filed for public inspection August 16, 2019, 9:00 a.m.]

## THADDEUS STEVENS COLLEGE OF TECHNOLOGY

### Request for Bids

Thaddeus Stevens College of Technology is soliciting bids to install a new 3 ton natural gas fire split system including new gas supply from meter. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,  
*President*

[Pa.B. Doc. No. 19-1268. Filed for public inspection August 16, 2019, 9:00 a.m.]