

NOTICES

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

CPC 19.168: Moving of Civil War Battle Flags. The Capitol Preservation Committee (Committee) is the steward of the Commonwealth's historic Civil War battle flag collection. Recently the Committee established a new repository for the collection. The Civil War flags must be relocated to the new repository.

Purpose

The purpose of this request is to enable the safe transfer of the Civil War battle flags from 10th and Market Streets, Harrisburg, PA to the new flag facility located at 2221 Forster Street, Harrisburg, PA.

General Scope of Work

- All the labor.
- All material.
- All protection.
- The work must be so sequenced, arranged and scheduled that the occupants/contractors of the surrounding offices/property and areas above, below and adjacent to the project sites can continue to occupy the facilities and maintain work access and operations during the project. The contractor shall coordinate with other concurrent projects at the buildings and coordinate activities.
- Contractor must make provisions for refuse material removal each day work is performed.
- Need to coordinate construction activities including delivery access and parking with Federal Surplus Building Management.
- *Documentation:* Documentation shall be submitted in electronic format (docx, pdf and tiff will be required) and keyed to the accession number of each flag. All documentation shall become the sole property of the Committee, whether written, pictorial, graphic or otherwise.
- *Expertise:* Defined as a Fellow member in good standing of the American Institute for Conservation and having relevant experience in handling, packing (crating) and transporting historic textiles of the same or similar nature as the historic Civil War battle flags.
- Provide for museum quality, secure transportation of the Civil War battle flags, in accordance with American Alliance of Museums standards.
- Inventory and index (identify) each flag according to existing rolling flag rack location and placement/position.
- Document the existing condition of each flag prior to packaging, to enable assessment upon delivery to the new facility.
- Moving of the current existing rolling flag racks including covers and accessory items.
- All proposers shall attend the preproposal meeting.

Schedule for Completion

All work associated with this purchase order shall be completed no later than April 10, 2020.

Proposal Release Date

The proposal release date is October 26, 2019.

Preproposal Walk Through

A preproposal walk through will be held on November 6, 2019, at 10 a.m. The preproposal walk through will begin at the 10th and Market Street facility in Harrisburg, PA and will take place for approximately 45 minutes. Then the group will travel to the new facility (individuals must provide their own transportation) at 2221 Forster Street, Harrisburg, PA. Individuals will review the new storage facility along with the receiving dock. The Committee expects this site walk through to take approximately 45 minutes.

Proposal Receipt Date

The proposal receipt date is November 20, 2019, at 2 p.m. All proposals must remain firm for 60 calendar days from the date that the proposal is opened.

Contact

Contact Tara Pyle at tpyle@cpc.state.pa.us for more information. A \$25 deposit will be required for the documents.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 19-1629. Filed for public inspection November 1, 2019, 9:00 a.m.]

DELAWARE RIVER BASIN COMMISSION

Public Hearing and Business Meeting

The Delaware River Basin Commission (Commission) will hold a public hearing on Wednesday, November 13, 2019. A business meeting will be held the following month on Wednesday, December 11, 2019. The hearing and business meeting are open to the public and will take place at the Washington Crossing Historic Park Visitor Center, 1112 River Road, Washington Crossing, PA.

Public hearing. The public hearing on November 13, 2019, will begin at 1:30 p.m. Hearing items will include draft dockets for withdrawals, discharges and other projects that could have a substantial effect on the basin's water resources, as well as a resolution establishing the Advisory Committee on Climate Change and providing for its purpose, membership and initial charge.

Written comments on matters scheduled for hearing on November 13, 2019, will be accepted through 5 p.m. on November 18, 2019. Time permitting, an opportunity for open public comment will be provided upon the conclusion of Commission business at the December 11, 2019, business meeting.

The public is advised to check the Commission's web site periodically prior to the hearing date, as items scheduled for hearing may be postponed if additional time is needed to complete the Commission's review and items may be added up to 10 days prior to the hearing date. In reviewing docket descriptions, the public is also asked to be aware that the details of projects may change during the Commission's review, which is ongoing.

1. *Freeland Borough Municipal Authority, D-1965-052 CP-5.* An application to renew the approval of the appli-

cant's existing 1.2 million gallons per day (mgd) Wastewater Treatment Plant (WWTP) and its discharge. The WWTP will continue to discharge treated effluent to Pond Creek at River Mile 183.7—67.3—2.0—8.5 (Delaware River—Lehigh River—Sandy Run—Pond Creek), within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Freeland Borough, Luzerne County, PA.

2. *Chemtrade Solutions, LLC, D-1969-038-4*. An application to renew the approval of the docket holder's existing 3.1 mgd facility and its discharge. The docket holder will continue to discharge treated stormwater and groundwater infiltration to Delaware River Water Quality Zone 5 at River Mile 78.4 by means of Outfall No. 001, in the City of Claymont, New Castle County, DE.

3. *Knoll, Inc., D-1974-162-5*. An application to renew the approval of the applicant's existing 0.0715 mgd Industrial Wastewater Treatment Plant (IWTP) and its discharges of treated industrial process water and noncontact cooling water (NCCW). The IWTP will continue to discharge to Perkiomen Creek at River Mile 92.5—32.3—28.5 (Delaware River—Schuylkill River—Perkiomen Creek) in Upper Hanover Township, Montgomery County, PA.

4. *Philadelphia Gas Works, D-1976-055 CP-4*. An application to renew the approval of an existing discharge of up to 6.67 mgd of NCCW from process compressors, heat exchangers and the emergency fire suppression system by means of Outfall No. 004 at the Philadelphia Gas Works Richmond Plant. Outfall No. 004 will continue to discharge to Water Quality Zone 3 of the Delaware River at River Mile 106.5, in the City of Philadelphia, Philadelphia County, PA.

5. *Reading City, D-1986-028 CP-4*. An application to renew the approval of an upgrade of the applicant's existing 20.5 mgd Fritz Island WWTP and its discharge. The upgrade consists of replacing the existing trickling filter treatment system with a biological reactor treatment system. The upgrade was approved by Commission Docket No. D-1986-028 CP-3 on September 10, 2014, but is not yet complete. The WWTP will continue to discharge treated effluent to the Schuylkill River at River Mile 92.5—72.8 (Delaware River—Schuylkill River) in the City of Reading, Berks County, PA.

6. *Dublin Borough, D-1986-070 CP-3*. An application to renew the approval of the applicant's 1.2 mgd Dublin Borough WWTP and its discharge. Treated effluent will continue to discharge to Deep Run Creek at River Mile 157.0—6.2—5.4 (Delaware River—Tohickon Creek—Deep Run Creek) by means of Outfall No. 001, within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Bedminster Township, Bucks County, PA.

7. *Antietam Valley Municipal Authority, D-1987-045 CP-6*. An application to renew the approval of the docket holder's existing 2.45 mgd WWTP and its discharge of up to 1.225 mgd. Treated effluent will continue to discharge to Antietam Creek at River Mile 92.47—66.1—4.4 (Delaware River—Schuylkill River—Antietam Creek) by means of Outfall No. 001 in St. Lawrence Borough, Berks County, PA.

8. *Manwalamink Sewer Company, D-1988-034 CP-3*. An application to renew the approval of the existing 0.7 mgd WWTP and its discharge. The WWTP will continue to discharge treated effluent to Brodhead Creek at River

Mile 213.0—0.6 (Delaware River—Brodhead Creek) by means of Outfall No. 001, within the drainage area of the section of the nontidal Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in Smithfield Township, Monroe County, PA.

9. *Grand Central Sanitary Landfill, Inc., D-1988-052-5*. An application to renew the approval of the docket holder's existing 0.1 mgd leachate treatment plant and its discharge. Treated effluent will continue to be discharged to an unnamed tributary (UNT) of Little Bushkill Creek at River Mile 184.1—8.5—8.1—0.1 (Delaware River—Bushkill Creek—Little Bushkill Creek—UNT Little Bushkill Creek) by means of Outfall No. 001, within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Plainfield Township, Northampton County, PA.

10. *Chambers Cogeneration, LP, D-1991-019-2*. An application to renew the approval of the existing Carneys Point Electric Generating Station and the use of up to 240 million gallons per month (mgm) of surface water from Chemours' Salem Canal Intake. The project withdrawal is from the nontidal portion of the Salem Canal in the Township of Pennsville, Salem County, NJ, and the cogeneration plant is located in the Township of Carneys Point, Salem County, NJ.

11. *Hobart Village, D-1991-063 CP-4*. An application to renew the approval of the applicant's existing 0.20 mgd WWTP and its discharge. Treated effluent will continue to discharge to the West Branch of the Delaware River at River Mile 330.7—76.7 (Delaware River—West Branch Delaware River) which is located in Delaware River Water Quality Zone W1, within the drainage area of the section of the main stem Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, in the Town of Stamford, Delaware County, NY.

12. *Honey Brook Borough Authority, D-1991-099 CP-3*. An application to renew the approval of an existing groundwater withdrawal of up to 12 mgm to supply the applicant's public water supply distribution system from existing Well Nos. 5—8. The project wells are completed in a Precambrian Gneiss aquifer. The requested allocation is not an increase from the previous allocation. The project is located in the West Branch Brandywine Creek Watershed in Honey Brook Borough, Chester County, PA.

13. *Valley Forge Sewer Authority, D-1995-006 CP-5*. An application to renew the approval of the existing 11.75 mgd WWTP and its discharge. The WWTP will continue to discharge treated effluent to the Schuylkill River at River Mile 92.47—32.0 (Delaware River—Schuylkill River) by means of Outfall No. 001 in Schuylkill Township, Chester County, PA.

14. *Clemens Food Group, LLC, D-1999-072-3*. An application to renew the approval of an existing groundwater withdrawal of up to 20.57 mgm to supply the applicant's meat processing facility from existing Well Nos. H-1, H-3, H-4, H-8, H-10 and H-12. The project wells are completed in the Brunswick Formation. The requested allocation is not an increase from the previous allocation. The wells are located in the Commission's Southeastern Pennsylvania Groundwater Protected Area (SEPA GWPA) in the Skippack Creek Watershed, Hatfield Township, Montgomery County, PA.

15. *Yukiguni Maitake Manufacturing Corporation of America, D-2003-026-2*. An application to renew the ap-

proval to withdraw up to 13.14 mgm of groundwater from existing Well No. PW-2 for geothermal heating and cooling, agricultural production, industrial purposes such as cleaning, and potable supply at the docket holder's proposed pilot-scale and subsequent full-scale agricultural production and processing facility. The initial allocation for use at the pilot facility remains limited to 1.95 mgm. The well is screened in outwash sand and gravel in the Gumaer Brook—Basher Kill Watershed in the Town of Mamakating, Sullivan County, NY within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters.

16. *Warminster Municipal Authority, D-2004-021 CP-3.* An application to renew the approval of the docket holder's existing 3.0 mgd WWTP and its discharge of 1.2 mgd. The WWTP will continue to discharge treated effluent to a UNT of the Little Neshaminy Creek at River Mile 115.6—23.6—3.3—1.4 (Delaware River—Neshaminy Creek—Little Neshaminy Creek—UNT Little Neshaminy Creek) by means of Outfall No. 001, in Warminster Township, Bucks County, PA.

17. *Ruscombmanor Township, D-2007-034 CP-4.* An application to renew the approval of the existing 0.05 mgd Golden Oaks WWTP and its discharge. The WWTP will continue to discharge treated effluent to a UNT of Furnace Creek at River Mile 92.5—54.2—16.8—1.0—5.1—0.3 (Delaware River—Schuylkill River—Manatawny Creek—Little Manatawny Creek—Furnace Creek—UNT Furnace Creek) in Ruscombmanor Township, Berks County, PA.

18. *Marcus Hook Energy, LP, D-2008-021 CP-3.* An application to renew the approval of the applicant's existing discharge of up to 4.32 mgd of process water, consisting primarily of cooling tower blowdown, from the Marcus Hook Energy Center. The facility will continue to discharge directly to Delaware River Water Quality Zone 4 at River Mile 78.7 in Marcus Hook Borough, Delaware County, PA.

19. *CMBK Resort Holdings, LLC, D-2008-026-2.* An application to renew the approval to withdraw up to 5.71 mgm of groundwater from existing Well Nos. 2—4 for continued use in the docket holder's public water supply system. The wells are completed in the Long Run Member of the Catskill Formation in the Upper Pocono Creek Watershed in Pocono Township, Monroe County, PA within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters.

20. *Naval Surface Warfare Center Philadelphia Division, D-2009-004 CP-3.* An application to renew and modify the conditions for approval of the applicant's discharge of NCCW and process water from the Naval Surface Warfare Center Philadelphia Division (NSWCPD) facility. The NSWCPD facility will continue to withdraw water from the Navy Reserve Basin (NRB), which is located on the tidal Schuylkill River in Delaware River Water Quality Zone 4, for temporary, intermittent, land-based tests of ship systems and to discharge up to 72.0 mgd of NCCW from Outfall No. 001 to the NRB and up to 0.60 mgd of process water from Outfall No. 005 directly to Delaware River Water Quality Zone 4. The modification consists of allowing discharge to occur at higher ambient temperatures, conditional upon limiting the Outfall No. 001 discharge to a temperature delta of 3°F. The facility is located in the City of Philadelphia, Philadelphia County, PA.

21. *Chester Valley Golf Club, D-2009-035-2.* An application to renew the approval to withdraw up to 5.6 mgm of surface water and groundwater from an existing irrigation storage pond and Well No. 11904 for golf course irrigation. The well is completed in the Elbrook Formation and the pond is located within the Valley Creek Watershed in East Whiteland Township, Chester County, PA in the SEPA GWPA.

22. *Springdale Gardens, LP, D-2009-044-3.* An application to renew the existing 0.0126 mgd Springdale Estates WWTP and its discharge. The existing WWTP will continue to discharge treated effluent to a UNT of Mahoning Creek at River Mile 183.66—42.5—7.0—0.44 (Delaware River—Lehigh River—Mahoning Creek—UNT Mahoning Creek) by means of Outfall No. 001, located within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Mahoning Township, Carbon County, PA.

23. *Green Top Management, LLC, D-2010-002-4.* An application to renew the approval of the docket holder's existing Green Top Management Mobile Home Park (Green Top MHP) WWTP and to renew the approval of an upgrade and expansion of the Green Top MHP WWTP from 0.012 mgd to 0.018 mgd. The WWTP will continue to discharge treated effluent to a UNT of Tohickon Creek at River Mile 157.0—10.8—6.5—3.1—4.1 (Delaware River—Tohickon Creek—Lake Nockamixon—Tohickon Creek—UNT Tohickon Creek) by means of Outfall No. 001. The WWTP discharges within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in West Rockhill Township, Bucks County, PA.

24. *NIS Hollow Estates, LLC, D-2010-003 CP-3.* An application to renew the approval of the applicant's existing 0.018 mgd WWTP and its discharge. The WWTP will continue to discharge treated effluent to a UNT of the Lehigh River at River Mile 183.7—39.3—1.2 (Delaware River—Lehigh River—UNT Lehigh River) located within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in East Penn Township, Carbon County, PA.

25. *Pennsylvania American Water Company, D-2010-025 CP-3.* An application to renew the approval of a discharge of up to 0.1679 mgd of filter backwash from the Stony Garden Water Filtration Plant. During normal operations, the clarified supernatant is recycled to the head of the plant and is not discharged. However, under certain circumstances such as extreme weather conditions, treated effluent will continue to be discharged to Ross Commons Creek at River Mile 183.66—36.32—20.7—0.06 (Delaware River—Lehigh River—Aquashicola Creek—Ross Commons Creek) by means of Outfall No. 001, within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Hamilton Township, Monroe County, PA.

26. *HMS Host Corporation, D-2013-018 CP-2.* An application to renew the approval of the existing 0.05 mgd Peter J. Camiel Service Plaza WWTP and its discharge. The WWTP will continue to discharge treated effluent to a UNT of Marsh Creek above the Marsh Creek Reservoir at River Mile 70.7—1.8—20.3—12.5—6.7—0.3 (Delaware River—Christina River—Brandywine Creek—East Branch Brandywine Creek—Marsh Creek—UNT Marsh Creek) in Wallace Township, Chester County, PA.

27. *Markel Corporation, D-2014-013-2.* An application to renew the approval of the applicant's existing discharge of up to 0.06 mgd of contact and noncontact cooling water from its Norristown facility. The facility will continue to discharge to Diamond Run Creek at River Mile 92.5—22.3—0.7 (Delaware River—Schuylkill River—Diamond Run Creek) in Plymouth Township, Montgomery County, PA.

28. *City of Philadelphia, D-1970-052 CP-2.* An application to approve an upgrade to the applicant's existing 210 mgd Northeast WWTP consisting of constructing an additional, preliminary treatment system for conveyance of peak wet weather flows to the existing primary settling and chlorination disinfection system for treatment prior to discharge, thereby reducing combined sewer overflows from the WWTP service area. The WWTP will continue to discharge treated effluent to Delaware River Water Quality Zone 3 at River Mile 104.2 in the City of Philadelphia, PA.

29. *Upper Montgomery Joint Authority, D-1987-028 CP-3.* An application to renew the approval of the docket holder's existing 2.77 mgd WWTP and its discharge of 2.0 mgd. The WWTP will continue to discharge treated effluent to Perkiomen Creek at River Mile 92.47—32.3—25.0 (Delaware River—Schuylkill River—Perkiomen Creek) by means of Outfall No. 001, in Upper Hanover Township, Montgomery County, PA.

30. *Monroe Career & Technical Institute, D-2019-002 CP-1.* An application to approve the existing 0.015 mgd Monroe Career & Technical Institute (MCTI) WWTP and its discharge. The MCTI WWTP will continue to discharge treated effluent to a UNT of Pocono Creek, at River Mile 213—4.0—0.82—8.1—0.5 (Delaware River—Broadhead Creek—McMichael Creek—Pocono Creek—UNT Pocono Creek) by means of Outfall No. 001, located within the drainage area of the section of the nontidal Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in Bartonsville, Monroe County, PA.

Public meeting. The public business meeting on December 11, 2019, will begin at 10:30 a.m. and will include: adoption of the minutes of the Commission's September 11, 2019, business meeting; announcement of upcoming meetings and events; a report on hydrologic conditions; reports by the Executive Director and the Commission's General Counsel; and consideration of any items for which a hearing has been completed or is not required. The latter may include but are not limited to resolutions for the minutes authorizing the Executive Director or his designee to: (a) issue a task order to the Academy of Natural Sciences of Drexel University (ANSDU) to provide analytical services for characterization of algal composition in the Delaware Estuary; (b) issue a task order to ANSDU to provide technical services for the modernization of decision support system tools for the Upper Delaware; and (c) execute an agreement for the preparation of an actuarial evaluation of the Commission's other post-employment benefit obligations, in accordance with Government Accounting Standards Board Statement No. 75.

After all scheduled business has been completed and as time allows, the business meeting will also include up to one hour of open public comment.

There will be no opportunity for additional public comment for the record at the December 11, 2019, business meeting on items for which a hearing was completed on November 13, 2019, or a previous date.

Commission consideration on December 11, 2019, of items for which the public hearing is closed may result in approval of the item (by docket or resolution) as proposed, approval with changes, denial or deferral. When the Commissioners defer an action, they may announce an additional period for written comment on the item, with or without an additional hearing date, or they may take additional time to consider the input they have already received without requesting further public input. Any deferred items will be considered for action at a public meeting of the Commission on a future date.

Advance sign-up for oral comment. Individuals who wish to comment on the record during the public hearing on November 13, 2019, or to address the Commissioners informally during the open public comment portion of the meeting on December 11, 2019, as time allows, are asked to sign-up in advance through EventBrite. Links to EventBrite for the public hearing and the business meeting are available at www.drbc.gov. For assistance contact Paula Schmitt at paula.schmitt@drbc.gov.

Submitting written comment. Written comment on items scheduled for hearing may be made through the Commission's web-based comment system, a link to which is provided at www.drbc.gov. Use of the web-based system ensures that all submissions are captured in a single location and their receipt is acknowledged. Exceptions to the use of this system are available based on need, by writing to the attention of the Commission Secretary, Delaware River Basin Commission, P.O. Box 7360, 25 Cosey Road, West Trenton, NJ 08628-0360. For assistance in using the web-based comment system contact Paula Schmitt at paula.schmitt@drbc.gov.

Accommodations for special needs. Individuals in need of an accommodation as provided for in the Americans with Disabilities Act who wish to attend the meeting or hearing should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate their needs.

Additional information, contacts. Additional public records relating to hearing items may be examined at the Commission's offices by appointment by contacting Denise McHugh, (609) 883-9500, Ext. 240. For other questions concerning hearing items contact David Kovach, Project Review Section Manager, at (609) 883-9500, Ext. 264.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 19-1630. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Chronic Wasting Disease Research Projects; Request for Applications

The Department of Agriculture (Department), under funds appropriated to it under section 1718-J(3) of the Fiscal Code (72 P.S. § 1718-J(3)), is soliciting applications to conduct research on Chronic Wasting Disease (CWD). No less than \$1 million has been appropriated to the Department for the purposes set forth in this Request for Applications.

The research must be conducted in one or more of the research topic areas established in this Request for Applications.

This notice establishes the procedures by which grant applications will be solicited and reviewed, and by which grants will be awarded.

1. *Grant solicitation.* The Department will accept grant applications for the purposes, in the form and according to the schedule set forth in this notice. Additional publication and dissemination of this notice shall be made to any individuals or entities who have requested notification from the Department of grant availability.

2. *Research topic areas.* The research topics the Department has been authorized to fund are as follows:

a. Diagnostic tests to detect CWD in cervids and prevent humans from consuming infected venison.

b. Development and testing of live animal tests for the detection of CWD.

c. Development and testing of injectable and oral vaccines for CWD.

d. Research of management, environmental or genetic factors, or both, that may play a role in disease occurrence and mitigation.

e. Research of biosecure, cost-effective disposal and cleaning and disinfection methods for CWD positive cervids.

f. Research to develop rapid in-field testing to detect CWD immediately after hunter harvest.

g. Other innovative research to better understand CWD, disease implications and best strategies for disease containment and control.

3. *Required content for each grant proposal.* All grant applications submitted shall set forth, in detail, the following information:

a. *Research topic.* The application shall clearly set forth and establish which approved research topic is to be explored.

b. *Experimental design, work plan, deliverables and estimated date of deliverables.* Refer to and complete the following "Instructions and Format," as follows hereto and made apart hereof.

4. *Application delivery and deadline.* Interested applicants must submit a complete electronic research project proposal and grant application using the Department of Community and Economic Development's Electronic Single Application web site at <https://www.esa.dced.state.pa.us/Login.aspx> by 4 p.m. on November 30, 2019.

Questions regarding this online application process may be directed to Sheila Strubhar, Chief of the Contracts and Procurement Division for the Department, at (717) 787-1467.

5. *Notice of award.* Applicants shall be notified by mail of the decision on their grant applications by the Department. Best efforts will be made to do so within 60 days of the application deadline.

6. *Grant agreement.* With the mailed grant award notice, the Department will provide applicants with a grant agreement for execution and return within 30 days. The Department will obtain the required Commonwealth signatures on the grant agreements and return a copy of the fully-executed grant agreement to the applicant. No grant agreement is effective, and work should not commence, until all required signatures have been applied to the grant agreement. Among the terms of the grant agreement shall be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit the information as the Department may require.

7. *Nonmatching cost-reimbursable grant.* Grants made hereunder do not require the applicant secure or devote a matching sum to the project, but outside funding may be considered as an evaluation criterion. Payment of grant funds will occur on a reimbursement basis, with the possibility upon the written submission of justification and subsequent approval of the Department of an advance payment option.

8. *Indirect cost reimbursement.* Grants made hereunder are subject to an indirect cost cap of 10% of total project costs. For the purpose of this research grant funding solicitation, indirect costs shall include administrative salaries and benefits, office supplies and equipment, facility related cost including maintenance and repairs, telephones, memberships/dues, freight/postage cost and any consultant related costs associated with the administration of this research grant.

9. *Reporting requirements.* Upon completion of research projects funded through this program, grant recipients will submit to the Department within 60 days a final report detailing the nature of the questions under study, an explanation of the research design and methods, findings of the research and recommendations for future study.

RUSSELL C. REDDING,
Secretary

INSTRUCTIONS & FORMAT

RFA – Pennsylvania Department of Agriculture - 2019

DEADLINE: for Full Proposals November 30th – 4:00 pm E.S.T.

Thank you for your interest in the Chronic Wasting Disease Research Project Request for Applications. Please read the following instructions completely.

STEP 1: COMPLETE FULL PROPOSAL

The proposal must be typed in the required format – see the last four pages of this document. Your proposal must be typed in 12-point font size, Times New Roman font, double-spaced for #2-8 with margins of .5” on left, right, top and bottom. The body of your proposal containing items 1-10, should contain a maximum of ten pages (only the first ten pages will be read). CV’s and Letters of Collaboration are **not counted** within the 10 pages.

Save your proposal with the file name of: “**LAST NAME, FIRST INITIAL – Proposal**”. Example: **SMITH,J – Proposal.doc**. If you are submitting more than one proposal, please use **SMITH,R-2 – Proposal.doc**. Restrict the use of scientific acronyms in your proposal.

STEP 2: SUBMIT FULL PROPOSAL

Interested applicants must submit their proposals using the Department of Community and Economic Development's Electronic Single Application web site at: <https://www.esa.dced.state.pa.us/Login.aspx> by 4 p.m. on Friday, November 30th, 2019. There is a page in the application where a document can be uploaded and the full proposal should be submitted there. Questions regarding this online application process may be directed to Sheila Strubhar, Chief of the Contracts and Procurement Division for the Department of Agriculture, (717) 787-1467 or by using the help function on the application web site.

PROPOSAL PROCESS

The proposals will be reviewed by an ad hoc committee with expertise in the area of CWD assembled by the Department of Agriculture. Funding recommendations will be made to the Secretary of Agriculture for his decision on distribution of funds.

USE THE NEXT FOUR PAGES AS YOUR PROPOSAL FORMAT. PLEASE DELETE THIS PAGE OF INSTRUCTIONS BEFORE YOU SUBMIT YOUR PROPOSAL.
THANK YOU

FULL PROPOSAL TEMPLATE
(Next page)

**PA Department of Agriculture Research Proposal
Chronic Wasting Disease Call 2019
Proposal Cover Page**

Project # (PDA use only)	
Category:	
Project Title:	
Requested Funding Amount:	Project Duration:

Principal Investigator and Title:			
Institution:			
Address:			
City, ST ZIP			
Phone:		FAX:	
Email:			

Co-Investigator(s)	Institution, City, State	Email address
1.		
2.		
3.		
4.		
5.		

Contracts/Grants Administrator name: <i>(person to receive contracts, if funded)</i>					
Title		Organization			
Street Address					
City		State		Zip	
Phone		Fax		E-Mail	

I (Principal Investigator) certify that the Grants and Contracts Administrator has reviewed this proposal prior to its submission to PDA for possible funding.

Budget (add lines as required):

Category	Description (if needed)	PDA	Other Support	Total
1) Personnel (include name where appropriate)				
2) Contracted Services (diagnostic fees, computer access, etc)				
3) Assay and Testing Fees ("per sample" costs not included under Supplies)				
4) Travel				
5) Equipment (non-disposable items, less than \$500)				
6) Supplies (disposable items and reagents)				
7) Animal Cost (list only net cost if animals will be salvaged)				
8) Animal Care (per diem care, housing, and feed)				
9) Shipping, Handling, Mailing Expenses				
10) Other expenses (list)				
11) TOTAL				
Explanation (if req'd):				

1. **Budget for Project** – (single space) **see template previous page**
Overhead and indirect costs are typically NOT covered by PDA research funds. Graduate student support, student and other hourly labor, and post-doctoral support will be allowed. Equipment, except for disposable equipment such as test tubes, etc., is not allowed.
Budget format –
 - a. Costs MUST be indicated in a 3-column format
 - b. Other funding requested or anticipated in support for this project must be indicated in an additional budget column.
2. **Literature Review** - Current status of problem – brief literature review.
3. **Related Research by Principal Investigators** – Describe earlier related research in this area or closely related field by principal investigator (not more than five citations).
4. **Project Objectives** - list multiple objectives separately and explain clearly the research questions to be answered
5. **Procedures to achieve these objectives** - include details of Experimental Design and Methods. Discuss and reference all assays, procedures, and statistical tests used in the study. Document demonstrated expertise with proposed lab procedures.
6. **Description of Quality Assurance/Quality Control Plan** - QA/QC basically refers to all those things good investigators do to make sure their measurements are right on (accurate; the absolute true value), reproducible (precise; consistent), and have a good estimate of their uncertainty. In the regulatory arena, this aspect of data collection is as crucial to the final outcome of a confrontation as the numbers themselves. It specifically involves following established rules in the field and lab to assure everyone that the sample is representative of the site.
7. **Schedule/timeline for proposed research.**
8. **Value of proposed research** to safeguard and promote cervid health across the state (one paragraph).
9. **Certification** - most institutions require approval of proposals before submission. Please indicate this step has been completed by supplying the names, title, e-mail address and phone number of the personnel from the grants office, college and department who have approved your proposal for submission. **PROPOSALS MAY BE REJECTED IF THIS INFORMATION IS NOT INCLUDED.**
10. **Brief description of plans to disseminate project results to appropriate audiences.**
11. **Letters of cooperation from project co-investigators and other collaborators.**
12. **Curriculum Vita** for the primary investigator and each co-investigator – max. two pages each

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending October 22, 2019.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-15-2019	First Resource Bank Exton Chester County	321 West Lancaster Avenue Wayne Delaware County	Opened
10-15-2019	Somerset Trust Company Somerset Somerset County	3966 Lincoln Highway Suite 101 Schellsburg Bedford County	Opened

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
09-23-2019	Northwest Bank Warren Warren County	<i>To:</i> 6525 Transit Road East Amherst Erie County, NY <i>From:</i> 6409 Transit Road East Amherst Erie County, NY	Effective

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-18-2019	PS Bank Wyalusing Bradford County	Towne Plaza Shopping Center Tunkhannock Wyoming County	Closed

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-17-2019	White Rose Credit Union York York County Application for approval to merge Local 229 IBEW Federal Credit Union, York, with and into White Rose Credit Union, York.	Filed

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-14-2019	Diamond Credit Union Pottstown Montgomery County	4453 North Fifth Street Highway Temple Berks County	Opened

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 19-1632. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Adjustment to Definition of “Base Figure” in the Loan Interest and Protection Law

The Department of Banking and Securities (Department), as required by the definition of “base figure” in section 101 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 101), known as the Loan Interest and Protection Law, is publishing the following notice regarding the inflation adjusted base figure for the calendar year 2020. The Department has determined that the current base figure of \$256,023 adjusted for annual inflation using the “Consumer Price Index—All Urban Consumers: U.S. All Items 1982-84 = 100” published by the United States Department of Labor Bureau of Labor Statistics results in a base figure of \$260,404. This new base figure will be effective January 1, 2020, for the calendar year 2020.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 19-1633. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Designation of School Districts to Receive Duquesne City School District’s Junior and Senior High School Students

The Duquesne City School District (Duquesne) eliminated its senior high school program in 2007. Section 14 of the act of July 20, 2007 (P.L. 278, No. 45) (Act 45) governed the reassignment of Duquesne’s senior high school students until Act 45 was declared unconstitutional by the Commonwealth Court in 2010. In part, Act 45 authorized the Secretary of Education to designate two or more school districts to accept Duquesne’s high school students. Under Act 45, then-Secretary of Education Gerald Zahorchak designated the East Allegheny School District (East Allegheny) and the West Mifflin Area School District (West Mifflin) to accept Duquesne’s senior high school students on a tuition basis.

Shortly after Act 45 was struck down, the act of November 23, 2010 (P.L. 1350, No. 123) (Act 123) was

enacted. The enactment of Act 123 resulted in significant amendments to section 1607 of the Public School Code of 1949 (School Code) (24 P.S. § 16-1607). Section 1607 of the School Code authorizes the Secretary of Education to designate two or more school districts to accept Duquesne’s high school students. When Act 123 was enacted, East Allegheny and West Mifflin were designated to continue to accept Duquesne’s senior high school students.

In 2012, Duquesne sought and received the approval of the Department of Education (Department) to alter/curtail its junior high school program (grades 7 and 8). Accordingly, on July 9, 2012, East Allegheny and West Mifflin were designated to also accept Duquesne’s junior high school students under section 1607 of the School Code. The designation of East Allegheny and West Mifflin to accept Duquesne’s junior and senior high school students remained unchanged.

As required under section 1607(d) of the School Code, the Department provides the following information regarding the assignment of Duquesne’s 7–12 grade students to East Allegheny and West Mifflin.

Assignment of Students

- Students entering grades 8, 9, 10, 11 or 12 shall be assigned to the same district to which they were assigned during the previous school year.

- Students entering grade 7 have the opportunity to select the district—East Allegheny or West Mifflin—they wish to attend. Students entering grade 7 shall be assigned to the district that they select.

- Private, religious or charter school students who are residents of Duquesne and who wish to enroll in Duquesne and attend East Allegheny or West Mifflin must register as Duquesne students at the Duquesne Education Center to be assigned to either East Allegheny or West Mifflin.

- Students transferring into Duquesne will be given a choice between East Allegheny and West Mifflin and will be assigned to the district they choose.

Per Pupil Tuition Rate

The per pupil tuition rate that the designated districts shall receive for the 2019-2020 school year is \$13,703.17.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 19-1634. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in

accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0035726 (Sewage)	Camp Ramah in the Poconos 2618 Upper Woods Road Lakewood, PA 18439	Wayne County Buckingham Township	Unnamed Tributary to Equinunk Creek (HQ-CWF, MF) (1-A)	Yes
PA0061026 (Sewage)	Ski Side Village and Chateau Resort 742 Ann Street Stroudsburg, PA 18360	Monroe County Pocono Township	Pocono Creek (HQ-CWF, MF) (1-E)	Yes
PA0061468 (Sewage)	Liberty Mobile Home Park 1675 Kelly Road Friendsville, PA 18818	Susquehanna County Liberty Township	Unnamed Tributary to Snake Creek (CWF, MF)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0084166— IW	City of Lebanon Authority 2321 Ridgeview Road Lebanon, PA 17042	Lebanon County/ Lebanon City	UNT Swatara Creek/7-D	Y
PA0085448— SEW	Goodville Ind Ctr 222 Conestoga Creek Rd Ephrata, PA 17522	Lancaster County/ East Earl Twp	UNT Conestoga River/7-J	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0044245 (Sewage)	Parker Dam State Park 28 Fairview Road Penfield, PA 15849-7902	Clearfield County Huston Township	Laurel Run (HQ-CWF, MF) (8-A)	Yes
PA0232432 (Industrial)	I-99 J2 ARD Treatment 70 Penndot Drive Clearfield, PA 16830-6051	Centre County Huston Township	Unnamed Tributary to Bald Eagle Creek (CWF, MF) (9-C)	Yes
PA0032824 (Sewage)	PA DOT Safety Rest 38 Bureau of Maintenance & Operations P.O. Box 3060 Harrisburg, PA 17105-3060	Columbia County Mifflin Township	Unnamed Tributary to Nescopeak Creek (CWF) (5-D)	Yes
PA0032816 (Sewage)	PA DOT I-80 Rest Area 33 34 STP Bureau Of Maintenance & Operations P.O. Box 3060 Harrisburg, PA 17105-3060	Clinton County Greene Township	Fishing Creek (HQ-CWF) (9-C)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0205575 (Sewage)	Pleasant Valley CC STP 440 Pleasant Valley Road Connellsville, PA 15425-6082	Fayette County Bullskin Township	Mounds Creek (WWF) (19-D)	Yes
PA0217824 (Sewage)	Camp Kon O Kwee Spencer 126 Nagel Road Fombell, PA 16123-1198	Beaver County Marion Township	Connoquenessing Creek (WWF) (20-C)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0002534 (Industrial)	Morgan AM&T 441 Hall Avenue Saint Marys, PA 15857	Elk County Saint Marys City	Unnamed Tributary to the Elk Creek (CWF) (17-A)	Yes
PA0103811 (Industrial)	Northwest Sanitary Landfill 1436 West Sunbury Road West Sunbury, PA 16061	Butler County Cherry Township	The Findlay Run (CWF) and Unnamed Tributaries to the South Branch Slippery Rock Creek (CWF) (20-C)	Yes
PA0222763 (Industrial)	Charter Plastics P.O. Box 77 221 South Perry Street Titusville, PA 16354-0770	Crawford County Titusville City	Oil Creek (16-E)	Yes
PA0221643 (Sewage)	Sligo Borough STP P.O. Box 241 Sligo, PA 16255-0241	Clarion County Sligo Borough	Mineral Run (CWF) (17-B)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0050075, Sewage, SIC Code 4952, **Aqua Pennsylvania Wastewater, Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010. Facility Name: Willistown Woods STP. This existing facility is located in 417 Hamstead Place, West Chester, PA 19382 in Willistown Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Hunters Run (HQ-TSF, MF), is located in State Water Plan watershed 3-G and is classified for Migratory and High-Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .175 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Min	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	6.0 Min	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.05	XXX	0.12
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	18	XXX	XXX	12	XXX	24
May 1 - Oct 31	12	XXX	XXX	8.5	XXX	17
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	25	XXX	XXX	17	XXX	34
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	3.6	XXX	XXX	2.5	XXX	5
May 1 - Oct 31	1.3	XXX	XXX	0.9	XXX	1.8
Total Phosphorus	1.5	XXX	XXX	1.0	XXX	2

Sludge use and disposal description and location(s): Liquid sludge generated at the Willistown Woods WWTP is hauled to DELCORA for further processing.

In addition, the permit contains the following major special conditions:

I. Other Requirements

- A. No Stormwater
- B. Acquiring All Necessary Property Rights
- C. Sludge Disposal Requirements
- D. Abandon STP when Public Sewer Become Available
- E. Chlorine Minimization
- F. Notification of the Designation of Responsible Operator
- G. TMDL/WLA Analysis
- H. Develop O&M Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0244538, Industrial, SIC Code 2819, **Buckman's, Inc.**, 105 Airport Road, Pottstown, PA 19464-3438. Facility Name: Buckman's Reverse Osmosis System. This existing facility is located in Limerick Township, **Montgomery County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Possum Hollow Run (WWF, MF), is located in State Water Plan watershed 3-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .012 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75
Total Dissolved Solids	XXX	XXX	XXX	2,000.0	4,000.0	5,000

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

Outfall 004 discharges uncontaminated groundwater/spring discharge with no proposed effluent limits.

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- I. Other Requirements
 - A. Acquiring Necessary Property Rights
 - B. Sludge Disposal Requirements
 - C. WQM Permit Superseded by NPDES Permit
 - D. BAT/BCT Reopener
 - E. TRC Minimization
 - F. Discharge to Small Stream
- II. Requirement Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0043974, Sewage, SIC Code 4952, **Valley Forge Sewer Authority**, 333 Pawling Road, Phoenixville, PA 19460-2656. Facility Name: Valley Forge Sewer Authority WWTP. This existing facility is located in Schuylkill Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 11.75 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Sulfate, Total	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Chloride	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Bromide	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 11.75 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 11.75 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	Report	XXX	XXX
Total Residual Chlorine (TRC)*	XXX	XXX	XXX	0.42	XXX	0.52
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	1,918	3,069	XXX	20	30 Wkly Avg	40
May 1 - Oct 31	1,535	2,302	XXX	16	24 Wkly Avg	32
Raw Sewage Influent Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report 2,939	XXX 4,410	XXX XXX	Report 30	XXX 45 Wkly Avg	XXX 60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	2,000	2,500
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000**
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	1,228	XXX	XXX	12.5	XXX	25
May 1 - Oct 31	614	XXX	XXX	6.3	XXX	12.5
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	2.65	4.21	XXX	0.027	0.043	0.068
		Daily Max				

*Monitor only during the use of chlorine.

**Shall not exceed in more than 10% of samples.

The proposed effluent limits for Outfall 002 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

Sludge use and disposal description and location(s): Biosolids produced at the facility are disposed by land application at various locations.

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. No unconventional oil and gas wastewater
- E. Chlorine Optimization
- F. Operator Notification
- G. TMDL/WLA Analysis
- H. Fecal Coliform Reporting
- I. Hauled-in Waste Condition
- J. Operations and Maintenance Plan
- K. Pretreatment Program Implementation
- L. Solids Management
- M. WET Testing Requirements
- N. Stormwater Requirements
- O. PCB/PMP Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0057789, Sewage, SIC Code 6712, **BPG Office VI River Park II, L.P.**, 322 A Street, Wilmington, DE 19801. Facility Name: River Park STP. This existing facility is located in Whitemarsh Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 2.0	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200.0 Geo Mean	XXX	1,000.0
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	40
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Raw Sewage Influent	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

Sludge use and disposal description and location(s): Sludge is disposed off-site for treatment and disposal.

In addition, the permit contains the following major special conditions:

- Proper disposal of sludge and other solids.
- TRC Minimization.
- Designation of responsible operator.
- Development of Operations and Maintenance (O & M) Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0057738, Sewage, SIC Code 8422, **PA DCNR Bureau of State Parks**, PA DCNR Bureau of State Parks, Upper Black Eddy, PA 18972-9540. Facility Name: Delaware Canal State Park STP. This existing facility is located in Solebury Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Delaware River (WWF, MF), is located in State Water Plan watershed 2-E and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)						
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	Report 25	XXX	Report 50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

Sludge use and disposal description and location(s): Sludge is disposed off-site for treatment and disposal.

In addition, the permit contains the following major special conditions:

- * No stormwater into sewage
- * Proper disposal of solids and sludge
- * TRC minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0058343, Sewage, SIC Code 4952, **Bedminster Municipal Authority Bucks County**, 442 Elephant Road, Perkasio, PA 18944-4163. Facility Name: Bedminster Municipal Authority STP & Sewer System. This existing facility is located in Bedminster Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Deep Run (WWF), is located in State Water Plan watershed 2-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.302525 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅ —						
Nov 1 - Apr 30	50	76	XXX	20.0	30.0	40
May 1 - Oct 31	25	38	XXX	10.0	15.0	20
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ —						
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
BOD ₅ —						
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	25	38	XXX	10.0	15.0	20
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200.0	XXX	1,000.0
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200.0	XXX	1,000.0
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Nitrate-Nitrite as N	25	XXX	XXX	10.0	XXX	20
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	5	XXX	XXX	2.0	XXX	4
May 1 - Oct 31	2.5	XXX	XXX	1.0	XXX	2
Total Phosphorus						
Nov 1 - Apr 30	1.51	XXX	XXX	0.6	XXX	1.2
May 1 - Oct 31	1.26	XXX	XXX	0.5	XXX	1

In addition, the permit contains the following major special conditions:

- Responsible Operator
- Remedial Measures
- No Stormwater
- Small Stream Discharge
- Change in Ownership
- Sludge Disposal
- Operation and Maintenance (O & M) Plan
- SPW Discharge

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

NPDES Permit No. PA0061131, Sewage, **Dalton Sewer Authority Lackawanna County**, P.O. Box 538, Dalton, PA 18414-0538, Dalton Borough, **Lackawanna County**.

The following notice reflects changes to the notice published in the October 7, 2017 Volume 47 No. 40 edition of the *Pennsylvania Bulletin*:

Changes in Monitoring requirements, reversion to previous summer Ammonia-N limits, revised schedule of compliance, and updated WQBEL condition.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

Application No. PA0281751, Concentrated Animal Feeding Operation (CAFO), **Kish View Farm (Kish View Farm CAFO)**, 4733 E Main Street, Belleville, PA 17004-9296.

Kish View Farm has submitted an application for an Individual NPDES permit for a new CAFO known as Kish View Farm CAFO, located in Union Township, **Mifflin County**.

The CAFO is situated near Unnamed Tributary of Kishacoquillas Creek (HQ-CWF, MF) in Watershed 12-A, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,279.63 animal equivalent units (AEUs) consisting of 650 Holstein cows, 280 Holstein heifers, and 205 Holstein calves. Manure will be processed through a methane digester and solids separator. Liquids will be stored in a manure storage tank prior to land application and solids will be stored in a roofed concrete manure stacking area prior to use as bedding. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PAI120502, Concentrated Animal Feeding Operation (CAFO), **Inguran LLC dba St Genetics (St Genetics CAFO)**, 1141 State Road, Lincoln University, PA 19352-1005.

Inguran LLC dba St Genetics has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as St Genetics CAFO, located in New London Township, **Chester County**.

The CAFO is situated near an unnamed Tributary to Hodgson Run (HQ-TSF, MF) in Watershed 7-K, which is classified for MF and High Quality Waters—Trout Stocking. The CAFO is designed to maintain an animal population of approximately 1,404.60 animal equivalent units (AEUs) consisting of 1,020 mature Holstein cows, 80 Holstein heifers, and 340 Holstein calves. Manure is stored in a 115' x 150' x 12' earthen lagoon, and three underbarn deep pit concrete storages measuring 112' x 371' x 8', 117' x 182' x 8', and 12' x 79' x 8'. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25- or 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA0088889, Concentrated Animal Feeding Operation (CAFO), **Graywood Farms LLC (Graywood Dairy Farm CAFO)**, 225 Mason Dixon Road, Peach Bottom, PA 17563-9406.

Graywood Farms LLC has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Graywood Dairy Farm CAFO, located in Fulton Township, **Lancaster County**.

The CAFO is situated near Unnamed Tributary to Conowingo Creek (HQ-CWF, MF) and Unnamed Tributary to Conowingo Creek (HQ-CWF) in Watershed 7-K, which is classified for High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,828.06 animal equivalent units (AEUs) consisting of 825 mature Holstein Cows, 555 Holstein heifers, and 240 Holstein calves. Manure will be stored in a 10 ft x 18 ft x 10 ft separator pit, a 140 ft x 565 ft x 14 ft HDPE

lined lagoon, a 72 ft × 12 ft concrete round pit, an 80 ft × 14 ft concrete round storage, a 60 ft × 18 ft × 10 ft rectangular ramped storage, and a 160 ft × 20 ft × 10 ft concrete silage leachate reception pit. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0023248, Sewage, SIC Code 4952, **Berwick Area Joint Sewer Authority**, 1108 Freas Avenue, Berwick, PA 18603-1710. Facility Name: Berwick Municipal Authority. This existing facility is located in Berwick Borough, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Susquehanna River (WWF), is located in State Water Plan watershed 5-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	459	734	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids		Daily Max				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	550	826	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean 200	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean Report	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Effluent Net	XXX	66,848	XXX	XXX	XXX	XXX
		Total Annual				
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Effluent Net	XXX	8,913	XXX	XXX	XXX	XXX
		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

Sludge use and disposal description and location(s): Sludge is hauled to the Lycoming County Landfill.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls
- POTW Pretreatment Implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0272540, Sewage, SIC Code 4952, 8800, **Raymond P Stanton**, 2525 Valentine Run Road, Russell, PA 16345. Facility Name: Raymond Stanton SRSTP. This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an unnamed tributary to Rhine Run, located in State Water Plan watershed 16-B and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sewage sludge is disposed off-site.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0272515, Sewage, SIC Code 8800, **Rodney Prezioso**, 129 Kinsman Road, Jamestown, PA 16134-9515. Facility Name: Rodney Prezioso SRSTP. This proposed facility is located in Greene Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Shenango River (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	Report
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by PADEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0272566, Sewage, SIC Code 8800, **Ronald Cehelsky**, 221 Carbon Center Road, Butler, PA 16002-1021. Facility Name: Ronald Cehelsky SRSTP. This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Bonnie Brook (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0272558, Sewage, SIC Code 8800, **Michael Forster**, 11264 Whitewood Drive, Newbury, OH 44065. Facility Name: Michael Forster SRSTP. This proposed facility is located in Sheffield Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Twomile Run (HQ-CWF), is located in State Water Plan watershed 16-F and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 0919407, Sewage, **Ed Pinkavitch**, 2003 Old Bethlehem Pike, Sellersville, PA 18960.

This proposed facility is located in East Rockhill Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a small flow single residence sewage treatment plant.

WQM Permit No. 1511405, Sewage, Amendment, **WaWa Inc.**, 260 West Baltimore Pike, Wawa, PA 19063.

This proposed facility is located in West Nottingham Township, **Chester County**.

Description of Action/Activity: Upgrades and modifications.

WQM Permit No. 0919408, Sewage, **Northampton Bucks County Municipal Authority**, 815 Bustleton Pike, Richboro, PA 18954.

This proposed facility is located in Northampton Township, **Bucks County**.

Description of Action/Activity: Construction of a 175 unit townhouse dev including sanitary sewer system and pump station.

WQM Permit No. WQG02461915, Sewage, **Lower Perkiomen Valley Regional Sewer Authority**, P.O. Box 297, Oaks, PA 19456.

This proposed facility is located in Skippack Township, **Montgomery County**.

Description of Action/Activity: Construction of 16 unit single family development and the preservation of 2 existing dwellings on individual lots.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 5082402, Amen # 1, Sewerage, **Saville Township**, 3954 Veterans Way, Ellittsburg, PA 17024.

This proposed facility is located in Saville Township, **Perry County**.

Description of Proposed Action/Activity: Seeking permit amendment approval for modifications at their sewage treatment facility.

WQM Permit No. 2894405, Amen # 1, Sewerage, **Guest Farm Village Sewer Authority**, 11364 Ft. Loudon Road, Mercersburg, PA 17236.

This facility is located in Montgomery Township, **Franklin County**.

Description of Proposed Action/Activity: Applicant is requesting an amendment of their existing permit.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0419402, Sewage, **Brian N & Jessica N Kirby**, 137 Brewer Road, Freedom, PA 15042-9636.

This proposed facility is located in New Sewickley Township, **Beaver County**.

Description of Proposed Action/Activity: Approval to use SFTP for newly constructed home.

WQM Permit No. 6319411, Sewage, **Robinson Power Co. LLC**, P.O. Box 127, Burgettstown, PA 15021-0127.

This proposed facility is located in Robinson Township, **Washington County**.

Description of Proposed Action/Activity: Construction of a small flow sewage treatment facility.

WQM Permit No. 1197403 A-4, Sewage, **Forest Hills Municipal Authority Cambria County**, P.O. Box 337, Saint Michael, PA 15951-0337.

This existing facility is located in Conemaugh Township, **Cambria County**.

Description of Proposed Action/Activity: Improvements to sludge dewatering process by adding a centrifuge.

WQM Permit No. 6369406 A-7, Sewage, **Peters Township Sanitary Authority**, 111 Bell Drive, McMurray, PA 15317-3415.

This existing facility is located in Peters Township, **Washington County**.

Description of Proposed Action/Activity: The Authority proposes to make changes to their existing Brush Run STP, which includes replacement of the existing chlorine disinfection system with a new UV disinfection system, installation of a chemical feed system for phosphorus removal, installation of a new effluent pump station, and installation of a new emergency generator.

WQM Permit No. 0419401, Sewage, **Mark R & Cari A Coe Skuse**, 137 Brewer Road, Freedom, PA 15042-9636.

This proposed facility is located in New Sewickley Township, **Beaver County**.

Description of Proposed Action/Activity: Proposed SFTF to replace malfunctioning on-lot system.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2019402, Sewage, **Amber & Jason Digiacomo**, 15304 Hall Road, Meadville, PA 16335.

This proposed facility is located in Hayfield Township, **Crawford County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. WQG02431902, Sewage, **Hermitage Municipal Authority**, 800 North Hermitage Road, Hermitage, PA 16148.

This proposed facility is located in Hermitage City, **Mercer County**.

Description of Proposed Action/Activity: Sewer extension to serve North Neshannock Road, North Darby Road and South Darby Road.

WQM Permit No. 6183401 A-3, Sewage, **Aqua PA Inc.**, 665 S Dock Street, Sharon, PA 16146.

This existing facility is located in Emlenton Borough, **Venango County**.

Description of Proposed Action/Activity: Addition of Sodium Bisulfite feed equipment for Total Residual Chlorine removal.

WQM Permit No. 0308201 A-3, Industrial, **Alliance Petroleum Co. LLC**, 101 McQuiston Drive, Jackson Center, PA 16133.

This existing facility is located in South Bend Township, **Armstrong County**.

Description of Proposed Action/Activity: Amendment to add treatment technology to remove barium from connate wastewater.

WQM Permit No. 3701402 A-2, Sewage, **North Beaver Township Municipal Authority Lawrence County**, 861 Mount Jackson Road, New Castle, PA 16102-2415.

This existing facility is located in North Beaver Township, **Lawrence County**.

Description of Proposed Action/Activity: Rerate wastewater treatment plant to increase the hydraulic design capacity.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150141	TC Atwater Land, LP 300 Conshohocken State Road Suite 250 Conshohocken, PA 19428	Chester	Tredyffrin Township	Cedar Hollow Run to Valley Creek EV-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD130024	Phase III Environmental c/o Xin Yuan 1120 Mauch Chunk Rd Palmerton, PA 18071	Carbon	Palmerton Boro	Lehigh River (TSF, MF)

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390144	S Whitehall Twp 4444 Walbert Ave Allentown, PA 18104	Lehigh	S Whitehall Twp	Little Cedar Creek (HQ-CWF, MF)
PAD390145	E Penn School District 800 Pine St Emmaus, PA 18049	Lehigh	Emmaus Boro	Leibert Creek (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480115	Rick Koze Kay Builders 5930 Hamilton Blvd Wescosville, PA 18106	Northampton	Bushkill Twp	UNT to Bushkill Creek (HQ-CWF, MF) Schoeneck Creek (WWF)
PAD480114	Luke Jaindl Jw Development Partners III LLC 3150 Coffeetown Rd Orefield, PA 18069	Northampton	Lower Nazareth Twp	Wetlands (EV) Schoeneck Creek (WWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD500003	PPL Electric Utilities Corporation 2 North Ninth Street GENN 4 Allentown, PA 18101-1179	Cumberland	Middlesex Township Silver Springs Township	Conodoguinet Creek (WWF, MF) Spring Run (WWF, MF) UNT Conodoguinet Creek (WWF, MF)

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
LGH Farms, LLC 2129 Mountain Road Catawissa, PA 17820	Columbia	95	530.28	Layer Hens	HQ	Renewal
Kline's Hillside Farm 167 Coble Rd Chambersburg, PA 17201	Frankliin	0	514.3	Swine & Turkey	n/a	Renewal
Tim Goss Goss Family Farms 123 Decatur Rd. McClure, PA 17841	Mifflin	322	1,197.74 17	Swine Beef	NA	Renewal

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 1319506, Public Water Supply.

Applicant **D's Water Company**
241 Harvard Avenue
Palmerton, PA 18071

[Township or Borough] Palmerton Borough
Carbon County
Responsible Official Frank DePaulo
D's Water Company
241 Harvard Avenue
Palmerton, PA 18071
Type of Facility PWS
Consulting Engineer Geregory R. Rogalski, PE
Pennoni Associates, Inc.
5072 Ritter Road
Suite 102
Upper Allen Township, PA 17055
Application Received Date 10/15/2019
Description of Action Construction of a new booster pump station and interconnection with Palmerton Municipal Authority water system.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Application No. 1719503—Construction—Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.—Treasure Lake Division**
Township/Borough Sandy Township
County **Clearfield County**
Responsible Official Mr. Stephen J. Draus, P.E.
Aqua Pennsylvania, Inc.
204 E. Sunbury Avenue
Shamokin, PA 18782
Type of Facility Public Water Supply—Construction
Consulting Engineer N/A
Application Received 5/2/2019
Description of Action Authorizes the installation of phosphate feed systems at each of the six wells in the Treasured Lake Water System. Upon construction of a proposed treatment project, the phosphate equipment from Wells No. 12 and N14 will be relocated to the Cayman Booster Pump Sta.

Application No. 1919504—Construction—Public Water Supply.

Applicant Suez Water PA, Inc.
Township/Borough Montour Township
County Columbia County
Responsible Official Mr. John Hallenbach
 6310 Allentown Boulevard
 Harrisburg, PA 17112
Type of Facility Public Water Supply—Construction
Consulting Engineer N/A
Application Received 8/15/19
Description of Action Authorizes the Montour Booster Pump Station to convert an existing building into a new booster pump station.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 0319502, Public Water Supply.

Applicant Brady's Bend Township Water & Sewer Authority
Township or Borough Bradys Bend Township
County Armstrong
Responsible Official Wade Ion
 697 SR 68
 East Brady, PA 16028
Type of Facility Community Water Supply
Consulting Engineer Christopher Wharton, P.E.
 Gibson—Thomas Engineering Company, Inc.
 1004 Ligonier Street
 Box 853
 Latrobe, PA 15650
Application Received Date October 3, 2019
Description of Action Reconfigure existing meter pit between Brady's Bend and Petrolia Borough.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2515505-MA1, Minor Amendment.

Applicant Erie City Waterworks
Township or Borough City of Erie
County Erie
Responsible Official Chad Ellsworth
Type of Facility Public Water Supply
Consulting Engineer Chad Ellsworth
 240 West 12th Street
 Erie, PA 16501
Application Received Date October 7, 2019

Description of Action Upgrades to existing Bulk Sodium Hypochlorite Fed System at Grubb Road, Lancaster and Henderson Booster Stations
Applicant Rural Valley Borough
Township or Borough Rural Valley Borough
County Armstrong
Responsible Official Kathy Fusaro
Type of Facility Public Water Supply
Consulting Engineer Kevin Szakelyhidi
 Bankson Engineers
 267 Blue Run Road
 Cheswick, PA 15024
Application Received Date October 3, 2019
Description of Action Rehabilitation of Water Treatment Plant

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
 PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation.

tion and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department Regional Office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former Rainbow Market Property, 621 Northern Boulevard, South Abington Township, **Lackawanna County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Rainbow Land Company, P.O. Box 716, Waverly, PA 18741, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated by historic releases of gasoline at a former service station. Future use of the site will be Non-residential. The Notice of Intent to Remediate was published in *The Scranton Times* on October 11, 2019.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Harer 713 Pad, 957 Bogar Run Road, Roaring Branch, Liberty Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Rockdale Marcellus, LLC, 4600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Notice of Intent to Remediate concerning remediation of site soil contaminated with produced water. The applicant proposes to remediate the site to meet the Background and Statewide Health Standards. A summary of the Notice of Intent to Remediate was published in the *Williamsport Sun Gazette* on September 21, 2019.

Guillaume 714 Pad, 10562 Route 414, Liberty Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Rockdale Marcellus, LLC, 4600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Notice of Intent to Remediate concerning remediation of site soil contaminated with flowback water. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in the *Sun-Gazette* on September 14, 2019.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit(s) Issued under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit No. WMGM016SW001: Chestnut Ridge Mulch, LLC, 684 Old Farm Road, Blairsville, PA 15717, Burrell Township, **Indiana County**. Determination of Applicability (DOA) under municipal waste General Permit WMGM016 for the processing and beneficial use of wood waste to produce wood chips for wholesale purposes was approved in the Southwest Regional Office on October 16, 2019.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit Application No. 100933. Alliance Sanitary Landfill, Inc., 398 South Keyser Avenue, Taylor, PA 18517. An application for permit renewal for the continued operation of a municipal waste landfill located in Taylor Borough, Old Forge Borough and Ransom Township, **Lackawanna County**. The application was received by the Regional Office on October 17, 2019 and the application was deemed administratively complete on October 18, 2019.

Comments concerning the application should be directed to Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05026D: LSC Communications, Inc. (1375 Harrisburg Pike, Lancaster, PA 17601) for the installation of a new heatset web offset printing press controlled by two existing regenerative thermal oxidizers at the Lancaster West facility in the City of Lancaster, **Lancaster County**. Potential emissions from the project are estimated to be: 6.2 tpy CO, 7.4 tpy NO_x, 0.6 tpy PM/PM₁₀/PM_{2.5}, 0.0 tpy SO_x, 39.0 tpy VOC, 4.8 tpy of a single HAP (glycol ether), and 9.6 tpy of combined HAPs. DEP's

review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

14-00003K: Pennsylvania State University (101P Physical Plant Bldg, University Park, PA 16802) for the construction of a natural gas-fired (diesel fuel backup) lean-burn pre-mix Solar Taurus 60-7901S turbine with an electric output of approximately 6.5 MW and a natural gas-fired Indeck Heat Recovery Steam Generator rated at a maximum heat input capacity of 94.9 MMBtu/hr at the West Campus Steam Plant of the University Park Campus located in College Township and State College Borough, **Centre County**.

The Department of Environmental Protection's (Department) review of the information submitted by the Pennsylvania State University (PSU) indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including New Source Performance Standards and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable air quality regulatory requirements:

1. The annual emissions from the operation of the CT and HRSG shall not exceed any of the following in any 12 consecutive month period: 39.9 tons of NO_x; 28.5 tons of CO; 0.62 ton of SO_x; 5.2 tons of particulate matter; 10.2 tons of VOCs; 0.71 ton of formaldehyde; and 83,415 tons of CO_{2e}.

2. The emissions from the operation of the CT operating alone shall not exceed the following rates: When firing natural gas: NO_x: 9 ppmvd 15% O₂. CO: 1.3 ppmvd 15% O₂. VOCs: 2.4 ppmvd 15% O₂. SO_x: 0.060 lb/MMBtu, Formaldehyde: 400 ppbvd 15% O₂. Particulate matter: 0.010 lb/MMBtu. When firing diesel: NO_x: 65 ppmvd 15% O₂. CO: 2.6 ppmvd 15% O₂. VOCs: 3.9 ppmvd 15% O₂. SO_x: 0.060 lb/MMBtu, Formaldehyde: 400 ppbvd 15% O₂. Particulate matter: 0.020 lb/MMBtu.

3. The emissions from the combined operation of the CT and HRSG shall not exceed the following rates. When operating the combustion turbine on natural gas: NO_x: 8.3 lbs/hr. CO: 1.3 ppmvd 15% O₂. VOCs: 2.4 ppmvd 15% O₂. SO_x: 0.060 lb/MMBtu. Formaldehyde: 400 ppb 15% O₂. Particulate matter: 1.15 lbs/hr. When operating the combustion turbine on diesel: NO_x: 22.0 lbs/hr. CO: 2.6 ppmvd 15% O₂. VOCs: 3.9 ppmvd 15% O₂. SO_x: 0.060 lb/MMBtu. Formaldehyde: 400 ppb 15% O₂. Particulate matter: 1.72 lbs/hr.

4. The short-term emission limits apply at all times except during startup (SU) and shutdown (SD). SU and SD shall be limited to 10 minutes per instance. During periods of SUSD while firing natural gas, emissions from the CT shall not exceed the following: NO_x: 1 lb per SU and 1 lb per SD. CO: 86 lbs per SU and 79 lbs per SD. VOCs: 22 lbs per SU and 18 lbs per SD. CO₂: 338 lbs per SU and 392 lbs per SD.

5. The CT shall not operate on diesel fuel in excess of 384 hours in any 12 consecutive month period.

6. The natural gas combusted in the CT/HRSG shall contain a maximum sulfur content equal to 20 grains per 100 scf. The ultra-low sulfur diesel fuel combusted in the CT shall contain a maximum percentage of sulfur equal to 15 ppm by weight. The permittee shall never simultaneously use natural gas and diesel as a combined fuel mixture to operate the CT. The HRSG shall only be fired on pipeline-quality natural gas.

7. The total heat input to the CT/HRSG shall not exceed 1,414,740 MMBtu/year.

8. Within 120 days of initial start-up of the CT/HRSG, the permittee shall submit a source testing protocol for EPA reference method testing programs to determine the emission rates of NO_x, CO, VOCs, formaldehyde, PM₁₀ and PM_{2.5}. Within 90 days of receipt of an approved protocol from BAQ Source Testing, the permittee shall conduct the testing while the turbine is operating at plus or minus 10 percent of peak process load, or at other load as approved by the Department. Testing shall be performed under each of the following operating scenarios: The CT operating alone, while firing natural gas. The CT operating alone, while firing ultra-low sulfur diesel. The combustion turbine and heat recovery steam generator together while firing natural gas. The combustion turbine firing ultra-low sulfur diesel and the heat recovery steam generator firing natural gas.

9. The CT shall be equipped with instrumentation that monitors the manufacturer's recommended operational parameters and continuously indicates whether the CT is operating in or out of low-NO_x mode. The oxidation catalyst shall be equipped with instrumentation to continuously monitor the catalyst bed inlet and outlet temperatures as well as the pressure differential across the catalyst bed.

10. The CT shall only operate out of low-NO_x mode during periods of SUSD. The permittee shall follow the manufacturer's recommendations for SUSD procedures.

11. The CT shall be equipped with Solar SoLoNO_x technology and an Indeck oxidation catalyst or equivalent as determined by the Department.

12. The CT/HRSG is subject to Subpart KKKK of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.4300—60.4420. The permittee shall comply with all applicable requirements specified in 40 CFR 60.4300—60.4420.

The facility is a major (Title V) facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 14-00003K, the requirements established in the plan

approval will be incorporated into Title V Operating Permit 14-00003 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

04-00748: ARDEX L.P. (400 Ardex Park Drive, Aliquippa, PA 15001). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Pennsylvania Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval: PA-04-00748 for the expansion of their facility for the production of high performance dry and liquid flooring and tiling products and continued operation of the existing operations at the Aliquippa Plant located in Center Township, **Beaver County**.

Emissions from the sources covered under this plan approval are 28.0 tons of total particulate matter (PM), 24.0 tons of particulate matter less than 10 microns in diameter (PM₁₀), 23.0 tons of particulate matter less than 2.5 microns in diameter (PM_{2.5}), 2.0 tons of volatile organic compounds (VOC), 0.5 ton of carbon monoxide (CO), and 0.5 ton of nitrogen oxides (NO_x). The authorization is subject to State regulations including 25 Pa. Code §§ 123.1, 123.2, 123.13, 123.31, 123.41 and 127.1. Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes visible emission limits, work practice, testing, monitoring, recordkeeping, and reporting conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently submit a State Only Operating Permit (SOOP) for this Facility.

The Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Plan Approval for this project, a person may contact the Department at 412-442-4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; asandy@pa.gov; or fax 412-442-4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-04-00748) and a concise statement of the objections to the plan approval and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication. For additional information, you may contact Alexander Sandy at 412-442-4028.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

16-149E: Clarion Laminates (301 Fiberboard Road, Shippenville, PA 16254) for the proposed production increase in Paint Township, **Clarion County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

Plan approval No 16-149E is for the proposed modification of a facility production limit due to the construction of Source 109 under Plan Approval 16-149C that was inadvertently not changed in the facility operating permit to reflect the production increase. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Site:
 - The maximum throughput of laminate wood flooring for the facility will be 330 million square feet per year. [This condition replaces the following condition: The maximum throughput of laminate wood flooring for the facility will be 230 million square feet per year.]
 - The permittee shall maintain monthly records of the laminate wood flooring throughput in square feet per month.
 - The permittee shall maintain 12-month rolling total of the laminate wood flooring throughput in square feet per 12-month period.
- Source 031 & Source 032:
 - All conditions from the facility operating permit revised on November 8, 2017, for this source and from Plan Approval 16-132N (Clarion Boards) issued on March 20, 2019, remain in effect unless modified in this plan approval.
- Source 101, Source 102, Source 103, Source 104, Source 105, Source 106, Source 107, Source 108, & Source 109:
 - All conditions from the facility operating permit revised on November 8, 2017, for this source remain in effect unless modified in this plan approval

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP Office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name,

address and telephone number of the person submitting the comments, identification of the proposed plan approval [16-149E] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the previously listed public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State Only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00210: Waste Management of Fairless, LLC (1000 New Ford Mill Rd, Morrisville, PA 19067) for a new municipal landfill and landfill gas collection system in Falls Township, **Bucks County** (Fairless Landfill). This is the initial Title V permit for the facility. The landfill currently operates under Plan Approval 09-0210A, which forms the basis for the conditions in this Operating Permit. Although the facility has estimated emissions below the thresholds for a Title V permit, the facility is subject through 40 CFR Part 60 Subpart XXX to permitting under 40 CFR Part 70.

Landfill gas generated by the landfill is routed either to a treatment system, which prepares the gas for use by an end-user or to an enclosed flare, which destroys the volatile organic compounds (VOC) with an efficiency >98%. Emissions estimates, including an additional flare authorized but not yet constructed, are in tons per 12-month rolling period—VOC: 24.75; nitrogen oxides (NO_x): 22.7; carbon monoxide (CO): 41.63; sulfur oxides (SO₂): 16.77; hazardous air pollutants (HAP): 4.68. Particulate matter emissions from the Fairless Landfill and the adjacent GROWS Landfill are limited to 99.9 tons per year as a 12-month rolling basis.

Besides the landfill and the flare, equipment for a Leachate Treatment Plant and 4 emergency generators are being incorporated. Besides 40 CFR Part 60, Subpart XXX the Standards of Performance for New Stationary Sources for Municipal Solid Waste Landfills that Commenced Construction, Reconstruction, or Modification After July 17, 2014, the landfill is subject to the National

Emissions Standard for Hazardous Air Pollutants for Source Categories, Subpart AAAA: Municipal Solid Waste Landfills and the National Emission Standard for Hazardous Air Pollutants- Standard for Asbestos. The engines are subject to the National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, Subpart ZZZZ. All applicable requirements are included in the Operating Permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

26-00405: Dominion Energy Transmission Inc. (5000 Dominion Boulevard, Glen Allen, VA 23060). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to modify Title V Operating Permit (TVOP-26-00405) to incorporate the Reasonably Available Control Technology II (RACT II) requirements of 25 Pa. Code §§ 129.96—129.100 for the continued operation of a natural gas compressor station for their North Summit Compressor Station in North Union Township, **Fayette County**. The facility is subject to presumptive RACT requirements for NO_x and VOC, which have been evaluated during this review. The facility's main sources include two (2) 25 MMBtu/hr Tulpro Heaters (Source IDs 034 and 035), one (1) 10.5 MMBtu/hr Natco DeHy Heater (Source ID 036), one (1) 3.57 MMBtu/hr Peerless Boiler (Source ID 037), two (2) 3,200 bhp natural gas-fired engines (Source IDs 101 and 102), and one (1) 610 bhp natural gas-fired auxiliary generator (Source ID 103).

Actual facility emissions for 2018 were reported as follows: 19.57 TPY NO_x; 14.64 TPY CO; 5.55 TPY VOC; 0.05 TPY SO_x; 1.33 TPY PM_{10/2.5}; 1.75 TPY HAP total; and 6,472 TPY for CO_{2e}.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Title V Operating Permit may submit the information to Thomas Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (26-00405) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Thomas Joseph, Facilities Permit Chief, at the previously listed address. For additional information concerning the permit or the issuance procedure, contact Thomas Joseph at the same address previously listed or phone at (412) 442-4336.

All comments must be received prior to the close of business 30 days after the date of this publication.

Notice

Commonwealth of Pennsylvania

Department of Environmental Protection

Air Quality

Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Volatile Organic Compounds, Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit TVOP-65-00622

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal Title V Operating Permit (TVOP-65-00622) to **General Carbide Corporation** to authorize the continued operation of the carbide manufacturing facility located in Hempfield Township, **Westmoreland County**. The name and address of the applicant is General Carbide Corporation, 1151 Garden Street, Greensburg, PA 15601. The carbide powder manufacturing process consists of a powder preparation area, ball mills, dryers, condensers, ISO presser area, final fitz mill, crusher, CT-15 high pressure boiler (rated at 0.5 MMBtu/hr), Ajax low pressure boiler (rated at 0.6 MMBtu/hr), cooling tower, and various baghouses. The shaping operations include hydraulic pressing and furnaces, numerous lathes, grinders, mills, saws and presses. Each piece of shaping equipment has a Torit dust collector that exhaust to one of two large baghouses. This facility's potential to emit VOC is limited to 79.43 tons/yr. The proposed TVOP renewal contains conditions relating to monitoring, recordkeeping and work practice standards.

As part of this action, the Department intends to issue an Approval of a Reasonably Available Control Technology (RACT II) plan for General Carbide Corporation.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT II plan and an amendment to the State Implementation Plan (SIP) for the carbide manufacturing facility owned and operated by General Carbide Corporation located at 1151 Garden Street, Greensburg, PA 15601 in Hempfield Township, Westmoreland County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone. Other sources at the facility meet the presumptive RACT II requirements of 25 Pa. Code § 129.97.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into the Title V Operating Permit (65-00622) for the facility.

The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

<i>Source</i>	<i>RACT II Requirement</i>	<i>TVOP 65-00622 Cond. No</i>
Main Storage Tank	The facility wide Volatile Organic Compounds (VOC) emissions shall not exceed 79.43 tons in any 12 consecutive month period.	Section C, Condition # 012
Mills 1—10 (80% emitted through CO ₃ /Baghouse # 4)		
Mills 11—15 (80% emitted through C10)	All air cleaning devices and air contamination sources at the facility shall be operated and maintained in accordance with manufacturer's specification and good air pollution and engineering practices.	Section C, Condition # 025
LDAR Components		

Public hearing. A public hearing will be held if requested by December 3, 2019 to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, on December 17, 2019 at 10 am at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Thomas Joseph at 412-442-4336. The last day to pre-register to speak at a hearing, if one is held, will be December 3, 2019.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/default.aspx>.

We ask that you contact Thomas Joseph at 412-442-4336 or monitor our Web site to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Thomas Joseph at 412-442-4336 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period from December 3, 2019 will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Ap-

pointments for scheduling a review may be made online at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by calling the Department at 412-442-4000.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Fraley at 412-442-4203 or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

V13-003: Grays Ferry Cogeneration Partnership—Schuylkill Station (2600 Christian Street, Philadelphia, PA 19146) for the operation of a ship repairing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include a 1,515 MMBtu/hr natural gas or # 2 fuel-fired combustion turbine with or without a 366 MMBtu/hr natural gas or # 2 fuel-fired Heat Recovery Steam Generator (HRSG) with Selective Catalytic Reduction System (SCR) and Oxidation Catalyst (OC), and a 1,119 MMBtu/hr natural gas or # 2 fuel-fired auxiliary boiler.

OP18-00003: Philadelphia Ship Repair, LLC (5195 South 19th Street, Philadelphia, PA 19112) for the operation of a ship repairing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include: one (1) natural gas-fired heating boiler rated at 0.792 MMBtu/hr; one (1) No. 2 Oil-fired portable heating boiler less than 8.4 MMBtu/hr; ship painting operations including underwater hulls, interior, superstructure, and interior tanks; abrasive blasting operations; fugitive emissions from containment tarps and dust collector; three (3) diesel-fired portable rental compressors less than 440 horsepower; five (5) diesel-fired portable rental washers less than 250 HP, and one diesel-fired fire pump rated at 225 horsepower.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00101: Ball Metalpack Aerosol Container, LLC (431 Privet Road, Horsham, PA 19044-1220) submitted a renewal for a Non-Title V Facility, State-Only, Synthetic Minor Permit in Horsham Township, **Montgomery County**. Ball Metalpack Aerosol Container is a metal can manufacturing facility. The sources of emissions include: side seam stripe lines (6), stripe cleaning, and parts washers. The facility took voluntary facility-wide VOC and total HAP emission limits to be less than 25 tpy.

Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

15-00078: Janssen Biotech Inc. (200 Great Valley Pkwy, Malvern, PA 19355) submitted a renewal for a Non-Title V Facility, State-Only, Synthetic Minor Permit in East Whiteland Township, **Chester County**. Janssen Biotech Inc. is a manufacturing facility. The sources of emissions include: boilers and generators. The facility voluntarily took emission limits for NO_x (24.9tpy), SO_x (17.0 tpy) and PM (3.97 tpy). Monitoring, record keeping and reporting requirements have been added to the permit to maintain compliance and to address applicable limitations.

09-00245: Telford Recycling & Materials, LLC (2850 Clymer Avenue, Telford, PA 18969) for a State-Only Natural Minor Operating Permit in West Rockhill Township, **Bucks County**. Telford Recycling operates a portable nonmetallic crushing plant, consisting of a portable crusher and portable screener at this site. Each piece of equipment is powered by a diesel engine. The primary pollutant emitted is particulate matter (PM), due to the processing of aggregate materials. The PM is controlled by water sprays located on the equipment. The site is not a mining site, aggregate materials are brought on site and processed. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00063: Columbia Gas Transmission/Hellertown (455 Racetrack Road, Washington, PA 15301). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the pipeline transportation of natural gas in Williams Township, **Northampton County**. The primary sources consist of two Reciprocating Engines/Integral Compressors with Oxidation Catalyst as control devices. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00036: Hydro Extruder, LLC (330 Elmwood Avenue, Crestwood Industrial Park, Mountain Top, PA 18707). The Department intends to issue a renewal State-Only Natural Minor Permit for Hydro Extruder, LLC located in Wright Township, **Luzerne County**. Activities performed at this facility include the manufacturing of close tolerance aluminum extrusions using anodizing, fabricating, heat treating and chemical conversion coating. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

38-05037: Zimmerman Chair Shop (1486 Colebrook Road, Lebanon, PA 17042) to issue a State Only Operating Permit for the wood furniture manufacturing facility located in North Cornwall Township, **Lebanon County**. The actual emissions from the facility in 2018 year are estimated at 18.65 tons of VOC, 2.86 tons of HAPS and less than a ton of other pollutants. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.52 and 129.101—129.107.

22-05035: New Enterprise Stone & Lime, Co., Inc. (P.O. Box 177, Winfield, PA 17889-0177) to issue a State-Only operating permit for their stone crushing and asphalt operations at the Elizabethtown Quarry in Washington Township, **Dauphin County**. The facility has synthetic minor limits which restrict its potential-to-emit for all criteria pollutants to less than major source levels. This is for renewal of the existing operating permit. Among other items, the conditions include provisions derived from NSPS Subpart 000. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

22-03052: Hearth & Home Technologies (352 Mountain House Road, Halifax, PA 17032) to issue a State Only Operating Permit for the pellet, gas and wood burning appliances manufacturing facility located in Jackson Township, **Dauphin County**. The potential emissions from the facility are estimated at 54.6 tpy of VOC and 45.2 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants for Area Source Standards for Nine Metal Fabrication and Finishing Source Categories.

06-03025: Reading Plating & Polishing Works (1833 Cotton Street, Reading, PA 19606) to issue a State Only Operating Permit for the plating and polishing facility located in Reading City, **Berks County**. The potential yearly emissions from the facility are estimated at 4.66 tons of VOC, 1.27 ton of HAP and less than a ton of other pollutants. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart N, 40 CFR 63 Subpart WWWW and 25 Pa. Code § 129.63.

67-03013: Georgia-Pacific Corrugated LLC (25 Walnut Street, Mount Wolf, PA 17347) for the operation of a corrugated container manufacturing facility in Mount Wolf Borough, **York County**. This is for renewal of the existing State-Only permit. Potential air emissions from the facility are estimated at 21.9 tpy PM, 12.8 tpy NO_x,

24.5 tpy CO, 11.3 tpy VOC, 0.18 tpy SO₂, and 5.81 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

19-00031: Press Enterprise, Inc. (3185 Lackawanna Avenue, Bloomsburg, PA 17815) to issue a State Only operating permit for their facility located in Scott Township, **Columbia County**. The facility is currently operating under State Only Operating Permit 19-00031. The facility's sources include five (5) 0.13 million Btu per hour, natural gas-fired space heaters, two (2) heatset web offset lithographic printing presses, three (3) non-heatset web offset lithographic printing presses, two (2) parts cleaners, an 80 kilowatt (144 horsepower), natural gas-fired emergency generator and a piezoelectric printer. The facility has potential emissions of 1.93 ton per year of nitrogen oxides, 1.08 ton per year of carbon monoxide, 13.79 tons per year of volatile organic compounds, 0.01 ton per year of sulfur oxides, 0.13 ton per year of particulate matter and 3.31 tons per year of volatile hazardous air pollutants. The 80 kilowatt emergency generator is subject to Subpart ZZZZ of the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

08-00016: Dalrymple Gravel & Contracting Co., Inc. (2105 South Broadway, Pine City, NY 14781) for renewal of the State Only (Synthetic Minor) Operating Permits for their asphalt as well as sand and gravel processing facility located in Athens Township, **Bradford County**. The facility is currently operating under Synthetic Minor Operating Permit 08-00016. The facility's main sources include a Cedar Rapids batch mix asphalt plant, a Barber Greene drum mix asphalt plant, floating dredge operation and various pieces of crushing, screening and conveying equipment of sand and gravel operation and site haul roads. The facility has taken synthetic minor restrictions to limit its nitrogen oxides, carbon monoxide, sulfur oxides, particulate matter, volatile organic compounds and hazardous air pollutants emissions below the major emission thresholds. With synthetic minor restriction, the facility has potential emissions of 24.8 tons per year of nitrogen oxides, 39.04 tons per year of carbon monoxide, 21.75 tons per year of sulfur oxides, 22.81 tons per year of particulate matter, 9.62 tons per year of volatile organic compounds, and 2.76 tons per year of total hazardous air pollutants (HAPs). No emission or equipment changes are being proposed by this action. The drum mix plant is subject to Federal Stan-

dards of Performance for New Stationary Sources, 40 CFR Part 60, Subpart I. The permittee shall comply with all applicable requirements of 40 CFR 60.90—60.93. The sand and gravel operation and the floating dredge operation are subject to Federal Standards of Performance for New Stationary Sources, 40 CFR Part 60, Subpart OOO, 60.670—60.676 for non-metallic mineral processing plant. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 60, 63 and 98. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

10-00390: MarkWest Liberty Bluestone, Royal Oak Compressor Station (961 Brownsdale Rd, Evans City, PA 16033). The Department is providing notice that they intend to issue a new State Only Natural Minor Operating Permit for the compressor station and dehydration facility located in Forward Township, **Butler County**. The facility's primary emission sources include three (3) 3,550-hp and three (3) 2,370-hp lean-burn natural gas-fired compressor engines equipped with oxidation catalysts, a 120 mm³/day glycol dehydration unit (controlled by a 7.0 MMBtu/hr enclosed flare) and its associated 2.00 MMBtu/hr reboiler, condensate and produced water tanks, and fugitive VOC emissions. The potential emissions of the primary pollutants from the facility are as follows: 91.15 TPY (tons per year) NO_x, 36.70 TPY CO, 49.04 TPY VOC, 13.41 TPY total HAPs, 6.00 TPY formaldehyde, 0.28 TPY filterable PM₁₀ and PM_{2.5}, and 0.37 TPY SO_x; thus, the facility is a natural minor. The facility was originally permitted under General Permit GP5-10-00390A & B, which includes emission restrictions on the engines for NO_x, NMNEHC, CO, and formaldehyde. All six compressor engines are subject to 40 CFR 63 Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The dehydrator is subject to 40 CFR 63 Subpart HH, NESHAP From Oil and Natural Gas Production Facilities. Facility compressors (including the rod packing) are subject to 40 CFR 60 Subpart OOOO, Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011, and on or before September 18, 2015. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP17-00039: Philadelphia Renewable Bio-Fuels (7800 Penrose Ferry Road, Philadelphia, PA 19153) administratively amended on October 15, 2019 to incorpo-

rate a change of permit contact. The Natural Minor Operating Permit was originally issued on July 10, 2018.

OP19-000022: Philadelphia Navy Public Works Department (4921 South Broad St, Building 1, Philadelphia, PA 19112), which is a modification for a Natural Minor Operating Permit (OP17-000026) issued on June 21, 2018, for the operation of air emission sources at a Public Works Department in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are nine (9) boilers firing natural gas each rated less than 1 MMBtu/hr, three (3) air handling units firing natural gas each rated 0.5 MMBtu/hr, one (1) emergency generator firing diesel fuel rated 85 kW, one (1) parts washer, and one (1) dust collector.

The changes made as part of the modification includes the following:

- Removed the sources CU10 and CU11 in Building 1081, and the associated stacks S10 and S11, from Table A-1: Facility Inventory List, the Process Flow Diagram, and Section D, as the units have been transferred to the Naval Foundry and Propeller Center (PLID 09702) as per RFD No. IP19-000692.
- In Section B, updated the General Conditions to the current AMS versions.
- In Section C, updated the Facility Wide Conditions to the current AMS versions.
- In Section D: Source Specific Requirements, updated Conditions D.2.(a)(1) and D.4.(a)(1) for the installation, operation, and maintenance of the boilers and air handling units to be done in accordance with the Navy's Operations and Maintenance Plan, updated the ozone season requirement for the emergency generator to add the requirement to record AQI forecast if the unit is tested before 7:30 AM and AQI or color code if it is tested after 5 PM, specified that compliance with the PM emission limit of 25 Pa. Code § 123.13(c)(1)(i) shall be based only on Method 5, and updated the recordkeeping requirements.
- Added Section E: Non-Applicable Requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OP17-000056: Evergreen Resources Group, LLC (2700 and 3144 W. Passyunk Avenue, Philadelphia, PA 19145) for the operation of a remediation facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include the following:

- One (1) biofilter with 4 biomass treatment beds (Point Breeze);
- One (1) biofilter with 2 cells, biomass treatment beds (Belmont Terminal); and
- One (1) close vent groundwater remediation system consisting of an oil-water separator, three (3) settling or holding tanks, and one (1) catalytic oxidizer. (Penrose Ave.)

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of suffi-

cient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹	greater than 6.0; less than 9.0		

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

32041301 and NPDES No. PA0235644. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). To revise the permit for the Brush Valley Mine in Center and Brush Valley Townships, **Indiana County** and related NPDES Permit to add 172.6 acres of underground permit and subsidence control plan area acres from the Barrett Deep Mine, back to the Brush Valley Mine. Also includes the deletion of 345.5 acres of underground permit and subsidence control plan area acres to be transferred to the Barrett Deep Mine. This notice is being republished to indicate the deletion of the 345.5 acres for Underground Acres Proposed and Subsidence Control Plan Acres Proposed, originally published October 12, 2019. Underground Acres Proposed: 172.6, Underground Acres Proposed: -345.5, Subsidence Control Plan Acres Proposed: 172.6, Subsidence Control Plan Acres Proposed: -345.5. No additional discharges. The application was considered administratively complete on September 24, 2019. Application received: August 29, 2019.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 32940105 and NPDES No. PA0212806. Consol Mining Co., LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, permit renewal for reclamation only of a bituminous surface mine in Center Township, **Indiana County**, affecting 2.2 acres. Receiving stream: unnamed tributary to Yellow Creek, classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Edison Mission Energy Homer City Generating Station, PWS ID No. 5320802. Application received: October 9, 2019.

Permit No. 56120102 and NPDES No. PA0263419, Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, commencement, operation and restoration of a bituminous surface & auger mine to change the land use from forestland to pastureland/land occasionally cut for hay & residential in Jenner Township, **Somerset County**, affecting 114.7 acres. Receiving streams: unnamed tributaries to Coal Run and unnamed tributaries to Pickings Run, classified for the following uses: cold water fishes and high quality cold water fishes. The first downstream potable water supply intake from the point of discharge is Lincoln Municipal Authority—intake on North Branch of Quemahoning Creek. Application received: October 16, 2019.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17930124 and NPDES PA0219649. RES Coal LLC (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit renewal for reclamation only of a bituminous coal surface and auger mine located in Woodward and Decatur Townships, **Clearfield County** affecting 346.0 acres. Receiving stream(s): North Branch to Upper Morgan Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: October 8, 2019.

17000111 and NPDES PA0243027. Waroquier Coal Company (P.O. Box 128, Clearfield, PA 16830). Permit transfer of a bituminous surface coal and auger mine from Gregg Barrett Coal located in Ferguson Township, **Clearfield County** affecting 65.0 acres. Receiving stream(s): Unnamed Tributaries to Watts Creek and Watts Creek classified for the following use(s): HQ-CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 2, 2019.

New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

65120103 and NPDES Permit No. PA0252336. Coal Loaders, Inc. (210 East Main Street, P.O. Box 556, Ligonier, PA 15658). Renewal application for reclamation only to an existing bituminous surface mine, located in Fairfield and Ligonier Townships, **Westmoreland County**, affecting 107.7 acres. Receiving streams: unnamed tributary to Hannas Run and unnamed tributaries to Hypocrite Creek, classified for the following use: HQ-CWF. Latrobe Municipal Authority is the potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: October 18, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 54040101C4. Char-Pac Coal Co. (P.O. Box 81, Minersville, PA 17954) correction to an existing anthracite surface mine operation to update the post-mining land use in Foster Township, **Schuylkill County** affecting 200.5 acres, receiving stream: Hans Yost Creek, classified for the following uses: cold water and migratory fishes. Application received: October 11, 2019.

Permit No. 35090101R2 and NPDES Permit No. PA0225258. Maco Associates, Inc. (400 Mill Street, Dunmore, PA 18512) renewal of an existing anthracite surface mine and coal refuse reprocessing operation and NPDES Permit for discharge of treated mine drainage in Fell Township and Carbondale Borough, **Lackawanna County** affecting 1,693.0 acres, receiving stream: Lackawanna River, classified for the following use: HQ—cold water fishes. Application received: October 15, 2019.

Permit No. 35091010C2. Maco Associates, Inc. (400 Mill Street, Dunmore, PA 18512) correction to update the post-mining land use forestland to unmanaged natural habitat of an existing anthracite surface mine and coal refuse reprocessing operation and NPDES Permit for discharge of treated mine drainage in Fell Township and Carbondale Borough, **Lackawanna County** affecting 1,693.0 acres, receiving stream: Lackawanna River, classified for the following use: HQ—cold water fishes. Application received: October 15, 2019.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*	greater than 6.0; less than 9.0		

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

08190301 and NPDES PA0269905. Johnson Quarries, Inc. (P.O. Box 136, LeRaysville, PA 18829). Commencement, operation, and restoration of a large noncoal surface mine located in Wilmot Township, **Bradford County** affecting 55.3 acres. Receiving stream(s): Sugar Run classified for the following use(s): CWF, MF. There are no portable water supply intakes within 10 miles downstream. This permit includes stream encroachment. Application received: September 30, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 7973SM6A1C13 and NPDES Permit No. PA0120979. Eureka Stone Quarry, Inc. (P.O. Box 249, Chalfont, PA 18914) renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Wrightstown Township, **Bucks County** affecting 35.68 acres, receiving stream: Mill Creek, classified for the following uses: warm water and migratory fishes. Application received: October 8, 2019.

NOTICE OF PROJECTS UNDER THE ENVIRONMENTAL GOOD SAMARITAN ACT

The Environmental Good Samaritan Act (27 Pa.C.S.A. §§ 8001—8114) provides certain protections and immunities from civil liability for landowners and persons who voluntarily undertake reclamation and abatement projects to address land and water adversely affected by mining or oil or gas extraction or exploration for natural resources and left in an unreclaimed condition or left discharging water pollution. In order for landowners and persons to qualify for immunity, the projects must be approved by the Department.

The following project proposals have been received by the Department of Environmental Protection. A copy of the proposals is available for inspection at the DEP Northwest (Meadville) Regional Office at 230 Chestnut Street, Meadville, PA 16335 between the hours of 9:00 a.m. and 4:00 p.m.

Written comments or objections may be submitted by any person or any office or head of any Federal, State, or local government agency or authority to the Department at the same address within 30 days of this publication.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the proposal identification number; and a statement of sufficient detail to inform the Department of the basis of the comment or objection and the relevant facts upon which it is based.

PROJECT PROPOSALS RECEIVED

EGSOG59-0001. Robert Harer Orphaned Well Plugging. SWN Production Company, LLC, 10000 Energy Drive, Spring, TX 77389. Energy is planning to plug an abandoned oil and gas well (API No. 117-21913) located in Liberty Township, **Tioga County**. The well is an assumed 1930's era orphaned well in a wooded area, with adjacent agricultural fields to the south and bordered in all directions by agricultural fields and woodlands, and further to the west by Urban Road. The well plugging project will affect an area of less than 1 acre. Complete project proposal received October 16, 2019.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0259055 (Permit No. 24110101). RES Coal, LLC (51 Airport Road, Clearfield, PA 16830). Renewal of an NPDES permit for a bituminous surface mine in Fox Township, **Elk County**, affecting 68.0 acres. Receiving streams: Little Toby Creek, classified for the following uses: CWF. TMDL: Little Toby Creek. Application received: August 29, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Little Toby Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
003	N
004	N
005	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		1.5	3.0	3.75
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

The following outfalls discharge to Little Toby Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		1.5	3.0	3.75
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0215317 (Mining Permit No. 17831601), River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847, modified NPDES permit for bituminous coal surface mining in Karthaus Township, **Clearfield County**, affecting 16.0 acres. Receiving stream(s): West Branch Susquehanna River, classified for the following use(s): WWF and MF. The receiving stream is in the West Branch Susquehanna River TMDL. Application received: February 21, 2019.

The following treated mine drainage outfall discharges to Little Laurel Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001R	N

The proposed effluent limits for the previously listed outfall are based on water quality based effluent limits (WQBELs) and BAT and are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

NPDES No. PA0269620 (Mining Permit No. 17130106), Black Cat Coal, LLC, 446 Wm. Cemetery Road, Curwensville, PA 16833, NPDES permit renewal for bituminous coal, topsoil, shale, and sandstone mining also transfer from Horton Coal, LLC in Bloom Township, **Clearfield County** affecting 16.0 acres. Receiving stream(s): Unnamed Tributary to Anderson Creek classified for the following use(s): CWF.

The following outfalls discharge to Unnamed Tributary to Anderson Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
B	N
E	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	3.0	3.7
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	35.0

NPDES No. PA0269891 (Mining Permit No. 17180101), Bell Resources, Inc., 1340 Hoyt Road, Curwensville, PA 16833, new NPDES permit for bituminous coal mining operation in Penn Township, **Clearfield County**, affecting 127.5 acres. Receiving stream(s): Bell Run classified for the following use(s): CWF. This receiving stream is included in the West Branch Susquehanna River Watershed TMDL. Application received: June 28, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Bell Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (Treatment Basin 1)	Y
002 (Treatment Basin 2)	Y
003 (Sedimentation Pond A)	Y
004 (Sedimentation Pond B)	Y
005 (Sedimentation Pond C)	Y
006 (Sedimentation Pond D)	Y
007 (Sedimentation Pond E)	Y

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 002 (All Weather Conditions)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)	Monitor & Report		
Flow (gpm)	Monitor & Report		
Temperature (°C)	Monitor & Report		
Specific Conductivity (mhos/cm)	Monitor & Report		

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

NPDES No. PA0588601 (Surface Mine Permit No. 65860105), correction to previously published draft NPDES permit limits, **M.B. Energy, Inc.**, 175 McKnight Road, Blairsville, PA 15717, NPDES permit renewal for a passive post-mining discharge water treatment system from a bituminous surface mine located in Donegal and Mount Pleasant Townships, **Westmoreland County**, affecting 372 acres. Receiving stream: unnamed tributaries (UNTs) to the Fourmile Run, classified for the following use: TSF. Application received: September 4, 2018.

The following passive treatment system outfall discharges to UNT to Fourmile Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
TP-A2	No	Mine Drainage Treatment Outfall

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: TP-A2 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90

Osmotic Pressure (mOsm/kg) Monitor and Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.

E51-298. City of Philadelphia—Water Department, 1101 Market Street, Philadelphia, PA 19030, Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To install and maintain approximately 5,400 square feet of floating classroom and an additional 960 square

feet of floating docks anchored with three mooring clusters in the Schuylkill River (WWF-MF) associated with the floating classroom. The project will also include the ramps and the platforms.

The site is located at about 90 feet of the western Schuylkill River trail and approximately 60 feet south of Martin Luther King Jr. Drive (Philadelphia, PA, USGS Quadrangle Latitude: 39.964019; Longitude: -75.182662) in Philadelphia, Philadelphia County.

E09-1034: Bristol Township, 2501 Bath Road, Bristol Township, **Bucks County**, ACOE Philadelphia District.

Bristol Township is proposing to update their existing park for the JFK Park Revitalization Project. The proposed improvements include the repair and overlay to the existing east parking lot and basketball court, the replacement of the asphalt trail, the regrading of the football/soccer field, the replacement of the playground, installation of a new west parking lot, pavilion, public restroom, and new stormwater facilities. These activities will take place within the floodplain of a UNT to Neshaminy Creek (WWF-MF) resulting in 4.94 acres of permanent floodplain impact and the placement of 850 cubic yards of fill placed across the entire site. This project is located at 3500 Snowden Avenue in Bristol Township, Bucks County (USGS PA Beverly Quadrangle—Latitude 40.102685 N, Longitude 74.878773 W).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E1302219-002. PA Solar Park II, LLC, 100 Summit Lake Drive, Valhalla, NY 10595, in Nesquehoning Borough, **Carbon County**, U.S. Army Corps of Engineers, Philadelphia District.

To install and maintain a 24" steel conduit that will run 3-feet below the existing stream bed, and cross approximately 6 linear feet of Deep Run (EV, MF). The steel conduit will contain two (2) × 6" PVC conduits, housing electrical lines and two (2) × 2" PVC conduits, housing communication lines. This crossing is associated with the PA Solar Park II Project. Access to the project is located approximately 0.25 mile on the right of Industrial Road after the intersection of Industrial Road and Park Ave. (Nesquehoning, PA Quadrangle Latitude: 41° 51' 18" Longitude: -75° 51' 32") in Nesquehoning Borough, Carbon County.

E6602219-004. David Earl Enterprises, LLC, 20 Wright Road, Monroe Township, PA 18657, in Monroe Township, **Wyoming County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the David Earl Enterprises Convenience Store Project:

1) A stream enclosure of an Unnamed Tributary to Leonards Creek (HQ-CWF, MF) consisting of the removal

of an existing structure and the construction a 48-inch diameter, 73-LF SLCPP culvert, concrete catch basin, and concrete wingwalls for the purpose of constructing an entrance drive and parking lot associated with a convenience store.

2) A fill within 0.16 acre of the floodway of an Un-named Tributary to Leonards Creek (HQ-CWF, MF) consisting of a 10-space asphalt parking lot, asphalt generator pad, asphalt dumpster pad, propane tank pad, concrete retaining wall, portions of a Convenience Store building, drinking water well, and associated grading.

The project is located 0.1 mile northwest of the intersection of S.R. 309 and T-2002 (Graveyard Hill Road) (Noxen, PA Quadrangle Latitude: 41°, 24', 51"; Longitude: -76°, 00', 07") in Monroe Township, Wyoming County.

	Address	Waterway	Chapter 93 Designation	USGS Quadrangle	Latitude	Longitude
1	99 Bradford Ave	UNT Susquehanna River	WWF	Steelton	40.201469°	-76.764115°
2	163 Bradford Ave	UNT Susquehanna River	WWF	Steelton	40.202651°	-76.763548°

Southwest Region: Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E02052-1820, Dominion Energy Transmission, Inc., 925 White Oaks Boulevard, Bridgeport WV 26330, Indiana Township, **Allegheny County**, Pittsburgh ACOE District.

The applicant proposes to:

1. Place and maintain rock fill and a submat system in 45 linear feet of a UNT to Cedar Run (CWF);
2. Excavate 0.001 acre of Wetland (PEM);
3. Place and maintain fill in 0.007 acre of floodway; and
4. Temporarily cross 27 linear feet of a UNT to Cedar Run (CWF) and 0.02 acre of wetland (PEM)

For the purpose of repairing an exposed 30-inch natural gas line via a submat and step pool system. The project site is located 0.4 mile from the intersection of Tree Farm Road and PA-410 (Glenshaw, PA USGS topographic quadrangle; N: 40°, 35', 41.39"; W: -79°, 53', 30.28"; Sub-basin 18A; USACE Pittsburgh District), in Indiana Township, Allegheny County.

E30052-266, Emmert Industrial Corp (DBA Emmert International), 11811 SE Hwy 212, Clackamas, OR 97015; Monongahela Township, **Greene County**; Pittsburgh ACOE District.

The applicant proposes to:

Construct a temporary barge-offloading ramp/access road with four clusters of H-piles (26 ft x 250 ft) and a crane pad (32 ft x 60 ft).

For the purpose of unloading oversized equipment needed for Allegheny Energy Supply Company LLC's power plant. The project will temporarily encroach upon 2,250 square feet of the Monongahela River and 6,325 square feet of floodway area. Once the project is complete, the temporary structures will be removed and the impacted areas will be returned to original condition and elevation.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

F2203219-007: Lower Swatara Township (Floodplain Mitigation), 1499 Spring Garden Drive, Middletown, PA 17057, in Lower Swatara Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To remove structures from the floodplain that were damaged by flooding at the location. The project proposes to temporarily affect approximately 1.37 acre of floodplains. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341).

The project site is located along the left descending bank of the Monongahela River (WWF) at Mile Point 79.1 (Masontown, PA USGS topographic quadrangle; N: 39°, 51', 12"; W: -79°, 55', 41"; Sub-basin 19G; USACE Pittsburgh District), in Monongahela Township, Greene County.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E1006219-006, Geyer Construction and Development, Inc., 451 Denny Road, Valencia, PA 16059-1507. Adams Corners Development, in Adams Township, **Butler County**, ACOE Pittsburgh District (Valencia, PA Quadrangle N: 40°, 41', 33"; W: -79°, 58', 25").

To construct and maintain a mixed-use land development with nine parcels, constructed in two phases, including the construction of three roadways with one 48-inch diameter, 123 feet long culvert replacement spanning a UNT to Glade Run (WWF) and impacting approximately 0.1529 acre of wetland located on a 56.39 acres lot at the intersection of RT 228 and Three Degree Road in Adams Township, Butler County. Project includes creation of at least 6,662 square feet of replacement wetland on site.

E1006219-005, MHB Real Estate Holdings, LLC, 705 Moravia St, New Castle, PA 16101. Butler Equipment Rental, in Lawrence Township, **Butler County**, ACOE Pittsburgh District Evans City and Zelienople, PA Quadrangles N: 40°, 49', 13"; W: -80°, 07', 29").

To conduct the following activities associated with the expansion of an existing heavy equipment rental and storage yard and to permit unpermitted activities that preciously occurred at the site located at 322 Perry Highway in Harmony:

1. To fill a total of 0.199 acre of PEM wetland (2 wetlands previously filled)
2. To construct and maintain 3 stormwater outfalls (1 previously constructed)
3. To remove a timber foot bridge.

Project proposes the creation of 0.2 acre of PSS replacement wetland. 0.15 acre on the west side of Scholars Run and 0.05 acre on the east side of Scholars Run adjacent to

existing wetlands. An H&H study has been completed, which shows the floodway to be less than 50 feet from top of bank.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

EA6703219-002: Hallam Borough, 250 West Beaver Street, Hallam, PA 17406, in Hallam Borough, **York County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to restore and maintain 545 linear feet of an Unnamed Tributary to Kreutz Creek (WWF-MF) and its floodplain by means of creating a floodplain bench and stabilized side slopes. The project is

located between West Beaver Street and Kreutz Creek in Hallam Borough, York County (40.000799°, -76.609671°).

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

D15-388EA. James Fisher, President, Lenape Cabin Club, Inc., P.O. Box 14, Pocopson, PA 19366, Pocopson Township, **Chester County**, USACOE Philadelphia District.

Project proposes to remove the Lenape Dam to eliminate a threat to public safety and to restore approximately 3,400 feet of stream channel to a free-flowing condition. The project is located across Brandywine Creek (WWF, MF) (Unionville, PA Quadrangle, Latitude: 39.9168; Longitude: -75.6371).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0040991 (Storm Water)	Philly G Street Terminal 920 Cherry Tree Road Aston, PA 19014-1570	Philadelphia County City of Philadelphia	Frankford Creek (WWF) 3-J	Yes
PA0050016 (Industrial)	Markel Corporation 435 School Lane Plymouth Meeting, PA 19462-2744	Montgomery County Plymouth Township	Diamond Run (WWF, MF) 3-F	No
PA0244210 A-1 (Storm Water)	Crystal Inc. PMC 601 W 8th Street Lansdale, PA 19446-1809	Montgomery County Lansdale Borough	Unnamed Tributary to West Branch Neshaminy Creek (WWF, MF) 2-F	Yes

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062723 (Industrial)	Sunoco Partners Marketing & Terminals, L.P.—Fullerton Terminal 2480 Main Street Whitehall, PA 18052	Lehigh County Whitehall Township	Unnamed Tributary to Lehigh River (CWF, MF) (2-C)	Yes
PA0062006 (Sewage)	Camp Kresge 382 Senator Raphael Musto Drive White Haven, PA 18661	Luzerne County Dennison Township	Nescopeck Creek (HQ-CWF, MF) (5-D)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0246468 CAFO	Beaver Ridge Farm 1400 Fowler Hollow Road Blain, PA 17006-6260	Jackson Township, Perry County	Watershed(s) Unnamed Tributary to Sherman Creek (HQ-CWF, MF) and Unnamed Tributary to Sherman Creek (HQ-CWF)	N

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0044547 (Sewage)	Hills Creek State Park 111 Spill Way Road Wellsboro, PA 16901-7022	Tioga County Charleston Township	Hills Creek (WWF) (4-A)	Yes
PA0113727 (Sewage)	Country Place MHP P.O. Box 786 Clearfield, PA 16830-0786	Clearfield County Sandy Township	Muddy Run (CWF) (17-C)	Yes
PA0115215 (Industrial)	Lucas Trucking 9657 N Route 220 Highway Jersey Shore, PA 17740-7897	Lycoming County Piatt Township	West Branch Susquehanna River (WWF) (10-A)	Yes
PA0114880 (Sewage)	Church of Jesus Christ Latter Day Saints P.O. Box 750 Clarks Summit, PA 18411-0750	Columbia County North Centre Township	Unnamed Tributary to West Branch Briar Creek (CWF) (5-D)	Yes
PA0033782 (Sewage)	Timberend MHC 5567 Reseda Boulevard Suite 330 Tarzana, CA 91356-2673	Lycoming County Fairfield Township	Unnamed Tributary to Twin Run (WWF) (10-D)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS216105 (Storm Water)	Lehigh Cement Company Aliquippa Terminal 100 Woodlawn Road Aliquippa, PA 15001-5404	Beaver County Aliquippa City	Ohio River (WWF) (20-G)	Yes
PA0094064 (Sewage)	Keystone Restaurant & Truck Stop STP P.O. Box 277 Ebensburg, PA 15931-0277	Cambria County Munster Township	Unnamed Tributary to Noels Creek (HQ-CWF) (18-E)	Yes
PA0094544 (Sewage)	Somerfield South Recreation Area 151 Tent Church Road Uniontown, PA 15401-6801	Somerset County Addison Township	Youghiogheny River (WWF) (19-E)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0025283 (Sewage)	Knox Borough STP P.O. Box 366 620 South Main Street Knox, PA 16232	Clarion County Knox Borough	Canoe Creek (HQ-CWF) (17-B)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

NPDES Permit No. PA0053147-A1, Sewage, SIC Code 4952, **Upper Saucon Sewer Treatment Authority**, 5500 Camp Meeting Road, Center Valley, PA 18034-9444.

This existing facility is located in Upper Saucon Township, **Lehigh County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit Amendment for an existing discharge of treated sewage (revised schedule of compliance and permit limit effective date for Bis(2-Ethylhexyl) Phthlate).

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No. PA0043435, Sewage, SIC Code 4952, **L & S Wastewater, Inc.**, P.O. Box 254, Cecil, PA 15321-0254.

This existing facility is located in Cecil Township, **Washington County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

NPDES Permit No. PA0255556, Storm Water, SIC Code, **Oilfield Service & Tech LLC**, 555 Cannelton Road, Darlington, PA 16115-1339.

This proposed facility is located in Darlington Township, **Beaver County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of industrial stormwater.

NPDES Permit No. PA0043729, Sewage, SIC Code 4952, **Hampton Township Allegheny County**, 3101 McCully Road, Allison Park, PA 15101-1331.

This existing facility is located in Hampton Township, **Allegheny County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0272264, Sewage, SIC Code 8800, **Phillip Hosack**, 217 Old Sharon Road, Mercer, PA 16137.

This proposed facility is located in Springfield Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272400, Sewage, SIC Code 8800, **Frank R Palmiero**, 145 Cressingham Lane, Powell, PA 16351.

This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272175, Sewage, SIC Code 8800, **Scott Jackson & Scott Taylor**, 1525 Three Degree Road, Mars, PA 16046.

This proposed facility is located in Springfield Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272302, Sewage, SIC Code 0742, **Lori L Love**, 637 New Castle Road, Butler, PA 16001-8325.

This proposed facility is located in Connoquenessing Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 1507401, Amendment, Sewage, **West Brandywine Township Municipal Authority**, 199 Lafayette Road, West Brandywine, PA 19320.

This proposed facility is located in West Brandywine Township, **Chester County**.

Description of Action/Activity: Increasing permitted capacity of the pump station from 0.070238 mgd to 0.121313 mgd.

WQM Permit No. 0991415, Sewage, Transfer, **Sherry Stangil & Ryam Kostishion**, 3176 Walnut Street, P.O. Box 512, Springtown, PA 18081-0512.

This proposed facility is located in Springfield Township, **Bucks County**.

Description of Action/Activity: Permit ownership transferred.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 3919406, Sewage, SIC Code 4952, **Upper Macungie Township**, 8330 Schantz Road, Breinigsville, PA 18031-1510.

This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Action/Activity: The purpose of the project is to increase the capacity of several segments of a gravity sewer system downstream of the Applewood pump station to accommodate additional flows from the Lehigh Hills Lot No. 5 development project. Approximately 702 linear feet of 12-inch clay pipe will be replaced with 12-inch PVC with increased slope. Approximately 511 linear feet of 8-inch pipe will be upsized to 10-inch PVC pipe and approximately 2,946 linear feet of 12-inch pipe will be upsized to 15-inch PVC pipe.

WQM Permit No. 3919407, Sewage, SIC Code 4952, **Upper Macungie Township**, 8330 Schantz Road, Breinigsville, PA 18031.

This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Action/Activity: The project is for the replacement of the existing Applewood pump station with a new pump station to accommodate additional flows from the Lehigh Hills Lot No. 5 development project. Two identical suction lift pumps rated for 1,275 gpm at 137 ft TDH will operate in a lead/lag format and convey wastewater from the wet well through a 12-inch PVC force main before reaching existing Upper Macungie Township gravity sewers and ultimate disposal at the Kline's Island Treatment Plant in Allentown City.

WQM Permit No. 5418404, Sewage, SIC Code 4952, **Northeastern Schuylkill Joint Municipal Authority Schuylkill County**, P.O. Box 170, Barnesville, PA 18214-0170.

This proposed facility is located in Rush Township, **Schuylkill County**.

Description of Proposed Action/Activity: Installation of new 1.5 MGD mechanically cleaned bar screen (with washer/compactor), new sodium hydroxide feed system, and new influent composite sampler.

WQM Permit No. 6719404, Sewerage, **York Township Water & Sewer Authority**, 190 Oak Road, Dallastown, PA 17313-9300.

This facility is located in York Township, **York County**.

Description of Proposed Action/Activity:

This Permit approves construction and operation of the Green Valley pump station.

WQM Permit No. 3691201, Amendment # 7, **Valley Proteins, Inc.**, 151 ValPro Drive, P.O. Box 3588, Winchester, VA 22604-2586.

This facility is located in East Earl Township, **Lancaster County**.

Description of Proposed Action/Activity:

This permit amendment approves the operation of sewage facilities consisting of: spray irrigation of treated wastewater effluent and their Terre Hill Plant.

WQM Permit No. WQG02071801, Sewerage, **Martinsburg Borough Municipal Authority**, 110 S. Walnut Street, Martinsburg, PA 16662-1142.

This facility is located in Martinsburg Borough, **Blair County**.

Description of Proposed Action/Activity:

This general permit approves the construction/operation of Oakview Estates sewer extension and pump station.

WQM Permit No. 0719403, Sewerage, **Frankstown Township**, 2122 Frankstown Road, Hollidaysburg, PA 16648-7116.

This facility is located in Frankstown Township, **Blair County**.

Description of Proposed Action/Activity:

The permit approves the Godfrey Lane Sanitary Sewer Replacement project.

WQM Permit No. 6719402, Sewerage, **Penn Township**, 20 Wayne Avenue, Hanover, PA 17331.

This facility is located in Penn Township, **York County**.

Description of Proposed Action/Activity:

The permit approves the construction of sewage facilities consisting of:

A new sewer extension and two duplex pumping stations to serve the existing unsewered Oak Hills and Hershey Heights areas of Penn Township, York County.

- The proposed collection system will be comprised of ~4,650 ft. of 8" PVC and 31 new manholes. Two properties will utilize simplex grinder pumps and a low-pressure sewer (~1,880 ft. of 1.5" HDPE forcemain and ~4,050 ft. of 2" HDPE forcemain) to convey flow to the main collector lines.

- The Hershey Heights PS will have a capacity of 16.8 gpm at 158 ft. TDH.

- The Oak Hills PS will have a capacity of 21.5 gpm at 126 ft. TDH.

WQM Permit No. 3819201, Industrial Waste, **Keystone Protein Company**, 154 West Main Street, Fredericksburg, PA 17026-9510.

This facility is located in Bethel Township, **Lebanon County**.

Description of Proposed Action/Activity: This permit approves the construction/modification of industrial wastewater facilities.

WQM Permit No. 3898404, Amendment # 2, Sewerage, **South Londonderry Township Municipal Authority**, 27 W. Market Street, Palmyra, PA 17078-8736.

This facility is located in South Londonderry Township, **Lebanon County**.

Description of Proposed Action/Activity: This permit approves the construction/modifications and operation of sewage facilities at the South Campbelltown East STP.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1619405, Sewage, **Washington Township Municipal Authority Clarion County**, P.O. Box 124, Fryburg, PA 16326-0124.

This proposed facility is located in Washington Township, **Clarion County**.

Description of Proposed Action/Activity: Sanitary sewer extension.

WQM Permit No. 2519412, Sewage, **Phillip Hosack**, 217 Old Sharon Road, Mercer, PA 16137.

This proposed facility is located in Springfield Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2719401, Sewage, **Frank R Palmiero**, 145 Cressingham Lane, Powell, PA 16351.

This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2519408, Sewage, **Scott Jackson & Scott Taylor**, 1525 Three Degree Road, Mars, PA 16046.

This proposed facility is located in Springfield Township, **Erie County**.

Description of Proposed Action/Activity: Small Flow Treatment Facility.

WQM Permit No. 3298401 A-1, Sewage, **John & Lynae Williams**, 2212 Anthony Run Road, Indiana, PA 15701-4413.

This existing facility is located in Armstrong Township, **Indiana County**.

Description of Proposed Action/Activity: Installation of sodium bisulfite tablet feeder and air diffuser.

WQM Permit No. 361S18 A-3, Sewage, **Commodore Perry School District**, 3002 Perry Highway, Hadley, PA 16130-2628.

This existing facility is located in Perry Township, **Mercer County**.

Description of Proposed Action/Activity: Addition of a dechlorination tablet feeder and dechlorination contact tank to the existing wastewater treatment plant.

WQM Permit No. 1019404, Sewage, **Lori L Love**, 637 New Castle Road, Butler, PA 16001-8325.

This proposed facility is located in Connoquenessing Township, **Butler County**.

Description of Proposed Action/Activity: Small flow treatment facility to serve existing veterinary clinic and attached apartment.

WQM Permit No. 3796401 A-5, Sewage, New Castle City Sanitation Authority, 110 E Washington Street, New Castle, PA 16101-3815.

This existing facility is located in New Castle City, **Lawrence County**.

Description of Proposed Action/Activity: Renovation of headworks, clarifiers, anaerobic digesters; modification of activated sludge system; and construction of new anoxic tank at existing waste water treatment plant.

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI132228	Lower Nazareth Township 623 Municipal Drive Nazareth, PA 18064-8981	Lower Nazareth Township, Northampton	Tributary 4629 to Shoeneck Creek (WWF/MF), Monocacy Creek (HQ-CWF/MF), and East Branch Monocacy Creek (HQ-CWF/MF)	N	Y
PAI132250	Allen Township 4714 Indian Trail Road Northampton, PA 18067	Allen Township Northampton	Catasauqua Creek (CWF/MF), Tributary 3679 to Hokendauqua Creek (CWF/MF), and Dry Run (CWF/MF)	N	Y

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150126	Exeter 9-25 Great Valley, LLC 101 West Elm Street Suite 600 Conshohocken, PA 19428-2075	Chester	East Whiteland Township	Valley Creek EV-MF
PAD150114	J.B. Brandolini, Inc. 1200 Burning Bush Lane West Chester, PA 19380-5888	Chester	West Whiteland Township West Goshen Township	Broad Run HQ-CWF-MF
PAD230015 Phase 2	Southeastern Pennsylvania Transportation Authority 1234 Market Street Philadelphia, PA 19107-3780	Philadelphia	City of Philadelphia	Chester Creek TSF-MF Tributaries to Rocky Run HQ-CWF-MF
PAD510049 Phase 2	PA Department of Transportation 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	Philadelphia	City of Philadelphia	Frankford Creek WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Carbon County Conservation District, 5664 Interchange Road, Lehigh, PA 18235.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD130013	Pennsylvania Department of Transportation Engineering District 5-0 1002 Hamilton Street Allentown, PA 18101	Carbon	Lehigh Borough Mahoning Township	Mahoning Creek (CWF, MF), EV Wetlands

Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480037	J.G. Petrucci Co., Inc. c/o Mr. Joseph Correia 171 State Route 173 Suite 201 Asbury, NJ 08802-1365	Northampton	Forks Township	Bushkill Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Phillips, Section Chief, Telephone 717.705.4802.

<i>Permit # Issued</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD050006	Leon Shirk 743 Walnut Street New Holland, PA 17557	Bedford	Monroe Township	Bushy Fork (HQ-CWF, MF) UNT Elk Lick Creek (HQ-CWF, MF)

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Erie County Conservation District, 1927 Wager Road, Erie, PA 16509, 814-825-6403.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD250006	Barnhart Transportation LLC P.O. Box 247 Harborcreek, PA 16421	Erie	North East Township	UNT to Twelve Mile Creek CWF, HQ

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Southeast Region—Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hilltown Township Bucks County	PAC090277	Lynn Builders, LLC 735 Minsi Trail Perkasie, PA 18944-3159	Morris Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Makefield Township Bucks County	PAC090282	LMCC South Acquisitions LLC 2929 Arch Street Philadelphia, PA 19104	Core Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Makefield Township Bucks County	PAC090284	LMCC North Acquisitions LLC 2929 Arch Street Philadelphia, PA 19104	Core Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAC090285	Commerce Pursuit Capital L.P. 220 Farm Lane Doylestown, PA 18901-4714	Unnamed Tributary to Neshaminy Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAC090307	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976	Unnamed Tributary to Neshaminy Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Salford Township Montgomery County	PAC460339	Clemens Realty Group, Inc. 531 Main Street Harleysville, PA 19438	Indian Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Providence Township Montgomery County	PAC460398	Toll PA IX, L.P. 250 Gibraltar Road Suite 2E Horsham, PA 19044	Unnamed Tributary to Perkiomen Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC390087	Pannenbier 3355 Lenox Rd Ste 750 Atlanta, GA 30026	Lehigh	City of Allentown	Lehigh River (WWF, MF)

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC400109	400 Steward Rd LLC 450 New Commerce Blvd LLC 320 Stewart Rd LLC Robert Mericle 100 Baltimore Dr Wilkes-Barre, PA 18702	Luzerne	Hanover Twp	Sugar Notch Run (CWF, MF) Solomon Creek (CWF, MF)

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Manheim Township Lancaster County Issued	PAC360445	Regency V, LP 1899 Lititz Pike Lancaster, PA 17601	UNT Conestoga Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
West Earl Township Lancaster County Issued	PAC360460	Caleb Strausser 160 Wissler Road New Holland, PA 17557	Groff Creek (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Mount Joy Township Lancaster County Issued	PAC360455	Elizabethtown Solar, LLC 100 Matsonford Road Radnor, PA 19807	UNT Conoy Creek (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
North Annville Township Lebanon County Issued	PAC380139	Jeffrey Bomgardner 409 Clear Spring Road Annville, PA 17003	UNT Quittapahilla Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
North Lebanon Township Lebanon County Issued	PAC380138	Lebanon County Historical Society 924 Cumberland Street Lebanon, PA 17042	Quittapahilla Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
Cornwall Borough West Cornwall Township Lebanon County Issued	PAC380151	Alden Place at Cornwall Recreation Inc. Cornwall Associates, LP 100 Freeman Drive Lebanon, PA 17042	UNT Snitz Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

Facility Location and Municipality

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Shaler Township PAC020459	Shaler Township 300 Wetzel Road Glenshaw, PA 15116	UNT to Girtys Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
City of Pittsburgh PAC020150-A1	Pittsburgh Zoo and PPG Aquarium One Wild Place Pittsburgh, PA 15206	Allegheny River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645

NOTICES

6597

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
South Fayette Township	PAC020032-A1	Charter Homes and Neighborhoods 1190 Dillersville Road Lancaster, PA 17601	Chartiers Creek (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
McCandless Township	PAC020462	Walnut Court, LLC P.O. Box 11066 Pittsburgh, PA 15237	UNT to Pine Creek (CWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
South Park Township	PAC020392	Zokaites Properties, LP 375 Golfside Drive Wexford, PA 15090	Piney Fork (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Robinson Township	PAC020284-A1	Duquesne Light Company 2841 New Beaver Avenue Pittsburgh, PA 15233	Montour Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Jefferson Hills Borough Union Township	PAC020476	Duquesne Light Company 2841 New Beaver Avenue Pittsburgh, PA 15233	Lobbs Run (WWF); Monongahela River (WWF); Peters Creek (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Robinson Township	PAC020343	Forever Build 1044 Saw Mill Run Boulevard Pittsburgh, PA 15226	Chartiers Creek (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Findley Township	PAC020474	Allegheny County Airport Authority Landslide Terminal Fourth Floor Mezzanine P.O. Box 12370 Pittsburgh, PA 15231-0370	UNT to Raredon Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Indiana Township	PAC020417	Angel's Distributing 287 Blue Run Road Cheswick, PA 15024	Blue Run (CWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Hampton Township	PAC020397	Crossgates, Inc. 3555 Washington Road McMurray, PA 15317	UNT to Course Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
McCandless Township	PAC020475	McCandless Square Senior Housing, LLC 150 East Broad Street Columbus, OH 43215	Pine Creek (CWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Upper Saint Clair Township	PAC020485	1180 Washington Road Associates, LP 650 Washington Road Suite 400 Pittsburgh, PA 15228	UNT to McLaughlin Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Ross Township	PAC020117-A1	North Side Catholic Cemetery 204 Cemetery Lane Pittsburgh, PA 15237	UNT to Nelson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Findley Township	PAC020484	Mr. Craig Alderman 116 Spring Run Road Extension Coraopolis, PA 15108	UNT to Flaugherty Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 (412) 241-7645
Ohioville Borough	PAC040061	PTV 1068, LLC 6183 Tuscarawas Road Industry, PA 15052	Six Mile Run (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
Jackson Township	PAC110024 (Major Amendment)	Kiewit Engineering Group, Inc. 9401 Renner Boulevard Lenexa, KS 66219 Donald Rose 197 Bracken Street Apartment 1 Johnstown, PA 15909	UNT to Blacklick Creek (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
Lorain Borough	PAC110055	Lorain Borough 503 Green Valley Street Johnstown, PA 15902	Sams Run (WWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120

NOTICES

6599

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Allegheny Township	PAC560030	Pennsylvania Turnpike Commission P.O. Box 67676 Harrisburg, PA 17106	Juniata River (CWF; MF); Wambaugh Run (CWF; MF); Three Lick Run (CWF; MF)	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652
Allegheny Township	PAC560031	Pennsylvania Turnpike Commission P.O. Box 67676 Harrisburg, PA 17106	Juniata River (CWF; MF); Wambaugh Run (CWF; MF); Three Lick Run (CWF; MF)	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652
Cecil Township	PAC630090	Global Signal Acquisitions IV, LLC 2000 Corporate Drive Canonsburg, PA 15317	UNT to Chartiers Creek (WWF)	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
Cecil Township	PAC630146	The Sanctuary on O'Hare, LLC 102 West Pike Street Houston, PA 15342	UNT to Chartiers Creek (WWF)	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
Robinson Township	PAC630138	Burgettstown Road Associates, LLC 100 Leetsdale Industrial Drive Leetsdale, PA 15056	UNT to Saint Patricks Run (WWF)	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
North Strabane Township	PAC630152	Golden Triangle Construction Company 8555 Old Steubenville Pike Imperial, PA 15126	UNT to Chartiers Creek (WWF)	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
West Finley Township	PAC630165	First Pennsylvania Resources, LLC 33 Terminal Way Suite 445A Pittsburgh, PA 15126	Robinson Fork (WWF)	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Adams Township Butler County	PAC100153	Geyer Construction & Development Inc 451 Denny Road Valencia, PA 16059	UNT to South Branch Glade Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Henderson Township Jefferson County	PAC330014	Hostetler Tables & Chairs Jonas D Hostetler 616 Kentucky Avenue Punxsutawney, PA 15767	UNT to Stump Creek CWF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
McKean Township Erie County	PAC250078	Mr. Chuck Paterniti 5331 Deerfield Drive Fairview, PA 16415	UNT Elk Creek CWF; MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403

General Permit Type—PAG-3

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAR600102	United Metal Traders Inc. 5240 Comly Street Philadelphia, PA 19135	Delaware River (WWF, MF), Unnamed Tributary to Delaware River (WWF, MF), and Delaware River 3- J	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
Aston Township Delaware County	PA030093	JJ Clark Inc. 31 Mount Pleasant Road Aston, PA 19014	Unnamed Tributary to West Branch Chester Creek (TSF, MF) 3-G	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970

General Permit Type—PAG-13

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use Contact</i>	<i>Office & Phone No.</i>
West Sadsbury Township Chester County	PAG130170	West Sadsbury Township 6400 N Moscow Road Parkesburg, PA 19365-1814	Valley Creek (TSF, MF), East Branch Octoraro Creek (TSF, MF), Officers Run (TSF, MF) and Pine Creek (TSF, MF) 7-K	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Clifton Height Borough Delaware County	PAG130143	Clifton Heights Borough 30 S Springfield Road Clifton Heights, PA 19018-2215	Darby Creek (TSF, MF) 3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
West Norriton Township Montgomery County	PAG130006	West Norriton Township 1630 W Marshall Street Jeffersonville, PA 19365-1814	Unnamed Tributary to Stony Creek (TSF, MF) Indian Creek (WWF, MF), Unnamed Tributary to Schuylkill River (WWF, MF), Unnamed Tributary of Stony Creek and Unnamed Tributary to Indian Creek (WWF, MF) 3-F	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Marlin Martin Heidelberg Pig Family Farm 425 N Market Street Myerstown, PA 17067	Lebanon	40.1	259.25	Swine	NA	A
Michael Long Sr. 39 Reeds Creek Road (swine) 2116 Yordys Bridge Road (broiler) Annville, PA 17003	Lebanon	327.8	878.66	Swine Poultry	NA	Approved
Tim Goss Goss Family Farms 123 Decatur Rd. McClure, PA 17841	Mifflin	322	1,197.74 17	Swine Beef	NA	renewal

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*

unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 5219502, Public Water Supply.

Applicant **Twin Lakes Utilities, Inc.**
Middlesex Water Co.
485 C Route 1 South
Suite 400
Iselin, NJ 08830

[Borough or Township] Milford and Shohola Townships
County **Pike County**
Type of Facility PWS
Consulting Engineer R. Scott Hughes, PE
Gannett Fleming, Inc.
1010 Adams Avenue
Audubon, PA 19403

Permit to Construct Issued 10/17/2019

Permit No. 3519504MA, Construction Permit, Public Water Supply.

Applicant **James L. Black**
Belle Aire Acres
1184 Fernwood Road
Lake Ariel, PA 18436

Municipality Jefferson Township
County **Lackawanna**
Type of Facility Public Water Supply
Consulting Engineer Michael E. Bisignani, P.E.
Aqua Pennsylvania, Inc.
1 Aqua Way
White Haven, PA 18661

Permit to Construct Issued September 10, 2019

Description of Action 4-Log Treatment of Viruses

Permit No. 3919503MA, Construction Permit, Public Water Supply.

Applicant **Alburtis Borough Authority**
260 Franklin Street
P.O. Box 435
Alburtis, PA 18011

Municipality Alburtis Borough
County **Lehigh**
Type of Facility Public Water Supply
Consulting Engineer Daniel J. Hopkins, P.E.
Entech Engineering, Inc.
201 Penn Street
P.O. Box 32
Reading, PA 19601

Permit to Construct Issued September 13, 2019

Description of Action Lock Ridge Booster Station
Pump Replacement Project

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2219505, Public Water Supply.

Applicant **Capital Region Water**
Municipality Harrisburg
County **Dauphin**
Responsible Official Michael McFadden
Water System Superintendent
100 Pine Drive
Harrisburg, PA 17101

Type of Facility Filter media improvements,
corrosion inhibitor feed system
improvements and installation of
alternate caustic and soda ash
injection locations.

Consulting Engineer Jamie R. Shambaugh, P.E.
Gannett Fleming, Inc.
P.O. Box 67100
Harrisburg, PA 17106-7100

Permit to Construct Issued 10/9/2019

Permit No. 3619512 MA, Minor Amendment, Public Water Supply.

Applicant **Solanco School District**
Municipality Fulton Township
County **Lancaster**
Responsible Official Sandra S. Tucker, Business
Manager
121 South Hess Street
Quarryville, PA 17566

Type of Facility Installation of caustic soda
secondary controls.

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Associates,
Inc.
18 South George Street
York, PA 17401

Permit to Construct Issued 10/15/2019

Operation Permit No. 0619503 issued to: **Perry Township Municipal Authority (PWS ID No. 3060123)**, Shoemakersville Borough, **Berks County** on 10/17/2019 for facilities approved under Construction Permit No. 0619503.

Operation Permit No. 3619525 E issued to: **Manheim Area Water and Sewer Authority (PWS ID No. 7360078)**, Manheim Borough, **Lancaster County** on 10/16/2019 for facilities submitted under Application No. 3619525 E.

Operation Permit No. 3619515 MA issued to: **Manheim Area Water and Sewer Authority (PWS ID No. 7360078)**, Manheim Borough, **Lancaster County** on 10/17/2019 for facilities submitted under Application No. 3619515 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Eastville Water Association (Public Water Supply), Clinton County: On October 17, 2019, the Safe Drinking

Water Program approved the Source Water Protection (SWP) plan for the Eastville Water Association community water system. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (Mark R. Stephens, P.G., (570) 327-3422).

Permit No. 5908501-T1; 5989509-T2; MA-GWR-A1-T1—Operation—Public Water Supply.

Applicant **Somers Lane Mobile Home Park, LLC**
 Township/Borough Lawrence Township
 County **Tioga County**
 Responsible Official Mr. Shing Yeung
 Somers Lane Mobile Home Park, LLC
 62 Main Street
 P.O. Box 80
 Montandon, PA 17850
 Type of Facility Public Water Supply—Operation
 Consulting Engineer N/A
 Permit Issued October 15, 2019
 Description of Action Authorizes the transfer from Charles Wilcox, Jr., Somers Lane Mobile Home Park to Somers Lane Mobile Home Park, LLC. The Somers Lane Mobile Home Park water system consists of Well # 2, with a Goulds 18GS15422C 1/2 hp motor pump. The pump is capable of 16 gpm. Treatment consists of hypochlorite injection for oxidation/disinfection, ferric chloride injection for arsenic, manganese and iron coagulation, two 300-gallon oxidation tanks, three 31-gallon filters for arsenic, manganese and iron removal, post chlorine injection (not currently used), and two 1,200-gallon retention tanks for contact time and system pressurization.

Permit No. 5516502—Operation—Public Water Supply.

Applicant **Selinsgrove Center**
 Township/Borough Penn Township
 County **Snyder County**
 Responsible Official Ms. Heather Ambrose
 PA Department of Human Services
 Selinsgrove Center
 1000 Route 522
 Selinsgrove, PA 17870
 Type of Facility Public Water Supply—Operation
 Consulting Engineer Mr. Michael Peleschak P.E.
 Alfred Benesch & Company
 400 One Norwegian Plaza
 Pottsville, PA 17901
 Permit Issued October 15, 2019

Description of Action Authorizes the operation of a new filtration plant at Selinsgrove Center, including coagulant and sodium hypochlorite chemical feed systems, duplicate Roberts ion exchange units, duplicate Roberts Pace II units (each with adsorption clarifier and rapid rate gravity filters), and clearwell. In addition, this permit authorizes cleaning and replacement of the pump in Well No. 7 and decommissioning of Well No. 6.

Permit No. 1913501—Operation—Public Water Supply.

Applicant **Lehet Village**
 Township/Borough Sugarloaf Township
 County **Columbia County**
 Responsible Official Mr. Richard Lehet
 Lehet Village
 5116 State Route 487
 Benton, PA 17814
 Type of Facility Public Water Supply—Operation
 Consulting Engineer N/A
 Permit Issued October 15, 2019
 Description of Action Authorizes the operation of Lehet Village Water System, including New Well No. 1, a 14-gpm flow restrictor, a prefilter, sodium hypochlorite disinfection, chlorine contact piping, booster pump station, finished water-storage tanks, and distribution system.

Permit No. 265W6-T1-A1—Operation—Public Water Supply.

Applicant **Beech Creek Borough Authority**
 Township/Borough Beech Creek Township
 County **Clinton County**
 Responsible Official Mr. Kenneth Packer
 Chairman
 Beech Creek Borough Authority
 P.O. Box 216
 Beech Creek, PA 16822
 Type of Facility Public Water Supply—Operation
 Consulting Engineer Mr. Kerry A. Uhler & Associates, Inc.
 140 W. Hight Street
 Bellefonte, PA 16823
 Permit Issued October 18, 2019
 Description of Action Authorizes the change in source availability designation of Old Well No. 1 from "Permanent" to "Reserve."

Permit No. 4119504—Construction—Public Water Supply.

Applicant **Harvest Moon Plaza**

Township/Borough Woodward Township
 County **Lycoming County**
 Responsible Official Mr. Barry Heller Jr.
 Harvest Moon Plaza
 7468 US Highway 220
 Linden, PA 17744

Type of Facility Public Water Supply—
 Construction

Consulting Engineer Mr. Francis Catherine, P.E.
 P. Joseph Lehman, Inc.
 117 Olde Farm Office Road
 Suite 113
 Hollidaysburg, PA 16635

Permit Issued October 21, 2019

Description of Action Authorizes construction of new
 treatment facilities for the
 transient, noncommunity,
 public-water system at Harvest
 Moon Plaza. This approval
 includes Well No. 1 as a source
 of supply, the transmission line,
 two hydropneumatic tanks,
 parallel prefilters, parallel
 MTBE removal systems, and the
 distribution system.

Permit No. 1400504-A1—Operation—Public Water Supply.

Applicant **Pennsylvania American
 Water—Philipsburg**

Township/Borough Rush Township
 County **Centre County**
 Responsible Official Mr. Sean Graves
 Pennsylvania American Water—
 Philipsburg
 1912 Tyrone Pike
 P.O. Box 707
 Philipsburg, PA 16886

Type of Facility Public Water Supply—Operation

Consulting Engineer N/A

Permit Issued October 18, 2019

Description of Action Authorizes change in source
 availability designation of Trout
 Run Well No. 2 from
 “Permanent” to “Reserve.”

*Southwest Region: Water Supply Management Program
 Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-
 4745.*

Permit No. 3218514-A1, Public Water Supply.

Applicant **Indiana County Municipal
 Services Authority**
 602 Kolter Drive
 Indiana, PA 15701

[Borough or Township] Marion Center Borough
 County **Indiana**

Type of Facility Marion Center tank

Consulting Engineer Gibson-Thomas Engineering Co.,
 Inc.
 1004 Ligonier Street
 P.O. Box 853
 Latrobe, PA 15650

Permit to Construct October 16, 2019
 Issued

Permit No. 1118508, Public Water Supply.

Applicant **Highland Water & Sewer
 Authority**
 120 Tank Drive
 Johnstown, PA 15904

[Borough or Township] Beaverdale, Dunlo, Sidman,
 South Fork and Summerhill
 Townships

County **Cambria**

Type of Facility Water system improvements

Consulting Engineer The EADS Group, Inc.
 450 Aberdeen Drive
 Somerset, PA 15501

Permit to Construct October 22, 2019
 Issued

Permit No. 1119501, Public Water Supply.

Applicant **Nanty Glo Water Authority**
 1015 First Street
 Suite 1
 Nanty Glo, PA 15943

[Borough or Township] Cambria Township

County **Cambria**

Type of Facility Algaecide and polymer feed
 systems

Consulting Engineer Stiffler McGraw and Associates
 1731 North Juniata Street
 Hollidaysburg, PA 16648

Permit to Construct October 22, 2019
 Issued

Operations Permit issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, (PWSID # 5260005) Allison, **Fayette County** on October 16, 2019 for the operation of facilities approved under Construction Permit # 2619508.

Operations Permit issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, (PWSID # 5020039) Baldwin Borough, **Allegheny County** on October 22, 2019 for the operation of facilities approved under Construction Permit # 0217541.

Operations Permit issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, (PWSID # 5020039) Union Township, **Washington County** on October 22, 2019 for the operation of facilities approved under Construction Permit # 0217542.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672 (PWSID # 5650032) Washington Township, **Westmoreland County** on October 15, 2019 for the operation of facilities approved under Construction Permit # 6514511-A1.

Operations Permit issued to: **Commission of Waterworks of Salisbury Borough**, P.O. Box 343, Salisbury, PA 15558 (PWSID # 4560041) Salisbury Borough, **Somerset County** on October 16, 2019 for the operation of facilities approved under Construction Permit # 5619506-E.

Operations Permit issued to: **Addison Area Water Authority**, P.O. Box 13, Addison, PA 15411 (PWSID # 4560028) Addison Borough, **Somerset County** on Octo-

ber 22, 2019 for the operation of facilities approved under Construction Permit # 5618506MA.

Permit No. 5619502MA, Minor Amendment, Public Water Supply.

Applicant **Conemaugh Township Municipal Authority**
113 South Main Street
P.O. Box 429
Davidsville, PA 15928

[Borough or Township] Jenner Township
County **Somerset**
Type of Facility Filter media replacement
Consulting Engineer The EADS Group, Inc.
450 Aberdeen Drive
Somerset, PA 15501

Permit to Construct Issued October 16, 2019

Permit No. 1118507WMP, Minor Amendment, Public Water Supply.

Applicant **Northern Cambria Municipal Authority**
1202 Philadelphia Avenue
Northern Cambria, PA 15714

[Borough or Township] Northern Cambria Borough and Barr Township
County **Cambria**
Type of Facility Bulk load-out stations
Consulting Engineer Stiffler McGraw and Associates
1731 North Juniata Street
Hollidaysburg, PA 16648

Permit to Operate Issued October 22, 2019

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operation Permit issued to PA American Water Ellwood, PWSID No. 6370011, New Beaver Borough and Wayne Township, Lawrence County. Permit Number 3716502 issued October 18, 2019 for the operation of the new Ellwood City Surface Water Filtration Treatment Plant. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on September 12, 2019.

Permit No. 3719502, Public Water Supply.

Applicant **Heritage Hills LLC**
Township or Borough Pulaski Township
County **Lawrence**
Type of Facility Public Water Supply
Consulting Engineer Carl Petrus
Petrus Engineering
149 Donation Road
Greenville, PA 16125

Permit to Construct Issued October 18, 2019

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WA3-1001B Water Allocations. Mahoning Township Municipal Authority, P.O. Box 60, Distant, PA 16223, Mahoning Township, Armstrong County. Permit grants the Authority the right to purchase 87,000 gallons per day from the Redbank Valley Municipal Authority.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Rimersburg Borough	27 Main Street Rimersburg, PA 16248	Clarion

Plan Description: The approved plan provides for the expansion of Rimersburg Borough Municipal Authority's Wastewater Treatment Facilities and construction of needed upgrades in the Borough's collection and conveyance facilities. An additional 0.2 MGD SBR will be added to the existing facilities as well as an upgrade of the existing 0.2 MGD SBR. Retrofitting an existing lagoon to serve as flow equalization is also proposed. The existing service area is comprised of Rimersburg Borough and portions of Toby, Madison, and Brady Townships. No expansion of the service area is proposed. The replacement of approximately 28,000 LF of antiquated collection and conveyance lines within the Borough is planned. Sewage Treatment Plant upgrades include the addition of Supervisory Control and Data Acquisition (SCADA), a new headworks building, addition of a rotary fan sludge press, conversion of chlorine disinfection to UV disinfection, and site access improvements. Pennsylvania Infrastructure Investment Authority (PENNVEST) is the financing option of choice. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Millcreek Township	3608 West 26th Street Erie, PA 16506	Erie

Plan Description: The approved plan provides for extending sanitary sewer service to 15 homes on Lester Lane and Lawndale Drive, an existing sewer service needs area of Millcreek Township. This project will provide for the extension of 1,210 LF of gravity sewers to seven homes, and 1,360 LF of low pressure force main to eight homes that will have individual grinder pumps. The gravity sewer and force main will be owned and maintained by Millcreek Township. The grinder pumps will be individually owned and maintained. This new sewer extension will be connected to the existing manhole located at the west end of Lawndale Drive. Approximately 6,000 gallons per day will be added to the existing conveyance and treatment facilities, with final treatment at the City of Erie Sewage Treatment Plant. The project cost is \$237,000 with an estimated tap-in fee per parcel of

\$15,800. The quarterly user fee for all Millcreek Township users is \$84. Construction is scheduled to start upon receipt of the WQM permit. Any required WQM Permit must be obtained in the name of the municipality.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Titanium Wire, 235 Industrial Park Road, West Mahanoy Township, **Schuylkill County**. HRG Inc., 369 East Park Drive, Harrisburg, PA 17111, on behalf of Titanium Wire Corporation, 1000 Six PPG Place, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of groundwater contaminated with volatile organic compounds as the result of historic site operations. The report is intended to document remediation of the site to meet Statewide Health Standards.

Dominguez Residence, 2946 Owego Turnpike, Paupack Township, **Wayne County**. Crawford Environ-

mental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Firmstone Oil Company, 411 High Street, Honesdale, PA 18431, submitted a Final Report concerning remediation of soil contamination caused by a release of heating oil from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Mid Atlantic Xpress, 834 South Church Street, Hazleton City, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Mid Atlantic Xpress, 139 US Highway 46, Hackettstown, NJ 07840, submitted a Final Report concerning remediation of soil contamination caused by a release of diesel from the dispenser of an aboveground storage tank. The report is intended to document remediation of the site to meet Residential Statewide Health Standards.

WR 73 Webster Well Pad, 2967 Hawk Road, Franklin Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of a release of brine to the soil. The report is intended to document remediation of the site to meet a combination of Background and Statewide Health Standards.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

GU J Chamberlin Meyer Pad, 2768 Anderson Road, Stevensville, Stevens Township, **Bradford County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 SR 92 North, Tunkhannock, PA 18657, has submitted a Site Characterization and Final Report concerning remediation of soil contaminated with produced water. The report is intended to document remediation of the site to meet the Background and Statewide Health Standards.

Interstate 80 at MM 116.3 Eastbound, Clearfield, Lawrence Township, **Clearfield County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of FedEx Ground, 1000 FedEx Drive, Moon Township, PA 15108, has submitted a Final report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Gordon Milk Transport, Inc. Diesel Fuel Cleanup, Interstate 80 at MM 184.0 W, Loganton, Greene Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Gordon Milk Transport, Inc., 9060 Bollman Road SW, Sugar Creek, OH 44681, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Elbow Fish & Game Club Pad C, 2566 Thompson Hollow Road, Trout Run, Cogan House Township, **Lycoming County**. Tuscarora Geologic & Environmental Services, LLC, 1153 Center Road, Mifflintown, PA 17059, on behalf of ARD Operating LLC, 33 W. Third Street, Suite 300, Williamsport, PA 17701, has submitted a Final report concerning remediation of site soil contaminated with brine. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Harer 713 Pad, 957 Bogar Run Road, Roaring Branch, Liberty Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA

15205, on behalf of Rockdale Marcellus, LLC, 4600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Site Characterization and Final Report concerning remediation of site soil contaminated with produced water. The report is intended to document remediation of the site to meet the Background and Statewide Health Standards.

Guillaume 714 Pad, 10562 Route 414, Liberty Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Rockdale Marcellus, LLC, 4600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Site Characterization and Final Report concerning remediation of site soil contaminated with brine. The report is intended to document remediation of the site to meet the Statewide Health Standard.

US Route 15 Southbound, Lewisburg, East Buffalo Township, **Union County**. Northridge Group, Inc, P.O. Box 231, Northumberland, PA 17857, on behalf of STL Logistics, 8859 Creditview Road, Brampton, ON L6Y2X8, has submitted a Final report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Ritz-Craft Corp., 15 Industrial Park Drive, Mifflinburg Borough, **Union County**. Converse Consultants, 2738 West College Avenue, State College, PA 16801, on behalf of Ritz-Craft Corp., 15 Industrial Park Road, Mifflinburg, PA 17844, has submitted a Final report concerning remediation of site soil and groundwater contaminated with unleaded gas. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Valu Plaza, 11501—1507, 1511, 1513, 1523 West 38th Street, City of Erie, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Park Plaza Partnership, 2540 Village Common Drive, Erie, PA 16506, submitted a Remedial Investigation Report/Cleanup Plan/Risk Assessment Report concerning the remediation of site soil contaminated with Tetrachloroethene, Trichloroethene, cis-1, 2-Dichloroethene, Benzene, Toluene, Acetone, 2-Butanone and site groundwater contaminated with Tetrachloroethene, Trichloroethene, cis-1, 2-Dichloroethene, trans-1, 2-Dichloroethene, Vinyl Chloride, Methylene Chloride, 1, 2-Dichloroethane, Bromodichloromethane, Chloroform, Methylcyclohexane, and Acetone. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document

cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh Valley Hospital, 1200 South Cedar Crest Boulevard, Salisbury Township, **Lehigh County**. Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite A-23, Allentown, PA 18106, on behalf of Lehigh Valley Health Network, 1200 South Cedar Crest Boulevard, Allentown, PA 18103, submitted a Final Report concerning remediation of soil contaminated by a release of aviation fuel that was discovered during a construction project. The report documented remediation of the site to meet Residential Statewide Health Standards and was approved by DEP on October 10, 2019.

Praedium Partners-Forks Property, 108 Golf Drive, Barrett Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Praedium Partners LLC, 160 North Point Boulevard, Suite 200, Lancaster, PA 17601, submitted a combined Remedial Investigation Report, Cleanup Plan, and Final Report concerning remediation of soil and groundwater contaminated by historic releases of petroleum from underground storage tanks. The report was intended to

document remediation of the site to meet Site-Specific Standards but was disapproved by DEP on October 10, 2019.

Flear Property, 27 Wilden Drive West, Palmer Township, **Northampton County**. JMT Environmental Technologies, 710 Uhler Road, Easton, PA 18040, on behalf of David Flear, 27 Wilden Drive West, Easton, PA 18042, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an aboveground storage tank. The report documented remediation of the site to meet Residential Statewide Health Standards and was approved by DEP on October 15, 2019.

Pine Ridge Community Association, 4770 Pine Ridge Drive West, Lehman Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pine Ridge Community Association, 4770 Pine Ridge Drive West, Bushkill, PA 18324, submitted additional Final Report information concerning remediation of soil contaminated by a release of heating oil from an aboveground storage tank. The report documented remediation of the site to meet Residential Statewide Health Standards and was approved by DEP on October 15, 2019.

Memorial Road Property, 5942 Memorial Road, Upper Macungie Township, **Lehigh County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106, on behalf of Minue Desai, 5650 Tilghman Street, Allentown, PA 18104 submitted a Final Report concerning remediation of soil contaminated by historic operations at a former gas station and automobile maintenance shop. The report documented remediation of the site to meet Non-Residential Statewide Health Standards and was approved by DEP on October 15, 2019.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Interstate 80 at MM 184.0 W, Loganton, Greene Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Gordon Milk Transport, Inc., 9060 Bollman Road SW, Sugar creek, OH 44681, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 18, 2019.

Stunner Smith Well Pad, 1159 Chaapel Mountain Road, Cogan Station, Gamble Township, **Lycoming County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Inflection Energy (PA), LLC, 101 West 3rd St., 5th FL, Williamsport, PA 17701 has submitted a Final Report/Remedial Action Completion Report concerning remediation of site soil contaminated with diesel-based drilling mud. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 30, 2019.

Bobst Mountain Hunting Club 23H, 1888 Coal Mine Road, Trout Run, Cogan House Township, **Lycoming County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Range Resources—Appalachia, LLC, 80 Health Drive, Lock Haven, PA 17745, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 15, 2019.

1127 Line Mountain Road, Dorsife, Washington Township, **Northumberland County**. King's Sawmill, LLC, 200 Joss Lane, Spring Glen, PA 17978 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, antifreeze, motor oil and hydraulic oil. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 16, 2019.

3348 Troxelville Rd, Middleburg, Center Township, **Snyder County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Jack D. Wagner and Emily McCaffery, 3348 Troxelville Rd, Middleburg, PA 17842, has submitted a Final Report concerning remediation of site soil contaminated with No. 2 Fuel Oil. The report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on October 16, 2019.

Lake Road & Stone Drive, Laporte Township, **Sullivan County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Insinger Performance, Inc., 11278 State Route 220, Dushore, PA 18614, has submitted a Final Report concerning remediation of site soil contaminated with No. 2 Fuel Oil. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 7, 2019.

Thomas 808 Well Pad, 315 E Shambaker Road, Gaines, Elk Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Rockdale Marcellus, LLC, 4600 J Barry Court, Suite 1210, Canonsburg, PA 15317, submitted a Site Characterization and Final Report concerning remediation of site soil contaminated with stimulation fluid. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 21, 2019.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

RSO, Inc., P.O. Box 1450, Laurel, MD 20725. License No. PA-AH 0578. Effective Oct 16, 2019.

Emerald Environmental Services, Inc., 1621 St. Clair Avenue, Kent, OH 44240. License No. PA-AH 0641. Effective Oct 15, 2019.

Specialty Disposal Services, Inc., 115 Route 46 West, Mountain Lakes, NJ 07046. License No. PA-AH 0852. Effective Oct 18, 2019.

Transporter Licenses Reissued

RSO, Inc., P.O. Box 1450, Laurel, MD 20725. License No. PA-AH 0578. Effective Oct 16, 2019.

Emerald Environmental Services, Inc., 1621 St. Clair Avenue, Kent, OH 44240. License No. PA-AH 0641. Effective Oct 15, 2019.

Specialty Disposal Services, Inc., 115 Route 46 West, Mountain Lakes, NJ 07046. License No. PA-AH 0852. Effective Oct 18, 2019.

**REGULATED MEDICAL AND
CHEMOTHERAPEUTIC WASTE TRANSPORTER
LICENSES**

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

University of Pittsburgh of The Commonwealth System of Higher Education, Jerome Cochran Public Safety Building, 4th Floor, Pittsburgh, PA 15260. License No. PA-HC 0183. Effective Oct 15, 2019.

Transporter License Reissued

University of Pittsburgh of The Commonwealth System of Higher Education, Jerome Cochran Public Safety Building, 4th Floor, Pittsburgh, PA 15260. License No. PA-HC 0183. Effective Oct 15, 2019.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-59-00004B: UGI Texas Creek, LLC (835 Knitting Mills Way, Wyomissing, PA 19610) on October 10, 2019, for the continued operation of one 1,340 bhp Caterpillar G3516LE compressor engine; two 10 MMscfd TEG dehydrators, each equipped with a 0.5 MMBtu/hr reboiler; various pneumatic devices; periodic blowdowns; various fugitive emissions; and pigging operations, pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Thomas 808 Compressor Station located in Elk Township, **Tioga County**.

GPA9-49-327F: Herndon Reload Co. (386 Pennsylvania Avenue, Herndon, PA 17830) on October 4, 2019, for the authorization to construct and temporarily operate a 485 bhp Detroit # 3 model 6067GK28 serial number 6RE116996 (to be identified as Source P103) equipped with an oxidation catalyst for carbon monoxide (CO) control, pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Herndon Reload facility located in the Borough of Herndon, **Northumberland County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

08-000100: Global Tungsten & Powders Corp. (1 Hawes Street, Towanda, PA 18848) on October 16, 2019, for the construction of a gas-fired tungsten scrap calciner to be controlled by a dust collector followed by a HEPA filter in series as well as a Scrap Processing Area dust collector and HEPA filter which will control particulate emissions from material handling associated with the new Calciner and existing equipment at the Towanda Facility located in Towanda Borough, **Bradford County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

43-385A: Cronimet Specialty Metals USA, Inc. Greenville (209 Reynolds Industrial Park Road, Greenville, PA 16125), on September 26, 2019 issued a Plan Approval for proposed construction of 2 burn-off ovens and the change in operation of 3 existing burn-off ovens in Pymatuning Township, **Mercer County**. This will be a State Only facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0196L: Abington Reldan Metals (550 Old Borden-town Road, Fairless Hills, PA 19030-45100) on October 22, 2019 an extension to replace the existing Thermal Destructor 2 Baghouse (C02B) with new Baghouse (C14B) in Falls Township, **Bucks County**.

23-0047I: Evonik Group (1200 W Front Street, Chester, PA 19013-3438) on October 15, 2019 an extension for the installation of two mills, a silo and associated baghouses as a control in Chester City, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05025A: Texas Eastern Transmission LP (P.O. Box 1642, Houston, TX 77251-1642) on October 17, 2019, for the installation of two (2) new 7,700 HP natural gas-fired turbines equipped with dry low NO_x technology and oxidation catalysts to replace six (6) existing 1,760 HP compressor engines at the Marietta natural gas compressor station located in East Donegal Township, **Lancaster County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

60-00024A: GAF Keystone, LLC (2093 Old Route 15, New Columbia, PA 17856) on October 15, 2019, to extend the plan approval expiration date to April 17, 2020 to allow continued operation of several plastic roofing materials manufacturing lines at its facility in White Deer Township, **Union County**.

18-00021B: Avery Dennison Performance Polymers (171 Draketown Road, Mill Hall, PA 17751) on October 18, 2019, to extend the plan approval expiration date to April 22, 2020, for the construction and operation of the R-100 emulsion reactor system at their facility located in Bald Eagle Township, **Clinton County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

63-00968A: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 1, Suite 1600, Denver, CO 80202-2137). Extension effective October 18, 2019, to extend the period of temporary operation of eight new rich burn natural gas-fired compressor engines rated at 1,980 bhp each and controlled by three-way catalysts authorized under PA-63-00968A until April 28, 2020, at the Smith Compressor Station located in Smith Township, **Washington County**.

PA-63-00990B: Donora Dock LLC (11 Lloyd Ave, Suite # 200, Latrobe, PA 15650-1711) on October 21, 2019, 180-day plan approval extension issued to Donora Dock Terminal to continue operations for their existing coal handling facility located in Carroll Township, **Washington County**.

30-00170A: Laurel Mountain Midstream Operating, LLC (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275) on October 21, 2019, to extend the period of temporary operation of one Caterpillar G3612 lean burn natural gas-fired compressor engine rated at 3,550 bhp at the existing Brown Compressor Station located in Greene Township, **Greene County**. The new expiration date is April 28, 2020.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

03-196B: National Fuel Gas Supply Kaylor Station (3201 Pump Station Lane, Sugarcreek, PA 16028) on September 26, 2019, effective September 26, 2019, has issued a plan approval extension for construction and operation of a new ground flare to control dehydrator emission in Sugarcreek Township, **Armstrong County**. This is a State Only facility. This will expire on March 31, 2020.

43-034B: Lindy Paving Wheatland Asphalt Plant (P.O. Box 477, Wheatland, PA 16161) on September 26, 2019, effective September 30, 2019, has issued a plan approval extension for continued construction of the bags and fan in control device C202B (Plant 4 Baghouse) in Wheatland Borough, **Mercer County**. This is a State Only facility. This will expire on March 31, 2020.

62-017Y: United Refining Co. of PA (P.O. Box 870, Warren, PA 16365) on September 26, 2019, effective

September 26, 2019, has issued a plan approval extension for continued construction of a 3 kbpd Sour Tips Stripper Unit and modifications to an existing Naphtha Hydrotreater Unit for their Tier 3 Fuels Project in Warren City, **Warren County**. This is a Title V facility. This will expire on March 31, 2020.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00032: SPS Technologies, LLC (301 Highland Avenue, Jenkintown, PA 19046) on October 21, 2019, for a renewal of the Title V Operating Permit for an aerospace parts manufacturing facility located in Abington Township, **Montgomery County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

49-00033: Watsontown Brick Co. (P.O. Box 68, Route 405, Watsontown, PA 17777-0068) on October 9, 2019, was issued a renewal Title V operating permit for their brick manufacturing facility located in Delaware Township, **Northumberland County**. The facility's main sources are the three natural gas fired brick kilns and associated material handling and processing equipment. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

20-00145: Vitro Flat Glass (5123 Victory Boulevard, Cochran, PA 16314), on October 16, 2019, the Department issued the renewal of the Title V Operating Permit of a flat glass-manufacturing facility located in Greenwood Township, **Crawford County**. Permitted sources at the facility include two glass melting furnaces, three gas-fired/oil-fired boilers, a gas-fired boiler, six emergency engines, warerooms, material handling operations, silos, a parts cleaner, and miscellaneous operations. The facility is Title V because of its potential to emit NO_x, PM₁₀, SO_x, and a single HAP. The facility has been subject to Federal and State regulations that include 40 CFR 60 Subpart ZZZZ for engines, 40 CFR 60 Subpart DDDDD for boilers, and RACT I (25 Pa. Code §§ 129.91—129.95). In this renewal, the subsequent NO_x stack test requirement for the glass melting furnaces is removed because compliance with applicable NO_x limits is currently demonstrated through quarterly CEMS reporting. As a major NO_x source, the facility is subject to RACT II (25 Pa. Code §§ 129.96—129.100) and applicable RACT II presumptive requirements are incorporated. Source test submittals for the glass melting furnaces' PM stack test requirement are revised based on Source Testing Section's latest instructions. Several permitted sources are updated to incorporate the control devices authorized through Request for Determination (RFD). An emergency engine that had been taken out of service is removed from the permit. Intended for the first five years only, a plan approval reporting requirement is removed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00086: Engineered Arresting Systems Co. (2250 Market St., Aston, PA 19014-3426). On October 21, 2019, the renewal permit was issued for the operation of their assembly facility in Upper Chichester Township, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

35-00064: Innocor Foam Technologies—ACP, Inc. (2222 Surrent Drive, High Point, NC 27263). The Department issued, on 10/22/19, a State-Only Operating Permit for operation of sources at a foam manufacturing operation in Archibald Borough, **Lackawanna County**. The sources include a slab stock foam pour line and adhesive usage process. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00106: Cintas Corporation (164 East Mail Street, Emmaus, PA 18049). The Department issued, on 10/22/19, a State-Only Operating Permit for operation of sources at an industrial laundering operation in Emmaus Borough, **Lehigh County**. The sources include nine washers, five dryers, and a wastewater treatment process. Exempt sources include minor washers and dryers, and a natural gas-fired boiler. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00102: R.R. Donnelley (700 Nestle Way, Suite 200, Breinigsville, PA 18031-1522). On October 16, 2019 the Department issued a renewal State-Only Natural Minor Permit for the R.R. Donnelley Allentown facility located in Upper Macungie Township, **Lehigh County**. The facility operates digital and offset lithographic sheetfed presses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

35-00030: General Dynamics Land Systems, Eynon Plant (175 East Street, Archbald, PA 18403). On October 15, 2019, the Department issued a renewal (Synthetic Minor) permit to operate a military armored vehicle, tank, and tank components manufacturing facility in Archbald Borough, **Lackawanna County**. The sources consist of two (2) natural gas fired boilers and paint booths. The sources are controlled by particulate arrestors. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), particulate matter (PM₁₀), and volatile

organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05062A: Manheim Auto Auction (1190 Lancaster Road, Manheim, PA 17545-9746) on October 15, 2019, for the automobile reconditioning facility located in Penn Township, **Lancaster County**. The State-only permit was renewed.

36-03046: Packaging Corporation of America (1530 Fruitville Pike, Lancaster, PA 17601-4006) on October 17, 2019, for the packaging manufacturing facility located in Lancaster City, **Lancaster County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

59-00012: Dairy Farmers of America, Inc. (72 Milk Plant Road, Middlebury Center, PA 16935) on October 7, 2019, was issued a renewal State Only Operating Permit for their Middlebury facility located in Middlebury Township, **Tioga County**. Emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations.

57-00003: Sullivan County School District (777 South Street, Laporte, PA 18626) on October 18, 2019 issued a State Only operating permit for their facility located in Laporte Borough, **Sullivan County**. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

03-00050: Creekside Mushrooms LTD (1 Moonlight Drive, Worthington, PA 16262-9730) on October 1, 2019, the Department issued the renewal State Only Operating Permit (SOOP) for the natural minor facility located at One Moonlight Drive in West Franklin Township, **Armstrong County**. The primary sources at the facility include two (2) natural gas boilers and one (1) diesel fired emergency generator. The potential emissions from the facility are less than the Title V thresholds. The permit renewal contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

32-00183: Millcreek Processing, Challenger Coal Yard (1145 Rte. 711 Hwy N, Seward, PA 15954-0435). On October 15, 2019, the Department issued the renewal State Only Natural Minor Operating Permit for the coal preparation plant located in East Wheatfield Township, **Indiana County**. The facility's primary emission sources

include screening operations, crushing operations, coal transfer operations, stockpiles, road dust, and two diesel-fueled 88-hp engines that drive the 107C scalping screen and the Terex 683 Supertrak secondary sizing screen. The potential emissions of the primary pollutants from the facility are as follows: 5.11 TPY (tons per year) NO_x, 1.97 TPY CO, 0.66 TPY VOC, 22.4 TPY filterable PM₁₀, 2.48 TPY filterable PM_{2.5}, and 0.54 TPY SO_x; thus, the facility is a natural minor. The facility is subject to 40 CFR 60 Subpart Y, Standards of Performance for Coal Preparation and Processing Plants. The scalping screen engine is subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The sizing screen engine is subject to 40 CFR 60 Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00091: McAvoy Vitriified Brick Company (75 McAvoy Lane, Phoenixville, PA 19460). On October 21, 2019, for the facility located in Schuylkill Township, **Chester County**. The facility is a major source of Hazardous Air Pollutants (HAP); however, with the modification, McAvoy Brick has HAP emission limits below major source and is now considered an area source of HAP emissions. There are no new sources at the facility and no new applicable regulations in this permit. The facility's major emission points include a Brick Dryer and a Brick Kiln each fired by natural gas. The Minor Modification Operating Permit is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.462. The minor modification addresses exemption from the requirements of 40 CFR 63 Part JJJJJ—National Emission Standards for Hazardous Air Pollutants for Brick and Structural Clay Products Manufacturing by applying a facility-wide Hazardous Air Pollutant (HAP) emission limit and including an annual brick production limit to the existing Brick Kiln (Source ID 107). The modified permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-03045: Dominion Energy Transmission, Inc. (925 White Oaks Blvd., Bridgeport, WV 26330-6919) on October 17, 2019, for a significant permit modification to the State Only operating permit for Chambersburg Compressor Station located in Hamilton Township, **Franklin County**. This permit modification is to incorporate plan approval No. 28-03045A for construction of natural gas

fired Source ID 105, Solar Mars 90 Gas Turbine 3; to update the startup and shutdown emissions; to include a facility fugitive emissions source P001 with monthly AVO requirements and requirements from NSPS Subpart OOOOa—Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015; to change the company name, permit contact and responsible official, and to make other minor administrative corrections.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

41-00079: Eureka Resources, LLC (454 Pine Street, Williamsport, PA 17701) issued a modified State Only operating permit on October 18, 2019 to increase the allowable methanol concentration of the wastewater treated in the methanol recovery section of the treatment operation, as well as decrease the throughput for the section of the operation which treats wastewater containing low levels of methanol, at their facility located in Williamsport, **Lycoming County**. The modified State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

32-00059: Keystone-Conemaugh Projects, LLC (175 Cornell Road, Suite 1, Blairsville, PA 15717-8076). The Department on October 17, 2019, issued an administrative amendment of the Title V Operating Permit for the Conemaugh Station located in West Wheatfield Township, **Indiana County**. The amendment incorporates the change of ownership and corrects minor typographical errors.

37-00023: New Castle Power, LLC (P.O. Box 325, 2189 Star Route 168 South, West Pittsburg, PA 16160). The Department on October 10, 2019, issued an administrative amendment of the Title V Operating Permit for the New Castle Generating Station located in Taylor Township, **Lawrence County**. The amendment incorporates the change of ownership and corrects minor typographical errors.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

SOOP 15-00152: Sunoco Pipeline LP (1818 Market Street, Philadelphia, PA 19103). Per 25 Pa. Code § 127.449(i), this Notice is for the following de minimis emission increases at the Eagle Pump Station located in Upper Uwchlan Township, **Chester County**: The project is for the use of a temporary portable flare, with a smokeless design with 98% VOC destruction efficiency, operating in accordance with 40 CFR 60.18 requirements, for maintenance activities at the station. The flaring maintenance activities are for natural gas liquids which is comprised of a mixture of ethane, propane and/or butane.

The emissions increases resulting from this project will not exceed either one (1) ton each for Volatile Organic Compounds (VOC) and Nitrogen Oxides (NO_x) or four (4) tons Carbon Monoxide (CO) from the single source, that's the temporary portable flare, during the term of the permit.

This project will not trigger the requirements of 25 Pa. Code Subchapter E at the facility. The list of de minimis increases for this facility includes only this project.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56080104. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, permit renewal for reclamation only of a bituminous surface and auger mine in Paint & Adams Townships, **Somerset & Cambria Counties**, affecting 252.9 acres. Receiving streams: unnamed tributary to/and Paint Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: September 11, 2019. Permit issued: October 17, 2019.

New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

65010102 and NPDES Permit No. PA0202967. Coal Loaders, Inc. (210 East Main Street, P.O. Box 556, Ligonier, PA 15658). Revision application for land use change from forestland to pastureland or land occasionally cut for hay and from forestland to unmanaged natural habitat to an existing bituminous surface mine, located in Fairfield Township, **Westmoreland County**, affecting 146.8 acres. Receiving streams: unnamed tributaries to Hannas Run to Mill Creek to Loyalhanna Creek; and unnamed tributaries to Hypocrite Creek to Hendricks Creek to Tubmill Creek to the Conemaugh River, classified for the following use: CWF, TSE, WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: May 6, 2019. Permit revision issued: October 16, 2019.

03130101 and NPDES Permit No. PA0252409. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Permit renewal issued for continued mining to an existing bituminous surface mine, located in Madison

Township, **Armstrong County**, affecting 186.0 acres. Receiving streams: unnamed tributaries to Mahoning Creek. Application received: July 26, 2019. Renewal permit issued: October 18, 2019.

03070103 and NPDES Permit No. PA0251160. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Permit renewal issued for continued mining to an existing bituminous surface mine, located in Redbank Township, **Armstrong County**, affecting 127.9 acres. Receiving streams: unnamed tributary to Pine Run and unnamed tributary to Nye Branch. Application received: April 4, 2018. Renewal permit issued: October 18, 2019.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 05910301 and NPDES No. PA0599085, New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, commencement, operation and restoration of a large noncoal (industrial minerals) mine to change the land use from Forestland & Pastureland to Unmanage Natural Habitat in Napier & West St. Clair Townships, **Bedford County**, affecting 133 acres. Receiving streams: unnamed tributary to/and Dunning Creek classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 25, 2019. Permit issued: October 15, 2019.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

37020307. Amerikohl Aggregates, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal of NPDES Permit No. PA0242276 in Wayne Township, **Lawrence County**. Receiving streams: Unnamed tributary to Snake Run and an unnamed tributary to Beaver River. Application received: June 10, 2019. NPDES Renewal Permit issued: October 8, 2019.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

55194001. Steven Pettigrew (132 Homestead Court, Woolwich Two, NJ 08085). Blasting for demolition of power plant units, precipitators, baghouse structures, and elevated conveyers at the Sunbury Generating Station located in Shamokin Dam Borough, **Snyder County** with an expiration date of October 27, 2019. Permit issued: October 15, 2019.

08194106. M & J Explosives LLC (P.O. Box 1248, Carlisle, PA 17013). Blasting for construction of a gas well pad located in Franklin Township, **Bradford County** with an expiration date of September 24, 2020. Permit issued: October 10, 2019.

14194109. Douglas Explosives, Inc. (2052 Philipsburg Bigler Highway, Philipsburg, PA 16866). Blasting for residential development (Nittany Glen Home Founda-

tions) in Benner Township, **Centre County** with an expiration date of December 30, 2019. Permit issued: October 16, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 36194151. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Ammon Lantz manure pit in Clay Township, **Lancaster County** with an expiration date of December 30, 2019. Permit issued: October 15, 2019.

Permit No. 48194115. Rock Work, Inc. (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Monocacy Interceptor Sanitary Sewer Line in Hanover Township, **Northampton County** with an expiration date of October 31, 2020. Permit issued: October 16, 2019.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484.250.5160.

E15-910: Kennett Township, 801 Burrows Run Road, Chadds Ford, PA 19317, Kennett Township, **Chester County**, ACOE Philadelphia District. To construct and maintain about 260 feet long and 10 feet wide shared use pedestrian path along the floodplain of the West Branch Red Clay Creek (TSF, MF) associated with the Kennett Greenway, Manor Trail to provide the safe pedestrian route between Pemberton Road and State Street. The site is located between Pemberton Road and State Street (USGS Kennett, PA, Quadrangle Latitude: 39.848433; Longitude: -75.724296) in Kennett Township, Chester County.

E46-1190: Upper Merion Township, 175 West Valley Forge Road, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**, ACOE Philadelphia District.

To operate and maintain a 73-foot long, maximum 7.5-foot-high retaining wall as a follow up to a previously issued emergency permit (EP4619301) associated with stream bank failure along Crow Creek (WWF-MF). This activity also includes the placement of riprap scour protection, the placement of fill and grading within the floodplain resulting in 74 linear feet (3,385 square feet) of permanent stream impact and 74 linear feet (4,878 square feet) of temporary stream impact. This project is located at 364 Cover Bridge Road in Upper Merion Township, Montgomery County (USGS PA Valley Forge Quadrangle—Latitude 40.104962, Longitude 75.381676 W).

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E3902219-001. Depot Properties, LLC, 2310 South Redwood Ave, Independence, MO 64057-2664. Lower Macungie Township, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstruction and encroachments as part of the development of a truck staging & logistics facility:

1. A road crossing of Swabia Creek (HQ-CWF, MF) consisting of a dual 41-foot long pre-cast open-bottom arch culvert with concrete wingwalls with each culvert having a span of 54 feet and an underclearance of 12 feet.
2. A 8-foot wide riprap lined, trapezoidal stormwater outfall channel within the floodway of Swabia Creek (HQ-CWF, MF).
3. A 10-foot wide riprap lined, trapezoidal stormwater outfall channel within the floodway of Swabia Creek (HQ-CWF, MF).
4. A utility line stream crossing of Swabia Creek (HQ-CWF, MF) consisting of a 6-inch diameter HDPE water line installed via directional bore.
5. A utility line stream crossing of Swabia Creek (HQ-CWF, MF) consisting of an 8-inch diameter ductile iron water line installed via directional bore.
6. A utility line stream crossing of Swabia Creek (HQ-CWF, MF) consisting of a 6-inch diameter PVC sewer line installed via directional bore.

The project is located approximately 650 feet south of the intersection of Alburdis Road and Orchard Road (Allentown West, PA Quadrangle, Latitude: 40° 30' 55.1"; Longitude: -75° 34' 47.2") in Lower Macungie Township, Lehigh County.

E4502219-003. Liberty Homes Custom Builders, P.O. Box 260, Pocono Lake, PA 18347. Coolbaugh and Tobyhanna Townships, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a 20-foot wide single-family driveway crossing of PFO wetlands (EV). The crossing consists of a 24-inch diameter HDPE pipe that's approximately 20-feet long and a de minimus area of fill of the PFO wetlands (EV) equal to 0.02 acre. Additionally, a 1.5-inch sanitary line will cross the PFO wetlands (EV). The project is located at the intersection of Onawa Trail and Watami Road (Thornhurst, PA Quadrangle Latitude: 41° 09' 32.66"; Longitude: -75° 34' 34.13") in Coolbaugh and Tobyhanna Townships, Monroe County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E3603219-009: The Dutra Group, 2350 Kerner Boulevard, San Rafael, CA 94901 in Fulton Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To temporarily place and maintain approximately 500 cubic yards of dredged sediment in the floodway of the Susquehanna River (WWF, MF), temporarily impacting 2,700 square feet of floodway for the purpose of supporting a dredging operation in the Conowingo Dam pool. The project is located along Peach Bottom Road (Latitude: 39.7505° N; Longitude: 76.2272° W) in Fulton Township, Lancaster County. No wetlands will be impacted by this project. The permit was issued on October 21, 2019.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E02-1784, Pennsylvania Turnpike Commission, 700 South Eisenhower Boulevard, Middletown, PA 17057, Marshall Township, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

1. Place and maintain fill in 31 LF of a UNT to Brush Creek (aka Brush Creek UNT-10) (WWF).

2. Restore 67 LF of a UNT to Brush Creek (aka Brush Creek UNT-10) (WWF).

3. Construct and maintain a 160' × 66" culvert in a UNT to Brush Creek (aka Brush Creek UNT-8) (WWF).

4. Construct and maintain a 155' × 42" culvert in a UNT to Brush Creek (aka Brush Creek UNT-12) (WWF).

5. Replace and extend an existing box culvert with a 159' box culvert in a UNT to Brush Creek (aka Brush Creek UNT-5) (WWF).

6. Construct and maintain a 268' × 42" culvert in a UNT to Brush Creek (aka Brush Creek UNT-3) (WWF).

7. Extend and maintain an existing 177' arch culvert in Achweek Run (aka Brush Creek UNT-2) (WWF) with a total extension length of 47'.

8. Place and maintain fill in 0.069 acre of PEM/PSS wetland.

9. Install and maintain road associated storm water facilities and outfalls in the Brush Creek Watershed (WWF).

10. Place and maintain fill in 2.1 acres of floodway/floodplain in the Brush Creek Watershed (WWF).

The project will permanently impact a total of approximately 1,254 linear feet (LF) of various watercourses, resulting in a permanent loss of 155 LF of regulated watercourses and 0.069 acre of wetland, and temporarily impact a total of approximately 553 LF of various watercourses and 0.02 acre of wetland. To compensate for the watercourse impacts associated with the project, the stream mitigation plan includes the on-site relocation of various watercourses and restoration on-site of a watercourse, totaling approximately 380 linear feet, and the purchase of 155 LF of stream credits at the Enlow Fork Mitigation Site. Wetland Mitigation will be provided through the purchase of 0.069 acre of wetland credits at the Robinson Fork Mitigation Site. The impacts are associated with reconstructing and widening the existing Pennsylvania Turnpike between the Cranberry Interchange (Milepost 28) in Butler County and the Warrendale Toll Plaza (Milepost 31) in Allegheny County. The structures and activities requiring authorization are located in Marshall Township, Allegheny County (Mars, PA Quadrangle; starting at Latitude 40° 40' 42.79", Longitude: -80° 6' 14.17"; and ending at Latitude 40° 39' 21.12", Longitude: -80° 4' 27.74").

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E1006219-002, Park Meadows, LLC, P.O. Box 97, Mars, PA 16046. Park Meadows PRD, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 40°, 43', 13"; W: 80°, 04', 58").

To conduct the following activities associated with construction of a 67-lot residential development north of Goehring Road (T-309) approximately 0.25 mile west of Franklin Road (Mars, PA Quadrangle N: 40.721431; W: -80.082477) in Cranberry Township, Butler County:

1. To remove five existing culverts from the channel of UNT Wolfe Run (Stream 3) at approximately 375 feet, 950 feet, 1,325 feet, and 2,100 feet downstream of Goehring Road and to remove an existing culvert from UNT Wolfe Run (Stream 2) approximately 208 feet upstream of the confluence with UNT Wolfe Run (Stream 3).

2. To construct and maintain an 85.5-foot long, 6-foot diameter RCP culvert and associated rock scour protection in UNT Wolfe Run (Stream 3) for construction of Molly Lane approximately 900 feet downstream of Goehring Road.

3. To remove an existing stream enclosure and to construct and maintain an approximately 312-foot long, 36-inch diameter SLCPP pipe stream enclosure in a UNT Wolfe Run (Stream 4) having a contributory drainage area less than 100 acres discharging to UNT Wolfe Run (Stream 3) approximately 1,000 feet downstream of Goehring Road.

4. To remove an existing stream enclosure and to construct and maintain an approximately 380-foot long, 30-inch diameter SLCPP stream enclosure in UNT Wolfe Run (Stream 1) having a contributory drainage area less than 100 acres discharging to UNT Wolfe Run (Stream 3) approximately 1,625 feet downstream of Goehring Road.

5. To construct and maintain a 30-inch diameter stormwater outfall and rock outlet protection along the

left (west) bank of UNT Wolfe Run (Stream 3) approximately 40 feet downstream of Goehring Road.

6. To construct and maintain a 30-inch diameter stormwater outfall and rock outlet protection along the right (east) bank of UNT Wolfe Run (Stream 3) approximately 520 feet downstream of Goehring Road.

7. To construct and maintain utility lines including electric, gas, sewer, and water across UNT Wolfe Run (Stream 3) within the roadway embankment associated with Molly Lane.

8. To place fill along approximately 270 feet within the computed left (west) floodway of UNT Wolfe Run (Stream 3) impacting approximately 1,800 square feet for development of Lot 25 approximately 1,900 feet downstream of Goehring Road.

9. To construct and maintain a 30-inch diameter outfall and rock outlet protection the right (east) bank of UNT Wolfe Run (Stream 2) from the stormwater detention basin associated with the development approximately 260 feet upstream of its confluence with UNT Wolfe Run (Stream 3).

10. To construct and maintain an approximately 45-foot long culvert in UNT Wolfe Run (Stream 2) having a contributory drainage area less than 100 acres approximately 480 feet upstream of the confluence with UNT Wolfe Run (Stream 3) for maintenance access to the stormwater detention basin.

11. To install and maintain a sanitary sewer manhole and sewer line and connecting to the existing sanitary sewer line within the 100-year floodway of UNT Wolfe Run (Stream 3) immediately downstream of Lot 25.

12. To install and maintain a water line across UNT Wolfe Run (Stream 3) within the roadway embankment of Goehring Road.

Northwest Region: District Oil & Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E42-08-022, Seneca Resources Company LLC, 51 Zents Boulevard, Brookville, PA 15825. Elk Fork Realignment, in Norwich Township, **McKean County**, ACOE Pittsburgh District, Wildwood Fire Tower, PA Quadrangle N: 41°, 37', 04.34"; W: 78°, 26', 32.26".

The project involves a road realignment with the installation of a full metal bottom arch culvert. The project also includes the removal of an existing stream crossing and associated stream restoration grading. The proposed project impacts in McKean County include a total of 345 linear feet of permanent impacts, and 241 linear feet of temporary impacts to South Fork of West Branch Potato Creek HQ-CWF. The project also has 0.05 acre of permanent impact and 0.002 acre of temporary impacts to Palustrine Emergent (PEM) wetland(s). Total floodway impacts will be 0.3 acre of permanent impacts and 0.26 acre of temporary impacts.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E4129-124: ARD Operating LLC, 33 West Third Street, Suite 300, Williamsport, PA 17701. COP Tract 551 Pads A&B and Access Road in McIntyre Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate and maintain:

(1) Access road fill and one 18-inch high density polyethylene (HDPE) culvert impacting 2,600 square feet of

permanent palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41.502573°N 77.019268°W);

(2) Access road fill and one 87-inch by 63-inch arch corrugated metal culvert impacting 30 permanent linear feet and 55 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) (Liberty, PA Quadrangle 41.504115°N 77.010520°W);

(3) Access road fill impacting 657 square feet of permanent palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41.503720°N 77.009762°W);

(4) Access road fill impacting 93 square feet of permanent palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41.503384°N 77.009564°W);

(5) Access road fill and one 64-inch by 43-inch arch corrugated metal culvert impacting 40 permanent linear feet and 20 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) and 3,804 square feet of permanent and 228 square feet of temporary palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41.502682°N 77.008572°W);

(6) Access road fill and one 18-inch HDPE culvert impacting 22 permanent linear feet and 65 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) and 1,688 square feet of permanent palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41.502334°N 77.008051°W);

(7) Access road fill and one 18-inch HPDE culvert impacting 24 permanent linear feet and 35 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) and 381 square feet of permanent and 13 square feet of temporary palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41.502166°N 77.006978°W);

(8) Access road fill and one 24-inch HPDE culvert impacting 18 permanent linear feet and 30 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) (Liberty, PA Quadrangle 41.501871°N 77.006021°W);

(9) Access road fill impacting 40 square feet of permanent palustrine emergent (PEM) wetland (Trout Run, PA Quadrangle 41.496996°N 77.000532°W);

(10) Access road fill and one 24-inch HPDE culvert impacting 20 permanent linear feet and 44 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) (Trout Run, PA Quadrangle 41.496853°N 77.000434°W);

(11) Access road fill and one 24-inch HPDE culvert impacting 32 permanent linear feet and 31 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) and 89 square feet of permanent palustrine forested (PFO) wetland (Trout Run, PA Quadrangle 41.495971°N 77.000060°W);

(12) Access road fill and one 18-inch HPDE culvert impacting 1,510 square feet of permanent palustrine forested (PFO) wetland (Trout Run, PA Quadrangle 41.495845°N 77.000076°W);

(13) Access road fill and one 30-inch HPDE culvert impacting 24 permanent linear feet and 60 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) (Trout Run, PA Quadrangle 41.495108°N 77.000146°W);

(14) Access road fill and one 36-inch HPDE culvert impacting 28 permanent linear feet and 58 temporary linear feet of unnamed tributary to Frozen Run (HQ-CWF) (Trout Run, PA Quadrangle 41.493512°N 77.001362°W).

The project will result in a total of 238 LF (753 SF) of permanent and 398 LF (2,247 SF) of temporary stream impacts and 10,862 SF (0.2494 acre) of permanent and 241 SF (0.0055 acre) of temporary wetland impacts all for the purpose of constructing access roadway to two natural gas well sites for Marcellus well development.

E4129-126: Seneca Resources Company, LLC, 5800 Corporate Drive, Suite 300, Pittsburgh, PA 15237. Lycoming Creek Waterline in Lewis Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate and maintain:

(1) One 8-inch waterline impacting 115 linear feet of permanent and 123 linear feet of temporary impacts of Lycoming Creek (EV) (Bodine, PA Quadrangle 41.436786°N 76.993033°W);

(2) Temporary workspace impacting 2,637 square feet of temporary floodway impacts of unnamed tributary to Lycoming Creek (Bodine, PA Quadrangle 41.438050°N 76.992633°W).

The project will result in a total of 115 LF (365 SF) of permanent and 123 LF (12,909 SF) of temporary stream impacts and 2,651 SF (0.0609 acre) of permanent and 51,100 SF (1.1731 acre) of temporary floodway impacts all for the purpose of constructing an 8-inch waterline under Lycoming Creek to expand freshwater pipeline systems for Marcellus well development.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-3 # ESG076518001-00
Applicant Name Laurel Mountain Midstream, LLC
Contact Person Stephanie Ranker
Address 111 Enterprise Lane
City, State, Zip Connellsville, PA 15425
County Westmoreland County

Township(s) Rostraver and South Huntingdon Townships
Receiving Stream(s) and Classification(s) Youghiogheny River and UNTs to Youghiogheny River (WWF)
Secondary Receiving Water—Monongahela River (WWF)

ESCGP-3 # ESX12-003-0001 Major Modification
Applicant Name Range Resources Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Blvd
City, State, Zip Canonsburg, PA 15317
County Allegheny County
Township(s) Frazier Township
Receiving Stream(s) and Classification(s) Unnamed tributaries to Bull Creek (TSF), Bull Creek, Unnamed Tributary to Days Run, Days Run (WWF), Allegheny River (WWF)

ESCGP-3 # ESG073019015-00
Applicant Name EQM Gathering OPCO, LLC
Contact Person Brint Goettel
Address 2200 Energy Dr.
City, State, Zip Canonsburg, PA 15317
County Greene County
Township(s) Gilmore Township
Receiving Stream(s) and Classification(s) UNTs to Garrison Fork (WWF); Taylor Run (WWF)
Secondary Receiving Water—Garrison Fork (WWF); Pennsylvania Fork Dunkard Creek (WWF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-3 # ESG081019011-00—Bicker Discharge Pipeline
Applicant Pine Run Midstream LLC
Contact Cody Salmon
Address 1000 Commerce Drive, Park Place One, Suite 400
City Pittsburgh State PA Zip Code 15275
County Butler Townships Winfield and Clearfield
Receiving Streams and Classifications UNT to Rough Run and Sarver Run

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-3 # ESG295719006-00
Applicant Name Exco Resources PA LLC
Contact Person Brian Rushe
Address 13448 SR 422, Ste 1
City, State, Zip Kittanning, PA 16201
County Sullivan
Township(s) Shrewsbury
Receiving Stream(s) and Classification(s) Spring Run (EV, HQ-CWF); UNT to Spring Run (EV, HQ-CWF)
Secondary—Muncy Ck (EV-TSF); Spring Run (EV, EQ-CWF)

ESCGP-3 # ESG294119024-00
Applicant Name Rockdale Marcellus LLC
Contact Person Thomas Streeter
Address 4600 J Barry Court, Suite 120
City, State, Zip Canonsburg, PA 15317
County Lycoming
Township(s) McIntyre
Receiving Stream(s) and Classification(s) Red Run (CWF, MF)
Secondary—Lycoming Ck (EV, HQ-CWF, MF)

ESCGP-3 # ESG294119025-00
Applicant Name SWN Production Co LLC
Contact Person Afton Sterling
Address 917 SR 92 N
City, State, Zip Tunkhannock, PA 18657
County Lycoming
Township(s) Cogan House & Jackson Twp

Receiving Stream(s) and Classification(s) UNT to Flicks Run (EV) and UNT to Blockhouse Ck (EV)
Secondary—Little Pine Ck (EV)

ESCGP-3 # ESG295919015-00
Applicant Name Seneca Resources Co LLC
Contact Person Doug Kepler
Address 51 Zents Blvd
City, State, Zip Brookville, PA 15825
County Tioga
Township(s) Delmar
Receiving Stream(s) and Classification(s) Baldwin Run (HQ-CWF, HQ-CF, MF)
Secondary—Marsh Ck (WWF, MF)

ESCGP-3 # ESG295819021-00
Applicant Name Cabot Oil & Gas Corp
Contact Person Luke Marsh
Address 2000 Park Ln, Ste 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna
Township(s) Dimock
Receiving Stream(s) and Classification(s) Trib 29418 to Burdick Ck (CWF, MF)
Secondary—Meshoppen Ck (CWF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

710 S Gulph Rd, 46-069378, 710 S. Gulph Rd., Upper Merion Township, **Montgomery County**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of PALG UST II LLC, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Grandview Depot, 09-30531, 396 N Main St, Sellersville Borough, **Bucks County**. Clayton Services, 1815 Gallagher Road, Plymouth Meeting, PA 19462, on behalf of Grandview Depot, 396 North Main Street, Sellersville, PA 18960 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet residential Statewide health standards.

7 Eleven 24047, 51-24573, 6401 Frankford Ave., **City of Philadelphia**. AECOM, 510 Carnegie Center, Princeton, NJ 08540, on behalf of 7-Eleven, Inc., P.O. Box 711, Dallas, TX 75221-0711 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Lukoil 69243, 46-41506, 200 S. Easton Rd., Cheltenham Township, **Montgomery County**. Envirotrac Ltd., 3070 Bristol Pike, Building 1, Suite 221, Bensalem, PA 19020, on behalf of Lukoil North America LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former Star Enterprises Scranton Terminal, Storage Tank ID # 40-00825, 801 Suscon Road, Pittston Township, **Luzerne County**. Arcadis US, 6041 Wallace Road Extension, Suite 300, Wexford, PA 15090 on behalf of Chevron Environmental Management Company, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet a combination of Site-Specific and Statewide Health Standards.

Allen's Garage, Storage Tank ID # 58-17804, 370 Main Street, New Milford Borough, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Donald Button, P.O. Box 642, New Milford, PA 18834, has submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Turkey Hill Minit Markets # 307, Storage Tank Facility ID Number 36-06914, 2171 Columbia Avenue, Lancaster, PA 17603, East Hempfield Township,

Lancaster County, Reliance Environmental, Inc., 235 N. Duke Street, Lancaster, PA 17602 on behalf of Turkey Hill Minit Markets, 257 Centerville Road, Lancaster, PA 17603 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard and the Site-Specific Standard.

Penn Waste, Storage Tank Facility ID Number 67-38263, 85 Brick Yard Road, Manchester, PA 17345-9204, Manchester Borough, **York County**, Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823 on behalf of Penn Waste, Inc., 85 Brick Yard Road, Manchester, PA 17345-9204 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

E Z Gas Mart, Storage Tank Facility ID Number 22-17541, 512 South 29th Street, Harrisburg, PA 17104, Harrisburg City, **Dauphin County**, United Environmental Services, Inc., 1143 Long Run Road, Schuylkill Haven, PA 17972 on behalf of Collotia Stores, Inc., 8 South Seasons Drive, Dillsburg, PA 17019 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Etter's Roxbury Store, Storage Tank Facility ID Number 28-01621, 11195 Forge Hill Road, Roxbury, PA 17251, Lurgan Township, **Franklin County**, Converse Consultants, 2738 West College Avenue, State College, PA 16801 on behalf of Garnet Etter, P.O. Box 73, Roxbury, PA 17251 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Weiser's Service, Storage Tank Facility ID # 16-34573, 29128 PA Route 66, Knox Township, **Clarion County**, Flynn Environmental, Inc., 5640 Whipple Avenue NW, Suite 1, North Canton, OH 44720, on behalf of Mrs. Jerrie Weiser, 29128 PA Route 66, Lucinda, PA 16235 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethyl benzene, xylenes, cumene, methyl tert-butyl ether, naphthalene, 1,2,4 trimethyl benzene and 1,3,5 trimethyl benzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construc-

tion details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Septa Frankford Bus Garage, 51-07480, 5235 Penn St., **City of Philadelphia**. Michael Baker International, 1818 Market Street, Suite 1310, Philadelphia, PA 19103, on behalf of SEPTA, 1234 Market Street, 6th Floor, Philadelphia, PA 19107-3780, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet residential Statewide health standards and was approved by the DEP on October 3, 2019.

Avis Rent A Car Sys, 51-10630, Philadelphia International Airport, **City of Philadelphia**. Mid-Atlantic Associates, Inc., 409 Rogers View Court, Raleigh, NC 27610, on behalf of Avis Budget Car Rental, LLC, 6 Sylvan Way, Parsippany, NJ 07054, submitted a Remedial Action Completion Report, concerning remediation of groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of residential Statewide health standards was approved by the DEP on October 11, 2019.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Speedway 6742, Storage Tank ID # 48-32013, 3283 Easton Avenue, Bethlehem Township, **Northampton County**. EMS Environmental, 4550 Bath Pike, Bethlehem, PA 18017, on behalf of Speedway LLC, 500 Speedway Drive, Enon, OH 45323, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was acceptable to meet Residential Statewide Health Standards and was approved by DEP on October 11, 2019.

Bennett's Airline Texaco, Storage Tank ID # 66-20615, 10944 State Route 6, Braintrim Township, **Wyoming County**, Synergy Environmental, Inc., 155 Railroad Plaza, Royersford, PA 19468, on behalf of Dunmore Oil Company, 1031B Reeves Street, Dunmore, PA 18512, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was acceptable to meet Site-Specific Standards and was approved by DEP on October 15, 2019.

Pump-n-Pantry 001, Storage Tank ID # 58-13092, 99 Grow Avenue, Bridgewater Township, **Susquehanna County**. LaBella Associates, 100 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Pump-n-Pantry Inc., 100 Grow Avenue, Montrose, PA 18801 has submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of Statewide Health Standards and was approved by DEP on October 16, 2019.

Merry Maid Novelties, Storage Tank ID # 48-41208, 25 West Messinger Street, Bangor Borough, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Merry Maid Novelties, 25 West Messinger Street, Bangor, PA 18013 has submitted a combined Site Characterization Report and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with heating oil. The Site Characterization Report was acceptable to meet Residential Statewide Health Standards and was approved by DEP on October 17, 2019, but the Remedial Action Completion Report did not demonstrate attainment of the Residential Statewide Health Standards and was disapproved by DEP on October 17, 2019.

Promised Land Junction, Storage Tank ID # 52-50520, 895 State Route 390, Palmyra Township, **Pike County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of Judith and Victor Apellanes, 895 State Route 390, Greentown, PA 18426, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Completion Report demonstrated attainment of Statewide Health Standards and was approved by DEP on October 17, 2019.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Snedeker Holiday Mobil 2, Storage Tank Facility ID # 44-12041, 13037 Ferguson Valley Road, Lewistown, PA 17044, Derry Township, **Mifflin County**, Enviro Trac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086 on behalf of Snedeker Energy, LLC, 709 East Walnut Street, Lewistown, PA 17044 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum constituents. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by the Department on October 15, 2019.

Tyler's Old 322 Service Center, Storage Tank Primary Facility ID # 44-62979, 14 Royal Street, Reedsville, PA 17084-9798, Armaugh Township, **Mifflin County**, YCP, Inc., 1550 Oak Lane, Dover, PA 17315, on behalf of Tyler's Old 322 Service Center, 14 Royal Street, Reedsville, PA 17084-9798, submitted a 3.10(b) Site Characterization—Remedial Action Completion Report concerning remediation of soil contaminated with Unleaded Gasoline constituents. The Remedial Action Completion

Report demonstrated attainment of the Statewide Health Standard and was disapproved by the Department on October 16, 2019.

Blue Ridge CC, Storage Tank Primary Facility ID # 22-64513, 3940 Linglestown Road, Harrisburg, PA 17110, Lower Paxton Township, **Dauphin County**, HRG, Inc., 369 East Park Dr., Harrisburg, PA 17111, on behalf of Blue Ridge CC, 3940 Linglestown Road, Harrisburg, PA 17110, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with Unleaded Gasoline constituents. The Remedial Action Completion Report demonstrated attainment of the Residential Used Aquifer Statewide Health Standard and was approved by the Department on October 18, 2019.

Sunoco Service Station, Storage Tank Primary Facility ID # 36-60264, 1750 Oregon Pike, Lancaster, PA 17601-4204, Lancaster City, **Lancaster County**, Mulry and Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report and a Remedial Action Completion Report Addendum concerning remediation of soil and groundwater contaminated with unleaded gasoline and kerosene short list constituents. The Remedial Action Completion Report and the Remedial Action Completion Report Addendum demonstrated attainment of the Site-Specific Standard in soil and the Statewide Health Standard in groundwater and was approved by the Department on October 21, 2019.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Weiser's Service, Storage Tank Facility ID # 16-34573, 29128 PA Route 66, Knox Township, **Clarion County**. Flynn Environmental, Inc., 5640 Whipple Avenue NW, Suite 1, North Canton, OH 44720, on behalf of Mrs. Jerrie Weiser, 29128 PA Route 66, Lucinda, PA 16235 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethyl benzene, xylenes, cumene, methyl tert-butyl ether, naphthalene, 1,2,4 trimethyl benzene and 1,3,5 trimethyl benzene. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by DEP on October 18, 2019.

SPECIAL NOTICES

Public Hearing Rescheduled for NPDES Permit No. PAD130020

Broad Mountain Wind Project; Nesquehoning Borough and Packer Township, Carbon County

On June 17, 2019, the Department of Environmental Protection (PA DEP/Department) received an administratively complete NPDES Permit application for the Broad Mountain Wind Project, Nesquehoning Borough and Packer Township, Carbon County.

The following applicant has submitted an application:

- | | |
|-------------------------|----------------------|
| (1) Broad Mtn Power LLC | 345 David Rd |
| C/O Liberty Power | Ste 100 |
| | Oakville, ON L6J 2X1 |

The Department will hold a public hearing to accept comment on the documentation and plans associated with the Individual NPDES Permit Application No. PAD130020 for the discharge of stormwater from construction activities to the following receiving water-courses:

Shed A: Oberson Run (HQ-CWF, MF)
 Shed B: Quakake Creek (HQ-CWF, MF)
 Shed C: Deep Run (EV, MF)
 Shed D: Broad Run (EV, MF)
 Shed E: Dennison Run (EV, MF)
 Shed F: Still Creek (HQ-CWF, MF)
 Shed G: Bear Creek (EV, MF)
 Shed H: Grassy Meadow Run (EV, MF)

The public hearing will be conducted on Wednesday, December 4, 2019 at the Panther Valley High School Auditorium, 912 Coal Region Way, Lansford, PA 18232 from 6 p.m.—9 p.m. Representatives from the Department's Waterways and Wetlands Program and Broad Mountain Power LLC will be in attendance.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator at: cconnolly@pa.gov, or Broad Mountain Wind Project Hearing, Department of Environmental Protection, Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915. The Department will accept requests up to the day of the hearing. The Department requests that individuals limit their testimony to 5 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAD130020 documentation and plans. Written copies of oral testimony are requested. Relinquishing time to others will not be allowed. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Nancy Nork at (570) 826-2511 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application documentation and plans are available for review at the Carbon County Conservation District Office, 5664 Interchange Road, Lehighton, PA 18235, 610-377-4894 and/or the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701, (570) 826-2511. For further information, contact Colleen Connolly, Community Relations Coordinator of the Department's Northeast Regional Office at (570) 826-2035.

[Pa.B. Doc. No. 19-1635. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.eLibrary.dep.state.pa.us. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final Technical Guidance: Substantive Revision

DEP ID: 258-2182-773. Title: Management of Fill Policy. Description: A person placing solid waste onto the ground is generally required to obtain a permit under the Solid Waste Management Act (SWMA) (35 P.S. §§ 6018.101—6018.1003). A person is not required to obtain a permit under the SWMA if the person can demonstrate that the material qualifies as clean fill in accordance with the municipal and residual waste regulations in 25 Pa. Code §§ 271.101(b)(3) and 287.101(b)(6) (relating to permit requirement; and general requirements for permit). The Management of Fill Policy defines the universe of materials that qualify as "fill" and provides the Department's procedures for determining whether fill is "clean fill," as defined in the municipal and residual waste regulations in 25 Pa. Code §§ 271.1 and 287.1 (relating to definitions) or "regulated fill," as defined in the policy.

The Department's amendments to the Management of Fill Policy include the following: The policy has been revised for clarity and reorganized for ease of use, providing expanded or revised definitions of existing terms and adding definitions for terms frequently used in the implementation of the policy but were not previously defined.

The amendments include a stepwise procedure for making a fill determination that clearly identifies the steps necessary to perform environmental due diligence; clarifies the procedures for performing analytical testing, if required, in a manner that is acceptable to the Department; and clarifies the requirements for filing forms or obtaining required approvals prior to transporting fill from one site to another.

The chemical concentration limits contained in the Management of Fill Policy that are used to determine whether materials are uncontaminated, as that term is defined in the policy, are derived from numerical limits for residential use specified in 25 Pa. Code Chapter 250 (relating to administration of Land Recycling Program). The chemical concentration limits included in the previous version of the policy were last updated in 2007 and, therefore, are not consistent with the revisions made in 2011 and 2016 to Chapter 250. The revised Management of Fill Policy directly references the applicable limits from 25 Pa. Code Chapter 250 and eliminates Tables FP-1a

(organic constituents) and FP-1b (metals and inorganic constituents) from the policy so that future revisions to the numerical limits in Chapter 250 are automatically updated in the policy.

Appendix A of the policy, relating to sample collection and analytical testing requirements for performing environmental due diligence, has been revised to include guidance on developing a sampling plan that meets the data quality objectives required by the Department; expand the instructions for sampling, including a sampling protocol for fill contained in piles and fill that is sampled in-situ. The revised Appendix A includes new sections that provide a mechanism for demonstrating that an observed exceedance of a numerical limit is due to background at the donor site. The procedure for performing a background determination includes the use of an equivalent site evaluation that ensures new regulated substances are not placed on the receiving site, unless those regulated substances are determined to be pre-existing at the receiving site and that the concentrations of the regulated substances in the donor fill have been compared to the concentration of the same regulated substances at the receiving site.

Contact: Questions regarding this TGD should be directed to Ali Tarquino Morris, ra-epbenuseall@pa.gov or (717) 787-7381. Use “Management of Fill Policy” as the subject line in written communication.

Effective: January 1, 2020

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1636. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 02(2195)101.1, Abandoned Mine Reclamation Project, West Allegheny School, North Fayette Township, Allegheny County. The principal items of work and approximate quantities include: mobilization and demobilization, 1 lump sum; grading, 35,000 cubic yards; and seeding, 8 acres.

This bid issues on November 8, 2019, and bids will be opened on December 5, 2019, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1637. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 11(0824)102.1, Abandoned Mine Reclamation Project, Carrolltown Road No. 1 (II), West Carroll Township, Cambria County. The principal items of work and approximate quantities include: clearing and grubbing, 9.8 acres; installation of 32” compost filter socks, 1,150 linear feet; construction of rock sump-R-6 non-calcareous coarse aggregate, 1,150 tons; construction of rock sump-R-3 non-calcareous coarse aggregate, 270 tons; grading, 131,013 cubic yards; orphan gas well, 1 lump sum; gate, 1 lump sum; and seeding-mulching, 10.2 acres.

This bid issues on November 8, 2019, and bids will be opened on December 5, 2019, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1638. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Justice Advisory Board Meeting and Citizens Advisory Council Joint Meeting

The Environmental Justice Advisory Board (Board) meeting scheduled for Tuesday, November 19, 2019, will begin at 9 a.m. in the Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The Board will then convene with the Citizens Advisory Council (Council) at 10 a.m. in Room 105 for a joint Board/Council meeting.

Questions concerning the November 19, 2019, meeting can be directed to John B. Brakeall at jbrakeall@pa.gov or (717) 783-9731. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection’s (Department) web site at www.dep.pa.gov (select “Public Participation,” then “Advisory Committees,” then “Environmental Justice Advisory Board”).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact John B. Brakeall at (717) 783-9731 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1639. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Growing Greener Plus Grants Program

As part of the Department of Environmental Protection (Department) Growing Greener Plus Grants Program, applications will soon be accepted for Growing Greener (Watershed Restoration and Protection) grants under 27 Pa.C.S. §§ 6101—6119 (relating to the Environmental Stewardship and Watershed Protection Act) and Bond Forfeiture and Abandoned Mine Drainage (AMD) Set-Aside grants under section 18(j) of the Surface Mining Conservation and Reclamation Act (SMCRA) (52 P.S. § 1396.18(j)). Growing Greener grants are designed to improve or protect this Commonwealth's waters from nonpoint source pollution associated with agricultural activities, AMD, stormwater runoff, energy resource extraction, and streambank and shoreline degradation, while Bond Forfeiture and AMD Set-Aside grants are designed to address legacy mining impacts.

Eligible applicants include counties, municipalities, municipal authorities, county conservation districts, watershed organizations, councils of governments, educational institutions and other authorized organizations involved in water resource restoration and protection.

The Department has identified multiple priority areas for this grant solicitation. Priority areas for Growing Greener grants include projects that reduce nonpoint source pollution—especially nitrogen, phosphorous and sediment pollution from agricultural and stormwater runoff—as well as AMD-related iron, aluminum, acidity and sediment pollution. The Department is particularly interested in design and construction projects that implement effective best management practices (BMPs) that reduce

or eliminate pollutant loadings and lead to local water quality improvements. Additional priority areas include: implementation of countywide action plan projects as part of the Commonwealth's Phase 3 Chesapeake Bay Watershed Implementation Plan; restoration of floodplains; implementation of BMPs in municipal separate storm sewer system municipalities as identified in an approved pollutant reduction plan; implementation of projects in watersheds identified as restoration priorities in the Department's 2018 Integrated Water Quality Report; and development of plans to address agricultural erosion and sedimentation or nutrient and manure management.

Through the same application process, applicants can also apply for funding through the Department's SMCRA Grant Programs to address legacy mining impacts. SMCRA grants are available to various entities including municipalities, municipal authorities and nonprofit organizations for projects meeting AMD Set-Aside or Bond Forfeiture grant requirements.

Grant applications and all attachments must be submitted through the Commonwealth's Electronic Single Application web site, eGrants, at www.esa.dced.state.pa.us. The application period opens Monday, November 4, 2019, and will remain open through Friday, December 20, 2019. Any applications submitted after 5 p.m. on December 20, 2019, will not be considered.

To obtain more information about the Growing Greener Plus Grants program, visit the Department's web site at www.dep.pa.gov (select "Residents," then "Grants, Loans and Rebates," then "Growing Greener").

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1640. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Nutrient Credit Trading Program; Certification Requests

The Department of Environmental Protection (Department) has approved the following requests for amendments to certification of pollutant reduction activities to generate nitrogen (N) and phosphorus (P) credits under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed). Pollutant reduction activities include the following agriculture best management practices: conservation tillage (CT), continuous no-till planting methods (CNT), planting cover crops (CC), off-stream watering with and without fencing (pasture) (OFWFP), precision grazing (PG), rotational grazing (RG) and riparian forest buffers (RFB). This certification amendment request approval authorizes the generation of N and P credits for use by facilities with National Pollutant Discharge Elimination System permits in the compliance year in which the credits are generated. This approval is valid until September 30, 2020, provided the pollution reduction activities are implemented, maintained and verified in accordance with the plan contained in the approved certification request.

<i>Applicant/Consultant</i>	<i>Generator/Source</i>	<i>Pollutant Reduction Activity</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Public Comment Notice Date</i>	<i>Certification Date</i>
Lycoming County Conservation District	Barbour	OFWFP, PG, RFB	621	0	8/24/19	10/26/19
Lycoming County Conservation District	Bosch	CT, CNT, CC	1,016	0	8/24/19	10/26/19
Lycoming County Conservation District	Brown, Er.	OFWFP, PG, RFB	1,295	0	8/24/19	10/26/19
Lycoming County Conservation District	Brown, Ev.	OFWFP, PG, RFB	409	0	8/24/19	10/26/19
Lycoming County Conservation District	Gavitt	CT, CNT, CC, OFWFP, RG, RFB	379	0	8/24/19	10/26/19

<i>Applicant/Consultant</i>	<i>Generator/Source</i>	<i>Pollutant Reduction Activity</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Public Comment Notice Date</i>	<i>Certification Date</i>
Lycoming County Conservation District	London	CT, CNT, CC, OFWFP, PG, RFB	1,674	0	8/24/19	10/26/19
Lycoming County Conservation District	Mowery	CT, CNT	571	0	8/24/19	10/26/19
Lycoming County Conservation District	Sherman	CNT, CC, OFWFP, PG	328	0	8/24/19	10/26/19
Lycoming County Conservation District	Schrack Farms	CT, CNT, CC	33,820	0	8/24/19	10/26/19
Lycoming County Conservation District	Ulmer	CT, CNT, CC	3,456	0	8/24/19	10/26/19
Lycoming County Conservation District	Vandine	CT, CNT, CC	155	0	8/24/19	10/26/19

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457.

TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Appeals must be filed with the Board within 30 days of receipt of notice of this action unless the appropriate statute provides a different time. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Copies of the appeal form and the Board's rules of practice and procedure may be obtained at <http://ehb.courtapps.com> or by contacting the Secretary to the Board at (717) 787-3483. The appeal form and the Board's rules are also available in braille and on audiotape from the Secretary to the Board.

Important legal rights are at stake. Individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information. A lawyer is not needed to file a notice of appeal with the Board.

For individuals who wish to challenge this action, appeals must be filed with and received by the Board within 30 days of receipt of notice of this action.

For further information about this action or the Department's Nutrient Credit Trading Program, contact the Division of Operations, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, RA-EPPANutrientTrad@pa.gov, (717) 787-6744 or visit the Department's Nutrient Credit Trading Program web site at www.dep.pa.gov/nutrient_trading.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1641. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Nutrient Credit Trading Program; Mass Certification

The Department of Environmental Protection (Department) provides notice of a mass credit certification action under the Nutrient Credit Trading Program. This action is taken under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed).

On September 7, 2019, the Department provided notice of its intent under the Nutrient Credit Trading Program to issue a mass certification to all significant sewage point source discharges within the Chesapeake Bay watershed with annual mass load effluent limitations (that is, "Cap Loads") in a National Pollutant Discharge Elimination System (NPDES) permit (see 49 Pa.B. 5259 (September 7, 2019)). Comments on this proposal were accepted until October 7, 2019.

For a list of significant sewage point sources in the Commonwealth portion of the Chesapeake Bay Watershed, see Table 7-1 of the Commonwealth's Phase 2 Watershed Implementation Plan (Phase 2 WIP) Wastewater Supplement, available at www.dep.pa.gov/npdes-bay or on the Department's Nutrient Credit Trading Program web site at www.dep.pa.gov/nutrient_trading.

Credit Certification

Effective October 1, 2019, to be eligible to generate credits for sale, all significant sewage point source discharges with an assigned cap load in the Commonwealth's portion of the Chesapeake Bay watershed (see Table 7-1 of the Phase 2 WIP Wastewater Supplement) must demonstrate treated yearly effluent concentrations below 6.0 mg/L total nitrogen (TN) and below 0.8 mg/L total phosphorous (TP)—that is, "baseline concentrations"—in accordance with the procedures described in the Phase 2 WIP Nutrient Trading Supplement, available on the Department's Nutrient Credit Trading Program web site at www.dep.pa.gov/nutrient_trading. When stringent effluent limitations for TN or TP, or both, are established in Part A of the NPDES permit for reasons other than the cap load assigned for protection of the Chesapeake Bay, the permittee is eligible to generate credits when the permittee demonstrates that these effluent limitations

have been achieved in accord with the Phase 2 WIP Nutrient Trading Supplement. In addition:

- to generate credits, facilities must demonstrate they are in compliance with their NPDES permit;
- the total amount of credits the facility is certified to generate cannot exceed its permitted cap load;
- the calculation of credits will be made using formulas described in the Phase 2 WIP Nutrient Trading Supplement; and
- this point source certification will expire on September 30, 2020.

To ensure that verification is complete in time for credit availability to be posted on the Department's web site, facilities are encouraged to provide the Department with their verification requests by October 28 of each year. Verification requests must include a complete Annual Chesapeake Bay Spreadsheet, available on the Department's Nutrient Credit Trading Program web site at www.dep.pa.gov/nutrient_trading, for the compliance year in which the credits were generated (that is, October 1 through September 30). Verification forms and instructions are found on the Credit Trading Process page of the Department's Nutrient Credit Trading Program web site at www.dep.pa.gov/nutrient_trading.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457.

TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Appeals must be filed with the Board within 30 days of receipt of notice of this action unless the appropriate statute provides a different time. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Copies of the appeal form and the Board's rules of practice and procedure may be obtained at <http://ehb.courtapps.com> or by contacting the Secretary to the Board at (717) 787-3483. The appeal form and the Board's rules are also available in braille and on audiotape from the Secretary to the Board.

Important legal rights are at stake. Individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information. A lawyer is not needed to file a notice of appeal with the Board.

For individuals who wish to challenge this action, appeals must be filed with and received by the Board within 30 days of receipt of notice of this action.

For further information about this action or the Department's Nutrient Credit Trading Program, contact the Division of Operations, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, RA-EPPANutrientTrad@pa.gov, (717) 787-6744 or visit the Department's Nutrient Credit Trading Program web site at www.dep.pa.gov/nutrient_trading.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1642. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Proposed State Implementation Plan Revision; Second Maintenance Plan for the Altoona (Blair County) 1997 8-Hour Ozone Nonattainment Area; Public Hearing

The Department of Environmental Protection (Department) is seeking public comment on a proposed revision to the State Implementation Plan (SIP) concerning a second maintenance plan demonstrating that the Altoona (Blair County) Area continues to maintain the 1997 8-hour ozone National Ambient Air Quality Standard (NAAQS). The Department intends to submit this proposed SIP revision to the United States Environmental Protection Agency (EPA) to satisfy sections 107(d)(3)(E)(iv) and 175A(b) of the Clean Air Act (CAA) (42 U.S.C.A. §§ 7407(d)(3)(E)(iv) and 7505a(b)).

Ground-level ozone concentrations above the Federal health-based standard pose a serious human health threat. On April 30, 2004, the EPA designated the Blair County Area as a nonattainment area for the 1997 8-hour ozone NAAQS. See 69 FR 23857 (April 30, 2004). On August 1, 2007, the Blair County Area was redesignated to attainment. See 72 FR 41906 (August 1, 2007). Air quality in the Blair County Area has improved since the EPA's original designations.

On March 6, 2015, the EPA published the final implementation rule for the 2008 8-hour ozone NAAQS. See 80 FR 12264 (March 6, 2015). This final rule revoked the 1997 8-hour ozone NAAQS and stated that one consequence of revocation was that areas that had been redesignated to attainment (maintenance areas) for the 1997 standard no longer needed to submit second 10-year maintenance plans under section 175A(b) of the CAA. See 80 FR 12264, 12302 and 12303. See also, 40 CFR 51.1105(d)(1) (relating to transition from the 1997 ozone NAAQS to the 2008 ozone NAAQS and anti-backsliding). The EPA's 2008 final rule was challenged in *South Coast Air Quality Management Distr. v. EPA et al.*, 882 F.3d. 1138 (D.C. Cir. 2018).

This proposed SIP revision addresses that case. Specifically, the Court vacated the EPA's final implementation rule for the 2008 ozone NAAQS to the extent that it waived the requirement under section 175A(b) of the CAA for states to submit a second 10-year maintenance plan SIP revisions for "orphan maintenance areas" under the 1997 standard (areas that had been redesignated to attainment for the 1997 ozone NAAQS and were designated attainment for the 2008 ozone NAAQS). In doing so, the Court characterized the language of section 175A(b) of the CAA as unambiguous and rejected the EPA's reasoning in the 2008 ozone NAAQS final rule that second maintenance plans were not needed for orphan maintenance areas because the 1997 standard had been revoked. *Id.* at 1156-57.

States with these "orphan maintenance areas" under the 1997 8-hour ozone NAAQS, including this Commonwealth, must submit maintenance plans for the second maintenance period. The Department intends to submit this proposed second maintenance plan SIP revision for the Blair County Area to the EPA for approval.

This proposed SIP revision is available on the Department's web site at <http://www.ahs.dep.pa.gov/eComment>.

The Department will provide the opportunity for a public hearing to receive comments regarding the pro-

posed SIP revision on December 6, 2019, at 10 a.m. at the Department's Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA.

Persons wishing to present testimony should contact Amanda Rodriguez, P.O. Box 8468, Harrisburg, PA 17105, (717) 787-9702 or amarodrigu@pa.gov to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their comments.

If by 12 p.m. on Monday, December 2, 2019, no person has expressed an interest in testifying at the hearing, the hearing will be cancelled. The Department will provide public notice on the Bureau of Air Quality webpage at <http://www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx> if the hearing is cancelled. Persons may also contact the Department to find out if the hearing is cancelled by contacting Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Amanda Rodriguez, amarodrigu@pa.gov or (717) 787-9702. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 or (800) 654-5988 (voice users) to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than Monday, December 9, 2019. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail at ecomment@pa.gov. Written comments can be submitted by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2563. Use "Blair County Area Ozone" as the subject line in written communication.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1643. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Stream Evaluation of Unnamed Tributary 03181 to Tohickon Creek (Bucks County); Water Quality Standards Review

Under 25 Pa. Code § 93.4d (relating to processing of petitions, evaluations and assessments to change a designated use), the Department of Environmental Protection (Department) gives notice that an evaluation will be conducted on the unnamed tributary (UNT) to Tohickon Creek identified by the stream code number 03181—also known as Bog Run—basin to determine the proper protected use designations in this Commonwealth's Water Quality Standards.

UNT 03181 to Tohickon Creek is a tributary to Tohickon Creek. The majority of the basin of UNT 03181 to Tohickon Creek is in Haycock, East Rockhill, West Rockhill and Richland Townships in Bucks County. The evaluation of UNT 03181 to Tohickon Creek is being conducted as part of a National Pollutant Discharge Elimination System permit renewal. UNT 03181 to Tohickon Creek is currently designated Trout Stocking, Migratory Fishes.

Persons who have technical data concerning the water quality, instream habitat or biological condition of these stream sections are encouraged to make it available to the Department for consideration in the evaluation. This evaluation may lead to recommendations to the Environmental Quality Board for redesignation.

Data can be submitted to Mark Brickner, Division of Water Quality, Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774, or mbrickner@pa.gov. Data must be received by Monday, December 2, 2019. All data submitted must include the originator's name and address. All data received will be reviewed and considered in the Department's evaluation.

For further information, contact Mark Brickner at mbrickner@pa.gov or (717) 787-9637. Persons with a disability may use the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1644. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Change of Dates for November Public Meetings

The Statewide HIV Planning Group public meetings originally scheduled for Wednesday, November 13, 2019, from 9 a.m. to 4 p.m. and Thursday, November 14, 2019, from 9 a.m. to 4 p.m. are being moved to Wednesday, November 20, 2019, from 9 a.m. to 4 p.m. and Thursday, November 21, 2019, from 9 a.m. to 4 p.m. at the Best Western Premier The Central Hotel, 800 East Park Drive, Harrisburg, PA 17111.

Jurisdictional HIV prevention planning is a required activity of the Department of Health's (Department) Centers for Disease Control and Prevention grant for Comprehensive HIV Prevention Programs for Health Departments. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so should contact Jill Garland, Acting Bureau Director, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Health and Welfare Building, Harrisburg, PA 17120, (717) 547-3428, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel this meeting without prior notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-1645. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(d) and (e) (relating to prevention, control and surveillance of tuberculosis (TB)):

ManorCare Health Services—Bethel Park
60 Highland Road
Bethel Park, PA 15102
FAC ID # 138802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j):

Claremont Nursing and Rehabilitation Center of Cumberland County
1000 Claremont Road
Carlisle, PA 17013
FAC ID # 037602

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions), specifically the definition of “nurse aide”:

Claremont Nursing and Rehabilitation Center of Cumberland County
1000 Claremont Road
Carlisle, PA 17013
FAC ID # 037602

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-1646. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Advisory Board Meetings

The Medical Marijuana Advisory Board (Board), established under section 1201 of the Medical Marijuana Act (35 P.S. § 10231.1201), hereby gives notice that the Board will meet on the following days and times:

- Thursday, February 13, 2020, from 10 a.m.—noon.
- Tuesday, May 12, 2020, from 10 a.m.—noon.
- Tuesday, August 11, 2020, from 10 a.m.—noon.
- Tuesday, November 10, 2020, from 10 a.m.—noon.

The location for the meeting on Thursday, February 13, 2020, will be in Hearing Room 1, Keystone Building, 400 North Street, 2nd Floor, Harrisburg, PA. All additional meetings previously listed will take place in the Forest Room, Meeting Center, Keystone Building, 400 North Street, Suite 114 East, Harrisburg, PA. At these meetings the Board will present and discuss Board progress and future plans.

For additional information, including an alternative format of this notice (for example, large print, audiotape, Braille) or for persons with a disability who wish to attend the meetings who require an auxiliary aid, service or other accommodation to do so, contact Holli Senior, Special Assistant, Office of Medical Marijuana, 625 Forster Street, Room 628, Health and Welfare Building, Harrisburg, PA 17120, (717) 547-3047, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). These meetings are subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-1647. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Ho Ho Ho Tic-Tac-Toe Fast Play Game 5072

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name*: The name of the lottery game is Pennsylvania Ho Ho Ho Tic-Tac-Toe (hereinafter “Ho Ho Ho Tic-Tac-Toe”). The game number is PA-5072.

2. *Definitions*:

(a) *Authorized Retailer or Retailer*: A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar Code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *LINE*: A specific, pre-defined portion of the play area, which contains three play symbols and a prize symbol in a column or row, that when played according to the instructions, determine whether a player wins a prize. Each LINE is played separately.

(e) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(g) *Play*: A chance to participate in a particular Fast Play lottery game.

(h) *Play Area*: The area on a ticket which contains one or more play symbols.

(i) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *PRIZE*: A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *WINNING SYMBOLS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the play symbols in any "LINE," determine whether a player wins a prize.

(l) *Winning Ticket*: A game ticket which has been validated and qualifies for a prize.

3. *Price*: The price of a Ho Ho Ho Tic-Tac-Toe ticket is \$1.

4. *Description of Ho Ho Ho Tic-Tac-Toe lottery game*:

(a) The Ho Ho Ho Tic-Tac-Toe lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select his or her own play symbols. Ho Ho Ho Tic-Tac-Toe tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Ho Ho Ho Tic-Tac-Toe is played by matching the play symbols in the "WINNING SYMBOLS" area to the play symbols located in each "LINE." A player matching all three play symbols in any "LINE" to any three of the "WINNING SYMBOLS" will win the prize shown for that "LINE." Each "LINE" is played separately. A bet slip is not used to play this game.

(c) Players can win the prize identified in section 7 (relating to prizes available to be won and determination of prize winners).

(d) A Ho Ho Ho Tic-Tac-Toe game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Ho Ho Ho Tic-Tac-Toe game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Ho Ho Ho Tic-Tac-Toe game ticket and select the Ho Ho Ho Tic-Tac-Toe option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Ho Ho Ho Tic-Tac-Toe ticket characteristics*:

(a) A Ho Ho Ho Tic-Tac-Toe ticket shall contain a play area, the cost of the play, the date of sale, and a bar code. Each ticket consists of six "LINE" areas. Each "LINE" is played separately.

(b) *Play Symbols*: Each Ho Ho Ho Tic-Tac-Toe ticket play area will contain a "WINNING SYMBOLS" area and six "LINE" areas. The play symbols located in the "WINNING SYMBOLS" area are: Deer (DEER) symbol, Poinsettia (POINSETTIA) symbol, Penguin (PENGUIN) symbol, Bear (BEAR) symbol, Cupcake (CUPCAKE) symbol, Star (STAR) symbol, Trumpet (TRUMPET) symbol, Scarf (SCARF) symbol, Milk and Cookies (MILK COOKIE) symbol, Wreath (WREATH) symbol, Snow Globe (SNOW GLOBE) symbol, Brownie (BROWNIE) symbol, Bow (BOW) symbol, Present (PRESENT) symbol, Holly (HOLLY) symbol, Drum (DRUM) symbol, Firewood (FIREWOOD) symbol, Fireplace (FIREPLACE) symbol, Mitten (MITTEN) symbol, Snowflake (SNWFLK) symbol, Ornament (ORNAMENT) symbol, and a Gingerbread Man (GNGBREAD) symbol. The play symbols located in each "LINE" area are: Deer (DEER) symbol, Poinsettia (POINSETTIA) symbol, Penguin (PENGUIN) symbol, Bear (BEAR) symbol, Cupcake (CUPCAKE) symbol, Star (STAR) symbol, Trumpet (TRUMPET) symbol, Scarf (SCARF) symbol, Milk and Cookies (MILK COOKIE) symbol, Wreath (WREATH) symbol, Snow Globe (SNOW GLOBE) symbol, Brownie (BROWNIE) symbol, Bow (BOW) symbol, Present (PRESENT) symbol, Holly (HOLLY) symbol, Drum (DRUM) symbol, Firewood (FIREWOOD) symbol, Fireplace (FIREPLACE) symbol, Mitten (MITTEN) symbol, Snowflake (SNWFLK) symbol, Ornament (ORNAMENT) symbol, and a Gingerbread Man (GNGBREAD) symbol.

(c) *Prize Symbols*: The prize symbols and their captions located in the play area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$500 (FIV HUN), and \$2,500 (TWYFIVHUN).

(d) *Prizes*: The prizes that can be won in this game are: Free \$1 Fast Play Ticket, \$1, \$2, \$4, \$5, \$10, \$20, \$25, \$40, \$100, \$500, and \$2,500. A player can win up to four times on a ticket.

(e) *Approximate number of tickets available for the game*: Approximately 2,400,000 tickets will be available for sale for the Ho Ho Ho Tic-Tac-Toe lottery game.

6. *Second-Chance Drawing*: The Pennsylvania Lottery will conduct a Holly Jolly Second-Chance Drawing for which non-winning Ho Ho Ho Tic-Tac-Toe lottery game tickets may be eligible as provided for in section 9.

7. *Prizes available to be won and determination of prize winners*:

(a) All Ho Ho Ho Tic-Tac-Toe prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$2,500 (TWYFIVHUN) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$2,500.

(c) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$40.00 (FORTY) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$40.

(f) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$25.00 (TWY FIV) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$25.

(g) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$20.00 (TWENTY) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three

play symbols in the same "LINE," and a prize symbol of \$10.00 (TEN DOL) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$10.

(i) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$5.00 (FIV DOL) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$5.

(j) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$4.00 (FOR DOL) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$4.

(k) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$2.00 (TWO DOL) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$2.

(l) Holders of tickets upon which any three of the "WINNING SYMBOLS" play symbols match all three play symbols in the same "LINE," and a prize symbol of \$1.00 (ONE DOL) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of \$1.

(m) Holders of tickets upon which any three of the "WINNING NUMBER" play symbols match all three play symbols in the same "LINE," and a prize symbol of FREE (TICKET) appears in the "PRIZE" area for that "LINE," on a single ticket, shall be entitled to a prize of one Ho Ho Tic-Tac-Toe game ticket.

8. *Number and Description of Prizes and Approximate Chances of Winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>Match The Winning Symbols To The Symbols In Each LINE. When You Match All Three Symbols In Any LINE, Win Prize Shown For That Line. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	10	240,000
\$1	\$1	76.92	31,200
\$1 x 2	\$2	25	96,000
\$2	\$2	25	96,000
\$1 x 4	\$4	333.33	7,200
\$2 x 2	\$4	333.33	7,200
(\$1 x 2) + \$2	\$4	125	19,200
\$4	\$4	333.33	7,200
(\$2 x 2) + \$1	\$5	200	12,000
\$4 + \$1	\$5	100	24,000
\$5	\$5	200	12,000
\$5 x 2	\$10	666.67	3,600
(\$4 x 2) + (\$1 x 2)	\$10	1,000	2,400

<i>Match The Winning Symbols To The Symbols In Each LINE. When You Match All Three Symbols In Any LINE, Win Prize Shown For That Line. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
(\$2 × 3) + \$4	\$10	333.33	7,200
\$10	\$10	666.67	3,600
\$10 × 2	\$20	1,667	1,440
(\$5 × 2) + \$10	\$20	2,500	960
\$10 + \$5 + \$4 + \$1	\$20	2,000	1,200
\$20	\$20	10,000	240
(\$5 × 3) + \$10	\$25	10,000	240
(\$10 × 2) + \$5	\$25	2,500	960
\$25	\$25	3,333	720
\$10 × 4	\$40	4,800	500
\$20 × 2	\$40	4,800	500
(\$10 × 2) + \$20	\$40	4,800	500
\$25 + \$10 + \$4 + \$1	\$40	3,429	700
\$40	\$40	4,800	500
(\$25 × 2) + \$40 + \$10	\$100	17,143	140
(\$40 × 2) + \$20	\$100	15,000	160
\$100	\$100	24,000	100
\$500	\$500	120,000	20
\$2,500	\$2,500	240,000	10

Each "LINE" is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* Pennsylvania Lottery's Holly Jolly Second-Chance Drawing for qualifying Fast Play Lottery game tickets (hereafter, the "Drawing"):

(a) *Qualifying Tickets:* Non-winning PA-5070 Holiday Tree Farm (\$5); PA-5071 Snow Much Fun (\$2); and PA-5072 Ho Ho Ho Tic-Tac-Toe (\$1) Fast Play Lottery game tickets ("Qualifying Tickets") are eligible for entry in the Drawing.

(b) *Participation and entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(4) Only one claimant per entry is allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Holly Jolly Second-Chance Drawing for qualifying Fast Play Lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. November 4, 2019, through 11:59:59 p.m. January 2, 2020, will be entered into the Drawing to be held between January 3, 2020 and January 14, 2020.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) When a Qualifying Ticket is entered into the Drawing, the entry has a chance to be multiplied by five or ten (hereafter the "Entry Multiplier Prize"). Each Qualifying Ticket will have a predetermined ticket file assigned at the time the ticket is printed that will determine whether an entry will be multiplied. If an entry is multiplied, the entrant will be notified during the entry process.

(5) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered and the Entry Multiplier Prize, if applicable. The respective purchase price and corresponding number of entries for the Qualifying Ticket is as

follows: PA-5070 Holiday Tree Farm (\$5) = five entries; PA-5071 Snow Much Fun (\$2) = two entries; and PA-5072 Ho Ho Ho Tic-Tac-Toe (\$1) = one entry.

(6) Players may review prizes won and their entries for the Drawing via the Drawing’s promotional web site.

(d) *Prizes available to be won, determination of winners, and odds of winning:*

<i>Qualifying Tickets:</i>	<i>Approximate Number of Entry Multiplier Prizes:</i>		<i>Approximate Odds of Winning a 5X or 10X Multiplier Are 1 In:</i>	
	5X	10X	5X	10X
Holiday Tree Farm	351,134	175,567	5	10
Snow Much Fun	180,162	360,324	10	5
Ho Ho Ho Tic-Tac-Toe	182,231	364,462	10	5

(3) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted the winning entry shall be entitled to a prize of \$100,000, less required income tax withholding.

(ii) The second entry selected in the Drawing will be a winning entry and the entrant who submitted the winning entry shall be entitled to a prize of \$50,000, less required income tax withholding.

(iii) The third through the seventh entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(iv) The eighth through the fifty-seventh entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(4) All prizes will be paid as lump-sum cash payments or uploaded to a winning player’s Lottery account.

(5) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their Lottery account and will receive an email notifying them that they won a prize.

(6) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery’s publicly accessible web site.

(7) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(8) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. If an entry is selected as a winner and rejected or

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e), or mentioned anywhere else in these rules.

(2) The following table sets forth the approximate number of Entry Multiplier Prizes and the approximate odds of winning an Entry Multiplier Prize:

otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, MARC USA, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery’s sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery Terms and Conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(5). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, if a player wins \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's Lottery account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Ticket Responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person so named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket Validation and Requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing Law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Ho Ho Ho Tic-Tac-Toe lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer Compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Ho Ho Ho Tic-Tac-Toe lottery game tickets.

19. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Ho Ho Ho Tic-Tac-Toe or through normal communications methods.

21. *Applicability:* This notice applies only to the Ho Ho Ho Tic-Tac-Toe lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-1648. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Holiday Tree Farm Fast Play Game 5070

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers

and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Holiday Tree Farm (hereinafter "Holiday Tree Farm"). The game number is PA-5070.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(e) *Lottery terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(f) *Play:* A chance to participate in a particular Fast Play lottery game.

(g) *Play area:* The area on a ticket which contains one or more play symbols.

(h) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(i) *Prize:* A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(j) *WINNING NUMBERS:* The numbers, letters, symbols or other characters found in the play area that, when matched against the play symbols in the "YOUR NUMBERS" area, determine whether a player wins a prize.

(k) *Winning ticket:* A game ticket which has been validated and qualifies for a prize.

(l) *YOUR NUMBERS:* The numbers, letters, symbols or other characters found in the main play area that, when matched against the play symbols in the "WINNING NUMBERS" area, determine whether a player wins a prize.

3. *Price:* The price of a Holiday Tree Farm ticket is \$5.

4. *Description of Holiday Tree Farm lottery game:*

(a) The Holiday Tree Farm lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select his or her own play symbols. Holiday Tree Farm tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Holiday Tree Farm is played by matching the play symbols in the "WINNING NUMBERS" area to the play symbols located in the "YOUR NUMBERS" area. A player matching play symbols in this manner will win the prize shown under the "YOUR NUMBERS" play symbol. A bet slip is not used to play this game.

(c) Players can win the prize identified in section 7 (relating to prizes available to be won and determination of prize winners).

(d) A Holiday Tree Farm game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Holiday Tree Farm game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Holiday Tree Farm game ticket and select the Holiday Tree Farm option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Holiday Tree Farm ticket characteristics:*

(a) A Holiday Tree Farm ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols:* Each Holiday Tree Farm ticket play area will contain a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), and 30 (THIRT). The prize symbols located in the "YOUR NUMBERS" play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), and 30 (THIRT).

(c) *Prize Symbols:* The prize symbols and their captions located in the play area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), and \$50,000 (FTY THO).

(d) *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$40, \$50, \$100, \$400, \$500, \$1,000, \$5,000, and \$50,000. A player can win up to 12 times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 2,400,000 tickets will be available for sale for the Holiday Tree Farm lottery game.

6. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct a Holly Jolly Second-Chance Drawing for which non-winning Holiday Tree Farm lottery game tickets may be eligible as provided for in section 9.

7. *Prizes available to be won and determination of prize winners:*

(a) All Holiday Tree Farm prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50,000 (FTY THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10^{.00} (TEN DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the

"WINNING NUMBERS" play symbols and a prize symbol of \$5^{.00} (FIV DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate chances of winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets</i>
\$5	\$5	8.7	276,000
\$5 × 2	\$10	25	96,000
\$10	\$10	33.33	72,000
\$5 × 3	\$15	40	60,000
\$5 + \$10	\$15	100	24,000
\$15	\$15	100	24,000
\$5 × 4	\$20	250	9,600
\$10 × 2	\$20	250	9,600
(\$5 × 2) + \$10	\$20	250	9,600
\$15 + \$5	\$20	222.22	10,800
\$20	\$20	200	12,000
\$20 × 2	\$40	500	4,800
(\$10 × 3) + (\$5 × 2)	\$40	500	4,800
(\$15 × 2) + \$10	\$40	500	4,800
\$20 + \$15 + \$5	\$40	1,000	2,400
\$40	\$40	1,000	2,400
\$10 × 5	\$50	1,000	2,400
(\$15 × 2) + (\$10 × 2)	\$50	1,000	2,400
(\$15 × 2) + (\$5 × 4)	\$50	1,000	2,400
(\$10 × 3) + \$20	\$50	1,000	2,400
(\$20 × 2) + \$10	\$50	1,000	2,400
\$40 + \$10	\$50	1,000	2,400
\$50	\$50	500	4,800
\$50 × 2	\$100	8,000	300
(\$15 × 4) + (\$10 × 4)	\$100	8,000	300
(\$20 × 2) + (\$15 × 2) + (\$10 × 2) + (\$5 × 2)	\$100	8,000	300
(\$40 × 2) + \$20	\$100	8,000	300
\$50 + \$40 + \$10	\$100	8,000	300
\$100	\$100	8,000	300
\$100 × 4	\$400	30,000	80
(\$50 × 4) + (\$40 × 4) + (\$20 × 2)	\$400	30,000	80
(\$100 × 2) + (\$50 × 2) + (\$20 × 2) + (\$15 × 2) + (\$10 × 2) + (\$5 × 2)	\$400	30,000	80
\$400	\$400	30,000	80

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets</i>
\$100 × 5	\$500	120,000	20
(\$100 × 2) + (\$50 × 2) + (\$40 × 3) + (\$20 × 4)	\$500	120,000	20
(\$50 × 4) + (\$40 × 4) + (\$20 × 2) + \$100	\$500	120,000	20
\$400 + \$100	\$500	120,000	20
\$500	\$500	120,000	20
\$500 × 2	\$1,000	120,000	20
(\$400 × 2) + (\$100 × 2)	\$1,000	120,000	20
(\$400 × 2) + (\$50 × 2) + (\$20 × 2) + \$50 + \$10	\$1,000	120,000	20
\$1,000	\$1,000	120,000	20
\$1,000 × 5	\$5,000	240,000	10
\$5,000	\$5,000	240,000	10
\$50,000	\$50,000	240,000	10

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* Pennsylvania Lottery's Holly Jolly Second-Chance Drawing for qualifying Fast Play Lottery game tickets (hereafter, the "Drawing"):

(a) *Qualifying Tickets:* Non-winning PA-5070 Holiday Tree Farm (\$5); PA-5071 Snow Much Fun (\$2); and PA-5072 Ho Ho Ho Tic-Tac-Toe (\$1) Fast Play Lottery game tickets ("Qualifying Tickets") are eligible for entry in the Drawing.

(b) *Participation and entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(4) Only one claimant per entry is allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Holly Jolly Second-Chance Drawing for qualifying Fast Play Lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. November 4, 2019, through 11:59:59 p.m. January 2, 2020, will be entered into the Drawing to be held between January 3, 2020 and January 14, 2020.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) When a Qualifying Ticket is entered into the Drawing, the entry has a chance to be multiplied by five or ten (hereafter the "Entry Multiplier Prize"). Each Qualifying Ticket will have a predetermined ticket file assigned at the time the ticket is printed that will determine whether an entry will be multiplied. If an entry is multiplied, the entrant will be notified during the entry process.

(5) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered and the Entry Multiplier Prize, if applicable. The respective purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-5070 Holiday Tree Farm (\$5) = five entries; PA-5071 Snow Much Fun (\$2) = two entries; and PA-5072 Ho Ho Ho Tic-Tac-Toe (\$1) = one entry.

(6) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners, and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e), or mentioned anywhere else in these rules.

(2) The following table sets forth the approximate number of Entry Multiplier Prizes and the approximate odds of winning an Entry Multiplier Prize:

<i>Qualifying Tickets:</i>	<i>Approximate Number of Entry Multiplier Prizes:</i>		<i>Approximate Odds of Winning a 5X or 10X Multiplier Are 1 In:</i>	
	5X	10X	5X	10X
Holiday Tree Farm	351,134	175,567	5	10
Snow Much Fun	180,162	360,324	10	5
Ho Ho Ho Tic-Tac-Toe	182,231	364,462	10	5

(3) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted the winning entry shall be entitled to a prize of \$100,000, less required income tax withholding.

(ii) The second entry selected in the Drawing will be a winning entry and the entrant who submitted the winning entry shall be entitled to a prize of \$50,000, less required income tax withholding.

(iii) The third through the seventh entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(iv) The eighth through the fifty-seventh entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(4) All prizes will be paid as lump-sum cash payments or uploaded to a winning player's Lottery account.

(5) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their Lottery account and will receive an email notifying them that they won a prize.

(6) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(7) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(8) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. If an entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, MARC USA, Scientific Games International Inc., MDI Entertain-

ment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery Terms and Conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(5). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, if a player wins \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money

awarded is converted into cash which may be withdrawn from the player's Lottery account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person so named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets:* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Holiday Tree Farm lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer incentive programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Holiday Tree Farm lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Holiday Tree Farm or through normal communications methods.

21. *Applicability:* This notice applies only to the Holiday Tree Farm lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-1649. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Millionaire Raffle XXIX Raffle Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 874.4 (relating to notice of raffle lottery game rules), the Secretary of Revenue hereby provides public notice of the rules for the following raffle lottery game:

1. *Name:* The name of the raffle lottery game is Pennsylvania Millionaire Raffle XXIX.

2. *Price:* The price of one Pennsylvania Millionaire Raffle XXIX lottery game ticket is \$20.

3. *Ticket Sales and Drawing Date:* Pennsylvania Millionaire Raffle XXIX lottery game ticket sales will commence on or after November 5, 2019, and will continue until all 500,000 tickets have been sold, or 8:00 p.m. on January 4, 2020, whichever occurs earlier.

4. *Ticket Characteristics:* Each Pennsylvania Millionaire Raffle XXIX lottery game ticket will contain one unique computer-generated eight-digit number between 00000001 and 00500000, the drawing date, amount bet, and validation data.

5. *Prizes:* The prizes that can be won in this game are \$100, \$1,000, \$100,000 and \$1,000,000.

6. *Maximum Number of Tickets Printed and Sold for the Game:* There will be no more than 500,000 tickets printed and sold for the Pennsylvania Millionaire Raffle XXIX lottery game. The chances will be sequentially issued on a statewide basis from the range of individual unique numbers representing the chances available for the game.

7. *Weekly Drawings:*

(a) *Conduct of the Weekly Drawings:* The Lottery will conduct eight (8) Weekly Drawings, each of which will award one (1) prize of \$100,000, for a total of eight (8) prizes.

(1) Each ticket purchased during the entry period for each Weekly Drawing will be automatically entered into that week's Weekly Drawing, as described in section 7(b) (relating to the Weekly Drawing entry periods), as well as the Millionaire Raffle Drawing on January 4, 2020, as described in section 8 (relating to conduct of Millionaire Raffle Drawing).

(2) A computer-generated randomizer will be used to conduct each Weekly Drawing. One unique eight-digit number will be drawn from the range of numbers representing the chances sold during each Weekly Drawing entry period. The unique eight-digit number drawn will be the winning number.

(3) The winning ticket numbers for each Weekly Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(b) *Weekly Drawing Entry Periods:*

(1) All tickets sold between November 5, 2019 at 12:00:00 a.m. and November 11, 2019 at 11:59:59 p.m. will be entered into Weekly Drawing 1, held between November 12, 2019 and November 18, 2019, with winners announced by November 18, 2019.

(2) All tickets sold between November 12, 2019 at 12:00:00 a.m. and November 18, 2019 at 11:59:59 p.m. will be entered into Weekly Drawing 2, held between November 19, 2019 and November 25, 2019, with winners announced by November 25, 2019.

(3) All tickets sold between November 19, 2019 at 12:00:00 a.m. and November 25, 2019 at 11:59:59 p.m. will be entered into Weekly Drawing 3, held between November 26, 2019 and December 3, 2019, with winners announced by December 3, 2019.

(4) All tickets sold between November 26, 2019 at 12:00:00 a.m. and December 2, 2019 at 11:59:59 p.m. will be entered into Weekly Drawing 4, held between December 3, 2019 and December 9, 2019, with winners announced by December 9, 2019.

(5) All tickets sold between December 3, 2019 at 12:00:00 a.m. and December 9, 2019 at 11:59:59 p.m. will be entered into Weekly Drawing 5, held between December 10, 2019 and December 16, 2019, with winners announced by December 16, 2019.

(6) All tickets sold between December 10, 2019 at 12:00:00 a.m. and December 16, 2019 at 11:59:59 p.m. will be entered into Weekly Drawing 6, held between December 17, 2019 and December 23, 2019, with winners announced by December 23, 2019.

(7) All tickets sold between December 17, 2019 at 12:00:00 a.m. and December 23, 2019 at 11:59:59 p.m. will be entered into Weekly Drawing 7, held between

December 24, 2019 and December 30, 2019, with winners announced by December 30, 2019.

(8) All tickets sold between December 24, 2019 at 12:00:00 a.m. and December 30, 2019 at 11:59:59 p.m. will be entered into Weekly Drawing 8, held between December 31, 2019 and January 4, 2020, with winners announced by January 4, 2020.

(9) All tickets sold after December 30, 2019 at 11:59:59 p.m. will only be eligible for the Millionaire Raffle drawing.

(c) *Determination of Weekly Drawing Prize Winners.*

(1) The first unique eight-digit number drawn from among the tickets automatically entered into each of the Weekly Drawings will be the winning number and the holder of the ticket that matches the winning numbers shall each be entitled to a prize of \$100,000.

(2) The tickets bearing the winning numbers from each Weekly Drawing shall be ineligible to win a prize in any subsequent Weekly Drawing, but shall be entered into the Millionaire Raffle Drawing, as described in section 8 (relating to conduct of Millionaire Raffle Drawing), and shall be eligible to win a prize described in section 9 (relating to determination of Millionaire Raffle Drawing prize winners).

(d) *Conduct of Weekly Drawings in the Event that All Tickets Are Sold.*

(1) If all Raffle tickets are sold during any of the Weekly Drawing entry periods described in section 7(b) (relating to Weekly Drawing entry periods), the Lottery will conduct the Weekly Drawing for that entry period from among all tickets sold during that entry period. For all subsequent Weekly Drawings, all non-winning tickets from the prior Weekly Drawing(s) will be eligible to be entered into any remaining Weekly Drawings, subject to section 7(d)(2).

(2) A winning ticket selected in any Weekly Drawing conducted under subsection 7(d) (relating to conduct of Weekly Drawings in the event that all tickets are sold) will be ineligible to win in any subsequent Weekly Drawings conducted under this subsection.

(e) The odds of an entry being selected in each Weekly Drawing depends upon the number of tickets sold during the entry period for each Weekly Drawing.

(f) The entry periods for the Weekly Drawings will be posted to the Pennsylvania Lottery's publicly accessible web site.

8. *Conduct of Millionaire Raffle Drawing:* The results of the Pennsylvania Millionaire Raffle XXIX lottery game will be posted to the Lottery's publicly accessible web site on January 4, 2020, after 10:00 p.m. A computer-generated randomizer will be used to conduct the drawing. Six-thousand (6,000) unique eight-digit numbers will be drawn from the range of numbers representing the chances sold. The first four unique eight-digit numbers drawn will be the first-prize-tier winning numbers. The fifth through eighth unique eight-digit numbers drawn will be the second-prize-tier winning numbers. The ninth through 108th unique eight-digit numbers drawn will be the third-prize-tier winning numbers. The 109th through 6,000th unique eight-digit numbers drawn will be the fourth-prize-tier winning numbers. A player may only win one time on each ticket or chance for the Millionaire Raffle Drawing.

9. *Determination of Millionaire Raffle Drawing Prize Winners:*

(a) Holders of tickets upon which the unique eight-digit number exactly matches one of the first-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000,000.

(b) Holders of tickets upon which the unique eight-digit number exactly matches one of the second-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which the unique eight-digit number exactly matches one of the third-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which the unique eight-digit number exactly matches one of the fourth-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100.

10. *Number and Description of Prizes and Approximate Odds:* The Pennsylvania Millionaire Raffle XXIX lottery game prizes and determination of winners are as follows:

<i>Ticket Matching Exactly the Unique Eight-digit Number Drawn:</i>	<i>Win Prize Of:</i>	<i>Maximum Odds Of Winning Are 1 In:</i>	<i>Number Of Winners</i>
First-Prize-Tier	\$1,000,000	125,000	4
Second-Prize-Tier	\$100,000	125,000	4
Third-Prize-Tier	\$1,000	5,000	100
Fourth-Prize-Tier	\$100	84.86	5,892

The odds of winning are based on selling all 500,000 tickets. If all 500,000 tickets are not sold, the odds of winning will depend on the total number of tickets sold. All Pennsylvania Millionaire Raffle XXIX lottery game prize payments, including first-prize-tier prizes, will be made as one-time, lump-sum cash payments. All required income tax withholding will be automatically deducted from the lump-sum cash payment for all first-prize-tier and second-prize-tier prizes.

11. *Consumer Promotional Programs:* The Lottery may conduct promotional activities to promote the sale of Pennsylvania Millionaire Raffle XXIX lottery game tickets, including offering tickets at a discounted price. Details of any such offering will be disseminated through media used to advertise or promote the Pennsylvania Millionaire Raffle XXIX lottery game or through normal communications methods.

12. *Retailer Bonus:* The Lottery in its sole discretion may offer a retailer bonus in connection with the sale of Pennsylvania Millionaire Raffle XXIX lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the winning ticket is claimed and validated or approximately 30 days after the date of the drawing in which the winning ticket was entered, provided that Lottery security can and has verified the sales transaction as valid. A bonus will not be awarded to a Lottery retailer that sells a Pennsylvania Millionaire Raffle XXIX lottery game ticket used to enter a Pennsylvania Lottery Second-Chance Drawing or promotion that is subsequently selected to win a prize in that second-chance drawing or promotion.

13. *Promotional Drawings:* The Pennsylvania Lottery may conduct promotional drawings associated with the Pennsylvania Millionaire Raffle XXIX lottery game. If the Lottery does conduct such a promotional drawing, Pennsylvania Millionaire Raffle XXIX lottery game tickets will be imprinted with a unique code to be used by players to enter the promotional drawings. The promotional drawings may be held independently of or in conjunction with the regular Pennsylvania Millionaire Raffle XXIX drawings. The Secretary will announce the existence of the promotional drawings. Winners of promotional drawings will be randomly selected from the group of qualified entries. A description of the available prize(s) and the specific rules and other information necessary for the conduct of the promotional drawings will be posted to the Lottery's publicly accessible web site. A copy of the same will also be kept on file with the Lottery and will be available upon request.

14. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Millionaire Raffle XXIX lottery game tickets. The conduct of the Program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

15. *Unclaimed Prize Money:* Unclaimed prize money on winning Pennsylvania Millionaire Raffle XXIX lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the announced close of the Pennsylvania Millionaire Raffle XXIX lottery game. If no claim is made within 1 year of the announced close of the Pennsylvania Millionaire Raffle XXIX lottery game conducted by the State Lottery, the right of a ticket holder to claim the prize represented by that ticket, if any, expires and the prize money will be paid into the State Lottery Fund and used for purposes otherwise provided for by statute.

16. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61

Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-1650. Filed for public inspection November 1, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Snow Much Fun Fast Play Game 5071

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Snow Much Fun (hereinafter "Snow Much Fun"). The game number is PA-5071.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *GAME:* A specific, pre-defined area of a game ticket located in the play area that contains play symbols and prize symbols that, when played according to the instructions, determine whether a player wins a prize.

(d) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(e) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(g) *Play:* A chance to participate in a particular Fast Play lottery game.

(h) *Play Area:* The area on a ticket which contains one or more play symbols.

(i) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *PRIZE:* A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *SNOWFLAKE:* The visual representation of a snowflake outline printed beneath certain play symbols in the four "GAME" areas. When a "YOUR NUMBERS" play symbol is printed over a snowflake outline and matches any of the "WINNING NUMBERS" play symbols, the player wins all four prizes shown for that GAME. "SNOWFLAKE" wins are not multiplied.

(l) *WINNING NUMBER*: The number, letter, symbol or other character found in each GAME located in the play area that, when matched against the play symbols in the "YOUR NUMBERS" area, determine whether a player wins a prize.

(m) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(n) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the "WINNING NUMBER" for that "GAME," determine whether a player wins a prize. The "YOUR NUMBERS" play symbols in a Snow Much Fun game will appear in either a Snowman outline or a "SNOWFLAKE" outline.

3. *Price*: The price of a Snow Much Fun ticket is \$2.

4. *Description of the Snow Much Fun Fast Play lottery game*:

(a) The Snow Much Fun lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select his or her own play symbols. Snow Much Fun game tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer. A bet slip is not used to play this game.

(b) Snow Much Fun is played by matching any of the "YOUR NUMBERS" play symbols, appearing in either a Snowman or a "SNOWFLAKE," to the "WINNING NUMBER" play symbol for that "GAME."

(1) Players that correctly match any of the "YOUR NUMBERS" play symbols appearing in a Snowman shall win the PRIZE shown to the right of that "GAME." The player's prize is multiplied by either one, two or three depending on the position of the matching "YOUR NUMBERS" play symbol. If the player matches the first symbol, from left to right, the player's prize is multiplied by one. If the player matches the second symbol, from left to right, the player's prize is multiplied by two. If the player matches the third symbol, from left to right, the player's prize is multiplied by three.

(2) Players that correctly match any "YOUR NUMBERS" play symbol appearing in a "SNOWFLAKE" shall win all four prizes shown on the ticket. Prizes won by matching a "YOUR NUMBERS" play symbol appearing in a "SNOWFLAKE" to the "WINNING NUMBER" play symbol for that "GAME" are not multiplied.

(c) Players can win the prize identified in section 7 (relating to prizes available to be won and determination of prize winners).

(d) A Snow Much Fun game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Snow Much Fun game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Snow Much Fun game ticket and select the Snow Much Fun option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Pennsylvania Snow Much Fun game ticket characteristics*:

(a) A Snow Much Fun ticket shall contain a play area, the cost of the play, the date of sale, and a bar code. Each ticket consists of four "GAME" areas.

(b) *Play Symbols*: Each Snow Much Fun game ticket play area will contain a "WINNING NUMBER" area, a "YOUR NUMBERS" area and four "GAME" areas. Arrows above each column of "YOUR NUMBERS" display the multiplier assigned to the play symbols that appear in each column. The arrows are labeled "1X," "2X" and "3X." The "YOUR NUMBERS" area consists of play symbols that appear in either a Snowman or a "SNOWFLAKE." The play symbols located in the "WINNING NUMBER" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT). The play symbols located in the "YOUR NUMBERS" area, that can appear in either a Snowman or a "SNOWFLAKE," are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT).

(c) *Prize Symbols*: The prize symbols and their captions located to the right of the four "GAME" areas are: \$2.⁰⁰ (TWO DOL), \$4.⁰⁰ (FOR DOL), \$5.⁰⁰ (FIV DOL), \$10.⁰⁰ (TEN DOL), \$15.⁰⁰ (FIFTEEN), \$20.⁰⁰ (TWENTY), \$30.⁰⁰ (THIRTY), \$50.⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN) and \$10,000 (TEN THO).

(d) *Prizes*: The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$15, \$20, \$30, \$50, \$100, \$200, \$500 and \$10,000. A player can win up to four times on a ticket.

(e) *Approximate number of tickets available for the Game*: Approximately 2,400,000 tickets will be available for sale for the Snow Much Fun lottery game.

6. *Second-Chance Drawing*: The Pennsylvania Lottery will conduct a Holly Jolly Second-Chance Drawing for which non-winning Snow Much Fun lottery game tickets may be eligible as provided for in section 9.

7. *Prizes available to be won and determination of prize winners*:

(a) All Snow Much Fun prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols, appearing in a Snowman, match the "WINNING NUMBER" play symbol in any "GAME," and a prize symbol of \$10,000 (TEN THO) appears in the "PRIZE" area to the right of that "GAME," with the matching "YOUR NUMBERS" play symbol appearing in the 1X multiplier column, on a single ticket, shall be entitled to a prize of \$10,000.

matching "YOUR NUMBERS" play symbol appearing in the 1X multiplier column, on a single ticket, shall be entitled to a prize of \$4.

(ll) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols, appearing in a Snowman, match the "WINNING NUMBER" play symbol in any "GAME," and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the "PRIZE" area to the right of that "GAME," with the matching "YOUR NUMBERS" play symbol appearing in the 2X multiplier column, on a single ticket, shall be entitled to a prize of \$4.

(mm) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols, appearing in a Snowman, match the "WINNING NUMBER" play symbol in any "GAME," and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the "PRIZE" area to the right of that "GAME," with the matching "YOUR NUMBERS" play symbol appearing in the 1X multiplier column, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and description of prizes and approximate chances of winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of YOUR NUMBERS Match The WINNING NUMBER For That GAME, Multiply The Prize By The Multiplier Shown For That Column And Win That Amount. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets</i>
\$2	\$2	9.52	252,000
\$2 × 2	\$4	66.67	36,000
\$2 w/ 2X	\$4	20	120,000
\$4	\$4	66.67	36,000
\$5	\$5	35.71	67,200
\$5 × 2	\$10	200	12,000
(\$4 × 2) + \$2	\$10	200	12,000
\$5 w/ 2X	\$10	200	12,000
\$10	\$10	200	12,000
SNOWFLAKE w/ ((\$4 × 2) + \$5 + \$2)	\$15	333.33	7,200
\$5 × 3	\$15	10,000	240
\$10 + \$5	\$15	10,000	240
(\$5 w/ 2X) + \$5	\$15	2,000	1,200
\$5 w/ 3X	\$15	277.78	8,640
\$15	\$15	3,333	720
SNOWFLAKE w/ ((\$4 × 2) + \$10 + \$2)	\$20	500	4,800
SNOWFLAKE w/ (\$5 × 4)	\$20	500	4,800
(\$5 w/ 2X) × 2	\$20	2,000	1,200
(\$4 w/ 3X) + (\$4 × 2)	\$20	2,000	1,200
\$10 w/ 2X	\$20	2,000	1,200
\$20	\$20	2,000	1,200
SNOWFLAKE w/ ((\$10 × 2) + (\$5 × 2))	\$30	10,000	240
\$15 × 2	\$30	10,000	240
\$20 + \$10	\$30	10,000	240
(\$5 w/ 3X) + \$10 + \$5	\$30	2,500	960
(\$10 w/ 2X) + (\$5 × 2)	\$30	10,000	240
\$30	\$30	5,000	480
SNOWFLAKE w/ ((\$5 × 2) + (\$20 × 2))	\$50	4,000	600
SNOWFLAKE w/ ((\$10 × 2) + (\$15 × 2))	\$50	4,000	600
\$30 + \$20	\$50	24,000	100
(\$10 w/ 3X) + (\$10 × 2)	\$50	6,000	400
(\$10 w/ 2X) + \$30	\$50	6,000	400
(\$15 w/ 3X) + \$5	\$50	6,000	400
\$50	\$50	12,000	200

<i>When Any Of YOUR NUMBERS Match The WINNING NUMBER For That GAME, Multiply The Prize By The Multiplier Shown For That Column And Win That Amount. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets</i>
SNOWFLAKE w/ (($\$15 \times 2$) + $\$50$ + $\$20$)	\$100	8,000	300
SNOWFLAKE w/ (($\$30 \times 3$) + $\$10$)	\$100	8,000	300
SNOWFLAKE w/ (($\$30 \times 2$) + ($\20×2))	\$100	8,000	300
($\$30$ w/ 2X) + ($\$20$ w/ 2X)	\$100	40,000	60
($\$10$ w/ 3X) + $\$50$ + $\$20$	\$100	40,000	60
$\$50$ w/ 2X	\$100	40,000	60
\$100	\$100	60,000	40
SNOWFLAKE w/ ($\$50 \times 4$)	\$200	24,000	100
($\$50$ w/ 3X) + $\$30$ + $\$20$	\$200	24,000	100
($\$50$ w/ 2X) + $\$100$	\$200	120,000	20
$\$100$ w/ 2X	\$200	120,000	20
\$200	\$200	120,000	20
SNOWFLAKE w/ (($\$100 \times 3$) + $\$200$)	\$500	240,000	10
SNOWFLAKE w/ (($\$200 \times 2$) + ($\50×2))	\$500	240,000	10
($\$100$ w/ 3X) + ($\$100$ w/ 2X)	\$500	240,000	10
($\$200$ w/ 2X) + $\$100$	\$500	240,000	10
\$500	\$500	240,000	10
\$10,000	\$10,000	240,000	10

When any of "YOUR NUMBERS" are in a "SNOWFLAKE" and match the WINNING NUMBER for that GAME, win all 4 prizes shown. "SNOWFLAKE" wins are not multiplied.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* Pennsylvania Lottery's Holly Jolly Second-Chance Drawing for qualifying Fast Play Lottery game tickets (hereafter, the "Drawing").

(a) *Qualifying Tickets:* Non-winning PA-5070 Holiday Tree Farm (\$5); PA-5071 Snow Much Fun (\$2); and PA-5072 Ho Ho Ho Tic-Tac-Toe (\$1) Fast Play Lottery game tickets ("Qualifying Tickets") are eligible for entry in the Drawing.

(b) *Participation and entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(4) Only one claimant per entry is allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Holly Jolly Second-Chance Drawing for qualifying Fast Play Lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. November 4, 2019, through 11:59:59 p.m. January 2, 2020, will be entered into the Drawing to be held between January 3, 2020 and January 14, 2020.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) When a Qualifying Ticket is entered into the Drawing, the entry has a chance to be multiplied by five or ten (hereafter the "Entry Multiplier Prize"). Each Qualifying Ticket will have a predetermined ticket file assigned at the time the ticket is printed that will determine whether an entry will be multiplied. If an entry is multiplied, the entrant will be notified during the entry process.

(5) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered and the Entry Multiplier Prize, if applicable. The respective purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-5070 Holiday Tree Farm (\$5) = five entries;

PA-5071 Snow Much Fun (\$2) = two entries; and PA-5072 Ho Ho Ho Tic-Tac-Toe (\$1) = one entry.

(6) Players may review prizes won and their entries for the Drawing via the Drawing’s promotional web site.

(d) *Prizes available to be won, determination of winners, and odds of winning:*

Qualifying Tickets:	Approximate Number of Entry Multiplier Prizes:		Approximate Odds of Winning a 5X or 10X Multiplier Are 1 In:	
	5X	10X	5X	10X
Holiday Tree Farm	351,134	175,567	5	10
Snow Much Fun	180,162	360,324	10	5
Ho Ho Ho Tic-Tac-Toe	182,231	364,462	10	5

(3) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted the winning entry shall be entitled to a prize of \$100,000, less required income tax withholding.

(ii) The second entry selected in the Drawing will be a winning entry and the entrant who submitted the winning entry shall be entitled to a prize of \$50,000, less required income tax withholding.

(iii) The third through the seventh entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(iv) The eighth through the fifty-seventh entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(4) All prizes will be paid as lump-sum cash payments or uploaded to a winning player’s Lottery account.

(5) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their Lottery account and will receive an email notifying them that they won a prize.

(6) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery’s publicly accessible web site.

(7) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(8) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. If an entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e), or mentioned anywhere else in these rules.

(2) The following table sets forth the approximate number of Entry Multiplier Prizes and the approximate odds of winning an Entry Multiplier Prize:

rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, MARC USA, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery’s sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery Terms and Conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(5). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, if a player wins \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's Lottery account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person so named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Snow Much Fun lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Snow Much Fun lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Snow Much Fun or through normal communications methods.

21. *Applicability:* This notice applies only to the Snow Much Fun lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-1651. Filed for public inspection November 1, 2019, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Silver Lake Township Municipal Authority v. Department of Environmental Protection; EHB Doc. No. 2019-120-M

Silver Lake Township Municipal Authority has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0060461 to Silver Lake Township Municipal Authority for a facility known as Laurel Lake WWTP located in Silver Lake Township, Susquehanna County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 19-1652. Filed for public inspection November 1, 2019, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meeting by conference call: Thursday, November 7, 2019—Council meeting at 10 a.m.

The meeting by conference call will be held at 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and wish to attend should contact René Greenawalt at (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 19-1653. Filed for public inspection November 1, 2019, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, October 17, 2019, and announced the following:

Regulation Deemed Approved Pursuant to Section 5(g) of the Regulatory Review Act—Effective October 16, 2019

Environmental Quality Board # 7-551: Additional Requirements for Control of Fine Particulate Matter in the Nonattainment New Source Review Program (amends 25 Pa. Code Chapters 121 and 127)

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 19-1654. Filed for public inspection November 1, 2019, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
12-106	Department of Labor and Industry Minimum Wage	10/17/19	11/21/19
57-323	Pennsylvania Public Utility Commission Assumption of Commission Jurisdiction Over Pole Attachments from the Federal Communications Commission	10/21/19	11/21/19

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 19-1655. Filed for public inspection November 1, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Insurance Department and Health Insurance Exchange Authority Guidance Regarding Compliance in Marketplace Activities; Notice 2019-07

The Pennsylvania Insurance Department and the Pennsylvania Health Insurance Exchange Authority are jointly issuing this guidance to insurance producers and exchange assisters. For the 2020 coverage year, including the open enrollment period beginning November 1, 2019, Pennsylvania will be operating as a State-Based Exchange on the Federal Platform. This means that eligibility and enrollment activities will occur through HealthCare.gov. Accordingly, this guidance is being issued to inform and remind insurance producers and exchange assisters that it is the expectation of the Department and the Authority that they will comply with all applicable federal and state laws and regulations, including the Marketplace annual training requirements for producers, as described at <https://www.cms.gov/CCIIO/Programs-and-Initiatives/Health-Insurance-Marketplaces/Plan-Year-2020-Registration-and-Training.html>, and the Marketplace annual training requirements for exchange assisters, as described at <https://marketplace.cms.gov/technical-assistance-resources/training-materials/launch-of-py2020-ffe-assister-training.pdf>.

Questions concerning this guidance may be directed to either: the Pennsylvania Insurance Department, Licensing Service Division, Office of Market Regulation, or the Pennsylvania Health Insurance Exchange Authority, at 1326 Strawberry Square, Harrisburg, PA 17120, or RA-IN-healthexhasst@pa.gov.

ZACHARY SHERMAN,
Exchange Director

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1656. Filed for public inspection November 1, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Senior Health Insurance Company of Pennsylvania (SERFF # SHPT-132068140); Rate Increase Filing for Several LTC Forms

Senior Health Insurance Company of Pennsylvania is requesting approval to increase the premium 30% on 3,406 policyholders with LTC forms 10853, 10922, 10955, 11001, AI, CSHIC-5000, CSHIC-5001, CSHIC-5002, CSHIC-5003, CSHIC-5004, CSHIC-5005, CIS-85, CSN, ATL-FQ-HHC, ATL-FQ-LTC, ATL-FQ-NH, ATL-HHC-1, ATL-HHC-2, ATL-HHC-3, ATL-HHC-4, ATL-HHC-87, ATL-LTC-1, ATL-LTC-2, ATL-LTC-3, ATL-LTC-5, ATL-LTC-6, ATL-LTC-8, ATL-LTC-89, NCP, ATL-NFQ-HHC, ATL-NFQ-LTC, ATL-NFQ-NH, NHP-1, WD, WDI and TPM. This increase applies only to policies without a 5% compound lifetime inflation rider.

Unless formal administrative action is taken prior to January 6, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1657. Filed for public inspection November 1, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Senior Health Insurance Company of Pennsylvania (SERFF # SHPT-132096366); Rate Increase Filing for LTC Form 45666

Senior Health Insurance Company of Pennsylvania is requesting approval to increase the premium 30% on 29 policyholders with LTC form 45666. This increase applies only to policies without a 5% compound lifetime inflation rider.

Unless formal administrative action is taken prior to January 6, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1658. Filed for public inspection November 1, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Transamerica Life Insurance Company (SERFF # SHPT-132096307); Rate Increase Filing for LTC Form D425

Transamerica Life Insurance Company is requesting approval to increase the premium 30% on 102 policyholders with LTC form D425 PA. This increase applies only to policies without a 5% compound lifetime inflation rider.

Unless formal administrative action is taken prior to January 6, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1659. Filed for public inspection November 1, 2019, 9:00 a.m.]

OFFICE OF OPEN RECORDS

Right-to-Know Law and Sunshine Law Annual Training

The Office of Open Records (OOR) is conducting its annual training on the Right-to-Know Law (RTKL) (65 P.S. §§ 67.101—67.3104) and 65 Pa.C.S. §§ 701—716 (relating to Sunshine Act) on Thursday, November 7, 2019, from 1:30 p.m. to 4 p.m. in the Capitol Media Center. This year's training will include four sessions followed by a question and answer period. The sessions are:

- * A review and discussion of the latest court decisions involving the RTKL, including an overview of what's on the legal horizon regarding upcoming cases on the courts' dockets and significant issues for attorneys.

- * An updated overview of the OOR's proposed RTKL regulations and the regulatory process.

- * A discussion of the upcoming OOR Docketing System, which will be rolled out in the coming months, and provide a hands-on tutorial. The new Docketing System is designed to make the RTKL appeal process smoother for all parties.

- * A review with up-to-date information on the Commonwealth's Sunshine Act, which governs access to public meetings.

The OOR's annual training is free and open to everyone. To register, visit <https://oor-training-2019.eventbrite.com>. (While everyone is welcome to attend, those most likely to benefit include elected and appointed public officials, agency open records officers and attorneys who regularly deal with the RTKL or the Sunshine Act, or both. The OOR will schedule separate sessions to focus on issues more of interest to requesters.)

The training can be attended in person or online by means of the webinar.

This program is approved for two substantive CLE credits.

ERIK ARNESON,
Executive Director

[Pa.B. Doc. No. 19-1660. Filed for public inspection November 1, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Future Sale or Acquisition of Property and Affiliated Interest Agreement

A-2019-3013696 and G-2019-3013697. PECO Energy Company. Application of PECO Energy Company for approval of: 1) the future sale or acquisition of property under a multi-utility agreement known as the RESTORE Agreement; and 2) the RESTORE Agreement as an affiliated interest agreement.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, November 18, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of

the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PECO Energy Company

Through and By Counsel: Ward L. Smith, Esquire, Assistant General Counsel, PECO Energy Company, 2301 Market Street, S23-1, Philadelphia, PA 19103

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1661. Filed for public inspection November 1, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Implementation of Act 120 of 2018; Doc. No. M-2019-3013286

On October 24, 2018, Governor Wolf signed into law Act 120 of 2018, which amended the Public Utility Code regarding the accelerated replacement of customer-owned lead water service lines (LSLs) and damaged wastewater laterals (DWWLs). This new provision of the Public Utility Code establishes a uniform standard under which utilities may seek to replace customer-owned LSLs and DWWLs and recover costs associated with replacement.¹

By Joint Motion adopted on October 3, 2019, the Commission directed its Bureau of Technical Utility Services (TUS) and Law Bureau (LAW) to develop recommendations for additional parameters for customer-owned LSL and DWWL replacement programs.² The Commission further directed TUS and LAW to convene a working group and solicit responses to directed questions in order to gather information and stakeholder input on how the Commission may develop uniform procedures to address customer-owned LSL and DWWL replacement issues facing regulated utilities. Upon completion of the work group process, TUS and LAW are to provide a written recommendation to the Commission by March 31, 2020.

The Joint Motion directs TUS and LAW to, at a minimum, invite all Class A water and wastewater utilities and certain named stakeholders to attend the proposed working group and to provide all parties with directed questions for comment. Other interested parties are also permitted to participate. While it is expected that Class A water and wastewater utilities will participate, this Secretarial Letter extends the invitation to provide comments for the directed questions to all interested parties. The directed questions are attached to this letter as Attachment 1.

The Commission requests all responses to the directed questions in Attachment 1 be submitted by November 22, 2019. Responses should include a cover letter identifying the party providing the comment(s) and should reference the above-captioned docket number. Please send all responses to the Secretary of the Commission at the following address:

Secretary, Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

¹ 66 Pa.C.S. § 1311(b).

² See Joint Motion of Chairman Gladys Brown Dutrieuille and Commissioner John F. Coleman, Jr.—Implementation of Act 120 of 2018, at Docket No. M-2019-3013286.

The Act 120 Working Group workshop will be held on December 19, 2019 at 1:30 p.m. in Hearing Room 1, Commonwealth Keystone Building, Second Floor, 400 North Street, Harrisburg, PA 17120. Stakeholders who wish to actively participate in the discussion should plan to attend the meeting in person. Issues to be addressed in the workshop will be based upon responses received to the directed questions, including additional issues or concerns raised in comments.

If you plan to attend the meeting, please RSVP to pc-act120implementation@pagov.onmicrosoft.com by December 12, 2019. Please direct any questions you have about the meeting to this e-mail address. NOTE: Should any contested Act 120 proceedings commence during the pendency of working group activities, parties are reminded to maintain a generic discussion to comply with ex parte rules under 66 Pa.C.S. § 334(c).

ROSEMARY CHIAVETTA,
Secretary

Attachment 1
Bureau of Technical Utility Services
Water/Wastewater Division
Directed Questions Set 1.
M-2019-3013286

Implementation of Act 120 of 2018

Note: Section headers provided below are intended to organize topics and are not intended to limit or influence responses to directed questions. Please restate the directed question prior to providing a response. References to LSLs and DWWLs below are intended to reference customer-owned LSLs and/or DWWLs, unless specifically identified as company-owned LSLs and/or DWWLs.

Planning and Reporting

M-1 What information should utilities seeking to replace LSLs and DWWLs provide in a distinct comprehensive replacement plan or as integrated elements within their long-term infrastructure improvement plans (LTIIPs)?

M-2 What are the most effective methodologies for completing a thorough study to locate and identify LSLs and DWWLs within a utility's service territory?

M-3 What would be a reasonable timeframe, based upon a concerted effort, for a utility to identify all the LSLs within its service territory via historical records, city permits, direct visual inspections and other such means early in an LSL replacement plan's schedule as part of a utility's LTIIP?

M-4 What are the best practices and avenues for reporting and/or communicating the results of a thorough study to locate and identify LSLs and DWWLs within a utility's service territory?

M-5 Other than annual asset optimization plans filed pursuant to 66 Pa. C.S. § 1356, what is/are the most effective means of reporting the progress of LSL and DWWL replacement program efforts, including the number of LSL and/or DWWL replacements, the size and length of pipe removed, the cost per service, the location of removal, site conditions, etc.

Communications

M-6 What information should be provided to customers that are or may be affected by a known or suspected LSL or DWWL (e.g., The utility's replacement schedule, the material type of the company owned service line, etc.)?

M-7 How and when should information be provided to customers that are or may be affected by a known or suspected LSL or DWWL? Discussions may include, but

are not limited to, providing information in a website portal and/or printed materials, sending out materials at periodic intervals and/or providing materials when a customer completes an application for service.

M-8 What information, if any, should the utility provide a municipality about the number of known and suspected LSLs within its jurisdictional boundaries and the potential schedule for replacement?

M-9 What processes and procedures should utilities follow based upon a customer's acceptance of an LSL or DWWL replacement?

M-10 What content should be included in notices to utility customers when a utility files a new tariff or tariff supplement pursuant to 66 Pa. C.S. § 1308 to replace LSLs and DWWLs?

Replacements

M-11 What are the best ways to prioritize LSL replacements outside of scheduled main replacement and relocation projects to allow for a proactive and distinct LSL replacement program in an efficient and effective manner?

M-12 Should priority LSL replacement scheduling be provided for customers where water is/will likely be consumed by sensitive populations (e.g., children in schools or day-care centers, pregnant women, etc.), what criteria should make a customer eligible for prioritization and how should utilities obtain this information?

M-13 Describe the considerations and replacement procedure of an LSL on a property where the site conditions would be conducive to a standard approach?

M-14 Describe the considerations and replacement procedure of an LSL on a property where the site conditions would require the utility to take unique or extraordinary efforts?

M-15 Should the Commission establish a cap on the amount a utility is permitted to invest in a LSL or DWWL replacement for a customer, what should this amount be and would it be reasonable to establish this cap based on a customer's meter size?

Refusals

M-16 What processes or procedures should utilities follow based upon a customer's refusal of a LSL replacement, including:

a. Should there be any implications for residential real estate property where the presence of an LSL is identified but the current property owner refuses to voluntarily and affirmatively collaborate with the public utility in question in the replacement of such identified LSL (e.g., filing of notices with appropriate municipal authorities and property registration records whether the LSL and the corresponding company-owned LSL have been identified and have or have not been replaced)?

b. Should utilities install a backflow prevention device on the company's service line and/or terminate service to the customer if an LSL is not replaced within a reasonable period?

M-17 What processes or procedures should utilities follow based upon a customer's refusal of a DWWL replacement?

M-18 If a customer refuses to accept full replacement of a LSL, what considerations should be addressed to reduce potential liabilities for the utility and its ratepayers?

M-19 Considering health implications associated with partial LSL replacements, should Company-owned LSLs be replaced where a customer refuses to allow replace-

ment of the customer-owned LSL and, if so, what additional procedures should a utility follow than those previously discussed?

M-20 When a number of LSLs are identified within a municipal boundary, should the utility seek legislative support regarding LSLs from the municipal entity to support a complete LSL replacement effort?

1311(b) Analysis

M-21 What is the appropriate definition of a DWWL?

M-22 What are reasonable standards, processes, and procedures for establishing the maximum number of LSLs and DWWLs that can be replaced annually?

M-23 What are reasonable standards, processes, and procedures for establishing a reasonable LSL or DWWL warranty term?

M-24 What are reasonable standards, processes, and procedures for establishing the amount and means for reimbursing customers that have replaced a LSL and/or DWWL within one year of commencement of a replacement project?

M-25 What constitutes customer LSL and DWWL projects as referenced in 66 Pa. C.S. 1311(vii)(B) and how would reimbursements be linked to the referenced project (e.g., proximity or direct impact)?

Rates

M-26 What benefits do LSL and DWWL replacements provide to each customer class, including the public and private fire protection, bulk/wholesale and industrial customer classes?

M-27 What benefits do utilities and ratepayers realize from LSL and DWWL replacements apart from a return on and of the utility's investment?

M-28 What is the applicable depreciation or amortization rate for LSL and DWWL replacement costs for DSIC purposes and would this change over the life of the investment?

M-29 What is the applicable depreciation or amortization rate for LSL and DWWL replacement costs for base rate purposes and would this change over the life of the investment?

M-30 When allocating LSL and DWWL replacement costs between customer classes, what guidelines should balance cost causation, benefits received and LSL/DWWL replacement program participation while ensuring just and reasonable rates?

M-31 When allocating LSL and DWWL replacement costs within a customer class, should customers with larger meters and greater consumption than the average member of their customer class have a lesser, equal or greater proportionate financial responsibility for LSL and DWWL replacement costs and should this responsibility be capped at a fixed amount for customers with meters larger than a certain size?

M-32 What alternative financial support sources exist for the replacement of LSLs and DWWLs, e.g., grants, and how should the potential and actual use of such funding sources be recognized by public utilities for accounting and ratemaking purposes in their respective LSL and DWWL replacement programs?

M-33 Should utilities be required to continually seek out alternative financial support sources to fund the replacement of LSL and DWWLs and how should these efforts be documented and/or reported?

M-34 Should utilities be required to submit and receive approval of a new tariff or a tariff supplement pursuant

to 66 Pa. C.S. § 1311(b)(v) before LSL and DWWL replacement costs are incorporated into a utility's LTIP?

[Pa.B. Doc. No. 19-1662. Filed for public inspection November 1, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Household Goods Carrier Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due November 18, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Mubers Moving Corp.; Docket No. C-2018-3003688

COMPLAINT

Now Comes the Bureau of Investigation and Enforcement ("I&E") of the Pennsylvania Public Utility Commission, by its prosecuting attorneys, pursuant to Section 701 of the Public Utility Code, 66 Pa.C.S. § 701, and files this Second Amended Formal Complaint ("Complaint") against Mubers Moving Corp. ("Mubers," "Company" or "Respondent") alleging violations of the Public Utility Code and attending Regulations. In support of its Complaint, I&E respectfully avers as follows:

Parties and Jurisdiction

1. The Pennsylvania Public Utility Commission ("PUC" or "Commission"), with a mailing address of 400 North Street, Harrisburg, PA 17120, is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth pursuant to the Public Utility Code, 66 Pa.C.S. §§ 101, et seq.

2. Complainant is the Commission's Bureau of Investigation and Enforcement and is the entity established to prosecute complaints against public utilities pursuant to 66 Pa.C.S. § 308.2(a)(11). Complainant's counsel is as follows:

Christopher M. Andreoli
Prosecutor
chandreoli@pa.gov
717.772.8582
Michael L. Swindler
Deputy Chief Prosecutor
mswindler@pa.gov
717.783.6369

3. Respondent is Mubers, with its most recent principal place of business at 5602 1st Avenue, Brooklyn, NY 11220.

4. Respondent holds itself out to be a household goods carrier, but it lacks Commission authority to provide or furnish transportation of household property for compensation within the Commonwealth as a common carrier by motor vehicle or a contract carrier by motor vehicle, pursuant to Sections 102 and 2501(b)(1) of the Public Utility Code. 66 Pa.C.S. §§ 102 and 2501(b)(1).

5. Section 501(a) of the Public Utility Code, 66 Pa.C.S. § 501(a), authorizes and obligates the Commission to execute and enforce the provisions of the Public Utility Code.

6. Section 701 of the Public Utility Code, 66 Pa.C.S. § 701, authorizes the Commission, inter alia, to hear and determine complaints against public utilities or companies holding themselves out to be a public utility for violations of any law or regulation that the Commission has jurisdiction to administer or enforce.

7. Section 3310 of the Public Utility Code, 66 Pa.C.S. § 3310, authorizes the Commission to impose civil penalties on any person or corporation operating as a common carrier by motor vehicle or as a contract carrier by motor vehicle without a certificate of public convenience, permit, or license authorizing the service performed. Section 3310(c) specifically provides that a civil penalty of Five Thousand Dollars (\$5,000) be imposed for a first violation of this section.

8. More specifically, pursuant to Section 3310(b) of the Public Utility Code, 66 Pa.C.S. § 3310(b), any unauthorized contract common carrier transporting household goods by motor vehicle shall be deemed in violation of this title and shall be ordered to pay an administrative penalty as prescribed in Section 3310(c). Section 3310(c) specifically provides that a civil penalty of Five Thousand Dollars (\$5,000) be imposed for a first violation of this section.

9. Respondent, by providing or furnishing the transportation of household property between points within the Commonwealth by motor vehicle for compensation is subject to the power and authority of this Commission pursuant to Section 501(c) of the Public Utility Code, 66 Pa.C.S. § 501(c), which requires a public utility to comply with Commission regulations and orders. Consequently, Respondent is subject to Section 3310(b) of the Public Utility Code, 66 Pa.C.S. § 3310(b), and the corresponding penalty promulgated under Section 3310(c) of the Public Utility Code, 66 Pa.C.S. § 3310(c).

Background

10. On June 7, 2018, a resident of the Commonwealth ("Resident") entered into an agreement with Mubers to move her household property from 219 Mulberry Street, Bath, PA 18014 to 1405 Pittsburgh Street, Cheswick, PA 15024 ("1405 Pittsburgh Street"). The agreement included that an additional stop would be made along the way at 335 Massinger Street, Bangor, PA 18013. The moving estimate totaled One Thousand and Twenty Dollars (\$1,020). See Exhibit I&E-1.

11. The agreement stated that "Mubers Moving Corp (DOT # 2893157) is a moving carrier authorized by the Federal Government to transport an individual shipper's household goods." Id. However, Mubers' interstate authority to transport household goods had been revoked by the Federal Department of Transportation on September 25, 2017 and it remains revoked. See Exhibit I&E-2. Furthermore, Mubers was never issued a certificate of public convenience, permit, or license by the Commission authorizing such transportation of household property between points within the Commonwealth.

12. On June 30, 2018, Mubers picked up the Resident's household property as agreed upon. When the moving truck arrived at 1405 Pittsburgh Street, its employees refused to release the Resident's property unless she paid an additional One Thousand Six Hundred and Forty-Five Dollars (\$1,645). After the Resident refused to pay the additional amount, Mubers' employees left with her household property.

13. On July 8, 2018, the Commission received a complaint from the Resident against Mubers regarding the transportation of her household property between two points within Pennsylvania.

14. After several attempts, delivery was re-scheduled for July 26, 2018. Upon Mubers' arrival at 1405 Pittsburgh Street with the Resident's household property, two (2) of Mubers' employees were met by two (2) of the Commission's motor carrier enforcement officers and a local police officer. The two (2) enforcement officers remained with the Resident until the employees finished delivering her household property.

Violation

15. All allegations in paragraphs 1—14 are incorporated as if fully set forth herein.

16. Section 3310(b) of the Public Utility Code states that any person or corporation that operates as a common carrier or contract carrier by motor vehicle (as defined in 66 Pa.C.S. §§ 102 and 2501(b)) without a certificate of public convenience, permit, or license issued by the Commission authorizing such service performed, in violation of Section 3310(a), "shall be ordered to pay [a civil] penalty as prescribed in subsection (c)." 66 Pa.C.S. § 3310(b) (emphasis added).

17. Mubers violated Section 3310(a) and (b) of the Public Utility Code, 66 Pa.C.S. §§ 3310(a)-(b), by operating as a common carrier and/or contract carrier by motor vehicle without a certificate of public convenience, permit, or license issued by the Commission when it transported the Resident's household property between points within the Commonwealth for compensation.

18. Section 3310(c) of the Public Utility Code requires that "[t]he amount of the [civil] penalty under subsection (b) shall be \$5,000 for a first violation and \$10,000 for a second or subsequent violation." 66 Pa.C.S. § 3310(c) (emphasis added). As such, I&E's requested civil penalty is \$5,000 for this violation.

Wherefore, for all the foregoing reasons, the Bureau of Investigation and Enforcement of the Pennsylvania Public Utility Commission respectfully requests that, after consideration of the record, the Office of Administrative Law Judge and the Commission find Mubers Moving Corp. in violation of the only count as set forth herein, and Mubers Moving Corp. be assessed the statutorily mandated civil penalty of Five Thousand Dollars (\$5,000). Should Mubers Moving Corp. fail to pay the statutorily mandated civil penalty of Five Thousand Dollars (\$5,000) upon Order of the Commission, the Bureau of Investigation and Enforcement requests that this matter be referred to the Pennsylvania Office of Attorney General for appropriate action.

Respectfully submitted,
Christopher M. Andreoli
Prosecutor
PA Attorney ID No. 85676

Michael L. Swindler
Deputy Chief Prosecutor
PA Attorney ID No. 43319

Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Date: September 13, 2019

VERIFICATION

I, David W. Loucks, Chief of Enforcement, Bureau of Investigation and Enforcement, Motor Carrier Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect the Bureau of Investigation and

Enforcement will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/9/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau. Additionally, a copy should either be mailed to:

Christopher M. Andreoli, Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Andreoli at: chandreoli@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the requested relief.

C. You may elect not to contest this Complaint by paying the past due assessment and civil penalty within 20 days. Send only a certified check or money order made payable to the "Commonwealth of Pennsylvania," with the docket number indicated, and mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the requested relief set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commissioner's ADA Coordinator at (717) 787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1663. Filed for public inspection November 1, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by November 18, 2019. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2019-3013436. Health Star Personal Care Transportation, LLC (13049 Frankstown Road, Penn Hills, Allegheny County, PA 15235) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, between points in Pennsylvania, excluding points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia.

A-2019-3013602. Pramukh Transport Services, LLC, t/a Saferide Transport Services (1417 Alexander Way, Bensalem, Bucks County, PA 19020) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service in wheelchair and stretcher vans, between points in the Counties of Bucks, Chester and Montgomery, and the City and County of Philadelphia.

A-2019-3013607. Asmara Bella Transportation, LLC (1043 Surrey Road, Philadelphia, Philadelphia County, PA 19115) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in Montgomery County to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2019-3013657. Duda Transportation, LLC (26581 Capp Road, Edinboro, PA 16412) to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Crawford, Erie and Mercer, to points in Pennsylvania, and return.

A-2019-3013661. Right Now Home Care, LLC (2001 Market Street, Suite 2500, Philadelphia, PA 19103) persons, in paratransit service, limited to persons who require nonmedical transportation and who are unable to operate motor vehicles, between points in the City and County of Philadelphia.

Applications of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.*

A-2019-3013551. Maya's Movers, LLC (3918 East Gate Drive, York, York County, PA 17402) household goods in use, between points in Pennsylvania.

A-2019-3013637. Kane and Family Movers, LLC (3618 River Road, Conestoga, Lancaster County, PA 17516) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

A-2019-3013640. T.S. Logistics, Inc. (9125 Ashton Road, Philadelphia, Philadelphia County, PA 19114) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

A-2019-3013695. Reliable Movers, LLC, t/a Reliable Movers (1137 West Tyler Street, Whitehall, Lehigh County, PA 18052) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

Application of the following for approval to *begin operating as a broker for transportation of household goods in use as described under the application.*

A-2019-3012898. Brier Moving Company, LLC (242 Vassar Avenue, Clarks Green, Lackawanna County, PA 18411) for a brokerage license evidencing the Commission's approval of the right and privilege to operate as a broker, to arrange for the transportation of household goods in use, between points in Pennsylvania. *Attorney:* Patrick J. Brier, 425 Spruce Street, Suite 200, Scranton, PA 18503.

Application of the following for the approval of the *transfer of stock as described under the application.*

A-2019-3013495. Godezi, LLC (419 14th Street, Suite D1, Box 13, Huntingdon, Huntingdon County, PA 16652) for the approval of the transfer of ownership, from Adam Miller, to Daniel Christopher Toddes.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1664. Filed for public inspection November 1, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due November 18, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commis-

sion, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. JSW Transportation, LLC; Docket No. C-2019-3012886

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to JSW Transportation, LLC, (respondent) is under suspension effective September 03, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 3133 Robert David Drive, Tobyhanna, PA 18466.
3. That respondent was issued a Certificate of Public Convenience by this Commission on July 26, 2016, at A-8918976.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918976 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I

expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/16/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Martin & Sons Trucking Incorporated; Docket No. C-2019-3012908

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Martin & Sons Trucking Incorporated, (respondent) is under suspension effective September 05, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 1223 Main Street, East Earl, PA 17519.
3. That respondent was issued a Certificate of Public Convenience by this Commission on March 26, 2018, at A-8920583.
4. That respondent has failed to maintain evidence of Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8920583 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be

appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/16/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:
 Compliance Office, Bureau of Technical Utility
 Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Flynn Energy Transport, Inc.; Docket No. C-2019-3013102

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Flynn Energy Transport, Inc., (respondent) is under suspension effective September 13, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 1281 Mountain View Road, Towanda, PA 18848.

3. That respondent was issued a Certificate of Public Convenience by this Commission on May 01, 2009, at A-8910804.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's

proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8910804 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/25/2019

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
 Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Randy L. Whipple Trucking, LLC; Docket No. C-2019-3013105

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has del-

egated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Randy L. Whipple Trucking, LLC, (respondent) is under suspension effective September 14, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 8635 State Route 405, Milton, PA 17847.

3. That respondent was issued a Certificate of Public Convenience by this Commission on May 23, 2019, at A-8922131.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8922131 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/25/2019

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the

mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Sawmill Trucking, LLC; Docket No. C-2019-3013372

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Sawmill Trucking, LLC, (respondent) is under suspension effective September 26, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 19926 Middletown Road, Freeland, MD 21053.

3. That respondent was issued a Certificate of Public Convenience by this Commission on February 16, 2017, at A-8919328.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8919328 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state

that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/7/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmpltResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of

insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Twoz Logistics, LLC; Docket No. C-2019-3013377

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Twoz Logistics, LLC, (respondent) is under suspension effective September 27, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 21 Lincoln Street, Byrnedale, PA 15827.
3. That respondent was issued a Certificate of Public Convenience by this Commission on December 07, 2017, at A-8920400.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8920400 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the

illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/7/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. G. Rodgers & Son Logging, LLC, t/a G. Rodgers Transport; Docket No. C-2019-3013361

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to G. Rodgers & Son Logging, LLC, t/a G. Rodgers Transport, (respondent) is under suspension effective September 25, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 165 Davis Road, Butler, PA 16002.

3. That respondent was issued a Certificate of Public Convenience by this Commission on July 26, 2018, at A-8921158.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commis-

sion. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8921158 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/7/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to

file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1665. Filed for public inspection November 1, 2019, 9:00 a.m.]