

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending December 10, 2019.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-12-2019	Northwest Bank Warren Warren County	<i>To:</i> 1035 Payne Avenue North Tonawanda Niagara County, NY  <i>From:</i> 275 Meadow Drive North Tonawanda Niagara County, NY	Effective

### CREDIT UNIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-06-2019	White Rose Credit Union York York County  Application for approval to merge Local 229 IBEW Federal Credit Union, York, with and into White Rose Credit Union, York.	Approved

#### Branch Applications

#### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-29-2019	BHCU Ridley Park Delaware County	<i>To:</i> 1100 Baltimore Pike Glen Mills Delaware County  <i>From:</i> 1810 Wilmington Pike Glen Mills Delaware County	Opened

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 19-1895. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Perkins V State Plan

Under section 122(a)(4) of the Strengthening Career and Technical Education for the 21st Century Act (20 U.S.C.A. § 2342) (act) the Department of Education (Department) will be presenting its proposed Perkins V State Plan (State Plan) to the State Board of Education

at its January 8, 2020, meeting at the Department of Education, 333 Market Street, Harrisburg, PA 17126-0333.

Comments may be submitted electronically to the Perkins V e-mail address, [RA-EDPERKINSVPLAN@pa.gov](mailto:RA-EDPERKINSVPLAN@pa.gov) or members of the public are invited to provide any comments in person by attending the State Board of Education monthly meeting on January 8, 2020, at the Department of Education, 333 Market Street, Harrisburg,

PA 17126-0333. Comments collected through the public comment period will be considered and revisions will be incorporated into the final State Plan, as appropriate.

The proposed State Plan will be available for review at <https://www.education.pa.gov/K-12/Career%20and%20Technical%20Education/Perkins/Pages/default.aspx> on or by December 23, 2019.

The Department will accept public comment on the proposed State Plan beginning January 2, 2020, through

February 3, 2020, under the required 30-day comment period prescribed under section 122(a)(4) of the act.

Individuals with questions regarding the public comment process, contact [lburket@pa.gov](mailto:lburket@pa.gov).

PEDRO A. RIVERA,  
*Secretary*

[Pa.B. Doc. No. 19-1896. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**I. NPDES Renewal Applications.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0261751 (Industrial— GWCU)	United Refining Company Kwik Fill S-038 15 Bradley Street Warren, PA 16365-0780	Cumberland County Silver Spring Township	Trindle Spring Run (HQ-CWF, MF) (7-B)	Yes
PA0266850 (Storm Water)	Capital City Airport (CXY) 1 Terminal Drive Suite 300 Middletown, PA 17057	York County Fairview Township	Yellow Breeches Creek (CWF, MF), Marsh Run (WWF, MF), and Susquehanna River (WWF, MF) (7-E and 7-C)	Yes

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0100099 (Sewage)	Harmony School 5239 Ridge Road Westover, PA 16692-8706	Clearfield County Burnside Township	Snyder Run (CWF) (8-B)	Yes
PA0113034 (Sewage)	Beaver Lake Forest P.O. Box 186 216 Old Cement Road Montoursville, PA 17754-0186	Lycoming County Penn Township	Beaver Run (CWF, MF) (10-D)	Yes
PA0010430 (Industrial)	Hanover Food 3008 Penns Valley Pike Centre Hall, PA 16828-8405	Centre County Potter Township	Sinking Creek (CWF, MF) (6-A)	Yes

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0217085 (Industrial)	Gautier Steel Ltd Johnstown Plant 80 Clinton Street Johnstown, PA 15901-2200	Cambria County Johnstown City	Conemaugh River (WWF) and Little Conemaugh River (WWF) (18-E and 18-D)	No
PA0042749 (Sewage)	Jenner Area Joint Sewer Authority WWTP P.O. Box 202 Jennerstown, PA 15547-0202	Somerset County Boswell Borough	Quemahoning Creek (CWF) (18-E)	Yes
PA0001406 (Industrial)	Braeburn Alloy Steel Rolling Mill Facility 101 Braeburn Road Lower Burrell, PA 15068-2259	Westmoreland County Lower Burrell City	Allegheny River (WWF) (18-A)	Yes
PA0204901 (Industrial)	Port Authority Ross Garage 345 6th Avenue Floor 3 Pittsburgh, PA 15222-2527	Allegheny County Ross Township	Nelson Run (WWF) (18-A)	Yes

**II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, (484) 250-5970.*

**PA0051730**, Sewage, SIC Code 7991, **Philadelphia Cc**, 1601 Spring Mill Road, Gladwyne, PA 19035-1020. Facility Name: Philadelphia Cc. This existing facility is located in Lower Merion Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s) Sawmill Run (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- No Stormwater to Sanitary Sewers
- Sludge Disposal
- Connect to Public Sewers if Required
- Chlorine Minimization
- Notification of Responsible Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0020397**, Sewage, SIC Code 4952, **Borough of Bridgeport**, P.O. Box 148, Bridgeport, PA 19405-0148. Facility Name: Borough of Bridgeport WWTP. This existing facility is located in Bridgeport Borough, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
PCBs Dry Weather Analysis (ug/L)	XXX	XXX	XXX	Report	Report	XXX
PCBs Wet Weather Analysis (ug/L)	XXX	XXX	XXX	Annl Avg	Daily Max	XXX
				Report	Report	XXX
				Annl Avg	Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Average Monthly</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	187	300	25.0	40.0	XXX	50
Raw Sewage Influent	Report	XXX	XXX	Wkly Avg	XXX	XXX
				Report		

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	225	338	30.0	45.0	XXX	60
				Wkly Avg		
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	1,000	XXX
				Geo Mean	90% SAMPLES	
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	150.0	XXX	XXX	20.0	XXX	40

The proposed effluent limits for Outfall 001 are based on a design flow of .9 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Total Dissolved Solids	XXX	XXX	XXX	1,000.0	XXX	2,500
Copper, Total	XXX	XXX	XXX	Avg Qrtly Report Avg Qrtly	XXX	XXX

Sludge use and disposal description and location(s): Dewatered biosolids are landfilled in Pioneer Landfill.

In addition, the permit contains the following major special conditions:

- Hauled in waste restriction
- Optimization of chlorine dose
- Notification of designation of responsible operator
- CSO conditions
- Solids management for non-lagoon system
- Schuylkill River PCB monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**Application No. PA0260274**, Concentrated Animal Feeding Operation (CAFO), **G Clifford Gayman** (Hillside Poultry Farm CAFO), 1849 Letterkenny Road, Chambersburg, PA 17201-8733.

G Clifford Gayman has submitted an application for an individual NPDES permit for a renewal of an CAFO known as Hillside Poultry Farm CAFO, located in Greene Township, **Franklin County**.

The CAFO is situated in Watershed 13-C, Unnamed Tributary of Conococheague Creek which is classified for Cold-Water Fisheries (CWF). It is designed to maintain an animal population of approximately 1,166.25 animal equivalent units (AEUs) consisting of 402,000 layers. Manure is stored in several solid stacking areas, while washwater is sent to the septic system. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

**PA0266850**, Storm Water, SIC Code 4581, **Susquehanna Area Region Airport Authority**, 1 Terminal Drive, Middletown, PA 17057. Facility Name: Capital City Airport (CXY). This proposed facility is located in Fairview Township, **York County**.

Description of Proposed Activity: The application is for an NPDES permit for a discharge of stormwater associated with industrial activity.

The receiving stream(s), Yellow Breeches Creek (CWF, MF), Marsh Run (WWF, MF), and Susquehanna River (WWF, MF), is located in State Water Plan watershed 7-E and 7-C and is classified for Migratory Fishes, Cold Water Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), including applicable BMPs from Appendix G from the PAG-03
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements (including Benchmark for BOD<sub>5</sub>, COD, TSS, and Oil and Grease)
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 327-3636.*

**PA0228842**, Sewage, SIC Code 4952, **Muddy Run Regional Authority**, 813 Spruce Street, Madera, PA 16661-9102. Facility Name: Madera Wastewater Treatment Plant. This existing facility is located in Bigler Township, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Clearfield Creek (WWF), is located in State Water Plan watershed 8-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	80	130	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	100	150	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	7,010 Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	974 Total Annual	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

Sludge use and disposal description and location(s): Dewatered sludge is hauled to a landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

**PA0233048**, Sewage, SIC Code 4952, **John A. & Linda L. Barone**, 1224 Pleasant Hills Road, Williamsport, PA 17701-8485. Facility Name: John A. & Linda L. Barone. This proposed facility is located in Eldred Township, **Lycoming County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s) Unnamed Tributary of Millers Run (WWF, MF), is located in State Water Plan watershed 10-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septic Hauler.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**PA0203963**, Industrial, SIC Code 3087, **Washington Penn Plastic Company, Inc.**, P.O. Box 236, Washington, PA 15301-0236. Facility Name: Washington Penn Plastic Performance Products Division. This existing facility is located in South Strabane Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for existing discharges of treated sanitary wastewaters, contact cooling water, and storm water.

The following notice reflects changes to the notice published on August 24, 2019.

The receiving streams, Unnamed tributary of Chartiers Creek (HQ-WWF) and Unnamed tributary to Chartiers Creek (HQ-WWF), are located in State Water Plan watershed 20-F and are classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.00139 MGD. Limits are modified as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Temperature Increase (°F) Instream Monitoring	XXX	XXX	XXX	XXX	XXX	2.0

The proposed effluent limits for Internal Monitoring Point 102 are based on a design flow of 0.013 MGD. Limits are modified as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (GPM)	Report	Report	XXX	XXX	XXX	XXX
Duration of Discharge (minutes)	XXX	XXX	XXX	XXX	XXX	Report
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	Report
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	2.82	XXX	Report	Report	XXX
Total Suspended Solids	XXX	2.06	XXX	Report	Report	XXX
Oil and Grease	XXX	3.15	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent (Interim)	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent (Final)	XXX	XXX	XXX	0.014	0.0219	XXX
Cobalt, Total	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (Interim)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (Final)	XXX	XXX	XXX	0.0216	0.0337	XXX
Iron, Dissolved (Interim)	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved (Final)	XXX	XXX	XXX	0.404	0.631	XXX
Zinc, Total (Interim)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (Final)	XXX	XXX	XXX	0.174	0.272	XXX

All other limits and monitoring requirements remain unchanged from the August 24, 2019 notice.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (412) 442-4000.

The EPA Waiver is in effect.

---

**III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).**

---

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 4819402**, Sewage, **Lehigh Township Municipal Authority Northampton County**, 1069 Municipal Road, Walnutport, PA 18088-9718.

This proposed facility is located in Lehigh Township, **Northampton County**.

Description of Proposed Action/Activity: Installation of a new Pump Station and Sewer Extension Line for a future Lehigh Valley Resort & Spa. The new Influent Pump Station will discharge to the existing Pennsville Wastewater Treatment Plant under NPDES Permit No. PA0063231.

**WQM Permit No. 6470403A-1**, Sewage, **Lake Bryn Mawr Camp**, 593 Bryn Mawr Road, Honesdale, PA 18431.

This existing facility is located in Oregon Township, **Wayne County**.

Description of Proposed Action/Activity: The project is for the construction/installation of an effluent flow meter and an ultraviolet disinfection system at the wastewater treatment plant. The applicant also requested for four existing unpermitted 2 HP Kasco Pond Aerators to be included in this permit. Provisions are also included for backup tablet dechlorination in the event chlorine is used for backup disinfection.

**WQM Permit No. 3996401A-1**, Sewage, **Allied Utility Services, Inc.**, P.O. Box 1488, Skippack, PA 19474-1488.

This existing facility is located in North Whitehall Township, **Lehigh County**.

Description of Proposed Action/Activity: The purpose of the application is to rerate the design hydraulic and organic capacities at the wastewater treatment plant to 0.120 MGD and 350 lbsBOD<sub>5</sub>/day, respectively. The existing plant is presently rated at 0.075 MGD and 196 lbsBOD<sub>5</sub>/day.

**WQM Permit No. 3504401A-1**, Sewage, **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055. This existing facility is located in Scranton City, **Lackawanna County**.

Description of Proposed Action/Activity: The purpose of the project is to improve the headworks and odor control processes at the wastewater treatment plant. Major aspects of the project include installation of: an influent flow meter, two multi-rake mechanical coarse bar screens, two dual auger screw wash presses and two screw wash presses, two fine screens, two new grit pumps with doppler style flow meters on the discharge piping, three screw grit classifiers, and a new chemical storage building. Replacement of the chemical wet scrubber, sluice gates and level sensors are also included in the project along with various structural, mechanical, electrical and instrumentation improvements.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**WQM Permit No. 2119403**, Sewerage, **Dogwood Acres Campground, Inc.**, 4500 Enola Road, Newville, PA 17241.

This proposed facility is located in, Upper Frankford Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a new sewage treatment plant to serve the campground.

**WQM Permit No. 0619407**, Sewerage, **HRES Hereford, LLC**, 5601 Mariner Street, Suite 100, Tampa, FL 33609.

This proposed facility is located in, Hereford Township, **Berks County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of sewage facilities to serve a new WAWA at 8051 & 8053 Chestnut Street & 1182 Gravel Pike.

**WQM Permit No. 4473401, A3**, Sewerage, **Brown Township Municipal Authority**, 22 Brown Township Drive, Reedsville, PA 17084.

This proposed facility is located in Brown Township, **Mifflin County**.

Description of Proposed Action/Activity: Seeking permit approval for the amendment for the addition of a second clarifier.

**WQM Permit No. WQG02211903**, Sewerage, **Silver Spring Township Sewer Authority**, 5 Willow Mill Park Road, Suite 3, Mechanicsburg, PA 17050.

This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of the Crosby Court sewer extension.

**WQM Permit No. 2219402**, Sewerage, **West Hanover Township Sewer Authority**, 7901 Jonestown Road, Harrisburg, PA 17112.

This proposed facility is located in West Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Seeking permit approval for replacement of pump station # 9.

**WQM Permit No. 5019401**, Sewerage, **HAMM Equities, LLC**, 332 Overlook Lane, Gulph Mills, PA 19428.

This proposed facility is located in Howe Township, **Perry County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of the Buffalo Crossing Pump Station.

**WQM Permit No. 0708404, A2**, Sewerage, **Altoona Water Authority**, 900 Chestnut Avenue, Altoona, PA 16601.

This proposed facility is located in Altoona City, **Blair County**.

Description of Proposed Action/Activity: Seeking permit approval for the upgrade/expansion of the Westerly Plant.

**WQM Permit No. 2203401, A1**, Sewerage, **Derry Township Municipal Authority**, 670 Clearwater Road, Hershey, PA 17033-2453.

This proposed facility is located in Derry Township, **Dauphin County**.

Description of Proposed Action/Activity: Seeking permit approval for renovations of the Clearwater Road Facility.

**WQM Permit No. 6787408, A1**, Sewerage, **Manchester Township Municipal Authority**, 3200 Farmtrail Road, York, PA 174006-5699.

This proposed facility is located in, **York County**.

Description of Proposed Action/Activity: Seeking permit approval for replacement of Pump Station # 6.

#### **IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).**

*Southeast Regional Office: Regional Clean Water Program Manager, 2 E Main Street, Norristown, PA 19401, Telephone: 484.250.5970.*

**PAI130510**, MS4, **Middletown Township**, Delaware County, P.O. Box 157, Glen Riddle Lima, PA 19037-0157. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Middletown Township, **Delaware County**. The receiving stream(s), Crum Run (TSF, MF), Ridley Creek (TSF, MF), Rocky Run (HQ-CWF, MF), Chrome Run (TSF, MF), Unnamed Tributary to Chester Creek (TSF, MF), and Unnamed Tributary to Spring Run (HQ-TSF, MF), is located in State Water Plan watershed 3-G and is classified for Migratory Fishes, High Quality—Cold Water, Trout Stocking, Migratory Fish, and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442.4000.*

**PAI136116**, MS4, **North Versailles Township**, 1401 Greensburg Avenue, North Versailles, PA 15137. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in North Versailles Township, **Allegheny County**. The receiving streams, Long Run (HQ-TSF), Unnamed Tributary to Welty Run (HQ-CWF), Crooked Run (WWF), and Unnamed Tributary of Humms Run (WWF), are located in State Water Plan watershed 19-D and 19-A and are classified for Warm Water Fishes, High Quality Waters—Cold Water Fishes, and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, (484) 250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090045	The Wehrung Group 410 Lonely Cottage Drive Unit A Upper Black Eddy, PA 18972-9312	Bucks	Nockamixon Township	Unnamed Tributary to Rapp Creek EV-MF Unnamed Tributary to Haycock Creek TSF-MF

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090047	269 Canal Road, L.P. 301 Oxford Valley Road Suite 702 Yardley, PA 19067-7706	Bucks	Falls Township	Martins Creek WWF-MF
PAD090034	Stonehaven at Penn's Purchase, LLC 354 West Lancaster Avenue Suite 201 Wayne, PA 19087-3900	Bucks	Buckingham Township	Unnamed Tributary to Aquatong Creek MF-HQ-CWF
PAD150150	Patricia Morgera 1520 Stouff Road Downingtown, PA 19335	Bucks	West Vincent Township	Tributary to Birch Run EV-MF
PAD230028	Melmark, Inc. 2600 Wayland Road Berwyn, PA 19312-2307	Delaware	Newtown Township	Crum Creek HQ-CWF-MF
PAD230034	WV-PP Towne Center, L.P. 940 West Sproul Road Suite 301 Springfield, PA 19064-1255	Delaware	Middletown Township	Unnamed Tributary to Chester Creek TSF-MF Unnamed Tributary to Rocky Run HQ-CWF-MF
PAD460041	Envision Matrix Limekiln LLC 485 Devon Park Drive Suite 106 Wayne, PA 19087	Montgomery	Horsham Township	Unnamed Tributary to Neshaminy Creek WWF-MF
PAD510055	Philadelphia Water Department 1101 Market Street Philadelphia, PA 19107	Philadelphia	City of Philadelphia	Pennypack Creek WWF-MF

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Melissa Seidler, Clerk Typist 2, 570-830-3048.*

*Northampton County Conservation District, 14 Gracedale Ave, Greystone Building, Nazareth, PA 18064-9211, 610-829-6276.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480113	Kemmerer Corp Larry Kemmerer 3220 Valley View Dr Bath, PA 18014	Northampton	Lehigh & Moore Twp	Hokendauqua Creek (CWF, MF) EV Wetlands

*Schuylkill Conservation District, 1206 AG Center Drive, Pottsville, PA 17901-9733, 570-622-3742.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD540015	Tyler Foster 401 Cold Spring Rd Andreas, PA 18211	Schuylkill	West Penn Twp	UNT to Mahoning Creek (CWF, MF)
PAD540017	Luke Portiles Ppl Electric Utilities 2 N 9th St Allentown, PA 18101	Schuylkill	Mahanoy Twp	North Mahanoy Creek (CWF, MF) EV Wetlands Davis Run (HQ-CWF, MF) EV Wetlands UNT to Catawissa Creek (CWF, MF)
PAD540016	Patrick Higgins Hanjack Realty LLC 111 Crestmont St Schuylkill Haven, PA 17972	Schuylkill	Ringtown Borough	UNT to Dark Run (HQ-CWF, MF)

Wayne Conservation District, 648 Park St, Honesdale, PA 18431, 570-253-0930.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD640021	E.R. Linde Construction Corp 239 Golf Hill Rd Honesdale, PA 18431	Wayne	Palmyra Twp	Middle Creek (HQ-CWF, MF)

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Nathan Phillips, Section Chief, 717.705.4802.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD210048	PA Sicklerville Associates, LP 313 West Liberty Street # F Lancaster, PA 17603-2798	Cumberland	Middlesex Township	LeTort Spring Run (HQ-CWF, MF)
PAD210028	US Army 330 Engineer Avenue Carlisle, PA 17013-5006	Cumberland	North Middleton Township	Letort Spring Run (HQ-CWF)

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD630035	Teagarden Land, LLC 70 Grimes Road Claysville, PA 15323	Washington County	Donegal Township	UNT to Dutch Fork (HQ-WWF)
PAD630042	Washington County Planning Commission 100 West Beau Street Suite 701 Washington, PA 15301	Washington County	Hopewell Township; Middletown Borough	Cross Creek (HQ-WWF)
PAD650022	UMH Properties, Inc. 140 Clay Street Suite 450 Morgantown, WV 26501	Westmoreland County	Unity Township	UNT to Sewickley Creek (HQ-CWF)

#### VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12	CAFOs
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

#### CAFO Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

**NPDES Permit No. PAG123706 A-1, CAFO, Gerald and Mike Long, 39 Reeds Creek Road, Annville, PA 17003-8405.**

This existing facility is located in East Hanover Township, **Lebanon County**.

Description of size and scope of existing operation/activity: Swine (Grow—Finish), Poultry (Broilers): 878.66 AEUs.

The receiving stream, Unnamed Tributary to Aires Run (WWF, MF), is in watershed 7-D and classified for: Migratory Fishes and Warm Water Fishes.

This existing facility Aires Run (WWF, MF), is in watershed 7-D and classified for: Migratory Fishes and Warm Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**MS4 PAG-13 Notices of Intent Received.**

*Northcentral Regional Office, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG134834	PA College of Tech 2245 Reach Road Williamsport, PA 17701-5577	Williamsport City, Lycoming County	(Y)	(Y)

**PUBLIC WATER SUPPLY PERMIT**

**Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a NOI to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowl-

edgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following NOI to Remediate:

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Melissa Seidler, Clerk Typist 2, 570-830-3048.*

**Application No. 4819506, Public Water Supply.**

Applicant	<b>Heritage Village Water Company (LURRS)</b> 499 Riverview Drive Walnutport, PA 18088
Municipality	Lehigh Township
County	<b>Northampton</b>
Type of Facility	Public Water Supply
Consulting Engineer	Charlie Liu, P.E. BCM Engineers 920 Germantown Pike Suite 200 Plymouth Meeting, PA 19462
Application Received Date	December 3, 2019
Description of Application	The applicant is requesting a permit for a new 90 gpm water supply well PW-3 and a new 100,000 gallon above ground finished water storage tank to serve the Heritage Village and Northwoods residential developments.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 6719520, Public Water Supply.**

Applicant	<b>West Manchester Township Authority</b>
Municipality	West Manchester Township
County	<b>York</b>
Responsible Official	James Bentzel, Chairman 2115 Log Cabin Road York, PA 17408

Type of Facility Public Water Supply  
 Consulting Engineer Diana M. Young, P.E.  
 Buchart-Horn, Inc.  
 445 West Philadelphia Street  
 York, PA 17401  
 Application Received: 11/15/2019  
 Description of Action Removal and cessation of the  
 addition of hydrofluosilicic acid  
 at each entry point.

**Permit No. 3619527**, Public Water Supply.

Applicant **Mihalis Agadis**  
 Municipality Elizabeth Township  
 County **Lancaster**  
 Responsible Official Mihalis Agadis, Owner  
 2 East 28th Division Highway  
 Lititz, PA 17543

Type of Facility Public Water Supply  
 Consulting Engineer Charles A. Kehew II, P.E.  
 James R. Holley & Associates,  
 Inc.  
 18 South George Street  
 York, PA 17401

Application Received: 10/23/2019  
 Description of Action Installation of nitrate removal  
 treatment, pH adjustment with  
 soda ash and the addition of  
 contact tanks.

**Permit No. 2219509**, Public Water Supply.

Applicant **SUEZ Water PA, Inc.**  
 Municipality Susquehanna Township  
 County **Dauphin**  
 Responsible Official John D. Hollenbach, General  
 Manager  
 4211 East Park Circle  
 Harrisburg, PA 17111-0151

Type of Facility Public Water Supply  
 Consulting Engineer Justin J. Mendinsky, P.E.  
 Herbert, Rowland & Grubic Inc.  
 369 East Park Drive  
 Harrisburg, PA 17111

Application Received: 11/15/2019  
 Description of Action Relocation of chemical injection  
 points and the installation of a  
 UV disinfection system for  
 additional log inactivation credit  
 under the LT2 enhanced surface  
 water treatment rule at Suez's  
 6th Street WTP.

*Northcentral Region: Safe Drinking Water Program  
 Manager, 208 West Third Street, Suite 101, Williamsport,  
 PA 17701-6448.*

**Permit No. 1919506—Construction—Public Water  
 Supply.**

Applicant **SUEZ Water Pennsylvania,  
 Inc.**  
 Township/Borough Lower Paxton Township  
 County **Columbia County**

Responsible Official Mr. Arthur Saunders  
 6310 Allentown Boulevard  
 Harrisburg, PA 17112

Type of Facility Public Water  
 Supply—Construction

Consulting Engineer Mr. David R. Knapton, P.E.  
 GHD, Inc.  
 230 Executive Drive  
 Cranberry Township, PA 16066

Application Received November 5, 2019

Description of Action Authorizes to construct a new  
 300,000-gallon, elevated,  
 water-storage tank to enable  
 Suez to supply the Mahoning  
 Township system, as well as  
 provide adequate fire storage for  
 the recently expanded service  
 area.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995  
 PREAMBLE 1

### Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Envi- ronmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environ-  
 mental Remediation Standards Act (Act) require the  
 Department of Environmental Protection (Department) to  
 publish in the *Pennsylvania Bulletin* an acknowledgment  
 noting receipt of any Notices of Intent to Remediate. An  
 acknowledgment of the receipt of a Notice of Intent (NOI)  
 to Remediate is used to identify a site where a person  
 proposes to, or has been required to, respond to a release  
 of a regulated substance at a site. Persons intending to  
 use the background standard, Statewide health standard,  
 the site-specific standard, or who intend to remediate a  
 site as a special industrial area, must file a (NOI) to  
 Remediate with the Department. A NOI to Remediate  
 filed with the Department provides a brief description of  
 the location of the site, a list of known or suspected  
 contaminants at the site, the proposed remediation mea-  
 sures for the site, and a description of the intended future  
 use of the site. A person who demonstrates attainment of  
 one, or a combination of the cleanup standards, or who  
 receives approval of a special industrial area remediation  
 identified under the Act, will be relieved of further  
 liability for the remediation of the site for any contamina-  
 tion identified in reports submitted to and approved by  
 the Department. Furthermore, the person shall not be  
 subject to citizen suits or other contribution actions  
 brought by responsible persons not participating in the  
 remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act,  
 there is a 30-day public and municipal comment period  
 for sites proposed for remediation using a site-specific  
 standard, in whole or in part, and for sites remediated as  
 a special industrial area. This period begins when a  
 summary of the NOI to Remediate is published in a  
 newspaper of general circulation in the area of the site.  
 For the following identified site(s), proposed for remedia-  
 tion to a site-specific standard or as a special industrial  
 area, the municipality, within which the site is located,  
 may request to be involved in the development of the

remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**1115 West Gillam Avenue**, 1115 West Gillam Avenue, Middletown Township, **Bucks County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Blvd, Suite 110, King of Prussia, PA 19406 on behalf of Ruth Benek, Artcraft Machine & Tool Corporation, 653 Parmentier Road, Warminster, PA 18974 submitted a Notice of Intent to Remediate. Soil was impacted with the release of petroleum, PAHs and VOCs. The intended future use of the subject property is commercial/light industrial. The Notice of Intent to Remediate was published in the *Advance of Bucks County* on October 27, 2019.

**1797 South Sproul Road**, 1797 South Sproul Road, Marple Township, **Delaware County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Blvd, Suite 110, King of Prussia, PA 19406 on behalf of David Beebee, Devine Providence Village c/o Archdiocese of Philadelphia, 1712 Summer Street, Philadelphia, PA 19103 submitted a Notice of Intent to Remediate. Soil and groundwater at the site have been found to be contaminated with the release of metals. The intended future use of the property will be residential. The Notice of Intent to Remediate was published in the *Daily Times* and *Sunday Times* on November 11, 2019.

**Emmanuel CSI Church**, 3325 Brownsville Road, Bensalem Township, **Bucks County**. Matthew Abraham, West Chester Environmental, 1248 Wrights Lane, West Chester, PA 19380 on behalf of Koshy Verghese, Emmanuel CSI Church, 3325 Brownsville Road, Feasterville-Treves, PA 19053 submitted a Notice of Intent to Remediate. Soil at the site has been found to be contaminated with a compound found in heating oil. The proposed future use of the property will be church-related activities. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on August 14, 2019.

**Quarry 4 Silo Area**, 411 Swedeland Road, Upper Merion Township, **Montgomery County**. Liz Bongard, Golder Associates, Inc., 200 Century Parkway, Suite C, Mount Laurel, NJ 08054 on behalf of Kevin Kyle, Merion Innovation II, LLC, 201 King of Prussia, Road, Suite 501, Radnor, PA 19807 submitted a Notice of Intent to Remediate. The site has been found to be contaminated with ammonia, metals, VOCs, naphthalene and PAHs that have impacted the soil. The proposed future use of the site is non-residential. The Notice of Intent to Remediate was published in the *Times Herald* on November 8, 2019.

**1860 Montgomery Avenue**, 1860 Montgomery Avenue, Lower Merion Township, **Montgomery County**. Mark T. Smith, PG, Element Environmental Solutions, Inc., P.O. Box 921, 61 Willow Street, Adamstown, PA 19500 on behalf of Gary Musial, Lower Merion School District, 301 East Montgomery Avenue, Ardmore, PA 19003 submitted a Notice of Intent to Remediate. Soil at the site has been found to be contaminated with heating oil constituents. The proposed future use of the property is a middle school and athletic fields. The Notice of Intent to Remediate was published in the *Main Line Media News* on November 8, 2019.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Collins Property**, 4613 Hamlin Highway, Jefferson Township, **Lackawanna County**. Mountain Research, 825 25th Street, Altoona, PA 16601, on behalf of Cindy Collins, 4613 Hamlin Highway, Moscow, PA 18444, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Tri-County Independent* on November 14, 2019.

**1468 Clearfield Road Property**, 1468 Clearfield Road, Bushkill Township, **Northampton County**. Above Environmental Services, P.O. Box 801, Vernon, NJ 07462, on behalf of Hudson Homes, 3701 Regent Boulevard, Irving, TX, 75063, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an aboveground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Key* on December 11, 2019.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person



submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Dave Balog, New Source Review Chief, (814) 332-6328.*

**43-390A: Sherman Funeral Home and Crematory LLC** (2201 Highland Rd., Sharpsville, PA 16148), plan approval application received for the installation and initial operation of a human crematory at the Sherman Funeral Home facility in Sharpsville Borough, **Mercer County**. This will be a natural minor facility.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief, (570) 826-2507.*

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a plan approval to **Hydro Extrusions USA, LLC** (53 Pottsville Street, Cressona, PA 17929-1217) to install a new Preheat Furnace with cooler at their facility located in Cressona Borough, **Schuylkill County**. The facility currently has a Title V Operating Permit No. 54-00022. Plan approval 54-00022E will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

**Plan Approval 54-00022E** is for the installation of a new Preheat Furnace with cooler. Total facility emissions shall not exceed the following limits during any consecutive a 12-month rolling period in tons per year: NO<sub>x</sub> 99.9, CO 99.9, VOC 49.9, PM<sub>10</sub>/PM<sub>2.5</sub> 99.9, and SO<sub>2</sub> 99.9. The facility is subject to 40 CFR Part 63 Subpart RRR requirements. Hydro Extrusions USA LLC is a major facility for HAPs emissions and is subject to Title V permitting requirements and is located in Cressona Borough, **Schuylkill County**. The plan approval will include all appropriate monitoring, record keeping, and reporting requirements designed to keep the equipment operating within all applicable air quality requirements. Further details on the conditions and the reasons for their inclusion are available upon request.

Copies of the applications, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. The submittal of written comment must contain the name, address and telephone number of the commentator, identification of the proposed Permit No. 54-00022E and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Mr. Raymond Kempa, Chief, New Source Review Section, 2 Public Square, Wilkes-Barre, PA 18711 or 570-826-2511.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Contact: Edward Wiener, Chief, (215) 685-9426.*

**IP19-000463: American Airlines, PHL International Airport** (8500 Essington Avenue, Philadelphia, PA 19153) for the installation and temporary operation of air emission sources at an air transportation establishment in the City of Philadelphia, **Philadelphia County**. The following significant stationary air emission sources are part of the Plan Approval: thirty-three (33) air heaters firing natural gas each rated less than 4 MMBtu/hr, seven (7) fire pumps firing diesel fuel each rated 430 HP, four (4) boilers firing natural gas each rated less than 2 MMBtu/hr, one (1) hot water heater firing natural gas rated 0.30 MMBtu/hr, and one (1) emergency generator firing diesel fuel rated 896 HP. Additionally, five (5)

insignificant air heaters firing natural gas each rated 0.25 MMBtu/hr and one (1) insignificant emergency generator firing natural gas rated 49 HP are also included in the Plan Approval for facility-wide emission calculation, and they are required to follow the applicable requirements in the Plan Approval. The facility is accepting operating hour limits per rolling 12-month period so that the facility-wide NO<sub>x</sub> emission limit is less than 25 tons per rolling 12-month period. For the stationary sources in the Plan Approval, there will be potential Nitrogen Oxides (NO<sub>x</sub>) emissions of 18.07 tons per year (tpy), potential Carbon Monoxide (CO) emissions of 19.24 tpy, potential Particulate Matter (PM) emissions of 1.05 tpy, and potential Volatile Organic Compound (VOC) emissions of 1.01 tpy. Additionally, the facility requested an amendment for four (4) non-stationary sources that were previously permitted under IP18-000027, IP18-000029, IP18-000031, and IP18-000032 issued 2/27/2018. The non-stationary sources are Portable Aircraft Ground Power Units firing diesel fuel, of which one (1) rated 300 HP and three (3) rated 155 HP each, and the facility requested increasing the operating hours limit per rolling 12-month period from 720 hours to 1,600 hours. The plan approval will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The plan approval will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed plan approval must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the plan approval or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

**AMS IP19-000473: Cardone Industries** (5660 Rising Sun Avenue, Philadelphia, PA 19120) **City of Philadelphia**. For the installation and temporary operation of the following sources: one (1) conveyORIZED paint line with a spray booth; one (1) 4 MMBtu/hr curing oven firing natural gas; and one 1 MMBtu/hr washer firing natural gas. The potential emission increase from the new installation will be 4.2 tpy of VOCs; 2.4 tpy of NO<sub>x</sub>; 2.0 tpy of CO; and 0.3 tpy of PM. The Plan Approval will also modify the continuous afterburner temperature recordkeeping requirements of burn off ovens CU-001, CD-004, CD-012, CD-021, CD-022, CD-024 and CD-026 to once at the beginning of each batch. The Plan Approval will contain works practice standards, monitoring, and recordkeeping requirements to assure compliance with applicable requirements.

Copies of all documents and information concerning this permit are available for review in the offices of Air Management Services, 321 University Ave., Philadelphia, PA 19104-4543 during normal business hours. Persons wishing to review these documents should contact Debra Williams (215-685-7572) at the previously listed address.

Persons wishing to file protest, comments or to request a public hearing on the previously listed permit must

submit the protest, comments, or request for a public hearing to within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Anyone affected by the proposed plan approval may submit written comments or a request for a public hearing by mail to Air Management Services, 321 University Avenue, 2nd Floor, Philadelphia, PA 19104, Attn: Debra Williams within thirty (30) days from today. Comments received by facsimile will not be accepted.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.*

**39-00055: B Braun Medical, Inc.** (901 Marcon Blvd, Allentown, PA 18109). The Department intends to issue a State-Only (Synthetic Minor) Operating Permit for operation of sources at a surgical and medical instrument manufacturing facility in Hanover Township, **Lehigh County**. The facility is currently operating under a Title V operating permit with potential emissions below major source thresholds. The sources include two 21 MMBtu/hr natural gas-fired boilers, three cooling towers, sterilizers, an aeration room, an introcan process, emergency generators, and emergency fire pumps. Control devices include a catalytic oxidizer and wet scrubber. The proposed permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**35-00045: Eureka Stone Quarry, Inc.** (P.O. Box 249 Chalfont, PA 18914-0249). The Department intends to issue a renewal State-Only Synthetic Minor Permit for the Daleville Plant located in Covington Township, **Lackawanna County**. This facility operates a rock crushing plant and an asphalt plant. The sources at this facility are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**40-00054: Barletta Materials & Construction, Inc.** (P.O. Box 550 Tamaqua, PA 18252-0550). The Department intends to issue a renewal State-Only Synthetic Minor Permit for Barletta Materials & Construction, Inc. located in Nescopeck Township, **Luzerne County**. This facility operates a rock crushing plant and an asphalt plant. The sources at this facility are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting

standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**36-03094: Snavely's Mill, Inc.** (333 Snavely Mill Road, Lititz, PA 17543) to issue a State Only Operating Permit for the flour mill located in Warwick Township, **Lancaster County**. The potential emissions are estimated at 13.63 tpy of PM, 8.66 tpy of PM<sub>10</sub> and 4.75 tpy of PM<sub>2.5</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart III—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

**21-03029: Pennsy Supply, Inc.** (400 Mountain View Road, Mount Holly Springs, PA 17065) for the operation of a sand processing plant in Dickinson Township, **Cumberland County**. This is for renewal of the existing State-Only permit. Potential air emissions from the facility are estimated at 6.49 tpy PM<sub>10</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**21-05049: Pennsy Supply, Inc.** (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110) to issue a State Only Operating Permit for the Penn Township Quarry asphalt plant located in Penn Township, **Cumberland County**. The potential emissions from the facility are estimated at: 98.5 tons per year CO, 35.38 tons per year NO<sub>x</sub>, 21.57 tons per year SO<sub>x</sub>, 33.74 tons per year PM, 6.67 tons per year PM<sub>10</sub>, 6.62 tons per year PM<sub>2.5</sub>, 8.88 tons per year VOC, and 1.89 ton per year HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities and 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, (412) 442-4336.*

**04-00710: Cronimet Corporation** (1 Pilarsky Way, Aliquippa, PA 15342). In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Cronimet Corporation to authorize the continued operation of their metal scrap recycling facility located in the East Rochester Boro, **Beaver County**.

The facility includes torch cutting for size reduction, stocks piles of scrap metals, shear, baler, a 24,000 acfm dust collector and other miscellaneous equipment associated with this type of operation. This facility has the potential to emit 01.6 ton per year of PM<sub>10</sub>. The proposed

SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (04-00710) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Cronimet Corporation State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Cronimet Corporation State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**24-00119: Advanced Heat Treating** (1057 Trout Run Rd, Saint Marys, PA 15857), the Department intends to issue the renewal of the State-Only Operating Permit of a metal heat treating facility located in Saint Marys City, **Elk County**. Permitted air contamination sources are two tempering furnaces, five draw furnaces, and miscellaneous natural gas usage. Several tempering and draw furnaces are subject to requirements established through PA 24-119B. In this renewal, three tempering furnaces no longer operated are removed from the operating permit.

**Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **B. Braun Medical Inc.** (901 Marcon Blvd. Allentown, PA 18109) for their facility located in Hanover Township, **Lehigh County**. This **Plan Approval No. 39-00055B** will be incorporated into a synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 39-00055B is for the installation and operation of a new control system to control ethylene oxide (EtO) emissions from the B. Braun facility. The new control system will control EtO emissions from the existing eight Sterilizers and Aeration Room (Source IDs 101 108 and 110). The proposed EtO control system will replace the existing Catalytic Oxidizer (Control Device ID C001) and Wet Scrubber Deox Unit (Control Device ID C002). The purpose of the control device replacement is to voluntarily achieve further reductions of EtO emissions from the sterilization process. The resulting EtO emissions levels are expected to be less than applicable regulatory or permit-based standards, including the original Best Available Technology (BAT) determination for the sources reflected in the existing permit. B. Braun identifies an expected control efficiency for the proposed control system as greater than 99% for EtO. B. Braun will determine the emissions control efficiency via stack testing upon installation. EtO is the only pollutant emitted from the sterilization process & is classified as a volatile organic compound (VOC) and a hazardous air pollutant (HAP). The proposed project will achieve a reduction in potential EtO emissions from the sterilization process.

The facility is an area source of HAPs. No NSPS currently applies to emissions sources at the facility, and the proposed project will not cause applicability of any NSPS. There are no 40 CFR Part 61 NESHAP requirements that apply to the proposed project. Existing sources at the facility are currently subject to 40 CFR Part 63, Subpart O, which require a 99% emission reduction or an outlet EtO concentration of less than or equal to 1ppmv (whichever is less stringent) from the Aeration Room. Implementation of the proposed project will not change the applicability to the facility of 40 CFR Part 63, Subpart O. The company shall be subject to and comply with 25 Pa. Code §§ 123.31 and 123.41 for odor and visible emissions. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 39-00055B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, Environmental Engineering Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Reilly Finishing Technologies** (130 Alden Road, Nanticoke, PA 18634) for their facility located in Nanticoke City, **Luzerne County**. This **Plan Approval No. 40-00059C** will be incorporated into a State Only Operating Permit through an administrative amendment at a later date.

Plan Approval No. 40-00059C is for the identical replacement of its Tri-Mer Scrubber operating at the facility to control emissions from the existing Anodizing Line No. 1. This facility is a Non-Title V facility. Sulfuric acid mists generated during operations will be controlled by a packed bed scrubber capable of removing 98% of sulfuric acid mist before discharging into atmosphere. Estimated sulfuric acid emissions will be less than 2.85 tons/year from this line. The use of wet packed bed scrubber capable of removing 98% of emissions meets Department's BAT criteria for this type of process. The company will operate the source and maintain the system in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 40-00059C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Engineering Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

**40-00126B: Hazleton Hiller, LLC**, Stockton Mountain Road Site (414 Stockton Mountain Road, P.O. Box 435, Hazleton, PA 18201) for their facility located in Hazle Twp, **Luzerne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Hazleton Hiller, LLC, Stockton Mountain Road Site (414 Stockton Mountain Road, P.O. Box 435, Hazleton, PA 18201) for their facility located in Hazle Twp, Luzerne County. This Plan Approval No. 40-00126B will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 40-00126B is for the replacement of a duel cyclonic separator used to control particulate matter (PM) emissions from an existing vibrating dryer fueled by natural gas with a baghouse. The vibrating dryer operation is subject to NSPS Subpart Y requirements. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 40-00126B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes:

the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	
Alkalinity greater than acidity <sup>1</sup>			

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse

disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*Coal Applications Received*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100 (Contact: Bonnie Herbert).*

**Permit No. 30831303 and NPDES Permit No. PA0013511. Cumberland Contura, LLC**, 158 Portal Road, P.O. Box 1020, Waynesburg, PA 15370, to revise the permit and related NPDES Permit for a change to the previously approved stream restoration areas for the Cumberland Mine Oak Forest District (Longwall Panels LW-73—LW-75) for the Cumberland Mine in Center and Whiteley Townships, **Greene County**. No additional discharges. The application was considered administratively complete on December 4, 2019. Application received: October 24, 2019.

**Permit No. 03981301 and NPDES Permit No. PA0215198.** Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, to revise the permit and related NPDES Permit for the Parkwood Mine in Plumcreek Township, **Armstrong County** and Armstrong Township, **Indiana County**, affecting 1,768 underground acres proposed and 1,768 subsidence control plan acres proposed. No additional discharges. The application was considered administratively complete on December 3, 2019. Application received: October 30, 2019.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900 (Contact: Holly Calvetti).*

**Permit No. 11130101 and NPDES No. PA0269387. Laurel Sand & Stone, Inc.**, P.O. Box 556, Ligonier, PA 15658, permit renewal for the continued operation and restoration of a bituminous surface & auger mine in Elder & Susquehanna Townships, **Cambria County**, affecting 382 acres. Receiving stream(s): Little Brubaker Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 20, 2019.

**Permit No. 32130108. Amerikohl Mining, Inc.**, 202 Sunset Drive, Butler, PA 16001, permit renewal for reclamation only of a bituminous surface & auger mine in Blacklick, Center & Young Townships, **Indiana County**, affecting 163.2 acres. Receiving stream(s): unnamed tributaries to/and Aultmans Run to Conemaugh River, unnamed tributaries to/and Reeds Run to Aultmans Run to Conemaugh River classified for the following use(s): TWF, WWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 22, 2019.

**Permit No. 11950301. TMS International, LLC**, 1155 Business Center Drive, Horsham, PA 19044, commencement, operation and restoration of a bituminous surface mine to change the land use from unmanaged natural habitat to industrial in East Taylor and Conemaugh Townships, **Cambria County**, affecting 212.4 acres. Receiving stream(s): Little Conemaugh River classified for the following use(s): WWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 2, 2019.

**Permit No. 11130104. Elk Resources, Inc.**, 30 Pounds Road, West Lebanon, PA 15783, permit renewal for reclamation only of a bituminous surface mine in Richland Township, **Cambria County**, affecting 18 acres. Receiving stream(s): Solomon Run classified for the following use(s): WWF. The first downstream potable water supply intake from the point of discharge is Buffalo Township Municipal Authority intake at Freeport, PA on Allegheny River. Application received: December 4, 2019.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Cayleigh Boniger).*

**Permit No. 16190103 and NPDES Permit No. PA0280739. Ben Hal Mining, Inc.** (389 Irishtown Road, Grove City, PA 16127). Commencement, operation and restoration of a bituminous surface mine in Piney Township, **Clarion County** affecting 61.0 acres. Receiving streams: Two unnamed tributaries to Licking Creek and Licking Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: October 29, 2019.

**Permit No. 16140107. Ben Hal Mining Company** (389 Irishtown Road, Grove City, PA 16127). Renewal of an existing bituminous surface mine in Clarion Township, **Clarion County** affecting 99.9 acres. Receiving streams: Unnamed tributaries to Brush Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. This renewal is issued for reclamation only. Application received: November 21, 2019.

**Permit No. 16140106. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous surface mine in Redbank and Limestone Townships, **Clarion County** affecting 133.0 acres. Receiving streams: Three unnamed tributaries to Glade Run and two unnamed tributaries to Town Run, classified for the following uses: CWF. The first downstream potable water supply intake from the point of discharge is Redbank Valley Municipal Authority 7.5 miles downstream. This renewal is issued for reclamation only. Application received: November 22, 2019.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200 (Contact: Janet Turner).*

**Permit No. 17860135 and NPDES Permit No. PA0115622. Strishock, LLC**, P.O. Box 1006, DuBois, PA 15801, permit renewal for continued operation and restoration of a bituminous surface coal mine located in Brady, Sandy, & Union Townships, **Clearfield County** affecting 367.7 acres. Receiving stream(s): Stony Run, Laborde Branch, and Sugar Camp Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 2, 2019.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118 (Contact: Theresa Reilly-Flannery).*

**Permit No. 40840202R7. Silverbrook Anthracite, Inc.** (1 Market Street, Laflin, PA 18702), renewal of an existing anthracite coal refuse reprocessing and preparation plant operation in Laflin Borough, **Luzerne County** affecting 30.3 acres. Receiving stream: Gardner Creek, classified for the following uses: cold water and migratory fishes. Application received: November 12, 2019.

**Permit No. 54940201R5. White Pine Coal Co., Inc.** (P.O. Box 59, Ashland, PA 17921), renewal for reclamation activities only of an existing anthracite coal refuse reprocessing operation in West Mahanoy Township, **Schuylkill County** affecting 56.3 acres. Receiving stream: Mahanoy Creek, classified for the following uses: cold water and migratory fishes. Application received: November 20, 2019.

**Permit No. 35150901R. Keystone Quarry, Inc.** (249 Dunham Drive, Dunmore, PA 18512), renewal of an existing incidental coal extraction operation in Dunmore and Taylor Boroughs, **Lackawanna County** affecting 714 acres. Receiving stream: Eddy Creek, classified for the following uses: warm water and migratory fishes. Application received: November 25, 2019.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191 (Contact: Cayleigh Boniger).*

**Permit No. 37160303 and NPDES Permit No. PA0259713. Amerikohl Aggregates, Inc.** (202 Sunset Drive, Butler, PA 16001). Revision to an existing large industrial mineral surface mine to add 34.9 acres and delete 9.9 acres, for a total of 25.0 acres added in Wayne Township, **Lawrence County**. Receiving streams: Unnamed tributaries to Connoquenessing Creek, Connoquenessing Creek, and unnamed tributaries to the Beaver River, classified for the following uses: WWF. The first downstream potable water supply intake from the point of discharge is Beaver Falls Municipal Water Authority. Application received: October 25, 2019.

**Permit No. 16990301. Glen-Gery Corporation** (1166 Spring Street, P.O. Box 7001, Reading, PA 19610). Renewal of NPDES Permit No. PA0241521 in Monroe Township, **Clarion County**. Receiving streams: Unnamed tributaries to Reids Run and Reids Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: November 27, 2019.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200 (Contact: Janet Turner).*

**Permit No. 08090303 and NPDES PA0257192. DeCristo, Inc.,** 9070 Route 414, Canton, PA 17724, renewal for an existing NPDES on a large noncoal surface mining site located in LeRoy Township, **Bradford County** affecting 71.5 acres. Receiving stream(s): Unnamed Tributary No. 1 to Towanda Creek classified for the following use(s): CWF, MF. Application received: December 2, 2019.

*New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500 (Contact: Tracy Norbert).*

**Permit No. 26192801. Fayette Coal & Coke, Inc.,** 195 Enterprise Lane, Connellsville, PA 15425, application received for small noncoal in Bullsken Township, **Fayette County**, affecting 7.5 acres. Receiving stream(s): unnamed tributaries to Mounts Creek classified for the following use(s): WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: November 25, 2019.

**Permit No. 2969BSM24 and NPDES No. PA0252018,** correction to previously published application received **Potato Ridge, LLC**, 180 N. Mill Street, Lexington, KY 40507, NPDES renewal application for continued treatment to an existing large noncoal surface mine in Stewart Township, **Fayette County**, affecting 169.8 acres. Receiving stream(s): unnamed tributary to Laurel Run classified for the following use(s): HQ-CWF. There is no downstream potable water supply intake from the point of discharge. Application received: November 19, 2019.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118 (Contact: Theresa Reilly-Flannery).*

**Permit No. 58190302. Natstone, LLC dba Rock Ridge Stone** (631 SR 1039, Montrose, PA 18801), commencement, operation and restoration of a quarry operation in Bridgewater Township, **Susquehanna County** affecting 46.0 acres. Receiving stream: unnamed tributary to Meshoppen Creek, classified for the following uses: cold water and migratory fishes. Application received: November 4, 2019.

**Permit No. 58140807. Eric Diaz** (1612 Lewis Road, Montrose, PA 18801), Stage I & II bond release of a quarry operation in New Milford Township, **Susquehanna County** affecting 5.0 acres on property owned by Betty Birch. Application received: November 7, 2019.

**Permit No. 58150806. Juan Loja** (1525 Fair Hill Road, New Milford, PA 18834), Stage I & II bond release of a quarry operation in Thompson Township, **Susquehanna County** affecting 3.0 acres on property owned by Michael Rose. Application received: November 20, 2019.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.



*Coal NPDES Draft Permits*

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100 (Contact: Bonnie Herbert).

**NPDES Permit No. 0214892 (Mining Permit No. 26961602), Bullskin Tipple Company**, 4325 State Route 51, Belle Vernon, PA 15012, a renewal to the NPDES and mining activity permit for Bullskin Tipple in Connellsville Township, **Fayette County**, affecting 7.1 surface acres. Receiving stream(s): Mounts Creek classified for the following use(s): WWF. Monongahela River Watershed TMDL. The application was considered administratively complete on April 27, 2017. Application received: January 12, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

*Outfall 001* discharges to: Mounts Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 01' 60" Long: 79° 35' 20") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	REPORT
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	-	-	REPORT
Sulfate	(mg/l)	-	-	-	REPORT
Total Dissolved Solids	(mg/l)	-	-	-	REPORT
Chloride	(mg/l)	-	-	-	REPORT
pH	(SU)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	REPORT
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	REPORT
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	REPORT
Cadmium	(mg/L)	-	-	-	REPORT

EPA waiver is not in effect.

**NPDES Permit No. 0213527 (Mining Permit No. 30841317), Consol Pennsylvania Coal Company LLC**, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, a revision to the NPDES and mining activity permit for Enlow Fork Mine in Morris Township, **Washington and Greene Counties**, affecting 7.2 surface acres. Receiving streams: Unnamed Tributary 40903 of Tenmile Creek classified for the following use: TSF and Unnamed Tributary 40533 to Bates Fork classified for the following use: HQ-CWF. The application was considered administratively complete on February 22, 2019. Application received: November 2, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

*Outfall 038* discharges to: Unnamed Tributary 40903 of Tenmile Creek

The proposed effluent limits for *Outfall 038* (Lat: 40° 00' 18.1" Long: -80° 16' 31.3") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

*Outfall 039* discharges to: Unnamed Tributary 40533 of Bates Fork

The proposed effluent limits for *Outfall 039* (Lat: 40° 00' 21.3" Long: -80° 16' 59.2") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	0.987	1.97	2.46
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	63.2	126.4	158

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

EPA waiver is not in effect.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900 (Contact: Holly Calvetti).*

**NPDES Permit No. PA0119296 (Mining Permit No. 56793091), Hardrock Coal Company, 275 Saddle Ridge Road, Berlin, PA 15530, renewal of an NPDES permit for a bituminous surface mine in Brothersvalley Township, Somerset County, affecting 326.2 acres. Receiving stream(s): unnamed tributary to Millers Run, unnamed tributary to/and Tubs Run, classified for the following use(s): CWF. This receiving stream is included in the Buffalo Creek TMDL. Application received: September 24, 2019.**

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls discharge to unnamed tributary to Millers Run; unnamed tributary to/and Tubs Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
013	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 002</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	1.77	1.77	1.77
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 003 and 013</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following stormwater outfalls discharge to unnamed tributary to Millers Run, unnamed tributary to Tubs Run and Tubs Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
014	N
015	N
016	N
025	N
027	N
028	N
029	N
031	N
032	N
033	N

The proposed effluent limits for the following outfalls are as follows:

<i>Outfalls: 014 and 015 (all weather conditions)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	1.77	1.77	1.77

<i>Outfalls: 014 and 015 (all weather conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the following outfalls are as follows:

<i>Outfalls: 016, 027, 028 and 029 (dry weather conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)			Report
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the following outfalls are as follows:

<i>Outfalls: 025 (all weather conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	2.45	2.45	2.45
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the following outfalls are as follows:

<i>Outfalls: 031, 032, and 033 (all weather conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	1.6	3.1	3.9
Aluminum (mg/l)	3.41	3.41	3.41
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. Alkalinity must exceed acidity at all times.			

The proposed alternative effluent limits for the following outfalls are as follows:

<i>Outfalls: 016, 027, 028 and 029 (≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (m/l)	N/A	N/A	0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. Alkalinity must exceed acidity at all times.			

*Outfalls: 016, 027, 028 and 029 (>10-yr/24-hr Precip. Event)*  
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

*New Stanton District Office: P.O Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500 (Contact: Tracy Norbert).*

**NPDES Permit No. PA0252298 (Mining Permit No. 63120105), Amerikohl Mining, Inc.**, 1384 State Route 711, Stahlstown, PA 15687, NPDES permit renewal for a surface coal mine in Somerset Township, **Washington County** affecting 50.2 acres. A 0.9-acre variance is requested to affect within 100 feet of UNT D beginning at the intersection of UNT D and McIlvaine Road (T-818) and continuing upstream along the south side of UNT D approximately 475 feet, for the haul road. Receiving stream(s): UNTs to North Branch Pigeon Creek classified for the following use: WWF. Application received: March 28, 2019.

The following treated wastewater outfall discharges to UNT A to North Branch Pigeon Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001 (TP1)	N	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfall: 001 (TP1)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	3.0	6.0	7.0
Total Manganese (mg/l)	2.0	4.0	5.0
Total Aluminum (mg/l)	2.0	4.0	5.0

<i>Outfall: 001 (TP1)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)	Monitor & Report		
Total Silver (mg/L)	Quarterly Monitor & Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following treated wastewater outfall discharges to UNT D to North Branch Pigeon Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
002 (TP2)	N	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfall: 002 (TP2)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Iron (mg/l)	3.0	6.0	7.0
Total Manganese (mg/l)	2.0	4.0	5.0
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)	Monitor & Report		
Total Silver (mg/L)	Quarterly Monitor & Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following stormwater outfall discharges to UNT C to North Branch Pigeon Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
003 (SP1)	N	Stormwater Outfall

The proposed all weather effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 003 (SP1)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Iron (mg/l)	2.8	5.6	7.0
Total Manganese (mg/l)	2.0	4.0	5.0
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)	Monitor & Report		
Total Silver (mg/L)	Quarterly Monitor & Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following stormwater outfall discharges to UNT D to North Branch Pigeon Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
004 (SP2)	N	Stormwater Outfall

The proposed all weather effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 004 (SP2)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Iron (mg/l)	2.2	4.4	5.5
Total Manganese (mg/l)	1.8	3.6	4.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)	Monitor & Report		
Total Silver (mg/L)	Quarterly Monitor & Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

#### *Noncoal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900 (Contact: Holly Calvetti).*

**NPDES Permit No. PA0223981 (Mining Permit No. 28990301) Fayetteville Contractors, Inc.**, renewal of the NPDES permit for surface mining in Antrim Township, **Franklin County**, affecting 20.9 acres. Receiving stream(s): unnamed tributary to/and Muddy Run classified for the following use(s): HQ, CWF, MF. Application received: June 10, 2019.

The following outfalls discharge to unnamed tributaries to/and Muddy Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 001, 002 (All Weather*

*Conditions)*

*Parameter*

*30-Day  
Average*

*Daily  
Maximum*

*Instantaneous  
Maximum*

Total Suspended Solids (mg/l)

35.0

70.0

90.0

pH (S.U.): Must be between 6.0 and 9.0 standards units.

Alkalinity must exceed acidity.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118 (Contact: Theresa Reilly-Flannery).*

**NPDES Permit No. PA0118443 on Surface Mining Permit No. 8074SM3. Harleysville Materials, LLC** (P.O. Box 587, Berlin, NJ 08009), renewal of an NPDES Permit for an argillite quarry operation in Lower Salford Township, **Montgomery County**, affecting 43.4 acres. Receiving stream: East Branch Perkiomen Creek, classified for the following uses: trout stocking fishes and migratory fishes. Application received: April 16, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfall discharges to East Branch Perkiomen Creek:

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Pit Water/Stormwater

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)		6.0		9.0
Discharge (MGD)		0.3		0.6
Total Suspended Solids		35.0	70.0	90.0
Oil and Grease (mg/l)		Monitor and Report		

<sup>1</sup> The parameter is applicable at all times.

**NPDES Permit No. PA0224715 on Surface Mining Permit No. 06080301. Dyer Quarry, Inc.** (P.O. Box 188, Birdsboro, PA 19508), renewal of an NPDES Permit for a diabase quarry operation in Robeson Township, **Berks County**, affecting 101.0 acres. Receiving stream: Indian Corn Creek, classified for the following use: cold water fishes. Application received: May 31, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Indian Corn Creek:

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Pit Water/Stormwater
002	No	Stormwater

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)		6.0		9.0
Discharge (MGD)		0.72		
Total Suspended Solids		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

**NPDES Permit No. PA0594563 on Surface Mining Permit Nos. 7775SM4 and 06960301. Lehigh Cement Co., LLC** (7660 Imperial Way, Allentown, PA 18195), renewal of an NPDES Permit for a limestone quarry operation in Oley Township, **Berks County**, affecting 303.0 acres. Receiving stream: Manatawny Creek, classified for the following use: cold water fishes. Application received: June 27, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfall discharges to Manatawny Creek:

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Groundwater/Pit Sump

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Discharge (MGD)		4.33	6.5	
Total Suspended Solids		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.*

*Contact: Elaine Henderson, Clerk Typist 3, 484.250.5157.*

**Permit No. E46-1200, Pennsylvania Department of Transportation, Engineering District 6-0, 7000 Geerdes**

Blvd., King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation (PennDOT District 6-0) is proposing to perform the following water obstruction and encroachment activities associated with the realignment and cantilevering of S.R. 0320 at Hanging Rock, which is listed on the National Register of Historic Places.

1. To construct and maintain a spring box with outlet associated with the placement of roadway embankment fill, roadway realignment and reconstruction activities within an unnamed tributary to Gulph Creek (WWF-MF, Watercourse 3) and wetlands (PEM, Wetland B-1). This activity also includes temporary wetland and floodway impacts due to construction access. Overall, impacts to regulated resources associated with this activity will result in 40.2 linear feet (301 square feet, 0.007 acre) of permeant watercourse impact, 7,563 square feet (0.174 acre) of permanent floodway impact, 2,718 square feet (0.060 acre) of temporary floodway impact, 128 square feet (0.003 acre) of permanent wetland impact, and 41.6 square feet (0.001 acre) of temporary wetland impact.

2. To remove an existing 785 foot long retaining wall system consisting of gabion baskets and a concrete retaining wall within Gulph Mills Creek (WWF, MF) and a tributary to Gulph Mills Creek (WWF-MF) and in its place, construct and maintain three (3) retaining wall sections: two (2) traditional concrete retaining wall sections totaling 407 linear feet and one (1) 558 linear foot section to support an overhanging roadway slab extending a maximum of 5 foot 11 inches over Gulph Mills Creek at the Hanging Rock location associated with roadway reconstruction and raising of roadway profile to improve overtopping and allow for safe travel lanes in both directions. This activity results in 640.3 linear feet (704.1 square feet, 0.0164 acre) of permanent watercourse impact due to riprap placement at base of retaining wall system, 901 linear feet (7,403 square feet, 0.170 acre) of temporary watercourse impact due to placement of cofferdam diversion system, 9,722 square feet (0.224 acre) of permanent floodway impact due to roadway construction and embankment work, and 23,751 square feet (0.545 acre) of temporary floodway impact due to construction access and roadway reconstruction.

The overall project will result in 0.95 acre of floodplain impact and is located between Upper Gulph Road and Arden Road in Upper Merion Township, Montgomery County (USGS PA Norristown Quadrangle—Latitude 40.063930 N, Longitude 75.341929 W).

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Melissa Seidler, Clerk Typist 2, 570-830-3048.*

**E4002219-013. Robert Friedman**, 3352 Lakeside Drive, Harvey's Lake, PA 18618, in Harvey's Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 468 sq. ft. addition to the west of existing living quarters, consisting of a master bedroom and a bath. To the north of the new bedroom, a new deck covering 340 sq. ft. will connect to the existing deck. To the south of the bedroom will be a staircase, 88 sq. ft. South of the new bedroom, another staircase is proposed covering 64 sq. ft. A 180 sq. ft. wooden dock is proposed at the southeastern part of the property. In all the new construction will total 1,140 sq. ft. All new construction will rest on 26 wooden piles, in Harvey's Lake (HQ-CWF, MF). The project is located at Pole # 304, located in Harveys Lake Borough, Luzerne County. Quadrangle Latitude: 41° 21' 08" Longitude: -76° 02' 12.51". (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 08"; Longitude: -76° 02' 12.51").

**E4002219-012. Pennsylvania Turnpike Commission**, 700 S. Eisenhower Blvd, Middletown, PA 17057, in Bear Creek Township, **Luzerne County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 12-foot wide emergency gated access road crossing of Tributary to Tenmile Run (HQ-CWF, MF) and adjacent wetlands (EV) for the purpose of connecting turnpike right of way to an existing gravel service road, Old Glen Summit Trail. The crossing consists of a 24-foot long, 54-inch diameter corrugated metal pipe with concrete headwalls and riprap aprons and the placement of fill in a de minimus area of wetlands equal to 0.02 acre.

This project is located along the Pennsylvania Turnpike at milepost A-103.3 (Wilkes-Barre East, PA Quadrangle, Latitude: 41° 10' 18"; Longitude: -75° 46' 44") in Bear Creek Township, Luzerne County.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Edward Muzic, Section Chief, 717.705.4802.*

**E6703219-007: Glenn Hope Agricare, LLC**, 3040 Glen Allen School Road in Chanceford Township, **York County**, ACOE Baltimore District.

The applicant proposes to 1) construct and maintain streambank stabilization and fish habitat structures consisting of root wads, log vanes, modified mud sill, bioengineered streambanks and brush mattresses in Otter Creek (CWF-MF), totaling 390 linear feet of channel work and 2) relocate and maintain 725 linear feet of an unnamed tributary to Otter Creek (CWF-MF) by way of a channel block. The purpose of the project is to restore and stabilize the stream following flooding events. The project is located along the intersection of Hake Road and Glen Allen School Road in Chanceford Township, York County (39° 54' 17.03", -76° 27' 57.46").

**E0603119-001: PennDOT Engineering District 5-0**, 1002 Hamilton Street, Allentown, PA 18101, in South Heidelberg Township, **Berks County**, ACOE Philadelphia District.

To 1) install and maintain an 88-foot long, 35-inch by 24-inch, corrugated metal pipe arch culvert and place and maintain R-4 rock rip rap for outlet scour protection in an emergent wetland (40.293, -76.07019), 2) install and maintain a 50-foot long, 18-inch circular corrugated metal pipe and drop-box inlet and place R-4 rip rap for outlet scour protection and stilling basin in an emergent wetland (40.29324, -76.071625), 3) install and maintain a 44-foot long, 24-inch, circular corrugated metal pipe, drop box inlet and stilling basin and place and maintain R-4 rip rap choked with AASHTO No. 2A stone for outlet scour protection in an emergent wetland (40.29371,

-76.0713), 4) place and maintain R-4 riprap choked with AASHTO No. 2A stone for outlet scour protection and place and maintain R-4 rip rap for roadway embankment protection within an emergent wetland (40.293873, -76.071175) all for the purpose of improving transportation safety and to mitigate floodwaters along SR 3016 in South Heidelberg Township, Berks County (40.293393, -76.071540). The project will result in 0.00976 acre (425 square feet) of permanent emergent wetland impacts and 0.07096 acre (3,091 square feet) of temporary emergent wetland impacts.

*Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222.*

**E02052-1816, MVP Properties Co., LLC**, 321 Harris Road, New Kensington, PA 15068, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

Permanently place and maintain fill in 0.06-acre of PEM wetlands. For the purpose of constructing two commercial buildings (28,500 square-foot and 6,000 square-foot) including utilities, associated roadways, stormwater, parking and other necessary infrastructure. To mitigate for the wetland impacts, the permittee will contribute one thousand dollars (\$1,000) into the Pennsylvania Wetland Replacement Project. The project is located at (New Kensington West, PA, USGS Topographic Quadrangle; Latitude N: 40° 31' 43", Longitude W: -79° 46' 53", Sub-basin 18A, Army Corps of Engineers Pittsburgh District), in Plum Borough, Allegheny County.

**E11052-364, Cambria County**, 401 Candlelight Drive, Suite 215, Ebensburg, PA 15931, Ebensburg Borough, **Cambria County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Maintain and operate the existing 106 ft long by 32.29 ft wide two-span non-composite box beam bridge of Little Conemaugh River (CWF),
2. Place and maintain R-8 rip rap in front of the south abutment and the pier to protect the substructure from scour and erosion,
3. Remove deposited sediment from a distance approximately 200 ft upstream of the structure,
4. Construct and maintain two (2) rock cross vein structures approximately 200 ft upstream of the bridge and one (1) J-hook structure approximately 270 ft upstream of the bridge, and
5. The project will permanently impact approximately 525 LF by 106 LF of the Little Conemaugh River Floodway (CWF).

No additional mitigation is required, since the project will serve as its own mitigation.

The project site is located approximately 100 ft north of the intersection of Locust Street and Lake Road, Adams Township, PA 15951. (Geistown, PA USGS topographic quadrangle; N: 40°, 20', 0.7"; W: -78°, 45', 35.3"; Sub-basin 18E; USACE Pittsburgh District), in Adams Township, Cambria County.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E5829-136 Modified: Bridgewater Township, Williams Field Services Company, LLC**; 30351 Route 6, Wysox, PA 18854; Bridgewater Township, **Susquehanna County**; ACOE Baltimore District.

To construct, operate, and maintain:

1) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 700 square feet (0.02 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 36", Longitude: -75° 51' 30"),

2) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 51 lineal feet of a tributary to Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 34", Longitude: -75° 51' 30"),

3) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 1,706 square feet (0.02 acre) of a palustrine emergent wetland (PEM) and 453 square feet (0.01 acre) of a palustrine scrub-shrub wetland (Montrose East, PA Quadrangle; Latitude: 41° 48' 29", Longitude: -75° 51' 21"),

4) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 40 lineal feet of a tributary to Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 26", Longitude: -75° 51' 19"),

5) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 867 square feet (0.02 acre) of a palustrine emergent wetland (PEM), 2,524 square feet (0.06 acre) of a palustrine scrub-shrub wetland, and 1,860 square feet (0.04 acre) of palustrine forested wetland (Montrose East, PA Quadrangle; Latitude: 41° 48' 26", Longitude: -75° 51' 18"),

6) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 2,644 square feet (0.06 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 21", Longitude: -75° 50' 57"),

7) a temporary timber mat crossing impacting 1,140 square feet (0.03 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 24", Longitude: -75° 50' 51"),

8) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 50 lineal feet of a tributary to Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 34", Longitude: -75° 50' 40"),

9) a temporary timber mat crossing impacting 423 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 41", Longitude: -75° 50' 19"),

10) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 50 lineal feet of Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 42", Longitude: -75° 50' 19"),

11) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 4,306 square feet (0.10 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 41", Longitude: -75° 50' 17"),

12) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 2,385 square feet (0.06 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 42", Longitude: -75° 50' 10"),

13) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing im-

acting 50 lineal feet of a tributary to Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 43", Longitude: -75° 50' 08"),

14) a temporary timber mat crossing impacting 997 square feet (0.02 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 44", Longitude: -75° 49' 38"),

15) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 2,309 square feet (0.05 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 42", Longitude: -75° 49' 39"),

16) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 50 lineal feet of a tributary to Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 40", Longitude: -75° 49' 38"),

17) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 1,820 square feet (0.04 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 18", Longitude: -75° 49' 33"),

18) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 54 lineal feet of a tributary to Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 16", Longitude: -75° 49' 33"),

19) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 9,370 square feet (0.22 acre) of a palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 14", Longitude: -75° 49' 33"),

20) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 3,687 square feet (0.08 acre) of a palustrine emergent wetland (PEM) and 425 square feet (0.01 acre) of palustrine open water wetland (Montrose East, PA Quadrangle; Latitude: 41° 48' 09", Longitude: -75° 49' 32").

The natural gas gathering pipeline project consists of constructing approximately 3.3 miles 16-inch (modified from 12-inch) steel natural gas pipeline located in Bridgewater Township, Susquehanna County. The project will result in 345 lineal feet of stream impacts, 32,354 square feet (0.74 acre) of palustrine emergent wetland impacts, 2,977 square feet (0.07 acre) of palustrine scrub-shrub wetland impacts, 1,820 square feet (0.04 acre) of palustrine forested wetland, and 425 square feet (0.01 acre) of palustrine open water wetland impacts to provide safe reliable conveyance of Marcellus Shale natural gas to market.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.*

**EA3614-004. Jay Snyder**, President, Conservation Foundation of Lancaster County, 1383 Arcadia Road, Lancaster, PA 17601, West Cocalico Township, **Lancaster County**, USACOE Baltimore District.

Project proposes a restoration plan to restore the aquatic ecosystems of the Cocalico Creek and a tributary floodplain to pre-settlement conditions. This includes rehabilitation of 2.15 acres of existing wetland and to re-establish an additional 3.03 acres of PEM wetland. The work will involve approximately 3,353 linear feet of



Cocalico Creek and 488 feet of a tributary. This work will be accomplished primarily by removing nearly 18,000 cubic yards of legacy sediment. Additional work will be to place log sills, root wads, large woody debris habitat structures and other wood grade control structures within the restored integrated aquatic ecosystem. The project is

located on SGL 046 and an adjacent property near the intersection of Shenks Mill Road and Pin Tail Drive, in the floodplain of Cocalico Creek and a tributary (HQ-WWF, MF) (Womelsdorf, PA Quadrangle; Latitude: 40.2794, Longitude: -76.2067).

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

#### I. NPDES Renewal Permit Actions.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, (570) 826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0035726 (Sewage)	Camp Ramah in the Poconos 2618 Upper Woods Road Lakewood, PA 18439-3939	Wayne County Buckingham Township	Unnamed Tributary to Equinunk Creek (HQ-CWF, MF) (1-A)	Yes
PAS802217 (Stormwater)	UPS—PABHL 342 Stoke Park Road Bethlehem, PA 18017	Northampton County Bethlehem City	Unnamed Tributary to Monocacy Creek (HQ-CWF, MF) (2-C)	Yes

## NOTICES

7465

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062103 (Sewage)	Springbrook Township Sewer Authority WWTP Green Run Road Roaring Brook Twp., PA 18444	Lackawanna County Roaring Brook Township	Green Run (HQ-CWF/MF) (5-A)	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N</i>
PAS503501 (Storm Water)	Susquehanna Resource Management Complex 1670 S 19th Street Harrisburg, PA 17104-3201	Dauphin County Harrisburg City	Spring Creek (CWF) and Spring Creek (CWF, MF) (7-C)	Yes
PAS203503 (Storm Water)	Beck Manufacturing— Greencastle Plant 330 East 9th Street Waynesboro, PA 17268	Franklin County Antrim Township	Unnamed Tributary to Muddy Run (HQ-CWF, MF) (13-C)	Yes
PA0281751 (CAFO)	Kish View Farm 4733 E Main Street Belleville, PA 17004-9296	Mifflin County Union Township	Unnamed Tributary of Kishacoquillas Creek (HQ-CWF, MF) Watershed(s) 12-A	No
PA0088889 (CAFO)	Graywood Farms LLC 225 Mason Dixon Road Peach Bottom, PA 17563-9406	Lancaster County Fulton Township	Unnamed Tributary to Conowingo Creek (HQ-CWF, MF) and Unnamed Tributary to Conowingo Creek (HQ-CWF) 7-K	No
PA0086908 (Sewage)	Middle Creek Retreat & Event Center 3230 E. Imperial Highway # 208 Brea, CA 92821	Adams County Freedom Township and Liberty Township	Middle Creek (CWF) in Watershed(s) 13-D	No

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0032816 (Sewage)	PA DOT I 80 Rest Area 33 34 STP Bureau of Maintenance & Operations P.O. Box 3060 Harrisburg, PA 17105-3060	Clinton County Greene Township	Fishing Creek (HQ-CWF) (9-C)	Yes
PA0024538 (Sewage)	Beech Creek Borough Authority Sewer System STP P.O. Box 216 Beech Creek, PA 16822-0216	Clinton County Beech Creek Borough	Beech Creek (CWF, MF) (9-C)	Yes
PA0228648 (Sewage)	Jackson Township Municipal Authority Millerton Sewer System STP 30 Wisteria Way Millerton, PA 16936	Tioga County Jackson Township	Unnamed Tributary to Seeley Creek (CWF) (4-B)	Yes
PA0060232 (Sewage)	US ACOE Tompkins Recreation Area 710 Ives Run Lane Tioga, PA 16946-8643	Tioga County Lawrence Township	Cowanesque River (WWF) (4-A)	Yes
PA0044245 (Sewage)	Parker Dam State Park 28 Fairview Road Penfield, PA 15849-7902	Clearfield County Huston Township	Laurel Run (HQ-CWF, MF) (8-A)	Yes
PA0032824 (Sewage)	PA DOT Safety Rest 38 Bureau of Maintenance & Operations P.O. Box 3060 Harrisburg, PA 17105-3060	Columbia County Mifflin Township	Unnamed Tributary to Nescopeck Creek (CWF) (5-D)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0209597 (Sewage)	Delmar Township Stony Fork 610 N Lawton Road Wellsboro, PA 16901	Tioga County Delmar Township	East Branch Stony Fork (CWF) (9-A)	Yes
<i>Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N</i>
PA0038792 (Sewage)	Village of 42 STP P.O. Box 265 Sidman, PA 15955-0265	Cambria County Adams Township	Unnamed Tributary to Paint Creek (CWF) (18-E)	Yes
PAS706101 (Industrial)	Delmont Asphalt Plant 527 State Route 217 Latrobe, PA 15650-3451	Westmoreland County Salem Township	Unnamed Tributary to Beaver Run (HQ-CWF) (18-B)	Yes
PA0217824 (Sewage)	Camp Kon O Kwee Spencer 126 Nagel Road Fombell, PA 16123-1198	Beaver County Marion Township	Connoquenessing Creek (20-C)	Yes
PA0032212 (Sewage)	Camp Silver Lake STP 144 Silver Lake Lane Fombell, PA 16123-1230	Beaver County Marion Township	Unnamed Tributary to Connoquenessing Creek (WWF) (20-C)	Yes
PA0092533 (Sewage)	Iselin STP 602 Kolter Drive Indiana, PA 15701-3570	Indiana County Young Township	Harpers Run (CWF) (18-C)	Yes
PA0216071 (Sewage)	Univar Solutions USA Bunola Branch P.O. Box 303 Bunola, PA 15020-0303	Allegheny County Forward Township	Monongahela River (WWF) (19-C)	Yes

## II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

*Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, (570) 826-2511.*

**NPDES Permit No. PA0026492A-2**, Sewage, SIC Code 4952, **Pennsylvania American Water Company**, 800 W. Hershey Park Dr., Hershey, PA 17033.

This existing facility is located in Scranton City, **Lackawanna County**.

Description of Existing Action/Activity: Issuance of an NPDES permit amendment for an existing discharge of treated sewage.

## III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**WQM Permit No. WQG02451901**, Sewage, SIC Code 4952, **Middle Smithfield Township Monroe County**, 147 Muni Drive, East Stroudsburg, PA 18302-9512.

This proposed facility is located in Middle Smithfield Township, **Monroe County**.

Description of Proposed Action/Activity: Township is proposing to install a sewage pump station and force main along Mt. Nebo Road for proposed future developments including a 96-unit apartment. Wastewater will be connected to their existing Wastewater Treatment Plant under NPDES PA0060089.

**WQM Permit No. WQG02391901**, Sewage, SIC Code 4952, **Upper Saucon Township Municipal Authority**, 5500 Camp Meeting Road, Center Valley, PA 18034.

This proposed facility is located in Upper Saucon Township, **Lehigh County**.

Description of Proposed Action/Activity: The project is for the construction of a pump station to serve the proposed Locust Valley Development. Sewage from the Development will be collected by a gravity collection system. The proposed pump station will have a concrete below grade wet well with two submersible pumps, a precast concrete below grade

valve vault, and an above ground control building. 1,825 linear feet of 6-inch diameter DIP force main will connect the pump station to the existing gravity sewer line.

**WQM Permit No. 3519402**, Sewage, SIC Code 4952, **Lackawanna River Basin Sewer Authority**, P.O. Box 280, Olyphant, PA 18447-0280.

This proposed facility is located in Jessup Borough, **Lackawanna County**.

Description of Proposed Action/Activity: This application is for a Water Quality Management permit for the replacement of 1,102 linear feet of 8-inch gravity sanitary sewer pipe and 952 linear feet of 10-inch gravity sanitary sewer pipe along Lane Street, Walsh Street, Constitution Ave, and Cross-Country Area in Jessup Borough, Lackawanna County. The existing pipe will be replaced with 1,487 linear feet of 15-inch pipe, 479 linear feet of 16-inch Ductile Iron pipe (for stream crossings and boring), and 88 linear feet of 18-inch diameter pipe. LRBSA is upgrading this portion of the system to accommodate the existing sanitary users as well as the proposed flow of 58,000 GPD from Lackawanna Energy Center. Fourteen new manholes will be installed as a result of this project.

**WQM Permit No. 3919408**, Sewage, SIC Code 4952, **City of Allentown**, 435 Hamilton Street, Allentown, PA 18101.

This existing facility is located in Allentown City, **Lehigh County**.

Description of Proposed Action/Activity: The project is for the installation of a sodium hypochlorite disinfection and odor control system at the WWTP. Existing gas chlorine disinfection and odor control systems will be replaced by the new sodium hypochlorite systems. Three sodium hypochlorite storage tanks installed in the Chlorine Building will provide a working volume of 7,650 gallons and a fourth tank is included as an online spare. Two similar sodium hypochlorite tanks will be utilized for gravity thickener odor control at the intermediate settling tank sludge pump station. Peristaltic metering pumps will deliver sodium hypochlorite to the chlorine contact tank for disinfection and the discharge piping of the intermediate settling tank sludge pumps for odor control.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 6719401**, Sewerage, **High Pointe LLC**, 4175 Hanover Pike, Manchester, MD 21102.

This proposed facility is located in West Manheim & Penn Township, **York County**.

Description of Proposed Action/Activity: This Permit approves construction of sewage facilities consisting of:

A pumping station with 2 Gorman Rupp Suction Lift Pumps (Model V4A60-b) rated for 400 gpm at 71.9 ft. TDH to serve a new residential development that will generate 79 EDUs of domestic sewage (0.291 mgd peak instantaneous flow). Flows will be conveyed by a new 2,252 ft. 6" cement-lined DIP forcemain that will connect to the existing sewer system at MH 8-73 in Penn Township.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

**WQM Permit No. 1419201**, Industrial, SIC Code 8221, **The Pennsylvania State University**, 139J Physical Plant Building, University Park, PA 16802.

This proposed facility is located in State College Borough, **Centre County**.

Description of Proposed Action/Activity: Operation of the existing fire training site ground water treatment plant.

**WQM Permit No. 1719201**, Industrial, SIC Code 5541, 7539, **Sapp Bros Truck Stops, Inc.**, 9915 S 148th Street, Omaha, NE 68138-3876.

This proposed facility is located in Lawrence Township, **Clearfield County**.

Description of Proposed Action/Activity: Construction and operation of a new 1,000-gallon Oil/Water Separator.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 6572410 A-1**, Sewage, SIC Code 4952, **Western Westmoreland Municipal Authority**, 12441 Route 993, N Huntingdon, PA 15642-4264.

This existing facility is located in North Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Lift Station, EQ Tank, and Sewer Interceptor Upgrades. Re-alignment of interceptor sewer.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

**IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.**

*Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, (570) 826.2511.*

<i>NPDES Permit No.</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI132231	Alburtis Borough 260 Franklin Street Alburtis, PA 18011	Alburtis Borough Lehigh County	Swabia Creek (HQ-CWF, MF) and Little Lehigh Creek (HQ-CWF, MF)	N	Y

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI136113	Leetsdale Borough 373 Beaver Street Leetsdale, PA 15056	Leetsdale Borough Allegheny County	Little Sewickley Creek, Ohio River and Big Sewickley Creek/ HQ-TSF, WWF, and TSF	N	N
PAI136108	Leet Township 198 Ambridge Avenue Ambridge, PA 15003-1278	Leet Township Allegheny County	Big Sewickley Creek (TSF) Little Sewickley Creek (HQ-TSF)	N	N

**V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions.**

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

*Northcentral Regional Office, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, telephone number: 570-327-3636.*

<i>NPDES Waiver No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG134834	PA College of Tech 2245 Reach Road Williamsport, PA 17701-5577	Williamsport City Lycoming County	Unnamed Tributary to West Branch Susquehanna River (WWF, MF)

**VI. NPDES Individual Permit Actions for Discharges of Stormwater Associated with Construction Activities.**

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Melissa Seidler, Clerk Typist 2, 570-830-3048.*

*Northampton County Conservation District, 14 Gracedale Ave, Greystone Building, Nazareth, PA 18064-9211, 610-829-6276.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480106	LIG Business Holdings, LLC c/o Mr. Devon Katzev 2020 Highland Avenue Bethlehem, PA 18020-8963	Northampton	Forks Township	Bushkill Creek (HQ-CWF, MF)

*Schuylkill Conservation District, 1206 AG Center Drive, Pottsville, PA 17901-9733, 570-622-3742.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD540010	Aqua Pennsylvania, Inc. 1 Aqua Way White Haven, PA 18661	Schuylkill County	North Union Township	Tomhicken Creek (CWF, MF) Sugarloaf Creek (CWF, MF) EV Wetlands

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Nathan Phillips, Section Chief, 717.705.4802.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD500003 Issued	PPL Electric Utilities Corporation 2 North Ninth Street GENN4 Allentown, PA 18101-1179	Perry	Middlesex Township	Shermans Creek (HQ-CWF, MF) Spring Run (WWF, MF) Shermans Creek (WWF, MF) Conodoguinet Creek (WWF, MF)
PAD060026 Issued	Berks County Industrial Development Authority 633 Court Street 14th Floor Reading, PA 19601	Berks	Bern Township	Schuylkill River (WWF)

*Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020026	River Materials, Inc. 103 Yost Boulevard Suite 200 Pittsburgh, PA 15221	Allegheny County	City of McKeesport	Monongahela River (WWF); Crooked Run (WWF)

---

#### **VII. Approvals to Use NPDES and/or Other General Permits.**

---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

---

#### **List of NPDES and/or Other General Permit Types.**

---

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Hilltown Township Bucks County	PAC090317	Frank Henofer 211 Fairhill School Road Hatfield, PA 19440	Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Marple Township Delaware County	PAC230121	Federal Realty Investment Trust 50 East Wynnewood Road Suite 200 Wynnewood, PA 19096	Whetstone Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Chester City Delaware County	PAC230117	Agronomed Biologics LLC 511 St. Anthony's Drive Exton, PA 19341-2349	Ridley Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Middletown Township Delaware County	PAC230051	Ponds Edge, LP 500 State Road Drexel Hill, PA 19026	Chester Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Melissa Seidler, Clerk Typist 2, 570-830-3048.*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC390097	Whitehall Twp Lehigh County	Whitehall Township 3219 MacArthur Rd Whitehall, PA 18052	UNT to Coplay Creek (CWF, MF)	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18401 610-391-9583
PAC400146	Sugarloaf Twp Luzerne County	Red Truck LLC Mark Novitch 107 Monahan Ave Dunmore, PA 18512	Nescopeck Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Nathan Phillips, Section Chief, 717.705.4802.*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC010101 Issued	Cumberland Township Adams County	Burkentine Builders, Inc. 1500 Baltimore Pike Hanover, PA 17331-9602	UNT Willoughby Run (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC010005 Issued	East Berlin Borough Adams County	Appalachian Realty Corporation 102 Locust Street P.O. Box 180 East Berlin, PA 17316-7800	Conewago Creek (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636

NOTICES

7471

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC010123 Issued	Gettysburg Borough Adams County	Gettysburg College 300 North Washington Street Gettysburg, PA 17325	Rock Creek (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC070064 Issued	Allegheny Township Blair County	Altoona Water Authority 900 Chestnut Avenue Altoona, PA 16601	Beaver Dam Branch (WWF, MF)	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
PAC210174 Issued	East Pennsboro Township Cumberland County	East Pennsboro Area School District 890 Valley Street Enola, PA 17025-1541	UNT Conodoguinet (WWF, MF) Susquehanna River (WWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC210175 Issued	Southampton Township Cumberland County	Shippensburg Village LTD 1015 Steinmetz Road Denver, PA 17517	Burd Run (CWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC220199 Issued	Susquehanna Township Dauphin County	Susquehanna Township Authority 1900 Linglestown Road Harrisburg, PA 17110	Black Run (WWF, MF) Paxton Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220208 Issued	Steelton Borough Dauphin County	Steel Works LLC 430 North Front Street Wormleysburg, PA 17043	UNT Susquehanna River (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC360276 Issued	Earl Township Lancaster County	Samuel King 4135 Redwell Drive Gordonville, PA 17529	UNT Mill Creek (CWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360447 Issued	East Earl Township Lancaster County	Twin Springs, LLC 1647 Union Grove Road East Earl, PA 17519	Shirks Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC670351 Issued	Codorus Township York County	Codorus Ventures, LLC 113 Westminster Road Suite 200 Reisterstown, MD 21136	UNT Codorus Creek (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430



<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC670359 Issued	Fairview Township York County	The Pennsylvania Turnpike Commission P.O. Box 67676 Harrisburg, PA 17106-7676	Marsh Run (WWF, MF) Susquehanna River Basin (WWF, MF) Yellow Breeches (CWF, MF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
PAC670321 Issued	West Manheim Township York County	PA Department of Conservation and Natural Resources Bureau of Facility Design and Construction 400 Market Street Harrisburg, PA 17105	West Branch Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
PAC670327 Issued	New Salem Borough York County	JLM Real Estate Investments, LLC 950 East Main Street Schuylkill Haven, PA 17972	UNT Codorus Creek (WWF, MF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
PAC670333 Issued	York Township York County	Tri Corner Morninglight, LP 3405 North Third Street Harrisburg, PA 17110	UNT Mill Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Hempfield Township	PAC650185	General Carbide Corporation 1151 Garden Street Greensburg, PA 15601	UNT to Jacks Run (WWF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Murrysville Municipality	PAC650187	Peoples Natural Gas, LLC 195 Donohoe Road Greensburg, PA 15601-6986	Turtle Creek (TSF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Youngwood Borough; New Stanton Borough; Hempfield Township	PAC650188	PennDOT District 12-0 825 North Gallatin Avenue Uniontown, PA 15401	5 UNTs to Jacks Run (WWF); Jacks Run (WWF); Sewickley Creek (WWF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
City of New Kensington	PAC650190	Kubrick Enterprises 600 Freeport Road New Kensington, PA 15068 Municipal Authority of the City of New Kensington P.O. Box 577 920 Barnes Street New Kensington, PA 15068	Little Pucketa Creek (TSF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271

## NOTICES

7473

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Derry Township	PAC650192	Derry Township Municipal Authority P.O. Box 250 New Derry, PA 15671	UNT to McGee Run (CWF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Unity Township	PAC650194	Giant Eagle, Inc. 101 Kappa Drive Pittsburgh, PA 15239	UNT to Ninemile Run (WWF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Penn Township; Hempfield Township	PAC650195	Peoples Natural Gas, LLC 195 Donohoe Road Greensburg, PA 15601	Brush Creek (TSF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
City of Greensburg	PAC650196	Revest Properties 985 Towne Square Drive Suite 200 Greensburg, PA 15601	UNT to Slate Creek (WWF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
City of Jeannette; Hempfield Township	PAC650198	Municipal Authority of Westmoreland County 124 Park and Pool Road New Stanton, PA 15672	Brush Creek (TSF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Lancaster Township Butler County	PAC100024A-1	MHB Real Estate Holdings LLC 705 Moravia Street New Castle, PA 16101	Scholars Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
Lancaster Township Butler County	PAC100178	MM&L Family LTD Kevin Handlow 544 Little Creek Road Evans City, PA 16033	Crab Run CWF, Little Connoquenessing Creek CWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
Jackson Township Butler County	PAC100177	The Buncher Company Penn Liberty Plaza 1 1300 Penn Avenue Suite 300 Pittsburgh, PA 15222	UNT to Glade Run WWF, UNT to Likens Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

*Facility Location:  
Municipality &  
County*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Adams Township Butler County	PAC100169	MEC Industrial LLC Chris Kaclik 163 Scharberry Lane Mars, PA 16046	Breakneck Creek	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
Slippery Rock Township Butler County	PAC100176	Slippery Rock University Inc 1 Morrow Way Slippery Rock, PA 16057	Tributary 34441 to Slippery Rock Creek CWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

*General Permit Type—PAG-3*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG033616	Silver Spring Township Cumberland County	Shaffer Trucking Inc. 400 NW 56th Street Lincoln, NE 68528	Hogestown Run (CWF, MF) in Watershed(s) 7-B	DEP—SCRO 909 Elmerton Ave Harrisburg, PA 17110 717-705-4707
PAG033617	West Donegal Township Lancaster County	Amazon.com Services Inc. Attn: Amazon.com NA Environmental Dept P.O. Box 80842 Seattle, WA 98108-0842	Conewago Creek (TSF, MF) in Watershed(s) 7-G	DEP—SCRO 909 Elmerton Ave Harrisburg, PA 17110 717-705-4707
PAG033615	Springettsbury Township York County	Kinsley Construction Inc. 2700 Water Street P.O. Box 2886 York, PA 17405	Unnamed Tributary to Codorus Creek (WWF, MF) in Watershed(s) 7-H	DEP—SCRO 909 Elmerton Ave Harrisburg, PA 17110 717-705-4707

*General Permit Type—PAG-08**Facility Location:  
Municipality &  
County*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
E. Buffalo Twp. Union County	PAG084820	Lewisburg Area Joint Sewer Authority P.O. Box 305 Lewisburg, PA 17837-0305	Lewisburg Area Joint Authority 697 River Rd. Lewisburg, PA 17837-0305	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

*General Permit Type—PAG-13**Facility Location  
Municipality &  
County*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Valley Township Montour County	PAG134833	Valley Township Montour County 29 Indian Run Road Danville, PA 17821-9566	Mahoning Creek (TSF, MF) and Unnamed Tributary to Mahoning Creek (CWF, MF)—5-E	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

Contact: Melissa Seidler, Clerk Typist 2, 570-830-3048.

#### Permit No. 3390073, Operations Permit, Public Water Supply.

Applicant	<b>Lehigh County Authority</b> 1053 Spruce Road P.O. Box 3348 Allentown, PA 18106-0348
Borough or Township	Upper Macungie Township
County	<b>Lehigh</b>
Type of Facility	PWS
Consulting Engineer	Jason Saylor, PE Utility Service Co., Inc. 1230 Peach Tree NE Suite 1100 Atlanta, GA 30309
Permit to Operate Issued	November 12, 2019

#### Permit No. 3480055, Operations Permit, Public Water Supply.

Applicant	<b>Pennsylvania American Water Company</b> (Stony Garden Clarifier N. 3 Project) 852 Wesley Dr. Mechanicsburg, PA 17055
Borough or Township	Hamilton Township
County	<b>Monroe</b>
Type of Facility	PWS
Consulting Engineer	Mr. Scott Thomas PE Project Manager Engineer PAWC 852 Wesley Dr. Mechanicsburg, PA 17055
Permit to Operate Issued	November 1, 2019

#### Permit No. 3130026, Operation Permit, Public Water Supply.

Applicant	<b>Nesquehoning Borough Authority</b> 114 W. Catawissa Street Nesquehoning, PA 18240
Municipality	Nesquehoning Borough
County	<b>Carbon</b>
Type of Facility	Public Water Supply
Consulting Engineer	Ronald M. Tirpak, P.E. Carbon Engineering, Inc. 350 N. Pine Street Summit Hill, PA 18250
Permit Issued	November 21, 2019
Description of Action	New Columbus Water Tank—sand blast cleaning and painting project.

#### Permit No. 4819503MA, Construction Permit, Public Water Supply.

Applicant	<b>Northampton Borough Municipal Authority</b> 1 Clear Springs Drive Northampton, PA 18067
Municipality	Allen Township
County	<b>Northampton</b>
Type of Facility	Public Water Supply
Consulting Engineer	Michael T. Brown, P.E. Gannett Fleming P.O. Box 67100 Harrisburg, PA 17106
Permit to Construct Issued	November 13, 2019
Description of Action	Approval of an interconnection with the City of Bethlehem's water supply system.

#### Permit No. 3480050, Operations Permit, Public Water Supply.

Applicant	<b>Easton Suburban Water Authority</b> 3700 Hartley Avenue Easton, PA 18043
-----------	---

Borough or Township City of Easton  
 County **Northampton**  
 Type of Facility PWS  
 Consulting Engineer Samuel Wood., PE  
 Gannett Fleming, Inc.  
 P.O. Box 67100  
 Harrisburg, PA 17106  
 Permit to Operate 11/15/2019  
 Issued

**Permit No. 4519506, Construction Permit, Public Water Supply.**

Applicant **Brodhead Creek Regional Authority**  
 410 Mill Creek Road  
 East Stroudsburg, PA 18301  
 Municipality Pocono Township  
 County **Monroe**  
 Type of Facility Public Water Supply  
 Consulting Engineer Russell D. Scott, IV, P.E.  
 RKR Hess, a Division of UTRS,  
 Inc.  
 112 North Courtland Street  
 East Stroudsburg, PA 18301  
 Permit to Construct November 26, 2019  
 Issued  
 Description of Action Tannersville tanks and pump station.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 0719505 MA, Minor Amendment, Public Water Supply.**

Applicant **Altoona Water Authority**  
 Municipality Altoona  
 County **Blair**  
 Responsible Official Mark A. Perry, General Manager  
 900 Chestnut Avenue  
 Altoona, PA 16601  
 Type of Facility Replacement of approximately 6,500 LF of existing 12" cast iron waterline along 58th Street (starting at the intersection with California Avenue) and continuing onto Rhode Island Avenue, Goods Lane, Orchard Avenue, and Arlaryd Street (ending at the intersection with Logan Boulevard) with 12" ductile iron mechanical joint pipe.  
 Consulting Engineer Steven Jay. Gibson, P.E.  
 Gwin Dobson & Foreman Inc  
 3121 Fairway Drive  
 Altoona, PA 16602  
 Permit to Construct November 19, 2019  
 Issued

**Permit No. 4419502 MA, Minor Amendment, Public Water Supply.**

Applicant **Allensville Municipal Authority**

Municipality Menno Township  
 County **Mifflin**  
 Responsible Official Harold S. Eckley, Secretary  
 P.O. Box 96  
 Allensville, PA 17002  
 Type of Facility Chlorine contact piping and instrumentation upgrades.  
 Consulting Engineer James F. Potopa, P.E.  
 Gwin, Dobson & Foreman, Inc.  
 3121 Fairway Drive  
 Altoona, PA 16602-4496  
 Permit to Construct November 15, 2019  
 Issued

**Permit No. 3619509, Public Water Supply.**

Applicant **Pequea Valley School District**  
 Municipality Salisbury Township  
 County **Lancaster**  
 Responsible Official Gavin J. Scalyer  
 Director Support Services  
 422 School Lane  
 Gap, PA 17527  
 Type of Facility The installation of a pH adjustment chemical injection system with controls utilizing 25% sodium hydroxide for LCR corrosion control.  
 Consulting Engineer Jeremy S. Madaras, P.E.  
 J.S. Madaras Consulting LLC  
 250 Indian Lane  
 Boyertown, PA 19512  
 Permit to Construct November 6, 2019  
 Issued

**Permit No. 3619510, Public Water Supply.**

Applicant **Fox Family Partners, LP**  
 Municipality Clay Township  
 County **Lancaster**  
 Responsible Official Corey R. Fox, Owner  
 2475 West Main Street  
 Ephrata, PA 17522  
 Type of Facility Installation of anion exchange treatment for nitrate removal.  
 Consulting Engineer Charles A. Kehew II, P.E.  
 James R. Holley & Associates, Inc.  
 18 South George Street  
 York, PA 17401  
 Permit to Construct November 18, 2019  
 Issued

**Permit No. 3119507 MA, Minor Amendment, Public Water Supply.**

Applicant **SCI—Huntingdon/Department of Corrections**  
 Municipality Smithfield Township  
 County **Huntingdon**  
 Responsible Official Kevin Kauffman  
 Superintendent  
 1100 Pike Street  
 Huntingdon, PA 16645

Type of Facility In-kind replacement of the filter media and support gravel in the two existing multimedia filters.

Consulting Engineer Carol A. Piontkowski, P.E.  
Department of Corrections,  
Bureau of Operations  
1920 Technology Parkway  
Camp Hill, PA 17001

Permit to Construct  
Issued November 6, 2019

**Permit No. 6719513**, Public Water Supply.

Applicant **New Freedom Borough**

Municipality New Freedom Borough

County **York**

Responsible Official Keith E. Dickmyer  
Superintendent of Public Works  
49 East High Street  
New Freedom, PA 17349

Type of Facility Caustic soda addition for copper corrosion control.

Consulting Engineer Agustin E. Conesa, P.E.  
Buchart Horn, Inc.  
445 W. Philadelphia Street  
York, PA 17505

Permit to Construct  
Issued November 20, 2019

**Permit No. 6719512**, Public Water Supply.

Applicant **The York Water Company**

Municipality Shrewsbury Township

County **York**

Responsible Official Mark S. Snyder  
Engineering Manager  
130 East Market Street  
P.O. Box 15089  
York, PA 17405-7089

Type of Facility Shrewsbury Standpipe mixing and chloramine booster station.

Consulting Engineer Mark S. Snyder, P.E.  
The York Water Company  
130 East Market Street  
P.O. Box 15089  
York, PA 17405-7089

Permit to Construct  
Issued November 13, 2019

**Permit No. 0519502 MA, Minor Amendment**, Public Water Supply.

Applicant **Evitts Creek Water Company**

Municipality Cumberland Valley Township

County **Bedford**

Responsible Official Robert Smith  
Director of Engineering  
57 North Liberty Street  
P.O. Box 1702  
Cumberland, PA 21502

Type of Facility

New passive intake screens, automatic air-burst cleaning system, and air compressors for the proposed cleaning system and existing lake aeration system at the Lake Gordon Dam, located in Cumberland Valley Township, Bedford County.

Consulting Engineer Christopher M. Eckenrode, P.E.  
Gwin, Dobson & Foreman, Inc.  
3121 Fairway Drive  
Altoona, PA 16602

Permit to Construct  
Issued November 6, 2019

**Permit No. 3619527**, Public Water Supply.

Applicant **Mihalis Agadis**

Municipality Elizabeth Township

County **Lancaster**

Responsible Official Mihalis Agadis, Owner  
2 East 28th Division Highway  
Lititz, PA 17543

Type of Facility Public Water Supply

Consulting Engineer Charles A. Kehew II, P.E.  
James R. Holley & Associates, Inc.  
18 South George Street  
York, PA 17401

Application Received: October 23, 2019

Description of Action Installation of nitrate removal treatment, pH adjustment with soda ash and the addition of contact tanks.

**Permit No. 2219509**, Public Water Supply.

Applicant **SUEZ Water PA, Inc.**

Municipality Susquehanna Township

County **Dauphin**

Responsible Official John D. Hollenbach, General Manager  
4211 East Park Circle  
Harrisburg, PA 17111-0151

Type of Facility Public Water Supply

Consulting Engineer Justin J. Mendinsky, P.E.  
Herbert, Rowland & Grubic Inc.  
369 East Park Drive  
Harrisburg, PA 17111

Application Received: November 15, 2019

Description of Action Relocation of chemical injection points and the installation of a UV disinfection system for additional log inactivation credit under the LT2 enhanced surface water treatment rule at Suez's 6th Street WTP.

**Operation Permit No. 0617503** issued to: **Joe Jurgielewicz & Son Ltd. (PWS ID No. 3061263)**, Tilden Township, **Berks County** on November 19, 2019 for facilities approved under Construction Permit No. 0617503.

**Operation Permit No. 2118502 MA** issued to: **Middlesex Township Municipal Authority (PWS ID No. 7210063)**, Middlesex Township, **Cumberland County** on November 26, 2019 for facilities approved under Construction Permit No. 2118502 MA.

**Operation Permit No. 6718502** issued to: **Clarity Bottling LLC (PWS ID No. 7676612)**, Hanover Borough, **York County** on November 14, 2019 for facilities approved under Construction Permit No. 6718502.

**Operation Permit No. 0618523** issued to: **Perry Township Municipal Authority (PWS ID No. 3060123)**, Perry Township, **Berks County** on November 27, 2019 for facilities approved under Construction Permit No. 0618523.

**Operation Permit No. 0718505** issued to: **PTV 1023 LLC (PWS ID No. 4070406)**, Allegheny Township, **Blair County** on November 14, 2019 for facilities at Dollar General—Duncanville approved under Construction Permit No. 0718505.

**Operation Permit No. 2919501** issued to: **Keller's Country Store (PWS ID No. 4290819)**, Dublin Township, **Fulton County** on November 18, 2019 for facilities approved under Construction Permit No. 2919501.

**Operation Permit No. 6719501** issued to: **The York Water Company (PWS ID No. 7670100)**, North Codorus Township, **York County** on November 27, 2019 for facilities approved under Construction Permit No. 6719501.

**Operation Permit No. 3619504 MA** issued to: **Elizabethtown Area Water Authority (PWS ID No. 7360124)**, Mount Joy Township, **Lancaster County** on November 19, 2019 for facilities approved under Construction Permit No. 3619504 MA.

**Operation Permit No. 3619505 MA** issued to: **Borough of Lititz (PWS ID No. 7360126)**, Lititz Borough, **Lancaster County** on November 25, 2019 for facilities approved under Construction Permit No. 3619505 MA.

**Operation Permit No. 7676468** issued to: **Glacier Water Services, Inc. (PWS ID No. 7676468)**, Multiple Municipalities, **York County** on November 18, 2019 for facilities submitted under Application No. 7676468.

**Operation Permit No. 7361030** issued to: **S & S Singh Partners (PWS ID No. 7361030)**, Earl Township, **Lancaster County** on October 27, 2019 for facilities at New Holland Shopping Center submitted under Application No. 7361030.

**Comprehensive Operation Permit No. 3060141** issued to: **Station Pass LLC (PWS ID No. 3060141)**, Windor Township, **Berks County** on November 27, 2019 for the operation of facilities submitted under Application No. 3060141.

**Operation Permit No. 7360045** issued to: **Ephrata Area Joint Authority (PWS ID No. 7360045)**, Ephrata Borough, **Lancaster County** on November 27, 2019 for facilities submitted under Application No. 7360045.

**Operation Permit No. 2119514 MA** issued to: **Cold Springs Inn & Brewing Company (PWS ID No. 7210860)**, Monroe Township, **Cumberland County** on November 21, 2019 for facilities approved under Construction Permit No. 2119514 MA.

**Operation Permit No. 2219508** issued to: **Pennsylvania-American Water Company (PWS ID No. 7220017)**, Londonderry Township, **Dauphin County** on November 22, 2019 for facilities approved under Construction Permit No. 2219508.

**Operation Permit No. 3119508 MA** issued to: **SCI—Huntingdon/Department of Corrections (PWS ID No. 4310028)**, Smithfield Township, **Huntingdon County** on November 21, 2019 for facilities submitted under Application No. 3119508 MA.

**Operation Permit No. 3619518** issued to: **Brickhouse Coffee and Kitchen (PWS ID No. 7361115)**, Strasburg Township, **Lancaster County** on November 15, 2019 for facilities approved under Construction Permit No. 3619518.

**Operation Permit No. 5019511 MA** issued to: **Newport Borough Water Authority (PWS ID No. 7500022)**, Newport Borough, **Perry County** on December 3, 2019 for facilities submitted under Application No. 5019511 MA.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 5915504—Operation—Public Water Supply.**

Applicant	<b>Municipal Authority of the Borough of Mansfield</b>
Township/Borough	Mansfield Borough
County	<b>Tioga County</b>
Responsible Official	Mr. Jerry Farrer, Chairman Municipal Authority of the Borough of Mansfield 14 South Main Street Mansfield, PA 16933
Type of Facility	Public Water Supply—Operation
Consulting Engineer	Mr. Jimmie Joe Carl, P.E. 9 South Maple Street Corning, NY 14830
Permit Issued	December 5, 2019
Description of Action	Authorizes Municipal Authority of the Borough of Mansfield to operate Townview Drive Booster Pump Station, containing two 40-gallons-per-minute, 5-horsepower, service pumps and a 150-gallons-per-minute, 10-horsepower, flushing pump to increase water pressure in the Townview Drive/Branes Drive area of the distribution system and create an upper-service level.

**Permit No. 5519504MA—Construction—Public Water Supply.**

Applicant	<b>Aqua Pennsylvania, Inc.</b>
Township/Borough	Monroe Township
County	<b>Snyder County</b>
Responsible Official	Mr. Joseph Thurwanger Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Byrn Mawr, PA 19010
Type of Facility	Public Water Supply—Construction
Consulting Engineer	Mr. Joseph Thurwanger Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Byrn Mawr, PA 19010

Permit Issued December 5, 2019  
 Description of Action Authorizes the reconstruction of Monroe Manor Well No. 4.

**Permit No. 1717507—Partial Operation—Public Water Supply.**

Applicant **BCI Municipal Authority**  
 Township/Borough Gulich Township  
 County **Clearfield County**  
 Responsible Official Mr. Jack Laing  
 BCI Municipal Authority  
 625 Cressview Street Ext.  
 Irvona, PA 16656

Type of Facility Public Water Supply—Partial Operation

Consulting Engineer Mr. Joel Romagna, P.E.  
 Stiffler McGraw & Associates, Inc.  
 1731 N Juniata St.  
 Hollidaysburg, PA 16648

Permit Issued December 5, 2019  
 Description of Action Authorizes the operation of Well No. 2 as an additional source of supply, including transmission main and related appurtenances; chemical treatment facilities, including sodium hydroxide for pH adjustment, sodium hypochlorite for disinfection, and blended phosphate for iron and manganese sequestration, and 4-log inactivation of viruses via detention piping. Upgrade of the existing spring, high-service, pump station has not yet been completed and is specifically excluded from this operation permit. In addition, the Authority has opted not to develop Well No. 1, as approved by the construction permit. Permission to construct Well No. 1 is hereby null and void.

**SEWAGE FACILITIES ACT PLAN DISAPPROVAL**

**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Hereford Township	P.O. Box 225 Hereford, PA 18056	Berks

*Plan Description:* The exception to the requirement to revise the official plan for the 85 Greenhouse Lane Subdivision, DEP Code No. A3-06935-114-1, APS Id 1004327, consisting of six new single-family residential lots using individual on lot sewage disposal systems, is disapproved. The proposed development is located at 85 Greenhouse Lane, Barto. This plan is disapproved because it was found to be technically deficient, and the

applicant failed to respond to the Technical Deficiency Letter, dated November 14, 2019. The deficiencies are: the location of all soil probes and percolation tests were not shown on the plot plan; all proposed absorption areas were not situated within 10 feet of the probes used to define those areas; all soil test reports (Site Investigation and Percolation Test Report) for soil probes conducted on the property were not provided for review; marginal site conditions for on lot sewage disposal exist on the property as evidenced by both suitable and unsuitable soil profile examinations and Sections H and G.3.b. of Component 1 were not filled out properly; replacement area testing was chosen to address marginal site conditions and the primary absorption area was not suitable for a conventional on lot sewage disposal systems; the plot plan not scaled such that the necessary details could be discerned without the need for magnification.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
 PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:



*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**1331-1339 South Juniper Street**, 1331-1339 South Juniper Street, City of Philadelphia, **Philadelphia County**. Marc Chartier, PG, Pennoni, 515 Grove Street, Suite 1B, Haddon Heights, NJ 08035 on behalf of Jason Cutaiar, Made Constructions, 1701 Reed Street, Philadelphia, PA 19146 submitted a Final Report concerning remediation of site soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Emmanuel CSI Church**, 3325 Brownsville Road, Bensalem Township, **Bucks County**. Matthew Abraham, West Chester Environmental LLC, 1248 Wrights Lane, West Chester, PA 19380 on behalf of Koshy Verghese, Emmanuel CSI Church, 3325 Brownsville Road, Feasterville-Treose, PA 19053 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**2035 East Lehigh Avenue**, 2035 East Lehigh Avenue, City of Philadelphia, **Philadelphia County**. Shad Manning, REPSG, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Larry McKnight, L&M Fishtown Residence, LLC, 3020 Richmond Street, Philadelphia, PA 19134 submitted a Final Report concerning remediation of site soil contaminated with metals and PAHs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Medical Products Laboratories, Inc.**, 9990 Global Road, City of Philadelphia, **Philadelphia County**. Terry Harris, Boucher & James, Inc., 1456 Ferry Road, Building 500, Doylestown, PA 18901 submitted a Final Report concerning remediation of site groundwater contaminated with fuel oil compounds. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Philadelphia Gun Club**, 3051 State Road, Bensalem Township, **Bucks County**. Kevin Davis, PE, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Dr. Bruce DiDonato, Philadelphia Gun Club, 3051 State Road, Eddington, PA 19020 submitted a Final Report/Risk Assessment Report concerning remediation of site soil contaminated with metals. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**114 South Washington Street**, 114 South Washington Street, Pottstown Borough, **Montgomery County**. Ken Wible, WC Development Group, LLC, 114 South Washington Street, P.O. Box 379, Pottstown, PA 19464 on behalf of Joseph Kraycik, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 379, Pottstown, PA 19464 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with arsenic. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Rosemont College-Kaul Hall**, 1400 Montgomery Avenue, Lower Merion Township, **Montgomery County**. Douglas B. Schott, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Christopher Sheriock, Rosemont College, 1400 Montgomery Avenue, Bryn Mawr, PA 19010 submitted a Final Report concerning remediation of site groundwater and soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Sloan Property**, 1002 Clemens Court, Bensalem Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169 submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-237-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**TI 46 Bliss Unconventional Well Pad**, Liberty Township, **Tioga County**. Moody and Associates, Inc., 11548 Cotton Road, Suite 101, Meadville, PA 16335, on behalf of SWN Production Company, LLC, 10000 Energy Drive, Spring, TX 77389-4954 has submitted a Site Characterization and Final Report concerning the remediation of site soils and groundwater contaminated with rig wash solution. The report is intended to document remediation of the site to meet the Background and Statewide Health Standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential

public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Foamex Facility**, 1500 East Second Street, Eddystown Borough, **Delaware County**. Michael D. Lattanze, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Michael C. Gross, Esquire, Eastern Metal Recycling, LLC, 143 Harding Avenue, Bellmawr, NJ 08031 submitted a Risk Assessment Report/Remedial Investigation Report/Cleanup Plan/Final Report concerning the remediation of site groundwater contaminated with VOCs, PAHs and metals. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on November 25, 2019.

**Comcast Cable Communication, LLC**, 1700 North 49th Street, City of Philadelphia, **Philadelphia County**. Rhonda Stone, Arcadis U.S., Inc., 10 Friends Lane, Suite 100, Newtown, PA 18940 on behalf of Monica Alston, Comcast of Philadelphia, LLC, 380 Horizon Boulevard, Suite 300, Trevoze, PA 19053 submitted a Cleanup Plan concerning the remediation of site groundwater contaminated with No. 2 fuel oil. The Plan was approved by the Department on November 26, 2019.

**Brookhaven Shopping Center**, 3304-3700 Edgemont Avenue, Borough of Brookhaven, **Delaware County**. Thomas Petrecz, Penn E&R Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of John Segal, Brookhaven Shopping Center, 360 Saint Charles Way, York, PA 17402 submitted a Risk Assessment Report/Final Report concerning the remediation of site soil and groundwater contaminated with VOCs. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on November 15, 2019.

**Hulmeville Landfill Site**, Parcel IDs 16-005-50, 16-005-51, and 16-005-52, Hulmeville Borough, **Bucks County**. Richard S. Werner, PG, Environmental Consultants, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Jeff Darwak, The Redevelopment Authority of the County of Bucks, 260 Ponds Street, Bristol, PA 19007 submitted a Risk Assessment Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with inorganics. The Report was reviewed by the department which issued a technical deficiency letter on November 26, 2019.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**J. Hauser Pad 1**, 3216 State Route 3013, Springville Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a

Final Report concerning remediation of a release of oil-based drilling mud to soil. The report documented remediation of the site to meet a combination of Background and Statewide Health Standards and was approved by DEP on December 4, 2019.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-237-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**GU J Chamberlin Meyer Pad**, Stevens Township, **Bradford County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 SR 92 North, Tunkhannock, PA 18657, has submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report demonstrated attainment of the Background and Statewide Health Standards and was approved by the Department on November 25, 2019.

**Universal Truckload, Inc. Project**, Snow Shoe Township, **Centre County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Universal Truckload, Inc., 7800 E. Little York Road, Houston, TX 77016, has submitted a Final Report concerning site soil contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 25, 2019.

**Elbow Fish & Game Club Pad C**, 2566 Thompson Hollow Road, Trout Run, Cogan House Township, **Lycoming County**. Tuscarora Geologic & Environmental Services, LLC, 1153 Center Road, Mifflintown, PA 17059, on behalf of ARD Operating LLC, 33 W. Third Street, Suite 300, Williamsport, PA 17701, has submitted a Final report concerning remediation of site soil contaminated with brine. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 2, 2019.

#### REGISTRATION FOR RESIDUAL WASTE GENERAL PERMITS

**Registration(s) Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.*

**General Permit Application No. WMGR123SW037. Range Resources—Appalachia, LLC**, 3000 Town Center Blvd., Canonsburg, PA 15317. A request for registration for coverage under General Permit WMGR123 to construct and operate the Wagers Tank Pad facility for storage and reuse of oil and gas liquid waste at a site located in Amwell Township, **Washington County** was received by the Regional Office on November 27, 2019.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits renewed under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**Permit No. 101668, Mifflin County Solid Waste Authority Barner Site Transfer Station**, 87 Landfill Road, Lewistown, PA 17044, Derry Township, **Mifflin County**.

The permit for the Mifflin County Solid Waste Authority Barner Site Transfer Station, Solid Waste Permit No. 101668, was renewed on December 9, 2019, by the Southcentral Regional Office and is extended until April 12, 2030.

Persons interested in reviewing this permit may contact John Oren, Permits Chief, Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

*Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 301626. White Pines Corporation**, 2560 Audubon Rd., Audubon, PA 19403, Pine Township, **Columbia County**. This application is for a Major Permit Modification for offsite disposal of leachate and onsite leachate treatment at the White Pines Landfill. The permit was issued by the Northcentral Regional Office on December 3, 2019.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3752. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**GP1-23-0161: Prospect CCMC** (One Medical Center Blvd, Upland, PA 19013) on December 2, 2019 for Cleaver Brooks, model CBR 800HP, with a rated heat input of 26.78 MMBtu/hr fitted with Low NO<sub>x</sub> burners and Flue Gas Recirculation in Upland Borough, **Delaware County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**GP1-54-011: PA Department of Correction** (State Correctional Institution at Frackville, 1111 Altamont Blvd, Frackville, PA 17391) on December 3, 2019, for the operation of a natural gas/# 2 oil fired boiler at State Correctional Institution facility located in Ryan Township, **Schuylkill County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP1-06-03147A: Pennsylvania American Water** (400 Hanover Street, Birdsboro, PA 19508) on November 25, 2019, for 12 MMBtu, natural gas-fired sludge dryer heater, under GP1, at the Exeter Waste Water Treatment Plant located in Exeter Township, **Berks County**. The general permit authorization was re-issued due to a change of ownership.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**AG5-08-00003A: Appalachia Midstream Services, LLC** (2000 Commerce Dr., Pittsburgh, PA 15275) on November 26, 2019, for the installation of a Questor Q1000 thermal oxidizer for the control of air contaminant emissions from this station's dehydration units and for the continued operation of five 3,550 bhp Caterpillar G3612LE, natural gas-fired compressor engines, each equipped with a catalytic oxidizer; five 140 MMscfd TEG dehydration units, each equipped with a 2 MMBtu/hr natural gas-fired reboiler; four 400 bbl production water storage tanks; six 535 gallon methanol tanks; two 605 bhp Baldor IGLC420-2N, natural gas-fired emergency generator engines each equipped with an air-to-fuel ratio controller and a 3-way catalyst; pneumatic devices; venting/blowdowns; fugitives; and pigging operations, pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Stagecoach Compressor Station located in Wyalusing Township, **Bradford County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.*

**GP1-62-032C: Ellwood National Forge, Irvine Plant** (One Front Street, Irvine, PA 16329) on November 22, 2019, for the authority for operation of one Miura Model LX-300-16 natural gas fired boiler (11.5 MMBtu/hr.) (BAQ-GPA/GP1) located at their facility in Brokenstraw Township, **Warren County**.

**GP5-43-300D: Laurel Mountain Midstream LLC, Hurtt Compressor Station** (2000 Commerce Drive, Pittsburgh, PA 15275) on November 25, 2019, for the authority to continue operation of their existing GP-5 facility (BAQ-GPA/GP-5) located at their facility in East Lackawannock Township, **Mercer County**.

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**15-0067J: Herr Foods Inc.** (273 Old Baltimore Pike, Nottingham, PA 19362-0300) on December 10, 2019 for the installation of two new natural gas fired batch kettle fryers as an expansion to Potato Chip Line 2B (Source ID 160) at its facility in West Nottingham Township, **Chester County**.

**15-0146A: Wallquest, Inc.** (465 Devon Park Drive, Wayne, PA 19087) on December 10, 2019 for the relocation and installation of two (2) new rotary screen presses—a nine (9) color rotary screen press and one (1) color rotary screen press from Anderson Prints, LLC located in West Norriton Township, **Montgomery County** to their facility in Tredyffrin Twp., **Chester County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**49-00065C: Polar Tech Industries, Inc.** (1017 West Valley Avenue, Elysburg, PA 17824) on December 5, 2019 for the modification of the expandable polystyrene foam processing operation to increase the allowable volatile organic compound emissions from 23.10 tons to 46.20 tons in any 12 consecutive month period, as well as for the construction of a 1,200 pounds per hour pre-expander and four (4) mold presses, at their facility located in Ralpho Township, **Northumberland County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief—Telephone: 412-442-4174.*

**PA-63-01031: TMS International, LLC** (42 84 Drive, Eighty Four, PA 15330-2470). Plan Approval issuance date effective December 6, 2019, to allow the construction and temporary operation of a new pulse-jet fabric dust collector rated at 12,000 CFM to control the emissions from natural gas torch cutting and argon plasma torch cutting operations at their facility located at 42 84 Drive, Eighty-Four in South Strabane Township, **Washington County**.

**04-00748: ARDEX L.P.** (400 Ardex Park Drive, Aliquippa, PA 15001) on December 3, 2019, to ARDEX L.P. for the expansion of and continued operation of the Aliquippa Plant for the production of high performance dry and liquid flooring and tiling products located in Center Township, **Beaver County**.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**46-0020J: Superior Tube Co. Inc.** (3900 Germantown Pike, Collegeville, PA 19426) on December 10, 2019, an extension for the two pickling and one passivation acid

demister and pickling and passivate tanks stack in Lower Providence, **Montgomery County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief—Telephone: 412-442-5226.*

**65-00921A: Smithfield Packaged Meat Corp.** (2200 Rivers Edge Drive, Arnold, PA 15068) on November 20, 2019, to allow the continued temporary operation of the Quickdraft venturi scrubber on Line 3 at the Arnold Plant located in City of Arnold, **Westmoreland County**.

**04-00740A: Shell Chemical Appalachia, LLC** (4301 Dutch Ridge Road, Beaver, PA 15009) issued on November 27, 2019, to begin the period of temporary operation due to the installation of SF6 insulated high voltage equipment at the petrochemicals complex located in Potter and Center Townships, **Beaver County**. The new expiration date is April 28, 2020.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tullock-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-00045: PECO Energy Company** (300 Front St., Bldg. 3, West Conshohocken, PA 19428-2723) on December 10, 2019 for renewal of the Title V Operating Permit for its gas plant in West Conshohocken Borough, **Montgomery County**.

**09-00016: Exelon Generation Company, LLC** (Croydon Generating Station, 955 River Road, Bristol, PA 19007) on December 10, 2019 for renewal of the Title V Operating Permit in Bristol Township, **Bucks County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**18-00030: First Quality Tissue, LLC** (904 Woods Avenue, Lock Haven, PA 17745) on December 6, 2019 issued a Title V operating permit for their facility located in Castanea Township, **Clinton County**. The State only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief—Telephone: 412-442-4174.*

**TVOP-26-00405: Dominion Energy Transmission Inc.** (5000 Dominion Boulevard -2N0057, Glen Allen, VA 23060). On December 3, 2019, the Department, as a result of a Permit Modification, issued a modified Title V Operating Permit that incorporates the requirements of RACT II (25 Pa. Code §§ 129.96—129.100) at the North Summit Compressor Station located in North Union Township, **Fayette County**.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tullock-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-00248: Pottstown Borough Authority** (1269 Industrial Highway, Pottstown, PA 19464) on December 5, 2019 located in Pottstown Borough, **Montgomery County**, for a renewal of and administrative amendment to State Only (Natural Minor) Operating Permit No. 46-00248.

**46-00239: SEI Investments Company** (100 Cider Mill Road, Oaks, PA 19456) on December 10, 2019 for a renewal for operation of two (2) units of gas-fired boilers and eight (8) units of diesel-fired engines for their emergency generator sets. The facility is located in Upper Providence Township, **Montgomery County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.*

**48-00075: Crayola, LLC** (1100 Church Lane, P.O. Box 431, Easton, PA 18044-0431). On December 4, 2019 the Department issued a renewal State-Only Natural Minor Permit for Crayola, LLC/Bethlehem Plant located in Bethlehem Township, **Northampton County**. Activities performed at this facility include the manufacturing and packaging of Crayola paints, watercolors, compounds, silly putty, children art kits, blow molding bottles, injection molding caps and vacuum forming plastic blisters. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**48-00113: Cantelmi Long Funeral Home** (500 Linden Street, Bethlehem, PA 18018). On December 9, 2019 the Department issued an initial State-Only Natural Minor Permit for the Cantelmi Long Funeral Home located in the City of Bethlehem, **Northampton County**. This facility operates a human cremation unit fired by natural gas. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**39-00033: Lutron Electronics Company, Inc.** (7200 Suter Road, Coopersburg, PA 18036-1249). On December 6, 2019, the Department issued a renewal State-Only (Natural Minor) Permit for the electrical equipment and supplies manufacturing facility in Lower Macungie Township, **Lehigh County**. The sources consist of a spray paint booth, two (2) wave solder fluxers, and clean-up operations. The spray booth is controlled by filters. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**38-05037: Zimmerman Chair Shop** (1486 Colebrook Road, Lebanon, PA 17042-9507) on December 3, 2019, for the wood furniture manufacturing facility located in North Cornwall Township, **Lebanon County**. The State-only permit was renewed.

**06-05097: New Enterprise Stone & Lime Co., Inc.** (167 New Enterprise Drive, Leesport, PA 19533-8686) on November 25, 2019, for the stone crushing operations at the Leesport Quarry located in Ontelaunee Township, **Berks County**. The State-only permit was renewed.

**67-05069: Pennsy Supply, Inc.** (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110) on December 5, 2019, for the stone crushing facility located in Jackson Township, **York County**. The State-only permit was renewed.

**22-05035: New Enterprise Stone & Lime Co., Inc.** (P.O. Box 77, New Enterprise, PA 16664) on December 4, 2019, for the stone crushing and batch asphalt operations at the Elizabethtown Quarry located in Washington Township, **Dauphin County**. The State-only permit was renewed.

**36-03037: New Enterprise Stone & Lime Co., Inc.** (3580 Division Highway, East Earl, PA 17519-9217) on December 4, 2019, for the Denver & Kurtz stone crushing facility located in East Earl Township, **Lancaster County**. The State-only permit was renewed.

**21-03111: World Energy Harrisburg, LLC** (2850 Appleton Street, Suite E, Camp Hill, PA 17011-8036) on December 5, 2019, for the bio-diesel production facility located in Lower Allen Township, **Cumberland County**. The State-only permit was renewed.

**67-03013: Georgia Pacific Corrugated LLC** (25 Walnut Street, P.O. Box 906, Mount Wolf, PA 17347-1906) on December 5, 2019, for the corrugated packaging manufacturing facility located in Mount Wolf Borough, **York County**. The State-only permit was renewed.

**28-05018: Knouse Foods Cooperative, Inc.** (P.O. Box 807, Biglerville, PA 17307-0807) on December 6, 2019, for the fruit processing facility located in Chambersburg Borough, **Franklin County**. The State-only permit was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**19-00031: Press Enterprise, Inc.** (3185 Lackawanna Avenue, Bloomsburg, PA 17815) on December 6, 2019 issued a State only operating permit for their facility located in Scott Township, **Columbia County**. The State only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief—Telephone: 412-442-4174.*

**63-00525: Washington Cemetery Inc.** (498 Park Ave., Washington, PA 15301-5718). On December 3, 2019, the Department issued a natural minor State Only Operating

Permit for the operation of a crematory located in North Franklin Township, **Washington County**. The facility operates one liquid propane-fired, Crawford Model # C1000 human crematory with a maximum cremation rate of 150 lbs/hr, a primary chamber burner rated at 0.500 MMBtu/hr, and a secondary chamber burner rated at 0.915 MMBtu/hr. The facility is subject to the applicable requirements of 25 Pa. Code, Article III, Chapters 121–145. The proposed operating permit includes emission limitations, monitoring, work practice, reporting, and recordkeeping requirements for the facility.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**16-00130: Eden, Inc.** (210 Miller St., Knox, PA 16232), on December 5, 2019, the Department issued the renewal of the State-Only Operating Permit of a facility located in Knox Borough, **Clarion County** that manufactures pre-finished interior wood products for the housing industry. Permitted air contamination sources are three spray coating booths, one vacuum coater, and miscellaneous natural gas combustion. Established through PA 16-0130A, the facility is subject to a 24-TPY VOC restriction. Coatings used at the facility are subject to VOC content limits of PA 16-0130A and of § 129.52, Table I, Category 11 (wood furniture manufacturing operations). In this renewal, a replacement paint booth initially authorized through a Request for Determination is incorporated. For permitting purposes, the facility is still classified as Natural Minor.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tullock-Reid, New Source Review Chief—Telephone: 484-250-5920.*

**46-0069G: Highway Materials Inc.** (409 Stenton Avenue, Flourtown, PA 19031) on December 10, 2019 for the incorporation of its Plan Approval No. 46-0069G in the Operating Permit 46-00069 for the replacing of the existing secondary screen with new equipment, in Whitmarsh Township, **Montgomery County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.*

**35-00023: United Gilsonite Lab** (1396 Jefferson Ave, Scranton, PA 18501-0070) on December 4, 2019, for the facility located in Dunmore Borough, **Lackawanna County**. This Natural Minor operating permit was administratively amended to reflect a change in the name of the Responsible Official.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05001: Armstrong World Industries, Inc.** (1507 River Road, Marietta, PA 17547-9403) on November 26,

2019, for the ceiling tile manufacturing facility located in East Donegal Township, **Lancaster County**. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 36-05001N.

**06-05002: Lehigh Cement Co., LLC** (537 Evansville Road, Fleetwood, PA 19522-8541) on November 25, 2019, for the cement manufacturing facility located in Maiden Creek Township, **Berks County**. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 06-05002O.

**ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1–1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301–3326); the Clean Streams Law (35 P.S. §§ 691.1–691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51–30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1–1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001–4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003).**

*Coal Permits Issued*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).*

**30831303 and NPDES Permit No. PA0013511. Cumberland Contura, LLC**, 158 Portal Road, P.O. Box 1020, Waynesburg, PA 15370, to revise the permit and related NPDES Permit for installation of one (1) Degas Borehole for the Cumberland Mine located in Whiteley and Center Townships, **Greene County**, affecting 0.15 surface acre. No additional discharges. The application was considered administratively complete on March 4, 2019. Application received: November 30, 2018. Permit issued: November 27, 2019.

**30841307 and NPDES Permit No. PA0213438. Emerald Contura, LLC**, 158 Portal Road, P.O. Box 1020, Waynesburg, PA 15370, to revise the permit and related NPDES Permit for post-mining land use of approximately 77 acres to industrial/commercial and forest land for the Emerald Mine No. 1 located in Franklin Township, **Greene County**. No additional discharges. The application was considered administratively complete on March 16, 2018. Application received: October 13, 2017. Permit issued: November 27, 2019.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Holly Calvetti).*

**Permit 32803010 and NPDES No. PA0124834. CONSOL Mining Co., LLC**, CNX Center, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, permit renewal for the continued operation and restoration of a bituminous surface mine in Blacklick Township, **Indiana County**, affecting 89.9 acres. Receiving stream(s): unnamed tributary to Aultman's Run classified for the

following use(s): TSF. The first downstream potable water supply intake from the point of discharge is Saltsburg Borough Indiana County Municipal Waterworks Conemaugh River SWI. Application received: February 21, 2019. Permit Issued: December 2, 2019.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).*

**17030113 and NPDES PA0243591. Rob Holland Enterprises** (52 Holland Lane, Curwensville, PA 16833). Permit renewal for continued operation and restoration of a bituminous surface coal mine located in Lawrence Township, **Clearfield County** affecting 47.9 acres. Receiving stream(s): Unnamed Tributary to Montgomery Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: March 18, 2019. Permit issued: December 3, 2019.

*New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500. (Contact: Tracy Norbert).*

**26030102 and NPDES Permit No. PA0250457. Steve Patterson Excavating**, 170 Yasenosky Road, Smithfield, PA 15478, permit renewal issued for continued mining of a bituminous surface mining operation located in Dunbar Township, **Fayette County**, affecting 75.5 acres. Receiving streams: unnamed tributary to Gist Run. Application received: August 7, 2018. Permit issued: November 26, 2019.

**65860105 and NPDES Permit No. PA0588601. M.B. Energy**, 175 McKnight Rd., Blairsville, PA 15717, permit renewal issued for continued mining of a bituminous surface mining operation, located in Donegal and Mount Pleasant Townships, **Westmoreland County**, affecting 369.0 acres. Receiving stream(s): unnamed tributaries to Fourmile Run. Application received: September 3, 2018. Issued Permit: December 4, 2019.

**26090103. T&B Excavating, Inc.**, P.O. Box 337, McClellandtown, PA 15458, permit renewal issued for reclamation only of a bituminous surface mining site located in German Township, **Fayette County**, affecting 58.1 acres. Receiving stream(s): unnamed tributaries to Dunlap Creek to Monongahela River. Application received: September 19, 2019. Permit renewal issued: December 6, 2019.

#### *Noncoal Permits Issued*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).*

**PAM219006. Johnson Quarries, Inc.**, P.O. Box 136, LeRaysville, PA 18829, hereby approves the Notice of Intent (NOI) submitted for coverage to discharge storm water associated an existing small industrial mineral mining permit 08940806 to the following surface water(s) in Stevens Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to Cold Creek. Application received: May 28, 2019. Permit Issued: December 3, 2019.

**PAM219005. Bill Johnson**, 7231 Route 706, Wyalusing, PA 18553, hereby approves the Notice of Intent (NOI) submitted for coverage to discharge storm water associated with an existing small industrial mineral mining permit 08090805 to the following surface water(s) in Stevens Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to Wyalusing Creek. Application received: May 17, 2019. Permit Issued: December 3, 2019.

#### *GP-103 Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Cayleigh Boniger).*

**20191002. Meadville Redi-Mix Concrete, Inc.** (P.O. Box 418, Meadville, PA 16335). Authorization to extract noncoal (industrial minerals) in Woodcock Township, **Crawford County** to supply fill material for Lord Corporation Plant Expansion. Receiving streams: Unnamed tributary to French Creek. Application received: July 17, 2019. Authorization approved: November 7, 2019.

#### **ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Issued*

*New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500. (Contact: Tracy Norbert).*

**30194105. Wampum Hardware** (636 Paden Road, New Galilee, PA 16141). Blasting activity permit for the construction of the Hoffman EQT Pad (EQT Drift Ridge Pad) located in Wayne Township, **Greene County** with an expiration date of December 31, 2020. Permit issued: November 19, 2019.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118 (Contact: Theresa Reilly-Flannery).*

**Permit No. 15194111. Valley Rock Solutions, LLC** (P.O. Box 246, Macungie, PA 18062), construction blasting for Woodlands at Greystone in West Goshen Borough, **Chester County** with an expiration date of November 21, 2020. Permit issued: December 4, 2019.

**Permit No. 36194160. Keystone Blasting Service** (15 Hopeland Road, Lititz, PA 17543), construction blasting for Graystone Commons in East Petersburg Borough, **Lancaster County** with an expiration date of November 30, 2020. Permit issued: December 4, 2019.

**Permit No. 36194162. Maine Drilling & Blasting, Inc.** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Stonegate Development in East and West Cocalico Townships, **Lancaster County** with an expiration date of November 26, 2020. Permit issued: December 4, 2019.

**Permit No. 48194119. Rock Work, Inc.** (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Creekside Meadows in East Allen Township, **Northampton County** with an expiration date of December 31, 2020. Permit issued: December 5, 2019.

**Permit No. 15194112. M3 Explo, LLC** (P.O. Box 528, Brownsville, PA 15417), construction blasting for Marsh Creek in Upper Uwchlan Township, **Chester County** with an expiration date of November 25, 2020. Permit issued: December 6, 2019.

**Permit No. 46194119. Maine Drilling & Blasting, Inc.** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Monument Apartments and Parking Garage

in Lower Merion Township, **Montgomery County** with an expiration date of November 25, 2020. Permit issued: December 6, 2019.

**Permit No. 46194120. Rock Work, Inc.** (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Reserve at Center Square in Worcester Township, **Montgomery County** with an expiration date of December 31, 2020. Permit issued: December 6, 2019.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at one. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.*

*Contact: Elaine Henderson, Clerk Typist 3, 484.250.5157.*

**Permit No. E09-1034, Bristol Township**, 2501 Bath Road, Bristol, PA 19007-2150, Bristol Township, **Bucks County**, ACOE Philadelphia District.

To update their existing park for the JFK Park Revitalization Project. The proposed improvements include the repair and overlay to the existing east parking lot and basketball court, the replacement of the asphalt trail, the re-grading of the football/soccer field, the replacement of the playground, installation of a new west parking lot, pavilion, public restroom, and new stormwater facilities. These activities will take place within the floodplain of a UNT to Neshaminy Creek (WWF-MF) resulting in 4.94 acres of permanent floodplain impact and the placement of 850 cubic yards of fill placed across the entire site. This project is located at 3500 Snowden Avenue in Bristol Township, Bucks County (USGS PA Beverly Quadrangle—Latitude: 40.102685 N, Longitude: 74.878773 W).

*Permits, Environmental Assessments and 401 Water Quality Certifications:*

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Edward Muzic, Section Chief, 717.705.4802.*

**E38-207. Pennsy Supply, Inc.**, 1001 Paxton Street, Harrisburg, PA 17105 in Jackson Township, **Lebanon County**, ACOE Philadelphia District.

To 1.) relocate and maintain 900 feet of Tulpehocken Creek (CWF, MF, Wild Trout); 2.) install and maintain 900 feet of 30 mil pvc liner under Tulpehocken Creek (CWF, MF, Wild Trout); 3.) to place and maintain a 1.5-foot thick layer of R-4 rip rap to serve as streambed material in Tulpehocken Creek (CWF, MF, Wild Trout), all for the purpose of preventing the frequent development of sinkholes in the stream. The project is located immediately west of the intersection of US 422 and South Ramona Road (Latitude: 40° 21' 52.09" N; Longitude: 76° 20' 19.42" W) in Jackson Township, Lebanon County. No wetlands will be impacted by this project. Permit issued December 10, 2019.

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E3005219-264, Morris Township Volunteer Fire Company and Relief Association of Ninevah, Pennsylvania**, P.O. Box 98, Ninevah, PA 15353, Morris Township, **Greene County**, Pittsburgh ACOE District.

Has been given consent to:

Remove the existing single-story family dwelling and existing shed in order to construct and maintain a new building, retaining wall and parking area and to construct and maintain a new outfall structure within the floodway of the left bank of Browns Creek (HQ-WWF) for the purpose of constructing a Volunteer Fire Company Station. The project will permanently encroach upon 3,089 square feet of floodway of Browns Creek. No mitigation is required. The project site is located on the left bank of Browns Creek, approximately 1,550.0 feet downstream from the intersection of Deerlick Station Road (SR 4021) and Browns Creek Road (SR 0018) (Rogersville PA USGS Topographic Quadrangle; N: 39° 57' 27"; W: -80° 18' 23"; Sub-basin 19B; USACE Pittsburgh District), in Morris Township, Greene County.

**E63052-732, Washington County**, 100 West Beau Street, Washington, PA 15301, North Strabane Township and Peters Township, **Washington County**, Pittsburgh ACOE District.



Has been given consent to:

1. Remove the existing three (3) span bridge structure (Chartiers Creek Bridge No. 12) and to construct and maintain a new bridge having two (2) spans of approximately 82-feet each with a width of 36' and a minimum under clearance of 7.8 feet in and across Little Chartiers Creek (Canonsburg Lake) (HQ-WWF);

2. Construct and maintain two outfalls (18" and 36") conveying stormwater to Little Chartiers Creek (Canonsburg Lake);

3. Fill and maintain 0.26 acre of Little Chartiers Creek (Canonsburg Lake) to widen the existing approach roadway;

4. Fill and maintain 0.005 acre of Wetland E (PEM/PSS);

5. Temporarily impact 0.002 acre of Wetland D (PEM/PSS); and

6. Temporarily impact 0.27 acre of Little Chartiers Creek (Canonsburg Lake)

For the purpose of replacing and widening an existing structurally deficient bridge. Due to the nature of the project, compensatory mitigation is not required. Permanent impacts to Little Chartiers Creek (Canonsburg Lake) will be approximately 0.40 acre. Temporary impacts to Little Chartiers Creek (Canonsburg Lake) will be approximately 0.27 acre. The project site is located on McDowell Lane, approximately 1,300.00 feet west from the intersection of McDowell Lane and Route 19 (Canonsburg, PA Quadrangle, Latitude: 40° 16' 10.27"; Longitude: 80° 07' 55.05"); Sub-basin 20F; USACE Pittsburgh District), in Peters Township and North Strabane Township, Washington County.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Edward Muzic, Section Chief, 717.705.4802.*

**E38-207. Pennsy Supply, Inc.,** 1001 Paxton Street, Harrisburg, PA 17105 in Jackson Township, **Lebanon County**, ACOE Philadelphia District.

To 1.) relocate and maintain 900 feet of Tulpehocken Creek (CWF, MF, Wild Trout); 2.) install and maintain 900 feet of 30 mil pvc liner under Tulpehocken Creek (CWF, MF, Wild Trout); 3.) to place and maintain a 1.5-foot thick layer of R-4 rip rap to serve as streambed material in Tulpehocken Creek (CWF, MF, Wild Trout), all for the purpose of preventing the frequent development of sinkholes in the stream. The project is located immediately west of the intersection of US 422 and South Ramona Road (Latitude: 40° 21' 52.09" N; Longitude: 76° 20' 19.42" W) in Jackson Township, Lebanon County. No wetlands will be impacted by this project. Permit issued December 10, 2019.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**EA0829-001:** Ridgebury Township, **Bradford County; Chief Oil & Gas, LLC;** 1720 Sycamore Road, Montoursville, PA 17754; ACOE Baltimore District.

The removal of a well pad impacting 0.07 of isolated palustrine emergent wetlands through fill removal (Bentley Creek PA NE Quadrangle, 41.99441 N, 76.65092 W). The impacts are the result of fill deposition within the subject wetlands during initial site construction in Ridgebury Township, Bradford County.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.*

ESCGP-3 # ESG073019012-00

Applicant Name EQT Production Company

Contact Person Todd Klaner

Address 2400 Ansys Drive, Suite 200

City, State, Zip Canonsburg, PA 15317

County Greene County

Township(s) Gilmore Township

Receiving Stream(s) and Classification(s) UNTs to

Clawson Run (WWF); Clawson Run (WWF)

Secondary Receiving Water—Pennsylvania Fork

Dunkard Creek (WWF)

ESCGP-3 # ESG070219002-00

Applicant Name EQT Production Company

Contact Person Todd Klaner

Address 2400 Ansys Drive, Suite 200

City, State, Zip Canonsburg, PA 15317

County Allegheny County

Township(s) Forward Township

Receiving Stream(s) and Classification(s) Unnamed Tributaries to Kelly Run, Kelly Run, Unnamed Tributaries to

Perry Mill Run, Perry Mill Run (WWF)

*Eastern Region: Oil and Gas Management Program*

*Manager, 208 West Third Street, Suite 101, Williamsport,*

*PA 17701-6448.*

ESCGP-3 # ESG290819023-00

Applicant Name Chief Oil & Gas LLC

Contact Person Jeffrey Deegan

Address 1720 Sycamore Rd

City, State, Zip Montoursville, PA 17754

County Bradford

Township(s) Overton

Receiving Stream(s) and Classification(s) Schrader Ck

(EV, MF)

Secondary—Towanda Ck (TSF, MF)

ESCGP-3 # ESG290819020-00  
 Applicant Name Appalachia Midstream Svc LLC  
 Contact Person Joel Moore  
 Address 400 IST Center  
 City, State, Zip Horseheads, NY 14845  
 County Bradford  
 Township(s) Wilmot Twp  
 Receiving Stream(s) and Classification(s) UNT to Miller  
 Brook (CWF, MF)  
 Secondary: Miller Brook (CWF, MF, WT)

ESCGP-3 # ESG295819030-00  
 Applicant Name SWN Production Company LLC  
 Contact Person Nicki Atkinson  
 Address 917 State Route 92 North  
 City, State, Zip Tunkhannock, PA 18657  
 County Susquehanna  
 Township(s) New Milford Twp  
 Receiving Stream(s) and Classification(s) UNTs to Butler  
 Creek (CWF, MF)

ESCGP-2 # ESG295819020-00  
 Applicant Name Cabot Oil & Gas Corporation  
 Contact Person Kenneth Marcum  
 Address 2000 Park Lane, Suite 300  
 City, State, Zip Pittsburgh, PA 15275  
 County Susquehanna  
 Township(s) Dimock Twp  
 Receiving Stream(s) and Classification(s) UNT to White  
 Creek (CWF, MF)

ESCGP-2 # ESG295819022-00  
 Applicant Name SWN Production Co LLC  
 Contact Person Nicki Atkinson  
 Address 917 SR 92 N  
 City, State, Zip Tunkhannock, PA 18657  
 County Susquehanna  
 Township(s) New Milford  
 Receiving Stream(s) and Classification(s) East Lake Ck  
 (HQ, CWF-MF) and Salt Lake Ck (HQ, CWF-MF)

ESCGP-2 # ESG295819023-00  
 Applicant Name SWN Production Co LLC  
 Contact Person Nicki Atkinson  
 Address 917 SR 92 N  
 City, State, Zip Tunkhannock, PA 18657  
 County Susquehanna  
 Township(s) New Milford  
 Receiving Stream(s) and Classification(s) East Lake Ck  
 (HQ, CWF-MF) and Salt Lake Ck (HQ, CWF-MF)

## CORRECTIVE ACTION

### UNDER ACT 32, 1989 PREAMBLE 2

**The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101–6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to

the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**2401 Haverford Rd Ardmore**, 23-06919, 2401 Haverford Rd., Haverford Township, **Delaware County**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of Cross America Partners, 645 Hamilton Street, Allentown, PA 18101 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

**Gas Auto Repair and Minimart**, 51-42774, 4548 Baltimore Ave., **City of Philadelphia**. Center Point Tank Services, Inc., 563 E. Benjamin Franklin Highway, Douglasville, PA 19518, on behalf of Ezra Reuvan, Inc., 301 S. 48th St., Philadelphia, PA 19143-1701 submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with used motor oil. The report is intended to document remediation of the site to meet residential Statewide health standards.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Bill's Amoco**, Storage Tank Primary Facility ID # 11-81496, 680 Goucher Street, Johnstown, PA 15905, Upper Yoder Township, **Cambria County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of William J. McVicker, 680 Goucher Street, Johnstown, PA 15905, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting the Statewide health standard for soil and groundwater.

**Former Wise's Amoco**, Storage Tank Facility ID # 63-09660, 99 East Maiden Street, Washington, PA 15301, City of Washington, **Washington County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Coen Markets, Inc., 1000 Philadelphia Street, Canonsburg, PA 15317, submitted a Revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with

petroleum products. The report is intended to document the remedial actions for meeting the Residential Statewide health standard for soil and groundwater.

**Penelec-Richland OFC**, Storage Tank Primary Facility ID # 11-21143, 311 Industrial Park Road, Johnstown, PA 15904, Richland Township, **Cambria County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Pennsylvania Electric Company, 800 Cabin Hill Drive, Greensburg, PA 15601, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting the Statewide health standard for soil and groundwater.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Prima Store 5175**, Storage Tank Facility ID # 32-20079, 401 Philadelphia Street, Indiana, **Indiana County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101-3603, on behalf of Prima Marketing, LLC, c/o Paragon Consulting Group, LLC, 1103 Oak Park Drive, Suite 110, Fort Collins, CO 80525, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, isopropyl benzene, naphthalene, MTBE, 1,2,4 trimethylbenzene, 1,3,5 trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard in soil and Site-Specific Standard in groundwater.

**Sheetz 58**, Storage Tank Facility ID # 16-29460, 1281 E. Main Street, Clarion Borough, **Clarion County**. Mountain Research, Inc., 825 25th Street, Altoona, PA 16601-1901, on behalf of Sheetz, Inc., 5700 6th Avenue, Altoona, PA 16602-1111, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with benzene, trimethyl benzene and MTBE. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

**Fueland 209**, Storage Tank Facility ID # 32-19060, 102 East Washington Street, Saltsburg Borough, **Indiana County**. Letterle and Associates, Inc., 191 Howard Street, Franklin, PA 16323, on behalf of Superior Petroleum Company, 8199 McKnight Road, Pittsburgh, PA 15237 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, methyl tert-butyl ether, cumene, naphthalene, 1,2,4 trimethyl benzene and 1,3,5 trimethyl benzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

## CORRECTIVE ACTION

### UNDER ACT 32, 1989 PREAMBLE 3

**The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Lukoil 69723**, 15-41470, 807 E. Baltimore Pike, **Chesster County**. Envirotrac Ltd., 3070 Bristol Pike, Building 1, Suite 221, Bensalem, PA 19020, on behalf of Lukoil North America LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The RACR demonstrated attainment of residential Statewide health and site-specific standards in soil and groundwater and was approved by the DEP on November 19, 2019.

**Grandview Depot**, 09-30531, 396 N Main St, Sellersville Borough, **Bucks County**. Clayton Services, 1815 Gallagher Road, Plymouth Meeting, PA 19462, on behalf of Grandview Depot, 396 North Main Street, Sellersville, PA 18960 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The RACR demonstrated attainment of residential Statewide health standards in groundwater and was approved by the DEP on November 25, 2019.

**Bills Auto**, 51-39840, 1952 Bryn Mawr Ave., **City of Philadelphia**. EnviroSure, Inc., 319 South High Street, First Floor, West Chester, PA 19382, on behalf of FJ Acquisitions, LLC, 417 South Street, Suite 17, Philadelphia, PA 19131, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater

contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of the residential, Statewide health standards and Site-specific standards and was approved by the Department on December 4, 2019.

**7 Eleven 24047**, 51-24573, 6401 Frankford Ave., **City of Philadelphia**. AECOM, 510 Carnegie Center, Princeton, NJ 08540, on behalf of 7-Eleven, Inc., P.O. Box 711, Dallas, TX 75221-0711 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of nonresidential, Statewide health standards and was approved by the Department on October 30, 2019.

**Sunoco 0004 7522**, 23-30279, 1491 N. Providence Rd., Upper Providence Township, **Delaware County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Sunoco R&M, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet nonresidential Statewide health and site-specific standards and was approved by the DEP on November 18, 2019.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Pump-n-Pantry 002**, Storage Tank ID # 58-13083, 34329 State Route 171, Great Bend Township, **Susquehanna County**. LaBella Associates, 100 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Pump-n-Pantry Inc., 100 Grow Avenue, Montrose, PA 18801 has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report was acceptable to meet a combination of Site-Specific and Statewide Health Standards and was approved by DEP on December 6, 2019.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E Z Gas Mart**, Storage Tank Facility ID Number 22-17541, 512 South 29th Street, Harrisburg, PA 17104, Harrisburg City, **Dauphin County**, United Environmental Services, Inc., 1143 Long Run Road, Schuylkill Haven, PA 17972 on behalf of Collotia Stores, Inc., 8 South Seasons Drive, Dillsburg, PA 17019 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was acceptable to meet the Standard and was approved by the Department of Environmental Protection on December 9, 2019.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-237-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**Turkey Hill 206**, Storage Tank Facility ID 41-27288, 18 East Water Street, Muncy Township, **Lycoming County**. Reliance Environmental, Inc., 235 N. Duke St., Lancaster, PA 17602, on behalf of Turkey Hill Minit Markets, 257 Centerville Road, Lancaster, PA 17603, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the Statewide Health Standard for groundwater and Site-Specific Standard for soil and was approved by DEP on November 12, 2019.

---

## SPECIAL NOTICES

---

### AIR QUALITY

---

#### Notice of Proposed Revision to the State Implementation Plan for Volatile Organic Compounds, Issuance of the Title V Operating Permit, and Notice of Public Hearing for the Air Quality Operating Permit 10-00368.

*Northwest Region: 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Approval of a Reasonably Available Control Technology (RACT II) plan for **MarkWest Liberty Bluestone Plant** located in Jackson Township, **Butler County**.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection (the Department) has made a preliminary determination to approve an alternate Reasonably Available Control Technology (RACT II) plan and seeks approval of an amendment to the State Implementation Plan (SIP) for the MarkWest Liberty Bluestone Plant in Jackson Township, Butler County. And in accordance with 25 Pa. Code § 127.521, the Department intends to issue a Title V Operating Permit for the facility. The facility is located at 440 Hartmann Rd, Evans City, PA 16033. The facility's representative to contact concerning this application is Mr. Nathan Weldon, Senior Environmental Engineer. His phone number is 303-542-0686.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008 and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into the new operating permit (10-00368) for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's SIP and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; this includes the provisions of the Department's presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at the facility.

The facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments due to its potential to emit VOC and CO. The facility is therefore subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Permitted sources at the facility include: two (2) natural gas-fired refrigerant compressor engines; four (4) natural gas-fired residue compressor engines; electrically-driven inlet and residue compressor engines; three (3) gas processing plants, each may consist of cryogenic gas processing plant, a deethanizer, a fractionator, and/or a depropanizer; twelve (12) process heaters; truck and railyard loading; a natural gas storage tank; a natural gas-fired emergency generator; and fugitive emissions that include maintenance blowdowns, pigging operations, compressor rod packing emissions, and crankcase blow emissions. Pursuant to previous plan approvals, general permit, and State-only operating permit, the natural gas-fired compressor engines are subject to 40 CFR 60 Subpart JJJJ pertaining to NSPS for spark ignition

internal combustion engines. The natural gasoline tank is subject to 40 CFR 60 Subpart Kb pertaining to NSPS for volatile organic liquid storage vessels. The 40 CFR 60 Subparts OOOO, OOOOa, and VVa, which are three NSPS regulating emissions leaks, apply to several sources that include the gas processing plants and the electrically-driven compressor engines. In the new Title V operating permit, conditions of the Consent Decree Case 3:18-cv-02526-JGC dated January 8, 2019 are incorporated. Pursuant to the Consent Decree, three NSPS are also added namely 40 CFR 60 Subparts Db and Dc, which apply to process heaters, and Subpart NNN, which apply to the gas processing plants and associated control devices/flares. RACT II presumptive and alternative VOC requirements are incorporated. In absence of corresponding limit, VOC emission is removed from the required stack tests for four process heaters. A temporary mobile flare approved through a RFD is added as a permitted control device. Several fugitive emissions are identified as a permitted source. As Title V, weekly monitoring for fugitive emissions and visible emissions are added.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

Source	RACT II Requirement
Fugitive emissions sources from connectors, flanges, pressure safety valves, and valves at the gas processing plants, Source 110	Comply with 40 CFR 60 Subpart OOOO

**Public hearing.** A public hearing will be held if requested by January 20, 2020 to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, on January 28, 2020 at 10 a.m. at the DEP Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Tom Decker, Community Relations Coordinator, at 814-332-6615. The last day to pre-register to speak at a hearing, if one is held, will be January 20, 2020. If the Department does not receive any pre-registered speakers by this date, the hearing will be cancelled.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <http://www.dep.pa.gov/About/Regional/NorthwestRegion/Community-Information/Pages/RACT-II.aspx>. Contact Tom Decker at 814-332-6615 or monitor the Department's web site to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Tom Decker at 814-332-6615 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Eric A. Gustafson, Environmental Program Manager, DEP Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Eric A. Gustafson, Environmental Program Manager, DEP Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335. A 30-day comment period from the December 21, 2019 will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit 10-00368 and a concise statement regarding the relevancy of the information or objections to issuance of the permit or the proposed RACT II Plan.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335. Appointments for scheduling a review may be made by calling the Department at 814-332-6078.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Tom Decker at 814-332-6615 or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

---

**Notice of Proposed Revision to the State Implementation Plan for Volatile Organic Compounds, Issuance of the Title V Operating Permit, and Notice of Public Hearing for the Air Quality Operating Permit 10-00001.**

---

Approval of a Reasonably Available Control Technology (RACT II) plan for **AK Steel Corporation Butler Works (Butler Works)** owned and operated by AK Steel Corporation in Butler Township, **Butler County**.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve an Alternative Reasonably Available Control Technology (RACT II) plan and seeks an approval of an amendment to the State Implementation Plan (SIP) for the AK Steel Corporation Butler Works (Butler Works) owned and operated by AK Steel Corporation in Butler Township, Butler County.

And in accordance with 25 Pa. Code § 127.521, the Department of Environmental Protection intends to revise a Title V Operating Permit for the facility. The facility is located at 210 Pittsburgh Road, Butler, PA 16001. The facility's representative to contact concerning this application is Mr. Frank Monteleone, Environmental Affairs Manager. His phone number is 724-284-3367. The Butler Works is primary a mini mill manufacturing facility producing flat-rolled electrical and stainless steels and a supplier of stainless semi-finished slabs. The facility's Title V permit authorizes the operation of 82 air emission sources that include: Two (2) Electric Arc furnaces (EAF), an argon oxygen decarburization (AOD) process, material handling equipment, and numerous combustion units, process heaters, and combustion sources.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a revised operating permit (TV-10-00001) for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA.

Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; this includes the provisions of the Department's presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

Source I.D.	Source Name	Summary of Additional RACT Requirements for Major Sources of NO <sub>x</sub> and VOC (Alternative RACT II Requirements)
101	EAF # 5	<i>Production Rate:</i> 300 tons/hr liquid steel as a 24-hour average; and the average production rate of liquid steel during the most recent compliant stack test +10% of the production rate, calculated as a 30-day rolling average. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Emission Limits:</i> NO <sub>x</sub> emission limit shall not exceed 358.75 tons in any consecutive 12-month period for Baghouse # 3; VOC emissions shall not exceed 90 tons per any consecutive 12-month period when using # 3 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Emission Limits:</i> NO <sub>x</sub> emission limit shall not exceed 0.35 lb/ton of liquid steel produced when the # 5 EAF is operating based on a 24-hour average for Baghouse # 3; VOC emissions shall not exceed 0.09 lb/ton calculated as a 24-hour average when using # 3 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Work Practice:</i> Use oxy-fuel burner technology (added condition); Implement, follow, and keep on site a scrap pollution prevention plan to prevent the charging of any scrap into the furnace that is heavily oiled or contains a large amount of combustible, nonmetallic, or rubber materials; Install operate and maintain in accordance with manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Gas meter maintenance and operation; Detailed Work Practices to ensure proper operation of air pollution control systems are detailed in Section E, Group Melt Shop; EAF shall only be operated when the DEC system, canopy hood, ductwork, # 3 baghouse fans, # 3 baghouse are functioning properly. (Existing Title V Operating Permit 10-00001 Limitations)
102	EAF # 2	<i>Production limitation:</i> 250,000 tons/yr of liquid steel in any 12-month period; (Existing Title V Operating Permit 10-00001 Limitation)
		<i>Emission Limitations:</i> NO <sub>x</sub> emissions shall not exceed 0.020 lb/ton calculated as a 24-hour average with Baghouse # 1/2; NO <sub>x</sub> emissions shall not exceed 20 tons per any consecutive 12-month period with Baghouse # 1/2; VOC emissions shall not exceed 140 tons per any consecutive 12-month period when using # 1/2 Baghouse; and VOC emissions shall not exceed 0.14 lb/ton calculated as a 24-hour average when using # 1/2 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Emission Limitations:</i> NO <sub>x</sub> emissions shall not exceed 358.75 tons per any consecutive 12-month period with Baghouse # 3; NO <sub>x</sub> emissions shall not exceed 0.42 lb/ton of liquid steel produced when the # 2 EAF is operating based on a 24-hour average with # 3 Baghouse; VOC emissions shall not exceed 90 tons per any consecutive 12-month period when using # 3 Baghouse; and VOC emissions shall not exceed 0.18 lb/ton calculated as a 24-hour average when using # 3 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Work Practice:</i> Implement, follow, and keep on site a scrap pollution prevention plan to prevent the charging of any scrap into the furnace that is heavily oiled or contains a large amount of combustible, nonmetallic, or rubber materials; EAF shall only be operated when the DEC system, canopy hood, ductwork, baghouse fans, an # 1/2 and # 3 baghouse are functioning properly; Install operate and maintain in accordance with manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Detailed Work Practices to ensure proper operation of air pollution control systems are detailed in Section E, Group Melt Shop. (Existing Title V Operating Permit 10-00001 Limitations)
109	TCM # 2	<i>Work Practice Standard:</i> Mist Eliminators must operate when source is in operation (added); Monitor pressure drop across mist eliminator filter; Maintain and operate each source and control device in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices. (Existing Title V Operating Permit 10-00001 Limitations)
110	TCM # 3	<i>Work Practice Standard:</i> Operate Mist Eliminators and monitor pressure drop across mist eliminator filter; Control device must operate when source is in operation. Maintain and operate each source and control device in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices. (Existing Title V Operating Permit 10-00001 Limitation) (Existing Title V Operating Permit 10-00001 Limitations)
111	HM # 5	<i>Fuel Limitation:</i> 700 mmcf/yr based on a consecutive 12-month period (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added)

Source I.D.	Source Name	Summary of Additional RACT Requirements for Major Sources of NO <sub>x</sub> and VOC (Alternative RACT II Requirements)
		<i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices. Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
112	HM # 6	<i>Fuel Limitation:</i> 600 mmcf/yr based on a consecutive 12-month period (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added). <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices. Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
113	HM # 7	<i>Fuel Limitation:</i> 600 mmcf/yr based on a consecutive 12-month period (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (Added). <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emissions-related specifications, if available, or in accordance with good operating and air pollution control practices. Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
136	AOD	<i>Throughput Rate:</i> 300 tons/hr of liquid steel calculated as a 24-hr average; and the average production rate of liquid steel during the most recent compliant stack test +10% of the production rate, calculated as a 30-day rolling average. (Existing Title V Operating Permit 10-00001 Limitation) <i>Emission Limitations:</i> NO <sub>x</sub> emission limits of: 20 tpy for Baghouse # 1/2; VOC emissions shall not exceed 140 tons per any consecutive 12-month period when using # 1/2 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations) <i>Work Practice:</i> AOD shall only be operated when the canopy hood, ductwork, # 1/2 baghouse fans, # 1/2 baghouse are functioning properly; Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, in accordance with good operating and air pollution control practices; Detailed Work Practices to ensure proper operation of air pollution control systems are detailed in Section E, Group Melt Shop. (Existing Title V Operating Permit 10-00001 Limitations)
137	HM # 8	<i>Fuel Limitation:</i> 600 mmcf/yr based on a consecutive 12-month period (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
156	# 4 AP	<i>Fuel Limitation:</i> Burn only natural gas. (Existing Title V Operating Permit 10-00001 Limitation) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
157	# 7 AP	<i>Fuel Limitation:</i> Burn only natural gas. (Existing Title V Operating Permit 10-00001 Limitation) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
158	# 12 AP	<i>Fuel Limitation:</i> 1,675 mmcf/yr based on quarterly rolling average (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
162	# 26 Carlite	<i>Fuel Limitation:</i> Burn only natural gas. (Existing Title V Operating Permit 10-00001 Limitation) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. Required continued use of Low NO <sub>x</sub> burner technology (Existing Title V Operating Permit 10-00001 Limitations)

*Public hearing.* If requested by January 21, 2020, a public hearing will be held at 10 a.m. on January 29, 2020, to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, at the DEP Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Tom Decker at 814-332-6615. The last day to pre-register to speak at a hearing, if one is held, will be January 21, 2020. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at: <http://www.dep.pa.gov/About/Regional/NorthwestRegion/Community-Information/Pages/RACT-II.aspx>.

We ask that you contact Tom Decker, Environmental Community Relations Specialist at 814-332-6615 or monitor our website to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Tom Decker at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and 2 written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit 3 copies of a written statement and exhibits within 10 days thereafter to Eric A. Gustafson, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Eric A. Gustafson, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. A 30-day comment period from December 21, 2019, will exist for the submission of comments, protests and information. Each submission must contain the following information: name, address and telephone number of the person submitting the comments; identification of the proposed permit number 10-00001; and concise statements regarding the relevancy of the information or objections to issuance of the permit or the proposed RACT II Plan.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Appointments for scheduling a review may be made by calling the Department at 814-332-6078.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodations to do so should contact Tom Decker, Environmental Community Relations Specialist, at 814-332-6615 or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

---

**Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Volatile Organic Compounds, Notice of Public Hearing, and Notice of Intent to Issue RACT II Plan Approval Permit IP16-000300.**

---

*Public Health Philadelphia Air Management Services, 321 University Avenue, 2nd Floor, Philadelphia, PA 19104-4543.*

Approval of a Reasonably Available Control Technology (RACT II) Plan for **Philly Shipyard, Inc.** located in Philadelphia, **Philadelphia County**.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Air Management Service (AMS) has made a preliminary determination to approve a RACT II Plan Approval and an amendment to the State Implementation Plan (SIP) for the Philly Shipyard, Inc. owned and operated by Philly Shipyard, Inc. in Philadelphia, Philadelphia County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT approval for the facility, which are intended to satisfy the requirements for the 2008 and 2015 National Ambient Air Quality Standards (NAAQS) for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into RACT II Plan Approval No. IP16-000300 for the facility. The proposed amendments to the RACT II determination, if finally approved, will also be incorporated into a revised operating permit (OP16-00026) for the facility. Therefore, this notice serves as the public's only opportunity under Title V to provide comments on record for this proposed permit action. The relevant RACT II Plan Approval requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:



Source	VOC RACT II Requirement
Cleaning Solution used at the Dry Dock, Building 763 Paint Booth, and Main Building Painting Operation.	AMS determined the following existing work practice standard to be RACT for the solvent cleaning; The Permittee shall ensure that the following coating operating practices are in effect at all times: (a) All handling and transfer of VOC/VOHAP-containing materials to and from containers, tanks, vats, drums, and piping systems is conducted in a manner that minimizes spills. (b) All containers, tanks, vats, drums, and piping systems are free of cracks, holes, and other defects and remain closed unless materials are being added to or removed from them. (c) Institute a procedure which controls the distribution of VOC containing thinner and solvent within the facility. The provided thinner used in each batch of coatings shall not exceed the established maximum allowable thinner ratio calculated in accordance with 40 CFR 63.785(c)(2). (d) Paint line and spray guns must be cleaned in a closed system that is able to recalculate and collect spent solvent during the cleaning process for proper disposal; and (e) Waste paint, spent solvent, solvent contaminated rag or materials, and sludge from gun cleaners must be stored in gasket sealed containers until properly disposed.

The plan approval also contains monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

Copies of the application, AMS analysis, all pertinent documents used in the evaluation of the application, and subsequently prepared proposed RACT II Plan Approval/SIP are available for public review during normal business hours at 321 University Avenue, 2nd Floor, Philadelphia, PA 19104. Persons wishing to review these documents should contact Debra Williams (215-685-7572) at the above address.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a RACT II Plan Approval, may submit the information to the Chief of Source Registration, 321 University Avenue, Philadelphia, PA 19104. A 30-day comment period from the Date of Publication in the *Pennsylvania Bulletin* will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Plan Approval including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan Approval.

Persons wishing to request for a public hearing must provide a written request to "Chief of Source Registration" to the above address the within 30 days from this publication date. If requested by the public, AMS will hold a public hearing to accept comments on the proposed RACT II Plan Approval revision and the proposed SIP revision. The hearing will be held, if requested, on January 27, 2020, at 6:30 PM at the Spelman Building, 321 University Avenue, 1st Floor Conference Room, Philadelphia, PA 19104. Persons with a disability who desire to attend the meeting and require an auxiliary aid, service, or other accommodation to participate in the proceedings should contact Henry Kim at (215) 685-9439 to discuss how AMS may accommodate their needs.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.phila.gov/departments/air-pollution-control-board/air-management-notice/>.

---

**Notice of Proposed Revision to the State Implementation Plan for Volatile Organic Compounds, Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit 65-00207.**

---

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, (412) 442-4336.*

**65-00207: OMNOVA Solutions, LLC** (1001 Chambers Avenue, Jeannette, PA 15644-3207). Approval of a Title V Operating Permit Renewal and Reasonably Available Control Technology (RACT II) plan for OMNOVA Solutions, LLC located in the City of Jeannette, **Westmoreland County**.

In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewed Title V operating permit (TV-65-00207) to OMNOVA Solutions, LLC to authorize the continued operation of a polymer-based film and composite materials manufacturing facility.

The facility consists of the following sources:

- Source 035, New Boiler 1, rated at 12.5 MMBtu/hr;
- Source 036, New Boiler 2, rated at 12.5 MMBtu/hr;
- Source 252, Direct-Fired Make-Up Air Units 1-3 rated at 5.165 MMBtu/hr each;

- Source 111, Calender Line 1, with a throughput limit of 3,836 TPY controlled by a 21,544 scfm (22,000 acfm) Camcorp dust collector;
- Source 112, Calender Line 2, with a throughput limit of 2,397 TPY controlled by a 21,544 scfm Camcorp dust collector;
- Source 114, Calender Line 4, with a throughput limit of 3,836 TPY controlled by a 21,544 scfm Camcorp dust collector;
- Source 221, Embosser/Laminator 1;
- Source 222, Embosser/Laminator 2;
- Source 232, Liquid Raw Material Storage;
- Source 241, Resin Silos 1-6, by bin vent filters;
- Source 243, Resin Solids Weigh and Handling, controlled by bag filters;
- Source 251, Powerhouse Generator (50-HP) rated at 0.130 MMBtu/hr;
- Source 300, AZO Scrap System, controlled by a 13,500 scfm Camcorp dust collector;
- Source 301, Misc. Raw Material Handling, controlled by a 21,544 scfm Camcorp dust collector.
- Miscellaneous sources as applicable, including two 30-gallon parts washers.

The facility has potential emissions of 6.0 TPY NO<sub>x</sub>; 11.0 TPY CO; 114.0 TPY VOC; < 0.1 TPY SO<sub>x</sub>; 43.0 TPY PM<sub>10</sub>; 43.0 TPY PM<sub>2.5</sub>; < 0.3 TPY HAP total; < 0.3 TPY single HAP for hexane; and 15,585 TPY for CO<sub>2</sub>e. The facility has reported actual emissions in 2018 of 2.6 TPY NO<sub>x</sub>; 2.4 TPY CO; 33.2 TPY VOC; < 0.1 TPY SO<sub>x</sub>; 9.5 TPY PM<sub>10</sub>; 2.9 TPY PM<sub>2.5</sub>; < 0.1 TPY HAP total; < 0.1 TPY single HAP for hexane; and 3,390 TPY for CO<sub>2</sub>e. Emission limits, operating requirements, and work practice standards along with monitoring, recordkeeping, and reporting requirements have been included in this proposed Title V operating permit to ensure that the facility complies with all applicable Federal and State air quality regulations.

Furthermore, in accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT II plan and an amendment to the State Implementation Plan (SIP) for the aforementioned facility. The facility is not subject to any RACT II requirements for NO<sub>x</sub>.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a renewed and revised operating permit 65-00207 for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania’s State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

<i>Source</i>	<i>RACT II Requirement</i>	<i>SOOP No. 65-00207 Condition No.</i>
Source 111—Calender Line 1	The Owner/Operator shall install, maintain, and operate the source in accordance with the manufacturer’s specifications and with good operating practices.	Section E, Source Group 002, Calendaring Lines 1 thru 4, Condition # 006
	The permittee shall maintain records of compliance demonstration consistent with 25 Pa. Code § 129.100(d).	Section E, Source Group 002, Calendaring Lines 1 thru 4, Condition # 004
Source 112—Calender Line 2	The Owner/Operator shall install, maintain, and operate the source in accordance with the manufacturer’s specifications and with good operating practices.	Section E, Source Group 002, Calendaring Lines 1 thru 4, Condition # 006
	The permittee shall maintain records of compliance demonstration consistent with 25 Pa. Code § 129.100(d).	Section E, Source Group 002, Calendaring Lines 1 thru 4, Condition # 004
Source 114—Calender Line 4	The Owner/Operator shall install, maintain, and operate the source in accordance with the manufacturer’s specifications and with good operating practices.	Section E, Source Group 002, Calendaring Lines 1 thru 4, Condition # 006
	The permittee shall maintain records of compliance demonstration consistent with 25 Pa. Code § 129.100(d).	Section E, Source Group 002, Calendaring Lines 1 thru 4, Condition # 004

<i>Source</i>	<i>RACT II Requirement</i>	<i>SOOP No. 65-00207 Condition No.</i>
Source 221— Laminator/Embossing Line 1	The Owner/Operator shall install, maintain, and operate the source in accordance with the manufacturer's specifications and with good operating practices.	Section E, Source Group 003, Embosser/Laminator # 1 and # 2, Condition # 009
	The permittee shall maintain records of compliance demonstration consistent with 25 Pa. Code § 129.100(d).	Section E, Source Group 002, Calendaring Lines 1 thru 4, Condition # 005
Source 222— Laminator/Embossing Line 2	The Owner/Operator shall install, maintain, and operate the source in accordance with the manufacturer's specifications and with good operating practices.	Section E, Source Group 003, Embosser/Laminator # 1 and # 2, Condition # 009
	The permittee shall maintain records of compliance demonstration consistent with 25 Pa. Code § 129.100(d).	Section E, Source Group 002, Calendaring Lines 1 thru 4, Condition # 005

**Public hearing.** A public hearing will be held on February 5, 2020, from 9:30—10:00 a.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To register to speak at a hearing, or to inquire if a hearing will be held, please contact Thomas Joseph at 412-442-4336. The last day to pre-register to speak at the hearing will be January 23, 2020. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at: <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/default.aspx>. We ask that you contact Thomas Joseph at 412.442.4336 or monitor our website to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Thomas Joseph at 412.442.4336 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons wishing to file a written protest or provide comments or additional information may submit the information to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period from December 21, 2019 will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to the RACT II Plan or the operating permit renewal.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by calling the Department at 412.442.4000.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Fraley at 412.442.4203 or the Pennsylvania AT&T Relay Service at 1.800.654.5984 (TDD) to discuss how the Department may accommodate your needs.

**Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Volatile Organic Compounds, Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit TVOP-04-00059.**

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal Title V Operating Permit (TVOP-04-00059) to **IPSCO Koppel Tubulars Corporation** to authorize the continued operation of steel manufacturing facility located in Koppel and Big Beaver Borough, **Beaver County**. The name and address of the applicant is IPSCO Koppel Tubulars Corporation, P.O. Box 750, Beaver Falls, PA 15010-0750.

The primary operations at the IPSCO Koppel Tubulars are melting and hot forming of alloy or carbon steels into solid steel "blooms." The facility includes a melt shop with an electric arc furnace (EAF) 100-ton capacity to melt scrap in the production of steel, EAF tapping/EBT, melt shop, charging, EAF tapping/EBT, ladle refining system (LRS), dry lime and alloy unloading station, two emergency generators each rated at 375 bhp and 435 bhp, 2-lime handling silos, carbon silo, acid etch bath, austenitizing furnace rated at 30 MMBtu/hr, temper furnace rated at 17 MMBtu/hr, scrap cutting and handling operations, various heaters, torches, and small gas furnaces. There are six (6) baghouses of various capacities at the facility. Melt shop including charging, EAF Tapping/EBT, LRS, and various heaters, dryers are connected to a melt shop baghouse. All other operations are also connected to their dedicated baghouses. The facility-wide potential to emit: 219.34 tpy NO<sub>x</sub>, 108.43 tpy VOC, 1,345 tpy CO, 149.5 tpy SO<sub>x</sub>, 121.0 PM<sub>10</sub>, Total HAPs less than 25 tpy on a 12-month

rolling basis. The proposed TVOP renewal contains conditions relating to monitoring, recordkeeping, reporting, and work practice standards. As part of this action, the Department intends to issue an Approval of a Reasonably Available Control Technology (RACT II) plan for IPSCO Koppel Tubulars, Corporation.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT II plan and an amendment to the State Implementation Plan (SIP) for the steel manufacturing facility owned and operated by IPSCO Koppel Tubulars, Corporation located at P.O. Box 750, Beaver Falls, PA 15010-0750 in Koppel and Big Beaver Borough, Beaver County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone. Other sources at the facility meet the presumptive RACT II requirements of 25 Pa. Code § 129.97.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into the Title V Operating Permit (04-00059) for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania’s State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

Source	RACT II Requirement	TVOP 04-00059 Cond. No
Electric Arc Furnace (EAF) 100-ton capacity. Source ID 109—112.	RACT II Compliance shall be determined through source testing required in the current TV Permit and the following work practices adopted at the facility: Good operating practices is routine inspection and maintenance that determines that the EAF is operating properly. This includes lid gap distances and temperatures etc. Maintain a scrap management plan that limits organics from the EAF scrap feed per 40 CFR Part 63.10685 Subpart YYYYY.	Section D, Condition # 025

*Public hearing.* A public hearing will be held if requested by January 22, 2020 to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, on February 5, 2020 at 11 am at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Thomas Joseph at 412.442.4336. The last day to pre-register to speak at a hearing, if one is held, will be February 5, 2019.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at: <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/default.aspx>. We ask that you contact Thomas Joseph at 412.442.4336 or monitor our Web site to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Thomas Joseph at 412-442-4336 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period from December 21, 2019 will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by calling the Department at 412.442.4000.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Fraley at 412-442-4203 or the Pennsylvania AT&T Relay Service at 1.800.654.5984 (TDD) to discuss how the Department may accommodate your needs.

---

**Notice Of Plan Revision Approval Under The Municipal Waste Planning And Waste Reduction Act Of 1988, Act 101.**

---

*Northeast Region: Roger Bellas, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

The Department of Environmental Protection (DEP) approved a revision to the **Wyoming County Municipal Waste Management Plan** on December 6, 2019.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental hearing board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of this appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the board within 30 days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the board (717) 787-3483 for more information.

The Plan Revision is a public document and may be viewed at the DEP Regional Office noted above.

Questions concerning this approval should be directed to Roger Bellas, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

---

**Plan Revision Approval under the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101.**

---

*Southcentral Region: Waste Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

The Department of Environmental Protection (Department) approved the **Adams County Municipal Waste Management Plan** Revision on December 5, 2019.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

The plan revision is a public document and may be viewed at the Southcentral Regional Office at the address noted above.

Questions concerning this approval should be directed to Larry Holley, Section Chief, Department of Environmental Protection, Bureau Waste Management, Division of Waste Minimization and Planning, P.O. Box 8472, Harrisburg, PA 17105-8472 or to Anthony Rathfon, Environmental Program Manager, Waste Management at the Regional Office noted above.

[Pa.B. Doc. No. 19-1897. Filed for public inspection December 20, 2019, 9:00 a.m.]

---

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Board and Committee Meeting Schedules for 2020

The following is a list of 2020 advisory board and committee meetings associated with the Department of Environmental Protection (Department). These schedules and an agenda for each meeting, including meeting materials, will be available on the Department's web site at <http://www.dep.pa.gov> through the Public Participation tab. Prior to each meeting, the Department encourages individuals to visit the web site to confirm meeting date, time and location.

Persons in need of accommodations, as provided for in the Americans with Disabilities Act of 1990, should contact the individual listed for each board or committee, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

#### *Aggregate Advisory Board*

The Aggregate Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101 (unless noted otherwise). The meeting dates are as follows:

February 5, 2020  
 May 6, 2020  
 August 5, 2020—location to be determined (field trip)  
 November 4, 2020

*Contact:* Daniel E. Snowden, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA 17101 at [dsnowden@pa.gov](mailto:dsnowden@pa.gov) or (717) 787-5103.

#### *Agricultural Advisory Board*

The Agricultural Advisory Board (Board) will meet at 9:30 a.m. in Susquehanna Conference Room A, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. The meeting date is as follows:

January 27, 2020

Additional meetings scheduled by the Board will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Jay Braund, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at jbraund@pa.gov or (717) 772-5636.

*Air Quality Technical Advisory Committee*

The Air Quality Technical Advisory Committee will meet at 9:15 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 13, 2020  
April 16, 2020  
June 11, 2020  
August 13, 2020  
October 15, 2020  
December 10, 2020

*Contact:* Kirit Dalal, Bureau of Air Quality, 400 Market Street, Harrisburg, PA 17101 at kdalal@pa.gov or (717) 772-3436.

*Board of Coal Mine Safety*

The Board of Coal Mine Safety will meet at 10 a.m. in Conference Rooms A/B, Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931. The meeting dates are as follows:

March 10, 2020  
June 9, 2020  
September 1, 2020  
December 8, 2020

*Contact:* Peggy Scheloske, Bureau of Mine Safety, New Stanton Office, 131 Broadview Road, P.O. Box 133, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

*Citizens Advisory Council*

The Citizens Advisory Council (CAC) will hold a conference call at 10 a.m. (or immediately following the Environmental Quality Board meeting) on the following date:

January 21, 2020

The CAC will meet at 10 a.m. (or immediately following the Environmental Quality Board meeting) in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 18, 2020  
March 17, 2020  
April 21, 2020  
May 19, 2020  
June 16, 2020  
July 21, 2020  
August 18, 2020  
September 15, 2020  
October 20, 2020  
November 17, 2020—a portion of this meeting will be held with the Environmental Justice Advisory Board

(*Note:* The CAC will not meet in December.)

*Contact:* Keith Salador, Citizens Advisory Council, P.O. Box 8459, Harrisburg, PA 17105-8459 at ksalador@pa.gov or (717) 787-8171.

*Cleanup Standards Scientific Advisory Board*

The Cleanup Standards Scientific Advisory Board will meet at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 27, 2020  
June 18, 2020  
October 28, 2020

*Contact:* Mike Maddigan, Bureau of Environmental Cleanup and Brownfields, 400 Market Street, Harrisburg, PA 17101 at mmaddigan@pa.gov or (717) 772-3609.

*Climate Change Advisory Committee*

The Climate Change Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 25, 2020  
April 30, 2020  
June 30, 2020  
August 25, 2020  
October 27, 2020  
December 17, 2020

*Contact:* Lindsay Byron, Energy Programs Office, 400 Market Street, Harrisburg, PA 17101 at lbyron@pa.gov or (717) 772-8951.

*Coal and Clay Mine Subsidence Insurance Fund Board*

The Coal and Clay Mine Subsidence Insurance Fund Board will meet at 10 a.m. in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting date is as follows:

January 9, 2020

Other meetings may be scheduled by the Board on an as needed basis.

*Contact:* James Charowsky, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA 17101 at jcharowsky@pa.gov or (717) 787-7007.

*Coastal Zone Advisory Committee*

The Coastal Zone Advisory Committee will meet at 9:30 a.m. in the 10th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 15, 2020  
June 24, 2020

*Contact:* Stacey Box, Compacts and Commissions Office, 400 Market Street, P.O. Box 8465, Harrisburg, PA 17105-8465 at sbbox@pa.gov or (717) 772-5622.

*Environmental Justice Advisory Board*

The Environmental Justice Advisory Board will meet at 8:30 a.m. in the 16th Floor Delaware Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101 (unless noted otherwise). The meeting dates are as follows:

February 20, 2020  
May 21, 2020  
August 11, 2020—location to be determined  
November 17, 2020—a portion of this meeting will be held in Room 105 with the CAC

The Environmental Justice Advisory Board will hold a conference call at 1 p.m. on the following dates:

April 16, 2020  
July 16, 2020  
October 15, 2020

*Contact:* Allison Acevedo, Office of Environmental Justice, 2 East Main Street, Norristown, PA 19401 at alacevedo@pa.gov or (484) 250-5818.

*Environmental Quality Board*

The Environmental Quality Board will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400

Market Street, Harrisburg, PA 17101. Meetings will only be held when there is a sufficient number of agenda items for consideration. The meeting dates are as follows:

January 21, 2020  
 February 18, 2020  
 March 17, 2020  
 April 21, 2020  
 May 19, 2020  
 June 16, 2020  
 July 21, 2020  
 August 18, 2020  
 September 15, 2020  
 October 20, 2020  
 November 17, 2020  
 December 15, 2020

*Contact:* Laura Edinger, Environmental Quality Board, P.O. Box 8477, Harrisburg, PA 17105-8477 at ledinger@pa.gov or (717) 772-3277.

#### *Laboratory Accreditation Advisory Committee*

The Laboratory Accreditation Advisory Committee will meet at 9 a.m. in Room 206, Bureau of Laboratories Building, 2575 Interstate Drive, Harrisburg, PA 17110. The meeting dates are as follows:

April 2, 2020  
 October 1, 2020

*Contact:* Martina McGarvey, Bureau of Laboratories, 2575 Interstate Drive, Harrisburg, PA 17110 at eplabaccredit@pa.gov or (717) 346-7200.

#### *Low-Level Radioactive Waste Advisory Committee*

The Low-Level Radioactive Waste Advisory Committee will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting date is as follows:

October 2, 2020

*Contact:* Rich Janati, Bureau of Radiation Protection, 400 Market Street, Harrisburg, PA 17101 at rjanati@pa.gov or (717) 787-2147.

#### *Mine Families First Response and Communications Advisory Council*

The Mine Families First Response and Communications Advisory Council will meet at 10 a.m. in the Westmoreland Room, New Stanton Office, 131 Broadview Road, New Stanton, PA 15672. The meeting date is as follows:

April 7, 2020

*Contact:* Peggy Scheloske, Bureau of Mine Safety, New Stanton Office, 131 Broadview Road, P.O. Box 133, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

#### *Mining and Reclamation Advisory Board*

The Mining and Reclamation Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101 (unless noted otherwise). The meeting dates are as follows:

January 23, 2020  
 April 2, 2020  
 July 22-23, 2020—location to be determined (meeting/field trip)  
 October 22, 2020

*Contact:* Daniel E. Snowden, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA 17101 at dsnowden@pa.gov or (717) 787-5103.

#### *Oil and Gas Technical Advisory Board*

The Oil and Gas Technical Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 15, 2020  
 May 20, 2020  
 September 17, 2020  
 December 16, 2020

*Contact:* Todd M. Wallace, Office of Oil and Gas Management, 400 Market Street, Harrisburg, PA 17101 at twallace@pa.gov or (717) 783-9438.

#### *Pennsylvania Energy Development Authority*

The Pennsylvania Energy Development Authority meetings for 2020 have not yet been scheduled.

Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* David Althoff, Energy Programs Office, 400 Market Street, Harrisburg, PA 17101 at dalthoff@pa.gov or (717) 783-8411.

#### *Radiation Protection Advisory Committee*

The Radiation Protection Advisory Committee will meet at 9 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

March 19, 2020  
 October 29, 2020

*Contact:* John Chipppo, Bureau of Radiation Protection, 400 Market Street, Harrisburg, PA 17101 at jchippo@pa.gov or (717) 783-9730.

#### *Recycling Fund Advisory Committee*

The Recycling Fund Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting date is as follows:

September 10, 2020—joint meeting with the Solid Waste Advisory Committee

*Contact:* Laura Henry, Bureau of Waste Management, 400 Market Street, Harrisburg, PA 17101 at lahenry@pa.gov or (717) 772-5713.

#### *Sewage Advisory Committee*

The Sewage Advisory Committee will meet at 10:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

March 11, 2020  
 September 16, 2020

*Contact:* Janice Vollero, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at jvollero@pa.gov or (717) 772-5157.

#### *Small Business Compliance Advisory Committee*

The Small Business Compliance Advisory Committee will meet at 10 a.m. in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 22, 2020  
 April 22, 2020  
 July 22, 2020  
 October 28, 2020

*Contact:* Lucas Hershey, Bureau of Air Quality, 400 Market Street, Harrisburg, PA 17101 at luchershey@pa.gov or (717) 787-7019.

*Small Water Systems Technical Assistance Center Board*

The Small Water Systems Technical Assistance Center Board will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 26, 2020  
April 29, 2020  
July 23, 2020  
November 10, 2020

*Contact:* Dawn Hissner, Bureau of Safe Drinking Water, 400 Market Street, Harrisburg, PA 17101 at dhissner@pa.gov or (717) 772-2189.

*Solid Waste Advisory Committee*

The Solid Waste Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

March 12, 2020  
June 3, 2020  
September 10, 2020—joint meeting with the Recycling Fund Advisory Committee  
December 9, 2020

*Contact:* Laura Henry, Bureau of Waste Management, 400 Market Street, Harrisburg, PA 17101 at lahenry@pa.gov or (717) 772-5713.

*State Board for Certification of Sewage Enforcement Officers*

The State Board for Certification of Sewage Enforcement Officers will meet at 10 a.m. in Conference Room 11B, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 12, 2020  
May 27, 2020  
August 19, 2020  
November 18, 2020

*Contact:* Amy Forney, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at aforney@pa.gov or (717) 772-2186.

*State Board for Certification of Water and Wastewater Systems Operators*

The State Board for Certification of Water and Wastewater Systems Operators will meet at 10 a.m. in the 10th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

February 12, 2020  
April 8, 2020  
June 10, 2020  
August 12, 2020  
October 14, 2020  
December 9, 2020

*Contact:* Laura Chambers, Bureau of Safe Drinking Water, 400 Market Street, Harrisburg, PA 17101 at lchambers@pa.gov or (717) 772-5158.

*State Water Plan—Water Resources Regional Committees  
Delaware Water Resources Regional Committee*

The Delaware Water Resources Regional Committee will meet at 10 a.m. in the Southeast Regional Office, 2 East Main Street, Norristown, PA 19401. The meeting date is as follows:

January 14, 2020

*Contact:* Mark Matlock, Office of Water Resources Planning, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Potomac Water Resources Regional Committee*

The Potomac Water Resources Regional Committee will meet at 1 p.m. in the Adams County Ag Center, 670 Old Harrisburg Road, Gettysburg, PA 17325. The meeting date is as follows:

January 16, 2020

*Contact:* Mark Matlock, Office of Water Resources Planning, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Lower Susquehanna Water Resources Regional Committee*

The Lower Susquehanna Water Resources Regional Committee will meet at 10 a.m. in the Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg PA 17110. The meeting date is as follows:

February 6, 2020

*Contact:* Mark Matlock, Office of Water Resources Planning, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Upper/Middle Susquehanna Water Resources Regional Committee*

The Upper/Middle Susquehanna Water Resources Regional Committee will meet at 1 p.m. in the Ferguson Township Building, 3147 Research Drive, State College, PA 16801. The meeting date is as follows:

January 23, 2020

*Contact:* Mark Matlock, Office of Water Resources Planning, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Ohio Water Resources Regional Committee*

The Ohio Water Resources Regional Committee will meet at 10 a.m. at the Westmoreland County Conservation District, 218 Donohoe Road, Greensburg, PA 15601. The meeting date is as follows:

January 28, 2020

*Contact:* Mark Matlock, Office of Water Resources Planning, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Great Lakes Water Resources Regional Committee*

The Great Lakes Water Resources Regional Committee will meet at 10 a.m. at the Erie County Conservation District, 1927 Wager Road, Erie, PA 16509. The meeting date is as follows:

January 29, 2020

*Contact:* Mark Matlock, Office of Water Resources Planning, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.

*Statewide Water Resources Advisory Committee*

The Statewide Water Resources Advisory Committee meetings for 2020 have not been scheduled yet.

Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Mark Matlock, Office of Water Resources Planning, 400 Market Street, Harrisburg, PA 17101 at marmatlock@pa.gov or (717) 783-2285.



*Storage Tank Advisory Committee*

The Storage Tank Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

March 3, 2020  
June 10, 2020  
September 9, 2020  
December 2, 2020

*Contact:* Kris A. Shiffer, Bureau of Environmental Cleanup and Brownfields, 400 Market Street, Harrisburg, PA 17101 at kshiffer@pa.gov or (717) 772-5809.

*Technical Advisory Committee on Diesel-Powered Equipment*

The Technical Advisory Committee on Diesel-Powered Equipment will meet at 10 a.m. in the Westmoreland Room, New Stanton Office, 131 Broadview Road, New Stanton, PA 15672. The meeting dates are as follows:

January 8, 2020  
April 8, 2020  
July 8, 2020  
October 14, 2020

*Contact:* Peggy Scheloske, Bureau of Mine Safety, New Stanton Office, 131 Broadview Road, P.O. Box 133, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

*Water Resources Advisory Committee*

The Water Resources Advisory Committee will meet at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting dates are as follows:

January 30, 2020  
March 26, 2020  
May 28, 2020  
July 29, 2020  
September 30, 2020  
November 19, 2020

*Contact:* Diane Wilson, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at diawilson@pa.gov or (717) 787-3730.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-1898. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Proposed State Implementation Plan Revision; Second Maintenance Plan for the Franklin County 1997 8-Hour Ozone Nonattainment Area; Public Hearing

The Department of Environmental Protection (Department) is seeking public comment on a proposed revision to the State Implementation Plan (SIP) concerning a second maintenance plan demonstrating that the Franklin County Area continues to maintain the 1997 8-hour ozone National Ambient Air Quality Standard (NAAQS). The Department intends to submit this proposed SIP revision to the United States Environmental Protection

Agency (EPA) to satisfy sections 107(d)(3)(E)(iv) and 175A(b) of the Clean Air Act (CAA) (42 U.S.C.A. §§ 7407(d)(3)(E)(iv) and 7505a(b)).

Ground-level ozone concentrations above the Federal health-based standard pose a serious human health threat. On April 30, 2004, the EPA designated the Franklin County Area as a nonattainment area for the 1997 8-hour ozone NAAQS. See 69 FR 23857 (April 30, 2004). On July 25, 2007, the Franklin County Area was redesignated to attainment. See 72 FR 40746 (July 25, 2007). Air quality in the Franklin County Area has improved since the EPA's original designations.

On March 6, 2015, the EPA published the final implementation rule for the 2008 8-hour ozone NAAQS. See 80 FR 12264 (March 6, 2015). This final rule revoked the 1997 8-hour ozone NAAQS and stated that one consequence of revocation was that areas that had been redesignated to attainment (maintenance areas) for the 1997 standard no longer needed to submit second 10-year maintenance plans under section 175A(b) of the CAA. See 80 FR 12264, 12302 and 12303 (March 6, 2015). See also, 42 U.S.C.A. § 7505a(b)). See also, 40 CFR 51.1105(d)(1) (relating to transition from the 1997 ozone NAAQS to the 2008 ozone NAAQS and anti-backsliding). The EPA's 2008 final rule was challenged in *South Coast Air Quality Management Distr. v. EPA et al.*, 882 F.3d. 1138 (D.C. Cir. 2018) (*South Coast II*).

This proposed SIP revision addresses that case. Specifically, the Court in *South Coast II* vacated the EPA's final implementation rule for the 2008 ozone NAAQS to the extent that it waived the requirement under section 175A(b) of the CAA for states to submit a second 10-year maintenance plan SIP revisions for "orphan maintenance areas" under the 1997 standard (areas that had been redesignated to attainment for the 1997 ozone NAAQS and were designated attainment for the 2008 ozone NAAQS). In doing so, the Court characterized the language of section 175A(b) of the CAA as unambiguous and rejected the EPA's reasoning in the 2008 ozone NAAQS final rule that second maintenance plans were not needed for orphan maintenance areas because the 1997 standard had been revoked. *Id.* at 1156-57.

States with these "orphan maintenance areas" under the 1997 8-hour ozone NAAQS, including this Commonwealth, must submit maintenance plans for the second maintenance period. The Department intends to submit this proposed second maintenance plan SIP revision for the Franklin County Area to the EPA for approval.

This proposed SIP revision is available on the Department's web site at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment).

The Department will provide the opportunity for a public hearing to receive comments regarding the proposed SIP revision on Friday, January 24, 2020, at 10 a.m. at the Southcentral Regional Office, Susquehanna Room A, 909 Elmerton Avenue, Harrisburg, PA.

Persons wishing to present testimony should contact Amanda Rodriguez, P.O. Box 8468, Harrisburg, PA 17105, (717) 787-9702 or [amarodrigu@pa.gov](mailto:amarodrigu@pa.gov) to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their comments.

If by 12 p.m. on Tuesday, January 21, 2020, no person has expressed an interest in testifying at the hearing, the hearing will be cancelled. The Department will provide public notice on the Bureau of Air Quality webpage at <http://www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx> if the hearing is cancelled. Persons may also contact

the Department to find out if the hearing is cancelled by contacting Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 or (800) 654-5988 (voice users) to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than Monday, January 27, 2020. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail at [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be submitted by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2563. Use "Franklin County Area Ozone" as the subject line in written communication.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-1899. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Advisory Health Board Schedule of Meetings for 2020

The Advisory Health Board, established under sections 448(f) and 2111 of The Administrative Code of 1929 (71 P.S. §§ 158(f) and 541), has set its calendar for 2020. The meeting dates and times are scheduled as follows:

January 14, 2020, from 10 a.m.—12 p.m.  
April 9, 2020, from 1 p.m.—3 p.m.  
July 23, 2020, from 10:30 a.m.—12:30 p.m.  
October 13, 2020, from 10:30 a.m.—12:30 p.m.

All meetings will be held in Room 129, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. The meeting on January 14, 2020, will be to review and approve final amendments to the Department of Health's (Department) regulations relating to complete reporting of all CD4 T-Lymphocyte counts, viral loads and all HIV genotyping test results. Meetings throughout the year will be used, among other things, to review and approve proposed and final regulations, and discuss programmatic and Departmental activities.

For further information regarding the meetings or to obtain a copy of the draft regulations interested persons may contact Meaghan Abbott, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, [meabbott@pa.gov](mailto:meabbott@pa.gov), (717) 547-3105.

Persons with a disability who wish to attend the meetings and require an auxiliary aid, service or other accommodation to do so, or require a copy of this notice or the draft regulations in an alternative format (for example, large print, audiotape, Braille), should contact Meaghan Abbott at the previously-listed telephone number, or for speech and/or hearing impaired persons, call

the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

These meetings are subject to cancellation without notice.

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-1900. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

#### *Prearrest Breath Testing Devices*

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content (BAC) under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to

use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

#### *Evidential Breath Testing Devices*

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984).

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 BAC, to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993.

Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The NHTSA published an additional update to the CPL at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). This current list was published at 82 FR 50940 (November 2, 2017).

Instruments marked with an asterisk (\*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

The update to the CPL published at 82 FR 50940 (November 2, 2017) adds 12 new instruments that have been evaluated and found to conform to the Model Specifications, as amended on September 17, 1993, for mobile and nonmobile use. One instrument is distributed by two different companies, so it has been listed twice. One manufacturer changed their legal name. One manufacturer added a new product option for USB and Ethernet connectivity. One manufacturer added a Bluetooth keyboard accessory to two devices and a calibration accessory for seven of its devices. These devices were found to conform with or without the accessories. Another seven instruments are now being listed under a different distributor/manufacturer and those devices will be cross-referenced for legacy purposes. In alphabetical order by company, the new devices are:

(1) The “AlcoMate TS600” distributed by AK GlobalTech Corporation, Palisades Park, NJ. This device will be known as the Alcoscan ALP—1 outside of the United States. The AlcoMate TS600 is a handheld device with an electrochemical (EC) fuel cell sensor. This device is powered by internal batteries and is intended for mobile or stationary operations.

(2) The “Intoxilyzer 500” manufactured by CMI, Inc., Owensboro, KY. This instrument is currently listed on the CPL for Alcohol Screening Devices and will be removed when that CPL is updated. Improvements to the device’s sampling system allow it to conform as an Evidential Breath Tester (EBT). It is a handheld instrument intended for use in mobile or stationary operations. It uses a fuel cell sensor and is powered by an internal battery. The Intoxilyzer 500 is also distributed as the Lion Alcolmeter 500 by Lion Laboratories outside the United States, so it has been listed twice on the CPL, once under each of its distributors/manufacturers.

(3) The “Intoxilyzer 9000” manufactured by CMI, Inc., Owensboro, KY. This is a bench-top device that is intended for use in mobile or stationary operations. This device uses an infrared (IR) sensor to measure ethanol concentration. The Intoxilyzer 9000 can be powered by either 110 volts alternate current (AC) or 12 volts direct current (DC).

(4) The “Alcotest 3820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 3820 is a handheld device that uses an electrochemical (EC) fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(5) The “Alcotest 5510” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5510 is a handheld device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(6) The “Alcotest 5820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5820 is a handheld device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(7) The “Alcotest 6820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 6820 is a handheld device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(8) The “AlcoQuant 6020 Plus” manufactured by EnviteC, Wismar, Germany, and distributed by Honeywell GmbH, Fond du Lac, WI. The AlcoQuant 6020 Plus is a handheld device with a fuel cell sensor. This device is powered by internal batteries and is intended for use in mobile and stationary operations.

(9) The Alco-Sensor FST manufactured by Intoximeters, Inc., St. Louis, MO. The Alco-Sensor FST is a handheld EBT that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(10) The Intox DMT Dual Sensor manufactured by Intoximeters, Inc., St. Louis, MO. The Intox DMT Dual Sensor is a bench-top EBT that is intended for use in stationary or mobile operations. This device uses both an IR sensor and an EC fuel cell sensor. The Intox DMT Dual Sensor can be powered by either 110 volts AC or 12 volts DC.

(11) The “Intox EC/IR II.t” manufactured by Intoximeters, Inc., St. Louis, MO. This is a bench-top device intended for use in mobile or stationary operations. This device uses both an EC fuel cell sensor and an IR sensor to measure ethanol concentrations. The Intox EC/IR II.t can be powered by either 110 volts AC or 12 volts DC.

(12) The “FC10Plus” manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO. This is a handheld device that is intended for use in mobile or stationary operations. This device uses a fuel cell sensor and is powered by internal batteries.

This update indicates that two devices (the Phoenix 6.0 and the FC20, manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO) come with Bluetooth keyboard support and five additional fields that users can use to enter additional information. With these features, these devices will be listed on the CPL as the “Phoenix 6.0BT” and the “FC20BT.” This update also indicates that seven devices manufactured by Lifeloc come with the EASYCAL calibration accessory. Those devices include the FC10, FC10Plus, FC20, FC20BT, EV30, Phoenix 6.0 and the Phoenix 6.0BT. The CPL specifies that each of these devices conforms to the model specifications “w/or without the EASYCAL accessory.”

Intoximeters, Inc., St. Louis, MO, acquired the breath alcohol testing business of National Patent Analytical Systems, Inc. (NPAS). Since there have been no changes to the devices other than ownership and a device name change, all six devices previously listed under NPAS (BAC DataMaster (with or without the Delta-1 accessory), BAC Verifier DataMaster (w/or without the Delta-1 accessory), DataMaster cdm (w/or without the Delta-1 accessory), DataMaster DMT w/Fuel Cell option, DataMaster DMT w/Rev A Fuel Cell option and DataMaster DMT)) will now be listed under both Intoximeters and NPAS. The NPAS DataMaster DMT will now be known as the Intoximeters Intox DMT. Accordingly, this device will be listed under Intoximeters under both names.

The CPL has been updated to reflect that Draeger Safety Diagnostics, Inc. will begin operating under the name Draeger, Inc. effective July 1, 2017, to align all sales and service operations for Draeger in the United States. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA’s performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Jennifer Okraska at the address given as follows so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

### CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey <sup>1</sup>	<ul style="list-style-type: none"> <li>AlcoScan AL-2500.</li> <li>SafeMate.<sup>2</sup></li> <li>SafeDrive.</li> <li>AlcoMate.<sup>3</sup> (aka: AlcoHAWK Pro by Q3 Innovations).</li> <li>AlcoMate Accu Cell AL-9000.</li> <li>AlcoMate Pro.<sup>3</sup></li> <li>AlcoMate Core.<sup>4</sup></li> <li>AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).<sup>4 5</sup></li> <li>AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).<sup>4 6</sup></li> <li>AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).</li> </ul>
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. <sup>7</sup> Alco Check 9000. <sup>7</sup>
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol® .02 Detection System. <sup>8</sup>
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02™ <sup>9</sup> .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> <li>Alco Tector Mark X.</li> <li>Mark X Alcohol Checker.</li> <li>Alcotector WAT89EC-1.</li> <li>Alcotector WAT90.</li> </ul>
Han International Co., Ltd., <sup>2</sup> Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> <li>BACTRACK Select S50.<sup>10</sup></li> <li>BACTRACK Select S80.<sup>10</sup></li> <li>BACTRACK Element.</li> <li>BACTRACK S 75 Pro.</li> </ul>
Lion Laboratories, Ltd., Wales, United Kingdom	Alcometer 500 (aka: Intoxilyzer 500-CMI, Inc.).
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> <li>PAS Vr.</li> <li>Alcovisor MARS.</li> </ul>
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> <li>AlcoHAWK Precision.</li> <li>AlcoHAWK Slim.</li> <li>AlcoHAWK Slim 2.</li> <li>AlcoHAWK Elite.</li> <li>AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.).</li> <li>AlcoHAWK Micro.</li> <li>AlcoHAWK PRO (aka: AlcoMate by AK Solutions).</li> <li>AlcoHAWK PT 500.</li> <li>CA2010.</li> </ul>
RepcO Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.

Distributors/Manufacturers	Devices
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> <li>• AT577.</li> <li>• AT578 (aka: AlcoCheck FC90).</li> <li>• AT579.</li> </ul>
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. <sup>7</sup>
Varian, Inc., Lake Forest, California	On-Site Alcohol. <sup>10</sup>

<sup>1</sup> The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

<sup>2</sup> Manufactured by Seju Engineering, Korea.

<sup>3</sup> Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

<sup>4</sup> Manufactured by Sentech Korea Corp.

<sup>5</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

<sup>6</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

<sup>7</sup> While these devices are still being sold, they are no longer manufactured or supported.

<sup>8</sup> The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

<sup>9</sup> While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10—15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

<sup>10</sup> While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C—29°C (64.4°F—84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

#### CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
AK GlobalTech Corporation, Palisades Park, New Jersey:		
AlcoMate TS600 (aka: Alcoscan ALP-1 outside the U.S.)	X	X
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF <sup>IR</sup> Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	X
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
9000	X	X
9000 (serial numbers 90-000500 and above)	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger, Inc. (aka: Draeger Safety Diagnostics, Inc. or National Draeger) Irving, Texas:		
Alcotest Model:		
3820	X	X
5510	X	X
5820	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
EnviteC, Wismar, Germany, distributed by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
AlcoQuant 6020 Plus	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Auto Intoximeter*	X	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Photo Electric Intoximeter*	—	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox DMT Dual Sensor	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	—	X
Intox EC/IR II.t	X	X
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
(Also Listed under National Patent Analytical Systems, Inc.) BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X



<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
DataMaster DMT w/Fuel Cell option	X	X
DataMaster DMT w/Rev A Fuel Cell option	X	X
DataMaster DMT (aka: Intox MT)	X	X
Intox DMT (aka: DataMaster DMT)	X	X
<b>Komyo Kitagawa, Kogyo, K.K., Japan:</b>		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
<b>Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:</b>		
EV 30 (w/or without EASYCAL accessory)	X	X
FC 10 (w/or without EASYCAL accessory)	X	X
FC 10Plus (w/or without EASYCAL accessory)	X	X
FC 20 (w/or without EASYCAL accessory)	X	X
FC 20BT (w/or without EASYCAL accessory)	X	X
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0 (w/or without EASYCAL accessory)	X	X
Phoenix 6.0BT (w/or without EASYCAL accessory)	X	X
<b>Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:</b>		
<b>Alcolmeter Model:</b>		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	X
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
EBA*	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
<b>Intoxilyzer Model:</b>		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
<b>Luckey Laboratories, San Bernardino, California:</b>		
<b>Alco-Analyzer Model:</b>		
1000*	—	X
2000*	—	X
<b>Nanopuls AB, Uppsala, Sweden:</b>		
Evidenzer	X	X
<b>National Patent Analytical Systems, Inc.(NPAS), Mansfield, Ohio:</b>		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT (aka: Intox DMT)	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/ Rev A Fuel Cell option SN: 100630	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Mark V Alcovisor	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemans-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
Secretary

[Pa.B. Doc. No. 19-1901. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Health Policy Board Schedule of Meetings for 2020

The Health Policy Board of the Department of Health, established by section 401.1 of the Health Care Facilities Act (35 P.S. § 448.401a), has set its calendar for 2020. The meeting dates are as follows:

January 23, 2020  
 April 23, 2020  
 July 16, 2020  
 October 29, 2020

All meetings will be held from 10:30 a.m.—12:30 p.m. in Room 129, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. Items to be discussed at the meetings include consultation on proposed and final regulations, review and approval of adjudications and other legal matters relating to health care facility licensure, and current and upcoming program initiatives.

For additional information, individuals who wish to attend the meetings or persons with a disability who wish to attend the meetings and require an auxiliary aid, service or other accommodation to do so, contact Meaghan Abbott, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, at meabbott@pa.gov or (717) 547-3105, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

These meetings are subject to cancellation without notice.

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-1902. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of

services which will reflect the presence of controlled substances in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision at 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols SB, SSe, CB, CSe indicate the following:

SB = approved for blood screening analyses  
 SSe = approved for serum screening analyses  
 CB = approved for blood confirmatory analyses  
 CSe = approved for serum confirmatory analyses

00671  
 ALLEGHENY COUNTY MED EX DIV OF LAB—SB,  
 SSe, CB, CSe  
 1520 PENN AVENUE, 2ND FLOOR  
 PITTSBURGH, PA 15222  
 (412) 350-4425

- 31871  
AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,  
SSe, CB, Cse  
789 PARK AVENUE  
HUNTINGTON, NY 11743  
(631) 923-0166
- 21613  
ARUP LABORATORIES INC—SSe, CSe  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,  
SSe, CB, CSe  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 00977  
DRUGSCAN INC—SB, SSe, CB, CSe  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310
- 36525  
FIRSTOX LABORATORIES LLC—CSe  
4850 PLAZA DRIVE  
IRVING, TX 75063  
(813) 781-0891
- 31400  
FRANCES WARDE MEDICAL LABORATORY—  
SSe, CSe  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300
- 24655  
HEALTH NETWORK LABORATORIES—SB, SSe, CB,  
CSe  
794 ROBLE ROAD  
ALLEN TOWN, PA 18109-9110  
(610) 402-8150
- 29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR— SSe, CSe  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458
- 05574  
MEDTOX LABORATORIES INC—SB, SSe, CB, CSe  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466
- 32803  
MOLECULAR DX, LLC—SB, CB  
620 7TH STREET SUITE C  
WINDBER, PA 15963  
(814) 361-6993
- 00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,  
CB, CSe  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900
- 29741  
NORTHERN TIER RESEARCH—SB, SSe, CB, CSe  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 351-6153
- 30984  
OFFICE OF THE DISTRICT ATTORNEY—SB, SSe, CB  
37 E HIGH STREET, FORENSIC LAB  
CARLISLE, PA 17013  
(717) 240-6526
- 35876  
OPANS, LLC—CB  
4134 S. ALSTON AVE., SUITE 100  
DURHAM, NC 27713  
(919) 323-4299
- 01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,  
SSe, CB, CSe  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900
- 22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA— SSe, CSe  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543
- 00482  
QUEST DIAGNOSTICS OF PA INC—SB, SSe, CB, CSe  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600
- 25461  
QUEST DIAGNOSTICS VENTURE LLC—CB, CSe  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7675
- 00151  
ST JOSEPH QUALITY MEDICAL LAB—SSe  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200
- 00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SSe  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111
- 00141  
YORK HOSPITAL—SSe  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345
- Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing-impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-1903. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit

number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and the Centers for Medicare & Medicaid Services.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, B, and SB indicate the following:

S = approved for serum and plasma analyses  
 B = approved for blood analyses  
 SB = approved for serum, plasma and blood analyses

00212  
 ABINGTON MEMORIAL HOSPITAL—S  
 1200 OLD YORK ROAD  
 ABINGTON, PA 19001  
 (215) 481-2000

00041  
 ACMH HOSPITAL LABORATORY—S  
 ONE NOLTE DRIVE  
 KITTANNING, PA 16201  
 (724) 543-8219

00233  
 ALBERT EINSTEIN MEDICAL CENTER—S  
 5501 OLD YORK RD-LABS-TOWER BLDG GROUND FL  
 PHILADELPHIA, PA 19141-3001  
 (215) 456-6102

00100  
 ALLE-KISKI MD CTR DBA AVH—S  
 1301 CARLISLE STREET  
 NATRONA HEIGHTS, PA 15065  
 (724) 224-5100

00671  
 ALLEGHENY COUNTY MED EX DIV OF LABS—SB  
 1520 PENN AVENUE, 2ND FLOOR  
 PITTSBURGH, PA 15222  
 (412) 350-4425

28233  
 ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
 320 E NORTH AVENUE  
 PITTSBURGH, PA 15212  
 (412) 359-6886

00077  
 ALLEGHENY GENERAL HOSPITAL LAB—S  
 1307 FEDERAL STREET  
 PITTSBURGH, PA 15212  
 (412) 359-6886

- 34874  
AMERATHON LLC, DBA AHA—S  
26300 EUCLID AVENUE, SUITE 910  
CLEVELAND, OH 44132  
(216) 472-2318
- 00341  
ARIA HEALTH—S  
10800 KNIGHTS ROAD  
PHILADELPHIA, PA 19114  
(215) 612-2648
- 00236  
ARIA HEALTH—S  
FRANKFORD AVE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068
- 00192  
ARIA HEALTH—S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227
- 21861  
ARGNOT-OGDEN MEMORIAL HOSPITAL—S  
600 ROE AVENUE  
ELMIRA, NY 14905  
(607) 737-4478
- 21613  
ARUP LABORATORIES INC—S  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787
- 00047  
ASSOCIATED CLINICAL LABORATORIES—SB  
PATHOLOGY ASSOCIATES OF ERIE, INC  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 00320  
BARNES KASSON HOSPITAL LAB—S  
2872 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059
- 00001  
BERWICK HOSPITAL LABORATORY—S  
701 EAST 16TH STREET  
BERWICK, PA 18603  
(570) 759-5110
- 00301  
BHS LABORATORY—S  
ONE HOSPITAL WAY (911 E BRADY STREET)  
BUTLER, PA 16001  
(724) 284-4513
- 00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247
- 00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000
- 00369  
BUCKTAIL MED CENTER—S  
1001 PINE STREET  
RENOVO, PA 17764  
(570) 531-6176
- 00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-6100
- 00157  
CGOH LABORATORY—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340
- 00132  
CHAMBERSBURG HOSPITAL DEPT OF  
PATHOLOGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7973
- 00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510
- 00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182
- 00227  
CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 248-8113
- 00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446
- 00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-1399
- 00026  
CLEARFIELD HOSPITAL LABORATORY—S  
809 TURNPIKE AVENUE PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280
- 33142  
CLINICAL REFERENCE LABORATORY, INC—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652
- 00125  
CONEMAUGH MEM MED CTR-MAIN LAB—SB  
LABORATORY DEPT  
1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-9787

00231  
CONEMAUGH MEYERSDALE MEDICAL CTR—S  
200 HOSPITAL DR  
MEYERSDALE, PA 15552  
(814) 972-6913

00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200

00326  
CORRY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORRY, PA 16407  
(814) 664-4641

36342  
COVANCE CENTRAL LABORATORY SERVICE, INC—B  
8211 SCICOR DRIVE  
INDIANAPOLIS, IN 46214  
(317) 273-1200

00201  
CROZER CHESTER MED CENTER—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2232

00204  
DELAWARE COUNTY MEM HOSP-LAB—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 447-2232

00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SB  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250

00977  
DRUGSCAN INC—SB  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310

00027  
DUBOIS REG MED CTR-WEST UNIT—S  
100 HOSPITAL AVE  
DUBOIS, PA 15801  
(814) 371-2200

00175  
EASTON HOSPITAL LABORATORY—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(610) 250-4819

00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000

00332  
ELLWOOD CITY HOSPITAL—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-6710

00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801

00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE PO BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311

00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510

00114  
EXCELA HEALTH LATROBE HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 850-3121

00085  
FORBES HOSPITAL—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2567

31400  
FRANCES WARDE MEDICAL LABORATORY—SB  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300

00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500

00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6169

00002  
GEISINGER BLOOMSBURG HOSPITAL  
LABORATORY—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2098

00005  
GEISINGER COMMUNITY MEDICAL CENTER—S  
1800 MULBERRY STREET  
SCRANTON, PA 18510  
(570) 703-8000

00138  
GEISINGER LEWISTOWN HOSPITAL—S  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7113

00173  
GEISINGER MEDICAL CENTER—SB  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-7443

00019  
GEISINGER WYOMING VALLEY MED CTR—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 808-7845

- 00185  
GEISINGER SHAMOKIN AREA COMMUNITY  
HOSPITAL—S  
4200 HOSPITAL ROAD  
COAL TOWNSHIP, PA 17866-9697  
(570) 644-4281
- 00122  
GETTYSBURG HOSPITAL LABORATORY—S  
147 GETTYS STREET  
GETTYSBURG, PA 17325  
(717) 337-4120
- 00299  
GOOD SAMARITAN HOSPITAL—S  
4TH & WALNUT STS PO BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7500
- 00196  
GRAND VIEW HOSPITAL—S  
700 LAWN AVE  
SELLERSVILLE, PA 18960  
(215) 453-4648
- 00061  
GROVE CITY MEDICAL CENTER—S  
631 NORTH BROAD STREET EXT  
GROVE CITY, PA 16127  
(724) 450-7128
- 00017  
GSWB A CAMPUS OF GWVMC—S  
25 CHURCH STREET  
WILKES BARRE, PA 18765  
(570) 826-3100
- 00024  
GUTHRIE CLINIC LAB AT TROY COMM—S  
275 GUTHRIE LANE  
TROY, PA 16947  
(570) 297-9289
- 00654  
GUTHRIE MEDICAL GROUP LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177
- 00023  
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S  
91 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191
- 00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
230 N BROAD ST, 5TH FLOOR NORTH TOWER  
PHILADELPHIA, PA 19102  
(215) 762-8375
- 00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 316-2150
- 00155  
HARRISBURG HOSPITAL LABORATORY—SB  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 782-3340
- 00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-2236
- 00022  
HEALTH NETWORK LABORATORIES—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3370
- 00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8150
- 00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 884-2259
- 24655  
HEALTH NETWORK LABORATORIES—SB  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150
- 00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000
- 00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 749-7364
- 00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500
- 00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2191
- 00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167
- 00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645
- 00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2248
- 00038  
JEFFERSON REGIONAL MED CTR—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723
- 00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080



- 01088  
LABCORP OF AMERICA HOLDINGS—SB  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400
- 22715  
LABONE LLC DBA QUEST DIAGNOSTICS—SB  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 577-1703
- 00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET, PO BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331
- 00215  
LANSDALE HOSPITAL—S  
100 MEDICAL CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 361-4623
- 00010  
LEHIGH VALLEY HOSPITAL—HAZLETON—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4156
- 00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300
- 00182  
LVH-SCHUYLKILL E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032
- 00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3768
- 00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521
- 00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000
- 00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339
- 29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—SB  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458
- 00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000
- 05574  
MEDTOX LABORATORIES INC—SB  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466
- 00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
YORK, PA 17403  
(717) 849-5371
- 00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4185
- 00247  
MERCY HOSPITAL OF PHILADELPHIA—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 748-9170
- 28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9057
- 32803  
MOLECULAR DX, LLC—B  
620 7TH STREET SUITE C  
WINDBER, PA 15963  
(814) 361-6993
- 00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021
- 00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2630
- 00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6152
- 00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117
- 00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282
- 00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-6215
- 00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900

00248  
 NAZARETH HOSPITAL—S  
 2601 HOLME AVE  
 PHILADELPHIA, PA 19152  
 (215) 335-6245

36182  
 NJMHMC LLC D/B/A HUDSON REGIONAL  
 HOSPITAL—S  
 55 MEADOWLANDS PARKWAY  
 SECAUCUS, NJ 07094  
 (201) 392-3516

29741  
 NORTHERN TIER RESEARCH—SB  
 1302 MADISON AVE  
 DUNMORE, PA 18509  
 (570) 351-6153

30984  
 OFFICE OF THE DISTRICT ATTORNEY—B  
 37 E HIGH STREET, FORENSIC LAB  
 CARLISLE, PA 17013  
 (717) 240-6526

00099  
 OHIO VALLEY GENERAL HOSPITAL—S  
 25 HECKEL RD  
 MCKEES ROCKS, PA 15136  
 (412) 777-6161

00053  
 PENN HIGHLANDS-BROOKVILLE—S  
 100 HOSPITAL ROAD  
 BROOKVILLE, PA 15825  
 (814) 849-2312

00032  
 PENN HIGHLANDS ELK—S  
 763 JOHNSONBURG RD  
 SAINT MARYS, PA 15857  
 (814) 788-8525

00258  
 PENN PRESBYTERIAN MEDICAL CENTER—S  
 51 NORTH 39TH ST DEPT OF PATH & LAB  
 PHILADELPHIA, PA 19104-2640  
 (215) 662-3435

00316  
 PENN STATE MILTON S HERSHEY MED CTR—S  
 500 UNIVERSITY DRIVE  
 DEPT OF PATHOLOGY & LAB MEDICINE  
 HERSHEY, PA 17033  
 (717) 531-8353

22533  
 PENNSYLVANIA DEPT OF HEALTH—SB  
 110 PICKERING WAY  
 EXTON, PA 19341  
 (610) 280-3464

00251  
 PENNSYLVANIA HOSPITAL—S  
 800 SPRUCE STREET  
 PHILADELPHIA, PA 19107  
 (215) 829-3541

00197  
 PHOENIXVILLE HOSPITAL LABORATORY—S  
 140 NUTT ROAD DEPT OF PATHOLOGY  
 PHOENIXVILLE, PA 19460-0809  
 (610) 983-1000

00221  
 POTTSTOWN HOSPITAL COMPANY, LLC—S  
 1600 EAST HIGH STREET  
 POTTSTOWN, PA 19464  
 (610) 327-7130

00300  
 PUNXSUTAWNEY AREA HOSPITAL—S  
 81 HILLCREST DRIVE  
 PUNXSUTAWNEY, PA 15767  
 (814) 938-1820

31399  
 QUEST DIAGNOSTICS—SB  
 1777 MONTREAL CIRCLE ES/F1 2  
 TUCKER, GA 30084  
 (770) 936-5007

27461  
 QUEST DIAGNOSTICS INC—SB  
 400 EGYPT ROAD  
 NORRISTOWN, PA 19403  
 (610) 631-4502

01136  
 QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB  
 14225 NEWBROOK DRIVE  
 CHANTILLY, VA 20151  
 (703) 802-6900

22376  
 QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
 VALENCIA—S  
 27027 TOURNEY ROAD  
 VALENCIA, CA 91355  
 (661) 799-6543

00482  
 QUEST DIAGNOSTICS OF PA INC—SB  
 875 GREENTREE ROAD 4 PARKWAY CENTER  
 PITTSBURGH, PA 15220-3610  
 (412) 920-7600

25461  
 QUEST DIAGNOSTICS VENTURE LLC—SB  
 875 GREENTREE ROAD 4 PARKWAY CENTER  
 PITTSBURGH, PA 15220-3610  
 (412) 920-7675

00150  
 READING HOSPITAL LABORATORY—S  
 420 S 5TH AVE  
 WEST READING, PA 19611  
 (484) 628-8615

00336  
 REGIONAL HOSPITAL OF SCRANTON—S  
 746 JEFFERSON AVENUE  
 SCRANTON, PA 18510  
 (570) 348-7100

00243  
 ROXBOROUGH MEMORIAL HOSPITAL—S  
 5800 RIDGE AVE  
 PHILADELPHIA, PA 19128  
 (215) 487-4394

00171  
 SACRED HEART HOSPITAL—S  
 4TH & CHEW STS ATTN LAB DEPT  
 ALLENTOWN, PA 18102  
 (610) 776-4727

00087  
 SAINT CLAIR MEMORIAL HOSPITAL—S  
 1000 BOWER HILL RD  
 PITTSBURGH, PA 15243  
 (412) 942-3800

- 00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558
- 00328  
SAINT MARY MEDICAL CENTER-PATH LAB—S  
1201 LANGHORNE—NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162
- 00048  
SAINT VINCENT HEALTH CENTER—S  
232 WEST 25TH STREET  
ERIE, PA 16544  
(814) 452-5383
- 00064  
SHARON PA HOSPITAL COMPANY LLC—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914
- 00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5215
- 00209  
SPRINGFIELD HOSPITAL LABORATORY—S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2232
- 00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
160 EAST ERIE AVENUE  
DEPT OF PATHOLOGY & LAB MEDICINE  
PHILADELPHIA, PA 19134-1095  
(215) 427-3165
- 00151  
ST JOSEPH QUALITY MEDICAL LAB—SB  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200
- 00180  
ST LUKE'S HOSPITAL MINERS CAMPUS—S  
360 WEST RUDDLE STREET PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271
- 35019  
ST LUKE'S MONROE CAMPUS LABORATORY—S  
100 ST LUKE'S LANE  
STROUDSBURG, PA 18360  
(484) 514-3606
- 00318  
ST LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8723
- 00195  
ST LUKES QUAKERTOWN HOSPITAL—S  
1021 PARK AVENUE  
QUAKERTOWN, PA 18951  
(215) 538-4681
- 32021  
ST LUKES HOSPITAL-ANDERSON LAB—S  
1872 ST LUKE'S BLVD  
EASTON, PA 18045  
(484) 503-1075
- 00152  
ST LUKES HOSPITAL-GNADEN HUETTEN  
CAMPUS—S  
211 NORTH 12TH STREET  
LEHIGHTON, PA 18235  
(866) 785-8537
- 00334  
ST LUKES HOSPITAL-PALMERTON CAMPUS—S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100
- 00219  
SUBURBAN COMMUNITY HOSPITAL—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 278-2075
- 00207  
TAYLOR HOSPITAL LABORATORY—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 447-2232
- 00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4470
- 00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 NORTH BROAD STREET  
DEPT OF PATH & LAB MED-RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560
- 00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143
- 00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 SOUTH 11TH STREET, 204 FOERDERER  
PAVILION  
PHILADELPHIA, PA 19107  
(215) 955-3941
- 00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851
- 00313  
TYLER MEMORIAL HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705
- 00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384
- 00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340

- 00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3506
- 32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682
- 00046  
UPMC HAMOT—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-3131
- 00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100
- 00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500
- 00054  
UPMC JAMESON MEMORIAL HOSPITAL—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4082
- 00034  
UPMC KANE—S  
4372 ROUTE 6  
KANE, PA 16735  
(814) 837-4570
- 00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233
- 00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7624
- 00084  
UPMC PASSAVANT—S  
9100 BABCOCK BLVD  
PITTSBURGH, PA 15237  
(412) 367-6700
- 05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
ATTN: LAB  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370
- 00131  
UPMC PINNACLE CARLISLE—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 960-3336
- 00166  
UPMC PINNACLE LITITZ HEART—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5572
- 00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855
- 00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
LABORATORY  
PITTSBURGH, PA 15215  
(412) 784-4000
- 00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950
- 00030  
UPMC SUSQUEHANNA LOCK HAVEN—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000
- 00039  
UPMC SUSQUEHANNA SOLDIERS & SAILORS MEM  
HOSP—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-7764
- 00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860
- 00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 627-2640
- 00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3120
- 00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300
- 00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403
- 00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SB  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVENUE  
PITTSBURGH, PA 15224  
(412) 578-5779

33480  
WEST SHORE HOSP LABORATORY—S  
HARRISBURG HOSPITAL LABORATORY  
100 SOUTH SECOND STREET  
HARRISBURG, PA 17101  
(717) 782-3128

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4896

00037  
WILLIAMSPORT REGIONAL MEDICAL CENTER—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00106  
WINDBER HOSPITAL—S  
600 SOMERSET AVE  
WINDBER, PA 15963  
(814) 467-3430

25064  
WVU HOSPITAL CLINICAL LABS—S  
1 MEDICAL CENTER DR PO BOX 8009  
MORGANTOWN, WV 26506-8009  
(304) 598-4241

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing-impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-1904. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances.

This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and

designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory urine drug analyses, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, C, SC indicate the following:

S = approved for screening analyses  
C = approved for confirmatory analyses  
SC = approved for screening and confirmatory analyses

- 35741  
360 LABORATORIES—SC  
1180 BEAVER RUN ROAD SUITE A  
NORCROSS, GA 30093  
(678) 235-4212
- 35737  
A AND R HEALTH SERVICES INC—SC  
1301 BEAVER AVENUE, SUITE 102  
PITTSBURGH, PA 15233  
(412) 434-67000
- 00212  
ABINGTON MEMORIAL HOSPITAL—S  
1200 OLD YORK ROAD  
ABINGTON, PA 19001  
(215) 481-2324
- 35583  
ABL MEDICAL CARE, INC—SC  
1341 SUNDIAL POINT  
WINTER SPRINGS, FL 32708  
(321) 283-6180
- 36665  
ACCESS HOSPITAL DAYTON LAB, LLC—C  
2611 WAYNE AVE., BLDG 63  
DAYTON, OH 45420  
(937) 256-7801
- 32917  
ACCURATE DIAGNOSTIC LABS, INC—S  
3000 HADLEY ROAD  
SOUTH PLAINFIELD, NJ 07080  
(732) 839-3300
- 36299  
ACCUTOX MEDICAL DIAGNOSTICS—SC  
121 EILEEN WAY  
SYOSSET, NY 11791  
(516) 802-7177
- 27908  
ACM MEDICAL LABORATORY—SC  
160 ELMGROVE PARK  
ROCHESTER, NY 14624  
(716) 429-2264
- 34830  
ACUTIS DIAGNOSTICS—SC  
728 LARKFIELD ROAD  
EAST NORTHPORT, NY 11731  
(516) 253-2171
- 36480  
ADDICTION LABS OF AMERICA, LLC—SC  
500 WILSON PIKE CIRCLE, SUITE 360  
BRENTWOOD, TN 37027  
(615) 401-9452
- 36379  
ADVANCED COMPREHENSIVE LABORATORY—SC  
67-71 EAST WILLOW STREET  
MILLBURN, NJ 07041  
(877) 355-3580
- 34513  
ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC  
2 8TH STREET  
HAMMONTON, NJ 08037  
(888) 985-2727
- 34867  
ADVANTA LABORATORIES—SC  
10935 CR 159 SUITE 101  
TYLER, TX 75703  
(903) 805-9955
- 31695  
AEGIS SCIENCES CORPORATION—SC  
515 GREAT CIRCLE ROAD  
NASHVILLE, TN 37228  
(615) 255-2400
- 33996  
AIM LABORATORIES LLC—SC  
9326 OLIVE BLVD  
ST LOUIS, MO 63132  
(314) 743-3749
- 00233  
ALBERT EINSTEIN MEDICAL CENTER—S  
5501 OLD YORK RD-LABS-TOWER BLDG GROUND FL  
PHILADELPHIA, PA 19141-3001  
(215) 456-6102
- 24496  
ALERE TOXICOLOGY SERVICES—SC  
450 SOUTHLAKE BOULEVARD  
RICHMOND, VA 23236  
(804) 378-9130
- 26008  
ALERE TOXICOLOGY SERVICES INC—SC  
1111 NEWTON STREET  
GRETNA, LA 70053  
(504) 361-8989
- 31752  
ALERE TOXICOLOGY SERVICES, INC—SC  
9417 BRODIE LANE  
AUSTIN, TX 78748  
(512) 610-9955
- 35401  
ALL AMERICAN LABS LLC—SC  
1701 GREEN ROAD, SUITE A-2  
DEERFIELD BEACH, FL 33064  
(954) 350-0103
- 00100  
ALLE-KISKI MD CTR DBA AVH—S  
1301 CARLISLE STREET  
NATRONA HEIGHTS, PA 15065  
(724) 224-5100
- 00671  
ALLEGHENY COUNTY MED EX DIV OF LAB—SC  
1520 PENN AVENUE, 2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425
- 28233  
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
320 E NORTH AVENUE  
PITTSBURGH, PA 15212  
(412) 359-6886
- 00077  
ALLEGHENY GENERAL HOSPITAL LAB—S  
1307 FEDERAL STREET  
PITTSBURGH, PA 15212  
(412) 359-6886
- 35214  
ALLIANCE PHARMA, INC—SC  
17 LEE BOULEVARD  
MALVERN, PA 19355  
(610) 296-3152
- 34917  
ALTIVUS DIAGNOSTICS LABORATORY—SC  
12100 NORTHUP WAY, SUITE A  
BELLEVUE, WA 98005  
(425) 341-4818

- 34874  
AMERATHON LLC, DBA AHA—S  
26300 EUCLID AVENUE SUITE 910  
CLEVELAND, OH 44132  
(216) 472-2318
- 33871  
AMERICAN CLINICAL SOLUTIONS, LLC—SC  
721 CORTARO DR  
SUN CITY CENTER, FL 33573  
(813) 634-4529
- 31871  
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC  
789 PARK AVENUE  
HUNTINGTON, NY 11743  
(631) 923-0166
- 36327  
AMERICAN HEALTH ASSOCIATES INC.  
DAVIE FLORIDA—S  
15712 SW 41 STREET, SUITE 16-20  
DAVIE, FL 33331  
(216) 409-8226
- 34710  
AMERICAN INSTITUTE OF TOXICOLOGY, INC  
(DBA AIT LABORATORIES)—SC  
1500 INTERSTATE 35W  
DENTON, TX 76207  
(940) 435-0242
- 26620  
AMMON ANALYTICAL LABORATORY—S  
1622 SOUTH WOOD AVENUE  
LINDEN, NJ 07036  
(908) 862-4404
- 34650  
APEX LABS, INC—SC  
6015 BENJAMIN ROAD SUITE 315  
TAMPA, FL 33634  
(813) 385-7784
- 00341  
ARIA HEALTH—S  
10800 KNIGHTS ROAD  
PHILADELPHIA, PA 19114  
(215) 612-2648
- 00236  
ARIA HEALTH—S  
FRANKFORD AVE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068
- 00192  
ARIA HEALTH—S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227
- 21861  
ARNOT-OGDEN MEMORIAL HOSPITAL—S  
600 ROE AVENUE  
ELMIRA, NY 14905  
(607) 737-4478
- 33097  
ART OF PAIN MANAGEMENT—SC  
3300 GRANT AVE  
PHILADELPHIA, PA 19114  
(610) 352-1710
- 26137  
ARTHRITIS & OSTEOPOROSIS CTR INC—S  
2760 CENTURY BOULEVARD  
WYOMISSING, PA 19610  
(610) 375-4251
- 21613  
ARUP LABORATORIES INC—SC  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787
- 00047  
ASSOCIATED CLINICAL LABORATORIES—S  
PATHOLOGY ASSOCIATES OF ERIE, INC  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400
- 35582  
ASSURITY LABS—SC  
6140 S FORT APACHE RD, # 140  
LAS VEGAS, NV 89148  
(702) 749-5588
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 33692  
AUSPICIOUS LABORATORY INC—SC  
7400 HARWIN DR SUITE # 258  
HOUSTON, TX 77036  
(713) 266-0808
- 34335  
AVANTIC MEDICAL LAB—S  
185 6TH AVENUE & 2ND FLOOR  
PATERSON, NJ 07524  
(732) 474-1120
- 33067  
AVERTEST—S  
4709 LAGUARDIA DRIVE  
BERKELEY, MO 63134  
(314) 640-0546
- 36200  
B & T DIAGNOSTICS LLC—SC  
11350 SW VILLAGE PKWY STE 323  
POINT SAINT LUCIE, FL 34987  
(561) 508-3101
- 00320  
BARNES KASSON HOSPITAL LAB—S  
2872 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059
- 00001  
BERWICK HOSPITAL LABORATORY—S  
701 EAST 16TH STREET  
BERWICK, PA 18603  
(570) 759-5110
- 00301  
BHS LABORATORY—S  
ONE HOSPITAL WAY (911 E BRADY STREET)  
BUTLER, PA 16001  
(724) 284-4513
- 34865  
BIOCONFIRM LABORATORIES, LLC—SC  
6755 PEACHTREE INDUSTRIAL BLVD SUITE 150  
DORAVILLE, GA 30360  
(770) 449-4191

- 34189  
BIODIAGNOSTIC LABS—S  
2380 E 22 STREET  
BROOKLYN, NY 11229  
(718) 646-6000
- 22757  
BIOREFERENCE LABORATORIES INC—SC  
481 EDWARD H. ROSS DRIVE  
ELMWOOD PARK, NJ 07407  
(201) 791-3600
- 27615  
BIOLOGICAL SPECIALTY CORPORATION—S  
2165 NORTH LINE STREET  
COLMAR, PA 18915  
(215) 997-8771
- 27617  
BIOLOGICAL SPECIALTY CORPORATION—S  
22 SOUTH 4TH STREET  
READING, PA 19602  
(610) 375-9862
- 32486  
BLA PARTNERS DBA ASPENTI HEALTH—SC  
30 COMMUNITY DRIVE SUITE 2  
SOUTH BURLINGTON, VT 05403  
(802) 863-4105
- 35307  
BLUEWATER TOXICOLOGY—SC  
221 SOUTH BARDSTOWN ROAD  
MOUNT WASHINGTON, KY 40047  
(502) 538-2980
- 00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247
- 00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000
- 00472  
BROOKSIDE CLINICAL LAB INC—S  
2901 W DUTTONS MILLS ROAD, SUITE 100  
ASTON, PA 19014  
(610) 872-6466
- 00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916
- 34470  
CAPITAL DIAGNOSTICS LLC—SC  
14201 PARK CENTER DRIVE SUITE 407  
LAUREL, MD 20707  
(703) 424-5604
- 36350  
CAPTIVA LAB LLC—SC  
3300 INTERNATIONAL AIRPORT DRIVE, SUITE 100  
CHARLOTTE, NC 28208  
(960) 265-9282
- 35580  
CARECO LABORATORIES LLC—SC  
1701 GREEN RD, SUITE A-6  
DEERFIELD BEACH, FL 33064  
(954) 350-0107
- 35410  
CARING HEALTHCARE NETWORK LAB—SC  
601 N FRONT ST  
PHILIPSBURG, PA 16866  
(814) 342-2333
- 35694  
CAYUGA MEDICAL CENTER—S  
101 DATES DRIVE  
ITHACA, NY 14850  
(604) 274-4474
- 00751  
CEDAR CREST EMERGICENTER—S  
1101 SOUTH CEDAR CREST BOULEVARD  
ALLENTOWN, PA 18103  
(610) 435-3111
- 36293  
CENTER FOR INTERVENTIONAL PAIN & SPINE  
LLC—SC  
535 PENNSYLVANIA AVE, SUITE 101  
FT WASHINGTON, PA 19034  
(856) 701-0039
- 34075  
CENTRAL TOX LLC—SC  
525 ROUND ROCK WEST DRIVE STE B200  
ROUND ROCK, TX 78681  
(512) 382-9710
- 00157  
CGOH LABORATORY—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340
- 00132  
CHAMBERSBURG HOSPITAL DEPT OF  
PATHOLOGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7973
- 36013  
CHANGE WITHIN INC DBA TESTING MATTER  
TOXICOLOGY—SC  
5150 SW 48TH WAY, SUITE 604  
DAVIE, FL 33314  
(888) 272-1633
- 00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510
- 35702  
CHATTahoochee PHYSICIANS LABORATORY  
SERVICES, LLC—SC  
1122 CAMBRIDGE SQUARE, STE E  
ALPHARETTA, GA 30009  
(770) 674-4468
- 34920  
CHESAPEAKE TOXICOLOGY RESOURCES—SC  
8415 PROGRESS DRIVE, SUITE V  
FREDERICK, MD 21701  
(240) 397-7060
- 00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182



- 00227  
CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 248-8113
- 00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446
- 00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-1399
- 36109  
CLARITY LABS—SC  
220 DAVIDSON AVE, SUITE 104  
SOMERSET, NJ 08873  
(405) 266-3784
- 34259  
CLEANSLATE CENTERS—SC  
59 BOBALA ROAD  
HOLYOKE, MA 01040  
(413) 584-2173
- 00026  
CLEARFIELD HOSPITAL LABORATORY—S  
809 TURNPIKE AVENUE PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280
- 34793  
CLIFFSIDE LABS—S  
579 BERGEN BLVD  
RIDGFIELD, NJ 07657  
(201) 945-3467
- 27845  
CLINICAL REFERENCE LABORATORY—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 693-5481
- 33142  
CLINICAL REFERENCE LABORATORY, INC—SC  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652
- 24916  
CLINICAL SCIENCE LABORATORY INC—SC  
51 FRANCIS AVENUE  
MANSFIELD, MA 02048  
(508) 339-6106
- 35891  
CLIO LABORATORIES, LLC—SC  
1130 HURRICANE SHOALS ROAD NE, SUITE 2300  
LAWRENCEVILLE, GA 30043  
(470) 448-3620
- 31556  
COMPREHENSIVE PAIN CENTER ALLENTOWN—SC  
4825 W TILGHMAN STREET  
ALLENTOWN, PA 18104  
(610) 366-9000
- 00125  
CONEMAUGH MEM MED CTR-MAIN LAB—S  
LABORATORY DEPT 1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-9787
- 00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200
- 27246  
CORDANT FORENSIC SOLUTIONS—SC  
1760 EAST ROUTE 66, SUITE 1  
FLAGSTAFF, AZ 86004  
(928) 526-1011
- 29015  
CORDANT HEALTH SOLUTIONS—SC  
2617 EAST L STREET # A  
TACOMA, WA 98421-2205  
(253) 552-1551
- 00326  
CORRY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORRY, PA 16407  
(814) 664-4641
- 36342  
COVANCE CENTRAL LABORATORY SERVICE,  
INC—SC  
8211 SCICOR DRIVE  
INDIANAPOLIS, IN 46214  
(317) 273-1200
- 34732  
CRESTAR LABS, LLC—SC  
2001 CAMPBELL STATION PARKWAY, SUITE C-2  
SPRING HILL, TN 37174  
(615) 302-8411
- 00201  
CROZER CHESTER MEDICAL CENTER-LAB—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2232
- 34792  
DAYO NAVALGUND ASSOCIATES—SC  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(412) 561-7246
- 00204  
DELAWARE COUNTY MEMORIAL HOSP-LAB—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 447-2232
- 35842  
DELAWARE DIAGNOSTIC LABS, LLC—SC  
1 CENTURIAN DRIVE, SUITE 103  
NEWARK, DE 19713  
(302) 407-5903
- 00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SC  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423
- 36709  
DEVANSH LAB WERKS INC—SC  
234 AQUARIUS DRIVE, SUITE 111  
HOWEWOOD, AL 35209  
(205) 994-8266

- 32240  
DOMINION DIAGNOSTICS, LLC—SC  
211 CIRCUIT DRIVE  
NORTH KINGSTOWN, RI 02852  
(877) 734-9600
- 00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250
- 00977  
DRUGSCAN INC—SC  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310
- 35752  
DYNIX DIAGNOSTIX, LLC—SC  
2260 N US HIGHWAY 1  
FORT PIERCE, FL 34946  
(772) 324-6330
- 36666  
EAST COAST LABORATORIES, LLC—C  
9000 VIRGINIA MANOR ROAD, STE 207  
BELTSVILLE, MD 20705  
(512) 592-1593
- 00175  
EASTON HOSPITAL LABORATORY—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(610) 250-4819
- 00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000
- 34056  
ELITE DIAGNOSTICS, LLC—SC  
10996 FOUR SEASONS PLACE, 100A  
CROWN POINT, IN 46307  
(888) 339-7339
- 00332  
ELLWOOD CITY MEDICAL CENTER—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-6710
- 34625  
EM1 LABS, LLC—SC  
3115 NW 10TH TERRACE, SUITE 108  
FORT LAUDERDALE, FL 33309  
(855) 388-4870
- 31625  
EMPIRE CITY LABORATORIES—S  
229 49TH STREET  
BROOKLYN, NY 11220  
(718) 788-3840
- 36664  
EMPIRE MEDICAL LLC—SC  
14 ROGERS RD., SUITE 210  
NORTH EAST, MD 21901  
(410) 398-3445
- 00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801
- 00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE PO BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311
- 36054  
ESSENTIAL SCIENTIFIC LLC—C  
613 NORTHLAKE BLVD SUITE 3  
NORTH PALM BEACH, FL 33408  
(561) 614-0970
- 00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510
- 32030  
EXCEL MEDICAL LAB INC—S  
DBA EVEREST MEDICAL LABORATORY  
99-107 GLENDALE AVE  
EDISON, NJ 08817  
(732) 777-9222
- 00114  
EXCELA HEALTH LATROBE HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 850-3121
- 35156  
EXCELLENT LABORATORY DBS SELECTA  
LABORATORIES—SC  
7290 SW 42ND STREET  
MIAMI, FL 33155  
(888) 747-7994
- 36323  
EXPERTUS LABORATORIES INC—SC  
485 N US HWY 17-92, SUITE 415  
LONGWOOD, FL, 32750  
(407) 459-8845
- 35679  
FAMILY LABORATORIES 1—SC  
2211 CENTURY CENTER BLVD, SUITE 110  
IRVING, TX 75062  
(469) 565-3300
- 36202  
FIDELITY DIAGNOSTICS LLC—SC  
1701 GREEN RD, SUITE A-3  
DEERFIELD BEACH, FL 33064  
(954) 350-0104
- 33902  
FIRST CHOICE LABORATORY, LLC—SC  
6061 NE 14TH AVE  
FORT LAUDERDALE, FL 33334  
(954) 800-1000
- 36525  
FIRSTOX LABORATORIES LLC—SC  
4850 PLAZA DRIVE  
IRVING, TX 75063  
(813) 781-0891
- 36587  
FLORIDA FAMILY LABORATORY DBA TESTING  
MATTERS—SC  
14001 NW 4 ST  
SUNRISE, FL 33325  
(954) 268-1470

## 7530

00085  
FORBES HOSPITAL—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2567

32166  
FORENSIC FLUIDS LABORATORIES, INC—SC  
225 PARSONS STREET  
KALAMAZOO, MI 49007  
(269) 492-7700

32497  
FOX CHASE PAIN MANAGEMENT ASSOCIATES—S  
4979 OLD STREET ROAD, SUITE B  
TREVOSSE, PA 19053  
(267) 288-5601

31400  
FRANCES WARDE MEDICAL LABORATORY—SC  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300

00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500

09163  
FRIENDS MEDICAL LAB INC—SC  
5820 SOUTHWESTERN BLVD  
BALTIMORE, MD 21227  
(412) 247-4417

00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6169

30188  
GARCIA CLINICAL LABORATORY INC—S  
2195 SPRING ARBOR ROAD  
JACKSON, MI 49201  
(517) 787-9200

00002  
GEISINGER-BLOOMSBURG HOSPITAL  
LABORATORY—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2098

00005  
GEISINGER COMMUNITY MEDICAL CENTER—S  
1800 MULBERRY STREET  
ATTN 68-44  
SCRANTON, PA 18510  
(570) 703-7123

00312  
GEISINGER JERSEY SHORE HOSPITAL—S  
1020 THOMPSON STREET  
JERSEY SHORE, PA 17740  
(570) 398-0100

00138  
GEISINGER-LEWISTOWN HOSPITAL—S  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7113

## NOTICES

00173  
GEISINGER MEDICAL CENTER—SC  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-7443

00019  
GEISINGER WYOMING VALLEY MC LABORATORY—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 808-7845

00185  
GEISINGER-SHAMOKIN AREA COMMUNITY  
HOSPITAL—S  
4200 HOSPITAL ROAD  
COAL TOWNSHIP, PA 17866-9697  
(570) 644-4281

35154  
GENE TOX WORLDWIDE, LLC DBA SCIENTIA  
DIAGNOSTIC LLC—C  
136 RIDGE ROAD, SUITE 1A  
LYNDHURST, NJ 07071  
(201) 844-9160

31111  
GENESIS DIAGNOSTICS—SC  
900 TOWN CENTER DRIVE SUITE H-50  
LANGHORNE, PA 19047  
(267) 212-2000

31585  
GENESIS LABORATORY MANAGEMENT—S  
1912 HIGHWAY 35 SOUTH, SUITE 203  
OAKHURST, NJ 07755  
(732) 389-1530

35160  
GENESIS REFERENCE LABORATORY, LLC—SC  
7924 FOREST CITY ROAD, SUITE 210  
ORLANDO, FL 32810  
(407) 232-7130

34333  
GENOTOX LABORATORIES, LTD—SC  
2170 WOODWARD STREET SUITE 100  
AUSTIN, TX 78745  
(512) 600-6601

00299  
GOOD SAMARITAN HOSPITAL—S  
4TH & WALNUT STS PO BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7500

35228  
GRAVITY DIAGNOSTICS, LLC—SC  
632 RUSSELL STREET  
COVINGTON, KY 41011  
(859) 757-0158

00017  
GSWB A CAMPUS OF GWVMC—S  
25 CHURCH STREET  
WILKES-BARRE, PA 18765  
(570) 826-3100

00024  
GUTHRIE CLINIC LAB AT TROY COMM—S  
275 GUTHRIE LANE  
TROY, PA 16947  
(570) 297-9289

- 00654  
GUTHRIE MEDICAL GROUP LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177
- 00023  
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S  
91 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191
- 00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
230 N BROAD ST, 5TH FLOOR NORTH TOWER  
PHILADELPHIA, PA 19102  
(215) 762-8375
- 00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 316-2150
- 00155  
HARRISBURG HOSPITAL LABORATORY—S  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 782-3340
- 35930  
HARVEST LABS, INC—SC  
730 N AVENUE K, SUITE 201  
CROWLEY, LA 70526  
(888) 975-7447
- 00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-2236
- 00022  
HEALTH NETWORK LABORATORIES—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3370
- 24655  
HEALTH NETWORK LABORATORIES—SC  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150
- 00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8150
- 00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 884-2259
- 36670  
HEALTHQUEST ESOTERICS, INC—SC  
9805 RESEARCH DRIVE  
IRVINE, CA 92618  
(949) 242-2260
- 35736  
HEALTHQUEST LABORATORIES, INC—SC  
1800 CARNEGIE AVE  
SANTA ANA, CA 92705  
(844) 267-8378
- 00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000
- 00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 749-7364
- 00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500
- 35878  
HIGHLINE LABS, LLC—SC  
5900 NORTHWOODS BUSINESS PARKWAY SUITE K  
CHARLOTTE, NC 28269  
(980) 256-5315
- 00216  
HOLY REDEEMER HOSPITAL—S  
1648 HUNTINGDON PIKE  
MEADOWBROOK, PA 19046  
(215) 938-3703
- 00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2191
- 36118  
IDEAL OPTION—SC  
8508 W. GAGE BLVD. SUITE A101  
KENNEWICK, WA 99336  
(509) 222-1275
- 35823  
INDEPENDENT LAB SERVICES—SC  
590 E WESTERN RESERVE RD  
POLAND, OH 44514  
(330) 403-8034
- 00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7160
- 34295  
INFINITI LABS INC—SC  
6015 BENJAMIN ROAD SUITE 315  
TAMPA, FL 33634  
(813) 886-2616
- 33708  
INFINITY DIAGNOSTIC LABORATORIES—S  
370 NORTH STREET  
TETERBORO, NJ 07608  
(201) 843-7750
- 35545  
INHEALTH DIAGNOSTICS, LLC—S  
17742 PRESON RD, SUITE 210  
DALLAS, TX 75252  
(972) 837-0232

33367  
INLS-DBA/ATLANTIC DIAGNOSTIC LABORATORY—  
MERCER—C  
8419 SHARON MERCER ROAD  
MERCER, PA 16137  
(724) 269-7130

35541  
INSOURCE DIAGNOSTIC—SC  
231 W CHESTNUT AVE  
MONROVIA, CA 91016  
(626) 386-5277

35507  
INTEGRALABS MDG INCORPORATED—C  
136A INDUSTRIAL PARK ROAD  
PINEY FLATS, TN 37686  
(423) 328-0527

36116  
INTEGRITY LABORATORIES, LLC—SC  
120 CENTER PARK DR., STE 3  
KNOXVILLE, TN 37686  
(865) 288-4435

00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645

00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2248

00038  
JEFFERSON REGIONAL MED CTR—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723

00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080

34192  
KEYSTONE LABORATORIES, INC—SC  
3 MCDOWELL STREET  
ASHEVILLE, NC 28801  
(828) 255-0307

21306  
LAB CORP OCCUPATIONAL TEST SRVCS—SC  
1120 STATELINE ROAD WEST  
SOUTHAVEN, MS 38671  
(886) 827-8042

35306  
LAB GEEK, LLC—SC  
1701 GREEN ROAD SUITE B  
POMPANO BEACH, FL 33064  
(877) 727-3659

34228  
LAB SOLUTIONS—SC  
1451 NORTHSIDE DRIVE NW  
ATLANTA, GA 30318  
(404) 228-5027

20512  
LABCORP OCCUPATIONAL TESTING SER—SC  
1904 ALEXANDER DRIVE PO BOX 12652  
RESEARCH TRIANGLE PARK, NC 27709  
(919) 572-6900

01088  
LABCORP OF AMERICA HOLDINGS—SC  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

22715  
LABONE LLC DBA QUEST DIAGNOSTICS—SC  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 577-1703

33869  
LABORATORY SERVICES, LLC—SC  
108 NW 4TH STREET  
BOCA RATON, FL 33432  
(561) 367-3625

35032  
LABPRO, INC—SC  
7444 W WILSON AVE  
HARWOOD HEIGHTS, IL 60706  
(630) 427-8844

33995  
LABSOURCE, LLC—SC  
25 AIRPARK COURT  
GREENVILLE, SC 29607  
(864) 312-6930

34646  
LABTEST LLC—SC  
5000 CEDAR PLAZA PKWY #200  
ST LOUIS, MO 63128  
(888) 977-8862

35680  
LABXPERIOR CORPORATION—S  
517 WEST MAIN STREET  
WISE, VA 24293  
(276) 321-7866

00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET, PO BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331

00215  
LANSDALE HOSPITAL—S  
100 MEDICAL CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 361-4623

32311  
LEBANON PAIN RELIEF—S  
918 RUSSELL DRIVE  
LEBANON, PA 17042  
(717) 272-7272

00010  
LEHIGH VALLEY HOSPITAL-HAZLETON—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4156

33702  
LEHIGH VALLEY TOXICOLOGY, LLC—SC  
3864 COURTNEY STREET, SUITE 150  
BETHLEHEM, PA 18017  
(484) 895-3716

34187  
LENCO DIAGNOSTIC LABORATORIES INC—SC  
1857 86TH STREET  
BROOKLYN, NY 11214  
(718) 232-1515

35348  
LEXAR LABS ANALYSIS, LLC—C  
3221 SUMMIT SQUARE PLACE, SUITE 150  
LEXINGTON, KY 40509  
(859) 543-2022

34254  
LIFEBRITE LABORATORIES, LLC—SC  
9 CORPORATE BLVD NE SUITE 150  
ATLANTA, GA 30329  
(678) 433-0606

33889  
LOGAN LABORATORIES, LLC—SC  
5050 W LEMON STREET  
TAMPA, FL 33609  
(813) 316-4824

00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300

00182  
LVH-SCHUYLKILL E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032

00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3768

00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521

00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000

00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339

29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—SC  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458

33620  
MCKEESPORT DRUG SCREENING LAB—S  
339 FIFTH AVENUE, WANDER BLDG  
MCKEESPORT, PA 15132  
(412) 664-8871

33842  
MD SPINE SOLUTIONS LLC, DBA MD LABS—SC  
10715 DOUBLE R BLVD, SUITE 102  
RENO, NV 89521  
(775) 391-5221

00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000

36586  
MED SCREEN LABORATORIES INC.—SC  
992 CLIFTON AVE, 2ND FLOOR  
CLIFTON, NJ 07013  
(914) 393-3148

35673  
MEDARBOR LLC DBA MEDARBOR  
DIAGNOSTICS—SC  
200 RITTENHOUSE CIRCLE, EAST BUILDING  
SUITE 1  
BRISTOL, PA 19007  
(803) 351-1791

34940  
MEDCOMP SCIENCES, LLC—SC  
20203 MCHOST ROAD  
ZACHARY, LA 70791  
(225) 570-8486

03298  
MEDICAL GROUP OF CORRY RHC—S  
315 YORK STREET  
CORY, PA 16407  
(814) 664-8686

32471  
MEDICAL LABORATORY DIAGNOSTICS, INC—SC  
DBA MEDLABS DIAGNOSTICS, INC  
85 HORSE HILL ROAD  
CEDAR KNOLLS, NJ 07927  
(973) 731-2900

35682  
MEDSCAN LABORATORY, INC—SC  
107 22ND STREET W  
WILLISTON, ND 58801  
(701) 577-0498

36341  
MEDSTAR LABORATORY OF FLORIDA, INC—SC  
10277 WINDHORST RD  
TAMPA, FL 33618  
(561) 810-8205

05574  
MEDTOX LABORATORIES INC—SC  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466

00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
YORK, PA 17403  
(717) 849-5371

00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4185

00247  
MERCY HOSPITAL OF PHILADELPHIA—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 748-9170

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9057

31050  
MILLENIUM HEALTH, LLC—SC  
16981 VIA TAZON, BUILDING 1  
SAN DIEGO, CA 92127  
(858) 451-3535

34564  
MOLECULAR TESTING LABS—SC  
14401 SE 1ST STREET  
VANCOUVER, WA 98684  
(360) 693-8850

00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2630

00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD, ATTN: 2ND FLOOR  
LABORATORY  
ELKINS PARK, PA 19027  
(215) 456-6152

00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-6215

34274  
NASPAC1, LLC—SC  
404 CREEK CROSSING BLVD  
HAINSPORT, NJ 08036  
(609) 845-3988

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SC  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900

35609  
NATIONAL PREMIER LABORATORIES, INC—SC  
210 MEDICAL BLVD  
STOCKBRIDGE, GA 30281  
(770) 506-9985

33988  
NATIONWIDE LABORATORY SERVICES—SC  
4805 NW 2ND AVENUE  
BOCA RATON, FL 33431  
(888) 377-3522

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

35423  
NEXTGEN LABORATORIES—SC  
4229 BIRCH ST. STE 130  
NEWPORT BEACH, CA 92660  
(949) 467-9770

36182  
NJMHMC LLC D/B/A HUDSON REGIONAL  
HOSPITAL—S  
55 MEADOWLANDS PARKWAY  
SECAUCUS, NJ 07094  
(201) 392-3516

36459  
NOAH ASSOCIATES, INC—SC  
4113 N PORT WASHINGTON RD.  
MILWAUKEE, WI 53212  
(414) 600-1020

29741  
NORTHERN TIER RESEARCH—SC  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 351-6153

00099  
OHIO VALLEY GENERAL HOSPITAL—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161

35876  
OPANS, LLC—SC  
4134 S. ALSTON AVE., SUITE 100  
DURHAM, NC 27713  
(919) 323-4299

35920  
OPTIMUM LABS INC—S  
34 WELBY ROAD  
NEW BEDFORD, MA 02745  
(508) 993-3710

35045  
ORACLE REFERENCE LABS, INC—C  
11350 SW VILLAGE PKWY SUITE 326  
PORT ST LUCIE, FL 34987  
(561) 365-0831

33980  
ORBIT LABS, LLC—S  
5407 N HAVERHILL ROAD # 335  
WEST PALM BEACH, FL 33407  
(866) 863-1881

23801  
PACIFIC TOXICOLOGY LABORATORIES—SC  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110

34837  
PAIN AND SPINE SPECIALISTS OF MARYLAND—S  
2702 BACK ACRE CIR  
MOUNT AIRY, MD 21771  
(301) 703-8767

29507  
PAIN MED PC—SC  
1556 ISLAND AVENUE  
MCKEES ROCKS, PA 15136  
(412) 782-1500

33938  
PAIN MEDICINE OF YORK LLC—SC  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(717) 848-3979

- 31516  
PAML LLC—SC  
110 W. CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8670
- 36349  
PARADIGM LABS, LLC—SC  
249 REDFERN VILLAGE  
ST. SIMONS ISLAND, GA 31522  
(912) 342-2443
- 00250  
PARKWAY CLINICAL LABORATORIES—SC  
3494 PROGRESS DRIVE, SUITE D  
BENSALEM, PA 19020  
(215) 245-5112
- 35477  
PARKWAY NEUROSCIENCE & SPINE INSTITUTE—S  
17 WESTERN MARYLAND PARKWAY STE 100  
HAGERSTOWN, MD 21740  
(301)797-9240
- 33054  
PATHOLOGY LABORATORIES, INC—S  
1946 NORTH 13TH STREET  
TOLEDO, OH 43604  
(419) 255-4600
- 33194  
PEACHSTATE HEALTH MANAGEMENT—C  
2225 CENTENNIAL DRIVE  
GAINESVILLE, GA 30504  
(678) 276-8412
- 00032  
PENN HIGHLANDS ELK—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525
- 00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435
- 00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353
- 22533  
PENNSYLVANIA DEPT OF HEALTH—SC  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464
- 00251  
PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541
- 36582  
PGN LAB, LLC—SC  
7847 SW ELLIPSE WAY  
STUART, FL 34997  
(772) 291-2629
- 31082  
PHAMATECH INC—SC  
15175 INNOVATION DRIVE  
SAN DIEGO, CA 92128  
(858) 643-5555
- 36526  
PHOENIX DIAGNOSTICS LLC—C  
701 NORTHPOINT PARKWAY, SUITE 330  
WEST PALM BEACH, FL 33407  
(561) 408-8700
- 32887  
PHOENIX TOXICOLOGY & LAB SERVICES—SC  
2432 W PEORIA AVE, # 1064  
PHOENIX, AZ 85029  
(602) 374-4097
- 00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1000
- 36380  
PINPOINT TESTING, LLC—C  
13 CHILDREN'S WAY, R2109  
LITTLE ROCK, AR 72202  
(501) 891-0070
- 33621  
PITTSBURGH DRUG SCREENING LAB—S  
440 ROSS STREET, SUITE 2033  
PITTSBURGH, PA 15219  
(412) 350-5808
- 36046  
PORITE CLINICAL LABORATORY—S  
415 PALISADE AVENUE  
CLIFFSIDE PARK, NJ 07010  
(201) 945-0962
- 33950  
POSITIVE RECOVERY SOLUTIONS, LLC—S  
378 WEST CHESTNUT, SUITE 103  
WASHINGTON, PA 15301  
(412) 207-8874
- 00221  
POTTSTOWN HOSPITAL COMPANY, LLC—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130
- 34751  
PRECISION LABS LLC—C  
8150 SR 42, SUITE B  
PLAIN CITY, OH 43064  
(614) 504-6470
- 33487  
PRECISION TOXICOLOGY, LLC—SC  
4215 SORRENTO VALLEY BLVD  
SAN DIEGO, CA 92121  
(800) 635-6901
- 36226  
PRECISION TOXICOLOGY, LLC DBA PRECISION  
DIAGNOSTICS—SC  
49 STATE ROAD, SUITE N103  
DARTMOUTH, MA 02747  
(800) 635-6901 x400
- 34191  
PREMIER BIOTECH LABS, LLC—SC  
723 KASOTA AVE SE  
MINNEAPOLIS, MN 55414  
(855) 718-6917
- 35108  
PREMIER MEDICAL LABORATORY SERVICES—SC  
6000A PELHAM ROAD  
GREENVILLE, SC 29615  
(864) 862-0517



## 7536

33940  
PRESCIENT MEDICINE HOLDINGS, LLC—S  
1214 RESEARCH BOULEVARD  
HUMMELSTOWN, PA 17036  
(717) 585-3879

34030  
PRINCIPLE LABS, LLC—SC  
2550 BROADHEAD ROAD, SUITE 105  
BETHLEHEM, PA 18020-8922  
(484) 353-6661

35172  
PROGRESSIVE DIAGNOSTICS, LLC—SC  
35 NUTMEG DRIVE, SUITE 303  
TRUMBULL, CT 06611  
(888) 503-8803

21648  
PSYCHEMEDICS CORPORATION—SC  
5832 UPLANDER WAY  
CULVER CITY, CA 90230  
(800) 522-7424

00255  
PUBLIC HEALTH LAB CITY OF PHILADELPHIA—S  
500 SOUTH BROAD STREET, RM 359  
PHILADELPHIA, PA 19146  
(215) 685-6501

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

35662  
PYXANT LABS INC—SC  
4720 FORGE ROAD, SUITE 108  
COLORADO SPRINGS, CO 80907  
(719) 593-1165

35365  
QBR DIANOSTICS—S  
4065 QUAKERBRIDGE ROAD, STE 101  
PRINCETON JUNCTION, NJ 08550  
(609) 423-1024

34652  
QUALITOX LABORATORIES, LLC—SC  
1556 ISLAND AVENUE  
MCKEES ROCKS, PA 15136  
(412) 326-8570

36012  
QUALITY LABORATORY SERVICE—SC  
2124 MORRIS AVE  
UNION, NJ 07083  
(908) 686-2300

34644  
QUALITY LABORATORY SERVICES—SC  
1523 VOORHIES AVENUE, SUITE/FLOOR 2  
BROOKLYN, NY 11235  
(718) 646-5100

31399  
QUEST DIAGNOSTICS—SC  
1777 MONTREAL CIRCLE ES/F1 2  
TUCKER, GA 30084  
(770) 936-5007

00315  
QUEST DIAGNOSTICS CLINICAL LABS INC—SC  
900 BUSINESS CENTER DRIVE  
HORSHAM, PA 19044  
(215) 957-9300

## NOTICES

27461  
QUEST DIAGNOSTICS INC—SC  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4502

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—SC  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SC  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7675

34188  
RADEAS LLC—SC  
11635 NORTHPARK DR SUITE 340  
WAKE FOREST, NC 27587  
(919) 435-6669

35692  
RCA LABORATORY SERVICES LLC, DBA  
GENETWORX—S  
4060 INNSLAKE DR  
GLEN ALLEN, VA 23060  
(804) 346-4363

36227  
RDX BIOSCIENCE INC.—SC  
629 SPRINGFIELD ROAD  
KENILWORTH, NJ 07033  
(844) 762-9522

00150  
READING HOSPITAL LABORATORY—S  
420 S 5TH AVE  
WEST READING, PA 19611  
(484) 628-8615

34074  
REALTOX LABS LLC—SC  
200 BUSINESS CENTER DRIVE  
REISTERTOWN, MD 21136  
(410) 833-3025

25348  
REDWOOD TOXICOLOGY LABORATORY—SC  
3650 WESTWIND BOULEVARD  
SANTA ROSA, CA 95403  
(707) 577-7958

00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

32372  
REGIONAL WOMENS HEALTH—S  
450 CRESSON BLVD.  
SUITE 305-307  
OAKS, PA 19456  
(484) 842-0717

35000  
RIDGEWOOD DIAGNOSTIC LABORATORY—SC  
201 ROUTE 17N 10TH FL SUITE 2  
RUTHERFORD, NJ 07070  
(973) 542-2343

32455  
ROCKY MOUNTAIN TOX, LLC—S  
1701 CHAMBERS ROAD, UNIT J  
AURORA, CO 80011  
(303) 469-8042

00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394

30821  
RXTOX INC—SC  
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300  
PITTSBURGH, PA 15236  
(412) 460-1310

00171  
SACRED HEART HOSPITAL—S  
4TH & CHEW STS ATTN LAB DEPT  
ALLENTOWN, PA 18102  
(610) 776-4727

00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 942-3800

00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558

00328  
SAINT MARY MEDICAL CENTER-PATH LAB—S  
1201 LANGHORNE-NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162

29838  
SAN DIEGO REFERENCE LABORATORY—SC  
6565 NANCY RIDGE DRIVE  
SAN DIEGO, CA 92121  
(800) 677-7995

36204  
SANDPIPER LABS—SC  
7865 SW ELLIPSE WAY  
STUART, FL 34997  
(772) 320-9727

35681  
SCHUYLER HOSPITAL—S  
220 STEUBEN ST  
MONTAUR FALLS, NY 14856  
(607) 535-8607

36007  
SCIENTIFIC LABORATORY COMPANY LLC—SC  
11350 SW VILLAGE PKWY STE 348  
PORT ST. LUCIE, FL 34987  
(561) 508-3101

36297  
SCION LAB SERVICES, LLC—SC  
4111 SW 47TH AVENUE, UNIT 333  
DAVIE, FL 33314  
(786) 525-6855

29038  
SECON OF NEW ENGLAND—SC  
415 MAIN STREET 4TH FLOOR  
WORCESTER, MA 01608  
(508) 831-0703

36296  
SELECT TOXICOLOGY LABORATORY, LLC—SC  
1051 BILL BUYCK BLVD., SUITE A  
MANNING, SC 29102  
(803) 505-6100

00064  
SHARON REGIONAL LAB SERVICES—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914

27649  
SMA MEDICAL LABORATORIES—SC  
940 PENNSYLVANIA BOULEVARD UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590

00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5215

34171  
SONIC REFERENCE LABORATORY, INC—C  
9200 WALL STREET, SUITE 200  
AUSTIN, TX 78754  
(512) 531-2100

35875  
SPECTOR SCIENTIFIC LAB—C  
160 SW 12TH AVE, UNIT 103B  
DEERFIELD BEACH, FL 33442  
(561) 507-0522

35735  
SPOT ON LABS LLC—SC  
11350 SW VILLAGE PARKWAY, SUITE 320  
PORT SAINT LUCIE, FL 34987  
(561) 635-3025

00209  
SPRINGFIELD HOSPITAL LABORATORY—S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2232

00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
160 EAST ERIE AVENUE  
DEPT OF PATHOLOGY & LAB MEDICINE  
PHILADELPHIA, PA 19134-1095  
(215) 427-3165

00151  
ST JOSEPH QUALITY MEDICAL LAB—S  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00180  
ST LUKE'S HOSPITAL MINERS CAMPUS—S  
360 WEST RUDDLE STREET PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271

35019  
ST LUKE'S MONROE CAMPUS LABORATORY—S  
100 ST LUKE'S LANE  
STROUDSBURG, PA 18360  
(484) 514-3606

00318  
ST LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8723

35762  
ST. ANTHONY MEDICAL LABORATORIES—S  
654 AVENUE C, SUITE # 303  
BAYONNE, NJ 07002  
(201) 455-8940

32021  
ST LUKES HOSPITAL-ANDERSON LAB—S  
1872 ST LUKE'S BLVD  
EASTON, PA 18045  
(484) 503-1075

00152  
ST LUKES HOSPITAL-GNADEN HUETTEN  
CAMPUS—S  
211 NORTH 12TH STREET  
LEHIGHTON, PA 18235  
(866) 785-8537

00334  
ST LUKES HOSPITAL-PALMERTON CAMPUS—S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100

31613  
STEELFUSION CLINICAL TOXICOLOGY  
LABORATORY, LLC—C  
1103 DONNER AVE  
MONESSEN, PA 15062  
(724) 691-0263

33771  
STR ADDICTION COUNSELING, LLC—S  
1400 VETERANS HIGHWAY SUITE 108  
LEVITTOWN, PA 19056  
(267) 244-1107

00219  
SUBURBAN COMMUNITY HOSPITAL—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 278-2075

36199  
SUNRISE CLINICAL LAB LLC—SC  
22 BALL STREET SECOND FLOOR  
IRVINGTON, NJ 07111  
(973) 877-8358

34011  
SURETOX LABORATORY—SC  
495 BOULEVARD, SUITE 1A  
ELMWOOD PARK, NJ 07407-2041  
(201) 791-7293

35310  
SUTTER HEALTH SHARED LABORATORY—S  
2950 COLLIER CANYON ROAD  
LIVERMORE, CA 94551  
(925) 371-3800

33368  
SYNERGY MEDICAL LABORATORIES, PC—C  
42 THROCKMORTON LN-BASEMENT  
OLD BRIDGE, NJ 08857  
(732) 792-3609

31474  
TASC INC—SC  
4016 N BLACK CANYON HWY  
PHOENIX, AZ 85017  
(602) 257-7588

00207  
TAYLOR HOSPITAL LABORATORY—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 447-2232

00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4470

00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 NORTH BROAD STREET  
DEPT OF PATH & LAB MED—RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560

35318  
THE OCCUPATIONAL HEALTH CENTER-  
SAINT VINCENT—S  
1910 SASSAFRAS ST, SUITE 200  
ERIE, PA 16502  
(814) 452-7879

00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143

00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 S 11TH STREET, 204 FOERDERER PAVILION  
PHILADELPHIA, PA 19107  
(215) 955-3941

34847  
THREE RIVERS PAIN MANAGEMENT—SC  
205 EASY STREET SUITE 204  
UNIONTOWN, PA 15401  
(724) 812-5580

34314  
THYROID SPECIALTY LABORATORY, INC—C  
10854 MIDWEST INDUSTRIAL BLVD  
SAINT LOUIS, MO 63132-1611  
(314) 200-3040

00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851

34643  
TOTAL TOXICOLOGY LABS—C  
24525 SOUTHFIELD ROAD, SUITE 100  
SOUTHFIELD, MI 48075  
(248) 352-7171

- 34359  
TOX MANAGEMENT—S  
422 W NAKOMA ST  
SAN ANTONIO, TX 78216  
(210) 571-1302
- 34358  
TRI-STATE TOXICOLOGY LLC—SC  
424 W NAKOMA ST  
SAN ANTONIO, TX 78216  
(210) 571-1300
- 36669  
TRIDENT LABS, LLC—SC  
242 HOWARD AVE.  
HOLLAND, MI 49424  
(616) 395-8926
- 36731  
TRINITY MEDICAL LABORATORIES LLC—SC  
3 EVES DRIVE, SUITE 300  
MARLTON, NJ 08053  
(856) 334-9496
- 31700  
TRUE HEALTH DIAGNOSTICS, LLC—SC  
737 N 5TH ST SUITE 103  
RICHMOND, VA 23219  
(804) 343-2718
- 36802  
TRUE PATH DIAGNOSTICS LLC—SC  
11350 SW VILLAGE PKWY STE 309  
PORT ST LUCIE, FL 34987  
(561) 508-3101
- 34190  
TRUETOX LABORATORIES, LLC—SC  
50 ROSE PLACE  
GARDEN CITY PARK, NY 11040  
(516) 741-1501
- 00313  
TYLER MEMORIAL HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705
- 00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384
- 34997  
UNITED CLINICAL LABORATORY LLC—SC  
2257 VISTA PARKWAY SUITE 2  
WEST PALM BEACH, FL 33411  
(561) 632-7922
- 35349  
UNITED STATE MEDICAL LABORATORY—SC  
3684 HIGHWAY 150 SUITE 2  
FLOYDS KNOBS, IN 47119  
(812) 728-8202
- 00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340
- 00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3506
- 32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682
- 00046  
UPMC HAMOT—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-3131
- 00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100
- 00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500
- 00054  
UPMC JAMESON—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4082
- 00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233
- 00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7624
- 00058  
UPMC NORTHWEST—S  
100 FAIRFIELD DRIVE  
SENECA, PA 16346  
(814) 676-7120
- 00084  
UPMC PASSAVANT—S  
9100 BABCOCK BLVD  
ATTN: LAB  
PITTSBURGH, PA 15237  
(412) 367-6700
- 05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
ATTN: LAB  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370
- 00131  
UPMC PINNACLE CARLISLE—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 960-3336
- 00166  
UPMC PINNACLE LITITZ—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5572

- 00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855
- 00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
LABORATORY  
PITTSBURGH, PA 15215  
(412) 784-4000
- 00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950
- 00030  
UPMC SUSQUEHANNA LOCK HAVEN—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5033
- 00039  
UPMC SUSQUEHANNA SOLDIERS & SAILORS  
MEM HOSP—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0140
- 00187  
UPMC SUSQUEHANNA SUNBURY —S  
350 NORTH 11TH STREET  
SUNBURY, PA 17801  
(570) 286-3333
- 27225  
US DRUG TESTING LABORATORIES INC—SC  
1700 SOUTH MOUNT PROSPECT ROAD  
DES PLAINES, IL 60018  
(847) 375-0770
- 35877  
US LAB, INC—SC  
3194 AIRPORT LOOP DR UNIT A  
COSTA MESA, CA 92626  
(888) 787-8210
- 00335  
VALLEY FORGE MED CTR & HOSP—S  
1033 W GERMANTOWN PIKE  
NORRISTOWN, PA 19403  
(610) 539-8500
- 35707  
VERRALAB JA LLC DBA BIOTAP MEDICAL—SC  
716 WEST MAIN STREET SUITE 100A  
LOUISVILLE, KY 40202  
(502) 566-3588
- 34702  
VISION LABORATORIES LLC—SC  
6130 SHALLOWFORD ROAD, SUITE 100  
CHATTANOOGA, TN 37421  
(844) 484-3522
- 35815  
VISITING PHYSICIANS ASSOCIATION PC LAB—S  
500 KIRTS BLVD  
TROY, MI 48084  
(248) 824-6500
- 34864  
VITAE DIAGNOSTICS—SC  
3848 DEL AMO BLVD SUITE 303  
TORRANCE, CA 90503  
(310) 376-5812
- 00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860
- 00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 627-2640
- 00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3120
- 00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300
- 00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403
- 00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SC  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111
- 00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVE  
PITTSBURGH, PA 15224  
(412) 578-5779
- 33480  
WEST SHORE HOSP LABORATORY—S  
100 SOUTH SECOND STREET  
HARRISBURG, PA 17101  
(717) 782-3128
- 34586  
WESTERN SLOPE LABORATORY, LLC—C  
1197 ROCHESTER ROAD SUITE K  
TROY, MI 48083  
(248) 307-1168
- 00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4896
- 35377  
WESTOX LABS LLC—C  
18102 SKYPARK SOUTH STE E  
IRVINE, CA 92614  
(949) 371-2050
- 00037  
WILLIAMSPORT REGIONAL MEDICAL CENTER—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00141  
 YORK HOSPITAL—S  
 1001 SOUTH GEORGE STREET  
 YORK, PA 17405  
 (717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing-impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-1905. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Disproportionate Share Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2019-2020 disproportionate share hospital (DSH) payments made to qualifying Medical Assistance (MA) enrolled acute care general hospitals which provide a high volume of inpatient services to MA eligible and low income populations and is amending qualifying criteria to align language with the MA-336 Hospital Cost Report. These payments are intended to promote access to medically necessary inpatient services for MA eligible and low-income persons. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are still applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

The allocation of the funds for DSH payments described as follows is contingent on the availability of Federal financial participation for these payments.

#### *Qualifying Criteria*

A hospital is eligible for this additional class of DSH payments if the hospital meets all criteria listed as follows. Unless otherwise stated, the source of the information is the FY 2011-2012 MA-336 Hospital Cost Report.

- a) The hospital is enrolled in the MA Program as an acute care general hospital.
- b) The hospital is located in a county with a total population of less than 500,000 residents, based on the 2010 Federal decennial census.
- c) The hospital has at least 400 total beds available.
- d) The hospital ranked at or above the 90th percentile, among MA enrolled acute care hospitals located in counties with a total population of less than 500,000 residents, on the total number of MA inpatient days of care provided.

e) The hospital ranked in excess of one standard deviation above the mean among MA enrolled acute care hospitals located in counties with a total population of less than 500,000 residents, on the ratio of MA psychiatric inpatient days provided to total psychiatric inpatient days.

f) The hospital's ratio of uncompensated care to net patient revenue, based on the Pennsylvania Health Care Cost Containment Council's Financial Analysis 2013, exceeded 3.40%.

#### *Fiscal Impact*

The FY 2019-2020 impact, as a result of the funding allocation for these payments, is \$0.730 million (\$0.349 million in State general funds and \$0.381 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

#### *Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1379. (1) General Fund; (2) Implementing Year 2019-20 is \$349,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 19-1906. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Disproportionate Share Payments and Supplemental Hospital Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds in Fiscal Year (FY) 2019-2020 for several classes of inpatient disproportionate share payments and supplemental payments to Medical Assistance (MA) enrolled, qualifying inpatient acute care general hospitals. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual disproportionate share hospital (DSH) allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

The allocation of the funds for DSH payments described as follows is contingent on the availability of Federal financial participation for these payments.

#### *Allocation of Funds*

The Department intends to allocate \$29.529 million (\$14.100 million in State general funds and \$15.429 million in Federal funds) for DSH payments to critical access and qualifying rural hospitals upon approval by the Centers for Medicare & Medicaid Services (CMS).

The Department intends to allocate \$9.293 million (\$4.437 million in State general funds and \$4.856 million in Federal funds) for DSH payments to qualifying acute care general hospital burn centers upon approval by CMS.

The Department intends to allocate \$13.992 million (\$6.681 million in State general funds and \$7.311 million in Federal funds) for DSH payments to qualifying acute care general hospitals providing obstetrical and neonatal services upon approval by CMS.

The Department intends to allocate \$23.730 million (\$11.331 million in State general funds and \$12.399 million in Federal funds) for DSH payments to qualifying acute care general hospitals that qualify as academic medical centers upon approval by CMS.

The Department intends to allocate \$14.637 million (\$6.989 million in State general funds and \$7.648 million in Federal funds) for DSH payments to qualifying acute care general hospitals that serve the indigent population of cities in this Commonwealth with an average per capita income significantly below the Statewide average upon approval by CMS.

The Department intends to allocate \$0.524 million (\$0.250 million in State general funds and \$0.274 million in Federal funds) for DSH payments to qualifying acute care general hospitals that, in partnership with an independent facility listed as a Cleft and Craniofacial Team by the American Cleft Palate-Craniofacial Association, provide surgical services to patients with cleft palate and craniofacial abnormalities upon approval by CMS.

The Department intends to allocate \$8.482 million (\$4.050 million in State general funds and \$4.432 million in Federal funds) for DSH payments to qualifying acute care general hospitals to provide additional support for the operation of academic medical programs through the medical education of health care professionals needed to treat the MA population upon approval by CMS.

The Department intends to allocate \$5.864 million (\$2.800 million in State general funds and \$3.064 million in Federal funds) for DSH payments to qualifying acute care general hospitals to promote the availability of professional medical services to MA populations in less urbanized areas of this Commonwealth by supporting medical education and academic medical programs upon approval by CMS.

The Department intends to allocate \$0.500 million (\$0.239 million in State general funds and \$0.261 million in Federal funds) for DSH payments to qualifying teaching hospitals that provide psychiatric services to MA beneficiaries to help offset medical education costs of psychiatrists that are incurred by hospitals providing assistance to MA beneficiaries and uninsured persons upon approval by CMS.

The Department intends to allocate \$1.659 million (\$0.792 million in State general funds and \$0.867 million in Federal funds) for DSH payments to qualifying acute care general hospitals that provide a high volume of services to MA and low-income populations upon approval by CMS.

The Department intends to allocate \$0.838 million (\$0.400 million in State general funds and \$0.438 million in Federal funds) for DSH payments to qualifying acute care general hospitals that have a low commercial-payer ratio, a negative trend in their net patient revenue and are located in an area of this Commonwealth with a disproportionate need for MA services to promote continued access to care for the MA population upon approval by CMS.

The Department intends to allocate \$7.330 million (\$3.500 million in State general funds and \$3.830 million in Federal funds) for DSH payments to qualifying acute care general hospitals that participate in an academic medical program upon approval by CMS.

The Department intends to allocate \$1.571 million (\$0.750 million in State general funds and \$0.821 million in Federal funds) for DSH payments to qualifying acute care general hospitals to promote access to acute care services for MA eligible persons in less urban areas of this Commonwealth upon approval by CMS.

The Department intends to allocate \$9.425 million (\$4.500 million in State general funds and \$4.925 million in Federal funds) for DSH payments to qualifying acute care general hospitals that provide a high volume of services to the MA population to promote continued access to inpatient and ancillary outpatient services in this Commonwealth and to support academic medical programs that provide integrated patient-centered medical services upon approval by CMS.

The Department intends to allocate \$3.142 million (\$1.500 million in State general funds and \$1.642 million in Federal funds) for supplemental payments to qualifying acute care general hospitals that provide a high volume of services to MA and low-income populations in medically underserved areas to promote the hospitals' continued participation in the MA Program upon approval by CMS.

The Department intends to allocate \$0.900 million (\$0.371 million in State general funds and \$0.529 million in Federal funds) for supplemental payments to qualifying acute care general hospitals that provide a substantial portion of their inpatient services to MA beneficiaries upon approval by CMS.

#### *Fiscal Impact*

The FY 2019-2020 impact, as a result of the funding allocation for these payments, is \$131.416 million (\$62.690 million in State general funds and \$68.726 million in Federal funds).

#### *Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1380. (1) General Fund;

(7) MA—Fee-for-Service; (2) Implementing Year 2019-20 is \$11,341,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000;

(7) MA—Critical Access Hospitals; (2) Implementing Year 2019-20 is \$14,100,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$10,400,000; 2017-18 Program—\$6,997,000; 2016-17 Program—\$6,997,000;

(7) MA—Hospital-Based Burn Centers; (2) Implementing Year 2019-20 is \$4,437,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$3,782,000; 2017-18 Program—\$3,782,000; 2016-17 Program—\$3,782,000;

(7) MA—Obstetric and Neonatal Services; (2) Implementing Year 2019-20 is \$6,681,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$3,681,000; 2017-18 Program—\$3,681,000; 2016-17 Program—\$3,681,000;

(7) MA—Academic Medical Centers; (2) Implementing Year 2019-20 is \$23,681,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$24,681,000; 2017-18 Program—\$24,681,000; 2016-17 Program—\$21,181,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2019-20 is \$2,000,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$10,071,000; 2017-18 Program—\$10,071,000; 2016-17 Program—\$10,071,000;

(7) Autism Intervention; (2) Implementing Year 2019-20 is \$450,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$30,842,000; 2017-18 Program—\$27,669,000; 2016-17 Program—\$22,496,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 19-1907. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Public Comment on the Pennsylvania Workforce Innovation and Opportunity Act Combined State Plan for 2020—2024

The Department of Labor and Industry (Department), Pennsylvania Workforce Development Board announces a period of public comment for the Commonwealth's proposed Federal fiscal year 2020 Workforce Innovation and Opportunity Act (WIOA) Combined State Plan (Plan) for 2020—2024. The Plan is the blueprint for the provision of workforce development services in this Commonwealth. This notice is provided under the WIOA of 2014.

The WIOA requires the governor of each state to submit a 4-year unified or combined state plan outlining the state's workforce development strategy. The Commonwealth plans to submit a Plan to include the six core programs (Adult, Dislocated Worker, Youth, Wagner-Peyser, Adult Basic Education and Vocational Rehabilitation), as well the following optional programs:

- Career and Technical Education
- Temporary Assistance for Needy Families
- Trade Adjustment Assistance for Workers
- Jobs for Veterans State Grants
- Senior Community Service Employment
- Community Services Block Grant
- Reintegration of Ex-Offenders

This comment period provides individuals, advocates and other interested parties or organizations, or both, opportunities to present their views and recommendations regarding workforce development services in this Commonwealth.

Written comments may be submitted by mail to the Pennsylvania Workforce Development Board, 651 Boas Street, Room 514, Harrisburg, PA 17121 or by e-mail to RA-LI-PAWDB@pa.gov.

All written comments must be received no later than 5 p.m. Tuesday, January 21, 2020.

To obtain a copy of the proposed 2020—2024 Plan visit the Department's web site at <https://www.dli.pa.gov/Businesses/Workforce-Development/Pages/WIOA.aspx> and click on "2020 Draft WIOA Combined State Plan."

W. GERARD OLEKSIK,  
*Secretary*

[Pa.B. Doc. No. 19-1908. Filed for public inspection December 20, 2019, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following is available for sale by the Department.

City of Bethlehem, Northampton County. The parcel contains 0.642 acre of unimproved land located on the southwest corner of State Route 0412 and Commerce Center Boulevard. The estimated fair market value is \$385,200.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to the Department of Transportation, Engineering District 5-0, Attn: Right-of-Way, 1002 Hamilton Street, Allentown, PA 18101.

YASSMIN GRAMIAN,  
*Acting Secretary*

[Pa.B. Doc. No. 19-1909. Filed for public inspection December 20, 2019, 9:00 a.m.]



## HOUSING FINANCE AGENCY

### Homeowner's Emergency Mortgage Assistance Program; 2020 Rates and Updates

Under section 406-C of the Housing Finance Agency Law (35 P.S. § 1680.406c), the Housing Finance Agency (Agency) is to determine prior to the end of each calendar year the rate of interest for Homeowner's Emergency Mortgage Assistance Program (HEMAP) loans closed in the next calendar year, which rate is not to exceed the rate of interest established by the Department of Banking and Securities under section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), referred to as the Loan Interest and Protection Law, and referred to commonly as the Usury Law.

The Agency has determined that the rate of interest for HEMAP loans closed during calendar year 2020 shall be 4.0%.

#### *Attorneys' Fees and Costs Reimbursement Rate for HEMAP Loans Closed in 2020*

Under 12 Pa. Code §§ 31.201—31.211 (relating to policy statement on Homeowner's Emergency Mortgage Assistance Program), the Agency shall reimburse lenders for reasonable attorneys' fees and reasonable and necessary costs, which are actually incurred by a mortgagee, in beginning or pursuing an action of mortgage foreclosure and which meet the requirements or limitations on the Agency's web site at [www.phfa.org](http://www.phfa.org). The Agency will reimburse lenders based upon a reasonable hourly rate as may be established by the Agency annually and published by the Agency in the *Pennsylvania Bulletin*.

The Agency has determined the rate of reimbursement of attorneys' fees and costs incurred during the calendar year 2020 shall be \$150 per hour.

#### *Schedule of Updates to the List of Consumer Credit Counseling Agencies for the Year 2020*

Under 12 Pa. Code §§ 31.201—31.211, the Agency will annually publish a schedule for updates to the list of consumer credit counseling agencies required to be attached to the uniform Appendix A notice.

Updates to the list of consumer credit counseling agencies shall occur on the following dates: March 31, 2020; June 30, 2020; September 30, 2020; and December 31, 2020.

This notice shall take effect immediately.

BRIAN A. HUDSON, Sr.,  
*Executive Director*

[Pa.B. Doc. No. 19-1910. Filed for public inspection December 20, 2019, 9:00 a.m.]

## HOUSING FINANCE AGENCY

### Proposed PHARE (Act 105 of 2010) (State Housing Trust Fund) Plan Including Funds Available through Marcellus Shale Impact Fee (Act 13 of 2012), Realty Transfer Tax (Act 58 of 2015) and the National Housing Trust Fund (Housing and Economic Recovery Act of 2008); Public Comment

The Housing Affordability and Rehabilitation Enhancement Fund (PHARE Fund) was established by the act of November 23, 2010 (P.L. 1035, No. 105) (Act 105) to

provide a structure by which certain State and Federal funds may be used to support housing throughout this Commonwealth. The Housing Finance Agency (Agency) administers the PHARE Fund. Under the PHARE program, various funding sources are available to fund the PHARE program in 2020. Accordingly, the Agency has prepared a proposed PHARE Plan outlining the distribution strategies, the priorities and the timelines for accepting applications and funding programs and projects in 2020.

Act 105 establishes a public comment period and to administer the PHARE Fund with the added moneys, the Agency is inviting public comment about the PHARE Plan. The proposed PHARE Plan is now available at [www.phfa.org](http://www.phfa.org).

Written comments are now being accepted on the proposed PHARE Plan addressed to Bryce Maretzki, Housing Finance Agency, 211 North Front Street, Harrisburg, PA 17101, [bmaretzki@phfa.org](mailto:bmaretzki@phfa.org). Comments are due no later than February 21, 2020. The Agency shall make all comments available for public inspection.

BRIAN A. HUDSON, Sr.,  
*Executive Director*

[Pa.B. Doc. No. 19-1911. Filed for public inspection December 20, 2019, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, December 5, 2019, and announced the following:

#### *Actions Taken—Regulation Approved:*

Pennsylvania Labor Relations Board # 104-1: Board Rules and Regulations (amends 34 Pa. Code Chapters 91, 93 and 95)

#### **Approval Order**

Public Meeting Held  
December 5, 2019

*Commissioners Voting:* George D. Bedwick, Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq., dissenting

*Pennsylvania Labor Relations Board  
Board Rules and Regulations  
Regulation No. 104-1 (# 3229)*

On March 28, 2019, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Labor Relations Board (Board). This rulemaking amends 34 Pa. Code Chapters 91, 93 and 95. The proposed regulation was published in the April 6, 2019 *Pennsylvania Bulletin* with a public comment period ending on May 7, 2019. The final-form regulation was submitted to the Commission on October 23, 2019.

This regulation provides for electronic filing of documents in labor relations proceedings with the Board. Attorneys and representatives will be able to agree to service of filings of papers by e-mail from other parties. The Board will accept filings of certain scanned documents by e-mail. Petitions, other documents with a showing of interest and joint election requests may not be filed by e-mail. This regulation also deletes requirements for parties to submit multiple copies of documents.

We have determined this regulation is consistent with the statutory authority of the Board (43 P.S. §§ 211.4(f)

and 1101.502) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 19-1912. Filed for public inspection December 20, 2019, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Final-Omit Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
125-228	Pennsylvania Gaming Control Board General Table Games Provisions; Table Game Equipment; Electronic Table Games; Gaming Related Gaming Service Providers; Table Game Rules of Play	11/21/19	1/30/20

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Resubmitted</i>	<i>Public Meeting</i>
12-106	Department of Labor and Industry Minimum Wage	12/9/19	1/30/20

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 19-1913. Filed for public inspection December 20, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Renewal of Designation as a Certified Reinsurer

Hiscox Insurance Company (Bermuda) Ltd. has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on December 4, 2019, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Kimberly A. Rankin, Director, Bureau of Company Licensing and Financial Analysis, Insurance Department, 1345

Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, [krankin@pa.gov](mailto:krankin@pa.gov). Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 19-1914. Filed for public inspection December 20, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the Choice I LTC Series (GEFA-132168096)

Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 12.1% on 9,023 policyholders with LTC form 7035 issued on or after September 16, 2002.

Unless formal administrative action is taken prior to March 5, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance](http://www.insurance).

pa.gov (hover the cursor over the “Consumers” tab, then select “Long Term Care Rate Filings”).

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department’s Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-1915. Filed for public inspection December 20, 2019, 9:00 a.m.]

---

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the Choice I LTC Series (GEFA-132168097)

Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 22.6% on 4,131 policyholders with LTC form 7035 issued prior to September 16, 2002.

Unless formal administrative action is taken prior to March 5, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s (Department) web site at www.insurance.pa.gov (hover the cursor over the “Consumers” tab, then select “Long Term Care Rate Filings”).

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department’s Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-1916. Filed for public inspection December 20, 2019, 9:00 a.m.]

---

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the PCS I LTC Series (GEFA-132167928)

Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 32.3% on 2,276 policyholders with LTC forms 7000 and 7020.

Unless formal administrative action is taken prior to March 5, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s (Department) web site at www.insurance.pa.gov (hover the cursor over the “Consumers” tab, then select “Long Term Care Rate Filings”).

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department’s Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-1917. Filed for public inspection December 20, 2019, 9:00 a.m.]

---

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the PCS II LTC Series (GEFA-132167815)

Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 10.7% on 60 policyholders with LTC forms 7030 and 7032 issued on or after September 16, 2002.

Unless formal administrative action is taken prior to March 5, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s (Department) web site at www.insurance.pa.gov (hover the cursor over the “Consumers” tab, then select “Long Term Care Rate Filings”).

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department’s Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-1918. Filed for public inspection December 20, 2019, 9:00 a.m.]

---

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the PCS II LTC Series (GEFA-132167967)

Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 29.6% on 5,295 policyholders with LTC forms 7030 and 7032 issued prior to September 16, 2002.

Unless formal administrative action is taken prior to March 5, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-1919. Filed for public inspection December 20, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the Pre-PCS LTC Series (GEFA-132167916)

Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 58.2% on 2,616 policyholders with LTC forms 6484, 50000, 50001, 50003N, 50003P, 60394, 60407, 50020, 50021, 50022, 60491, 60494, 7021, 62100D and 62100R.

Unless formal administrative action is taken prior to March 5, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-1920. Filed for public inspection December 20, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Pennsylvania Compensation Rating Bureau; Workers' Compensation Loss Cost Filing

On December 10, 2019, the Insurance Department received from the Pennsylvania Compensation Rating Bureau (Bureau) a filing for a loss cost level change for workers' compensation insurance. The filing was made in accordance with section 705 of the Workers' Compensation Act (77 P.S. § 1035.5).

The filing proposes an April 1, 2020, effective date for both new and renewal business and includes the following revisions:

- An overall 10.08% decrease in collectible loss costs.
- An Employer Assessment Factor of 2.02%, as compared to the currently approved provision of 1.83%.
- Updates to a variety of other rating values to reflect the most recent available experience.

The entire April 1, 2020, loss cost filing is available for review on the Bureau's web site at [www.pcrb.com](http://www.pcrb.com) in the "Filings" section.

Interested parties are invited to submit written comments, suggestions or objections to Eric Zhou, Insurance Department, Office of Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, [gzhou@pa.gov](mailto:gzhou@pa.gov), within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-1921. Filed for public inspection December 20, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### United Security Assurance Company of Pennsylvania; Rate Increase Filing for Several LTC Forms (USPA-132103434)

United Security Assurance Company of Pennsylvania is requesting approval to increase the premium an aggregate 119.7% on 435 policyholders with LTC forms: F-701, F-733, F-734, F-771, F-775 and F-778.

Unless formal administrative action is taken prior to March 5, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-1922. Filed for public inspection December 20, 2019, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau

will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### *Executive Board*

Resolution No. CB-19-009, Dated October 30, 2019. Authorizes the Collective Bargaining Agreement between the Commonwealth of Pennsylvania and the United Food and Commercial Workers (UFCW) Union, Pennsylvania Wine and Spirits Council. The Collective Bargaining Agreement provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2019 through June 30, 2023.

Resolution No. CB-19-010, Dated October 30, 2019. Authorizes the Memorandum of Understanding between the Commonwealth of Pennsylvania and the Independent State Store Union, Liquor Store Managers Unit. The Memorandum of Understanding provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2019 through June 30, 2023.

Resolution No. CB-19-011, Dated November 12, 2019. Authorizes the Collective Bargaining Agreement between the Commonwealth of Pennsylvania and the Federation of State Cultural and Educational Professionals (FOSCEP), Local 2382, American Federation of Teachers Pennsylvania, AFL-CIO. The Collective Bargaining Agreement provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2019 through June 30, 2023.

Resolution No. CB-19-012, Dated November 12, 2019. Authorizes the Memorandum of Understanding between the Commonwealth of Pennsylvania and the Federation of State Cultural and Educational Professionals (FOSCEP), Local 2382, American Federation of Teachers Pennsylvania, AFL-CIO. The Memorandum of Understanding provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2019 through June 30, 2023.

#### *Governor's Office*

Management Directive No. 215.9—Contractor Responsibility Program, Amended November 18, 2019.

Management Directive No. 305.19—Identification of Boards, Commissions, Councils, Advisory Committees, and Authorities, Amended November 18, 2019.

Management Directive No. 310.24—Accepting Electronic Payments for Commonwealth Revenues, Amended November 18, 2019.

Management Directive No. 530.32—Group Life Insurance Program, Amended November 18, 2019.

Administrative Circular No. 19-10—Holiday Trees and Decorations in Commonwealth-Owned or Leased Buildings, Dated November 26, 2019.

DUANE M. SEARLE,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 19-1923. Filed for public inspection December 20, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Household Goods Carrier Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due January 6, 2020, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### **Pennsylvania Public Utility Commission, Bureau of Investigation and Enforcement v. Mario Coates, d/b/a First Class Movers; Docket No. C-2019-3013402**

#### FORMAL COMPLAINT

Now Comes the Bureau of Investigation and Enforcement ("I&E") of the Pennsylvania Public Utility Commission, by its prosecuting attorneys, pursuant to Section 701 of the Public Utility Code, 66 Pa.C.S. § 701, and files this Formal Complaint ("Complaint") against Mario Coates, d/b/a First Class Movers ("First Class Movers," "Company" or "Respondent") alleging violations of the Public Utility Code and attending Regulations. In support of its Complaint, I&E respectfully avers as follows:

#### *Parties and Jurisdiction*

1. The Pennsylvania Public Utility Commission ("PUC" or "Commission"), with a mailing address of 400 North Street, Harrisburg, PA 17120, is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth pursuant to the Public Utility Code, 66 Pa.C.S. §§ 101, et seq.

2. Complainant is the Commission's Bureau of Investigation and Enforcement and is the entity established to prosecute complaints against public utilities pursuant to 66 Pa.C.S. § 308.2(a)(11). Complainant's counsel is as follows:

Christopher M. Andreoli  
Prosecutor  
chandreoli@pa.gov  
(717) 772-8582

Michael L. Swindler  
Deputy Chief Prosecutor  
mswindler@pa.gov  
(717) 783-6369

3. Respondent is Mario Coates, d/b/a First Class Movers, with its principal place of business located at 2578 Pitcairn Road, Apartment A, Monroeville, PA 15146.

4. Respondent holds itself out to be a household goods carrier as evidenced by its Website and other advertising on the Internet. See Exhibit I&E-1.

5. However, Respondent lacks PUC authority to provide or furnish transportation of household property for compensation within the Commonwealth as a common carrier by motor vehicle or a contract carrier by motor vehicle, pursuant to Sections 102 and 2501(b)(1) of the Public Utility Code. See 66 Pa.C.S. §§ 102 and 2501(b)(1).

6. Section 501(a) of the Public Utility Code, 66 Pa.C.S. § 501(a), authorizes and obligates the Commission to execute and enforce the provisions of the Public Utility Code.

7. Section 701 of the Public Utility Code, 66 Pa.C.S. § 701, authorizes the Commission, inter alia, to hear and determine complaints against public utilities or companies holding themselves out to be a public utility for violations of any law or regulation that the Commission has jurisdiction to administer or enforce.

8. Section 3310 of the Public Utility Code, 66 Pa.C.S. § 3310, authorizes the Commission to impose administrative penalties on any person or corporation operating as a common carrier by motor vehicle or as a contract carrier by motor vehicle without a certificate of public convenience, permit, or license authorizing the service performed.

9. More specifically, pursuant to Section 3310(b) of the Public Utility Code, 66 Pa.C.S. § 3310(b), any unauthorized contract common carrier transporting household goods by motor vehicle shall be deemed in violation of this title and shall be ordered to pay an administrative penalty as prescribed in Section 3310(c). Section 3310(c) specifically provides that an administrative penalty of Five Thousand Dollars (\$5,000) be imposed for a first violation of this section.<sup>1</sup>

10. Respondent, by providing or furnishing the transportation of household property between points within the Commonwealth by motor vehicle for compensation is subject to the power and authority of this Commission pursuant to Section 501(c) of the Public Utility Code, 66 Pa.C.S. § 501(c), which requires a public utility to comply with Commission regulations and orders. Consequently, Respondent is subject to Section 3310(b) of the Public Utility Code, 66 Pa.C.S. § 3310(b), and the corresponding penalty promulgated under Section 3310(c) of the Public Utility Code, 66 Pa.C.S. § 3310(c).

#### Background

11. PUC Motor Carrier Enforcement Division was notified by certificated household goods carriers that Respondent was operating and transporting household goods in violation of the Public Utility Code.

12. As part of this investigation, between July 29, 2019 and August 3, 2019, PUC Motor Carrier Enforcement Officer, Cynthia Hawthorne, arranged a move of household goods with Respondent through a series of telephone calls and text messages. Respondent ultimately agreed to move household goods from Cheswick, PA to Monroeville, PA. The agreed upon price for this intrastate move was a flat rate of \$550.00.

13. On August 6, 2019, Respondent arrived at the agreed upon meeting location in Cheswick, PA. Respondent arrived in a vehicle with markings that identified it as a "U-Haul" truck. According to Officer Hawthorne, Mario Coates was driving the U-Haul truck and his helper was seated in the passenger side of the truck. Officer Hawthorne identified herself to Respondent as an Enforcement Officer with the Pennsylvania Public Utility Commission's Motor Carrier Division, and supporting Officers, including the Harmar Police Chief, arrived to assist with the traffic stop and vehicle inspection. The

<sup>1</sup> Section 3310 of the Public Utility Code, 66 Pa.C.S. § 3310(c), which was amended and made effective on February 20, 2018, authorizes the Commission to impose the following penalties on any person or corporation who operates in violation of 66 Pa.C.S. § 3310(b) as a common carrier or contract carrier by motor vehicle without a certificate of public convenience, permit, or license: (1) A \$5,000 administrative penalty shall be imposed for a first violation and \$10,000 for a second or subsequent violation; (2) Suspension of the registration of any vehicle whereby a determination has been made that it operated as a common carrier or contract carrier by motor vehicle without the approval of the Commission in accordance with 75 Pa.C.S. § 1375; and (3) Confiscation and impoundment of vehicles which have been used to provide common carrier or contract carrier by motor vehicle without Commission approval, subject to the process for the disposition of impounded vehicles as set forth under 75 Pa.C.S. § 6310.

U-Haul truck had no registration on it and no rental agreement was available. Respondent advised Officer Hawthorne that he paid another individual \$50.00 to rent the U-Haul truck for this move.

14. Respondent was then advised that the U-Haul truck would need to be picked up by a person with a valid Pennsylvania driver's license.<sup>2</sup>

15. Respondent does not possess nor has ever been issued a certificate of public convenience, permit, or license by the Commission authorizing such transportation of household property between points within the Commonwealth.

#### Violation

16. All allegations in paragraphs 1—15 are incorporated as if fully set forth herein.

17. Section 3310(b) of the Public Utility Code states that any person or corporation that operates as a common carrier or contract carrier by motor vehicle (as defined in 66 Pa.C.S. §§ 102 and 2501(b)) for the transportation of household goods without a certificate of public convenience, permit, or license issued by the Commission authorizing such service performed, in violation of Section 3310(a),<sup>3</sup> "shall be ordered to pay an administrative penalty as prescribed in subsection (c)." 66 Pa.C.S. § 3310(b) (emphasis added).

18. Respondent violated Section 3310(a) and (b) of the Public Utility Code, 66 Pa.C.S. §§ 3310(a)-(b), by operating as a common carrier and/or contract carrier by motor vehicle without a certificate of public convenience, permit, or license issued by the Commission when it agreed to transport household property between points within the Commonwealth for compensation.

19. Section 3310(c) of the Public Utility Code requires that "[t]he amount of the administrative penalty under subsection (b) shall be \$5,000 for a first violation and \$10,000 for a second or subsequent violation." 66 Pa.C.S. § 3310(c) (emphasis added).<sup>4</sup> As such, I&E's requested penalty is \$5,000 for this violation.

20. I&E is not requesting confiscation and impoundment of the vehicle which was used to provide common carrier or contract carrier by motor vehicle without Commission approval as permitted pursuant to 66 Pa.C.S. § 3310(c)(2)(ii), as I&E is unable to confirm whether the vehicle used in the provision of service that is the subject of this Complaint was a rented "U-Haul" truck. As such, I&E is unable to confirm whether the truck in question was owned by Respondent and/or registered in Pennsylvania.

Wherefore, for all the foregoing reasons, the Bureau of Investigation and Enforcement of the Pennsylvania Public Utility Commission respectfully requests that the Commission find the Respondent in violation of the only count as set forth herein, and that Respondent be assessed the statutorily mandated administrative penalty of Five Thousand Dollars (\$5,000). Should the Respondent fail to pay the statutorily mandated administrative penalty of Five Thousand Dollars (\$5,000) upon Order of the Commission, the Bureau of Investigation and Enforcement

<sup>2</sup> The Pennsylvania Driver's License of both Mario Coates and his helper were under suspension. Both men admitted to Officer Hawthorne that their driver's licenses were suspended.

<sup>3</sup> 66 Pa.C.S. § 3310(a).

<sup>4</sup> Section 3310 of the Public Utility Code, 66 Pa.C.S. § 3310(c), was amended and made effective on February 20, 2018. I&E researched the Respondent's history and record with the Commission and concluded that this is Respondent's first violation in Pennsylvania since Section 3310 of the Public Utility Code, 66 Pa.C.S. § 3310(c), was amended and made effective.

requests that this matter be referred to the Pennsylvania Office of Attorney General for appropriate action.

Respectfully submitted,  
Christopher M. Andreoli  
Prosecutor  
PA Attorney I.D. No. 85676

Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

Date: October 8, 2019

#### VERIFICATION

I, David W. Loucks, Chief of Enforcement, Bureau of Investigation and Enforcement, Motor Carrier Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect the Bureau of Investigation and Enforcement will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: October 8, 2019

David W. Loucks  
Chief of Motor Carrier Enforcement  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Christopher M. Andreoli, Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Andreoli at: [chandreoli@pa.gov](mailto:chandreoli@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the requested relief.

C. You may elect not to contest this Complaint by paying the civil penalty within 20 days. Send only a certified check or money order made payable to the "Commonwealth of Pennsylvania," with the docket number indicated, and mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA 17120

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the requested relief set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commissioner's ADA Coordinator at (717) 787-8714.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-1924. Filed for public inspection December 20, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 6, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

### **Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.***

**A-2019-3007051 (Amended). Rockville Rides, LLC** (300 Treaster Road, Belleville, PA 17004) for the right to begin to transport, as a common carrier, persons in paratransit service, from points in the County of Mifflin, to points in Pennsylvania, and return.

**A-2019-3013834. Hackcab, Inc.** (2521 Peach Street, Erie, Erie County, PA 16502) persons in paratransit service, from points in Erie County, to points in Pennsylvania, and return. *Attorney:* Richard E. Filippi, 504 State Street, Suite 200, Erie, PA 16501.

**A-2019-3014494. Senior Care Centers of Pennsylvania, Inc.** (6 Neshaminy Interplex, Suite 401, Trevoise, PA 19053) persons in paratransit service, between points in the Counties of Bucks, Chester, Delaware and Montgomery and the City and County of Philadelphia.

**A-2019-3014737. The Best Ride, LLC** (528 Harrison Street, Hazleton, Luzerne County, PA 18201) persons in paratransit service, between points in the Counties of Luzerne and Schuylkill.

**A-2019-3014771. Safe Senior Rides, LLC** (230 Maiden Lane, Erie, Erie County, PA 16504) to transport, as a common carrier, by motor vehicles, persons in airport transfer service, from points in Erie County to Erie International Airport and Pittsburgh International Airport, and return.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.**

**A-2019-3012898 (Corrected). Brier Moving Company, LLC** (242 Vassar Avenue, Clarks Green, Lackawanna County, PA 18411) household goods in use, between points in Pennsylvania. *Attorney:* Patrick J. Brier, 425 Spruce Street, Suite 200, Scranton, PA 18503.

**A-2019-3013560. Ronald E. Beck, t/a First Step Movers** (221 Third Street, Washington, Washington County, PA 15301) household goods in use, between points in Pennsylvania. *Attorneys:* Todd S. Stewart, Bryce R. Beard, 100 North Tenth Street, Harrisburg, PA 17101.

**A-2019-3014782. Exclusive Services, LLC, t/a Don Farr Moving & Storage** (4920 Buttermilk Hollow Road, West Mifflin, Allegheny County, PA 15122) household goods in use, between points in Pennsylvania. *Attorney:* Julian Allatt, 1317 North Atherton Street, State College, PA 16803.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-1925. Filed for public inspection December 20, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due January 6, 2020, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Cody Jackson, t/a C & T Unlimited; Docket No. C-2019-3013813

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Cody Jackson, t/a C & T Unlimited, (respondent) is under suspension effective October 18, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 47028 Buells Corners Road, Spartansburg, PA 16434.

3. That respondent was issued a Certificate of Public Convenience by this Commission on March 28, 2019, at A-8921613.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8921613 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.



Date: 10/28/2019

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmpltResp@pa.gov](mailto:RA-PCCmpltResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of

Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. R & S Travel and Tours, Inc.; Docket No. C-2019-3014225**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to R & S Travel and Tours, Inc., (respondent) is under suspension effective November 01, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 6356 Algard St., Philadelphia, PA 19135.
3. That respondent was issued a Certificate of Public Convenience by this Commission on November 09, 2018, at A-6421541.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6421541 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a

vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/13/2019

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

### **Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Eugene Gowton, t/d/b/a Gowton Trucking; Docket No. C-2019-3014636**

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Eugene Gowton, t/d/b/a Gowton Trucking, (respondent) is under suspension effective November 16, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at Gowton Trucking, 352 Mt. Joy Road, Mt. Pleasant, PA 15666.

3. That respondent was issued a Certificate of Public Convenience by this Commission on August 04, 1995, at A-00112228.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00112228 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/26/2019

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 19-1926. Filed for public inspection December 20, 2019, 9:00 a.m.]

**PENNSYLVANIA PUBLIC  
UTILITY COMMISSION**

**Wastewater Service**

**A-2019-3009052. Aqua Pennsylvania Wastewater, Inc.** Application of Aqua Pennsylvania Wastewater, Inc. (Aqua) under 66 Pa.C.S. §§ 1102 and 1329 (relating to enumeration of acts requiring certificate; and valuation of acquired water and wastewater systems) for: (1) approval of the acquisition by Aqua of the wastewater system assets of the Township of East Norriton, situated within the Township of East Norriton, Montgomery County; (2) approval of the right of Aqua to begin to offer, render, furnish and supply wastewater service to the public in a portion of the Township of East Norriton, Montgomery County, excluding the Burnside Reserve subdivision; and (3) an order approving the acquisition that includes the ratemaking rate base of the Township of East Norriton wastewater system assets under 66 Pa.C.S. § 1329(c)(2).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 6, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* Aqua Pennsylvania Wastewater, Inc.

*Through and By Counsel for:* Thomas T. Niesen, Esq., Thomas, Niesen and Thomas, LLC, 212 Locust Street, Suite 600, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-1927. Filed for public inspection December 20, 2019, 9:00 a.m.]

**STATE EMPLOYEES'  
RETIREMENT BOARD**

**Hearings Scheduled**

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimants' request concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

February 6, 2020	Lawrence Clark Interest Rate on Frozen Present Value Debt	1 p.m.
March 17, 2020	Michael P. Flynn Discontinuance of Temporary Disability	1 p.m.
March 31, 2020	Justin L. Weaver Disability Retirement Post-Termination	9:30 a.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,  
*Secretary*

[Pa.B. Doc. No. 19-1928. Filed for public inspection December 20, 2019, 9:00 a.m.]

**SUSQUEHANNA RIVER  
BASIN COMMISSION**

**Actions Taken at December Meeting**

As part of its regular business meeting held on December 5, 2019, in Harrisburg, PA, the Susquehanna River Basin Commission (Commission) approved the applications of certain water resources projects, and took additional actions, as set forth in the following Supplementary Information.

The business meeting was held on December 5, 2019.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, [joyler@srbc.net](mailto:joyler@srbc.net). Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788. Also see the Commission web site at [www.srbc.net](http://www.srbc.net).

*Supplementary Information*

In addition to the actions taken on projects identified in the previous summary and the listings as follows, the following items were also presented or acted upon at the business meeting: (1) informational presentation on the Chiques Creek Watershed in Lancaster County, PA; (2) adoption of a Regulatory Fee Schedule to become effective January 1, 2020; (3) approval of three contractual agreements; (4) a report on a delegated settlement; (5) approval of a regulatory waiver request; and (6) approval of Regulatory Program projects.

*Project Applications Approved*

The Commission approved the following project applications:

1. Project Sponsor and Facility: Cabot Oil & Gas Corporation (Tunkhannock Creek), Lenox Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20151201).

2. Project Sponsor and Facility: Town of Cortlandville, Cortland County, NY. Application for groundwater withdrawal of up to 1.300 mgd (30-day average) from Lime Hollow Well 2.

3. Project Sponsor and Facility: Town of Cortlandville, Cortland County, NY. Application for groundwater withdrawal of up to 1.300 mgd (30-day average) from Lime Hollow Well 7.

4. Project Sponsor and Facility: Town of Cortlandville, Cortland County, NY. Application for groundwater withdrawal of up to 1.008 mgd (30-day average) from the Terrace Road Well.

5. Project Sponsor: Graymont (PA), Inc. Project Facility: Pleasant Gap Facility, Spring Township, Centre County, PA. Modification to increase consumptive use by an additional 0.098 mgd (30-day average), for a total consumptive use of up to 0.720 mgd (30-day average), and change limits from peak day to 30-day average (Docket No. 20050306).

6. Project Sponsor: Hazleton City Authority. Project Facility: Hazleton Division, Hazle Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.354 mgd (30-day average) from Barnes Run Well 3.

7. Project Sponsor and Facility: Leola Sewer Authority (will be issued to Upper Leacock Township Municipal Authority), Upper Leacock Township, Lancaster County, PA. Application for renewal of groundwater withdrawal of up to 0.263 mgd (30-day average) from Well 16 (Docket No. 19890702).

8. Project Sponsor and Facility: Pennsylvania State University, College Township, Centre County, PA. Application for renewal of consumptive use of up to 2.622 mgd (peak day) (Docket No. 19890106).

9. Project Sponsor and Facility: Pennsylvania State University, College Township, Centre County, PA. Application for renewal of groundwater withdrawal of up to 1.728 mgd (30-day average) from Well UN-33 (Docket No. 19890106).

10. Project Sponsor and Facility: Pennsylvania State University, College Township, Centre County, PA. Application for renewal of groundwater withdrawal of up to 1.678 mgd (30-day average) from Well UN-34 (Docket No. 19890106).

11. Project Sponsor and Facility: Pennsylvania State University, College Township, Centre County, PA. Application for renewal of groundwater withdrawal of up to 1.728 mgd (30-day average) from Well UN-35 (Docket No. 19890106).

12. Project Sponsor and Facility: Sugar Hollow Water Services, LLC (Susquehanna River), Eaton Township, Wyoming County, PA. Application for renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20151204).

13. Project Sponsor and Facility: SWN Production Company, LLC (Susquehanna River), Great Bend Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20151205).

#### *Projects Approved Involving a Diversion*

1. Project Sponsor and Facility: City of Aberdeen, Harford County, MD. Modifications to extend the approval term of the consumptive use, surface water withdrawal and out-of-basin diversion approval (Docket No. 20021210) to allow additional time for evaluation of the continued use of the source for the Aberdeen Proving Ground-Aberdeen Area.

2. Project Sponsor and Facility: New York State Canal Corporation (Middle Branch Tioughnioga Creek), Towns of DeRuyter and Cazenovia, Madison County, and Town of Fabius, Onondaga County, NY. Applications for surface water withdrawal of up to 4.300 mgd (peak day), consumptive use of up to 4.300 mgd (peak day) and out-of-basin diversion of up to 4.300 mgd (peak day) from Middle Branch Tioughnioga Creek.

3. Project Sponsor: Seneca Resources Company, LLC. Project Facility: Impoundment 1, receiving groundwater from various sources, Sergeant and Norwich Townships,

McKean County, PA. Application for into-basin diversion from the Ohio River Basin of up to 2.517 mgd (peak day) (Docket No. 20141216).

#### *Commission Initiated Project Approval Modifications*

1. Project Sponsor and Facility: Bucknell University, East Buffalo Township, Union County, PA. Conforming the grandfathering amount with the forthcoming determination for a groundwater withdrawal up to 0.046 mgd (30-day average) from Well 2 and up to 0.116 mgd (30-day average) from Wells 2 and 3 (Docket No. 20021008).

2. Project Sponsor and Facility: Manada Golf Club, Inc., East Hanover Township, Dauphin County, PA. Conforming the grandfathered amount with the forthcoming determination for a withdrawal of up to 0.071 mgd (30-day average) from the 4th Tee Well, up to 0.036 mgd (30-day average) from the 5th Tee Well and up to 0.036 mgd (30-day average) from the Barn Well (Docket No. 20020614).

3. Project Sponsor: Pennsylvania Fish and Boat Commission. Project Facility: Pleasant Gap State Fish Hatchery, Benner Township, Centre County, PA. Conforming the grandfathering amount with the forthcoming determination for a withdrawal of up to 5.056 mgd (30-day average) from Blue and East Springs, up to 0.930 mgd (30-day average) from Hoy and Shugert Springs, and up to 1.000 mgd (30-day average) from Logan Branch (Docket No. 20000601).

#### *Project Applications Tabled*

1. Project Sponsor and Facility: Chester Water Authority, East Nottingham Township, Chester County, PA. Application for an out-of-basin diversion of up to 60.000 mgd (peak day).

2. Project Sponsor and Facility: New Holland Borough Authority, New Holland Borough, Lancaster County, PA. Application for groundwater withdrawal of up to 0.860 mgd (30-day average) from Well 5.

3. Project Sponsor: Pixelle Specialty Solutions, LLC. Project Facility: Spring Grove Mill (Codus Creek—New Filter Plant Intake), Spring Grove Borough, York County, PA. Applications for consumptive use of up to 3.650 mgd (peak day) and surface water withdrawal of up to 19.800 mgd (peak day).

4. Project Sponsor: Pixelle Specialty Solutions, LLC. Project Facility: Spring Grove Mill (Codus Creek—Old Filter Plant Intake), Spring Grove Borough, York County, PA. Application for surface water withdrawal of up to 6.000 mgd (peak day).

5. Project Sponsor: Pixelle Specialty Solutions, LLC. Project Facility: Spring Grove Mill (unnamed tributary to Codorus Creek—Kessler Pond Intake), Spring Grove Borough, York County, PA. Application for surface water withdrawal of up to 0.750 mgd (peak day).

6. Project Sponsor and Facility: Chester Water Authority, East Nottingham Township, Chester County, PA. Application for an out-of-basin diversion of up to 60.000 mgd (peak day) from the Susquehanna River and Octoraro Reservoir.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* December 10, 2019

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 19-1929. Filed for public inspection December 20, 2019, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Grandfathering Registration Notice

The Susquehanna River Basin Commission (Commission) lists the following Grandfathering (GF) Registration for projects under 18 CFR 806, Subpart E (relating to registration of grandfathered projects) from October 1, 2019, through October 31, 2019.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists GF Registration for projects, described as follows, under 18 CFR 806, Subpart E for the time period previously specified:

#### *GF Registration Under 18 CFR Part 806, Subpart E*

1. Fairview Golf Course, Inc.; GF Certificate No. GF-201910049; West Cornwall Township, Lebanon County, PA; On-site Well; Issue Date: October 17, 2019.

2. Hegins-Hubley Authority—Public Water Supply System; GF Certificate No. GF-201910050; Hegins and Hubley Townships, Schuylkill County, PA; Wells 1—3 and Spring 1; Issue Date: October 17, 2019.

3. T. A. & Son, LLC; GF Certificate No. GF-201910051; Pine Creek Township, Clinton County, PA; West Branch Susquehanna River and Pine Creek; Issue Date: October 17, 2019.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* December 10, 2019

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 19-1930. Filed for public inspection December 20, 2019, 9:00 a.m.]

#### *GF Registration Under 18 CFR Part 806, Subpart E*

1. Byler Golf Management, Inc.—Blue Mountain Golf Course; GF Certificate No. GF-201911052; Bethel Township, Lebanon County, PA; Well 1; Issue Date: November 13, 2019.

2. Crown Club LP—Colonial Golf & Tennis Club; GF Certificate No. GF-201911053; Lower Paxton Township, Dauphin County, PA; Paxton Creek and consumptive use; Issue Date: November 13, 2019.

3. Dover Township—Public Water Supply System; GF Certificate No. GF-201911054; Dover Township, York County, PA; Wells 2—7; Issue Date: November 13, 2019.

4. SUEZ Water Pennsylvania, Inc.—Shavertown Operation; GF Certificate No. GF-201911055; Dallas and Kingstown Townships, Luzerne County, PA; Hassold Well; Issue Date: November 13, 2019.

5. Towanda Country Club; GF Certificate No. GF-201911056; Wysox Township, Bradford County, PA; Well 1 and Ponds 1—3; Issue Date: November 13, 2019.

6. Williamsburg Municipal Authority—Public Water Supply System; GF Certificate No. GF-201911057; Woodbury Township, Blair County, PA; Wells 1 and 2; Issue Date: November 13, 2019.

7. Village of Homer—Public Water Supply System; GF Certificate No. GF-201911058; Village of Homer, Cortland County, NY; Wells 2 and 3; Issue Date: November 20, 2019.

8. Fish and Boat Commission—Tylersville State Fish Hatchery; GF Certificate No. GF-201911059; Logan Township, Clinton County, PA; Tylersville Spring; Issue Date: November 20, 2019.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* December 10, 2019

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 19-1931. Filed for public inspection December 20, 2019, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Grandfathering Registration Notice

The Susquehanna River Basin Commission (Commission) lists the following Grandfathering (GF) Registration for projects under 18 CFR Part 806, Subpart E (relating to registration of grandfathered projects) from November 1, 2019, through November 30, 2019.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists GF Registration for projects, described as follows, under 18 CFR 806, Subpart E for the time period previously specified:

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) approved by rule the following list of projects from October 1, 2019, through October 31, 2019.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified:

*Water Source Approval Issued Under 18 CFR 806.22(f)(13):*

1. Beech Resources, LLC, Montoursville Borough Water Works; NOI-2019-0330; Montoursville Borough, Lycoming County, PA; Obtain Up to 0.4000 mgd; Approval Date: October 30, 2019.

*Approvals By Rule Issued Under 18 CFR 806.22(f):*

1. Repsol Oil & Gas USA, LLC; Pad ID: SHERMAN (03 144) M, ABR-201910001; Columbia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 7, 2019.

2. EOG Resources, Inc.; Pad ID: Houseknecht 2H, ABR-20090419.R2; Springfield Township, Bradford County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 10, 2019.

3. EOG Resources, Inc.; Pad ID: Ward M 1H, ABR-20090421.R2; Springfield Township, Bradford County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 10, 2019.

4. EOG Resources, Inc.; Pad ID: Housknecht 3H, ABR-20090422.R2; Springfield Township, Bradford County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 10, 2019.

5. EOG Resources, Inc.; Pad ID: Housknecht 1H, ABR-20090423.R2; Springfield Township, Bradford County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 10, 2019.

6. Repsol Oil & Gas USA, LLC; Pad ID: CLDC (02 178) M, ABR-201910002; Ward Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 14, 2019.

7. Cabot Oil & Gas Corporation; Pad ID: Pijanowski J P1, ABR-201404002.R1; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 21, 2019.

8. Cabot Oil & Gas Corporation; Pad ID: Plonski I P1, ABR-201405008.R1; Gibson Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 21, 2019.

9. Cabot Oil & Gas Corporation; Pad ID: Friedland Farms P1, ABR-201405009.R1; Lenox Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 21, 2019.

10. Chief Oil & Gas, LLC; Pad ID: Phelps B Drilling Pad, ABR-201409001.R1; Lathrop Township, Susquehanna County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: October 21, 2019.

11. Cabot Oil & Gas Corporation; Pad ID: Gesford P1, ABR-20090547.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 21, 2019.

12. Cabot Oil & Gas Corporation; Pad ID: Greenwood, ABR-20090548.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 21, 2019.

13. Cabot Oil & Gas Corporation; Pad ID: Gesford P4, ABR-20090550.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 21, 2019.

14. Seneca Resources Company, LLC; Pad ID: PHC 23H/24H, ABR-20090917.R2; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: October 21, 2019.

15. Seneca Resources Company, LLC; Pad ID: PHC 28H/29H, ABR-20090918.R2; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: October 21, 2019.

16. Seneca Resources Company, LLC; Pad ID: D. M. Pino Pad H, ABR-20090933.R2; Covington Township, Tioga County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: October 21, 2019.

17. Cabot Oil & Gas Corporation; Pad ID: Heitsman P1, ABR-20090537.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 24, 2019.

18. Cabot Oil & Gas Corporation; Pad ID: Lathrop P1, ABR-20090538.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 24, 2019.

19. Cabot Oil & Gas Corporation; Pad ID: Hubbard P1, ABR-20090545.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 24, 2019.

20. Cabot Oil & Gas Corporation; Pad ID: HeitsmanA P2, ABR-20090552.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 24, 2019.

21. Cabot Oil & Gas Corporation; Pad ID: SevercoolB P1, ABR-20090536.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 25, 2019.

22. Cabot Oil & Gas Corporation; Pad ID: Ratzel P1, ABR-20090539.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 25, 2019.

23. Cabot Oil & Gas Corporation; Pad ID: Smith P1, ABR-20090540.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 25, 2019.

24. Cabot Oil & Gas Corporation; Pad ID: Rozanski P1, ABR-20090553.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 25, 2019.

25. Cabot Oil & Gas Corporation; Pad ID: Smith P3, ABR-20090554.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: October 28, 2019.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* December 10, 2019

ANDREW D. DEHOFF,  
*Executive Secretary*

[Pa.B. Doc. No. 19-1932. Filed for public inspection December 20, 2019, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) approved by rule the following list of projects from November 1, 2019, through November 30, 2019.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

*Supplementary Information*

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified:

*Water Source Approvals Issued Under 18 CFR 806.22(f):*

1. Cabot Oil & Gas Corporation; Pad ID: Teel P1, ABR-20090541.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: November 12, 2019.

2. Cabot Oil & Gas Corporation; Pad ID: Teel P5, ABR-20090542.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: November 12, 2019.

3. Cabot Oil & Gas Corporation; Pad ID: Teel P6, ABR-20090543.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: November 12, 2019.

4. Cabot Oil & Gas Corporation; Pad ID: Ely P1, ABR-20090546.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: November 12, 2019.

5. Cabot Oil & Gas Corporation; Pad ID: ButlerL P1, ABR-201405010.R1; Lathrop Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: November 12, 2019.

6. Chief Oil & Gas, LLC; Pad ID: SGL-12 B Drilling Pad, ABR-201410005.R1; Overton Township, Bradford County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: November 12, 2019.

7. Chesapeake Appalachia, LLC; Pad ID: Jayne, ABR-20091021.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 18, 2019.

8. Chesapeake Appalachia, LLC; Pad ID: Roundwood, ABR-201410001.R1; Braintrim Township, Wyoming

County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 18, 2019.

9. Chesapeake Appalachia, LLC; Pad ID: James Smith, ABR-20091020.R2; Terry Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 21, 2019.

10. Chesapeake Appalachia, LLC; Pad ID: Gowan, ABR-20091001.R2; Terry Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 25, 2019.

11. Chesapeake Appalachia, LLC; Pad ID: Harry, ABR-20091017.R2; West Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 25, 2019.

12. Seneca Resources Company, LLC; Pad ID: DCNR 595 Pad D, ABR-20090827.R2; Bloss Township, Tioga County, PA; Consumptive Use of Up to 1.0001 mgd; Approval Date: November 25, 2019.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* December 10, 2019

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 19-1933. Filed for public inspection December 20, 2019, 9:00 a.m.]

## THADDEUS STEVENS COLLEGE OF TECHNOLOGY

### Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for electro-mechanical technology equipment to expand the electrical and mechanical labs and training center. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,  
*President*

[Pa.B. Doc. No. 19-1934. Filed for public inspection December 20, 2019, 9:00 a.m.]



