

# NOTICES

## CAPITOL PRESERVATION COMMITTEE

### Request for Proposals

**CPC 19.170: Clock Conservation and Maintenance.** This project involves the following cyclical maintenance: onsite oiling; studio cleaning; installation of temporary clocks; weekly winding and general maintenance; condition assessment reports; and documentation of historic wall and mantle clocks.

A \$50 deposit is required for issuance of project documents; awardee and those entities returning the documents in good condition will be reimbursed. The issue date of the request for proposals will be on March 16, 2020. A mandatory preproposal conference and walk through will be held on March 24, 2020, at 10 a.m. in Room 630 of the Main Capitol. The proposal receipt date is April 15, 2020, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,  
*Executive Director*

[Pa.B. Doc. No. 20-382. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Addendum to the Order of Quarantine; Spotted Lanternfly

#### Recitals

A. Spotted lanternfly, *Lycorma delicatula*, is a new pest to the United States and has been detected in the Commonwealth. This is a dangerous insect to forests, ornamental trees, orchards and grapes and not widely prevalent or distributed within or throughout the Commonwealth or the United States. Spotted lanternfly has been detected in the Commonwealth and has the potential to spread to uninfested areas by natural means or through the movement of infested articles.

B. The Plant Pest Act (Act) (3 P.S. §§ 258.1—258.27) empowers the Department of Agriculture (Department) to take various measures to detect, contain and eradicate plant pests. A plant pest is defined as an organism, including other plants, causing or capable of causing injury or damage to plants or plant products (3 P.S. § 258.2). These powers also include the authority, set forth at section 258.21 of the Act (3 P.S. § 258.21), to establish quarantines to prevent the spread of plant pests within this Commonwealth.

C. Under the authority of section 258.20 of the Act (3 P.S. § 258.20) the Department may declare a pest to be a public nuisance when the Department determines a plant pest to be dangerous or destructive to the agriculture, horticulture or forests of this Commonwealth. For the reasons set forth in Paragraph A above, the Department declares Spotted lanternfly, *Lycorma delicatula*, to be a public nuisance.

D. Consistent with the “Order of Quarantine and Treatment; Spotted Lanternfly” published at 48 Pa.B. 3094, issued Saturday, May 26, 2018 (hereinafter “Quarantine Order”), where the Department detects or confirms any of the plant pests established in that Quarantine Order—Spotted lanternfly, *Lycorma delicatula*—the place or area in which any of the plant pests are detected or confirmed shall be subject to the provisions of that Quarantine Order.

E. The place or area in which the plant pest is detected or confirmed shall be added to the Quarantine Order through an Addendum delineating the specific location and geographic parameters of the area or place. Such Addendum shall be published in the *Pennsylvania Bulletin* and enforcement of the Addendum to the Quarantine Order, with regard to that place or area, shall become effective immediately.

#### Order

Under authority of section 21 of the Act (3 P.S. § 258.21), and with the Recitals previously listed incorporated into and made a part of this Addendum to the Quarantine Order by reference, the Department Orders the following:

#### 1. *Establishment of Quarantine.*

A quarantine is hereby established with respect to Allegheny, Beaver, Blair, Columbia, Cumberland, Huntington, Juniata, Luzerne, Mifflin, Northumberland, Perry and York Counties. This is in addition to, and does not replace, any areas already subject to the Quarantine Order and any previous Addendums to that Quarantine Order.

#### 2. *All Provisions Apply.*

All of the provisions and requirements established in the Quarantine Order are hereby incorporated herein and made a part of this Addendum as if fully set forth herein and shall hereby be made applicable to Allegheny, Beaver, Blair, Columbia, Cumberland, Huntington, Juniata, Luzerne, Mifflin, Northumberland, Perry and York Counties.

RUSSELL C. REDDING,  
*Secretary*

[Pa.B. Doc. No. 20-383. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending March 3, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the

Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
03-04-2020	John A. Howard, Jr. Pittsburgh Allegheny County Application for approval to acquire up to 24.9% of the common stock of WVS Financial Corp., Pittsburgh, PA.	Approved

#### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
02-26-2020	Norwood Financial Corp. Honesdale Wayne County Application for approval to acquire 100% of UpState New York Bancorp, Inc., Geneva, NY, and thereby indirectly acquire 100% of USNY Bank, Geneva, NY.	Filed

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
02-26-2020	Wayne Bank Honesdale Wayne County Application for approval to merge USNY Bank, Geneva, NY, with and into Wayne Bank, Honesdale.	Filed

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
02-26-2020	Quaint Oak Bank Southampton Bucks County	117-21 Spring Garden Street Philadelphia Philadelphia County	Opened
02-28-2020	Huntingdon Valley Bank Huntingdon Valley Montgomery County	2444 South Broad Street Philadelphia Philadelphia County	Approved
03-02-2020	The Muncy Bank and Trust Company Muncy Lycoming County	2190 Route 54 Montgomery Lycoming County	Opened

#### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
02-28-2020	Northwest Bank Warren Warren County	1205 River Road Marietta Lancaster County	Closed

### CREDIT UNIONS

#### Branch Applications

#### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
01-31-2020	TruMark Financial Credit Union Fort Washington Montgomery County	400 Arcola Road Collegeville Montgomery County	Closed

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Acting Secretary*

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will hold a meeting on Wednesday, March 25, 2020, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. Persons who wish to participate during the public comment

section are encouraged to submit their comments in writing to Gretchen Leslie, Advisor, Conservation and Natural Resources Advisory Council, 400 Market Street, Harrisburg, PA 17101.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 20-385. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

#### APPLICATIONS

### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be

published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### I. NPDES Renewal Applications.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-0790, Email: RA-EPNPDES\_NERO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0021547 (Sewage)	Orwigsburg Sewage Treatment Plant South Liberty Street Route 61 Orwigsburg, PA 17961-1852	Schuylkill County Orwigsburg Borough	Mahannon Creek (CWF, MF) (3-A)	Yes
PA0065587 (Storm Water)	JFR Salvage, Inc. 6500 Sullivan Trail Wind Gap, PA 18091	Northampton County Plainfield Township	Unnamed Tributary to Little Bushkill Creek (1-F)	Yes
PA0044024 (Industrial)	Pleasant Mount State Fish Hatchery 229 Great Bend Turnpike Pleasant Mount, PA 18453	Wayne County Mount Pleasant Township	West Branch Lackawaxen River (HQ-CWF/MF) (1-B)	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0038130	Mont Alto Wastewater Treatment Facility 6341 Anthony Highway Mont Alto, PA 17237	Franklin County Quincy Township	Conococheague-Antietam Creeks 13C	Y
PA0246417	State Line Salvage Inc. 675 Nottingham Rd Peach Bottom, PA 17563-9749	Lancaster County Fulton Township	UNT Conowingo Creek 7-K	Y
PA0261190	Tiger Properties 770 Conodoguinet Ave Carlisle, PA 17015	Cumberland County North Middleton Township	Conodoguinet Creek 7-B	Y
PA0083470	Paradise Township Sewage Treatment Plant 33 Singer Avenue Paradise, PA 17562	Lancaster County Paradise Township	Pequea Creek 7-K	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636, Email: RA-EPNPDES\_NCRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0228885 (Sewage)	Burnside Boro Sewer System P.O. Box 208 Burnside, PA 15721	Clearfield County Burnside Borough	West Branch Susquehanna River (WWF, MF) (8-B)	Yes
PA0112534 (Sewage)	The Meadows at Watsontown 18 Albatross Drive Watsontown, PA 17777-9732	Northumberland County Delaware Township	Delaware Run (WWF) (10-D)	Yes

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0093891 (Sewage)	Hampshire Estates STP 945 Little Deer Creek Valley Road P.O. Box 148 Russellton, PA 15076-1331	Allegheny County West Deer Township	Unnamed Tributary to Dawson Run (CWF) (18-A)	Yes

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0217361 (Sewage)	Iron Bridge STP P.O. Box 9 2494 Route 981 Alverton, PA 15612-0009	Westmoreland County East Huntingdon Township	Jacobs Creek (WWF) (19-D)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0102369 (Sewage)	Rainbow Valley MHP 400 Lord Road Fairview, PA 16415-1526	Erie County Waterford Township	Unnamed Tributary to LeBoeuf Creek (TSF) (16-A)	Yes
PA0272809 (Sewage)	Peter Rabbitt SRSTP 5346 US Highway 19 Cochranton, PA 16314	Crawford County Greenwood Township	Williams Run (16-D)	Yes

**II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.**

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5970.

**PA0056758**, Sewage, SIC Code 4952, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. Facility Name: Tradesville Sewer System & STP. This existing facility is located in Warrington Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Mill Creek (TSF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .33 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
CBOD <sub>5</sub>						
Nov 1 - Apr 30	69	103	XXX	25	37.5	50
May 1 - Oct 31	55	83	XXX	20	30	40
CBOD <sub>5</sub> Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
BOD <sub>5</sub> Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	83	124	XXX	30	45	60
Total Dissolved Solids	XXX	XXX	XXX	1,000	2,000 Daily Max	2,500
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N						
Nov 1 - Mar 31	Report	XXX	XXX	Report	XXX	XXX
Apr 1 - Oct 31	26.1	XXX	XXX	9.5	XXX	19
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	12.4	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	4.1	XXX	XXX	1.5	XXX	3
Total Phosphorus	5.5	XXX	XXX	2.0	XXX	4



In addition, the permit contains the following major special conditions:

- No stormwater to sanitary sewer
- Necessary property rights
- Proper sludge disposal
- Notification of designation of responsible operator
- Fecal coliform reporting
- Operations and maintenance plan
- eDMR requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES\_NERO@pa.gov.*

**PA0276316**, Storm Water, SIC Code 5093, **JFR Salvage, LLC**, 1318 Crowe Road, East Stroudsburg, PA 18301. Facility Name: JFR Salvage, LLC—East Stroudsburg Facility. This proposed facility is located in Stroud Township, **Monroe County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Brodhead Creek (HQ-CWF), is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	120.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100.0
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0028568**, Sewage, SIC Code 4952, **Bangor Borough Authority Northampton County**, 197 Pennsylvania Avenue, Bangor, PA 18013. Facility Name: Bangor Borough Authority. This existing facility is located in Washington Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Martins Creek (TSE, MF), is located in State Water Plan watershed 1-F and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.6 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
Chloroform (ug/L)	Report	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.6 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Chloroform (ug/L)	Report	XXX	XXX	52.5	82.0	105

The proposed effluent limits for Outfall 001 are based on a design flow of 1.6 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.18	XXX	0.42
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	334	534	XXX	25.0	40.0	50.0
BOD <sub>5</sub> Minimum % Removal (%)	85	XXX	XXX	XXX	Wkly Avg XXX	XXX
Total Suspended Solids	Min Mo Avg 400	600	XXX	30.0	45.0	60.0
Total Suspended Solids Minimum % Removal (%)	85	XXX	XXX	XXX	Wkly Avg XXX	XXX
Total Dissolved Solids	Min Mo Avg Report	XXX	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	Report	XXX	XXX	Report	Report	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	Report	XXX
Total Nitrogen	Report	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	Report	XXX
Nov 1 - Apr 30	96	XXX	XXX	7.2	Report	14.4
May 1 - Oct 31	32	XXX	XXX	2.4	Report	4.8
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	Report	XXX
Total Phosphorus	Report	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	Report	XXX	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	Report	XXX	XXX	Report	Report	XXX
Mercury, Total (ug/L)	Report	XXX	XXX	Report	Report	XXX
Acrylamide (ug/L)	Report	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 (Stormwater only) are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	XXX	XXX	30.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100.0
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 101 (Internal Monitoring Point for Raw Sewage Influent) are based on a design flow of 1.6 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX

Sludge use and disposal description and location(s): Disposal at Keystone Sanitary Landfill.

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals Management; Chlorine minimization; Chapter 94 Reporting at 1.9 MGD wet weather flow; Solids management conditions; WQBELs for Toxics (chloroform); Whole Effluent Toxicity (WET) Testing; and Stormwater associated with industrial activity conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

**NPDES Permit No. PA0246964**, CAFO, **Martin Kenneth R**, 1397 Robert Fulton Highway, Quarryville, PA 17566-9630.

This existing facility is located in East Drumore Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Swine (Wean—Finish), Dairy (Cows, Calves), and Poultry (Pullets): 2,184.04 AEU.s.

The receiving stream, Unnamed Tributary to West Branch Octoraro Creek (HQ-CWF, MF) and Unnamed Tributary to Conowingo Creek (HQ-CWF), is in watershed 7-K and classified for: High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**NPDES Permit No. PA0246441**, CAFO, **Deer Stone Ag**, 10049 Ferguson Valley Road, Lewistown, PA 17044-8601.

This existing facility is located in Granville Township, **Mifflin County**.

Description of size and scope of existing operation/activity: Swine (Gestating Sows, Sows with Litters, Nursery Pigs, Boars, (Beef (Cow, Calves))): 720.59 AEU.s.

The receiving stream, Unnamed Tributary to Strodes Run (HQ-CWF, MF) and Unnamed Tributary to Strodes Run (HQ-CWF), is in watershed 12-A and classified for: High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PA0021229**, Sewage, SIC Code 4952, **Littlestown Borough Authority Adams County**, 10 S Queen Street, Littlestown, PA 17340-1612. Facility Name: Littlestown STP. This existing facility is located in Littlestown Borough, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Alloway Creek (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Flow (MGD) Raw Sewage Influent	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	208	334	XXX	25.0	40.0	50
May 1 - Oct 31	141	212	XXX	17.0	25.5	34



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	250	375	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	25.0	XXX	XXX	3.0	XXX	6
May 1 - Oct 31	8.0	XXX	XXX	1.0	XXX	2
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	Report Daily Max	XXX
Total Phosphorus (Total Load, lbs) (lbs)						
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Cyanide, Available	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

Sludge use and disposal description and location(s): York Landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0081604**, Industrial, SIC Code 4953, **PADEP Southcentral Regional Office**, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Facility Name: ADSCO Landfill. This proposed facility is located in Tyrone Township, **Adams County**.

Description of Proposed Activity: The application is for an NPDES permit for the existing intermittent discharge of treated industrial wastewater.

The receiving stream(s), Unnamed Tributary to Opossum Creek (TSF, MF), is located in State Water Plan watershed 7-F and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for both Outfalls 001 & 002 are based on a combined design flow of 0.15 MGD—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (s.u.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0			XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	56.0	220.0	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids	XXX	XXX	XXX	27.0	88.0	XXX
Fecal Coliform (#/100 mL)	XXX	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	4.9	10.0	XXX
Alpha-Termeinol	XXX	XXX	XXX	0.019	0.042	XXX
Aniline	XXX	XXX	XXX	0.015	0.024	XXX
Arsenic, Total	XXX	XXX	XXX	0.54	1.1	XXX
Benzoic Acid	XXX	XXX	XXX	0.073	0.119	XXX
Chromium, Total	XXX	XXX	XXX	0.46	1.1	XXX
1,4-Dioxane	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Naphthalene	XXX	XXX	XXX	0.022	0.059	XXX
p-Cresol	XXX	XXX	XXX	0.015	0.024	XXX
Phenol	XXX	XXX	XXX	0.029	0.048	XXX
Pyridine	XXX	XXX	XXX	0.025	0.072	XXX
Zinc, Total	XXX	XXX	XXX	0.296	0.535	XXX
Nitrate-N	XXX	XXX	XXX	Report	XXX	Report
Nitrite-N	XXX	XXX	XXX	Report	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Total Phosphorus	XXX	XXX	XXX	Report	XXX	Report

The proposed effluent limits for Outfall 001 & 002 are based on a combined design flow of 0.15 MGD—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (s.u.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0			XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	56.0	220.0	XXX
Total Suspended Solids	XXX	XXX	XXX	27.0	88.0	XXX
Fecal Coliform (#/100 mL)	XXX	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen						
Nov 1-Apr 30	XXX	XXX	XXX	4.9	9.8	XXX
May 1-Oct 31	XXX	XXX	XXX	2.5	5.0	XXX
Alpha-Termeinol	XXX	XXX	XXX	0.019	0.042	XXX
Aniline	XXX	XXX	XXX	0.015	0.024	XXX
Arsenic, Total	XXX	XXX	XXX	0.54	1.1	XXX
Benzoic Acid	XXX	XXX	XXX	0.073	0.119	XXX
Chromium, Total	XXX	XXX	XXX	0.46	1.1	XXX
1,4-Dioxane	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.16	1.82	XXX
Naphthalene	XXX	XXX	XXX	0.022	0.059	XXX
p-Cresol	XXX	XXX	XXX	0.015	0.024	XXX
Phenol	XXX	XXX	XXX	0.029	0.048	XXX
Pyridine	XXX	XXX	XXX	0.025	0.072	XXX
Zinc, Total	XXX	XXX	XXX	0.296	0.535	XXX
Nitrate-N	XXX	XXX	XXX	Report	XXX	Report
Nitrite-N	XXX	XXX	XXX	Report	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Total Phosphorus	XXX	XXX	XXX	Report	XXX	Report

The proposed effluent limits for stormwater Outfalls 003—005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A Compliance schedule to meet the final permit limits for Ammonia, Total Iron, and Total Manganese
- Prohibition of stripper tower cleaning wastewater discharged to any stream or other State waters
- Using DEP-approved Chemical Additives in approved dosages, with notification and reporting requirements
- A PPC Plan, Annual inspection, and Annual Stormwater Report to manage stormwater from the property

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0232475**, Concentrated Animal Feeding Operation (CAFO), **Andrew A Reiff (West Buffalo Township Swine Finishing Operation)**, 8245 Buffalo Road, Mifflinburg, PA 17844-7856.

Andrew A Reiff has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as West Buffalo Township Swine Finishing Operation, located in West Buffalo Township, **Union County**.

The CAFO is situated near Rapid Run (HQ-CWF, MF) in Watershed 10-C, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 729.08 animal equivalent units (AEUs) consisting of 4,800 Finishing Swine. Manure is stored underbarn in a 501 ft × 81 ft × 5 ft liquid storage. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

**PA0246948**, Concentrated Animal Feeding Operation (CAFO), **Brian D Eckman & Donald M Eckman (Eckman Farm CAFO)**, 357 Black Barren Road, Peach Bottom, PA 17563-9798.

Brian D Eckman & Donald M Eckman have submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Eckman Acres Farm CAFO, located in Fulton Township, **Lancaster County**.

The CAFO is situated near Unnamed Tributary of Conowingo Creek (HQ-CWF, MF) and Unnamed Tributary of Conowingo Creek (HQ-CWF) in Watershed 7-K, which is classified for High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 760.22 animal equivalent units (AEU) consisting of 3,200 grow-finish swine and 75,600 poultry broilers. Swine manure is stored in a 270 ft × 110 ft × 6 ft Rectangular Concrete underhouse storage with a 6-inch freeboard and 1,110,780-gallon capacity and poultry litter collects in the confinement barns. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

---

*Northwest Region: Clean Water Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0288136**, Sewage, SIC Code 8800, **Philip C Kiser**, 202 South Street, Clarion, PA 16214. Facility Name: Philip Kiser SRSTP. This proposed facility is located at 849 Slalom Run Road, Clarion, PA 16214, located in Clarion Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Clarion River (WWF), is located in State Water Plan watershed 17-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

**PA0271934**, Storm Water, SIC Code 2400, **Gould, Inc.**, 184 Gould, Lane, Mahaffey, PA 15757-6830. Facility Name: Gould Wood Products. This proposed facility is located in Henderson Township, **Jefferson County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to East Branch Mahoning Creek, is located in State Water Plan watershed 17-D and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.*

**WQM Permit No. WQG02152001**, Sewage, **Downingtown Borough**, 4 West Lincoln Highway, Downingtown, PA 19335.

This proposed facility is located in Downingtown Borough, **Chester County**.

Description of Action/Activity: Construction and operation of a sewer extension to serve residential and commercial space.

**WQM Permit No. 1571407**, Sewage, Amendment, **Tredyffrin Township**, 1100 Duportail Road, Berwyn, PA 19312.

This proposed facility is located in Tredyffrin Township, **Chester County**.

Description of Action/Activity: Updating the new capacity for Wilson Rd PS to 7,000 gpm at 138' TDH and add the Darby Rd Force Main to permit.

**WQM Permit No. WQG02152002**, Sewage, **Spring City Borough**, 6 South Church Street, Spring City, PA 19475-1876.

This proposed facility is located in Spring City Borough, **Chester County**.

Description of Action/Activity: Construction and operation for pump station and force main for 37 single family dwellings, 62 two-family dwellings and 74 townhouses.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Phone: 570.826.2511, Email: RA-EPNPDES\_NERO@pa.gov.*

**WQM Permit No. 6420401**, Sewage, **Chestnut Lake Camp**, 326 Trails End Road, Beach Lake, PA 18405.

This proposed facility is located in Berlin Township, **Wayne County**.

Description of Proposed Action/Activity: Installation of three aerators, a phosphorous removal system with utility shed, and a chemical feed pump for dechlorination in the existing lagoon system.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**WQM Permit No. 3620401**, Sewerage, 4952, **Mobile Realty 6 LLC**, P.O. Box 251, Morgantown, PA 19543-0251.

This proposed facility is located in Rapho Township, **Lancaster County**.

Description of Proposed Action/Activity: Applicant is seeking permit approval for the construction/operation of a sewage facility located at Hilltop Mobile Home Park, Rapho Township, Lancaster, PA.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 1000404 A-1**, Sewage, **Western Butler County Authority**, 607 Market Street, Zelienople, PA 16063-1830.

This existing facility is located in Zelienople Borough, **Butler County**.

Description of Proposed Action/Activity: Replacement of the Herman Pump Station.

**WQM Permit No. 2520404**, Sewage, **James & Wilma Spaulding**, 9180 Fry Road, McKean, PA 16426-1539.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 2520405**, Sewage, **David H Curtis**, 15 Cliff Street, Albion, PA 16401.

This proposed facility is located in Elk Creek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 2720403**, Sewage, **Gene Stumpf**, 4285 Neilltown Road, Pleasantville, PA 16341-4517.

This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 1015402 A-1**, Sewage, **Bruce A Miller**, 106 Albert Drive, Prospect, PA 16052-9515.

This existing facility is located in Lancaster Township, **Butler County**.

Description of Proposed Action/Activity: Amendment to install Premier Tech coco filter system.

---

#### **IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).**

---

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES\_NERO@pa.gov.*

**PAI132282**, MS4, **Luzerne County**, 20 North River Street, Wilkes-Barre, PA 18711. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Plains Township, **Luzerne County**. The receiving stream(s), Unnamed Tributary to Huntsville Creek (CWF, MF), Unnamed Tributary to Sutton Creek (CWF, MF), Culver Creek (CWF, MF), Marsh Creek (CWF, MF), Roaring Brook (CWF, MF), Unnamed Tributary to Hunlock Creek (CWF, MF), Unnamed Tributary to Nescopeck Creek (CWF, MF), East Fork Harveys Creek (CWF, MF), Huntsville Creek (CWF, MF), Unnamed Tributary to East Fork Harveys Creek (CWF, MF), Balliet Run (HQ-CWF (existing use)), Unnamed Tributary of Nescopeck Creek (CWF, MF), Unnamed Tributary to Little Nescopeck Creek (CWF, MF), Black Ash Creek (CWF, MF), Unnamed Tributary to Balliet Run (HQ-CWF (existing use)), Unnamed Tributary to Big Wapwallopen Creek (CWF, MF), and Unnamed Tributary to Toby Creek, is located in State Water Plan watershed 5-D, 4-G, 5-B, and 5-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.



---

**VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**


---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150157	Eustace W. & Suzzane Mita 10 Stillmeadow Lane Malvern, PA 19355-3434	Chester	Willistown Township	Crum Creek HQ-CWF-MF
PAD230036	WV-PP Towne Center, L.P. 940 West Sproul Road Suite 301 Springfield, PA 19064-1255	Delaware	Middletown Township	Unnamed Tributary to Rocky Run HQ-CWF-MF

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD670041	James E. Quesenberry, Jr 6544 Anderson Road Stewartstown, PA 17363	York	Hopewell Township	UNT Leibs Creek (HQ-CWF, MF)
PAD210050	Toigo Organic Farms LLC 750 South Mountain Estates Road Shippensburg, PA 17257	Cumberland	Middlesex Township	UNT Letort Spring Run (HQ-CWF, MF)

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140011 A-1	Grays Woods Partnership 325 W Aaron Dr State College, PA 16803	Centre	Patton Twp	Spring Creek HQ-CWF, MF

*Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD180023 Renewal/Major Modification Previously PAI041814007	Karl Walizer 6488 Nittany Valley Drive Mill Hall, PA 17751-9196	Clinton	Porter Twp	Fishing Creek HQ-CWF

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020029	Housing Authority of the City of Pittsburgh 200 Ross Street Ninth Floor Pittsburgh, PA 15219	Allegheny	City of Pittsburgh	Allegheny River (WWF)
PAD630051	Columbia Gas of Pennsylvania 2021 West State Street New Castle, PA 16101	Washington	North Strabane Township	UNT to Little Chartiers Creek (HQ-WWF)

### **STATE CONSERVATION COMMISSION**

#### **PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These

NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Lime Valley Farms, Inc. Steve Good 1415 Lime Valley Rd Lancaster, PA 17602	Lancaster	58.1	359.93	Broilers	NA	Renewal
Huston Hollow 2994 South Madden Road Hustontown, PA 17229	Fulton	16	3,277.35	Swine Sow/Gilt	HQ	Renewal
David Kauffman 12050 Greenwood Road Huntingdon, PA 16652	Huntingdon	124.4	778.30	Swine/Beef	HQ	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office

listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 6720502, Public Water Supply.**

Applicant	<b>Dillsburg Area Authority</b>
Municipality	Dillsburg Borough
County	<b>York</b>
Responsible Official	Sheldon K. Williams General Manager P.O. Box 370 98 West Church Street Dillsburg, PA 17019
Type of Facility	Public Water Supply
Consulting Engineer	Peter Lusardi, P.E. GHD, Inc. 1240 North Mountain Road Harrisburg, PA 17112
Application Received:	February 20, 2020
Description of Action	Construction of a new booster pump station (station) to replace the existing station located on site of the Reservoir Treatment Plant.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 0220504**, Public Water Supply.

Applicant **Findlay Township Municipal Authority**  
P.O. Box 409  
Findlay, PA 15026

Township or Borough Findlay Township

County **Allegheny**

Responsible Official Jason Orsini, General Manager  
Findlay Township  
Municipal Authority  
P.O. Box 409  
Findlay, PA 15026

Type of Facility Water system

Consulting Engineer KLH Engineers, Inc.  
5173 Campbells Run Road  
Pittsburgh, PA 15205

Application Received Date March 2, 2020

Description of Action Upgrades to the pumps at the Aten Road Booster Station.

**MINOR AMENDMENT**

**Applications Received Under the Pennsylvania Safe Drinking Water Act.**

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Application No. 6593506-T1**, Minor Amendment.

Applicant **J&L Mobile Homes, Inc.**  
236 Tryon Drive  
Blairsville, PA 15717

Township or Borough Derry Township

County **Westmoreland**

Responsible Official Beth Lutz, Vice President  
J&L Mobile Homes, Inc.  
236 Tryon Drive  
Blairsville, PA 15717

Type of Facility Water system

Consulting Engineer N/A

Application Received Date December 5, 2019

Description of Action Transfer of the Sundial Village Mobile Home Community public water supply system from Sundial Village, LLC to J&L Mobile Homes, Inc.

**Application No. 4560037-A1-T1**, Minor Amendment.

Applicant **Hooversville Borough**  
50 Main Street  
P.O. Box 176  
Hooversville, PA 15936

Township or Borough Hooversville Borough

County **Cambria**

Responsible Official Kenneth Karashowsky  
Council President  
Hooversville Borough  
50 Main Street  
P.O. Box 176  
Hooversville, PA 15936

Type of Facility Water system

Consulting Engineer N/A

Application Received Date February 10, 2020

Description of Action Transfer of the Hooversville Borough Municipal Authority water supply system to Hooversville Borough.

**Application No. 3020502MA**, Minor Amendment.

Applicant **Southwestern Pennsylvania Water Authority**  
1442 Jefferson Road  
P.O. Box 187  
Jefferson, PA 15344

Township or Borough Jefferson Township

County **Greene**

Responsible Official Timothy Faddis, Manager  
Southwestern Pennsylvania Water Authority  
1442 Jefferson Road  
P.O. Box 187  
Jefferson, PA 15344

Type of Facility Water system

Consulting Engineer N/A

Application Received Date February 28, 2020

Description of Action Installation of approximately 10,500 feet of 16-inch diameter transmission main (Keeny Row to Ralph Transmission Main Project).

**Application No. 5300007-T1**, Minor Amendment.

Applicant **Southwestern Pennsylvania Water Authority**  
1442 Jefferson Road  
P.O. Box 187  
Jefferson, PA 15344

Township or Borough Greensboro Borough

County **Greene**

Responsible Official Timothy Faddis, Manager  
Southwestern Pennsylvania Water Authority  
1442 Jefferson Road  
P.O. Box 187  
Jefferson, PA 15344

Type of Facility Water system

Consulting Engineer N/A

Application Received Date February 25, 2020

Description of Action Transfer of the Dunkard Valley Joint Municipal Authority water system to the Southwestern Pennsylvania Water Authority.

**Application No. 0220505, Minor Amendment.**

Applicant **Moon Township Municipal Authority**  
1700 Beaver Grade Road  
Suite 200  
Moon Township, PA 15108

Township or Borough Moon Township

County **Allegheny**

Responsible Official Deborah Walker, Director of Engineering  
Moon Township Municipal Authority  
1700 Beaver Grade Road  
Suite 200  
Moon Township, PA 15108

Type of Facility Water system

Consulting Engineer N/A

Application Received Date February 3, 2020

Description of Action Wellfield designation.

**Application No. 5636541-T2-MA, Minor Amendment.**

Applicant **Stallion Oilfield Services, LTD**  
4000 Town Center Boulevard  
Suite 260  
Canonsburg, PA 15317

Township or Borough Canton Township

County **Washington**

Responsible Official Mitchell McClay  
Project Manager  
Stallion Oilfield Services, LTD  
4000 Town Center Boulevard  
Suite 260  
Canonsburg, PA 15317

Type of Facility Water system

Consulting Engineer N/A

Application Received Date February 18, 2020

Description of Action Addition of bulk water hauler trucks and water taking points.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### **Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Sections 302— 305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to

Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Kelly Residence**, 516 Spencer Lane, Warminster Township, **Bucks County**. Greg Buzan, SSG-BARCO, Inc., 122 Walters Avenue, Ewing, NJ 08638 submitted a Notice of Intent to Remediate. Soil on the site has been contaminated with the release of No. 2 fuel oil. The future use of the property will remain residential. The proposed cleanup standard for the site is Statewide Health. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on November 6, 2019.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**DTE Susquehanna WC 14/70/28 to Bluestone AMI Pipeline**, 2334 Brushville Road, Susquehanna, PA 18847, Jackson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company LLC, 1000 Energy Drive, Spring, TX 77389, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated when a leaking pressure relief valve along part of a



buried pipeline released an unknown volume of brine. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on February 5, 2020.

**DTE Susquehanna Gathering WC 41 to WC 57/43**, Gaylord Road, Susquehanna, PA 18847, Jackson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company LLC, 1000 Energy Drive, Spring, TX 77389, submitted a Notice of Intent to Remediate. Soil was contaminated when a leaking valve along part of a buried pipeline released an unknown volume of brine. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on February 5, 2020.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Topton Volunteer Fire Company**, 600 State Street, Mertztown, PA 19539, Longswamp Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Topton Volunteer Fire Company, 600 State Street, Mertztown, PA 19539, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with diesel fuel. The site will be remediated to the Site-Specific and Statewide Health Standards. Future use of the site is to be used as non-residential. The Notice of Intent to Remediate was published in the *Reading Eagle* on February 17, 2020.

**Former Knarr Residence**, 2472 Wilson Street, Reading, PA 19605, Bern Township, **Berks County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of June Lerch, 940 Franklin Street, Wyomissing, PA 19610, and Nolan and Samantha Katkowski, 2472 Wilson Street, Reading, PA 19605 submitted a Notice of Intent to Remediate site soil contaminated with No 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site will continue to be used as a residential property. The Notice of Intent to Remediate was published in the *Reading Eagle* on February 18, 2020.

**Thomasville Quarry**, 555 South Biesecker Road, Thomasville, PA 17364, Jackson Township, **York County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, submitted a Notice of Intent to Remediate soil contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site will continue to be used as non-residential purposes. The Notice of Intent to Remediate was published in *The York Dispatch/York Sunday News* and *York Daily Record* on February 15, 2020.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**Cochran 705 Well Pad**, 2344 S. Union Road, Ogdensburg, Union Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Rockdale Marcellus, LLC, 3600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Notice of Intent to Remediate site soil contaminated with calcium chloride. The proposed future use of the site is for production of natural gas and possible unrestricted residential use. The applicant pro-

poses remediation of the site to meet the Background or Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Sun Gazette* on February 7, 2020.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Former Dollar General Property**, 202 E. State Street, Albion Borough, **Erie County**. InSite Group, Inc., 611 S. Irvine Avenue, Sharon, PA 16146, on behalf of Albion Borough, 26 Smock Avenue, Albion, PA 16401, submitted a Notice of Intent to Remediate. An Environmental Site Assessment indicates site soil and site groundwater have been contaminated with Benzene, Toluene, Ethylbenzene, Xylenes, Cumene, MTBE, Naphthalene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, 1,2-Dichloroethane, 1,2-Dibromoethane, and Lead. The Site-Specific Standard has been selected for remediation. Future use of the property will be non-residential. The Notice of Intent to Remediate was published in the *Erie Times-News* February 16, 2020.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by



publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Dave Balog, New Source Review Chief, (814) 332-6328.*

**25-069R: BASF Corporation—Erie** (1729 East Avenue, Erie, PA 16503), for the proposed removal of the NO<sub>x</sub> scrubber from Source 048 due to the process no longer dissolving copper which was the major source of NO<sub>x</sub> emissions. The facility is located in Erie City, **Erie County**. This is a Title V facility.

**25-995D: Essentra Components** (2614 McClelland Avenue, Erie, PA 16510), for the proposed modification of the VOC & HAP limit associated with Sources 101, 103 and 106 established in Plan Approval 25-995C. The facility is located in Erie City, **Erie County**. This is a State Only facility.

**37-008C: Ellwood City Forge** (800 Commercial Avenue, Ellwood City, PA 16117), for the proposed construction of 3 natural gas fired furnaces each rated at 19.6 MMBtu/hr and the removal of the existing Rotary Hearth Furnace rated at 21.5 MMBtu/hr. The facility is located in Ellwood City Borough, **Lawrence County**. This is a State Only facility.

**Intent to Issue Plan Approvals under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief, (484) 250-5920.*

**09-0027I: Fres-Co System USA, Inc.** (3005 State Road, Telford, PA 18969), located in West Rockhill Township, **Bucks County**. Fres-Co submitted a Plan Approval application to the Department for a new three station laminator. Fres-Co operates a printing operation and prints on flexible packaging material for the coffee, pet food and agricultural industries. Fres-Co is a Title V Facility for Volatile Organic Compounds (VOC) emissions. The VOC emissions from the laminator will be captured by a permanent total enclosure and sent to two Regenerative Thermal Oxidizers that will reduce the VOC emissions by at least 98%. The Plan Approval will contain testing, monitoring, recordkeeping and operating restrictions designed to minimize emissions and keep the facility operating within all applicable air quality requirements.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief, (814) 332-6940.*

**03-269B: PulFlex Technologies, LLC** (P.O. Box 7159, New Castle, PA 16107). The Department of Environmental Protection intends to issue a plan approval to PulFlex Technologies. The plan approval would provide authorization to change the method by which they operate existing equipment and to install new equipment at their facility in the Borough of Ford City, **Armstrong County**.

This is an existing facility which produces composite plastic products using non-HAP/VOC containing resins. The products are made from a fibrous substrate impregnated with resin using the pultrusion method. PulFlex currently has 3 pultrusion lines. This plan approval would authorize a change in the method by which the 3 existing lines are operated (now using VOC/HAP containing resin) and would authorize the construction of 7 new lines which use VOC/HAP containing resin.

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Potential emissions from the facility (after completion of the proposed project): 5.0 tons per year (tpy) of VOC, 5.0 tpy of a single HAP species, 5.0 tpy of combined HAP emissions.

In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this application (applications, review memos and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP Office (Air Quality). Appointments for scheduling a review must be made by calling DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [03-269B: PulFlex Technologies, LLC] and a con-

cise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by calling 814-332-6940, or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

**03-00975D: Armstrong Power, LLC** (2313 State Route 156, Shelocta, PA 15774-3005) for intent to issue an Air Quality Plan Approval to authorize a significant permit modification to Title V Permit 03-00975 that includes a modification to the fuel usage limit to allow an increase in the combined annual natural gas combustion in the turbines from  $15.99 \times 10^9$  standard cubic feet per year to  $16.688 \times 10^9$  standard cubic feet per year, an increase in the turbine Volatile Organic Compound (VOC)

emission rate (lb/hr) from 3.0 lb/hr to 3.2 lb/hr, and a request for decreasing the Particulate Matter less than 2.5 micrometers (PM<sub>2.5</sub>) emission rate (lb/hr) from 18 lbs/hr to 14 lbs/hr located at their Armstrong Power Electric Generating Station in South Bend Township, **Armstrong County**.

Affected sources include four (4) General Electric GE 7 GA dual-fuel, simple cycle combustion turbines each rated at 165.1 MW, equipped with a dry low-NO<sub>x</sub> natural gas combustion system, and utilize water injection when combusting low-sulfur diesel.

This action is subject to State regulations including 25 Pa. Code Chapter 127—Construction, Modification, Re-activation, and Operation of Sources and Compliance Assurance Monitoring Plan. These modifications will result in facility-wide criteria pollutant emission increases to levels below the significance levels for Nonattainment New Source Review under 25 Pa. Code Subchapter E and Prevention of Significant Deterioration under 40 CFR 52.21.

The units will remain subject to previously established LAER and BACT emission limitations for NO<sub>x</sub> and SO<sub>2</sub> and the monitoring, testing, recordkeeping, reporting and work practice requirements of its Title V operating permit which were derived from applicable requirements of 25 Pa. Code Chapters 123, 127 and 139, and 40 CFR Part 60 Subpart GG (Standards of Performance for Stationary Gas Turbines).

The proposed emission increases and operational limitations for the turbines are summarized as follows:

<i>Pollutant</i>	<i>Plan Approval PA-03-0975D Proposed Increase (tons per year)</i>	<i>Turbines Potential to Emit (tons per year)</i>
NO <sub>x</sub> (Nitrogen Oxides)	14.88	312.7
CO (Carbon Monoxide)	7.20	168.6
SO <sub>x</sub> (Sulfur Oxides)	0.65	38.5
VOC (Volatile Organic Compounds)	0.74	19.7
PM <sub>10</sub> (Particulate Matter <10 microns)	4.19	90.9
PM (Particulate Matter)	4.19	90.9
PM <sub>2.5</sub> (Particulate Matter <2.5 microns)	3.26	70.7
Formaldehyde	0.03	-
GHGs (CO <sub>2</sub> e)	42,109	1,004,372
<i>Natural Gas Usage Limitation</i>	$0.698 \times 10^9$ scf/yr	$16.688 \times 10^9$ scf/yr

In accordance with 25 Pa. Code § 127.522, the proposed plan approval will be submitted to the U.S. Environmental Protection Agency (EPA) and any affected states for comment.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Appointments for scheduling a review may be made by calling the Department at 814-332-6078.

Any person may submit comments or objections to the plan approval or a proposed condition thereof by filing a written protest with the Department at the Northwest Regional Office.

A 30-day comment period, from the date of this publication, will exist for the submission of comments, protests, and additional information. A protest to a proposed action shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.44 (relating to public notice). A

protest shall include the name, address and telephone number of the person filing the protest, identification of the proposed plan approval issuance being opposed (Plan Approval 03-00975D), and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

Persons wishing to file a written protest, provide comments or additional information which they believe should be considered prior to the issuance of the plan approval or request a public hearing, may submit the information to Eric A. Gustafson, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, phone (814) 332-6940.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons who have properly filed a protest under 25 Pa. Code § 127.46 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to

hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Once authorized, the proposed plan approval, to modify and revise the Title V permit, will be incorporated into Title V permit TV-03-00975 via an Administrative Amendment.

### OPERATING PERMITS

#### Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**23-00014: Kimberly-Clark of PA** (Front and Avenue of the States, Chester, PA 19013) located in Chester City, **Delaware County**. This action is a renewal of the Title V Operating Permit. Based on its potential-to-emit oxides of nitrogen (NO<sub>x</sub>) the Kimberly-Clark facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The following sources are permanently out of service and have been removed from the permit; Source IDs: 035 (Boiler 10), 125D (T-10-4 Converting Area), 128 (Cooling Tower-Cogen Facility), 140 (Solid Fuel Unloading Structure/crusher), and 148A (Ash unloading room). With the removal of Boiler 10, the facility's NESHAP status has changed from major to area source. The renewed permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6328.*

**32-00200: Indiana University of Pennsylvania** (525 Pratt Drive, Indiana, PA 15705). In accordance with 25 Pa. Code §§ 127.441, 127.425 and 127.521, the Department is providing notice that they intend to issue a renewed Title V Operating Permit for the S.W. Jack Cogeneration Plant located in Indiana Borough, **Indiana County**. The facility's primary emission sources include the three gas/oil boilers, the four dual-fuel engines (8,400-bhp), a 600-bhp diesel emergency generator engine, and a cold solvent degreaser. The potential emissions, after permit limitations, of the major pollutants from the facility are as follows: 348.96 TPY (tons per year) NO<sub>x</sub>, 146.62 TPY CO, 234.93 TPY VOC, 57.02 TPY total HAPs (hazardous air pollutants), 78.33 TPY PM<sub>10</sub>, 78.32 TPY PM<sub>2.5</sub>, and 66.35 TPY SO<sub>x</sub>; thus, the facility is subject to Title V requirements for potential emissions of NO<sub>x</sub> and CO in excess of 100 TPY, VOC in excess of 50 TPY, and combined HAPs in excess of 25 TPY. The boilers are subject to 40 CFR 63 Subpart DDDDD, NESHAP for Major Sources: Industrial, Commercial and Institutional Boilers and Process Heaters and presumptive RACT under 25 Pa. Code § 129.97(b)(1) relating to tune-ups. The engines are subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines and presumptive RACT under 25 Pa. Code § 129.97(g)(3)(i)(B) and (g)(3)(ii) relating to emissions of VOC and NO<sub>x</sub>, respectively. The emergency generator engine is subject to presumptive RACT under 25 Pa. Code § 129.97(c)(1) relating to work practices. The renewal permit will contain emission restrictions, recordkeeping,

work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

#### Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**23-00053: Prospect DCMH** (501 North Lansdowne Ave, Drexel Hill, PA 19026-1114) for continued operation of a general medical and surgical hospital located in Upper Darby Township, **Delaware County**. The renewal permit is for a non-Title V (State only) facility. The major sources of air emissions include: Three dual fuel fired (natural gas and # 2 fuel oil) boilers, and four (4) emergency generators. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00246: AH Cornell & Sons** (2362 York Road, Jamison, PA 18929) for operation of a portable non-metallic processing plant and supporting engines located in Warwick Township, **Bucks County**. Fugitive particulate matter emissions are controlled by a wet suppression system. The potential to emit all criteria pollutants, including Volatile Organic Compound (VOC), Nitrogen Oxide (NO<sub>x</sub>), Carbon Monoxide (CO), Particulate Matter (PM), and Hazardous Air Pollutant (HAP) emissions is less than major source thresholds; the facility is classified as a Natural Minor Facility. The requirements of 40 CFR Part 60 Subpart OOO (NSPS) apply to the crusher and screen. The initial operating permit will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00191: Bucks County Water & Sewer Authority—Green Street Sewage Treatment Plant** (360 Green Street, Doylestown, PA 18901) for continued operation of a wastewater treatment plant in Doylestown Borough, **Bucks County**. The renewal permit is for a non-Title V (State only) facility. The major sources of air emissions include: the wastewater treatment plant, a packed bed scrubber, and a diesel-fired emergency generator. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00148: Bucks County Community College** (275 Swamp Road, Newtown, PA 18940-4106) for continued operation of a higher education facility in Newtown Township, **Bucks County**. The renewal permit is for a non-Title V (State only) facility. The major sources of air emissions are: two (2) dual-fired (natural gas and # 2 fuel oil) boilers, three (3) fuel oil-fired heaters, and seven (7) emergency generators. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**46-00168: Moss Rehab Einstein** (60 East Township Line Road, Elkins Park, PA 19027) located in Cheltenham Township, **Montgomery County**. The renewal permit is for a non-Title V (State only) facility. The facility is categorized as a Synthetic Minor Facility for Nitrogen Oxide (NO<sub>x</sub>) emissions and an area source for Hazardous



Air Pollutant (HAP) emissions. Source ID 100 (Kewanee Boiler, 350 hp) was removed from the facility and is no longer listed in the permit. The requirements of 40 CFR Part 63 Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers at Area Sources (effective March 21, 2011; amended February 1, 2013) do not apply to the Cleaver Brooks Boiler because natural gas is the primary fuel consumed in each boiler. The requirements of 40 CFR Part 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines apply to the Detroit Emergency Generator (Source ID 107). The renewal permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**07-03040: LSF Ag Group, LLC operated by Wenger Feeds, LLC** (P.O. Box 26, Rheems, PA 17570) to issue a State Only Operating Permit for the operation of the livestock feed mill facility in Martinsburg Borough, **Blair County**. The potential emissions from the facility are estimated at 2.12 tpy of NO<sub>x</sub>, 1.78 tpy of CO, 11.65 tpy of PM<sub>10</sub>, 0.12 tpy of VOC, 0.01 tpy SO<sub>x</sub> and 0.04 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include emission limits derived from 25 Pa. Code § 123.13.

**67-03181: Hartenstein Funeral & Cremation Care, Inc.** (19 S. Main St, Stewartstown, PA 17363) for the operation of a human crematory facility in Stewartstown Borough, **York County**. This is for an initial State-Only Permit. Potential air emissions from the facility are estimated at 1.59 tpy PM<sub>10</sub>, 1.94 tpy NO<sub>x</sub>, 1.62 tpy CO, 0.14 tpy VOC, and 0.72 tpy SO<sub>2</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**30-00040: Cumberland Contura, LLC** (158 Portal Road, P.O. Box 1020, Waynesburg, PA 15370). In accordance with 25 Pa. Code §§ 127.441 and 127.425, the Department is providing notice that they intend to issue a renewed, facility-wide, State Only Operating Permit for the continued operation of a coal preparation plant, known as the Cumberland Mine Coal Preparation Plant, located in Whitely Township, **Greene County**.

Raw coal feed at the Cumberland Mine Coal Preparation Plant is limited to a maximum of 13,050,000 tons per year. The preparation plant contains air contamination sources for unloading, breaking, screening, wet processing, storing and loading coal. It has stockpiles and silos to supply and store coal, an underground reclaim for the raw coal stockpile, and roads. The facility also contains two, 813-bhp, each, emergency diesel engines. Air pollution prevention equipment and procedures at the facility

includes enclosures, minimization of drop height, and watering of roads and material.

Annual potential emissions from the facility are 47.8 tons of VOC, 14.1 tons of PM<sub>10</sub>, 3.4 tons of PM<sub>2.5</sub>, 9.2 tons of NO<sub>x</sub>, 3.5 tons of CO, and 0.8 ton of SO<sub>2</sub>. Sources at the Cumberland Mine Coal Preparation Plant are subject to 40 CFR Part 60, Subpart A—General Provisions, 40 CFR Part 60, Subpart Y—New Source Performance Standards for Coal Preparation Plants, and 40 CFR Part 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. Sources are also subject to 25 Pa. Code Chapters 121—145. The permit includes emission limitations and operational, monitoring, reporting, and recordkeeping requirements for the plant.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of this Title V Operating Permit may submit the information to Martin L. Hochhauser, P.E., Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (specify Operating Permit SOOP-30-00040), and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. In accordance with 25 Pa. Code § 127.428, prior to issuing an operating permit, the Department may hold a fact-finding conference or hearing at which the petitioner, and a person who has properly filed a protest under § 127.426 (relating to filing protests) may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant and other participants will be notified of the time, place and purpose of a conference or hearing, in writing or by publication in a newspaper or the *Pennsylvania Bulletin*, unless the Department determines that notification by telephone will be sufficient.

**65-00595: Excelsa Health** (532 W. Pittsburgh St., Greensburg, PA 15601-2282). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that they intend to issue a natural minor State Only Operating Permit for the operation for the renewal of an Air Quality Natural Minor State Only Operating Permit (SOOP) to authorize the operation of the Westmoreland Regional Hospital located in the city of Greensburg, **Westmoreland County**.

Equipment at this facility: one (1) 20.9 MMBtu/hr natural gas-fired boilers with diesel fuel backup, one (1) 23.932 MMBtu/hr natural gas-fired boiler with diesel fuel backup, three (3) diesel-fired emergency generator internal combustion engines with 150 gallon day tanks each, one (1) natural gas-fired emergency generator internal combustion engine, one (1) 0.7 MMBtu/hr natural gas-fired boiler, three (3) 0.2 MMBtu/hr natural gas-fired boilers, one (1) 6,000 gallon underground diesel storage tank, and one (1) 1,750 gallon above-ground diesel storage

tank. Potential emissions from the facility are as follows: 40.64 tons per year of NO<sub>x</sub>, 11.75 tons per year of CO, 6.06 tons per year of SO<sub>2</sub>, 3.02 tons per year of PM<sub>10</sub>, and 1.72 ton per year of VOC. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed SOOP renewal includes conditions relating to applicable emissions restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, Identification of the proposed permit (specify Operating Permit 65-00595), and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

**COAL & NONCOAL MINING ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the appli-

cable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

*Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	

<sup>1</sup> The parameter is applicable at all times.



A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Holly Calvetti).*

**Permit 32990110 and NPDES No. PA0235164. KMP Associates, Inc.,** 3756 Rt 981, Saltsburg, PA 15681, commencement, operation and restoration of a bituminous surface & auger mine in Young Township, **Indiana County**, affecting 4.0 acres. Receiving stream(s): unnamed tributary to/and Harpers Run, Blacklegs Creek, Kiskiminetas River classified for the following use(s): CWF & WWF. There are no potable water supply intakes within 10 miles downstream. Application received: February 21, 2020.

**Permit No. 11130101 and NPDES No. PA0269387, Laurel Sand & Stone Inc.,** 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, commencement, operation and restoration of a bituminous surface and auger mine to add Lower Kittanning Coal to the mining plan in Elder and Susquehanna Townships, **Cambria County**, affecting 382 acres. Receiving stream(s): Little Brubaker Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: February 24, 2020.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*	greater than 6.0; less than 9.0		

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Holly Calvetti).*

**Permit 32200301 and NPDES No. PA0249653. Neiswonger Construction Inc.,** 17592 Route 322, Strattanville, PA 16258, commencement, operation and restoration of a large noncoal (industrial minerals) operation in Young Township, **Indiana County**, affecting 339 acres. Receiving stream(s): unnamed tributaries to/and Whiskey Run and Nesbit Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: February 26, 2020.

**MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*	greater than 6.0; less than 9.0		

Alkalinity greater than acidity\*

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a

precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).*

**NPDES No. PA0608769 (Mining Permit No. 17814000), Rob Holland Enterprises**, 52 Holland Lane, Curwensville, PA 16833, permit renewal of an NPDES permit for bituminous coal surface and auger mining in Penn and Brady Townships, **Clearfield County**, affecting 206.9 acres. Receiving stream(s): unnamed tributaries to Irish Run and Irish Run, classified for the following use(s): CWF. This receiving stream is included in the West Branch Susquehanna River TMDL. Application received: September 23, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributaries to Irish Run and Irish Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
020 (SP E)	N	SWO
013 (SP F)	N	SWO
012 (SP G)	N	SWO
009 (SP H)	N	SWO
021 (SP I)	N	SWO
008 (SP K)	N	SWO
022 (SP N)	N	SWO
023 (TF E)	N	TFO
001 (TF H)	N	TFO
005 (TF I)	N	TFO
007 (TF K)	N	TFO

**NPDES No. PA0256919 (Mining Permit No. 17080112), Kasubick Brothers Coal Company**, 501 David Street, Houtzdale, PA 16651 renewal of an NPDES permit for coal surface mine in Woodward Township, **Clearfield County**, affecting 46.8 acres. Receiving stream(s): Upper Morgan Run and North Branch Upper Morgan Run, classified for the following use(s): CWF. This receiving stream is included in the Clearfield Creek and North Branch Upper Morgan Run TMDL. Application received: February 4, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Upper Morgan Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
002 (TP2)	N	Treatment
004 (SB2)	N	Sediment
006 (SB4)	N	Sediment

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 002 (All Weather Conditions)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)			50.0
Sulfate (mg/l)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 004, 006 (All Weather Conditions)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/l)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500. (Contact: Tracy Norbert).*

**NPDES No. PA061237 (Mining Permit No. 03793072). Consol Mining Company, LLC**, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, renewal of NPDES permit for treatment of a postmining discharge in Kiskiminetas Township, **Armstrong County** and Young Township, **Indiana County**, affecting 302 acres. Receiving stream(s): UNT to Big Run and Big Run, classified for the following use(s): CWF. The first downstream potable water supply intake from the point of discharge is Buffalo Township Municipal Authority. Application received: April 23, 2019.

The following outfalls drain to the Monongahela River.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
012	N	TFO
013	N	TFO

The proposed effluent limits for the previously listed outfalls at all times are as follows when only one outfall is discharging at any given time:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/L)	3.0	6.0	7.0
Total Manganese (mg/L)	2.0	4.0	5.0
Total Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35	70	90
Osmotic Pressure (mOsm/kg)		Monitor and Report	
Sulfates (mg/L)		Monitor and Report	
Temperature (°C)		Monitor and Report	
Flow (gpm)		Monitor and Report	

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Specific Conductivity (µmhos/cm)			
Alkalinity must be greater than acidity at all times.			
pH must be between 6.0 and 9.0 at all times.			

Monitor and Report

The proposed effluent limits for the previously listed outfalls at all times are as follows when both outfalls are discharging at the same time:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/L)	1.5	3.0	3.7
Total Manganese (mg/L)	1.0	2.0	2.5
Total Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35	70	90
Osmotic Pressure (mOsm/kg)			
Sulfates (mg/L)			
Temperature (°C)			
Flow (gpm)			
Specific Conductivity (µmhos/cm)			
Alkalinity must be greater than acidity at all times.			
pH must be between 6.0 and 9.0 at all times.			

Monitor and Report  
Monitor and Report  
Monitor and Report  
Monitor and Report  
Monitor and Report

*Noncoal NPDES Draft Permits*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Cayleigh Boniger).*

**NPDES No. PA02080755 (Permit No. 37190301). Glacial Sand & Gravel Co.** (P.O. Box 1022, Kittanning, PA 16201). New NPDES permit for a large industrial mineral surface mine in Scott Township, **Lawrence County**, affecting 246.2 acres. Receiving streams: Unnamed tributary to Slippery Rock Creek and Taylor Run, classified for the following uses: CWF. TMDL: None. Application received: December 16, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to an unnamed tributary to Slippery Rock Creek and Taylor Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	Y
002	Y

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Alkalinity greater than acidity <sup>1</sup>				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting,

identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.



## WATER OBSTRUCTIONS AND ENCROACHMENTS

### Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.*

*Contact: Elaine Henderson, Clerk Typist 3, 484.250.5157.*

**Permit No. EA4601220-021, Borough of Hatboro**, 414 South York Road, Hatboro, PA 19040, Hatboro Borough, **Montgomery County**, ACOE Philadelphia District.

To restore and maintain approximately 733 linear feet of stream restoration including sediment removal, slope protection, and streambank stabilization along the Pennypack Creek (TSF) associated with the Eaton Memorial Park Streambank Restoration & Stabilization Project.

The site is located approximately 700 feet southwest of the intersection of Moreland Avenue and Broad Street (Hatboro, PA USGS Quadrangle Latitude 40.178756; Longitude -75.112309).

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E2203219-004. Hanuman 4, Inc.**, 7975 Jonestown Road, Harrisburg, PA 17113. West Hanover Township **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To 1.) place and maintain fill in 0.23 acre of palustrine emergent wetlands; 2.) place and maintain fill in 80 linear feet of an unnamed tributary to Manada Creek (WWF, MF); and 3.) relocate and maintain 70 linear feet of an unnamed tributary to Manada Creek (WWF, MF) all for the purpose of constructing a proposed hotel. The project is located at the intersection of S.R. 39 and U.S. 22 (Latitude: 40.3510°N, Longitude 76.7142°W) in West Hanover Township, Dauphin County. To compensate for wetland impacts the applicant proposes to create 0.23 acre of palustrine emergent/scrub shrub wetland onsite.

**E3603219-012. Adam Davis**, 1040 Log Cabin Rd, Leola, PA 17540. Warwick Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To (1) construct and maintain 4 boardwalk walking trails impacting 0.04 acre of PEM wetlands, (2) construct and maintain 1 boardwalk impacting 9 square feet of a UNT to Cocalico Creek (WWF, MF), (3) construct and maintain 1 boardwalk and perform grading impacting 0.70 acre of the floodway of Cocalico Creek (WWF, MF) and (4) construct a boardwalk and dock impacting 0.01 acre of an open water pond all for the purpose of providing recreational access to the property. The project is located along Log Cabin Road (Latitude: 40° 07' 43.7" N; Longitude: 76° 14' 0.1" W) in Warwick Township, Lancaster County.

**E2203219-003. West Hanover Township**, 7171 Allentown Boulevard, Harrisburg, PA 17112. West Hanover Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To 1.) relocate/restore and maintain 344 linear feet of a UNT to Manada Creek (WWF, MF) impacting 703 square feet of PEM wetland 2.) install and maintain two cul-

verts, one under Clover Lane, impacting 92 square feet of wetland, and one under North Fairville Avenue. The project is located near the intersection of Clover Lane and Lakeside Avenue (40.3392, -76.7299) in West Hanover Township, Dauphin County. For the purpose of lowering stream velocities which are currently causing erosion and resolve water ponding on neighboring properties.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E5504120-001 PA DOT Engineering District 3-0**, 715 Jordan Ave., Montoursville, PA 17754. SR 0522, Section 071, Segment 0110 Offset 0503, Bridge Replacement, Spring Township, **Snyder County**, Baltimore ACOE (McClure, PA Quadrangle N: 40° 43' 47"; W: -77° 15' 29").

PA DOT proposes to replace a Two Span Reinforced Concrete T-Beam Bridge with a Single Span Pre-Stressed Concrete Spread Box Beam Bridge on Integral Abutments over Beaver Creek. The existing bridge has a span of 37.2 Ft., a skew of 90 degrees, an underclearance of 3.4 Ft., and a low chord of 649.51 Ft. and a hydraulic opening of 125 Ft<sup>2</sup>. The proposed structure has a span of 44.5 Ft., a skew of 90 degrees, an underclearance of 3.6 Ft., and a low chord of 648.94 Ft. and a hydraulic opening of 161 Ft<sup>2</sup>. The proposed structure will utilize Grouted R-8 Rip Rap scour protection around the integral abutment slopes. The proposed structure is beyond the thresholds to meet GP-11. A temporary roadway and crossing will be utilized to convey traffic during construction. The project will utilize a phased cofferdam system to convey the stream during construction. The project will temporarily impact 0.13 acre and permanently impact 0.01 acre of jurisdictional wetlands. Beaver Creek is classified as a Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards.

**E1804220-002: Dean Conrad & Carolyn Conrad**, 48 South Parson's Drive, Mill Hall, PA 17751. Conrad Riverlot Pavilion, Woodward Township, **Clinton County**, U.S. Army Corps of Engineers Baltimore District (Lock Haven Quadrangle; Latitude 41.147422°N; 77.460174°W).

The applicant proposes to construct and maintain a 20' x 30' pavilion and 240 sq. ft. of at-grade landscape pavers along the left-bank 100-year floodway of the W. Br. Susquehanna River. The project will disturb .020 ac. of floodway. No work will occur below the OHWM.

*Central Office: Jack Rokavec, Chief, P.O. Box 69205, Harrisburg, PA 17106-9205.*

**EA0310-001. Pennsylvania Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, P.O. Box 69205, Harrisburg, PA 17106-9205. Abandoned Mine Land Reclamation Project, in Redbank Township, **Armstrong County**, Pittsburgh USACE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 1,400 linear feet of dangerous highwall and a 9.3-acre dangerous pile and embankment. The project will include the backfilling of 0.93 acre of wetlands that have developed within the open surface mine pit. (Dayton Quadrangle N: 40.925470, W: 79.237175).

**EA3310-002. Pennsylvania Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, P.O. Box 69205, Harrisburg, PA 17106-9205. Abandoned Mine Land Reclamation Project, in Washington Township, **Jefferson County**, Pittsburgh USACE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 2,300 linear feet of dangerous highwall and a 9.2-acre spoil pile. The project will include the backfilling of 0.109 acre of open water and 0.122 acre of wetlands that have developed within the open surface mine pit (Falls Creek Quadrangle N: 41.21391, W: 78.76659).

**ENVIRONMENTAL ASSESSMENTS**

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.*

**EA3614-005. ACP Properties, LLC**, 301 East Hill Street, Ephrata, PA 17522, West Hempfield Township, Lancaster County, USACOE Baltimore District.

Project proposes to remove approximately 9,000 cubic yards of legacy sediment from an approximately 2.6-acre

floodplain area along a tributary to Strickler Run (WWF/MF) for the purpose of restoring natural aquatic resources including wetlands, streams, and floodplains; to construct temporary roadways and other erosion controls during restoration activities, to rehabilitate approximately 0.004 acre of existing wetlands and re-establish approximately 2.6 acres of wetlands; to realign approximately 1,000 lineal feet of unnamed tributaries to Strickler Run for the purpose of restoring a total of approximately 3,000 lineal feet of anastomosing stream channel; to place wood grade control structures, log sills, and woody debris habitat structures within the restoration area; to construct 3 minor road crossings, 3 utility line stream crossings, and 4 outfall structures. The project is located near PA Route 462 (Columbia Ave.) and Meadow Road in West Hempfield Township, Lancaster County (USGS Quadrangle: Columbia East, PA: Latitude: 40° 02' 1.5"; Longitude: -76° 27' 57.8").

**ACTIONS**

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**

**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	PDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. NPDES Renewal Permit Actions.**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0053279 (Sewage)	Buckingham Springs STP 1490 Durham Road New Hope, PA 18938	Bucks County Buckingham Township	Unnamed Tributary to Mill Creek (WWF, MF) 2-F	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N</i>
PA0085066 (SEW)	Conoy Township 211 Falmouth Road Bainbridge, PA 17502-9801	Lancaster County/ Conoy Township	Conoy Creek/7-G	Yes
PA0081299 (SEW)	Model Enterprises Inc. (Rolling Hills MHP) 630 Delp Road Lancaster, PA 17601-3077	Lancaster County/ Rapho Township	Chiques Creek/7-G	No
PA0086461 (SEW)	Pinch Pond Campground, Inc. 3075 Pinch Pond Road Manheim, PA 17545	Lancaster County/ Rapho Township	Chiques Creek/7-G	No
PA0084476 (SEW)	Camp Small Valley Girl Scouts in the Heart of America 350 Hale Avenue Harrisburg, PA 17105	Lancaster County/ Jefferson Township	Conleys Creek/6-C	Yes
PA0247537 (IW)	Four Seasons Produce 400 Wabash Road P.O. Box 788 Ephrata, PA 17522	Lancaster County/ East Cocalico Township	Cocalico Creek/7-J	Yes
PA0084492 (SEW)	Halifax Village LLC P.O. Box 375 Gap, PA 17527	Dauphin County/ Halifax Township	UNT Susquehanna River/6-C	Yes
PA0028886 (SEW)	Quarryville Boro Auth 300 St. Catherine St. Quarryville, PA 17566	Lancaster County/ Providence Township	UNT South Fork Big Beaver Creek/7-K	No
PA0087025 (SEW)	Dave & Jane's Crab House— Dave Ott 2989 Tract Road Fairfield, PA 17320-9333	Adams County/ Liberty Township	UNT Flat Run/13-D	Yes
PA0246484 (SEW)	Links at Gettysburg— Aqua PA Wastewater Inc. 762 West Lancaster Ave. Bryn Mawr, PA 19010-3489	Adams County/ Mount Joy Township	Rock Creek/13-D	Yes
PA0082996 (SEW)	Summit International School of Ministry 74 Harrison School Road Grantville, PA 17028-8222	Lebanon County/ East Hanover Township	UNT to Indiantown Run (WWF, MF) in Watershed(s) 7-D	Yes
PA0080756 (SEW)	Hershey Farm Rest & Motor Inn P.O. Box 159 240 Hartman Bridge Road Strasburg, PA 17579-0159	Lancaster County/ Strasburg Township	Pequea Creek (WWF, MF) (7-K)	Yes
PA0021865 (Sewage)	Adamstown STP 3000 North Reading Road P.O. Box 546 Adamstown, PA 19501-0546	Lancaster County/ Adamstown Borough	Little Muddy Creek (WWF) (7-J)	No
PA0080811 (Sewage)	GSP Management Co. P.O. Box 677 Morgantown, PA 19543-0677	York County/ Newberry Township	Unnamed Tributary to Conewago Creek (WWF) in Watershed(s) 7-F	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N</i>
PA0087335 (Sewage)	Broad Top Township Bedford County P.O. Box 57 187 Municipal Road Defiance, PA 16633-0057	Bedford County/ Broad Top Township	Unnamed Tributary to Longs Run (WWF) in Watershed(s) 11-D	Yes
PA0026727 (Sewage)	Tyrone Borough Blair County 1100 Logan Avenue Tyrone, PA 16686-1624	Blair County/ Snyder Township	Little Juniata River (TSF) in Watershed(s) 11-A	Yes

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0113743 (Sewage)	Crestline WWTF 246 Railroad Street Sinnamahoning, PA 15861-1621	Cameron County Grove Township	Sinnemahoning Creek (WWF) (8-A)	Yes

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0034258 (Sewage)	Independence Elementary School STP 2354 Brodhead Road Aliquippa, PA 15001-4585	Beaver County Independence Township	Raccoon Creek (WWF) (20-D)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0272761 (Storm Water)	Northwest Hardwoods Marienville Facility 10589 Campbell Road Titusville, PA 16354	Forest County Jenks Township	Unnamed Tributary of Maple Creek (HQ-CWF), Unnamed Tributary to Maple Creek (HQ-CWF), and Unnamed Tributary to Salmon Creek (HQ-CWF) (17-B and 16-F)	Yes
PA0222976 (Sewage)	Albert R Shouey SFTF 2290 Belltown Road Clarington, PA 15828-8719	Jefferson County Barnett Township	Cathers Run (HQ-CWF) (17-B)	Yes
PA0044016 (Industrial)	Linesville Fish Culture Station Benner Spring Fish Research Station 1735 Shiloh Road State College, PA 16801-8495	Crawford County Pine Township	Unnamed Tributary to Crooked Creek (WWF), Unnamed Tributary to Shenango River (WWF), Shenango River (WWF), and Unnamed Stream (20-A)	Yes

## **II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.**

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**NPDES Permit No. PA0233048**, Sewage, SIC Code 4952, **John A. & Linda L. Barone**, 1224 Pleasant Hills Road, Williamsport, PA 17701-8485.

This proposed facility is located in Eldred Township, **Lycoming County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

**NPDES Permit No. PA0255475**, Industrial, SIC Code 4941, **Harmar Township Municipal Water Authority**, 200 Pearl Avenue, Cheswick, PA 15024.

This proposed facility is located in Harmar Township, **Allegheny County**.

Description of Proposed Action/Activity: The application is for a new NPDES permit for a new discharge of filter backwash water from the water treatment plant.



**NPDES Permit No. PA0026506**, Sewage, SIC Code 4952, **W Mifflin Sanitary Sewer Municipal Authority Allegheny County**, 1302 Lower Bull Run Road, West Mifflin, PA 15122-2902.

This existing facility is located in West Mifflin Borough, **Allegheny County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

### **III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.*

**WQM Permit No. 0904411**, Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Transfer ownership from Warrington Township to BCWSA.

**WQM Permit No. 0904415**, Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Transfer ownership from Warrington Township to BCWSA.

**WQM Permit No. 0999404** Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Transfer ownership from Warrington Township to BCWSA.

**WQM Permit No. 0996423**, Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Transfer ownership from Warrington Township to BCWSA.

**WQM Permit No. 0903412**, Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Transfer ownership from Warrington Township to BCWSA.

**WQM Permit No. 0997404**, Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Transfer ownership from Warrington Township to BCWSA.

**WQM Permit No. 0998423**, Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Transfer ownership from Warrington Township to BCWSA.

**WQM Permit No. 1519409**, Sewage, **Oxford Area Sewer Authority**, P.O. Box 380, Oxford, PA 19363-0380.

This proposed facility is located in Lower Oxford Township, **Chester County**.

Description of Action/Activity: Construction and operation of a new pump station and force main to serve a new 100-unit subdivision.

**WQM Permit No. 1596405**, Sewage, **Willistown Township**, 688 Sugartown Road, Malvern, PA 19355-3302.

This proposed facility is located in Willistown Township, **Chester County**.

Description of Action/Activity: Permit Renewal.

**WQM Permit No. 1587416**, Sewage, **Longwood Gardens Inc.**, P.O. Box 501, Route 1, Kennett Square, PA 19348-0501.

This proposed facility is located in East Marlborough Township, **Chester County**.

Description of Action/Activity: Permit Renewal.

**WQM Permit No. 1500401**, Sewage, Amendment, **Unionville Chadds Ford School District**, 740 Unionville Road, Kennett Square, PA 19348.

This proposed facility is located in Pocopson Township, **Chester County**.

Description of Action/Activity: Modifications to the treatment plant.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**WQM Permit No. 4818406**, Sewage, SIC Code 4952, **Wind Gap Borough Municipal Authority Northampton County**, 578 Abel Colony Road, Wind Gap, PA 18091-9506.

This proposed facility is located in Plainfield Township & Wind Gap Borough, **Northampton County**.

Description of Proposed Action/Activity: Green Knight Industrial Park II gravity sewer system, pump station with force main.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

**WQM Permit No. 6719403**, Sewerage, SIC Code 4952, **Stewartstown Borough Authority York County**, 6 North Main Street, Stewartstown, PA 17363-4132.

This proposed facility is located in Stewartstown Borough, **York County**.

Description of Proposed Action/Activity: This permit approves the construction and modification of sewage facilities consisting of:

The construction of the new Mayberry PS and the upgrade of the existing High Street PS and Bailey's PS. Flows from the proposed Mayberry PS will be conveyed via a new 887 ft long, 4" diameter PVC (DR18, C900) forcemain that will connect to the existing gravity sewer system in Hopewell Township. The existing High Street PS and Bailey's PS will both need to be upgraded in order to accommodate the new flows from the Mayberry PS. The proposed project will also extend the Bailey's PS forcemain by 496 ft. such that it will connect to MH # 12A2 (currently it connects to MH # 20) and portions of the gravity sewer downstream of MH # 12A2 will be upsized to create additional capacity.

The proposed capacities of the pumping stations are as follows:

Mayberry PS: Two new 7.5 HP Smith and Loveless pumps with 4B3X 10.625" impellers rated for 94 gpm at 52 ft. TDH  
High Street PS: Two existing 7.5 HP Smith and Loveless pumps with new 4B2X\*1 8" impellers rated for 225 gpm at 48 ft. TDH  
Bailey's PS: Two existing 15 HP Smith and Loveless pumps with new 4C2B\*1 9.375" impellers rated for 450 gpm at 90 ft. TDH.

**WQM Permit No. 5019401**, Sewerage, SIC Code 4952, **Hamm Equities LLC**, 1 W Elm Street, Suite 400, Conshohocken, PA 19428-4135.

This proposed facility is located in Howe Township, **Perry County**.

Description of Proposed Action/Activity: This permit approves the construction of sewage facilities consisting of:

- One pump station housing two (2) submersible pumps (2.2 HP) capable of having a pumping rate of 80 gpm and a TDH of 11.7 ft
- 4" diameter force main that is 86 linear feet

**WQM Permit No. WQG02211903**, Sewerage, SIC Code 4952, **Silver Spring Township Authority**, 5 Willow Mill Park Road, Suite 3, Mechanicsburg, PA 17050-8238.

This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: This General Permit approves the construction and operation of: One Sewer Extension.

**WQM Permit No. 2219402**, Sewerage, SIC Code 4952, **West Hanover Township Water & Sewer Authority**, 7901 Jonestown Road, Harrisburg, PA 17112-9728.

This proposed facility is located in West Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: This permit approves the construction and modification of sewage facilities consisting of:

- A pump station with 2 submersible pumps and 1 engine driven suction lift pump each rated at 685 gpm at 146.8 TDH.
- Pump Station building, pump controls, wet well and 4 manholes.

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**WQM Permit No. 4119401**, Sewage, SIC Code 4952, **John A. & Linda L. Barone**, 1224 Pleasant Hills Road, Williamsport, PA 17701-8485.

This proposed facility is located in Eldred Township, **Lycoming County**.

Description of Proposed Action/Activity: Construction of a new single residence sewage treatment plant.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

**WQM Permit No. 0275205 A-2**, Industrial, SIC Code 3312, **United States Steel Corporation**, 400 State Street, Clairton, PA 15025-1855.

This existing facility is located in Clairton City, **Allegheny County**.

Description of Proposed Action/Activity: Installation of a second belt filter press at the Clairton Plant's Contaminated Water Treatment Plant.

**WQM Permit No. 0291205 A-3**, Industrial, SIC Code 3312, **United States Steel Corporation**, 400 State Street, Clairton, PA 15025-1855.

This existing facility is located in Clairton City, **Allegheny County**.

Description of Proposed Action/Activity: Installation of a collection and conveyance system to route storm water from a localized area of accumulation on a plant roadway to the Coal Yard Treatment Plant.

---

**IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.**


---

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484-250-5970.*

<i>NPDES Permit No.</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI130044	Hilltown Township 13 W Creamery Road Hilltown, PA 18927	Hilltown Township Bucks County	Mill Creek (TSF, MF) and Unnamed Tributary to Reading Creek (WWF, MF)/WWF, TSF and MF	Y	Y

---

**V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions.**


---

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

*Southeast Regional Office, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

<i>NPDES Waiver No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAI130513	Marlborough Township 6040 Upper Ridge Road Green Lane, PA 18054-2221	Marlborough Township Montgomery County	Unnamed Tributary of Unami Creek (HQ-TSF, MF), Unnamed Tributary to Macoby Creek (TSF, MF), Macoby Creek (TSF, MF), Unami Creek (HQ-TSF, MF), and Unnamed Tributary to Unami Creek (HQ-TSF, MF)/HQ-TSF, TSF, and MF

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

<i>NPDES Waiver No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG133570	Franklin Township York County 150 Century Lane Dillsburg, PA 17019-9461	Franklin Township York County	Unnamed Tributary to North Branch Bermudian Creek (WWF, MF), Dogwood Run (CWF, MF), North Branch Bermudian Creek (WWF, MF), and Unnamed Tributary of Dogwood Run (CWF, MF)/ WWF, CWF, and MF

---

**VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.**


---

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401.*

*Contact: Aaron Redmond, Management Technician, 484.250.5821.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090049	Island View Crossing II, LP 1 South State Street Newtown, PA 18940	Bucks	Bristol Borough	Delaware River WWF
PAD150160	Swedesford 66, LLC 940 West Sproul Road Springfield, PA 19064	Chester	East Whiteland Township	Valley Creek EV
PAD150134	Russell Road Partners, LLC 1613 Walnut Street 2nd Floor Philadelphia, PA 19103-5402	Chester	Tredyffrin Township	Little Valley Creek EV-MF

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150103	Chester County Commissioners 313 West Market Street Suite 6202 West Chester, PA 19380-0991	Chester	North Coventry Township	Tributaries to Schuylkill River HQ-TSF-MF Schuylkill River WWF-MF
PAD460006	Toll PA XIV, LP 250 Gibraltar Road Horsham, PA 19044	Montgomery	Whitemarsh Township	Spring Mill Creek to North Schuylkill River WWF
PAD510045	South Philadelphia 1, LLC c/o Cedar Realty Trust, Inc. 44 South Bayles Avenue Port Washington, NY 11050	Philadelphia	City of Philadelphia	Lower Schuylkill River WWF
PAD510055	Philadelphia Water Department 1101 Market Street Philadelphia, PA 19107	Philadelphia	City of Philadelphia	Pennypack Creek WWF-MF
PAD510047	Resource Environmental Solutions, LLC 230 South Broad Street 17th Floor Philadelphia, PA 19102	Philadelphia	City of Philadelphia	Delaware Avenue WWF

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

*Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390144	South Whitehall Township 4444 Walbert Ave. Allentown, PA 18104	Lehigh	South Whitehall Township	Little Cedar Creek, (HQ-CWF, MF)

*Northampton County Conservation District, 14 Gracedale Ave, Greystone Building, Nazareth, PA 18064-9211, 610-829-6276.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480107	UGI Utilities, Inc. c/o Robert Davidson 1 UGI Drive Denver, PA 17517-9039	Northampton	East Allen Township	Monocacy Creek (HQ-CWF, MF), EV Wetlands

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4802.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210009 Phase 2-4 Issued	Trinity MSB, LLC 4444 Carlisle Pike Camp Hill, PA 17043	Cumberland	Monroe Township	Yellow Breeches Creek (HQ-CWF, MF) UNT Yellow Breeches Creek (HQ-CWF, MF)

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

*Tioga County Conservation District: 50 Plaza Lane, Wellsboro, PA 16901, (570) 724-1801, X 3.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD590009	Jason Ward 1045 Joe Hill Rd Roaring Branch, PA 17765	Tioga	Union Twp	Mill Creek HQ, CWF



*Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020027	Quaker Valley Recreation Assoc., Inc. (QVRA) P.O. Box 74 Leetsdale, PA 15056	Allegheny County	Bell Acres Borough	Little Sewickley Creek (HQ-TSF)

*Regional Permit Coordination Office: Program Manager, Rachel Carson Building, 400 Market Street, Harrisburg, PA 17101.*

*Lancaster County Conservation District: 1383 Arcadia Road, Room 200, Lancaster, PA 17601-3149.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD360048	State Road Investors, LLC 2456 Noll Drive Lancaster, PA 17603	Lancaster	East Hempfield Township	Swarr Run (TSF, MF) & Tributary to Swarr Run (TSF, MF)

### **VII. Approvals to Use NPDES and/or Other General Permits.**

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

#### **List of NPDES and/or Other General Permit Types.**

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

#### *General Permit Type—PAG-02*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC090334	Lower Makefield Township Bucks County	Pennsylvania American Water Company 852 Wesley Drive Mechanicsburg, PA 17055	Brock Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090338	Lower Makefield Township Bucks County	Cameron Troilo Properties 1 Sandy Run Road Yardley, PA 19067-2912	Buck Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

## NOTICES

1591

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC090327	Bristol Township Bucks County	Premium Excavating 269 Canal Road Fairless Hills, PA 19030-4305	Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090308	Bristol Township Bucks County	Red Cedar 14, LLC 543 Buck Drive Fairless Hills, PA 19030	Mill Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090336	Northampton Township Bucks County	115 (ONE) Twining Road, LLC 554 Carson Terrace Huntingdon Valley, PA 19006	Unnamed Tributary/ Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090325	Bensalem Township Bucks County	Philadelphia Regional Port Authority (Philaport) 3460 North Delaware Avenue Philadelphia, PA 19134-6311	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090347	Bensalem Township Bucks County	LBD Enterprises 1205 Park Road Bensalem, PA 19020	Unnamed Tributary/ Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150184	Caln Township Chester County	Joe Behrle Hill View III, LLC 1 Overlook Circle Media, PA 19063	Unnamed Tributary to West Branch Brandywine Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150182	Caln Township Chester County	Ricky Wilson P.O. Box 181 Downingtown, PA 19335	Unnamed Tributary Beaver Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150188	Sadsbury Township Chester County	John Newton P.O. Box 2995 Ponte Vedra, FL 32004	Tributary to Buck Run Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150195	East Marlborough Township Chester County	Kenneth Grablewski 1001 Longwood Road Kennett Square, PA 19348	East Branch Red Clay Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150205	West Sadsbury Township Chester County	JD Eckman, Inc. 4781 Lower Valley Road Atglen, PA 19310	Valley Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150200	West Caln Township Chester County	Leroy J. Lapp 283 Beacon Light Road Parkesburg, PA 19365	Unnamed to Indian Spring Run CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC1501876	West Chester Borough Chester County	Kathryn Evans 1228 Euclid Avenue Cleveland, OH 44115	Goose Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC150187	Kennett Borough Chester County	Red Clay Manor 726 Yorklyn Road Suite 150 Hockessin, DE 19707	East Branch Red Clay Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150196	Highland Township Chester County	Meg Lyons Cowan 10 Abbott Lane Highland, PA 19320	Unnamed Tributary to Birch Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150198	New Garden Township Chester County	The Oppy Property, LP P.O. Box 368 Kennett Square, PA 19348	Unnamed Tributary to West Branch of Red Clay Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150180	Kennett Borough Chester County	STANAB, LP 535 North Church Street West Chester, PA 19380	West Branch Red Clay Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230137	Chester City Delaware County	Stormwater Authority of the City of Chester 29 East 5th Street Chester, PA 19013	Chester Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230093	Ridley Township Delaware County	Kinder Park Housing Partnership I, L.P. One Brewery Place 1301 North 31st Street Philadelphia, PA 19121-4495	Crum Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230144	Chester Heights Borough Delaware County	Mark and Nancy Beard 29 Stoney Bank Road Glen Mills, PA 19342	Chester Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510146	City of Philadelphia Philadelphia County	Philadelphia Live, LLLP (The Cordish Companies) 601 East Pratt Street Baltimore, MD 21202-3114	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510154	City of Philadelphia Philadelphia County	Philadelphia Parks & Recreation 1515 Arch Street 10th Floor Philadelphia, PA 19102	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510159	City of Philadelphia Philadelphia County	IS3 Team, LLC 2929 Walnut Street Suite 1540 Philadelphia, PA 19104	Delaware Estuary WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510149	City of Philadelphia Philadelphia County	Gilbane Building Company 100 Penn Square East Suite 1040 South Philadelphia, PA 19107	Pennypack Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510112	City of Philadelphia Philadelphia County	BSS Academy, LLC c/o NorthPoint Development, LLC 4825 NW 41st Street Suite 500 Riverside, MO 64150	Byberry Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC130017 Authorization/ Issuance	Jim Thorpe Boro Carbon County	Jim Thorpe Boro 101 E 10th St Jim Thorpe, PA 18229	Mauch Chunk Creek (CWF, MF)	Carbon County Conservation District 5664 Interchange Road Lehighon, PA 18235 610-377-4894
PAC390076 Authorization/ Issuance	Upper Saucon Twp Lehigh County	The Pennsylvania State University 201 Old Main University Park, PA 16802	Saucon Creek (CWF, MF)	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18401 610-391-9583

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4802.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone Number</i>
PAC220106 Major Modification Issued	Milton Hershey School P.O. Box 830 Hershey, PA 17033-0830	Dauphin	Derry Township	Spring Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220216 Issued	Penn State Health 500 University Drive Hershey, PA 17033	Dauphin	Derry Township	Spring Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC360441 Issued	City of Lancaster Department of Public Works 120 North Duke Street Lancaster, PA 17603	Lancaster	Lancaster Township	Conestoga River (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360514 Issued	Donsco Inc. 124 North Front Street Wrightsville, PA 17368	Lancaster	Mount Joy Borough	Little Chiques Creek (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC380144 Issued	Eugene S. Martin 519 West Main Street Annville, PA 17003	Lebanon	Annville Township	Quittapahilla Creek (TSF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275



<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone Number</i>
PAC380164 Issued	Michael Ungemach 200 Chestnut Hill Road Palmyra, PA 17078	Lebanon	South Londonderry Township	Spring Creek (WWF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380135 Issued	JD Oliver, LLC 4303 Lewis Road Harrisburg, PA 17111	Lebanon	Union Township	Forge Creek (WWF) UNT Swatara Creek (WWF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC670301 Issued	CORE5 Industrial Partners LLC 1250 North Mountain Road Harrisburg, PA 17112	York	Manchester Township	UNT Codorus Creek (WWF, MF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670386 Issued	Kim Moyer 41 Cinema Drive York, PA 17402	York	Windsor Township	UNT Beaver Creek (CWF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC080047	Canton Twp Bradford Cnty	Calvin Bristol Bristol Excavating, Inc. 167 Firehouse Dr Troy, PA 16947	UNT to Alba Creek CWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd Ste E Towanda, PA 18848 (570) 265-5539, X 6
PAC140096	Harris Twp Centre Cnty	Ralls Pond & Tent Pad P.O. Box 150 Boalsburg, PA 16827	Trip 23044 to Roaring Run	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
PAC490055	Borough of Milton Northumberland Cnty	Milton Area School Dist Attn: Cathy Keegan, Superintendent of Schools 700 Mahoning St Milton, PA 17847	UNT Susquehanna River WWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 (570) 286-7114 ext. 4

NOTICES

1595

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.*

<i>Permit No.</i>	<i>Facility Location and Municipality</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
PAC040073	City of Beaver Falls	Geneva College 3200 College Avenue Beaver Falls, PA 15010-3557	Beaver River (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
PAC560039	Somerset Township	E. G. Properties of Somerset, LLC 203 East Pitt Street Suite 105 Bedford, PA 15522	East Branch of Coxes Creek (WWF)	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 289-4250

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC420014	Hamlin Township Sergeant Township McKean County	Highland Field Services LLC 51 Zents Boulevard Brookville, PA 15828	UNT Marvin Creek CWF, Marvin Creek CWF	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
PAC430042	Hermitage City Mercer County	PTV 1084 LLC 326 North Buhl Farm Drive Hermitage, PA 16148	Unnamed tributary of Pine Run	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC160026	Monroe Township Clarion County	Dubois Regional Medical Center 100 Hospital Drive Dubois, PA 15801	UNT to Trout Run CWF, Courtleys Run CWF	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813
PAC320038	White Township Indiana County	The Fountains at Indiana LLC P.O. Box 607 Indiana, PA 15704	McCarthy Run CWF	Indiana County Conservation District 280 Indian Springs Road Suite 124 Indiana, PA 15701 724-471-4751

*Cambria District: Bureau of Abandoned Mine Reclamation Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1800.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC680032	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800	Fayette	Redstone Township	Lilly Run (WWF)
PAC680033	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800	Clarion	Paint Township	Unnamed Tributary of Toby Creek (WWF)

*General Permit Type—PAG-3*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG030099	Falls Township Bucks County	Nucor Skyline 400 Gamesa Drive Fairless Hills, PA 19030	Biles Creek (WWF, MF) 2-E	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
PAG030101	Bensalem Township Bucks County	General Machine Products (KT) LLC 3111 Old Lincoln Highway Trevose, PA 19053	Unnamed Tributary Of Neshimany Creek (WWF, MF) 2-F	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970

*General Permit Type—PAG-8*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
PAG080007	East Caln Township Chester County	Downingtown Area Regional Authority 6 W. Lancaster Avenue Downingtown, PA 19335	Downingtown Regional Water Pollution Control Center 550 S. Brandywine Ave Downingtown, PA 19335	Southeast Region Clean Water 484.250.5970

*General Permit Type—PAG-9*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG-09-3528	65 Richard Lane Landisburg, PA 17040 Spring Township Perry County	Advanced Septic Service, LLC 65 Richard Lane Landisburg, PA 17040	65 Richard Lane Landisburg, PA 17040	DEP—SCRO— Clean Water 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

*General Permit Type—PAG-09 (SSN)*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG092206	Lower Mount Bethel Township Northampton County	Allstate Septic Systems, LLC 5167 Berry Hollow Road Bangor, PA 18013	Allstate Septic Systems, LLC 5167 Berry Hollow Road Bangor, PA 18013 Lower Mount Bethel	Northeast Regional 570-826-2511

*General Permit Type—PAG-13*

<i>Permit No.</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG130089	Chester Township Delaware County	Chester Township 1150 Engle Street Chester, PA 19013-2418	Unnamed Stream (WWF, MF), Baldwin Run (WWF, MF), Chester Creek (MMF, WF), and Marcus Hook Creek (WWWF, MF) 3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

Permit No.	Facility Location Municipality & County	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
PAG130087	Eddystone Borough Delaware County	Eddystone Borough 1300 E. 12th Street Eddystone, PA 19022-1348	Ridley Creek 3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5980.*

*Contact: Kimberleigh Rivers, Clerk Typist 2, 484.250.5887.*

**Operations Permit # 0919521A** issued to: **Warminster Municipal Authority**, 415 Gibson Avenue, Warminster, PA 18974, **PWS ID No. 1090069**, Multiple Townships, **Bucks County** on February 26, 2020 for the operation of designation of reserves sources facilities approved under construction permit # 0919521A.

**Operations Permit # 1520503** issued to **Xpress Stop**, 3375 Gap-Newport Pike, West Grove, PA 19390, **PWS ID No. 1150380**, West Grove Borough, **Chester County** on February 26, 2020 for the operation of nitrate treatment

using Anion Exchange Resin facilities approved under construction permit # 1520503.

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**Permit No. 2408007, Operations Permit:** Public Water Supply.

Applicant	<b>Hazleton City Authority HCA Delano Park Place 400 East Arthur Gardner Parkway Hazleton, PA 18201-7359</b>
Borough or Township	Mahanoy Township
County	<b>Schuylkill</b>
Type of Facility	PWS
Consulting Engineer	John Synoski, PE Hazleton City Authority 400 East Arthur Gardner Parkway Hazleton, PA 18201-7359
Permit to Operate Issued	February 7, 2020

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 3620501 MA, Minor Amendment,** Public Water Supply.

Applicant	<b>Little Britain MHP</b>
Municipality	Little Britain Township
County	<b>Lancaster</b>
Responsible Official	Samuel McMichael 208 East Locust Road P.O. Box 298 Oxford, PA 19363
Type of Facility	Installation of chlorine contact piping to provide 4-log treatment of viruses.
Consulting Engineer	Brent W. Cowan, P.E. CSC Technology Inc. 170 Netherwood Drive Coatesville, PA 19320
Permit to Construct Issued	February 24, 2020

**Permit No. 3619520,** Public Water Supply.

Applicant	<b>Pilgrim’s Oak Golf Course LLP</b>
Municipality	Drumore Township
County	<b>Lancaster</b>



Responsible Official	Peter P. Trimble 1107 Pilgrim's Pathway Peach Bottom, PA 17563
Type of Facility	Replacement of existing nitrate treatment system and two existing UV disinfection units.
Consulting Engineer	Charles A. Kehew II, P.E. James R. Holley & Associates, Inc. 18 South George Street York, PA 17401
Permit to Construct Issued	February 25, 2020
	<b>Permit No. 0619513</b> , Public Water Supply.
Applicant	<b>Speedway, LLC</b>
Municipality	Richmond Township
County	<b>Berks</b>
Responsible Official	Scott Fleming, Manager— Environmental Compliance 500 Speedway Drive Enon, OH 45323
Type of Facility	Construction of a new nitrate treatment system and the replacement of an existing softener.
Consulting Engineer	Charles A. Kehew II, P.E. James R. Holley & Associates, Inc. 18 South George Street York, PA 17401
Permit to Construct Issued	February 21, 2020

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Operations Permit** issued to: **Keystone Apt. LLC**, 35 Calais Road, Randolph, NJ 07869, **PWSID No. 4410016**, Lewis Township, **Lycoming County** on March 2, 2020, for the operation of facilities approved under construction permit # 4188502-T2 & MA-GWR-T2. Transfer permits.

**Operations Permit** issued to: **Waterville Water Association**, P.O. Box 88, Waterville, PA 17776, **PWSID No. 4410187**, Cummings Township, **Lycoming County** on March 2, 2020, for the operation of facilities approved under construction permit # 4117503MA & MA-GWR (Amended). Authorizes operation of the modified detention piping and new caustic-soda chemical-feed system to comply with the Lead and Copper Rule for copper exceedances, as well as the amended Minor Amendment-Groundwater Rule (MA-GWR). Special Condition B has been modified to address the changes to the detention piping. Special Condition E was eliminated because it is no longer necessary.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Operations Permit** issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, **PWSID No. 5260022**, Connellsville Township, South Connellsville Borough, City of Connellsville, Dunbar Township and Bullskin Township, **Fayette County** on February 28, 2020 for the operation of facilities approved under permit # 0219513MA for the permitting of seven existing interconnections with the

Municipal Authority of Westmoreland County, Indian Creek Valley Water Authority and the North Fayette County Municipal Authority.

**Operations Permit** issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, **PWSID No. 5260005**, West Pike Run Township, **Washington County** on February 28, 2020 for the operation of facilities approved under permit # 0219511MA for the permitting of the existing interconnections with the Tri-County Joint Municipal Authority (TCJMA Daisytown Interconnection).

**Operations Permit** issued to: **Hampton Shaler Water Authority**, 3101 McCully Road, Allison Park, PA 15101, **PWSID No. 5020019**, Sharpsburg Borough, **Allegheny County** on February 27, 2020 for the operation of facilities approved under permit # 0219555-EI for the emergency interconnections with the Pittsburgh Water & Sewer Authority (PWSA Pleasant Valley Interconnection).

**Operations Permit** issued to: **Hampton Shaler Water Authority**, 3101 McCully Road, Allison Park, PA 15101, **PWSID No. 5020019**, Sharpsburg Borough, **Allegheny County** on February 27, 2020 for the operation of facilities approved under permit # 0285507-T1-EI for the emergency interconnections with the Pittsburgh Water & Sewer Authority (PWSA Sharpsburg Interconnection).

**Operations Permit** issued to: **Hampton Shaler Water Authority**, 3101 McCully Road, Allison Park, PA 15101, **PWSID No. 5020019**, O'Hara Township, **Allegheny County** on February 27, 2020 for the operation of facilities approved under permit # 0219554-EI for the emergency interconnections with the Fox Chapel Authority (Fox Chapel Brownhill Road Interconnection).

**Operations Permit** issued to: **Hampton Shaler Water Authority**, 3101 McCully Road, Allison Park, PA 15101, **PWSID No. 5020019**, Shaler Township, **Allegheny County** on February 27, 2020 for the operation of facilities approved under permit # 5020019-EI for the emergency interconnections with the Pittsburgh Water & Sewer Authority (PWSA Lanpher Interconnection).

**Operations Permit** issued to: **Southwestern Pennsylvania Water Authority**, P.O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, **PWSID No. 5300017**, Richhill Township, **Greene County** on February 26, 2020 for the operation of facilities approved under permit # 3013501WMP29 for use of the Consol Crabapple meter vault as a bulk load-out station.

**Operations Permit** issued to: **Southwestern Pennsylvania Water Authority**, P.O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, **PWSID No. 5300017**, Richhill Township, **Greene County** on February 26, 2020 for the operation of facilities approved under permit # 3013501WMP24 for use of the RHL8 Crabapple meter vault as a bulk load-out station.

**Operations Permit** issued to: **Southwestern Pennsylvania Water Authority**, P.O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, **PWSID No. 5300017**, Morris Township, **Greene County** on February 26, 2020 for the operation of facilities approved under permit # 3013501WMP28 for use of the Clemente meter vault as a bulk load-out station.

**Operations Permit** issued to: **Southwestern Pennsylvania Water Authority**, P.O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, **PWSID No. 5300017**, Center Township, **Greene County** on February 26, 2020 for the operation of facilities approved under permit

# 3013501WMP25 for use of the Maple Run Road meter vault as a bulk load-out station.

**Operations Permit** issued to: **Stallion Oilfield Services, Ltd.**, 950 Corbindale Road, Suite 400, Houston, TX 77024, **PWSID No. 53006607**, Carmichaels Borough and Canton Township, **Washington and Greene Counties** on February 26, 2020 for the operation of facilities approved under permit # 5636541-T2 for the name change from Stallion Oilfield Construction, LLC to Stallion Oilfield Services, Ltd.

**Operations Permit** issued to: **Municipal Authority of the Township of Robinson**, 4200 Campbells Run Road, Pittsburgh, PA 15205, **PWSID No. 5020045**, Robinson Township, **Allegheny County** on February 26, 2020 for the operation of facilities approved under permit # 0220503 for Filter # 3, part of the filtration plant improvement project.

**Operations Permit** issued to: **Harmar Water Authority**, 200 Pearl Avenue, Cheswick, PA 15024, **PWSID No. 5020009**, Harmar Township, **Allegheny County** on February 27, 2020 for the operation of facilities approved under permit # 0215530MA for the new 150,000-gallon Harmarville water storage tank.

**Operations Permit** issued to: **Latrobe Municipal Authority**, 104 Guerrier Road, Latrobe, PA 15650, **PWSID No. 5650060**, City of Latrobe and Derry Township, **Westmoreland County** on February 28, 2020 for the operation of facilities approved under permit # 6517532MA-1 for approximately 16-inch parallel line replacement project.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Operation Permit** issued to **Aqua PA Inc., PWSID No. 6430054**, City of Hermitage, **Mercer County**. Permit Number 4300503-T1-MA15 issued February 25, 2020 for the operation of the rehabilitated finished water storage tank known as East Street Storage Tank. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on February 25, 2020.

**Operation Permit** issued to **Eastern Armstrong County Municipal Authority, PWSID No. 5030004**, Elderton Borough, **Armstrong County**. Permit Number 5030004-20E1 issued March 2, 2020 for the operation of 4-Log treatment of viruses for Entry Point 101. This action is taken under the requirements of the Groundwater Rule.

**Operation Permit** issued to **New Wilmington Municipal Authority, PWSID No. 6370035**, New Wilmington Borough, **Lawrence County**. Permit Number 3704501-MA2 issued March 2, 2020 for the operation of the Susan Trace Drie Interconnection with AQUA PA. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on February 4, 2020.

**Operation Permit** issued to **New Wilmington Municipal Authority, PWSID No. 6370035**, New Wilmington Borough, **Lawrence County**. Permit Number 3704501-MA1 issued February 26, 2020 for the operation of the "Solar Bee" solar powered finished water storage tank mixers. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on February 4, 2020.

## SEWAGE FACILITIES ACT PLAN APPROVAL

### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

#### Plan Location:

Borough or Township	Borough or Township Address	County
Lower Windsor Township	2425 Craley Road Wrightsville, PA 17368	York

*Plan Description:* Approval of a revision to the official plan of Lower Windsor Township, York County. The project is known as Benjamin G. Shipley. The plan provides for a small flow treatment facility (SFTF) proposal to replace a holding tank serving an existing single-family residential dwelling on 0.796 acre with total estimated sewage flows of 400 gpd. There will be a proposed discharge to Cabin Creek. The proposed development is located at 208 Calvary Church Road in Lower Windsor Township, York County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-67937-327-3s and the APS Id is 1010674. Any permits must be obtained in the name of the property owner.

## SEWAGE FACILITIES ACT PLAN DISAPPROVAL

### Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

#### Plan Location:

Borough or Township	Borough or Township Address	County
Bethel Twp.	3015 S. Pine Grove St. Fredericksburg, PA 17026	Lebanon County

*Plan Description:* The request for planning exemption for the Beach Run Apartment Development (DEP Code No. A3-38905-243-3E; APS ID No. 1011437) has been disapproved. The proposed development—to be located south of Interstate 78 in Fredericksburg along N. Center Street—consists of a 51-unit apartment complex. This request for planning exemption has been disapproved because it does not qualify as an exemption from sewage facilities planning for new land development per Chapter 71, Section 71.51(b)(2)(ii) due to proposing connection to or an extension of public sewers where the existing collection, conveyance or treatment facilities have an existing or 5-year projected hydraulic or organic overload under Chapter 94.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Maple Glen Dry Cleaners**, 1945 Norristown Road, Upper Dublin Township, **Montgomery County**. Kimberley Wilkinson, Sovereign Consulting, Inc., 100 Dobbs Lane, Suite 212, Cherry Hill, NJ 08003 on behalf of Dean Frederickson, Safeway, Inc., 250 Parkcenter Boulevard, Boise, ID 83276 submitted a Remedial Investigation Report concerning remediation of site groundwater contaminated with organics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Cintas/Former RUS Facility**, 164 East Main Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**, Arcadis, 10 Friends Lane, Newtown, PA 18940, on behalf of Cintas, 27 Whitney Drive, Milford, OH 45150, submitted a final report concerning remediation of soil and groundwater contaminated with chlorinated solvents from historical dry-cleaning operations. The report is intended to document remediation of the site to meet Site-Specific Standards.

**Cannella SUS Well Pad**, 808 Hollett Road, Montrose, PA 18801, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA

17001, on behalf of Chesapeake Appalachia LLC, 300 North Second Street, 5th Floor, Harrisburg, PA 17101, submitted a Final Report concerning remediation of soil contaminated by a release of production fluid (brine) from a storage tank. The report is intended to document remediation of the site to meet Residential Statewide Health Standards.

**DTE Susquehanna Gathering WC 41 to WC 57/43**, Gaylord Road, Susquehanna, PA 18847, Jackson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company LLC, 1000 Energy Drive, Spring, TX 77389, submitted a Final Report concerning remediation of soil contaminated by a release of brine from a leaking valve along part of a buried pipeline. The report is intended to document remediation of the site to meet Residential Statewide Health Standards.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**Interstate 80 at MM 202.0W**, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of Kappa Transportation, 363 W. Lexington Drive, Apt 4, Glendale, CA 91203, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel and motor oil. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard for soils.

**Interstate 80 at MM202.5W**, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Southern Mail Service, 1921 W. Commerce Street, Dallas, TX 75208, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil and antifreeze. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard for soils.

**Cochran 705 Well Pad**, 2344 S. Union Road, Ogdensburg, Union Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Rockdale Marcellus, LLC, 3600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Site Characterization and Final Report concerning remediation of site soil contaminated with calcium chloride. The report is intended to document remediation of the site to meet the Residential Background or Statewide Health Standard for soils.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Trinity Industries Plant 102S RR Cars Manufacturing**, 100 York Street, Hempfield Township, **Mercer County**. Golder Associates, Inc., 200 Century Parkway, Suite C, Mt. Laurel, NJ 08054, on behalf of Trinity Industries, Inc., 2525 Stemmons Freeway, Dallas, TX 75207, submitted a Risk Assessment Report concerning the remediation of site soil contaminated with Aroclor 1268, 1,2,4-Trimethylbenzene and site groundwater contaminated with Iron, Manganese, and 4-Bromophenyl Phenyl Ether. The report is intended to document remediation of the site to meet the Site-Specific Standard.



## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**114 South Washington Street**, 114 South Washington Street, Pottstown Borough, **Montgomery County**. Joseph Kraycik, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 379, Pottstown, PA 19464 on behalf of Ken Wible, WC Development Group, LLC, 114 South Washington Street, P.O. Box 379, Pottstown, PA 19464

submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with metals. The Report was reviewed by the Department which issued a technical deficiency letter on February 10, 2020.

**701 South Main Street**, 701 Main Street, Phoenixville Borough, **Chester County**. Paul White, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Mr. & Mrs. Paul Hartmann, CGF Properties, LLC, 20 Hedgerow Lane, Phoenixville, PA 19460 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with heating oil, metals and SVOCs. The Report was approved by the Department on February 11, 2020.

**Luetz Residence**, 38 Rolling Lane, Bristol Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, PA Fire Claims, P.O. Box 106169, Atlanta, GA 30348-6169 submitted a Final Report concerning the remediation of site soil and shallow groundwater contaminated with petroleum. The Final Report demonstrated attainment of the residential Statewide Health Standard and was approved by the Department on February 13, 2020.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Mirabelli Well Pad**, 43 Rails Road, Tunkhannock, PA 18657, Washington Township, **Wyoming County**. Woodard & Curran, 300 Penn Center Boulevard, Suite 800, Pittsburgh, PA 15235 on behalf of BKV Operating LLC, 5385 State Route 6, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil contaminated by a release of flowback/production fluid (brine). The report documented remediation of the site to meet a combination of Background and Statewide Health Standards and was approved by DEP on February 26, 2020.

**Former Shapiro Steel**, 600-602 and 616-618 South Main Street, Wilkes-Barre, PA 18701, Wilkes-Barre City, **Luzerne County**. Langan Engineering & Environmental Services, P.O. Box 1569, Doylestown, PA 18901, on behalf of South Main Plaza LP, 580 Third Avenue, Kingston, PA 18704, submitted a combined Remedial Investigation Report and Cleanup Plan concerning remediation of soil contaminated with metals, PCBs and polycyclic aromatic hydrocarbons from historic operations at this former scrap yard. The report was approved by DEP on February 27, 2020.

**26 Rutter Street Property**, 26 Rutter Street, Hanover Township, **Luzerne County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Newell Fuel Service, 1355 Memorial Highway, Shavertown, PA 18708, submitted a final report concerning remediation of soil contaminated by a release of heating oil from an aboveground storage tank during product delivery. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on February 27, 2020.

**Former Tyler Pipe**, 101 North Church Street, Macungie, PA 18062, Macungie Borough and Lower Macungie Township, **Lehigh County**. Haley & Aldrich, 6500 Rockside Road, Suite 200, Cleveland, OH 44131, on behalf of McWane, Inc., 2900 Highway 280 South, Suite 250, Birmingham, AL 35223, submitted a cleanup plan report and final report concerning remediation of site soils and groundwater contaminated at this former



foundry operation. The report documented remediation of the site to meet a combination of Site-Specific and Statewide Health Standards and was approved by DEP on March 2, 2020.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Harley-Davidson AMF York, MMRP**, 1425 Eden Road, York, PA 17402, Springettsbury Township, **York County**. EA Engineering, Science, and Technology, Inc., PBC, 225 Schilling Circle, Suite 400, Hunt Valley, MD 21031, on behalf of Harley-Davidson Motor Company Operations, Inc., 1425 Eden Road, York, PA 17402, submitted a Cleanup Plan concerning remediation of site groundwater contaminated with lead. The Plan was approved by the Department on February 28, 2020.

**Harley-Davidson AMF York**, 1425 Eden Road, York, PA 17402, Springettsbury Township, **York County**. Groundwater Sciences Corporation, 2601 Market Place, Suite 310, Harrisburg, PA 17110, on behalf of Harley-Davidson Motor Company Operations, Inc., 1425 Eden Road, York, PA 17402, submitted a Cleanup Plan concerning remediation of site groundwater contaminated with metals, chlorinated solvents, VOCs, SVOCs, and petroleum. The Plan was approved by the Department on February 28, 2020.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**TI-09-Brown Pad**, 959 Stony Lane, Jackson Township, **Lycoming County**. Moody and Associates, Inc., 11548 Cotton Road, Suite 101, Meadville, PA 16335, on behalf of SWN Production Company, LLC, 10000 Energy Drive, Spring, TX 77389, has submitted a Combined Site Characterization and Soil Remedial Action Completion Report concerning remediation of site soil and groundwater contaminated with produced water. The report demonstrated attainment of the Background and Statewide Health Standards and was approved by the Department on February 24, 2020.

**State Route 54W near the intersection with State Route 901**, Mount Carmel Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of American Cargo, Inc., 5893 Eldon Drive, Liberty Township, OH 45011, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on February 26, 2020.

**Cleanup site near 1003 Railroad Avenue**, Roulette Township, **Potter County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Duffy Inc., 1 Delta Drive, Smethport, PA 16749, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Residential Statewide Health Standard for soil and was approved by the Department on March 2, 2020.

**Hughes 02-204 Well Site**, 231 Lower Arnot Road, Liberty Township, **Tioga County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of Repsol Oil & Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, submitted a Site Characterization and Final report concerning site soil

contaminated with produced water. The Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on February 14, 2020.

**Interstate 80 at MM 202.0W**, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of Kappa Transportation, 363 W. Lexington Drive, Apt 4, Glendale, CA 91203, has submitted a Final Report concerning remediation of soil contaminated with diesel fuel and motor oil. The report demonstrated attainment of the Non-Residential Statewide Health Standard for soils and was approved by the Department on March 2, 2020.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**General Partitions**, 1702 Peninsula Drive, Millcreek Township, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of General Partitions Manufacturing Corporation, 1702 Peninsula Drive, Erie, PA 16505, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning the remediation of site soil contaminated with Acetone, Fluoranthene, Arsenic, Barium, Chromium, Lead, 2-Butanone (MEK), Benzene, Methylene Chloride, Toluene, 2-Methylnaphthalene, Acenaphthene, Acenaphthylene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Carbazole, Chrysene, Dibenzo[a,h]anthracene, Dibenzofuran, Fluoranthene, Fluorene, Indeno[1,2,3-cd]pyrene, Naphthalene, Phenanthrene, Phenol, Pyrene, Cadmium, Selenium, Mercury and site groundwater contaminated with Acenaphthene, Anthracene, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]fluoranthene, Benzo[k]fluoranthene, Bis[2-ethylhexyl]phthalate, Butyl Benzyl Phthalate, Chrysene, Dibenzo[a,h]anthracene, Dibenzofuran, Di-n-butylphthalate, Diethyl Phthalate, Fluoranthene, Fluorine, Indeno[1,2,3-cd]pyrene, N-nitrosodiphenylamine, Phenanthrene, Pyrene, Carbazole, Caprolactam, Acetone, Cis-1,2-dichloroethene, Tetrachloroethene, Methylene Chloride, Trichloroethene, Vinyl Chloride, Arsenic, Barium, Chromium, Lead, and Selenium. The Plan/Report was disapproved by the Department on March 3, 2020

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**GP1-23-0162: Evonik Corporation** (1200 West Front Street, Chester, PA 19013-3438) on February 21, 2020 for the replacement of the existing 715 Boiler (Source ID 031) in Chester Township, **Delaware County**.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**GP5-30-00174F (AG5-30-00014A): CNX Midstream Partners LP** (1000 Consol Energy Drive, Canonsburg,

PA-15317) on February 25, 2020, to authorize the continued operation of the previously installed sources which include four (4) electric compressors each rated at 4,500 hp, two (2) electric compressors each rated at 2,250 hp, one (1) TEG dehy rated at 225 MMscfd with reboiler 2.00 MMBtu/hr, enclosed flare rated at 6 MMBtu/hr, one (1) dehy rated at 80 MMscfd with reboiler 0.75 MMBtu/hr, enclosed flare rated at 7 MMBtu/hr, one (1) 10,000-gallon produced water tank, one (1) 4,200-gallon produced water tank, one (1) truck loading, one (1) station flare rated at 158.41 MMBtu/hr, one (1) diesel-fired Cummins emergency generator rated at 1,000 kW, 3 pig receivers and 5 pig launchers at their McQuay Compressor Station located in Center Township, **Greene County**.

**GP5-30-00228B (AG5-30-00013A): CNX Midstream Partners LP** (1000 Consol Energy Drive, Canonsburg, PA-15317) on February 25, 2020, to authorize the continued operation of the previously installed sources which include five (5) natural gas-fired Caterpillar engines rated at 2,370 bhp equipped with oxidation catalysts, two (2) 200 MMscfd TEG with a reboiler rated at 2.86 MMBtu/hr, emissions controlled by an enclosed flare rated at 6.0 MMBtu/hr with 98% control efficiency, one truck loading, one (1) flare rated at 150 MMBtu/hr, one (1) Gun barrel produced water tank, 400-bbl slop water tank, 400-bbl condensate tank, one (1) TEG storage tank, one (1) VDU rated at 18.41 MMBtu/hr, 2 pigging vessels, miscellaneous gas venting, and nineteen (19) storage tanks of various capacities to store oil, methanol, condensate etc. at their Hopewell Compressor Station located in Center Township, **Greene County**.

**GP5-30-00229B (AG5-30-00016A): EQM Gathering Opc, LLC** (2200 Energy Drive, Canonsburg, PA-15317) on February 26, 2020, to authorize the continued operation of the previously installed sources which include one (1) 4,735 bhp natural gas-fired Caterpillar G3616LE compressor engine controlled by oxidation catalyst; one (1) 80 MMscfd dehydrator, a flash tank, and an associated reboiler rated at 1.54 MMBtu/hr controlled by an enclosed flare rated at 7.0 MMBtu/hr; two (2) 10,080-gallon produced water storage tanks; six (6) natural gas-fired Microturbines each rated at 65 kW; one (1) natural gas-fired fuel heater rated at 0.40 MMBtu/hr; seven (7) storage tanks of various capacities to store various fluids, and piping and associated fugitive components at their Europa Compressor Station located in Center Township, **Greene County**.

**GP5-65-01011D (AG5-65-00003A): CNX Midstream Operating Co., LLC** (1000 Consol Energy Drive, Canonsburg, PA-15317) on February 26, 2020, to authorize the continued operation of the previously installed sources which include four (4) 1,380 bhp natural gas-fired Caterpillar engines controlled by oxidation catalysts; one (1) 319 bhp Cummins rich burn natural gas-fired emergency generator engine with A/F ratio control and a 3-way catalyst; two (2) Dehydrators rated at 75 MMscfd with reboilers rated at 2.0 MMBtu/hr each controlled by JATCO BTEX condensers; two (2) 6,000-gallon Produced water storage tanks; truck loading operation via submerged loading; two (2) JATCO Condensers; three (3) miscellaneous storage tanks 3,000-gallon each; one (1) Glycol tank 3,000-gallon; one (1) Slop tank 750-gallon; eight (8) engine oil storage tank 500-gallon each tank; one (1) Waste oil storage tank 300-gallon; one (1) Pigging slop tank 300-gallon, one (1) Pig Launcher, and eight (8) Pig Receivers at their Mamont Compressor Station located in Washington Township, **Westmorland County**.

**GP5-30-00180D (AG5-30-00015A): CNX Midstream Partners LP** (1000 Consol Energy Drive, Canonsburg,

PA-15317) on February 27, 2020, to authorize the continued operation of the previously installed sources which include three (3) natural gas-fired Caterpillar engines rated at 1,340 bhp equipped with oxidation catalysts, one (1) 20 MMscfd TEG with a reboiler rated at 2.0 MMBtu/hr, emissions controlled by an enclosed flare rated at 2.0 MMBtu/hr with 85% control efficiency, one truck loading, miscellaneous gas venting, and eighteen (18) storage tanks of various capacities to store oil, methanol, condensate etc. at their GH6 Compressor Station located in Center Township, **Greene County**.

**GP13-65-00602A: Derry Construction Co., Inc.** (527 Route 217, Latrobe, PA 15650) on February 26, 2020, to authorize the installation and operation of a 300 ton per hour Hot Mix Asphalt Plant for a fixed period of 5 years at their Torrance Asphalt facility located at 323 Quarry Road in Derry Township, **Westmoreland County**.

**GP5A-63-01033A (AG5A-63-00018A): Range Resources Appalachia, LLC** (3000 Town Center Boulevard, Canonsburg, PA 15317) on March 2, 2020, received authorization under GP-5A for construction and/or operation of sources and controls associated with a natural gas well pad at its Campbell Unit 10272 facility located in Independence Township, **Washington County**.

**GP5-63-01013A (AG5-63-00003B): CNX Midstream Partners LP** (1000 Consol Energy Drive, Cannonsburg, PA 15317) on March 2, 2020, to authorize the continued operation of the previously installed sources which include five (5) natural gas-fired Caterpillar G3608 each rated at 2,520 bhp equipped with oxidation catalysts, one (1) diesel-fired Tier 3 certified Cummins emergency generator, rated at 1,490 bhp; one (1) 200 MMscfd TEG with a reboiler rated at 2.5 MMBtu/hr, emissions controlled by an enclosed flare rated at 5.0 MMBtu/hr with 98% control; one truck loading, one (1) enclosed flare rated at 5.0 MMBtu/hr, Flare-002; one (1) Station Flare, rated at 7,650 MMBtu/hr; three (3) storage tanks of various capacities to store various fluids; two (2) VDU rated at 18.41 MMBtu/hr, fifteen (15) Capstone C200 natural gas-fired Microturbines, each rated at 2.28 MMBtu/hr; and miscellaneous gas venting and fugitives at their Archer Compressor Station located at Morris Township, **Washington County**.

---

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**46-0005AW: Merck, Sharp & Dohme, Corp.** (770 Sumneytown Pike, West Point, PA 19486-0004) on March 2, 2020, for the installation of a 1,300-kW natural gas fired non-emergency generator in Building 60 to upgrade the electric infrastructure and improve reliability in support of the operations in this building at an existing permitted Title V facility in Upper Gwynedd Township, **Montgomery County**.



*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**65-00125A: ATI Flat Rolled Products Holdings, LLC** (100 River Road, Brackenridge, PA 15014) on February 27, 2020, to authorize installation and operation of a 25-ton capacity unit electric arc furnace (EAF), one (1) 150,000 ACFM baghouse, and one (1) 2,000 gpm cooling tower at their Latrobe Facility located in Derry Township, **Westmoreland County**.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-03102B: The City of Reading** (815 Washington Street, Reading, PA 19601) on February 28, 2020, for upgrades to the Reading Waste Water Treatment Plant on Fritz Island located in the City of Reading, **Berks County**. The plan approval was extended.

**36-03207A: Conoy Products LLC** (236 Governor Stable Road, Bainbridge, PA 17502) on March 2, 2020, for an existing 16.752 MMBtu/hr, # 2 oil fired boiler at the rendering facility located in Conoy Township, **Lancaster County**. The plan approval was extended.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**30-00072E: Consol Pennsylvania Coal Company, LLC** (1000 Consol Energy Drive, Canonsburg, PA 15317) plan approval extension effective on February 28, 2020, with expiration on August 28, 2020, for continued temporary operation of air contamination sources and controls associated with the Crabapple Overland Conveyor located in Richhill Township, **Greene County**.

**30-00195A: Equitrans, LP** (2200 Energy Drive, Canonsburg, PA 15317), Plan Approval Extension effective on February 28, 2020, with expiration on August 28, 2020, for continued temporary operation of air contamination sources and controls at the Jefferson Compressor Station located in Jefferson Township, **Greene County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.*

**10-079F: BNZ Materials, Incorporated** (191 Front Street, Zelenople, PA 16063) on February 28, 2020, effective February 29, 2020, has issued a plan approval extension to await the results of a stack test report in Zelenople Borough, **Butler County**. This is a Title V facility. This will expire on August 27, 2020.

**32-00055H: Homer City Generation LP** (1750 Power Plant Road, Homer City, PA 15748) on February 26, 2020, effective February 28, 2020, has issued a plan approval extension to provide the necessary time to submit an

administrative amendment to incorporate the plan approval into the Title V operating permit in Black Lick and Center Townships, **Indiana County**. This is a Title V facility. This will expire on August 26, 2020.

**32-00055I: Homer City Generation LP** (1750 Power Plant Road, Homer City, PA 15748) on February 26, 2020, effective February 28, 2020, has issued a plan approval extension to provide the necessary time to submit an administrative amendment to incorporate the plan approval into the Title V operating permit in Black Lick and Center Townships, **Indiana County**. This is a Title V facility. This will expire on August 26, 2020.

**32-00055J: Homer City Generation LP** (1750 Power Plant Road, Homer City, PA 15748) on February 26, 2020, effective February 28, 2020, has issued a plan approval extension to provide the necessary time to submit an administrative amendment to incorporate the plan approval into the Title V operating permit in Black Lick and Center Townships, **Indiana County**. This is a Title V facility. This will expire on August 26, 2020.

**37-331C: RWE Holding Company, West Pittsburg Plant** (372 Rundle Road, New Castle, PA 16101) on February 26, 2020, effective February 29, 2020, has issued a plan approval extension for shakedown and development of an operations improvement plan for their system in Taylor Township, **Lawrence County**. This is a State Only facility. This will expire on August 27, 2020.

**43-182D: Wheatland Tube Council Avenue Plant** (1 Council Avenue, Wheatland, PA 16146) on February 26, 2020, effective February 29, 2020, has issued a plan approval extension to give facility time to determine corrective actions in Wheatland Borough, **Mercer County**. This is a Title V facility. This will expire on August 27, 2020.

**43-348B: American Cap Company Incorporated** (15 Church Street, Wheatland, PA 16161) on February 28, 2020, effective February 29, 2020, has issued a three-month plan approval extension to allow the facility time to complete and submit an initial State Only Operating Permit application in Wheatland Borough, **Mercer County**. This is a State Only facility. This will expire on May 29, 2020.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**23-00012: Braskem America, Inc.** (750 West 10th Street, Marcus Hook, PA 19061) on March 2, 2020, for renewal of the Title V Operating Permit for its Marcus Hook Plant, a polypropylene manufacturing facility, located in Marcus Hook Borough, **Delaware County**. The Commonwealth regulations 25 Pa. Code §§ 129.91—129.95, Stationary Sources of NO<sub>x</sub> and VOCs, and §§ 129.96—129.100, Additional RACT Requirements for Major Sources of NO<sub>x</sub> and VOC, which mandate facilities install Reasonably Available Control Technology (RACT), applies to the Braskem plant. This renewal Operating Permit includes conditions for a case-by-case determination for RACT.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

**TVOP-65-00622: General Carbide Corporation** (1151 Garden Street, Greensburg, PA 15601) on March 3, 2020, a Title V Operating Permit renewal and RACT II Modification to General Carbide Corporation to authorize the continued operation of the carbide manufacturing facility located in Hempfield Township, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

**10-00001:** On February 25, 2020, in accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection issued a significant modification to the Title V operating permit for the **AK**

**Steel Corporation Butler Works (Butler Works)** owned and operated by AK Steel Corporation in Butler Township, **Butler County**.

The permit modification incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008 and 2015 National Ambient Air Quality Standard (NAAQS) for ozone. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania’s State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; this includes the provisions of the Department’s presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility. The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

Source I.D.	Source Name	Summary of Additional RACT Requirements for Major Sources of NO <sub>x</sub> and VOC (Alternative RACT II Requirements)
101	EAF # 5	<i>Production Rate:</i> 300 tons/hr liquid steel as a 24-hour average; and the average production rate of liquid steel during the most recent compliant stack test +10% of the production rate, calculated as a 30-day rolling average. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Emission Limits:</i> NO <sub>x</sub> emission limit shall not exceed 358.75 tons in any consecutive 12-month period for Baghouse # 3; VOC emissions shall not exceed 90 tons per any consecutive 12-month period when using # 3 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Emission Limits:</i> NO <sub>x</sub> emission limit shall not exceed 0.35 lb/ton of liquid steel produced when the # 5 EAF is operating based on a 24-hour average for Baghouse # 3; VOC emissions shall not exceed 0.09 lb/ton calculated as a 24-hour average when using # 3 Baghouse.(Existing Title V Operating Permit 10-00001 Limitations)
		<i>Work Practice:</i> Use oxy-fuel burner technology (added condition); Implement, follow, and keep on site a scrap pollution prevention plan to prevent the charging of any scrap into the furnace that is heavily oiled or contains a large amount of combustible, nonmetallic, or rubber materials; Install operate and maintain in accordance with manufacturer’s emission-related specifications, if available, or in accordance with good air pollution control practices; Detailed Work Practices to ensure proper operation of air pollution control systems are detailed in Section E, Group Melt Shop; EAF shall only be operated when the DEC system, canopy hood, ductwork, # 3 baghouse fans, # 3 baghouse are functioning properly. (Existing Title V Operating Permit 10-00001 Limitations)
102	EAF # 2	<i>Production limitation:</i> 250,000 tons/yr of liquid steel in any 12-month period. (Existing Title V Operating Permit 10-00001 Limitation)
		<i>Emission Limitations:</i> NO <sub>x</sub> emissions shall not exceed 0.020 lb/ton calculated as a 24-hour average with Baghouse # 1/2; NO <sub>x</sub> emissions shall not exceed 20 tons per any consecutive 12-month period with Baghouse # 1/2; VOC emissions shall not exceed 140 tons per any consecutive 12-month period when using # 1/2 Baghouse; and VOC emissions shall not exceed 0.14 lb/ton calculated as a 24-hour average when using # 1/2 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Emission Limitations:</i> NO <sub>x</sub> emissions shall not exceed 358.75 tons per any consecutive 12-month period with Baghouse # 3; NO <sub>x</sub> emissions shall not exceed 0.42 lb/ton of liquid steel produced when the # 2 EAF is operating based on a 24-hour average with # 3 Baghouse; VOC emissions shall not exceed 90 tons per any consecutive 12-month period when using # 3 Baghouse; and VOC emissions shall not exceed 0.18 lb/ton calculated as a 24-hour average when using # 3 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations)
		<i>Work Practice:</i> Implement, follow, and keep on site a scrap pollution prevention plan to prevent the charging of any scrap into the furnace that is heavily oiled or contains a large amount of combustible, nonmetallic, or rubber materials; EAF shall only be operated when the DEC system, canopy hood, ductwork, baghouse fans, an # 1/2 and # 3 baghouse are functioning properly; Install operate and maintain in accordance with manufacturer’s emission-related specifications, if available, or in accordance with good air pollution control practices; Detailed Work Practices to ensure proper



Source I.D.	Source Name	Summary of Additional RACT Requirements for Major Sources of NO <sub>x</sub> and VOC (Alternative RACT II Requirements)
		operation of air pollution control systems are detailed in Section E, Group Melt Shop. (Existing Title V Operating Permit 10-00001 Limitations)
109	TCM # 2	<i>Work Practice Standard:</i> Mist Eliminators must operate when source is in operation (added); Monitor pressure drop across mist eliminator filter; Maintain and operate each source and control device in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices. (Existing Title V Operating Permit 10-00001 Limitations)
110	TCM # 3	<i>Work Practice Standard:</i> Operate Mist Eliminators and monitor pressure drop across mist eliminator filter; Control device must operate when source is in operation. Maintain and operate each source and control device in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices. (Existing Title V Operating Permit 10-00001 Limitation) (Existing Title V Operating Permit 10-00001 Limitations)
111	HM # 5	<i>Fuel Limitation:</i> 700 mmcf/yr based on a consecutive 12-month period (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices. Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
112	HM # 6	<i>Fuel Limitation:</i> 600 mmcf/yr based on a consecutive 12-month period (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices. Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
113	HM # 7	<i>Fuel Limitation:</i> 600 mmcf/yr based on a consecutive 12-month period (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emissions-related specifications, if available, or in accordance with good operating and air pollution control practices. Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
136	AOD	<i>Throughput Rate:</i> 300 tons/hr of liquid steel calculated as a 24-hr average; and the average production rate of liquid steel during the most recent compliant stack test +10% of the production rate, calculated as a 30-day rolling average. (Existing Title V Operating Permit 10-00001 Limitation) <i>Emission Limitations:</i> NO <sub>x</sub> emission limits of: 20 tpy for Baghouse # 1/2; VOC emissions shall not exceed 140 tons per any consecutive 12-month period when using # 1/2 Baghouse. (Existing Title V Operating Permit 10-00001 Limitations) <i>Work Practice:</i> AOD shall only be operated when the canopy hood, ductwork, # 1/2 baghouse fans, # 1/2 baghouse are functioning properly; Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, in accordance with good operating and air pollution control practices; Detailed Work Practices to ensure proper operation of air pollution control systems are detailed in Section E, Group Melt Shop. (Existing Title V Operating Permit 10-00001 Limitations)
137	HM # 8	<i>Fuel Limitation:</i> 600 mmcf/yr based on a consecutive 12-month period (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
156	# 4 AP	<i>Fuel Limitation:</i> Burn only natural gas. (Existing Title V Operating Permit 10-00001 Limitation) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
157	# 7 AP	<i>Fuel Limitation:</i> Burn only natural gas. (Existing Title V Operating Permit 10-00001 Limitation) <i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
158	# 12 AP	<i>Fuel Limitation:</i> 1,675 mmcf/yr based on quarterly rolling average (Existing Title V Operating Permit 10-00001 Limitation); Burn only natural gas (added)

Source I.D.	Source Name	Summary of Additional RACT Requirements for Major Sources of NO <sub>x</sub> and VOC (Alternative RACT II Requirements)
		<i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. (Existing Title V Operating Permit 10-00001 Limitations)
162	# 26 Carlite	<i>Fuel Limitation:</i> Burn only natural gas. (Existing Title V Operating Permit 10-00001 Limitation)
		<i>Work Practice:</i> Maintain and operate each source in accordance with the manufacturer's emission-related specifications, if available, or in accordance with good air pollution control practices; Perform annual burner maintenance, adjusting, and testing per current permit conditions. Required continued use of Low NO <sub>x</sub> burner technology (Existing Title V Operating Permit 10-00001 Limitations)

**24-00009: Domtar Paper Company, LLC** (100 W. Center St., Johnsonburg, PA 15845). On February 25, 2020, in accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection issued a significant modification to the Title V operating permit for the Johnsonburg Mill owned by Domtar Paper Company, LLC, in the Borough of Johnsonburg, **Elk County**. The permit modification incorporates the provisions and requirements contained in the RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone. The relevant RACT II requirements are being submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's SIP and will remain in effect until replaced, pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; this includes the provisions of the Department's presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-05112: Kinsley Construction, Inc.** (1110 East Princess Street, York, PA 17403-2520) on February 27, 2020, for the structural steel manufacturing facility located in Springettsbury Township, **York County**. The State-only permit was renewed.

**36-05148: Country Value Woodworks LLC** (2302 Beaver Valley Pike, New Providence, PA 17560-9610) on March 2, 2020, for the wood furniture manufacturing facility located in New Providence Township, **Lancaster County**. The State-only permit was renewed.

**67-03143: ESAB Group, Inc.** (1500 Karen Lane, Hanover, PA 17331-8122) on February 20, 2020, for the welding rod manufacturing facility located in Hanover Borough, **York County**. The State-only permit was renewed.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**04-00013: Allegheny & Tsingshan Stainless, LLC** (100 River Road, Brackenridge, PA 15014) on February 24, 2020, a State Only Operating Permit (SOOP) and RACT II Modification to Allegheny & Tsingshan Stainless, LLC to authorize the operation of a specialty metals finishing facility located in Midland Borough, **Beaver County**.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.*

**09-00063: New Hope Crushed Stone and Lime Company** (6970 Phillips Mill Road, New Hope, PA 18938) for operation of one non-metallic mineral processing plant and three diesel engine water pumps in Solebury Township, **Bucks County**. The operating permit was terminated on February 28, 2020 as the facility sold their crushing plant to the new owner, physically removed the equipment from the site, and they will no longer mine stone.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-03069: H & H Castings, Inc.** (4300 Lincoln Highway, York, PA 17406-8022) on February 27, 2020, for the aluminum foundry located in Hellam Township, **York County**. The State-only permit was administratively amended in order to incorporate the requirements of Plan Approval No. 67-03069C.

**28-05015: Blue Ridge Landfill Co.** (1660 Orchard Drive, Chambersburg, PA 17201-9206) on February 26, 2020, for the Blue Ridge landfill located in Greene Township, **Franklin County**. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 28-05015B.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**10-00359: Markwest Liberty Bluestone Sarsen Plant** (1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202-2137). On February 26, 2020 the Department issued a modification of the State Only Operating Permit for the facility located in Jackson Township, **Butler County**. The modified permit incorporates the applicable requirements of 40 CFR Part 60 Subpart OOOO instead of the previously established requirements of 40 CFR Part 60 Subparts KKK and VV. The facility is complying with the more stringent requirements of Subpart OOOO pursuant to a consent decree with the USEPA.

**37-00318: AMG Titanium Alloys & Coatings LLC** (207 Frenz Drive, New Castle, PA 16101). On February 25, 2020, the Department issued an administrative amendment to the State Only Operating Permit to incorporate the change of ownership for the facility located in Neshannock Township, **Lawrence County**.

**62-00012: Warren Generation LLC** (250 Power Plant Drive, P.O. Box F, Shawville, PA 16873). On February 25, 2020, the Department issued an administrative amendment to the Title V Permit to incorporate the change of ownership for the facility located in Conewango Township, **Warren County**.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Edward Wiener, Chief, Source Registration at 215.685.9426.*

The City of Philadelphia, Air Management Services (AMS) intends to issue an amendment for a Synthetic Minor Operating Permit issued on March 4, 2019 for the following facility:

**OP16-000021: Southwest Water Pollution Control Plant** (8200 Enterprise Avenue, Philadelphia, PA 19153) for the operation of air emission sources at a water treatment plant in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include liquid treatment processes, solids treatment processes, two (2) boilers firing digester gas and No. 2 fuel oil each rated 5.230 MMBtu/hr, four (4) boilers firing digester gas and No. 2 Fuel Oil each rated 26.780 MMBtu/hr, four (4) flares firing digester gas and propane each rated 88,150 SCF/hr, two (2) portable washers firing gasoline and No. 2 Fuel Oil each rated 294,000 BTU/hr, and four (4) cold cleaning degreasers using non-halogenated solvents.

The changes made as part of the amendment includes the following:

- Updated Section B: General Conditions to the current AMS versions.
- Updated Section C: Facility Wide to the current AMS versions, and updated Section C.4 to incorporate the changes in the permissible grade of fuel oil usage.
- In Section D: Source Specific Requirements, updated Condition D.6.(b) to change the frequency of reporting to AMS from semi-annual to annual so that Condition D.6.(b) is consistent with Section C.10 and with the requirements for Synthetic Minor Operating Permit.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information

are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the above operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

---

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

---

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**04-00490C: Dominion Energy Transmission, Inc.** (5000 Dominion Boulevard 2NW, Glen Allen, VA 23060) on February 24, 2020, for de minimis emissions increase pursuant to 25 Pa. Code § 127.449 for up to 0.04 ton of VOC per year, resulting from the installation and operation of additional gas measuring and regulating equipment at its Beaver Compressor Station located in North Sewickley Township, **Beaver County**. To date, no other de minimis emissions increases have occurred at the facility during the term of its current Title V Operating Permit (TV-04-00490). This notice replaces a similar notice for the facility published in the *Pennsylvania Bulletin* on March 2, 2019.

---

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**24-00079: Ledvance LLC** (835 Washington Street, Saint Marys, PA 15857-3605) on February 25, 2020, the permit was revoked for the facility located in Saint Marys City, **Elk County**. This State Operating Permit was revoked because the facility ceased operations.

**24-00152: Diversified Oil & Gas LLC** (101 McQuiston Drive, Jackson Center, PA 16133) on February 10, 2020, the permit was revoked for the facility located in Horton Township, **Elk County**. This State Operating Permit was revoked because the facility was shut down on February 11, 2018 and has been permanently deactivated from service.

**42-00151: Weralit of America Inc.** (19 East Washington Street, Bradford, PA 16701) on February 10, 2020, the permit was revoked for the facility located in the Bradford City, **McKean County**. This State Operating Permit was revoked because the facility was shut down in October 2019. The sources are being auctioned in March 2020 and removed from the site.



## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).**

### Coal Permits Issued

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Holly Calvetti).*

**Permit No. 32823005 and NPDES No. PA0607231. Bentley Development Company, Inc.,** P.O. Box 338, Blairsville, PA 15717, transfer of an existing bituminous surface and auger mine in Burrell and West Wheatfield Townships, **Indiana County**, affecting 6.8 acres. Receiving stream(s): unnamed tributary to Palmers Run, classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 12, 2019. Permit Issued: February 21, 2020.

*New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500. (Contact: Tracy Norbert).*

**3378BC21 and NPDES Permit No. PA0251348. Milrock Mining, Inc.,** 960 Penn Avenue, Suite 400, Pittsburgh, PA 15222. Permit renewal for continued treatment of an existing surface mining site located in Wharton and Henry Clay Townships, **Fayette County**, affecting 11.4 acres. Receiving stream(s): unnamed tributaries to Fike Run. There is no potable water intake within 10 miles downstream from the point of discharge. Application received: March 7, 2019. Permit issued: February 25, 2020

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 54851336R6. Rausch Creek Coal Preparation Good Spring, LLC** (978 Gap Street, Valley View, PA 17983), renewal of an existing anthracite underground mine, coal preparation plant and coal refuse disposal operation in Porter & Frailey Townships, **Schuylkill County** affecting 14.1 acres. Receiving stream: Good Spring Creek. Application received: February 22, 2018. Renewal issued: February 25, 2020.

**Permit No. 54851336T3: Rausch Creek Coal Preparation Good Spring, LLC** (978 Gap Street, Valley View, PA 17983), transfer of an existing anthracite underground mine, coal preparation plant and coal refuse disposal operation in Porter & Frailey Townships, **Schuylkill**

**County** affecting 14.1 acres. Receiving stream: Good Spring Creek. Application received: November 14, 2018. Transfer issued: February 25, 2020.

**Permit No. PAM118049. Rausch Creek Coal Preparation Good Spring, LLC** (978 Gap Street, Valley View, PA 17983), coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Underground Mining Permit No. 54851336 in Porter & Frailey Townships, **Schuylkill County**, receiving stream: Good Spring Creek. Application received: November 14, 2018. Permit issued: February 25, 2020.

**Permit No. 54190201. Rausch Creek Fuel, LLC** (978 Gap Street, Valley View, PA 17983), commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Hegins Township, **Schuylkill County** affecting 34.22 acres. Receiving stream: East and West Branch of Rausch Creek. Application received: November 21, 2018. Permit issued: February 25, 2020.

**Permit No. PAM119001. Rausch Creek Fuel, LLC** (978 Gap Street, Valley View, PA 17983), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54190201 in Hegins Township, **Schuylkill County**, receiving stream: East and West Branch of Rausch Creek. Application received: November 21, 2018. Renewal issued: February 25, 2020.

### Noncoal Permits Issued

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Cayleigh Boniger).*

**37910806. Wayne Anthony Ryan** (1504 Highland Avenue, New Castle, PA 16105). Final bond release for a small noncoal mining operation in Union Township, **Lawrence County**. Restoration of 1.0 acre completed. Receiving streams: Mahoning River. Application received: February 14, 2020. Final bond release approved: February 18, 2020.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 36080301C3 and NPDES Permit No. PA0224651. Pierson Rheems, LLC** (426 Swedesboro Road, Pilesgrove, NJ 08098), correction to renew an NPDES Permit for discharge of treated mine drainage from a quarry operation in West Donegal Township, **Lancaster County**. Receiving stream: unnamed tributary to Donegal Creek. Application received: April 27, 2018. Renewal issued: February 28, 2020.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

### Blasting Permits Issued

*New Stanton District Office: P.O. Box 133, 131 Broadview Road, New Stanton, PA 15672, 724-925-5500. (Contact: Tracy Norbert).*

**02204001. Wampum Hardware Company,** 636 Paden Road, New Galilee, PA 16141. Blasting activity



permit for construction of Amazon Warehouse, Sippel Development located in Findlay Township, **Allegheny County** with an expiration date of July 1, 2020. Permit issued: February 26, 2020.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at one. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.*

*Contact: Elaine Henderson, Clerk Typist 3, 484.250.5157.*

**Permit No. E46-1200, Pennsylvania Department of Transportation, Engineering District 06, 7000 Geerdes**

Boulevard, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the realignment and cantilevering of S.R. 0320 at Hanging Rock which is listed on the National Register of Historic Places.

1) To construct and maintain a spring box with outlet associated with the placement of roadway embankment fill, roadway realignment, and reconstruction activities within an unnamed tributary to Gulph Creek (WWF-MF, Watercourse 3) and wetlands (PEM, Wetland B-1). This activity also includes temporary wetland and floodway impacts due to construction access. Overall, impacts to regulated resources associated with this activity will result in 40.2 linear feet (301 square feet, 0.007 acre) of permeant watercourse impact, 7,563 square feet (0.174 acre) of permanent floodway impact, 2,718 square feet (0.060 acre) of temporary floodway impact, 128 square feet (0.003 acre) of permanent wetland impact, and 41.6 square feet (0.001 acre) of temporary wetland impact.

2) To remove an existing 785 foot long retaining wall system consisting of gabion baskets and a concrete retaining wall within Gulph Mills Creek (WWF, MF) and a tributary to Gulph Mills Creek (WWF-MF) and in its place, construct and maintain three (3) retaining wall sections: two (2) traditional concrete retaining wall sections totaling 407 linear feet and one (1) 558 linear foot section to support an overhanging roadway slab extending a maximum of 5 foot 11 inches over Gulph Mills Creek at the Hanging Rock location associated with roadway reconstruction and raising of roadway profile to improve overtopping and allow for safe travel lanes in both directions. This activity results in 640.3 linear feet (704.1 square feet, 0.0164 acre) of permanent watercourse impact due to riprap placement at base of retaining wall system, 901 linear feet (7,403 square feet, 0.170 acre) of temporary watercourse impact due to placement of cofferdam diversion system, 9,722 square feet (0.224 acre) of permanent floodway impact due to roadway construction and embankment work, and 23,751 square feet (0.545 acre) of temporary floodway impact due to construction access and roadway reconstruction.

The overall project will result in 0.95 acre of floodplain impact and is located between Upper Gulph Road and Arden Road in Upper Merion Township, Montgomery County (USGS PA Norristown Quadrangle—Latitude 40.063930 N, Longitude 75.341929 W).

**Permit No. E46-1180, LCB Berkshire Senior Living Holdings II, LLC, 121 Bellant Circle, Greenville, DE 19807-2219, Lower Merion Township, Montgomery County, ACOE Philadelphia District.**

To demolish the existing mill complex, construct and maintain a six-story, 84 unit senior living facility in its place. The complex will include park, walkway, and various public amenities within the 100-year floodway/floodplain of the Gully Run (WWF, MF) associated with the redevelopment of the property into a senior living facility. The project will include three minor road crossings and one overhead electrical utility crossing. The site is located at 211 Belmont Avenue (Germantown, PA, USGS Quadrangle Latitude: 40.022352; Longitude: -75.231449) in Lower Merion Township, Montgomery County.

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E3902219-005. Whitehall Township**, 3219 MacArthur Road, Whitehall, PA 18052, Whitehall Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Whitehall Township Municipal Complex Project:

1) A fill within a 2,878 ft<sup>2</sup> portion of the floodway of a UNT to Coplay Creek (CWF, MF) consisting of the milling and overlaying of an existing asphalt access road. This impact will result in no net fill in the floodway.

2) A fill within a 232 ft<sup>2</sup> portion of the floodway of a UNT to Coplay Creek (CWF, MF) consisting of a proposed addition to an existing Police Station building. This impact will result in 6,728 ft<sup>3</sup> of fill in the floodway.

3) A fill within a 273 ft<sup>2</sup> portion of the floodway of a UNT to Coplay Creek (CWF, MF) consisting of a proposed addition to an existing Police Station building. This impact will result in 7,644 ft<sup>3</sup> of fill in the floodway.

4) A fill within a 1,489 ft<sup>2</sup> portion of the floodway of a UNT to Coplay Creek (CWF, MF) consisting of a proposed 8-space asphalt parking lot and associated grading. This impact will result in 447 ft<sup>3</sup> of fill in the floodway.

5) A fill within a 5,587 ft<sup>2</sup> portion of the floodway of a UNT to Coplay Creek (CWF, MF) consisting of the milling and overlaying of a of two (2) existing, 8-space asphalt parking lots. This impact will result in 3,743 ft<sup>3</sup> of fill in the floodway.

6) A fill within a 3,075 ft<sup>2</sup> portion of the floodway of a UNT to Coplay Creek (CWF, MF) consisting of a proposed grading. This impact will result in 3,075 ft<sup>3</sup> of fill in the floodway.

The project is located directly southeast of the intersection of MacArthur Road and Municipal Drive (Cementon, PA Quadrangle Latitude: 40° 39' 22" Longitude: -75° 30' 18") in Whitehall Township, Lehigh County.

**E4002219-012. Pennsylvania Turnpike Commission**, 700 S. Eisenhower Blvd, Middletown, PA 17057, in Bear Creek Township, **Luzerne County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 12-foot wide emergency gated access road crossing of Tributary to Tenmile Run (HQ-CWF, MF) and adjacent wetlands (EV) for the purpose of connecting turnpike right of way to an existing gravel service road, Old Glen Summit Trail. The crossing consists of a 24-foot long, 54-inch diameter corrugated metal pipe with concrete headwalls and riprap aprons and the placement of fill in a de minimus area of wetlands equal to 0.02 acre.

The project is located along the Pennsylvania Turnpike at milepost A-103.3 (Wilkes-Barre East, PA Quadrangle, Latitude: 41° 10' 18"; Longitude: -75° 46' 44") in Bear Creek Township, Luzerne County.

**E4502219-005. Charles and Rosemary Marianik**, 114 Trout Creek Drive, Pocono Lake, PA 18347, Coolbaugh Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a 100 sq. ft., wave armor (molded, UV protected polyethylene), pile supported, recre-

ational dock in Arrowhead Lake (EV, MF). The project is located at Lot 24, Block A-41, Section 9 of the Arrowhead Lake subdivision.

**E4802219-004. Northampton Borough**, 1401 Laubach Avenue, Northampton, PA 18067-1677, Northampton Borough, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with a stream restoration project along a 1,400-LF reach of Dry Run (CWF, MF):

1) To conduct stream restoration work consisting of brush layering, jute matting with live stake plantings, streambank toe protection consisting of R-3 riprap placement, re-grading the streambank to a 3:1 slope, and the in-stream placement of thirteen (13) sawtooth deflectors.

2) To maintain an existing 30-inch diameter reinforced concrete stormwater outfall pipe along the northern streambank of Dry Run (CWF, MF) consisting of a concrete endwall and R-7 riprap apron.

3) To maintain an existing 18-inch diameter corrugated plastic stormwater outfall pipe along the northern streambank of Dry Run (CWF, MF) consisting of a concrete endwall and R-6 riprap apron.

4) To maintain an existing 24-inch diameter reinforced concrete stormwater outfall pipe along the northern streambank of Dry Run (CWF, MF) consisting of a concrete endwall and R-7 riprap apron.

The limits of the project are located between Adrianna Court and Howertown Road (Catasauqua, PA Quadrangle Latitude: 40° 40' 37.04"; Longitude: -75° 28' 44.56") in Northampton Borough, Northampton County.

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02051-1828, PennDOT District 11-0**, 45 Thoms Run Road, Bridgeville, PA 15017, South Fayette Township, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

Remove the existing SR 0050 Bridge superstructure over Chartiers Creek, having a drainage area of 165 mi<sup>2</sup> (Impact 1). The existing bridge out-to-out width is approximately 57.75-feet and consists of 14 prestressed concrete adjacent box beams (48" wide x 54" deep) and a 5" minimum composite concrete deck. The existing abutments will remain and have a normal clear span of about 127-feet. The temporary disturbance associated with the project consists of about 380-feet for construction access roads parallel to the stream and underneath the bridge on either side of the channel.

To construct and maintain the bridge superstructure, widened abutments, and scour protection for the SR 0050 Bridge over Chartiers Creek, having a drainage area of 165 mi<sup>2</sup> (Impact 2). The total out-to-out width will be 89.13-feet and will be widened a total of 31.38-feet from the existing condition. The normal clear span will be maintained at 127-feet and the low chord will be increased 0.35-feet from the existing condition. The structure will be constructed on the existing horizontal and vertical alignment. The proposed superstructure will consist of 43.3-inch deep steel beams, an 8-inch reinforced concrete deck, 1" minimum latex modified concrete overlay, and a 2'-1/2" high PA Type 10M bridge barrier. The total length of permanent stream impact in direction of

flow is about 144-feet to accommodate the widened structure and scour protection.

To remove six stormwater outfalls associated with the existing bridge and roadway. The temporary impact associated with the removal of these outfalls is included in Impact 1 previously listed because they are within the temporary impact footprint.

To construct and maintain a 24-inch diameter stormwater pipe and rock apron (Impact 3 Outfall A0) having a permanent impact of 7-feet wide by 19-feet long.

To construct and maintain an 18-inch diameter stormwater pipe and rock apron (Impact 4 Outfall B0) having a permanent impact of 7-feet wide by 28-feet long.

To construct and maintain an 18-inch diameter stormwater pipe and rock apron (Impact 5 Outfall C0) having a permanent impact of 7-feet wide by 23-feet long.

To construct and maintain an 18-inch diameter stormwater pipe and rock apron (Impact 6 Outfall D0) having a permanent impact of 7-feet wide by 15-feet long.

To remove the existing outfall (Impact 7) having a temporary impact of 21-feet wide by 16-feet and construct and maintain an 18-inch diameter stormwater pipe and rock apron (Impact 8 Outfall E0) having a permanent impact of 7-feet wide by 16-feet long.

The project site is located near the intersection of SR 0050 (Washington Pike), and Chartiers Street (Bridgeville, PA USGS topographic quadrangle; N: 40°, 21', 18.56"; W: 80°, 6', 51.72"; Sub-basin 20F; USACE Pittsburgh District), in Bridgeville Borough, South Fayette Township, Allegheny County.

**E11051-363, Northern Cambria Borough**, 1202 Philadelphia Avenue, Northern Cambria, PA 15717-1385, Blacklick Township, **Cambria County**, Pittsburgh ACOE District.

Has been given consent to:

Remove an existing, structurally deficient, 5 LF wide by 4.5 LF high by 43 LF concrete arch culvert, over an unnamed tributary (UNT) to South Branch Blacklick Creek (STR01, CWF), and construct and maintain a replacement 91-inch wide by 58-inch high by 76 LF long reinforced concrete elliptical pipe, which includes an 8 LF inlet protection and a 34 LF log-step pool downstream of the structure.

To realign, stabilization, UNT to South Branch Blacklick Creek (STR02, CWF) and construct and maintain a pipe extension carrying UNT to Blacklick Creek, resulting in 45 LF of permanent and 198 LF of temporary impact to UNT to Blacklick Creek.

To relocate 308 LF of existing UNT to South Branch Blacklick Creek (STR03, CWF), by constructing and maintaining 280 LF of new channel including the relocation of an existing 42 LF private driveway crossing and a 37 LF private driveway crossing.

Project impacts include 473 LF of permanent, and 668 LF of temporary impacts to UNT's to South Branch Blacklick Creek, for the purpose of improving road sight distance, and replacing a deficient structure.

The project site is located on SR 271 (Station Road) between Twin Rocks, and Nanty Glo, PA (Nanty Glo, PA USGS topographic quadrangle; N: 40°, 29', 0.4468"; W: 78°, 50', 39.3808"; Sub-basin 18D; USACE Pittsburgh District), in Blacklick Township, Cambria County.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E0306119-002, PADOT Engineering District 10-0**, 2550 Oakland Ave., Indiana, PA 15701, S.R. 028, Section 112, in Boggs Township, **Armstrong County**, ACOE Pittsburgh District (Distant, PA Quadrangle N: 40°, 54', 17.2"; W: 79°, 22', 15.9").

To conduct the following impacts associated with a highway safety improvement project consisting of the widening and realignment of S.R. 0028, Section 112 at the Village of Goheenville (Distant, PA Quadrangle N: 40°, 54', 17.2"; W: 79°, 22', 15.9") in Boggs Township, Armstrong County:

1. To remove the existing outfall and to construct and maintain 20-linear feet of new outfall along UNT Scrubgrass Creek (STR-02, CWF).

2. To construct and maintain 760-linear feet of fill along UNT Scrubgrass Creek (STR-02, CWF) and to remove the existing structure and to construct and maintain 160-linear feet, 9-foot diameter reinforced concrete pipe on a new alignment.

3. To construct and maintain 76-linear feet of permanent fill along UNT Scrubgrass Creek (STR-03, CWF).

4. To construct and maintain 73-linear feet of permanent fill along UNT Scrubgrass Creek (STR-03A, CWF).

5. To permanently fill and maintain 2,088 square feet of fill in wetland WL-01 (PEM).

6. To temporarily impact 5-linear feet of UNT Scrubgrass Creek (STR-01A, CWF) to facilitate the relocation of UNT Scrubgrass Creek (STR-02, CWF).

7. To construct and maintain 43 linear feet of permanent fill along UNT Scrubgrass Creek (STR-01B, CWF).

8. To construct and maintain 42 linear feet of permanent fill along UNT Scrubgrass Creek (STR-01, CWF).

9. To construct and maintain outfalls of various size resulting in 80-linear feet of impacts to Scrubgrass Creek (STR-05, CWF).

10. To remove the existing structure and to construct and maintain a 155-foot long concrete box culvert having a 16-foot wide by 7.5-foot high waterway opening and to construct and maintain 435 linear feet of fill along Scrubgrass Creek (STR-05, CWF).

11. To remove the existing structure and to construct and maintain a 421-foot long, 18-inch diameter RCP carrying UNT Scrubgrass Creek (STR-04, CWF), under SR 0028.

12. To remove the existing structure and to construct and maintain a 221-foot long, 18-inch diameter RCP carrying UNT Scrubgrass Creek (STR-06, CWF) under SR 0028.

13. To construct and maintain 1,487 square feet of permanent fill in wetland WL-02 (PEM).

14. To construct and maintain 3,324 square feet of permanent fill and 665 square feet of temporary impacts to wetland WL-03 (PEM).

15. To remove the existing structure, restoring 75 feet of stream channel, and to construct and maintain a two-span composite prestressed concrete PA bulb-tee bridge having two identical spans of 119.04 feet and a minimum underclearance of 32.2 feet on a new horizontal and vertical alignment over UNT Scrubgrass Creek (STR-07, Laurel Run, CWF).



16. To construct and maintain outfalls of various size along UNT Scrubgrass Creek (STR-07, CWF).

The project includes construction of 0.191 acre of wetland onsite as mitigation for the 0.158 acre of permanent wetland impact and the construction of various stream enhancements totaling 1,379 linear feet to offset the 1,304 linear feet of permanent stream loss/impact associated with the project.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E0829-125: Appalachia Midstream, LLC, 30351 Route 6, Wysox, PA 18854, Wilmot Township, Bradford County, ACOE Baltimore District.**

To construct, operate and maintain:

1. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 1,342 square feet of a Palustrine Scrub-Shrub Wetland (EV) (Colley, PA Quadrangle, Latitude: 41° 32' 47", Longitude: -76° 16' 19");

2. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 150 linear feet of an unnamed tributary to Wolf Run (CWF, MF) and impacting 664 square feet of an adjacent Palustrine Emergent Wetland (EV) and 644 square feet of an adjacent Palustrine Scrub-Shrub Wetland (EV) (Colley, PA Quadrangle, Latitude: 41° 32' 50", Longitude: -76° 16' 26");

3. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 14,315 square feet of a Palustrine Emergent Wetland (EV) (Colley, PA Quadrangle, Latitude: 41° 32' 49", Longitude: -76° 16' 29");

4. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 21 linear feet of an unnamed tributary to Wolf Run (CWF, MF) and impacting 57 square feet of a Palustrine Emergent Wetland (Colley, PA Quadrangle, Latitude: 41° 32' 48", Longitude: -76° 16' 44");

5. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 5,720 square feet of a Palustrine Emergent Wetland (EV) (Colley, PA Quadrangle, Latitude: 41° 32' 54", Longitude: -76° 16' 50");

6. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 52 linear feet of an unnamed tributary to Wolf Run (CWF, MF) (Colley, PA Quadrangle, Latitude: 41° 33' 00", Longitude: -76° 16' 53");

7. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 103 linear feet of an unnamed tributary to Wolf Run (CWF, MF) (Colley, PA Quadrangle, Latitude: 41° 32' 58", Longitude: -76° 16' 53");

8. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 52 linear feet of an unnamed tributary to Wolf Run (CWF, MF) and impacting 538 square feet of an adjacent Palustrine Emergent Wetland (EV) (Colley, PA Quadrangle, Latitude: 41° 33' 08", Longitude: -76° 17' 03").

The project will result in 228 linear feet or 1,061 square feet of temporary stream impacts and 21,294 square feet (0.49 acre) of PEM and 1,986 square feet (0.05 acre) of PSS wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Wilmot Township, Bradford County. This project is associated with permit application number E5729-096.

**E5729-096: Appalachia Midstream, LLC, 30351 Route 6, Wysox, PA 18854, Colley Township, Sullivan County, ACOE Baltimore District.**

To construct, operate and maintain:

1. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 6,263 square feet of a Palustrine Emergent Wetland (EV) (Colley, PA Quadrangle, Latitude: 41° 32' 46", Longitude: -76° 16' 31");

2. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 62 linear feet of an unnamed tributary to Wolf Run (CWF, MF) and impacting 2,528 square feet of an adjacent Palustrine Emergent Wetland (EV) (Colley, PA Quadrangle, Latitude: 41° 32' 47", Longitude: -76° 16' 37");

3. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 69 linear feet of Wolf Run (CWF, MF) (Colley, PA Quadrangle, Latitude: 41° 32' 47", Longitude: -76° 16' 43");

4. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 34 linear feet of an unnamed tributary to Wolf Run (CWF, MF) (Colley, PA Quadrangle, Latitude: 41° 32' 48", Longitude: -76° 16' 45");

5. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 187 linear feet of an unnamed tributary to Wolf Run (CWF, MF) (Colley, PA Quadrangle, Latitude: 41° 32' 47", Longitude: -76° 16' 44");

6. a 10-inch diameter natural gas line and a temporary timber mat bridge impacting 57 linear feet of an unnamed tributary to Wolf Run (CWF, MF) (Colley, PA Quadrangle, Latitude: 41° 32' 48", Longitude: -76° 16' 45");

The project will result in 409 linear feet or 3,995 square feet of temporary stream impacts and 8,791 square feet (0.20 acre) of PEM impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Colley Township, Sullivan County. This project is associated with permit application number E0829-125.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.*

**EA3614-003. East Hempfield Township, 1700 Nissley Road, Landisville, PA 17538, East Hempfield Township, Lancaster County, USACOE Baltimore District.**

Project proposes to remove approximately 80,000 cubic yards of legacy sediment from the floodplain along Swarr Run (TSF/MF) for the purpose of restoring natural aquatic ecosystems including wetlands, streams, and floodplains; to construct temporary roadways and other erosion controls during restoration activities, to rehabilitate approximately 1.1 acre of existing wetlands and re-establish approximately 11.8 acres of wetlands; to realign approximately 3,740 lineal feet of Swarr Run for the purpose of restoring a total of approximately 6,454 lineal feet of anastomosing stream channel; to place wood grade control structures, log sills, root wads, woody debris habitat structures, energy dissipation boulders, and rip rap grade control structures within the restoration area. The project is located near State Road and PA-283 interchange and the intersection of Yellow Goose Road and State Road (USGS Quadrangle: Lancaster & Columbia East, PA: Latitude: 40° 05' 0"; Longitude: -76° 22' 56").



**EROSION AND SEDIMENT CONTROL**

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

ESCGP-3 # ESG0300015002 Major Amendment  
Applicant Name Sunoco Pipeline, L.P.  
Contact Person Mr. Matthew Gordon  
Address 535 Fritztown Road  
City, State, Zip Sinking Spring, PA 19608  
County Perry  
Township(s) Toboyne Township  
Receiving Stream(s) and Classification(s) Horse Valley Run (HQ-CWF, MF) UNT Horse Valley Run (HQ-CWF, MF)

ESCGP-3 # ESG0300015002 Major Amendment  
Applicant Name Sunoco Pipeline, L.P.  
Contact Person Mr. Matthew Gordon  
Address 535 Fritztown Road  
City, State, Zip Sinking Spring, PA 19608  
County Blair  
Township(s) Woodbury Township  
Receiving Stream(s) and Classification(s) Piney Creek (HQ-CWF, MF) UNTs Piney Creek (HQ-CWF, MF)

*Northwest Region: Oil and Gas Management, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6860. Contact Mary Slye, Clerical Supervisor, 814-332-6325.*

ESCGP-3 # ESG080319013-00 Frosty Mug Well Site  
Applicant Name Snyder Bros Inc.  
Contact Person Carl Rose  
Address P.O. Box 1022, One Glade Park East  
City, State, Zip Kittanning, PA 16201  
County Armstrong County  
Township(s) Boggs Township  
Receiving Stream(s) and Classification(s) UNTS to South Fork Pine Creek HQ-CWF  
Secondary South Fork Pine Creek HQ-CWF

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

ESCGP-3 # ESG294119031-01  
Applicant Name Beech Resources, LLC  
Contact Person Donald Stevenson  
Address 343 Pine Street, Ste 1  
City, State, Zip Williamsport, PA 17701  
County Lycoming  
Township(s) Lycoming and Old Lycoming  
Receiving Stream(s) and Classification(s) UNT to Bottle Run (WWF), UNT to Thorn Brook (WWF), and UNT to Beautys Run (WWF)  
Secondary: Lycoming Creek (EV)

ESCGP-3 # ESX29-115-15-0034(01)  
Applicant Name Appalachia Midstream Services, LLC  
Contact Person Adam Weightman  
Address 30351 Route 6  
City, State, Zip Wysox, PA 18854  
County Susquehanna  
Township(s) Auburn  
Receiving Stream(s) and Classification(s) UNT to Little Meshoppen Creek (CWF, MF)

ESCGP-3 # ESG295820002-00  
Applicant Name Williams Field Services Co, LLC  
Contact Person Barry Mahar  
Address 30351 Route 6  
City, State, Zip Wysox, PA 18854  
County Susquehanna  
Township(s) Lenox  
Receiving Stream(s) and Classification(s) Tower Branch # 3850 NRT-CWF-MF

ESCGP-3 # ESG293519001-00  
Applicant Name EXCO Resources (PA), LLC  
Contact Person Brian Rushe  
Address 13448 State Route 422, Suite 1  
City, State, Zip Kittanning, PA 16201  
County Lackawanna  
Township(s) Greenfield  
Receiving Stream(s) and Classification(s) UNT to South Branch Tunkhannock Creek and UNT to Dundaff Creek

## **CORRECTIVE ACTION UNDER ACT 32, 1989**

### **PREAMBLE 2**

**The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the

environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**7 Eleven 40156**, 15-30781, 1165 West Chester Pike, West Goshen Township, **Chester County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the nonresidential Statewide health and site-specific standards.

**Willow Grove Term**, 46-02711, 3290 Sunset Ln., Upper Moreland Township, **Montgomery County**. Mulry Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Site Characterization Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential site-specific standards.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager; 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Dorrance Sunoco**, Storage Tank ID # 40-20336, 7018 Blue Ridge Trail, Mountain Top, PA 18707, Dorrance Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Liberty Truck Center, Inc., 2227 Scranton-Carbondale Highway, Scranton, PA 18508, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

**Sheetz # 319**, Storage Tank ID # 40-37719, 163 South Memorial Highway, Trucksville, PA 18708, Kingston Township, **Luzerne County**, EnviroTrac, on behalf of Sheetz, 351 Sheetz Way, Claysburg, PA 16625, submitted a revised, combined Site Characterization Report and Remedial Action Plan concerning remediation of groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide Health Standards.

*Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

*Contact: Gregory Bowman, Environmental Group Manager.*

**Point Store**, Storage Tank Facility ID # 44-12044, 5867 Highway 522 North, McClure, PA 17841, Decatur Township, **Mifflin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Mr. Jeff Bell, Point Store, 5867 Highway 522 North, McClure, PA 17841 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

**Pilot Travel Center # 4563**, Storage Tank Facility ID # 22-25046, 7833 Linglestown Road, Harrisburg, PA 17112, West Hanover Township, **Dauphin County**. Sovereign Consulting, 50 West Welsh Pool Road, Suite 6, Exton, PA 19341, on behalf of Pilot Travel Centers, LLC, P.O. Box 10146, 5508 Lonas Drive, Knoxville, TN 37939 submitted a combination Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

**Bressler Service Station**, Storage Tank Facility ID # 06-05360, PA Route 501 and Old US Route 22, Bethel, PA 19057, Bethel Township, **Berks County**. Reliance Environmental, Inc., 235 N. Duke Street, Lancaster, PA 17602 on behalf of Bressler Service, Inc., PA Route 501 and Old US Route 22, Bethel, PA 19057 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard.

**Speedway # 6713**, Storage Tank Facility ID # 06-23196, 200 Lancaster Avenue, Reading, PA 19611, Reading City, **Berks County**. Speedway LLC, 500 Speedway Drive, Enon, OH 45323 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard and the Statewide Health Standard.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**Sunoco Facility 0003-2037**, Storage Tank Facility ID # 49-70098, 5th & Market Streets, Mount Carmel, **Northumberland County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of Evergreen Resources Management Operating, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document remedial actions for meeting the Residential Site-Specific Standard.

**Former Sunoco Facility**, Storage Tank Facility ID # 14-24228, 141 West Bishop Street, Bellefonte, **Centre County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater

contaminated with gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Sunoco Facility 0003-2037**, Storage Tank Facility ID # 49-70098, 5th & Market Streets, Mount Carmel, **Northumberland County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of Evergreen Resources Management Operating, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 has submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Residential Statewide Health and Site-Specific Standards.

**Turkey Hill Minit Market Store 184**, Storage Tank Facility ID # 49-71058, 140 W. Lincoln Street, Shamokin, **Northumberland County**. McKee Environmental, Inc., 145 Exeter Lane, Bellefonte, PA 16823, on behalf of Turkey Hill Minit Markets, 257 Centreville Road, Lancaster, PA 17872, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with Petroleum. The report is intended to document remediation of the site to meet the Site-Specific Standard for soil and Statewide Health Standard for groundwater.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Bridgeville BP**, Storage Tank Primary Facility ID # 02-26653, 3010 Washington Pike, Bridgeville, PA 15017, South Fayette Township, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Avenue NW, North Canton, OH 44720, on behalf of FIDC 63, LLC, 100 Debartolo Place, # 400, Youngstown, OH 44512, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the non-residential site-specific standard.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Country Fair 64**, Storage Tank Facility ID # 42-91548, 8 West Washington Street, City of Bradford, **McKean County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Country Fair, Inc., 2251 East 30th Street, Erie, PA 16510 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, isopropyl benzene, naphthalene, MTBE, 1,2,4 trimethylbenzene, 1,3,5 trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Oak Lane Day Sch**, 46-00794, 137 Stenton Ave., Whitpain Township, **Montgomery County**. Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440, on behalf of Hansen Properties, Inc., 1401 Morris Road, Blue Bell, PA 19422 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded & unleaded gasoline. The report demonstrated attainment of the residential Statewide Health Standards and was approved by the Department on February 19, 2020.

**Middletown Twp Delaware Cnty**, 23-16484, 27 N Pennell Rd, Middletown Township, **Delaware County**. Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Middletown Township, 27 N. Pennell Road, Media, PA 19063 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and diesel fuel. The Remedial Action Completion Report did not demonstrate attainment of residential Statewide Health Standards and was disapproved by the Department on February 14, 2020.

**Wawa 8024**, 15-32845, 210 Kimberton Rd., Schuylkill Township, **Montgomery County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19380, on behalf of Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA 19063, submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with unleaded gasoline. The report demonstrated attainment of the nonresidential Statewide Health Standards and was approved by the Department on February 18, 2020.



**Top Star 41**, 46-37308, 550 N. Lewis Rd., Limerick Township, **Montgomery County**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of Top Star No. 41, 14 East Market Street, Emmaus, PA 18049, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The RACR demonstrated attainment of residential Statewide Health Standards for soil and groundwater and was approved by the DEP on February 18, 2020.

**Cumberland Gulf 160755 L**, 51-09165, 3030 Grant Avenue, City of Philadelphia, **Philadelphia County**. Arcadis, 6041 Wallace Road, Suite 300, Wexford, PA 15090 on behalf of Chevron Environmental Management Company submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet nonresidential Statewide health and site-specific standards and was approved by the DEP on January 30, 2020.

**Thomas M Durkin & Sons**, 51-02338, 3030 Grant Avenue, **City of Philadelphia**. Aeon Geoscience, Inc., 2120 Bellemead Avenue, Suite 14-2, Havertown, PA 19083-2250 on behalf of Durkin Contracting Company, Inc., 3030 Grant Avenue, Philadelphia, PA 19114 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The RACR demonstrated attainment of nonresidential Statewide Health Standards for soil and site-specific standards for groundwater and was approved by the DEP on February 4, 2020.

**Chestnut Hill Mobil**, 51-43700, 8019 Germantown Ave., **City of Philadelphia**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of Cross America Partners, 600 W. Hamilton Street, Suite 500, Allentown, PA 18101 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet residential Statewide Health Standards and was approved by DEP on February 13, 2020.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Former York's Service Station (AKA Puff-N-Stuff)**, Storage Tank ID # 35-08032, 990 Lakeland Drive, Scott Township, **Lackawanna County**. Geological and Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of Jackie Bores, 983 Lakeland Drive, Montdale, PA 18447, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Completion Report did not demonstrate attainment of the Statewide Health Standards and was disapproved by DEP on February 28, 2020.

*Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

*Contact: Gregory Bowman, Environmental Group Manager.*

**Pilot 4563**, Storage Tank Facility ID # 22-25046, 7833 Linglestown Road, Harrisburg, PA 17112, West Hanover Township, **Dauphin County**. Sovereign Consulting, 50 West Welsh Pool Road, Exton, PA 19341, on behalf of Pilot Travel Center, 7833 Linglestown Road, Harrisburg, PA 17112 submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning

remediation of soil and groundwater contaminated with petroleum constituents. The combined plan is intended to document remediation of the site to meet the Statewide Health Standard. The combined Remedial Action Plan and Remedial Action Completion Report did not demonstrate attainment of the Statewide Health Standard and was disapproved by the Department of Environmental Protection on February 7, 2020.

**New Berlinville Gulf**, Storage Tank Facility ID # 06-30350, 1255 Montgomery Avenue, New Berlinville, PA 19545, Washington Township, **Berks County**. WSP, 4 West Chester Park Drive, Suite 175, White Plains, NY 10604, on behalf of Cumberland Farms, Inc. submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the Statewide Health and Site-Specific Standards and was approved by the Department of Environmental Protection on February 13, 2020.

**Kwik Fill S 32**, Storage Tank Facility ID # 07-22455, 5660 E. Pleasant Valley Boulevard, Old Route 220 South, Tyrone, PA 16686, Tyrone Township, **Blair County**. Groundwater and Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of United Refining Company of PA, 814 Lexington Avenue, Warren, PA 16365 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report did not demonstrate attainment of the Site-Specific Standard and was disapproved by the Department of Environmental Protection on February 14, 2020.

**Former Exxon Facility # 20558**, Storage Tank Facility ID # 21-06980, Plainfield Turnpike Plaza, Plainfield, PA 17018, West Pennsboro Township, **Cumberland County**. Kleinfelder, 1745 Dorsey Road, Suite J, Hanover, MD 21076 on behalf of Exxon Mobil Environmental and Property Solutions Company, 565 Longley Road, Groton, MA 01450 submitted a combination Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The combined Remedial Action Plan and Remedial Action Completion Report did not demonstrate attainment of the Site-Specific Standard and was disapproved by the Department of Environmental Protection on February 19, 2020.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**7-11 Store 40157 (Former Sunoco Station # 0363-3468)**, Storage Tank Facility ID # 49-24097, N. Fourth Ave and Arch Street, City of Sunbury, **Northumberland County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Sunoco, LLC, c/o Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on February 25, 2020.



*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**T-Bones BP**, Storage Tank Primary Facility ID # 02-28578, 100 VIP Drive, Wexford, PA 15090, Marshall Township, **Allegheny County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of T-Bones, Inc., 100 VIP Drive, Wexford, PA 15090, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the site-specific standard and was approved on March 2, 2020.

## SPECIAL NOTICES

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Special Notices Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.*

*Contact: Elaine Henderson, Clerk Typist 3, 484.250.5157.*

#### SPECIAL NOTICE OF FINAL APPROVAL OF STATE WATER

#### QUALITY CERTIFICATION FOR A FERC REGULATED PIPELINE PROJECT

#### State Water Quality Certification

#### Required by Section 401 of the Clean Water Act for the

#### Adelphia Gateway, LLC Project

**Permit No. EA00012-001, Adelphia Gateway, LLC**, 1415 Wyckoff Road, Wall, NJ 07727, Adelphia Gateway Project, in **Delaware County** (Chester, Concord, Lower Chichester, Thornberry Townships, and Trainer Borough); **Chester County** (East Goshen, East Whiteland, Charlestown, and East Pikeland Townships); **Montgomery County** (Skipack and Perkiomen Townships); **Bucks County** (Richlandtown Borough and West Rockhill Township); and **Northampton County** (Lower Mount Bethel Township); Philadelphia District, U.S. Army Corps of Engineers. The proposed project starts at Martins Creek (Latitude: 40.7933; Longitude: -75.1314) and ends at Marcus Hook (Latitude: 39.8148; Longitude: -75.4386).

On January 12, 2018, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket Nos. CP18-46-000 and CP18-46-001). The FERC Environmental Assessment for the Project, which was issued on January 4, 2019, may be viewed on FERC's website at [www.ferc.gov](http://www.ferc.gov) (search eLibrary; Docket Search; CP18-46-000 and CP18-46-001). FERC issued a Certificate of Public Convenience (Docket Nos. CP18-46-000 and CP18-46-001) on December 20, 2019.

On March 4, 2019, the Applicant requested a State water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (DEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A.

§ 1341), to ensure that the construction, operation, and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act. Public notice of receipt of request for 401 certifications was published in the *Pennsylvania Bulletin* on March 16, 2019 (49 Pa.B. 1219—1221).

The Project as proposed, includes use of 84.2 miles of existing 18-inch pipeline and 4.4 miles of new 18-inch and 4.4 miles of new 20-inch pipelines to transport natural gas from Martins Creek, Northampton County to Marcus Hook, Delaware County. In addition, the Project proposes to construct the following new facilities along the existing mainline:

In total, the Project proposes to construct the following new and/or upgraded facilities along the 84.2 miles of existing mainline pipeline:

- Two (2) 5,625 horsepower compressor stations
- One 4.4 miles of 20-inch pipeline
- One 4.4 mile 16-inch lateral (a.k.a. Tilghman Lateral)
- One 0.3 mile 16-inch pipeline lateral (a.k.a. Parkway Lateral)
- Five (5) meter stations
- Two (2) mainline valves (MLVs)
- Seven (7) blowdown assembly valves (BAV) at existing MLVs
- Four (4) pig launcher/receiver facilities
- Two (2) tap valves
- One (1) ware yard within limits of the existing Marcus Hook Pump Station for the storage of pipe and contractors' facilities

The potential for discharges exists due to the construction activities associated with the Project from stormwater runoff, sediment, hydrostatic test water, potential spills from construction equipment, and construction in and around contaminated sites. The potential discharges will be managed, and pollution will be prevented by obtaining and abiding to DEP permits, permit conditions, and contingency plans discussed below. Restoration measures will be implemented to restore and revegetate temporarily disturbed areas and impacted resources. Once the Project is constructed, the pipeline will transport natural gas and should not pose a risk of impacts to Regulated waters of this Commonwealth (Waters), provided the pipeline is properly operated and maintained.

With regards to Public Participation, DEP published public notice of a draft SWQC for this project in the *Pennsylvania Bulletin* on March 16, 2019 (49 Pa.B. 1219—1221). The draft SWQC public notice requested comments about the project be sent to DEP within 30 days of notice. DEP also published notice of the applicant's CZMA Federal Consistency Certification in the *Pennsylvania Bulletin* on January 19, 2019 (49 Pa.B. 339—340). Comments on the applicant's Federal consistency certification were accepted for 30 days. Comments from the public on this request for SWQC were received and concerned the potential impacts to water quality and aquatic resources, and these comments were considered in the technical review of pending applications for State permits as well as those permit applications required as a condition of the SWQC.

DEP certifies that construction, operation, and maintenance of the Project as proposed complies with the

applicable provisions of sections 301—303, 306, and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). DEP further certifies that the construction, operation, and maintenance of the Project as proposed complies with Pennsylvania water quality standards and that the construction, operation, and maintenance of the projects does not violate applicable Commonwealth water quality standards provided that the construction, operation, and maintenance of the project complies with the following DEP water quality permitting programs, criteria, and conditions established pursuant to Pennsylvania law:

#### 1. Discharge Permits

A. *Hydrostatic Testing Discharge*: Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring, and compliance), and all other applicable regulations.

B. *Industrial Wastewater Discharge Permits*: Applicant shall obtain and comply with the NPDES Industrial Wastewater Permit(s) for the discharge of industrial wastewater, stormwater, and/ or contaminated groundwater in compliance with the provisions of the Clean Water Act, 33 U.S.C.A. §§ 1251 et seq. and Pennsylvania's Clean Streams Law, as amended, 35 P.S. §§ 691.1 et seq. and all other applicable regulations. An NPDES permit does not constitute authorization to construct or make modifications to wastewater treatment facilities necessary to meet the terms and conditions of an NPDES permit(s). A Water Quality Management Permit must be obtained prior to construction or make modifications to wastewater treatment facilities.

C. *Municipal Stormwater Management Discharges*: The Applicant shall submit approvable, administratively, and technically complete, stormwater management plans, and other submittals related to stormwater, to NPDES Municipal Separate Storm Sewer System (MS4) municipalities that require such submittals, to comply with stormwater management ordinances that a municipality is required to adopt and implement under the terms of its NPDES MS4 permit, and any other applicable legal authorities, including the Stormwater Management Act, in order to regulate water quality impacts of specified activities conducted, or proposed to be conducted, by the Applicant, that may contribute stormwater to the regulated MS4.

2. *Erosion and Sediment Control Permit*—Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project issued pursuant to Pennsylvania's Clean Streams Law and Stormwater Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all water obstructions and encroachments, including stream and wetland crossings, associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.), 25 Pa. Code Chapter

105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management) and all other applicable regulations.

4. *Other Water Quality and Pollution Prevention Requirements*—Applicant shall obtain any other permits, authorizations, or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface Regulated waters of this Commonwealth, including wetlands. This shall include:

A. *Contamination Prevention Plan*: Applicant shall prepare and submit, subject to review and approval by DEP, a Contamination Prevention Plan (CPP) specifying measures the Applicant will develop and implement to prevent the contamination of Regulated waters of this Commonwealth due to the discharge, transport, release, or disposal, whether intentional or nonintentional, of regulated substances, hazardous substances, or contaminated media, including stormwater run-off, groundwater, or soils. The measures to be developed and implemented by the Applicant pursuant to the CPP shall contain, treat, address, and/or dispose of contaminated media in a manner that satisfies water quality standards and other applicable laws and regulations, including water quality protection requirements. The CPP shall require the Applicant to contact Federal, State, and local regulatory agencies to identify the locations of hazardous sites, contaminants, or releases of hazardous substances and planned, on-going, or completed remedial measures within, and within 50 feet of, the limit of disturbance (LOD). The sites to be identified in the CPP include CERCLA sites, HSCA sites, RCRA Corrective Action sites, storage tank facilities and sites, waste disposal sites, remedial soil caps, other containment measures, Pennsylvania Act 2 sites, and active industrial sites. The CPP shall require the Applicant to conduct sampling and analyses of the proposed LOD to confirm the agency data and develop and implement actions to prevent the migration of contaminants, hazardous substances, or pollutants due to, but not limited to, project activities such as, trenching, Horizontal Directional Drilling (HDD) boring, conventional boring, groundwater dewatering, groundwater flowback, creation of preferential contaminant migration paths, and soil excavation and disposal. Applicant shall coordinate any excavation where contaminated soils or groundwater are encountered with DEP and U.S. Environmental Protection Agency (USEPA).

B. *Preparedness, Prevention, and Contingency (PPC) Plans*: Applicant shall develop and implement PPC Plans, subject to review and approval by DEP, to prevent impacts to Regulated waters of this Commonwealth, including: (1) a Base PPC Plan; (2) an Inadvertent Return Assessment, Preparedness, Prevention, and Contingency Plan (IR PPC Plan) associated with HDD; (3) a Water Supply Assessment, Preparedness, Prevention and Contingency Plan (WS PPC Plan); and, where necessary, (4) a Void Mitigation Plan for (Voids PPC Plan). Applicant shall investigate for drinking water intakes or reservoirs for public and private water supplies within five (5) miles downstream (and upstream in tidal areas) of each crossing. For portions of the project proposing HDD, the applicant shall also investigate public and private water supply wells within 450 feet of the pipeline centerline to obtain baseline information to be used to prevent pollution, including diminution, to such waters. Applicant shall supply a list detailing each intake and water supply well to DEP. The permittee shall immediately notify DEP at

484.250.5900 in the event of an IR occurring, and immediately activate and implement the aforementioned Pollution Prevention Control Plans (PPC Plans) to prevent any impacts to Regulated waters of this Commonwealth and other natural resources.

5. *Water Quality Monitoring*—DEP retains the right to specify additional studies or monitoring to ensure that the receiving water quality associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—Applicant shall properly operate and maintain at all times all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations, and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of DEP or the delegated County Conservation District to determine compliance with this SWQC, including all required permits, authorizations, or approvals required by this SWQC. The Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project upon request.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, the Applicant shall provide a copy of this SWQC and copies of any permits, authorizations, or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate DEP Office of such intent. Notice to DEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations, and approvals obtained to comply with the SWQC. The new owner shall submit to DEP a new application form for the SWQC and any permits, authorizations, and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to DEP concerning this SWQC shall be addressed to the Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401.

10. *Reservation of Rights*—DEP may modify, suspend, or revoke this SWQC if: (i) DEP becomes aware of new facts about the Project that warrant such action; or (ii) DEP determines that the Applicant has not complied with the terms and conditions of this certification. DEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of this SWQC shall not be affected thereby.

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Natural Gas Act, 15 U.S.C.A. § 717r(d) with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790, within the time prescribed in the law. Important legal rights are at stake, so you should show this document to a lawyer at once.

---

### PA Pipeline Project (PPP)/Mariner East II; Permit Modification Public Hearings

---

The Pennsylvania Department of Environmental Protection (DEP) will hold a public hearing to receive comments from citizens on **Chapter 102, Erosion and Sediment Control Permit ESG0100015001** and **Chapter 105, Water Obstruction and Encroachment Permit E15-862 Modification** requests currently under technical review for **PA Pipeline Project (PPP)/Mariner East II Project**.

The hearing will be held on Wednesday, April 15, 2020 at Downingtown East High School, located at 50 Devon Dr., Exton, PA 19341. The public hearing will begin at 6:00 PM and end by 10:00 PM.

The proposed permit modification currently under review is HDD 280. This request, received August 5, 2019, is entitled Modification Request—Installation Method Change at PA Turnpike/0280 HDD, Upper Uwchlan Township, **Chester County**. This modification consists of a change in the route and installation method for the 16 and 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 280. The permit modification request is to convert the installation method of both the 16 and 20-inch diameter pipelines from a HDD to an open cut installation and one conventional bore. The change in methodology is to minimize impacts to Waters of the Commonwealth and avoid potential future growth requirements of the PA Turnpike I-76. The modification includes an additional 4.86 acres of LOD.

More information on the project and modification requests can be found at: <https://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx#Addendums>.

Due to the limited scope of the subject matter and time available for the hearing, commenters are asked to focus their remarks on the modification under review, rather than topics or matters outside of DEP's jurisdiction such as general statements of project opposition or support, job creation, post-construction safety concerns or other matters not specifically pertaining to the specific modification outlined above. Relevant remarks on the proposed permit modification provided by commenters at this hearing will be considered in the DEP review process of the permit modification request.

Individuals will have the opportunity to present up to three minutes of verbal testimony; this time limit is put in place to allow more commenters the opportunity to speak. To ensure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time to other speakers is not allowed, and groups are asked to designate one speaker per organization. DEP also requests, but does not require, those providing oral remarks bring a written copy of their comments in order to aid the transcriptionist at the hearing.



Those who wish to present testimony during the scheduled hearing are asked to register in advance by contacting the Southeast Regional Office. Registration for the hearing will be taken until the business day prior to the hearing, after which time interested speakers can register at the hearing. To register to speak, please contact Virginia Cain, Community Relations Coordinator, 484-250-5808 or vicain@pa.gov.

PADEP will accept written comments on the Chapter 102 Erosion and Sediment Control Permit and Chapter 105 Water Obstruction and Encroachment Permit Modification requests until May 5, 2020. Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, RA-EPWW-SERO@pa.gov.

---

### **PA Pipeline Project (PPP)/Mariner East II; Permit Modification Public Hearings**

---

The Pennsylvania Department of Environmental Protection (DEP) will hold a public hearing to receive comments from citizens on **Chapter 102, Erosion and Sediment Control Permit ESG0100015001** and **Chapter 105, Water Obstruction and Encroachment Permit E15-862 Modification** requests currently under technical review for **PA Pipeline Project (PPP)/Mariner East II Project**.

The hearing will be held on Thursday, April 16, 2020, at Peirce Middle School located at 1314 Burke Rd., West Chester, PA 19380. The public hearing will begin at 6:00 PM and end by 10:00 PM.

The proposed permit modification currently under review is HDD 400. This request, received May 14, 2019, is entitled Modification Request for Installation Method Change at HDD S3-0400 Lisa Drive, West Whiteland Township, **Chester County**. This modification consists of a change in installation method for the 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 400. The permit modification request consists of a change in installation method for 20-inch diameter pipeline from a Horizontal Directional Drill (HDD) to a Direct Pipe Bore and open trench installation. The direct pipe bore will go under the Exton Bypass (State Route 30), AMTRAK (American Track National Railroad Passenger Corporation), Norfolk Southern Railroad, and wetland WL-K21. The remaining 1,269 feet will be installed via open trench installation. The change in installation method will not result in any increase to the permanent impacts to wetland WL-K21 or other waters of the Commonwealth as set forth in the original Chapter 105 authorization. The modification includes an additional 3.99 acres of LOD.

More information on the project and modification requests can be found at: <https://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx#Addendums>.

Due to the limited scope of the subject matter and time available for the hearing, commenters are asked to focus their remarks on the modifications under review, rather than topics or matters outside of DEP's jurisdiction such as general statements of project opposition or support, job creation, post-construction safety concerns or other matters not specifically pertaining to the modifications. Relevant remarks on these proposed permit modifications provided by commenters at this hearing will be considered in the DEP review process of the permit modification request.

Individuals will have the opportunity to present up to three minutes of verbal testimony; this time limit is put in place to allow more commenters the opportunity to speak. To ensure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time to other speakers is not allowed, and groups are asked to designate one speaker per organization. DEP also requests, but does not require, those providing oral remarks bring a written copy of their comments in order to aid the transcriptionist at the hearing.

Those who wish to present testimony during the scheduled hearing are asked to register in advance by contacting the Southeast Regional Office. Registration for the hearing will be taken until the business day prior to the hearing, after which time interested speakers can register at the hearing. To register to speak, please contact Virginia Cain, Community Relations Coordinator, 484-250-5808 or vicain@pa.gov.

PADEP will accept written comments on the Chapter 102 Erosion and Sediment Control Permit and Chapter 105 Water Obstruction and Encroachment Permit Modification requests through May 6, 2020. Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, RA-EPWW-SERO@pa.gov.

---

### **PA Pipeline Project (PPP)/Mariner East II; Permit Modification Public Hearings**

---

The Pennsylvania Department of Environmental Protection (DEP) will hold a public hearing to receive comments from citizens on **Chapter 102, Erosion and Sediment Control Permit ESG0100015001** and **Chapter 105, Water Obstruction and Encroachment Permit E23-524 Modification** requests currently under technical review for **PA Pipeline Project (PPP)/Mariner East II Project**.

The hearing will be held on Tuesday, April 14, 2020, at Penn State Brandywine located at 25 Yearsley Mill Rd., Media, PA 19063. The public hearing will begin at 6:00 PM and end by 10:00 PM.

The proposed permit modification currently under review is HDD 620. This request, received March 26, 2019, is entitled Modification Request Installation Method Change at 0620 HDD, Middletown Township, **Delaware County**. This modification consists of a change in the route and installation method for the 16 and 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 620. This modification is being requested for a change from the HDD installation method for the 20-inch, and portions of the 16-inch, diameter pipelines to a conventional open trench construction through Wetland WL-I1 and Stream S-I2, conventional auger bore under Glen Riddle Road, and a direct pipe bore under Riddlewood Drive and the Southeast Pennsylvania Transportation Authority's (SEPTA) Railroad. The modification includes an additional 5.32 acres of LOD.

More information on the project and modification requests can be found at: <https://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx#Addendums>.

Due to the limited scope of the subject matter and time available for the hearing, commenters are asked to focus their remarks on the modifications under review, rather than topics or matters outside of DEP's jurisdiction such as general statements of project opposition or support, job



creation, post-construction safety concerns or other matters not specifically pertaining to the modifications. Relevant remarks on these proposed permit modifications provided by commenters at this hearing will be considered in the DEP review process of the permit modification request

Individuals will have the opportunity to present up to three minutes of verbal testimony; this time limit is put in place to allow more commenters the opportunity to speak. To ensure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time to other speakers is not allowed, and groups are asked to designate one speaker per organization. DEP also requests, but does not require, those providing oral remarks bring a written copy of their comments in order to aid the transcriptionist at the hearing.

Those who wish to present testimony during the scheduled hearing are asked to register in advance by contacting the Southeast Regional Office. Registration for the hearing will be taken until the business day prior to the hearing, after which time interested speakers can register at the hearing. To register to speak, please contact Virginia Cain, Community Relations Coordinator, 484-250-5808 or vicain@pa.gov.

PADEP will accept written comments on the Chapter 102 Erosion and Sediment Control Permit and Chapter 105 Water Obstruction and Encroachment Permit Modification requests through May 4, 2020. Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, RA-EPWW-SERO@pa.gov.

[Pa.B. Doc. No. 20-386. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Availability of Rebates through the Pennsylvania Alternative Fuels Incentive Grant Program

The Department of Environmental Protection (Department) announces the continued availability of grants to Commonwealth residents under Pennsylvania's Alternative Fuel Vehicle (AFV) Rebate Program (Program). The Program, administered by the Department through the Alternative Fuels Incentive Grant Program, provides rebates to Commonwealth residents to assist individuals with the incremental costs of purchasing an AFV.

To qualify for the rebate, the AFV must be registered in and be operated primarily within this Commonwealth. The rebate will be offered on a first-come, first-served basis in the order in which they are received.

AFV rebate applications must be submitted online through the Department of Community and Economic Development's Electronic Single Application web site, eGrants. Visit the eGrants web site at <https://www.esa.dced.state.pa.us> to apply. Rebate applications must be submitted no later than 6 months after the vehicle is purchased.

The Department began implementing the following changes to the Program on March 1, 2020:

- The Program will offer 2,500 rebates. The Program can be reassessed or changed at any time.
- Three rebate levels will be offered for new, preowned and demonstration AFVs:
  - o A \$1,000 rebate for all hydrogen fuel cell vehicles.
  - o A \$750 rebate for all battery electric vehicles.
  - o A \$500 rebate for all plug-in hybrid electric vehicles, natural gas vehicles, propane vehicles and electric motorcycles (does not include electric scooters).

The Program guidelines and application instructions, as well as an up-to-date listing of rebate availability, can be viewed online at <http://www.dep.pa.gov/AFVrebates>. Interested applicants may contact the Department at (717) 783-8411 for more information.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-387. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Bid Opportunity

**OSM 02(1712)301.1, Abandoned Mine Reclamation Project, Renton South, Plum Borough, Allegheny County.** The principal items of work and approximate quantities include: implementation of the erosion and sediment pollution control plan, miscellaneous items; clearing and grubbing, 1 job; selective grading, 1 job; dewatering, diversion and care of water, 1 job; excavating, backfilling and compacting for utilities, slotted PVC well pipe, unclassified, 216 linear feet; excavating, backfilling and compacting for utilities, slotted PVC well pipe, rock over-excavation, 10 cubic yards; excavating, backfilling and compacting for utilities, solid PVC pipe, unclassified, 162 linear feet; excavating, backfilling and compacting for utilities, solid PVC pipe, rock over-excavation, 20 cubic yards; precast concrete manholes and appurtenances, 1 each; slotted PVC pipe, fittings and appurtenances, 230 linear feet; solid PVC pipe, fittings and appurtenances, 148 linear feet; PVC pipe, fittings and appurtenances, cleanouts and observation ports, 3 each; PVC pipe, fittings and appurtenances and clay dikes, 1 each; PVC geomembrane, 480 square yards; paving and roadway appurtenances restoration, bituminous driveways and sidewalks, 1,170 square yards; paving and roadway appurtenances restoration, bituminous curb, 10 square yards; paving and roadway appurtenances restoration, cement concrete curb/curb gutter/sidewalks, 1 square yard; paving and roadway appurtenances restoration, gravel driveways and stabilized shoulders, 1 square yard; paving and roadway appurtenances restoration, paved shoulders, Type III, 5 square yards; landscape restoration, plants, shrubbery and trees, miscellaneous items; and allowance for utility services, 1 invoice.

This bid issues on March 20, 2020, and bids will be opened on April 16, 2020, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protec-

tion by going to [www.BidExpress.com](http://www.BidExpress.com). This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or [RA-ConstructionContr@pa.gov](mailto:RA-ConstructionContr@pa.gov) for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-388. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Bid Opportunity

**OSM 17(7069)102.1, Abandoned Mine Reclamation Project, Bigler, Boggs Township, Clearfield County.** The principal items of work and approximate quantities include: mobilization and demobilization, lump sum; diversion and care of water, lump sum; subsurface drain with cleanouts, 1,200 linear feet; subsurface drains—removal and disposal of excess excavated material, 122 cubic yards; grading, 51,000 cubic yards; rock lining with filter blanket, 500 square yards; and seeding, 6 acres.

This bid issues on March 20, 2020, and bids will be opened on April 16, 2020, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to [www.BidExpress.com](http://www.BidExpress.com). This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or [RA-ConstructionContr@pa.gov](mailto:RA-ConstructionContr@pa.gov) for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-389. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Bid Opportunity

**OSM 26(4732)101.1, Abandoned Mine Reclamation Project, Lake Lynn West, Springhill Township, Fayette County.** The principal items of work and approximate quantities include: mine seal construction—coarse aggregate, 680 tons; mine seal construction—mine drain pipe, 1,020 linear feet; grading, 55,600 cubic yards; alkaline addition, 620 tons; rock lining with geotextile, 1,145 square yards; and seeding, 13.2 acres.

This bid issues on March 27, 2020, and bids will be opened on April 23, 2020, at 2 p.m. Bid documents,

including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to [www.BidExpress.com](http://www.BidExpress.com). This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or [RA-ConstructionContr@pa.gov](mailto:RA-ConstructionContr@pa.gov) for more information on this bid.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-390. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Laboratory Accreditation Advisory Committee Meeting Cancellation

The April 2, 2020, meeting of the Laboratory Accreditation Advisory Committee (Committee) is cancelled. The next Committee meeting is scheduled for Thursday, October 1, 2020, at 9 a.m. in Room 206, Bureau of Laboratories Building, 2575 Interstate Drive, Harrisburg, PA.

Questions concerning the October 1, 2020, meeting can be directed to Martina McGarvey at [mmcgarvey@pa.gov](mailto:mmcgarvey@pa.gov) or (717) 346-7200. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Lab Accreditation Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Martina McGarvey at (717) 346-7200 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-391. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Proposed Revision to the Infrastructure State Implementation Plan for the 2015 8-Hour Ozone National Ambient Air Quality Standard; Public Hearing

The Department of Environmental Protection (Department) is seeking public comment on a proposed revision to the Commonwealth's State Implementation Plan (SIP) to address applicable requirements of section 110(a)(1) and (2) of the Clean Air Act (CAA) (42 U.S.C.A. § 7410(a)(1) and (2)) for the 2015 8-hour ozone National Ambient Air Quality Standard (NAAQS).

On October 1, 2015, the United States Environmental Protection Agency (EPA) promulgated revisions to the 8-hour ozone NAAQS. The EPA lowered the standard from 0.075 parts per million (ppm) promulgated in 2008 (see 73 FR 16436 (March 27, 2008)) to 0.070 ppm in 2015 (see 80 FR 65291 (October 26, 2015)). Section 110(a)(1) and (2) directs each state to develop and submit to the EPA a plan that provides for the implementation, maintenance and enforcement of the NAAQS within 3 years after promulgation of a new or revised primary or secondary NAAQS. This type of SIP revision is commonly referred to as an “infrastructure SIP.”

The Commonwealth’s proposed infrastructure SIP revision for the 2015 ozone NAAQS addresses the infrastructure SIP elements of section 110(a)(2)(A)—(C), (D)(i)(II), (D)(ii), (E), (F)(i)—(iii), (G), (H) and (J)—(M) of the CAA. The Department does not address the section 110(a)(2)(D)(i) element of the CAA in this SIP revision relating to interstate transport of pollution affecting attainment and maintenance of the 2015 ozone NAAQS as per the EPA’s September 2013 “Guidance on Infrastructure State Implementation Plan (SIP) Elements under Clean Air Act Sections 110(a)(1) and 110(a)(2).” This requirement will be addressed by the Department in another SIP revision.

This proposal is available on the Department’s web site at [www.ahs.dep.pa.gov/eComment/](http://www.ahs.dep.pa.gov/eComment/).

The Department will provide the opportunity for three public hearings to receive comments on the proposed SIP revision as follows:

- April 15, 2020, at 1 p.m. at the Department’s Southwest Regional Office, Waterfront A Room, 400 Waterfront Drive, Pittsburgh, PA 15222.
- April 17, 2020, at 10 a.m. at the Department’s Southcentral Regional Office, Susquehanna Room A, 909 Elmerton Avenue, Harrisburg, PA 17110.
- April 17, 2020, at 10 a.m. at the Department’s Southeast Regional Office, Schuylkill River or Delaware River Room, 2 East Main Street, Norristown, PA 19401.

Persons wishing to present testimony should contact Amanda Rodriguez, P.O. Box 8468, Harrisburg, PA 17105, (717) 787-9702 or [amarodrigu@pa.gov](mailto:amarodrigu@pa.gov) to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their comments.

If by 12 p.m. on Monday, April 13, 2020, no person has expressed an interest in testifying at the respective hearings, those hearings will be cancelled. Public notice will be provided on the Bureau of Air Quality’s webpage at [www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx](http://www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx) if the hearings are cancelled. Persons may also contact the Department to find out if the hearings are cancelled by contacting Amanda Rodriguez at (717) 787-9702 or [amarodrigu@pa.gov](mailto:amarodrigu@pa.gov).

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Amanda Rodriguez at [amarodrigu@pa.gov](mailto:amarodrigu@pa.gov) or (717) 787-9702. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 or (800) 654-5988 (voice users) to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than Monday, April 20, 2020. Commentators are encouraged to submit comments using the Department’s online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail

at [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be submitted by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2563. Use “2015 Ozone Infrastructure SIP” as the subject line in written communication.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-392. Filed for public inspection March 13, 2020, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Finding

Under section 2002(b) of The Administrative Code of 1929 (71 P.S. § 512(b)) establishing the Department of Transportation (Department), the Acting Director of the Bureau of Project Delivery, as delegated by the Secretary of Transportation, makes the following written finding:

Build Alternative 2D is the preferred alternative for the SR 0080, Section 17M, Monroe County project. The preferred alternative includes 3.5 miles of full roadway reconstruction, widening and interchange reconfigurations along I-80. The preferred alternative will improve partial movement interchanges to full movement interchanges at Exits 303 and 304, maintain full access at Exit 307 and eliminate a partial interchange at Exit 306 (Dreher Avenue). Exit 304, together with Exit 305, will provide a single, full movement interchange due to their proximity.

In accordance with section 2002(b) of The Administrative Code of 1929 establishing the Department, an Environmental Assessment (EA) has been developed for the subject project. The environmental, economic, social and other effects of the proposed project, as enumerated in section 2002 of The Administrative Code of 1929, have been considered. The EA and the EA Responses to Comments have been evaluated by the Federal Highway Administration (FHWA) and were determined to discuss adequately and accurately the need, environmental issues and impacts of the proposed project and appropriate mitigation measures. Based on the EA, the FHWA has issued a Finding of No Significant Impact for the project. Furthermore, the Bureau of Project Delivery has concluded that all State environmental evaluation requirements, as published in section 2002 of The Administrative Code of 1929, have been satisfied.

The proposed project is anticipated to impact approximately 0.2 acre of the 81.3 acres of the National Register of Historic Places, eligible Stroudsburg and East Stroudsburg Unit No. 1 Local Protection Works (Levee System), approximately 0.05 acre of the Rotary Creek Park and approximately 0.04 acre of the Ann Street Park. All Section 4(f)/Section 2002 uses are de minimus. Based upon studies and the Final Section 4(f) Evaluation, there is no feasible and prudent alternative to the use of the Section 4(f)/Section 2002 resources for the proposed action and the project is planned to minimize harm to the Section 4(f)/Section 2002 resources.



Mitigation measures will be taken to minimize harm as stipulated in the EA. No significant adverse environmental effect is likely to result from the proposed action.

BRIAN THOMPSON,  
*Director*  
*Bureau of Project Delivery*

[Pa.B. Doc. No. 20-393. Filed for public inspection March 13, 2020, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Temporary Change to Fishing Regulations; Delaware River, West Branch Delaware River and River Estuary

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), has taken immediate action to amend 58 Pa. Code § 61.2 (relating to Delaware River, West Branch Delaware River and River Estuary). Specifically, the Executive Director has amended this section to change the minimum size limit for striped bass to a 28 to less than 35 inch slot limit in the Delaware Estuary (from the Pennsylvania line upstream to the Calhoun Street Bridge) and Delaware River (from the Calhoun Street Bridge upstream) during the periods January 1 through March 31 and June 1 through December 31 (one fish daily limit), and to change the slot limit during the period April 1 through May 31 to 21 to less than 24 inches (two fish daily limit). The Executive Director also has amended the section to require the use of nonoffset (inline) circle hooks when fishing with bait for any species of fish in the tidal Delaware Estuary, including tributaries from the mouths of the tributaries upstream to the limit of tidal influence. These actions are being taken to meet the requirements of the Atlantic States Marine Fisheries Commission (ASMFC).

The ASMFC's management plan for striped bass calls for management actions when the coast-wide spawning stock biomass (SSB) or fishing mortality rates reach thresholds set within the management plan. The SSB threshold is 201 million pounds and the current SSB is below this at 151 million pounds. At the current fishing mortality rates, there is concern that the SSB will fall further below the threshold in the future under current management and fishing pressure. Also, because catch and release practices contribute substantially to overall fishing mortality, states are also required to implement mandatory circle hook requirements when fishing with bait to reduce release mortality in recreational striped bass fisheries. The ASFMC Striped Bass Management Board, which includes the Commonwealth as a member, has directed all coastal states to reduce fishing mortality rates by 18% beginning in 2020 and require circle hooks by 2021. The Commonwealth is taking proactive measures to implement the circle hook requirement beginning in 2020 to inform anglers and facilitate compliance with this important conservation measure ahead of the ASMFC mandate for implementation beginning in 2021. The amendments to 58 Pa. Code § 61.2 are designed to meet this objective.

To address the coast-wide regulation directed by the ASMFC, the Commission's Executive Director has taken immediate action to make the following modifications to fishing regulations:

### § 61.2. Delaware River, West Branch Delaware River and River Estuary.

\* \* \* \* \*

**(d) It is unlawful to fish with bait for any species of fish in the tidal Delaware Estuary, including tributaries from the mouths of the tributaries upstream to the limit of tidal influence using any hook type other than non-offset (in-line) circle hooks. The definition of a non-offset (in-line) circle hook is a non-offset hook where the point is pointed perpendicularly back towards the shank. The term "non-offset" means the point and the barb are in the same plane as the shank.**

[ (d) ] (e) The following seasons, sizes and creel limits apply to the Delaware River, West Branch Delaware River and Delaware River tributaries, from the mouths of the tributaries upstream to the limit of the tidal influence and the Lehigh River from its mouth upstream to the first dam in Easton, Pennsylvania:

<i>SPECIES</i>	<i>SEASONS</i>	<i>MINIMUM SIZE</i>	<i>DAILY LIMIT</i>
* * * * *			
STRIPED BASS and HYBRID STRIPED BASS	From Pennsylvania line upstream to Calhoun Street Bridge: January 1 until March 31 and June 1 until December 31	[ 28 ] 28 to less than 35 inches	1
	April 1 through May 31	21 to [ 25 ] less than 24 inches	2
	From Calhoun Street Bridge upstream: open year-round	[ 28 ] 28 to less than 35 inches	1
* * * * *			

The Executive Director has found that this action is necessary and appropriate for the management of fish and to conserve and preserve fishing opportunities. The temporary modifications will go into effect on April 1, 2020, and will remain in effect until the Commission, by appropriate action, amends 58 Pa. Code § 61.2. At its meeting on April 27, 2020, the Commission will consider the publication of a notice of proposed rulemaking containing the proposed amendments and soliciting public comments for a period of 30 days.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 20-394. Filed for public inspection March 13, 2020, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Triploid Grass Carp Permit Application

Under 58 Pa. Code § 71.7 (relating to triploid grass carp), the Fish and Boat Commission (Commission) may issue permits to stock triploid grass carp in Common-



wealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres.

Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after

publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments also may be submitted electronically by completing the form at [www.fishandboat.com/regcomments](http://www.fishandboat.com/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

The following application to stock triploid grass carp in waters having a surface area of greater than 5 acres is currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of Water</i>	<i>Nature of Vegetation to be Controlled</i>
Fish and Boat Commission	Harris Pond 41 17' 36" -76 08' 00"	Ross Township Luzerne County	30-acre lake tributary to Roaring Brook tributary to Hunlock Creek tributary to North Branch Susquehanna River	<i>Myriophyllum spp., Ceratophyllum demersum, Nymphaea odorata, Cabomba caroliniana</i>

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 20-395. Filed for public inspection March 13, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Designation as a Certified Reinsurer

Watford Re Ltd. has applied for designation as a certified reinsurer in this Commonwealth. The application was received on February 27, 2020, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Kimberly A. Rankin, Director, Bureau of Company Licensing and Financial Analysis, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, [krankin@pa.gov](mailto:krankin@pa.gov). Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-396. Filed for public inspection March 13, 2020, 9:00 a.m.]

holders of forms 440, 442, 443, 444, 445, 446, 448, 449, 450, 460, 461, 462, 463, 470 and 471.

Unless formal administrative action is taken prior to May 28, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-397. Filed for public inspection March 13, 2020, 9:00 a.m.]

## MILK MARKETING BOARD

### Special Sunshine Meeting

The Milk Marketing Board will meet on Thursday, March 19, 2020, at 9 a.m. in Room 110, Agriculture Building, Harrisburg, PA 17110.

TIM MOYER,  
*Secretary*

[Pa.B. Doc. No. 20-398. Filed for public inspection March 13, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Continental General Insurance Company (SERFF # GLTC-132119342); Rate Increase Filing for Several Individual LTC Forms

Continental General Insurance Company is requesting approval to increase the premium 144.4% on 42 policy-

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by March 30, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

### Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

**A-2020-3017821. SEL Transit, LLC** (908 Yeadon Avenue, Yeadon, Delaware County, PA 19050) for the right to begin to transport, as a common carrier, by motor vehicles, persons in nonemergency medical paratransit service, between points in the Counties of Bucks, Delaware and Montgomery, and the City and County of Philadelphia.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 20-399. Filed for public inspection March 13, 2020, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due March 30, 2020, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Fortune Transportation Group, LLC; Docket No. C-2020-3015660

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth

of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Fortune Transportation Group, LLC, (respondent) is under suspension effective December 31, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 1818 Jericho Road, Warrington, PA 18976.
3. That respondent was issued a Certificate of Public Convenience by this Commission on April 09, 2019, at A-6419903.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6419903 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 01/10/2020

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 400 North Street  
 Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
 Pennsylvania Public Utility Commission  
 Bureau of Investigation and Enforcement  
 400 North Street  
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
 Services  
 Pennsylvania Public Utility Commission  
 400 North Street  
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 400 North Street  
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of  
 Investigation and Enforcement v. PJ Valen  
 Trucking Company;  
 Docket No. C-2020-3016282**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to PJ Valen Trucking Company, (respondent) is under suspension effective January 08, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 25 North Filbert Street, Allentown, PA 18109.

3. That respondent was issued a Certificate of Public Convenience by this Commission on April 11, 2019, at A-8921995.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

*Wherefore*, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8921995 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.



Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 01/21/2020

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. LT International Transport, LLC;  
Docket No. C-2020-3016860**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to LT International Transport, LLC, (respondent) is under suspension effective January 18, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 349 Academy St., Carnegie, PA 15106-2705.

3. That respondent was issued a Certificate of Public Convenience by this Commission on December 11, 2019, at A-8920257.



4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8920257 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 01/29/2020

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of  
Investigation and Enforcement v. L & S  
Transportation, Incorporated;  
Docket No. C-2020-3017357**

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth

of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to L & S Transportation, Incorpora, (respondent) is under suspension effective January 24, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 104 Hoffman Road, Wind Gap, PA 18091.

3. That respondent was issued a Certificate of Public Convenience by this Commission on February 04, 2000, at A-00116251.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00116251 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: February 3, 2020

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

—

**Pennsylvania Public Utility Commission;  
Bureau of Investigation and Enforcement v. Arista  
Limousine, Inc.; Docket No. C-2020-3017365**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Arista Limousine, Inc., (respondent) is under suspension effective January 23, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 212 Independence Drive, Holland, PA 18966.

3. That respondent was issued a Certificate of Public Convenience by this Commission on March 24, 2002, at A-00118451.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00118451 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: February 3, 2020

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.



The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of  
Investigation and Enforcement v. Woodys, LLC;  
Docket No. C-2020-3018565**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Woodys, LLC, (respondent) is under suspension effective February 07, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 555 Bosler Avenue, Lemoyne, PA 17043.

3. That respondent was issued a Certificate of Public Convenience by this Commission on August 31, 2011, at A-8913364.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8913364 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: February 18, 2020

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
 Pennsylvania Public Utility Commission  
 Bureau of Investigation and Enforcement  
 400 North Street  
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmpltResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
 Services  
 Pennsylvania Public Utility Commission  
 400 North Street  
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 400 North Street  
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this num-

ber if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 20-400. Filed for public inspection March 13, 2020, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than March 30, 2020. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-20-02-09. The Executive Limousine Co., LLC** (1410 Lincoln Avenue, Prospect Park, PA 19076): An application for a limousine certificate of public convenience (CPC) to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Charles Milstein, Esq., 7102 Frankford Avenue, Philadelphia, PA 19135.

**Doc. No. A-20-03-01. Kamal Trans, Inc.** (3616 Southwest 165th Avenue, Miramar, FL 33027): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

**Doc. No. A-20-03-02. Elebran, LLC** (1120 Yeadon Avenue, Yeadon, PA 19050): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

**Doc. No. A-20-03-03. Nesa Cab Co.** (40 Richfield Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia

phia to points in Pennsylvania, and return. *Attorney for Applicant*: Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 20-401. Filed for public inspection March 13, 2020, 9:00 a.m.]

---

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Taxicab and Limousine Division Formal Complaint

#### Philadelphia Parking Authority, Taxicab and Limousine Division v. Misbawu N. Thaisa; Doc. No. C-20-01-085

Attention Misbawu N. Thaisa, last known address of 7701 Lindbergh Boulevard, Apt. 600, Philadelphia, PA 19153: Citation T-29386 and Citation T-29246 (Citations) have been issued to you by first-class proof-of-mail on January 31, 2020 by the Enforcement Department of the Philadelphia Parking Authority's (Authority) Taxicab and Limousine Division (TLD) citing you have committed violations of 52 Pa. Code § 1057.10 for "PA DOT Inspection Stickers Expired" which carries a recommended penalty of \$500 for each of the Citations. Pursuant to 52 Pa. Code § 1005.13(b) (relating to answer to citations), an answer to the Citation was due no later than February 18, 2019.

However, the Citations were mailed to you at your last known address referenced above but have been returned to the TLD by the United States Postal Service marked as "Forward time expired, return to sender." Therefore, service of the Citations is being accomplished through this notice pursuant to 52 Pa. Code § 1001.51(e) (relating to alternative service).

To avoid a default order being entered against you, and the above penalties being levied, you shall answer the Citations by completing one of the following:

No later than fifteen (15) days after the date of this publication, which is no later than March 30, 2020, you shall complete one of the following:

a. Plead liable to the violations and remit payment of the full penalty of \$500 for each of the Citations as referenced above and in a form as provided in 52 Pa. Code § 1001.42, payable to the Philadelphia Parking Authority; or

b. Plead not liable by filing a hearing request as provided in 52 Pa. Code § 1005.13(b).

The payments and/or hearing request shall be filed with the TLD Clerk at: Philadelphia Parking Authority, Taxicab and Limousine Division, Attn: Office of the Clerk, 2415 S. Swanson Street, Philadelphia, PA 19148-4113.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 20-402. Filed for public inspection March 13, 2020, 9:00 a.m.]

---







