

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending March 31, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
03-09-2020	Peoples Security Bank and Trust Company Scranton Lackawanna County	325 South Main Street Doylestown Bucks County	Opened
03-16-2020	Jonestown Bank and Trust Company of Jonestown, Pennsylvania Jonestown Lebanon County	318 East Penn Avenue Robesonia Berks County	Opened
03-26-2020	Compass Savings Bank Wilmerding Allegheny County	87 Rocky Road Irwin Westmoreland County (Limited Service Facility—Drive-Thru)	Filed
04-01-2020	Compass Savings Bank Wilmerding Allegheny County	87 Rocky Road Irwin Westmoreland County (Limited Service Facility—Drive-Thru)	Approved

#### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
03-27-2020	Northwest Bank Warren Warren County	4270 East Lake Road Erie Erie County	Closed

### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Acting Secretary*

[Pa.B. Doc. No. 20-520. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Weatherization Assistance Program; Proposed State Plan; Virtual Public Hearing

The Department of Community and Economic Development (Department) publishes notice of a public hearing to be held electronically, by means of web/conference call on

Wednesday, April 22, 2020. In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel Coronavirus (COVID-19), this public hearing will only be held virtually by means of the method listed. There will be no in-person opportunity to attend the hearing.

The public hearing by means of the web/conference call will be held at 3 p.m. and will last as long as there are comments to be received. This more widely available

computer access/conference call will replace the onsite public hearing. The format will be more accessible than an in-person meeting because those who wish to make comment may participate directly from their electronic device, telephone or computer. Access information can be found at the end of this notice.

The purpose of this hearing is to receive comments on the proposed Pennsylvania 2020-2021 annually appropriated United States Department of Energy (DOE) Weatherization Assistance Program (WAP) State Plan (Plan).

The proposed 2020-2021 Plan will authorize the formula-based distribution for each county. Specific performance goals emphasize production, quality of the work product, prompt, accurate and complete reporting, and compliance with program standards and regulations.

The Plan includes the following changes:

- Provisions for the 2019-2020 unspent funds and extension to spend the funds due to production shutdown during the current COVID-19 pandemic.
- Two agencies, Philadelphia Housing Development Corporation, Inc. and Greater Erie Community Action Committee are discontinuing weatherization services to their service areas (Philadelphia and Erie City, respectively) and consequently other weatherization agencies will be providing services to those areas.
- A plan of work to receive DOE approval of multifamily weatherization processes to include a multifamily audit tool and finalized policy and procedures.
- Minor changes in weatherization procedures to include: revisions to the Complaints/Appeals policy; a re-

view of the State monitoring procedures; and minor operational adjustments to the Training/Technical Assistance and Health and Safety Plans.

There is a continued National focus on coordination of efforts where other health and safety, lead-abatement, utility weatherization and housing rehab services are coordinated locally with weatherization services.

Copies of the proposed 2020-2021 DOE WAP Plan may be obtained beginning April 10, 2020, by contacting the Department of Community and Economic Development, Center for Community Services, (717) 425-7597 or it can be downloaded from the Department's web site at [www.dced.pa.gov](http://www.dced.pa.gov). Written comments may be submitted electronically to [ra-wxmail@pa.gov](mailto:ra-wxmail@pa.gov) until 5 p.m. on April 22, 2020.

There is no registration. Individuals can join the public hearing by connecting to Skype for business. The conference ID is 333532533.

Individuals can join the public hearing by phone at +1 (267) 332-8737. The dial-in number is 333532533#.

The hearing will be shortened if there is no one to testify or there is minimal response.

Persons with a disability who wish to participate in this hearing should contact Yvonne Adams at (717) 425-7597 to discuss how the Department may accommodate their needs.

DENNIS M. DAVIN,  
*Secretary*

[Pa.B. Doc. No. 20-521. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the

Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### I. NPDES Renewal Applications.

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0022187 (Sewage)	Beavertown Municipal Authority Sewer System 419 Old Orchard Drive Beavertown, PA 17813	Snyder County Beavertown Borough	Luphers Run (CWF, MF) (6-A)	Yes
PA0043419 (Sewage)	Coudersport Area Municipal Authority Wastewater Treatment Plant 201 S West Street Coudersport, PA 16915-1047	Potter County Coudersport Borough	Allegheny River (CWF) (16-C)	Yes
PA0028100 (Sewage)	Turbotville Wastewater Treatment Plant 105 Sodom Road Milton, PA 17847	Northumberland County Turbotville Borough	Unnamed Tributary to Warrior Run (WWF) (10-D)	Yes
PA0208612 (Sewage)	Ridgebury Township 13278 Berwick Turnpike Gillett, PA 16925-9242	Bradford County Ridgebury Township	Bentley Creek (WWF) (4-B)	Yes
PA0232599 (Industrial)	Bloomsburg Water Treatment Plant 4211 E Park Circle Harrisburg, PA 17111-2806	Columbia County Town of Bloomsburg	Fishing Creek (WWF, MF) (5-C)	Yes

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0033294 (Sewage)	Franklin Manor STP 70 Security Drive Washington, PA 15301	Washington County South Franklin Township	Unnamed Tributary to Chartiers Creek (WWF) (20-F)	Yes
PA0095150 (Sewage)	Elizabeth Estates MHP STP Sea Breeze Drive Bunola, PA 15020	Allegheny County Forward Township	Monongahela River (WWF) (19-C)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0272922 (Sewage)	Stanton SRSTP 4848 Route 957 Russell, PA 16345	Warren County Farmington Township	Unnamed Tributary to the Rhine Run (CWF) (16-B)	Yes
PA0104043 (Sewage)	Grandview Acres MHP P.O. Box 246 West Middlesex, PA 16159	Mercer County Perry Township	Unnamed Tributary to Little Shenango River (20-A)	Yes
PA0273082 (Sewage)	Larry Hollabaugh SRSTP 6275 Route 62 Irvine, PA 16329-2003	Warren County Watson Township	Unnamed Tributary to the Allegheny River (16-F)	Yes

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5970.*

**PA0057401**, Sewage, SIC Code 8811, **Pennbow LLC**, 6801 Easton Road, Pipersville, PA 18947-9717. Facility Name: Pennbow LLC. This existing facility is located in Bedminster Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Cabin Run (CWF), is located in State Water Plan watershed 2-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0006 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.2 Avg Mo	XXX	2.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0006 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
Flow (MGD)	Report Avg Qrtly	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Oct 1 - Mar 31	XXX	XXX	XXX	20.0	XXX	40
Apr 1 - Sep 30	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Mar 31	XXX	XXX	XXX	200	XXX	1,000
Apr 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	36.0	XXX	72
Total Phosphorus	XXX	XXX	XXX	Report	XXX	Report

Sludge use and disposal description and location(s): sludge hauled off to other WWTP facility.

In addition, the permit contains the following major special conditions:

- Proper sludge disposal
- TRC minimization
- Operation and maintenance of the plant

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0051951**, Sewage, SIC Code 4952, **Messenger Heather**, 51 Grays Lane, Elverson, PA 19520-9715. Facility Name: Messenger SRSTP. This existing facility is located in Warwick Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to French Creek (EV, MF), is located in State Water Plan watershed 3-D and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
BOD <sub>5</sub>	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0024066**, Sewage, SIC Code 4952, **West Grove Borough Authority Chester County**, 117 Rosehill Avenue, West Grove, PA 19390. Facility Name: West Grove Borough STP. This existing facility is located in West Grove Borough, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Middle Branch White Clay Creek (TSF, MF), is located in State Water Plan watershed 3-I and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .25 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Copper, Total	XXX	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .25 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Copper, Total	XXX	XXX	XXX	0.019	0.038 Daily Max	0.048

The proposed effluent limits for Outfall 001 are based on a design flow of .25 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	52.1	83.4	XXX	25	40	50
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
	Report	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Total Suspended Solids	62.6	93.8	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	24.2	XXX	XXX	11.6	XXX	23.2
Ammonia-Nitrogen						
Nov 1 - Apr 30	30	XXX	XXX	14.4	XXX	28.8
May 1 - Oct 31	10	XXX	XXX	4.8	XXX	9.6
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	4.2	XXX	XXX	2.0	XXX	4

Sludge use and disposal description and location(s): Landfill SECCRA.

In addition, the permit contains the following major special conditions:

- A. No stormwater
- B. Property rights
- C. Sludge removal
- D. TRC dosages
- E. Responsible operator
- F. Public nuisance
- G. Total cooper compliance schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southcentral Regional Office: Regional Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Phone: 717.705.4800, Email: RA-EPNPDES\_SCRO@pa.gov.*

**PA0010782**, Industrial, SIC Code 4953, **GenOn Rema LLC**, 315 Riegelsville Road, Milford, NJ 08848. Facility Name: Beagle Club Ash Landfill (formerly known as a part of Titus Generating Station). This existing facility is located in Cumru Township, **Berks County**.

Description of Existing Activity: The application is for the amendment of an NPDES permit for an existing discharge of treated industrial waste and stormwater.

The receiving stream(s), Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004 are based on a design flow of 1.3 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Total Dissolved Solids	XXX	XXX	XXX	3,500	7,000	8,750
Oil and Grease	XXX	XXX	XXX	15	20	30
Sulfate, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Internal Monitoring Point 104 are based on a design flow of 0.1 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30

In addition, the permit contains the following major special conditions:

- Notification and approval by DEP of chemical additives;
- The updating and implementation of a Preparedness, Prevention and Contingency (PPC) Plan;
- Polychlorinated Biphenyls (PCBs) monitoring using specified analytical method and procedures in accordance with the Schuylkill River PCBs Total Maximum Daily Load (TMDL).

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0246441**, Concentrated Animal Feeding Operation (CAFO), **Willow Brook Farm CAFO**, 10049 Ferguson Valley Rd., Lewistown, PA 17044.

Willow Brook Farm has submitted an application for an individual NPDES permit for a renewal of a CAFO known as Willow Brook Farm CAFO, located in Granville Township, **Mifflin County**.

The CAFO is situated near Unnamed Tributary to Strodes Run, designated for High-Quality Cold-Water Fisheries (HQ-CWF) in Watershed 12-A, which is classified for High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 720.52 animal equivalent units (AEUs) consisting of 1,200 gestating sows, 200 sows with litters, 4,000 nursery pigs, 10 boars, 12 beef cows, 12 beef calves, and 3 beef steer. Manure is stored in a 2-stage HDPE-lined lagoon system. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

**PA0255653**, Sewage, SIC Code 8800, **Gary Mumper**, 1108 Dutch Hollow Road, Jeannette, PA 15644. Facility Name: Mumper Property SRSTP. This proposed facility is located in Penn Township, **Westmoreland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Bushy Run (TSF), is located in State Water Plan watershed 19-A and is classified for Trout Stocking Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 400 GPD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

Sludge use and disposal description and location(s): To be hauled for further treatment.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0288101**, Sewage, SIC Code 4952, 8800, **Craig Toocheck**, 520 Edgewood Avenue, Trafford, PA 15085. Facility Name: Craig Toocheck SRSTP. This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream is an Unnamed Tributary to Allegheny River, located in State Water Plan watershed 16-F and classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

Sludge disposal is off-site through a licensed septage hauler.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288128**, Sewage, SIC Code 8800, **Thomas H. Perry**, 307 Harmony Road, Slippery Rock, PA 16057. Facility Name: Thomas Perry SRSTP. This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Slippery Rock Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288161**, Sewage, SIC Code 8800, **Thomas Sokolowski**, 2206 Kilpatrick Avenue, Erie, PA 16503. Facility Name: Thomas Sokolowski SRSTP. This proposed facility is located in Howe Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), South Branch Tionesta Creek (HQ-CWF), is located in State Water Plan watershed 16-F and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288195**, Sewage, SIC Code 8800, **Gene Stumpf**, 4285 Neilltown Road, Pleasantville, PA 16341-4517. Facility Name: Gene Stumpf SRSTP. This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Stewart Run (HQ-CWF), is located in State Water Plan watershed 16-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0273112**, Sewage, SIC Code 8800, **Bruce A Miller**, 106 Albert Drive, Prospect, PA 16052-9515. Facility Name: Bruce A Miller SRSTP. This existing facility is located in Lancaster Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Yellow Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288110**, Sewage, SIC Code 8800, **Jack Kuhns**, 111 Noah Lane, Butler, PA 16001. Facility Name: Jack Kuhns SRSTP. This proposed facility is located in Center Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Stony Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288209**, Sewage, SIC Code 8800, **Debra Casper**, 1874 Mercer Road, Jackson Center, PA 16133. Facility Name: Debra Casper SRSTP. This proposed facility is located in Lake Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Fox Run (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288187**, Sewage, SIC Code 8800, **David H Curtis**, 15 Cliff Street, Albion, PA 16401. Facility Name: David Curtis SRSTP located at 10321 State Road, Cranesville, PA 16410. This proposed facility is located in Elk Creek Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Little Elk Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

**III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).**

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**WQM Permit No. 467S035 A-4**, Sewage, **Masontown Municipal Authority**, 1 E Church Street, Masontown, PA 15461-1841.

This existing facility is located in German Township, **Fayette County**.

Description of Proposed Action/Activity: Sludge Processing improvements at Bessemer Run WWTF and replacement/rehabilitation of existing sanitary sewers.

**WQM Permit No. 6369406 A-8**, Sewage, **Peters Township Sanitary Authority**, 111 Bell Drive, McMurray, PA 15317-3415.

This existing facility is located in Peters Township, **Washington County**.

Description of Proposed Action/Activity: The Applicant proposes to install an effluent bypass pipe, which is only to be used when cleaning the UV Disinfection System, and the Effluent Pump Station Wetwell.

**WQM Permit No. 6520400**, Sewage, **Gary Mumper**, 1108 Dutch Hollow Road, Jeannette, PA 15644.

This proposed facility is located in Penn Township, **Westmoreland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction of a 400 GPD Single Residence Sewage Treatment Plant to serve an existing three-bedroom residential dwelling. The discharge will flow to the Bushy Run (TSF).

**WQM Permit No. 6573413 A-1**, Sewage, **North Huntingdon Township Municipal Authority Westmoreland County**, 11265 Center Highway, N Huntingdon, PA 15642-2018.

This existing facility is located in North Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Upgrade of Highland Terrace Pump Station.

**VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

*Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235, 610-377-4894.*

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD130027	PA Solar Park II, LLC 100 Summit Lake Drive Suite 400 Valhalla, NY 10595	Carbon	Nesquehoning Borough	Nesquehoning Creek (CWF, MF), Broad Run (HQ-CWF, MF), Deep Run (EV, MF)

*Lackawanna County Conservation District, 1038 Montdale Road, Scott Township, PA 18447, 570-382-3086.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350015	PPL Electric Utilities Corp. 2 N Ninth St., Genn 4 Allentown, PA 18101-1179	Lackawanna	Blakely Boro	UNT to Hull Creek to Lackawanna River (CWF, MF) UNT to West Branch Tinklepaugh Creek to Wildcat Creek to Lackawanna River (CWF, MF)
PAD350016	PPL Electric Utilities Corp. 2 N Ninth St., Genn 4 Allentown, PA 18101-1179	Lackawanna	Moscow Borough Madison Township	Roaring Brook (HQ-CWF, MF) Bear Creek (HQ-CWF, MF) Kellum Creek (HQ-CWF, MF)

*Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450107	Don Ballou 193 Zeigler Road Leesport, PA 19533	Lackawanna	Eldred Township	Aquashicola Creek (HQ-CWF)

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020027	Quaker Valley Recreation Association, Inc. (QVRA) P.O. Box 74 Leetsdale, PA 15056	Allegheny	Bell Acres Borough	Little Sewickley Creek (HQ-TSF)

#### **VII. List of NOIs for NPDES and/or Other General Permit Types.**

PAG-12	CAFOs
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

#### **MS4 PAG-13 Notices of Intent Received.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

**NPDES Permit No. PAG123899**, CAFO, **Craig D Finkbiner**, RR 1 Box 2975, McAlisterville, PA 17049-9616.

This proposed facility is located in Fayette Township, **Juniata County**.

Description of size and scope of proposed operation/activity: Swine (Wean—Finish), Beef (Steers and Calves): 984.90 AEU's.

The receiving stream, Little Lost Creek (TSF, MF) and Unnamed Tributary to Little Lost Creek (TSF), is in watershed 12-A and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

### **STATE CONSERVATION COMMISSION**

#### **PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These

NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Country View Farm Farms, LLC Pine Hill Farm 2547 Hickory Road Columbia Crossroads, PA 16914	Bradford	260	3,632.4	Swine	NA	Renewal
Country View Family Farms, LLC VanBlarcom Sow Farm 2271 Fairbanks Road Columbia Crossroads, PA 16914	Bradford	18	3,001.95	Swine	NA	Renewal
Leslie Burkholder Poultry Farm Pondview Farm 52 Burkholder Lane Fredericksburg, PA 17026	Lebanon	118	272.22	Poultry Steer Hogs	NA	Renewal
Jevin Kready 1113 North Colebrook Rd. Manheim, PA 17545	Lancaster	93.6	377.72	Broiler/ Beef	NA	Renewal
Sullivan Farm 372 Hemlock Hill Rd Covington, PA 16917	Tioga	170.5	3,036.6	Swine	NA	Renewal

**LAND RECYCLING AND  
ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate  
Submitted Under the Land Recycling and Environmental  
Remediation Standards Act (35 P.S.  
§§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate

filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial

area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Palisoc Property**, 1119 Foster Avenue, White Haven, PA 18661, Foster Township, **Luzerne County**. Geological & Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of Roger Palisoc, P.O. Box 76, White Haven, PA 18661, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Citizens Voice* on March 13, 2020.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**General Electric Company Appliance Building 99**, 2125 East 12th Street, Lawrence Park Township, **Erie County**. Arcadis U.S., Inc., 50 Fountain Plaza, Buffalo, NY 14202, on behalf of General Electric Company, 3726 North Wayne Avenue, Chicago, IL 60613, submitted a Notice of Intent to Remediate. Historical use of the site has been as a refrigerator fabrications, repair, and assembly facility. Site soil and site groundwater has been found to be contaminated with PCB's, RCRA metals, VOC's, SVOC's and asbestos. Intended future use of the site will be industrial/commercial. The Site-Specific Standard has been selected for remediation of the site. The Notice of Intent to Remediate was published in *The Erie Times-News* on March 7, 2020.

**Sundie Property Fuel Oil Spill**, 2366 River Hill Road, Washington Township, **Armstrong County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Daniel and Kimberly Sundie, 151 Mountain Laurel Drive, Butler, PA 16002 submitted a Notice of Intent to Remediate. A fuel oil release occurred from an aboveground storage tank that resulted in site soil being contaminated with Benzene, Toluene, Ethylbenzene, Isopropylbenzene, Methyl tert-butyl ether, Naphthalene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The Statewide Health Standard has been selected for remediation. Intended future use of the property will be residential. The Notice of Intent to Remediate was published in the *Leader Times* on March 16, 2020.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief, (484) 250-5920.*

**46-0008A: Coopers Creek Chemical Corporation** (884 River Road, West Conshohocken, PA 19428) for the addition of equipment that will add flexibility to produce a product called high melt-point pitch at their non-Title V facility, located in Upper Merion Township, **Montgomery County**. The facility brings in crude bituminous, crude coal tar, and crude petroleum tar as feedstock and distills it into coal tar distillate and refined coal tar pitch. Coopers Creek Chemical Corporation proposes to produce high melt-point pitch as a new product. To make the new product, Coopers Creek Chemical Corporation will be installing the following equipment: Still # 18, Still # 19, Still # 19 Condenser, Lower Receiver 5, Lower Receiver 6, and Plant Boiler 2. To avoid being a major facility for NO<sub>x</sub>, the facility is taking a restriction on the total heat input of all combustion sources at the facility. Total potential emissions from the facility are: 10.82 TPY for NO<sub>x</sub>, 23.13 TPY for VOC, 6.08 TPY for CO, 3.25 TPY for SO<sub>x</sub>, 1.63 TPY for PM, 13.96 TPY for Total HAP, and 11,221 TPY for CO<sub>2</sub>e. The Plan Approval will contain monitoring, recordkeeping, and operating conditions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

**15-0041E: Eastern Shore Natural Gas Company—Daleville Compressor Station** (604 Street Rd., Cochranville, PA 19330) to revise a testing requirement condition requiring compliance with the proposed minimum destruction efficiency for CO, VOC and HCHO for the existing natural gas-fired reciprocating internal combustion engine for a natural gas compressor at their facility in Londonderry Township, **Chester County**. The facility is a State-Only, Synthetic Minor facility. The existing permit limits the emissions of nitrogen oxides (NO<sub>x</sub>) and volatile organic compounds (VOC) from the facility to less than or equal to 24.9 tons per year on a 12-month rolling sum basis. The provisions of this plan approval will subsequently be incorporated into a State Only Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**36-05014K: Arconic Lancaster Corp.** (1480 Manheim Pike, Lancaster, PA 17604-3167) for the replacement of

the burners in two melting furnaces at their secondary aluminum production facility in Manheim Township, **Lancaster County**. Specifically, the project is for the replacement of the current burners in melting furnaces No. 5 & 6 (Source IDs 133 & 134) with new 40 MMBtu/hr natural gas fired regenerative burners. The actual melt rate of each furnace is expected to increase from 22,500 pounds per hour to 32,000 pounds per hour. Along with the increase in melt production, actual material throughputs of Source IDs C01A, C01B and 107 are also expected to increase, although no physical modification will take place to the emission units. The capacities of downstream operations (i.e. rolling operations) will not increase due to the project since the increased ingot production will replace ingot that has been historically purchased. Since this modification and the modification authorized under PA 36-05014J (replacement of No. 7 & 8 melting furnace burners) are considered the same project, the emissions from both will be aggregated for PSD/NNSR applicability purposes. As such, emission increases due to the project are estimated to be: 23.5 tpy CO, 20.3 tpy NO<sub>x</sub>, 1.9 tpy PM, 4.8 tpy PM<sub>10</sub>, 4.5 tpy PM<sub>2.5</sub>, 0.3 tpy SO<sub>x</sub>, & 3.0 tpy VOC. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**09-00107: Oldcastle Retail, Inc.** (1214 Hayes Blvd., Bristol, PA 19007) for the renewal of a State Only, Natural Minor Operating Permit in Bristol Township, **Bucks County**. The company operates a concrete and mortar packaging facility. The proposed renewal of the Operating Permit does not authorize any increase in air emissions, of regulated pollutants, above previously approved levels. The renewed permit includes monitoring, recordkeeping and reporting requirements, and work practice standards designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

**46-00157: DANA Driveshaft Products, LLC** (1040 Center Avenue, Pottstown, PA 19464-6007) for the renewal of a State Only, Synthetic Minor Operating Permit Renewal in Pottstown Borough, **Montgomery County**. The permit is for a non-Title V (State Only) facility. The major sources of air emissions are as follows: spray and dip coating operations, and parts washers. New applicable regulations are 40 CFR 60 Subpart JJJJ and 25 Pa. Code § 129.63a (Control VOC Emissions from Industrial Clean-

ing Solvents). The renewal permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00018: RR Donnelley** (100 American Drive, Quakertown, PA 18592) for operation of a printing facility in Richland Township, **Bucks County**. The permit is for renewal of a non-Title V (State Only) operating permit. The major sources of air emissions are twelve printing presses and two natural gas-fired boilers. The renewal will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**46-00158: Colorcon, Inc.** (415 Moyer Boulevard, West Point, PA 19486) located in Upper Gwynedd Township, **Montgomery County**, for a renewal of State Only (Natural Minor) Operating Permit. The facility's main sources of air contaminant emissions are four boilers, two emergency generator sets, and various sources comprising a polyvinyl acetate phthalate (PVAP) plant, a lake plant, and dry and wet dispersion production areas. Particulate matter (PM) emissions from the sources comprising the PVAP plant, lake plant, and dry and wet dispersion areas are controlled by associated dust collectors or scrubbers. PM emissions from the facility are restricted to 21.0 tons/yr, calculated monthly as a 12-month rolling sum. Volatile organic compound (VOC) emissions from the reaction vessels and various fugitive emission sources in the PVAP plant, the wet dispersion area, and the facility are restricted to 1.72 ton/yr, 1.04 ton/yr, 10.68 tons/yr, and 14.6 tons/yr, respectively, all calculated monthly as 12-month rolling sums. Nitrogen oxide (NO<sub>x</sub>) emissions from the exempt engines of the emergency generator sets are restricted to 100 lbs/hr, 1,000 lbs/day, 2.75 tons/ozone season (i.e., the period from May 1—September 30 of each year), and 6.6 tons/yr, calculated monthly as a 12-month rolling sum. Since DEP renewed the State Only Operating Permit (SOOP) in 2014, Colorcon, Inc., has added an additional blender to the dry dispersion area. The additional blender will be included in the renewal SOOP, and subject to the same requirements specified in the previously renewed (i.e., current) SOOP for the dry dispersion area blenders and grinders source grouping. The renewal SOOP will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00117: Heucotech, LTD** (99 Newbold Road, Fairless Hills, PA 19030), for the renewal of a State Only, Natural Minor Operating Permit Renewal in Falls Township, **Bucks County**. The facility's potential to emit criteria pollutants is less than major thresholds; therefore, the facility is a Natural Minor. The facility manufactures a wide variety of pigment dispersions and anti-corrosive pigments for various end users. A Corrosive-Resistant Pigment Operation source, which was approved by the Department in 2017, was incorporated to the permit. The renewal does not allow any changes in the total facility emissions. The renewed permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

**23-00098: SAP America, Inc.** (3999 West Chester Pike, Newtown Square, PA 19073) located in Newtown Township, **Delaware County**. The facility operates boilers, emergency generators, and water heaters at the

Newtown Square office building. The renewal permit is for a non-Title V (State Only) facility. NO<sub>x</sub> emissions are electively capped to less than 25 tons per year; therefore, the facility is a Synthetic Minor. There are no changes to the current operating permit in this renewal. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**15-00059: Paulsonbilt Ltd** (1000 W. 11th Ave., Coatesville, PA 19320) for the renewal of a Natural Minor Operating Permit in Valley Township, **Chester County**. The initial operating permit was issued on January 29, 2004. Paulsonbilt fabricates commercial dumpsters and similar containers. The primary source of air emissions from the facility is a spray booth. The spray booth is subject to the requirements of 25 Pa. Code § 129.52. Insignificant sources include a 1.0 MMBtu/hr natural gas heater, portable kerosene heaters (approximately 10 heaters), operations for shearing, bending, and cutting of sheet metal, and welding of sheer metal. Potential emissions from the facility are less than the following emission rates: 11.0 tpy for VOCs, 4.0 tpy for HAP, and 1.0 tpy for PM, NO<sub>x</sub>, SO<sub>x</sub>, and CO. The permit will continue to include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**36-05160: Morgan Truck Body, LLC** (1656 Dry Tavern Road, Denver, PA 17517) to issue a State Only Operating Permit for their spray paint operations at the Denver Plant in Brecknock Township, **Lancaster County**. Potential emissions from the facility are estimated to be 1.4 tpy CO, 2.5 tpy NO<sub>x</sub>, 0.2 tpy SO<sub>x</sub>, 0.1 tpy PM<sub>10</sub>, 40.3 tpy VOC, and 6.2 tpy combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.13, 123.21, 129.52, 129.52e.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**11-00418: TMS International, LLC** (1155 Business Center Drive, Horsham, PA 19044-3454) for the operation of a slag processing facility located in East Taylor Township, **Cambria County**. TMS International, LLC operates a slag processing plant that includes two crushers, seven screens, and various transfer points. Emissions are controlled through the use of water cannons and partial enclosed transfer points. The potential emissions are estimated at: 4.09 TPY PM; 1.39 TPY PM<sub>10</sub>; and 0.15 TPY PM<sub>2.5</sub>. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed State-Only Operating Permit includes emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be

considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (11-00418) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

**65-00890: Basic Carbide Corporation** (900 Main Street, Lowber, PA 15660). In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a Synthetic Minor State Only Operating Permit (SOOP) renewal to Basic Carbide Corporation to authorize the continued operation of their tungsten carbide production facility located in Sewickley Township, **Westmoreland County**.

Plant includes 5 ball mills vertical mixer, 3 vacuum dryers equipped with condensers to control heptane emissions, vacuum pumps, sintering furnaces, milling machines, surface grinders, lathes, band saws, a heating boiler, heptane storage tanks and a dust collector to control particulate emissions. The facility wide estimated potential emissions are 0.2 ton per year of PM<sub>10</sub>, 4 tons per year of NO<sub>x</sub> and 45 tons per year of VOCs. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145 (and Federal rules if applicable).

Basic Carbide Corporation State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Basic Carbide Corporation State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Operating Permit for this facility, a person may contact Noor Nahar at [nnahar@pa.gov](mailto:nnahar@pa.gov) or 412.442.5225.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	

Alkalinity greater than acidity<sup>1</sup>

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 54150101R. Park Mine Coal Co., LLC** (294 Pine Creek Drive, Orwigsburg, PA 17961), renewal for reclamation activities only of an existing anthracite surface mine operation in West Mahanoy Township, **Schuylkill County** affecting 99.7 acres. Receiving streams: Shenandoah Creek, classified for the following use: cold water fishes and Mahanoy Creek, classified for the following use: warm water fishes. Application received: February 27, 2020.

**Permit No. 54850201R7. Joe Kuperavage Coal Company** (916 Park Avenue, Port Carbon, PA 17965), renewal of an existing anthracite coal refuse reprocessing operation in Blythe Township, **Schuylkill County** affecting 31.1 acres. Receiving streams: Schuylkill River and unnamed tributary to Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: March 4, 2020.

**Permit No. 54783702R7 and NPDES Permit No. PA0593010. Reading Anthracite Company** (P.O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite coal refuse disposal and preparation plant operation in New Castle and Norwegian Townships, **Schuylkill County** affecting 681.0 acres. Receiving stream: West Branch Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: March 9, 2020.

**Permit No. GP12-54783702R3. Reading Anthracite Company** (P.O. Box 1200, Pottsville, PA 17901), renewal application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54783702 in New Castle and Norwegian Townships, **Schuylkill County**. Application received: March 9, 2020.

#### Noncoal Applications Received

**Effluent Limits**—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	
pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).*

**4775SM10 and NPDES PA0596639. Hanson Aggregates Pennsylvania, LLC**, 7660 Imperial Way, Allentown, PA 18195, renewal for an existing NPDES on a large noncoal surface mining site located in College Township, **Centre County** affecting 315.2 acres. Receiving stream(s): Spring Creek classified for the following use(s): HQ-CWF, MF. Application received: March 19, 2020.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 58980822. Thomas J. Mirra** (127 Turtle Road, New Milford, PA 18834), Stage I & II bond release of a bluestone quarry operation in New Milford Township, **Susquehanna County** affecting 5.0 acres on property owned by Thomas J. Mirra. Application received: February 20, 2020.

**Permit No. 58202501 and NPDES Permit No. PA0226092. Wesley Newbury** (2432 US Route 11, Kirkwood, NY 13795), commencement, operation and restoration of a blue stone quarry operation and NPDES Permit for discharge of treated mine drainage **Susquehanna County** affecting 10.0 acres. Receiving stream: unnamed tributary to Salt Lick Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: February 24, 2020.

*Coal NPDES Draft Permits*

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100 (Contact: Bonnie Herbert).

**NPDES No. PA0214515 (Mining Permit No. 32831602). General Trade Corporation**, 745 Power Plant Road, New Florence, PA 15944, a renewal to the NPDES and mining activity permit for coal preparation activities. This permit is being renewed but a timely renewal application was not received, therefore the administrative extension was not granted, and the facility is currently operating without a permit. The renewal is for The Central Preparation Plant in West Wheatfield Township, **Indiana County**, affecting 31.5 surface acres. Receiving stream(s): Unnamed Tributary 44962 to the Conemaugh River classified for the following use: CWF. Kiskiminetas-Conemaugh Watershed TMDL. The application was considered administratively complete: August 16, 2019. The application was received: June 21, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

*Outfall 001* discharges to: Unnamed Tributary 44962 to the Conemaugh River

The proposed effluent limits for *Outfall 001* (Lat: 40° 23' 28.5" Long: 79° 3' 55") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

*Outfall 002* discharges to: Unnamed Tributary 44962 to the Conemaugh River

The proposed effluent limits for *Outfall 002* (Lat: 40° 23' 21.3" Long: 79° 4' 5.4") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Oil & Grease	(mg/l)	-	15	30	30
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	177	355	355

*Outfall 003* discharges to: Unnamed Tributary 44962 to the Conemaugh River

The proposed effluent limits for *Outfall 003* (Lat: 40° 23' 23.2" Long: 79° 4' 25.63") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

EPA waiver is not in effect.

**NPDES No. PA02355806 (Mining Permit No. 30080701). Consol Pennsylvania Coal Company LLC**, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, a renewal to the NPDES and mining activity permit for coal refuse disposal activities for Bailey Central Mine CRDA No. 5 & No. 6 in Richhill Township, **Greene County**, affecting 617.9 surface acres. Receiving stream(s): Unnamed Tributary 32705 to Owens Run classified for the following use: CWF and Unnamed Tributary to Owens Run classified for the following use: CWF. The application was considered administratively complete: May 27, 2015. The application was received: December 23, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

*Outfall 501* discharges to: Unnamed Tributary 32705 to Owens Run

The proposed effluent limits for *Outfall 501* (Lat: 39° 56' 52.3" Long: 80° 25' 10") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50.0	50.0	50.0

*Outfall 601* discharges to: Unnamed Tributary to Owens Run

The proposed effluent limits for *Outfall 601* (Lat: 39° 56' 58" Long: 80° 25' 28") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50.0	50.0	50.0

EPA waiver is not in effect (Bailey Central Mine Complex).

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (Contact: Holly Calvetti, 814.472.1900).*

**NPDES No. PA0235164 (Mining Permit No. 32990110). KMP Associates, Inc.**, 3756 Route 981, Saltsburg, PA 15681, renewal of an NPDES permit for a bituminous surface mine in Young Township, **Indiana County**, affecting 4.0 acres. Receiving stream(s): unnamed tributary to Harpers Run and Harpers Run to Blacklegs Creek, a tributary to the Kiskiminetas River, classified for the following use(s): cold water fishery (Harpers Run and Blacklegs Creek) and warm water fishery (Kiskiminetas River). The receiving streams are included in the Kiski-Conemaugh TMDL. Application received: February 21, 2020.

The following treated wastewater outfall discharges to an unnamed tributary to Harpers Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004 (Long Term Treatment System)	N

The proposed effluent limits for the previously listed outfall are as follows:

*Outfall: 004 (Long Term Treatment System)*

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum.</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.1	1.1
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.) Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

**NPDES No. PA0249653 (Mining Permit No. 32200301). Neiswonger Construction, Inc.**, 17592 Route 322, Strattanville, PA 16258 new NPDES permit for large industrial minerals surface mine in Young Township, **Indiana County**, affecting 183.5 acres. Receiving stream(s): unnamed tributaries to/and Whiskey Run, classified for the following use(s): cold water fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: February 26, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to; unnamed tributaries to/and Whiskey Run:

The following outfalls require a non-discharge alternative:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	SWO
002	N	SWO
003	N	SWO
004	N	SWO
005	N	SWO
006	N	SWO
007	N	SWO
008	N	TFO
009	N	TFO
010	N	TFO
011	N	TFO
013	N	TFO
014	N	SWO

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 001,002, 005, 006, 008, 009 and 013 (All Weather Conditions)*

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum.</i>	<i>Instant. Maximum</i>
Iron (mg/l)		Report	
Manganese (mg/l)		Report	
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfates (mg/l)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Outfalls: 003, 004, 007, 0010, 011 and 014 (All Weather Conditions)*

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum.</i>	<i>Instant. Maximum</i>
Iron (mg/l)		Report	
Aluminum (mg/l)	0.75	1.5	1.5
Manganese (mg/l)		Report	
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfates (mg/l)		Report	
pH (S.U.) Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Noncoal NPDES Draft Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.*

**NPDES Permit No. PA0226076 on GP105 Permit No. 58192506. Celso F. Avila** (684 Warner Road, Montrose, PA 18801), new NPDES Permit for a Bluestone Quarry operation in Bridgewater Township, **Susquehanna County**,

affecting 10.5 acres. Receiving stream: unnamed tributary to Fall Brook, classified for the following uses: EV-cold water and migratory fishes. Application received: October 29, 2019. Non-discharge BMP's shall be in effect.

**NPDES Permit No. PA0123480 on SMP No. 8724SM5. Allan Myers Materials PA, Inc. d/b/a Allan Myers Materials** (638 Lancaster Avenue, Malvern, PA 19355), renewal of an NPDES Permit for a serpentinite & schist quarry operation in Fulton Township, **Lancaster County**, affecting 321.82 acres. Receiving stream: Octorara Creek classified for the following uses: warm water and migratory fishes. Application received: December 12, 2019.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	No	Pit Water/Stormwater
002	No	Stormwater
003	No	Stormwater
004	No	Spring

The proposed effluent limits for the previously listed area as follows:

<i>Outfalls: 001, 002, 003, 004</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
<i>Parameter</i>				
pH <sup>1</sup> (S.U.)	6.0			9.0
Discharge MGD (001)		12.78		
Discharge MGD (004)		0.65		
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Turbidity (NTU)		40.0		
Oil & Grease (mg/L)		Monitor And Report		

<sup>1</sup> The parameter is applicable at all times.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

## WATER OBSTRUCTIONS AND ENCROACHMENTS

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. E4601220-024, Whitpain Township, 960 Wentz Road, Blue Bell, PA 19422, Whitpain Township, Montgomery County, ACOE Philadelphia District.**

Whitpain Township is proposing to demolish four (4) homes and accessory structures, remove debris, and restore the disturbed areas along the floodplain of Wisahickon Creek (WWF) associated with the floodplain restoration project.

This project is located at 218, 220, 226, and 228 Maple Avenue at the corner of Ambler Valley and Maple Avenue in Whitpain Township, Montgomery County (USGS PA Ambler Quadrangle—Latitude 40.11595 N, Longitude 75.164572 W).

**Permit No. E2301220-022, Nether Providence Township, 214 Sykes Lane, Wallingford, PA 19086, Nether Providence Township, Delaware County, ACOE Philadelphia District.**

Nether Providence Township is proposing to demolish an existing house and accessory structures, remove debris, and restore the disturbed areas along the floodplain of Mudpuppy Run, a tributary to Crum Creek, associated with the floodplain restoration project.

This project is located at Furness Park, 20 Turner Road near the intersection of Turner Road and Rogers Lane in Nether Providence Township, Delaware County (USGS PA Lansdowne Quadrangle—Latitude 39.904650, Longitude 75.368579 W).

**Permit No. E0901220-022, Southampton Township, 939 Street Road, Southampton, PA 72597, Southampton Townships, Bucks County, ACOE Philadelphia District.**

Southampton Township is proposing to demolish an existing house and accessory structures, remove debris, and restore the disturbed areas along the floodplain of Southampton Creek (WWF) associated with the floodplain restoration project.

This project is located at 326 Holly Drive near the intersection of Charles and Holly Drives in Southampton Township, Bucks County (USGS PA Hatboro Quadrangle—Latitude 40.167097 N, Longitude 75.061971 W).

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E480220-022. Crossroads XOX, LLC**, 1265 Miller Road, Wind Gap, PA 18091, in Upper Nazareth Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with “Project Tadmor,” an industrial development consisting of two (2) warehouse buildings, three (3) access roads, and parking lots:

1) A stream enclosure of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 577-LF, 36-inch diameter reinforced concrete pipe, concrete wingwall, and three (3) concrete manholes.

2) A culvert replacement consisting of the removal of an existing structure conveying a UNT to Monocacy Creek (HQ-CWF, MF) beneath Gun Club Road (T-506) and the construction of a 47-LF, 45-inch diameter by 29-inch diameter elliptical reinforced concrete pipe having a concrete inlet box and concrete flared end section.

3) A stormwater outfall within an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 18-inch diameter, HDPE pipe associated with a proposed stormwater management basin outfall structure located directly to the southeast.

4) A stormwater outfall within an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 18-inch diameter, HDPE pipe associated with a proposed stormwater drainage collection system along the Gun Club Road (T-506) located directly northwest.

5) A stormwater outfall within an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 18-inch diameter, HDPE pipe associated with a proposed stormwater drainage collection system along Gun Club Road (T-506) located directly southeast.

6) A stream enclosure of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 251-LF, 30-inch diameter reinforced concrete pipe, two (2) concrete manholes, and concrete flared end section.

7) A utility line crossing of an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 18-inch diameter, HDPE pipe associated with a proposed stormwater drainage collection system located directly west of Warehouse Building “B.”

8) A fill within the floodway of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a chain link fence and grading associated with the construction of Warehouse Building “A.”

9) A utility line crossing of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 6-inch diameter ductile iron water pipe.

10) A utility line crossing of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 8-inch diameter ductile iron water pipe.

11) A utility line crossing of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 2-inch diameter HDPE sewage force main.

The project is located directly east of Gun Club Road (T-506), approximately 0.63-mile southeast of the intersection of Bath Pike (S.R. 248) and Penn Allen Road (T-505), Nazareth, PA Quadrangle Latitude: 40° 43' 30" Longitude: 75° 21' 21" in Upper Nazareth Township, Northampton County.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E2203220-022. Tri County Boat Club**, 2229 River Road, Middletown, PA 17057, in Londonderry Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a 190-foot long by 4.0-foot high retaining wall in the floodway of the Susquehanna River (WWF, MF) for the purpose of reducing erosion during flooding events. The project is located immediately south of the intersection of River Road and Water Street (Latitude: 40° 10' 9.9" N; Longitude: 76° 43' 25.1" W) in Londonderry Township, Dauphin County. No wetlands will be impacted by this project.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E1904119-007. Pennsylvania Department of Transportation, Engineering District 3-0**, 715 Jordan Ave, Montoursville, PA 17754. SR 0339, Section 06A Safety Improvement Project in Mifflin Township, **Columbia County**, ACOE Baltimore District (Mifflinville, PA Quadrangle; Latitude: 41° 02' 13"; Longitude 76° 16' 10").

PA DOT Engineering District 3-0 proposes a two-mile-long safety improvement project along SR 0339, from Smith Hollow Rd to the Luzerne County Line. The project includes structure replacements and roadway widening for the SR 0080 detour route. The project includes several replacements or widening of structures with drainage areas less than 100 acres. These activities could be waived under Chapter 105.12(a)2, however they were included for project completeness. The project includes 14 pipe outfall structures with Rip Rap outlet aprons. The project includes the replacement of a Single Span Concrete Slab Bridge with a Single Span Precast Concrete Slab Bridge on Geo-Reinforced Soil Abutments (GRS) over an Unnamed Tributary to the Susquehanna River. The existing bridge has a span of 14 Ft., a skew of 90 degrees, an underclearance of 3.0 Ft., and a low chord of 493.90 Ft. and a hydraulic opening of 26 Ft<sup>2</sup>. The proposed single span bridge has a span of 14 Ft., a skew of 90 degrees, an underclearance of 8.1 Ft., and a low chord of 499.89 Ft. and a hydraulic opening of 102 Ft<sup>2</sup>. The existing abutments will remain in place as part of the GRS abutments. Grouted R-8 Rip Rap choked with native streambed material will be utilized as scour protection around the abutments and wingwalls. The project will utilize half width construction to convey traffic during construction. The project will utilize a sandbag diversion and clean water pump to convey the stream during construction. The project includes the replacement of a Single Span Concrete Slab Bridge with a Single Span Precast Concrete Box Culvert over an Unnamed Tributary to the Susquehanna River. The existing bridge has a span of 12 Ft., a skew of 30 degrees, an underclearance of 2.0

Ft., and a low chord of 497.72 Ft. and a hydraulic opening of 21 Ft<sup>2</sup>. The proposed single span concrete box culvert has a span of 16 Ft., a skew of 10 degrees, an underclearance of 3.0 Ft., and a low chord of 498.90 Ft. and a hydraulic opening of 48 Ft<sup>2</sup>. R-8 Rip Rap choked with native streambed material will be utilized as scour protection at the inlet and outlet. The project will utilize half width construction to convey traffic during construction. The project will utilize a sandbag diversion and clean water pump to convey the stream during construction. The project will include 24 inches of culvert depression for future maintenance if the culvert has a debris or deposition issue in the future. The box culvert will include baffles and native material on the box culvert floor. The project includes roadway widening. This widening will extend into a Detailed FEMA floodplain for the Susquehanna River. The fill will be placed in the floodplain, no fill will be placed within the floodway. The roadway widening will result in a 375 L.F. realignment of the Unnamed Tributary to the Susquehanna River at the outlet of the proposed structure replacement. Approximately, 670 L.F. of R-8 Rip Rap will be utilized for the roadway widening along the left bank of channel 6. The channel realignment will include four single log deflectors and a planting plan. The project will temporarily impact 0.48 acre and permanently 0.33 acre of jurisdictional wetlands. The wetland impacts will be mitigated at the Vargo wetland mitigation bank. The Unnamed Tributaries to the Susquehanna River are classified as a Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards.

**E0804120-001, PA DOT Engineering District 3-0**, 715 Jordan Ave., Montoursville, PA 17754, SR 0006, Section M36, Segment 0250, Offset 0000 and Segment 0300, Offset 1263, Pipe Replacements, Troy and West Burlington Townships, **Bradford County**, Baltimore ACOE (East Troy, PA Quadrangle N: 41° 45' 52"; W: 76° 40' 14").

PA DOT propose to replace two deteriorated pipes as part of a roadway rehabilitation project. The first pipe is located at Segment 0250, Offset 0000. PA DOT proposes to replace 50 L.F. of 72-inch Reinforced Concrete Pipe with 90 L.F. of 84-inch Reinforced Concrete Pipe. The second pipe is located at Segment 0300, Offset 1263. PA DOT proposes to replace 50 L.F. of 48-inch Corrugated Metal Pipe with 57 L.F. of 60-inch Reinforced Concrete Pipe. Both pipe replacements will include endwalls and Rip Rap Scour Protection. A detour will be utilized to convey traffic during construction. The project will not impact any jurisdictional wetlands. The Unnamed Tributaries to Sugar Run Creek are classified as a Trout Stocked Fishery by 25 Pa. Code Chapter 93 Water Quality Standards.

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E26052-389, Fore Golf Company**, 440 Pleasant Valley Road, Bullsken Township, **Fayette County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Operate and maintain a 20-foot by 200-foot bridge over Mounts Creek (WWF).
2. Operate and maintain 466 feet of cart path pavement in floodway of an Unnamed tributary (UNT) to Mounts Creek (WWF).
3. Operate and maintain a 32-foot by 8-foot bridge that provides access to green within pond.

4. Operate and maintain a 24-inch CCP stormwater pipe along the right descending bank of the UNT to Mounts Creek.

5. Operate and maintain two 8-inch PVC outfall structures that drain pond along the right descending bank of the UNT to Mounts Creek.

6. Operate and maintain stream bank restoration consisting of dumped rock for 100 feet along the UNT to Mounts Creek

7. Operate and maintain 4,000 square feet of pond located in the floodway of the UNT to Mounts Creek.

For the purpose of improvements to the existing golf course. Cumulatively, the project will temporarily impact 25,992 SF and permanently impact 9,006 SF of both Mounts Creek (WWF) and the UNT to Mounts Creek (WWF). The project site is located at 440 Pleasant Valley Road, Connellsville, PA 15425 (Connellsville, PA USGS topographic quadrangle; N: 40°, 03', 59.0"; W: 79°, 32', 39.0"; Sub-basin 19D; USACE Pittsburgh District), in Bullsken Township, Fayette County.

**E6305220-001, Pennsylvania Turnpike Commission**, P.O. Box 67676, Harrisburg, PA 17106-7676; McDonald Borough and Cecil Township; **Washington County**, Pittsburgh ACOE District.

The applicant proposes to:

1. Remove the existing stream enclosure/storm drain on an Unnamed Tributary (UNT) to Robinson Run (WWF) approximately 510' long.
2. Reconstruct and maintain approximately 510' of new channel in the place of the stream enclosure/storm drain conveying the UNT.
3. Reconstruct and maintain an additional 170' of existing open channel conveying the UNT.

The purpose of the project is to reduce flooding along SR 0980 by daylighting and reconstructing a UNT to Robinson Run. Natural channel design is proposed and includes the use of woody debris and step pools. Floodplain benches are proposed on both sides of the channel.

The project site is located along SR 0980 (South McDonald Street) (Canonsburg, PA USGS topographic quadrangle; N: 40°, 21' 51"; W: 80°, 14', 6"; Sub-basin 20F; USACE Pittsburgh District), in McDonald Borough and Cecil Township, Washington County.

*Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E3706220-001, Westminster College**, 319 South Market Street, New Wilmington, PA 16142. Westminster College Athletic Fields, in New Wilmington Borough, **Lawrence County**, ACOE Pittsburgh District (New Castle North, PA Quadrangle N: 41°, 7', 1.1168"; W: 80°, 19', 46.675").

The Applicant proposes to construct, operate, and maintain, a new on-campus athletic field and related facilities. A portion of the activities will be located within the assumed 50 feet floodway of McClure's Run at a point approximately 2,000 feet southeast of the SR 208 and SR 956 intersection in New Wilmington Borough, Lawrence County.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E0829220-022: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Tuscarora Township, Bradford County, ACOE Baltimore District.**

To construct, operate and maintain:

1. a 24' × 5' concrete box culvert with wingwalls and two 36-inch RCP relief culverts impacting 157 linear feet of Fargo Creek (CWF, MF), impacting 571 square feet of an adjacent Palustrine Forested Wetland and impacting 4,990 square feet of an adjacent Palustrine Emergent Wetland (Laceyville, PA Quadrangle Latitude: 41° 41' 02", Longitude: 76° 08' 48");

2. a temporary road impacting 157 linear feet of Fargo Creek and impacting 1,278 square feet of an adjacent Palustrine Emergent Wetland (Laceyville, PA Quadrangle Latitude: 41° 41' 03", Longitude: 76° 08' 45");

3. a 2.5' × 3.5' concrete box culvert with wingwalls impacting 66 linear feet of an unnamed tributary to Fargo Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: 76° 08' 43");

4. a permanent access road impacting 179 linear feet, or 10,231 square feet of floodway impacts to an unnamed tributary to Fargo Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: 76° 08' 38");

5. a permanent access road impacting 422 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: 76° 08' 37");

6. a temporary timber mat bridge impacting 42 linear feet, or 3,443 square feet of floodway impacts to an

unnamed tributary to Fargo Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41° 40' 58", Longitude: 76° 08' 36");

7. a permanent access road impacting 484 linear feet, or 20,691 square feet of floodway impacts to an unnamed tributary to Fargo Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: 76° 08' 34");

8. a 15" Reinforced Concrete Pipe impacting 57 linear feet of an unnamed tributary to Fargo Creek (CWF, MF) and impacting 660 square feet of an adjacent Palustrine Emergent Wetland (Laceyville, PA Quadrangle Latitude: 41° 41' 02", Longitude: 76° 08' 48");

The project will result in 279 linear feet or 2,478 square feet of temporary stream impacts, 64,413 square feet of floodway impacts, 571 square feet of PFO impacts and 7,350 square feet of PEM impacts, all for the purpose of installing a natural gas well pad and permanent access road for Marcellus Shale development in Tuscarora Township, Bradford County.

**E5929-094: SWEPI LP, 150 N. Dairy Ashford, E1296-E, Houston, TX 77079, Deerfield Township, Tioga County, ACOE Baltimore District.**

To construct, operate, and maintain a stream bank restoration, stabilization and protection project impacting 720 linear feet of the Cowanesque River (CWF) (Knoxville, PA Quadrangle 41° 57' 15" N, 77° 25' 00" W). The application is a follow-up to an emergency permit that was issued. The project will result in 664 linear feet of permanent stream impacts and 460 linear feet of temporary stream impacts all for the purpose of installing the stream bank restoration, stabilization and protection along the Cowanesque River in Deerfield Township, Tioga County.

## ACTIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users

may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

### I. NPDES Renewal Permit Actions.

---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0261254 Issued	Logue Residence STP 3256 Beans Cove Road Clearville, PA 15535-8302	Bedford County South Hampton Township	Wildcat Run (HQ-CWF) in Watershed(s) 13A	YES
PA0261661 Issued	Comfort Inn 2845 Lebanon Road Manheim, PA 17545-8346	Lancaster County Rapho Township	Shearer's Creek (HQ-CWF) in Watershed(s) 7-G	YES
PA0262153 Issued	Point View Cottage Association Point View Drive Williamsburg, PA 16693	Blair County Catharine Township	Township Run (WWF, MF) in Watershed(s) 11-A	YES
PA0084051 Issued	Creekview Farms MHP 280 Airy View Road Shermans Dale, PA 17090-8504	Perry County Carroll Township	Sherman Creek (WWF) in Watershed(s) 7-A	YES
PA0262161 Issued	Point View Cottage Association Point View Drive Williamsburg, PA 16693	Blair County Catharine Township	Township Run (WWF, MF) in Watershed(s) 11-A	YES

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0217034 (Industrial)	ArcelorMittal Monessen LLC Monessen Coke Plant 345 Donner Avenue Monessen, PA 15062-1156	Westmoreland County Monessen City	Monongahela River (WWF) (19-C)	No
PA0205729 (Sewage)	Cunningham SRSTP 208 Rural Valley Road Claysville, PA 15323-1338	Washington County Blaine Township	Wolf Run (HQ-WWF) (20-E)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PAS326102 (Storm Water)	Glacial Sand & Gravel Cowansville Shop P.O. Box 1022 Kittanning, PA 16201-5022	Armstrong County East Franklin Township	Long Run (HQ-TSF) and Unnamed Tributary to Glade Run (TSF) (17-E and 18-F)	Yes

---

### II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

---

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**NPDES Permit No. PA0288004**, Sewage, SIC Code 8800, **Evelyn Gallagher**, 693 Mushrush Road, Butler, PA 16002.

This proposed facility is located in Jefferson Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

**NPDES Permit No. PA0025569**, Sewage, SIC Code 4952, **Slippery Rock Municipal Authority**, P.O. Box 157, Slippery Rock, PA 16057-0157.

This existing facility is located in Slippery Rock Borough, **Butler County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit Amendment for an existing discharge of treated sewage.

### III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

**WQM Permit No. WQG025020001**, Sewerage, SIC Code 4952, **Howe Township Municipal Authority**, 319 4th Street, Newport PA 17074-1204

This proposed facility is located in Howe Township, **Perry County**.

Description of Proposed Action/Activity:

This general permit approves construction and operation of a sewer extension.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

**WQM Permit No. 463S103 A-1**, Sewage, **Mount Pleasant Borough**, 1 Etze Avenue, Mount Pleasant, PA 15666.

This existing facility is located in Mount Pleasant Borough, **Westmoreland County**.

Description of Proposed Action/Activity: Rehabilitation of existing Quarry Street Pump Station.

**WQM Permit No. 0474418 A-2**, Sewage, SIC Code 2211, **PA American Water Co.**, 2736 Ellwood Road, New Castle, PA 16101.

This existing facility is located in Koppel Borough, **Beaver County**.

Description of Proposed Action/Activity: To replace the gaseous chlorine disinfection system with a UV disinfection system.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 1019408**, Sewage, **Evelyn Gallagher**, 693 Mushrush Road, Butler, PA 16002.

This proposed facility is located in Jefferson Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 2571404 A-1**, Sewage, **Millcreek Township**, 3608 West 26th Street, Erie, PA 16506.

This existing facility is located in Millcreek Township, **Erie County**.

Description of Proposed Action/Activity: Amendment to make improvements to Shoreline Pump Station on Peninsula Drive.

### VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD480099 Authorization/ Issuance	ASGCO Manufacturing Inc. c/o Aaron Gibbs 301 W. Gordon Street Allentown, PA 18102	Northampton	Plainfield Township	Little Bushkill Creek (HQ-CWF, MF)

### VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

### List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities

PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticide

*General Permit Type—PAG-02*

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone Number</i>
PAC350074 Authorization/ Issuance	1101 Northern Blvd. LLC 3 Becker Farm Road Suite 404 Roseland, NJ 07068-1745	Lackawanna	South Abington Township	Summit Lake Creek (TSF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC400160 Authorization/ Issuance	Schiel Development LLC Franics Schiel 30 Hanover Street Wilkes-Barre, PA 18702	Luzerne	Hanover Township	Solomon Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC540054 Authorization/ Issuance	Hexcel Pottsville Corporation Attn: John Kugel P.O. Box 179 Pottsville, PA 17901	Schuylkill	East Norwegian Township	UNT to Mill Creek (CWF, MF)	Schuylkill Conservation District 1206 AG Center Drive Pottsville, PA 17901-9733 570-622-3742
PAC580020 Authorization/ Issuance	Greg and Linda Repoley 390 McCann Road Springville, PA 18844	Susquehanna	Dimock Township	West Creek (CWF, MF)	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105
PAC580021 Authorization/ Issuance	Elizabeth Arnold P.O. Box 218 New Milford Twp 18834	Susquehanna	New Milford Township	Trib. 29153 Nine Partners Creek (CWF, MF)	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105

**NOTICES**

**2051**

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4802.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone Number</i>
PAC070072 Issued	Antis Township 909 North Second Street Bellwood, PA 16617	Blair	Antis Township	Bells Gap Run (TSF, MF)	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
PAC670352 Issued	Titus Hershberger 3912 Snyder Road Glen Rock, PA 17327	York	Codorus Township	South Branch of Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
PAC670391 Issued	Boyde Hess Dover, LLC 600 Olde Hickory Road Suite 100 Lancaster, PA 17601	York	Dover Township	Fox Run (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
PAC670218 Issued	Steven Schiding 1660 Crows Nest Lane York, PA 17403	York	York Township	Barshinger Creek (CWF, MF) East Branch Codorus Creek Tributary (CWF, MF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
PAC670370 Issued	York College of Pennsylvania 441 Country Club Road York, PA 17403-3614	York	City of York	UNT Codorus Creek (WWF, MF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

*Southwest Region: 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC630172	Peoples Natural Gas, LLC 195 Donohoe Road Greensburg, PA 15601	Fallowfield Township; Speers Borough; Twilight Borough	South Branch Maple Creek (WWF)	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC200066	Economic Progress Alliance 789 Bessemer Street Meadville, PA 16335	Greenwood Township, Crawford County	McMichael Run WWF, UNT Conneaut Outlet WWF	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269

**STATE CONSERVATION COMMISSION  
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES  
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Stonewall Pork LLC 242 Alder Run Road Millerton, PA 16936	Tioga	10	683.51	Swine	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Spring Township Water Authority (Public Water Supply), Centre County:** On March 25, 2020, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for the Spring Township Water Authority community water system. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (Mark R. Stephens, PG, (570) 327-3422).

**SEWAGE FACILITIES ACT PLAN DISAPPROVAL****Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fannett Township	P.O. Box 40 Dry Run, PA 17220-0040	Franklin

*Plan Description:* The planning module for Baker Subdivision, DEP Code No. A3-28906-188-1, APS Id 1013067, consisting of one new single-family residential lot, is disapproved. The proposed development is located on Mountain Green Road. This plan is disapproved because the subdivision does not qualify as an exception from the requirement to revise the Official Plan because the subdivision proposes the use of onlot sewage disposal systems in an area underlain by carbonate geology. Fannett Township's Act 537 plan requires a Component 2 planning module and a preliminary hydrogeologic study in areas underlain by carbonate geology and where water supplies are documented to exceed 5 PPM nitrate-nitrogen.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION****UNDER ACT 2, 1995  
PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in

the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**John Deblasio Property**, 1313 West Woodlawn Street, Whitehall Township, **Lehigh County**. EMS Environmental, 4550 Bath Pike, Bethlehem, PA 18017, on behalf of John Deblasio Estate c/o Nick Schaefer, 4227 Winchester Road, Allentown, PA 18104, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Residential Statewide Health Standards.

**Sandvik Materials Technology/Sandvik Steel**, 982 Griffin Pond Road, Clarks Summit, PA 18411, Scott Township, **Lackawanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Holcombe Energy Resource LLC, 1 Kim Avenue, Suite 5, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil contaminated by a release of diesel from an aboveground storage tank. The report is intended to document remediation of the site to meet Residential Statewide Health Standards.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Titusville Wax Plant**, 1100 East Main Street (a.k.a. 1007 East Spring Street), City of Titusville, **Crawford County**. Wood Environment & Infrastructure Solutions, Inc., 4600 J Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of Honeywell, 100 Columbia Road, Morristown, NJ 07962, submitted a Remedial Investigation/Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with Volatile Organic Compounds, Semi-volatile Organic Compounds, Polychlorinated Biphenyls, and Metals. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**AIR QUALITY**

**General Plan Approval and Operating Permit Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**GP1-46-0110: Moss Rehabilitation Center, Inc.** (60 Township Line Road, Elkins Park, PA 19027), on March 30, 2020 for installation and operation of a 14.29 MMBtu/hr dual fuel fired boiler at their location in Cheltenham Township, **Montgomery County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**23-0038F: Delcora** (100 East Fifth Street, P.O. Box 999, Chester, PA 19016) on March 19, 2020 for an extension to install a new air pollution control system for each of the two multiple hearth incinerators, comprising quench, multi-venturi scrubber, wet electrostatic precipitator and regenerative thermal oxidizer and to modify each of the incinerators to remove the afterburner function from the incinerators' upper hearth and relocate it downstream at the RTO is approved in City of Chester, **Delaware County**.

**09-0196H: Abington Reldan Metals, LLC** (550 Old Bordertown Rd., Fairless Hills, PA 19030-4510) on March 19, 2020 for an extension of installation of a furnace and a lime injection system to control sulfur dioxide emissions at their location in Falls Township, **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**38-03064A: Rothermel-Finkenbinder Funeral Home & Crematory, Inc.** (25 West Pine Street, Palmyra, PA 17078) on March 27, 2020, for the installation of a human crematory at the funeral home located in Palmyra Borough, **Lebanon County**. The plan approval was extended.

**28-03068A: Pennsylvania Cherry, LLC** (P.O. Box 269, Mercersburg, PA 17236) on March 23, 2020, for the installation of a lumber processing facility, located in Montgomery and Peters Townships, **Franklin County**. The Plan Approval authorizes installation of a wood fired boiler controlled by an electrostatic precipitator, and lumber trimming and grinding operations controlled by cyclone separators, and a wood drying kiln. The plan approval was extended, with a compliance schedule.

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**43-00142: Salem Tube, Inc.** (951 4th St., Greenville, PA 16125-8253). On March 24, 2020, the Department issued the renewal Title V Operating Permit for operation of the Greenville Reynolds Industrial Park facility located in Pymatuning Township, **Mercer County**. The facility's primary emission sources include the degreasing system boiler, miscellaneous natural gas usage, the pickling tank boiler, TCE (trichloroethylene) degreasing system, three (3) annealing furnaces, general solvent cleaning, lubricating operations, TCE storage tanks, a parts cleaner/solvent degreaser, a batch pickling tank, a vacuum cleaning and

degreasing machine controlled by carbon adsorption and a barrel carbon filter, groundwater TCE clean-up, and three (3) emergency generator engines. The potential emissions of the primary pollutants from the facility are as follows: 12.16 TPY (tons per year) NO<sub>x</sub>, 8.35 TPY CO, 79.70 TPY VOC, 57.46 TPY total HAPs, 57.25 TPY TCE, 0.75 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, and 0.06 TPY SO<sub>x</sub>; thus, the facility is a major stationary source for emissions of VOC, total HAPs, and a single speciated HAP (TCE). The boilers are subject to 40 CFR 63 Subpart DDDDD, NESHAP for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters. The TCE degreasing system and vacuum cleaning/degreasing machine are subject to 40 CFR 63 Subpart T, NESHAP for Halogenated Solvent Cleaning. Two of the three natural gas-fired emergency generator engines are subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The TCE degreasing system, vacuum cleaning/degreasing machine, and parts cleaner/solvent degreaser are exempt from RACT II analysis; as stated in 25 Pa. Code § 129.96(a), requirements have been established in § 129.63. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-03021: General Dynamics Ordnance & Tactical Systems, Inc.** (200 East High Street, Red Lion, PA 17356-1426) on March 25, 2020, for the ammunition manufacturing facility located in Red Lion Borough, **York County**. This is a renewal of the State-only operating permit.

**21-05036: Hempt Brothers, Inc.** (205 Creek Road, Camp Hill, PA 17011-7418) on March 11, 2020, for the Camp Hill batch asphalt facility, located in Lower Allen Township, **Cumberland County**. This is a renewal of the State-only operating permit.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**10-00304: JSP International Mfg** (150 Eastbrook Lane, Butler, PA 16002-1024). On March 25, 2020, the Department issued the renewal State Only Natural Minor Operating Permit for the manufacturing facility located in Summit Township, **Butler County**. The facility's primary emission sources include the four (4) natural gas-fired boilers used to provide process steam for the facility, specialty foam processing tools, a curing oven, miscellaneous natural gas usage, and two (2) natural gas-fired emergency generators. The potential emissions of the primary pollutants from the facility are as follows: 20.77 TPY (tons per year) NO<sub>x</sub>, 23.63 TPY CO, 4.33 TPY VOC, 2.14 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, 0.17 TPY SO<sub>x</sub>, and 0.53 TPY combined HAPs; thus, the facility is a natural minor. The boilers are subject to 40 CFR 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-

Institutional Steam Generating Units. One emergency generator is subject to 40 CFR 63, Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines, and the other is subject to 40 CFR 60 Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**32-00227: Integrated Power Services** (4470 Lucerne Rd., Indiana, PA 15701-9498). On March 24, 2020, the Department issued the renewal State Only Natural Minor Operating Permit for the manufacturing facility located in White Township, **Indiana County**. The facility's primary emission sources consist of several natural gas-fired baking ovens, sandblasting, surface coating processes (paint booths), resin usage, and parts washers (solvent degreasers). The potential emissions of the primary pollutants from the facility are as follows: 7.90 TPY (tons per year) NO<sub>x</sub>, 6.63 TPY CO, 18.66 TPY VOC, 7.35 TPY total HAPs, 0.65 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, and 0.05 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The surface coating operations are subject to 25 Pa. Code § 129.52d for control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05053: Buck Co., Inc.** (897 Lancaster Pike, Quarryville, PA 17566) on March 24, 2020, for the foundry facility in Providence Township, **Lancaster County**. The Title V permit was renewed, which included, among other changes, the addition of case-by-case RACT 2 requirements for the facility. The portions of the permit related to approval of the RACT 2 case-by-case proposal will be submitted to US EPA for approval and incorporation into Pennsylvania's State Implementation Plan (SIP). Other requirements will be excluded from the SIP submittal.

**67-05005: Brunner Island, LLC** (P.O. Box 221, York Haven, PA 17370) on March 16, 2020, for the Brunner Island electric power generating facility located in East Manchester Township, **York County**. The Title V Operating Permit was renewed, which included, among other changes, the addition of a RACT 2 system-wide NO<sub>x</sub> averaging plan for the facility. The portions of the permit related to approval of the RACT 2 system-wide NO<sub>x</sub> averaging plan will be submitted to US EPA for approval and incorporation into Pennsylvania's State Implementation Plan (SIP). Other requirements will be excluded from the SIP submittal.

**07-05001: Appvion Operations, Inc.** (100 Paper Mill Road, Roaring Spring, PA 16673-1488) on March 16, 2020,

for the pulp and paper mill located in Roaring Spring Borough, **Blair County**. The Title V Operating Permit underwent a significant modification related to the approval of a Reasonably Available Control Technology II (RACT 2) plan. The permit modification also included deletion of Source 113B Screener, certain minor administrative updates, and addition of emission caps related to RACT 2 for certain sources. The portions of the permit related to approval of the RACT 2 case-by-case proposal will be submitted to US EPA for approval and incorporation into Pennsylvania's State Implementation Plan (SIP). Other requirements will be excluded from the SIP submittal.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).**

### *Coal Permit Issued*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900 (Contact: Holly Calvetti).*

**Permit No. 56763114 and NPDES No. PA0608238, Svonavec, Inc.**, 2555 New Centerville Road, Rockwood, PA 15557, permit renewal for the continued operation and restoration of a bituminous surface mine in Milford Township, **Somerset County**, affecting 96.8 acres. Receiving stream: unnamed tributaries to/and South Glade Creek, classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: November 1, 2019. Permit Issued: March 16, 2020.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

### *Blasting Permits Issued*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200 (Contact: Janet Turner).*

**14204102. Douglas Explosives Inc.**, 2052 Philipsburg Bigler Highway, Philipsburg, PA 16866, blasting for single dwelling foundation located in Ferguson Township, **Cen-**

**tre County** with an expiration date of July 30, 2020. Permit issued: March 20, 2020.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118 (Contact: Theresa Reilly-Flannery).*

**Permit No. 06204105. Maine Drilling & Blasting, Inc.** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Conestoga Landfill in Caernarvon Township and New Morgan Borough, **Berks County** with an expiration date of March 21, 2021. Permit issued: March 23, 2020.

**Permit No. 36204109. Maine Drilling & Blasting, Inc.** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Lancaster Landfill in Mt. Joy Township, **Lancaster County** with an expiration date of March 23, 2021. Permit issued: March 23, 2020.

**Permit No. 46204104. M3 Explo, LLC** (P.O. Box 528, Brownsville, PA 15417), construction blasting for Smoke 2 in Hatfield Township, **Montgomery County** with an expiration date of February 18, 2021. Permit issued: March 23, 2020.

**Permit No. 45204502. Schlouch, Inc.** (P.O. Box 69, Blandon, PA 19510), construction blasting for Pocono Mountain Business Park Lot 28 in Coolbaugh and Mt. Pocono Townships, **Monroe County** with an expiration date of March 13, 2021. Permit issued: March 18, 2020.

**Permit No. 46204102. Rock Work, Inc.** (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Everleigh in Limerick Township, **Montgomery County** with an expiration date of March 31, 2021. Permit issued: March 18, 2020.

**Permit No. 06204103. Maine Drilling & Blasting, Inc.** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Western Berks Landfill in Cumru Township, **Berks County** with an expiration date of March 16, 2021. Permit issued: March 19, 2020.

**Permit No. 22204102. Maine Drilling & Blasting, Inc.** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Hershey Campground in Conewago Township, **Dauphin County** with an expiration date of March 19, 2021. Permit issued: March 20, 2020.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service,

(800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

## WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. E46-1197, Upper Merion Township,** 1785 West Valley Forge Road, King of Prussia, PA 19406-1802, Upper Merion Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain approximately 7,600-foot long and 12-foot wide multi-use paved trail in three segments within the floodway/floodplain of the Crow Creek (WWF-MF), associated with the Crow Creek Trail connecting to township parks, schools, community centers, and businesses within the township. The project will include the following activities:

1. Construct and maintain 47-foot long and 8-foot wide steel beam bridge at trail section 1F.
2. Construct and maintain 80-foot long and 8-foot wide steel beam bridge at trail section 2B.
3. Construct and maintain 16-foot long and 8-foot wide wood/timber beam bridge at trail section 1C.
4. Construct and maintain 16-foot long and 12-foot wide wood/timber beam bridge at trail section 3A.
5. Construct and maintain 26-foot long, 15-inch diameter concrete culvert at trail section 1C-2.
6. One temporary stream crossing at trail section 2B-2.

The project is in three segments. Walker Park to West Valley Forge Road, West Valley Forge Road to Sweetbriar Park, and West Beidler Road to North Henderson Road (Norristown, Collegeville, Lansdale, and Valley Forge, PA USGS Quadrangles Latitude: 40.103551; Longitude: 75.381613) in Upper Merion Township, Montgomery County. Permit issued March 30, 2020.

**Permit Nos. E1501220-001 and E4601220-001, Aqua Pennsylvania, Inc.,** 762 West Lancaster Avenue, Bryn

Mawr, PA 19010, Schuylkill and Upper Merion Townships, **Chester and Montgomery Counties**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated Valley Forge 24-Inch Water Main Project. This a multicounty project located in both Chester County and Montgomery County which consists of the construction 1,450 linear feet of 24-inch diameter ductile iron transmission main. The activities associated with Valley Creek (EV-MF) adjacent to S.R. 0023 include the construction and maintenance of 92.6 linear foot 24-inch diameter transmission line and includes the excavation of boring pits within the floodway of Valley Creek and boring under Valley Creek which will result in 225 square feet (0.005 acre) of temporary floodway impact due to excavation for boring pits and 77.6 linear feet (155.2 square feet) of permanent water-course impact perpendicular to stream flow for the watermain located below streambed.

This project is located along S.R. 0023 within Valley Forge National Park in Schuylkill and Upper Merion Townships, Chester and Montgomery Counties (USGS PA Schuylkill; Upper Merion Quadrangle—Latitude 40.099855 N, Longitude 75.464056 W). Permits issued March 30, 2020.

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E3902219-006. TCNE North Whitehall, LLC**, 300 Conshohocken Road, Suite 250, West Conshohocken, PA 19428-3801, North Whitehall Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the North Valley Trade Center project:

1) A wetland fill impacting 0.40 acre of PFO wetlands for the purpose of constructing portions of a 79-space trailer storage parking lot, a 12-foot wide concrete dolly pad, and a 30-foot wide asphalt access road.

2) A wetland fill impacting 0.52 acre of PFO wetlands for the purpose of constructing portions of a 79-space trailer storage parking lot, a 12-foot wide concrete dolly pad, a truck court, a 30-foot wide concrete apron, and a 514,765 ft<sup>2</sup> warehouse building.

3) A wetland fill impacting 0.03 acre of PFO wetlands for the purpose of constructing portions of a 514,765 ft<sup>2</sup> warehouse building.

The permittee is required to provide 2.02 acres of replacement wetlands.

The project is located approximately 0.3 mile south of the intersection of Sand Spring Road and Park View Drive (Cementon, PA Quadrangle Latitude: 40° 39' 44.0" Longitude: 75° 35' 44") in North Whitehall Township, Lehigh County.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E5904219-011. Blossburg Municipal Authority**, 241 Main Street, Blossburg, PA 16912. Utility Line, in Blossburg Borough, **Tioga County**, ACOE Baltimore District (Blossburg, PA Quadrangle N: 41° 41' 40.2"; W: 77° 4' 21.1").

To construct, operate and maintain two 8-inch sanitary force mains, one 2-inch water main, two 5 inch electrical

conduits and one outfall with associated headwall and wingwall sections establishing 1,934 sf of permanent floodway impact and 757 sf of permanent stream impact to upgrade the existing Waste Water Treatment Plant. All utility line crossings shall be horizontal directionally drilled under the Tioga River (CWF). This permit also authorizes 4,374 sf of temporary floodway impacts and 757 sf temporary stream impacts associated with installation of the outfall and utility line, temporary construction access and horizontal directional drill launching pit. The project is located over Tioga River (CWF) in Blossburg Borough, Tioga County. This permit also includes 401 Water Quality Certification.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**EA3603219-007. East Cocalico Township**, 100 Hill Road, Denver, PA 17517. East Cocalico Township, **Lancaster County**, ACOE Baltimore District.

To the construction and maintenance of a stream restoration project along an unnamed tributary to Stony Run (WWF, MF) including 1.) 1,349 feet of bank grading; 2.) 751 feet of floodplain bench creation; and 3.) the placement of 400 cubic yards of an R-6/streambed material/topsoil mixture in the streambed of the unnamed tributary to Stony Run, all for the purposes of reducing sediment loading to the stream and enhancing fish habitat. The project is located immediately upstream of the intersection of Ridge Avenue and East Church Street (Latitude: 40.207371°N; Longitude: 76.119839°W) in East Cocalico Township, Lancaster County. No wetlands will be impacted by this project. Permit issued March 25, 2020.

**EA6703219-002. Hallam Borough**, 250 West Beaver Street, Hallam, PA 17406. Hallam Borough, **York County**, ACOE Baltimore District.

To restore and maintain 545 linear feet of an Unnamed Tributary to Kreutz Creek (WWF-MF) and its floodplain by means of creating a floodplain bench and stabilized side slopes. The project is located between West Beaver Street and Kreutz Creek in Hallam Borough, York County (40.000799°, -76.609671°). Permit issued March 24, 2020.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Northwest Region: Oil and Gas Management, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6860. Contact Mary Slye, Clerical Supervisor, 814-332-6325.*

ESCGP-3 # ESG076319038-00 NIMIS010 Pipeline  
Applicant Name EQM Gathering OPCO LLC  
Contact Person Gregg West  
Address 625 Liberty Ave., Suite 1700  
City, State, Zip Pittsburgh, PA 15222-3114  
County Washington  
Township(s) Fallowfield & Somerset  
Receiving Stream(s) and Classification(s) Sawmill Creek & UNT to Sawmill Creek WWF  
Secondary Receiving Waters Pigeon Creek & Sawmill Creek WWF

ESCGP-3 # ESG081020001-00 Fleegeer Well Pad  
Applicant Name PennEnergy Resources LLC  
Contact Person Richard M Watson  
Address 1000 Commerce Drive Park Place One, Suite 400  
City, State, Zip Pittsburgh, PA 15275-1011  
County Butler  
Township(s) Center  
Receiving Stream(s) and Classification(s) UNT to Tributary 35290 & 35293 to Stony Run, UNT to Stony Run WWF  
Secondary Receiving Waters Trib 35290 & 35293 to Stony Run, Stony Run WWF

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

ESCGP-3 # ESG295920002-00  
Applicant Name Repsol Oil & Gas USA LLC  
Contact Person Lance Riddall  
Address 337 Daniel Zenker Drive  
City, State, Zip Horseheads, NY 14845  
County Tioga/Bradford  
Township(s) Sullivan & Ward Twps (Tioga Cnty)/Armenia Twp (Bradford Cnty)  
Receiving Stream(s) and Classification(s) UNT to Tioga River (CWF)  
Secondary: Tioga River (CWF)

ESCGP-3 # ESG295820004-00  
Applicant Name SWN Production Company LLC  
Contact Person Nicki Atkinson  
Address 917 State Route 92 North  
City, State, Zip Tunkhannock, PA 18657  
County Susquehanna  
Township(s) New Milford Twp  
Receiving Stream(s) and Classification(s) Unnamed Tributary to Meylert Creek (HQ, CWF-MF)

ESCGP-3 # ESG291220001-00  
Applicant Name Seneca Resources Co, LLC  
Contact Person Cindy Jones  
Address 51 Zents Blvd  
City, State, Zip Brookville, PA 15825  
County Cameron  
Township(s) Shippen Twp  
Receiving Stream(s) and Classification(s) UNT (Stream 2) to North Creek (HQ-CWF-MF), UNT 25362 to Fourmile Hollow (HQ-CWF-MF), Ford Hollow (EV-MF), Eleven Hollow (EV-MF), Twelve Hollow (EV-MF)  
Secondary: North Creek (HQ-CWF-MF), Cooks Run (EV-MF)

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The Following Plans and Reports were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

**Former Highway Express**, Storage Tank Facility ID # 01-64685, 8268 Carlisle Road, York Springs, PA 17372, Latimore Township, **Adams County**. Weston Solutions, Inc., 1400 Weston Way, West Chester, PA 19380 on behalf of The Department of Environmental Protection, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

**Kwik Fill S 32**, Storage Tank Facility ID # 07-22455, 5660 E. Pleasant Valley Boulevard, Old Route 220 South, Tyrone, PA 16686, Tyrone Township, **Blair County**. Groundwater and Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of United Refining Company of PA, 814 Lexington Avenue, Warren, PA 16365 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents.

The plan is intended to document remediation of the site to meet the Statewide Health Standard and the Site-Specific Standard.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Jeannette Exxon**, Storage Tank Primary Facility ID # 65-80265, 9 Route 30, Jeannette, PA 15644, Hempfield Township, **Westmoreland County**. Letterle & Associates, Inc., 191 Howard St., Ste. 108, Franklin, PA 16323, on behalf of OM Shiva Enterprises, 1 Ukani Dr., Belle Vernon, PA 15012, submitted a Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The plan is intended to document remediation of the site to meet the Statewide Health standard.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Unimart No. 04105**, Storage Tank Facility ID # 10-32117, 103 Jamison Street, Borough of Petrolia, **Butler County**. Letterle & Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of D-Mark Holdings, LLC, 15260 Ventura Blvd, Suite 1040, Sherman Oaks, CA 91403 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with contaminated with petroleum constituents benzene, ethylbenzene, toluene, xylenes, naphthalene, methyl tertiary butyl ether (MTBE), isopropylbenzene (cumene), 1,2,4- and 1,3,5-trimethylbenzenes. The plan is intended to document the remedial actions for meeting the non-residential, non-use aquifer Statewide Health Standard.

**7 Eleven 36147**, Storage Tank Facility ID # 10-31774, 1659 Route 228, Cranberry Township, **Butler County**. AECOM, Inc., 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7 Eleven, Inc., P.O. Box 711, Dallas, TX 75221 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, 1,2,4-trimethylbenzene (TMB), 1,3,5-TMB and methyl tert-butyl ether. The report is intended to demonstrate attainment of the Statewide Health Standard.

**Country Fair 59**, Storage Tank Facility ID # 25-90128, 4526 Pine Avenue, City of Erie, **Erie County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Country Fair, Inc., 2251 E. 30th Street, Erie, PA 16510, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, methyl tertiary butyl ether (MTBE), xylenes, 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

**Anderson Coach & Travel (OD Anderson)**, Storage Tank Facility ID # 43-17957, 153 Conneaut Lake Road, Greenville, PA 16125, Sugar Grove Township, **Mercer County**. Insite Group, Inc., 611 S. Irvine Avenue, Sharon, PA 16146 on behalf OD Anderson, 153 Conneaut Lake Road, Greenville, PA 16125 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel fuel constituents benzene, ethylbenzene, toluene, isopropylbenzene (cumene), naphthalene, methyl tertiary butyl ether (MTBE), 1,2,4-trimethylbenzene, and 1,3,5- trimethyl-

benzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

#### The DEP Has Taken Action on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Fire Site 134**, 51-20142, Kensington & Castor, **City of Philadelphia**. Oxford Engineering Company, 336 Point Street, Camden, NJ 08102, on behalf of City of Philadelphia—Office of Fleet Management, 100 South Broad St., 3rd Floor, Philadelphia, PA 19110 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report demonstrated attainment of residential Statewide health and site-specific standards and was approved by the DEP on March 26, 2020.

**Herr Foods**, 15-24418, 20 Herr Dr., Nottingham, PA 19362-9788, West Nottingham Township, **Chester County**. Environmental Alliance, Inc., 5341 Limestone Road, Wilmington, DE 19808, on behalf of Herr Foods, 20

Herr Drive, Nottingham, PA 19362-9788, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet nonresidential site-specific standards and was approved by the DEP on March 30, 2020.

**UPS Freight Svc Ctr**, 09-42452, 525 Imperial Ct., Bensalem Township, **Bucks County**. Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426, on behalf of UPS Ground Freight, Inc., 1000 Semmes Avenue, Richmond, VA 23224-2246, submitted a Site Characterization Report, 310(b) concerning remediation of soil contaminated with diesel fuel. The report demonstrated attainment of nonresidential Statewide health standards and was approved by the DEP on March 31, 2020.

*Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

**Dutch Kitchen Mobil**, Storage Tank Facility ID # 06-42036, 8373 Route 183, Bethel, PA 19507, Upper Tulpehocken Township, **Berks County**. EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017 on behalf of Mr. Pat Garrett, 8373 Route 183, Bethel, PA 19507 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was acceptable to meet the Site-Specific Standard and the Statewide Health Standard and was approved by DEP on March 20, 2020.

**Speedway # 6753**, Storage Tank Facility ID # 06-19448, 14233 Kutztown Road (Route 222), Fleetwood, PA 19522, Richmond Township, **Berks County**. EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017 on behalf of Speedway, LLC, 500 Speedway Drive, Enon, OH 45323 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved with modifications by DEP on March 25, 2020.

**Sniders Grocery**, Storage Tank Facility ID # 05-63046, 633 Crooked Run Road, Artemas, PA 17211, Mann Township, **Bedford County**. Harris Environmental, Inc., 600 Stone House Road, Clarion, PA 16214 on behalf of Sniders Grocery d/b/a Roadkill Cafe submitted a Site Characterization/Remedial Action Plan concerning remediation of soil contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard. The combined Site Characterization/Remedial Action Plan was disapproved by DEP on March 27, 2020.

**Sunoco 0820-3705**, Storage Tank Facility ID # 01-62041, 1910 Baltimore Pike, Gettysburg, PA 17325-7012, Mount Joy Township, **Adams County**. Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of Patrick Flinn, 1660 Fairview Road, Gettysburg, PA 17325 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with benzene, toluene, ethylbenzene, total xylenes, naphthalene, cumene and methyl tert butyl ether. The Remedial Action Completion Report did not demonstrate attainment of the Statewide Health Standard for toluene, ethylbenzene, total xylenes, naphthalene and cumene nor the Site-Specific Standard for benzene and methyl tert butyl ether and was disapproved by DEP on March 30, 2020.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**BP Site # 57179**, Primary Facility ID # 02-26618, 1006 East Carson St., Pittsburgh, PA 15203, Pittsburgh City, **Allegheny County**. Arcadis, 6041 Wallace Rd. Ext., Ste. 300, Wexford, PA 15090 on behalf of BP Remediation Management, 150 W. Warrensville Rd., MC 600-1N, submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide Health standard and was approved on March 24, 2020.

**Terry's Texaco**, Primary Facility ID # 02-14637, 3032 Freeport Rd., Natrona Heights, PA 15065, Harrison Township, **Allegheny County**. Letterle & Associates Inc., 191 Howard Street, Franklin, PA 16323, on behalf of Reed Oil Co. Inc., 511 Montgomery Ave., P.O. Box 2328, New Castle, PA 16102, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide Health and Site-Specific standards and was approved on March 26, 2020.

[Pa.B. Doc. No. 20-522. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Air Quality Technical Advisory Committee Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel Coronavirus (COVID-19), the Air Quality Technical Advisory Committee (Committee) meeting scheduled for 9:15 a.m. on Thursday, April 16, 2020, will be held as a virtual meeting. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Committee's webpage. Anyone interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Amanda Rodriguez at [amarodrigu@pa.gov](mailto:amarodrigu@pa.gov) or (717) 787-9702.

The agenda, meeting materials, as well as information on how to join the meeting, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Air Quality Technical Advisory Committees," then "Air Quality Technical Advisory Committee"). Prior to each meeting, individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location. Questions concerning the April meeting can be directed to Kirit Dalal at [kdalal@pa.gov](mailto:kdalal@pa.gov) or (717) 772-3436.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Kirit Dalal at (717) 772-3436 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users)

or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-523. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications for Reimbursement for Certified Host Municipality Inspectors under Act 101 (Section 1102), the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, and Act 108 (Section 304), the Hazardous Sites Cleanup Act of 1988; Extension of Deadline

The Department of Environmental Protection (Department) announces an extension of the submission deadline for the 2019 Host Municipality Inspector Program (Program) reimbursement applications. Applications will be accepted through April 30, 2020. Reimbursements are available to municipalities under the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. §§ 4000.101—4000.1904) and the Hazardous Sites Cleanup Act (Act 108) (35 P.S. §§ 6020.101—6020.1305). Municipalities include cities, boroughs, incorporated towns, townships and home rule municipalities.

Applications must be submitted online through the Department of Community and Economic Development's Electronic Single Application web site, eGrants, at [www.esa.dced.state.pa.us](http://www.esa.dced.state.pa.us). Applications must be received prior to 11:59 p.m. on April 30, 2020. Applications submitted after the deadline or through another delivery method will not be considered.

Questions regarding the Program should be directed to Laura Henry, Bureau of Waste Management, at [lahenry@pa.gov](mailto:lahenry@pa.gov) or (717) 772-5713. Additional information is also available on the Department's web site at [www.dep.pa.gov](http://www.dep.pa.gov) (search term: "Host Municipality Inspector").

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-524. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Citizens Advisory Council Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel Coronavirus (COVID-19), the Citizens Advisory Council (Council) meeting scheduled for 10 a.m. on Tuesday, April 21, 2020, will be held as a virtual meeting. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Council's webpage.

Questions concerning the April meeting can be directed to Keith Salador at [ksalador@pa.gov](mailto:ksalador@pa.gov) or (717) 787-8171. The agenda and meeting materials, as well as information on how to join the meeting, will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Citizens Advisory Council"). Prior to each meeting, individuals are encouraged to visit the Council's webpage to confirm meeting date, time and location.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Keith Salador at (717) 787-8171 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-525. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Extension of National Pollutant Discharge Elimination System General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines (PAG-10)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department), by this notice, extends for 12 months the availability of the current National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines (PAG-10).

The existing PAG-10 General Permit in effect at this time will expire on July 10, 2020. Persons that are currently operating under the PAG-10 General Permit may continue to operate until July 10, 2021. The Department is extending the availability of this permit to adequately complete preparation of the renewal of the PAG-10 General Permit. During the period of administrative extension, no new coverage under the PAG-10 General Permit may be authorized by the Department.

To access the General Permit and related documents, visit [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/) (select "Permit and Authorization Packages," then "Clean Water," then "PAG-10 NPDES General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines (NOI 3800-PM-BCW0173)").

Questions regarding the PAG-10 NPDES General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines should be directed to Sean M. Furjanic, PE, at [sefurjanic@pa.gov](mailto:sefurjanic@pa.gov) or (717) 787-2137.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-526. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Small Business Compliance Advisory Committee Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel Coronavirus (COVID-19), the Small Business Compliance Advisory Committee (Committee) meeting scheduled for 10 a.m. on Wednesday, April 22, 2020, will be held as a virtual meeting. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Committee's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702.

The agenda, meeting materials, as well as information on how to join the meeting, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Air Advisory Committees," then "Small Business Compliance Advisory Committee"). Prior to each meeting, individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location. Questions concerning the April meeting can be directed to Lucas Hershey at [luchershey@pa.gov](mailto:luchershey@pa.gov) or (717) 787-7019.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Lucas Hershey at (717) 787-7019 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-527. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Centre Crest  
502 East Howard Street  
Bellefonte, PA 16823  
FAC ID # 031702

Dubois Nursing Home  
P.O. Box 307  
Dubois, PA 15801  
FAC ID # 560402

Friendship Village of South Hills  
1290 Boyce Road  
Pittsburgh, PA 15241  
FAC ID # 320102

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(e) and (j):

Dunmore Health Care Center  
1000 Mill Street  
Dunmore, PA 18512  
FAC ID # 120902

Green Ridge Care Center  
2741 Boulevard Avenue  
Scranton, PA 18509  
FAC ID # 332302

Mid Valley Health Care Center  
63 Sturges Road  
Peckville, PA 18452  
FAC ID # 027502

Sena Kean Manor  
17083 Route 6  
Smethport, PA 16749  
FAC ID # 195402

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(j):

Altoona Center for Nursing Care  
1020 Green Avenue  
Altoona, PA 16601  
FAC ID # 065402

Attleboro Nursing and Rehabilitation Center  
300 East Winchester Avenue  
Langhorne, PA 19047  
FAC ID # 014002

Calvary Fellowship Homes, Inc.  
502 Elizabeth Drive  
Lancaster, PA 17601  
FAC ID # 030102

Colonial Manor Nursing Home  
970 Colonial Avenue  
York, PA 17403  
FAC ID # 033402

Colonial Park Care Center  
800 King Russ Road  
Harrisburg, PA 17109  
FAC ID # 640202

Edison Manor Nursing & Rehabilitation Center  
222 West Edison Avenue  
New Castle, PA 16101  
FAC ID # 025902

Gettysburg Center  
867 York Road  
Gettysburg, PA 17325  
FAC ID # 078502

The Grove at New Wilmington  
520 New Castle Street  
New Wilmington, PA 16142  
FAC ID # 150502

Hanover Hall  
267 Frederick Street  
Hanover, PA 17331  
FAC ID # 590102

Harmon House Care Center  
601 South Church Street  
Mount Pleasant, PA 15666  
FAC ID # 086002

Landis Homes  
1001 East Oregon Road  
Lititz, PA 17543-9206  
FAC ID # 120602

Pennwood Nursing and Rehabilitation Center, LLC  
909 West Street  
Pittsburgh, PA 15221  
FAC ID # 016002

Platinum Ridge Center for Rehabilitation and Healing  
1050 Broadview Boulevard  
Brackenridge, PA 15014  
FAC ID # 070302

Quality Life Services—Henry Clay  
5253 National Pike  
Markleysburg, PA 15459  
FAC ID # 060602

Quality Life Services—Markleysburg  
252 Main Street  
P.O. Box 298  
Markleysburg, PA 15459  
FAC ID # 453602

Quality Life Services—Mercer  
8221 Lamor Road  
Mercer, PA 16137  
FAC ID # 034102

Quality Life Services—New Castle  
520 Friendship Street  
New Castle, PA 16011  
FAC ID # 850302

Quality Life Services—Sarver  
126 Iron Bridge Road  
Sarver, PA 16055  
FAC ID # 060102

Quality Life Services—Sugar Creek  
120 Lakeside Drive  
Worthington, PA 16262  
FAC ID # 195002

Quality Life Services—Westmont  
787 Goucher Street  
Johnstown, PA 15905  
FAC ID # 680102

Riverside Care Center  
100 Eighth Avenue  
McKeesport, PA 15132  
FAC ID # 185402

Spruce Manor Nursing & Rehabilitation Center  
220 South 4th Avenue  
West Reading, PA 19611  
FAC ID # 180302

Timber Ridge Health Center  
1555 East End Boulevard Plains Township  
Wilkes-Barre, PA 18711  
FAC ID # 220102

Transitions Healthcare Washington PA  
90 Humbert Lane  
Washington, PA 15301  
FAC ID # 085702

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.26(e) (relating to laundry):

Abramson Senior Care at Lankenau  
100 Lancaster Avenue  
Wynnewood, PA 19096-3496  
FAC ID # 120402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Abramson Senior Care at Lankenau Medical Center  
100 Lancaster Avenue  
Wynnewood, PA 19096-3496  
FAC ID # 120402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Abramson Senior Care at Lankenau Medical Center  
100 Lancaster Avenue  
Wynnewood, PA 19096-3496  
FAC ID # 120402

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 20-528. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Final Fee Schedule Rates for Transportation Trip Services Funded Through the Adult Autism Waiver

The Department of Human Services (Department) is providing final notice of the Fee Schedule Rates for Transportation Trip services funded through the Adult Autism Waiver effective upon publication in the *Pennsylvania Bulletin*.

#### *Fee Schedule Rates*

The proposed Fee Schedule Rates for Transportation Trip services were published at 49 Pa.B. 7254 (December 7, 2019). The Department received comments from five stakeholders regarding the Fee Schedule Rates. A summary of the comments received, and the Department's

responses are available at [https://www.dhs.pa.gov/providers/Providers/Documents/ODP/Public%20Notices%20Related%20to%20Rates/AAW%20Transportation-Trip%20Rates%20Comment%20Responses\\_February%202020.pdf](https://www.dhs.pa.gov/providers/Providers/Documents/ODP/Public%20Notices%20Related%20to%20Rates/AAW%20Transportation-Trip%20Rates%20Comment%20Responses_February%202020.pdf). After reviewing the comments on the proposed rates, the Department determined that no changes were necessary to the Fee Schedule Rates for Transportation Trip services funded through the Adult Autism Waiver.

The final Fee Schedule Rates represent the maximum rates that the Department will pay for Transportation Trip services and can be accessed on the Department's web site at <https://www.dhs.pa.gov/providers/Providers/Documents/ODP/Public%20Notices%20Related%20to%20Rates/Fee%20Schedule%20Rates%20for%20Transportation%20-%20Trip%20in%20the%20Adult%20Autism%20Waiver.pdf>. The assumption log used to develop these rates is available at [https://www.dhs.pa.gov/providers/Providers/Documents/ODP/Public%20Notices%20Related%20to%20Rates/ODP%20FY%2018%2019%20Trans%20Trip%20MRWG\\_Assumptions%20Log\\_080218.pdf](https://www.dhs.pa.gov/providers/Providers/Documents/ODP/Public%20Notices%20Related%20to%20Rates/ODP%20FY%2018%2019%20Trans%20Trip%20MRWG_Assumptions%20Log_080218.pdf).

Copies of this notice may be obtained by contacting the Bureau of Supports for Autism and Special Populations at P.O. Box 2675, Harrisburg, PA 17105, RA-odpautismwaiver@pa.gov.

#### *Fiscal Impact*

It is anticipated that there will be an additional cost of \$0.154 million (\$0.074 million in State funds) to the Commonwealth in Fiscal Year (FY) 2019-2020 and an annualized cost of \$0.307 million (\$0.147 million in State funds) in FY 2020-2021 and subsequent years.

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1386. (1) General Fund; (2) Implementing Year 2019-20 is \$74,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$147,000; (4) 2018-19 Program—\$30,842,000; 2017-18 Program—\$27,669,000; 2016-17 Program—\$22,496,000; (7) Autism Intervention and Services; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 20-529. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final notice of its funding allocation of annualized funds beginning Fiscal Year (FY) 2019-2020 for supplemental payments to qualifying hospitals located in counties in which a significant percentage of the county's population is enrolled in the Medical Assistance Program. The Department is not otherwise changing the payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 49 Pa.B. 3543 (July 6, 2019). The fiscal impact in the intent notice correctly stated the amounts of the Department's allocation; however, there was an error in the eligibility criteria. The Department is correcting the eligibility criteria requirements in this final notice.

Eligibility requirement number 3) under "Qualifying Criteria" published in the intent notice read, in part, "less than" when the criteria should have read "greater than." The correct qualifying criteria appeared on page 21gg of State Plan Attachment 4.19A in the corresponding State Plan Amendment.

#### *Fiscal Impact*

Beginning with FY 2019-2020, the Department will allocate an annualized amount of \$95.309 million in total funds for these supplemental payments.

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1387. (1) General Fund; (2) Implementing Year 2019-20 is \$26,696,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$27,201,000; (4) 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000; (7) Medical Assistance—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 20-530. Filed for public inspection April 10, 2020, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Highly Automated Vehicle Advisory Committee Meeting

The Highly Automated Vehicle Advisory Committee will hold a Skype teleconference meeting on Tuesday, April 14, 2020, between 1 p.m. and 2:30 p.m. All attendees from the public should RSVP to the following e-mail address to receive call-in information. For more information or to RSVP, contact Mark C. Kopko, Director, Office of Transformational Technology, (717) 783-1903, markkopko@pa.gov.

YASSMIN GRAMIAN,  
*Acting Secretary*

[Pa.B. Doc. No. 20-531. Filed for public inspection April 10, 2020, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Lake Erie Commercial Fishing—2020

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 69.31(b) (relating to seasons), has determined that the 2020 total allowable commercial catch for walleye from the Commonwealth waters of Lake Erie is 4,000 pounds. The commercial fishing season for walleye on Lake Erie is January 1 to March 14 and 12:01 a.m. the first Saturday in May to December 31. This season shall end when the Executive Director determines that 4,000 pounds of walleye probably have been taken by commercial fishing interests fishing in the Commonwealth waters of Lake Erie.

The Executive Director of the Commission, acting under the authority of 58 Pa. Code § 69.31(c), has established that the 2020 total allowable commercial catch for

yellow perch from the Commonwealth waters of Lake Erie is 100,000 pounds. The commercial fishing season for yellow perch on Lake Erie is January 1 until the date the Executive Director determines that 100,000 pounds of yellow perch probably have been taken by commercial fishing interests fishing in the Commonwealth waters of Lake Erie.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 20-532. Filed for public inspection April 10, 2020, 9:00 a.m.]

**FISH AND BOAT COMMISSION**

**Lake Erie Creel Limits for Walleye and Yellow Perch—2020**

The Executive Director of the Fish and Boat Commission, acting under the authority of 58 Pa. Code § 69.12b

(relating to Lake Erie walleye and yellow perch adaptive management for establishing daily limits) has established the daily limits for walleye and yellow perch that are necessary and appropriate for the better protection and management of the fishery. Effective May 1, 2020, the daily limit for yellow perch is 30. Effective May 2, 2020, the daily limit for walleye in Lake Erie is 6, and the daily limit for yellow perch is 30.

The Executive Director may revise the daily limit for walleye or yellow perch if he determines that conditions so warrant. The daily limits will remain in effect until April 30, 2021, or until the Executive Director establishes new daily limits. Anglers are responsible for obtaining the current daily limits for walleye and yellow perch on Lake Erie including Presque Isle Bay prior to fishing those waters.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 20-533. Filed for public inspection April 10, 2020, 9:00 a.m.]

**INDEPENDENT REGULATORY REVIEW COMMISSION**

**Notice of Comments Issued**

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
16A-6219	State Board of Examiners of Nursing Home Administrators Continuing Education 50 Pa.B. 668 (February 1, 2020)	3/2/20	4/1/20

**State Board of Examiners of Nursing Home Administrators Regulation # 16A-6219 (IRRC # 3250) Continuing Education April 1, 2020**

We submit for your consideration the following comments on the proposed rulemaking published in the February 1, 2020 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the State Board of Examiners of Nursing Home Administrators (Board) to respond to all comments received from us or any other source.

**1. Section 39.11. Biennial renewal.—Conforms to the intention of the General Assembly; determining whether the regulation is in the public interest; protection of the public health, safety and welfare; comments of a committee.**

The Board seeks to implement the Governor’s recommendation that the biennial requirement for continuing education be reduced for nursing home administrators. This recommendation is based on a study conducted by the Commissioner of Professional and Occupational Af-

fairs that reviewed requirements for licensure of the 29 licensing boards and commissions under the Commissioner’s authority. The study revealed that Pennsylvania carries one of the highest continuing education requirements in the regional comparison group for nursing home administrators. After discussion with stakeholders who opposed the reduction, the Board determined that a reduction by one quarter to at least 36 hours per biennium would accomplish the Governor’s goal of reducing the required continuing education while at the same time ensuring that licensees obtain sufficient continuing education given the complexities of nursing home regulation.

However, a commenter continues to oppose the reduction, asserting that this change would move Pennsylvania to having “one of the lowest continuing education requirements in the country.” This commenter further states that “with an increasing aging population. . .there is no logical explanation for decreasing educational requirements, especially if there is a desire to enhance the quality of care.”

The PA House Professional Licensure Committee (Committee) comments, noting that Pennsylvania would have lower continuing education requirements than several

contiguous states. The Committee is concerned about the impact on Pennsylvania licensees who would seek licensure in any of these states.

We ask the Board to explain how lowering the continuing education requirements for nursing home administrators will adequately protect the public health, safety and welfare. We also ask the Board to explain how reduced continuing education requirements will affect members of the regulated community who seek licensure in states with higher continuing education requirements.

Additionally, the Nursing Home Administrators License Act (Act) states in Section 1109(d) (relating to registration) that “the license of a nursing home administrator who fails to comply with the provisions of this section, and who continues to act as a nursing home administrator, may be suspended or revoked by the [B]oard.” 63 P.S. 1109(d). Is it the Board’s intent not to renew a license of a nursing home administrator who fails to meet continuing education requirements? If it is the Board’s intent not to renew, we ask the Board to amend the final regulation to include clear notice that the Board will not renew a license if the licensee fails to complete the continuing education required by the Act.

**2. Section 39.11b. Continued competence.—Clarity and lack of ambiguity.**

In Subsection (4), the Board allows for the demonstration of continued competence by being employed in a nursing home in a supervisory or consultant capacity for at least three of the last five years. The licensee must appear before the Board to demonstrate, to the Board’s satisfaction, a “significant” involvement in the field of nursing home administration during the time the license has been expired or inactive. The proposed regulation further states that “sporadic or occasional” involvement is not sufficient to demonstrate continued competence. A regulation has the full force and effect of law; however, terms such as “significant,” “sporadic” and “occasional” are non-regulatory language. We ask the Board to revise the language pertaining to continued competence to establish a standard that is predictable for the regulated community and enforceable by the Board.

**3. Section 39.61. Requirements.—Clarity and lack of ambiguity.**

In Subsection (c)(3), the Board provides for clock hour requirements that may be earned by authoring an article on long-term care. Paragraph (ii) states that clock hours may be awarded based on the “complexity” of the subject matter or work. Likewise, Paragraph (iii) states that clock hours may be awarded if the work is “complex.” A regulation has the full force and effect of law; however, the terms “complexity” and “complex” are non-regulatory language. We ask the Board to revise the language relating to earning clock hours by authoring an article or to establish a standard that is predictable for the regulated community and enforceable by the Board.

**4. Miscellaneous clarity.**

Regarding notification, in Section 39.11(b) (relating to biennial renewal) the Board states that notice of the availability of the renewal process will be forwarded to each active licensee at the licensee’s address of record or current e-mail address on file with the Board, or both. Will the Board develop a process to offer licensees a choice of which notification method they prefer?

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 20-534. Filed for public inspection April 10, 2020, 9:00 a.m.]

## PATIENT SAFETY AUTHORITY

### Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority’s Board to be held virtually by means of the Authority’s webinar platform (Cisco Webex) on Wednesday, April 29, 2020, at 10 a.m.

There will be Webex capability to attend the meeting remotely, so registration is required.

Individuals can register for this Board meeting by going to <https://papsa.webex.com/papsa/onstage/g.php?MTID=ee00f57725fcabdaf20ea2920847af4cd>.

Individuals can join the meeting by phone at +1 (415) 655-0003. The access code is 626 604 265.

Individuals with questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,  
*Executive Director*

[Pa.B. Doc. No. 20-535. Filed for public inspection April 10, 2020, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Pro Forma Application

**A-2020-3018307. MCI Communications Services, Inc., d/b/a Verizon Business Services.** Pro forma application of MCI Communications Services, Inc., d/b/a Verizon Business Services, for any approvals required under the Public Utility Code for an LLC conversion and internal corporate restructuring.

The application was filed as a pro forma transaction under 52 Pa. Code § 63.325(a) (relating to Commission approval of a pro forma transaction subject to 66 Pa.C.S. §§ 1102(a)(3) and 1103) because the applicant claims that it will result in no change of control of MCI Communications Services, Inc., d/b/a Verizon Business Services and there will be no change in the rates or conditions of service.

However, the intra-company consolidation results in the transfer of 100% of the assets and control of MCI Communications Services, Inc., d/b/a Verizon Business Services from MCI Broadband Solutions, Inc. to MCI International, Inc. Under the regulations in 52 Pa. Code § 63.324(a) (relating to Commission approval of a general rule transaction subject to 66 Pa.C.S. §§ 1102(a)(3) and 1103), a transaction that results in the transfer of 20% or more of the assets or of the direct or indirect control of an applicant is a general rule transaction. The Pennsylvania Public Utility Commission (Commission) therefore reclassifies the joint application as a general rule transaction under 52 Pa. Code § 63.325(b).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, April 27, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The

documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* MCI Communications Services, Inc., d/b/a Verizon Business Services

*Through and By Counsel:* Suzan D. Paiva, Verizon, 900 Race Street, 6th Floor, Philadelphia, PA 19107

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 20-536. Filed for public inspection April 10, 2020, 9:00 a.m.]

---

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2020-3019359. The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and CSC Wireless, d/b/a Altice Mobile.** Joint petition of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and CSC Wireless, d/b/a Altice Mobile for

approval of an amendment to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and CSC Wireless, d/b/a Altice Mobile, by their counsel, filed on March 26, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and CSC Wireless, d/b/a Altice Mobile joint petition are available for inspection at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 20-537. Filed for public inspection April 10, 2020, 9:00 a.m.]

---





