

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending May 12, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
05-01-2020	Fiduciary Trust Company International and Fiduciary International Holding, Inc. New York New York Franklin Resources, Inc. San Mateo California	Effective
	Applications for approval have been submitted for the following transactions. Fiduciary Trust Company International will purchase 100% of the shares of The Pennsylvania Trust Company (the "Company") from its corporate parent, PTC 450, Ltd. Immediately following its acquisition of the shares, Fiduciary Trust Company International will contribute 100% of the shares to its subsidiary, Fiduciary International Holding, Inc. Consequently, Fiduciary International Holding, Inc. will become the immediate corporate parent and owner of 100% of the shares of The Pennsylvania Trust Company. As a result, Fiduciary Trust Company International will become the indirect corporate parent of The Pennsylvania Trust Company by virtue of its ownership of 100% of the shares of Fiduciary International Holding, Inc. Franklin Resources, Inc. will also become an indirect corporate parent of the Company by virtue of its ownership of 100% of the shares of Fiduciary Trust Company International.	
05-01-2020	Charles B. Johnson San Mateo California	Effective
	Application for approval to acquire up to 20.9%, indirectly of The Pennsylvania Trust Company by virtue of his 20.9% ownership of Franklin Resources, Inc. and as a result of applications filed with the Department whereby Fiduciary Trust Company International will purchase 100% of the shares of The Pennsylvania Trust Company (the "Company") from its corporate parent, PTC 450, Ltd. Immediately following its acquisition of the shares, Fiduciary Trust Company International will contribute 100% of the shares to its subsidiary, Fiduciary International Holding, Inc. Consequently, Fiduciary International Holding, Inc. will become the immediate corporate parent and owner of 100% of the shares of The Pennsylvania Trust Company. As a result, Fiduciary Trust Company International will become the indirect corporate parent of The Pennsylvania Trust Company by virtue of its ownership of 100% of the shares of Fiduciary International Holding, Inc. Franklin Resources, Inc. will also become an indirect corporate parent of the Company by virtue of its ownership of 100% of the shares of Fiduciary Trust Company International.	
05-01-2020	Rupert H. Johnson, Jr. San Mateo California	Effective

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
	<p>Application for approval to acquire up to 21%, indirectly of The Pennsylvania Trust Company by virtue of his 21% ownership of Franklin Resources, Inc. and as a result of applications filed with the Department whereby Fiduciary Trust Company International will purchase 100% of the shares of The Pennsylvania Trust Company (the "Company") from its corporate parent, PTC 450, Ltd. Immediately following its acquisition of the shares, Fiduciary Trust Company International will contribute 100% of the shares to its subsidiary, Fiduciary International Holding, Inc. Consequently, Fiduciary International Holding, Inc. will become the immediate corporate parent and owner of 100% of the shares of The Pennsylvania Trust Company. As a result, Fiduciary Trust Company International will become the indirect corporate parent of The Pennsylvania Trust Company by virtue of its ownership of 100% of the shares of Fiduciary International Holding, Inc. Franklin Resources, Inc. will also become an indirect corporate parent of the Company by virtue of its ownership of 100% of the shares of Fiduciary Trust Company International.</p>	

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-24-2020	<p>Northwest Bancshares, Inc. Warren Warren County</p> <p>Application for approval to acquire 100% of MutualFirst Financial, Inc., Muncie, IN, and thereby indirectly acquire 100% of MutualBank, Muncie, IN.</p>	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>		
04-24-2020	<p>Northwest Bank Warren Warren County</p> <p>Merger of MutualBank, Muncie, IN, with and into Northwest Bank, Warren, PA. As a result of the merger, the following branch offices of MutualBank became branch offices of Northwest Bank:</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>110 East Charles Street Muncie Delaware County, IN</p> <p>901 County Road 6 East Elkhart Elkhart County, IN</p> <p>1010 East Main Street Gas City Grant County, IN</p> <p>402 West Cleveland Road Granger Saint Joseph County, IN</p> <p>100 West Third Street Marion Grant County, IN</p> <p>411 West McKinley Avenue Mishawaka Saint Joseph County, IN</p> <p>3613 North Broadway Muncie Delaware County, IN</p> <p>2000 South Madison Street Muncie Delaware County, IN</p> <p>514 North Main Street North Webster Kosciusko County, IN</p> <p>2850 West Cleveland Road South Bend Saint Joseph County, IN</p> </td> <td style="width: 50%; vertical-align: top;"> <p>401 West State Street Albany Delaware County, IN</p> <p>4916 Illinois Road, Suite 106 Fort Wayne Allen County, IN</p> <p>4330 Elkhart Road Goshen Elkhart County, IN</p> <p>1020 North Baldwin Avenue Marion Grant County, IN</p> <p>121 South Church Street Mishawaka Saint Joseph County, IN</p> <p>4100 Edison Lakes Parkway, Suite 300 Mishawaka Saint Joseph County, IN</p> <p>1912 West McGalliard Road Muncie Delaware County, IN</p> <p>2910 West Jackson Street Muncie Delaware County, IN</p> <p>742 East Ireland Road South Bend Saint Joseph County, IN</p> <p>23761 Western Avenue South Bend Saint Joseph County, IN</p> </td> </tr> </table>	<p>110 East Charles Street Muncie Delaware County, IN</p> <p>901 County Road 6 East Elkhart Elkhart County, IN</p> <p>1010 East Main Street Gas City Grant County, IN</p> <p>402 West Cleveland Road Granger Saint Joseph County, IN</p> <p>100 West Third Street Marion Grant County, IN</p> <p>411 West McKinley Avenue Mishawaka Saint Joseph County, IN</p> <p>3613 North Broadway Muncie Delaware County, IN</p> <p>2000 South Madison Street Muncie Delaware County, IN</p> <p>514 North Main Street North Webster Kosciusko County, IN</p> <p>2850 West Cleveland Road South Bend Saint Joseph County, IN</p>	<p>401 West State Street Albany Delaware County, IN</p> <p>4916 Illinois Road, Suite 106 Fort Wayne Allen County, IN</p> <p>4330 Elkhart Road Goshen Elkhart County, IN</p> <p>1020 North Baldwin Avenue Marion Grant County, IN</p> <p>121 South Church Street Mishawaka Saint Joseph County, IN</p> <p>4100 Edison Lakes Parkway, Suite 300 Mishawaka Saint Joseph County, IN</p> <p>1912 West McGalliard Road Muncie Delaware County, IN</p> <p>2910 West Jackson Street Muncie Delaware County, IN</p> <p>742 East Ireland Road South Bend Saint Joseph County, IN</p> <p>23761 Western Avenue South Bend Saint Joseph County, IN</p>	Effective
<p>110 East Charles Street Muncie Delaware County, IN</p> <p>901 County Road 6 East Elkhart Elkhart County, IN</p> <p>1010 East Main Street Gas City Grant County, IN</p> <p>402 West Cleveland Road Granger Saint Joseph County, IN</p> <p>100 West Third Street Marion Grant County, IN</p> <p>411 West McKinley Avenue Mishawaka Saint Joseph County, IN</p> <p>3613 North Broadway Muncie Delaware County, IN</p> <p>2000 South Madison Street Muncie Delaware County, IN</p> <p>514 North Main Street North Webster Kosciusko County, IN</p> <p>2850 West Cleveland Road South Bend Saint Joseph County, IN</p>	<p>401 West State Street Albany Delaware County, IN</p> <p>4916 Illinois Road, Suite 106 Fort Wayne Allen County, IN</p> <p>4330 Elkhart Road Goshen Elkhart County, IN</p> <p>1020 North Baldwin Avenue Marion Grant County, IN</p> <p>121 South Church Street Mishawaka Saint Joseph County, IN</p> <p>4100 Edison Lakes Parkway, Suite 300 Mishawaka Saint Joseph County, IN</p> <p>1912 West McGalliard Road Muncie Delaware County, IN</p> <p>2910 West Jackson Street Muncie Delaware County, IN</p> <p>742 East Ireland Road South Bend Saint Joseph County, IN</p> <p>23761 Western Avenue South Bend Saint Joseph County, IN</p>			

<i>Date</i>	<i>Name and Location of Applicant</i>		<i>Action</i>
	612 South Huntington Street Syracuse Kosciusko County, IN	445 West 250 North Warsaw Kosciusko County, IN	
	2034 East Center Street Warsaw Kosciusko County, IN	219 West Market Street Warsaw Kosciusko County, IN	
	870 East Washington Street Winchester Randolph County, IN	2101 South Tiger Drive Yorktown Delaware County, IN	
	48 North Washington Street Bloomfield Greene County, IN	11054 East State Road 445 Bloomfield Greene County, IN	
	2111 South Liberty Drive Bloomington Monroe County, IN	1301 North Walnut Street Bloomington Monroe County, IN	
	650 East Carmel Drive Carmel Hamilton County, IN	893 East Main Street, Suite G Greenwood Johnson County, IN	
	315 East Main Street Jasonville Greene County, IN	1450 A Street Northeast Linton Greene County, IN	
	147 West Broad Street Lyons Green County, IN	1309 West Main Street Mitchell Lawrence County, IN	
	10765 Lantern Road, Suite 202 Fishers Hamilton County, IN (Trust Office)	119 East Main Street Crawfordsville Montgomery County, IN (Trust Office)	

**Branch Applications
De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
03-09-2020	PeoplesBank, A Codorus Valley Company York York County	101 North Queen Street, Suite 105 Lancaster Lancaster County	Opened

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-685. Filed for public inspection May 22, 2020, 9:00 a.m.]

**DEPARTMENT OF CONSERVATION
AND NATURAL RESOURCES**

**Conservation and Natural Resources Advisory
Council Virtual Meeting**

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a virtual meeting on Wednesday, May 27, 2020, at 10 a.m. The WebEx meeting can be accessed through a link found on the Council's webpage at www.dcnr.pa.gov/cnrac prior to the meeting.

Questions concerning this meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. For public comment to be considered at the public meeting, follow instructions on the Council's webpage.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 20-686. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Southeast Region: Clean Water Program Manager; 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0012882 (Industrial)	Philadelphia Gas Works Richmond Plant 800 W Montgomery Avenue Philadelphia, PA 19122-2806	Philadelphia County Philadelphia City	Delaware River (WWF, MF) (3-J)	Yes

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0061654 (Sewage)	Newfoundland Elementary School WWTP 2552 Route 6 Hawley, PA 18428-7045	Wayne County Dreher Township	Wallenpaupack Creek (HQ-CWF, MF) (1-C)	No

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0228745 (Sewage)	Beaver Residence SRSTP 389 Millgrove Road Catawissa, PA 17820-8138	Columbia County Locust Township	Unnamed Tributary to Roaring Creek (HQ-CWF, MF) (5-E)	Yes
PA0110680 (Industrial)	Wood Mode Inc. 1 Second Street Kreamer, PA 17833-5000	Snyder County Middlecreek Township	Middle Creek (TSF) (6-A)	Yes
PA0024091 (Sewage)	Millville Borough STP P.O. Box 30 Millville, PA 17846-0030	Columbia County Millville Borough	Little Fishing Creek (CWF) (5-C)	Yes
PA0208566 (Industrial)	Bresslers Truck Plaza LLC 2994 E Valley Road Loganton, PA 17747-9168	Northumberland County Turbot Township	Limestone Run (WWF) (10-D)	Yes
PA0114553 (Sewage)	Millheim Borough WWTF 225 East Main Street Millheim, PA 16854-0421	Centre County Penn Township	Elk Creek (EV) (6-A)	Yes
PA0209384 (Sewage)	Lawrence Township Municipal Authority Wastewater Treatment Plant 173 School Road Tioga, PA 16946-8402	Tioga County Lawrence Township	Tioga River (WWF) (4-A)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0222607 (Sewage)	Martonik SRSTP 3462 Glen Hazel Road Wilcox, PA 15870	Elk County Jones Township	East Branch Clarion River (HQ-CWF) (17-A)	Yes
PA0101176 (Sewage)	Harvey J. Wolfe SFTF 1547 Rosely Road Saint Marys, PA 15857-3116	Elk County Saint Marys City	Unnamed Tributary to the South Fork West Creek (HQ-CWF, MF) (8-A)	Yes
PA0272868 (Sewage)	Nicole Neidrick SRSTP 625 Dutch Hill Road Warren, PA 16365-5213	Warren County Conewango Township	Unnamed Tributary to the Jackson Run (CWF) (16-B)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PA0245186, Industrial, SIC Code 2082, **Victory Brewing Co.**, 420 Acorn Lane, Downingtown, PA 19335. Facility Name: Victory Brewing Development. This proposed facility is located in West Sadsbury Township, **Chester County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste.

The receiving stream(s), Valley Creek (TSF, MF), is located in State Water Plan watershed 7-K and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall IMP001 are based on a design flow of 0.001286 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (cfs)						
Internal Monitoring Point	XXX	XXX	XXX	XXX	Report Daily Max	XXX
pH (S.U.)						
Internal Monitoring Point	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Halogens						
Internal Monitoring Point	XXX	XXX	XXX	0.5	XXX	1.6
Temperature (deg F) (°F)						
Internal Monitoring Point	XXX	XXX	XXX	XXX	XXX	110.0
Total Dissolved Solids						
Internal Monitoring Point	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Oil and Grease						
Internal Monitoring Point	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall IMP001 are based on a design flow of 0.001286 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Phosphorus						
Internal Monitoring Point	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Acquire Necessary Property Rights
- Proper Sludge Disposal
- WQM Permits
- BAT/ELG Reopener
- Minimize TRC
- No Priority Pollutants
- Chemical Additive Requirement
- Stormwater Condition

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0054402, Industrial, SIC Code 3824, **Emerson Electric Co.**, 8000 West Florissant Avenue, St. Louis, MO 63136. Facility Name: Brooks Instrument GWCU. This existing facility is located in Hatfield Borough, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Unnamed Tributary to West Branch Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .036 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Quarterly	Daily Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

The proposed effluent limits for Outfall 001 are based on a design flow of .036 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Quarterly	Daily Maximum	
Tetrachloroethylene	XXX	XXX	XXX	0.005	0.010	0.013
Trichloroethylene	XXX	XXX	XXX	0.005	0.010	0.013

In addition, the permit contains the following major special conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. BAT/BCT Reopener
- D. Dry Stream Discharge
- E. Groundwater Monitoring
- F. Annual Groundwater Report
- G. No Stripper Tower Wastewater
- H. Continuous Operation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0020290, Sewage, SIC Code 4952, **Quakertown Borough**, 35 North Third Street, Quakertown, PA 18951-1376. Facility Name: Quakertown Borough STP. This existing facility is located in Richland Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tohickon Creek (TSF, MF), is located in State Water Plan watershed 2-D and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.1 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.035	XXX	0.063
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	388.0	595.0	XXX	15.0	23.0	30
May 1 - Oct 31	207.0	310.0	XXX	8.0	12.0	16
Total Suspended Solids	776.0	1,163.0	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	155.0	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	52.0	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of 3.1 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.035	XXX	0.063

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	388.0	595.0	XXX	15.0	23.0	30
May 1 - Oct 31	207.0	310.0	XXX	8.0	12.0	16
Total Suspended Solids	776.0	1,163.0	XXX	30.0	45.0	60
Total Nitrogen	517.0	XXX	XXX	20.0	XXX	40
Ammonia-Nitrogen						
Nov 1 - Apr 30	155.0	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	52.0	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of 3.84 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.030	XXX	0.054
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	352.0	528.0	XXX	11.0	16.5	22
May 1 - Oct 31	176.0	264.0	XXX	5.5	8.25	11
Total Suspended Solids	800.0	1,200.0	XXX	25.0	37.5	50
Total Nitrogen	641.0	XXX	XXX	20.0	XXX	40
Ammonia-Nitrogen						
Nov 1 - Apr 30	154.0	XXX	XXX	4.8	XXX	9.6
May 1 - Oct 31	51.0	XXX	XXX	1.6	XXX	3.2

The proposed effluent limits for Outfall 001 are based on a design flow of 3.1 and 3.84 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000.0	2,000.0	2,500
Sulfate, Total	XXX	XXX	XXX	Avg Qrtly XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 3.1 and 3.84 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	13.0	XXX	XXX	0.5	XXX	1
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for stormwater Outfall MP 101 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

Sludge use and disposal description and location(s): Sludge is disposed by land application on farms in Berks County and mine reclamation in Schuylkill County and by landfilling.

In addition, the permit contains the following major special conditions:

- Notification of the designation of responsible operator
- Development of Operation and Maintenance (O & M) Plan
- TRC minimization requirement
- Pretreatment Program Implementation
- WET testing requirement
- Requirements applicable to stormwater outfalls
- Infiltration/Inflow Abatement Program and bypass monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

PAS142202, Storm Water, SIC Code 2653, **Packaging Corp of America**, 7451 Centronia Road, Allentown, PA 18106. Facility Name: Packaging Corp of America. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF), is located in State Water Plan watershed 2-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	30.0	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0281743, Sewage, SIC Code 6514, **Nell Road Homeowners Assoc**, 315 Forest Drive, New Oxford, PA 17350. Facility Name: Nell Road Home Owner's Association SFTF. This existing facility is located in Reading Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Mud Run (WWF, MF), is located in State Water Plan watershed 7-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

PA0042781, Industrial, SIC Code 3315, **Mount Joy Wire Corp**, 1000 E Main Street, Mount Joy, PA 17552-9332. Facility Name: Mt Joy Wire Manufacturing. This existing facility is located in Rapho Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Little Chiques Creek (TSF, MF) is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .268 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	31	60	75
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Phosphorus	XXX	XXX	XXX	2.0	4.0	5.0
Boron, Total	XXX	XXX	XXX	19	38	47
Cadmium, Total	XXX	XXX	XXX	0.09	0.18	0.23
Chromium, Total	XXX	XXX	XXX	1.71	2.77	4.28
Copper, Total	XXX	XXX	XXX	0.36	0.72	0.9
Cyanide, Total	XXX	XXX	XXX	0.65	1.2	1.63
Iron, Total	XXX	XXX	XXX	18	36	45
Lead, Total	XXX	XXX	XXX	0.13	0.26	0.32
Nickel, Total	XXX	XXX	XXX	2.0	4.0	5.0
Silver, Total	XXX	XXX	XXX	0.23	0.46	0.58
Zinc, Total	XXX	XXX	XXX	1.14	2.28	2.85
Total Toxic Organics	XXX	XXX	XXX	XXX	2.13	XXX
Thallium, Total	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	Report	XXX	XXX	Report	Report	XXX
Bromide	Report	XXX	XXX	Report	Report	XXX
Chloride	Report	XXX	XXX	Report	Report	XXX
Sulfate, Total	Report	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .065 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfalls S01—S05 are based on a variable design flow (Stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0087408, Sewage, SIC Code 7011, **Trainers Midway Lodgings**, P.O. Box 6, Bethel, PA 19507-0006. Facility Name: Trainers Midway Inn. This existing facility is located in Bethel Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Little Swatara Creek (CWF), is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .024 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.07	XXX	0.23
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	15	XXX	30
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3	XXX	6

The proposed effluent limits for Outfall 001 are based on a design flow of .024 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s): Offsite Facility.

In addition, the permit contains the following major special conditions:

- N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261238, Sewage, SIC Code 6514, **Civils Michael D.**, 369 Trouts Lane, Duncansville, PA 16635-6341. Facility Name: Michael Civils Residence. This existing facility is located in Allegheny Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Sugar Run (CWF), is located in State Water Plan watershed 11-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

PA0034576, Sewage, SIC Code 4952, **Towanda Municipal Authority Bradford County**, 724 Main Street, Towanda, PA 18848. Facility Name: Towanda Municipal Authority. This existing facility is located in Towanda Borough, **Bradford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Susquehanna River (WWF) and Susquehanna River (WWF, MF), is located in State Water Plan watershed 4-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.16 MGD.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	242	387 Wkly Avg	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	290	435 Wkly Avg	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Toxaphene (ug/L)	XXX	Report	XXX	Report Daily Max	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	21,187 Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Effluent Net	XXX	2,825 Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

Sludge use and disposal description and location(s): The facility's sludge is disposed by landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0288284, Sewage, SIC Code 8800, **Darlene Grooms**, 249 Ekastown Road, Sarver, PA 16055-9519. Facility Name: Darlene Grooms SRSTP. This proposed facility is located at 410 Freeport Street, Saxonburg, PA 16056 in Clinton Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Sarver Run (HQ-TSF), is located in State Water Plan watershed 18-F and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288357, Sewage, SIC Code 8800, **Dennis Hanson**, 6558 E Lake Road, Erie, PA 16511-1539. Facility Name: Dennis Hanson SRSTP. This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary 62328 (CWF, MF) to Lake Erie, is located in State Water Plan watershed 15-X and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288314, Sewage, SIC Code 8800, **Jack Hauck**, 26 Goetsch Road, Greenville, PA 16125-8616. Facility Name: Jack Hauck SRSTP. This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Shenango River (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. WQG02232005, Sewage, **Concord Township**, 43 Thornton Road, Glen Mills, PA 19342.

This proposed facility is located in Concord Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a low-pressure sewer system.

WQM Permit No. WQG02462006, Sewage, **Hatfield Township Municipal Authority**, 3200 Advance Lane, Colmar, PA 18915-9766.

This proposed facility is located in Hatfield Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sewage force main.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 2220402, Sewerage, **Halifax Area Water & Sewer Authority**, P.O. Box 443, 203 Armstrong Street, Halifax, PA 17032

This proposed facility is located in Halifax Township, **Dauphin County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of sewers to serve Matamoras Road, portions of State Routes 147 and 225, Triangle and Lenker Estates, Powells Valley Road, Parmer Drive, Gali Road and Lauren Lane, Creek Road and Hill Drive.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 365S56 A-1, Sewage, **Western Beaver County School District**, 343 Ridgemont Drive, Midland, PA 15059-2219.

This existing facility is located in Ohioville Borough, **Beaver County**.

Description of Proposed Action/Activity: The Applicant proposes to convert an existing unused 8,000-gallons septic tank into an aerated flow equalization tank to regulate flow to the Fairview Elementary School STP.

WQM Permit No. 6320400, Sewage, **First PA Resource LLC**, 251 Beatty Lane, Scenery Hill, PA 15360.

This proposed facility is located in Deemston Borough, **Washington County**.

Description of Proposed Action/Activity: The proposed project will involve the installation of a SFTF to serve a proposed restorative plant nursery.

WQM Permit No. 6520401, Sewage, **Unity Township Municipal Authority Westmoreland County**, 370 Pleasant Unit Mutual Road, Greensburg, PA 15601.

This proposed facility is located in Unity Township, **Westmoreland County**.

Description of Proposed Action/Activity: Reconfiguration of sewers to install flow meters at five locations.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4216407 A-1, Sewage, **Keating Township McKean County**, P.O. Box 103, East Smethport, PA 16730-0103.

This existing facility is located in Keating Township, **McKean County**.

Description of Proposed Action/Activity: Improvements to wastewater treatment plant.

WQM Permit No. 3720402, Sewage, **Frank Vranovich**, 648 Smith Road, New Wilmington, PA 16142.

This proposed facility is located in Wilmington Township, **Lawrence County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2520411, Sewage, **Summit Township Sewer Authority Erie County**, 8890 Old French Road, Erie, PA 16509.

This proposed facility is located in Summit Township, **Erie County**.

Description of Proposed Action/Activity: Replacement of sewer lines in Summit Township along Oliver Road and Peach Street.

WQM Permit No. 6220402, Sewage, **David Calvert**, 15200 Emerald Coast Pky, Destin, FL 32541.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PAI130077, MS4, **Ivyland Borough**, 85 Lincoln Avenue, Ivyland, PA 18974. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Ivyland Borough, **Bucks County**. The receiving streams, Unnamed Tributaries of Little Neshaminy Creek (WWF, MF), are located in State Water Plan watershed 2-F and are classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Total Maximum Daily Load (TMDL) Plan/PRP

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

Contact: Aaron Redmond, Management Technician, 484.250.5821.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD230012 A7	City of Philadelphia Division of Aviation (DOA) Terminal D-E Philadelphia International Airport Third Floor Philadelphia, PA 19153	Delaware	Tinicum Township	Tidal Delaware River WWF-MF

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390158	Allentown Commerce Park Corp. 47 Parsippamy Rd. Whippany, NJ 07981	Lehigh	City of Allentown	Trout Creek (HQ-CWF, MF)
PAD390159	Peron Armory LP 60 W. Broad St. Suite 102 Bethlehem, PA 18018	Lehigh	City of Bethlehem	Monocacy Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450102	PA DOT Engineering District 5 1002 Hamilton Street Allentown, PA 18101	Monroe	East Stroudsburg Borough	Brodhead Creek, (TSF, MF) EV Wetlands

Schuylkill Conservation District, 1206 AG Center Drive, Pottsville, PA 17901-9733, 570-622-3742.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD540018	PPL Electrical Utilities 2 North 9th Street GENN 4 Allentown, PA 18101	Schuylkill	Butler Township Cass Township Norwegian Twp. City of Pottsville	Little Mahanoy Creek (CWF, MF), Dyer Run (CWF, MF), Rattling Run (CWF, MF), West Branch of Schuylkill River (CWF, MF), Schuylkill River (CWF, MF)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD220009	Jeffrey C. Smith 240 Clarks Valley Road Dauphin, PA 17018	Dauphin	Middle Paxton Township	UNT Clarks Creek (HQ-CWF, MF) Clarks Creek (HQ-CWF, MF)
PAD360055	Deerin Companies 120 North Point Boulevard Suite 301 Lancaster, PA 17601	Lancaster	Manheim Township	UNTs Little Conestoga Creek (WWF, MF)
PAD210051	Laughner & Patel 4075 Linglestown Road P.O. Box 277 Harrisburg, PA 17112	Cumberland	South Middleton Township	Letort Spring Run (HQ-CWF, MF)
PAD070010	Tommy Gearhart 1129 Turkey Valley Road Hollidaysburg, PA 16648	Blair	Frankstown Township	New Creek (HQ-CWF, MF)
PAD360054	Wilmer & Alma Leid 700 Lauschtown Road Denver, PA17517	Lancaster	Brecknock Township	Black Creek (HQ-WWF)

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Anthony Oberholtzer 1500 Pine Grove Road Bethel, PA 19507	Berks	210	450.51	Broilers Sheep	N/A	Renewal
Joe Jurgielewicz & Son Ltd. Hoover Farm 3051 Berne Road Hamburg, PA 19554	Berks	0	133.01	Ducks (Layers)	N/A	Renewal
LenRose Farm (Leonard Hoover) 6188 Old Route 22 Bernville, PA 19506	Berks	193.2	380.09	Broilers Dairy Heifers	N/A	Renewal
Cotner Farms, Inc.— Dean James 970 Rushtown Road Danville, PA 17821	Northumberland	19.3	1,497.60	Layer	N/A	Renewal
Drew Derstein Willow Brook Farm 10049 Ferguson Valley Rd. Lewistown, PA 17044	Mifflin	24.6	390.32 47.13 16.8 2.37 2.26 2.26	Swine Gestating Sows Lactating Sows Beef Cows Beef Calves Nursery Pigs Boars	N/A	Renewal
Creek Bottom Farms Michael Snook 1510 White Church Road Middleburg, PA 17842	Snyder	320	594	Finishing Hogs Dairy Heifers	N/A	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0218501-A1, Public Water Supply.

Applicant	West Penn Allegheny Health System, Inc. 320 East North Avenue Pittsburgh, PA 15212
Township or Borough	City of Pittsburgh
County	Allegheny
Responsible Official	Duke Rupert Chief Operations Officer
Type of Facility	Water system
Consulting Engineer	Barclay Water Management 55 Chapel Street Newton, MA 02458

Application Received April 9, 2020
Date
Description of Action Installation of secondary
chlorination at AGH Academic
Cancer Center.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date specified. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate

Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Miller's Smorgasbord, 2811 Lincoln Highway East, Ronks, PA 17572, East Lampeter Township, **Lancaster County**. Reliance Environmental, Incorporated, 235 North Duke Street, Lancaster, PA 17602, on behalf of Thomas E. Strauss, Inc., 2811 Lincoln Highway East, Ronks, PA 17572, submitted a Notice of Intent to Remediate site soil contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site will continue to be used as a restaurant, Miller's Smorgasbord, and will be for the foreseeable future. The Notice of Intent to Remediate was published in the *LNP* on April 13, 2020.

Prospect Metal Company, 3640 York Road, New Oxford, PA 17350, Straban Township, **Adams County**. Moody and Associates, 11548 Cotton Road, Meadville, PA 16335, on behalf of Nucor Skyline, 300 Technology Center Way, Suite 450, Rock Hill, SC 29730, and JKLM Corporation, 3640 York Road, New Oxford, PA 17350, submitted a Notice of Intent to Remediate site soil contaminated with PCB oil. The site will be remediated to the Statewide Health Standard. Future use of the site will remain as a non-industrial scrapyard. The Notice of Intent to Remediate was published in the *Gettysburg Times* on April 2, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Saint Timothy's Lutheran Church, 140 South Ott Street, Allentown, PA 18104, Allentown City, **Lehigh County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Saint Timothy's Lutheran Church, 140 South Ott Street, Allentown, PA 18104, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be for natural gas production. The Notice of Intent to Remediate was published in *The Morning Call* on April 2, 2020.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received for the Renewal of a Registration under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste other than Coal Ash.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGR123-NE006. Kendra II, LLC, 5459 State Route 29, Springville, PA 18844. A permit renewal application for continued coverage under General Permit WMGR123 for the operation of an oil and gas liquid waste processing facility located in Dimock Township, **Susquehanna County**. The applica-

tion was received by the Department on May 8, 2020 and deemed administratively complete by the Regional Office on May 11, 2020.

Comments concerning the application should be directed to Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

General Permit No. WMGR123SW019. Hydro Recovery, LP—Washington County, 1975 Waddle Road, State College, PA 16803-1639. A renewal registration to operate under residual waste general permit WMGR123 for the processing and beneficial use of oil and gas liquid waste in Hanover Township, **Washington County**, was deemed administratively complete in the Regional Office on May 8, 2020.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

General Permit Application No. WMGR123SW038. EQT Production Company, 400 Woodcliff Drive, Canonsburg, PA 15317. A request for registration for coverage under General Permit WMGR123 to construct and operate the Christen Aboveground Storage Tank Facility for storage and reuse of oil and gas liquid waste at a facility located in Morgan Township, **Greene County**. The registration was granted by the Regional Office on May 12, 2020.

Persons interested in reviewing the general permit may contact Gregory Holesh, Environmental Engineering Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

General Permit Application No. WMGR123SW040. EQT Production Company, 400 Woodcliff Drive, Canonsburg, PA 15317. A request for registration for coverage under General Permit WMGR123 to construct and operate the Magnum Aboveground Storage Tank Facility for storage and reuse of oil and gas liquid waste at a facility located in Center Township, **Greene County**. The registration was granted by the Regional Office on May 12, 2020.

Persons interested in reviewing the general permit may contact Gregory Holesh, Environmental Engineering Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

General Permit No. WMGM123SW044 Fowler AST Pad. EQT Production Company, 400 Woodcliff Drive, Canonsburg, PA 15317. A Registration to operate under residual waste general permit WMGM123 for the processing and storage of oil and gas liquids in North Bethlehem Township, **Washington County**, was received/deemed administratively complete in the Regional Office on May 6, 2020.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit Application No. 101725. Taylor Recycling Incorporated, 1000 Union Street, Taylor, PA 18517, Taylor Borough, **Lackawanna County**. An application for a new municipal waste transfer facility. The application was submitted to the Department on November 20, 2019 and was subject to the Local Municipality Involvement Process (LMIP). The LMIP meeting took place on January 21, 2020. Supplemental information was received on May 8, 2020 and the application was found to be administratively complete by the Northeast Regional Office on May 11, 2020.

Comments concerning the application should be directed to Roger Bellas, Regional Waste Management Program Manager, Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18704-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe

should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

22-05010A: Texas Eastern Transmission—Grantville (429 Station Road, Grantville, PA 17028) for the construction of two (2) new natural gas-fired simple cycle turbines at the Grantville Compressor Station located in East Hanover Township, **Dauphin County**. These new turbines will replace four (4) turbines. The turbines will be built with SoLoNO_x dry low NO_x (DLN) technology for the control of NO_x and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current 445 bhp emergency generator (Source ID 035)

with a Waukesha VGF24GL 585 bhp, natural gas, emergency generator. The project will also include the installation of two (2) fuel gas heaters, each rated at 1.154 MMBtu/hr heat input, one space heater rated at 0.200 MMBtu/hr, three (3) separator vessels each rated less than 500 gallons used to collect pipeline liquids, one (1) 2,260 gallons pipeline liquid tank, two (2) 3,550 gallons oil tanks and one (1) 10,000 gallons oily water tank. The expected facility potential emissions as a result of the changes proposed are: NO_x 48 tpy, CO 39 tpy, PM_{2.5} 9 tpy, PM₁₀ 9 tpy, SO₂ 20 tpy, VOCs 44 tpy and HAPs 3 tpy. The facility will be a State Only facility upon completion of the project. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60, Subpart KKKK—Standards of Performance for Stationary Combustion Turbines, 40 CFR Part 60, Subpart OOOOa—Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 and 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval may be incorporated into an Operating Permit pursuant to the provisions of 25 Pa. Code Chapter 127.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

53-00016: Tennessee Gas Pipeline, LLC (1001 Louisiana St., Ste. 1000, Houston, TX 77002) to issue a renewal State Only Operating Permit for the Ellisburg Booster Station (313A) located in Genesee Township, **Potter County**. The facility is currently operating under State Only Operating Permit 53-00016. The facility's sources include two 2,365 bhp, Caterpillar G3608 compressor engines, one 367 bhp, Caterpillar 3406 emergency generator engine, various space heaters, storage tanks, natural gas venting and blowdowns, fugitives and pigging operations. The facility has potential emissions of 30.70 TPY of CO; 34.20 TPY of NO_x; 0.08 TPY of SO_x; 1.49 TPY of PM/PM₁₀; 34.20 TPY of VOCs; 12.00 TPY of combined hazardous air pollutants; 9.00 TPY of formaldehyde; 21,467 TPY of GHGs. All three engines are subject to 40 CFR 63, Subpart ZZZZ-National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Title 25 Pa. Code Chapters 121—145, as well as 40 CFR Part 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williams-

port, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

49-00067A: Custom Container Solutions, Inc. (391 Wolfland Road, Lewisburg, PA 17837) for the construction of a steel container manufacturing operation at their facility to be located in Milton Borough, **Northumberland County**. The Department of Environmental Protection's (Department) review of the information submitted by Custom Container Solutions indicates that the air contamination source to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including Subpart XXXXXX of the National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Nine Metal Fabrication and Finishing Source Categories, 40 CFR 63.11514–63.11523, the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12 and surface coating processes requirements of § 129.52d. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The emissions from the proposed source included in this project will not exceed the following limits: 2.58 tons of nitrogen oxides per year, 1.10 ton of carbon monoxide per year, 37.24 tons of volatile organic compounds per year, 0.02 ton of sulfur oxides per year, 4.33 tons of particulate matter (including PM₁₀) per year and 2.54 tons of hazardous air pollutants per year. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: The permittee shall use no more than 21,000 gallons of coating containing 3.3 pounds VOC per gallon, use no more than 1,000 gallons of coating containing 3.5 pounds VOC per gallon and employ good coating application and cleanup practices to minimize the emission VOCs. The facility is a State Only facility. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 49-00067A, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to 25 Pa. Code § 127.421. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

04-00439D: Watco Transloading LLC (2701 Midland Beaver Road, Industry, PA 15052-1709). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44–127.46 that the Department of Environmental Protection ("Department") intends to issue Air Quality Plan Approval: PA-04-00439D to Watco Transloading LLC (Watco) for the installation and operation of a baghouse rated at 28,000 SCFM at their terminal facility located at 2701 Route 68 West, Industry, PA 15052-1709 in Industry Borough, **Beaver County** that performs general warehousing of ferro-alloy metals, pig iron, gypsum, steel, non-ferrous metals, and general commodities; crushing and screening of ferro-alloy materials. The total material throughput at this facility is limited in State Only Operating Permit No. OP-04-00439 to the following on a rolling 12-month basis:

- Total throughput: 1,469,700 tons;
- Ferroalloy Screening Throughput: 163,000 tons;
- Ferroalloy Crushing Throughput: 80,000 tons; and
- Ferroalloy Railcar & Barge Loadout: 100,000 tons.

The total emissions from this project on a 12-month rolling basis are: PM = 0.69 tpy; PM₁₀ = 0.59 tpy; Max. HAPs = 0.25 tpy; Mn = 0.25 tpy; Cr = 0.23 tpy; and Ni = 0.10 tpy.

This authorization is subject to State regulations including 25 Pa. Code Chapters 123 and 127. Plan approval conditions include operational restrictions, monitoring requirements, work practice standards, associated record-keeping, and reporting requirements. Once compliance with the plan approval is demonstrated, the applicant will be required to revise the current SOOP application in accordance with 25 Pa. Code Subchapter F. Watco's Plan Approval application, the Department's Air Quality Review Memorandum, and the proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Jesse Parihar at jparihar@pa.gov or 412.442.4030.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Jesse Parihar via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to jparihar@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-04-00439D) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

37-008C: Ellwood City Forge (800 Commercial Avenue, Ellwood City, PA 16117), for the proposed construction of 3 natural gas fired furnaces each rated at 19.6 MMBtu/hr and the removal of the existing Rotary Hearth Furnace rated at 21.5 MMBtu/hr. The facility is located in Ellwood City Borough, **Lawrence County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

Plan approval No 37-008C is for the proposed construction of 3 natural gas fired furnaces (Sources 500C, D, & E) each rated at 19.6 MMBtu/hr and the removal of the existing Rotary Hearth Furnace (Source 341—Continuous Press Furnace) rated at 21.5 MMBtu/hr. This Plan Approval will contain emission restriction, testing, record-

keeping, work practice standard and additional requirements conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Source 341 (Continuous Press Furnace):
 - This source has been permanently removed. The source shall be removed from the facility operating permit.
- Source 500C (Demag Press Furnace 2344), Source 500D (Demag Press Furnace 2345), & Source 500E (Demag Press Furnace 2346):
 - Subject to 25 Pa. Code §§ 123.13 & 123.21
 - The NO_x emissions shall not exceed 48 #/mmcf or 4.13 TPY (calculated as a 12-month rolling total).
 - The CO emissions shall not exceed 70 #/mmcf or 6.0 TPY (calculated as a 12-month rolling total).
 - The SO_x emissions shall not exceed 0.6 #/mmcf or 0.05 TPY (calculated as a 12-month rolling total).
 - The VOC emissions shall not exceed 5.5 #/mmcf or 0.473 TPY (calculated as a 12-month rolling total).
 - The PM₁₀ emissions shall not exceed 7.6 #/mmcf or 0.653 TPY (calculated as a 12-month rolling total).
 - The permittee shall use pipeline quality natural gas only as a fuel for this source.
 - Conduct an initial stack test for NO_x, CO, VOC, & PM (filterable & condensable) and subsequent testing every 5 years.
 - The permittee shall monitor the natural gas consumed by this source using a gas flow meter or equivalent method as approved by the Department.
 - The permittee shall maintain monthly records of the hours of operation and natural gas usage of this source.
 - The permittee shall calculate and maintain monthly records of the emissions from this source to determine compliance with this Plan Approval.
 - All required records shall commence upon source startup, shall be maintained on site for a minimum of five (5) years, and shall be made available to Department personnel upon request.
 - The permittee shall install, operate, and maintain the necessary meter(s) to determine and record the natural gas usage for this source.
 - The source shall be installed, maintained, and operated in accordance with manufacturer's specifications and good air pollution control practices.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP Office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Mead-

ville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [37-008C] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the previously listed public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State Only Operating Permits or §§ 127.521 to 127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00007: Waste Management Disposal Services of PA, Inc. (100 New Ford Mill Rd., Morrisville, PA 19067-3704) for renewal of their Title V Operating Permit for the GROWS landfill in Falls Township, **Bucks County**. The Title V Operating Permit was most recently renewed on August 12, 2015 and was administratively amended on February 26, 2016. The facility is comprised of a municipal solid waste (MSW) landfill, three (3) back-up flares and four (4) exempted diesel fuel-fired emergency generator engines which emit major levels of particulate matter less than 10 micron in diameter (PM₁₀) and volatile organic compounds (VOCs). The facility also emits nitrogen oxides (NO_x), sulfur oxides (SO_x), and carbon monoxide (CO) from the flares and the emergency generator engines. All new and revised regulatory changes have been addressed in this renewal. The renewed Title V operating permit will contain sufficient monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00201: Kirk and Nice Funeral Home (80 Stenton Avenue, Plymouth Meeting, PA 19462), **Montgomery County**, for the renewal of the State Only Operating Permit. The facility owns and operates a crematory unit, designated as Source ID 101. Facility-wide emissions for all criteria pollutants are below the threshold for major sources operating in the Philadelphia Metropolitan Area; therefore, the facility is classified as a Natural Minor. The renewal permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-05020: Craft-Maid Kitchens, Inc. (501 South 9th Street, Building C, Reading, PA 19602) to issue a State Only Operating Permit for the wood furniture manufacturing operation in the City of Reading, **Berks County**. The potential emissions from the facility are estimated at 23.5 tpy of VOC and 4.5 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

19-00001: Autoneum North America, Inc. (480 West Fifth Street, Bloomsburg, PA 17815) for issuance of a State-Only Synthetic Minor Operating Permit for their facility in the Town of Bloomsburg, **Columbia County**. The facility is currently operating under Title V Operating Permit 19-00001. The facility has voluntarily requested fuel characteristic limitations, throughput limitations, and the physical derating of one boiler to qualify for synthetic minor status. The facility's main sources include one natural-gas-fired boiler, two coal-fired boilers, nine emergency engines, and two natural-gas-fired carpet dryers. The particulate emissions from the coal-fired boilers are controlled by multiclone collectors. The facility has potential emissions of 51.53 tons per year of carbon monoxide, 91.20 tons per year of nitrogen oxides, 98.16 tons per year of sulfur oxides, 29.53 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 28.52 tons of particulate matter with an aerodynamic diameter of less than 2.5 microns, 13.51 tons per year of volatile organic compounds, 1.08 ton per year of total hazardous air pollutants (HAPs), and 62,218 tons per year of carbon dioxide equivalents (greenhouse gases). Revisions include one emergency engine being removed from Source ID P106; one emergency engine has been incorporated into Source P107; ash content limits, sulfur content limits, and heat capacity limits all for the coal have been incorporated into the permit, the coal-fired boiler in Source 034 has been physically derated to reduce its heat input capacity; and the Departments RACT II regulations of 25 Pa. Code §§ 129.96—129.100 have been incorporated into the permit. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. The emission restric-

tion, testing, monitoring, recordkeeping, reporting and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, 63, and 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00306: BASF Corporation (370 Frankfort Road, Monaca, PA 15061-2210). In accordance with 25 Pa. Code §§ 127.441, 127.425, and 127.521, the Department is providing notice that it intends to issue a renewed Title V Operating Permit for the continued operation of a styrene/butadiene dispersion emulsion manufacturing facility located in Potter Township, **Beaver County**.

Sources at this facility consist of two 32.1 MMBtu/hr Cleaver-Brooks boilers, a styrene/butadiene production area, an acronal production area, wastewater treatment plants, a 197-HP diesel-fired firewater pump, a 207-HP diesel-fired emergency generator, two 43,000-gallon butadiene pressure vessels, one 30,000-gallon acrylonitrile storage tank, one 75,000-gallon methyl methacrylate storage vessel, and a tank farm. Most sources at this facility are controlled by a thermal oxidizer.

The facility has potential emissions of 54.4 TPY NO_x; 23.3 TPY CO; 20.0 TPY VOC; 0.5 TPY SO_x; 5.0 TPY PM₁₀; 5.0 TPY PM_{2.5}; 10.7 TPY HAP total; 6.0 TPY single HAP; and 51,012 TPY for CO_{2e}. The facility has reported actual emissions in 2018 of 13.3 TPY NO_x; 4.3 TPY CO; 5.2 TPY VOC; 0.1 TPY SO_x; 1.0 TPY PM₁₀; 1.0 TPY PM_{2.5}; 3.3 TPY HAP total; 2.0 TPY single HAP; and 15,099 TPY for CO_{2e}. The permit includes facility-wide emission limitations as follows: 42.0 TPY NO_x; 22.0 TPY CO; 0.25 TPY SO_x; 5.0 TPY PM₁₀; 11.0 TPY total HAPs; 6.0 TPY single HAP, and 19.0 TPY VOCs. In addition, the permit includes operating requirements and work practice standards, along with monitoring, recordkeeping, and reporting requirements to ensure that the facility complies with all applicable Federal and State air quality regulations. Sources at this facility are subject to 40 CFR Part 60 Subpart IIII, 40 CFR Part 63 Subpart ZZZZ, 40 CFR Part 60 Subpart Kb, 40 CFR Part 60 Subpart Dc, and 40 CFR Part 63 Subpart VVVVVV.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Title V Operating Permit may submit the information to Thomas Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (04-00306) and concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone,

where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Thomas Joseph, Environmental Engineering Manager, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

24-00146: National Fuel Gas Supply Corporation (6363 Main Street, Williamsville, NY 14221). The Department intends to renew a State Only Operating Permit for the Boone Mountain Compressor Station located in Horton Township, **Elk County**. The facility is a Natural Minor. Potential Emissions are as follows: 10.5 tpy CO; 68.58 tpy NO_x; 0.87 tpy Particulate Matter; 0.02 tpy SO_x; 12.09 tpy VOC; 1.54 tpy all combined HAPs; 8,690 tpy CO₂e; and 192.41 tpy Methane. The primary sources at the facility include two pipeline heaters with a combined rating of 1 million Btu/hr, two 150 hp compressor engines, a 280 hp compressor engine, a 35 hp emergency generator, and a TEG dehydrator. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

32-00442: Alliance Petroleum Stuby Compressor Station (101 McQuiston Drive, Jackson Center, PA 16133). The Department intends to issue a Natural Minor State Only Operating Permit for compression and transfer of natural gas located in North Mahoning Township, **Indiana County**. The subject facility consists of a 425 hp 4SRB gas compressor engines, a 50 Bbl tank for produced water, venting/blow downs, pneumatic devices, and fugitive emissions. The actual emissions reported (TPY) for 2019 were: 8.07 NO_x, 8.07 CO, 1.22 VOC, 0.006 SO_x, 0.0097 PM, 0.27 Formaldehyde, and 1.465.4 CO₂. The facility is subject to State Regulations and Federal Regulations (40 CFR Part 63 Subpart ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

32-00443: Alliance Petroleum Johnsonburg Compressor Station (101 McQuiston Drive, Jackson Center, PA 16133). The Department intends to issue a Natural Minor State Only Operating Permit for compression and transfer of natural gas located in Canoe Township, **Indiana County**. The subject facility consists of a 425 hp 4SRB gas compressor engines, a 50 Bbl tank for produced water, venting/blow downs, pneumatic devices, and fugitive emissions. The actual emissions reported (TPY) for 2019 were: 8.16 NO_x, 8.16 CO, 1.17 VOC, 0.0023 SO_x, 0.036 PM, 0.27 Formaldehyde, and 1,408.2 CO₂. The facility is subject to State Regulations and Federal Regulations (40 CFR Part 63 Subpart ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

33-00141: National Fuel Gas Supply Corp., Knox Compressor Station (157 Pump Station Rd, Brookville, PA 15825). The Department intends to issue the renewal of the State-Only Operating Permit of a natural gas compressor station located in Knox Township, **Jefferson County**. Permitted air contamination sources are two 600-hp natural gas-fired compressor engines, two 384-hp natural gas-fired compressor engines, a natural gas-fired emergency generator engine, a natural gas dehydration unit, a methanol aboveground storage tank, a parts washer, various combustion sources, and miscellaneous sources of fugitive emissions. With its potential emissions below major source thresholds, the facility is Natural Minor. In this renewal, tanks and vessels, pneumatic devices, venting and blowdowns, fugitive emission components, and pigging operations are added as permitted sources for emissions inventory purposes. Similar to the 384-hp compressor engines, the two 600-hp compressor engines are no longer subject to the ignition timing requirement.

37-00307: PSC Metals LLC, New Castle Plant (214 Gardner Avenue, New Castle, PA 16102). The Department intends to issue the renewal of the State-Only Operating Permit of a scrap metal processing facility located in New Castle City, **Lawrence County**. Permitted air contamination sources are steel cutting operations performed using torches, with dust collection systems and without. Permit requirements for steel cutting operations were established through PA 37-307D. Based on emissions from cutting operations and natural gas combustion, the facility is Natural Minor. In this renewal, there are no changes in permit requirements.

61-00193: National Fuel Gas Supply Corporation (6363 Main Street, Williamsville, NY 14221). The Department intends to renew a State Only Operating Permit for the Boone Mountain Compressor Station located in Mineral Township, **Venango County**. The facility is a Natural Minor. Potential Emissions are as follows: 72.05 tpy CO; 67.04 tpy NO_x; 4.40 tpy Particulate Matter; 0.08 tpy SO_x; 44.04 tpy VOC; 8.17 tpy all combined HAPs; 25,998 tpy CO₂e; and 4.56 tpy Formaldehyde. The primary sources at the facility include various heaters and reboilers with a combined total heat input rating of 4.095 million Btu/hr, two 1,350 hp compressor engines, a 75 hp air compressor engine, a 402 hp emergency generator, and a TEG dehydrator. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a modification for a Natural Minor Operating Permit (OP16-000017) issued on November 25, 2016 for the following facility:

OP19-000005: Delta Airlines, PHL (8500 Essington Avenue, Philadelphia, PA 19153) for the operation of air emission sources at an air transportation establishment in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are seven (7) non-stationary sources, all of which are non-emergency Reciprocating Internal Combustion Engines (RICE) firing diesel fuel, of which one (1) rated 600 HP, one (1) rated 335 HP, and five (5) rated between 160 HP—220 HP.

The changes made as part of the modification includes the following:

- In Section A, updated the phone number and added the email address for the permit contact.
- In Table A1 and Section D, removed Engines # 2 and 6, added Engine # 9, specified that Engine # 9 shall not burn Jet A fuel, and included updated information for Engines # 3, 4, 5, and 9 that the facility provided.
- In Section D: Source Specific Requirements
 - Updated the definition of nonroad engine in Condition D.2.(a)(2).
 - Added the operating hour limits during the ozone season in Condition D.2.(a)(5).
 - In Condition D.3.(b)(2), specified that compliance with the PM emission limit of 25 Pa. Code § 123.13(c)(1)(i) shall be based only on Method 5.
 - Updated the monitoring and recordkeeping requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes:

the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Wigfield).

Permit 11140101 and NPDES No. PA0269450. Laurel Sand & Stone Inc., 210 E. Main St., P.O. Box 556, Ligonier, PA 15658, permit renewal for reclamation of a bituminous surface mine in Jackson Township, **Cambria County** affecting 204.5 acres. Receiving streams: unnamed tributaries to/and Bracken Run and unnamed tributaries to/and South Branch Blacklick Creek classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Buffalo Township Municipal Authority of Freeport, PA on Allegheny River. Application received: May 6, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 7975SM5C12 and NPDES Permit No. PA0225649. KPK Development Corp. (149 Newbold Road, Fairless Hills, PA 19030), correction to an existing quarry operation to add acres for a total of 278.93 acres from 229.9 acres in Falls Township, **Bucks County**. Receiving stream: Martins Creek, classified for the following uses: warm water fishes and migratory fishes. Application received: April 9, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Wigfield).

NPDES No. PA0249670 (Mining Permit No. 32040202), Robindale Energy Services, Inc., 224 Grange Hall Road, Armagh, PA 15920, renewal of an NPDES permit for bituminous surface mine in East Wheatfield Township, **Indiana County**, affecting 34.5 acres. Receiving stream(s): unnamed tributary to/and Conemaugh River, classified for the following use(s): warm water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: April 24, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributary to/and Conemaugh River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N

The proposed stormwater effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 002</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

The proposed treated wastewater effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 003</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

NPDES No. PA0279358 (Mining Permit No. 56130109), Berwind Coal Sales Company, 509 15th Street, Windber, PA 15963, renewal of an NPDES permit for bituminous surface mine in Paint and Ogle Townships, **Somerset County**, affecting 316.7 acres. Receiving stream(s): Seese Run, unnamed tributary to/and Paint Creek, classified for the following use(s): cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: May 1, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls discharge to Seese Run, unnamed tributary to/and Paint Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
004	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 002, 003, 004</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The following stormwater outfalls discharge to Seese Run, unnamed tributary to/and Paint Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
005	N
006	N
007	N
008	N
009	N
010	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 005, 006, 007, 008, 009, 010</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

NPDES No. PA0269450 (Mining Permit No. 11140101), Laurel Sand & Stone, Inc., 210 E. Main Street, P.O. Box 556, Ligonier, PA 15658, new NPDES permit for surface coal mining in Jackson Township, **Cambria County**, affecting 199.9 acres. Receiving stream(s): two unnamed tributaries to South Branch Blacklick Creek, classified for the following use: Cold Water Fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: May 5, 2020.

The following outfalls discharge to two unnamed tributaries to South Branch Blacklick Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (SP-1 Emergency Spillway)	Y
002 (SP-2 Emergency Spillway)	Y

The following outfalls require a non-discharge alternative:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003 (SP-1)	Y
004 (SP-2)	Y
005 (TF-1)	Y
006 (TF-2)	Y

There is no proposed point source discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of infiltration galleries. The only potential point source discharges to surface water are the discharges from the emergency spillway of a sediment pond during precipitation that exceeds a 10 yr/24 hr event.

The proposed effluent limits for the water entering the infiltration galleries are as follows:

<i>Outfalls: 003, 004, 005, & 006</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Manganese (mg/l)	N/A	N/A	5.0
Aluminum (mg/l)	N/A	N/A	5.0
Total Suspended Solids (mg/l)	N/A	N/A	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The proposed effluent limits for the water discharging from the emergency spillways are as follows:

<i>Outfalls: 001 & 002</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/l)	N/A	N/A	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

New Stanton District Mining Office, P.O. Box 133, New Stanton, PA 15672, (724) 925.5500, (Contact: Tracy Norbert).

NPDES No. PA0251615 (Mining Permit No. 26090102), Piccolomini Contractors, Inc., P.O. Box 78, Waltersburg, PA 15488, NPDES permit renewal/revision at a surface coal mine in Franklin Township, **Fayette County**, affecting 33.2 acres. A variance is included to conduct mining and support activities within 100 feet, and temporarily remove, relocate, and restore a UNT to Redstone Creek, beginning at the intersection of the UNT with State Route 51, thence 2,100 feet southeasterly and upstream along the UNT. Receiving stream(s): UNTs to Redstone Creek, classified for the following use(s): WWF. The receiving streams are subject to the Redstone Creek Total Maximum Daily Load. The first downstream potable water supply intake from the point of discharge is PWS 5260014 (Newell Municipal Authority) with an intake on the Monongahela River. Application received: March 5, 2020.

The following treated wastewater outfall discharges to UNT to Redstone Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
002	N	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0

Sulfate (mg/l) Monitor
Specific Conductance (umhos/cm) Monitor
pH between 6.0 and 9.0 Standard Units; Alkalinity > Acidity; Measure flow and temperature.

The following stormwater outfalls discharge to UNT to Redstone Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Stormwater Outfall
003	N	Stormwater Outfall

The proposed effluent limits for the previously listed outfalls for all weather conditions are as follows:

<i>(All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0

Sulfate (mg/l) Monitor
Specific Conductance (umhos/cm) Monitor
pH between 6.0 and 9.0 Standard Units; Alkalinity > Acidity; Measure flow and temperature.

Noncoal NPDES Draft Permits

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

NPDES No. PA0257192 (Mining Permit No. 08090303), DeCristo Inc., 9070 Route 414, Canton, PA 17724, renewal of an NPDES permit for discharge of water resulting from noncoal surface mining in LeRoy Township, **Bradford County**, affecting 71.5 acres. Receiving stream(s): unnamed tributary to Towanda Creek, classified for the following use(s): CWF, MF. Application received: December 2, 2019.

The following outfalls discharge to an unnamed tributary to Towanda Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Sediment
002	N	Sediment

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 002</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/l) Flow (gpm)	35.0	70.0 Report	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

NPDES No. PA0243868 (Mining Permit No. 59040301), Jody Fisher dba Fisher Aggregate, 1658 Buckwheat Hollow Road, Lawrenceville, PA 16929, renewal of an NPDES permit for discharge of water resulting from noncoal surface mining in Lawrence Township, **Tioga County**, affecting 9.6 acres. Receiving stream(s): unnamed tributary to Tioga River, classified for the following use(s): WWF, MF. This receiving stream is included in the Tioga River TMDL. Application received: January 8, 2020.

There are no permitted outfalls, all water must be contained on site.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401.

Permit No. E1501220-023, East Whiteland Township, 209 Conestoga Road, Frazer, PA 19355, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with the Planebrook Road Area and Swedesford Road Sanitary Sewer Extension. The proposed project involves the installation of a new gravity sanitary sewer and requires the crossing of tributaries of Valley Creek (EV, MF). The project proposes horizontal drilling under two tributaries with permanent stream and floodway impact. There are no impacts in wetlands.

The site is approximately located at Golf View Lane/Fairway Drive/Elk Drive/Swedesford Road (Malvern PA Lat. 40° 02' 27.4"; Long. 75° 34' 27.1") in East Whiteland Township, Chester County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4002220-022. Angelo Terrana, 400 Third Avenue, Kingston, PA 18704, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To remove an existing structure and to construct and maintain a 2,575 sq. ft., pile-supported boathouse and a 1,600 sq. ft., pile-supported dock within the basin of Harveys Lake (HQ-CWF). The project is located at Pole # 144 along Lakeside Drive (S.R. 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 25"; Longitude: 76° 2' 41") in Harveys Lake Borough, Luzerne County.

E5402220-022. Michael Cahn, 1805 Shea Center Drive, Highlands Ranch, CO 80129 in Frailey Township, **Schuylkill County**, U.S. Army Corps of Engineers, Baltimore District.

To remove several on-site regulated wetlands totaling 4.385 acres of cumulative disturbance, that is comprised of 3.408 acres of open waters (Open Waterbodies and Seasonal Ponds) and 0.977 acre of wetlands (Forested and Palustrine Emergent). Reducing the size, density, and configuration was evaluated, but the basic project purpose could not be achieved by alternative designs on the current site. The proposed project area will be the result of a concurrent subdivision plan, which will ultimately create two development tracts. The project is in Frailey Township, Schuylkill County. Quadrangle Latitude: 40° 37' 28"; Longitude: 76° 26' 06". (Pine Grove, PA Quadrangle, Latitude: 40° 37' 28"; Longitude: 76° 26' 6").

E6402120-021. Pa Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Drive,

Dunmore, PA 18512, Salem Township, **Wayne County**, Army Corps of Engineers, Philadelphia District.

The following impacts are associated with the structure replacement for SR 0590 over Jones Creek:

To remove the existing structure and to construct and maintain a 38.00-foot wide two-span pre-stressed concrete spread box beam bridge carrying SR 0590 across Jones Creek (HQ-CWF, MF) having a 74.72-foot span and a 9.66-foot underclearance. Floodway fill appurtenant to the structure replacement will also occur.

Approximately 158 linear feet of two (2) different tributaries to Jones Creek will be permanently realigned due to the project.

Approximately 0.01 acre of PEM/PSS/PFO wetland will be permanently impacted due to the project.

The proposed project is located along SR 0590 (Lake Ariel, PA Quadrangle, Latitude: 41° 23' 48.36"; Longitude: 75° 26' 4.26") in Salem Township, Wayne County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0603219-010. Energy Transfer Partners, 515 Fritztown Road, Sinking Spring, PA 19608 in Caernarvon and Robeson Townships and New Morgan Borough, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To abandon 1.) an 8.0 inch steel petroleum products line; and 2.) a 12.0 inch steel petroleum products line, permanently impacting 10 square feet of unnamed tributaries to Hay Creek (EV, MF), 7 square feet of an unnamed tributary to the Conestoga River (WWF, MF), 114 square feet of exceptional value palustrine emergent wetlands, and 1,033 square feet of palustrine emergent "other" wetlands; and to install and maintain 1.) an 8.0 inch steel petroleum products line; and 2.) a 12.0 inch steel petroleum products line, permanently impacting a total of 0.55 acre of two unnamed tributaries to Hay Creek (EV, MF), 313 square feet of exceptional value palustrine emergent wetlands, and 0.07 acre of palustrine emergent "other" wetlands, all for the purpose of allowing future development on the property. The project is located near the intersection of Academy Drive and Morgantown Road (Latitude: 40.1882°N; Longitude: 75.8791°W) in Caernarvon and Robeson Townships and New Morgan Borough, Berks County. Wetland loss is not proposed, and replacement is not required.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E6106220-021. Aqua PA, Inc., 762 W. Lancaster Ave, Bryn Mawr, PA 19010, Emlenton Water Intake Improvement, in Emlenton Borough, **Venango County**, ACOE Pittsburgh District (Pittsburgh, PA Quadrangle N: 41°, 10', 36.6"; W: 79°, 42', 46.8").

To construct a new water intake structure and intake pipe consisting of approximately 240 feet ductile iron pipe

and a wedge wire screen water intake on the left bank of the Allegheny River approximately 4,330 feet upstream of the I-80 bridge. A coffer dam will be constructed to isolate the area to install the intake pipe by direct excavation.

EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Erie County Conservation District, 1927 Wager Road, Erie, PA 16509, 814-825-6403.

<i>ESCP No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESP062520001	PennDOT District 1 255 Elm Street Oil City, PA 16301	Erie	Springfield Township Girard Township Platea Borough	Racoon Creek CWF-MF; Crooked Creek HQ, CWF-MF

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0012882 (Industrial)	Philadelphia Gas Works Richmond Plant 800 W Montgomery Avenue Philadelphia, PA 19122-2806	Philadelphia County Philadelphia City	Delaware River (WWF, MF) (3-J)	Yes

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0021547 (Sewage)	Orwigsburg Sewage Treatment Plant 209 North Warren Street P.O. Box 128 Orwigsburg, PA 17961-1852	Schuylkill County Orwigsburg Borough	Mahannon Creek (CWF, MF) (3-A)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0044024 (Industrial)	Pleasant Mount State Fish Hatchery Benner Spring Fish Research Station 1735 Shiloh Road State College, PA 16801-8495	Wayne County Mount Pleasant Township	West Branch Lackawaxen River (1-B)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0032051 A1 (Sew)	Granville Township Main STP 6310 SSR 103N Lewistown, PA 17044	Mifflin County Granville Township	Juniata River in Watershed(s) 12-A	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No PA0245194, Sewage, **Leon A Grochowski Jr.**, 2224 Meadowbrook Drive, Schnecksville, PA 18078.

This proposed facility is located in East Rockhill Township, **Bucks County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0026450, Sewage, **Bristol Township**, 2501 Bath Road, Bristol, PA 19007.

This existing facility is located in Bristol Township, **Bucks County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES Permit No. PA0255637, Sewage, SIC Code 8800, **Sandra J. Furmanek**, P.O. Box 167, Coraopolis, PA 15108.

This proposed facility is located in Jefferson Township, **Washington County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0255611, Sewage, SIC Code 8800, **Lauren Wengler**, 138 Forrest Drive, Fombell, PA 16123.

This proposed facility is located in Franklin Township, **Beaver County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

WQM Permit No. 4819402, Sewage, SIC Code 4952, **Lehigh Township Municipal Authority Northampton County**, 1069 Municipal Road, Walnutport, PA 18088-9718.

This proposed facility is located in Lehigh Township, **Northampton County**.

Description of Proposed Action/Activity: Installation of a new Pump Station and Sewer Extension Line for a future Lehigh Valley Resort & Spa. The new Influent Pump Station will discharge to the existing Pennsville Wastewater Treatment Plant under NPDES Permit No. PA0063231.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

WQM Permit No. WQG02282002, Sewerage, SIC Code 4952, **Hamilton Township Municipal Authority Franklin County**, 1270 Crottlestown Road, Chambersburg, PA 17201.

This proposed facility is located in Hamilton Township, **Franklin County**.

Description of Proposed Action/Activity:

This General Permit approves the construction and operation of: Sewer Extension.

WQM Permit No. 2820401, Sewerage, SIC Code 4952, **Carlisle Street Pumping Station**, 60 N Washington Street, Greencastle, PA 17225-1230.

This proposed facility is located in Greencastle Borough, **Franklin County**.

Description of Proposed Action/Activity:

This permit approves the construction/modification/operation of sewage facilities consisting of:
Installation of larger capacity pumps (350 GPM at 58 ft. TDH) in the existing pumping station.
No changes in the existing wet well, force main and generator.

WQM Permit No. 0708404 A2, Sewerage, SIC Code 4952, **Altoona West STP**, 900 Chestnut Avenue, Altoona, PA 16601-4617.

This proposed facility is located in Altoona City, **Blair County**.

Description of Proposed Action/Activity:

This amendment approves the construction/modification of sewage facilities consisting of:
The biosolids improvement is a design build project.

The itemized list includes major equipment and manufacturer of the product.

WQM Permit No. 4473401 A3, Sewerage, SIC Code 4952, **Brown Township STP**, 7748 State Route 655, Reedsville, PA 17084-9148.

This proposed facility is located in Brown Township, **Mifflin County**.

Description of Proposed Action/Activity:

This amendment approves the modification of sewage facilities consisting of:

A 60 feet diameter final clarifier with 14 feet of side water depth, a working volume of 296,128 gallons, a surface area of 2,827 square feet, and a weir length of 188 feet.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

WQM Permit No. 0419403, Sewerage, SIC Code 8800, **Lauren Wengler**, 138 Forrest Drive, Fombell, PA 16123.

This proposed facility is located in Franklin Township, **Beaver County**.

Description of Proposed Action/Activity: The applicant proposed to construct a 500 GPD single residence sewage treatment plant to serve an existing four-bedroom single family dwelling. The treated effluent discharges to an unnamed tributary of Doe Run.

WQM Permit No. 6319413, Sewerage, SIC Code 8800, **Sandra J. Furmanek**, P.O. Box 167, Coraopolis, PA 15108.

This proposed facility is located in Jefferson Township, **Washington County**.

Description of Proposed Action/Activity: The applicant proposed to construct a 500 GPD single residence sewage treatment plant to serve an existing four-bedroom residential dwelling. The treated effluent discharges to North Fork Cross Creek (WWF).

WQM Permit No. 1120400, Sewerage, **City of Johnstown**, 401 Main Street, Johnstown, PA 15901.

This proposed facility is located in the City of Johnstown, **Cambria County**.

Description of Proposed Action/Activity: Proposed construction of the rehabilitation of the existing sanitary sewers located in the Central Business District Area of the City of Johnstown. Treatment to be provided at the existing Johnstown—Dornick Point STP.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the Water Quality Management (Part II) Permit has not identified any significant environmental impacts resulting from this proposal.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD390138 Authorization/ Issuance	New Tripoli Bank 6748 Madison St. New Tripoli, PA 18066	Lehigh	North Whitehall Township	UNT to Mill Creek (CWF, MF); EV Wetlands
PAD480054 Authorization/ Issuance	Julio Folhadella R. C. Lonestar, Inc. c/o Buzzi Unicem USA P.O. Box 69 501 Hercules Drive Stockertown, PA 18083	Northampton	Upper Nazareth Township Palmer Township Stockertown Borough	Bushkill Creek (HQ-CWF, MF) & tributary to Bushkill Creek (HQ-CWF, MF)

Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD630041	North Strabane Township 1929 Route 519 Canonsburg, PA 15317	Washington County	North Strabane Township	Little Chartiers Creek (HQ-WWF)

Regional Permit Coordination Office: Program Manager, Rachel Carson State Office Building, 400 Market Street, 10th Floor, P.O. Box 69206, Harrisburg, PA 17106-9206.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD360051 Permit Issuance	ACP Properties, LLC 301 East Hill Street Ephrata, PA 17522	Lancaster	West Hempfield Township	Tributary to Strickler Run (WWF, MF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Contact: Aaron Redmond, Management Technician, 484.250.5821.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC230151 Authorization/ Issuance	Provco Pineville Boothwyn, LLC 795 East Lancaster Avenue Suite 200 Villanova, PA 19085	Upper Chichester Township Delaware County	Marcus Hook Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

2701

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone Number</i>
PAC350079 Authorization/ Issuance	Parth Apartments, LLC 67 E Country Gate Place Vestal, NY 13850-5835	Lackawanna	Dickson City Borough	Pancoast Creek (CWF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC350081 Authorization/ Issuance	Chick-fil-a 5200 Buffington Road Atlanta, GA 30359-2945	Lackawanna	Dickson City Borough	Pancoast Creek (CWF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4802.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone Number</i>
PAC070075 Issued	Larry & Robin Forshey 8673 Shenandoah Lane Huntingdon, PA 16652	Blair	Catherine Township	Yellow Spring Run (WWF, MF) Roaring Run (WWF, MF)	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
PAC220226 Issued	PA Turnpike Commission 700 South Eisenhower Boulevard Middletown, PA 17057	Dauphin	Middletown Borough	Susquehanna River (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220227 Issued	PA Department of General Services 18th & Herr Street Harrisburg, PA 17125	Dauphin	East Hanover Township	Bow Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220228 Issued	PA Department of General Services 18th & Herr Street Harrisburg, PA 17125	Dauphin	East Hanover Township	Bow Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC380174 Issued	First Energy/Mid-Atlantic Interstate Transmission 2800 Pottsville Pike P.O. Box 16001 Reading, PA 19612	Lebanon	South Lebanon Township	Quittapahilla (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380175 Issued	Scenic Ridge at West Cornwall 1310 Mount Pleasant Road Lebanon, PA 17042-9435	Lebanon	West Cornwall Township	Snitz Creek (TSF) Beck Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380176 Issued	Eagle Rental 1327 North Reading Road Stevens, PA 17578	Lebanon	West Cornwall Township	UNT Snitz Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380171 Issued	Samuel Z. Stoltzfus 924 Houtztown Road Myerstown, PA 17067	Lebanon	Jackson Township	UNT Little Swatara Creek (WWF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC380155 Issued	Housing Development Corporation MidAtlantic 4-6 King Street Suite 4 Lancaster, PA 17603	Lebanon	Bethel Township	Beach Run (WWF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC670287 Issued	Tri Corner Bridgeview, LLC 3405 North 6th Street Suite 204 Harrisburg, PA 17110	York	Hopewell Township	Ebaughs Creek (CWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
PAC670367 Issued	UL Holdings, LLC 3655 Sandhurst Drive York, PA 17406	York	Manchester Township	Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
PAC670397 Issued	D&B Land Management III, LLC 4882 Wolfgang Road Glenville, PA 17329	York	Codorus Township	Codorus Creek (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC040078	L. B. Water Service 540 South High Street Selinsgrove, PA 17870	Hopewell Township	UNT to Boggs Run (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC040085	Center Township Water Authority 224 Center Grange Road Aliquippa, PA 15001	Center Township Potter Township	Ohio River (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701

General Permit Type—PAG-03

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAR203601 Transfer	Arconic Lancaster Corp. 1480 Manheim Pike Lancaster, PA 17601-3152	Manheim Township Lancaster County	Unnamed Tributary to Little Conestoga Creek (WWF, MF) in Watershed(s) 7-J	Clean Water Program 717-705-4812

General Permit Type—PAG-12

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG123899 Issued	Craig D. Finkbiner RR 1 Box 2975 McAlisterville, PA 17049-9616	Fayette Township Juniata County	Little Lost Creek (TSF, MF) and Unnamed Tributary to Little Lost Creek (TSF)—12-A	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.6639

General Permit Type—PAG-13

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG130169	PA State System of Higher Ed West Chester University 201 Carter Drive Suite 100-EHS West Chester, PA 19383	East Goshen Township Chester County	Unnamed Tributary to Plum Run, Unnamed Tributary to Chester Creek (TSF, MF), and Plum Run (WWF, MF)—3-H and 3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Lime Valley Farms, Inc. Steve Good 1415 Lime Valley Road Lancaster, PA 17602	Lancaster	58.1	359.93	Broilers	NA	A
Harvest Lane Farm James Stahl 910 Jake Landis Road Lititz, PA 17543	Lancaster	278	324.09	Layers/ Beef	NA	A

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the

Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 3520501MA, Public Water Supply.

Applicant	PA American Water Company (Lake Scranton North Tank Rehabilitation) 852 Wesley Park Drive Mechanicsburg, PA 17055
Township, County	Roaring Brook Township Lackawanna County
Responsible Official	Mr. Bruce Aiton Pennsylvania American Water Company 852 Wesley Park Drive Mechanicsburg, PA 17055
Type of Facility	Public Water Supply
Consulting Engineer	Mr. Scott Thomas, PE PA American Water Company 2699 Stafford Avenue Scranton, PA 18505
Permit to Construct Issued	March 11, 2020

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Operations Permit issued to: **Aqua Pennsylvania-Treasure Lake**, 665 South Dock Street, Sharon, PA 16146, **PWSID No. 6170048**, Sandy Township, **Clearfield County**, on May 11, 2020 for the operation of facilities approved under construction permit # 1780501-T3-A1. The public water supply permit amendment No. 1780501-T3-A1 for operation. Permit No. 1780501-T3-A1 designates Well N-12, with associated Entry Point No. 101, as a reserve source.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Exeter Township	4975 DeMoss Road Reading, PA 19606	Berks

Plan Description: The exemption from the requirement to revise the Official Plan for the 10 Santa Maria Subdivision, DEP Code No. A3-06932-300-2E, APS ID 1015427, is disapproved. The proposed subdivision consists of one new single-family residential lot to be served by an individual onlot sewage disposal system.

The proposed subdivision is located on Santa Maria Drive, Reading, PA. This plan is disapproved because it does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the subdivision proposes the use of onlot sewage disposal systems and each lot of the subdivision does not have separate sites available for both a permittable primary soil absorption area or spray field and a replacement soil absorption area or spray field as per Chapter 71, Section 71.51(b)(1)(v).

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location: South Centre Township, Columbia County

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
South Centre Township	6260 Fourth Street Bloomsburg, PA 17815	Columbia

Plan Description: The plan provides for the construction of a collection system for a portion of the township and the construction of a township owned and operated wastewater treatment plant. The plan was denied by the Department because it is administratively incomplete.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information con-

cerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Moses Residence, 114 West Barnard Street, West Chester Borough, **Chester County**. Kenneth McGill, Trident Environmental, 1856 Route 9, Toms River, NJ 08732 on behalf of Mark Moses, 114 Barnard Street, West Chester, PA 19382 submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Byberry Wood, 1282 Byberry Road, Bensalem Township, **Bucks County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Quakertown, PA 18951 on behalf of Sandra DiNardo, Dauphine Building and Development, L.P., 920 Wayland Circle, Bensalem, PA 19020 submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

M. Diaz Pad 2, 134 Tyler Lake Road, New Milford, PA 18834, Harford Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by calcium chloride that was released to the soil when a sharp rock punctured the tire of a roller. The report is intended to document remediation of the site to meet Background Standards.

Wilson Area School District, 2111 Butler Street, Easton, PA 18042, Wilson Borough, **Northampton County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Wilson Area School District, 2040 Washington Boulevard, Easton, PA 18042, submitted a revised final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Saint Timothy's Lutheran Church, 140 South Ott Street, Allentown, PA 18104, Allentown City, **Lehigh County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Saint Timothy's Lutheran Church, 140 South Ott Street, Allentown, PA 18104, submitted a final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Thomasville Quarry, 555 South Biesecker Road, Thomasville, PA 17364, Jackson Township, **York County**.

Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Penny Supply, 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Hake's Grocery Store and Filling Station, 898 East Canal Road, Dover, PA 17315, Conewago Township, **York County**. BL Companies, Inc., 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of Douglas P. France, Esquire, 2675 Eastern Boulevard, York, PA 17402, and Randy and Ricky Hake, co-executors, 898 East Canal Street, Dover, PA 17315 submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with leaded and unleaded gasoline. The combined report is intended to document remediation of the site to meet the Site-Specific Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Sundie Property Fuel Oil Spill, 2366 River Hill Road, Washington Township, **Armstrong County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15806, on behalf of Daniel and Kimberly Sundie, 151 Mountain Laurel Drive, Butler, PA 16002, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Methyl tert-butyl ether, Naphthalene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the

presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Pennhurst State School, 1205 Commonwealth Drive, East Vincent Township, **Chester County**. Jennifer Poole, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Derek Strine, Pennhurst LLC, P.O. Box 340, Rockland, DE 19732 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with volatile organic compounds, semivolatiles organic compounds, metals, and other contaminants. The Report was reviewed by the Department which issued a technical deficiency letter on May 1, 2020.

114 South Washington Street, 114 South Washington Street, Pottstown Borough, **Montgomery County**. Joseph Kraycik, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 379, Pottstown, PA 19464 on behalf of Ken Wible, WC Development Group, LLC, 114 South Washington Street, P.O. Box 379, Pottstown, PA 19464 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with metals. The Report was approved by the Department on April 20, 2020.

1400 Byberry Road, 1400 Byberry Road, Lower Moreland Township, **Montgomery County**. Mark Fortna, Penn E&R, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Michael Downs, Toll Brothers, Inc., 250 Gibraltar Road, Horsham, PA 19044 submitted a Final Report concerning the remediation of site soil contaminated with arsenic and benzo(a)pyrene. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on April 17, 2020.

Residential Property, 98 Flame Hill Road, Middletown Township, **Bucks County**. Thomas M. Hippensteal, PG, Envirosearch Consultant, Inc., P.O. Box 940, Springhouse, PA 19477 on behalf of Federal Mortgage National Association, 1422 Dallas Parkway # 1000, Dallas, TX 75265 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on April 24, 2020.

Woodlynde School, 445 Upper Gulph Road, Tredyffrin Township, **Chester County**. Craig N. Herr, PG, RT Environmental Services Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Amy Clemons, The Woodlynde School c/o The Woodlynde School Corporation, 445 Upper Gulph Road, Strafford, PA 19087 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on April 16, 2020.

Erdenheim Farm, 5051 Flourtown Road, Whitmarsh Township, **Montgomery County**. Angelo C. Fatiga, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Joe Sullivan, Erdenheim Farm, LLC, 5051 Flourtown Road, Lafayette Hill, PA 19444 submitted a Final Report concerning the remediation of site soil contaminated with petroleum hydrocarbons. The Report was reviewed by the Department which issued a technical deficiency letter on April 24, 2020.

900 Poplar Street, 900 Poplar Street, City of Philadelphia, **Philadelphia County**. Stephan D. Bower, P.G., Environmental Standards Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482 on behalf of Sarina Rose, Post Quaker Property Owner, LLC, 1021 Hancock Street, Suite 1, Philadelphia, PA 19123 submitted a Final Report concerning the remediation of site soil contaminated with fuel oil numbers 2, 4, 5 and 6 short list parameters. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on April 27, 2020.

709-719 South 50th Street, 709-719 South 50th Street, City of Philadelphia, **Philadelphia County**. David Schantz P.G., Aquaterra Technologies, 122 South Church Street, West Chester, PA 19382 on behalf of George Korein, RKP B LLC, 240 Central Park South, Unit 2D, New York, NY 10019 submitted a Cleanup Plan/Final Report concerning the remediation of site soil and groundwater contaminated with volatile and semi-volatile organic compounds. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on April 22, 2020.

United States Steel Corporation—77 Acre Parcel, One Ben Fairless Drive, Falls Township, **Bucks County**, John Garges, GHD Services Inc., 410 Eagleview Boulevard, Suite Exton, PA 19341 on behalf of Michael Leon, United States Steel Corporation, 1350 Penn Avenue, Suite 200, Pittsburgh, PA 15222 submitted a Remedial Investigation Report/Risk Assessment Report/Final Report concerning the remediation of site soil contaminated with PCBs, VOCs, SVOCs, metals and cyanide. The Report was reviewed by the Department which issued a technical deficiency letter on April 7, 2020.

Sellersville Senior Apartments, LLC, Western Corner of the Intersection of East Clymer Avenue and Diamond Street, Sellersville Borough, **Bucks County**. Michael M. Kern, P.G., Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601 on behalf of Daniel McKee, Sellersville Senior Apartments, LLC, 12 Lutheran Drive, Telford, PA 18969 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil contaminated with PAHs. The Report was approved by the Department on April 13, 2020.

United States Steel Corporation—143 Acre Parcel, One Ben Fairless Drive, Falls Township, **Bucks County**, John Garges, GHD Services Inc., 410 Eagleview Boule-

ward, Suite Exton, PA 19341 on behalf of Michael Leon, United States Steel Corporation, 1350 Penn Avenue, Suite 200, Pittsburgh, PA 15222 submitted a Remedial Investigation Report/Risk Assessment Report/Final Report concerning the remediation of site soil contaminated with PAHs. The Report was reviewed by the Department which issued a technical deficiency letter on March 17, 2020.

NW Controls Facility Property, 2210 Shelly Road, Upper Salford Township, **Montgomery County**. Terence O'Reilly, TriState Environmental Management Services, Inc., 3937 A Bristol Pike, Bensalem, PA 19020 on behalf of Keith Miller, Guardian for Karl Ifert, Acorn Fund, LLC, 6 Kendra Court, Ridgefield, CT 06877 submitted a Cleanup Plan/Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Report was reviewed by the Department which issued a technical deficiency letter on March 17, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

John Deblasio Property, 1313 West Woodlawn Street, Whitehall Township, **Lehigh County**. EMS Environmental, 4550 Bath Pike, Bethlehem, PA 18017, on behalf of John Deblasio Estate c/o Nick Schaefer, 4227 Winchester Road, Allentown, PA 18104, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on May 12, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Del Brook MHP, 2801 Blossom Drive, Dover, PA 17315, Dover Township, **York County**. Environmental Maintenance Company, 1420 East Mermaid Lane, Glenside, PA 19038, on behalf of Dolan Oil Services, Inc., 955 York Haven Road, York Haven, PA 17370, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on April 13, 2020.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Tops Market No. 602, 1520 West 26th Street, City of Erie, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Tops Markets, LLC, P.O. Box 1027, Buffalo, NY 14240-1027, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning the remediation of site soil contaminated with benzene, ethylbenzene, isopropylbenzene, naphthalene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, total xylenes, acenaphthene, acenaphthylene, anthracene, benzo[a]anthracene, benzo[b]fluoranthene, benzo[k]fluoranthene, benzo[g,h,i]perylene, benzo[a]pyrene, bis[2-ethylhexyl]phthalate, carbazole, chrysene, 2-methylnaphthalene, dibenzo[a,h]anthracene, dibenzofuran, fluoranthene, fluorene, indeno[1,2,3-cd]pyrene, n-nitrosodi-n-propylamine, phenanthrene, pyrene, 1-methylnaphthalene, lead and site groundwater contaminated with benzene, 1,2-dibromomethane, ethylbenzene, isopropylbenzene, MTBE, naphthalene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, total xylenes, anthracene, benzo[a]-

anthracene, benzo[b]fluoranthene, benzo[k]fluoranthene, benzo[g,h,i]perylene, benzo[a]pyrene, dibenzo[a,h]anthracene, fluoranthene, fluorene, indeno[1,2,3-cd]pyrene, phenanthrene, phenol, pyrene, 1-methylnaphthalene, and lead. The Report/Plan was disapproved by the Department on May 6, 2020.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Gemchem, Inc., P.O. Box 384, Lititz, PA 17543. License No. **PA-AH 0259**. Effective May 11, 2020.

Carlucci Construction Company, Inc., 401 Meadow Street, Cheswick, PA 15024. License No. **PA-AH 0297**. Effective April 9, 2020.

Univar Solutions USA, Inc. d/b/a Univar USA Inc., 328 Bunola River Road, Bunola, PA 15020. License No. **PA-AH 0334**. Effective April 24, 2020.

Tradebe Treatment and Recycling Northeast, LLC dba Tradebe Transportation, LLC, 234 Hobart St., Meriden, CT 06451. License No. **PA-AH 0378**. Effective May 4, 2020.

Elk Transportation, Inc., 1440 Carbon St., Reading, PA 19601. License No. **PA-AH 0413**. Effective April 24, 2020.

Environmental Industrial Services Corp. of New Jersey, 288 Oak Grove Road, Swedesboro, NJ 08085. License No. **PA-AH 0457**. Effective March 12, 2020.

Environmental Specialists, Inc., 1000 Andrews Avenue, Youngstown, OH 44505. License No. **PA-AH 0587**. Effective May 6, 2020.

Coal City Cob Company, Inc., 4300 North I-35 East, Waxahachie, TX 75165. License No. **PA-AH 0589**. Effective April 10, 2020.

Lewis Environmental, Inc., P.O. Box 639, Royersford, PA 19468. License No. **PA-AH 0591**. Effective Apr 30, 2020.

EnviroServe Inc. d/b/a EnviroServe Logistics, 7640 Whipple Avenue NW, North Canton, OH 44720. License No. **PA-AH 0659**. Effective April 24, 2020.

Providence Environmental Concepts and Services LLC, 312 Sharpe Road, Columbia, SC 29203. License No. **PA-AH 0739**. Effective April 10, 2020.

Tradebe Transportation LLC, 1433 E 83rd Ave, Merrillville, IN 46410. License No. **PA-AH 0745**. Effective May 4, 2020.

Waste Management of West Virginia, Inc., 1488 Dawson Drive, Bridgeport, WV 26330. License No. **PA-AH 0795**. Effective May 11, 2020.

Clean Earth of North Jersey, Inc., 115 Jacobus Avenue, South Kearny, NJ 07032. License No. **PA-AH 0797**. Effective May 11, 2020.

Eastern Environmental Industries, LLC, P.O. Box 486, Mifflinville, PA 18631. License No. **PA-AH 0835**. Effective April 30, 2020.

Active Environmental Technologies, Inc., 203 Pine Street, Mount Holly, NJ 08060. License No. **PA-AH 0840**. Effective April 9, 2020.

Sun Environmental Corp., 4655 Crossroads Park Drive, Liverpool, NY 13088. License No. **PA-AH 0841**. Effective April 24, 2020.

Grid Logistics LLC, 78 John Miller Way, Kearny, NJ 07032. License No. **PA-AH 0843**. Effective May 7, 2020.

Connell Transport International Inc., 1351 Speers Rd, Oakville, ON L6L2X5. License No. **PA-AH 0867**. Effective March 11, 2020.

Transporter Licenses Reissued

Gemchem, Inc., P.O. Box 384, Lititz, PA 17543. License No. **PA-AH 0259**. Effective May 11, 2020.

Carlucci Construction Company, Inc., 401 Meadow Street, Cheswick, PA 15024. License No. **PA-AH 0297**. Effective April 9, 2020.

Univar Solutions USA Inc. d/b/a Univar USA Inc., 328 Bunola River Road, Bunola, PA 15020. License No. **PA-AH 0334**. Effective April 24, 2020.

Tradebe Treatment and Recycling Northeast, LLC dba Tradebe Transportation, LLC, 234 Hobart St., Meriden, CT 06451. License No. **PA-AH 0378**. Effective May 4, 2020.

Elk Transportation, Inc., 1440 Carbon St., Reading, PA 19601. License No. **PA-AH 0413**. Effective April 24, 2020.

Environmental Industrial Services Corp. of New Jersey, 288 Oak Grove Road, Swedesboro, NJ 08085. License No. **PA-AH 0457**. Effective March 12, 2020.

Environmental Specialists, Inc., 1000 Andrews Avenue, Youngstown, OH 44505. License No. **PA-AH 0587**. Effective May 6, 2020.

Coal City Cob Company, Inc., 4300 North I-35 East, Waxahachie, TX 75165. License No. **PA-AH 0589**. Effective April 10, 2020.

Lewis Environmental, Inc., P.O. Box 639, Royersford, PA 19468. License No. **PA-AH 0591**. Effective April 30, 2020.

EnviroServe Inc. d/b/a EnviroServe Logistics, 7640 Whipple Avenue NW, North Canton, OH 44720. License No. **PA-AH 0659**. Effective April 24, 2020.

Providence Environmental Concepts and Services LLC, 312 Sharpe Road, Columbia, SC 29203. License No. **PA-AH 0739**. Effective April 10, 2020.

Tradebe Transportation LLC, 1433 E 83rd Ave., Merrillville, IN 46410. License No. **PA-AH 0745**. Effective May 4, 2020.

Waste Management of West Virginia, Inc., 1488 Dawson Drive, Bridgeport, WV 26330. License No. **PA-AH 0795**. Effective May 11, 2020.

Clean Earth of North Jersey, Inc., 115 Jacobus Avenue, South Kearny, NJ 07032. License No. **PA-AH 0797**. Effective May 11, 2020.

Eastern Environmental Industries, LLC, P.O. Box 486, Mifflinville, PA 18631. License No. **PA-AH 0835**. Effective April 30, 2020.

Active Environmental Technologies, Inc., 203 Pine Street, Mount Holly, NJ 08060. License No. **PA-AH 0840**. Effective April 9, 2020.

Sun Environmental Corp., 4655 Crossroads Park Drive, Liverpool, NY 13088. License No. **PA-AH 0841**. Effective April 24, 2020.

Grid Logistics LLC, 78 John Miller Way, Kearny, NJ 07032. License No. **PA-AH 0843**. Effective May 7, 2020.

Connell Transport International Inc., 1351 Speers Rd., Oakville, ON L6L2X5. License No. **PA-AH 0867**. Effective March 11, 2020.

New Applications Received

Bennett Heavy & Specialized, LLC, 1001 Industrial Parkway, McDonough, GA 30253. License No. **PA-AH 0896**. Effective April 6, 2020.

McClymonds Supply & Transit Co., P.O. Box 296, Portersville, PA 16051. License No. **PA-AH 0897**. Effective December 17, 2019.

Five Star Trucking Inc., 4380 Glenbrook Rd, Wil- loughby, OH 44094. License No. **PA-AH 0901**. Effective April 8, 2020.

New Transporter Licenses Issued

Bennett Heavy & Specialized, LLC, 1001 Industrial Parkway, McDonough, GA 30253. License No. **PA-AH 0896**. Effective April 6, 2020.

McClymonds Supply & Transit Co., P.O. Box 296, Portersville, PA 16051. License No. **PA-AH 0897**. Effective April 6, 2020.

Five Star Trucking Inc., 4380 Glenbrook Rd., Wil- loughby, OH 44094. License No. **PA-AH 0901**. Effective April 8, 2020.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Orchard Hill Memorial Park, Inc., 1280 North Ave., Plainfield, NJ 07062. License No. **PA-HC 0163**. Effective April 24, 2020.

Biosan Disposal LLC, 155 Great Arrow Ave., Buffalo, NY 14207. License No. **PA-HC 0276**. Effective April 9, 2020.

Transporter License Reissued

Orchard Hill Memorial Park, Inc., 1280 North Ave, Plainfield, NJ 07062. License No. **PA-HC 0163**. Effective April 24, 2020.

Biosan Disposal LLC, 155 Great Arrow Ave., Buffalo, NY 14207. License No. **PA-HC 0276**. Effective April 9, 2020.

New Applications Received

Medical Waste Services, LLC, P.O. Box 2558, Ashland, KY 41101. License No. **PA-HC 0281**. Effective March 25, 2020.

Transporter License Issued

Medical Waste Services, LLC, P.O. Box 2558, Ashland, KY 41101. License No. **PA-HC 0281**. Effective March 25, 2020.

Transporter License Voluntarily Terminated

Weavertown Transport Leasing, Inc., 2 Dorrington Road, Carnegie, PA 15106. License No. **PA-HC 0020**. Effective March 10, 2020.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Permits issued, suspended, expired, denied, revoked, reinstated or returned under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PA0980550545. Chester County Solid Waste Authority, 7224 Division Highway, Narvon, PA 17555-9505, Caernarvon Township, **Lancaster County**. Post Closure Permit issued on May 6, 2020.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

GP14-03-265B: Keystone Cremation Alliance, LLC (1916 Moore Avenue, North Apollo, PA 15673) on April 14, 2020, for the authority to operate one facultative human crematory, model: FTUSA, rated 200 lbs/hr, installed April 21, 2015, equipped with two propane fired burners, primary burner rated 0.60 MMBtu/hr, secondary burner rated 1.10 MMBtu/hr (BAQ-GPA/GP14) located at their facility in North Apollo Borough, **Armstrong County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-00271: Fres-Co System USA, Inc. (3005 State Road, Telford, PA 18969) on May 8, 2020, for the installation and operation of a three-station laminator at this location in West Rockhill Township, **Bucks County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

16-132P: Clarion Boards, LLC (1 Fiberboard Avenue, Shippenville, PA 16254) on April 28, 2020 issued a Plan Approval for a proposed exhausting of Source 105 to atmosphere, and splitting Source 110 into Source 110 and 113. Originally proposed was removal of Source 109 from the facility operating permit; however, the company submitted a request later to keep this source, and will follow existing permit requirements in Paint Township, **Clarion County**. This is a Title V facility.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on 05/08/2020 a Plan Approval for installation of air pollution sources at the following facility:

IP20-000032: Amtrak 30th Street Station (2955 Market Street, Philadelphia, PA 19104) for the installation of boilers and air handling units at a railroad station, in the City of Philadelphia, **Philadelphia County**. The following significant stationary air emission sources are part of the Plan Approval: two (2) boilers firing No. 2 oil rated 0.31 MMBtu/hr and 3.50 MMBtu/hr, three (3) boilers firing natural gas each rated less than or equal to 1 MMBtu/hr, and one (1) air handling unit firing natural gas rated 3.025 MMBtu/hr. Additionally, two (2) insignificant boilers firing No. 2 Oil each rated less than 0.25 MMBtu/hr are also included in the Plan Approval for facility-wide emission calculation, and they are required to follow the applicable requirements in the Plan Approval. The plan approval contains operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

31-05022B: AC Products, Inc.—Mt. Union Plant (11823 Lenape Drive, Mount Union, PA 17066) on May 5, 2020, for the wood cabinet manufacturing facility in Shirley Township, **Huntingdon County**. The plan approval was extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

03-196B: National Fuel Gas Supply Corporation, Kaylor Compressor Station (3201 Pump Station Lane, Sugarcreek, PA 16028) on May 8, 2020, effective March 31, 2020, has issued a plan approval extension for construction and operation of a new ground flare to control dehydrator emissions in Sugarcreek Township, **Armstrong County**. This is a State Only facility. This will expire on September 30, 2020.

42-246A: National Fuel Gas Supply, Keelor Compressor Station (575 Township Line Road, Kane, PA 16735) on April 29, 2020, effective April 30, 2020, has issued a plan approval extension for continued temporary

operation of subject sources in Wetmore Township, **McKean County**. This is a State Only facility. This will expire on October 27, 2020.

43-270L: CCL Container (1 Llodio Drive, Hermitage, PA 16148) on April 30, 2020, effective April 30, 2020, has issued a plan approval extension to install and initially operate a replacement regenerative thermal oxidizer in Hermitage Township, **Mercer County**. This is a State Only facility. This will expire on October 27, 2020.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00013: Clemens Food Group (aka Hatfield Quality Meats, Inc.) (2700 Funks Rd., Hatfield, PA 19440-0902) on May 8, 2020, for renewal of their Title V Operating Permit for their meat processing facility in Hatfield Township, **Montgomery County**.

15-00017: Transcontinental Gas Pipeline (60 Bacton Hill Road, Frazer, PA 19355) on May 6, 2020, for the issuance of a Title V Operating Permit renewal for their compressor station located in East Whiteland Township **Chester County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00168: Moss Rehab Einstein (60 East Township Line Road, Elkins Park, PA 19027) on May 8, 2020, for the renewal of a State Only Operating Permit for their facility located in Cheltenham Township, **Montgomery County**.

09-00117: Heucotech, LTD (99 Newbold Road, Fairless Hills, PA 19030) on May 12, 2020, for the renewal of a State Only, Natural Minor Operating Permit for their pigment dispersion and anti-corrosive pigment manufacturing facility in Falls Township, **Bucks County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

03-00183: Peoples Natural Gas Company Shoemaker Compressor Station (375 North Shore Drive, Suite 600, Pittsburgh, PA 15212) on April 29, 2020 the Department issued a renewal of the Natural Minor State Only Operating Permit for the natural gas transmission facility located in Bethel Township, **Armstrong County**. The sources at the facility include two 1,350 HP compressor engines, a tri-ethylene glycol dehydrator, reboiler, 340 HP emergency generator engine, and fugitive emissions. The actual emissions reported from the facility for 2018 were 12 TPY CO, 24 TPY NO_x, 3 TPY PM₁₀, 0.03 TPY SO_x, 13 TPY VOC, and 3 TPY HAPs. The engines are subject to the Federal Requirements of 40 CFR 63 Subpart ZZZZ pertaining to Stationary Reciprocating

Internal Combustion Engines and the dehydrator is subject to 40 CFR 63 Subpart HH pertaining to Natural Gas Production Facilities.

03-00203: Peoples Natural Gas Company Crooked Creek Compressor Station (375 North Shore Drive, Suite 600, Pittsburgh, PA 15212) on April 29, 2020 the Department issued a renewal of the Natural Minor State Only Operating Permit for the natural gas transmission facility located in Bethel Township, **Armstrong County**. The sources at the facility include two 340 HP compressor engines, a tri-ethylene glycol dehydrator, reboiler, 153.2 HP emergency generator engine, and fugitive emissions. The actual emissions reported from the facility for 2018 were 57 TPY CO, 34 TPY NO_x, 0.4 TPY PM₁₀, 0.02 TPY SO_x, 14TPY VOC, and 2.5 TPY HAPs. The non-emergency engines are subject to the Federal Requirements of 40 CFR 63 Subpart ZZZZ pertaining to Stationary Reciprocating Internal Combustion Engines. The emergency engine is subject to 40 CFR 60 Subpart JJJJ pertaining to Stationary Spark Ignition Internal Combustion Engines. The dehydrator is subject to 40 CFR 63 Subpart HH pertaining to Natural Gas Production Facilities.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05155: SA Recycling LLC dba SA Alloys (500 North 2nd Street, Columbia, PA 17512-1179) on May 6, 2020, for the secondary non-ferrous metal processing facility located in Columbia Borough, **Lancaster County**. The State-Only Permit was administratively amended in order to reflect a change of ownership.

21-05035: Hempt Bros., Inc.—Locust Point Quarry (205 Creek Rd., Camp Hill, PA 17011) on May 6, 2020, for the limestone crushing plant, batch concrete plant and batch asphalt plant in Silver Spring Township, **Cumberland County**. The synthetic minor operating permit was administratively amended in order to incorporate the provisions of Plan Approval No. 21-05035B.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

24-00009: Domtar Paper Company Johnsonburg Mill (100 W. Center Street, Johnsonburg, PA 15845). The Department on March 31, 2020, issued an administrative amendment of the Title V Operating Permit for the Johnsonburg Mill located in Johnsonburg Borough, **Elk County**. The amendment incorporates the requirements of Plan Approval 24-009H.

25-00124: Lindy Paving Incorporated (2340 2nd Avenue, Pittsburgh, PA 15219). The Department on April 14, 2020, issued an administrative amendment of the State Only Operating Permit for the asphalt plant located in Erie City, **Erie County**. The amendment incorporates the change of ownership.

37-00023: New Castle Power, LLC (P.O. Box 325, 2189 Star Route 168 South, West Pittsburg, PA 16160). The Department on April 28, 2020, issued an administrative amendment of the Title V Operating Permit for the New Castle Generating Station located in Taylor Township, **Lawrence County**. The amendment incorporates the change of ownership.

37-00243: Inmetco LLC (1 Inmetco Drive, Ellwood City, PA 1617-6231). The Department on April 2, 2020 issued an administrative amendment of the Title V Operating Permit for the facility located in Ellwood City Borough, **Lawrence County**. The amendment incorporates the change of responsible official and permit contact.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief of Source Registration, 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) administratively amended operating permits issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices for the following facilities:

OP16-000021: Southwest Water Pollution Control Plant (8200 Enterprise Avenue, Philadelphia, PA 19153), **Philadelphia County** administratively amended on May 7, 2020 to change the frequency of reporting to AMS in Condition D.6.(b) from semi-annual to annual so that the Condition is consistent with Section C.10 and with the requirements for Synthetic Minor Operating Permit. The Synthetic Minor Operating Permit was originally issued on March 4, 2019.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

33-00133: HRI Inc. (1750 West College Avenue, State College, PA 16801) for its facility located on 643 Route 1830 in Pine Creek Township, **Jefferson County**. The De minimis emission increase is for the proposed construction and operation of a 150 tph, Deister Vibratory Screen for Recycled Asphalt (RAP) processing. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(b). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the facility Operating Permit issuance on April 13, 2016.

Date	Source	PM ₁₀ (tons/5-year permit term)
May 5, 2020	Diester Screen	0.14
Total Reported Increases		0.14
Allowable		0.6 ton/source/5-year permit term 3 tons/facility/5-year permit term

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00044: Sunoco Partners Marketing & Terminals L. P.—Exton Terminal (623 East Lincoln Highway, Exton, PA 19341) for operation of three distillate storage tanks, two bio-diesel storage tanks, one loading rack and its vapor recovery unit, and a small oil-fired boiler located in East Whiteland Township, **Chester County**. The operating permit will terminate on May 28, 2020 as the facility has stopped their operation since October 2017 and Sunoco will no longer operate this facility in the future.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Wigfield).

Permit 11130101 and NPDES No. PA0269387. Laurel Sand & Stone, Inc., P.O. Box 556, Ligonier, PA 15658, permit renewal for the continued operation and restoration of a bituminous surface & auger mine in Elder & Susquehanna Townships, **Cambria County**, affecting 382 acres. Receiving stream(s): Little Brubaker Run classified for the following use(s): cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: November 20, 2019. Permit issued: May 4, 2020.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

63130102. Amerikohl Mining, Inc., 1384 State Route 711, Stahlstown, PA 15687, Permit renewal issued for continued mining to an existing bituminous surface mine located in Nottingham Township, **Washington County**, affecting 65.9 acres. Receiving stream(s): unnamed tributary to Mingo Creek. Application received: December 11, 2019. Permit issued: May 7, 2020.

Noncoal Permits Issued

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

PAM219018. Wendy West, 719 Mercur Hill Road, Wysox, PA 18854, coverage under General NPDES Permit For Stormwater Discharges Associated With Mining Activities (BMP GP-104) on Noncoal Permit No. 08080810 (to be replaced by 08192801) located in Standing Stone Township, **Bradford County**. Receiving stream(s): King Creek and Vought Creek classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: October 28, 2019. Permit issued: May 6, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 64192801 and NPDES Permit No. PA0226017. Leo's 848 Products, LLC (P.O. Box 277, Lake Como, PA 18437), commencement, operation and restoration of a bluestone quarry operation Preston Township, **Wayne County** affecting 5.0 acres. Receiving streams: unnamed tributary to Kinneyville Creek and Equinunk Creek. Application received: March 22, 2019. Permit issued: May 6, 2020.

Permit No. PAM120004. Meshoppen Stone, Inc. (P.O. Box 127, Meshoppen, PA 18630), coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on GP105 Permit No. 58112515 in Liberty Township, **Susquehanna County**. Receiving stream: unnamed tributary to Snake Creek. Application received: February 13, 2020. Permit issued: May 6, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570.621.3118, (Contact: Theresa Flannery).

Permit No. 36204111. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Jacob Blank dwelling in Leacock Township, **Lancaster County** with an expiration date of June 30, 2020. Permit issued: May 4, 2020.

Permit No. 67204105. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Goodman Logistics Lewisberry in Newbury Township, **York County** with an expiration date of May 1, 2021. Permit issued: May 4, 2020.

Permit No. 67204106. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Rodgers dwelling in Washington Township, **York County** with an expiration date of July 30, 2020. Permit issued: May 4, 2020.

Permit No. 09204103. Rock Work, Inc. (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for

Dublin Town Center in Dublin Township, **Bucks County** with an expiration date of May 1, 2021. Permit issued: May 5, 2020.

Permit No. 36204110. M & J Explosives, LLC (P.O. Box 1248, Carlisle, PA 17013), construction blasting for Village Park in West Lampeter Township, **Lancaster County** with an expiration date of April 27, 2021. Permit issued: May 5, 2020.

Permit No. 64204101. Holbert Explosives, Inc. (237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting for 687 Calkins Road in Damascus Township, **Wayne County** with an expiration date of April 20, 2021. Permit issued: May 6, 2020.

Permit No. 22204103. Douglas Explosives, Inc. (2052 Philipsburg Bigler Highway, Philipsburg, PA 16866), construction blasting for Winslet Phase 6 in West Hanover Township, **Dauphin County** with an expiration date of January 1, 2021. Permit issued: May 8, 2020.

Permit No. 38204104. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Lyndel Court in South Londonderry Township, **Lebanon County** with an expiration date of April 30, 2021. Permit issued: May 8, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono

representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. E0901220-022, Southampton Township, 939 Street Road, Southampton, PA 18966, Southampton Township, **Bucks County,** ACOE Philadelphia District.

To demolish an existing house and accessory structures, remove debris, and restore the disturbed areas along the floodplain of Southampton Creek (WWF) associated with the floodplain restoration project and resulting in 0.30 acre of disturbance to the .045-acre lot.

This project is located at 326 Holly Drive near the intersection of Charles and Holly Drives in Southampton Township, Bucks County (USGS PA Hatboro Quadrangle—Latitude 40.167097 N, Longitude 75.061971 W). Permit issued May 7, 2020.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4002219-014, Luzerne County, 200 North River Street, Wilkes-Barre, PA 18711, Butler Township, **Luzerne County,** U.S. Army Corps of Engineers, Baltimore District. To remove an existing bridge crossing of Nescopeck Creek (TSF, MF) and to construct and maintain a 32.5-ft wide, 60-ft span concrete box beam bridge with concrete decking, concrete abutments, concrete wingwalls, a 7.2-ft underclearance, and R-7 riprap blended with natural streambed material. The project is located on Mill Mountain Road (T-356), approximately 0.2 mile east of the intersection of I-81 and St. Johns Road (T-427) (Sybertsville, PA Quadrangle Latitude: 41° 1' 37" Longitude: 76° 0' 22") in Butler Township, Luzerne County.

E4502219-007, LPC Pocono I, LLC, One North Wacker Drive, Suite 1925, Chicago, IL 60606. Mt. Pocono Borough & Coolbaugh Township, **Monroe County,** Army Corps of Engineers Philadelphia District. To fill two (2) isolated open water pits impacting approximately 0.02 acre for the purpose of constructing a 750,000 sq. ft. warehouse facility, parking lot and grading associated with the Pocono Mountains Business Park South Section 2—Lot # 28 Project. When heading east on PA SR 940, turn left onto Industrial Park Drive and go about 0.3 mile before turning right onto Market Way Drive. The project is located at the end of Market Way Drive (Mount Pocono, PA Quadrangle Latitude: 41° 7' 45" Longitude: 75° 22' 22") in Mt. Pocono Borough and Coolbaugh Township, Monroe County.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02052-1830, Geoffrey Shorts, 2004 Cortona Drive, Oakdale, PA 15071, Collier Township; **Allegheny County,** Pittsburgh ACOE District.

Has been given consent to:

Construct and maintain a 4.5-foot diameter 80-foot long concrete pipe in an unnamed tributary (UNT) to Robinson Run (WWF) for the purpose of providing a gravel access road to two parcels of property. The project also will temporarily impact an additional 28 LF of this watercourse and will permanently impact 0.18 acre of the floodway.

The project site is located on Parcel 262-L-20 McMichael Road, Carnegie (Oakdale, PA USGS topographic quadrangle; N: 40°, 24', 26"; W: 80°, 8', 25"; Sub-basin 20F; USACE Pittsburgh District), in Collier Township, Allegheny County.

E04-360, Bridgewater Landings Marina, 404 Brkich Way, Bridgewater, PA 15009, Bridgewater Borough, **Beaver County,** Pittsburgh ACOE District.

Has been given consent to:

The marina has changed ownership during the application process and is now owned by Core Ventures LLC doing business as Bridgewater Landings Marina. The project details and design have not changed. The applicant is proposing to operate and maintain the Bridgewater Landings Marina, which consists of 1.88 acre of a marina and (3) docks along the right descending bank of the Beaver River. The project is not associated with any new construction project and the permit is for operation and maintenance only. The marina is located approximately 0.21 mile from the confluence of the Beaver & Ohio Rivers, located between the Rochester Bridgewater Bridge and Rochester Beaver Bridge (Beaver, PA USGS Topographic quadrangles; N: 40° 42' 0.06"; W: 80° 17' 31.00"; Sub-Basin 20B; USACE Pittsburgh District), in Bridgewater Borough, Beaver County.

E56052-393, Somerset County, 300 North Center Avenue, Somerset, PA 15501, Garrett Borough, Summit Township, Brothers Valley Township, **Somerset County,** Pittsburgh ACOE District.

Has been given consent to:

1. Place and maintain fill within 8 emergent wetlands (JPA-W1, JPA-W2, JPA-W3, JPA-W4, JPA-W5, JPA-W6, JPA-W7, JPA-W8) totaling 0.613 acre,

2. Construct, operate and maintain a new 47.34' long 24" culvert pipe carrying the bicycle/pedestrian trail over the Unnamed Tributary (UNT) to Buffalo Creek (CWF), with a drainage area less than 100 acres,

3. Construct, operate and maintain a new 44.07' long 24" culvert pipe carrying the bicycle/pedestrian trail over the same UNT to Buffalo Creek, with a drainage area less than 100 acres,

4. Construct, operate and maintain a new 45.3' long 24" culvert pipe carrying the bicycle/pedestrian trail over the same UNT to Buffalo Creek, with a drainage area less than 100 acres,

5. Construct, operate and maintain an existing 52.54' long 24" culvert pipe carrying the bicycle/pedestrian trail over the same UNT to Buffalo Creek, with a drainage area less than 100 acres,

6. Construct, operate and maintain a new 47.89' long 24" culvert pipe carrying the bicycle/pedestrian trail over the same UNT to Buffalo Creek, with a drainage area less than 100 acres,

7. Construct, operate and maintain a new 51.22' long 24" culvert pipe carrying the bicycle/pedestrian trail over the same UNT to Buffalo Creek, with a drainage area less than 100 acres,

8. Construct, operate and maintain an existing 50.67' long 24" culvert pipe carrying the bicycle/pedestrian trail over the same UNT to Buffalo Creek, with a drainage area less than 100 acres.

For the purpose of constructing a safe and efficient bicycle/pedestrian corridor to connect the Great Allegheny Passage Trail to the Pentagon Memorial aka Flight 93 National Memorial. The total permanent stream impacts for this project are 339.03 LF. The permanent wetland impacts will be mitigated in-kind and off-site by purchasing 0.62 wetlands credit the Robinson Fork Phase I Mitigation Bank.

The project site is located along Fogletown Road (Meyersdale, PA USGS topographic quadrangle; N: 39°, 52', 18"; W: 9°, 3', 10"; Sub-basin 19F; USACE Pittsburgh District), in Garrett Borough, Summit, and Brothersvalley Township, Somerset County.

E63052-733, Reaxis, Inc., 941 Robinson Hwy., McDonald, PA 15057, Robinson Township, **Washington County**, Pittsburgh ACOE District.

Has been given consent to:

1. Construct and maintain 40 feet of a streambank stabilization along a UNT to Robinson Run (WWF) for the purpose of protecting the existing building and foundations from stream bank erosion. The structure will impact 40 linear feet of UNT to Robinson Run (WWF).

2. Construct and maintain a minor road crossing which will impact 43 linear feet of UNT to Robinson Run (WWF) by 85 linear feet from bank to bank for the purpose of providing a secondary access road to the facility in order to alleviate truck traffic issues and address emergency evacuation concerns.

3. Overall, the project will permanently impact 115 linear feet of UNT to Robinson Run (WWF) and 0.05 acre of the floodway. No wetlands are present on the project site.

The project site is located near the intersection of Robinson Highway (SR 980) and North Branch Road (Clinton, PA USGS topographic quadrangle; N: 40° 23' 7"; W: 80° 16' 0"; Sub-basin 20F; USACE Pittsburgh District), in Robinson Township, Washington County.

Central Office: Bureau of Abandoned Mine Reclamation, 400 Market Street, Floor 13, P.O. Box 69205, Harrisburg, PA 17106-9205.

Contact: Jack Rokavec, Environmental Program Manager, 717.783.2267.

EA3310-002. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, P.O. Box 69205, Harrisburg, PA 17106-9205. Washington Township, **Jefferson County**, USACE Pittsburgh District.

The applicant proposes to backfill an abandoned surface mine as part of an Abandoned Mine Land Project. The surface mine includes a total of 2,300 linear feet of dangerous highwall and a 9.2-acre spoil pile. The project will include the backfilling of 0.109 acre of open water and 0.122 acre of wetlands that have developed within the open surface mine pit. Latitude (41.21391); Longitude (78.76659).

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, 400 Market Street, 2nd Floor, Harrisburg, PA 17101, telephone: 717-787-3411.

MB990306-0001. First Pennsylvania Resource, LLC, 118 Quaker City Road, Kempton, PA 19529; Quaker Mitigation Bank, Albany Township, **Berks County**, USACE Philadelphia District (N: 40°, 39', 23.07"; W: 75°, 53', 52.95").

Applicant proposes to construct and maintain the Quaker Mitigation Bank. The project consists of restoration, enhancement and conservation activities within approximately 113 acres of the Maiden Creek watershed (CWF). The 113 acres comprising the Quaker Mitigation Bank will be placed under conservation easements. The project includes activities affecting uplands, floodplains, approximately 29,926 linear feet of water courses; and approximately 23.81 acres of wetland all within the Maiden Creek watershed. The project's initial baseline credit is established at 21,514.2 riverine credits and 17.59 wetland credits. The project is intended to provide compensatory mitigation for impacts located within Service Area 03 Lower Delaware River subbasin. The project may provide compensatory mitigation credits through the applicant's existing permit MB9915-0001.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295820011-00

Applicant Name Williams Field Services Company, LLC
Contact Person Barry Mahar

Address 30531 Route 6

City, State, Zip Wysox, PA 18854

County Susquehanna

Township(s) Rush & Auburn

Receiving Stream(s) and Classification(s) Elk Lake

Stream (CWF, MF), Riley Creek (CWF-MF)

Secondary: East Branch Wyalusing Creek (CWF-MF),

White Creek (CWF-MF)

ESCGP-3 # ESG294120004-00
 Applicant Name ARD Operating LLC
 Contact Person Jennifer McCarthy
 Address 500 Dallas Street, Suite 2930
 City, State, Zip Houston, TX 77002-4701
 County Lycoming
 Township(s) Cummings
 Receiving Stream(s) and Classification(s) UNT First Fork
 Larrys Creek (HQ-CWF)
 Secondary: First Fork Larrys Creek (HQ-CWF)

ESCGP-3 # ESG295820008-00
 Applicant Name SWN Production Company, LLC
 Contact Person Marsha Vogel
 Address P.O. Box 12359
 City, State, Zip Spring, TX 77391-2359
 County Susquehanna
 Township(s) Liberty
 Receiving Stream(s) and Classification(s) Snake Creek
 (CWF-MF)
 Secondary: Susquehanna River (WWF)

*Northwest Region: Oil and Gas Management, 230
 Chestnut Street, Meadville, PA 16335-3481, 814-332-6860.
 Contact Mary Slye, Clerical Supervisor, 814-332-6325.*

ESCGP-3 # ESG076319042-00-Amwell Interconnect
 Applicant Name EQM Gathering OPCO LLC
 Contact Person Michael Provencher
 Address 625 Liberty Ave., Ste. 1700
 City, State, Zip Pittsburgh, PA 15222-3114
 County Washington
 Township(s) Anwell
 Receiving Stream(s) and Classification(s) Home Run
 TSF;
 Secondary: Bane Creek TSF UNT to Horne Run TSF;
 Horne Run TF

ESCGP-3 # ESX14-005-0009-01 Renewal/Ambrose Steel
 Utility Line and Compressor Station
 Applicant Name Snyder Bros. Inc.
 Contact Person Carl Rose
 Address P.O. Box 1022
 City, State, Zip Kittanning, PA 16201
 County Armstrong
 Township(s) East Franklin
 Receiving Stream(s) and Classification(s) Tributary 46962
 to Allegheny River (WWF), Tributary 46963 to Allegheny
 River (WWF), Tributary 46964 to Allegheny
 River (WWF), Allegheny River/Allegheny (WWF)
 Secondary Water Allegheny River (WWF)

ESCGP-3 # ESG084220001-00 Still/Potato Creek Line
 Applicant Name Pennsylvania General Energy Company
 LLC
 Contact Person Kara Spade
 Address 120 Market Street
 City, State, Zip Warren, PA 16365
 County McKean County
 Township(s) Norwich Township
 Receiving Stream(s) and Classification(s) East Branch
 Potato Creek (HQ), Pigeon Hollow (CWF), Havens Run
 (CWF), Squad Hollow (CWF)
 Secondary Potato Creek (TSF).

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

**The following plans and reports were submitted
 under the Storage Tank and Spill Prevention Act
 (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Eagleview Sunoco, 46-30212, 3201 W. Ridge Pike, Lower Providence Township, **Montgomery County**. Mulry Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet residential Statewide health standards.

7 Eleven 40193, 46-30755, 1406 Welsh Rd, Horsham Township, **Montgomery County**. Mulry Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet site-specific standards.

7 Eleven 40091, 51-20338, 1100 S. 10th St. & Washington St., **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and

groundwater contaminated with chlorinated volatile organic compounds and semi-volatile organic compounds. The report is intended to document remediation of the site to meet site-specific standards.

Fox Transport Sys, 51-06105, 8 E. Oregon Ave., **City of Philadelphia**. Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Weccacoe Properties LP, 1010 South King Street, Gloucester City, NJ 08030, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Top Star 4, 09-40038, 2030 John Fries Hwy, Milford Township, **Bucks County**. Reliance Environmental, Inc., 235 N. Duke St., Lancaster, PA 17602, on behalf of Top Star Inc., 14 East Main Street, Emmaus, PA 18049, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel fuel. The report is intended to document remediation of the site to meet residential Statewide health standards.

7 Eleven 40073, 23-32450, 296 E. Baltimore Ave., 23-32450, Media Borough, **Delaware County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded petroleum. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

C&C Service Center, Storage Tank ID # 45-00376, 2942 Route 940 East, Coolbaugh Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Bozena Gawrych, P.O. Box 523, Mount Pocono, PA 18344, submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting a combination of Site-Specific and Statewide Health Standards.

Phillips 66 Site No. 5642, Storage Tank ID # 39-41527, 741 North Cedar Crest Boulevard, Allentown City, **Lehigh County**. GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19321, on behalf of Phillips 66 Company, 1400 South Park Avenue, Linden, NJ 07036, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Site-Specific Standards.

Turkey Hill 229, Storage Tank ID # 54-36538, 1565 Bunting Street, Pottsville, PA 17901, Norwegian Township, **Schuylkill County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Cumberland Farms, 165 Flanders Road, Westborough, MA 01581, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

John F. Martin & Sons, Storage Tank Facility ID # 36-60491, 55 Lower Hillside Road, Stevens, PA 17578, West Cocalico Township, **Lancaster County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823 on behalf of John F. Martin Family Corporation, 55 Lower Hillside Road, Stevens, PA 17578 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Country Fair 3, Storage Tank Facility ID # 25-91608, 347 East 12th Street, Erie, **Erie County**. ATC Group Services LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of Country Fair, Inc., 2251 East 30th Street, Erie, PA 16510, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, MTBE, cumene, naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form,

contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Marshall Road Exxon, 23-06913, 6898 Marshall Rd., Upper Darby Township, **Delaware County**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of 6898 Marshall Road, Upper Darby, LLC, 645 Hamilton St., Allentown, PA 18101, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report demonstrated attainment of site-specific standards in soil and groundwater and was approved by the DEP on May 7, 2020.

Bryants Atlantic, 51-41163, 1718 26 N. 52nd St., **City of Philadelphia**. Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477, on behalf of, Philadelphia Redevelopment Authority, 1234 Market St., 16th Floor, Philadelphia, PA 19107 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report demonstrated attainment of residential Statewide health and site-specific standards in soil and groundwater and was approved by the DEP on May 7, 2020.

Lukoil 69243, 46-41506, 200 S. Easton Rd., Cheltenham Township, **Montgomery County**. Envirotrac Ltd., 3070 Bristol Pike, Building 1, Suite 221, Bensalem, PA 19020, on behalf of Lukoil North America LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet site-specific standards and was approved by the DEP on May 11, 2020.

Avis Rent A Car, 51-02335, Avis Rent A Car System, LLC, 6625 Norwiche Drive, **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Avis Rent A Car Budget Facility, LLC, 6 Sylvan Way, Parsippany, NJ 07054, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report demonstrated attainment of nonresidential Statewide health and site-specific standards in soil and groundwater and was approved by the DEP on April 21, 2020.

7 Eleven 40156, 15-30781, 1165 West Chester Pike, West Goshen Township, **Chester County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The report demonstrated attainment of nonresidential Statewide health standards in soil and groundwater and was approved by the DEP on May 7, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Merry Maid Novelties, Storage Tank ID # 48-41208, 25 West Messinger Street, Bangor, PA 18013, Bangor Borough, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Merry Maid Novelties, 25 West Messinger Street, Bangor, PA 18013 has submitted a revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with heating oil. The report is intended to document remediation of the site to meet Statewide Health Standards. The Report did not demonstrate attainment of Statewide Health Standards and was disapproved by DEP on May 8, 2020.

Lamont's Service Station, Storage Tank ID # 40-50622, 798 West 15th Street, Hazleton, PA 18201, Hazleton City, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Robert Lamanna, 104 Skyline Drive North, Clarks Summit, PA 18411, submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report was acceptable for meeting Statewide Health Standards and was approved by DEP on May 8, 2020.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Moore School Bus Garage, Primary Facility ID # 65-18089, 142 State Rt. 356, Apollo, PA 15316, Borough of Apollo, **Westmoreland County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of William H. Moore, LP, 142 State Rt. 356, Apollo, PA 15316, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on May 8, 2020.

7 Eleven 36150, Primary Facility ID # 63-16357, 375 W. Chestnut St., Washington, PA 15301, City of Washington, **Washington County**. AECOM Inc., 3200 Hackberry Rd., Irving, TX 75063, on behalf of Jose Rios, 7 Eleven Inc., P.O. Box 711 (0148), Dallas, TX 75221, submitted a combined Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on May 11, 2020.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Cratty Sunoco, Storage Tank Facility ID # 25-12453, 1508 West 26th Street, City of Erie, **Erie County**. Environmental Remediation and Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Tops Markets, LLC, P.O. Box 1027, Buffalo, NY 14240-1027, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, MTBE, naphthalene, cumene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, lead, 1,2-dibromoethane, 1,2-dichloroethane and semi-volatile organic compounds. The Remedial Action Plan was not acceptable to meet the Site-Specific Standard and was disapproved by DEP on May 6, 2020.

[Pa.B. Doc. No. 20-687. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Draft TGD: Substantive Revision

DEP ID: 261-0300-101. **Title:** Land Recycling Program Technical Guidance Manual, Appendix II-A: The Use of Caps as Activity and Use Limitations. **Description:** A cap is a barrier over contaminated media that eliminates an exposure pathway or controls contaminant migration. A new appendix has been added to the Land Recycling Program Technical Guidance Manual (DEP ID: 261-0300-101) to provide additional guidance on the use of caps used by remediators at the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908) (Act 2) sites. The information provided in the new appendix will also help to prevent confusion when caps are used to satisfy the requirements of Act 2 and 25 Pa. Code Chapter 250 (relating to administration of Land Recycling Program).

Written Comments: Interested persons may submit written comments on this draft TGD through Monday, June 22, 2020. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Troy Conrad at tconrad@pa.gov or (717) 783-9480.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-688. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Interstate Pollution Transport Reduction; Final 2020 Ozone Season Nitrogen Oxide Emission Limits for Nonelectric Generating Units

The Department of Environmental Protection (Department) is providing notice of the final Nonelectric Generating Unit (non-EGU) 2020 Ozone Season Nitrogen Oxide (NO_x) emission limitations established under 25 Pa. Code § 145.8(d) (relating to transition to CAIR NO_x trading programs).

Notice of the proposed non-EGU 2020 Ozone Season NO_x emission limitations was published at 50 Pa.B. 1759 (March 21, 2020) to allow for a 17-day public comment period, which closed on April 6, 2020. The Department received no comments during the public comment period.

Specifically, 25 Pa. Code § 145.8(d) establishes a non-EGU NO_x Trading Program budget of 3,619 tons of NO_x, less a specified adjustment amount, to serve as a Statewide Ozone Season NO_x emissions cap for new and existing non-EGUs. This NO_x emissions cap also applies to Clean Air Interstate Rule exempt EGUs that are subject to the NO_x Budget Trading Program. If total emissions from all the units exceed the Statewide NO_x emissions cap of 3,438 tons, the owners and operators of non-EGUs must comply with the NO_x emission limitations established under 25 Pa. Code § 145.8(d). The final NO_x emissions limitations for individual units ensure that non-EGUs in this Commonwealth continue to meet the emission limits of the NO_x Budget Trading Program as required by the United States Environmental Protection Agency (EPA) to meet obligations in the NO_x State Implementation Plan Call.

The Statewide cap for 2019 was not exceeded. Therefore, non-EGUs do not need to purchase allowances to meet their 2019 Ozone Season NO_x emission limitations established under 25 Pa. Code § 145.8(d). The NO_x emissions for the 2019 Ozone Season (May through September) reported to the EPA by the owners and operators of the affected non-EGUs are 719 tons. The Department's permanent retirement of 3,438 NO_x allowances under 25 Pa. Code § 145.8(b) covers all the NO_x emissions from the affected non-EGUs in 2019.

Table 1, as follows, which lists final non-EGU 2020 ozone season NO_x emission limits, includes two changes from 2019: the name of Honeywell Resins & Chemicals, LLC has changed to AdvanSix Resins & Chemicals, LLC; and Unit AB02 of SPMT Marcus Hook Industrial Complex has retired.

In addition to the 3,438-ton non-EGU cap previously described, 25 Pa. Code § 145.8(d)(12) provides 181 tons of NO_x emissions annually for non-EGUs and the other units that need to address their emissions through accounting adjustments, including units that previously participated in the NO_x Budget Trading Program. The Department may use a portion of the 181 tons of the budgeted NO_x emissions, if necessary, to address mistakes or miscalculations. This year, the Department is not proposing to use any of the 181 tons of NO_x for accounting adjustments or to make corrections.

The following "Final Non-EGU 2020 Ozone Season NO_x Emission Limits" table lists the following: the facility name, ORIS code, the unit ID for each non-EGU unit, the 2019 NO_x mass or the 2019 Ozone Season emissions, the

2019 heat input for the 2019 Ozone Season, the county location of the facility, the calculated 2020 rate and the 2020 Ozone Season (OS) limit.

Persons aggrieved by this action may appeal the action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 (relating to Administrative Agency Law). The Board's address is Environmental Hearing Board, Rachel Carson State Office Building, Second Floor, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457. TDD users may contact the Board through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

A Notice of Appeal form and the Board's rules of practice and procedure may be obtained online at <http://>

ehb.courtapps.com or by contacting the Secretary to the Board at (717) 787-3483. The Notice of Appeal form and the Board's rules are also available in Braille and on audiotape from the Secretary to the Board.

Important legal rights are at stake. Individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information. Individuals do not need a lawyer to file a Notice of Appeal with the Board.

For individuals who wish to challenge this action, their appeal must be filed with and received by the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

Questions concerning this notice can be directed to Randy Bordner at ranbordner@pa.gov or (717) 772-3921. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

Table 1: Final Non-EGU 2020 Ozone Season NO_x Emission Limits

<i>Facility Name</i>	<i>ORIS Code</i>	<i>Unit ID</i>	<i>2019 NO_x Mass (Tons)</i>	<i>2019 Heat Input MMBtu</i>	<i>County</i>	<i>2020 Rate (lbs/MMBtu)</i>	<i>2020 OS Limit (Tons NO_x)</i>
AdvanSix Resins & Chemicals, LLC	880007	52	32.095	800,186	Philadelphia	0.29	117
Armagh Compressor Station	880071	31301	0	0	Indiana	0.29	0
Bernville Station	880049	32001	0	0	Berks	0.29	0
Domtar Paper Company, LLC	54638	40	15.424	351,144.5	Elk	0.29	51
Domtar Paper Company, LLC	54638	41	16.869	371,682.2	Elk	0.29	54
Entriaken Compressor Station	880072	31601	0	0	Huntingdon	0.29	0
Kimberly-Clark Tissue Company	50410	34	0.416	549.7	Delaware	0.29	0
Kimberly-Clark Tissue Company	50410	35	70.246	1,748,616	Delaware	0.29	256
Marcus Hook 50, LP	50074	1	0.399	6,213.996	Delaware	0.29	1
Merck & Company—West Point	52149	39	2.225	55,328.91	Montgomery	0.29	8
Merck & Company—West Point	52149	40	19.92	1,497,861	Montgomery	0.29	219
Philadelphia Refinery	52106	150137	13.032	717,195.7	Philadelphia	0.29	117
Philadelphia Refinery	52106	150138	0	0	Philadelphia	0.29	0
Philadelphia Refinery	52106	150139	15.708	960,849.1	Philadelphia	0.29	140
Philadelphia Refinery	52106	150140	4.164	264,044.4	Philadelphia	0.29	39
Philadelphia Refinery	52106	150145	1.978	573,578.2	Philadelphia	0.29	84
Pixelle Specialty Solutions	50397	36	119.676	1,467,037	York	0.29	214
Pixelle Specialty Solutions	50397	38	7.078	536,482.7	York	0.29	78

<i>Facility Name</i>	<i>ORIS Code</i>	<i>Unit ID</i>	<i>2019 NO_x Mass (Tons)</i>	<i>2019 Heat Input MMBtu</i>	<i>County</i>	<i>2020 Rate (lbs/MMBtu)</i>	<i>2020 OS Limit (Tons NO_x)</i>
Pixelle Specialty Solutions	50397	39	6.303	497,211.8	York	0.29	73
Procter & Gamble Paper Products	50463	328001	117.307	1,986,009	Wyoming	0.29	290
Procter & Gamble Paper Products	50463	328002	8.393	2,037,534	Wyoming	0.29	298
SPMT Marcus Hook Industrial Complex	880107	AB01	6.25	491,617.8	Delaware	0.29	72
SPMT Marcus Hook Industrial Complex	880107	AB03	6.223	504,626.1	Delaware	0.29	74
SPMT Marcus Hook Industrial Complex	880107	AB04	7.497	808,770.8	Delaware	0.29	118
Shermans Dale Station	880050	31801	0	0	Perry	0.29	0
Trainer Refinery	880025	34	1.324	621,119.5	Delaware	0.29	91
Trainer Refinery	880025	35	1.234	528,885.9	Delaware	0.29	77
Trainer Refinery	880025	53	1.473	927,851.5	Delaware	0.29	136
US Steel (Clairton Coke)	50729	CLBLR1	102.94	900,752.7	Allegheny	0.29	132
US Steel (Clairton Coke)	50729	CLBLR2	67.087	948,144.2	Allegheny	0.29	139
US Steel (Edgar Thomson)	50732	ETBLR1	17.816	1,311,568	Allegheny	0.29	192
US Steel (Edgar Thomson)	50732	ETBLR2	22.706	1,542,133	Allegheny	0.29	225
US Steel (Edgar Thomson)	50732	ETBLR3	20.497	1,473,014	Allegheny	0.29	215
Veolia Energy Philadelphia—Edison Station	880006	1	0	0	Philadelphia	0.29	0
Veolia Energy Philadelphia—Edison Station	880006	2	0.163	836	Philadelphia	0.29	0
Veolia Energy Philadelphia—Edison Station	880006	3	0	0	Philadelphia	0.29	0
Veolia Energy Philadelphia—Edison Station	880006	4	2.185	12,522.5	Philadelphia	0.29	2
Veolia Energy Philadelphia—Schuylkill	50607	23	0	0	Philadelphia	0.29	0
Veolia Energy Philadelphia—Schuylkill	50607	24	0	0	Philadelphia	0.29	0
Veolia Energy Philadelphia—Schuylkill	50607	26	10.117	175,681.7	Philadelphia	0.29	26
Veolia Energy Philadelphia—Schuylkill	50607	RSB1	0.174	47,513.93	Philadelphia	0.29	7
Veolia Energy Philadelphia—Schuylkill	50607	RSB2	0.351	66,184.97	Philadelphia	0.29	10
<i>Totals:</i>			719.27	23,512,560			3,438

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-689. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Sewage Advisory Committee Virtual Meeting; Change to Meeting Start Time

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Sewage Advisory Committee (Committee) meeting scheduled for Wednesday, June 17, 2020, will be held as a virtual meeting and will begin at 10 a.m. (previously scheduled to start at 10:30 a.m.). Individuals who wish to join the meeting may do so remotely. Information will be provided on the Committee's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Janice Vollero at jvollero@pa.gov or (717) 772-5157.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "Sewage Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the June 17, 2020, meeting can be directed to Janice Vollero at jvollero@pa.gov or (717) 772-5157.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-5157 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-690. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

State Board for Certification of Water and Wastewater Systems Operators Meeting; Conference Call

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the State Board for Certification of Water and Wastewater Systems Operators (Board) meeting scheduled for Wednesday, June 10, 2020, will be held as a conference call and will begin at 10 a.m. Individuals who wish to join the call may do so remotely. Information will be provided on the Board's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Ed Chescattie at echescatti@pa.gov or (717) 772-2184.

The agenda and meeting materials, as well as call-in information, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "State Board for Certification of Water and Wastewater System Operators").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the June 10, 2020, meeting can be directed to Ed Chescattie at echescatti@pa.gov or (717) 772-2184.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Ed Chescattie at (717) 772-2184 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-691. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(d), (e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Jewish Home of Eastern Pennsylvania
1101 Vine Street
Scranton, PA 18510
FAC ID # 360402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e):

Care Pavilion Nursing and Rehabilitation Center
6212 Walnut Street
Philadelphia, PA 19139
FAC ID # 292002

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(j):

The Mennonite Home
1520 Harrisburg Pike
Lancaster, PA 17601
FAC ID # 132102

Wesbury United Methodist Community
31 North Park Avenue Extension
Meadville, PA 16335-9430
FAC ID # 990902

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-692. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Rural Health Redesign Center Authority Board Virtual Meeting

The Pennsylvania Rural Health Redesign Center Authority Board (Board), established under the act of November 27, 2019 (P.L. 742, No. 35), known as the Pennsylvania Rural Health Redesign Center Authority Act (Act 2019-108), will hold its first meeting on Tuesday, May 26, 2020, from 1 p.m. to 3 p.m. The meeting will be held virtually by means of Skype. The dial-in number is +1 (267) 332-8737 and the conference ID is 473713729#.

The Board is charged with administering the Pennsylvania Rural Health Model which aims to protect the financial viability of rural hospitals of this Commonwealth through transitioning them from a traditional fee-for-service model to a global budget payment model. The meeting will provide updates on a variety of topics including: Pennsylvania Rural Health Model status updates; Federal grant deliverables; global budget methodology; and more. It will also discuss current and upcoming activities.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Emily Roussel, Executive Assistant, Health Innovation, Department of Health, (717) 425-0623, eroussel@pa.gov. For speech and/or hearing-impaired persons, call

the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-693. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2019-2020 disproportionate share hospital payments made to qualifying Medical Assistance (MA) enrolled acute care general hospitals which provide a high volume of inpatient services to MA eligible and low-income populations. These payments are intended to promote access to medically necessary inpatient services for MA eligible and low-income persons. The Department amended qualifying criteria to align language with the MA-336 Hospital Cost Report. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 49 Pa.B. 7541 (December 21, 2019). The Department received no comments during the 30-day comment period and will implement the change as described in the notice of intent.

Fiscal Impact

The FY 2019-2020 impact, as a result of the funding allocation for these payments, is \$0.730 million (\$0.349 million in State general funds and \$0.381 million in Federal funds).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1392. (1) General Fund; (2) Implementing Year 2019-20 is \$349,000; (3) 1st Succeeding Year 2020-21 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 20-694. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Revisions; 2020 Healthcare Common Procedure Coding System Updates; Prior Authorization Requirements

The Department of Human Services (Department) announces changes to the Medical Assistance (MA) Program Fee Schedule. These changes are effective for dates of service on and after May 26, 2020.

The Department is adding and end-dating procedure codes as a result of implementing the 2020 Healthcare Common Procedure Coding System (HCPCS) updates published by the Centers for Medicare & Medicaid Services. As follows, some of the procedure codes being added to the MA Program Fee Schedule will require prior authorization.

Procedure Codes Being Added or End-dated

The Department is adding the following procedure codes, and procedure code and modifier combinations to the MA Program Fee Schedule as a result of the 2020 HCPCS updates:

<i>Procedure Codes and Modifiers</i>				
15769	15769 (SG)	15771	15771 (SG)	15772
15773	15773 (SG)	15774	20700	20701
20702	20703	20704	20705	21601
21601 (SG)	21601 (80)	21602	21602 (80)	21603
21603 (80)	33016	33017	33018	33019
33858	33858 (80)	33859	33859 (80)	33871
33871 (80)	34717	34717 (80)	34718	34718 (80)
35702 (RT)	35702 (LT)	35702 (50)	35702 (RT) (80)	35702 (LT) (80)
35702 (50) (80)	35703 (RT)	35703 (LT)	35703 (50)	35703 (RT) (80)
35703 (LT) (80)	35703 (50) (80)	46948	46948 (SG)	49013
49014	62328	62328 (SG)	62329	62329 (SG)
66987 (SG)	66987 (RT)	66987 (LT)	66987 (50)	66988 (SG)
66988 (RT)	66988 (LT)	66988 (50)	74221	74221 (TC)
74221 (26)	74248	74248 (TC)	74248 (26)	78429
78429 (TC)	78429 (26)	78430	78430 (TC)	78430 (26)
78431	78431 (TC)	78431 (26)	78432	78432 (TC)
78432 (26)	78433	78433 (TC)	78433 (26)	78434
78434 (TC)	78434 (26)	78459	78459 (TC)	78459 (26)
78491	78491 (TC)	78491 (26)	78492	78492 (TC)
78492 (26)	78830	78830 (TC)	78830 (26)	78831
78831 (TC)	78831 (26)	78832	78832 (TC)	78832 (26)
78835	78835 (TC)	78835 (26)	80187	80285
81307	81308	92201	92202	93985
93985 (TC)	93985 (26)	93986	93986 (TC)	93986 (26)
95700	95705	95706	95707	95708
95709	95710	95711	95712	95713
95714	95715	95716	95717	95718
95719	95720	95721	95722	95723
95724	95725	95726	96156 (TJ)	96156 (U5) (TJ)
96156 (U3) (TM)	96156 (U4) (TM)	96158 (U3) (TJ)	96159 (U3) (TJ)	96164 (TJ)
96165 (TJ)	96167 (TJ)	96168 (TJ)	97129	97130
99490	D1551	D1551 (SG)	D1552	D1552 (SG)
D1553	D1553 (SG)	D1556	D1556 (SG)	D1557
D1557 (SG)	D1558	D1558 (SG)	D8703	D8704
G2064	G2065	G2066		

The Department is end-dating the following procedure codes from the MA Program Fee Schedule as a result of the 2020 HCPCS updates:

<i>Procedure Codes</i>				
19260	19271	19272	19304	20926
33010	33011	33015	33860	33870
35721	35741	35761	43401	64402
64410	64413	74241	74245	74247
74249	74260	76930	78205	78206
78320	78607	78647	78710	78805

<i>Procedure Codes</i>				
78806	78807	93299	95827	95831
95832	95833	95834	95950	95951
95953	95956	96150	96151	96152
96153	96154	97127	D1550	D1555
G0365				

Prior Authorization Requirements

The following procedure codes, and procedure code and modifier combinations being added to the MA Program Fee Schedule, which are advanced radiology services, will require prior authorization under section 443.6(b)(7) of the Human Services Code (code) (62 P.S. § 443.6(b)(7)).

<i>Procedure Codes and Modifiers</i>				
78429	78429 (TC)	78429 (26)	78430	78430 (TC)
78430 (26)	78431	78431 (TC)	78431 (26)	78432
78432 (TC)	78432 (26)	78433	78433 (TC)	78433 (26)
78434	78434 (TC)	78434 (26)	78459	78459 (TC)
78459 (26)	78491	78491 (TC)	78491 (26)	78492
78492 (TC)	78492 (26)	78830	78830 (TC)	78830 (26)
78831	78831 (TC)	78831 (26)	78832	78832 (TC)
78832 (26)	78835	78835 (TC)	78835 (26)	

The following orthodontic procedure codes being added to the MA Program Fee Schedule will require prior authorization under section 443.6(b)(5) of the code:

<i>Procedure Codes</i>	
D8703	D8704

Fiscal Impact

The estimated cost for Fiscal Year (FY) 2020-2021 is \$1.705 million (\$0.815 million in State funds). The estimated cost for FY 2021-2022 is \$2.045 million (\$0.977 million in State funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received will be reviewed and considered for any subsequent revisions to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1391. (1) General Fund; (2) Implementing Year 2019-20 is \$0; (3) 1st Succeeding Year 2020-21 is \$815,000; 2nd Succeeding Year 2021-22 through 5th Succeeding Year 2024-25 are \$977,000; (4) 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; 2016-17 Program—\$450,970,000; (7) MA—Fee-for-Service; (8) recommends adoption. There is no fiscal impact in the current fiscal year.

[Pa.B. Doc. No. 20-695. Filed for public inspection May 22, 2020, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Uniform Construction Code Review and Advisory Council Virtual Meeting

The Uniform Construction Code Review and Advisory Council will hold a virtual meeting on Tuesday, May 26, 2020, at 10 a.m. Individuals can join the meeting by phone at (814) 677-6330. The participant pin number is 8631 and the bridge number is 8.

The Americans with Disability Act contact is Nathan Clark at (717) 772-9162.

Questions concerning this meeting may be directed to Nathan Clark at (717) 772-9162.

W. GERARD OLEKSIK,
Secretary

[Pa.B. Doc. No. 20-696. Filed for public inspection May 22, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

COVID-19 Guidance for Licensees as Counties Move to Yellow Phase; Notice 2020-14

To stop the spread of the novel coronavirus (COVID-19) in this Commonwealth, the Insurance Department (Department) is issuing this notice to all licensees of this Department to provide guidance about in-person operations and sales for insurance licensees in counties moving to the yellow phase of reopening in this Commonwealth.

Telework and remote operations must continue where feasible in counties that have been designated to move to the yellow phase; however, in instances where that is not feasible, insurance licensees will be permitted to resume in-person operations, including in-person sales, with restrictions to protect licensees and consumers. Licensees must adhere to the guidance, building safety and business safety orders issued by Governor Tom Wolf that details procedures businesses must follow to conduct in-person operations in counties slated to move to the yellow phase of reopening. Licensees are advised that unsolicited in-person sales continue to be prohibited across this Commonwealth under Governor Tom Wolf's order, regardless if licensees are operating in red or yellow counties.

Any insurance licensee found to be in violation of this notice may be subject to enforcement actions by the Department, including the levying of monetary penalties and revocation or suspension of license. Additionally, noncompliance can result in a referral to the Pennsylvania State Police for further prosecution.

Visit www.pa.gov for complete information and an up to date list of counties moving to the yellow phase.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-697. Filed for public inspection May 22, 2020, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Virtual Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held virtually by means of the Authority's webinar platform (Cisco Webex) on Monday, June 22, 2020, at 10 a.m.

There will be Webex capability to attend the meeting remotely, so registration is required.

Individuals can register for this Board meeting by going to <https://papsa.webex.com/papsa/onstage/g.php?MTID=ece359a1b524c86c1d7eb2a7c70ce6efe>.

Individuals can join the meeting by phone at 1+ (415) 655-0003. The access code is 629 917 740.

Individuals with questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,
Executive Director

[Pa.B. Doc. No. 20-698. Filed for public inspection May 22, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by June 8, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to begin operating as common carriers for transportation of persons as described under the application.

A-2020-3019402. Golden Years Transportation, LLC, t/a Golden Years Transportation (26 Tupelo Court, Sicklerville, NJ 08081) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, between points in the Counties of Bucks, Montgomery, and the City and County of Philadelphia.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2020-3019765. A Life Transition Service of Lancaster, LLC (1280 Plaza Boulevard, Lancaster, Lancaster County, PA 17601) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-699. Filed for public inspection May 22, 2020, 9:00 a.m.]

