

PENNSYLVANIA BULLETIN

Volume 50

Number 24

Saturday, June 13, 2020 • Harrisburg, PA

Pages 2911—3002

Agencies in this issue

The Governor

The Courts

Department of Agriculture

Department of Banking and Securities

Department of Environmental Protection

Department of Health

Department of Human Services

Department of Transportation

Game Commission

Independent Regulatory Review Commission

Insurance Department

Patient Safety Authority

Pennsylvania Infrastructure Investment Authority

Pennsylvania Public Utility Commission

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 547, June 2020

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2020 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GOVERNOR

Executive Orders

Extension of deadline for receipt of absentee and mail-in ballots in certain counties..... 2918

Proclamations

Amendment to proclamation of disaster emergency.. 2919
 Proclamation; House Concurrent Regulatory Review Resolution Number 1 2920
 Proclamation; Senate Bill No. 1027; Printer’s No. 1729 2920

Vetoes

Notice of veto; House Concurrent Regulatory Review Resolution Number 1 2921
 Notice of veto; Senate Bill No. 1027; Printer’s No. 1729 2923

THE COURTS

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of suspension 2925

LOCAL COURT RULES

York County

Amendment of local rules of criminal procedure; CP-67-AD-22-2020 2925

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF AGRICULTURE

Notices

Fertilizer nutrient values..... 2926

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications..... 2926
 Maximum lawful rate of interest for residential mortgages for the month of July 2020..... 2927

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices..... 2927
 Bid opportunity..... 2985
 Clean Water and Drinking Water State Revolving Fund Programs Federal fiscal year 2020 intended use plans; available for public comment; correction..... 2997
 Environmental assessment approval for PENNVEST funding consideration 2997
 Radiation Protection Advisory Committee virtual meeting scheduled 2985

DEPARTMENT OF HEALTH

Notices

Infant Hearing Screening Advisory Committee virtual meeting..... 2985
 Long-term care nursing facilities; requests for exception..... 2986
 Pennsylvania Rural Health Redesign Center Authority Board virtual meeting..... 2986

DEPARTMENT OF HUMAN SERVICES

Notices

Availability of the Low-Income Home Energy Assistance Program; proposed State Plan and public hearing schedule..... 2986

DEPARTMENT OF TRANSPORTATION

Notices

Proposed disadvantaged business enterprise goal methodology for participation in Federal Highway Administration and Federal Transit Administration funded contracts for fiscal years 2021—2023 .. 2987

GAME COMMISSION

Notices

Chronic wasting disease—designation of disease management areas and endemic states and Canadian provinces order # 8..... 2987

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Notice of comments issued 2995

INSURANCE DEPARTMENT

Notices

Appeal of David Pinsky under the Quality Health Care Accountability and Protection Article; Keystone Health Plan East; doc. No. HC20-04-026.... 2996
 COVID-19 guidance for licensees as counties move to green phase; notice 2020-16..... 2996
 Earline Princewill-Smith; license denial appeal; doc. No. AG20-05-012..... 2997

PATIENT SAFETY AUTHORITY

Notices

Virtual public meeting cancellation 2997

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

Notices

Clean Water and Drinking Water State Revolving Fund Programs Federal fiscal year 2020 intended use plans; available for public comment; correction..... 2997
 Environmental assessment approval for PENNVEST funding consideration 2997

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

General rule transaction 2999
 Pro forma transaction..... 3000
 Service of notice of motor carrier applications..... 3000
 Telecommunications..... 3001

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the Pennsylvania Bulletin

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2020.

4 Pa. Code (Administration)

Adopted Rules
1 902

Statements of Policy

9 328, 546, 915, 1118, 1551

7 Pa. Code (Agriculture)

Adopted Rules
150 1836

25 Pa. Code (Environmental Protection)

Adopted Rules
86 1508
87 1508
88 1508
89 1508
90 1508
806 1931

Proposed Rules

121 2633
129 2633
250 1011

28 Pa. Code (Health and Safety)

Adopted Rules
26 1352

31 Pa. Code (Insurance)

Proposed Rules
168 798

34 Pa. Code (Labor and Industry)

Adopted Rules
91 792
93 792
95 792

40 Pa. Code (Liquor)

Proposed Rules
5 1650

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules
35 1838
43b 1354

Proposed Rules

25 1364
29 2743
39 668

52 Pa. Code (Public Utilities)

Adopted Rules
77 469

Statements of Policy

41 1695
69 1652

55 Pa. Code (Human Services)

Statements of Policy
41 1695

58 Pa. Code (Recreation)

Adopted Rules
63 1526
69 1527
119 1246
135 2257
139 2258
141 2264, 2265, 2268, 2269, 2272
147 2273, 2274, 2276

Proposed Rules

63 1247
131 1549
135 1372, 1549, 2279
139 1373
141 1379, 1380, 1384, 1385
147 1387, 1390

61 Pa. Code (Revenue)

Adopted Rules
876 1528

67 Pa. Code (Transportation)

Adopted Rules
601 545

Proposed Rules

55 2746

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules
6 2174
7 2012

204 Pa. Code (Judicial System General Provisions)

Adopted Rules
27 1344
33 1108
71 641, 1239, 2012, 2386
73 2386
82 2077, 2174
83 197, 2013
85 647
89 2387, 2388
91 647
93 647, 648, 651, 2388

Proposed Rules

83 642, 2631
85 642
89 642
91 642
93 642

207 Pa. Code (Judicial Conduct)

Adopted Rules
33 7, 197, 1239

210 Pa. Code (Appellate Procedure)

Adopted Rules

1 505, 535
 3 505
 5 505
 7 505
 9 505, 535
 11 535
 13 505, 535
 15 505
 16 505
 17 505, 535
 19 505
 23 535
 27 505
 33 505, 535
 37 651
 63 2013
 69 657

Proposed Rules

3 303
 19 304

225 Pa. Code (Rules of Evidence)

Adopted Rules
 Article IX 2837

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules
 200 198, 306
 400 199
 1000 199
 Part II 306

237 Pa. Code (Juvenile Rules)

Adopted Rules
 13 2389

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules
 200 2252
 300 2252
 400 2252
 500 2252

249 Pa. Code (Philadelphia Rules)

Unclassified 788, 1503

252 Pa. Code (Allegheny County Rules)

Unclassified 307

255 Pa. Code (Local Court Rules)

Unclassified . 199, 200, 667, 790, 904, 912, 913, 914, 1114, 1115, 1116, 1350, 1503, 1504, 1505, 1506, 1647, 1648, 1827, 1829, 2014, 2018, 2019, 2736, 2925

THE GOVERNOR

GOVERNOR'S OFFICE

[EXECUTIVE ORDER NO: 2020-02]

Extension of Deadline for Receipt of Absentee and Mail-In Ballots in Certain Counties

June 1, 2020

Whereas, the General Primary Election is scheduled by law to occur throughout the Commonwealth on June 2, 2020;

Whereas, to date, due in large part to COVID-19, an unprecedented number of Pennsylvanians have taken advantage of absentee voting and the Commonwealth's newly implemented mail-in balloting procedure;

Whereas, civil unrest over the weekend in the counties of Allegheny, Dauphin, Delaware, Erie, Montgomery and Philadelphia led to curfews, travel restrictions, and the evacuation of election offices in at least two counties, which affected the counties' efforts and impeded many voters' attempts to return their ballots;

Whereas, these civil disturbances, curfews, and travel restrictions have been continuing and expanding in these counties, thereby impeding county election activities and opportunities for voters to submit their absentee and mail-in ballots, and are expected to continue into tonight and tomorrow;

Whereas, on Saturday, May 30, 2020, and as amended on Monday, June 1, 2020, I, Tom Wolf, Governor of the Commonwealth of Pennsylvania, pursuant to the provisions of Section 7301(c) of the Emergency Management Services Code, (35 Pa.C.S. §§ 7101 et seq., as amended) proclaimed the existence of a disaster emergency in the counties of Allegheny, Dauphin, Delaware, Erie, Montgomery and Philadelphia due to the civil disturbance affecting these counties;

Whereas, the civil disturbances in these affected counties have created one or more barriers to voters returning their ballots, including travel and public transportation disruptions, road closures and blockages, lack of access to ballot drop boxes, alteration of mobile ballot collection schedules, evacuations of buildings, and curfews;

Whereas, Sections 1306(c), 1308(g)(1)(ii) and 1306-D(c) of the Pennsylvania Election Code (25 P.S. §§ 3146.6(c), 3146.8(g)(1)(ii) and 3150.16(c)) provide that no civilian absentee or mail-in ballot shall be counted if it is received by the county board of elections after eight o'clock P.M., prevailing time, on the day of the primary election;

Whereas, in these affected counties, it appears very likely that a large number of voters who applied for absentee or mail-in ballots by the May 26 deadline will not be able to return their ballots by the statutory deadline; and

Whereas, these recent civil disturbances make it necessary and proper to extend the statutory deadline in those affected counties for receipt of voted civilian absentee and mail-in ballots to ensure that voters in those counties are not disenfranchised through no fault of their own.

Now, Therefore, I, Tom Wolf, Governor of the Commonwealth of Pennsylvania, by virtue of the authority vested in me by the Constitution of the Commonwealth of Pennsylvania, the Emergency Management Services Code, and other laws of the Commonwealth, do hereby issue this Executive Order as follows:

1. *Deadline for Receipt of Absentee and Mail-In Ballots.* Notwithstanding the provisions of Sections 1306(c), 1308(g)(1)(ii), and 1306-D(c) of the Pennsylvania Election Code (25 P.S. §§ 3146.6(c), 3146.8(g)(1)(ii), and 3150.16(c)) or any other provision in the laws of the Commonwealth to the contrary, for the counties of Allegheny, Dauphin, Delaware, Erie, Montgom-

ery and Philadelphia, an otherwise valid civilian absentee or mail-in ballot shall be counted if it bears a postmark, cancellation mark, or other official indicia of the date of mailing (“postmark”) of no later than Tuesday, June 2, 2020, and is received by postal mail in the office of the county board of elections no later than five o’clock P.M., prevailing time, on Tuesday, June 9, 2020.


Further provided, however, that no civilian absentee or mail-in ballot shall be counted if it is received by any means other than postal mail after eight o’clock P.M., prevailing time, on Tuesday, June 2, 2020.

2. *Segregation of Ballots.* Absentee and mail-in ballots that are received by a county board of elections later than eight o’clock P.M., prevailing time, on Tuesday, June 2, 2020, under the authority of Paragraph 1 of this Executive Order shall be segregated from all other absentee and mail-in ballots. The segregated ballots shall be canvassed in accordance with the Pennsylvania Election Code.

3. *Notice.* The Office of the Secretary of the Commonwealth shall post this Executive Order in the Department of State’s Bureau of Elections and Notaries, and in all other appropriate places, and shall communicate its contents to the county boards of elections, and shall take all necessary action to provide notice of this Executive Order to the general public.

4. *Effective Date.* This Executive Order shall take effect immediately and remain in effect only until 5:00 P.M., prevailing time, Thursday, July 2, 2020.

Fiscal Note: EO 2020-02. No fiscal impact; (8) recommends adoption.



Governor

[Pa.B. Doc. No. 20-752. Filed for public inspection June 12, 2020, 9:00 a.m.]

GOVERNOR’S OFFICE

Amendment to Proclamation of Disaster Emergency

June 3, 2020

Whereas, on March 6, 2020, I declared a disaster emergency due to the coronavirus disease 2019 (COVID-19) pandemic that is devastating the country, including the Commonwealth of Pennsylvania and its citizens;

Whereas, my Proclamation of Disaster Emergency of March 6, 2020, will automatically expire on June 4, 2020, unless renewed by Amendment;

Whereas, as of June 3, 2020, 72,894 persons have tested positive or meet the requirements to be considered as presumed probable cases for COVID-19 in the Commonwealth in all 67 counties, and 5,667 persons are reported to have died from the virus; and

Whereas, the COVID-19 pandemic continues to be of such magnitude or severity that emergency action is necessary to protect the health, safety and welfare of affected citizens in Pennsylvania.

Now Therefore, pursuant to the provisions of section 7301(c) of the Emergency Management Services Code, 35 Pa.C.S. § 7301(c), I do hereby order and direct as follows:


1. The Proclamation of Disaster Emergency of March 6, 2020, is renewed for a period of ninety days, and shall continue to apply to the Commonwealth of Pennsylvania.

THE GOVERNOR

2. All directives, authorized actions and provisions of the March 6, 2020, Proclamation of Disaster Emergency shall remain in full force and effect until either rescinded by me or terminated by law.

This Proclamation Amendment shall take effect immediately.

Given under my hand and the Seal of the Governor, at the city of Harrisburg, on this third day of June two thousand twenty, the year of the commonwealth the two hundred and forty-fourth.



Governor


[Pa.B. Doc. No. 20-753. Filed for public inspection June 12, 2020, 9:00 a.m.]

GOVERNOR'S OFFICE
Proclamation; House Concurrent Regulatory Review Resolution Number 1

I, Tom Wolf, Governor of the Commonwealth of Pennsylvania, have caused this Proclamation to issue and, in compliance with the provisions of Section 9 of Article III of the Pennsylvania Constitution and Section 7(d) of the Regulatory Review Act, do hereby give notice that I have filed in the Office of the Secretary of the Commonwealth, with my objection thereto, the following resolution passed by both houses of the General Assembly at the Regular Session of 2019-2020:

House Concurrent Regulatory Review Resolution Number 1, disapproving the Department of Labor and Industry regulations on the minimum wage.

Given under my hand and the Great Seal of the Commonwealth, at the County of Dauphin, this twenty-ninth day of May, in the year of our Lord two thousand and twenty, and of the Commonwealth the two hundred and forty-fourth.



Governor

Attest:

JONATHAN MARKS,

Deputy Secretary for Elections and Commissions

[Pa.B. Doc. No. 20-754. Filed for public inspection June 12, 2020, 9:00 a.m.]


GOVERNOR'S OFFICE
Proclamation; Senate Bill No. 1027, Printer's No. 1729

I, Tom Wolf, Governor of the Commonwealth of Pennsylvania, have caused this Proclamation to issue and, in compliance with the provisions of Section 15 of Article IV of the Constitution of Pennsylvania, do hereby give notice

that I have filed in the Office of the Secretary of the Commonwealth, with my objections thereto, the following bill passed by both houses of the General Assembly at the Regular Session of 2019-2020:

Senate Bill No. 1027, Printer's No. 1729, entitled "An Act [a]mending the act of April 9, 1929 (P.L. 177, No. 175), entitled 'An act providing for and reorganizing the conduct of the executive and administrative work of the Commonwealth by the Executive Department thereof and the administrative departments, boards, commissions, and officers thereof, including the boards of trustees of State Normal Schools, or Teachers Colleges; abolishing, creating, reorganizing or authorizing the reorganization of certain administrative departments, boards, and commissions; defining the powers and duties of the Governor and other executive and administrative officers, and of the several administrative departments, boards, commissions, and officers; fixing the salaries of the Governor, Lieutenant Governor, and certain other executive and administrative officers; providing for the appointment of certain administrative officers, and of all deputies and other assistants and employes in certain departments, boards, and commissions; providing for judicial administration; and prescribing the manner in which the number and compensation of the deputies and all other assistants and employes of certain departments, boards and commissions shall be determined,' in organization of independent administrative boards and commissions, further providing for Pennsylvania Gaming Control Board; in organization of departmental administrative boards and commissions and of advisory boards and commissions, further providing for State Geospatial Coordinating Board; in Commonwealth agency fees, further providing for Department of Health; in powers and duties of the Department of State and its departmental administrative board, providing for report on implementation of 2020 general primary election; providing for COVID-19 emergency statutory and regulatory suspensions and waivers reporting requirements, for COVID-19 debt cost reduction review and for licensing; and, in judicial administration, further providing for surcharges and fees; and making a related repeal."

Given under my hand and the Great Seal of the Commonwealth, at the County of Dauphin, this twenty-ninth day of May, in the year of our Lord two thousand and twenty, and of the Commonwealth the two hundred and forty-fourth.



Governor

Attest:

JONATHAN MARKS,

Deputy Secretary for Elections and Commissions

[Pa.B. Doc. No. 20-755. Filed for public inspection June 12, 2020, 9:00 a.m.]

GOVERNOR'S OFFICE

Notice of Veto; House Concurrent Regulatory Review Resolution Number 1

May 29, 2020

To the Honorable House of Representatives
and the Honorable Senate of the
Commonwealth of Pennsylvania

Pursuant to Article III, Section 9 of the Pennsylvania Constitution and Section 7(d) of the Regulatory Review Act, I veto and disapprove, and return

herewith, House Concurrent Regulatory Review Resolution Number 1, which disapproves the Department of Labor and Industry's Final-Form Regulation 12-106.

I am vetoing, disapproving, and returning this concurrent resolution for two reasons. First, the Concurrent Resolution is procedurally defective. In adopting the Concurrent Resolution, the General Assembly failed to comply with the Regulatory Review Act (RRA), which creates the concurrent resolution process as applied to regulations. The RRA provides:

Upon receipt of the commission's order pursuant to subsection (c.1). . .one or both of the committees may, within 14 calendar days, report to the House of Representatives or Senate a concurrent resolution and notify the agency. . . . If either committee reports a concurrent resolution before the expiration of the 14-day period, the Senate and the House of Representatives shall each have 30 calendar days or ten legislative days, whichever is longer, from the date on which the concurrent resolution has been reported, to adopt the concurrent resolution. . . . If the General Assembly does not adopt the concurrent resolution. . .in the time prescribed in this subsection, it shall be deemed to have approved the final-form or final-omitted regulation.

71 P.S. § 745.7(d). Neither the House of Representatives nor the Senate adopted this Concurrent Resolution within 30 calendar or ten legislative days from the date that the House committee reported its Concurrent Resolution. As such, the RRA directs that the General Assembly is deemed to have approved Final-Form Regulation 12-106.

First, the House of Representatives failed to adopt the Concurrent Resolution by the statutorily prescribed deadline. The House Labor and Industry Committee reported the Concurrent Resolution on February 5, 2020. The full House of Representatives did not adopt this Concurrent Resolution until April 21, 2020, more than 30 calendar days from February 5, 2020. Furthermore, April 21, 2020, was more than ten legislative days from February 5, 2020, as the House of Representatives was in session on March 16, March 23, March 24, March 25, April 6, April 7, April 13, April 14, April 16 and April 20, 2020. The RRA required the House of Representatives to adopt the Concurrent Resolution on one of those days. Because the House of Representatives failed to adopt the Concurrent Regulation by the statutory deadline, Final-Form Regulation 12-106 was deemed approved by operation of law.


Similarly, the Senate also failed to adopt the Concurrent Resolution by the statutorily prescribed deadline. Section 7(d) of the RRA directs that the time period for action on a concurrent resolution for both the Senate and House of Representatives is to commence "from the date on which the concurrent resolution has been reported." 71 P.S. § 745.7(d). The House Labor and Industry Committee reported this Concurrent Resolution on February 5, 2020. The Senate did not adopt this Concurrent Resolution until May 27, 2020, more than 30 calendar days from February 5, 2020. Furthermore, May 27, 2020, is more than ten legislative days from February 5, 2020, as the Senate was in session on March 18, March 25, April 6, April 7, April 15, April 20, April 21, April 28, April 29, May 6, May 11, May 12, May 13, May 18 and May 26, 2020. Because the Senate also failed to adopt the Concurrent Resolution by the statutory deadline, Final-Form Regulation 12-106 was deemed approved by operation of law.

Second, I am vetoing, disapproving, and returning the Concurrent Resolution because Final-Form Regulation 12-106 is necessary to protect Pennsylvania's workers from unreasonably low wages not fairly commensurate with the value of the services rendered. Final-Form Regulation 12-106 provides a long overdue update of the definitions of executive, administrative and professional employees who are exempt from the overtime and minimum wage provisions of the Pennsylvania Minimum Wage Act of 1968 and modernizes the obsolete salary threshold for those workers. The update to the salary thresholds will protect Pennsylvania's employees from being arbitrarily designated as exempt and being required to work excessive

overtime hours without additional compensation. Ensuring that workers are fairly compensated and paid a living wage will have an overall positive economic impact for the Commonwealth. In addition, increased competitiveness of Pennsylvania's employers to attract skilled labor, positive economic impact due to increased spending by affected workers, and discretionary time returned to employees are all benefits to the Commonwealth. Now, more than ever, Pennsylvania needs the benefits that Final-Form Regulation 12-106 provides to its citizens.

For the reasons set forth above, I must veto, disapprove, and withhold my signature from House Concurrent Regulatory Review Resolution No. 1.

Sincerely,



Governor

[Pa.B. Doc. No. 20-756. Filed for public inspection June 12, 2020, 9:00 a.m.]

GOVERNOR'S OFFICE

Notice of Veto; Senate Bill 1027; Printer's No. 1729

May 29, 2020

To the Honorable Senate of the
Commonwealth of Pennsylvania

Pursuant to Article IV, Section 15 of the Pennsylvania Constitution, I am returning herewith, without my approval, Senate Bill 1027, Printer's Number 1729.

We are living in unprecedented times as we confront the extraordinary challenges posed by the COVID-19 pandemic. In response to these challenges, I ordered the temporary closure of non-life sustaining businesses and issued stay-at-home orders. These were steps necessary to save lives across this Commonwealth and to flatten the curve so that our health system would not be overwhelmed by a surge of COVID-19 cases. We came together as Pennsylvanians to make these sacrifices for the common good.

Because of the success of these early mitigation efforts, we are now focused on a plan to reopen Pennsylvania while prioritizing the health and welfare of its citizens. Our reopening plan uses a combination of factors, including statistical metrics developed in collaboration with Carnegie Mellon University, to evaluate when and to what extent our communities can safely reopen while guarding against a COVID-19 resurgence. We have developed a data-driven, color-coded system that transitions counties from the most restrictive red phase to the intermediate yellow phase (limited reopening) and ultimately to the least restrictive green phase. As part of our ongoing progress towards reopening, I have announced that all of Pennsylvania's sixty-seven counties will have moved from the red to the yellow phase by June 5th with some counties transitioning to the green phase prior to that date. As the Commonwealth continues to re-open, we will continue to monitor and assess the data, county by county, to maximize our economic recovery while minimizing public health risks.

Unfortunately, certain counties have opted to go "rogue" by prematurely re-opening their economies and unilaterally moving themselves to the "next phase," driven by fear rather than by scientifically-proven metrics. I have warned that I would impose consequences for such a unilateral move,


THE GOVERNOR

including using the Commonwealth's licensing capabilities to enforce the non-life sustaining business shutdown order. This bill limits my ability to take that executive enforcement action. The bill prohibits a penalty from being imposed upon a licensed business for re-opening in violation of the non-life sustaining business shutdown order. Such a prohibition is a legislative infringement on executive authority and violates the separation of powers which is critical to the proper functioning of our democracy.

Now is not the time to surrender; we need to continue to be united in the fight against COVID-19.

For the reasons set forth above, I must withhold my signature from Senate Bill 1027, Printer's Number 1729.

Sincerely,

A handwritten signature in black ink that reads "Tom Wolf". The signature is written in a cursive style with a large, stylized "T" and "W".

Governor

[Pa.B. Doc. No. 20-757. Filed for public inspection June 12, 2020, 9:00 a.m.]

THE COURTS

Title 255—LOCAL COURT RULES

YORK COUNTY

Amendment of Local Rules of Criminal Procedure; CP-67-AD-22-2020

Administrative Order Amending York County Local Rules of Criminal Procedure 571 & 600

And Now, this 2nd day of June, 2020 it is Ordered that York County Local Rules of Criminal Procedure 571 and 600 are amended as follows, effective July 20, 2020.

The District Court Administrator shall publish this order as may be required.

By the Court

JOSEPH C. ADAMS,
President Judge

York R.Crim.P. 571. Arraignment.

(A) The court administrator shall establish periodic dates for arraignment of defendants [**and shall publish the dates and times in the Court Calendar at least annually**].

(B) A defendant shall be advised orally and in writing, by court [**order**] **notice**, of the date and time for the arraignment at the defendant's preliminary hearing, or at the time the preliminary hearing is waived. [**The arraignment date shall normally be set as the fifth (5th) Friday following the date that the preliminary hearing is held or waived, or the next available Friday thereafter in the event of a court holiday.**]

(C) A waiver of formal arraignment by [**defendants**] **a defendant** represented by counsel [**pursuant to Pa.R.Crim.P. 571(D)**] may be made without the **physical** appearance of the defendant or counsel in [**Court**] **court**, provided such waiver is [**received by the district attorney at least three (3)**] **filed with the clerk of courts by noon two** business days prior to the date scheduled for arraignment.

[(1) A waiver of formal arraignment shall be on such form as prescribed the court, and shall contain at least the information set forth in Pa.R.Crim.P 571(C).

(2) A waiver of formal arraignment is not available to a defendant not represented by counsel.]

The waiver shall be on such form as prescribed by the district court administrator.

(D) In the event a defendant scheduled for arraignment is not represented by counsel, [**formal**] arraignment shall be conducted [**in open court**] by a judge [**assigned, at the date and time scheduled for arraignment**], **hearing officer, or other official designated by the court.**

York R.Crim.P. 600. Prompt Trial.

...

(C) No later than five business days prior to the first day of [**the trial term**] **each week in which jury trials will be held**, the district attorney shall provide to the district court administrator, in a format to be prescribed by the district court administrator, a written list of all cases the district attorney intends to call to trial in [**the trial term**] **that week.**

...

[Pa.B. Doc. No. 20-758. Filed for public inspection June 12, 2020, 9:00 a.m.]

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of Suspension

By Order of the Supreme Court of Pennsylvania dated May 29, 2020, Adam Luke Brent (# 90834), whose registered address is Vineland, NJ, is suspended from the practice of law in this Commonwealth for a period of three months, effective June 28, 2020. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

MARCEE D. SLOAN,
Board Prothonotary

[Pa.B. Doc. No. 20-759. Filed for public inspection June 12, 2020, 9:00 a.m.]

NOTICES

DEPARTMENT OF AGRICULTURE

Fertilizer Nutrient Values

The Secretary of Agriculture, under the authority of 3 Pa.C.S. § 6710 (relating to commercial value), establishes the commercial values per pound of nitrogen, available phosphate and soluble potash.

The values are established as follows:

| | |
|---------------------|------------------|
| Nitrogen | \$0.46 per pound |
| Available phosphate | \$0.37 per pound |
| Soluble potash | \$0.31 per pound |

Further Information

Further information is available by contacting David Dressler, Agronomic Program Specialist, Bureau of Plant Industry, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-5215.

Effective Date

These commercial values are effective beginning July 1, 2020, and shall remain effective until further notice.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 20-760. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 2, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

Branch Relocations

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|--|---------------|
| 05-27-2020 | Reliance Savings Bank Altoona Blair County | <i>To:</i> 3918 Cove Mountain Road Martinsburg Blair County <i>From:</i> 209 South Walnut Street Martinsburg Blair County | Filed |

Branch Discontinuances

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|---|--|---------------|
| 04-13-2020 | PeoplesBank, A Codorus Valley Company York York County | 2618 East Market Street York York County (Limited Service Facility) | Closed |
| 04-14-2020 | PeoplesBank, A Codorus Valley Company York York County | 800 Bollinger Drive Shrewsbury York County (Limited Service Facility) | Closed |
| 04-15-2020 | PeoplesBank, A Codorus Valley Company York York County | 1775 Powder Mill Road York York County (Limited Service Facility) | Closed |
| 04-15-2020 | PeoplesBank, A Codorus Valley Company York York County | 2760 Pine Grove Road York York County (Limited Service Facility) | Closed |

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|--|---------------|
| 05-01-2020 | PeoplesBank, A Codorus Valley Company York York County | 1800 Village Circle Lancaster Lancaster County (Limited Service Facility) | Closed |

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-761. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of July 2020

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of July 2020, is 3 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or

exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 1.05 to which was added 2.50 percentage points for a total of 3.55 that by law is rounded off to the nearest quarter at 3 1/2%.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-762. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or Amendment |
| Section III | WQM | Industrial, Sewage or Animal Waste; Discharge into Groundwater |
| Section IV | NPDES | MS4 Individual Permit |
| Section V | NPDES | MS4 Permit Waiver |
| Section VI | NPDES | Individual Permit Stormwater Construction |
| Section VII | NPDES | NOI for Coverage under NPDES General Permits |

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|---|---------------------------------------|--|----------------------------|
| PAS802213 (Storm Water) | United Parcel Service Stroudsburg 1821 S 19th Street Harrisburg, PA 17104-3206 | Monroe County Stroud Township | Little Pocono Creek (HQ-CWF, MF) (1-E) | Yes |
| PA0062618 (Industrial) | Bethlehem Water Treatment Plant 10 East Church Street Bethlehem, PA 18018-6025 | Northampton County Lehigh Township | Unnamed Tributary to Indian Creek (CWF, MF) (2-C) | Yes |

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|---|---------------------------------------|--------------------------------------|----------------------------|
| PA0086134 (Sewage) | David R. Miller and David Schwien 906 and 904 Huffs Church Road Alburtis, PA 18011 | Berks County/ District Township | 3C—West Branch Perkiomen Creek | Y |
| PA0082279 (Sewage) | Spring Creek Joint Sewer Authority Wastewater Treatment Plant PA Route 994 P.O. Box 373 Three Springs, PA 17264 | Huntingdon County/ Clay Township | Three Springs Creek/ 12C | Yes |
| PA0084212 (Sewage) | Leacock Township Wastewater Treatment Plant 3545 West Newport Road Intercourse, PA 17534 | Lancaster County/ Leacock Township | Muddy Run/7J | Yes |
| PA0081591 (Sewage) | Eastern York County Sewer Authority Wastewater Treatment Plant 400 Friendship Avenue Hallam, PA 17406 | York County/ Hallam Borough | Kreutz Creek/7I | Yes |

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed #) | EPA Waived Y/N? |
|---------------------------|---|-------------------------------------|------------------------------|--------------------|
| PA0217026 (Industrial) | Cemline Corporation Harmar Facility P.O. Box 55 Cheswick, PA 15024 | Allegheny County Harmar Township | Allegheny River (18-A) | Yes |

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed #) | EPA Waived Y/N? |
|-----------------------|---|-----------------------------------|--------------------------------|--------------------|
| PA0272876 (Sewage) | Donald Hull SRSTP 58 Hamlin Street Smethport, PA 16749-1712 | McKean County Keating Township | Ice Pond Brook (CWF) (16-C) | Yes |

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

PA0275743, Storm Water, SIC Code 3272, 3444, **GAF Premium Products, Inc.**, 440 Katherine Road, Wind Gap, PA 18091-1135. Facility Name: GAF Premium Products. This existing facility is located in Wind Gap Borough, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Little Bushkill Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-F and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are:

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------------------|----------------------|-------------------|---------|-----------------------|------------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Daily Maximum | |
| pH (S.U.) | XXX | XXX | XXX | XXX | 9.0 | XXX |
| Total Suspended Solids | XXX | XXX | XXX | XXX | 100.0 | XXX |
| Aluminum, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Total | XXX | XXX | XXX | XXX | Report | XXX |

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0276324, Pesticides, SIC Code 4941, **PA American Water Co.**, 2699 Stafford Avenue, Scranton, PA 18505-3608.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge associated with the application of pesticides in Spring Brook Township, **Lackawanna County**.

The receiving stream(s), Unnamed Stream, is (are) located in State Water Plan watershed(s) 5-A and is (are) classified for aquatic life, water supply and recreation. Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. The discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472. You may submit written comments on the application and draft permit within 30 days to the previously listed address. After the 30-day comment period, PA DEP will make a final determination on the issuance of the permit.

The EPA waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0008761, Industrial, SIC Code 3999, **Armstrong World Industries, Inc.**, 1507 River Road, Marietta, PA 17547-9403. Facility Name: Armstrong World Industries. This existing facility is located in East Donegal Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Susquehanna River (WWF, MF), is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .289 MGD.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | Instant. Maximum |
|---|----------------------|---------------|-----------------|-----------------------|---------------|------------------|
| | Average Monthly | Daily Maximum | | Average Monthly | Daily Maximum | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | Report | Report | Inst Min XXX | 80 | 160 | 200 |
| Total Suspended Solids | Report | Report | XXX | 80 | 160 | 200 |
| Total Dissolved Solids | Report | XXX | XXX | Report | Report | XXX |
| Sulfate, Total | Report | XXX | XXX | Report | Report | XXX |
| Chloride | Report | XXX | XXX | Report | Report | XXX |
| Bromide | Report | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfalls 004—007 are based on a variable flowrate.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | Instant. Maximum |
|------------------------|----------------------|--------|---------|-----------------------|---------------|------------------|
| | Average Monthly | Weekly | | Average Monthly | Daily Maximum | |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | XXX | Report | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0082082, Sewage, SIC Code 6514, **Jerry Millard Bolyard**, 309 Bear Gap Road, Clearville, PA 15535-8349. Facility Name: Bolyard Res. This existing facility is located in Southampton Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Lost Run (HQ-CWF, MF), is located in State Water Plan watershed 13-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | Instant. Maximum |
|---|----------------------|------------------|---------|-----------------------|---------|------------------|
| | Average Monthly | Average Weekly | | Annual Average | Maximum | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | Annl Avg XXX | Daily Max XXX | XXX | Report | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 20.0 | XXX | 40 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0086819, Sewage, SIC Code 4952, **Donald L. Collier**, 1534 Millers Corner Road, Clearville, PA 15535-7835. Facility Name: Collier Res. This existing facility is located in Southampton Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Wilson Run (HQ-CWF), is located in State Water Plan watershed 13-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | Instant. Maximum |
|---|----------------------|----------------|---------|-----------------------|---------|------------------|
| | Average Monthly | Average Weekly | Minimum | Annual Average | Maximum | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | Report | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083992, Sewage, SIC Code 6514, **Dolores J. Carrigan**, 112 Pond View Lane, Clearville, PA 15535-8418. Facility Name: Carrigan Res. This existing facility is located in Southampton Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Sweet Root Creek (HQ-CWF), is located in State Water Plan watershed 13-A and is classified for High Quality Water—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | Instant. Maximum |
|---|----------------------|----------------|---------|-----------------------|---------|------------------|
| | Average Monthly | Average Weekly | Minimum | Annual Average | Maximum | |
| Flow (MGD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | Report | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261271, Sewage, SIC Code 6514, **David E. Graham**, 117 Valentine Acres Road, Clearville, PA 15535-8639. Facility Name: Graham Residence. This existing facility is located in Southampton Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Amorine Branch (HQ-CWF), is located in State Water Plan watershed 13-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | Instant. Maximum |
|---|----------------------|----------------|---------|-----------------------|---------|------------------|
| | Average Monthly | Average Weekly | Minimum | Semi-Annual Average | Maximum | |
| Flow (MGD) | Report Semi Avg | XXX | XXX | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.2 | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 20.0 | XXX | 40.0 |
| May 1 - Oct 31 | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 20.0 | XXX | 40.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | 1,000 |

NOTICES

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | Instant. Maximum |
|------------------|----------------------|----------------|---------|-----------------------|---------|------------------|
| | Average Monthly | Average Weekly | | Semi-Annual Average | Maximum | |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 15.0 | XXX | 30.0 |
| May 1 - Oct 31 | XXX | XXX | XXX | 5.0 | XXX | 10.0 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0085707, Industrial, SIC Code 2015, **Al Kawthar Poultry LLC**, 2225 Hamilton Boulevard, South Plainfield, NJ 07080. Facility Name: Al Kawthar Poultry LLC. This existing facility is located in West Cocalico Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Indian Run (TSF, MF) is located in State Water Plan watershed 7-J and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .020 MGD.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|---------------|-----------------|-----------------------|---------------|--------|
| | Average Monthly | Daily Maximum | | Average Monthly | Daily Maximum | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 5.0 Inst Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.21 | XXX | 0.70 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 4.2 | 8.4 | XXX | 25 | 50 | 62 |
| Total Suspended Solids | 5.0 | 10 | XXX | 30 | 60 | 75 |
| Oil and Grease | Report | Report | XXX | 15 | XXX | 30 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | 1.5 | 3.0 | XXX | 9.0 | 18 | 22.5 |
| May 1 - Oct 31 | 0.5 | 1.0 | XXX | 3.0 | 6.0 | 7.5 |
| Total Phosphorus | 0.3 | 0.7 | XXX | 2.0 | 4.0 | 5.0 |
| TKN | Report | XXX | XXX | Report | XXX | XXX |
| Nitrate-Nitrite | Report | XXX | XXX | Report | XXX | XXX |
| Total Nitrogen | Report | XXX | XXX | Report | XXX | XXX |

The proposed effluent limits for Outfall 002 are based on a variable design flow (Stormwater).

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------------|----------------------|---------------|---------|-----------------------|---------------|------|
| | Average Monthly | Daily Maximum | | Average Monthly | Daily Maximum | |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| BOD ₅ | XXX | XXX | XXX | XXX | Report | XXX |
| TSS | XXX | XXX | XXX | XXX | Report | XXX |
| COD | XXX | XXX | XXX | XXX | Report | XXX |
| Nitrate-Nitrite | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261670, Sewage, SIC Code 4952, **Fredericksburg S&W Authority Lebanon Co.**, P.O. Box 161, Fredericksburg, PA 17026-0161. Facility Name: Fredericksburg Little Swatara STP. This existing facility is located in Bethel Township, **Lebanon County**.

Description of Existing Activity: The application is for NPDES permit amendment for an existing discharge of treated sewage.

The receiving stream(s), Little Swatara Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .650 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | IMAX |
|---|----------------------|------------------|---------------|-----------------------|------------------|--------|
| | Average Monthly | Weekly Average | Daily Minimum | Average Monthly | Weekly Average | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 | XXX | 9.0 Daily Max | XXX |
| Dissolved Oxygen | XXX | XXX | 5.0 | XXX | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 136 | 217 | XXX | 25.0 | 40.0 | 50 |
| Biochemical Oxygen Demand (BOD ₅) | | | | | | |
| Raw Sewage Influent | Report | Report | XXX | Report | XXX | XXX |
| Total Suspended Solids | 163 | Daily Max 244 | XXX | 30.0 | 45.0 | 60 |
| Total Suspended Solids Raw Sewage Influent | Report | Report | XXX | Report | XXX | XXX |
| | | Daily Max | | | | |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ultraviolet light transmittance (%) | XXX | XXX | Report | XXX | XXX | XXX |
| Nitrate-Nitrite as N | XXX | XXX | XXX | Report | XXX | XXX |
| Nitrate-Nitrite as N (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Total Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Total Nitrogen (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Effluent Net | Report | XXX | XXX | XXX | XXX | XXX |
| | Total Mo | | | | | |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | Report | XXX | XXX | Report | XXX | XXX |
| May 1 - Oct 31 | 73 | XXX | XXX | 13.5 | XXX | 27 |
| Ammonia-Nitrogen (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| | Total Mo | | | | | |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Total Kjeldahl Nitrogen (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| | Total Mo | | | | | |
| Total Phosphorus | 11.0 | XXX | XXX | 2.0 | XXX | 4 |
| Total Phosphorus (Total Load, lbs) (lbs) | | | | | | |
| Effluent Net | Report | XXX | XXX | XXX | XXX | XXX |
| | Total Mo | | | | | |
| Total Phosphorus (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| | Total Mo | | | | | |
| Zinc, Total | Report | XXX | XXX | Report | XXX | XXX |

Sludge use and disposal description and location(s): Digested sludge is dewatered with a volute press and hauled out to Greater Lebanon Refuse Authority Landfill.

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, Approval contingencies, Proper waste/solids management, Restriction on receipt of hauled in waste under certain conditions, SBR discharge condition and Chlorine minimization requirement.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

PA0204811, Storm Water, SIC Code 3089, **North American Profiles USA, Inc.**, 1 Contact Place, Delmont, PA 15626-1402. Facility Name: Energi Fenestration Solutions. This existing facility is located in Salem Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Beaver Run (HQ-CWF), is located in State Water Plan watershed 18-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies. The receiving stream is located in the Kiskiminetas-Conemaugh River Watershed Total Maximum Daily Load (TMDL). The facility's current discharges do not have a Waste Load Allocation.

The proposed effluent limits for Outfall 001 are:

| Parameters | Mass Units (lbs/day) | | Concentrations (mg/L) | |
|------------------------|----------------------|---------------|-----------------------|---------------|
| | Average Monthly | Daily Maximum | Average Monthly | Daily Maximum |
| Flow (MGD) | XXX | Report | XXX | XXX |
| pH (S.U.) | XXX | XXX | XXX | Report |
| Total Suspended Solids | XXX | XXX | XXX | Report |
| Oil and Grease | XXX | XXX | XXX | Report |
| Aluminum, Total | XXX | XXX | XXX | Report |
| Iron, Total | XXX | XXX | XXX | Report |
| Manganese, Total | XXX | XXX | XXX | Report |
| Zinc, Total | XXX | XXX | XXX | Report |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0288438, Sewage, SIC Code 8800, **Anne Slanina**, 286 Donation Road, Greenville, PA 16125-8008. Facility Name: Anne Slanina SRSTP. This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Saul Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | Minimum | Annual Average | Maximum | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | Report | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288420, Sewage, SIC Code 8800, **Kent Wilcox**, 1112 Old State Road, Russell, PA 16345-3636. Facility Name: Kent Wilcox SRSTP. This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Kiantone Creek (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | IMAX |
|------------|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | Minimum | Annual Average | Maximum | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|---------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Annual Average | Maximum | |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. WQG02092004, Sewage, **Bucks County Water Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Warminster Township, **Bucks County**.

Description of Action/Activity: Construction of a sanitary sewer system and individual grinder pumps for 39 single family homes.

WQM Permit No. 1520404, Sewage, **Oxford Area Sewer Authority**, 14 Third Street, P.O. Box 379, Oxford, PA 19363.

This proposed facility is located in East Nottingham Township, **Chester County**.

Description of Action/Activity: Construction and operation of a sewage pump station.

WQM Permit No. WQG02152007, Sewage, **Municipal Authority of the Borough of Elverson**, 101 S. Chestnut Street, Elverson, PA 19520-9410.

This proposed facility is located in Elverson Borough, **Chester County**.

Description of Action/Activity: Construction and operation of a low-pressure sewer system.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 0720402, Sewerage, **George Bonsell III**, 580 Thomastown Road, Tyrone, PA 16686.

This proposed facility is located in Snyder Township, **Blair County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a new single-family residence treatment facility.

WQM Permit No. 3620402, Sewerage, **Old Road Realty, LLC**, 245 Mentzer Road, New Holland, PA 17557.

This proposed facility is located in Leacock Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a new small flow sewage treatment facility to serve Lapp Valley Farms.

WQM Permit No. 3615402, Amendment, Sewerage, **Safe Harbor Partners**, 1903 Lititz Pike, Lancaster, PA 17601.

This proposed facility is located in Conestoga Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit approval for continued use of permit at the Village of Safe Harbor.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0420400, Sewage, **BASF Corporation**, 370 Frankfort Road, Monaca, PA 15061.

This proposed facility is located in Potter Township, **Beaver County**.

Description of Proposed Action/Activity: The applicant proposes to construct a privately-owned sanitary wastewater pump station and force main to convey sanitary flows to an existing force main that is owned and operated by the Center Township Sanitary Authority. All sanitary flows will be treated at the Elkhorn Run WPCP, NPDES Permit No. PA0037940. Upon completion of the project, the applicant will abandon their existing sanitary wastewater treatment facility covered under NPDES Permit No. PA0092223. No changes will occur to the applicants existing industrial process wastewater treatment facility.

WQM Permit No. 0220400, Sewage, **North Versailles Township Sanitary Authority**, 3300 Preble Avenue, Pittsburgh, PA 15233-1025.

This proposed facility is located in Pittsburgh City, **Allegheny County**.

Description of Proposed Action/Activity: Construction of a dewatering facility for vector truck pump station solids.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2520412, Sewage, **Daniel Markiewicz**, 8244 Crane Road, Cranesville, PA 16410-9528.

This proposed facility is located in Franklin Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2020401, Sewage, **Daryl & Renee Miller**, 16542 State Highway 285, Conneaut Lake, PA 16316.

This proposed facility is located in Greenwood Township, **Crawford County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 25204013, Sewage, **David M. Carroll, Jr.**, 9705 Bliley Road, Waterford, PA 16441-7309.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6220403, Sewage, **Kent Wilcox**, 1112 Old State Road, Russell, PA 16345-3636.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320406, Sewage, **Anne Slanina**, 286 Donation Road, Greenville, PA 16125-8008.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2520414, Sewage, **Carlie and Jerry Chamberlain**, 102541 Whittaker Road, Albion, PA 16401.

This proposed facility is located in Elk Creek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2720405, Sewage, **Debra and John Hinderliter**, 370 2nd Avenue, Tionesta, PA 16353-7001.

This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2520415, Sewage, **Katie & Kevin Elder**, 5350 Old French Road, Erie, PA 16509-3644.

This proposed facility is located in Millcreek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

NPDES

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------|--|---------------|----------------------|--|
| PAD510058 A1 | Relteva, LLC 1515 Des Peres Road Suite 300 St. Louis, MO 63131-1846 | Philadelphia | City of Philadelphia | Unnamed Tributary to Pennypack Creek TSF-MF |
| PAD510048 | PennDOT District 6-0 7000 Geerdes Blvd. King of Prussia, PA 19406 | Philadelphia | City of Philadelphia | Frankford Creek (WWF) |

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211, 610-829-6276.

NPDES

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------|---|---------------|---|--|
| PAD480127 | Gravel Hill Enterprises, Inc. c/o Gerald DiDomenico 99 Headline Road Deer Park, NY 11729 | Northampton | Lower and Upper Mt. Bethel Townships | UNT Delaware River (CWF, MF) & Wetlands (non-EV) |
| PAD480126 | High Street LLC c/o Tom Kishbaugh 226 East Dell Road Bath, PA 18014 | Northampton | Bushkill Township | Monocacy Creek UNT (HQ-CWF, MF) |

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|------------------------------|---|---------------|--------------------------|--|
| PAD210056 Renewal | Lexington Land Developers Corporation 336 West King Street Lancaster, PA 17603 | Cumberland | South Middleton Township | Letort Spring Run (EV) |
| PAD670001 Major Amendment | GLC Newberry, LLC 7660 Imperial Way Suite 120 Allentown, PA 18195 | York | Newberry Township | UNT Fishing Creek (TSF, MF) |
| PAD670009 Major Amendment | Tri H Enterprises, LLC 141 South Main Street Jacobus, PA 17407 | York | Springfield Township | Seaks Run (HQ-CWF) |
| PAD050008 | Bedford Area School District 330 East John Street Bedford, PA 15522 | Bedford | Bedford Borough | Shobers Run (HQ-CWF, MF) |
| PAD360057 | PPL Electric Utilities Corporation 2 North Ninth Street GENN 4 Allentown, PA 18101 | Lancaster | Fulton Township | UNT Susquehanna River (HQ-CWF, MF) Puddle Duck Creek (HQ-CWF, MF) UNTs Puddle Duck Creek (HQ-CWF, MF) Conowingo Creek (CWF, MF) UNTs Conowingo Creek (CWF, MF) Peter's Creek (HQ-CWF, MF) |

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal/New</i> |
|--|---------------|--------------------|--------------------------------|--------------------|---|--------------------|
| Marlin J Peachey 328 Coffee Run Rd. Reedsville, PA 17084 | Mifflin | 121.3 | 759.45 | Swine | HQ Tea Creek | Renewal |

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal/New</i> |
|---|---------------|------------------------|--|------------------------|---|--------------------|
| | | | 20 | Holstein Heifers | | |
| | | | 1.70 | Holstein Bull | | |
| | | | 5.70 | Beef Finishing | | |
| | | | 1.80 | Beef Calves | | |
| Granite Ridge Farms 200 Ginzle Road New Oxford, PA 17350 | Adams | 413.8 | 730.70 AEUs | Beef and Swine | NA | Renewal |
| Skyline Acres, Inc. 477 Skyline Drive Bernville, PA 19506 | Berks | 709 | 1,358 | Dairy | NA | Renewal |
| Reinford Farm's Inc. 505 Cedar Grove Rd. Mifflintown, PA 17059 | Juniata | 1,048.4 | 1,679.0 | Dairy | NA | Renewal |
| Operation Address: Doug Wetzel 2450 Mummasburg Road Gettysburg, PA 17325 | Adams | 115 | 430.31 | Turkey | NA | Approved |

Mailing Address:
P.O. Box 55
Aspers, PA 17304

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environ- mental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Parkwood Fill Site, Dunks Ferry Road and Mechanicsville Road, City of Philadelphia, **Philadelphia County**. Jennifer L. Gresh, P.G., Duffield Associates, Inc., 211 North 13th Street, Suite 702, Philadelphia, PA 19107

on behalf of Daniel Harkins, Philadelphia Department of Public Property, City Hall-Room 784, Philadelphia, PA 19107 submitted a Notice of Intent to Remediate. Soil at the site has been contaminated with inorganics, VOCs, SVOCs, PCBs, and pesticides. The proposed future use of the property will be residential. The proposed cleanup standard for the site is the Statewide Health Standard. The Notice of Intent to Remediate was published in *The Philadelphia Tribune* on May 5, 2020.

Sylvania Tree & Pool Service Building Site, 565 N. West End Boulevard (Route 309), Richland Township, **Bucks County**. Scott R. Campbell, P.G., Earthres Group, Inc., 6912 Old Easton Road, Pipersville, PA 18947 on behalf of Stacey Hogan, Lehigh Valley Health Network, 2100 Mack Boulevard, Allentown, PA 18105 submitted a Notice of Intent to Remediate. Soil at the site was impacted by petroleum-related constituents, VOCs and lead. The site is currently vacant. The planned future use of the site is mixed use; however, based upon required township setbacks and the proximity of the site to Route 309, development of the remediated area is not expected to occur. The proposed cleanup standard for the site is the Statewide Health Standard. The Notice of Intent to Remediate was published in *The Intelligencer* on May 27, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

SMJ Trucking LLC Diesel Fuel & Motor Oil Cleanup, Interstate 80 at MM 204.2 E, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of SMJ Trucking, LLC, 33 Pamparo Avenue, FL 2, Jersey City, NJ 07305, has submitted a Notice of Intent to Remediate concerning site soil contaminated with diesel fuel and motor oil. The applicant proposes to remediate the site to meet the Non-Residential Statewide Health Standard for soil. A summary of the Notice of Intent to Remediate was published in the *Daily Item* on May 14, 2020.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit Application No. WMGR081SE009. People Advancing Reintegration, Inc., 342 East Walnut Lane, Philadelphia, PA 19144. This permit application is for the determination of applicability (DOA) under General Permit No. WMGR081 to process computers and electronic waste to beneficial reuse or recycle. The proposed facility's name is PAR Recycle Works Facility and it is located at 324 E. Walnut Lane in the City of Philadelphia, **Philadelphia County**. The application for determination of applicability was accepted as administratively complete by the Southeast Regional Office on June 1, 2020.

Comments concerning the application should be directed to the Waste Management Program Manager,

Department of Environmental Protection (DEP) Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the (DEP) through the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State

Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

35-00077A: Eastern PA Land Investment Holding, LLC (1835 Market Street, Philadelphia, PA 19103) for the installation and operation of four aluminum can manufacturing lines with four baghouses and four regenerative thermal oxidizers (RTOs) to control emissions from the facility to be located in Olyphant Borough, **Lackawanna County**.

The Department of Environmental Protection's (Department) review of the information submitted by the Eastern PA Land Investment Holding, LLC indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including 40 CFR Part 60, Subpart WW and 25 Pa. Code § 129.52 requirements of emission limits from sheet basecoat, can exterior and interior body spray coatings and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction.

The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NO_x, Total PM, SO_x, and CO emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum.

The Plan approval and Operating Permit will include testing, monitoring, recordkeeping, and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

The facility will be a minor facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and specification of the application for Plan Approval No. 35-00077A, the Department will issue a State Only Operating Permit No. 35-00077 to the facility pursuant to the provisions of 25 Pa. Code § 127.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are

available for public review during normal business hours at PA DEP, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701. Appointments for scheduling a review must be made by calling 570-826-2511.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

21-03054A: Hollinger Funeral Home & Cremation, Inc. (501 North Baltimore Avenue, Mount Holly Springs, PA 17065) for the operation of a human crematory and pet crematory located in Mount Holly Springs Borough and South Middletown Township respectively in **Cumberland County**. The human crematory is a Matthews Environmental IE43-Power-Pak II and the pet crematory is a Matthews Environmental IE43-Power-Pak Jr.; both units are multiple-chamber crematories. The combined emissions from both proposed crematories will not exceed the following limits: 2.78 tpy CO, 3.34 tpy NO_x, 2.42 tpy PM₁₀, 1.08 tpy SO_x, and less than 1 tpy of VOC and HAPs. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, DEP proposes to issue a plan approval for the proposed crematories. The units currently operate under General Permit 14. If DEP determines the sources are constructed and operated in compliance with the plan approval, the applicant will subsequently apply for a State-Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

65-00881B: Innovative Carbide, LLC (11040 Parker Drive, Irwin, PA 15642). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval 65-00881B to allow the construction and initial temporary operation of the following air contamination sources and air cleaning devices: Four (4) vertical mixing mills; Eight (8) vacuum dryers; Eight (8) Chilled Water Condensers; One (1) Torit/Donaldson DFO 2-4 3,600 cfm Cartridge Dust Collector; the authorization for operation of the following air contamination sources: One (1) cold cleaning machine (degreaser); Industrial Cleaning Solvent Activities; and the authorization for modification for the following air contamination sources and air cleaning devices: One (1) existing <= 3,600 cfm modified Cartridge Dust Collector; Four (4) existing vacuum dryers; four (4) existing chilled water condensers; One (1) existing insignificant heptane UST with vent; One (1) Powder Room Floor Scoop. An increase in the facility-wide VOC emission limit from 37 tpy to 49.9 tpy proposed and includes all existing and proposed sources. This Plan Approval is for the Irwin Plant located in North Huntingdon Township, **Westmoreland County**.

Potential to emit from the project is estimated to be approximately 4.0 tons of nitrogen oxides (NO_x), 3.0 tons

of carbon monoxide (CO), 6.0 tons of particulate matter less than 10 microns in diameter (PM₁₀), 6.0 tons of particulate matter less than 2.5 microns in diameter (PM_{2.5}), 0.5 ton of sulfur dioxide (SO₂), 49.9 tons of volatile organic compounds (VOC), and 6.0 tons of total metal hazardous air pollutants (Metal-HAPs). Best available technology (BAT) is a 3,600-cfm cartridge dust collector to control particulate matter emissions as well as chilled water condensers to control VOC emissions as well as proper maintenance and operation of both control technologies.

The authorization is subject to State regulations including 25 Pa. Code §§ 121.7, 123.1, 123.2, 123.13, 123.21, 123.31, 123.41—123.43, 127.1, 127.11, 127.12b, 129.14, 129.63, 129.63a, 135.3—135.5 and 139.11, as well as the conditions from the State Only Operating Permit SOOP-65-00881. This plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise or submit a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

The Plan Approval Application, the Department's Air Quality Review Memorandum, and the proposed Air Quality Plan Approval for this project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact the Department at 412-442-4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Laura Dickson, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222, email to ldickson@pa.gov, or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-63-00922D) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Mark R. Gorog, Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to mgorog@pa.gov.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

24-083AA: Mersen USA (215 Stackpole St., St. Marys, PA 15857) for the installation of a wet scrubber at their facility in the City of St. Marys, **Elk County**. This is a Title V facility.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 24-083AA to Mersen USA for the installation of a wet scrubber at their facility in the City of St. Marys, Elk County. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 24-083AA is for the installation of a wet scrubber as a replacement two existing wet scrubbers (Source IDs C501 and C1003), for control of SO_x emissions from nine (9) existing carbon baking kilns (Source IDs 145, 146, 147, 148, 402, 403, 403A, 1003, and 1004). Based on the information provided by the applicant and DEP's own analysis, emissions from the subject source(s) will not exceed 41.5 tons of sulfur oxides (SO_x) per year.

The Plan Approval will contain testing, monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following shown address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following shown address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 24-083AA and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

53-00004: Dominion Energy Transmission Inc. (120 Tredegar Street, Richmond, VA 23192) to issue a renewal Title V Operating Permit for their Harrison Transmission Station located in Harrison Township, **Potter County**. The facility is currently operating under Title V Operating Permit 53-00004. The facility's main sources include multiple natural-gas-fired heaters/boilers ranging from 0.10 MMBtu/hr to 25 MMBtu/hr, five 2,000 brake-horse-

power natural-gas-fired compressor engines, one 770 brake-horsepower natural-gas-fired engine, one 1,100 brake-horsepower natural-gas-fired engine, and various storage tanks. The facility has potential annual emissions of 424.41 tons of carbon monoxide, 1,168.94 tons of nitrogen oxides, 27.97 tons of sulfur oxides, 21.71 tons of particulate matter including particulate matter less than 10 microns in size, 21.71 tons of particulate matter less than 2.5 microns in size, 135.2 tons of volatile organic compounds, 4.91 tons of hazardous air pollutants, and 46,289 tons of greenhouse gases. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Part 60 Subpart Dc, 40 CFR Part 63 Subpart ZZZZ, 40 CFR Part 63 Subpart DDDDD, and 25 Pa. Code Article III, Chapters 121–145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00175: Hanson Aggregates BMC Inc. (7660 Imperial Way, Allentown, PA 18195) for renewal of a State-Only Operating Permit for a nonmetallic mineral processing plant in Wrightstown Township, **Bucks County**. This Operating Permit contains all applicable State and Federal regulations applicable to the facility including emission limitations, operating restrictions, work practice, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

09-00050: Hanson Aggregates BMC Inc. (7660 Imperial Way, Allentown, PA 18195) for renewal of a State-Only Operating Permit for a hot mix asphalt plant in Wrightstown Township, **Bucks County**. This Operating Permit contains all applicable State and Federal regulations applicable to the facility including emission limitations, operating restrictions, work practice, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

46-00144: US Department of Agriculture—Eastern Regional Research Center (“USDA”) (600 East Mermaid Lane, Wyndmoor, PA 19038) for the renewal of a Synthetic Minor Operating Permit in Springfield Township, **Montgomery County**. The initial operating permit was issued on March 18, 2004, and it was effective May 1, 2004. USDA's primary focus at this facility is the preservation of produce for longer periods of time before it becomes inedible. The primary sources of air emissions from the facility are boilers (Source IDs 032, 034, 035, and 036) and emergency generators (Source IDs 106 and 107). Previous Source 101 (Boilers 1 and 2), were replaced by Source IDs 035 (Boiler 5) and 036 (Boiler 6). The two new boilers are dual fuel-fired, each rated 9.0 MMBtu/hr,

each. Source 102 was renamed Source ID 032, to reflect that it is a combustion source. It is also a dual fuel-fired boiler. Source 034 is an existing dual fuel-fired boiler. Source IDs 032, 034, 035, and 036 will use natural gas as the primary fuel and No. 2 fuel oil only as backup. These units shall not be subject to 40 CFR Part 63, Subpart JJJJJ, based on 40 CFR 63.11195(e) and 63.11237. Sources 103 (HAZOP Boiler), 105 [Emergency Gen (2,000 kW)], and 200 (Cold Cleaning Parts Washers) were removed from the site. Applicable requirements from 40 CFR Part 60, Subpart JJJJ, have been incorporated for Source ID 106. Applicable requirements from 40 CFR Part 60, Subpart IIII, have been incorporated for Source ID 107. Potential emissions from the facility are less than the following emission rates: 2.0 tpy for VOCs, 1.0 tpy for HAP, 4.0 tpy for PM, 24.9 tpy for NO_x, 48.0 tpy for SO_x, and 11.0 tpy for CO. The permit contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

64-00017: Northeast PA Pet Cremation Services, Inc. (143 Gravity Road, Lake Ariel, PA 18436) for the operation of a pet crematory operation in Lake Township, **Wayne County**. The sources include one cremation unit. The emissions from the source are controlled by an afterburner. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-05107: Crown Cork and Seal Co., USA Inc. (1650 Broadway, Hanover, PA 17331) to issue a State Only Operating Permit for the metal food can manufacturing facility in Penn Township, **York County**. The actual emissions in 2019 were 17.77 tpy of VOC and 2.53 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.63 Degreasing Operations and 25 Pa. Code § 129.52 Surface Coating Processes.

01-05025: New Enterprise Stone & Lime Co., Inc. (1575 Baltimore Pike, Gettysburg, PA 17325) for the operation of a quarry and drum mix asphalt plant in Cumberland Township, **Adams County**. This is for renewal of the existing State-Only Permit. 2017 actual emissions from the facility were estimated at 5.22 tpy PM₁₀, 3.64 tpy NO_x, 8.60 tpy CO, 2.12 tpy VOC, and 3.84 tpy SO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

67-03031: Pennex Aluminum, Inc. (50 Community Street, Wellsville, PA 17365) to issue a State Only

Operating Permit for the operation of the secondary aluminum facility in Wellsville Borough, **York County**. The potential emissions from the facility are estimated at 31.54 tpy CO, 37.6 tpy NO_x, 9.97 tpy PM₁₀, 0.22 tpy SO₂, 2.06 tpy VOC, and 3.91 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart RRR—National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production and 40 CFR 63 Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories.

21-05068: Pennsylvania Department of Corrections (2500 Lisburn Road, Camp Hill, PA 17011) to issue a State Only Operating Permit for SCI Camp Hill located in Lower Allen Township, **Cumberland County**. The facility's 2018 actual air emissions were 6.10 tons of CO, 7.70 tons of NO_x, 0.20 ton of PM₁₀, 0.31 ton of VOC, 0.31 ton of SO₂, and 0.10 ton of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60 Subpart Dc for Small Industrial-Commercial-Institutional Steam Generating Units.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager; 570-327-3648.

59-00009: PA State System of Higher Education (115 Sherwood St., Mansfield, PA 16933) to issue a renewal State Only Operating Permit for the Mansfield University campus located in Mansfield Borough, **Tioga County**. The facility is currently operating under State Only Operating Permit 59-00009. The facility's main sources include three natural gas/No. 2 fuel oil-fired institutional boilers; twenty-three emergency generator engines; various smaller boilers, water heaters and furnaces; two No. 2 fuel oil storage tanks. The facility has potential emissions of 40.07 TPY of CO; 48.29 TPY of NO_x; 0.82 TPY of SO_x; 3.60 TPY of PM/PM₁₀; 2.58 TPY of VOCs; 0.93 TPY of combined hazardous air pollutants; 54,612 TPY GHGs. All generator engines are subject to 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. Seven of the generator engines are additionally subject to 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engine. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief; (814) 332-6940.

03-00238: Curran-Shaffer Funeral Home and Crematory, Inc./Apollo (100 Owen View Avenue, Apollo, PA 15613). The Department intends to issue a Natural Minor State Only Operating Permit for the operation of a natural gas incinerator located in Kiskiminetas Township, **Armstrong County**. The subject facility consists of one 100 lb/hr human crematory incinerator, Power-Pak II natural gas-fired rated at 700 MBtu/hr primary chamber and 1.4 MMBtu/hr secondary chamber. The potential emissions are 1.5 tpy NO_x and less than 0.5 tpy for all other criteria pollutants. The facility is subject to State Regulations. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00337: Custom Engineering Co. (2800 McClelland Avenue, Erie, PA 16510-2544). The Department intends to issue the renewal of the State-Only Operating Permit of a metal fabrication and machining facility located in Erie City, **Erie County**. Permitted air contamination sources at the facility are two paint booths, burntables for torch cutting, dry abrasive blasting operations, machining operations, welding operations, a spray gun cleaning system, rust inhibitor application, and natural gas-fired combustion sources. The facility is subject to a VOC restriction of 8.2 TPY, on a 12-month rolling basis, established through a plan approval. In this renewal, major permit change is the incorporation of 25 Pa. Code § 129.52d, which may potentially replace 25 Pa. Code § 129.52, for the facility's metal parts surface coating operations. For permitting purposes, the facility is Natural Minor.

32-00182: Peoples Gas Company LLC Fisher Station (375 N. Shore Drive, Suite 600, Pittsburgh, PA 15212). The Department intends to issue a State Only Operating Permit for compression and transfer of natural gas located in Redbank Township, **Armstrong County**. The subject facility consists of two natural gas compressor engines (1-600 hp and 1-66 hp). The reported 2019 Annual Emission Summary (TPY) for the Fisher Station is: 4.84 CO, 7.23 NO_x, 6.69 VOC, 1.05 HAPs, 0.12 PM, 0.007 SO_x, 182.8 Methane, and 1,461.38 Carbon Dioxide. The facility is a natural minor and is subject to State Regulations and Federal Regulations (40 CFR Part 63 ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00273: DBA Select Metal Litho Greenville (242 Reynolds Industrial Park Dr., Greenville, PA 16125-8216). The Department is providing notice that they intend to issue a renewal State Only Operating Permit for the manufacturing facility located in Pymatuning Township, **Mercer County**. The facility conducts surface coating of metal sheets that are eventually used to form metal cans and decorative tins. The facility has two print lines and one coater line. The potential emissions of the primary pollutants from the facility are as follows: PM₁₀ and PM_{2.5}: 0.28 TPY, NO_x: 9.22 TPY, SO_x: 0.06 TPY, CO: 7.75 TPY, and VOC: 49.50 TPY; thus, the facility is a natural minor. The facility is also operating under Plan Approval 43-273A for the construction of a new coating line and a regenerative thermal oxidizer that controls emissions from this new coating line, the existing coating

line, and both print lines. This plan approval also established VOC limits for each individual source as well as the entire facility (49.5 tons per year). Upon completion of plan approval terms, the requirements will be incorporated into the operating permit via amendment. The operating permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Assai Energy LLC** (500 Technology Drive, 2nd Floor, Canonsburg, PA 15317) for their facility located in Throop Borough, **Lackawanna County**. This **Plan Approval No. 35-00078A** will be incorporated into a State Only Permit through an administrative amendment at a later date.

Assai Energy LLC is proposing a high BTU RNG processing facility designed to process up to 20,000 SCFM of landfill gas. The plant is being designed and controlled by a high efficient thermal oxidizer (TO_x) unit that will be used to process the tail gas to destroy VOCs and HAPs. The landfills current flares will be utilized if needed.

The Department's review of the information submitted by Assai Energy LLC indicates that the proposed operation will meet all applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants, including the BAT requirements. The company shall comply with 123.31 for malodorous emissions. The company shall comply with 123.13 for particulate emissions. The company shall comply with 123.41 for visible emissions. VOC emissions from the plant will remain under 50 TPY threshold limit, 12-month rolling sum. Total HAP emissions from the facility will be under 25 TPY, 12-month rolling sum. Single HAP emissions will be under 10 TPY, 12-month rolling sum.

The Plan approval and Operating Permit will include testing, monitoring, recordkeeping, and reporting requirements designed to keep the sources operating within all applicable air quality requirements. For further details, contact Ray Kempa at (570) 826-2511 within 30 days after publication date.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding para-

graph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 35-00078A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone 570-826-2511 within 30 days after publication date.

35-00042A: Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Pennsylvania American Water Company** (852 Wesley Drive, Mechanicsburg, PA 17055) for their facility located in Scranton City, **Lackawanna County**. This **Plan Approval No. 35-00042A** will be incorporated into a State Only Operating Permit through an administrative amendment at a later date.

Plan Approval No. 35-00042A is for the replacement of odor scrubber operating at the facility to control hydrogen sulfide emissions from the existing sludge processing equipment. This facility is a Non-Title V facility. Hydrogen Sulfide (H_2S) emissions generated during operations will be controlled by a packed tower scrubber capable of removing 99% of hydrogen sulfide before discharging into atmosphere. Estimated hydrogen sulfide emissions will be less than 0.09 ton/year. The use of wet packed tower scrubber capable of removing 99% of emissions meets Department's BAT criteria for this type of process. The company will operate the sources and maintain the system in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 35-00042A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing

by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Engineer Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or

local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

| Parameter | 30-Day Average | Daily Maximum | Instantaneous Maximum |
|-------------------|------------------|---------------------------------|-----------------------|
| Iron (total) | 1.5 to 3.0 mg/l | 3.0 to 6.0 mg/l | 3.5 to 7.0 mg/l |
| Manganese (total) | 1.0 to 2.0 mg/l | 2.0 to 4.0 mg/l | 2.5 to 5.0 mg/l |
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Aluminum (Total) | 0.75 to 2.0 mg/l | 1.5 to 4.0 mg/l | 2.0 to 5.0 mg/l |
| pH ¹ | | greater than 6.0; less than 9.0 | |

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

17110107. Bell Resources, Inc., 1340 Hoyt Road, Curwensville, PA 16833, permit revision to add auger mining and contractor to a bituminous surface mine in Bloom, Brady, and Penn Townships, **Clearfield County** affecting 76.2 acres. Receiving streams: Unnamed Tributaries to Bell Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: May 22, 2020.

17840126 and NPDES PA0609781. P & N Coal Company, Inc., P.O. Box 332, Punxsutawney, PA 15767, permit renewal for continued operation and restoration of a bituminous surface coal and auger mine located in Jordan Township, **Clearfield County** affecting 341.7 acres. Receiving stream(s): Tributary to Comfort Run and Comfort Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: May 26, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 49803202R7. Reading Anthracite Company (P.O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite coal refuse reprocessing and coal refuse disposal operation in Zerbe Township, **Northumberland County** affecting 45.0 acres. Receiving stream: Zerbe Run. Application received: June 1, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

| <i>Parameter</i> | <i>30-day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|--------------------------------------|---------------------------|---------------------------------|----------------------------------|
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Alkalinity exceeding acidity* pH* | | greater than 6.0; less than 9.0 | |

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).

SMP 3374SM58 and NPDES PA0591688. Coolspring Mining, Inc., P.O. Box 1328, Uniontown, PA 15401. Renewal application for continued mining of an existing large noncoal surface mine, located in North Union Township, **Fayette County**, affecting 148.6 acres. Receiving streams: unnamed tributaries to Coolspring Run and Coolspring Run, classified for the following use: WWF. There is no potable water supply within 10 miles downstream from the point of discharge. Renewal application received: April 30, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|-------------------|---------------------------|---------------------------------|----------------------------------|
| Iron (Total) | 3.0 mg/l | 6.0 mg/l | 7.0 mg/l |
| Manganese (Total) | 2.0 mg/l | 4.0 mg/l | 5.0 mg/l |
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| pH* | | greater than 6.0; less than 9.0 | |

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, 724.769.1100, (Contact: Bonnie Herbert).

NPDES No. PA0235849 (Mining Permit No. 32753702), Homer City Generation, LP, 1750 Power Plant Road, Homer City, PA 15748-9558, a renewal to the NPDES and mining activity permit for coal refuse disposal activities and a revision to the NPDES and CMAP to remove Outfalls 002—005 for Homer City Coal Refuse Disposal Facility in Center Township, **Indiana County**, affecting 389 surface acres. Receiving stream(s): Unnamed Tributary to Unnamed Tributary 44084 to Cherry Run classified for the following use: CWF; Unnamed Tributary 44084 to Cherry Run classified for the following use: CWF; and Cherry Run classified for the following use: CWF. Kiskiminetas—Conemaugh River Watershed TMDL. The application was considered administratively complete: May 17, 2019. The application was received: April 17, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Unnamed Tributary to Unnamed Tributary 44084 to Cherry Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 32' 0" Long: 79° 11' 16") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to September 30, 2024:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Cadmium | (ug/l) | - | - | - | Report |
| Nickel | (ug/l) | - | - | - | Report |
| Zinc | (ug/l) | - | - | - | Report |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | | 335 | 670 | 838 |

Outfall 001 discharges to: Unnamed Tributary to Unnamed Tributary 44084 to Cherry Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 32' 0" Long: 79° 11' 16") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from October 1, 2024 to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Cadmium | (ug/l) | - | 0.25 | 0.5 | 0.625 |
| Nickel | (ug/l) | - | 52 | 104 | 130 |
| Zinc | (ug/l) | - | 120 | 120 | 120 |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | 50 | 50 | 50 |

Outfall 002 discharges to: Unnamed Tributary 44081 to Cherry Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 31' 30" Long: 79° 11' 40") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to September 30, 2024:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | - | - | Report |
| Suspended Solids | (mg/l) | - | - | - | Report |
| Manganese | (mg/l) | - | - | - | Report |
| Aluminum | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Arsenic | (ug/l) | - | - | - | Report |
| Cadmium | (ug/l) | - | - | - | Report |
| Copper | (ug/l) | - | - | - | Report |
| Mercury | (ug/l) | - | - | - | Report |
| Nickel | (ug/l) | - | - | - | Report |
| Thallium | (ug/l) | - | - | - | Report |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |

Outfall 002 discharges to: Unnamed Tributary 44081 to Cherry Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 31' 30" Long: -79° 11' 40") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from October 1, 2024 to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|------------------------|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Bromide | (mg/l) | - | - | - | Report |
| Arsenic | (ug/l) | - | 30.3 | 60.6 | 75.75 |
| Cadmium | (ug/l) | - | 0.76 | 1.51 | 1.9 |
| Copper | (ug/l) | - | 27.24 | 54.5 | 68.1 |
| Mercury | (ug/l) | - | 0.15 | 0.3 | 0.375 |
| Nickel | (ug/l) | - | 157.4 | 314.8 | 393.5 |
| Thallium | (ug/l) | - | 0.73 | 1.46 | 1.83 |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | 54.4 | 109 | 109 |

Outfall 003 discharges to: Cherry Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 31' 24" Long: -79° 11' 01") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to September 30, 2024:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | - | - | Report |
| Suspended Solids | (mg/l) | - | - | - | Report |
| Manganese | (mg/l) | - | - | - | Report |
| Aluminum | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Arsenic | (ug/l) | - | - | - | Report |
| Cadmium | (ug/l) | - | - | - | Report |
| Copper | (ug/l) | - | - | - | Report |
| Thallium | (ug/l) | - | - | - | Report |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |

Outfall 003 discharges to: Cherry Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 31' 24" Long: -79° 11' 01") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from October 1, 2024 to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Arsenic | (ug/l) | - | - | - | Report |
| Cadmium | (ug/l) | - | 6.65 | 13.3 | 16.6 |
| Copper | (ug/l) | - | - | - | Report |
| Thallium | (ug/l) | - | 6.39 | 12.8 | 16.0 |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |

Outfall 004 discharges to: Unnamed Tributary 44081 to Cherry Run

The proposed effluent limits for *Outfall 004* (Lat: 40° 31' 1" Long: -79° 11' 12") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to September 30, 2024:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | - | - | Report |
| Suspended Solids | (mg/l) | - | - | - | Report |
| Manganese | (mg/l) | - | - | - | Report |
| Aluminum | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Arsenic | (ug/l) | - | - | - | Report |
| Cadmium | (ug/l) | - | - | - | Report |
| Copper | (ug/l) | - | - | - | Report |
| Mercury | (ug/l) | - | - | - | Report |
| Nickel | (ug/l) | - | - | - | Report |
| Thallium | (ug/l) | - | - | - | Report |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |

Outfall 004 discharges to: Unnamed Tributary 44081 to Cherry Run

The proposed effluent limits for *Outfall 004* (Lat: 40° 31' 19" Long: -79° 11' 12") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from October 1, 2024 to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Suspended Solids | (mg/l) | - | - | - | Report |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Arsenic | (ug/l) | - | 22.18 | 44.35 | 55.5 |
| Cadmium | (ug/l) | - | 0.55 | 1.1 | 1.38 |
| Copper | (ug/l) | - | 20.0 | 40.0 | 50.0 |
| Mercury | (ug/l) | - | 0.11 | 0.22 | 0.275 |
| Nickel | (ug/l) | - | 115.3 | 130.6 | 288.3 |
| Thallium | (ug/l) | - | 0.53 | 1.06 | 1.33 |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | 50 | 62.2 | 62.2 |

Outfall 005 discharges to: Unnamed Tributary 44081 to Cherry Run

The proposed effluent limits for *Outfall 005* (Lat: 40° 31' 20" Long: -79° 11' 10") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to September 30, 2024:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|------------------|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | - | - | Report |
| Suspended Solids | (mg/l) | - | - | - | Report |
| Manganese | (mg/l) | - | - | - | Report |
| Aluminum | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Arsenic | (ug/l) | - | - | - | Report |
| Cadmium | (ug/l) | - | - | - | Report |
| Copper | (ug/l) | - | - | - | Report |
| Mercury | (ug/l) | - | - | - | Report |
| Nickel | (ug/l) | - | - | - | Report |
| Thallium | (ug/l) | - | - | - | Report |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |

Outfall 005 discharges to: Unnamed Tributary 44081 to Cherry Run

The proposed effluent limits for *Outfall 005* (Lat: 40° 31' 20" Long: -79° 11' 10") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from October 1, 2024 to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Suspended Solids | (mg/l) | - | - | - | Report |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| Bromide | (mg/l) | - | - | - | Report |
| Arsenic | (ug/l) | - | 22.18 | 44.35 | 55.5 |
| Cadmium | (ug/l) | - | 0.55 | 1.1 | 1.38 |
| Copper | (ug/l) | - | 20.0 | 40.0 | 50.0 |
| Mercury | (ug/l) | - | 0.11 | 0.22 | 0.275 |
| Nickel | (ug/l) | - | 115.3 | 130.6 | 288.3 |
| Thallium | (ug/l) | - | 0.53 | 1.06 | 1.33 |
| pH | (S.U.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | 50 | 62.2 | 62.2 |

The EPA waiver is not in effect (Kiskiminetas-Conemaugh River Watershed TMDL).

NPDES No. PA0235784 (Mining Permit No. 17071301), Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a renewal to the NPDES and mining activity permit for Harmony Mine in Burnside Township, **Clearfield County**, affecting 3,645 surface acres and 54.7 underground acres. Receiving stream(s): Unnamed Tributary to Spring Run classified for the following use: CWF and Spring Run classified for the following use: CWF. Chest Creek Sediment TMDL. The application was considered administratively complete: February 7, 2019. The application was received: May 29, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 003 discharges to: Unnamed Tributary to Spring Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 46' 42.2" Long: 78° 42' 48.3") are:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|------------------------|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | 3.02 |
| Iron | (mg/l) | - | 1.5 | 2.4 | 3.8 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| Manganese | (mg/l) | - | 1.0 | 1.6 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| pH | (s.u.) | 6.0 | - | - | 9.0 |

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |

Outfall 001 discharges to: Spring Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 46' 43.2" Long: 78° 42' 33.5") are:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 3.0 | 6.0 | 7.0 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| Manganese | (mg/l) | - | 2.0 | 4.0 | 5.0 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |

Outfall 002 discharges to: Unnamed Tributary to Spring Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 46' 39.4" Long: 78° 42' 49.7") are:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 3.0 | 6.0 | 7.0 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| Manganese | (mg/l) | - | 2.0 | 4.0 | 5.0 |
| Aluminum | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | Report |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |

EPA waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Melanie Wigfield).

NPDES No. PA0121533 (Mining Permit No. 11803038), Cooney Bros. Coal Company, P.O. Box 246, Cresson, PA 16630, renewal of an NPDES permit for surface mining activities in Adams and Ogle Township, **Cambria and Somerset Counties**, affecting 1,589.8 acres. Receiving stream(s): Paint Creek and Unnamed Tributaries to/and Babcock Creek, classified for the following use(s): Cold Water Fishes (CWF). This receiving stream is included in the Kiski-Conemaugh River TMDL. Application received: April 13, 2020.

The following outfalls discharge to Babcock and Paint Creek:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|----------------------|--------------------------|
| 042 (Sediment Pond) | N |
| 014 (Treatment Pond) | N |
| 045 (Treatment Pond) | N |
| 046 (Treatment Pond) | N |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Outfalls: (All Weather Conditions) Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l) | 3.0 | 6.0 | 7.0 |
| Manganese (mg/l) | 2.0 | 4.0 | 5.0 |
| Aluminum (mg/l) | 1.2 | 2.4 | 3.0 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |

pH (S.U.): Must be between 6.0 and 10.5 standard units at all times.

Alkalinity must exceed acidity at all times.

NPDES No. PA0213012 (Mining Permit No. 56950101), Heritage Coal & Natural Resources, LLC, 550 Beagle Road, Rockwood, PA 15557 renewal of an NPDES permit for bituminous surface mining activities in Brothersvalley Township, **Somerset County**, affecting 106.5 acres. Receiving stream(s): Unnamed Tributary to/and Piney Run, classified for the following use(s): Cold Water Fishes (CWF). This receiving stream is included in the Casselman River TMDL. Application received: April 15, 2020.

The following outfall discharges to Unnamed Tributary to Piney Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|----------------------|--------------------------|
| 001 (Treatment Pond) | N |

The proposed effluent limits for the previously listed outfall are as follows:

| <i>Outfalls: (All Weather Conditions)</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|---|---------------------------------|--------------------------------|-----------------------------------|
| Iron (mg/l) | 3.0 | 6.0 | 7.0 |
| Manganese (mg/l) | 2.0 | 4.0 | 5.0 |
| Aluminum (mg/l) | 0.75 | 0.75 | 0.75 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |

pH (S.U.): Must be between 6.0 and 10.0 standard units at all times.

Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

NPDES No. PA0257206 (Mining Permit No. 08090304), M.R. Dirt, Incorporated, 21186 Route 187, Towanda, PA 18848, renewal of an NPDES permit for Industrial Minerals Surface Mining in Wysox Township, **Bradford County**, affecting 42.0 acres. Receiving stream(s): unnamed tributary to Wysox Creek, classified for the following use(s): CWF. Application received: January 6, 2020.

The following outfalls discharge to an unnamed tributary to Wysox Creek:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | <i>Type</i> |
|---------------------|--------------------------|-------------|
| 001 (SPA) | N | SWO |
| 002 (SPB) | N | SWO |
| 003 (SPC) | Y | SWO |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Outfalls: 001, 002, & 003</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|--|---------------------------------|--------------------------------|-----------------------------------|
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| Flow (gpm or MGD) | Monitor Only | | |

pH (S.U.): Must be between 6.0 and 9.0 standard units.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570.621.3118, (Contact: Theresa Flannery).

NPDES Permit No. PA0043901 on Surface Mining Permit No. 7973SM2. Hanson Aggregates BMC, Inc. (7660 Imperial Way, Allentown, PA 18195), renewal of an NPDES Permit for an Argillite Quarry operation in Wrightstown Township, **Bucks County**, affecting 154.9 acres. Receiving stream: unnamed tributary to Neshaminy Creek (TMDL for TSS/siltation), classified for the following uses: trout stock fishes and migratory fishes. Application received: September 1, 2017.

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | <i>Type</i> |
|---------------------|--------------------------|-------------------------------|
| 001 | No | E&S (non-process stormwater) |
| 002A | No | MDT (non-process groundwater) |
| 002B | No | E&S (non-process stormwater) |
| 005 | No | MDT (non-process groundwater) |

The proposed effluent limits for all outfalls in this following listed permit are:

| <i>Outfalls: 001 & 002B Dry Weather Parameters</i> <i>Parameter</i> | <i>Minimum</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instantaneous</i> <i>Maximum</i> |
|--|----------------|---------------------------------|--------------------------------|--|
| pH ¹ (S.U.) | 6.0 | | | 9.0 |
| Total Suspended Solids (mg/l) | | 35.0 | 70.0 | 90.0 |
| Net Alkalinity (mg/l) | 0.0 | — | — | — |
| Total Acidity (as CaCO ₃) (mg/l) | — | — | — | Report |
| Total Alkalinity (as CaCO ₃) (mg/l) | — | — | — | Report |
| Total Dissolved Solids (mg/l) | — | — | — | Report |
| Total Sulfate (mg/l) | — | — | — | Report |
| Total & Grease (mg/l) | — | — | — | Report |
| <i>Outfalls: 001 & 002B Precipitation Event</i> <i>Parameter</i> | <i>Minimum</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instantaneous</i> <i>Maximum</i> |
| pH ¹ (S.U.) | 6.0 | | | 9.0 |
| Total Settleable Solids (mg/l) | | — | — | 0.5 |

Outfalls: 001 & 002B Precipitation Event
Parameter

| <i>Parameter</i> | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|---|----------------|-----------------------|----------------------|------------------------------|
| Net Alkalinity (mg/l) | 0.0 | — | — | — |
| Total Acidity (as CaCO ₃) (mg/l) | — | — | — | Report |
| Total Alkalinity (as CaCO ₃) (mg/l) | — | — | — | Report |
| Total Dissolved Solids (mg/l) | — | — | — | Report |
| Total Sulfate (mg/l) | — | — | — | Report |
| Total Oil & Grease (mg/l) | — | — | — | Report |

Outfall: 002A

| <i>Parameter</i> | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|---|----------------|-----------------------|----------------------|------------------------------|
| pH ¹ (S.U.) | 6.0 | — | — | 9.0 |
| *Total Suspended Solids (mg/l) | — | 10.0 | 20.0 | 25.0 |
| Flow (MGD) | — | 1.935 | 17.926 | — |
| Net Alkalinity (mg/l) | 0.0 | — | — | — |
| Total Acidity (as CaCO ₃) (mg/l) | — | — | — | Report |
| Total Alkalinity (as CaCO ₃) (mg/l) | — | — | — | Report |
| Total Dissolved Solids (mg/l) | — | — | — | Report |
| Total Sulfate (mg/l) | — | — | — | Report |
| Total Oil & Grease (mg/l) | — | — | — | Report |

*TSS Maximum monthly loading is 2,456 lb/mo.

Outfall: 005

| <i>Parameter</i> | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|---|----------------|-----------------------|----------------------|------------------------------|
| pH ¹ (S.U.) | 6.0 | — | — | 9.0 |
| Total Suspended Solids (mg/l) | — | 35.0 | 70.0 | 90.0 |
| Flow (MGD) | — | 0.08 | 1.973 | — |
| Net Alkalinity (mg/l) | 0.0 | — | — | — |
| Total Acidity (as CaCO ₃) (mg/l) | — | — | — | Report |
| Total Alkalinity (as CaCO ₃) (mg/l) | — | — | — | Report |
| Total Dissolved Solids (mg/l) | — | — | — | Report |
| Total Sulfate (mg/l) | — | — | — | Report |
| Total Oil & Grease (mg/l) | — | — | — | Report |

¹ This parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request

are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E2301220-023, Southeastern Pennsylvania Transportation Authority (SEPTA), 1234 Market Street, Philadelphia, PA 19107, Middletown Township and Chester Heights Borough, Delaware County, ACOE Philadelphia District.

To amend the existing permit E23-541 to include the rehabilitation and maintenance of the eroded bank stabilization, approximate length 506 feet, width from 13 feet to 51 feet, and thickness from 7 to 10 feet, along the floodway of the Chester Creek (TSF-MF) associated with the SEPTA Elwyn to Wawa Service Restoration Project.

The erosion protection will include installation of geotextile layer, coarse aggregate, and R-7 riprap.

The site is located at the SEPTA R3 track between Elwyn and Wawa (USGS Media, PA Quadrangle Latitude 39.900074; Longitude -75.458131) in Middletown Township and Chester Heights Borough, Delaware County.

Permit No. E4601220-031, Towamencin Township, P.O. Box 303, Kulpsville, PA 19443, Towamencin Township, **Montgomery County,** ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with the Fischer's Park Proposed Pedestrian Bridge. The proposed project involves the installation of a pedestrian bridge over Towamencin Creek (TSF). The project proposes 256 sq. feet permanent stream impacts and 256 sq. feet temporary stream impacts and 2,400 SF of temporary floodway impact. There are no impacts in wetlands.

The site is approximately located at the intersection of Skippack Pike and Bustard Road in Cedars (Lansdale, PA Lat. 40° 13' 46"; Long. -75° 21' 28") in Towamencin Township, Montgomery County.

Permit No. E4601220-030, Cheltenham Township, 8230 Old York Road, Elkins Park, PA 19027, Cheltenham Township, **Montgomery County,** ACOE Philadelphia District.

Cheltenham Township is proposing to construct and maintain a new 130-foot long, 10-foot wide weathered steel, prefabricated pedestrian bridge on concrete abutments associated with the Tookany Creek Trail, Phase III Project. The proposed bridge low chord will be situated above the 100-year flood elevation and will result in 10 linear feet (400 square feet, 0.01 acre) of permanent stream impact. Also included with this project are permanent floodway and floodplain impact.

This project is located west of the New 2nd Street and Tookany Creek Drive intersection within a previously cleared area of the sewer improvement project in Cheltenham Township, Montgomery County (USGS PA Frankford Quadrangle—Latitude 40.068247 N, Longitude 75.117822 W).

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E2803220-001. Borough of Waynesboro, 55 East Main Street, Waynesboro, PA 17268 in Washington Township, **Franklin County,** U.S. Army Corps of Engineers Baltimore District.

To (1) install and maintain at grade 5.0 feet wide, 970.0 feet long, asphalt recreational trail (Blue Heron Trail) impacting 4,850.0 square feet of East Branch Antietam Creek (CWF, MF) floodway, and (2) construct, install and maintain a 12.0 foot long, 18.0 inch diameter culvert extension embedded 6.0 inches into the streambed of the Unnamed Tributary to East Branch Antietam Creek (CWF, MF) permanently impacting 144.0 square feet, all for the purpose of providing improvement to trails for the Renfrew Museum and Park and Otterbein Church Recreational Park. No wetland impacts proposed. The project is located near Welty Road (Smithsburg, PA Quad, Latitude: 39.74103, Longitude: -77.56573) in Washington Township, Franklin County.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E2506220-022, YMCA Camp Fitch, 12600 Abels Road, North Springfield, PA 16430. Camp Fitch Outfalls, in Springfield Township, **Erie County,** ACOE Pittsburgh

District (Fairview SW, PA Quadrangle N: 42°, 0', 10.2571"; W: -80°, 25', 49.3836").

As part of a larger upgrade project to Camp Fitch facilities, the Applicant proposes to install, operate, and maintain a 30-inch diameter, corrugated plastic pipe, stormwater outfall with a precast concrete headwall along the streambank of Crooked Creek (HQ-CWF, MF) and to install, operate, and maintain a 15-inch diameter, corrugated plastic pipe, stormwater outfall with a precast concrete headwall along the streambank of an unnamed tributary to Crooked Creek (HQ-CWF, MF) all at a point approximately 500 feet east of the Abels Road and Holiday Road intersection in Springfield Township, Erie County.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. E5829220-022, Williams Field Services Company, LLC, 30351 Route 6, Wysox, PA 18854, Natural Gas Pipelines. Bridgewater and Dimock Townships, **Susquehanna County;** ACOE, Baltimore Office.

To construct, operate, and maintain:

1) a 16-inch diameter permanent natural gas pipeline and temporary timber mat bridge crossing impacting 8,848 sq. ft. (0.20 acre) of an unnamed tributary to White Creek (CWF, MF) (Montrose West, PA Quadrangle; Latitude: 41° 46' 06", Longitude: -75° 54' 39"),

2) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 21,028 sq. ft. (0.48 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 46' 51", Longitude: -75° 54' 25"),

3) a temporary timber mat bridge crossing impacting 6,725 sq. ft. (0.15 acre) of an unnamed tributary to Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Latitude: 41° 46' 49", Longitude: -75° 53' 52"),

4) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 36,519 sq. ft. (0.84 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 46' 50", Longitude: -75° 53' 47"),

5) a temporary timber mat bridge crossing impacting 840 sq. ft. (0.02 acre) of an unnamed tributary to Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Latitude: 41° 46' 49", Longitude: -75° 53' 52"),

6) a temporary timber mat bridge crossing impacting 592 sq. ft. (0.01 acre) of an unnamed tributary to Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Latitude: 41° 46' 49", Longitude: -75° 53' 52"),

7) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 3,465 sq. ft. (0.08 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 46' 52", Longitude: -75° 53' 40"),

8) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 2,897 sq. ft. (0.07 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 46' 53", Longitude: -75° 53' 39"),

9) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 8,680 sq. ft. (0.20 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 46' 54", Longitude: -75° 53' 38"),

10) a 16-inch diameter permanent natural gas pipeline and temporary timber mat bridge crossing impacting 68 lf. (0.17 acre) of an unnamed tributary to Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Latitude: 41° 46' 54", Longitude: -75° 53' 39"),

11) a temporary timber mat bridge crossing impacting 850 sq. ft. (0.02 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 46' 56", Longitude: -75° 53' 38"),

12) a 16-inch diameter permanent natural gas pipeline and temporary timber mat bridge crossing impacting 86 lf. (0.21 acre) of an unnamed tributary to Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Latitude: 41° 47' 00", Longitude: -75° 53' 33"),

13) a 16-inch diameter permanent natural gas pipeline and temporary timber mat bridge crossing impacting 3,149 sq. ft. (0.07 acre) of an unnamed tributary to Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Latitude: 41° 47' 00", Longitude: -75° 53' 32"),

14) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 3,479 sq. ft. (0.08 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 47' 01", Longitude: -75° 53' 27"),

15) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 14,717 sq. ft. (0.34 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 47' 03", Longitude: -75° 53' 28"),

16) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 1,572 sq. ft. (0.04 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 47' 10", Longitude: -75° 52' 57"),

17) a 16-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 666 sq. ft. (0.02 acre) of a Palustrine Emergent Wetland (PEM) (Montrose West, PA Quadrangle; Latitude: 41° 47' 11", Longitude: -75° 52' 52").

The project consists of installing 245 lineal feet of 12-inch natural gas pipeline and 17,454 lineal feet of 16-inch natural gas pipeline in Bridgewater and Dimock Townships, Susquehanna County. The project will result in 236 lineal feet of stream impacts and 97,023 square feet (2.23 acres) of impacts to a Palustrine Emergent Wetland (PEM) for the purpose of providing safe and reliable transportation of Marcellus Shale natural gas for distribution.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA6703220-021. York County Conservation District, 118 Pleasant Acres Road, York, PA 17042 in Manheim and Codorus Townships, **York County, U.S. Army Corps of Engineers Baltimore District.**

The applicant proposes to restore and maintain 614 linear feet of West Branch Codorus Creek (TSF, MF) and 294 linear feet of an unnamed tributary to West Branch Codorus Creek (TSF, MF) by use of minor channel realignment, constructed riffles, bioengineered stream banks, toe wood and log vanes, all for the purpose of restoring an entrenched stream section with unstable banks. The project is located at the White Rose Motorcycle Club in Manheim and Codorus Townships, York County (Latitude: 39° 48' 1.16", Longitude: -76° 51' 41.52").

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or Amendment |
| Section III | WQM | Industrial, Sewage or Animal Wastes; Discharges to Groundwater |
| Section IV | NPDES | MS4 Individual Permit |
| Section V | NPDES | MS4 Permit Waiver |
| Section VI | NPDES | Individual Permit Stormwater Construction |
| Section VII | NPDES | NOI for Coverage under NPDES General Permits |

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to

Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N</i> |
|-----------------------------|---|--------------------------------------|--|---------------------------|
| PA0036102 (Sewage) | Heidelberg Heights P.O. Box 3348 Allentown, PA 18106-0348 | Lehigh County Heidelberg Township | Unnamed Tributary to Mill Creek (CWF, MF) (2-C) | Yes |

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N</i> |
|--------------------------------------|--|--|--|---------------------------|
| PA0267040 (Sewage) Issued | Gray Fox Inn 2142 South Galen Hall Road Reinholds, PA 17569 | Berks County South Heidelberg Township | Unnamed Tributary to Little Cocalico Creek (TSF, MF) in Watershed(s) 7-J | Yes |
| PA0081604 (Sewage) Issued | ADSCO Landfill 174 Cranberry Rd. Aspers, PA 17304 | Adams County Tyrone Township | Unnamed Tributary to Opossum Creek (TSF, MF) in Watershed(s) 07-F | Yes |
| PA0032964 (Sewage) Issued | Cowans Gap State Park 6235 Aughwick Road Fort Loudon, PA 17224-9603 | Fulton County Todd Township | South Branch Little Aughwick Creek (HQ-CWF) in Watershed(s) 12-C | Yes |
| PA0080349 (Sewage) Issued | Chesapeake Estates of Thomasville LP 575 Kohler School Road New Oxford, PA 17350-9490 | York County Jackson Township | Little Conewago Creek (TSF, MF) in Watershed(s) 7-F | Yes |
| PA0263591 (CAFO) Issued | Apple Shamrock Dairy 32821 Guys Mills Road Townville, PA 16360-3009 | Crawford County Steuben Township | Unnamed Tributary to Muddy Creek (HQ-CWF) and Unnamed Tributary of Muddy Creek (HQ-CWF) in Watershed(s) 16-A | Yes |
| PAS703502 (Storm Water) Issued | Mifflin County Airport P.O. Box 461 547 Airport Road Reedsville, PA 17084-0461 | Mifflin County Brown Township | Unnamed Tributary of Kishacoquillas Creek (HQ-CWF, MF) (12-A) | Yes |
| PA0087891 (Storm Water) Issued | Growmark FS LLC P.O. Box 2500 1701 Towanda Avenue Bloomington, IL 61702-2500 | Adams County Latimore Township | Unnamed Tributary to Mud Run (WWF, MF) (7-F) | Yes |

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N</i> |
|-----------------------------|---|--------------------------------------|--|---------------------------|
| PA0097811 (Sewage) | Dry Tavern Sewer Authority STP 859 N. Eighty-Eight Road Rices Landing, PA 15357 | Greene County Jefferson Township | Unnamed Tributary to Pumpkin Run (WWF) (19-B) | Yes |

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N</i> |
|-----------------------------|--|--------------------------------------|---|---------------------------|
| PA0205061 (Sewage) | Raccoon Elementary School STP 3949 Patterson Road Aliquippa, PA 15001-1044 | Beaver County Raccoon Township | Unnamed Tributary to Gums Run (WWF) (20-D) | Yes |
| PA0254151 (Industrial) | Sprague Energy Bridge Street Blk Plant 1045 W Chestnut Street Washington, PA 15301-4136 | Washington County Washington City | Catfish Creek (WWF) (20-F) | Yes |

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|---|---|--|----------------------------|
| PA0032531 (Sewage) | Moraine State Park 225 Pleasant Valley Road Portersville, PA 16051-9650 | Butler County Muddycreek Township | Muddy Creek (WWF) (20-C) | Yes |
| PA0240214 (Sewage) | Wen-Li Wang SRSTP 225 Oak Tree Court Erie, PA 16511 | Erie County Harborcreek Township | Eightmile Creek (CWF, MF) (15-A) | Yes |
| PA0104141 (Sewage) | Jay Township Weedville STP P.O. Box 186 81 E Teaberry Street Weedville, PA 15868-0186 | Elk County Jay Township | Bennett Branch (WWF) (8-A) | Yes |

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit PA0245151, Industrial, **The Devereux Foundation**, 160 Devereux Road, Villanova, PA 19343.

This proposed facility is located in Wallace Township, **Chester County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated groundwater.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

NPDES Permit No. PA0267058, CAFO, SIC Code 0213, **Clark Oberholtzer**, 433 Black Barren Road, Peach Bottom, PA 17563-9771.

This proposed facility is located in Fulton Township, **Lancaster County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a Concentrated Animal Feeding Operation (CAFO).

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES Permit No. PA0255629, Sewage, SIC Code 8800, **CM Holding Co. Inc.**, 2059 Henderson Avenue, Washington, PA 15301.

This proposed facility is located in Chartiers Township, **Washington County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0255645, Sewage, SIC Code 8800, **David and Michele Monahan**, 1134 Saint Joseph Street, Loretto, PA 15940.

This proposed facility is located in Allegheny Township, **Cambria County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0288110, Sewage, SIC Code 8800, **Jack Kuhns**, 111 Noah Lane, Butler, PA 16001.

This proposed facility is located in Center Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288101, Sewage, SIC Code 4952, 8800, **Craig Toocheck**, 520 Edgewood Avenue, Trafford, PA 15085.

This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288195, Sewage, SIC Code 8800, **Gene Stumpf**, 4285 Neilltown Road, Pleasantville, PA 16341-4517.

This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288209, Sewage, SIC Code 8800, **Debra Casper**, 1874 Mercer Road, Jackson Center, PA 16133.

This proposed facility is located in Lake Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288055, Sewage, SIC Code 8800, **John Englert**, 244 Colt Road, Transfer, PA 16154.

This proposed facility is located in Pymatuning Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

WQM Permit No. 2220401, Sewerage, SIC Code 4952, **Susquehanna Township Authority**, 1900 Linglestown Road, Harrisburg, PA 17110-3302.

This proposed facility is located in Susquehanna Township, **Dauphin County**.

Description of Proposed Action/Activity:

This permit approves the construction of sewage facilities consisting of:

- Replacement of 7,000 linear feet of North Branch-Paxton Creek interceptor with 36-inch PVC/DIP and 1,500 linear feet of Woodridge interceptor with 24-inch PVC/DIP.

WQM Permit No. 0619408, Sewerage, SIC Code 7011, **Dale L. Huie**, 2142 South Galen Hall Road, Reinholds, PA 17569.

This proposed facility is located in South Heidelberg Township, **Berks County**.

Description of Proposed Action/Activity:

This permit approves the construction and operation of sewage facilities consisting of:

- a 1,000-gallon grease trap after the restaurant kitchen.
- two 1,500-gallon septic tanks, in series.
- four 1,200-gallon concrete Coco Filters, two of which recirculate to first septic tank to dilute the influent organic load per manufacturer's recommendation.
- two integrated pumps, one for each pair of coco filters, with alarms.
- UV disinfection unit, with alarm for lamp failure.
- VeriComm Monitoring Panel to automatically stop pump in the event of a lamp failure in the UV unit.
- gravity flow via PVC discharge pipe to stream.

Sewage Approval: A3-06960-155-3s, August 7, 2019

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

WQM Permit No. 1120401, Sewage, SIC Code 8800, **David and Michele Monahan**, 1134 Saint Joseph Street, Loretto, PA 15940.

This proposed facility is located in Allegheny Township, **Cambria County**.

Description of Proposed Action/Activity: The applicant proposed to construct a 400 GPD single residence sewage treatment plant to serve an existing three-bedroom residential dwelling. The treated effluent discharges to an unnamed tributary to Clearfield Creek (WWF, MF).

WQM Permit No. 6319412, Sewage, SIC Code 8800, **CM Holding Co. Inc.**, 2067 Henderson Avenue, Washington, PA 15301.

This proposed facility is located in Chartiers Township, **Washington County**.

Description of Proposed Action/Activity: The applicant proposed to construct a 400-GPD SRSTP to serve an existing three-bedroom residential dwelling.

WQM Permit No. 0219406, Sewage, SIC Code 4952, **Elizabeth Township**, 100 Atlantic Avenue, McKeesport, PA 15132-3807.

This proposed facility is located in Elizabeth Township, **Allegheny County**.

Description of Proposed Action/Activity: construction of two pump stations, force mains, and a 3 million gallons raw sewage equalization tank.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1020403, Sewage, **Jack Kuhns**, 111 Noah Lane, Butler, PA 16001.

This proposed facility is located in Center Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2720401, Sewage, **Craig Toocheck**, 520 Edgewood Avenue, Trafford, PA 15085.

This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2720403, Sewage, **Gene Stumpf**, 4285 Neilltown Road, Pleasantville, PA 16341-4517.

This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320402, Sewage, **Debra Casper**, 1874 Mercer Road, Jackson Center, PA 16133.

This proposed facility is located in Lake Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320401, Sewage, **John Englert**, 244 Colt Road, Transfer, PA 16154.

This proposed facility is located in Pymatuning Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Phone: 484-250-5970.

| NPDES Permit No. | Permittee Name & Address | Municipality, County | Receiving Water(s)/Use(s) | TMDL Plan Submitted (Y/N) | Pollutant Reduction Plan Submitted (Y/N) |
|------------------|--|---|--|---------------------------|--|
| PAI130056 | Parkesburg Borough 315 West 1st Avenue Parkesburg, PA 19365-1241 | Parkesburg Borough Chester County | Unnamed Tributary of Buck Run Unnamed Tributary to Valley Creek (TSF and MF) | Y | Y |
| PAI130508 | East Whiteland Township 209 Conestoga Road Frazer, PA 19355-1633 | East Whiteland Township Chester County | Unnamed Tributary to Valley Creek, Little Valley Creek, Unnamed Tributary of Ridley Creek and Valley Creek/EV, HQ-TSF, CWF, and MF | Y | N |

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

| NPDES Permit No. | Applicant Name & Address | County | Municipality | Receiving Water/Use |
|---|--|----------|-----------------------------|---|
| PAD150172 | Robert Tabas 543 Mulberry Lane Haverford, PA 19041 | Chester | Honey Brook Township | E Branch Brandywine Creek HQ-TSF-MF |
| PAD150173 | Brian Campbell 402 Bayard Road Suite 100 Kennett Square, PA 19348 | Chester | Lower Oxford Township | Unnamed Tributary to West Branch Big Elk HQ-TSF-MF |
| PAD150180 (renewal of PAI011505060-R) | Willow Creek LLC 227 Granite Run Drive Suite 100 Lancaster, PA 170601 | Chester | Lower Oxford Township | Unnamed Tributary to West Branch Big Elk HQ-TSF-MF |
| PAD150174 (renewal of PAI011504029-R) | Brian Campbell 402 Bayard Road Kennett Square, PA 19348 | Chester | Lower Oxford Township | Unnamed Tributary to West Branch Big Elk HQ-TSF-MF |
| PAD230041 | Brookhaven Acquisition LP 1000 Lenola Road Building. 2 Suite 100 Maple Shade, NJ 08052 | Delaware | Brookhaven Borough Lower | Unnamed Tributary to Chester Creek WWF-MF |

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-----------------------------|---|---------------|---------------------------|---|
| PAD230035 | Sunoco Partners Marketing & Terminals L.P. 100 Green Street Marcus Hook, PA 19061-0426 | Delaware | Lower Chichester Township | Delaware River WWF-MF |
| PAD510036 A1 | Brandywine 3025 JFK, LP 2929 Walnut Street Suite 1700 Philadelphia, PA 19104 | Philadelphia | City of Philadelphia | Schuylkill River WWF-MF |
| PAD460042 | Hartford Properties, LLC 1000 S. Lenola Road Building 2 Suite 100 Maple Shade, NJ 08052 | Montgomery | Upper Gwynedd Township | Wissahickon Creek TSF-MF |
| PAD230034 | WV-PP Towne Center, L.P. 940 W. Sproul Road Suite 301 Springfield, PA 19064-1255 | Delaware | Middletown Township | Unnamed Tributary to Chester Creek TSF-MF Unnamed Tributary to Rocky Run HQ-CWF-MF |
| PAD150148 | 32 N. Bacton Hill Partners, LLC 32 North Bacton Hill Road Malvern, PA 19355 | Chester | East Whiteland Township | Little Valley Creek EV-MF |
| PAD090041 | Andrew Kratz/ Kenneth K. Kratz Marital Trust 321 Beaver Dam Road Creemador, NJ 27522-7101 | Bucks | West Rockhill Township | Ridge Valley Creek HQ-TSF |
| PAD510052 A1 | Beach Street Developers, LLC 2337 Philmont Avenue 2nd Floor Huntington Valley, PA 19006-6200 | Philadelphia | City of Philadelphia | Delaware River WWF |
| PAD090053 | Waste Gas Fabricating 450 Newbold Road Fairless Hills, PA 19030 | Bucks | Fallst Township | Delaware River WWF-MF |
| PAD150156 | Pike Springs Farm I, LLC One East Uwchlan Avenue Exton, PA 19341-1204 | Chester | East Pikeland Township | POI 1 and POI 2 Unnamed Tributary to Pickering Creek HQ-TSF-MF |
| PAD150162 | Elk Realty Associates, LLC 1356 Monk Road Gladwyne, PA 19035-1313 | Chester | Penn Township | Unnamed Tributary to East Branch Big Elk Creek HQ-TSF |
| PAD150138 | Tredyffrin Easttown School District 940 West Valley Road Suite 1700 Wayne, PA 19087 | Chester | Tredyffrin Township | Valley Creek EV Darby Creek CWF-MF Trout Creek WWF |

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|---|--|---------------|-------------------------|--------------------------------|
| PAD390149 Authorization/ Issuance | Jaindl Land Company 3150 Coffeetown Rd. Orefield, PA 18069 | Lehigh | Upper Macungie Township | Iron Run (HQ-CWF, MF) |
| PAD390146 Authorization/ Issuance | JW Development Partners II, LLC 3150 Coffeetown Rd. Orefield, PA 18069 | Lehigh | Upper Macungie Township | Iron Run (HQ-CWF, MF) |

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|---|--|---------------|-------------------------------|---|
| PAD450105 Authorization/ Issuance | Posh Properties 2216 Willow Park Road Bethlehem, PA 17020 | Monroe | Mount Pocono Borough | Forest Hills Run (HQ-CWF, MF) UNT to Upper Tunkhannock Creek (HQ-CWF, MF) |
| PAD450103 Authorization/ Issuance | PTV 1019, LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235 | Monroe | Middle Smithfield Township | Pond Creek (HQ-CWF, MF), EV Wetlands |
| PAD450108 Authorization/ Issuance | Tobyhanna Site LLC 619 Iron Street Lehighton, PA 18235 | Monroe | Tobyhanna Township | Indian Run (EV, MF) |
| PAD45107 Authorization/ Issuance | Don Ballou 193 Zeigler Road Leesport, PA 19533 | Monroe | Eldred Township | Aquashicola Creek (HQ-CWF, MF) |

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|--|--|---------------|--------------------------|-----------------------------------|
| PAD210042 Denied The Permit was Denied on May 28, 2020 | SAVCO, LLC 3552 Gettysburg Road Suite 101 Camp Hill, PA 17011 | Cumberland | South Middleton Township | Letort Spring Run (HQ-CWF, MF) |

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Cameron County Conservation District: 20 East Fifth Street, Room 105, Emporium, PA 15834 (814) 486-2244, X 5.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|------------------------------------|
| PAD120002 | Airosmith Development, Inc. 32 Clinton Street Saratoga Springs, NY 12866 | Cameron | Shippen Twp | East Branch Hicks Run HQ-CWF |

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Butler County Conservation District, 120 Hollywood Drive, Suite 201, Butler, PA 16001, 724-284-5270.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|--|
| PAD100009 | PennTex Ventures (PTV) 1078 LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235 | Butler | Winfield Township | UNT to Little Buffalo Creek HQ-TSF |
| PAD100008 | Weaver Homes P.O. Box 449 Mars, PA 16046 | Butler | Buffalo Township | UNT to Little Buffalo Creek HQ-TSF |

Cambria District: Bureau of Abandoned Mine Reclamation Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1800.

Patrick M. Webb, P.E, Mining Engineer Manager, 814-472-1830.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|----------------------------|
| PAD 680006 | Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800 | Clearfield | Boggs Township | Simeling Run (HQ-CWF) |

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

| | |
|--------------|---|
| PAG-01 | General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities. |
| PAG-02 | General Permit for Discharges of Stormwater Associated with Construction Activities |
| PAG-03 | General Permit for Discharges of Stormwater from Industrial Activities |
| PAG-04 | General Permit for Discharges from Small Flow Treatment Facilities |
| PAG-05 | General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems |
| PAG-06 | General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO) |
| PAG-07 | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application |
| PAG-08 | General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-08 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage |
| PAG-09 | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site |
| PAG-09 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage |
| PAG-10 | General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines |
| PAG-11 | General Permit for Discharges from Aquatic Animal Production Facilities |
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |
| PAG-14 | (To Be Announced) |
| PAG-15 | General Permit for Discharges from the Application of Pesticides |

General Permit Type—PAG-02

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Facility Location: Municipality & County</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|-------------------|--|---|--|---|
| PAC090356 | Gerald J. Kilhefner 180 Keystone Road Quakertown, PA 18951-4618 | Springfield Township Bucks County | Unnamed Tributary to Tohickon Creek TSF-MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |
| PAC090343 | Warwick TVC-ARC, LP 329 South Main Street Suite B Doylestown, PA 18901 | Warwick Township Bucks County | Unnamed Tributary to Neshaminy Creek TSF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |
| PAC090344 | Provco Pinegood Bristol, LLC 795 East Lancaster Avenue Suite 200 Villanova, PA 19085-1525 | Bristol Township Bucks County | Mill Creek WWF-MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone Number</i> |
|---|--|---------------|---------------------|---|---|
| PAC350075 Authorization/ Issuance | 36 Valley View, LLC 100 Baltimore Drive Wilkes-Barre, PA 18702 | Lackawanna | Jessup Borough | Unnamed Tributary to Sterry Creek, (CWF, MF) | Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086 |

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone Number</i> |
|---|---|---------------|---------------------|----------------------------------|---|
| PAC350086 Authorization/ Issuance | Lackawanna Heritage Valley Authority 213 Railroad Avenue Scranton, PA 18505-1067 | Lackawanna | City of Scranton | Lackawanna River (CWF, MF) | Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086 |
| PAC390075 Authorization/ Issuance | City Center Investment Corp. 645 W. Hamilton St. Suite 600 Allentown, PA 18101 | Lehigh | Allentown City | Jordan Creek (TSF, MF) | Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18401 610-391-9583 |

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone Number</i> |
|-------------------------|--|---------------|--|---|---|
| PAC010137 Issued | The Links at Gettysburg, LLC 601 Mason Dixon Road Gettysburg, PA 17325 | Adams | Mount Joy Township | Rock Creek (WWF) | Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636 |
| PAC070076 Issued | City of Altoona 1301 12th Street Altoona, PA 16601 | Blair | City of Altoona | Mill Run (WWF) | Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5 |
| PAC210176 Issued | Soo Nam & Ran Hyang Pak 853 Hertigage Hills Drive York, PA 17402 | Cumberland | Silver Spring Township | Conodoguinet Creek (WWF, MF) | Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812 |
| PAC360518 Issued | Park City Center LLC 100 Park City Center Lancaster, PA 17601 | Lancaster | Lancaster City | Little Conestoga Creek (WWF-MF) | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360446 Issued | Woodcorner Properties, LLC 1601 Lincoln Road Lititz, PA 17543 | Lancaster | Clay Township | Middle Creek (WWF) | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360475 A-1 Issued | PPL Electric Utilities Corp 2 North Ninth Street GENN 4 Allentown, PA 18101 | Lancaster | West Hempfield Township Columbia Borough | Susquehanna River (WWF-MF) Shawnee Run (WWF-MF) Chiques Creek (WWF-MF) | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |

NOTICES

2965

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone Number</i> |
|-------------------------|--|---------------|---|---|---|
| PAC360483 Issued | Manbel Devco III LP 1650 Crooked Oak Drive Suite 300 Lancaster, PA 17603 | Lancaster | Manheim Township | Dillerville Swamp (WWF) UNT Little Conestoga Creek (WWF) Open Water Quarry (Open Water) | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360523 Issued | Neil & Kristin Messick 1974 Nolt Road Mount Joy, PA 17552 | Lancaster | Mount Joy Township | UNT 07969 Little Chickies Creek (TSF) | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360505 Issued | PPL Electric Utilities Corp 2 North Ninth Street GENN 4 Allentown, PA 18101 | Lancaster | West Hempfield Township East Hempfield Township | Strickler Run (WWF, MF) UNT Shawnee Run (WWF, MF) Shawnee Run (WWF, MF) UNT Chiques Creek (WWF, MF) Swarr Run (CWF, MF) UNT Little Conestoga Creek (TSF, MF) | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360322 Issued | High Properties 1853 William Penn Way Lancaster, PA 17605 | Lancaster | East Lampeter Township | UNT Stauffer Run (WWF, MF) Stauffer Run (WWF, MF) | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC670402 Issued | Timothy F. Pasch 2645 Carnegie Road York, PA 17402 | York | York Township | Mill Creek (CWF) | York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430 |
| PAC670369 Issued | Todd Rutter 2959 Elkridge Lane York, PA 17404 | York | Conewago Township | Little Conewago Creek (TSF) | York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430 |
| PAC670326 Issued | Maitland Investment Corporation 630 Westminster Ave Hanover, PA 17331 | York | Penn Township | Indian Run (WWF) Plum Creek (WWF) | York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430 |

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Facility Location: Municipality & County</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|-------------------|---|---|----------------------------|--|
| PAC140104 | TDA Partners LP 3896 Penns Valley Rd Spring Mills, PA 16875 | Harris Twp Centre County | UNT Roaring Run | Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817 |

NOTICES

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Facility Location: Municipality & County</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|-------------------|--|---|--------------------------------|--|
| PAC600052 | Kendra Aucker President/CEO EV Hospital 120 Hardwood Dr Lewisburg, PA 17837 | East Buffalo Twp Union County | Limestone Run IWWF-MF | Union County Conservation District Union County Government Center 155 N. 15th St. Lewisburg, PA 17837 (570) 524-3860 |

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.

| <i>Permit No.</i> | <i>Applicant Name and Address</i> | <i>Facility Location and Municipality</i> | <i>Receiving Water/Use</i> | <i>Contact Office and Phone Number</i> |
|-------------------|--|---|--|---|
| PAC040081 | Beaver County Corporation for Economic Development 250 Insurance Street Suite 300 Beaver, PA 15009 | Borough of Big Beaver | Beaver River (WWF) | Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 |
| PAC040084 | Rettop Development Corporation 246 Mowry Road Monaca, PA 15061 | Potter Township | Ohio River (WWF) Raccoon Creek (WWF) | Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 |

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

| <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Facility Location: Municipality & County</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|-------------------|---|---|--|---|
| PAC250103 | School District of the City of Erie 148 West 21st Street Erie, PA 16502 | City of Erie Erie County | UNT to West Branch Cascade Creek WWF | Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403 |
| PAC250104 | Mr. Joseph Cunningham 9585 Peach Street Waterford, PA 16441 | Summit Township Erie County | UNT Walnut Creek WWF-MF | Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403 |
| PAC370044 | M+M Development LP 212 Guyasuta Road Pittsburgh, PA 15215 | Wampum Borough Lawrence County | Beaver River WWF | Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512 |
| PAC370046 | Shenango Area School District 2501 Old Pittsburgh Road New Castle, PA 16101 | Shenango Township Lawrence County | UNT to Big Run WWF | Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512 |
| PAC330018 | Brockway Recreation Revitalization Group 1308 Main Street Brockway, PA 15824 | Brockway Borough Jefferson County | Little Toby Creek CWF | Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463 |
| PAC160028 | PADOT District 10 2550 Oakland Avenue Indiana, PA 15701 | Monroe Township Clarion County | Piney Creek CWF Reids Run CWF | Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813 |

PAG-03

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

| Permit No. | Applicant Name & Address | Facility Location Municipality & County | Receiving Water/Use | Contact Office & Phone No. |
|------------|---|---|-------------------------------|--|
| PAG034870 | Select Energy Services, LLC 701 Industrial Parkway Muncy, PA 17756-6665 | Muncy Creek Township Lycoming County | Muncy Creek (TSF, MF)—10-D | DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636 |

General Permit Type—PAG-07

Central Office: Bureau of Clean Water, Rachael Carson State Office Building, 400 Market Street, P.O. Box 8774, Harrisburg, PA 17105-8774, Telephone: 717-787-5017.

| Permit No. | Applicant Name & Address | Facility Location & County/Municipality | Site Name & Location | Contact Office & Phone No. |
|------------|--|--|---|--|
| PAG079604 | Massachusetts Water Resource Authority 97 East Howard Street Quincy, MA 02169 | New England Fertilizer Company 97 East Howard Street Quincy, MA 02169 | New England Fertilizer Company 97 East Howard Street Quincy, MA 02169 | DEP—Bureau of Clean Water 400 Market Street P.O. Box 8774 Harrisburg, PA 17105-8774 717-787-4090 |

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 2359008, Public Water Supply.

| | |
|-------------------------------|---|
| Applicant | PA American Water Company (Lake Scranton North Tank Rehabilitation) 852 Wesley Park Drive Mechanicsburg, PA 17055 |
| Township and County | Roaring Brook Township Lackawanna County |
| Responsible Official | Mr. Bruce Aiton Pennsylvania American Water Company 852 Wesley Park Drive Mechanicsburg, PA 17055 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Mr. Scott Thomas, PE PA American Water Company 2699 Stafford Avenue Scranton, PA 18505 |
| Permit to Construct Issued | March 23, 2020 |

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0719508, Public Water Supply.

| | |
|--------------|--------------------------------|
| Applicant | Altoona Water Authority |
| Municipality | Antis Township |

County **Blair**

Responsible Official Mark A. Perry
General Manager
900 Chestnut Avenue
Altoona, PA 16601

Type of Facility Replacement of the existing ozone generation and feed systems at the Tipton, Plane Nine, and Mill Run Water Treatment Plants.

Consulting Engineer James F. Potopa, P.E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602-4496

Permit to Construct Issued May 21, 2020

Permit No. 6720509 MA, Minor Amendment, Public Water Supply.

Applicant **West Cocalico Township Authority**

Municipality West Cocalico Township

County **Lancaster**

Responsible Official Carolyn Hildebrand
Manager
P.O. Box 95
Reunholds, PA 17569

Type of Facility This permit authorizes rehabilitation of the permittee's existing 150,000-gallon Tank No. 1 welded steel finished water standpipe.

Consulting Engineer Dan Hopkins, P.E.
Entech Engineering
201 Penn Street
Reading, PA 19603

Permit to Construct Issued May 21, 2020

Permit No. 0620506 MA, Minor Amendment, Public Water Supply.

Applicant **Fork & Ale, Inc.**

Municipality Union Township

County **Berks**

Responsible Official Melissas Fry
Owner
181 East Main Street
Douglassville, PA 19518

Type of Facility This permit approves installation of a contact tank for 4-log treatment of viruses at an existing transient noncommunity system.

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Associates, Inc.
18 South George Street
York, PA 17401

Permit to Construct Issued May 20, 2020

Operation Permit No. 0120507 MA issued to: **Aqua Pennsylvania Inc. (PWS ID No. 7010057)**, Mt. Joy

Township, **Adams County** on May 28, 2020 for facilities at The Links approved under Construction Permit No. 0120507 MA.

Operation Permit No. 2219505 issued to: **Capital Region Water (PWS ID No. 7220049)**, Harrisburg, **Dauphin County** on May 22, 2020 for facilities approved under Construction Permit No. 2219505.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4920505MA, Minor Amendment. Public Water Supply.

Applicant **Pennsylvania-American Water Company**

Borough or Township Lewis Township

County **Northumberland County**

Type of Facility Public Water Supply—Construction

Consulting Engineer Mr. Ewoud Hulstein
Pennsylvania-American Water Company
852 Wesley Drive
Mechanicsburg, PA 17055

Permit Issued May 28, 2020

Permit No. 5920503MA, Minor Amendment. Public Water Supply.

Applicant **Wellsboro Municipal Authority**

Borough or Township Charlestown Township

County **Tioga County**

Type of Facility Public Water Supply—Construction

Consulting Engineer William S. Bray
373 W. Branch Road
Wellsboro, PA 16901

Permit Issued May 29, 2020

Permit No. 1919505, Major. Public Water Supply.

Applicant **SUEZ Water Pennsylvania, Inc.**

Borough or Township Mahoning Township

County **Columbia and Montour Counties**

Type of Facility Public Water Supply—Construction/Operation

Consulting Engineer Mr. John D. Hollenbach
SUEZ Water Pennsylvania Inc.
6310 Allentown Boulevard
Harrisburg, PA 17112

Permit Issued June 1, 2020

Permit No. 1919504, Major. Public Water Supply.

Applicant **SUEZ Water Pennsylvania, Inc.**

Borough or Township Montour, Cooper, Mahoning Township

County **Columbia and Montour Counties**

Type of Facility Public Water Supply—Operation

Consulting Engineer Mr. John D. Hollenbach
SUEZ Water Pennsylvania Inc.
6310 Allentown Boulevard
Harrisburg, PA 17112

Permit Issued June 1, 2020

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

WA 47-1006A, Water Allocations. **SUEZ Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Harrisburg, PA 17112, Mahoning Township, **Columbia and Montour Counties**. Water Allocation Permit WA 47-1006A, issued on March 6, 2001 and transferred to SUEZ Water Pennsylvania Inc. on May 29, 2019, be added to read: The permittee is hereby authorized to withdraw water under the terms of this permit, in accordance with the service area delineated in the application filed with the Department of Environmental Protection on May 29, 2020.

WA 19-144C, Water Allocations. **SUEZ Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Harrisburg, PA 17112, Mahoning Township, **Columbia and Montour Counties**. Water Allocation Permit WA 19-144C, issued on November 7, 2014, be added to read: The permittee is hereby authorized to withdraw water under the terms of this permit, in accordance with the service area delineated in the application filed with the Department of Environmental Protection on May 8, 2020

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analy-

sis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

D. Craig Goodman Property, 461 Old Reading Pike, West Pottsgrove Township, **Montgomery County**. Andrew Markoski, Patriot Environmental Management, LLC, 2404 Brown Street, Pottstown, PA 19464 on behalf of Kevin Silverang, SDC SMKOZ, LLC, 900 East 8th Avenue, Suite 300, King of Prussia, PA 19406 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

M. Diaz Pad 2, 134 Tyler Lake Road, New Milford, PA 18834, Harford Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by calcium chloride that was released to the soil when a sharp rock punctured the tire of a roller on February 20, 2020. The report is intended to document remediation of the site to meet Background Standards.

Bethlehem Commerce Center Site—Coal Chemical Area, LVIP VII Commerce Center Boulevard, Bethlehem City, **Northampton County**. HDR Engineering, Inc., 1720 Spillman Drive, Bethlehem, PA 18015, on behalf of Lehigh Valley Industrial Park, Inc., 1720 Spillman Drive, Bethlehem, PA 18015, submitted a final report concerning remediation of site soils contaminated during historic coke production processes at the former Bethlehem Steel. The report is intended to document remediation of the site to meet the Site-Specific Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Miller's Smorgasbord, 2811 Lincoln Highway East, Ronks, PA 17572, East Lampeter Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17605, on behalf of Thomas E. Strauss, Inc. (DBA Miller's Smorgasbord), 2811 Highway East, Ronks, PA 17572, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Harry and Darvene Daminiski Estate, 1075-1081 West Philadelphia Avenue, Boyertown, PA 19512, Colebrookdale Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of O'Donnell, Weiss & Mattei, P.C., 41 East High Street, Pottstown, PA 19464, submitted a Remedial Investigation, Cleanup Plan, and Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The combined report is intended to document remediation of the site to meet the Site-Specific Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

North Shore Rail Road Company Project, US Route 11N Near Epler Road, Point Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of North Shore Railroad Company, 356 Priestley Avenue, Northumberland, PA 17857, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard.

Czop Unit Pad, 314 Cold Spring Road, Shunk, Fox Township, **Sullivan County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of Chief Oil & Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754, has submitted a Final Report concerning remediation of site soil contaminated with produced fluid. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

SMJ Trucking LLC Diesel Fuel & Motor Oil Cleanup, Interstate 80 at MM 204.2 E, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of SMJ Trucking, LLC, 33 Pamparo Avenue, FL 2, Jersey City, NJ 07305, has submitted a Final Report concerning remediation of soil contaminated with diesel fuel and motor oil. Report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard for soil.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Former Dollar General Property, 202 East State Street, Albion Borough, **Erie County**. InSite Group, Inc., 611 South Irvine Avenue, Sharon, PA 16146, on behalf of Albion Borough, 26 Smock Avenue, Albion, PA 16401, submitted a Remedial Investigation/Cleanup Plan Report concerning the remediation of site soil contaminated with 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzene, ethylbenzene, naphthalene, xylenes (total), 1,2-dibromoethane, 1,2-dichloroethane and site groundwater contaminated with 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzene, ethylbenzene, isopropylbenzene, naphthalene, xylenes (total), 1,2-dibromoethane, 1,2-dichloroethane and methyl tert-butyl ether. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Former Dollar General Property, 202 East State Street, Albion Borough, **Erie County**. InSite Group, Inc., 611 South Irvine Avenue, Sharon, PA 16146, on behalf of Albion Borough, 26 Smock Avenue, Albion, PA 16401, submitted a Risk Assessment Report concerning the remediation of site soil contaminated with 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzene, ethylben-

zene, naphthalene, xylenes (total), 1,2-dibromoethane, 1,2-dichloroethane and site groundwater contaminated with 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzene, ethylbenzene, isopropylbenzene, naphthalene, xylenes (total), 1,2-dibromoethane, 1,2-dichloroethane and methyl tert-butyl ether. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Brooks Residence, 3016 Antler Drive, Buckingham Township, **Bucks County**. Jason Charles, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Thomas Brooks, 3016 Antler Drive, Doylestown, PA 18902 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on May 4, 2020.

Proposed Apartment Development, Greenwood Avenue/Washington Lane, Abington Township, **Montgomery County**. Jeffery T. Bauer, PG, Whitestone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Jerry Slipakoff, Galman Group, 60 East Court Street, Doylestown, PA 18901 submitted a Final Report concerning the remediation of site soil contaminated with arsenic. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on May 15, 2020.

1919 Cottman Avenue, 1919 Cottman Avenue, City of Philadelphia, **Philadelphia County**. Natalie Griffith, RESPG, 6901 Kingsessing Avenue, PA 19142 on behalf of Jeff Brown, PATH, Inc., 8220 Castor Avenue, Philadelphia, PA 19152 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on May 5, 2020.

White Clay Creek Preserve, 350 Glen Road, London Britain Township, **Chester County**. Michael Sarcinello, Aquaterra Technologies, Inc., 122 South Church Street, West Chester, PA 19382 on behalf of Philip Schmidt, PA DCNR Park Manager, 1023 Sycamore Mills Road, Media, PA 19063 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on May 8, 2020.

Maple Glen Dry Cleaners, 1945 Norristown Road, Upper Dublin Township, **Montgomery County**. Kimberly Wilkinson, Sovereign Consulting, Inc., 50 West Welsh Pool Road, Suite 6, Exton, PA 19341 on behalf of Dean Fredrickson, Safeway Inc., 250 Parkcenter Boulevard, Boise, ID 83726 submitted a Remedial Investigation Report concerning the remediation of site groundwater contaminated with tetrachloroethene (PCE) and trichloroethene (TCE). The Report was approved by the Department on May 8, 2020.

Wawa Store No. 8018, 119 Bethlehem Pike, Hatfield Township, **Montgomery County**. Geoff Kristoff, Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381 on behalf of Joseph W. Standen, Jr., P.G., Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA 19063 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with methyl tert-butyl ether (MTBE). The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on April 28, 2020.

2283 Huntingdon Pike, 2283 Huntingdon Pike, Lower Moreland Township, **Montgomery County**. Richard Werner, Environmental Consulting Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Thomas M. Guinan, Esquire, Alfred P. Liebold Associates

Family, LP, 495 Lawrence Road, Huntingdon Valley, PA 19006 submitted a Final Report concerning the remediation of site groundwater contaminated with benzene, 1,2-dibromoethane, 1,2 dichloroethane, ethylbenzene, isopropyl benzene, lead, MTBE, naphthalene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and xylenes. The Final Report demonstrated attainment of the non-residential site-specific standard and was approved by the Department on May 22, 2020.

709-719 South 50th Street, 709-719 South 50th Street, City of Philadelphia, **Philadelphia County**. Dave Schantz P.G., Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381 on behalf of George Korein, RKP B LLC, 240 Central Park South, Unit 2D, New York, NY 10019 submitted a Cleanup Plan/Final Report concerning the remediation of site soil and groundwater contaminated with VOCs, PAHs and lead. The Final Report demonstrated attainment of the non-residential site-specific standard and was approved by the Department on April 22, 2020.

5400 Tulip Street, 5400 Tulip Street, City of Philadelphia, **Philadelphia County**. Richard Werner, Environmental Consulting Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of David Herbert, Philadelphia-Harbiton, LP, 4 Caulfield Place, Suite 102, Newtown, PA 18940 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with VOCs, SVOCs, PCBs and metals. The Final Report demonstrated attainment of the non-residential site-specific standard and was approved by the Department on May 22, 2020.

723 Wheatland Street, 723 Wheatland Street, Phoenixville Borough, **Chester County**. Jennifer Poole, P.G., Pennoni Associates Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of John Herzog, Westrum Development Corporation, 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Report was reviewed by the Department which issued a technical deficiency letter on May 18, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Lytle Farms Dump Site, 1,200 Feet Southeast of Intersection of PA Route 230, Londonderry Township, **Dauphin County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Tuck A Way II, LLC, 1085 Manheim Pike, Lancaster, PA 17601, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil contaminated with VOCs and SVOCs. The Report was disapproved by the Department on May 29, 2020.

Kenneth R. and Gladys M. Stoltzfus Property, 890 Hanover Road, York, PA 17408, Jackson Township, **York County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Popular Partners, 130 Carlisle Street, Hanover, PA 17331, and Kenneth R. and Gladys M. Stoltzfus, 890 Hanover Road, York, PA submitted Remedial Investigation Report and Cleanup Plan concerning remediation of site soil contaminated from a historic fill. The combined report was approved by the Department on May 18, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

809 Decatur Street, Philipsburg No 2 Fuel Oil Release, Decatur Township, **Clearfield County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Mr. Floyd Martin, Jr. and Ms. Karen Martin, 809 Decatur Street, Philipsburg, PA 16866, has submitted a Final Report concerning site soil contaminated with No. 2 fuel oil. The report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on May 21, 2020.

Gwaan Trucking Cleanup, US Route 15 S, South of Cogan House Exit, Lewis Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of Gwaan Trucking LLC, 28 Oakland Street, Irvington, NJ 07111, has submitted a Final Report concerning site soil contaminated with diesel fuel, motor oil and antifreeze. The report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on May 21, 2020.

Gables Transport, Inc. Project, U.S. Route 15 at MM 144 N, Lewis Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Gables Transport, Inc., 13399 NW 113 Ave Road, Medley, FL 33178, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on May 28, 2020.

Nippenose Tavern, 6391 Route 654, South Williamsport, Bastress Township, **Lycoming County**. Environmental Maintenance Company, 1420 Mermaid Lane, Glenside, PA 19038, on behalf of Hiller's Fuel Oil, Inc., 1323 Cemetery Street, Jersey Shore, PA 17740, has submitted a Final Report concerning site soil contaminated with heating oil. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 28, 2020.

Whispering Pines 1V Well Pad, 245 Sullivan Road, Delmar Township, **Tioga County**. ARM Group, LLC, 2548 Park Center Blvd, State College, PA 16801, on behalf of Clean Energy Exploration and Production, LLC, 2620 Egypt Road, Norristown, PA 19403, has submitted a Final Report concerning site soil contaminated with brine associated with produced fluids. The report demonstrated attainment of the Background and Statewide Health Standards and approved by the Department on May 18, 2020.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Seneca Mineral Brine Release, 10135 Ridge Road, Girard Township, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Seneca Mineral Company, Inc., 8431 Edinboro Road, Erie, PA 16509, submitted a Final Report concerning the remediation of site soil contaminated with Aluminum, Barium, Boron, Iron, Lithium, Manganese, Strontium, Vanadium, Zinc, Selenium and site groundwater contaminated with Chloride. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 27, 2020.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP14-23-0134: Lewis M. Hunt Irving Funeral Home Inc. (2316 Providence Ave, Chester, PA 19013) on June 2, 2020 for a human and animal crematory in Chester Township, **Delaware County**.

GP 9-46-0108: SCI Phoenix (1200 Market Street, Collegeville, PA 19426) on June 2, 2020 for use of a diesel fuel-fired emergency engines and on diesel-fired fuel pump in Skippack Township, **Montgomery County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5A-57-00001A: Chesapeake Appalachia, LLC (P.O. Box 18496, Oklahoma City, OK 73154) on June 1, 2020, for the authorization to construct and operate new sources and continue operating other sources consisting of one (1) 1,380 bhp 2011 model year Caterpillar G3516B four-stroke lean-burn, natural gas-fired compressor engine equipped with an Emit Technologies catalytic oxidizer, seven (7) 0.75 MMBtu/hr, natural gas-fired Gas Production Units, one (1) Qnergy 0.17 MMBtu Stirling engine electric power generator, one (1) 16,800 gal (400 bbl) produced water storage tank, multiple pneumatic devices, periodic venting and blowdowns, site fugitive emissions and tank liquid loading emissions pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at your Joeguswa Well Pad Site located in Cherry Township, **Sullivan County**.

AG5-59-00009B: NFG Midstream Wellsboro, LLC (6363 Main Street, Williamsville, NY 14221) on May 29, 2020, for the authorization to install and operate two (2) Aereon Flare Industries model AB-200 natural gas-fired enclosed flares to control the emissions for the two (2) triethylene glycol dehydrators and for the continued operation of the sources authorized under AG5-59-00009A on February 28, 2020, pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at the Wellsboro Tract 007 Compressor Station located in Delmar Township, **Tioga County**. The authorization is also for the continued operation of the following existing sources: one (1) 1,900 bhp GE Waukesha model VHP-L7044GSI S5 four stroke, rich-burn, natural gas-fired compressor engine equipped with non-selective catalytic reduction (ENG-001), two (2) 16,800-gallon waste fluids storage tanks (T001 and T006), two (2) 3,000-gallon lube oil tanks (T004 and T005), two (2) 1,500-gallon glycol tanks (T002 and T003), one (1) 0.14 MMBtu/hr natural gas-fired fuel gas heater (HTR-006), two (2) triethylene glycol natural gas dehydration units (DEHY-001 and DEHY-002) each consisting of a 150 million standard cubic feet per day throughput natural

gas dehydrator equipped with a flash tank (FLT-001 and FLT-002) and a 2.00 MMBtu/hr natural-gas fired reboiler (RB-001 and RB-002), one (1) 302 bhp natural gas-fired emergency generator engine (GEN-001), one (1) 684 bhp natural gas-fired emergency generator engine (GEN-002), two (2) 7.75 MMBtu/hr natural gas-fired pipeline heaters (PH-001 and PH-002), one (1) 12,000 Btu/hr fuel gas heater (HTR-001), four (4) 2,500 Btu/hr regulator heaters (HTR-002, HTR-003, HTR-004 and HTR-005), Associated Fugitives and Pneumatic Devices (FUG-001), Miscellaneous Gas Venting and Pigging (MGV-001), and Liquid Loading (L-001).

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

GP3-26-00611: John Joseph (470 Vanderbilt Road, Connellsville, PA 15425) on June 2, 2020, to allow construction and operation of one (1) Jaw Crusher rated at 600 tph, two (2) vibratory screens; each rated at 300 tph, and seven (7) conveyors at their Bryner Large non-coal facility located in Dunbar Township, **Fayette County**.

GP9-26-00611: John Joseph (470 Vanderbilt Road, Connellsville, PA 15425) on June 2, 2020, to allow construction and operation of one (1) Volvo Penta diesel engine rated at 355 bhp, one (1) Perkins C4.4 diesel engine rated at 131 bhp, and one (1) JCB diesel engine rated at 74 bhp at their Bryner Large non-coal facility located in Dunbar Township, **Fayette County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0008A: Coopers Creek Chemical Corporation (884 River Road, West Conshohocken, PA 19428) on May 19, 2020 for the addition of equipment that will add flexibility to produce a product called high melt-point pitch at their non-Title V facility, located in Upper Merion Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05014K: Arconic Lancaster Corp. (1480 Manheim Pike, Lancaster, PA 17604-3167) on May 22, 2020, for the replacement of the burners in two melting furnaces at their secondary aluminum production facility in Manheim Township, **Lancaster County**. Specifically, the project is for the replacement of the current burners in melting furnaces No. 5 and 6 (Source IDs 133 and 134) with new 40 MMBtu/hr natural gas fired regenerative burners. The actual melt rate of each furnace is expected to increase from 22,500 pounds per hour to 32,000 pounds per hour. Along with the increase in melt production, actual material throughputs of Source IDs C01A, C01B and 107 are also expected to increase, although no

physical modification will take place to the emission units. The capacities of downstream operations (i.e. rolling operations) will not increase due to the project since the increased ingot production will replace ingot that has been historically purchased.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05118A: Harley-Davidson Motor Co. Operations, Inc. (1425 Eden Road, York, PA 17402) on May 28, 2020, for the modification of the motorcycle manufacturing facility (York Vehicle Operations) located in Springettsbury Township, **York County**. The modification will involve the following: installation of additional infrared paint drying oven capacity (via oven lengthening) to facilitate an increase in the line speed of Source ID 245's two existing cosmetic spray paint lines from 8 fpm to 9 fpm to accommodate a production increase; and the construction of two additional Source ID MTBS motorcycle test booths to increase the number of test booths from 4 to 6. Source ID 245's VOC emissions are controlled by a regenerative thermal oxidizer (RTO) and a carbon adsorption unit. Source ID 245's PM/PM₁₀/PM_{2.5} emissions are controlled by a scrubber. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

55-00001E: Panda Hummel Station LLC (5001 Spring Valley Road, Suite 1150 West, Dallas, TX 75244) on May 28, 2020, to extend the authorization an additional 180 days to December 2, 2020 in order to continue the compliance demonstration evaluation and permit operation pending issuance of an operating permit for the facility. This facility is located in Shamokin Dam Borough, **Snyder County**.

55-00001G: Panda Hummel Station LLC (5001 Spring Valley Road, Suite 1150 West, Dallas, TX 75244) on May 28, 2020, to extend the authorization an additional 180 days to December 2, 2020 in order to continue the compliance demonstration evaluation and permit operation pending issuance of an operating permit for the facility. This facility is located in Shamokin Dam Borough, **Snyder County**.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

63-00936F: MarkWest Liberty Midstream & Resources, LLC (1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202) on May 26, 2020, to extend the period of temporary operation of the Houston Gas Plant located in Chartiers Township, **Washington County**. The new expiration date is November 28, 2020.

04-00748: ARDEX L.P. (400 Ardex Park Drive, Aliquippa, PA 15001) on May 26, 2020, to ARDEX L.P. for the expansion of, and continued operation of the Aliquippa Plant to produce high performance dry and liquid flooring and tiling products located in Center Township, **Beaver County**. The new expiration date is November 28, 2020.

65-00921A: Smithfield Packaged Meat Corp. (2200 Rivers Edge Drive, Arnold, PA 15068-4540) on May 26, 2020, to allow the continued temporary operation of the Quickdraft venturi scrubber on Line 3 at the Arnold Plant located in City of Arnold, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

10-027H: Calumet Karns City Refining (138 Petrolia Street, Karns City, PA 16041) on May 22, 2020, effective May 31, 2020, has issued a plan approval extension for the construction of a refrigerated condenser in Karns City Borough, **Butler County**. This is a Title V facility. This will expire on November 27, 2020.

42-095C: Georgia Pacific Corrugated, LLC (One Owens Way, Bradford, PA 16701) on May 22, 2020, effective May 31, 2020, has issued a plan approval extension for the installation of a cyclone as replacement for existing control devices associated with Source ID 101 in Bradford Township, **McKean County**. This is a State Only facility. This will expire on November 27, 2020.

43-384A: Davis Alloys MFG, LLC (295 East High Street, Extension, Sharpsville, PA 16150) on May 22, 2020, effective May 31, 2020, has issued a plan approval extension to add a control device to the Melt Shop section at the facility in Sharpsville Borough, **Mercer County**. This is a State Only facility. This will expire on November 27, 2020.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00077: Exelon Generation Company, LLC/Pennsbury Generating Station (1414 Bordentown Rd., Morrisville, PA 19067-6705), on May 28, 2020, for the renewal of a Title V Operating Permit for the operation of a 3.0 MW landfill gas-fired combustion turbine at their facility in Falls Township, **Bucks County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00231: Judson A. Smith Company (857-863 Sweinhart Road, Boyertown, PA 19512) on June 2, 2020 for the renewal of a Natural Minor Operating Permit for a facility that manufactures metal tubing components

used for the medical, auto, aerospace, and electronic industries in Douglass Township, **Montgomery County**.

09-00191: Bucks County Water & Sewer Authority—Green Street Sewage Treatment Plant (360 Green Street, Doylestown, PA 18901) on May 21, 2020 continued operation of a wastewater treatment plant in Doylestown Borough, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05074: New Holland Custom Woodwork, Ltd. (313 Prospect Street, P.O. Box 217, New Holland, PA 17557-1726) on May 26, 2020, for their wood furniture manufacturing facility in New Holland Borough, **Lancaster County**. The State-Only Permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00023: Faithful Companions Pet Cemetery (2969 Rolling Hills Road, Ulster, PA 18850) on May 29, 2020, for the issuance of a renewal State Only Operating Permit for the animal crematory at their facility located in Smithfield Township, **Bradford County**. The official date of issuance of this permit is May 29, 2020. This State Only Operating Permit became effective on May 29, 2020 and will expire on May 28, 2025. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

47-00002: Great Dane Limited Partnership (891 Strick Road, Danville, PA 17821) on May 26, 2020, was issued a renewal State Only (Synthetic Minor) Operating Permit for their Danville Plant located in Limestone Township, **Montour County**. The State Only (Synthetic Minor) Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

46-00008: Coopers Creek Chemical Corporation (884 River Road, West Conshohocken, PA 19428). On May 29, 2020, the Synthetic Minor Operating Permit was amended to incorporate Plan Approval No. 46-0008 for sources added to the facility to process crude petroleum tar in accordance with 25 Pa. Code § 127.450 for their facility located in Upper Merion Township, **Montgomery County**.

15-00146: Wallquest Inc. (456 Devon Park Drive, Wayne, PA 19087-1815). On June 1, 2020, the State Only Operating Permit was amended to incorporate the conditions of Plan Approval 15-0146A for the operation of an existing nine (9) color rotary screen press at its facility located in Tredyffrin Twp., **Chester County**. The Administrative Amendment of the State-Only Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

05-05021: Creative Pultrusions, Inc. (214 Industrial Lane, Alum Bank, PA 15521-8304) on May 29, 2020, for the existing fiberglass pultrusion operation at the Alum Bank plant located in West Saint Clair Township, **Bedford County**. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 05-05021C.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00046: Urban Personalization Center, LLC (225 South Main Street, Athens, PA 18810), issued a revised State Only Operating Permit on May 15, 2020, for a change of ownership of the Athens facility from Lowery Life Appreciation Center, LLC to Urban Personalization Center, LLC. This facility is located in Athens Borough, **Bradford County**. This revised operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permit Issued

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

17080103 and NPDES PA0256722. Corey L. Shawver DBA Hilltop Coal Company, 12 Dutchtown Road, Houtzdale, PA 16651, permit renewal for reclama-

tion only of a bituminous surface coal and auger mine located in Bigler Township, **Clearfield County** affecting 320.7 acres. Receiving stream(s): Unnamed Tributaries to Little Muddy Run, Unnamed Tributaries to Muddy Run, and Little Muddy Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 6, 2019. Permit issued: May 27, 2020.

17040110. Myers & Supko Contracting, 559 Ernestville Road, Osceola Mills, PA 16666, permit renewal for reclamation only of a bituminous surface and auger mine located in Decatur Township, **Clearfield County** affecting 97.6 acres. Receiving stream(s): Big Run, Coal Run, and Moshannon Creek classified for the following use(s): CWF and MF. There are no potable water supply intakes within 10 miles downstream. Application received: January 8, 2020. Permit issued: May 27, 2020.

Noncoal Permits Issued

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

03980401. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201. Revision permit issued for an AOC change to an existing large noncoal surface mine in Manor Township, **Armstrong County**, affecting 12.5 acres. Receiving stream(s): Rupps Run and Garretts Run. Application received: June 28, 2018. Permit issued: May 28, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 35860301C. United Sand & Gravel, Inc. (520 Spruce Street, Scranton, PA 18503), correction to an existing quarry operation to reduce the permitted acres from 55.0 acres to 35.8 acres in Moosic Borough, **Lackawanna County**. Receiving stream: Susquehanna River. Application received: August 9, 2018. Correction issued: May 26, 2020.

Permit No. PAM118041. United Sand & Gravel, Inc. (520 Spruce Street, Scranton, PA 18503), coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 35860301 in Moosic Borough, **Lackawanna County**, receiving stream: Susquehanna River. Application received: August 8, 2018. Permit issued: May 26, 2020.

Permit No. PAM119004. Doolittle Stone, LLC (290 Elk Manor Estates, Union Dale, PA 18470), coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58190801 in Jessup and Bridgewater Townships, **Susquehanna County**, receiving stream: unnamed tributary to East Branch Wyalusing Creek. Application received: February 5, 2019. Permit issued: May 27, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

65204101. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141. Blasting Activity Permit for construction blasting for landfill cell development located in Penn Township, **Westmoreland County** with an expiration date of December 31, 2021. Permit issued: May 29, 2020.

63204103. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141. Blasting Activity Permit for construction blasting for construction of a new Canon McMillan Middle School located in North Strabane Township, **Washington County** with an expiration date of December 31, 2021. Permit issued: June 1, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570.621.3118, (Contact: Theresa Flannery).

Permit No. 38204106. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Greystone Crossing in Lebanon City and North Cornwall Township, **Lebanon County** with an expiration date of May 30, 2021. Permit issued: May 27, 2020.

Permit No. 54204101. Maurer & Scott Sales, Inc. (122 Thomas Street, Coopersburg, PA 18036), construction blasting for CES Landfill in Foster and Frailey Townships, **Schuylkill County** with an expiration date of June 1, 2023. Permit issued: May 27, 2020.

Permit No. 48204104. Schlouch, Inc. (P.O. Box 69, Blandon, PA 19510), construction blasting for Lehigh Valley Health Network Nazareth Campus in Lower Nazareth Township, **Northampton County** with an expiration date of May 26, 2021. Permit issued: May 29, 2020.

Permit No. 40204109. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Scranton Craftsman Northpoint Project in Hanover Township, **Luzerne County** with an expiration date of May 30, 2021. Permit issued: June 1, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office

Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4802219-002. UGI Bethlehem LNG, LLC (UGI), One Meridian Boulevard, Suite 2C01, Wyomissing, PA 19610, Northampton Borough, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Bethlehem LNG Stream Restoration Project:

1) A channel change along a 220-LF segment of the East Reach of a UNT to Saucon Creek (CWF, MF) consisting of re-grading within the stream/floodway and the construction of a 20-ft wide stream channel having 2:1 side slopes, a 9% longitudinal slope, six (6) step pool structures, and a geosynthetic clay liner topped with a 1.0-ft deep layer of sand/gravel and a 1.0-ft deep layer of R-4 riprap to be blended with natural streambed material.

2) To abandon an existing 130-LF segment of the West Reach of a UNT to Saucon Creek (CWF, MF) and to construct and maintain a stormwater outfall along the western bank of a UNT to Saucon Creek (CWF, MF) consisting of a 5-ft wide, trapezoidal vegetated channel having 2:1 side slopes, an 11.64% longitudinal slope, and an ArmorMax synthetic liner.

3) A channel change along an 800-LF segment of a UNT to Saucon Creek (CWF, MF) consisting of re-grading within the stream/floodway and the construction of a 20-ft wide stream channel having 2:1 side slopes, a 9% longitudinal slope, seven (7) step pool structures, and a geosynthetic clay liner topped with a 1.0-ft deep layer of sand/gravel and a 1.0-ft deep layer of R-4 riprap to be blended with natural streambed material.

4) A streambank retaining device along the western bank of a UNT to Saucon Creek (CWF, MF) consisting of a 12-ft high, 13-LF stacked gabion basket retaining wall having a 0.9:1 side slope and constructed 1-ft below existing grade.

The project will result in a total cut of 54,000 ft³ within the stream and floodway. The purpose of the project is to improve safety, stream channel stability, water quality, and aquatic habitat. The limits of the stream restoration begin directly west of the intersection of Ringhoffer Road and Sherry Hill Road and terminate directly north of the confluence of the UNT to Saucon Creek and the East Branch Saucon Creek (Hellertown, PA Quadrangle Latitude: 40° 36' 49"; Longitude: -75° 18' 21") in Bethlehem City, Northampton County.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E4104220-022. Jersey Shore Borough, 232 Smith Street, Jersey Shore, PA 17740, **Lycoming County**, ACOE District (Jersey Shore; Porter, PA Quadrangle N: 41.202976 ; W: -77.279698).

To construct, operate and maintain a total of 110 feet of 18-inch storm sewer system for the purpose of transporting stormwater along High Street and into Nichols Run a High-Quality Cold-Water Fishery and Migratory Fish or HQ-CWF, MF waterway. This permit authorizes the construction of a stormwater conveyance system that ends at Nichols Run. The outlet structure is along Nichols Run, HQ-CWF, MF, Latitude: 41° 12' 08.8", Longitude: 77° 16' 55.4". An inlet, structure # 10, Latitude: 41° 12' 08.9", Longitude: 77° 16' 55.0". This project ends along High Street Latitude: 41° 12' 08.8", Longitude: 77° 16' 55.4" and starts along High Street at Latitude: 41° 12' 09.0", Longitude: 77° 16' 54.3". This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E4104220-003. Jon Stucky, Stony Brook Camp, 584 Carson Road in Pine Township, **Lycoming County**, ACOE District (English Center, PA Quadrangle N: 41.407597; W: -77.324661).

To replace on lot septic system and removal of existing Privy. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E30052-269, Dominion Energy Transmission, Inc., 5000 Dominion Boulevard, Glen Allen, VA 23060, Gilmore Township, **Greene County**, Pittsburgh ACOE District.

Has been given consent to:

Place and maintain fill in 0.067 acre of wetlands for the purpose of correcting and preventing the causes of a landslide that occurred within and adjacent to a pipeline right-of-way. These impacts to wetlands will be mitigated through the purchase of 0.07 wetland mitigation credits from the Enlow Fork Mitigation Bank within the Ohio River Sub-basin 20.

The project site is located approximately 900 feet north of the intersection of Jones Road and Blockhouse Road, and 200 feet east of Jones Road, Holbrook, PA 15341 (Holbrook, PA USGS topographic quadrangle; N: 39°, 46', 20.9604"; W: -80°, 20', 13.38"; Sub-basin 19G; USACE Pittsburgh District), in Gilmore Township, Greene County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E4206120-023, PADOT, Engineering District 2-0, 70 PennDOT Drive, Clearfield, PA 16830, SR 0146-A04-0170-0000 Bridge Replacement, in Norwich Township, **McKean County**, ACOE Pittsburgh District (Crosby, PA Quadrangle N: 41°, 42', 38"; W: 78°, 24', 40").

To remove the existing structure and to construct and maintain a prestressed spread box beam bridge having a clear span of 30.0 feet on a 60° skew, an underclearance of 2.70 feet, and an out-to-out length of 32.09 feet resulting in 72 feet permanent and 125 feet temporary stream impacts and 0.01 acre permanent and 0.01 acre temporary wetland impact on SR 0146, Section A04, Segment 0170, Offset 0000 over Red Mill Brook (CWF) (Crosby, PA Quadrangle N: 41°, 42', 38"; W: 78°, 24', 40") in Norwich Township, McKean County.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E4129-121: ARD Operating LLC, 33 West Third Street, Suite 300, Williamsport, PA 17701, Chapman Bohlin Pad A Gathering Pipeline in Cascade Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate and maintain approximately 0.68-mile (3,617 ft) of two (2) 6-inch diameter flex steel natural gas pipeline in Cascade Township, Lycoming County. The pipeline will be placed via open cut trenching within the 50' ROW. A valve site with an access road and a valve on the Duncan to Salt Run Pipeline will be constructed.

The project will result in a total of 3 LF (30 SF) of permanent and 41 LF (413 SF) of temporary stream impacts, 319 SF (0.0073 acre) of permanent and 6,490 SF (0.1490 acre) of temporary floodway impacts and 533 SF (0.0122 acre) of permanent and 4,879 SF (0.1120 acre) of temporary wetland impacts all for the purpose of constructing a natural gas pipeline for Marcellus well development.

Stream Impact Table:

| Resource Name | Municipality Quadrangle | Activity | Chapter 93 | Listed Trout | Impact Area Temp. (SF) | Impact Length Temp. (LF) | Impact Area Perm. (SF) | Impact Length Perm. (LF) | Lat. Long. |
|-------------------------------|-------------------------|--------------------|------------|--------------|------------------------|--------------------------|------------------------|--------------------------|------------------------|
| Crossing # 1 Salt Run | Cascade Bodines | Pipeline Workspace | HQ-CWF; EV | Wild | 41 | 413 | 3 | 30 | 41.456206 76.886962 |
| TOTAL IMPACTS | | | | | 41 | 413 | 3 | 30 | |
| TOTAL STREAM IMPACTS | | | | | 41 | 413 | 3 | 30 | |
| TOTAL WAIVER 2 IMPACTS | | | | | | | | | |

Wetland Impact Table:

| <i>Resource Name</i> | <i>Municipality Quadrangle</i> | <i>Activity</i> | <i>Cowardin Class</i> | <i>Listed Trout</i> | <i>Total Impact Area Temp. (SF)</i> | <i>Impact Length Temp. (LF)</i> | <i>Total Impact Area Perm. (SF)</i> | <i>Impact Length Perm. (LF)</i> | <i>Lat. Long.</i> |
|----------------------|--------------------------------|-----------------------|-----------------------|---------------------|-------------------------------------|---------------------------------|-------------------------------------|---------------------------------|------------------------|
| Wetland 5 | Cascade Bodines | Pipeline Workspace | PFO; EV | Wild | 50 | 1,544 | 45 | 128 | 41.456312 76.886976 |
| Wetland 7 | Cascade Bodines | Access Road Workspace | PEM; EV | Wild | 125 | 3,335 | 17 | 405 | 41.455419 76.887217 |
| TOTAL IMPACTS | | | | | 175 | 4,879 | 62 | 533 | |
| | | | | | <i>PEM</i> | 125 | 3,335 | 17 | 405 |
| | | | | | <i>PSS</i> | | | | |
| | | | | | <i>PFO</i> | 50 | 1,544 | 45 | 128 |

Floodway Impact Table:

| <i>Resource Name</i> | <i>Municipality Quadrangle</i> | <i>Activity</i> | <i>Impact Area Temp. (SF)</i> | <i>Impact Length Temp. (LF)</i> | <i>Impact Area Perm. (SF)</i> | <i>Impact Length Perm. (LF)</i> | <i>Lat. Long.</i> |
|-----------------------|--------------------------------|--------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|------------------------|
| Crossing # 1 Salt Run | Cascade Bodines | Pipeline Workspace | 106 | 6,490 | 65 | 319 | 41.456206 76.886962 |
| TOTAL IMPACTS | | | 106 | 6,490 | 65 | 319 | |

E6629-031: Appalachia Midstream Services, LLC, 30351 Route 6, Wysox, PA 18854, Meshoppen Township, **Wyoming County,** ACOE Baltimore District.

To construct, operate and maintain the Hunter Well Line Project, which consists of one 12-inch diameter natural gas pipeline, with the following impacts:

1. 6,279 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Meshoppen, PA Quadrangle, Latitude: N 41° 37' 10.31", Longitude: W 76° 05' 41.01");

2. 267 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via a temporary road crossing, and 9,394 square feet of temporary floodway impacts to a UNT to Black Walnut Creek (CWF) (Meshoppen, PA Quadrangle, Latitude: N 41° 37' 23.51", Longitude: W 76° 05' 47.67");

3. 3,812 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands, 338 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands, and 4,880 square feet of temporary floodway impacts to UNTs to Black Walnut Creek (CWF), via open cut trenching and a temporary road crossing (Meshoppen, PA Quadrangle, Latitude: N 41° 37' 26.82", Longitude: W 76° 05' 51.58");

4. 53.0 linear feet of Black Walnut Creek (CWF) and 7,016 square feet of temporary floodway impacts via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 34.22", Longitude: W 76° 05' 52.44");

5. 7,105 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 36.75", Longitude: W 76° 05' 52.63");

6. 416 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 37.75", Longitude: W 76° 05' 52.41");

7. 220 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 42.10", Longitude: W 76° 05' 51.14");

8. 4,435 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 45.99", Longitude: W 76° 05' 49.78");

9. 11,899 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 48.16", Longitude: W 76° 05' 49.07");

10. 50.0 linear feet of a UNT to Black Walnut Creek (CWF), 3,502 square feet of temporary floodway impacts, and 871 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 54.96", Longitude: W 76° 05' 48.72");

11. 8,265 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 59.98", Longitude: W 76° 05' 48.00");

12. 59.0 linear feet of a UNT to Black Walnut Creek (CWF), 7,459 square feet of temporary floodway impacts, and 34 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 15.60", Longitude: W 76° 05' 44.56");

13. 54.0 linear feet of Black Walnut Creek (CWF) and 9,183 square feet of temporary floodway impacts via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 15.13", Longitude: W 76° 05' 22.92");

14. 3,378 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via temporary road

crossings (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 16.70", Longitude: W 76° 05' 12.69");

15. 779 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 16.10", Longitude: W 76° 05' 11.64");

16. 5,169 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 16.05", Longitude: W 76° 05' 10.42");

17. 21,339 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 16.61", Longitude: W 76° 04' 54.09");

18. 214 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 18.86", Longitude: W 76° 04' 47.12"); and

19. 5,504 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 19.62", Longitude: W 76° 04' 45.65").

The project will result in 216.0 linear feet of stream impacts, 41,479 square feet (0.95 acre) of temporary floodway impacts, 76,512 (1.76 acre) of temporary PEM wetland impacts, and 3,812 square feet (0.09 acre) of permanent PFO wetland impacts, all for the purpose of installing a natural gas well line and associated access roadways for Marcellus shale development.

DENIAL

E0829-126: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Franklin Township, **Bradford County**, ACOE Baltimore District. To address an improperly installed culvert and eroded stream channel, application proposed to construct, operate and maintain:

1. 221 linear feet of R-6 riprap for stream and bank stabilization of an unnamed tributary to Towanda Creek (CWF, MF) (Powell, PA Quadrangle, Latitude: 41° 41' 43", Longitude: -76° 35' 54");

The project will result in 221 linear feet or 6,788 square feet of stream impacts all for the purpose of installing R-6 riprap for stream and bank stabilization in Franklin Township, Bradford County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

EA3614-005. ACP Properties, LLC, 301 East Hill Street, Ephrata, PA 17522, West Hempfield Township, **Lancaster County**, USACOE Baltimore District.

Project proposes to remove approximately 9,000 cubic yards of legacy sediment from an approximately 2.6 acres floodplain area along a tributary to Strickler Run (WWF/MF) for the purpose of restoring natural aquatic resources including wetlands, streams, and floodplains; to construct temporary roadways and other erosion controls during restoration activities, to rehabilitate approximately 0.004 acre of existing wetlands and re-establish

approximately 2.6 acres of wetlands; to realign approximately 1,000 lineal feet of unnamed tributaries to Strickler Run for the purpose of restoring a total of approximately 3,000 lineal feet of anastomosing stream channel; to place wood grade control structures, log sills, and woody debris habitat structures within the restoration area; to construct 4 minor road crossings, 4 utility line stream crossings, and 4 outfall structures. The project is located near PA Route 462 (Columbia Ave.) and Meadow Road in West Hempfield Township, Lancaster County (USGS Quadrangle: Columbia East, PA: Latitude: 40° 02' 1.5"; Longitude: -76° 27' 57.8").

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295819050-00
Applicant Name SWN Production Company, LLC
Contact Person Nicki Atkinson
Address 917 State Route 92 North
City, State, Zip Tunkhannock, PA 18657
County Susquehanna
Township(s) Great Bend and New Milford
Receiving Stream(s) and Classification(s) UNT to Mitchell Creek (CWF-MF) and UNT to Deacon Brook (CWF-MF)

ESCGP-3 # ESG294120005-00
Applicant Name HEP Pennsylvania Gathering, LLC
Contact Person Frank Van Horn
Address 17806 IH-10 West, Ste 210
City, State, Zip San Antonio, TX 78257
County Lycoming
Township(s) Cascade
Receiving Stream(s) and Classification(s) Flicks Run and UNTS (HQ, EV, CWF, MF), Wolfs Run and UNTS (HQ, EV, CWF, MF), Bear Run (HQ, EV, CWF, MF);
Secondary: Larrys Creek (HQ-CWF, MF), Larrys Creek (HQ-CWF, MF), Larrys Creek (HQ-CWF, MF)

ESCGP-3 # ESG290820015-00
 Applicant Name Chesapeake Appalachia LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Bradford
 Township(s) Wilmot
 Receiving Stream(s) and Classification(s) Susquehanna
 River (WWF, MF)

ESCGP-3 # ESG290820014-00
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Adam Weightman
 Address 30351 Route 6
 City, State, Zip Wysox, PA 18854
 County Bradford
 Township(s) Wilmot
 Receiving Stream(s) and Classification(s) Susquehanna
 River # 2282 (WWF-MF)

ESCGP-3 # ESG296620003-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Wyoming
 Township(s) Windham
 Receiving Stream(s) and Classification(s) Susquehanna
 River (WWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative

form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Exxon RS 2 0600, 46-06824, 198 Lancaster Ave., Lower Merion Township, **Montgomery County**. RT Environmental Services Inc., 215 West Church Road, King of Prussia, PA 19046, on behalf of VMDT Partnership c/o Piazza Management Company, 401 South Schuylkill Avenue, Norristown, PA 19403 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

1258 MacDade Blvd BP, 23-29735, 1258 MacDade Blvd., Collingdale Borough, **Delaware County**. Geo-Enviro Consulting and Remediation LLC, 371 Hoes Lane, Suite 200, Piscataway, NJ 00854, on behalf of ARFA Real Estate Holdings, LLC, 1800 Chapel Ave., Suite 1600, Cherry Hill, NJ 08002 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Lous Gulf Svc Sta, 23-22309, 390 E. Chester Pike, Ridley Park Borough, **Delaware County**. RT Environmental Services Inc., 215 West Church Road, King of Prussia, PA 19046, on behalf of 390 E Chester Pike Investors submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Snedeker Holiday Mobil 2, Storage Tank Facility ID # 44-12041, Route 322 Burnham Interchange, Burnham, PA 17009, Derry Township, **Mifflin County**. Enviro Trac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086 on behalf of Snedeker Stores, LLC, P.O. Box 585, Lewistown, PA 17044 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Gregory Bowman, Environmental Group Manager.

7 Eleven 40249, Storage Tank Facility ID # 03-24180, 222 Butler Road, Kittanning Borough, **Armstrong**

County. Groundwater and Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Evergreen Resources, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, MTBE, isopropylbenzene and naphthalene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager. The Remedial Action Plan was acceptable to meet nonresidential Statewide health standards and was approved by the DEP on May 26, 2020.

Sunoco 0012 0352, 46-20322, 300 N. Lewis Rd., Limerick Township, **Montgomery County.** Aquaterra

Technologies, Inc., 901 S. Bolmar St., Suite A, West Chester, PA 19382, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report demonstrated attainment of nonresidential Statewide health standards and was approved by the DEP on June 1, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Pace Mart (Phillips 66 Site # 5643), Storage Tank ID # 39-43636, 640 North 7th Street, Allentown, PA 18103, Allentown City, **Lehigh County.** GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of Sadaat LLC, 640 North 7th Street, Allentown, PA 18102, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Completion Report demonstrated attainment of Site-Specific Standards and was approved by DEP on May 29, 2020.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

John F. Martin & Sons, Storage Tank Facility ID # 36-60491, 55 Lower Hillside Road, Stevens, PA 17578, West Cocalico Township, **Lancaster County.** DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823 on behalf of John F. Martin Family Corporation, 55 Lower Hillside Road, Stevens, PA 17578 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the non-residential Statewide health standard in soil and groundwater and was approved by DEP on June 4, 2020. Contact: Cherie M. Campbell, Soil Scientist.

Getty Service Station 67627, Storage Tank Facility ID # 67-26022, 101 Carlisle Street, Hanover, PA 17331, Hanover Borough, **York County.** Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002 on behalf of Getty Properties Corporation, Two Jericho Plaza, Suite 110, Wing C, Jericho, NY 11753 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report did not demonstrate attainment of the Statewide health standard and was disapproved by DEP on May X, 2020. Contact: Robin L. Yerger, P.G., Project Officer.

Former Mobil Lancaster Terminal, Storage Tank Facility ID # 36-11093, 1360 Manheim Pike, Lancaster, PA 17604, Warwick Township, **Lancaster County.** Groundwater Services International, Inc., 443 McCormick Road, Mechanicsburg, PA 17055 on behalf Lucknow Highspire Terminals DE, LLC, P.O. Box 2621, Harrisburg, PA 17105 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded gasoline, unleaded gasoline and diesel fuel constituents. The Remedial Action Completion Report demonstrated attainment of the non-residential Statewide health and Site-Specific standards and was approved by DEP on May 15, 2020. Contact: Cherie M. Campbell.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

SuperValu Maintenance Garage, Primary Facility ID # 65-11809, 400 Paintersville Rd., New Stanton, PA 15672, New Stanton Borough, **Westmoreland County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of SuperValu Inc., P.O. Box 1000, New Stanton, PA 15672, submitted a combined Site Characterization Report and Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on May 28, 2020.

Pevarnik Brothers Inc., Primary Facility ID # 65-17195, 1302 Memorial Dr., Latrobe, PA 15650, Latrobe Borough, **Westmoreland County**. Keystone Environmental Health and Safety Services Inc., 1111 12th Ave., Altoona, PA 16601, on behalf of James F. Pevarnik, Pevarnik Brothers Inc., 1302 Memorial Dr., Latrobe, PA 15650, submitted a Remedial Action Completion Report

concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on May 28, 2020.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Kwik Fill S-16, Storage Tank Facility ID # 43-22459, 1650 West Main Street Extension, Pine Township, **Merger County**. Groundwater & Environmental Services, 3011 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company of PA, 15 Bradley Street, Warren, PA 16365 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, isopropyl benzene, naphthalene, methyl tertiary butyl ether (MTBE), 1,2,4 trimethylbenzene, and 1,3,5 trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standard and was approved by DEP on May 27, 2020.

SPECIAL NOTICES

RADIATION PROTECTION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the months of March through May 2020, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon related activities in Pennsylvania. The period of certification is 2 years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

| <i>Name</i> | <i>Address</i> | <i>Certification</i> |
|---|--|----------------------|
| Donald Antry Antry, Donald | 2205 Meadow Brook Dr. Schnecksville, PA 18078 | Testing |
| Timothy Emmick | 231 Miller Ln. Boalsburg, PA 16827 | Testing |
| Tom Berardelli Berardelli Home In | 1639 Newton Ransom Blvd. Clarks Summit, PA 18411 | Testing |
| Nicholas Barbarini | 4144 Feidler Dr. Erie, PA 16506 | Mitigation |
| Thomas Bartholetti Thomas Bartholetti Inspctn Srcs | 1240 W Chester Pike, Ste 207 West Chester, PA 19382 | Testing |
| Jeff Finken | 8020 Mine St. Fogelsville, PA 18051 | Mitigation |
| Richard Stump II Suburban Property Inspctns, Inc. | 4600 Kutztown Rd. Temple, PA 19560 | Testing |
| Richard Stump II Suburban Property Inspctns, Inc. | 4600 Kutztown Rd. Temple, PA 19560 | Testing Firm |
| Andrew Joseph | 1713 Saw Mill Rd. Greensburg, PA 15601 | Testing |
| Michael Cox | 185 Connie Dr. Pittsburgh, PA 15214 | Testing |
| David Demar Accurate Radon Control Inc. | P.O. Box 296 Green Lane, PA 18054 | Mitigation Firm |
| Stanley Watras S. J. Watras, Inc. | 32 Indian Ln. Boyertown, PA 19512 | Testing |
| Stanley Watras S. J. Watras, Inc. | 32 Indian Ln. Boyertown, PA 19512 | Mitigation |

| <i>Name</i> | <i>Address</i> | <i>Certification</i> |
|---|--|----------------------|
| Stanley Watras S. J. Watras, Inc. | 32 Indian Ln. Boyertown, PA 19512 | Testing Firm |
| Stanley Watras S. J. Watras, Inc. | 32 Indian Ln. Boyertown, PA 19512 | Mitigation Firm |
| George Kasimirsky | P.O. Box 145 Hickory, PA 15340 | Testing |
| Jeffrey Ronzel | 1248 Greenway Ln. Kunkletown, PA 18058 | Testing |
| Richard Barto | 112 Shields Ln. Slippery Rock, PA 16057 | Testing |
| Stephen Ballasy | 1786 Clearview Ave. Blue Bell, PA 19422 | Testing |
| John Goldsworthy, Jr. | 728 Buttercup Dr. Warminster, PA 18974 | Testing |
| Piotr Podolecki | 11 Timber Dr. Alburtis, PA 18011 | Mitigation |
| James Stein Alumni Radon Testing | 127 W. College Ave., Ste B Pleasant Gap, PA 16823 | Testing |
| James Stein Alumni Radon Testing | 127 W College Ave Ste B Pleasant Gap, PA 16823 | Testing Firm |
| David Demar Accurate Radon Contro | P.O. Box 296 Green Lane, PA 18054 | Testing |
| David Demar Accurate Radon Contro | P.O. Box 296 Green Lane, PA 18054 | Mitigation |
| Shane Gavin | 124 Old Colony Dr. Johnstown, PA 15904 | Mitigation |
| Craig Lennox | 2801 Soni Dr. Trooper, PA 19403 | Testing |
| Ronald Zimmerman A-1 Realty Servi | P.O. Box 179 Kutztown, PA 19530 | Testing |
| Thomas D'arcy D'arcy Radon Testing Systems | P.O. Box 243 Newtown, PA 18940 | Testing |
| Thomas D'arcy Radon Testing Systems | P.O. Box 243 Newtown, PA 18940 | Testing |
| Kevin Adams | 208 Latimer Ave. Strabane, PA 15363 | Testing |
| Stephen Mento | 25 Fox Farm Lane Downingtown, PA 19335 | Testing |
| Dewey Kerns | P.O. Box 263 Effort, PA 18330 | Testing |
| Larry Smith | 191 Route 715 Brodheads ville, PA 18322 | Testing |
| Robert Kelly Ulm Eagle Home Inspections, LLC | 543 Twele Rd. Greenock, PA 15047 | Testing |
| Frank Glantz | P.O. Box 866 Lemont, PA 16851 | Mitigation |
| Clifford Ardinger, II | 101 Bertley Ridge Dr. Coraopolis, PA 15108 | Testing |
| Michael Lisk | 508 Boquet St. Carnegie, PA 15106 | Testing |
| Lisa Roddis | P.O. Box 862 Hockessin, DE 19707 | Testing |
| Eric Levine Levine, Eric | 110 Music Center Dr. East Stroudsburg, PA 18301 | Testing |
| Eric Levine | 110 Music Center Dr. East Stroudsburg, PA 18301 | Mitigation |

| <i>Name</i> | <i>Address</i> | <i>Certification</i> |
|---|---|----------------------|
| Christopher Murphy Win—Murrysvil | 106 Larchwood Dr. Turtle Creek, PA 15145 | Testing |
| Christopher Murphy Win—Murrysville | 106 Larchwood Dr. Turtle Creek, PA 15145 | Testing Firm |
| George Schambach Professional Home Inspections | 1278 Vestal Ave. Binghamton, NY 13903 | Testing Firm |
| George Schambach Professional Home Inspections | 1278 Vestal Ave. Binghamton, NY 13903 | Mitigation Firm |
| Michael Werst | 464 Mountain View Ct. Allentown, PA 18106 | Testing |
| George Schambach Professional Home Inspections | 1278 Vestal Avenue Binghamton, NY 13903 | Testing |
| George Schambach Professional Home Inspections | 1278 Vestal Avenue Binghamton, NY 13903 | Mitigation |
| Paul Bukeavich | 318 Ridge St. Ashley, PA 18706 | Testing |
| William Thacker | 33 Cherry Rd. Airville, PA 17302 | Testing |
| Bryan Griest | 127 Jarrett Ave. Butler, PA 16001 | Testing |
| Edward Schluth Insight Properties | 18 Farview Rd. Telford, PA 18969 | Testing |
| Allan Berger | 153 Parry Rd. Moscow, PA 18444 | Testing |
| Daniel Kostenbader | 772 Golden Eagle Dr. Nazareth, PA 18064 | Testing |
| Stephen Hill | 412 Bedford St. Windber, PA 15963 | Testing |
| George Curry Geo Environmental | P.O. Box 508 Medford, NJ 08055 | Testing |
| Gary Drenning | P.O. Box 237 Hollidaysburg, PA 16648 | Testing |
| Lucas Sargent | P.O. Box 514 Tioga, PA 16946 | Testing |
| David Roberts | 92 White Rock Ter. Courtdale, PA 18704 | Testing |
| Thomas Hatton Clean Vapor, LL | P.O. Box 688 Blairstown, NJ 07825 | Mitigation Firm |
| Thomas Hatton Clean Vapor LLC | P.O. Box 688 Blairstown, NJ 7825 | Mitigation |
| Brian Brucker | 2376 Mount Vernon Ave. Export, PA 15632 | Testing |
| Jeffrey Hunt Logton Home Inspections | 207 Kirkbrae Rd. Kennett Square, PA 19348 | Testing Firm |
| Brian Thomas | 20436 Rte 19 # 620 P.O. Box 153 Cranberry Twp, PA 16066 | Testing |
| Victor Delfi | 1923 Hawk Dr. Stroudsburg, PA 18360 | Testing |
| Laura Seats | 5308 Mine Road Kinzers, PA 17535 | Testing |
| Beverly Sedon Atc Group Services | 270 William Pitt Way Pittsburgh, PA 15238 | Testing |
| Beverly Sedon Atc Group Services LLC | 270 William Pitt Way Pittsburgh, PA 15238 | Testing Firm |

| <i>Name</i> | <i>Address</i> | <i>Certification</i> |
|--------------------------------------|--|----------------------|
| Douglas Beck | 3 Wheatsheaf Ct. New Hope, PA 18938 | Testing |
| William Staz | 1738 N 3rd St. Harrisburg, PA 17102 | Testing |
| Robert Beattie Beattie, Robert S. | 219 E 2nd St. Wind Gap, PA 18091 | Testing |
| Craig Hopkin | P.O.Box 33 Herminie, PA 15637 | Testing |

[Pa.B. Doc. No. 20-763. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 26(0170)102.1, Abandoned Mine Reclamation Project, Tower Hill No. 1 North, Redstone Township, Fayette County. The principal items of work and approximate quantities include: mobilization and demobilization, 1 lump sum; compost filter sock (32" diameter), 1,200 linear feet; alkaline addition, 1,760 tons; grading, 76,000 cubic yards; R-5 rock lining with filter blanket, 2,000 square yards; seeding, 8 acres; engineered soil builder material, 8 acres; and flexible growth medium, 8 acres.

This bid issues on May 29, 2020, and bids will be opened on June 25, 2020, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-764. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Radiation Protection Advisory Committee Virtual Meeting Scheduled

The Radiation Protection Advisory Committee (Committee) has scheduled a virtual meeting for Thursday, July 9, 2020. The meeting will begin at 9 a.m. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Committee's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting John Chipppo at jchippo@pa.gov or (717) 783-9730.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Radiation Advisory Committees," then "Radiation Protection Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the July 9, 2020, meeting can be directed to John Chipppo at jchippo@pa.gov or (717) 783-9730.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-3720, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-765. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Infant Hearing Screening Advisory Committee Virtual Meeting

The Infant Hearing Screening Advisory Committee established under the Infant Hearing Education, Assessment, Reporting and Referral (IHEARR) Act (11 P.S. §§ 876-1—876-9), will hold a virtual public meeting on Thursday, June 18, 2020. The meeting will be held by means of Skype from 1 p.m. until 3 p.m. The meeting can be accessed in two ways. The first by logging in electronically at <https://meet.lync.com/pagov/cansanders/6BSVR6QT>. The second is by calling 1 (267) 332-8737 and the call ID is 368306915#. Agenda items will include reports by the Cytomegalovirus and Audiology subcommittees and group discussion on training needs for audiologists, Early Hearing Detection and Intervention challenges in the current environment, and the new Early Head Start Collaboration to expand capacity to support hearing screening in young children up to 3 years of age.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Candance Sanderson, Program Administrator, Division of Newborn Screening and Genetics, (717) 783-

8143. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-766. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Cross Keys Village—The Brethren Home Community
2990 Carlisle Pike
New Oxford, PA 17350
FAC ID # 022502

Homestead Village
1800 Village Circle
P.O. Box 3227
Lancaster, PA 17604-3227
FAC ID # 085902

Manatawny Manor
30 Old Schuylkill Road
Pottstown, PA 19465
FAC ID # 130802

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(j):

ManorCare Health Services—Peters Township
113 West McMurray Road
McMurray, PA 15317
FAC ID # 126302

ManorCare Health Services—Pittsburgh
550 South Negley Avenue
Pittsburgh, PA 15232
FAC ID # 140102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

Homewood at Martinsburg, Pa., Inc.
437 Givler Drive
Martinsburg, PA 16662
FAC ID # 026702

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, rapexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-767. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Rural Health Redesign Center Authority Board Virtual Meeting

The Pennsylvania Rural Health Redesign Center Authority Board (Board), established under the act of November 27, 2019 (P.L. 742, No. 108), known as the Pennsylvania Rural Health Redesign Center Authority Act (Act 2019-108), will hold its second meeting on Thursday, June 18, 2020, from 1 p.m. to 3 p.m. The meeting will be held virtually by means of Skype. The dial-in number is +1 (267) 332-8737 and the conference ID is 456017521#.

The Board is charged with administering the Pennsylvania Rural Health Model (Model) which aims to protect the financial viability of rural hospitals in this Commonwealth through transitioning them from a traditional fee-for-service model to a global budget payment model. The meeting will provide updates on a variety of topics including Model status updates, Federal grant deliverables, global budget methodology and more. It will also discuss current and upcoming activities.

For additional information or for persons who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Emily Roussel, Executive Assistant for Health Innovation, Department of Health, (717) 425-0623, eroussel@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-768. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Availability of the Low-Income Home Energy Assistance Program; Proposed State Plan and Public Hearing Schedule

The Department of Human Services (Department) is making available for public review and comment the Fiscal Year (FY) 2020-2021 Low-Income Home Energy Assistance Program (LIHEAP) proposed State Plan. Com-

ments on this notice and testimony received at public hearings will be used to formulate the final State Plan for using Federal funds for FY 2020-2021 LIHEAP.

The Department has made the proposed State Plan available to the public at <https://www.dhs.pa.gov/Services/Assistance/Pages/LIHEAP.aspx>. In addition, copies of the proposed State Plan are available upon written request to Division of Federal Programs and Program Management, Room 224, Willow Oak Building, 1006 Hemlock Drive, Harrisburg, PA 17110.

The Department will hold three public hearings throughout this Commonwealth to allow testimony on the proposed State Plan and to fulfill the Federal mandate for public input into the planning process. This mandate appears in Title XXVI (The Low-Income Home Energy Assistance Act of 1981) of the Omnibus Budget Reconciliation Act of 1981 (Pub.L. No. 97-35), (42 U.S.C.A. §§ 8621—8630) as amended by the Human Services Reauthorization Act of 1984 (Pub.L. No. 98-558), the Human Services Reauthorization Act of 1986 (Pub.L. No. 99-425), the Augustus F. Hawkins Human Services Reauthorization Act of 1990 (Pub.L. No. 101-501), the National Institutes of Health Revitalization Act of 1993 (Pub.L. No. 103-43), the Low-Income Home Energy Assistance Amendments of 1994 (Pub.L. No. 103-252), the Coats Human Services Reauthorization Act of 1998 (Pub.L. No. 105-285) and the Energy Policy Act of 2005 (Pub.L. No. 109-58).

Public Hearing Schedule

Three teleconferencing meetings are available for public participation:

| |
|--|
| Tuesday, June 30, 2020 |
| 10 a.m.—12 p.m. |
| Call in: (267) 323-8737; Pin: 250868485# |
| Online: https://meet.lync.com/pagov/bwhorl/PCC6JW52 ; Pin: 250868485# |

| |
|--|
| Tuesday, July 7, 2020 |
| 10 a.m.—12 p.m. |
| Call in: (267) 323-8737; Pin: 762311199# |
| Online: https://meet.lync.com/pagov/bwhorl/BL8K1GMG ; Pin: 762311199# |

| |
|--|
| Thursday, July 9, 2020 |
| 10 a.m.—12 p.m. |
| Call in: (267) 323-8737; Pin: 616385010# |
| Online: https://meet.lync.com/pagov/bwhorl/C9HTQ1WQ ; Pin: 616385010# |

This notice shall take effect upon publication in the *Pennsylvania Bulletin*.

Public Comment

Persons who wish to testify on the proposed State Plan at a public hearing should arrange a time by telephoning (717) 772-7906. Persons from outside the Harrisburg area should call (800) 692-7462 or send a written request, including telephone number, to the Division of Federal Programs and Program Management, Room 224, Willow Oak Building, Harrisburg, PA 17110.

Individuals also may submit written comments at any of the public hearings, by e-mail to LIHEAPmail@pa.gov, or by mail to the previously listed address by July 17, 2020.

Persons with a hearing or speech impairment may submit comments through the Pennsylvania Telecommunications Relay Service by calling 711.

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1393. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 20-769. Filed for public inspection June 12, 2020, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Proposed Disadvantaged Business Enterprise Goal Methodology for Participation in Federal Highway Administration and Federal Transit Administration Funded Contracts for Fiscal Years 2021—2023

The Department of Transportation (Department) is providing notice of its proposed Federal Highway Administration and Federal Transit Administration Disadvantaged Business Enterprise Goal Methodology for Federal Fiscal Years 2021—2023, which is available for public inspection and comment.

The proposed methodology is available for inspection by contacting the Department of Transportation, Bureau of Equal Opportunity, 400 North Street, 5th Floor, Harrisburg, PA 17120-0041, (717) 787-5891 or (800) 468-4201.

Alternatively, the document can also be viewed online at <http://www.padbegoals.org/>.

The document will be available for inspection from the date of this notice's publication through 4 p.m. on Friday, July 10, 2020. The Department will accept written comments on the methodology during this period.

Comments, questions or suggestions regarding this notice may be directed in writing to Katherine Peters, Director, Bureau of Equal Opportunity, at the previously listed address.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 20-770. Filed for public inspection June 12, 2020, 9:00 a.m.]

GAME COMMISSION

Chronic Wasting Disease—Designation of Disease Management Areas and Endemic States and Canadian Provinces Order # 8

Executive Order

Whereas, Chronic Wasting Disease (CWD) is an infectious and progressive neurological disease that is found in, and always proves fatal to, members of the family

Cervidae (deer, elk or moose, and other susceptible species, collectively called cervids); and

Whereas, There are no known treatments for CWD infection, no vaccines to protect against CWD infection, and no approved tests that can detect the presence of CWD in live cervids; and

Whereas, CWD is designated as a “dangerous transmissible disease” of animals by order of the Secretary of Agriculture under 3 Pa.C.S. § 2321(d) (relating to dangerous transmissible diseases); and

Whereas, The Game and Wildlife Code (Code) (34 Pa.C.S. §§ 101 et seq.) and regulations promulgated thereunder (58 Pa. Code §§ 131.1 et seq.) collectively provide broad authority to the PGC to regulate activities relating to the protection, preservation, and management of game and wildlife, including cervids; and

Whereas, On March 28, 2017 (effective May 16, 2017), the Commission added 58 Pa. Code § 137.35 (relating to Chronic Wasting Disease Restrictions) to give more permanent status and structure to the CWD requirements and restrictions previously established and maintained over the prior decade by and through executive orders; and

Whereas, Section 137.35(d) provides the Executive Director with the authority to designate CWD Disease Management Areas (DMAs) within this Commonwealth; and

Whereas, Section 137.35(d) also provides the Executive Director with the authority to designate CWD-endemic States or Canadian Provinces; and

Whereas, Previous executive orders concerning designation of CWD DMAs and CWD-endemic States and Canadian Provinces within this Commonwealth were issued by the Commission on June 1, 2017, July 24, 2017, October 6, 2017, February 16, 2018, May 21, 2018, October 22, 2018 and June 17, 2019; and

Whereas, The Commission has determined that further designation of CWD DMAs and CWD-endemic States and Canadian Provinces is required to implement necessary updates to the Commission’s CWD program.

Now Therefore, I, BRYAN J. BURHANS, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct the following:

1. DMAs within this Commonwealth are designated as set forth below. These DMAs are more graphically illustrated on the maps titled “DMA2,” “DMA3” and “DMA4” attached hereto and incorporated by reference herein. Should any conflict exist between the below-listed written boundaries and maps of DMA2, DMA3 and DMA4, the written descriptions shall prevail.

a. *DMA1*: Eliminated.

b. *DMA2*: Adams, Bedford, Blair, Cambria, Centre, Cumberland, Franklin, Fulton, Huntingdon, Indiana, Snyder, Somerset, Union and Westmoreland counties, bounded and described as follows: Beginning in the Southeastern extent of the DMA at the intersection of Taneytown Road (State Highway 134) and the Maryland State Line, proceed north on Highway 134 for approximately 7.5 miles to the intersection of Steinwehr Avenue in Gettysburg. Follow right on Steinwehr Ave to Baltimore Street. Follow left on Baltimore Street through downtown Gettysburg. Proceed halfway around the traffic circle at the square onto Carlisle Street (State Highway

34). The DMA boundary follows Highway 34 north for approximately 21.2 miles to the intersection of the Baltimore Avenue (State Highway 94). Follow Highway 94 north for approximately 6.1 miles to the intersection of Interstate 81. Follow I-81 north for approximately 18.6 miles to the Susquehanna River. Follow the Susquehanna River north for approximately 48.5 miles to the State Highway 61 bridge. The DMA boundary follows Highway 61 west for approximately .4 miles to the intersection of US Highway 11 in Shamokin Dam. Follow US Highway 11 south for 3.3 miles to the intersection of US Highway 522. Follow US Highway 522 west for 10.4 miles to the intersection of Route 104. Follow route 104 north for approximately 8.9 miles to the intersection of State Highway 45. Turn left and the boundary follows State Highway 45 for approximately 34.2 miles to the intersection of State Highway 144 in Old Fort. The DMA boundary follows State Highway 144 south for approximately 3.8 miles to the intersection of US Highway 322 in Potters Mills. Proceed left on US 322 south for 11.2 miles to the intersection of State Highway 655 near Reedsville. Turn right and the boundary follows Highway 655 south for approximately 8.1 miles to the intersection of State Highway 305. The DMA boundary follows State Highway 305 west for 10.2 miles to State Highway 26, then west along State Highway 26 for 9.4 miles to intersection of State Highway 45. Follow State Highway 45 south for 11.8 miles to State Highway 350. Turn right on State Highway 350 and follow for 15.6 miles to State Route 3049. Follow State Route 3049 north for 4.3 miles then State Route 2051 (Curtain Street) for .4 miles to the intersection of State Highway 53 in Osceola Mills. Continue left on State Highway 53 for 5.1 miles to the intersection of Route 153 in Houtzdale. The DMA boundary follows Route 153 south for 5.9 miles to the intersection of Route 253 (Viola Pike) and then left on Route 253 for 8.6 miles to the intersection of State Highway 53 in Van Ormer. Continue left on State Highway 53 for about 1.7 miles to the intersection of Marina Road. Continue west on Marina Road for 5.5 miles where the road becomes Glendale Lake Road. Continuing on Glendale Lake Road for 3 miles the intersection with State Highway 36. Follow State Highway 36 west for .5 miles into the town of Patton. The DMA boundary follows right on State Highway 36 south for 3.5 miles to Bridge Street. Turn left on Bridge Street and follow west for 1.6 miles to the intersection of Spangler Street. Following Spangler Street southward for .9 miles to the intersection of Municipal Road. Turn right on Municipal Road and follow for 3.6 miles west to the intersection of State Highway 219 (Crawford Avenue) in Northern Cambria. Follow State Highway 219 south for 1.3 miles to the intersection of State Highway 271. Follow State Highway 271 south for 2.8 miles to the intersection of State Highway 553 near Nicktown. Follow State Highway 553 west for 6.9 miles to the intersection of State Highway 403 near Heilwood. Continue south on State Highway 403 for 15.8 miles to the intersection of US Highway 22. The boundary follows US Highway 22 west for 14 miles to the intersection of State Highway 217 South in Blairsville. Follow State Highway 217 South for 12.5 miles to the intersection of US Highway 30. Follow US Highway 30 east for 21.3 miles to intersection of State Highway 219. Finally, south along State Highway 219 for 32.6 miles to the Maryland border at the place of beginning.

c. *DMA3*: Armstrong, Cambria, Clarion, Clearfield, Indiana and Jefferson counties, bounded and described as follows: Beginning at the southernmost point at the

intersection of State Highway 403 and State Highway 286 in the town of Clymer, proceed east on State Highway 286 for 4.9 miles to State Highway 240. Follow in State Highway 240 east for 8.5 miles to the intersection of US Highway 219. Follow US Highway 219 north for 2.4 miles to Sylvis Road. Follow Sylvis Road east for 5.8 miles to the intersection of State Highway 36. Follow State Highway 36 east for 8.8 miles to the intersection of La Jose Road (SR-3016) in Newburg. Follow La Jose Road east for 3.6 miles becoming Cherry Corner Road (SR-3005) for another .3 mile to the intersection of Marron Road (SR-3016). Turn left onto Marron Road and follow northeast for 2.7 miles to the intersection of State Road 729. Follow State Road 729 east for .9 miles to the intersection of Old Station Road. Follow Old Station Road (SR-2012) east for 2.4 miles to the intersection of Douglas Road (SR-3007). Continue east on Douglas Road for .3 miles to the intersection of Zion Road (SR-2012) near New Millport. Follow Zion Road east for 4.5 miles to the intersection of Faunce Road (SR-2012). Turn right and follow Faunce Road east for 3.1 miles becoming Sanborn Road (SR-2012) in Woodward Township. Continue east on Sanborn Road for 2.5 miles to the intersection of State Highway 153. Follow State Highway 153 north for 5 miles to the intersection of Valley Road (SR-2027). Follow Valley Road north for 2.1 miles becoming Hogback Hill Road (SR-2027). Continue north on Hogback Hill Road for 1 mile to the intersection of Main Street in Mineral Springs. Turn right on Main Street for .2 miles to the intersection of Bigler Cutoff Road. Turn left on Bigler Cutoff Road for .1 miles to the intersection of US Highway 322. Follow US Highway 322 east for .7 miles to the intersection of State Highway 970. Follow State Highway 970 north for 1.5 miles to the intersection of Interstate Highway 80. Follow I-80 west for 26.4 miles to the exit for State Highway 219 north. Follow State Highway 219 north for 7.5 miles to the intersection of State Highway 28 in Brockway. Follow State Highway 28 west for 2.8 miles to the intersection of Game School Road, turn right on Game School Road and then follow north for 7.4 miles to the intersection of Richardsville Road (SR-4005). Turn right on Richardsville Road and follow north for 2 miles to the intersection of State Highway 949. Follow State Highway 949 west for 23.4 miles to the intersection of US Highway 322 in Corsica. Follow US Highway 322 east for .3 miles to the intersection of State Highway 949. Follow State Highway 949 south for 4.2 miles to the intersection of State Highway 28. Follow State Highway 28 south for 13.2 miles to the intersection of State Highway 839 in New Bethlehem. Follow State Highway 839 south for 21 miles to State Highway 85. Follow State Highway 85 south for 11.7 miles to the intersection of US Highway 119 in the town of Home. Turn left on US Highway 119 and follow 3.4 miles to the intersection of State Highway 403 in Marion Center. Follow State Highway 403 south for 8.5 miles to Clymer at the place of beginning.

d. *DMA4*: Lancaster, Lebanon and Berks Counties, bounded and described as follows: Beginning in the northwestern extent of the DMA in the city of Lebanon, at the intersection of state Route 897 and U.S. Route 422, proceed east on U.S. Route 422 for 12.3 miles to state Route 419. Turn left on state Route 419 and proceed north for 2.3 miles to Christmas Village Road (state Route 4010). Turn right, proceeding east on Christmas Village Road for 5.1 miles to North Heidelberg Road (state Route 3033). Turn left on North Heidelberg Road,

proceeding northeast for 0.6 miles to state Route 183. Turn right on state Route 183, proceeding southeast for 7.7 miles to the U.S. 222. Turn right on U.S. 222 proceeding southwest for 3.2 miles to the interchange with U.S. Route 422 Bypass. Proceed on U.S. Route 422 Bypass for 2.4 miles to intersection with Business Route 222E (Lancaster Avenue). Proceed south on Business 222E for 0.6 miles to the intersection with state Route 625. Turn left onto state Route 625 and proceed south for 16.7 miles to the intersection with Route 23. Turn right onto Route 23 for 0.3 miles to the intersection with state Route 897. Turn left on State Route 897, proceeding south for 0.6 miles to the intersection with U.S. Route 322 (28th Division Highway). Turn left, proceeding east for 0.1 miles to the intersection with State Route 897 (Spring Valley Road). Turn right on State Route 897, proceeding south for 4.2 miles to the intersection with Seldomridge Road (T-513). Turn left, proceeding east for 1.8 miles to the intersection with Cambridge Road (T-907). Turn right on Cambridge Road, proceeding 1.6 miles to the intersection with State Route 340 (Old Philadelphia Pike). Turn right on State Route 340, proceeding 0.4 miles to the intersection with State Route 897 (White Horse Road). Turn left on State Route 897, proceeding 4.0 miles south to the intersection with U.S. Route 30. Turn right on U.S. Route 30, proceeding west for 0.3 miles to the intersection with State Route 41 (Newport Pike). Turn left on State Route 41, proceeding 2.8 miles south to the intersection with State Route 2027. Turn right on State Route 2027 and proceed for 0.3 miles at which point State Route 2027 becomes State Route 2025, proceed south on State Route 2025 for 0.6 miles to State Route 372 (Bridge Street). Stay on State Route 372, proceeding south for 0.5 miles to State Route 2009 (Noble Road). Turn right on State Route 2009, proceeding northeast for 13.2 miles to the intersection with State Route 2003 (Little Britain Road). Turn right on State Route 2003, proceeding north for 1.6 miles to U.S. Route 222 (Robert Fulton Highway). Turn left on U.S. Route 222, proceeding south for 4.5 miles to State Route 3004 (Furniss Road). Turn right on State Route 3004, proceeding 1.6 miles at which point State Route 3004 becomes State Route 10Z (Harmony Ridge Dr.). Proceed along State Route 10Z for 2.0 miles to Fishing Creek. Left following Fishing Creek approximately 0.5 miles to the Susquehanna River. Proceed northwest along the Susquehanna River shoreline for 20.0 miles to a point abeam State Route 999. Turn right on State Route 999 proceeding east for 7.0 miles to State Route 741 (Rohrerstown Road). Turn left on State Route 741, proceeding north for 3.6 miles to U.S. Route 30 (Lincoln Highway) interchange. Turn right on U.S. Route 30, proceeding east for 2.4 miles to State Route 4011 (Fruitville Pike). Turn left on State Route 4011, proceeding north for 6.7 miles to State Route 772 (Orange Street). Turn right on State Route 772, proceeding east for 3.6 miles to State Route 501. Turn left on state Route 501 in Lititz, proceeding northerly for 5 miles to the intersection with U.S. Route 322 (West 28th Division Highway). Turn left on U.S. Route 322, proceeding westerly for 1.3 miles to the Pennsylvania Turnpike (U.S. Route 76). Move right along U.S. Route 76, proceeding east for 0.7 miles to the western boundary of State Game Lands 46. Proceed north, then east for 1.2 miles along the game lands boundary to state Route 501 (Furnace Hills Pike). Turn left on state Route 501, proceeding north for 4.1 miles to the intersection with state Route 419. Turn left, proceeding west for 0.1 miles to state Route 897 (South 5th Street). Turn right on state Route 897,

proceeding northwest for 6.2 miles to the starting point at the intersection of state Route 897 and U.S. Route 422 at the place of beginning.

2. CWD-endemic States or Canadian Provinces are designated to include the following specific States and Canadian Provinces: Alberta, Arkansas, Colorado, Illinois, Iowa, Kansas, Maryland, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, New Mexico, New York, North Dakota, Ohio, Oklahoma, Quebec, Saskatchewan, South Dakota, Tennessee, Texas, Utah, Virginia, West Virginia, Wisconsin, and Wyoming. These CWD-endemic States and Canadian Provinces are more graphically illustrated on the map titled "CWD Endemic States and Canadian Provinces" attached hereto and incorporated by reference herein. Should any conflict exist between the above-listed CWD-endemic States and


Canadian Provinces and the "CWD Endemic States and Canadian Provinces" map, the written listing shall prevail.


3. The previous executive order concerning designation of CWD DMAs and CWD-endemic States and Canadian Provinces within this Commonwealth that was issued by the Commission on June 17, 2019 and published in the *Pennsylvania Bulletin* on June 29, 2019 at 49 Pa.B. 3433 is hereby rescinded in its entirety and replaced by this Order.


4. This Order is effective immediately and shall remain in effect until rescinded or modified by subsequent order.


Given under my hand and seal of the Pennsylvania Game Commission on this 2nd day of June, 2020.

BRYAN J. BURHANS,
Executive Director









[Pa.B. Doc. No. 20-771. Filed for public inspection June 12, 2020, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

| <i>Reg. No.</i> | <i>Agency/Title</i> | <i>Close of the Public Comment Period</i> | <i>IRRC Comments Issued</i> |
|-----------------|--|---|-----------------------------|
| 7-552 | Environmental Quality Board Administration of the Land Recycling Program 50 Pa.B. 1011 (February 15, 2020) | 4/30/20 | 6/1/20 |

Environmental Quality Board Regulation # 7-552 (IRRC # 3251)

Administration of the Land Recycling Program June 1, 2020

We submit for your consideration the following comments on the proposed rulemaking published in the February 15, 2020 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the Environmental Quality Board (Board) to respond to all comments received from us or any other source.

1. Section 250.4. Limits related to PQLs.—Clarity and lack of ambiguity.

Under subsection (a), practical quantitation limits (PQL) are selected from PQLs or estimated quantitation limits “specified by the (United States Environmental Protection Agency (EPA)) in the most current version of EPA’s drinking water or solid waste analytical methods.” The Board states in the Preamble to the proposed regulation that the amendments “update the references and procedures for determining” PQLs. However, the current reference to a specific EPA manual is replaced with general EPA analytical methods. We ask the Board to clarify references to these methods in the final-form regulation or explain in the Preamble to the final-form regulation why it is unnecessary to do so.

2. Section 250.10. Measurement of regulated substances in media.—Clarity and lack of ambiguity.

Under subsection (d), samples of groundwater from monitored drinking water wells are required to be field acidified and unfiltered in accordance with a Department of Environmental Protection (Department) technical guidance manual or “an alternative sampling method that accurately measures regulated substances in groundwater.” What alternative sampling methods are acceptable? We ask the Board to specify sampling methods in the final-form regulation or explain in the Preamble to the final-form regulation why it is unnecessary to do so.

3. Appendix A, Tables 1, 3A, 3B and 5A—Possible conflict with or duplication of statutes or existing regulations.

Polychlorinated biphenyls (PCB) (Aroclor)

PCB-1221 (Aroclor), PCB-1232 (Aroclor), PCB-1242 (Aroclor), PCB-1248 (Aroclor) and PCB-1260 (Aroclor) are

not listed in Appendix A, Table 5A. However, these five regulated substances are contained in Appendix A, Tables 1, 3A and 3B. As described in § 250.301(a) (relating to scope), Appendix A, Table 5 contains “the toxicological and physical parameters used to calculate the medium-specific concentrations (MSC) in Appendix A, Tables 1—4.” Why did the Board delete these regulated substances from Appendix A, Table 5A? We ask the Board to revise the final-form regulation so that Appendix A, Tables 1, 3A and 3B do not conflict with the regulations of the Department.

4. Appendix A, Tables 2 and 4B—Fiscal impact; Reasonableness; Whether the regulation is supported by acceptable data.

Vanadium

The Cleanup Standards Scientific Advisory Board (CSSAB), established to provide technical and scientific advice and assist the Department and the Board with developing statewide health standards, does not endorse MSCs for vanadium and “recommends revision or removal of the MSCs for vanadium that are included in the proposed regulations.” CSSAB states that the residential soil MSC for vanadium is “well below naturally occurring background levels” and “appears to be substantially lower than any published federal or state value.” CSSAB also details limitations of the database used by the Department to determine the MSCs. Commentators also raise these issues and support CSSAB. A commentator also states that MSCs for vanadium will impact “the cost and timeliness of cleanup activities under Act 2.” We ask the Board to respond to the concerns of CSSAB and commentators in the Preamble of the final-form regulation by explaining why the MSCs for vanadium are reasonable, the appropriateness of the data used to determine the MSCs and the fiscal impact to attain compliance with the MSCs for vanadium. Further, we ask the Board to consider revising the MSCs for vanadium as suggested by CSSAB.

5. Appendix A, Tables 4A and 7—Determining whether the regulation is in the public interest; Protection of the public health, safety and welfare; Whether the regulation is supported by acceptable data; Legislative intent.

Lead

Section 250.306(e) (relating to ingestion numeric values) describes the development of the residential ingestion numeric value for lead in soil using the

Integrated Exposure Uptake Biokinetic (IEUBK) model and the Adult Lead Methodology (ALM). Appendix A, Table 7 identifies the input values used in the IEUBK model for lead in children for residential exposure and the ALM for non-residential exposure. This table corresponds to the numeric values for residential and non-residential soil MSCs for lead in Appendix A, Table 4A. Commentators have numerous concerns regarding the non-residential soil MSC for lead given the potential for significant health problems due to lead exposure, especially in children. A commentator questions why the ALM was used to calculate non-residential soil, noting that “lead in soil is blown and tracked off site onto roads, sidewalks and then into yards and homes where children play.” A commentator adds that “there is no guarantee that a site will remain non-residential.” Several commentators advise that the non-residential soil MSC for lead of “2,500 (parts per million (ppm)) is based on outdated guidance from the Centers for Disease Control and Prevention,” specifying that the current recommendation of “5 (micrograms per deciliter (µg/dL)) is the threshold blood lead concentration for higher risk in children and fetuses, not 10 µg/dL as the proposed rule implies.” Commentators urge the Board to retain the numeric value of 1,000 ppm for lead in non-residential soil.

We have three concerns with Appendix A, Tables 4A and 7. First, why does Appendix A, Table 7 include two instances of “TBD” in the value column? Second, is the Board using acceptable data to calculate the numeric values in Appendix A, Table 4A? Third, does the potential for non-residential soil contaminated with lead to migrate to residential areas meet the standard in Section 102(6) of Act 2 (35 P.S. § 6026.102(6)) that cleanup plans shall take “into account its current and future use and the degree to which contamination can spread offsite and expose the public or the environment to risk?” We ask the Board to address in the Preamble to the final-form regulation these questions about the data used to establish the MSCs for lead. We also ask the Board to explain in the Preamble to the final-form regulation how the non-residential soil MSC for lead will adequately protect the public health, safety and welfare.

We will review the Board’s responses to these questions and concerns as part of this Commission’s determination of whether the regulation is in the public interest.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 20-772. Filed for public inspection June 12, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of David Pinsky under the Quality Health Care Accountability and Protection Article; Keystone Health Plan East; Doc. No. HC20-04-026

Under Article XXI of The Insurance Company Law of 1921 (40 P.S. §§ 991.2101—991.2193) notice is hereby given that the appellant in this action has requested a hearing, in connection with the appellant’s managed health care plan. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II

(relating to General Rules of Administrative Practice and Procedure) and any other relevant provisions of law, except that until further order, filing and service of documents shall be by electronic mail only. The e-mail address to be used for the Administrative Hearings Office shall be ra-hearings@pa.gov. The e-mail address used for the appellant David Pinsky shall be dspinsky@aol.com unless and until otherwise designated by the appellant. The e-mail address for the respondent Keystone Health Plan East shall be Caitlin.Reis@ibx.com unless and until otherwise designated by the respondent.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed electronically on or before June 5, 2020, with the Administrative Hearings Office, ra-hearings@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-773. Filed for public inspection June 12, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

COVID-19 Guidance for Licensees as Counties Move to Green Phase; Notice 2020-16

To stop the spread of the novel coronavirus (COVID-19) in this Commonwealth, the Insurance Department (Department) is issuing this notice to all licensees of this Department to provide guidance about in-person operations and sales for insurance licensees in counties moving to the green phase of reopening in this Commonwealth.

Telework and remote operations are strongly encouraged in counties that have been designated to move to the green phase, however, in instances where that is not feasible, insurance licensees will be permitted to conduct in-person operations, including in-person sales, with restrictions to protect licensees and their employees and consumers. Licensees are advised that in-person business should be conducted by appointment only, wherever possible, when operating in the green phase. Walk-in business is permissible to the extent that the insurance business has enacted mitigation procedures designed to protect employees and the public.

Licensees must adhere to the updated guidance, building safety and business safety orders issued by Governor Tom Wolf that details procedures businesses must follow to conduct in-person operations in counties slated to move to the green phase of reopening. More information on operating in the green phase is available at <https://www.governor.pa.gov/process-to-reopen-pennsylvania/>. Licensees must also adhere to guidance issued by the Center for Disease Control and Prevention available at <https://www.cdc.gov/coronavirus/2019-ncov/community/guidance-business-response.html>.

Visit www.pa.gov for complete information and an up to date list of counties moving to the green phase.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-774. Filed for public inspection June 12, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Earline Princewill-Smith; License Denial Appeal; Doc. No. AG20-05-012

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Earline Princewill-Smith has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for July 8, 2020, at 1 p.m. Each party shall provide the Hearings Administrator a phone number to be used for the telephone conference on or before July 1 2020. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-775. Filed for public inspection June 12, 2020, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Virtual Public Meeting Cancellation

The virtual meeting of the Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303) scheduled for Monday, June 22, 2020, is cancelled.

Individuals with questions regarding this meeting, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,
Executive Director

[Pa.B. Doc. No. 20-776. Filed for public inspection June 12, 2020, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Clean Water and Drinking Water State Revolving Fund Programs Federal Fiscal Year 2020 Intended Use Plans; Available for Public Comment; Correc- tion

An error occurred in the title of this document published at 50 Pa.B. 2909 (June 6, 2020). The title was

inadvertently changed to “Clean Water and Drinking Water State Revolving Fund Programs Federal Fiscal Year 2020 Intended Use Plans; Public Meeting.” The correct title of the document is reflected above, and the remainder of the document was accurate as published.

PATRICK McDONNELL,
Secretary
Department of Environmental Protection
Vice Chairperson
Pennsylvania Infrastructure Investment Authority

BRION JOHNSON,
Executive Director
Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 20-777. Filed for public inspection June 12, 2020, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Assessment Approval for PENNVEST Funding Consideration

Scope: Clean Water and Drinking Water State Revolving Fund Projects for July 22, 2020, Pennsylvania Infrastructure Investment Authority (PENNVEST) Board meeting consideration

Description: PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF), is intended to be the funding source for the following projects. The Department of Environmental Protection's (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessment will be considered approved and funding for the project will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by Monday, July 13, 2020. Comments can be submitted using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use “PENNVEST SRF-Environmental Assessment” as the subject line in written communication.

For more information about the approval of the following Environmental Assessments or the Clean Water and Drinking Water State Revolving Loan Programs contact Richard Wright at riwright@pa.gov or the Bureau of

Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-4059, or visit the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx.

Any comments received during the comment period, along with the Department's comment and response document will be available on the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx.

Upon approval, the full list of approved projects and their costs can be found in a press release on PENNVEST's web site at www.pennvest.pa.gov.

CWSRF Projects Being Considered:

| | |
|---------------------------|---------------------------------------|
| <i>Applicant:</i> | City of Arnold |
| <i>County:</i> | Westmoreland |
| <i>Applicant Address:</i> | 1829 Fifth Avenue Arnold, PA 15068 |

Project Description: The proposed 14th Street combined sewer overflow (CSO) regulator modifications project is located at the intersection of Fifth Avenue and 14th Street. The project proposes to replace 305 linear feet of 8-inch flow regulation sewer with a new 10-inch polyvinyl chloride (PVC) sewer and three new manholes. This will allow more flow to discharge into the interceptor prior to an overflow event resulting in the elimination of smaller CSO events and an overall reduction in CSO volume. Sewage treatment is provided at the existing New Kensington Sewage Treatment Plant.

Problem Description: Combined sewer overflows exist in the City of Arnold's sewer system. This project will result in the elimination of smaller CSO events and an overall reduction in CSO volume in accordance with the Department's approved New Kensington—Combined Sewer—Long Term Control Plan.

| | |
|---------------------------|--|
| <i>Applicant:</i> | City of Johnstown |
| <i>County:</i> | Cambria |
| <i>Applicant Address:</i> | 401 Main Street Johnstown, PA 15901 |

Project Description: This project will rehabilitate approximately 26,000 linear feet of 8-inch to 18-inch diameter sewer lines and manholes. All service laterals will be installed with a 6-inch diameter pipe. Sewage treatment is provided at the existing Johnstown—Dornick Point Sewage Treatment Plant.

Problem Description: The City of Johnstown (City) owns approximately 520,000 linear feet of sewer pipe and has identified over 20 original overflows within the collection system. A Consent Order and Agreement (COA) was enacted between the City and the Department on July 14, 2010, to eliminate all sanitary sewer overflows (SSO) from the City's collection system. Under the COA, the City is obligated to implement a rehabilitation plan that will reduce the amount of infiltration and inflow entering the City's collection system during wet weather events and thus eliminating SSO discharges of raw sewage into the waters of this Commonwealth.

| | |
|---------------------------|---|
| <i>Applicant:</i> | Western Westmoreland Municipal Authority |
| <i>County:</i> | Westmoreland |
| <i>Applicant Address:</i> | 12441 Route 993 North Huntingdon, PA 15642 |

Project Description: This project includes replacing approximately 17,500 linear feet of 8-inch, 15-inch, 18-inch and 30-inch PVC sanitary sewer and 80 manholes. Sewage treatment is provided at the existing Western Westmoreland Municipal Authority (WWMA) Sewage Treatment Plant.

Problem Description: The WWMA is under a COA with the Department that requires WWMA to eliminate SSOs during wet weather events. The COA requires three phases of construction, with the first two phases being complete. As part of the Phase III Project, approximately half of the WWMA interceptor system will be upgraded to provide additional interceptor capacity to eliminate hydraulic restrictions. As part of this work, two of the old diversion chambers will be closed.

| | |
|---------------------------|---|
| <i>Applicant:</i> | Lackawanna River Basin Sewer Authority (Authority) |
| <i>County:</i> | Lackawanna |
| <i>Applicant Address:</i> | P.O. Box 280 Olyphant, PA 18447-0280 |

Project Description: This project involves constructing 6,500 linear feet of new 15-inch to 24-inch gravity interceptor sewer with 20 manholes in Vandling Borough, Lackawanna County and Clinton Township, Wayne County, allowing replacement and decommission of the Authority's approximately 50-year-old Vandling wastewater pump station (PS) and force main sewer tributary to Authority's Clinton Township Wastewater Treatment Plant (WWTP). The interceptor sewer will convey the existing 110,000 gallons per day of sewage flow from the pump station site directly to the WWTP.

Problem Description: Raw sewage discharge from a CSO point exists at a PS in a high-quality cold-water fishery classified watershed. Deletion of the PS will result in elimination of a CSO point as well as significant energy savings and other cost savings relating to 40,000 kilowatt hours per year of electricity consumption. These other cost savings include operation of an emergency generator and elimination of daily operation, maintenance and inspection involving labor, parts and materials. In addition, the PS structure is encroaching on an existing public right of way intended as an extension of Vine Street, affecting access to, and utilization of, adjacent private property. Demolition of the PS will also solve this long-standing problem. Implementing this project will allow all wet-weather overflows to be conveyed directly to the WWTP.

DWSRF Projects Being Considered:

| | |
|---------------------------|--------------------------------------|
| <i>Applicant:</i> | Allensville Municipal Authority |
| <i>County:</i> | Mifflin |
| <i>Applicant Address:</i> | P.O. Box 96 Allensville, PA 17002 |

Project Description: The project consists of modifying the existing slow sand filtration plant. These modifica-

tions include replacing existing turbidimeters and installing flow meters, a new plant supervisory control and data acquisition system, an automated shutoff valve, a pressure transducer on the storage tank, disinfection contact piping and an emergency generator.

Problem Description: The existing plant is not in compliance with 25 Pa. Code Chapter 109 and Chapter 110 (relating to safe drinking water; and water resources planning) regulations regarding continuous turbidity monitoring, automated shutdown capabilities, 1-log Giardia inactivation requirements, uninterrupted service requirements and surface water withdrawal monitoring/reporting. These deficiencies are a threat to public health, safety and the environment.

| | |
|---------------------------|--|
| <i>Applicant:</i> | Bedford Township Municipal Authority |
| <i>County:</i> | Bedford |
| <i>Applicant Address:</i> | 1007 Shed Road, Suite 102 Bedford, PA 15522 |

Project Description: The Bedford Township Municipal Authority (Authority) is proposing to replace 8,500 linear feet of water line ranging in size from 6-inch diameter to 12-inch diameter near the Pennsylvania Turnpike Interchange intersection with United States Business Route 220. In addition, the Authority would like to install 10,150 linear feet of 10-inch diameter new water line from the Cessna service area to the Camp Sunshine area and replace the existing 500,000-gallon capacity Hoover finished water storage tank.

Problem Description: The existing water line near the Pennsylvania Turnpike Interchange intersection has been subject to numerous leaks and breaks due to its brittle condition, contributing to water loss and interruptions of water supply in the commercial area. The existing Cessna service area serves several homes and businesses and is a dead-end water line. If a line break would occur, the area would encounter a major interruption in water supply. The existing 500,000-gallon Hoover finished water storage tank has experienced significant internal deterioration and requires attention to ensure availability of sufficient water supply reserve for existing and future needs of the system.

| | |
|---------------------------|--|
| <i>Applicant:</i> | Penn Township Municipal Authority |
| <i>County:</i> | Perry |
| <i>Applicant Address:</i> | 102 Municipal Building Road Duncannon, PA 17020 |

Project Description: The project will replace the existing sequestration treatment with an oxidation and filtration system which will effectively reduce the iron and manganese concentrations below the secondary maximum contaminant levels and health advisory limit. This will eliminate the public health concern. The two existing pressurized 1,500-gallon hydro-pneumatic tanks are deteriorating and pose a safety hazard. The project will remove these tanks and replace them with a proposed 150,000-gallon ground level glass-coated bolted steel storage tank. The new tank will provide pressure and storage for the system and eliminate the safety hazard of the existing hydro-pneumatic tanks.

Problem Description: The source water consistently exceeds the iron and manganese secondary maximum

contaminant levels and the manganese health advisory limit. The existing treatment for iron and manganese is sequestration which does not remove or reduce these concentrations. This is a public health concern.

PATRICK McDONNELL,
Secretary
Department of Environmental Protection

BRION JOHNSON,
Executive Director
Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 20-778. Filed for public inspection June 12, 2020, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**
General Rule Transaction

A-2020-3020132—A-2020-3020143, A-2020-3020145—A-2020-3020149, A-2020-3020151—A-2020-3020162 and A-2020-3020164. Windstream Holdings, Inc.; Windstream Services, LLC; Windstream Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Conestoga, Inc.; Windstream D&E, Inc.; Windstream Communications, Inc.; Windstream D&E Systems, Inc.; Windstream KDL, Inc.; Intellifiber Networks, Inc.; US LEC of Pennsylvania, LLC; Talk America, LLC; PAETEC Communications, Inc.; Choice One Communications of Pennsylvania, Inc., d/b/a EarthLink Business; Cavalier Telephone Mid-Atlantic, LLC; CTC Communications Corp., d/b/a EarthLink Business; MassComm, LLC; Lightship Telecom, d/b/a EarthLink Business, LLC; Eureka Telecom, Inc.; Earthlink Business, LLC; ATX Licensing, Inc.; Broadview NP Acquisition Corp.; Broadview Networks, Inc.; BridgeCom International, Inc.; Business Telecom, LLC, d/b/a EarthLink Business III; American Telephone Company, LLC; A.R.C. Networks, Inc.; Windstream Norlight, Inc.; Windstream NTI, Inc.; McLeodUSA Telecommunications Services, LLC; LDMI Telecommunications Services, LLC; and DeltaCom, LLC. Joint application of Windstream Holdings, Inc.; Windstream Services, LLC; Windstream Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Conestoga, Inc.; Windstream D&E, Inc.; Windstream Communications, Inc.; Windstream D&E Systems, Inc.; Windstream KDL, Inc.; Intellifiber Networks, Inc.; US LEC of Pennsylvania, LLC; Talk America, LLC; PAETEC Communications, Inc.; Choice One Communications of Pennsylvania, Inc., d/b/a EarthLink Business; Cavalier Telephone Mid-Atlantic, LLC; CTC Communications Corp., d/b/a EarthLink Business; MassComm, LLC; Lightship Telecom, d/b/a EarthLink Business, LLC; Eureka Telecom, Inc.; Earthlink Business, LLC; ATX Licensing, Inc.; Broadview NP Acquisition Corp.; Broadview Networks, Inc.; BridgeCom International, Inc.; Business Telecom, LLC, d/b/a EarthLink Business III; American Telephone Company, LLC; A.R.C. Networks, Inc.; Windstream Norlight, Inc.; Windstream NTI, Inc.; McLeodUSA Telecommunications Services, LLC; LDMI Telecommunications Services, LLC; and DeltaCom, LLC for approval of a general rule transaction resulting in indirect change in control.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utili-

ties) on or before Monday, June 29, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: American Telephone Company, LLC; A.R.C. Networks, Inc.; ATX Licensing, Inc.; BridgeCom International, Inc.; Broadview Networks, Inc.; Broadview NP Acquisition Corp.; Business Telecom, LLC; Cavalier Telephone Mid-Atlantic, LLC; Choice One Communications of Pa, Inc.; CTC Communications Corp.; DeltaCom, LLC; EarthLink Business, LLC; Eureka Telecom, Inc.; Intellifiber Networks, Inc.; LDMI Telecommunications, LLC; Lightship Telecom, LLC; MassComm, LLC, d/b/a MASS Communications; McLeodUSA Telecommunications Services, LLC; PAETEC Communications, Inc.; Talk America, LLC; US LEC of Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Communications, Inc.; Windstream Conestoga, Inc.; Windstream D & E Systems, Inc.; Windstream D&E, Inc.; Windstream KDL, Inc.; Windstream Norlight, Inc.; Windstream NTI, Inc.; Windstream Pennsylvania, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, Charles E. Thomas, Jr., Esquire, Thomas, Niesen & Thomas, LLC, 212 Locust Street, Suite 302, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-779. Filed for public inspection June 12, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pro Forma Transaction

A-2020-3020004—A-2020-3020007 and A-2020-3020009—A-2020-3020014. Frontier Communications Corporation; Frontier Subsidiary Telco, LLC; Commonwealth Telephone Enterprises, LLC; Commonwealth Telephone Company, LLC, d/b/a Frontier Communications Commonwealth Telephone Company; Frontier Communications of Breezewood, LLC; Frontier Communications of Canton, LLC; Frontier Communications of Lakewood, LLC; Frontier Communications of Oswayo River, LLC; Frontier Communications of Pennsylvania, LLC; Citizens Telecommunications Company of New York, Inc.; CTSI, LLC, d/b/a Frontier Communications CTSI, LLC; CTE Telecom, LLC, d/b/a Frontier Communications CTE Telecom Company; and Frontier Communications of America, Inc. Joint application of Frontier Communications Corporation; Frontier Subsidiary Telco, LLC; Commonwealth Telephone Enterprises, LLC; Commonwealth Telephone Company, LLC, d/b/a Frontier Communications Commonwealth Telephone Company; Frontier Communications of Breezewood, LLC; Frontier Communications of Canton, LLC; Frontier Communications of Lakewood, LLC; Frontier Communications of Oswayo River, LLC; Frontier Communications of Penn-

sylvania, LLC; Citizens Telecommunications Company of New York, Inc.; CTSI, LLC, d/b/a Frontier Communications CTSI, LLC; CTE Telecom, LLC, d/b/a Frontier Communications CTE Telecom Company; and Frontier Communications of America, Inc. for approval of a pro forma transaction associated with the plan of reorganization.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, June 29, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: Frontier Communications Corporation; Frontier Subsidiary Telco, LLC; Commonwealth Telephone Enterprises, LLC; Commonwealth Telephone Company, LLC, d/b/a Frontier Communications Commonwealth Telephone Company; Frontier Communications of Breezewood, LLC; Frontier Communications of Canton, LLC; Frontier Communications of Lakewood, LLC; Frontier Communications of Oswayo River, LLC; Frontier Communications of Pennsylvania, LLC; Citizens Telecommunications Company of New York, Inc.; CTSI, LLC, d/b/a Frontier Communications CTSI, LLC; CTE Telecom, LLC, d/b/a Frontier Communications CTE Telecom Company; Frontier Communications of America, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, Charles E. Thomas, Jr., Esquire, Thomas, Niesen & Thomas, LLC, 212 Locust Street, Suite 302, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-780. Filed for public inspection June 12, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by June 29, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of

the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2020-3019976. Hayatt Health Service, Inc. (111 Buck Road, Huntingdon Valley, Bucks County, PA 19006) persons, in paratransit service, from points in the Counties of Bucks and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2020-3020074. Wanda L. and Paul L. Sellinger (2475 Marsh Creek Road, Howard, Centre County, PA 16841) persons whose personal convictions prevent them from owning or operating motor vehicles, in paratransit service, from points in Centre County, to points in Pennsylvania, and return.

Application of the following for approval to begin operating as contract carriers for transportation of persons as described under the application.

A-2020-3020213. NEADC Transportation, Inc. (11048 Rennard Street, Philadelphia, PA 19116) to transport persons, in contract carrier service, for Medical Transportation Management, Coordinated Transportation Solutions, Inc. and Pennsylvania Adult Day Services Association members, between points in the Counties of Bucks and Montgomery, and the City and County of Philadelphia.

Application of the following for the approval of the right and privilege to *discontinuelabandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2020-3020029. Premier Limousine Services, LLC (111 Robinson Road, Greentown, Pike County, PA 18426) for the discontinuance and cancellation of its right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties

of Pike and Wayne to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-781. Filed for public inspection June 12, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3020100. The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Spectrotel, Inc. Joint petition of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Spectrotel, Inc. for approval of a resale forbearance amendment to the master resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Spectrotel, Inc., by their counsel, filed on May 29, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Spectrotel, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-782. Filed for public inspection June 12, 2020, 9:00 a.m.]

