

PENNSYLVANIA BULLETIN

Volume 50

Number 25

Saturday, June 20, 2020 • Harrisburg, PA

Pages 3003—3096

Agencies in this issue

The General Assembly

The Courts

Department of Agriculture

Department of Banking and Securities

Department of Environmental Protection

Department of Health

Department of Revenue

Insurance Department


Legislative Reference Bureau

Milk Marketing Board

Office of the State Fire Commissioner

Pennsylvania Public Utility Commission

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 547, June 2020

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2020 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GENERAL ASSEMBLY

THE GENERAL ASSEMBLY
 A Concurrent Resolution 3010

THE COURTS

JUDICIAL SYSTEM GENERAL PROVISIONS
 Amendment of Rule 8.4 of the Pennsylvania Rules of Professional Conduct; No. 196 disciplinary rules doc..... 3011

LOCAL COURT RULES

Indiana County
 Certification pursuant to Pa.R.Crim.P. Rule 507; M.D.-120-2020 3011

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF AGRICULTURE

Notices
 Temporary order designating dangerous transmissible diseases 3013

DEPARTMENT OF BANKING AND SECURITIES

Notices
 Actions on applications 3015

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices
 Applications, actions and special notices 3016
 Bid opportunity (2 Documents) 3068, 3069

DEPARTMENT OF HEALTH

Notices
 Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); competitive prices and peer group criteria 3069

DEPARTMENT OF REVENUE

Notices
 Adjustment of program service revenue amounts... 3073
 Pennsylvania \$1,000,000 Extreme Cash instant lottery game 1466 3074
 Pennsylvania Hot & Cold Numbers instant lottery game 1468 3079
 Pennsylvania LOTERIA™ instant lottery game 1467 3083
 Pennsylvania Lucky Ticket instant lottery game 1470 3087
 Pennsylvania Scratch and Match instant lottery game 1469 3088

INSURANCE DEPARTMENT

Notices
 Application and request for a certificate of authority to provide a continuing care retirement community by Heritage Campus OPCO, LLC 3092
 Per diem charges for financial examinations conducted by the Insurance Department; notice 2020-15 3093
 Per diem charges for market conduct examinations conducted by the Insurance Department; notice 2020-18 3093

LEGISLATIVE REFERENCE BUREAU

Notices
 Documents filed but not published 3093

MILK MARKETING BOARD

Notices
 Sunshine meetings for fiscal year 2020-2021 3093

OFFICE OF THE STATE FIRE COMMISSIONER

Notices
 Registration for the COVID-19 Fire, Rescue and Emergency Medical Service Grant 3094

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices
 Default service plan; prehearing conference 3094
 Pro forma transaction 3095
 Service of notice of motor carrier applications 3095
 Telecommunications services 3096

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2020.

4 Pa. Code (Administration)

Adopted Rules
1 902

Statements of Policy

9 328, 546, 915, 1118, 1551

7 Pa. Code (Agriculture)

Adopted Rules
150 1836

25 Pa. Code (Environmental Protection)

Adopted Rules
86 1508
87 1508
88 1508
89 1508
90 1508
806 1931

Proposed Rules

121 2633
129 2633
250 1011

28 Pa. Code (Health and Safety)

Adopted Rules
26 1352

31 Pa. Code (Insurance)

Proposed Rules
168 798

34 Pa. Code (Labor and Industry)

Adopted Rules
91 792
93 792
95 792

40 Pa. Code (Liquor)

Proposed Rules
5 1650

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules
35 1838
43b 1354

Proposed Rules

25 1364
29 2743
39 668

52 Pa. Code (Public Utilities)

Adopted Rules
77 469

Statements of Policy

41 1695
69 1652

55 Pa. Code (Human Services)

Statements of Policy
41 1695

58 Pa. Code (Recreation)

Adopted Rules
63 1526
69 1527
119 1246
135 2257
139 2258
141 2264, 2265, 2268, 2269, 2272
147 2273, 2274, 2276

Proposed Rules

63 1247
131 1549
135 1372, 1549, 2279
139 1373
141 1379, 1380, 1384, 1385
147 1387, 1390

61 Pa. Code (Revenue)

Adopted Rules
876 1528

67 Pa. Code (Transportation)

Adopted Rules
601 545

Proposed Rules

55 2746

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules
6 2174
7 2012

204 Pa. Code (Judicial System General Provisions)

Adopted Rules
27 1344
33 1108
71 641, 1239, 2012, 2386
73 2386
81 3011
82 2077, 2174
83 197, 2013
85 647
89 2387, 2388
91 647
93 647, 648, 651, 2388

Proposed Rules

83 642, 2631
85 642
89 642
91 642
93 642

207 Pa. Code (Judicial Conduct)

Adopted Rules
33 7, 197, 1239

210 Pa. Code (Appellate Procedure)

Adopted Rules

1 505, 535
 3 505
 5 505
 7 505
 9 505, 535
 11 535
 13 505, 535
 15 505
 16 505
 17 505, 535
 19 505
 23 535
 27 505
 33 505, 535
 37 651
 63 2013
 69 657

Proposed Rules

3 303
 19 304

225 Pa. Code (Rules of Evidence)

Adopted Rules
 Article IX 2837

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules
 200 198, 306
 400 199
 1000 199
 Part II 306

237 Pa. Code (Juvenile Rules)

Adopted Rules
 13 2389

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules
 200 2252
 300 2252
 400 2252
 500 2252

249 Pa. Code (Philadelphia Rules)

Unclassified 788, 1503

252 Pa. Code (Allegheny County Rules)

Unclassified 307

255 Pa. Code (Local Court Rules)

Unclassified 199, 200, 667, 790, 904, 912, 913, 914, 1114, 1115, 1116, 1350, 1503, 1504, 1505, 1506, 1647, 1648, 1827, 1829, 2014, 2018, 2019, 2736, 2925, 3011

THE GENERAL ASSEMBLY

THE GENERAL ASSEMBLY

A Concurrent Resolution

Terminating the March 6, 2020, Proclamation of Disaster Emergency issued under the hand and Seal of the Governor, Thomas Westerman Wolf.

Whereas, 35 Pa.C.S. § 7301(c) (relating to general authority of Governor) authorizes the Governor to declare a state of disaster emergency; and

Whereas, On March 6, 2020, the Governor issued a proclamation declaring a disaster emergency in response to the existence of COVID-19 cases in Pennsylvania; and

Whereas, On June 3, 2020, the Governor issued an amendment to the proclamation of disaster emergency renewing the March 6, 2020, declaration for an additional 90 days; and

Whereas, The June 3, 2020, amendment provides that all “directives, authorized actions and provisions” of the March 6, 2020, proclamation shall remain in full force and effect until rescinded by the Governor or “terminated by law”; and

Whereas, Pursuant to section 12 of Article I of the Constitution of Pennsylvania, the power to suspend laws belongs to the legislature; and

Whereas, 35 Pa.C.S. § 7301(c) authorizes the General Assembly by concurrent resolution to terminate a state of disaster emergency at any time; and

Whereas, 35 Pa.C.S. § 7301(c) provides that upon the termination of the declaration by concurrent resolution of the General Assembly, “the Governor shall issue an executive order or proclamation ending the state of disaster emergency”; therefore be it

Resolved (the Senate concurring), That the General Assembly, in accordance with 35 Pa.C.S. § 7301(c) and its Article I, Section 12 power to suspend laws, hereby terminate the disaster emergency declared on March 6, 2020, as amended and renewed, in response to COVID-19; and be it further

Resolved, That upon adoption of this concurrent resolution by both chambers of the General Assembly, the Secretary of the Senate shall notify the Governor of the General Assembly’s action with the directive that the Governor issue an executive order or proclamation ending the state of disaster emergency in accordance with this resolution and 35 Pa.C.S. § 7301(c); and be it further

Resolved, That upon adoption of this concurrent resolution by both chambers of the General Assembly, the Chief Clerk of the House of Representatives shall do all of the following:

(1) Transmit a copy of this resolution to the Secretary of the Commonwealth as an official action of the General Assembly under the authority provided under 35 Pa.C.S. § 7301(c) to terminate a state of emergency.

(2) Transmit a copy of this resolution to the Director of the Pennsylvania Emergency Management Agency.

(3) Transmit this resolution to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin* under 45 Pa.C.S. § 725(a)(4).

(4) Provide public notice of adoption of this resolution by publishing a summary of it in newspapers of general circulation in this Commonwealth within five days of adoption by the Senate and the House of Representatives.

[Pa.B. Doc. No. 20-783. Filed for public inspection June 19, 2020, 9:00 a.m.]

THE COURTS

Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

PART V. PROFESSIONAL ETHICS AND CONDUCT [204 PA. CODE CH. 81]

Amendment of Rule 8.4 of the Pennsylvania Rules of Professional Conduct; No. 196 Disciplinary Rules Doc.

Order

Per Curiam

And Now, this 8th day of June, 2020, upon the recommendation of the Disciplinary Board of the Supreme Court of Pennsylvania; the proposal having been published for comment in the *Pennsylvania Bulletin*, 49 Pa.B. 4941 (August 31, 2019):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Rule 8.4 of the Rules of Professional Conduct is amended in the following form.

This Order shall be processed in accordance with Pa.R.J.A. No. 103(b), and shall be effective in six months.

Justice Mundy dissents.

Annex A

TITLE 204. JUDICIAL SYSTEM GENERAL PROVISIONS

PART V. PROFESSIONAL ETHICS AND CONDUCT

Subpart A. PROFESSIONAL RESPONSIBILITY

CHAPTER 81. RULES OF PROFESSIONAL CONDUCT

Subchapter A. RULES OF PROFESSIONAL CONDUCT

§ 81.4. Rules of Professional Conduct.

The following are the Rules of Professional Conduct:

MAINTAINING THE INTEGRITY OF THE PROFESSION

Rule 8.4. Misconduct.

It is professional misconduct for a lawyer to:

* * * * *

(e) state or imply an ability to influence improperly a government agency or official or to achieve results by means that violate the Rules of Professional Conduct or other law; [or]

(f) knowingly assist a judge or judicial officer in conduct that is a violation of applicable rules of judicial conduct or other law[.]; or

(g) in the practice of law, by words or conduct, knowingly manifest bias or prejudice, or engage in harassment or discrimination, as those terms are defined in applicable federal, state or local statutes or ordinances, including but not limited to bias, prejudice, harassment or discrimination based upon race, sex, gender identity or expression, religion, national origin, ethnicity, disability, age, sexual orientation, marital status, or socioeconomic status. This paragraph does not limit the ability of a lawyer to accept, decline or withdraw from a

representation in accordance with Rule 1.16. This paragraph does not preclude advice or advocacy consistent with these Rules.

Comment:

* * * * *

(2) Many kinds of illegal conduct reflect adversely on fitness to practice law, such as offenses involving fraud and the offense of willful failure to file an income tax return. However, some kinds of offenses carry no such implication. Traditionally, the distinction was drawn in terms of offenses involving "moral turpitude." That concept can be construed to include offenses concerning some matters of personal morality, such as adultery and comparable offenses, that have no specific connection to fitness for the practice of law. Although a lawyer is personally answerable to the entire criminal law, a lawyer should be professionally answerable only for offenses that indicate lack of those characteristics relevant to law practice. Offenses involving violence, dishonesty, breach of trust, or serious interference with the administration of justice are in that category. A pattern of repeated offenses, even ones of minor significance when considered separately, can indicate indifference to legal obligation.

(3) For the purposes of paragraph (g), conduct in the practice of law includes participation in activities that are required for a lawyer to practice law, including but not limited to continuing legal education seminars, bench bar conferences and bar association activities where legal education credits are offered.

(4) The substantive law of antidiscrimination and anti-harassment statutes and case law guide application of paragraph (g) and clarify the scope of the prohibited conduct.

[(3)] (5) A lawyer may refuse to comply with an obligation imposed by law upon a good faith belief that no valid obligation exists. The provisions of Rule 1.2(d) concerning a good faith challenge to the validity, scope, meaning or application of the law apply to challenges of legal regulation of the practice of law.

[(4)] (6) Lawyers holding public office assume legal responsibilities going beyond those of other citizens. A lawyer's abuse of public office can suggest an inability to fulfill the professional role of lawyers. The same is true of abuse of positions of private trust such as trustee, executor, administrator, guardian, agent and officer, director or manager of a corporation or other organization.

[Pa.B. Doc. No. 20-784. Filed for public inspection June 19, 2020, 9:00 a.m.]

Title 255—LOCAL COURT RULES

INDIANA COUNTY

Certification Pursuant to Pa.R.Crim.P. Rule 507;
M.D.-120-2020

Order of Court

And Now, this 2nd day of June, 2020, in compliance with Rule 103(d) of the Pennsylvania Rules of Judicial Administration, it is Hereby Ordered that the Court

adopts the following Rule of Criminal Procedure Rule 507 regarding Approval of Police Complaints and Arrest Warrant Affidavits by Attorney for the Commonwealth which becomes effective August 1, 2020.

The Court Administrator is Hereby Ordered to:

1) File one certified copy of this Order with the Administrative Office of Pennsylvania Courts to adminrules@pacourt.us;

2) Submit two paper copies of this Order to the Legislative Reference Bureau and one electronic copy in Microsoft Word format only to Bulletin@palrb.us for publication in the *Pennsylvania Bulletin*;

3) Provide one copy of this Order to the members of the Indiana County Bar Association;

4) Incorporate the Rule into the set of Local Rules within thirty (30) days of publication of the Local Rule in the *Pennsylvania Bulletin* and publish the rules on the Court's website at www.IndianaCountyPA.gov;

5) File this Order in the Prothonotary's Office of Indiana County.

Rule of Criminal Procedure 507. Approval of Police Complaints and Arrest Warrant Affidavits by Attorney for the Commonwealth.

The District Attorney of Indiana County having filed a certification pursuant to Pa.R.Crim.P. 507, criminal complaints and arrest warrants affidavits by police officers, as defined in the Rules of Criminal Procedure, charging:

1) All offenses set forth in Chapter 25 (Criminal Homicide) of the Crimes Code.

2) All offenses set forth in Chapter 26 (Crimes Against Unborn Child) of the Crimes Code.

3) The following offenses set forth in Chapter 27 (Assault) of the Crimes Code

a. 18 Pa.C.S.A. § 2702—Aggravated Assault sections (1)(2)(9) (F1 grading)

b. 18 Pa.C.S.A. § 2713—Neglect of a Care-Dependent Person when the victim suffers serious bodily injury.

c. 18 Pa.C.S.A. § 2718—Strangulation

4) All offenses set forth in Chapter 29 (Kidnapping) of the Crimes Code except for:

a. 18 Pa.C.S.A. § 2902—Unlawful Restraint, and

b. 18 Pa.C.S.A. § 2903 False Imprisonment

5) All offenses set forth in Chapter 30 (Human Trafficking) of the Crimes Code.

6) All offenses set forth in Chapter 31 (Sexual Offenses) of the Crime Code except for:

a. 18 Pa.C.S.A. § 3126—Indecent Assault

b. 18 Pa.C.S.A. § 3127 Indecent Exposure

7) All offenses set forth in Chapter 32 (Abortion) of the Crimes Code.

8) 18 Pa.C.S.A. § 3301—Arson

9) All offenses set forth in Chapter 37 (Robbery).

10) All offenses set forth in Chapter 39 (Theft and Related offenses) under the Crimes Code in which the value of the theft exceeds \$50,000.00.

11) All offenses set forth in Chapter 43 (Offenses against the Family) except for:

a. 18 Pa.C.S.A. § 4304 when charged as a misdemeanor.

12) 18 Pa.C.S.A. § 5111—Dealing in Proceeds of Unlawful Activities.

13) The following offenses under Chapter 55, Subsection A (Riot, Disorderly Conduct and Related Offenses):

a. 18 Pa.C.S.A. § 5501—Riot

b. 18 Pa.C.S.A. § 5509 Desecration, Theft or sale of venerated objects

c. 18 Pa.C.S.A. § 5510 Abuse of a Corpse

14) 35 P.S. § 780-113(30) Possession of a Controlled Substance with Intent to Deliver/Manufacture.

15) All offenses under Chapter 55, Subsection B (Riot, Disorderly Conduct and Related Offenses) (Cruelty to Animals) graded as Felony Offenses.

16) All offenses set forth in Chapter 57 (Wiretapping and Electronic Surveillance) of the Crimes Code.

17) All offenses set forth in Chapter 63 (Minors) of the Crimes Code graded as Felony Offenses.

18) 55 Pa.C.S.A. § 5502.1—Homicide by Watercraft While Operating Under the Influence

19) 55 Pa.C.S.A. § 5502.2—Homicide by Watercraft

20) The following offenses set forth in Chapter 37 (Miscellaneous Provisions), Subchapter B (Serious Traffic Offenses) of the Vehicle Code:

a. 75 Pa.C.S.A. § 3732—Homicide by Vehicle

b. 75 Pa.C.S.A. § 3732.1—Aggravated Assault by Vehicle

c. 75 Pa.C.S.A. § 3735—Homicide by Vehicle While DUI

d. 75 Pa.C.S.A. § 3735.1—Aggravated Assault by Vehicle While DUI

21) Attempt, Conspiracy or Solicitation to Commit any of the Above Offenses.

22) Any offense arising out of an incident for which the District Attorney of Indiana County has given written notice to the investigating Agency of his intent to review any charges brought in connection with that incident prior to filing.

Shall not hereafter be accepted by any judicial officer unless the complaint and affidavit has the approval of an attorney for the Commonwealth prior to filing.

By the Court

WILLIAM J. MARTIN,
President Judge

[Pa.B. Doc. No. 20-785. Filed for public inspection June 19, 2020, 9:00 a.m.]

NOTICES

DEPARTMENT OF AGRICULTURE

Temporary Order Designating Dangerous Transmissible Diseases

The Department of Agriculture (Department) issues this temporary order designating Chronic Wasting Disease (CWD), Viral Hemorrhagic Septicemia (VHS), the neurologic form of Equine Rhinopneumonitis or Equine Herpes Virus (EHV-1), *Brucella canis*, Tilapia lake virus (TiLV), *Streptococcus equi ssp. zooepidemicus* (*S. zooepidemicus*) in swine, and Rabbit Hemorrhagic Disease (RHD) as “dangerous transmissible diseases.” These designations are made under the authority of the Domestic Animal Law (3 Pa.C.S. §§ 2301—2389).

This temporary order is the successor to three previous temporary orders. One previous temporary order expired as of January 1, 2020 and was replaced by a temporary order published in the January 4, 2020 *Pennsylvania Bulletin*. Another temporary order was published in the January 11, 2020 *Pennsylvania Bulletin*. This temporary order will amend and replace the January 11, 2020 temporary order. The amendment adds an additional “dangerous transmissible disease,” *Rabbit Hemorrhagic Disease (RHD)*.

Under the Domestic Animal Law at, 3 Pa.C.S. § 2327(a) (relating to disease surveillance and detection), the Department has authority to monitor the domestic animal population of this Commonwealth to determine the prevalence, incidence and location of transmissible diseases of animals. Under the Domestic Animal Law at, 3 Pa.C.S. § 2321(d) (relating to dangerous transmissible diseases), the Department has authority to declare a disease that has not been specifically identified in that statute as a “dangerous transmissible disease” to be a dangerous transmissible disease through issuance of a temporary order making that designation. Under the authority of the Domestic Animal Law, set forth above, the Department hereby establishes the following diseases as “Dangerous Transmissible Diseases.”

1. CWD

CWD is a disease of whitetail deer, elk and other cervids and is a member of the group of diseases known as transmissible spongiform encephalopathies (TSEs). Other more well-known TSEs are scrapie and bovine spongiform encephalopathy (BSE) or “mad cow” disease. All are thought to be caused by a protein that has converted to an abnormal infectious form known as a “prion.” There is some evidence, in the case of BSE, that humans may become infected through consumption of meat products containing central nervous system tissues, thus there is a significant public health interest concerning all TSEs.

CWD has been identified in both captive and wild deer in this Commonwealth. The designation of CWD as a “dangerous transmissible disease” allowed the Department to facilitate the development and oversight of a surveillance program and quarantine orders that allowed for detection, tracing and containment of the CWD outbreak and allowed the Department to react and take action necessary to carry out its statutory duty under the Domestic Animal Law.

2. VHS

VHS virus is a serious pathogen of fresh and saltwater fish that is causing a disease in the Great Lakes region of the United States and Canada. VHS virus is a rhabdovirus (rod shaped virus) that affects fish of all size and age ranges. It does not pose any threat to human health. VHS can cause hemorrhaging of fish tissue, including internal organs, and can cause the death of infected fish. Once a fish is infected with VHS, there is no known cure. Not all infected fish develop the disease, but they can carry and spread the disease to other fish. The World Organization of Animal Health has categorized VHS as a transmissible disease with the potential for profound socio-economic consequences.

3. Neurologic Form of EHV-1

EHV-1 is a highly contagious virus that is ubiquitous in horse populations worldwide. The age, seasonal and geographic distributions vary and are likely determined by immune status and concentration of horses. Infection with EHV-1 most commonly causes respiratory illness, characterized by fever, rhinopharyngitis and tracheobronchitis. Infection may also cause abortions in pregnant mares, following clinical or subclinical infection, and can be fatal to newborn foals. A further, infrequent clinical resultant effect of EHV-1 infection is the development of neurologic disease. Depending upon the location and extent of the lesions, signs of neurologic disease may vary from mild in coordination and posterior paresis to severe posterior paralysis with recumbency, loss of bladder and tail function, and loss of sensation to the skin in the perineal and inguinal areas, and even the hindlimbs. In exceptional cases, the paralysis may be progressive and culminate in quadriplegia and death.

Transmission of EHV-1 occurs by direct or indirect contact with infective nasal discharges, aborted fetuses, placentas or placental fluids. Transmission can occur by means of coughing or sneezing over a distance of up to 35 feet, as well as by direct contact with infected horses, feed and equipment.

There is currently no known method to reliably prevent the neurologic form of EHV-1 infection. Sound management practices, including isolation, are important to reduce the risk of infection with EHV-1. Maintaining appropriate vaccination protocols may also be prudent in an attempt to reduce the incidence of the respiratory form of EHV-1 infection, which may reduce the incidence of the neurologic form.

4. Canine Brucellosis (*Brucella canis*)

Canine brucellosis is an infectious disease of dogs caused by the *Brucella canis* (*B. canis*) bacteria. *B. canis* infection in breeding dogs is an important cause of reproductive failure, particularly in kennels. *B. canis* infection can result in abortions, stillbirths, epididymitis, orchitis and sperm abnormalities in breeding dogs. Infected dogs that have been spayed or neutered may develop other conditions such as ocular disease and discospondylitis.

Transmission of *B. canis* occurs through exposure to secretions during estrus or mating or by contact with infected tissues during birth or following abortion. In addition, infected dogs may spread the bacteria in blood, milk, urine, saliva, nasal and ocular secretions, and feces. Puppies can become infected in utero, during birth,

through nursing, and by contact with contaminated surfaces. The bacteria can also be transmitted by fomites.

B. canis is considered to be a zoonotic organism, although its importance as a cause of human illness is still unknown. People in very close contact with infected dogs are thought to be more at risk of infection, including those who work in a breeding kennel, and veterinarians. Laboratory personnel handling the organism are also considered to have a higher risk of infection. The symptoms of this disease in humans are nonspecific and cases may not be reported. The 2012 National Association of State Public Health Veterinarians (NASPHV) document “Public Health Implications of *B. canis* Infections in Humans” reports that there are documented cases of infection with *B. canis* leading to serious health problem. Those with compromised immune systems may be at higher risk of serious illness. Treatment with antibiotics may be effective.

Although infection in dogs can be treated with antibiotics, *B. canis* can persist in an animal even after treatment. Prevention is key, and all dogs entering a breeding kennel or used for breeding should first be test-negative or come from a brucella-negative source. Ongoing and regular testing is recommended, even in closed breeding facilities, and this is an essential component of recognition and prevention. Proper biosecurity and sanitation of breeding facilities is also recommended to prevent disease transmission. Infected puppies or dogs should not be purchased or adopted.

5. *Tilapia lake virus (TiLV)*

Tilapia lake virus (TiLV) is a serious viral pathogen of farmed and wild Tilapia which has caused large losses in farmed fish in other countries. This orthomyxo-like virus was detected in an aquaculture facility within the United States and spread to other fish farms before it was eradicated from the country. The entry of the virus was traced to the importation of infected fry (juvenile fish) from an endemic region.

Lesions associated with TiLV infection include discoloration, renal congestion, encephalitis, ocular degeneration and abdominal swelling. Mortality can range from 10 to 90%. Morbidity and mortality generally become apparent in farmed fish within 1 month of movement from the hatchery to grow-out cages—thus, the disease is commonly known as “tilapia one-month mortality syndrome.”

6. *Streptococcus equi subspecies zooepidemicus (S. zooepidemicus) in swine*

Streptococcus equi ssp. zooepidemicus (S. zooepidemicus) is an opportunistic bacteria that has recently caused major economic losses in the swine industry in China. Although *S. zooepidemicus* is most commonly known as the cause of severe respiratory or uterine infections in horses, it is able to infect many other species, including swine, cattle, rabbits, pigs, dogs, cats, and humans. In animals, symptoms can include fever, inflammation of lymph nodes, sepsis, mastitis, and bronchopneumonia.

In September 2019, a high mortality event occurred in a cull sow slaughter plant in the United States. More than 40% of the sows being held were condemned on antemortem inspection. Samples taken from the affected sows proved to be *Streptococcus equi subspecies zooepidemicus*. Similar events in other areas of the U.S. are being investigated to determine if this disease may have occurred at other locations.

To protect the swine industry in Pennsylvania, potential infections in swine should be investigated to determine how widespread this organism is in swine and to assist producers in reducing the risk of infection and spread of disease.

7. *Rabbit Hemorrhagic Disease (RHD)*

Rabbit hemorrhagic disease (RHD) is a fatal disease in rabbits and is considered a foreign animal disease in the United States. RHD is caused by a calicivirus and there are several strains which cause disease. Rabbit Hemorrhagic Disease Virus Serotype 2 (RHDV-2) has been detected in North America in recent years. RHDV-2 is highly contagious and affects both domestic and wild rabbits, including hares, jackrabbits and cottontails.

The virus causing RHD can be transmitted by direct contact with infected rabbits or indirectly through carcasses, food, water, and any contaminated materials, and it is very resistant to extreme temperatures. Infection may result in a peracute febrile disease which causes hepatic necrosis, enteritis, and lymphoid necrosis, followed by massive coagulopathy and hemorrhages in multiple organs. Rabbits often show few clinical signs and die within six to 24 hours after the onset of fever, and may have blood visible around the nose from the internal hemorrhaging. Morbidity rate is often 100%, and the mortality rate is often 60%–90%.

Isolated cases of RHD have appeared intermittently in the United States since 2000. In 2020, outbreaks of RHD have been reported in domestic rabbits, cottontail rabbits, and hares in the United States. RHDV-1 was identified in two domestic rabbits in a northwestern county in Pennsylvania in November, 2019.

A vaccine for RHD is not currently available in the United States and there is no specific treatment.

RHD has not been shown to affect people or other mammals.

Order

The Department hereby designates CWD, VHS, EHV-1, *Brucella canis*, Tilapia lake virus, *Streptococcus equi ssp. zooepidemicus (S. zooepidemicus)* in swine, and Rabbit Hemorrhagic Disease (RHD) as “dangerous transmissible diseases” under the Domestic Animal Law at, 3 Pa.C.S. § 2321(d). This order supplants any previous temporary order making such a designation.

This order shall take effect as of publication in the *Pennsylvania Bulletin* and shall remain in effect until no later than January 1, 2021. This Department may: (1) reissue this temporary order to extend the designation beyond January 1, 2021, (2) allow this temporary order to expire on January 1, 2021, (3) supplant this temporary order with a formal regulation; or (4) modify this temporary order.

Questions regarding this temporary order may be directed to Kevin Brightbill, DVM, Director, Bureau of Animal Health and Diagnostic Services, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-2852.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 20-786. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 9, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
06-09-2020	Citizens & Northern Corporation Wellsboro Tioga County Application for approval to acquire 100% of Covenant Financial, Inc., Doylestown, and thereby indirectly acquire 100% of Covenant Bank, Doylestown.	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
06-09-2020	Citizens & Northern Bank Wellsboro Tioga County Application for approval to merge Covenant Bank, Doylestown, with and into Citizens & Northern Bank.	Approved

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
06-08-2020	Coatesville Savings Bank Coatesville Chester County Amendment to Article 1 of the institution's Articles of Incorporation provides for a change in the bank's corporate title to Prosper Bank. Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-787. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PAS803507 (Storm Water)	Naval Support Activity Mech 5450 Carlisle Pike Building 305 Mechanicsburg, PA 17055	Cumberland County Hampden Township	Unnamed Tributary to Trindle Spring Run (HQ-CWF, MF) (7-B)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0266132 (Sewage)	Jay A. and Zak Yankowski 1563 County Line Road Gilbertsville, PA 15525	Berks County Washington Township	Unnamed Tributary of Middle Creek (TSF, MF) (03-E)	Yes
PA0081876 (Sewage)	Audobon Park Inc. 5182 Appaloosa Lane Glennville, PA 17329	York County Monaghan Township	Unnamed Tributary of Yellow Breeches Creek (CWF) (07-E)	Yes
PA0085197 (Sewage)	Kampel Enterprises 8930 Carlisle Road Wellsville, PA 17365	York County Warrington Township	Unnamed tributary of North Branch Bermudian Creek (WWF) (7-F)	Yes
PA0087637 (Sewage)	Mountain View Terrace Mobile Home Park Mohawk Drive Newville, PA 17241	Cumberland County/ Upper Frankford Township	UNT Conodoguinet Creek/7B	Yes
PA0020818 (Sewage)	Glen Rock Sewer Authority Wastewater Treatment Plant 11714 North Main Street Extension Glen Rock, PA 17327	York County/ Glen Rock Borough	South Branch Codorus Creek/7H	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0000906 (Industrial)	Westinghouse Ele Co. Waltz Mill Service Center P.O. Box 158 Waltz Mill Facility Madison, PA 15663-0158	Westmoreland County Sewickley Township	Unnamed Tributary of Sewickley Creek (WWF) and Unnamed Tributary to Sewickley Creek (WWF) (19-D)	Yes

Northwest Regional Office: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0273066 (Sewage)	Raun Alexander SRSTP 11350 W Pleasant Street Corry, PA 16407-8808	Erie County Elgin Borough	Beaver Run (EV) (16-A)	Yes
PA0272841 (Sewage)	Shaun R. Black SRSTP 1948 Bagdad Road Waterford, PA 16441-9146	Erie County Waterford Township	Unnamed Tributary to Trout Run (16-A)	Yes
PA0263656 (Sewage)	Daniel H Preston SFTF 100 3rd Lane Kane, PA 16735-5418	McKean County Sergeant Township	Sevenmile Run (HQ-CWF) (17-A)	Yes

Central Office: Environmental Program Manager, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17105-8774, Phone: 717-787-5017, Email: RA-EPNPDES_Permits@pa.gov.

PA0270792, Pesticides, SIC Code 4959, **PennDOT Hwy Admin**, Commonwealth Keystone Building, Harrisburg, PA 17120, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for a renewal of an individual permit for discharges associated with the application of pesticides Statewide.

The receiving stream(s) are located across the entirety of the Commonwealth where PennDOT is responsible for the control of roadside vegetation. Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. The discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the Bureau of Clean Water at 717-787-5017. You may submit written comments on the application and draft permit within 30 days to the previously listed address. After the 30-day comment period, PA DEP will make a final determination on the issuance of the permit.

The EPA waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PA0244040, Sewage, SIC Code 4952, **Shelly Square LP**, 528 Main Street, Suite 200, Harleysville, PA 19438-2266. Facility Name: Shelly Square STP. This existing facility is located in Upper Salford Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), East Branch Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .012446 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 InstMin	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	15	XXX	30
Total Suspended Solids	XXX	XXX	XXX	15	XXX	30
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	0.5	XXX	1

- Sludge use and disposal description and location(s): Quakertown WWTP and Pottstown WWTPs.

In addition, the permit contains the following major special conditions:

- No Stormwater to Sewer
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Public Sewer Become Available
- Chlorine Minimization
- Notification of Designation of Responsible Operator
- Remedial Measures if Public Nuisance
- Twice per Month Sampling
- TMDL/WLA Analysis
- Alternate Disinfection
- 10% Fecal Coliform

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0021229, Sewage, SIC Code 4952, **Littlestown Borough Authority Adams County**, 41 South Columbus Avenue, Littlestown, PA 17340-1612. Facility Name: Littlestown STP. This existing facility is located in Littlestown Borough, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Alloway Creek (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Cyanide, Free	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	1.11 Daily Max	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	1.11 Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Flow (MGD) Raw Sewage Influent	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	208	334	XXX	25.0	40.0	50
May 1 - Oct 31	141	212	XXX	17.0	25.5	34
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	250	375	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	25.0	XXX	XXX	3.0	XXX	6
May 1 - Oct 31	8.0	XXX	XXX	1.0	XXX	2
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo Report	XXX	XXX	Report	Report Daily Max	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s): York Landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0081302, Sewage, SIC Code 4952, **South Londonderry Township Municipal Authority Lebanon County**, 27 W Market Street, Palmyra, PA 17078-8736. Facility Name: South Londonderry Campbelltown West STP. This existing facility is located in South Londonderry Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Spring Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .215 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.30
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	44.8	71.7	XXX	25	40	50
May 1 - Oct 31	35.8	53.7	XXX	20	30	40
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	53.7	80.6	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	16.1	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	5.3	XXX	XXX	3.0	XXX	6
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	3.5	XXX	XXX	2.0	XXX	4

Digested sludge is hauled out by a licensed hauler (Gingrich Hauling) periodically or spread on reed beds onsite during warmer months.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition
- Approval Contingencies
- Proper Waste/Solids Management
- Restriction on Receipt of Hauled in Waste under Certain Conditions
- Chlorine Minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0082601, Sewage, SIC Code 6515, **Shover Investment Group LLC**, 225 Pine Hill Road, Landisburg, PA 17040. Facility Name: Hartslog Court MHP WWTP. This existing facility is located in Porter Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), UNT to Crooked Creek (WWF, MF), is located in State Water Plan watershed 11-B and is classified for Warm water fishes, migratory fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .045 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Total Annual		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.14	XXX	.045
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	10.5	XXX	21
May 1 - Oct 31	XXX	XXX	XXX	3.5	7.0	
Nitrate-Nitrite (lbs/year)	XXX	Report	XXX	Report	XXX	XXX
TKN (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX
Total Nitrogen (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect.

PA0261122, Sewage, SIC Code 4952, **Train Collectors Association**, P.O. Box 248, Strasburg, PA 17579-0248. Facility Name: Toy Train Museum WWTP. This existing facility is located in Paradise Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Pequea Creek (WWF, MF), is located in State Water Plan watershed 7-K and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Phosphorus	XXX	XXX	XXX	Geo Mean Report	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083151, Sewage, SIC Code 8211, **Penn Manor School District**, P.O. Box 1001, Millersville, PA 17551. Facility Name: Marticville Middle School WWTP. This existing facility is located in Martic Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pequea Creek (WWF, MF), is located in State Water Plan watershed 7-K and is classified for warm water fishes, migratory fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00945 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Total Annual		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite (lbs/year)	XXX	Report	XXX	Report	XXX	XXX
TKN (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX
Total Nitrogen (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

PA0025984, Sewage, SIC Code 4952, **Allegheny County Sanitary Authority ALCOSAN**, 3300 Preble Avenue, Pittsburgh, PA 15233-1025. Facility Name: ALCOSAN Woods Run Wastewater Treatment Plant. This existing facility is in City of Pittsburgh, **Allegheny County**.

Description of Activity: The application is for NPDES permit amendment for an existing discharge of treated sewage with expansion of discharge and New CSO Outfall 002 which will receive primary treatment and disinfection.

The receiving stream, Ohio River (WWF), is in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Combined Sewage Outfall 002 are based on a design flow of 305 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
		Daily Max	Inst Min			
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.0	XXX	2.0
CBOD ₅	Report	Report	XXX	Report	Report	XXX
BOD ₅						
Raw Sewage	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids						
Raw Sewage	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)						
Nov 1 - Mar 31	XXX	XXX	XXX	Report	XXX	Report
				Geo Mean		
Apr 1 - Oct 31	XXX	XXX	XXX	Report	XXX	Report
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus	XXX	XXX	XXX	Report	Report	XXX

Combined Sewer Overflow Outfall 002 will receive treatment consisting of Screening, Primary Settling and Disinfection.

In addition, the permit contains the following major special condition:

Combined sewer overflows (CSOs) are permitted to discharge only in compliance with this permit when flows in combined sewer systems exceed the design capacity of the conveyance or treatment facilities of the system during or immediately after wet weather periods. Overflows that occur without an accompanying precipitation event or snow-melt are termed "dry weather overflows" and are prohibited. CSOs are point source discharges that must be provided with control measures in accordance with the Federal Clean Water Act and the 1994 National CSO Policy.

A CSO-related bypass of the secondary treatment portion of the POTW treatment plant is authorized only when (1) the permittee is implementing Nine Minimum Controls and a Long Term Control Plan and the bypass is part of the operational plan for implementing Nine Minimum Controls and the Long Term Control Plan, (2) it is in accordance with the provision of 40 CFR 122.41(m) and (3) the flow rate to the POTW treatment plant, as a result of a precipitation or snow-melt events, exceeds 295 MGD. Bypasses that occur when the flow at the time of the bypass is less than the previously specified flow rate are not authorized under this condition.

In the event of a CSO-related bypass authorized under this condition, the permittee shall minimize the discharge of pollutants to the receiving water. At a minimum, the CSO-related bypass flows must receive primary clarification, solids and floatables removal, and disinfection. The bypass may not cause the effluent from the POTW either to exceed the effluent limits contained in its permit or to cause or contribute to a violation of water quality standards. The permittee shall report any substantial changes in the volume or character of pollutants being introduced into the POTW or that may be present in the CSO-related bypass. Authorization of CSO-related bypasses under this provision may be modified or terminated when there is a substantial change in the volume or character of pollutants being introduced to the POTW or in the bypassed flow. The permittee shall provide notice to the permitting authority of bypasses authorized under this condition within 24 hours of occurrence of the bypass.

Effluent limits for plant expansion to 295 MGD through the secondaries, and that will be discharged through Outfall 001 was published on March 7, 2020 and will remain unchanged.

PA0028703, Sewage, SIC Code 4952, **Peters Township Sanitary Authority**, 111 Bell Drive, McMurray, PA 15317-3415. Facility Name: Donaldson's Crossroads WPCP. This existing facility is located in Peters Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.75 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.75 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	360.0	545.0	XXX	25.0	37.5	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	435.0	655.0	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen Nov 1 - Apr 30	290.0	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	120.0	XXX	XXX	8.5	XXX	17

Sludge use and disposal description and location(s): Aerobic digestion operates in series. Digested sludge is dewatered using a volute dewatering press and disposed offsite at a landfill. A polymer is added to aid sludge dewatering.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Northwest Regional Office: Regional Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

PA0288276, Sewage, SIC Code 8800, **Brandon Persch**, 1171 Barkeyville Road, Grove City, PA 16127. Facility Name: Brandon Persch SRSTP. This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Wolf Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

In addition, the permit contains the following major special conditions: None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0027341 A-2, Industrial, SIC Code 3211, **Vitro Flat Glass, LLC**, 5123 Victory Boulevard, Cochranon, PA 16314-3969. Facility Name: Vitro Flat Glass. This existing facility is located in Greenwood Township, **Crawford County**.

Description of Existing Activity: The application is for an NPDES permit amendment for an existing discharge of treated industrial waste.

The following notice reflects the removal of monitoring requirements/effluent limits at Outfall 001 for 15 toxic pollutants, which was the purpose for this permit amendment.

The receiving stream(s), Unnamed Tributary of Conneaut Outlet is located in State Water Plan watershed 16-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average</i>	<i>Maximum</i>	
pH (S.U.)						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX
Selenium, Total						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0141 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Temperature (deg F) (°F)	XXX	XXX	XXX	Report	XXX	XXX
				Daily Avg		
Selenium, Total	0.0017	0.0035	XXX	0.015	0.030	0.037

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Selenium, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average	Maximum	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Selenium, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average	Maximum	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Selenium, Total	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Toxic Reduction Evaluation
- WQBELs below Quantitation Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 4601405, Sewage, Amendment, **Montgomery Township Municipal Sewer Authority**, 1001 Stump Road, Montgomeryville, PA 18936.

This proposed facility is located in Montgomery Township, **Montgomery County**.

Description of Action/Activity: Change from liquid sodium hypochlorite to gaseous chlorine.

WQM Permit No. WQG02091421, Sewage, Amendment, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Doylestown Township, **Bucks County**.

Description of Action/Activity: Addition of a small grinder pump station in the collection system.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 6720401, Sewerage, **Mickey K. Thompson, JD, Burkentine Real Estate Group**, 1454 Baltimore Street, Suite A, Hanover, PA 17331.

This proposed facility is located in York Township, **York County**.

Description of Proposed Action/Activity: Sewer extension to serve new residential development, Hudson Ridge.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4320407, Sewage, **Gino Nicastro**, 421 Pike Street, Farrell, PA 16121-1543.

This proposed facility is located in Hermitage City, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320408, Sewage, **Terence O'Keefe**, 226 Patterson School Road, Grove City, PA 16127-4938.

This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6220404, Sewage, **Ann Schultz**, 434 Prospect Street, Warren, PA 16365-2653.

This proposed facility is located in Freehold Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320409, Sewage, **Judith Gosnell Lamb & Roy Lamb**, 33 W Methodist Road, Greenville, PA 16125-9712.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4390201 A-1, Industrial, **NLMK PA LLC**, 15 Roemer Boulevard, Farrell, PA 16121-2201.

This existing facility is located in Farrell City, **Mercer County**.

Description of Proposed Action/Activity: Replacement in kind of existing clarifier and relocation of internal sub-outfall 504.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390155	Eric Scheler 10285 Ziegels Church Rd. Breinigsville, PA 18031	Lehigh	Upper Macungie Township	UNT to Schaefer Run (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450112	Nish Nick, Inc. 30 Jade Lane Phillipsburg, NJ 08865	Monroe	Tobyhanna Township	Goose Run (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD670044	Maple Spring Farms Partnership 175 Frosty Hill Road Airville, PA 17302	York	Chanceford Township	UNT 07332 West Branch Toms Run (TSF) UNT 07436 South Fork Otter Creek (CWF)
PAD060038	Mid-Atlantic Interstate Transmission (FirstEnergy) 2800 Pottsville Pike P.O. Box 16001 Reading, PA 19612-6001	Berks	Jefferson Township Penn Township Bern Township Ontelaunee Township Muhlenberg Township	Northkill Creek (CWF, MF) Tulpehocken Creek (WWF, MF) Licking Creek (TSF, MF) Plum Creek (WWF, MF) Schuylkill River (WWF, MF) Maiden Creek (WWF, MF) Laurel Run (WWF, MF)

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140039 A-1	Bellefonte Waterfront Associates 1, LLC 366 Walker Drive Suite 201 State College, PA 16801	Centre	Bellefonte Boro	Spring Creek HQ-CWF, MF
PAD140037 A-1 Major Amendment	S&A Homes, Inc. 2121 Old Gatesburg Rd # 200 State College, PA 16803	Centre	Walker Twp	UNT Little Fishing Creek, Nittany Creek

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

CAFO Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

NPDES Permit No. PAG123900, CAFO, **Brookside Acres**, 125 Aberdeen Road, Elizabethtown, PA 17022-9493.

This proposed facility is located in Mount Joy Township, **Lancaster County**.

Description of size and scope of proposed operation/activity: Swine (Grow—Finish), Dairy (Calves): 777.45 AEUs.

The receiving stream, Unnamed Tributary to Conewago Creek (TSF) and Unnamed Tributary to Conewago Creek (TSF, MF), is in watershed 7-G and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123902, CAFO, **Shadow Ridge Farm**, 2418 Bachman Road, Lancaster, PA 17602-1802.

This proposed facility is located in Strasburg Township, **Lancaster County**.

Description of size and scope of proposed operation/activity: Poultry (Layers), Dairy (Heifers, Calves): 801.45 AEUs.

The receiving stream, Walnut Run (WWF, MF), is in watershed 7-K and classified for: Migratory Fishes and Warm Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Jerrel Brubaker Buffalo Valley Farmstead, Inc. 269 Meeting House Lane Lewistown, PA 17837	Union	845.4	759.78	Swine & Poultry	NA	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Mor-T-Do Farm Neill & Mac Miller 5292 Pleasant Ridge Road Needmore, PA 17238	Fulton	143.6	386.96	Swine & Beef	None	Renewal
Shady Rill Farm, LLC Neil & Jay Paul Hoover 252 Tharp Road Mt. Pleasant Mills, PA 17853	Snyder	643.7	1,033.58	Swine	NA	Renewal
Herbruck Poultry Ranch, Inc. 8069 Corner Road Mercersburg, PA 17236	Franklin	312.1	7,536.00	Poultry	NA	Renewal
Keister Family Farms LLC 105 Keister Farm Lane Middleburg, PA 17842	Snyder	116.63	548.58	Turkeys Steers	None	Renewal
John Cornelius 18121 Hares Valley Road Mapleton Depot, PA 17052	Huntingdon	244.6	716.05	Swine	None	Renewal
Daniel & Dwight Forry 1015 Prospect Rd Columbia, PA 17512	Lancaster	348.5	664.77	Swine/ Goats/ Sheep	NA	Renewal
David Weaver Clear Spring Farm 740 Marion Drive Womelsdorf, PA 19567	Berks	163	335.98	Poultry (Layers)	NA	Renewal
Wolgemuth Farview Farm Doug Wolgemuth 1197 Landis Rd Elizabethtown, PA 17022	Lancaster	981.6	987.29	Swine	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4620508, Public Water Supply.

Applicant	Manor Care of Pottstown PA, LLC 724 N. Charlotte Street Pottstown, PA 19464
Borough	Pottstown
County	Montgomery
Responsible Official	Richard Sonddy
Type of Facility	PWS
Consulting Engineer	Jacobs Engineering Associates 1914 Mt Royal Blvd Glen Shaw, PA 15116
Application Received Date	March 30, 2020

Description of Action Secondary disinfection to cold water for internal water safety goals and maintenance of disinfectant residual.

Permit No. 1520507, Public Water Supply.

Applicant **PA American Water**
852 Wesley Drive
Mechanicsburg, PA 17055

Township West Caln

County **Chester**

Responsible Official Bruce Aiton

Type of Facility PWS

Consulting Engineer PA American Water
852 Wesley Drive
Mechanicsburg, PA 17055

Application Received Date May 29, 2020

Description of Action To replace 4IFE turbidimeters, install 4 additional, replace 6 chlorine analyzers.

Permit No. 0920509, Public Water Supply.

Applicant **Summit Condominium Associates**
P.O. Box 710
Holicong, PA 18928

Township West Rock Hill

County **Bucks**

Responsible Official Gloria Dodd
President, CEO
P.O. Box 710
Holicong, PA 18928

Type of Facility PWS

Consulting Engineer Spotts, Steven, and McCoy
Jamie D. Lorah
1047 N. Park Road
P.O. Box 6307
Reading, PA 19610-2001

Application Received Date March 4, 2020

Description of Action The site originally had a chlorine feed for treating the water, but a carbon filter was added for additional treatment.

Permit No. 4620511, Public Water Supply.

Applicant **Horsham Water & Sewer Authority**
617 Horsham Road
Horsham, PA 19044-6566

Township Horsham

County **Montgomery**

Responsible Official Tina O'Rourke
617 Horsham Road
Horsham, PA 19044-6566

Type of Facility PWS

Consulting Engineer Theresa A. Funk
Gilmore & Associates
65 Butler Avenue
Suite 100
New Britain, PA 18901-5106

Application Received Date April 28, 2020

Description of Action Tank painting water storage, reservoir painting and rehabilitation.

Permit No. 4620512, Public Water Supply.

Applicant **Horsham Water Sewer Authority**
617 Horsham Road
Horsham, PA 19044-6566

Township Horsham

County **Montgomery**

Responsible Official Tina Rourke
Business Manager
617 Horsham Road
Horsham, PA 19044-6566

Type of Facility PWS

Consulting Engineer Theresa A. Funk
Gilmore & Associates
65 East Butler Avenue
Suite 100
New Britain, PA 18901-5106

Application Received Date April 28, 2020

Description of Action Water storage reservoir painting and rehabilitation.

Permit No. 0920510, Public Water Supply.

Applicant **Doylestown Township Municipal Authority**
425 Wells Road
Doylestown, PA 18901

Township Doylestown

County **Bucks**

Responsible Official Keith Hass
425 Wells Road
Doylestown, PA 18901

Type of Facility PWS

Consulting Engineer Dan Hopkins
Entech Engineering
500 North Centre Street
Pottstown, PA 17901

Application Received Date April 22, 2020

Description of Action Repainting of water storage tank.

Permit No. 4620514, Public Water Supply.

Applicant **Audubon Water Company**
2650 Eisenhower Drive
Suite 104A
Norristown, PA 19403

Township Lower Providence

County **Montgomery**

Responsible Official Dan R. Hudson
2650 Eisenhower Drive
Suite 104A
Norristown, PA 19403

Type of Facility PWS

Consulting Engineer	Daniel R. Hudson Entech Engineering 500 North Centre Street Pottstown, PA 17901	Responsible Official	Theresa Phillips CKS Engineers, Inc. 4259 West Swamp Road Doylestown, PA 18902
Application Received Date	May 13, 2020	Type of Facility	PWS
Description of Action	Install new well and upgrade existing pump house and chlorine contact tank.	Consulting Engineer	Patrick DiGangi CKS Engineers, Inc. 4259 West Swamp Road Doylestown, PA 18902
Permit No. 4620513 , Public Water Supply.		Application Received Date	May 13, 2020
Applicant	Pottstown Hospital Tower Health 1600 East High Street Pottstown, PA 19464	Description of Action	Existing water distribution system of Pennland Farms. The Pennland Farms development public water supply distribution system is supplied by existing alternating wells No. 1 and No. 2
Borough	Pottstown		
County	Montgomery	Permit No. 0920513 , Public Water Supply.	
Responsible Official	Richard Newell 1600 East High Street Pottstown, PA 19464	Applicant	Borough of Dublin 119 Maple Avenue Dublin, PA 18917-0052
Type of Facility	PWS	Township	Bedminster
Consulting Engineer	Environmental Guidance & Solutions 446 West Germantown Pike P.O. Box 261 Lafayette, PA 19494	County	Bucks
Application Received Date	May 13, 2020	Responsible Official	Laurie Hagey 119 Maple Avenue Dublin, PA 18917-0052
Description of Action	Secondary disinfection treatment using chlorine for cold and hot potable water.	Type of Facility	PWS
		Consulting Engineer	Michael McRee CKS Engineers, Inc. 4259 West Swamp Road Doylestown, PA 18902
Permit No. 2320502 , Public Water Supply.		Application Received Date	May 29, 2020
Applicant	Tillman Real Estate Kevorkian Building 20 South Union Street Lansdowne, PA 19050	Description of Action	Permit existing interconnection chamber.
Township	Lansdowne	Permit No. 0920512 , Public Water Supply.	
County	Delaware	Applicant	Bedminster Municipal Authority 442 Elephant Road Perkasie, PA 18944
Responsible Official	Craig Tillman Kevorkian Building 20 South Union Street Lansdowne, PA 19050	Township	Bedminster
Type of Facility	PWS	County	Bucks
Consulting Engineer	Jeremy S. Madaras J.S. Madaras Consulting 250 Indian Lane Boyertown, PA 19512	Responsible Official	Theresa Phillips 442 Elephant Road Perkasie, PA 18944
Application Received Date	May 13, 2020	Type of Facility	PWS
Description of Action	Chlorination system with so mins. of effective contact time.	Consulting Engineer	Michael McRee 4259 West Swamp Road Suite 410 Doylestown, PA 18902
Permit No. 0920511 , Public Water Supply.		Application Received Date	May 29, 2020
Applicant	Bedminster Municipal Authority 442 Elephant Road Bedminster, PA 18944	Description of Action	Permit existing potable water system interconnection between Dublin Borough and Bedminster Municipal Authority.
Township	Bedminster	Description of Action	Chlorination system with so mins. of effective contact time.
County	Bucks		

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

1400 East Lackawanna Avenue, 1400 East Lackawanna Avenue, Olyphant, PA 18447, Olyphant Borough, **Lackawanna County**. Langan Engineering and Environmental Services, P.O. Box 1569, Doylestown, PA 18901, on behalf of Eastern PA Land Investment Holding LLC, P.O. Box 96, Temple, PA 19560, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with metals and organic chemicals from historic site operations. Future use of the site will be non-residential. The Notice of Intent to Remediate was published in the *Scranton Times* on May 29, 2020.

3222 Bingen Road, 3222 Bingen Road, Bethlehem, PA 18015, Lower Saucon Township, **Northampton County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of REI Holdings LLC, 1866 Auburn Street, Bethlehem, PA 18015, submitted a Notice of Intent to Remediate. Soil was contaminated with heating oil from an aboveground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Morning Call* on May 17, 2020.

2701 Barnes Lane, 2701 Barnes Lane, Allentown, PA 18103, Allentown City, **Lehigh County**. Geo-Technology Associates, 2405 John Fries Highway, Quakertown, PA 18951, on behalf of Barnes Land Development LLC, 2240 West Rock Road, Allentown, PA 18103, submitted a Notice of Intent to Remediate. Soil is impacted with pesticides from historic orchard operations. Future use of the site will be for residential purposes. The Notice of Intent to Remediate was published in the *Lehigh Valley Press* on June 3, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

1325 Fruitville Pike Property, 1325 Fruitville Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406, on behalf of Fruitville Pike Partners, 209 Pinetree Way, Lancaster, PA 17601, submitted a Notice of Intent to Remediate site groundwater contaminated with historic No. 2 fuel oil. The site will be remediated to the Site-Specific Standard. Future use of the site is planned for non-residential use. The Notice of Intent to Remediate was published in the *LNP* on March 27, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Frisbee BRA Pad, 3168 Cragle Road, Rome, Orwell Township, **Bradford County**. Creston Environmental LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 300 N 2nd Street, 5th FL, Harrisburg, PA 17101, has submitted a Notice of Intent to Remediate site soil contaminated with produced water. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soil. A summary of the Notice of Intent to Remediate was published in *The Daily Review* on May 7, 2020.

T Pierson 801 Pad, 497 Wetmore Road, Gaines Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Tilden Marcellus, LLC, 4600 J Barry Court, Suite 220, Canonsburg, PA 15317, has submitted a Notice of Intent to Remediate site soil contaminated with produced water. The applicant proposes to remediate the site to meet the

Background and Residential Statewide Health Standards for soil. A summary of the Notice of Intent to Remediate was published in the *Sun Gazette* on May 18, 2020.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received under the Solid Waste Management Act of July 7, 1980, P.L. 35 P.S. §§ 6018.101—6018.1003, the Municipal Waste Planning, Recycling and Waste Reduction Act 53 P.S. §§ 4000.101—4000.1904 and regulations to operate a Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

Permit ID No. 101565, Ambridge Transfer Station, Waste Management of Pennsylvania, Inc., 2197 Duss Avenue, Ambridge, PA 15003. An application for permit renewal for a municipal waste transfer facility located in Ambridge Borough, **Beaver County** was accepted in the Regional Office on June 8, 2020.

Persons interested in reviewing the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

36-05117: Dart Container Corporation of PA (60 East Main Street, Leola, PA 17603) to issue a Title V Permit renewal for the expandable polystyrene foam container manufacturing facility located on Pitney Road in East Lampeter Township, **Lancaster County**. Reported plant emissions for 2019 included 164.6 tons of VOCs, 5.6 tons of CO, and 2.2 tons of NO_x. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit renewal will include provisions derived from 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, and 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

35-00050: Maple Hill Crematory (68 E Saint Marys Road, Wilkes-Barre, PA 18706-4182). The Department intends to issue a State-Only Operating Permit renewal for operation of a crematory operation in Archibald Borough, **Lackawanna County**. The source includes two (2) incinerators. The proposed operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-05106: Donsco, Inc. (124 N Front Street, Wrightsville, PA 17368) for the operation of a gray iron foundry facility in Wrightsville Borough, **York County**. This is for renewal of the existing State-Only Permit. Actual 2018 air emissions from the facility are estimated at 43.5 tons CO, 25.5 tons PM₁₀, 20.5 tons VOC, and less than 1 ton NO_x, SO₂, and Lead. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

36-03126: Sylvin Technologies, Inc. (84 Denver Road, P.O. Box 308, Denver, PA 17517) to issue a State Only Operating Permit for the PVC pellet manufacturing facility in East Cocalico Township, **Lancaster County**. The potential emissions from the facility are estimated at 5.3 tpy of PM₁₀. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00024: Divine Providence Hospital (1100 Grampian Boulevard, Williamsport, PA 17701), for the Divine Providence Hospital located in the City of Williamsport, **Lycoming County**. The facility's main sources include three (3) natural gas/No. 2 fuel oil-fired boilers, two (2) No. 2 fuel oil-fired boilers and five (5) No. 2 fuel oil-fired emergency generators. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the previously-mentioned facility. The subject facility has the following potential emissions: 29.62 TPY of carbon monoxide; 33.85 TPY of nitrogen oxides; 0.56 TPY of sulfur oxides; 2.49 TPY of particulate matter; 1.91 TPY of volatile organic compounds and 34,866 TPY of greenhouse gases. The Department has determined that the sources at the facility satisfy best available technology (BAT)

requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, the New Source Performance Standards (NSPS) pursuant to 40 CFR Part 60 Subpart IIII and the National Emission Standards for Hazardous Air Pollutants (NESHAP) pursuant to 40 CFR Part 63 Subparts HH, ZZZZ and JJJJJJ. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

41-00027: Muncy Valley Hospital (1100 Grampian Boulevard, Williamsport, PA 17701), for the Muncy Valley Hospital located in Muncy Creek Township, **Lycoming County**. The facility's main sources include two (2) natural gas/No. 2 fuel oil-fired boilers and five (5) diesel-fired emergency generators. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the previously-mentioned facility. The subject facility has the following potential emissions: 5.90 TPY of carbon monoxide; 16.00 TPY of nitrogen oxides; 17.10 TPY of sulfur oxides; 1.61 TPY of particulate matter; 0.83 TPY of volatile organic compounds and 51,965 TPY of greenhouse gases. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, the New Source Performance Standards (NSPS) pursuant to 40 CFR Part 60 Subpart IIII and the National Emission Standards for Hazardous Air Pollutants (NESHAP) pursuant to 40 CFR Part 63 Subparts ZZZZ and JJJJJJ. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

18-00011: Croda, Inc. (8 Croda Way, Mill Hall, PA 17751) to issue a State Only Operating Permit for their Mill Hall Facility located in Bald Eagle Township, **Clinton County**. The facility is currently operating under Plan Approval 18-00011L. The facility's main sources include the Super Refined Oils process and several reactor vessels which are used to synthesize various products.

The facility will be synthetic minor for VOC and HAP emissions. After accounting for the synthetic minor restrictions, the facility has potential emissions of 31.6 tons per year (tpy) of NO_x, 8.3 tpy of SO_x, 5.8 tpy of PM₁₀, 20.5 tpy of CO, 50.0 tpy of VOCs, 25.0 tpy of total HAPs, 10.0 tpy of any single HAP, and 31,849 tpy of GHGs. No emission or equipment changes are being proposed by this action.

The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Parts 60 and 63.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

08-00022: Cummings Lumber Co., Inc. (P.O. Box 6, Troy, PA 16947) to issue a renewal State Only Operating

Permit for their Troy facility located in Troy Township, **Bradford County**. The facility's main sources include twelve (12) lumber drying kilns, one (1) wood fired boiler, a mill operation and an emergency generator.

The facility has potential emissions of 5.61 tons per year of nitrogen oxides, 22.45 tons per year of carbon monoxide, 0.28 ton per year of sulfur oxides, 31.11 tons per year of particulate matter, 8.84 tons per year of volatile organic compounds including total hazardous air pollutants (HAPs). No emission or major equipment changes are being proposed by this action.

The wood fired boiler is subject to 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial and Institutional Boilers Area Sources. The diesel engine of the generator set is subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60, 63 and 98.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00080: Duraloy Technologies, Inc. (120 Bridge Street, Scottdale, PA 15683-1748). In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue a Synthetic Minor State Only Operating Permit (SOOP) renewal to Duraloy Technologies, Inc. to authorize the continued operation of their facility in Scottdale Borough, **Westmoreland County**.

Duraloy Technologies, Inc. is a manufacturer of specialty steel cast tubular and molded products. The facility includes electric induction melting furnaces, centrifugal casting, static casting, sand handling and reclamation system, mold making, heat-treating activities, casting and finishing. There are several dust collectors to control particulate emissions. Emissions from this facility are estimated to be 13.09 tons per year of PM₁₀, 3.5 tons per year of NO_x, 25 tons per year of VOCs and 5.82 tons per year of HAPs. The facility has a limit of 49 tons per year of VOCs emissions.

The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145 and the NESHAP requirements of 40 CFR Part 63, Subpart ZZZZZ for Iron and Steel Foundries Area sources.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania

Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (65-00080) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Duraloy Technologies, Inc. State Only Operating Permit Application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Duraloy Technologies, Inc. State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

63-00147: International Paper (10 Wilson Road, Eight Four, PA 15330-2846) for the operation of a corrugated box manufacturing facility located in North Strabane Township, **Washington County**. Sources of emissions at the facility include one 16.0 MMBtu/hr Johnston boiler, three flexo-folder-gluer machines with die cutters, one corrugator, one die cutter, one flexographic printer, one 24.5-gallon parts washer, and miscellaneous sources which include a paper hogger, paper shredder, and a storage silo. With the exception of the 16.0 MMBtu/hr boiler, all other sources at this facility are controlled by a 30,000 scfm cyclone and baghouse system rated at 99.9% control efficiency for PM₁₀. The potential emissions are estimated at: 22.6 TPY PM₁₀; 22.6 TPY PM_{2.5}; 7.1 TPY NO_x; 6.3 TPY VOC; 5.9 TPY CO; < 0.3 TPY total HAP; < 0.1 TPY SO_x; and 8,410 TPY CO₂e. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed State-Only Operating Permit includes emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (63-00147) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

43-00322: Thompson Fabricating, Inc. (60 Council Avenue, Wheatland, PA 16161). The Department intends to issue the renewal of the State-Only Operating Permit of a facility that manufactures detachable roll-off or hook-lift steel containers located in Wheatland Borough, **Mercer County**. Permitted air contamination sources at the facility are one paint booth and one paint booth heater. Other operations performed at the facility are considered trivial/insignificant activities for permitting purposes. With VOC PTE below the major source threshold, the facility is Natural Minor. In this renewal, major permit change is the incorporation of 25 Pa. Code § 129.52d, which replaces § 129.52.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

64-00018B: Lake Region Crematorium, LLC (143 Gravity Road, Lake Ariel, PA 18436) for their facility in Lake Township, **Wayne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Lake Region Crematorium, LLC (143 Gravity Road, Lake Ariel, PA 18436) for their facility in Lake Township, Wayne County. This Plan Approval No. 64-00018B will be incorporated into a Natural Minor Permit through an administrative amendment at a later date.

Plan Approval No. 64-00018B is for the installation and operation of one (1) human remains incinerator. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions and shall be required to maintain the temperature at the exit of the secondary (or last) chamber at 1,800° F or higher and be maintained throughout the cremation cycle. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 64-00018B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30-days after publication date.

48-00117A: L & M Fabrication and Machine, Inc. (6814 Chrisphalt Drive, Bath, PA 18014) for their facility in East Allen Township, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to L & M Fabrication and Machine, Inc. (6814 Chrisphalt Drive, Bath, PA 18014) for their facility in East Allen Township, Northampton County. This Plan Approval No. 48-00117A will be incorporated into a Natural Minor Permit at a later date.

Plan Approval No. 48-00117A is for the operation of one (1) 4,800 CFM baghouse to control dust from a metal cutting operation. Particulate Matter (PM) emissions from the plant will remain under their 100 TPY threshold limit, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.13 for PM emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 48-00117A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such

notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

48-00118A: L & M Fabrication and Machine, Inc. (6814 Chrisphalt Drive, Bath, PA 18014) for their facility in East Allen Township, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to L & M Fabrication and Machine, Inc. (6814 Chrisphalt Drive, Bath, PA 18014) for their facility in East Allen Township, Northampton County. This Plan Approval No. 48-00118A will be incorporated into a Natural Minor Permit at a later date.

Plan Approval No. 48-00118A is for the operation of one (1) 1,500 CFM baghouse to control dust from a metal cutting operation. Particulate Matter (PM) emissions from the plant will remain under their 100 TPY threshold limit, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.13 for PM emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 48-00118A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the

Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

30841312 and NPDES Permit No. PA0013790. The Monongalia County Coal Company, 46226 National Road, St. Clairsville, OH 43950, to revise the permit and related NPDES permit for the addition of seven (7) degasification boreholes for the Monongalia County Mine in Wayne and Gilmore Townships, **Greene County**, affecting 9.35 proposed surface acres. No additional discharges. The application was considered administratively complete on May 13, 2020. Application received: February 18, 2020.

63141301 and NPDES Permit No. PA0215431. Consol Mining Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES permit for three (3) boreholes and piping for the Westland Mine in Chartiers and Mount Pleasant Townships, **Washington County**, affecting 1.6 proposed surface acre. No additional discharges. The application was considered administratively complete on April 9, 2020. Application received: February 11, 2020.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814.472.1900, (Contact: Melanie Wigfield).

Permit 32950201 and NPDES No. PA0213004. Cambria Reclamation Corporation, 2929 Allen Parkway, Suite 2200, Houston, TX 77019, permit renewal for the continued operation and restoration of a bituminous surface mine in White and Rayne Townships, **Indiana County** affecting 256 acres. Receiving streams: McKee Run to Crooked Creek classified for the following uses: cold water fishes and warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 1, 2020.

Permit 32950202 and NPDES No. PA0213039. Cambria Reclamation Corporation, 2929 Allen Parkway, Suite 2200, Houston, TX 77019, permit renewal for the continued operation and restoration of a bituminous surface refuse reprocessing mine in Center Township, **Indiana County** affecting 287.3 acres. Receiving streams: Unnamed tributary to/and Yellow Creek classified for the following uses: cold water fishes and trout stocked fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 1, 2020.

Permit 07100101. Heritage Mining Company, P.O. Box 126, Cresson, PA 16630, permit renewal for reclamation only of a bituminous surface mine in Logan and Gallitzin Townships, **Blair and Cambria Counties**, affecting 116.0 acres. Receiving streams: Kittanning Run and Glenwhite Run to Burgoon Run to Beaverdam classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is located approximately 2 miles downstream from the site where Glenwhite Run flows into the Altoona City Authority's Kittanning Reservoir. Application received: June 3, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100, (Contact: Bonnie Herbert).

NPDES No. PA0214434 (Mining Permit No. 63921301) UCMO Energy, Inc., 46226 National Road, St. Clairsville, OH 43950, a renewal to the NPDES and mining activity permit for discharges associated with underground mining for High Quality Mine in Fallowfield Township, **Washington County**, affecting 64.6 surface acres and 2,130 underground acres. Receiving stream(s): Unnamed Tributary to Taylor Run classified for the following use: WWF and Unnamed Tributary 39648 to Taylor Run classified for the following use: WWF. The application was considered administratively complete: February 1, 2019. The application was received: January 2, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 003 discharges to: Unnamed Tributary "B" to Taylors Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 09' 22" Long: -79° 57' 21") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	2.06	4.12	5.15
Suspended Solids ^c	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.54	3.08	3.85
Aluminum	(mg/l)	-	0.75	0.85	0.85
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 004 discharges to: Unnamed Tributary 39648 to Taylors Run

The proposed effluent limits for *Outfall 004* (Lat: 40° 09' 32" Long: -79° 57' 25") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to September 30, 2023:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 004 discharges to: Unnamed Tributary 39648 to Taylors Run

The proposed effluent limits for *Outfall 004* (Lat: 40° 09' 32" Long: -79° 57' 25") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from October 1, 2023 to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	50	50

Outfall 005 discharges to: Unnamed Tributary 39648 to Taylors Run

The proposed effluent limits for *Outfall 005* (Lat: 40° 09' 36" Long: -79° 57' 16") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to September 30, 2023:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 005 discharges to: Unnamed Tributary 39648 to Taylors Run

The proposed effluent limits for *Outfall 005* (Lat: 40° 09' 36" Long: -79° 57' 16") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from October 1, 2023 to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	50	50

Outfall 006 discharges to: Unnamed Tributary "B" to Taylors Run

The proposed effluent limits for *Outfall 006* (Lat: 40° 09' 19" Long: -79° 57' 19") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	2.06	4.12	5.15
Suspended Solids ^c	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.54	3.08	3.85
Aluminum	(mg/l)	-	0.75	0.85	0.85
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

The EPA Waiver is not in effect (Monongahela River Watershed).

NPDES No. PA0235768 (Mining Permit No. 32061302) Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a renewal to the NPDES and mining activity permit for Knob Creek Mine in Young Township, **Indiana County**, affecting 57.6 surface acres and 6,332.0 underground acres. Receiving stream(s): Unnamed Tributary

to Marshall Run classified for the following use: CWF and Marshall Run classified for the following use: CWF. Kisk—Conemaugh River TMDL. The application was considered administratively complete: January 9, 2019. The application was received: April 2, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Marshall Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 31' 26" Long: 79° 20' 02") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	0.3
Iron	(mg/l)	-	1.5	3.0	3.75
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	78	100

Outfall 002 discharges to: Marshall Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 31' 27" Long: 79° 20' 07") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	1.98
Iron	(mg/l)	-	1.5	3.0	3.75
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	78	100

Outfall 003 discharges to: Unnamed Tributary to Marshall Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 31' 30" Long: 79° 19' 52") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	1.16
Iron	(mg/l)	-	1.5	3.0	3.75
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 004 discharges to: Marshall Run

The proposed effluent limits for *Outfall 004* (Lat: 40° 31' 27" Long: 79° 20' 07") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.75
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 005 discharges to: Marshall Run

The proposed effluent limits for *Outfall 005* (Lat: 40° 31' 28" Long: 79° 19' 50") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.75
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	Report
Osmotic Pressure	(mOs/kg)	-	-	-	Report

EPA waiver is not in effect.

NPDES No. PA0235539 (Mining Permit No. 11031301) Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a renewal to the NPDES and mining activity permit for underground mining activities for Madison Mine in Jackson Township, **Cambria County**, affecting 72.4 surface acres and 11,021.4 underground acres. Receiving stream(s): Saltlick Run classified for the following use: HQ-CWF. Kiskiminetas-Conemaugh River Watershed TMDL. The application was considered administratively complete: February 12, 2019. The application was received: July 30, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Saltlick Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 22' 50.7" Long: -78° 50' 10.9") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

Outfall 002 discharges to: Saltlick Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 22' 50.7" Long: -78° 50' 10.9") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

Outfall 003 discharges to: Saltlick Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 22' 50.7" Long: -78° 50' 10") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect (Kiski-Conemaugh TMDL).

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

NPDES No. PA0256773 (Mining Permit No. 14080101) Warren C. Hartman Contractor, 5315 Bigler Road, Clearfield, PA 16830, renewal of an NPDES permit for a surface coal mine in Burnside and Snowshoe Townships, **Centre County**, affecting 296.5 acres. Receiving stream(s): Unnamed Tributaries to Little Sandy Run classified for the following use(s): CWF. The receiving streams are included in the Beech Creek Watershed TMDL. Application received: February 13, 2020.

The following outfalls discharge to Unnamed Tributaries to Little Sandy Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
009 (SPC)	N	SWO
010 (SPD)	N	SWO
012 (TFL)	Y	TFO

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfall(s): 012 (All Weather Conditions)</i>	<i>30-Day Parameter Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75

Outfall(s): 012 (All Weather Conditions)

	<i>30-Day Parameter Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

NPDES No. PA0610691 (Mining Permit No. 14743007) Keystone Coal Company, 1915 Wigmore Street, Jacksonville, FL 32206, renewal of an NPDES permit for a surface coal mine/post-mining water treatment only in Snowshoe Township, **Centre County** affecting 13.3 acres. Receiving stream(s): Logway Run classified for the following use(s): CWF, MF. The receiving stream is included in the Logway Run TMDL. Application received: February 11, 2020.

The following outfall discharges to Logway Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Post-mining water treatment

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfall(s): 017 (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E5101220-024, Morris Iron & Steel Co., Inc., 7345 Milnor Street, Philadelphia, PA 19136, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with Morris Iron & Steel Co., Inc. The proposed project involves the rehabilitation of 2,400 linear feet of cellular bulkhead by installing a sheet pile wall in and along the Delaware River (WWF). The project proposes 12,000 sq. feet of permanent stream impacts. There are no impacts in wetlands.

The site is approximately located at 7777 State Road, Philadelphia (Philadelphia, PA Lat. 39° 57' 25"; Long. -75° 07' 26") in the City of Philadelphia, Philadelphia County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E6703220-001. Franklin N. Lecrone III, 284 Saint Mary Road, Abbottstown, PA 17301 in Paradise Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to expand an existing 0.16-acre pond to a larger 0.67-acre pond, temporarily impacting the existing pond during construction. The project is located along St. Mary Road in Paradise Township, York County (Latitude: 39.9076; Longitude: -76.9737). Wetlands are on site, but no direct wetland impacts are proposed with the project.

E3803220-022. PA Department of Military and Veterans Affairs, 0-10 Chapel Road, Fort Indiantown Gap, Annville, PA 17003, in Union Township, **Lebanon County**, U.S. Army Corps of Engineers Baltimore District.

To 1.) install and maintain a 78.0-foot long, 5.0 foot diameter HDPE pipe with endwalls in Qureg Run (WWF, MF); and 2.) place and maintain fill in a palustrine emergent/scrub shrub wetland and the floodway of an Qureg Run (WWF, MF), impacting 0.21 acre of wetland and 0.26 acre of floodway, all for the purpose of expanding an existing tactical unmanned aircraft runway. The project is located on the Ft. Indiantown Gap facility (Latitude: 40° 26' 52.0" N; Longitude: 76° 33' 5.0" W) in Union Township, Lebanon County. To compensate for the wetland impacts, the applicant proposes the creation of 0.23 acre of wetlands onsite.

E2803120-021. PA Department of Transportation Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699 in, Lurgan and Southampton Townships, **Franklin County**, U.S. Army Corps of Engineers Baltimore District.

To rehabilitate and maintain a 102-foot x 20.7-foot three span arch bridge over and a 45-foot x 20.5-foot 2 span arch bridge over Conodoguinet Creek (WWF, MF) for the purpose of improving transportation safety in Lurgan and Southampton Townships, Franklin County (Latitude: 40.0969, -77.5703). The project will also result in 180 linear feet of permanent stream impacts and 0.0162 ac of PFO wetland impacts.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E4104220-027. Verizon Pennsylvania LLC, 40 Mercer Street, New Castle, PA 16101, Aerial cable installation in Lycoming and Hepburn Townships, **Lycoming County**, ACOE Baltimore District (Cogan Station, PA Quadrangle; Latitude: 41.297171; Longitude -77.055868).

The applicant proposes to construct and maintain an aerial communications cable over Lycoming Creek. Cable length over watercourse and floodway will be 1,118 feet and attached to existing poles. No earth disturbance will be required for this project. Aerial impacts to water resources will be 166 square feet. No mitigation is proposed because there are no wetland or stream losses projected.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E0405220-002, Dominion Energy Transmission, Inc., 5000 Dominion Boulevard, Glen Allen, VA 23060,

Big Beaver Borough & North Sewickley Township, **Beaver County**; Pittsburgh ACOE District.

The applicant proposes to:

Construct and maintain streambank stabilization along the Beaver River (WWF, N) for the purpose of preventing future exposure of natural gas lines. Impacts associated with this activity are 15' wide by 100' in length.

Install burlap sand/cement sling bags over 165 linear feet of existing natural gas pipelines installed within the Beaver River.

The project will result in 2.16 acres of temporary impact to the floodway of the Beaver River for access and staging purposes.

The project site is located at the intersection of Westgate Drive and Enterprise Drive (Beaver Falls, PA USGS topographic quadrangle; N: 40°, 49', 21"; W: -80°, 18', 47"; Sub-basin 20B; USACE Pittsburgh District), in Big Beaver Borough & North Sewickley Township, Beaver County.

E6505120-025, PennDOT District 12-0, 825 North Gallatin Avenue Extension, Uniontown, PA 15401, Sewickley Township, **Westmoreland County**; Pittsburgh ACOE District.

The applicant proposes to:

Remove the existing twin 4-foot diameter, 36-foot long, Corrugated Metal Pipe (CMP) culvert, having a normal clear span width of 8-feet and a minimum under clearance of 3.5-feet.

Construct and maintain a replacement 88-foot long, precast 91-inch x 58-inch RC Elliptical Pipe Culvert, with a normal clear span length of 7.58-feet, including inlet and outlet rock protection, and bank stabilization.

The project will have 175 LF of temporary, and 145 LF of permanent impact to an unnamed tributary (UNT) to Sewickley Creek (WWF). The project will also have 0.125 acre of temporary, and 0.018 acre of permanent impact to the floodway of UNT to Sewickley Creek.

For the purpose of replacing a deficient structure, carrying SR 3012 Section A10 over a UNT to Sewickley Creek.

The project site is located along Yukon Road between Upper and Lower Whyel (SR 3012 Section A10), (Smithton, PA USGS topographic quadrangle; N: 40°, 13', 32.4949"; W: -79°, 40', 54.390"; Sub-basin 19D; USACE Pittsburgh District), in Sewickley Township, Westmoreland County.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E2006220-022, PA Game Commission, 2001 Elmerston Ave, Harrisburg, PA 17032. SGL 69 Access Road Bridge, in Randolph Township, **Crawford County**, ACOE Pittsburgh District (Sugar Lake, PA Quadrangle N: 41°, 36', 54"; W: -79°, 55', 03").

To construct and maintain a 14-foot wide steel beam bridge having a clear span of 46 feet and an average underclearance of 4 feet across Little Sugar Creek on an existing access road within State Game Lands 69 west of Carpenter Road approximately 0.3 mile north of Shaffer Road.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA6703220-022. Jackson Township, 439 Roth's Church Road, Spring Grove, PA 17362 in Jackson Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to restore and maintain 907 liner feet of three unnamed tributaries to Codorus Creek (WWF) by lowering the streambanks and creating a broad floodplain bench, all for the purpose of improving water quality and floodplain function. The project is located along SR 116 and Little Creek Road in Jackson Township, York County (Latitude: 39.897299, Longitude: -76.856175). No wetland impacts are proposed with the project.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D07-003. Altoona Water Authority, 900 Chestnut Avenue, Altoona, PA 16601. To modify, operate and maintain Bellwood Dam across Bells Gap Run (TSF, MF), impacting 0.28 acre of wetlands (PEM), for the purpose of providing more spillway capacity to comply with Department Regulations. (Altoona, PA Quadrangle Latitude: 40.62; Longitude: -78.38) in Antis Township, **Blair County**.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0244724 (Storm Water)	Catalent Micron Technologies Inc. 333 Phoenixville Pike Malvern, PA 19355-9603	Chester County East Whiteland Township	Unnamed Tributary to Valley Creek (EV, MF) (3-F)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0023744 A-2 (Sewage) Issued	Mt Wolf WWTP 175 Chestnut Street Mt. Wolf, PA 17347	York County East Manchester Township	Hartman Run (WWF, MF) in Watershed(s) 7-H	Yes
PA0247715 (Sewage) Issued	Amblebrook Gettysburg STP275 Grove Street Suite 2-100 Newton, MA 02466	Adams County Straban Township	Unnamed Tributary of Rock Creek (WWF) in Watershed(s) 13-D	Yes
PAS803508 (Stormwater) Issued	YRC Freight 135 10990 Roe Avenue Ms-A650 Overland Park, KS 66211	Cumberland County Middlesex Township	Unnamed Tributary to Letort Spring Run (HQ-CWF (existing use) (7-B)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0040860 IW Issued	Rolling Hills Landfill 1521 N Providence Road Media, PA 19063-1039	Berks County Earl Township	Furnace Run (CWF), Unnamed Tributary to Manatawny Creek (CWF), Manatawny Creek (CWF), and Unnamed Tributary to Furnace Run (CWF) Watershed(s) 3-D	Yes
PA0084395 IW Issued	State Corr. Institution Camp Hill 2500 Lisburn Road P.O. Box 8837 Camp Hill, PA 17011-8005	Cumberland County Lower Allen Township	Cedar Run (CWF, MF) Watershed(s) 7-E	Yes
PA0084514 (Sewage) Issued	Shade Gap STP P.O. Box 185 Shade Gap, PA 17255-0185	Huntingdon County Shade Gap Borough	Shade Creek (TSF) in Watershed(s) 12-C	Yes
PA0055352 (Sewage) Issued	Woodland MHP 3613 Seisholtzville Road P.O. Box 185 Hereford, PA 18056-1542	Berks County Hereford Township	West Branch Perkiomen Creek (EV) in Watershed(s) 3-E	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0218782 (Sewage)	Rock Works STP North Mill Street Uniontown, PA 15401	Fayette County Menallen Township	Saltlick Run (WWF) (19-C)	Yes

Central Office: Environmental Program Manager, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17105-8774, Phone: 717-787-5017, Email: RA-EPNPDES_Permits@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0270784 (Statewide Pesticides)	PA Fish & Boat Commission Statewide Access and Fish Hatchery Weed and Herbicide Application 1735 Shiloh Road State College, PA 16801-8400	Statewide	Statewide	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0288241, Sewage, SIC Code 8800, **Verne James**, P.O. Box 612, East Hickory, PA 16321.

This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288250, Sewage, SIC Code 8800, **Daniel & Deborah Gruver**, 5007 N Main Street, McKean, PA 16426.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288225, Sewage, SIC Code 8800, **John Gaghan**, 363 Medway Road, Highland Heights, OH 44143.

This proposed facility is located at 333 Thompson Island Lane in Pleasant Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

WQM Permit No. 0117401, Sewerage, SIC Code 4952, **CCD Rock Creek LLC**, 275 Grove Street, Suite 2-100, Newton, MA 024666.

This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity:

This (permit/transfer) approves the (construction/operation/transfer) of sewage facilities consisting of:

1. Influent Pump Station (IPS) with two submersible Pentair Hydromatic Solids Handling Pumps, or equivalent, with each one capable of pumping 0.81 MGD at 65' TDH.

2. IPS Wet Well of 6' ID and effective volume of 740 gallons, precast RCC construction. Trash basket on SS guide rails, aluminum rectangular access hatch, vent pipe with bug screen, and quick connect/disconnect for pumps.

3. 6" diameter forcemain of ductile iron construction epoxy coated, approximately 254'.

4. Valve vault of 6' x 9' rectangular to house necessary valves and flow meter, with aluminum access ladder and hatch.

5. One aerated influent flow equalization of effective volume of 33,929 gallons with Roots URAI 33 or equivalent positive displacement blower of 7.5 HP to provide 65 scfm at 6.6 psig. Two identical submersible Goulds 3887 or equivalent pumps, 70 gpm at 18' TDH, each being able to handle the entire flow.

6. Two anoxic tanks (one in each train) per Modified Ludzack Ettinger (MLE) process, each tank will have 15,499 gallons effective volume. The pumps will be submersible Goulds 3887 or equivalent to pump 70 gpm at 5' TDH.

7. One aeration tank in each train with effective volume of 38,956 gallons each with fine bubble disc aerator. Two positive displacement Roots URAI 45 or equivalent blower of 15 HP. One DO probe in each tank, YSI IQ SensorNet FDO or equivalent.

8. One clarifier in each tank of 19,627 gallons and one solid pump of 1 HP WS_BF 3887BF or equivalent.

9. 2-cell tertiary mixed media filter system of total 40 sft surface area, each cell capable to filter entire 0.1 MGD flow. Two submersible Goulds 3887 or equivalent, 360 gpm at 18.5' TDH will be used for backwash and two submersible Goulds 3887 or equivalent, 162 gpm at 19' TDH pumps to pump the backwashed water from aerated mudwell to EQ tank.

10. Trojan UV3200K-PTP, or equivalent, open channel, two units in parallel, 4 lamps per unit. Post aeration by URAI 36 or equivalent, 5 HP blower which will also serve mudwell and clearwell. Ultrasonic flow meter will be installed.

11. One aerated sludge holding tank of 66,243 gallons effective volume.

Audible and visual alarms will be installed. Chemical feed system will be constructed to supply chemicals for phosphorus removal and pH control. A control building will be constructed. Emergency diesel generator will be provided in case of power failure to run at least 24 hours, the size of which is yet to determine.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

WQM Permit No. 365S56 A-1, Sewage, SIC Code 8211, **Western Beaver County School District**, 343 Ridgemont Drive, Midland, PA 15059-2219.

This existing facility is located in Ohioville Borough, **Beaver County**.

Description of Proposed Action/Activity: The Applicant proposes to convert an existing unused 8,000-gallon septic tank into an aerated flow equalization tank to regulate flow to the Fairview Elementary School STP.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2720404, Sewage, SIC Code 8800, **Verne James**, P.O. Box 612, East Hickory, PA 16321.

This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2520407, Sewage, **Daniel & Deborah Gruver**, 5007 N Main Street, McKean, PA 16426.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320409, Sewage, **Judith Gosnell Lamb & Roy Lamb**, 33 W Methodist Road, Greenville, PA 16125-9712.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI136133	PWSA/City of Pittsburgh 1200 Penn Avenue Pittsburgh, PA 15222	Pittsburgh City Allegheny	Monongahela River, Thompson Run, Chartiers Creek, Ohio River, Allegheny River, Glass Run, Sawmill Run, and Ninemile Run/WWF and TSF	Y	N

V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG133701 Waived	North Annville Township Lebanon County 1020 North Route 934 Annville, PA 17003	North Annville Township Lebanon County	Unnamed Tributary of Swatara Creek (WWF, MF)/WWF and MF

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG136319	Elco Borough P.O. Box 194 Elco, PA 15434-0194	Elco Borough Washington County	Monongahela River/WWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210049 Issued	Carlisle Steel Supply, LLC 131 Stover Drive Carlisle, PA 17015	Cumberland	Middlesex Township	UNT Letort Spring Run (HQ-CWF, MF)

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140048 A-1 Renewal and Major Amendment	Village of Nittany Glenn, LP 940 West Sproul Rd Suite 301 Springfield, PA 19064	Centre	Benner Twp	UNT Buffalo Run HQ-CWF

Potter County Conservation District: 107 Market Street, Coudersport, PA 16915, (814) 274-8411, X 4.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD530004	Mike Stone 357 Gallup Road Spencerport, NY 14559-9529	Potter	Genesee Twp	Trib 62861 to MB Genesee River HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC090281	PennDot 7000 Geerdes Blvd. King of Prussia, PA 19406	Wrightstown Township Bucks County	Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC350083 Authorization/ Issuance	R.D. Noto & Son Construction, Inc. 609 Lily Lake Road Waverly, PA 18471-7736	Lackawanna	Newton Township	Summit Lake Creek (TSF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC480083 Authorization/ Issuance	Heritage Senior Living, LLC 765 Skippack Pike Ste. 300 Blue Bell, PA 19422	Northampton	Bethlehem Township	UNT to Lehigh River (CWF, MF)	Northampton County Conservation District 14 Gracedale Ave Greystone Building Nazareth, PA 18064-9211 610-829-6276
PAC580022 Authorization/ Issuance	Jeffrey Noble 4258 State Route 3013 Springville, PA 18844	Susquehanna	Springville Township	UNT to White Creek (CWF, MF)	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC010130 Issued	Department of Defense Raven Rock Mountain Complex 1155 Defense Pentagon Washington, D.C. 20301-1155	Adams	Liberty Township	Miney Branch (CWF, MF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC210194 Issued	Lower Allen Township Development Authority 2233 Gettysburg Road Camp Hill, PA 17011-7302	Cumberland	Lower Allen Township	UNT Cedar Run (CWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC670383 Issued	Northern York County School District 650 South Baltimore Street Dillsburg, PA 17019	York	Carroll Township	UNT Stony Run (CWF, MF) UNT NB Bermudian Creek (WWF, MF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670390 Issued	Roseland Development, Inc. Attn: Advanced Fluid Systems P.O. Box 360 Royersford, PA 19468	York	Hellam Township	UNT Kreutz Creek (WWF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430

NOTICES

3053

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC170025-1	DuBois Regional Medical Center 100 Hospital Ave DuBois, PA 15801	DuBois Clearfield County	UNT to Pentz Run, CWF	Clearfield County Conservation District 511 Spruce St Ste. 6 Clearfield, PA 16830 (814) 765-2629
PAC170037	West Branch Area School District 516 Allport Cutoff Morrisdale, PA 16858	Morris Twp Clearfield County	Alder and Flat Runs, CWF	Clearfield County Conservation District 511 Spruce St Ste. 6 Clearfield, PA 16830 (814) 765-2629

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC630187	Authority of the Borough of Charleroi 3 McKean Avenue P.O. Box 211 Charleroi, PA 15022	Fallowfield Township	Maple Creek (WWF)	Washington County Conservation District 2800 North Main Street Suite 105 Washington, PA 15301 724-705-7098
PAC650213	Burrell School District 1021 Puckety Church Road Lower Burrell, PA 15068	City of Lower Burrell	UNT to Little Pucketa Creek (TSF)	Westmoreland County Conservation District J. Roy Houston Conservation Center 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
PAC650218	West Penn Power A First Energy Company 800 Cabin Hill Drive Greensburg, PA 15601	Sewickley Township	UNTs to Sewickley Creek (WWF) Sewickley Creek (WWF)	Westmoreland County Conservation District J. Roy Houston Conservation Center 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC330012A2	Punxsutawney Airport Authority Township Road T841 Punxsutawney, PA 15767	Bell Township Jefferson County	UNT to Graffius Run CWF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC030023	PTV 1059 LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235	North Apollo Borough Armstrong County	Kiskiminetas River WWF	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC100152A1	Regional Industrial Development Corporation of Southwestern PA Mr. Philip R Strunk 611 William Penn Place Suite 600 Pittsburgh, PA 15219	Cranberry Township Butler County Marshall Township Allegheny County	Brush Creek WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

NOTICES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC100193	Glade Run Lutheran Services 70 West Beaver Road Zelienople, PA 16063	Zelienople Borough Butler County	Glade Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100194	CNC LLC 8 Progress Avenue Cranberry Township, PA 16066	Cranberry Township Butler County	UNT to Brush Creek WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

General Permit Type—PAG-05

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG056269	Ashland LLC 5200 Blazer Parkway Dublin, OH 43017	Freedom Borough Beaver County	Ohio River (WWF)—20-G	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Gretna View Farms Dave Rosenberry 3709 North Colebrook Road Manheim, PA 17547	Lancaster	147	504.01	Layers	NA	A

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 4020501MA, Construction Permit, Public Water Supply.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Bear Creek Township

County **Luzerne**

Type of Facility Public Water Supply

Consulting Engineer David Lentowski, P.E.
Project Manager
Pennsylvania American Water Company
4 Wellington Boulevard
Wyomissing, PA 19610

Permit to Construct Issued April 20, 2020

Description of Action Approval of a caustic soda bulk storage upgrade project associated with pH correction feed to the clearwell at PAWC's Crystal Lake Water Treatment Plant.

Permit No. 5420501, Construction Permit, Public Water Supply.

Applicant **Mountain Valley Corporation**
P.O. Box 279
Saint Clair, PA 17970

Municipality Saint Clair Borough

County **Schuylkill**

Type of Facility Public Water Supply

Consulting Engineer Bradley D. Smith, P.E.
ARRO Consulting, Inc.
50 Berkshire Court
Ste. 209
Wyomissing, PA 19610

Permit to Construct Issued May 18, 2020

Description of Action Approval for the addition of soda ash (sodium carbonate) to the golf course's existing water system to raise the pH of the water to 7.4-7.5 as part of the Mountain Valley Golf Course Water Treatment System—Corrosion Control Project.

Permit No. 3390073, Operation Permit, Public Water Supply.

Applicant **Lehigh County Authority**
1053 Spruce Road
Allentown, PA 18106

Municipality Allentown City

County **Lehigh**

Type of Facility Well WL-8 Reserve Designation
Public Water Supply

Consultant Andrew D. Moore
Compliance Manager
Lehigh County Authority
1053 Spruce Road
Allentown, PA 18106

Permit Issued April 30, 2020

Permit No. 4020510MA, Public Water Supply.

Applicant **Borough of Freeland Municipal Authority**
711 Birkbeck Street
Freeland, PA 18224

Borough or Township Freeland Borough

County **Luzerne**

Type of Facility PWS

Consulting Engineer Ms. Samantha Albert, P.E.
Borton Lawson
613 Baltimore Dr.
Suite 300
Wilkes-Barre, PA 18702

Permit to Construct Issued June 5, 2020

Permit No. 3546495, Operations Permit Public Water Supply.

Applicant **Jackson Perry
d/b/a/ Eagle Springs, Inc.**
1703 Panther Valley Road
Pine Grove, PA 17693

Borough or Township Wayne Township

County **Schuylkill County**

Type of Facility Finished Bulk Water Hauling

Consulting Engineer Mr. Edward Davis, PE
Miller Bros. Construction, Inc.
950 East Main Street
Schuylkill Haven, PA 17972

Permit to Operate June 5, 2020
Issued

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 5920501, Minor Amendment. Public Water Supply.

Applicant **Upper Tioga River
Regional Authority**

Borough or Township Covington, Putnam, & Richmond Township

County **Tioga County**

Type of Facility Public Water Supply—
Construction

Consulting Engineer Upper Tioga River
Regional Authority
241 Main Street
Blossburg, PA 16901

Permit Issued June 9, 2020

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

WA54-1001, Water Allocation, **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, **Schuylkill County**. Approval to purchase up to 400,000 gallons per day from Schuylkill County Municipal Authority.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Township Address</i>	<i>County</i>
Oneida Township	P.O. Box 406 Huntingdon, PA 16652	Huntingdon

Plan Description: Approval of a revision to the official plan of Oneida Township, Huntingdon County. The project is known as Henry & Joanne Thurston-Griswold Property. The plan provides for the installation of a small flow treatment facility with a discharge into a drainage swale tributary to Standing Stone Creek, to replace a failing on-lot sewage disposal system for a single-family dwelling on a 2.02-acre lot. The property is located at 4760 Cold Springs Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-31928-056-3s and the APS Id is 1008526. Any permits must be obtained in the name of the property owner.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Township Address</i>	<i>County</i>
Caernarvon Township	2139 Main St. Narvon, PA 17555	Lancaster County

Plan Description: The request for planning exemption for the Douglas Stoltzfus Subdivision (DEP Code No. A3-36915-236-2E; APS ID No. 1016813) has been disapproved. The proposed development—to be located at 2449 Hammertown Road in Narvon—consists of an equivalent subdivision. This request for planning exemption has been disapproved because it does not qualify as an exemption from sewage facilities planning for new land development for the following reasons: the subdivision proposes the use of onlot sewage disposal systems in an area within 1/4 mile of water supplies documented to exceed 5 PPM nitrate-nitrogen; the subdivision proposes the use of onlot sewage disposal systems in an area within a high-quality watershed.

Plan Location:

<i>Borough or Township</i>	<i>Township Address</i>	<i>County</i>
Sadsbury Township	7182 White Oak Rd. Christiana, PA 17509	Lancaster County

Plan Description: The planning exception for the John Ducharme Subdivision (DEP Code No. A3-36949-269-1; APS ID No. 1017117) has been disapproved. The proposed development—to be located at 467 Creek Road in Christiana—consists of an agricultural subdivision with no construction proposed. This request for planning exception has been disapproved because it does not qualify as an exception to the requirement to revise the official plan for new land development for the following reasons: the proposal is not for individual onlot sewage disposal systems serving detached single family dwellings as per Chapter 71, Section 71.55(a); the subdivision proposes the use of onlot sewage disposal systems in an area within 1/4 mile of water supplies documented to exceed 5 PPM nitrate-nitrogen, thus requiring a preliminary hydrogeologic evaluation as per Chapter 71, Section 71.62(c)(2)(iii).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Dupont Glenolden Facility, 500 South Ridgeway Avenue, Glenolden Borough, **Delaware County**. Michael S. Welsh, Welsh Environmental Inc., 131 Clearview Drive, Downingtown, PA 19355, on behalf of Eli Kahn, 500 Ridgeway Partners, LLC, 120 Pennsylvania Avenue, Malvern, PA 19355, submitted a Remedial Investigation Report/Risk Assessment Report concerning remediation of site soil and groundwater contaminated with nitrobenzene, benzo(a)pyrene, benzo(b)fluoranthene, arsenic, beryllium, cadmium, lead and vanadium. The report is intended to document remediation of the site to meet the Site-Specific Standard.

3100 West Thompson Avenue, 3100 West Thompson Avenue, City of Philadelphia, **Philadelphia County**.

Angelo Waters, Urban Engineers, Inc., 530 Walnut Street, Philadelphia, PA 19106 on behalf of John Mershon, Brewerytown GP, LLC, 1300 Virginia Drive, Fort Washington, PA 19034 submitted a Final Report concerning remediation of site soil contaminated with benzo(a)-anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, chrysene, arsenic, cadmium and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Matthews Residence, 699 Street Road, Upper Makefield Township, **Bucks County**. Jeffrey K. Walsh, P.G., Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Charles Matthews, 699 Street Road, New Hope, PA 18938 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Keva Flats, 1 Keva Drive, West Whiteland Township, **Chester County**. Carl Bones, PE, LSRP, Marathon Engineering and Environmental Services, Inc., 3 Killdeer Court, S-302, Swedesboro, NJ 08085 on behalf of Neal Fisher, Keva Flats, LP, 707 Eagleview Boulevard, Exton, PA 19341 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Sylvania Tree & Pool Service Building Site, 565 North West End Boulevard (Rte 309), Richland Township, **Bucks County**. Scott R. Campbell, Earthres Group, Inc., 6912 Old Easton Road, Pipersville, PA 18947 on behalf of Stacey Hogan, Lehigh Valley Health Network, 2100 Mack Boulevard, Allentown, PA 18105 submitted a Final Report concerning remediation of site soil contaminated with VOCs and lead. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

3222 Bingen Road, 3222 Bingen Road, Bethlehem, PA 18015, Lower Saucon Township, **Northampton County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of REI Holdings LLC, 1866 Auburn Street, Bethlehem, PA 18015, submitted a Final Report concerning remediation of soil contaminated by heating oil that was released from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

1205 Russell Avenue, 1205 Russell Avenue, Bethlehem, PA 18015, Fountain Hill Borough, **Lehigh County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of J&N REI II LLC, 2228 Redwood Drive, Slatington, PA 18080, submitted a Final Report concerning remediation of soil contaminated by heating oil that was released from the piping of an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Frisbee BRA Pad, 3168 Cragle Road, Rome, Orwell Township, **Bradford County**. Creston Environmental LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 300 N 2nd Street, 5th FL,

Harrisburg, PA 17101, has submitted a Final Report concerning remediation of Site soil contaminated with produced fluid. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard for soil.

Beech Resources Premier Well Pad, 819 Waltz Mountain Drive, Lycoming Township, **Lycoming County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Beech Resources, LLC, 343 Pine Street, Suite 1, Williamsport, PA 17701, has submitted a Final Report concerning remediation of site soil contaminated with production fluid. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

T Pierson 801 Pad, 497 Wetmore Road, Gaines Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Tilden Marcellus, LLC, 4600 J Barry Court, Suite 220, Canonsburg, PA 15317, has submitted a Final Report concerning remediation of site soil contaminated with produced fluid. The report is intended to document remediation of the site to meet the Background and Residential Statewide Health Standards

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential

public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Wyeth Lab, 611 East Nields Street, West Chester Borough, **Chester County**. Daniel Sheehan, P.E., Arcadis USA Inc., 824 North Market Street, Wilmington, DE 19801 on behalf of Thomas Donohue, Wyeth Pharmaceuticals, Inc., 100 Route 206 North, Peapack, NJ 07977 submitted a Final Report concerning the remediation of site groundwater contaminated with VOCs. The Final Report did not demonstrate attainment of the non-residential site-specific standard and was disapproved by the Department on May 29, 2020.

Raleigh Mill Roeper Facility, 1617-35 North 5th Street, City of Philadelphia, **Philadelphia County**. Jennifer Poole, P.G., Pennoni, 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Lawrence McKnight, P.E., L & M Turner Court, LLC, c/o The River Wards Group, 3020 Richmond Street, Philadelphia, PA 19134 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site groundwater contaminated with PAHs. The Report was reviewed by the Department which issued a technical deficiency letter on May 29, 2020.

Miller and Hoyle Residences, 8121 and 8123 Eastern Avenue, Springfield Township, **Montgomery County**. Jason Charles, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 submitted a Final Report concerning the remediation of site soil contaminated with benzene, ethylbenzene, isopropyl benzene, toluene, naphthalene, methyl tertiary butyl ether (MTBE), 1,2,4-trimethylbenzene (1,2,4-TMB), 1,3,5-trimethylbenzene (1,3,5-TMB). The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on May 29, 2020.

Hatfield Auto Action, 2280 Bethlehem Pike, Hatfield Borough, **Montgomery County**. Scott G. Bisbort, Ransom Consulting, LLC, 2127 Hamilton Avenue, Hamilton, NJ 08619 on behalf of Louis Stern, Hatfield Auto Auction Realty, L.P., 608 Route 303, Blauvelt, NY 10913 submitted a Final Report concerning the remediation of site soil contaminated with benzene, toluene, ethyl benzene, cumene, methyl tert-butyl ether, naphthalene, 1,2,4-trimethyl benzene and 1,3,5-trimethyl benzene. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on June 1, 2020.

Constitution Square, LLC, 108 East Walnut Street, Perkasio Borough, **Bucks County**. Sean M. Damon PG, Langan Engineering Environmental Services, Inc., P.O. Box 1569, Doylestown, PA 18901 on behalf of James W. Moulton, Constitution Square, LLC, 402 Swedesford

Road, North Wales, PA 19454 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with benzo(b)fluoranthene, benzo(a)pyrene, arsenic, 2-dichloroethane and vanadium. The Final Report demonstrated attainment of the residential site-specific standard and was approved by the Department on June 2, 2020.

Fireworks Leasing, 1901-17 and 1919 Chichester Avenue, Upper Chichester Township, **Delaware County**. Environmental Standards, Inc., 1140 Valley Forge Road, Valley Forge, PA 19482 on behalf of Jason Marietta, Fireworks Leasing, LLC, 1500 East 27th Terrace, Pittsburg, KS 66792 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with benzene, ethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, 1,2-dichloroethane. The Final Report demonstrated attainment of the non-residential site-specific standard and was approved by the Department on June 1, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

J. Lauffer Pad 1, 2663 State Route 2001, Springville, PA 18844, Springville Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by a release of brine from a separator vessel. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on June 2, 2020.

Tracy Realty Property, 464-452 Main Street, New Milford, PA 18834, New Milford Borough, **Susquehanna County**. Jennings Environmental Management, 113 Hawley Street, Binghamton, NY 13901, on behalf Tracy Realty LLC, 464 Main Street, New Milford, PA 18834, submitted a Final Report concerning remediation of soil contaminated by a release of diesel from an excavator. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on June 3, 2020.

M. Diaz Pad 2, 134 Tyler Lake Road, New Milford, PA 18834, Harford Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by calcium chloride that was released when a sharp rock punctured the tire of a roller on February 20, 2020. The report documented remediation of the site to meet Background Standards and was approved by DEP on June 4, 2020.

Pen Fern Oil Bulk Plant, 1297 Lower Demunds Road, Dallas Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pen Fern Oil Company, 1 Sterling Avenue, Dallas, PA 18612, submitted a Final Report concerning remediation of soil and groundwater contaminated by a release of heating oil. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on June 5, 2020.

Cintas/Former RUS Facility, 164 East Main Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**, Arcadis, 10 Friends Lane, Newtown, PA 18940, on behalf of Cintas, 27 Whitney Drive, Milford, OH 45150, submitted a final report concerning remediation of soil and

groundwater contaminated with chlorinated solvents from historical dry-cleaning operations. The report was intended to document remediation of the site to meet Site-Specific Standards but was disapproved by DEP on May 19, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Chief SGL-36 Unit Well Pad, 1825 Cahill Road, New Albany, Overton Township, **Bradford County**. Woodard & Curran, 300 Penn Center Blvd., Suite 800, Pittsburgh, PA 15235, on behalf of Chief Oil & Gas LLC, 1720 Sycamore Rd., Montoursville, PA 17754, has submitted a Final Report concerning remediation of site soil contaminated with brine. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 1, 2020.

Travel Centers of America, 6 Buckhorn Road, Bloomsburg, Hemlock Township, **Columbia County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Travel Centers of America, Bloomsburg # 0212, 24601 Center Ridge Road, Westlake, OH 44145, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on June 3, 2020.

A Sterling Freight Carrier Project, Interstate 80 at MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of A Sterling Freight Carrier, Inc., 13113 Quarter Horse Dr., East Vale, CA 92880, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil and antifreeze. The report demonstrated attainment of the non-residential Statewide Health Standard and was approved by the Department on May 13, 2020.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

S & C Transport, Inc., P.O. Box 2459, Belleville, MI 48112. License No. **PA-AH 0446**. Effective May 26, 2020.

Earth Technology II, LLC, P.O. Box 338, North Haven, CT 06473. License No. **PA-AH 0691**. Effective June 1, 2020.

Covanta Environmental Solutions Carriers II, LLC, 5300 N 33rd St., Milwaukee, WI 53209. License No. **PA-AH 0742**. Effective June 1, 2020.

IWT Transport, Inc., 306 Ramapo Valley Road, Oakland, NJ 07346. License No. **PA-AH 0798**. Effective May 26, 2020.

Ken's Marine Service, Inc., P.O. Box 4001, Bayonne, NJ 07002. License No. **PA-AH S154**. Effective May 26, 2020.

Transporter Licenses Reissued

S & C Transport, Inc., P.O. Box 2459, Belleville, MI 48112. License No. **PA-AH 0446**. Effective May 26, 2020.

Earth Technology II, LLC, P.O. Box 338, North Haven, CT 06473. License No. **PA-AH 0691**. Effective June 1, 2020.

Covanta Environmental Solutions Carriers II, LLC, 5300 N 33rd St., Milwaukee, WI 53209. License No. **PA-AH 0742**. Effective June 1, 2020.

IWT Transport, Inc., 306 Ramapo Valley Road, Oakland, NJ 07346. License No. **PA-AH 0798**. Effective May 26, 2020.

Ken's Marine Service, Inc., P.O. Box 4001, Bayonne, NJ 07002. License No. **PA-AH S154**. Effective May 26, 2020.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Renewed Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

General Permit No. WMGR040SW001. Safety-Kleen Systems, Inc., 150 Allenbill Drive, Johnstown, PA 15904. Safety-Kleen Johnstown Rail Site, Baumer Street, Johnstown, PA 15901. A permit renewal for continued coverage under residual waste general permit WMGR040 for the operation of a rail transloading facility for the transfer of waste oil, waste oil/water mixtures and spent antifreeze from motor vehicles to rail cars in Johnstown City, **Cambria County**, was issued by the Southwest Regional Office on June 8, 2020. (Previously assigned permit ID number was WMGR040.)

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Revoked Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

General Permit No. WMGR081SE002. Keystone Memory Group LLC, 2100 Cabot Boulevard West, Suite D, Langhorne, PA 19047-1850. This permit has been revoked and the coverage under General Permit No. WMGR081SE002, which authorizes the processing, storage, and staging of waste electronics, is terminated in response to the permittee's request for final closure certification approval of general permit No. WMGR081SE002 at the 2100 Cabot Boulevard, West Facility located in Middletown Township, **Bucks County**. The final closure certification and revocation for the determination of applicability was approved by the Southeast Regional Office on June 4, 2020

Persons interested in reviewing the application may contact the Pennsylvania Department of Environmental

Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP2-23-0234: Sunoco Partners Marketing & Terminals, L.P. (7 Commerce Drive, Marcus Hook, PA 19014) on June 4, 2020 for a 139,200 BBL External Floating Roof Storage Tank in Aston Township, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

AG5A-66-00001A: Chesapeake Appalachia, LLC (14 Chesapeake Lane, Sayre, PA 18840) on February 26, 2020 to operate one (1) IC Engine, ten (10) heaters, two (2) generators, and two (2) condensate tank at the Amcor Wyoming well pad site in Meshoppen Township, **Wyoming County**.

GP3-66-011: Meshoppen Stone, Inc. (P.O. Box 127, Meshoppen, PA 18630) on March 13, 2020 to construct and operate a Portable Crushing Operation with water sprays at the Carter Quarry in Meshoppen Township, **Wyoming County**.

GP9-66-011: Meshoppen Stone, Inc. (P.O. Box 127, Meshoppen, PA 18630) on March 13, 2020 to install and operate ten (10) Diesel I/C engines at the Carter Quarry in Meshoppen Township, **Wyoming County**.

GP1-48-010: Wind Creek Bethlehem (77 Wind Creek Blvd, Bethlehem, PA 18015) on April 9, 2020 to operate three (3) natural gas boilers at their facility in the City of Bethlehem, **Northampton County**.

GP1-35-010: Dempsey Uniform and Linen Supply (1200 Mid Valley Drive, Jessup, PA 18434) on May 27, 2020 to operate one (1) natural gas fired boiler in Jessup Borough, **Lackawanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

AG5-08-00007A: HEP Pennsylvania Gathering, LLC (16211 La Cantera Pkwy, Suite 202, San Antonio, TX 78256) on June 2, 2020, for the authorization to continue operating twelve (12) 1,380 brake-horsepower (bhp) Caterpillar model G3516B, four-stroke, lean-burn natural gas-fired compressor engines, four (4) 80 million cubic foot per day Exterran triethylene natural gas dehydrators, and one (1) 155 brake horsepower, Kohler model 100REZGD, four-stroke, rich-burn natural gas-fired emergency generator engine pursuant to the General Plan Approval and/or General Operating Permit for Com-

pression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at the Clark Compressor Site located in Herrick Township, **Bradford County**.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

GP19-30-00129A: Morgantown Technical Services, Inc. (303 Meadow Ridge Road, Mount Morris, PA 15349) on June 5, 2020, received authorization under GP-19 for construction and/or operation of one (1) Torit, Model No. HDFT 3-53, Cartridge Collector, 30,500 ACFM (28,653 dscfm) to control one (1) Abrasive Blasting Booth at its Mt. Morris facility located in Perry Township, **Greene County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

40-00020B: Pennsylvania Department of Public Welfare/White Haven Center (827 Oley Valley Road, White Haven, PA 18661) on February 26, 2020 to operate the three (3) existing coal boilers without a voluntary limit on coal usage and comply with the requirements of 40 CFR 63 Subpart JJJJJJ at their facility in Foster Township, **Luzerne County**.

48-00116A: Brandenburg Industrial Service Co. (2217 Spillman Drive, Bethlehem, PA 18015) on April 22, 2020 for the installation of one (1) 20,000 CFM baghouse to control dust from a scrap ingot processing operation at their facility in the City of Bethlehem, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05069AC: East Penn Manufacturing Co., Inc. (P.O. Box 147, Lyon Station, PA 19536) on June 4, 2020, for the installation of a new fabric filter dust collector in the S-1 Facility and modification of dust collectors C59/C59A and C64/C64A in the A-3 Facility. These facilities are located in Richmond Township, **Berks County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

60-00027A: Mifflinburg Area School District (178 Maple St., Mifflinburg, PA 17844) on June 2, 2020, to construct and operate an 8.5 MMBtu/hr, biomass boiler equipped with a multiple cyclone collector at its campus in Mifflinburg Borough, West Buffalo and Buffalo Townships, **Union County**. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 60-00027A, the applicant

will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0053C: Greif Packaging LLC (695 Louis Dr., Warminster, PA 18974-2625) on June 2, 2020 for installation and operation of a new steel drum exterior paint spray booth and enclosure, in Warminster Township, **Bucks County**.

46-0221B: Upper Moreland—Hatboro Joint Sewer Authority (2875 Terwood Road, Willow Grove, PA 19090) on June 2, a plan approval modification on an odor scrubber associated with a set of dewatering presses located in Upper Moreland Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

07-05003E: Norfolk Southern Railway, Co. (200 North 4th Avenue, Altoona, PA 16601) on June 4, 2020, for the construction and temporary operation of a new 2,500 kW (3,674 BHP) diesel fired emergency generator and associated 5,100 gallon—aboveground diesel storage tank at the Juniata Locomotive Shop facility located in Logan Township, **Blair County**. The plan approval was extended.

06-05040D: East Penn Manufacturing Co., Inc. (P.O. Box 147, Lyon Station, PA 19536) on June 5, 2020, for approval of a Reasonably Available Control Technology (RACT 2) plan, as a plan approval and proposed SIP revision, for the secondary lead smelting facility located in Richmond Township, **Berks County**. The plan approval was extended.

06-05069AA: East Penn Manufacturing Co., Inc. (P.O. Box 147, Lyon Station, PA 19536) on June 8, 2020, for proposed changes to operations in the Industrial Battery Manufacturing Facility. The Industrial Battery Manufacturing Facility is located at the Lyon Station Plant in Richmond Township, **Berks County**. The plan approval was extended.

07-05045B: Curry Rail Services, Inc. (1477 DeGol Industrial Drive, Hollidaysburg, PA 16648) on June 8, 2020, for four existing coating booths and a plasma table at the facility located in Hollidaysburg Borough, **Blair County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

49-00065C: Polar Tech Industries, Inc. (1017 West Valley Avenue, Elysburg, PA 17824) on June 3, 2020 to extend the authorization to operate the expandable polystyrene foam processing operation at their facility located

in Ralpho Township, **Northumberland County** on a temporary basis to December 1, 2020. The plan approval has been extended.

14-00002S: Graymont (PA), Inc. (375 Graymont Rd., Bellefonte, PA 16823) was issued an extension to allow for continued natural gas fuel usage as an option to operate the rotary kilns in Spring Township, **Centre County**, pending issuance of an operating permit for the modified sources. The extension is valid for 180 days to December 2, 2020.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

65-00767B: Westmoreland Sanitary Landfill, LLC (111 Conner Lane, Bell Vernon, PA 15012-4569) on June 4, 2020, to allow continued temporary operation of the 2,128 bhp natural gas-fired generator engine at the Westmoreland Sanitary Landfill located in Rostraver Township, **Westmoreland County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00220: Eddystone Marine & Rail Terminal Company (5 Industrial Highway, Eddystone, PA 19022-1524) on June 2, 2020 for the renewal of a State Only Operating Permit for marine loading vessels at their facility located in Eddystone Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

54-00061: Kaytee Products, Inc. (55 North Sillyman St, Cressona, PA 17929-1196). The Department issued, on 6/8/20, a State-Only Operating Permit for operation of sources at an animal food manufacturing facility in Cressona Borough, **Schuylkill County**. The sources include grain handling operations, one storage bin, and one parts cleaner. Control devices include two cyclones and three bag filters. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05076: Mitsubishi Chemical Advanced Materials (2120 Fairmont Avenue, Reading, PA 19612-4235) on June 1, 2020 for their plastic production facility in Reading City, **Berks County**. The State-Only Permit was renewed.

36-05160: Morgan Truck Body, LLC (1656 Dry Tavern Road, Denver, PA 17517-8920) on June 2, 2020, for

their truck body manufacturing facility in Brecknock Township, **Lancaster County**. The State-Only Permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00089: James C. Maneval Funeral Home, Ltd. (1002 Allegheny Street, Jersey Shore, PA 17740) on June 4, 2020, for the renewal of a State Only Operating Permit for James C. Maneval Funeral Home, Ltd.'s Tribute of Life Crematory facility located in Jersey Shore Borough, **Lycoming County**. The official date of issuance of this permit is June 4, 2020 and will expire on June 3, 2025. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

17-00021: West Branch Area School District (516 Allport Cutoff, Morrisdale, PA 16858-4166) was issued a State Only Permit for their facility in Morris Township, **Clearfield County**. All applicable Federal and State regulatory requirements including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included in the permit.

41-00075: Construction Specialties, Inc. (P.O. Box 380, Muncy, PA 17756) on June 2, 2020 was issued a renewal State Only Operating Permit for their manufacturing facility in Montgomery Borough, **Lycoming County**. All applicable Federal and State regulatory requirements including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included in the permit.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00719: Lehigh Cement Company, Aliquippa Terminal (100 Woodlawn Road, Aliquippa, PA 15001) on June 3, 2020, a State Only Operating Permit renewal for the operation of a cement transfer terminal facility located in the City of Aliquippa, **Beaver County**.

65-00873: Pace Industries, Inc. (1004 Industrial Blvd., Loyahanna, PA 15661-1028) on June 9, 2020, a State Only Operating Permit (SOOP) renewal to Pace Industries to authorize the continued operation of their Airo Die Casting, Inc., Main Plant located in Derry Township, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

03-00270: Diversified Products Clark Compressor Station (101 McQuiston Drive, Jackson Center, PA 16133), on June 3, 2020, the Department issued the Natural Minor State Only Operating Permit for the natural gas compressor station located at 196 Clarks Hollow Road in Kiskiminetas Township, **Armstrong County**. The sources at the facility include a 60 HP 4SRB compressor engine, a 50 Bbl tank for produced water, pneumatic devices, venting/blowdown and fugitive emissions. The actual emissions reported from the facility for 2019 were 10.67 TPY NO_x, 3.7 TPY CO, 0.005 TPY PM₁₀, 0.0003 TPY SO_x, 0.45 TPY VOC, and 0.03 TPY Formaldehyde. HAPs combined are less than 1 TPY. The non-emergency engine is subject to the Federal Require-

ments of 40 CFR 63 Subpart ZZZZ pertaining to Stationary Reciprocating Internal Combustion Engines.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

38-03002: Crestwood Services, LLC (811 Main Street, Suite 3400, Houston TX 77002-6119) on May 20, 2020, for the liquid propane storage and distribution facility located in Heidelberg Township, **Lebanon County**. The State-Only Permit was administratively amended in order to reflect a change of ownership.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permit Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814.472.1900, (Contact: Melanie Wigfield).

Permit 32990110 and NPDES No. PA0235164. KMP Associates, Inc., 3756 Rt 981, Saltsburg, PA 15681, commencement, operation and restoration of a bituminous surface & auger mine in Young Township, **Indiana County**, affecting 4.0 acres. Receiving stream(s): unnamed tributary to/and Harpers Run, Blacklegs Creek, Kiskiminetas River classified for the following use(s): CWF & WWF. There are no potable water supply intakes within 10 miles downstream. Application received: February 21, 2020. Permit issued: June 4, 2020.

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

17814033 and NPDES PA0609501. Philip Reese Coal Company, Inc., P.O. Box 235, 2500 Keewaydin Road, Karthaus, PA 16845, permit renewal for continued operation and restoration of a bituminous surface coal

mine located in Karthaus Township, **Clearfield County** affecting 412.8 acres. Receiving stream(s): Saltlick Run and Unnamed Tributary to Saltlick Run classified for the following use(s): HQ-CWF. There are no potable water supply intakes within 10 miles downstream. Application received: January 30, 2020. Permit issued: June 4, 2020.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

03130102. Reichard Contracting, Inc., 212 Olean Trail, New Bethlehem, PA 16242. Permit renewal issued for reclamation only to an existing surface mining permit located in Boggs and Wayne Townships, **Armstrong County**, affecting 117.0 acres. Receiving stream(s): unnamed tributaries to Scrubgrass Creek. Application received: April 13, 2020. Permit issued: June 4, 2020.

03803044 and NPDES Permit No. PA0126375. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201. Renewal permit issued for reclamation only to an existing surface mining permit located in East Franklin Township, **Armstrong County**, affecting 63.3 acres. Receiving stream(s): unnamed tributaries to Limestone Run. Application received: April 15, 2019. Permit issued: June 4, 2020.

02860201. IP Harmar Holdings, LLC, 2929 Allen Parkway, Suite 3275, Houston, TX 77019. Revision permit issued to modify the post-mining land use, incidental boundary change and modification necessary to abandon the slurry impoundment as a water impoundment of an existing surface mining permit located in Harmar Township, **Allegheny County**, affecting 168.3 acres. Receiving streams: Guy's Run. Wilkinsburg Penn Joint Water Authority and Pittsburgh Water and Sewer Authority are potable water supply intakes within 10 miles downstream from the point of discharge. Application received: April 19, 2019. Permit issued: June 4, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).

04204001. Wampum Hardware Co. (636 Paden Road, New Galilee, PA 16141). Blasting activity permit to blast at Zelenople Airport in Franklin Township, **Beaver County**. This blasting activity permit will expire on December 28, 2021. Permit Issued: May 26, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 67024107. M & J Explosives, LLC (P.O. Box 1248, Carlisle, PA 17013), construction blasting for Reserve at Copper Chase in Township, **York County** with an expiration date of May 27, 2021. Permit issued: June 2, 2020.

Permit No. 36204114. Douglas Explosives, Inc. (2052 Philipsburg Bigler Highway, Philipsburg, PA 16866), construction blasting for Project Apollo in West Hempfield

Township, **Lancaster County** with an expiration date of January 1, 2021. Permit issued: June 4, 2020.

Permit No. 58204103. DW Drilling & Blasting (2733 East Battlefield Street # 320, Springfield, MO 65804), construction blasting for Austin E Gas Pad and Tank Pad in Lenox Township, **Susquehanna County** with an expiration date of May 22, 2021. Permit issued: June 8, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4802219-001. Borough of North Catasauqua, 1066 Fourth Street, North Catasauqua, PA 18032. Borough of

North Catasauqua, **Northampton County**, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Delaware and Lehigh National Heritage Corridor Northampton Trail:

1. To modify and repair existing bridge abutments and to construct and maintain a 11.2-foot long, 25.5-foot span steel beam/wooden deck bridge crossing of the Lehigh Canal having an approximate 10.0-foot underclearance, and concrete wingwalls. A floodway fill impacting approximately 0.3 acre of the Lehigh River (TSF, MF) for the purpose of constructing and maintaining a pedestrian walking trail is associated with the bridge.

2. A floodway fill impacting approximately 0.16 acre of Dry Run (CWF, MF) for the purpose of constructing and maintaining a pedestrian walking trail.

3. A floodway fill impacting approximately 0.112 acre of the Hokendauqua Creek (CWF, MF) for the purpose of constructing and maintaining a pedestrian walking trail and access ramp.

4. A floodway fill impacting approximately 0.07 acre of the Lehigh River (TSF, MF) for the purpose of constructing and maintaining a pedestrian walking trail.

5. A floodplain fill impacting approximately 4.64 acres of the Lehigh River (TSF, MF) for the purpose of constructing and maintaining approximately 8,400 linear feet of a pedestrian walking trail. Several retaining walls varying in lengths and heights are associated with the floodplain fill.

The project begins approximately 0.34 mile south of the intersection of Eugene Street and the Lehigh River (Catasaqua, PA Quadrangle: Lat: 40.655783; Long: -75.480952) and ends at Canal Street (Catasaqua, PA Quadrangle: Lat: 40.677070).

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1904219-004. Bloomsburg Fair Association, P.O. Box 479, Bloomsburg, PA 17815. Comprehensive Plan with Entrance Improvements, in Town of Bloomsburg, **Columbia County**, ACOE Baltimore District (Bloomsburg, PA Quadrangle Latitude: 40° 59' 30.28"; Longitude: 76° 28' 8.16").

To construct, operate and maintain a new main entrance 125 x 60 ticket booth to consist of triangular planters to funnel patrons to six 40 SF and two 140 SF ticket collection booths, new concrete entrance apron, new brick paver dispersion area beyond the ticket booths, removal of existing failed pavement and restoring the area with new pavement within the floodway of the Susquehanna River, Warm Water Fishery. Floodway impacts span a total of 4.5 acres with a net gain of water storage of 174.93 cu. ft. This permit also authorizes the operation and maintenance of existing out buildings and structures accounted for within the floodway of the Susquehanna River on the Bloomsburg Fairgrounds property. Any changes to the structures submitted and authorized under this permit shall require amendment. This permit shall serve as a comprehensive authorization for all structure located within the Susquehanna River floodway on the Bloomsburg Fairgrounds property as noted in the permit documents. This project is located 0.5 mile north on SR 11 from the intersection of SR 0011 and SR 42 (Bloomsburg, PA Quadrangle Latitude: 40° 59'

30.28"; Longitude: 76° 28' 8.16") in the Town of Bloomsburg, Columbia County.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E30052-268, Texas Eastern Transmission, LP, 2601 Market Place, Suite 400, Harrisburg, PA, Jefferson Twp., **Greene County**, Pittsburgh ACOE District.

Has been given consent to:

Construct, operate and maintain seepage collection drains within 0.06 acre of PEM wetland, and over top of existing high-pressure natural gas pipelines (30-inch Line 10, 30-inch Line 15 and 36-inch Line 30) for the purpose of installing a permanent repair to a landslide that developed within the existing pipeline ROW. To mitigate for the project's impacts to wetlands, 0.07 wetland credits will be purchased from the Enlow Fork Mitigation Bank, located in a secondary service area in Sub-basin 20.

The project site is located 0.1 mile southeast of the intersection of Crayne School Road and Ankrom Road (Mather, PA USGS topographic quadrangle; N: 39°, 54'; W: -80°, 5', 8.66"; Sub-basin 19G; USACE Pittsburgh District), in Jefferson Township, Greene County.

E30052-269, Dominion Energy Transmission, Inc., 5000 Dominion Boulevard, Glen Allen, VA 23060, Gilmore Township, **Greene County**, Pittsburgh ACOE District.

Has been given consent to:

Place and maintain fill in 0.067 acre of wetlands for the purpose of correcting and preventing the causes of a landslide that occurred within and adjacent to a pipeline right-of-way. These impacts to wetlands will be mitigated through the purchase of 0.07 wetland mitigation credits from the Enlow Fork Mitigation Bank within the Ohio River Sub-basin 20.

The project site is located approximately 900 feet north of the intersection of Jones Road and Blockhouse Road, and 200 feet east of Jones Road, Holbrook, PA 15341 (Holbrook, PA USGS topographic quadrangle; N: 39°, 46', 20.9604"; W: -80°, 20', 13.38"; Sub-basin 19G; USACE Pittsburgh District), in Gilmore Township, Greene County.

E63052-730, Peters Township, 610 East McMurray Road, McMurray, PA 15317, Peters Township, **Washington County**, Pittsburgh ACOE District.

Has been given consent to:

1. Relocate approximately 1,085' of an existing Unnamed Tributary (UNT) to Brush Creek (WC C) (WWF), including the removal of an existing 540-foot-long stream enclosure and an existing 30 foot long 48" culvert, by constructing approximately 1,000' of new channel;

2. Construct and maintain a new, 102-foot-long stream enclosure 63" x 87" Corrugated Metal Arch Pipe in the aforementioned relocated channel;

3. Construct and maintain a relocated, sanitary utility line crossing of the same relocated channel;

4. Place and maintain fill in approximately 27' of another UNT (WC C5) (WWF);

5. Place and maintain fill in approximately 0.108 acre of floodway; and

6. Place and maintain fill in approximately 0.093 acre of wetlands.

For the purpose of relocating and constructing a new segment of E. McMurray Road (SR 1002) and constructing a connector roadway between this new segment of E. McMurray Road and Center Church Road (aka the Rolling Hills Transportation Improvements project), to provide access to a new High School Development (DEP File No. E63-721) and a future community park. The relocated channel will be constructed to mitigate for impacts to watercourses, and approximately 0.095 acre of replacement wetland will be constructed to mitigate for impacts to wetlands. The project site is located just north of the intersection of Rolling Hills Drive and E. McMurray Road (Bridgeville, PA Quadrangle; N: 40° 16' 27"; W: 80° 06' 2"; Ohio River Subbasin; USACE Pittsburgh District), in Peters Township, Washington County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E3706219-002, New Castle Sanitation Authority, 110 East Washington Street, New Castle, PA 16101. Wastewater Treatment Plant Upgrade, in the City of New Castle, **Lawrence County**, ACOE Pittsburgh District (Bessemer, PA Quadrangle N: 40°, 58', 4.4463"; W: -80°, 23', 7.527").

To modify and extend an existing flood protection berm around an existing wastewater treatment plant in the 100-year floodplain of the Mahoning River and resulting in approximately 0.05 acre of wetland impacts all at a point approximately 1,000 feet southwest of the intersection of SR 18 and SR 108 (Bessemer, PA Quadrangle N: 40°, 58', 4.4463"; W: -80°, 23', 7.527") in the City of New Castle, Lawrence County.

E3706219-003, North Beaver Township, 861 Mount Jackson Road, Newcastle, PA 16101. Bartholomew Road (T-473) Bridge, in North Beaver Township, **Lawrence County**, ACOE Pittsburgh District (Bessemer, PA Quadrangle N: 40°, 54', 22.68"; W: 80°, 24', 44.64").

To remove the existing structure and to construct and maintain a single-span pre-stressed concrete spread box beam bridge having a normal clear span of 27.5-ft and an underclearance of 8.5-ft on Bartholomew Road (T-473) over Jenkins Run in North Beaver Township, Lawrence County (N: 40°, 54', 22.68"; W: 80°, 24', 44.64").

E2406219-002, Pennsylvania Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797. SGL # 293, South Fork West Creek Bridge, in City of Saint Marys, **Elk County**, ACOE Pittsburgh District (Rathbun, PA Quadrangle N: 41°, 27', 47.8021"; W: -78°, 29', 11.7741").

To construct, operate, and maintain an 80-foot long by 14-foot wide, single-span, pre-fabricated, modular steel, concrete abutment supported bridge over the South Fork West Creek on State Game Lands No. 293 (Rathbun, PA Quadrangle N: 41°, 27', 47.8021"; W: -78°, 29', 11.7741") in the City of Saint Marys, Elk County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Ap-

peals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.

ESCGP-3 # E63-07-019
 Applicant Name ETC Northeast Pipeline, LLC
 Contact Person Thomas M Glisson
 Address 6051 Wallace Road Extension
 City, State, Zip Wexford, PA 15090
 County Washington
 Township(s) Cross Creek Township
 Receiving Stream(s) and Classification(s) Unnamed Tributary to South Fork Cross Creek (HQ), South Fork Cross Creek (HQ), Cross Creek (HQ), Raccoon Creek (WWF), Ohio River (WWF)

ESCGP-3 # ESG073019034-00
 Applicant Name EQT Production Co
 Contact Person Todd Klaner
 Address 400 Woodcliff Dr
 City, State, Zip Canonsburg, PA 15317
 County Greene
 Township(s) Wayne Township
 Receiving Stream(s) and Classification(s) UNT to Roberts Run (WWF), Roberts Run (WWF)

ESCGP-3 # ESG076519005-00
 Applicant Name Olympus Energy, LLC
 Contact Person Brian Dillemath
 Address 501 Technology Drive
 City, State, Zip Canonsburg, PA 15317
 County Westmoreland
 Township(s) Upper Burrell Township
 Receiving Stream(s) and Classification(s) Tributary 42416 to Pucketa Creek (TSF), Tributary 42423 to Pucketa Creek (TSF), Pucketa Creek (TSF)

ESCGP-3 # ESG076519008-00
 Applicant Name Olympus Energy, LLC
 Contact Person Brian Dillemath
 Address 501 Technology Dr
 City, State, Zip Canonsburg, PA 15317
 County Westmoreland
 Township(s) Penn Township
 Receiving Stream(s) and Classification(s) Tributary 37358 to Lyons Run (TSF), Lyons Run (TSF)

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG294120006-00
 Applicant Name ARD Operating LLC
 Contact Person Jennifer McCarthy
 Address 500 Dallas Street, Ste 2930
 City, State, Zip Houston, TX 77002-4701
 County Lycoming
 Township(s) Cascade
 Receiving Stream(s) and Classification(s) Salt Run (HQ-CWF);
 Secondary: Wallis Run (HQ-CWF)

ESCGP-3 # ESG290820017-00
 Applicant Name Chief Oil & Gas LLC
 Contact Person Joel Ward
 Address 1720 Sycamore Road
 City, State, Zip Montoursville, PA 17754-9306
 County Bradford
 Township(s) Leroy
 Receiving Stream(s) and Classification(s) Schrader Creek (EV, MF);
 Secondary: Towanda Creek (TSF, MF)

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
20-09-015	Thomas Jefferson University 1020 Walnut Street Philadelphia, PA 19107 Attn: John Ardente	Bucks	Falls Township	1 AST storing diesel fuel	30,000 gallons

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

Carlisle Pike Exxon, Storage Tank Facility ID # 21-62169, 4600 Carlisle Pike, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of Mr. Longia Sukhvinder, 10 Hidden Meadow Drive, Mechanicsburg, PA 17050 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Kwik Fill M-151, Storage Tank Facility ID # 53-14797, 194 Port Allegany Road, Coudersport Borough, **Potter County**. Mountain Research LLC, 825 25th Street, Altoona, PA 16601, on behalf of United Refining Company, P.O. Box 780, Warren, PA 16365, submitted a

Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Rudy & Sons-Easton Gulf, Storage Tank ID # 48-22835, 2500 Northampton Street, Easton, PA 18042, Palmer Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Marmelo Enterprises, 220 Lloyd Street, Allentown, PA 18109, has submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Completion Report demonstrated attainment of Statewide Health Standards and was approved by DEP on June 3, 2020.

Tolino's Fuel Service, Storage Tank ID # 48-08858, 225 Flicksville Road, Flicksville, PA 18050, Washington Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Tolino's Fuel Service, 225 Flicksville Road, Flicksville, PA 18050,

submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of Statewide Health Standards and was approved by DEP on June 4, 2020.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Snedeker Holiday Mobil 2, Storage Tank Facility ID # 44-12041, Route 322 Burnham Interchange, Burnham, PA 17009, Derry Township, **Mifflin County**. Enviro Trac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086 on behalf of Snedeker Stores, LLC, P.O. Box 585, Lewistown, PA 17044 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standards for Groundwater and was approved by DEP on June 4, 2020. Contact: Cynthia Stine, Licensed Professional Geologist.

John F. Martin & Sons, Storage Tank Facility ID # 36-60491, 55 Lower Hillside Road, Stevens, PA 17578, West Cocalico Township, **Lancaster County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823 on behalf of John F. Martin Family Corporation, 55 Lower Hillside Road, Stevens, PA 17578 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the non-residential Statewide health standard in soil and groundwater and was approved by DEP on June 4, 2020. Contact: Cherie M. Campbell, Soil Scientist.

SPECIAL NOTICES

WASTE MANAGEMENT

Hazardous Sites Clean-Up Under the Act of October 18, 1988. Public Notice of Proposed Consent Order and Agreement. Perkasio TCE HSCA Site. Perkasio Borough, Bucks County.

The Department of Environmental Protection (Department), under the authority of the Pennsylvania Hazardous Sites Cleanup Act (HSCA), 35 P.S. § 6020.1113, has entered into a Consent Order and Agreement with 601 Spruce St. Investment Partners, LLC (601 Spruce) for cleanup of the property located at 601 West Spruce Street, Perkasio, PA 18944 (the Property) and for reimbursement of certain Department response costs incurred to investigate hazardous substances released and threatened to be released at this property.

The Property is set within the Perkasio TCE HSCA Site (the Site) and was the former location of Delbar Products, Inc. (Delbar) which manufactured automotive and truck parts from 1946 until approximately 2008. Delbar used hazardous substances including trichloroethylene (TCE) and perchloroethylene ("PCE") in its manufacturing processes. A release and threatened release of hazardous substances, including TCE, PCE and their breakdown products has occurred at the Site, within the meaning of Section 501(a) of HSCA, 35 P.S. § 6020.501(a).

To respond to the release and threatened release of hazardous substances at the Site, the Department conducted an investigation to determine the nature and extent of the hazardous substance contamination which originated on the property previously owned and operated

by Delbar. The Department's response actions did not include the remediation of soil and groundwater on the Property. Consequently, hazardous substances remain on the Site and create pollution conditions which are impacting the environment.

The Department and 601 Spruce have negotiated in good faith. These negotiations resulted in the parties' execution of a Consent Order and Agreement in which 601 Spruce agreed to enter the Property into the Department's Act 2 cleanup program and demonstrate attainment of one of the cleanup standards set forth in Act 2 pursuant to a specific schedule and it agreed to reimburse the Department's past response costs in the amount of One Hundred Thousand Dollars (\$100,000). It is in the public interest for the Department to resolve its potential claims against 601 Spruce.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113, which states that, "settlement shall become final upon the filing of the Department's response to significant written comments." The Consent Order and Agreement, which contains the specific terms of the agreement is available for public review and comment (after the COVID-19 office closure restrictions are lifted.) The agreement can be examined from 8 a.m. to 4 p.m. at the Department's Southeast Regional Office, located at 2 East Main Street in Norristown, PA by contacting either Dustin A. Armstrong at (484) 250-5723 or Gina M. Thomas, Esquire at (484) 250-5930. Mr. Armstrong and Ms. Thomas may also be contacted electronically at darmstrong@pa.gov and githomas@pa.gov, respectively. The public comment period on the Consent Order and Agreement will extend for 60 days from today's date. Persons may submit written comments regarding the agreement within 60 days from today's date, by submitting them to Mr. Armstrong at the previously listed address.

[Pa.B. Doc. No. 20-788. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

DMO 032056160.1, SR 160 Culvert Replacement Project, No. 2 Hill Mine, Shade Township, Somerset County. The principal items of work and approximate quantities include: maintain one lane of traffic through entire project duration; remove 38' 15" concrete culvert pipe and headwall; install 36 linear feet 38" x 60" elliptical concrete culvert pipe; install headwall and endwall, job; relocate and install 40 linear feet new 4" pressure sewer line; engineering survey, job; equipment and materials, job; install outlet basin, job; install 60 linear feet rip-rap in upstream channel; resurface State route to PennDOT specifications, job; revegetate all disturbed area, job; and photographic documentation, job.

This bid issues on June 12, 2020, and bids will be opened on July 16, 2020, at 2 p.m.

There is a mandatory prebid site inspection at 10 a.m. on June 23, 2020. The Department of Environmental Protection (Department) representatives will meet contractors at 5185 Dark Shade Drive, Cairnbrook, PA 15924. Failure to attend the mandatory prebid site inspection will be cause for rejection of the bid.

Bid documents may be downloaded for free beginning on the issue date from the Department by going to www.BidExpress.com. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-789. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 07(4339)104.1, Abandoned Mine Reclamation Project, Glenwhite (North Site), Logan Township, Blair County. The principal items of work and approximate quantities include: implementation of erosion and

sediment pollution control plan, 1 lump sum; grading, 375,000 cubic yards; alkaline addition, 13,500 tons; rock lining with geotextile, 2,150 square yards; and seeding, 52 acres.

This bid issues on June 12, 2020, and bids will be opened on July 9, 2020, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-790. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Competitive Prices and Peer Group Criteria

Peer Group Criteria

The WIC Management Information System automatically assigns stores to one of five peer groups depending on store size, number of registers and where the store is located as follows:

<i>Population Ranges</i>	<i>Geography</i>	<i>Square footage</i>	<i>Peer Group</i>
0—69,999	Remote Rural	0—999 sq./ft.	5
70,000—124,999	Rural	1,000—4,999 sq./ft.	4
125,000—249,999	Slightly Urban	5,000—9,999 sq./ft.	3
250,000—499,999	Urban	10,000—19,999 sq./ft.	2
500,000—999,999	Metro Market Edge	20,000—999,999 sq./ft.	1
1,000,000+	Metro Market Center		
		<i>Weighting</i>	<i>Geography: 30%</i>
<i># of cash registers</i>	<i>Peer group</i>		<i>Registers: 30%</i>
0-1, 2—4, 5—9, 10—19, 20+	5, 4, 3, 2, 1		<i>Square footage: 40%</i>

Competitive Prices for Peer Group 1 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization; and terms and conditions of participation) and 7 CFR 246.12 (relating to food delivery methods), the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 1 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective, July 1, 2020, through September 30, 2020, the Competitive Prices for WIC Authorization for Peer Group 1 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread	1	\$4.12
Brown Rice	1	\$2.23
Canned Beans	1	\$1.13
Cereal (per oz.)	1	\$0.30
Cheese	1	\$6.25
Cheese—Kosher	1	\$11.90
Dried Beans/Peas	1	\$1.99

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Fresh Shell Eggs	1	\$2.29
Juice Concentrated	1	\$2.88
Infant Cereal (per oz.)	1	\$0.35
Infant Fruits	1	\$0.92
Infant Meats	1	\$1.22
Infant Vegetables	1	\$0.96
Juice 48 oz.	1	\$3.74
Juice 64 oz.	1	\$3.73
Light Tuna 5 oz.	1	\$1.25
Milk—Low Fat 1/2 gallon	1	\$2.44
Milk—Kosher—Lower Fat 1/2 gallon	1	\$4.73
Milk—Kosher—Whole 1/2 gallon	1	\$4.76
Milk—Whole 1/2 gallon	1	\$2.60
Oats	1	\$1.68
Peanut Butter	1	\$3.10
Salmon 6 oz.	1	\$2.88
Sardines 3.75 oz.	1	\$1.35
Similac Adv Conc 13 oz.	1	\$6.84
Similac Adv Pwd 12.4 oz.	1	\$21.30
Similac Isomil Conc 13 oz.	1	\$6.97
Similac Isomil Pwd 12.4 oz.	1	\$22.26
Tortilla	1	\$2.81
Whole Wheat Pasta	1	\$1.44

Competitive Prices for Peer Group 2 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 2 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective July 1, 2020, through September 30, 2020, the Competitive Prices for WIC Authorization for Peer Group 2 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread	2	\$4.15
Brown Rice	2	\$2.32
Canned Beans	2	\$1.26
Cereal (per oz.)	2	\$0.32
Cheese	2	\$6.24
Cheese—Kosher	2	\$11.30
Dried Beans/Peas	2	\$2.08
Fresh Shell Eggs	2	\$2.45
Juice Concentrated	2	\$3.30
Infant Cereal (per oz.)	2	\$0.36
Infant Fruits	2	\$0.92
Infant Meats	2	\$1.26
Infant Vegetables	2	\$0.97
Juice 48 oz.	2	\$3.86
Juice 64 oz.	2	\$4.08
Light Tuna 5 oz.	2	\$1.30
Milk—Low Fat 1/2 gallon	2	\$2.33
Milk—Kosher—Lower Fat 1/2 gallon	2	\$3.94

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Milk—Kosher—Whole 1/2 gallon	2	\$3.85
Milk—Whole 1/2 gallon	2	\$2.51
Oats	2	\$2.62
Peanut Butter	2	\$2.92
Salmon 6 oz.	2	\$2.76
Sardines 3.75 oz.	2	\$1.65
Similac Adv Conc 13 oz.	2	\$7.12
Similac Adv Pwd 12.4 oz.	2	\$21.08
Similac Isomil Conc 13 oz.	2	\$7.62
Similac Isomil Pwd 12.4 oz.	2	\$21.94
Tortilla	2	\$2.81
Whole Wheat Pasta	2	\$1.51

Competitive Prices for Peer Group 3 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 3 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective July 1, 2020, through September 30, 2020, the Competitive Prices for WIC Authorization for Peer Group 3 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread	3	\$4.40
Brown Rice	3	\$2.42
Canned Beans	3	\$1.27
Cereal (per oz.)	3	\$0.32
Cheese	3	\$6.89
Cheese—Kosher	3	\$9.55
Dried Beans/Peas	3	\$2.00
Fresh Shell Eggs	3	\$2.60
Juice Concentrated	3	\$2.99
Infant Cereal (per oz.)	3	\$0.37
Infant Fruits	3	\$1.02
Infant Meats	3	\$1.31
Infant Vegetables	3	\$1.03
Juice 48 oz.	3	\$4.06
Juice 64 oz.	3	\$4.16
Light Tuna 5 oz.	3	\$1.45
Milk—Low Fat 1/2 gallon	3	\$2.40
Milk—Kosher—Lower Fat 1/2 gallon	3	\$4.00
Milk—Kosher—Whole 1/2 gallon	3	\$4.00
Milk—Whole 1/2 gallon	3	\$2.56
Oats	3	\$2.12
Peanut Butter	3	\$3.37
Salmon 6 oz.	3	\$3.12
Sardines 3.75 oz.	3	\$1.21
Similac Adv Conc 13 oz.	3	\$6.84
Similac Adv Pwd 12.4 oz.	3	\$22.16
Similac Isomil Conc 13 oz.	3	\$7.21

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Similac Isomil Pwd 12.4 oz.	3	\$22.51
Tortilla	3	\$2.80
Whole Wheat Pasta	3	\$1.57

Competitive Prices for Peer Group 4 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 4 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective July 1, 2020, through September 30, 2020, the Competitive Prices for WIC Authorization for Peer Group 4 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread	4	\$5.15
Brown Rice	4	\$2.27
Canned Beans	4	\$1.52
Cereal (per oz.)	4	\$0.41
Cheese	4	\$7.90
Cheese—Kosher	4	\$10.03
Dried Beans/Peas	4	\$2.38
Fresh Shell Eggs	4	\$3.16
Juice Concentrated	4	\$3.26
Infant Cereal (per oz.)	4	\$0.43
Infant Fruits	4	\$1.20
Infant Meats	4	\$1.58
Infant Vegetables	4	\$1.32
Juice 48 oz.	4	\$4.39
Juice 64 oz.	4	\$5.04
Light Tuna 5 oz.	4	\$1.56
Milk—Low Fat 1/2 gallon	4	\$2.93
Milk—Kosher—Lower Fat 1/2 gallon	4	\$4.02
Milk—Kosher—Whole 1/2 gallon	4	\$4.06
Milk—Whole 1/2 gallon	4	\$2.98
Oats	4	\$2.89
Peanut Butter	4	\$4.01
Salmon 6 oz.	4	\$3.20
Sardines 3.75 oz.	4	\$2.19
Similac Adv Conc 13 oz.	4	\$7.94
Similac Adv Pwd 12.4 oz.	4	\$23.88
Similac Isomil Conc 13 oz.	4	\$8.50
Similac Isomil Pwd 12.4 oz.	4	\$23.88
Tortilla	4	\$2.94
Whole Wheat Pasta	4	\$1.67

Competitive Prices for Peer Group 5 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 5 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective July 1, 2020, through September 30, 2020, the Competitive Prices for WIC Authorization for Peer Group 5 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread	5	\$4.67
Brown Rice	5	\$3.67
Canned Beans	5	\$1.87
Cereal (per oz.)	5	\$0.44
Cheese	5	\$9.35
Cheese—Kosher	5	\$10.50
Dried Beans/Peas	5	\$2.52
Fresh Shell Eggs	5	\$3.82
Juice Concentrated	5	\$3.59
Infant Cereal (per oz.)	5	\$0.48
Infant Fruits	5	\$1.38
Infant Meats	5	\$1.64
Infant Vegetables	5	\$1.36
Juice 48 oz.	5	\$4.70
Juice 64 oz.	5	\$5.65
Light Tuna 5 oz.	5	\$1.86
Milk—Low Fat 1/2 gallon	5	\$3.59
Milk—Kosher—Lower Fat 1/2 gallon	5	\$4.02
Milk—Kosher—Whole 1/2 gallon	5	\$4.06
Milk—Whole 1/2 gallon	5	\$3.72
Oats	5	\$3.65
Peanut Butter	5	\$4.61
Salmon 6 oz.	5	\$3.37
Sardines 3.75 oz.	5	\$2.14
Similac Adv Conc 13 oz.	5	\$8.39
Similac Adv Pwd 12.4 oz.	5	\$24.80
Similac Isomil Conc 13 oz.	5	\$8.62
Similac Isomil Pwd 12.4 oz.	5	\$25.12
Tortilla	5	\$3.68
Whole Wheat Pasta	5	\$2.76

Persons with a disability who require an alternative format of this listing (for example, large print, audiotope, Braille) should contact Perce Morgan, Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-791. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Adjustment of Program Service Revenue Amounts

In accordance with section 6(a)(5) of the Institutions of Purely Public Charity Act (act) (10 P.S. § 376(a)(5)), the Department of Revenue is required to adjust the annual program service revenue amount used as a benchmark in section 6(a)(1) and (2) of the act for the purpose of asserting a rebuttable presumption.

The annual program service revenue amounts referred to in section 6(a)(1) and (2) of the act shall be increased by 1% as follows:

- (1) Effective July 1, 1999—Program Service Revenues—\$10,100,000.
- (2) Effective July 1, 2000—Program Service Revenues—\$10,201,000.
- (3) Effective July 1, 2001—Program Service Revenues—\$10,303,010.

- (4) Effective July 1, 2002—Program Service Revenues—\$10,406,040.
- (5) Effective July 1, 2003—Program Service Revenues—\$10,510,100.
- (6) Effective July 1, 2004—Program Service Revenues—\$10,615,201.
- (7) Effective July 1, 2005—Program Service Revenues—\$10,721,353.
- (8) Effective July 1, 2006—Program Service Revenues—\$10,828,567.
- (9) Effective July 1, 2007—Program Service Revenues—\$10,936,853.
- (10) Effective July 1, 2008—Program Service Revenues—\$11,046,222.
- (11) Effective July 1, 2009—Program Service Revenues—\$11,156,684.
- (12) Effective July 1, 2010—Program Service Revenues—\$11,268,251.
- (13) Effective July 1, 2011—Program Service Revenues—\$11,380,934.
- (14) Effective July 1, 2012—Program Service Revenues—\$11,494,743.
- (15) Effective July 1, 2013—Program Service Revenues—\$11,609,690.
- (16) Effective July 1, 2014—Program Service Revenues—\$11,725,787.
- (17) Effective July 1, 2015—Program Service Revenues—\$11,843,045.
- (18) Effective July 1, 2016—Program Service Revenues—\$11,961,475.
- (19) Effective July 1, 2017—Program Service Revenues—\$12,081,090.
- (20) Effective July 1, 2018—Program Service Revenues—\$12,201,901.
- (21) Effective July 1, 2019—Program Service Revenues—\$12,323,920.
- (22) Effective July 1, 2020—Program Service Revenues—\$ 12,447,159.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-792. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$1,000,000 Extreme Cash Instant Lottery Game 1466

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$1,000,000 Extreme Cash (hereafter “\$1,000,000 Extreme Cash”). The game number is PA-1466.

2. *Price:* The price of a \$1,000,000 Extreme Cash instant lottery game ticket is \$20.

3. *Play symbols:* Each \$1,000,000 Extreme Cash instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and two “CASH BONUS” spots. The “CASH BONUS” spots are played separately. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTW), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTW), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTW), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTW), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Vault (VAULT) symbol, 20X (20TIMES) symbol and an EXTREME (WINALL) symbol. The play symbols and their captions, located in the two “CASH BONUS” spots, are: NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol, NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol, \$50 Bill (WIN50) symbol, \$100 Bill (WIN100) symbol, \$200 Bill (WIN200) symbol and a \$500 Bill (WIN500) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$100,000 (ONEHUNTHO) and \$1MILL (ONE MIL).

5. *Prizes:* The prizes that can be won in this game are: \$20, \$30, \$50, \$100, \$200, \$400, \$500, \$1,000, \$10,000, \$100,000 and \$1,000,000. The prizes that can be won in either of the two “CASH BONUS” spots are: \$50, \$100, \$200 and \$500. A player can win up to 22 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 6,000,000 tickets will be printed for the \$1,000,000 Extreme Cash instant lottery game.

7. Determination of prize winners:

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$1MILL (ONE MIL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING

NUMBERS” play symbols, and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(f) Holders of tickets upon which an EXTREME (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$500 (FIV HUN) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(g) Holders of tickets upon which an EXTREME (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$1,000 (ONE THO) appears in four of the “prize” areas, a prize symbol of \$500 (FIV HUN) appears in six of the “prize” areas and a prize symbol of \$200 (TWO HUN) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$9,000.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which an EXTREME (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$50⁰⁰ (FIFTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets upon which an EXTREME (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in 15 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$800.

(m) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$600.

(n) Holders of tickets upon which an EXTREME (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$30⁰⁰ (THIRTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$600.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(p) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$500.

(q) Holders of tickets upon which a \$500 Bill (WIN500) symbol appears in one of the “CASH BONUS” spots, on a single ticket, shall be entitled to a prize of \$500.

(r) Holders of tickets upon which an EXTREME (WINALL) symbol appears in the “YOUR NUMBERS” area, a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in four of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in 14 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(s) Holders of tickets upon which an EXTREME (WINALL) symbol appears in the “YOUR NUMBERS” area, a prize symbol of \$30⁰⁰ (THIRTY) appears in ten of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$400 (FOR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(u) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$400 (FOR HUN) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$400.

(v) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$400.

(w) Holders of tickets upon which an EXTREME (WINALL) symbol appears in the “YOUR NUMBERS” area, a prize symbol of \$20⁰⁰ (TWENTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(y) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$200.

(z) Holders of tickets upon which a \$200 Bill (WIN200) symbol appears in one of the “CASH BONUS” spots, on a single ticket, shall be entitled to a prize of \$200.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol

of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(bb) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$100.

(cc) Holders of tickets upon which a \$100 Bill (WIN100) symbol appears in one of the “CASH BONUS” spots, on a single ticket, shall be entitled to a prize of \$100.

(dd) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(ee) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$50.

(ff) Holders of tickets upon which a \$50 Bill (WIN50) symbol appears in one of the “CASH BONUS” spots, on a single ticket, shall be entitled to a prize of \$50.

(gg) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(hh) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$30.

(ii) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(jj) Holders of tickets upon which a Vault (VAULT) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Vault (VAULT) symbol, on a single ticket, shall be entitled to a prize of \$20.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number; Win Prize Shown Under The Matching Number. Win With:</i>	<i>CASH BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$20 w/ VAULT		\$20	15	400,000
\$20		\$20	15	400,000
\$30 w/ VAULT		\$30	30	200,000
\$30		\$30	30	200,000
\$30 + \$20		\$50	300	20,000
(\$30 w/ VAULT) + \$20		\$50	100	60,000
	\$50 BILL	\$50	60	100,000
\$50 w/ VAULT		\$50	30	200,000
\$50		\$50	300	20,000
\$20 × 5		\$100	300	20,000
\$50 × 2		\$100	300	20,000
(((\$20 w/ VAULT) × 2) + (\$20 × 3))		\$100	300	20,000
(\$30 w/ VAULT) + (\$20 w/ VAULT)	\$50 BILL	\$100	300	20,000
\$50 w/ VAULT	\$50 BILL	\$100	300	20,000
	\$100 BILL	\$100	150	40,000
\$100 w/ VAULT		\$100	150	40,000
\$100		\$100	300	20,000
\$20 × 10		\$200	6,000	1,000
\$50 × 4		\$200	6,000	1,000
\$100 × 2		\$200	6,000	1,000
\$20 × 5	(\$50 BILL) × 2	\$200	1,714	3,500
(\$50 w/ VAULT) + (\$30 w/ VAULT) + (\$20 w/ VAULT)	(\$50 BILL) × 2	\$200	1,714	3,500

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>CASH BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$100 w/ VAULT	\$100 BILL	\$200	1,714	3,500
(\$20 w/ VAULT) × 10		\$200	1,714	3,500
	(\$100 BILL) × 2	\$200	2,400	2,500
	\$200 BILL	\$200	1,000	6,000
\$200 w/ VAULT		\$200	2,400	2,500
\$200		\$200	2,400	2,500
EXTREME w/ (\$20 × 20)		\$400	2,400	2,500
\$50 × 8		\$400	24,000	250
\$100 × 4		\$400	24,000	250
\$20 × 10	(\$100 BILL) × 2	\$400	24,000	250
(\$20 w/ VAULT) × 5	(\$200 BILL) + (\$100 BILL)	\$400	12,000	500
	(\$200 BILL) × 2	\$400	12,000	500
\$20 w/ 20X SYMBOL		\$400	2,400	2,500
\$400 w/ VAULT		\$400	12,000	500
\$400		\$400	24,000	250
EXTREME w/ ((\$30 × 10) + (\$20 × 10))		\$500	12,000	500
EXTREME w/ ((\$50 × 2) + (\$30 × 4) + (\$20 × 14))		\$500	12,000	500
EXTREME w/ (\$20 × 20)	(\$50 BILL) × 2	\$500	12,000	500
\$50 × 10		\$500	24,000	250
\$100 × 5		\$500	24,000	250
\$20 × 10	(\$200 BILL) + (\$100 BILL)	\$500	24,000	250
\$50 × 8	\$100 BILL	\$500	24,000	250
(\$20 w/ VAULT) × 10	(\$200 BILL) + (\$100 BILL)	\$500	24,000	250
(((\$50 w/ VAULT) × 2) + (\$20 × 5))	(\$200 BILL) + (\$100 BILL)	\$500	24,000	250
(\$20 w/ 20X SYMBOL) + (\$20 × 5)		\$500	6,000	1,000
\$20 w/ 20X SYMBOL	\$100 BILL	\$500	6,000	1,000
	\$500 BILL	\$500	6,000	1,000
\$500 w/ VAULT		\$500	24,000	250
\$500		\$500	24,000	250
EXTREME w/ (\$50 × 20)		\$1,000	24,000	250
EXTREME w/ ((\$100 × 5) + (\$20 × 15))	\$200 BILL	\$1,000	12,000	500
EXTREME w/ (\$30 × 20)	(\$200 BILL) × 2	\$1,000	12,000	500
EXTREME w/ (\$20 × 20)	(\$500 BILL) + (\$100 BILL)	\$1,000	12,000	500
\$100 × 10		\$1,000	120,000	50
\$500 × 2		\$1,000	120,000	50
(((\$100 w/ VAULT) × 5) + (\$30 × 2) + (\$20 × 2))	(\$200 BILL) × 2	\$1,000	60,000	100
(((\$200 w/ VAULT) × 2) + (\$20 × 10))	(\$200 BILL) × 2	\$1,000	40,000	150
(((\$20 w/ 20X SYMBOL) × 2) + (\$20 × 5))	\$100 BILL	\$1,000	40,000	150

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>CASH BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$20 w/ 20X SYMBOL	(\$500 BILL) + (\$100 BILL)	\$1,000	40,000	150
(\$30 w/ 20X SYMBOL) + (\$20 w/ 20X SYMBOL)		\$1,000	40,000	150
\$50 w/ 20X SYMBOL		\$1,000	8,000	750
\$1,000 w/ VAULT		\$1,000	120,000	50
\$1,000		\$1,000	120,000	50
EXTREME w/ (\$500 × 20)		\$10,000	1,200,000	5
EXTREME w/ ((\$1,000 × 4) + (\$500 × 6) + (\$200 × 10))	(\$500 BILL) × 2	\$10,000	1,200,000	5
\$500 × 20		\$10,000	1,200,000	5
\$1,000 × 9	(\$500 BILL) × 2	\$10,000	1,200,000	5
\$500 w/ 20X SYMBOL		\$10,000	1,200,000	5
\$10,000 w/ VAULT		\$10,000	1,200,000	5
\$10,000		\$10,000	1,200,000	5
\$100,000		\$100,000	600,000	10
\$1,000,000		\$1,000,000	1,200,000	5

Reveal a "VAULT" (VAULT) symbol, win prize shown under that symbol automatically.

Reveal a "20X" (20TIMES) symbol, win 20 times the prize shown under that symbol.

Reveal an "EXTREME" (WINALL) symbol, win all 20 prizes shown!

BONUS played separately.

CASH BONUS: Reveal a "\$50 BILL" (WIN50), "\$100 BILL" (WIN100), "\$200 BILL" (WIN200) or "\$500 BILL" (WIN500) symbol in either BONUS spot, win that prize instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$1,000,000 Extreme Cash instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter

a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$1,000,000 Extreme Cash, prize money from winning \$1,000,000 Extreme Cash instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$1,000,000 Extreme Cash instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$1,000,000 Extreme Cash or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-793. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Hot & Cold Numbers Instant Lottery Game 1468

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Hot & Cold Numbers (hereafter “Hot & Cold Numbers”). The game number is PA-1468.

2. *Price:* The price of a Hot & Cold Numbers instant lottery game ticket is \$3.

3. *Play symbols:*

(a) Each Hot & Cold Numbers instant lottery game ticket will contain a play area featuring a “GAME 1” area and a “GAME 2” area. The “GAME 1” area contains a “HOT NUMBERS” area, a “WINNING NUMBERS” area and a “Prize” area, and is divided into ten separate “ROWS.” Each “ROW” is played separately, using only the “HOT NUMBERS,” “WINNING NUMBERS” and “Prize” in that “ROW.” The “GAME 2” area contains four “COLD NUMBERS” spots. The “COLD NUMBERS” spots are played using the “HOT NUMBERS” from “GAME 1.”

(b) The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT) and a Flame (WIN3X) symbol. The play symbols and their captions, located in the “HOT NUMBERS” area in “GAME 1,” are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT).

(c) The play symbols and their captions, located in the four “COLD NUMBERS” spots in “GAME 2,” are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT) and an Ice (ICE) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “Prize” area in “GAME 1,” are: \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$3,000 (THR THO) and \$50,000 (FTY THO). The prize symbols and their captions, located in the “Prize” area in “GAME 2,” are: \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$3,000 (THR THO).

5. *Prizes:* The prizes that can be won in in “GAME 1” are: \$3, \$5, \$10, \$15, \$30, \$50, \$100, \$500, \$1,000, \$3,000 and \$50,000. The prizes that can be won in “GAME 2” are: \$3, \$5, \$10, \$15, \$20, \$30, \$50, \$100, \$500, \$1,000 and \$3,000. “GAME 1” of Hot & Cold Numbers contains a feature that can multiply the prize won in “GAME 1.” For a complete list of prizes that can be won in this game, including multiplied prizes, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 14 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 9,600,000 tickets will be printed for the Hot & Cold Numbers instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any one of the “HOT NUMBERS” play symbols matches the “WINNING NUMBERS” play symbol in the same “ROW,” and a prize symbol of \$50,000 (FTY THO) appears in the “Prize” area to the right of the “WINNING NUMBERS” play symbol in that “ROW,” on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which any one of the “HOT NUMBERS” play symbols matches the “WINNING NUMBERS” play symbol in the same “ROW,” and a prize symbol of \$3,000 (THR THO) appears in the “Prize” area to the right of the “WINNING NUMBERS” play symbol in that “ROW,” on a single ticket, shall be entitled to a prize of \$3,000.

(c) Holders of tickets upon which a Flame (WIN3X) symbol appears in the “WINNING NUMBERS” area of any “ROW,” and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area to the right of the “WINNING NUMBERS” area in that “ROW,” on a single ticket, shall be entitled to a prize of \$3,000.

(d) Holders of tickets upon which any one of the “COLD NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols in “GAME 1,” and a prize symbol of \$3,000 (THR THO) appears in the “Prize” area under the matching “COLD NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(e) Holders of tickets upon which any one of the “HOT NUMBERS” play symbols matches the “WINNING NUMBERS” play symbol in the same “ROW,” and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area to the right of the “WINNING NUMBERS” play symbol in that “ROW,” on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the “COLD NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols in “GAME 1,” and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under the matching “COLD NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the “HOT NUMBERS” play symbols matches the “WINNING NUMBERS” play symbol in the same “ROW,” and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area to

the right of the "WINNING NUMBERS" play symbol in that "ROW," on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which any one of the "COLD NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols in "GAME 1," and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "COLD NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which an Ice (ICE) symbol appears in the "COLD NUMBERS" area, and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under that Ice (ICE) symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a Flame (WIN3X) symbol appears in the "WINNING NUMBERS" area of any "ROW," and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area to the right of the "WINNING NUMBERS" area in that "ROW," on a single ticket, shall be entitled to a prize of \$300.

(k) Holders of tickets upon which a Flame (WIN3X) symbol appears in the "WINNING NUMBERS" area of any "ROW," and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area to the right of the "WINNING NUMBERS" area in that "ROW," on a single ticket, shall be entitled to a prize of \$150.

(l) Holders of tickets upon which any one of the "HOT NUMBERS" play symbols matches the "WINNING NUMBERS" play symbol in the same "ROW," and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area to the right of the "WINNING NUMBERS" play symbol in that "ROW," on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets upon which any one of the "COLD NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols in "GAME 1," and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "COLD NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which an Ice (ICE) symbol appears in the "COLD NUMBERS" area, and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under that Ice (ICE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which a Flame (WIN3X) symbol appears in the "WINNING NUMBERS" area of any "ROW," and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area to the right of the "WINNING NUMBERS" area in that "ROW," on a single ticket, shall be entitled to a prize of \$90.

(p) Holders of tickets upon which any one of the "HOT NUMBERS" play symbols matches the "WINNING NUMBERS" play symbol in the same "ROW," and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area to the right of the "WINNING NUMBERS" play symbol in that "ROW," on a single ticket, shall be entitled to a prize of \$50.

(q) Holders of tickets upon which any one of the "COLD NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols in "GAME 1," and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "COLD NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(r) Holders of tickets upon which an Ice (ICE) symbol appears in the "COLD NUMBERS" area, and a prize

symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under that Ice (ICE) symbol, on a single ticket, shall be entitled to a prize of \$50.

(s) Holders of tickets upon which a Flame (WIN3X) symbol appears in the "WINNING NUMBERS" area of any "ROW," and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the "Prize" area to the right of the "WINNING NUMBERS" area in that "ROW," on a single ticket, shall be entitled to a prize of \$45.

(t) Holders of tickets upon which any one of the "HOT NUMBERS" play symbols matches the "WINNING NUMBERS" play symbol in the same "ROW," and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area to the right of the "WINNING NUMBERS" play symbol in that "ROW," on a single ticket, shall be entitled to a prize of \$30.

(u) Holders of tickets upon which a Flame (WIN3X) symbol appears in the "WINNING NUMBERS" area of any "ROW," and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area to the right of the "WINNING NUMBERS" area in that "ROW," on a single ticket, shall be entitled to a prize of \$30.

(v) Holders of tickets upon which any one of the "COLD NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols in "GAME 1," and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "COLD NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(w) Holders of tickets upon which an Ice (ICE) symbol appears in the "COLD NUMBERS" area, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under that Ice (ICE) symbol, on a single ticket, shall be entitled to a prize of \$30.

(x) Holders of tickets upon which any one of the "HOT NUMBERS" play symbols matches the "WINNING NUMBERS" play symbol in the same "ROW," and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the "Prize" area to the right of the "WINNING NUMBERS" play symbol in that "ROW," on a single ticket, shall be entitled to a prize of \$15.

(y) Holders of tickets upon which a Flame (WIN3X) symbol appears in the "WINNING NUMBERS" area of any "ROW," and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "Prize" area to the right of the "WINNING NUMBERS" area in that "ROW," on a single ticket, shall be entitled to a prize of \$15.

(z) Holders of tickets upon which any one of the "COLD NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols in "GAME 1," and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the "Prize" area under the matching "COLD NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(aa) Holders of tickets upon which an Ice (ICE) symbol appears in the "COLD NUMBERS" area, and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the "Prize" area under that Ice (ICE) symbol, on a single ticket, shall be entitled to a prize of \$15.

(bb) Holders of tickets upon which any one of the "HOT NUMBERS" play symbols matches the "WINNING NUMBERS" play symbol in the same "ROW," and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area to the right of the "WINNING NUMBERS" play symbol in that "ROW," on a single ticket, shall be entitled to a prize of \$10.

(cc) Holders of tickets upon which any one of the "COLD NUMBERS" play symbols matches any of the

“WINNING NUMBERS” play symbols in “GAME 1,” and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “COLD NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(dd) Holders of tickets upon which an Ice (ICE) symbol appears in the “COLD NUMBERS” area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under that Ice (ICE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(ee) Holders of tickets upon which a Flame (WIN3X) symbol appears in the “WINNING NUMBERS” area of any “ROW,” and a prize symbol of \$3⁰⁰ (THR DOL) appears in the “Prize” area to the right of the “WINNING NUMBERS” area in that “ROW,” on a single ticket, shall be entitled to a prize of \$9.

(ff) Holders of tickets upon which any one of the “HOT NUMBERS” play symbols matches the “WINNING NUMBERS” play symbol in the same “ROW,” and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area to the right of the “WINNING NUMBERS” play symbol in that “ROW,” on a single ticket, shall be entitled to a prize of \$5.

(gg) Holders of tickets upon which any one of the “COLD NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols in “GAME 1,” and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “COLD NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(hh) Holders of tickets upon which an Ice (ICE) symbol appears in the “COLD NUMBERS” area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under that Ice (ICE) symbol, on a single ticket, shall be entitled to a prize of \$5.

(ii) Holders of tickets upon which any one of the “HOT NUMBERS” play symbols matches the “WINNING NUMBERS” play symbol in the same “ROW,” and a prize symbol of \$3⁰⁰ (THR DOL) appears in the “Prize” area to the right of the “WINNING NUMBERS” play symbol in that “ROW,” on a single ticket, shall be entitled to a prize of \$3.

(jj) Holders of tickets upon which any one of the “COLD NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols in “GAME 1,” and a prize symbol of \$3⁰⁰ (THR DOL) appears in the “Prize” area under the matching “COLD NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3.

(kk) Holders of tickets upon which an Ice (ICE) symbol appears in the “COLD NUMBERS” area, and a prize symbol of \$3⁰⁰ (THR DOL) appears in the “Prize” area under that Ice (ICE) symbol, on a single ticket, shall be entitled to a prize of \$3.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>GAME 1: When Any HOT NUMBER Matches The WINNING NUMBER In The Same ROW, Win Prize Shown For That ROW. Win With:</i>	<i>GAME 2: When Any COLD NUMBER Below Matches Any WINNING NUMBER From GAME 1, Win Prize Shown Under The Matching COLD NUMBER. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
	\$3 w/ ICE	\$3	33.33	288,000
	\$3	\$3	28.57	336,000
\$3		\$3	25	384,000
	\$5 w/ ICE	\$5	50	192,000
	\$5	\$5	50	192,000
\$5		\$5	100	96,000
\$5 × 2		\$10	142.86	67,200
\$5	\$5	\$10	166.67	57,600
\$5	\$5 w/ ICE	\$10	166.67	57,600
	\$10 w/ ICE	\$10	166.67	57,600
	\$10	\$10	200	48,000
\$10		\$10	200	48,000
\$5 × 3		\$15	1,000	9,600
\$3 × 3	\$3 × 2	\$15	333.33	28,800
\$3 w/ FLAME	(\$3 w/ ICE) + \$3	\$15	250	38,400
	\$15 w/ ICE	\$15	166.67	57,600
	\$15	\$15	500	19,200
\$5 w/ FLAME		\$15	100	96,000
\$15		\$15	1,000	9,600
\$3 × 10		\$30	1,000	9,600

<i>GAME 1: When Any HOT NUMBER Matches The WINNING NUMBER In The Same ROW, Win Prize Shown For That ROW. Win With:</i>	<i>GAME 2: When Any COLD NUMBER Below Matches Any WINNING NUMBER From GAME 1, Win Prize Shown Under The Matching COLD NUMBER. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
\$5 × 3	\$10 + \$5	\$30	1,000	9,600
(\$3 w/ FLAME) × 3	\$3	\$30	1,000	9,600
\$5 w/ FLAME	(\$5 w/ ICE) + \$10	\$30	500	19,200
	\$30 w/ ICE	\$30	500	19,200
	\$30	\$30	1,000	9,600
\$10 w/ FLAME		\$30	250	38,400
\$30		\$30	1,000	9,600
	(\$10 × 3) + \$20	\$50	12,000	800
\$5 × 10		\$50	12,000	800
\$3 × 10	(\$5 w/ ICE) × 4	\$50	2,400	4,000
\$10 × 2	\$15 + \$10 + \$5	\$50	4,800	2,000
\$15 × 2	\$10 × 2	\$50	4,800	2,000
(\$5 w/ FLAME) + \$15 + \$10	(\$5 w/ ICE) × 2	\$50	4,800	2,000
\$10 w/ FLAME	(\$5 w/ ICE) × 4	\$50	4,800	2,000
\$15 w/ FLAME	\$5	\$50	4,800	2,000
	\$50 w/ ICE	\$50	6,000	1,600
	\$50	\$50	6,000	1,600
\$50		\$50	6,000	1,600
	\$50 × 2	\$100	60,000	160
\$10 × 10		\$100	60,000	160
\$5 × 10	(\$15 × 3) + \$5	\$100	24,000	400
(\$15 × 2) + \$50	(\$5 w/ ICE) × 4	\$100	24,000	400
\$30 × 2	(((\$10 w/ ICE) × 2) + (\$10 × 2))	\$100	24,000	400
(((\$10 w/ FLAME) × 2) + (\$5 × 2))	(\$10 w/ ICE) + (\$10 × 2)	\$100	24,000	400
(((\$10 w/ FLAME) × 2) + (((\$5 w/ FLAME) × 2))	\$5 × 2	\$100	24,000	400
(\$15 w/ FLAME) × 2	(\$5 w/ ICE) × 2	\$100	24,000	400
\$30 w/ FLAME	\$10	\$100	24,000	400
	\$100 w/ ICE	\$100	17,143	560
	\$100	\$100	12,000	800
\$100		\$100	12,000	800
\$50 × 10		\$500	120,000	80
(\$50 w/ FLAME) × 3	(((\$15 w/ ICE) × 3) + \$5)	\$500	120,000	80
\$100 w/ FLAME	\$50 × 4	\$500	120,000	80
	\$500 w/ ICE	\$500	120,000	80
	\$500	\$500	120,000	80
\$500		\$500	120,000	80
\$100 × 10		\$1,000	120,000	80
	\$1,000	\$1,000	120,000	80
\$1,000		\$1,000	120,000	80
	\$3,000	\$3,000	960,000	10
\$1,000 w/ FLAME		\$3,000	960,000	10

<i>GAME 1: When Any HOT NUMBER Matches The WINNING NUMBER In The Same ROW, Win Prize Shown For That ROW. Win With:</i>	<i>GAME 2: When Any COLD NUMBER Below Matches Any WINNING NUMBER From GAME 1, Win Prize Shown Under The Matching COLD NUMBER. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
\$3,000		\$3,000	960,000	10
\$50,000		\$50,000	960,000	10

GAME 1: When any WINNING NUMBER is a “FLAME” (WIN3X) symbol, triple the prize shown for that ROW! Each ROW is played separately.

GAME 2: Reveal an “ICE” (ICE) symbol, win prize shown under that symbol automatically!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Hot & Cold Numbers instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Hot & Cold Numbers, prize money from winning Hot & Cold Numbers instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Hot & Cold Numbers instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Hot & Cold Numbers or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-794. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania LOTERIA™ Instant Lottery Game 1467

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania LOTERIA™ (hereafter “LOTERIA™”). The game number is PA-1467.

2. *Price:* The price of a LOTERIA™ instant lottery game ticket is \$5.


3. *Play symbols:* Each LOTERIA™ instant lottery game ticket will contain a “PLAYING BOARD” area, a “CALLER CARDS” area, and a “BONUS SPOTS” area. The “BONUS SPOTS” are played separately. The play symbols, located in the “PLAYING BOARD” area and “CALLER CARDS” area, are: The Arrows (THE ARROWS) symbol, The Bell (THE BELL) symbol, The Boot (THE BOOT) symbol, The Cactus (THE CACTUS) symbol, The Canoe (THE CANOE) symbol, The Crown (THE CROWN) symbol, The Deer (THE DEER) symbol, The Drum (THE DRUM) symbol, The Fish (THE FISH) symbol, The Flowerpot (THE FLOWERPOT) symbol, The Frog (THE FROG) symbol, The Hand (THE HAND) symbol, The Ladder (THE LADDER) symbol, The Mermaid (THE MERMAID) symbol, The Moon (THE MOON) symbol, The Musician (THE MUSICIAN) symbol, The Parrot (THE PARROT) symbol, The Pear (THE PEAR) symbol, The Pitcher (THE PITCHER) symbol, The Rooster (THE ROOSTER) symbol, The Rose (THE ROSE) symbol, The Star (THE STAR) symbol, The Sun (THE SUN) symbol, The Tree (THE TREE) symbol, The Umbrella (THE UMBRELLA) symbol, The Cello (THE CELLO) symbol, The Barrel (THE BARREL) symbol, The World (THE WORLD) symbol, The Watermelon (THE WATERMELON) symbol, The Bird (THE BIRD) symbol,

The Harp (THE HARP) symbol, The Heron (THE HERON) symbol, The Lady (THE LADY) symbol, The Melon (THE MELON) symbol, The Pine (THE PINE) symbol, The Bonnet (THE BONNET) symbol, The Mandolin (THE MANDOLIN) symbol, The Palm Tree (THE PALM) symbol, The Saucepan (THE SAUCEPAN) symbol, The Scorpion (THE SCORPION) symbol, The Shrimp (THE SHRIMP) symbol and a The Spider (THE SPIDER) symbol. The prize play symbols, located in the "BONUS SPOTS" area, are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), NO BONUS (NO BONUS) symbol, NO BONUS (NO BONUS) symbol, TRY AGAIN (TRY AGAIN) symbol and a TRY AGAIN (TRY AGAIN) symbol.

4. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$50, \$100, \$200, \$500, \$1,000 and \$100,000. The prizes that can be won in the "BONUS SPOTS" area, are: \$5, \$10, \$20, \$50, \$100, \$200 and \$500. A player can win up to three prizes in the "PLAYING BOARD" area and up to two prizes in the "BONUS SPOTS" area. A player can win up to five times on a ticket.

5. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the LOTERIA™ instant lottery game.

6. *Winning Patterns:* The patterns described below, when matched on any "CARD," shall determine whether a player wins a prize as further detailed in section 7 (relating to determination of prize winners). Match all four symbols in any complete horizontal, vertical or diagonal line. Examples are as follows:



7. *Determination of prize winners:*

(a) Holders of tickets matching any four "CALLER CARDS" play symbols to the four symbols extending downward from the upper left space of the "PLAYING BOARD" or upward from the bottom left space of the "PLAYING BOARD," in a complete diagonal line, and a prize of \$100,000 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets matching any four "CALLER CARDS" play symbols to the four symbols in the top row of the "PLAYING BOARD" in a complete horizontal line, and a prize of \$1,000 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets matching any four "CALLER CARDS" play symbols to the four symbols in the second row from the top of the "PLAYING BOARD" in a complete horizontal line, and a prize of \$500 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which a prize play symbol of \$500 (FIV HUN) appears in either "BONUS SPOT," on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets matching any four "CALLER CARDS" play symbols to the four symbols in the third row from the top of the "PLAYING BOARD" in a complete horizontal line, and a prize of \$200 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$200.

(f) Holders of tickets upon which a prize play symbol of \$200 (TWO HUN) appears in either "BONUS SPOT," on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets matching any four "CALLER CARDS" play symbols to the four symbols in the bottom row of the "PLAYING BOARD" in a complete horizontal line, and a prize of \$100 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which a prize play symbol of \$100 (ONE HUN) appears in either "BONUS SPOT," on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets matching any four "CALLER CARDS" play symbols to the four symbols in the right column of the "PLAYING BOARD" in a complete vertical line, and a prize of \$50 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which a prize play symbol of \$50⁰⁰ (FIFTY) appears in either "BONUS SPOT," on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets matching any four "CALLER CARDS" play symbols to four symbols in the second column from the right of the "PLAYING BOARD" in a complete vertical line, and a prize of \$20 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which a prize play symbol of \$20⁰⁰ (TWENTY) appears in either "BONUS SPOT," on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets matching any four "CALLER CARDS" play symbols to the four symbols in the second column from the left of the "PLAYING BOARD" in a complete vertical line, and a prize of \$10 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which a prize play symbol of \$10⁰⁰ (TEN DOL) appears in either "BONUS SPOT," on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets matching any four "CALLER CARDS" play symbols to the four symbols in the left column of the "PLAYING BOARD" in a complete vertical line, and a prize of \$5 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which a prize play symbol of \$5⁰⁰ (FIV DOL) appears in either "BONUS SPOT," on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Scratch The CALLER CARDS To Reveal 14 LOTERIA™ Symbols. Then Scratch Only The Symbols On The PLAYING BOARD That Match Those Revealed In The CALLER CARDS Area. When Each Matched Symbol Is Scratched, The Square Will Turn White. When All Four Symbols Are Completely Matched In A Horizontal, Vertical Or Diagonal Line On The PLAYING BOARD, Win Corresponding Prize Shown Pointing To That Win. Win With:</i>	<i>BONUS SPOTS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
	\$5 w/ BONUS	\$5	20	540,000
\$5		\$5	20	540,000
\$5	\$5 w/ BONUS	\$10	60	180,000
	(\$5 w/ BONUS) × 2	\$10	60	180,000
	\$10 w/ BONUS	\$10	30	360,000
\$10		\$10	66.67	162,000
\$5	(\$10 w/ BONUS) + (\$5 w/ BONUS)	\$20	120	90,000
\$10	(\$5 w/ BONUS) × 2	\$20	120	90,000
\$10	\$10 w/ BONUS	\$20	120	90,000
	(\$10 w/ BONUS) × 2	\$20	120	90,000
	\$20 w/ BONUS	\$20	100	108,000
\$20		\$20	300	36,000
\$20 + \$10		\$30	600	18,000
\$10	(\$10 w/ BONUS) × 2	\$30	600	18,000
\$10	\$20 w/ BONUS	\$30	600	18,000
\$20	(\$5 w/ BONUS) × 2	\$30	600	18,000
\$20	\$10 w/ BONUS	\$30	600	18,000
\$20 + \$5	(\$20 w/ BONUS) + (\$5 w/ BONUS)	\$50	600	18,000
\$20 + \$10	\$20 w/ BONUS	\$50	600	18,000
\$20	(\$20 w/ BONUS) + (\$10 w/ BONUS)	\$50	600	18,000
	\$50 w/ BONUS	\$50	600	18,000
\$50		\$50	600	18,000
\$20 + \$10	(\$50 w/ BONUS) + (\$20 w/ BONUS)	\$100	2,000	5,400
\$50 + \$20 + \$10	(\$10 w/ BONUS) × 2	\$100	2,000	5,400
\$50	\$50 w/ BONUS	\$100	2,000	5,400
	(\$50 w/ BONUS) × 2	\$100	2,400	4,500
	\$100 w/ BONUS	\$100	2,400	4,500
\$100		\$100	2,400	4,500
\$100 + \$50	\$50 w/ BONUS	\$200	12,000	900
\$100 + \$50 + \$10	(\$20 w/ BONUS) × 2	\$200	12,000	900
\$100	\$100 w/ BONUS	\$200	12,000	900
	(\$100 w/ BONUS) × 2	\$200	12,000	900
	\$200 w/ BONUS	\$200	24,000	450

<i>Scratch The CALLER CARDS To Reveal 14 LOTERIA™ Symbols. Then Scratch Only The Symbols On The PLAYING BOARD That Match Those Revealed In The CALLER CARDS Area. When Each Matched Symbol Is Scratched, The Square Will Turn White. When All Four Symbols Are Completely Matched In A Horizontal, Vertical Or Diagonal Line On The PLAYING BOARD, Win Corresponding Prize Shown Pointing To That Win. Win With:</i>	<i>BONUS SPOTS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$200		\$200	24,000	450
\$200 + \$50	(\$200 w/ BONUS) + (\$50 w/ BONUS)	\$500	40,000	270
\$200 + \$100	\$200 w/ BONUS	\$500	40,000	270
\$200 + \$100 + \$50	(\$100 w/ BONUS) + (\$50 w/ BONUS)	\$500	60,000	180
	\$500 BONUS	\$500	60,000	180
\$500		\$500	60,000	180
\$500 + \$100	(\$200 w/ BONUS) × 2	\$1,000	540,000	20
\$500 + \$200	(\$200 w/ BONUS) + (\$100 w/ BONUS)	\$1,000	540,000	20
\$500 + \$200 + \$100	(\$100 w/ BONUS) × 2	\$1,000	540,000	20
\$500	\$500 w/ BONUS	\$1,000	540,000	20
	(\$500 w/ BONUS) × 2	\$1,000	540,000	20
\$1,000		\$1,000	540,000	20
\$100,000		\$100,000	1,080,000	10

BONUS SPOTS: Reveal a cash prize amount, win that amount instantly! BONUS SPOTS played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell LOTERIA™ instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a

winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of LOTERIA™, prize money from winning LOTERIA™ instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the LOTERIA™ instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets

from this game may be sold. The announcement will be disseminated through media used to advertise or promote LOTERIA™ or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-795. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Lucky Ticket Instant Lottery Game 1470

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Lucky Ticket (hereafter “Lucky Ticket”). The game number is PA-1470.

2. *Price:* The price of a Lucky Ticket instant lottery game ticket is \$1.

3. *Play symbols:* Each Lucky Ticket instant lottery game ticket will contain one play area. The prize play symbols and their captions, located in the play area, are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and a Lucky Ticket (DOUBLE) symbol.

4. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$4, \$5, \$10, \$20, \$40, \$100, \$200, \$400, \$1,000 and \$5,000. A player can win up to one time on a ticket.

5. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Lucky Ticket instant lottery game.

6. *Determination of prize winners:*

(a) Holders of tickets upon which three matching prize play symbols of \$5,000 (FIV THO) appear in the play area, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets upon which three matching prize play symbols of \$1,000 (ONE THO) appear in the play area, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which three matching prize play symbols of \$400 (FOR HUN) appear in the play area, on a single ticket, shall be entitled to a prize of \$400.

(d) Holders of tickets upon which two matching prize play symbols of \$200 (TWO HUN) and a Lucky Ticket (DOUBLE) symbol appear in the play area, on a single ticket, shall be entitled to a prize of \$400.

(e) Holders of tickets upon which three matching prize play symbols of \$200 (TWO HUN) appear in the play area, on a single ticket, shall be entitled to a prize of \$200.

(f) Holders of tickets upon which two matching prize play symbols of \$100 (ONE HUN) and a Lucky Ticket (DOUBLE) symbol appear in the play area, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which three matching prize play symbols of \$100 (ONE HUN) appear in the play area, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which three matching prize play symbols of \$40⁰⁰ (FORTY) appear in the play area, on a single ticket, shall be entitled to a prize of \$40.

(i) Holders of tickets upon which two matching prize play symbols of \$20⁰⁰ (TWENTY) and a Lucky Ticket (DOUBLE) symbol appear in the play area, on a single ticket, shall be entitled to a prize of \$40.

(j) Holders of tickets upon which three matching prize play symbols of \$20⁰⁰ (TWENTY) appear in the play area, on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets upon which two matching prize play symbols of \$10⁰⁰ (TEN DOL) and a Lucky Ticket (DOUBLE) symbol appear in the play area, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which three matching prize play symbols of \$10⁰⁰ (TEN DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets upon which two matching prize play symbols of \$5⁰⁰ (FIV DOL) and a Lucky Ticket (DOUBLE) symbol appear in the play area, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which three matching prize play symbols of \$5⁰⁰ (FIV DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$5.

(o) Holders of tickets upon which three matching prize play symbols of \$4⁰⁰ (FOR DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$4.

(p) Holders of tickets upon which two matching prize play symbols of \$2⁰⁰ (TWO DOL) and a Lucky Ticket (DOUBLE) symbol appear in the play area, on a single ticket, shall be entitled to a prize of \$4.

(q) Holders of tickets upon which three matching prize play symbols of \$2⁰⁰ (TWO DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$2.

(r) Holders of tickets upon which two matching prize play symbols of \$1⁰⁰ (ONE DOL) and a Lucky Ticket (DOUBLE) symbol appear in the play area, on a single ticket, shall be entitled to a prize of \$2.

(s) Holders of tickets upon which three matching prize play symbols of \$1⁰⁰ (ONE DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$1.

(t) Holders of tickets upon which three matching prize play symbols of FREE (TICKET) appear in the play area, on a single ticket, shall be entitled to a prize of one Lucky Ticket instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

7. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal Three Like Amounts, Win That Amount. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
3—FREEs	FREE \$1 TICKET	10	840,000
3—\$1s	\$1	50	168,000
2—\$1s w/ LUCKY TICKET SYMBOL	\$2	50	168,000
3—\$2s	\$2	66.67	126,000
2—\$2s w/ LUCKY TICKET SYMBOL	\$4	40	210,000
3—\$4s	\$4	200	42,000
3—\$5s	\$5	62.5	134,400
2—\$5s w/ LUCKY TICKET SYMBOL	\$10	142.86	58,800
3—\$10s	\$10	500	16,800
2—\$10s w/ LUCKY TICKET SYMBOL	\$20	1,000	8,400
3—\$20s	\$20	1,000	8,400
2—\$20s w/ LUCKY TICKET SYMBOL	\$40	1,091	7,700
3—\$40s	\$40	1,333	6,300
3—\$100s	\$100	2,667	3,150
2—\$100s w/ LUCKY TICKET SYMBOL	\$200	24,000	350
3—\$200s	\$200	120,000	70
2—\$200s w/ LUCKY TICKET SYMBOL	\$400	120,000	70
3—\$400s	\$400	120,000	70
3—\$1,000s	\$1,000	420,000	20
3—\$5,000s	\$5,000	840,000	10

Reveal 2 like amounts and a “LUCKY TICKET” (DOUBLE) symbol, win DOUBLE that amount!

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Lucky Ticket instant lottery game tickets.

9. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

10. *Unclaimed prize money:* For a period of 1 year from the announced close of Lucky Ticket, prize money from winning Lucky Ticket instant lottery game tickets

will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Lucky Ticket instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Lucky Ticket or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-796. Filed for public inspection June 19, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Scratch and Match Instant Lottery Game 1469

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of

instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Scratch and Match (hereafter "Scratch and Match"). The game number is PA-1469.

2. *Price:* The price of a Scratch and Match instant lottery game ticket is \$2.

3. *Play symbols:* Each Scratch and Match instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and a "SYMBOL MATCH" area. The play symbols and their captions, located in the "WINNING NUMBERS" area and the "YOUR NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR) and 25 (TWYFIV). The play symbols and their captions, located in the "SYMBOL MATCH" area, are: Diamond (DIAMOND) symbol, Horseshoe (HSHOE) symbol, Safe (SAFE) symbol, Gold Bar (GOLD) symbol, Stack of Coins (COINS) symbol, Piggy Bank (PIGBNK) symbol, Bank (BANK) symbol, Star (STAR) symbol and a Bell (BELL) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$2.⁰⁰ (TWO DOL), \$4.⁰⁰ (FOR DOL), \$5.⁰⁰ (FIV DOL), \$10.⁰⁰ (TEN DOL), \$20.⁰⁰ (TWENTY), \$30.⁰⁰ (THIRTY), \$50.⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$1,000 (ONE THO) and \$20,000 (TWY THO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$30, \$50, \$100, \$200, \$1,000 and \$20,000. A player can win up to ten times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 9,600,000 tickets will be printed for the Scratch and Match instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols, and a prize symbol of \$20,000 (TWY THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols, and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$200 (TWO HUN) appears in two of the "prize" areas, a prize symbol of \$100 (ONE HUN) appears in four of the "prize" areas and a prize symbol of \$50.⁰⁰ (FIFTY) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$100 (ONE HUN) appears in all ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the

"WINNING NUMBERS" play symbols, and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(f) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$50.⁰⁰ (FIFTY) appears in two of the "prize" areas, a prize symbol of \$20.⁰⁰ (TWENTY) appears in two of the "prize" areas and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in six of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$30.⁰⁰ (THIRTY) appears in six of the "prize" areas and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$20.⁰⁰ (TWENTY) appears in all ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$30.⁰⁰ (THIRTY) appears in two of the "prize" areas and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in eight of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$20.⁰⁰ (TWENTY) appears in three of the "prize" areas, a prize symbol of \$10.⁰⁰ (TEN DOL) appears in two of the "prize" areas and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in seven of the "prize" areas, a prize symbol of \$5.⁰⁰ (FIV DOL) appears in two of the "prize" areas and a prize symbol of \$20.⁰⁰ (TWENTY) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in all ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols, and a prize symbol of \$50.⁰⁰ (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets upon which two matching play symbols appear in the "SYMBOL MATCH" area, and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in three of the "prize" areas, a prize symbol of \$4.⁰⁰ (FOR DOL) appears in three of the "prize" areas and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$50.

(p) Holders of tickets upon which two matching play symbols appear in the “SYMBOL MATCH” area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “prize” areas, a prize symbol of \$2⁰⁰ (TWO DOL) appears in three of the “prize” areas and a prize symbol of \$4⁰⁰ (FOR DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(q) Holders of tickets upon which two matching play symbols appear in the “SYMBOL MATCH” area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in all ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(s) Holders of tickets upon which two matching play symbols appear in the “SYMBOL MATCH” area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the “prize” areas, a prize symbol of \$4⁰⁰ (FOR DOL) appears in two of the “prize” areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in six of the “prize” areas, on a single ticket, shall be entitled to a prize of \$30.

(t) Holders of tickets upon which two matching play symbols appear in the “SYMBOL MATCH” area, and a prize symbol of \$4⁰⁰ (FOR DOL) appears in five of the “prize” areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$30.

(u) Holders of tickets upon which two matching play symbols appear in the “SYMBOL MATCH” area, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in eight of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas and a prize symbol of \$4⁰⁰ (FOR DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$30.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(w) Holders of tickets upon which two matching play symbols appear in the “SYMBOL MATCH” area, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in all ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(z) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols, and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>NUMBER MATCH: When Any Of Your Numbers Match Either Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>SYMBOL MATCH: Scratch The AND In The Game Name. When You Reveal Two Matching Symbols, Win All 10 Prizes Shown Below! Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
\$2		\$2	9.62	998,400
\$2 × 2		\$4	37.5	256,000
\$4		\$4	46.88	204,800
\$5		\$5	30	320,000
\$2 × 5		\$10	300	32,000
\$5 × 2		\$10	250	38,400
(\$2 × 3) + \$4		\$10	150	64,000
(\$4 × 2) + \$2		\$10	150	64,000
\$10		\$10	250	38,400
	SYMBOL MATCH w/ (\$2 × 10)	\$20	107.14	89,600
\$2 × 10		\$20	1,500	6,400
\$4 × 5		\$20	1,500	6,400

<i>NUMBER MATCH: When Any Of Your Numbers Match Either Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>SYMBOL MATCH: Scratch The AND In The Game Name. When You Reveal Two Matching Symbols, Win All 10 Prizes Shown Below! Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
\$10 × 2		\$20	1,500	6,400
(\$4 × 4) + (\$2 × 2)		\$20	1,500	6,400
(\$5 × 2) + (\$4 × 2) + \$2		\$20	1,500	6,400
\$20		\$20	1,500	6,400
	SYMBOL MATCH w/ ((\$2 × 8) + \$10 + \$4)	\$30	1,200	8,000
	SYMBOL MATCH w/ ((\$4 × 5) + (\$2 × 5))	\$30	1,200	8,000
	SYMBOL MATCH w/ ((\$5 × 2) + (\$4 × 2) + (\$2 × 6))	\$30	1,200	8,000
\$5 × 6		\$30	12,000	800
\$10 × 3		\$30	12,000	800
\$30		\$30	12,000	800
	SYMBOL MATCH w/ (\$5 × 10)	\$50	2,400	4,000
	SYMBOL MATCH w/ ((\$10 × 2) + (\$5 × 4) + (\$2 × 3) + \$4)	\$50	3,000	3,200
	SYMBOL MATCH w/ ((\$10 × 3) + (\$4 × 3) + (\$2 × 4))	\$50	3,000	3,200
\$5 × 10		\$50	12,000	800
\$10 × 5		\$50	12,000	800
\$50		\$50	12,000	800
	SYMBOL MATCH w/ (\$10 × 10)	\$100	8,000	1,200
	SYMBOL MATCH w/ ((\$10 × 7) + (\$5 × 2) + \$20)	\$100	12,000	800
	SYMBOL MATCH w/ ((\$20 × 3) + (\$10 × 2) + (\$4 × 5))	\$100	12,000	800
	SYMBOL MATCH w/ ((\$30 × 2) + (\$5 × 8))	\$100	12,000	800
\$10 × 10		\$100	24,000	400
\$20 × 5		\$100	24,000	400
\$100		\$100	24,000	400
	SYMBOL MATCH w/ (\$20 × 10)	\$200	60,000	160
	SYMBOL MATCH w/ ((\$30 × 6) + (\$5 × 4))	\$200	60,000	160
	SYMBOL MATCH w/ ((\$50 × 2) + (\$20 × 2) + (\$10 × 6))	\$200	60,000	160
\$20 × 10		\$200	120,000	80
\$50 × 4		\$200	120,000	80
\$200		\$200	120,000	80
	SYMBOL MATCH w/ (\$100 × 10)	\$1,000	960,000	10

<i>NUMBER MATCH: When Any Of Your Numbers Match Either Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>SYMBOL MATCH: Scratch The AND In The Game Name. When You Reveal Two Matching Symbols, Win All 10 Prizes Shown Below! Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
	SYMBOL MATCH w/ (((\$200 × 2) + (\$100 × 4) + (\$50 × 4))	\$1,000	960,000	10
\$100 × 10		\$1,000	960,000	10
\$200 × 5		\$1,000	960,000	10
\$1,000		\$1,000	960,000	10
\$20,000		\$20,000	960,000	10

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Scratch and Match instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Scratch and Match, prize money from winning Scratch and Match instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Scratch and Match instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Scratch and Match or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-797. Filed for public inspection June 19, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Heritage Campus OPCO, LLC

Heritage Campus Opco, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Heritage of Green Hills in Reading, PA. The initial filing was received on June 9, 2020, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-798. Filed for public inspection June 19, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Per Diem Charges for Financial Examinations Conducted by the Insurance Department; Notice 2020-15

Under the authority in section 907 of The Insurance Department Act of 1921 (40 P.S. § 323.7) and under 31 Pa. Code § 12.4 (relating to per diem charges), an updated schedule of per diem charges for financial examinations conducted by the Insurance Department (Department) is hereby adopted.

The new schedule of charges is as follows:

Financial Examiner Trainee	\$652
Financial Examiner 1/Actuarial Associate 1	\$825
Financial Examiner 2/Actuarial Associate 2	\$970
Financial Examiner 3/Actuary 1	\$1,251
Financial Examination Manager/Actuary 2	\$1,320

In accordance with 31 Pa. Code § 12.4(c), the Department will calculate and bill per diem charges for financial examination costs.

This schedule is effective July 4, 2020.

This document supersedes the notice published at 49 Pa.B. 3852 (July 20, 2019) and shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-799. Filed for public inspection June 19, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Per Diem Charges for Market Conduct Examinations Conducted by the Insurance Department; Notice 2020-18

Under the authority in section 907 of The Insurance Department Act of 1921 (40 P.S. § 323.7) and under 31 Pa. Code § 12.4 (relating to per diem charges), an updated schedule of per diem charges for market conduct

examinations conducted by the Insurance Department (Department) is hereby adopted.

The new schedule of charges is as follows:

Examiner Trainee	\$667
Administrative Officer 2	\$874
Examiner 1	\$784
Examiner 2	\$926
Division Chief	\$1,013

In accordance with 31 Pa. Code § 12.4(c), the Department will calculate and bill per diem charges for examination costs in 1/2-hour units.

This schedule is effective July 1, 2020.

This document supersedes the notice published at 49 Pa.B. 3852 (July 20, 2019) and shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-800. Filed for public inspection June 19, 2020, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) has not received any documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

DUANE M. SEARLE,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 20-801. Filed for public inspection June 19, 2020, 9:00 a.m.]

MILK MARKETING BOARD

Sunshine Meetings for Fiscal Year 2020-2021

Date	Time	Room
Wednesday, July 8, 2020	1 p.m.	Room 202—Agriculture Building Harrisburg, PA 17110
Wednesday, August 5, 2020	1 p.m.	Room 202—Agriculture Building Harrisburg, PA 17110
Wednesday, September 2, 2020	1 p.m.	Room 309—Agriculture Building Harrisburg, PA 17110
Wednesday, October 7, 2020	1 p.m.	Room 202—Agriculture Building Harrisburg, PA 17110
Friday, November 6, 2020	1 p.m.	Room 309—Agriculture Building Harrisburg, PA 17110

<i>Date</i>	<i>Time</i>	<i>Room</i>
Wednesday, December 2, 2020	1 p.m.	Room 309—Agriculture Building Harrisburg, PA 17110
Wednesday, January 6, 2021	1 p.m.	Room 309—Agriculture Building Harrisburg, PA 17110
Wednesday, February 3, 2021	1 p.m.	Room 309—Agriculture Building Harrisburg, PA 17110
Wednesday, March 3, 2021	1 p.m.	Room 309—Agriculture Building Harrisburg, PA 17110
Wednesday, April 7, 2021	1 p.m.	Room 309—Agriculture Building Harrisburg, PA 17110
Wednesday, May 5, 2021	1 p.m.	Room 202—Agriculture Building Harrisburg, PA 17110
Wednesday, June 2, 2021	1 p.m.	Room 202—Agriculture Building Harrisburg, PA 17110

CAROL HARDBARGER,
Secretary

[Pa.B. Doc. No. 20-802. Filed for public inspection June 19, 2020, 9:00 a.m.]

OFFICE OF THE STATE FIRE COMMISSIONER

Registration for the COVID-19 Fire, Rescue and Emergency Medical Service Grant

This notice provides information about the COVID-19 Fire, Rescue and Emergency Medical Service Grant as provided for by the act of May 29, 2020, (P.L. 207, No. 26) (Act 26). Fire, Rescue and Emergency Medical Service companies seeking grants under Act 26 shall submit completed registrations no later than 4 p.m. on August 7, 2020. Written instructions, guidelines for the grant program and grant registration will be available on the Office of State Fire Commissioner's web site at www.osfc.pa.gov no later than July 6, 2020.

BRUCE TREGO,
Commissioner

[Pa.B. Doc. No. 20-803. Filed for public inspection June 19, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Default Service Plan; Prehearing Conference

P-2020-3019907. UGI Utilities, Inc. Petition of UGI Utilities, Inc. electric division for approval of default service plan for the period June 1, 2021, through May 31, 2025.

Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 10, 2020. Filings must be made electronically through efilings to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the petitioner and a copy provided to Administrative Law Judge Dennis Buckley at debuckley@pa.gov. Individuals can sign up for free efilings with the Secretary of the Pennsylvania Public Utility Commission (Commission)

through the Commission's efilings system at <https://www.puc.pa.gov/efiling/Default.aspx>.

The documents filed in support of the petition are available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applicant: UGI Utilities, Inc. Electric Division

By and Through Counsel: Anthony D. Kanagy, Esquire, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601

Prehearing Conference

An initial prehearing conference on the previously-captioned case will be held as follows:

<i>Date:</i>	Wednesday, July 8, 2020
<i>Time:</i>	10 a.m.
<i>Presiding:</i>	Administrative Law Judge Dennis J. Buckley 400 North Street, 2nd Floor West Harrisburg, PA 17120

At the previously listed date and time, individuals must call into the hearing. If individuals fail to do so, their case will be dismissed. Individuals will not be called by the Presiding Officer.

To participate in the hearing, individuals must:

- Dial the toll-free number.
- Enter the following PIN number when instructed to do so.
- Speak the individual's name when prompted.

The telephone system will connect callers to the hearing.

Toll-free bridge number: (877) 920-7184

PIN number: 57338450

For any witnesses individuals want to have present during the hearing, the individual must provide them with the telephone number and PIN number.

Attention: Individuals may lose the case if they do not come to this hearing and present facts on the issues raised.

For any hearing exhibits to which individuals will refer during the hearing, one copy must be e-mailed to the Presiding Officer at debuckley@pa.gov and one copy each must be sent to every other party. All copies must be received at least 5 business days before the hearing.

Individuals must e-mail the Presiding Officer with a copy of any document they file in this case.

Individuals representing themselves are not required to be represented by an attorney. All others (corporation, partnership, association, trust or governmental agency or subdivision) must be represented by an attorney. The representing attorney should file a Notice of Appearance before the scheduled hearing date.

Individuals who require an interpreter to participate in the hearings, the Commission will make every reasonable effort to have an interpreter present. E-mail dschleig@pa.gov in the Office of the Administrative Law Judge at the Commission at least 10 business days prior to the hearing to submit their request.

- Pennsylvania AT&T Relay Service number for persons who are deaf or hearing-impaired: (800) 654-5988

The Commission offers a free eFiling Subscription Service which allows users to automatically receive an e-mail notification whenever a document is added, removed or changed on the Commission's web site regarding a specific case. Instructions for subscribing to this service are on the Commission's web site at http://www.puc.pa.gov/Documentation/eFiling_Subscriptions.pdf.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-804. Filed for public inspection June 19, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pro Forma Transaction

A-2020-3020290 and A-2020-3020291. Cavalier Telephone Mid-Atlantic, LLC, Windstream KDL, Inc., Uniti Group Finance, Inc. and Uniti National, LLC. Joint application of Cavalier Telephone Mid-Atlantic, LLC, Windstream KDL, Inc., Uniti Group Finance, Inc. and Uniti National, LLC for approval of a pro forma transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, July 6, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: Cavalier Telephone Mid-Atlantic, LLC; Windstream KDL, Inc.; Unity Group Finance, Inc.; Uniti National, LLC

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Niesen & Thomas, LLC, 212 Locust Street, Suite 302, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-805. Filed for public inspection June 19, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 6, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers for transportation of persons* as described under the application.

A-2020-3020294. Delta Excellence Health Care, LLC (311 North 11th Street, Philadelphia, PA 19107) in paratransit service, limited to persons who qualify for Medicaid long term services and supports waiver services, from points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia to points in Pennsylvania, and return. *Attorney:* Nigel S. Scot, 1500 Walnut Street, Suite 700, Philadelphia, PA 19102.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience* as described under each application.

A-2020-3020224. East Penn Medical Transport, LLC (6007 Palomino Drive, Allentown, Lehigh County, PA 18106) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service, from points in the Counties of Lehigh and Northampton, to points in Pennsylvania, and return.

A-2020-3020336. David A. Simon, t/a First Class Limousine Service (207 East 16th Avenue, Homestead, PA 15120) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-00108468, persons in limousine service,

between points in Pennsylvania; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-806. Filed for public inspection June 19, 2020, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**

Telecommunications Services

A-2019-3014253. Lumos Networks of West Virginia, Inc., d/b/a Segra. Application of Lumos Networks of West Virginia, Inc., d/b/a Segra for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territories of Consolidated Communications of Pennsylvania Company, LLC; Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth

Telephone Company, Windstream D&E, Inc.; and Frontier Communications of Pennsylvania, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, July 6, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Lumos Networks of West Virginia, Inc., d/b/a Segra

Through and By Counsel: Michael A. Gruin, Stevens & Lee, 17 North Second Street, 16th Floor, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-807. Filed for public inspection June 19, 2020, 9:00 a.m.]

