

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 30, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-23-2020	William Penn Bank Levittown Bucks County	765 Haddon Avenue Collingswood Camden County, NJ	Opened

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-25-2020	Northwest Bank Warren Warren County	148 West Pike Street Canonsburg Washington County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-902. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PAS602202 (Storm Water)	Denco Tire Recycling P.O. Box 100 112 Industrial Boulevard Stockertown, PA 18083	Northampton County Stockertown Borough	Unnamed Tributary to Bushkill Creek (HQ-CWF, MF) (1-F)	Yes
PA0011517 (Industrial)	Keystone Cement Company Route 329, Box A Bath, PA 18014-0058	Northampton County East Allen Township	Monocacy Creek (HQ-CWF, MF) (2-C)	Yes
PA0060372 (Sewage)	Factoryville WWTP 161 College Avenue P.O. Box 277 Factoryville, PA 18419-0277	Wyoming County Clinton Township	South Branch Tunkhannock Creek (TSF, MF) (4-F)	Yes
PA0062618 (Industrial)	Bethlehem Water Treatment Plant 10 East Church Street Bethlehem, PA 18018-6025	Northampton County Lehigh Township	Unnamed Tributary to Indian Creek (CWF, MF) (2-C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0261530 (Sewage)	Runyan Res 1370 Waggoners Gap Road Carlisle, PA 17013-8371	Cumberland County North Middleton Township	Conodoguinet Creek (WWF) (7-B)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0266116 (Sewage)	Mark Wieczorkowski & Kathryn Dickinson Res 3200 Catholic Valley Road Glen Rock, PA 17327-7658	York County Codorus Township	Unnamed Tributary to South Branch Codorus Creek (WWF, MF) (7-H)	Yes
PA0261564 (Sewage)	Lee Residence 14547 Paxton Run Road Shippensburg, PA 17257	Franklin County Lurgan Township	7B—UNT Conodoguinet Creek	Yes
PA0044741 (IW)	Hanover Foods 1550 York Street Hanover, PA 17331	York County Penn Township	7H—Oil Creek	Yes
PA0024902 (Sewage)	Upper Allen Township Grantham Wastewater Treatment Plant 400 Creekside Drive Mechanicsburg, PA 17055	Cumberland County/ Upper Allen Township	Yellow Breeches Creek/7E	Yes

Northcentral Region: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0228923 (Sewage)	Pine Cradle Lake Campground 220 Shoemaker Road Ulster, PA 18850-8343	Bradford County Rome Township	Unnamed Tributary to Parks Creek (CWF) (4-D)	Yes
PA0040835 (Industrial)	PA Fish & Boat Commission Bellefonte State Fish Hatchery 1735 Shiloh Road State College, PA 16801-8400	Centre County Benner Township	Spring Creek (HQ-CWF) (9-C)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0253847 (Sewage)	Wenatchee # 17 SRSTP 26 Windihill Drive Greensburg, PA 15601	Somerset County Indian Lake Borough	Unnamed Tributary of Indian Creek (CWF) (18-E)	Yes
PA0203700 (Sewage)	Spring Valley STP P.O. Box 260 Farmington, PA 15437-0260	Fayette County Wharton Township	Deadman Run (HQ-CWF) (19-E)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWROQ@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0092819 (Sewage)	Fair Winds Manor Nursing Home 126 Iron Bridge Road Sarver, PA 16055-8603	Butler County Winfield Township	Unnamed Tributary of Buffalo Creek (HQ-TSF) (18-F)	Yes
PA0101851 (Sewage)	Villa Maria Community Center P.O. Box 906 288 Villa Drive Villa Maria, PA 16155-0906	Lawrence County Pulaski Township	Unnamed Tributary to Coffee Run (WWF) (20-B)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0267091, Sewage, SIC Code 4911, **SCFS LLC**, 200 Penn Street, Reading, PA 19602. Facility Name: SCFS Personal Care Home. This proposed facility is located in Exeter Township, **Berks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Molasses Creek (WWF, MF), is located in State Water Plan watershed 3-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2,000 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Average Monthly	Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	10.0	XXX	XXX	20
Total Suspended Solids	XXX	XXX	10.0	XXX	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

Sludge use and disposal description and location(s): Outfall 001.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect

PA0021075, Sewage, SIC Code 4952, **Myerstown Borough Lebanon County**, 101 S Railroad Street, Myerstown, PA 17067-1351. Facility Name: Myerstown STP. This existing facility is located in Myerstown Borough, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tulpehocken Creek (TSF), is located in State Water Plan watershed 3-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Daily Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	417	667	XXX	25	40	50
May 1 - Oct 31	283	450	XXX	17	27	34
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	500	750	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	265	XXX	XXX	15.9	XXX	31.8
May 1 - Oct 31	88	XXX	XXX	5.3	XXX	10.6
Total Phosphorus	16.7	XXX	XXX	1.0	XXX	2
Arsenic, Total	0.50	XXX	XXX	0.03	XXX	0.06
Cyanide, Available	Report	XXX	XXX	Report	XXX	XXX
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Avg Qrtly	XXX	XXX
				Report	XXX	XXX
				Avg Qrtly		

Sludge use and disposal description and location(s):

- Digested sludge is dewatered using centrifuge and the dewatered cake is hauled off-site to the Greater Lebanon Refuse Authority Landfill.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition
- Approval Contingencies
- Proper Waste/Solids Management
- Restriction on Receipt of Hauled in Waste under certain Conditions
- WET Testing Requirements
- Stormwater Conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0247081, Sewage, SIC Code 4952, **Hopewell Township Bedford County**, 2759 Raystown Road, Hopewell, PA 16650-7638. Facility Name: Hopewell Township Tatesville STP. This existing facility is located in Hopewell Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pipers Run (WWF), is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	25	40	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	30	45	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	6.0	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	2.0	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Semi Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0247073, Sewage, SIC Code 4952, **Hopewell Township Bedford County**, 2759 Raystown Road, Hopewell, PA 16650-7638. Facility Name: Hopewell Township Sunnyside STP. This existing facility is located in Hopewell Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Raystown Juniata River is located in State Water Plan watershed 11-D and is classified for Trout Stocking Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .021 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .021 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	4.3	7.0	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	5.2	7.8	XXX	30	45	60
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267104, Sewage, SIC Code 8811, **Acid Realty LLC**, 29 Ashmar Drive, Duncannon, PA 17020. Facility Name: Acid Realty LLC Properties. This proposed facility is located in Penn Township, **Perry County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Cove Creek (CWF, MF), is located in State Water Plan watershed 7-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00096 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083551, Sewage, SIC Code 6515, **Tyrone Township Adams County**, 5280 Old Harrisburg Road, York Springs, PA 17372. Facility Name: Walnut Grove MHP. This existing facility is located in Tyrone Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Conewago Creek (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.064 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.19	XXX	0.61
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	13.3	21.4	XXX	25	40	50
		Wkly Avg				
May 1 - Oct 31	10.7	16.0	XXX	20	30	40
		Wkly Avg				
Total Suspended Solids	16.0	24.0	XXX	30	45	60
		Wkly Avg				
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	1.3	XXX	XXX	2.5	XXX	5
Nov 1 - Apr 30	4.0	XXX	XXX	7.5	XXX	15
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
		Total				
		Annual				
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Phosphorus	XXX	Report	XXX	XXX	XXX	XXX
		Total				
		Annual				

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081647, Sewage, SIC Code 4952, **White Run Region Municipal Authority**, 2001 Baltimore Pike, Gettysburg, PA 17325-7015. Facility Name: White Run STP. This existing facility is located in Mount Joy Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), White Run (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.33 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	68.0	110.0	XXX	25.0	40.0	50.0
Total Suspended Solids	82.0	123.0	XXX	30.0	45.0	60.0
		Wkly Avg				
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	6.9	XXX	XXX	2.5	XXX	5.0
Nov 1 - Apr 30	20.0	XXX	XXX	7.5	XXX	15.0
Total Phosphorus	5.5	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0087513, Sewage, SIC Code 4952, **Mapleton Borough Area Joint Municipal Authority Huntingdon County**, P.O. Box 415, Mapleton Depot, PA 17052-0415. Facility Name: Mapleton Area STP. This existing facility is located in Union Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Hares Valley Creek (TSF), is located in State Water Plan watershed 12-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	21.0	33.0	XXX	25.0	40.0	50.0
Total Suspended Solids	25.0	38.0	XXX	30.0	45.0	60.0
		Wkly Avg				
Biochemical Oxygen Demand (BOD ₅)		Wkly Avg				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	4.2	XXX	XXX	5.0	XXX	10.0
Nov 1 - Apr 30	12.5	XXX	XXX	15.0	XXX	30.0
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081345, Sewage, SIC Code 8221, **Grier Foundation**, 2522 Grier School Road, Tyrone, PA 16686-0308. Facility Name: Grier School. This existing facility is located in Warriors Mark Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Juniata River (HQ-CWF (existing use)), is located in State Water Plan watershed 11-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0225 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0225 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0082571, Sewage, SIC Code 8661, **West Penn District Grace Brethren Men Inc.**, P.O. Box 95, Saxton, PA 16678-0095. Facility Name: Camp Mantowagan. This existing facility is located in Todd Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tatman Run (HQ-CWF, MF), is located in State Water Plan watershed 11-D and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.007 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.44	XXX	1.45
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	9.0	XXX	18.0
Nov 1 - Apr 30	XXX	XXX	XXX	25.0	XXX	50.0
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0082341, Sewage, SIC Code 4952, **Hopewell Borough Bedford County**, P.O. Box 160, Hopewell, PA 16650-0160. Facility Name: Hopewell Borough STP. This existing facility is located in Hopewell Borough, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Raystown Branch Juniata River (TSF), is located in State Water Plan watershed 11-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0325 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	6.8	10.8	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids	8.1	12.2	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Phosphorus	0.5	XXX	XXX	Geo Mean 2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .0325 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX

Sludge use and disposal description and location(s): Chestnut Ridge Municipal Authority.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0039730, Sewage, SIC Code 4952, **Pure Events LP**, 100 Chipmunk Crossing, James Creek, PA 16657-1000. Facility Name: Lake Raystown Resort. This existing facility is located in Lincoln Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Raystown Branch Juniata River (HQ-CWF, MF), is located in State Water Plan watershed 11-D and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Phosphorus	XXX	XXX	XXX	Geo Mean 2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

Sludge use and disposal description and location(s): Rosy's Wastewater Removal, Inc. (DEP Permit # 093524).

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

PA0203661—A1, Industrial, SIC Code 2819, **Reaxis Inc.**, P.O. Box 279, McDonald, PA 15057-0279. Facility Name: Reaxis Inc. This existing facility is located in Robinson Township, **Washington County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated Industrial Waste—Non-Contact Cooling Water and Stormwater.

The receiving stream(s), Unnamed Tributary to Robinson Run is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0942 MGD.—Interim Limits through March 31, 2022.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Jan 1—31	XXX	XXX	XXX	XXX	55.0	XXX
Feb 1—29	XXX	XXX	XXX	XXX	54.7	XXX
Mar 1—31	XXX	XXX	XXX	XXX	55.3	XXX
Apr 1—15	XXX	XXX	XXX	XXX	54.6	XXX
Apr 16—30	XXX	XXX	XXX	XXX	60.2	XXX
May 1—15	XXX	XXX	XXX	XXX	66.2	XXX
May 16—31	XXX	XXX	XXX	XXX	75.7	XXX
Jun 1—15	XXX	XXX	XXX	XXX	83.3	XXX
Jun 16—30	XXX	XXX	XXX	XXX	87.6	XXX
Jul 1—31	XXX	XXX	XXX	XXX	88.0	XXX
Aug 1—15	XXX	XXX	XXX	XXX	87.9	XXX
Aug 16—31	XXX	XXX	XXX	XXX	87.9	XXX
Sep 1—15	XXX	XXX	XXX	XXX	85.4	XXX
Sep 16—30	XXX	XXX	XXX	XXX	79.1	XXX
Oct 1—15	XXX	XXX	XXX	XXX	72.8	XXX
Oct 16—31	XXX	XXX	XXX	XXX	66.7	XXX
Nov 1—15	XXX	XXX	XXX	XXX	58.8	XXX
Nov 16—30	XXX	XXX	XXX	XXX	54.5	XXX
Dec 1—31	XXX	XXX	XXX	XXX	54.8	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0942 MGD.—Final Limits, effective April 1, 2022.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Jan 1—31	XXX	XXX	XXX	XXX	55.0	XXX
Feb 1—29	XXX	XXX	XXX	XXX	54.7	XXX
Mar 1—31	XXX	XXX	XXX	XXX	55.3	XXX
Apr 1—15	XXX	XXX	XXX	XXX	54.6	XXX
Apr 16—30	XXX	XXX	XXX	XXX	59.1	XXX
May 1—15	XXX	XXX	XXX	XXX	66.2	XXX
May 16—31	XXX	XXX	XXX	XXX	75.7	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Jun 1—15	XXX	XXX	XXX	XXX	83.3	XXX
Jun 16—30	XXX	XXX	XXX	XXX	87.6	XXX
Jul 1—31	XXX	XXX	XXX	XXX	87.0	XXX
Aug 1—15	XXX	XXX	XXX	XXX	86.8	XXX
Aug 16—31	XXX	XXX	XXX	XXX	86.7	XXX
Sep 1—15	XXX	XXX	XXX	XXX	85.4	XXX
Sep 16—30	XXX	XXX	XXX	XXX	79.1	XXX
Oct 1—15	XXX	XXX	XXX	XXX	72.8	XXX
Oct 16—31	XXX	XXX	XXX	XXX	66.7	XXX
Nov 1—15	XXX	XXX	XXX	XXX	58.4	XXX
Nov 16—30	XXX	XXX	XXX	XXX	54.5	XXX
Dec 1—31	XXX	XXX	XXX	XXX	54.8	XXX

The proposed effluent limits for Outfall 102 are based on a design flow of 0.0942 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)						
Internal Monitoring Point	Report	Report	XXX	XXX	XXX	XXX
Temperature (°F)						
Internal Monitoring Point	XXX	XXX	XXX	XXX	110 Daily Max	XXX

Note: Pursuant to 25 Pa. Code § 92a.82(c) and 40 CFR 124.57 and 123.25, the following Public notice of an NPDES draft permit for a discharge where a CWA section 316(a) request has been filed under § 122.21(l):

- The thermal component of the discharge is subject to effluent limitations under CWA section 301 or 306.
- A section 316(a) request has been filed and that alternative less stringent effluent limitations may be imposed on the thermal component of the discharge under section 316(a).
- The applicant has filed an early screening request under § 125.72 for a section 316(a) variance.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0218413, Sewage, SIC Code 4952, **Economy Borough Municipal Authority**, 2860 Conway Wallrose Road, Baden, PA 15005-2306. Facility Name: Big Sewickley Creek WWTP. This existing facility is located in Economy Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Big Sewickley Creek (TSF), is located in State Water Plan watershed 20-G and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Dissolved	Report	Report	XXX	Report	Report	XXX
Mercury, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Dissolved	3.0	5.0	XXX	0.323	0.505	0.809
Mercury, Total (ug/L)	XXX	XXX	XXX	0.054	0.084	0.135

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Selenium, Total	0.051	0.083	XXX	0.005	0.008	0.012
Zinc, Total	1.0	1.5	XXX	0.104	0.162	0.26

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	260.0	410.0	XXX	25.0	40.0	50
May 1 - Oct 31	155.0	Wkly Avg 235.0 Wkly Avg	XXX	15.0	Wkly Avg 23.0 Wkly Avg	30
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	310.0	465.0 Wkly Avg	XXX	30.0	45.0 Wkly Avg	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	36.0	XXX	XXX	3.5	XXX	7
May 1 - Oct 31	20.0	XXX	XXX	2.0	XXX	4
Copper, Total	0.125	0.188	XXX	0.012	0.018	0.029
Cyanide, Free	0.063	0.094	XXX	0.006	0.009	0.015
Lead, Total	Report	Report	XXX	Report	Report	XXX

Sludge use and disposal description and location(s): Solids are dewatered via belt filter press and disposed of at a municipal landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

PA0288454, Sewage, SIC Code 8800, **Debra & John Hinderliter**, 370 2nd Avenue, Tionesta, PA 16353-7001. Facility Name: Debra & John Hinderliter SRSTP. This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary 55621 to Little Hickory Run (HQ-CWF), is located in State Water Plan watershed 16-F and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288535, Sewage, SIC Code 8800, **James W. Iman, Sr.**, 106 Raisley Road, Butler, PA 16001. Facility Name: James Iman SRSTP. This proposed facility is located in Franklin Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Mulligan Run (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288381, Sewage, SIC Code 8800, **Joseph S Jr & Maria P LeClaire**, 301 Evergreen Drive, Leeper, PA 16233-2511. Facility Name: Joseph S Jr & Maria P LeClaire SRSTP. This proposed facility is located in Farmington Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), UNT to Toby Creek (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288446, Sewage, SIC Code 8800, **Carlie & Jerry Chamberlain**, 102541 Whittaker Road, Albion, PA 16401. Facility Name: Carlie & Jerry Chamberlain SRSTP. This proposed facility is located in Elk Creek Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to East Branch Conneaut Creek, is located in State Water Plan watershed 15-A and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288497, Sewage, SIC Code 8800, **Judith Gosnell-Lamb & Roy Lamb**, 33 W Methodist Road, Greenville, PA 16125-9712. Facility Name: Judith Gosnell Lamb & Roy Lamb SRSTP. This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Shenango River (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288403, Sewage, SIC Code 8800, **Daryl & Renee Miller**, 16542 State Highway 285, Conneaut Lake, PA 16316. Facility Name: Daryl & Renee Miller SRSTP. This proposed facility is located in Greenwood Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary 52275 to Conneaut Outlet (WWF), is located in State Water Plan watershed 16-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288501, Sewage, SIC Code 8800, **Ann Schultz**, 434 Prospect Street, Warren, PA 16365-2653. Facility Name: Ann Schultz SRSTP. This proposed facility is located in Freehold Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of East Branch Little Brokenstraw Creek, is located in State Water Plan watershed 16-B and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WQM Permit No. 5820401, Sewage, **Harford Township Susquehanna County**, P.O. Box 1, Harford, PA 18823-0001.

This proposed facility is located in Harford Township, **Susquehanna County**.

Description of Proposed Action/Activity: This project consists of the upgrade of an existing minor sewage facility operating under NPDES PA0063100. The upgrades will consist of the addition of headworks, clarifier, air diffusers, blowers, upgrade the influent splitter box, add a 10 ft x 20 ft storage facility building and related appurtenances.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 0186409, Sewerage, **York Springs Municipal Authority**, 311 Main Street, York Springs, PA 17372.

This proposed facility is located in York Springs Borough, **Adams County**.

Description of Proposed Action/Activity: Installation of UV Disinfection Unit.

WQM Permit No. 6703405 A3, Sewerage, **Stewartstown Borough Authority**, 6 North Main Street, Stewartstown, PA 17363.

This proposed facility is located in Hopewell, **York County**.

Description of Proposed Action/Activity: Installation of septic prescreen for haulers' septage before it enters channel.

WQM Permit No. 2220404, Sewerage, **Susquehanna Township**, 1900 Linglestown Road, Harrisburg, PA 17110.

This proposed facility is located in Susquehanna Township, **Dauphin County**.

Description of Proposed Action/Activity: Sewage extension for Union Green development.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 1120402, Sewage, **David McCloskey**, 317 McCloskey Lane, Altoona, PA 16601.

This proposed facility is located in Allegheny Township, **Cambria County**.

Description of Proposed Action/Activity: To construct a 400 GPD single residence sewage treatment plant to serve an existing three-bedroom residential dwelling.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6120402, Sewage, **Candace & Frank Reina**, 151 Sunville Road, Franklin, PA 16323-7341.

This proposed facility is located in Oakland Township, **Venango County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1020409, Sewage, **James W Iman Sr.**, 106 Raisley Road, Butler, PA 16001.

This proposed facility is located in Franklin Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Lackawanna County Conservation District, 1038 Montdale Road, Scott Township, PA 18447, 570-382-3086.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350021	Tcne Valley View LLC 300 Conshohocken State Rd Ste 250 Conshohocken, PA 19428	Lackawanna	Jessup	Grassy Island Creek (HQ-CWF, MF)

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390160	Liberty Property Limited Partnership 7584 Morris Ct. Suite 200 Allentown, PA 18106	Lehigh	Lower Macungie Township	Little Lehigh Creek (HQ-CWF, MF)
PAD390156	UGI Utilities, Inc. 1 UGI Drive Denver, PA 17517	Lehigh	Upper Macungie Township & Weisenberg Township	Iron Run (HQ-CWF, MF) Lyons Creek (HQ-CWF, MF) UNT to Lyons Creek (HQ-CWF, MF)
PAD390154	Hotel Hamilton, LLC 2375 Woodland Dr. Allentown, PA 18103	Lehigh	South Whitehall Township	Cedar Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450114	Sanofi Pasteur Inc. Discover Dr Swiftwater, PA 18370	Monroe	Pocono Twp	Swiftwater Creek (HQ-CWF, MF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450113	PennDOT Engineering District 5-0 1002 Hamilton Street Allentown, PA 18101	Monroe	Chestnuthill Township	Weir Creek CWF, MF UNT to McMichael Creek HQ-CWF, MF
PAD450111	Moose Crossing Storage Associates, LLC 610 Newtown Road Suite B Villanova, PA 19085-1135	Monroe	Tobyhanna Township	UNT to Tobyhanna Creek (HQ-CWF, MF) UNT to Two Mile Run (HQ-CWF, MF)
<i>Northampton County Conservation District, 14 Gracedale Ave, Greystone Building, Nazareth, PA 18064-9211, 610-829-6276.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480130	Peter Polt Triple Net Investments Lx LLC 171 Rt 173 Ste 201 Asbury, NJ 08802	Northampton	Lower Nazareth Twp	Monocacy Creek (HQ-CWF, MF)
PAD480128	Amazon c/o Todd Plociniak 410 Terry Avenue N Seattle, WA 98109-8913	Northampton	Bethlehem Township	Monocacy Creek (HQ-CWF, MF)
<i>Susquehanna County Conservation District, 89 Industrial Drive, Montrose, PA 18801, 570-782-2105.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD580008	Robert Lee 1011 Mt. Eyre Road Washington Crossings, PA 18977	Susquehanna	New Milford Township	Beaver Creek (HQ-CWF, MF)
<i>Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD110007	Carrolltown Borough Municipal Authority 140 East Carroll Street Carrolltown, PA 15722	Cambria County	East Carroll Township Carrolltown Borough	UNT to Chest Creek (HQ-CWF)
<i>Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.</i>				
<i>Lawrence County Conservation District, 430 Court Street, New Castle, PA 16101, 724-652-4512.</i>				
<i>Butler County Conservation District, 120 Hollywood Drive, Suite 201, Butler, PA 16001, 724-284-5270.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD370007	Lawrence County Economic Development Corp 325 East Washington Street New Castle, PA 16101	Lawrence	Neshannock Township	Shenango River WWF
PAD100002	Steelite Real Estate Holdings LLC 154 Keystone Drive New Castle, PA 16101 John Allen Jr. Family Trust P.O. Box 430 Saxonburg, PA 16056	Butler	Buffalo Township	Sarver Run HQ-TSF, UNT to Buffalo Creek HQ-TSF

STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOS

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

ACT 38
NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Joe Jurgielewicz & Son Ltd. Neilson Poultry Farm 177 Seip Lane Shoemakersville, PA 19555	Berks	12.5	104.19	Ducks	NA	Renewal
Reid Hoover—Brook Corner Holsteins 400 Mt. Wilson Rd Lebanon, PA 17042	Lebanon	385.7	864.65	Dairy	NA	Renewal
Willie Weiler—Weiler Farms # 2 Weiler Farms Partnership 350 East Mill Avenue Myerstown, PA 17067	Lebanon	140	1,055.67	Swine Broiler Sheep	NA	Renewal
Scattered Acres Inc. Edward Hartman 900 Galen Hall Road Reinholds, PA 17569	Lancaster	96.5	1,306.2	Dairy	NA	Renewal
Laurel Ridge Pig Company Scott Augsburg 700 Swamp Church Road Reinholds, PA 17569	Lancaster	22.5	716.16	Swine	NA	Renewal
Scott Gochenaur 3057 Harvest Road Elizabethtown, PA 17022	Lancaster	6.1	370.52	Layers	NA	Renewal
Ken and Diane Haller Ken-Di Farms, LLC 225 S Carpenter St. Newmanstown, PA 17073	Lebanon	23.5	368.57	Broilers	None	Renewal
Brian Hummer 493 Columbia Hill Rd. Danville, PA 17821	Montour	56.6	480.54	Turkey	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 4420503, Public Water Supply.

Applicant	The Municipal Authority of the Borough of Lewistown
Municipality	Armagh Township
County	Mifflin
Responsible Official	Craig Bubb Superintendent 70 Chestnut Street Lewistown, PA 17004-2216
Type of Facility	Public Water Supply
Consulting Engineer	Patrick J. Ward, P.E. Uni-Tec Consulting Engineers, Inc. 2007 Cato Avenue State College, PA 16801
Application Received:	May 20, 2020
Description of Action	Addition of zinc orthophosphate for corrosion control.

Permit No. 0620510, Public Water Supply.

Applicant	Niagara Bottling LLC
-----------	-----------------------------

Municipality	Hamburg Borough
County	Berks
Responsible Official	Dana Alvarado Quality Assurance— Compliance Administrative Asso 1440 Bridgegate Drive Diamond Bar, CA 91765
Type of Facility	Public Water Supply
Consulting Engineer	Holly R. Evans, P.E. Evans Engineering Inc. 2793 Old Post Road Harrisburg, PA 17110
Application Received:	June 3, 2020
Description of Action	Removal of 1-gallon bottling line.

Permit No. 3120503, Public Water Supply.

Applicant	Alexandria Borough Water Authority
-----------	---

Municipality	Alexandria Borough
County	Huntingdon
Responsible Official	Kenneth Bost Chairman 7561 Fridge Street Suite No. 3 P.O. Box 336 Alexandria, PA 16611
Type of Facility	Public Water Supply
Consulting Engineer	Christopher M. Eckenrode, P.E. Gwin, Dobson & Foreman, Inc. 3121 Fairway Drive Altoona, PA 16602
Application Received:	June 10, 2020
Description of Action	Water treatment facility upgrades, waterline and meter replacements, and reservoir and intake upgrades.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 6020502, Public Water Supply.

Applicant	Limestone Township Municipal Authority
Township or Borough	Limestone Borough
County	Union County
Responsible Official	Mr. Reuben Brubaker Township Secretary
Type of Facility	Public Water Supply
Consulting Engineer	Erin N. Threet, P.E., Herbert Rowland & Grubic, Inc. 776 Bull Run Crossing Suite 200 Lewisburg, PA 17837
Application Received Date	June 17, 2010
Description of Action	The permitting of the distribution system of Hilltop Acres Development in Limestone Township.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0220513, Public Water Supply.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Township or Borough Canton Township
County **Washington**

Responsible Official Bruce Aiton
VP of Engineering

Type of Facility Water system

Consulting Engineer Pennsylvania American Water Company
852 Wesley Drive
Mechanicsburg, PA 17055

Application Received Date May 26, 2020

Description of Action Pump replacement at the Malone Ridge booster station.

Permit No. 0220516, Public Water Supply.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Township or Borough Robinson Township
County **Allegheny**

Responsible Official Bruce Aiton
VP of Engineering

Type of Facility Water system

Consulting Engineer Gwin Dobson & Foreman
3121 Fairway Drive
Altoona, PA 16602

Application Received Date June 5, 2020

Description of Action Modifications to the SR 980 booster pump station.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0220514MA, Minor Amendment.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Township or Borough Robinson Township
County **Allegheny**

Responsible Official Bruce Aiton
VP of Engineering

Type of Facility Water system

Consulting Engineer Gwin Dobson & Foreman
3121 Fairway Drive
Altoona, PA 16602

Application Received Date June 5, 2020

Description of Action Installation of approximately 10,000 feet of water main (Route 980 24-inch Main Improvement Project).

Application No. 0220515MA, Minor Amendment.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Township or Borough McDonald Borough and Robinson Township
County **Washington**

Responsible Official Bruce Aiton
VP of Engineering

Type of Facility Water system

Consulting Engineer Gwin Dobson & Foreman
3121 Fairway Drive
Altoona, PA 16602

Application Received Date June 5, 2020

Description of Action Installation of approximately 3,400 feet of water main (6th Street Waterline Replacement Project).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific

standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Leighton Electronics, 15 Blakeslee Boulevard, Leighton, PA 18235, Mahoning Township, **Carbon County**. Earthres Group, 6912 Old Easton Road, Pipersville, PA 18947, on behalf of Blew Enterprises, Inc., 517 North Ninth Street, Leighton, PA 18235, submitted a Notice of Intent to Remediate. Soil and groundwater are impacted by metals and chlorinated volatile organic compounds (primarily trichloroethylene). Future use of the site will be for nonresidential purposes. The Notice of Intent to Remediate was published in *The Times News* on June 15, 2020.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received, under the Solid Waste Management Act of July 7, 1980, P.L. 35 P.S. §§ 6018.101—6018.1003, the Municipal Waste Planning, Recycling and Waste Reduction Act 53 P.S. §§ 4000.101—4000.1904 and regulations to operate a Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

General Permit No. WMGR123SW031. RES Water-Greene, LLC. An application for a permit renewal for a residual waste storage facility at 506 Lippencott Rd, Morgan Township, **Greene County** was accepted in the Regional Office on June 17, 2020.

General Permit No. WMGR123SW005. Reserved Environmental Services, LLC. An application for a permit renewal for a residual waste processing and storage facility at 1119 Old Route 119 South, East Huntingdon TWP and Hempfield TWP, **Westmoreland County**, was accepted in the Regional Office on June 17, 2020.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation

to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager; (570) 327-3648.

59-00020A: Carleton Funeral Home, Inc. (11470 Route 6, Wellsboro, PA 16901-6794) for the construction of a human crematorium at their facility located in Charlestown Township, **Tioga County**.

The Department of Environmental Protection's (Department) review of the information submitted by Carleton Funeral Home, Inc. indicates that the air contamination source to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction.

The emissions from the proposed source included in this project will not exceed the following limits: 1.31 ton of nitrogen oxides per year, 4.38 tons of carbon monoxide per year, 1.31 ton of volatile organic compounds per year, 1.10 ton of sulfur oxides per year and 3.06 tons of particulate matter (including PM₁₀) per year.

In addition to the emission limitation, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: Only human remains shall be processed in the crematorium and the secondary chamber shall be operated at a temperature of 1,800°F at all times when processing remains.

The facility is a State Only facility. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 59-00020A, the requirements established in the plan approval will be incorporated into a state only operating permit pursuant to 25 Pa. Code § 127.421.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief; (814) 332-6940.

10-368G: MarkWest Liberty Bluestone, LLC (1515 Arapahoe St., Suite 1600, Denver, CO 80202) for construction of a process heater at their existing natural gas processing plant in Jackson Township, **Butler County**. This is a Title V facility.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 10-368G to MarkWest Liberty Bluestone, LLC for the construction of a process heater at their existing Bluestone Gas Processing Plant facility located at 440 Hartmann Rd., Jackson Township, Butler County. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 10-368G is for the construction of a 64.8 MMBtu/hr capacity natural gas-fired process heater, as a replacement for an existing 64.5 MMBtu capacity heater. Additionally, the facility has revised stated firing capacities for several existing process heaters. Based on the information provided by the applicant and DEP's own analysis, the proposed source will have potential emissions of 11.64 tons of carbon monoxide, 11.35 tons of nitrogen oxides, 1.46 ton of volatile organic compounds (VOCs), 2.01 tons of particulate matter, 0.16 ton of sulfur oxides (SO_x), and 0.50 ton of total Hazardous Air Pollutants (HAP) per year.

The facility will be required to conduct stack testing of the proposed process heater within 180 days of startup, with retesting to occur once each five (5) years thereafter. The Plan Approval will contain additional testing, monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements. The subject sources will also be subject to the requirements of New Source Performance Standards, 40 CFR Part 60, Subpart OOOOa, for Crude Oil and Natural Gas Facilities.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following shown address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following shown address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval No. 10-368G and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

31-05005: NOV Fiber Glass Systems (14489 Croghan Pike, Mount Union, PA 17066) for the operation of a fiberglass-reinforced tank manufacturing facility in Shirley Township, **Huntingdon County**. This is for renewal of the Title V operating permit. Actual 2019 air emissions are estimated at 79.15 tons VOC, 79.06 tons HAPs, 1.08 ton NO_x, and less than 1 ton of PM₁₀, CO, and SO₂. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for the boilers, emergency engine and layup areas subject to the following regulations: MACT 40 CFR Part 63: Boilers: Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial and Institutional Boilers and Process Heaters. Engine: Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. Layup Areas: Subpart WWWW—National Emission Standards for Hazardous Air Pollutants: Reinforced Plastic Composites Production.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

53-00002: Transcontinental Gas Pipe Line Company, LLC (2800 Post Oak Boulevard, Houston, TX 77056) for the Title V permit renewal authorization for their Compressor Station 535 facility in Wharton Township, **Potter County**. The sources for the facility consist of five (5) compressor engines, several combustion units and process heaters, an emergency generator engine, fugitives such as flanges, valves, etc., venting of gas activities such as blowdowns, etc., and several above-ground storage tanks. The type and quantity of pollutants emitted on a facility-wide potential emission basis are, as follows: NO_x (as NO₂)—269 tons per year (tpy), CO—130 tpy, SO_x—0.3 tpy, PM₁₀ and PM_{2.5}—4.4 tpy, VOC—87.7 tpy, HAP—19.3 tpy, and GHG (as CO₂e)—62,100 tpy. One physical change to the facility during the permit term was approved under a Request for Determination for a new gas desiccant dehydration process installation. The permit incorporates all applicable requirements including appropriate testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance. The applicable requirements are derived from Title III, relating to Air Resources, 25 Pa. Code Chapters 121 and 145 of the rules and regulations of the PA DEP. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

31-05013: New Enterprise Stone & Lime Co., Inc. (855 Birmingham Pike, Tyrone, PA 16686) for the operation of a hot mix asphalt plant in Warriors Mark Township, **Huntingdon County**. This is for renewal of the existing State-Only Permit. Actual 2018 air emissions are estimated at 2.22 tpy PM, 2.06 tpy NO_x, 28.01 tpy CO, 1.24 tpy HAPs, and less than 1 tpy VOC, and SO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

38-03063: PRL Industries, Inc. (64 Rexmont Road, Cornwall, PA 17016) for operation of their jet arc burn booth controlled by a fabric collector at the facility in Cornwall Borough, **Lebanon County**. Maximum controlled emissions are not expected not to exceed 7.51 tons per year (tpy) of PM and PM₁₀ and 0.037 tpy of chromium and 0.056 tpy of nickel. NO_x and CO emissions are each expected to be less than 0.1 tpy, respectively. Among other items, the conditions include provisions derived from NSPS Subpart JJJJ. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

07-05038: Federal Carbide Company, Inc. (1 Eagle Ridge Road, Tyrone, PA 16686) to issue a State Only Operating Permit for the operation of the tungsten carbide production facility in Snyder Township, **Blair County**. VOC from the facility in 2019 were 3.20 tons. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

67-03046: Cycle Chem, Inc. (550 Industrial Drive, Lewisberry, PA 17339), to issue a State Only Operating Permit renewal for the waste solvent collection facility at Fairview Township, **York County**. The primary emissions from the facility are VOC. The facility's Potential To Emit is calculated to be 2.02 tpy VOC and 0.70 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Sources derived from 25 Pa. Code § 129.57.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

30-00170: Laurel Mountain Midstream Operating, LLC (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that it intends to issue an initial Synthetic Minor Operating Permit for operation of the Brown Compressor Station located in Greene Township, **Greene County**.

The facility operates four (4) Caterpillar Model G3516B, natural gas-fired compressor engines, 1,380 bhp at 1,400

rpm; controlled by oxidation catalysts and regulated by automatic air/fuel ratio controllers, one (1) Caterpillar, Model G3612LE, natural gas-fired compressor engine, 3,550 bhp at 1,000 rpm; controlled by oxidation catalyst and regulated by automatic air/fuel ratio controller, three (3) tri-ethylene glycol (TEG) dehydrators, rated at 20 MMscf/day, 30 MMscf/day, and 150 MMscf/day; all controlled by an enclosed combustor rated at 6.18 MMBtu/hr, three (3) natural gas-fired reboilers rated at 0.50, 0.50, and 2.67 MMBtu/hr, seven (7) produced water storage tanks with 1,020 barrel (bbl) total capacity, pigging activities, and pneumatic devices.

Potential emissions for the facility including emission restrictions have been calculated as follows: 27.37 tons per year of carbon monoxide (CO), 47.2186.44 tons per year of nitrogen oxides (NO_x), 3.48 tons per year of particulate matter less than 10-microns (PM₁₀), 3.48 tons per year of particulate matter less than 2.5-microns (PM_{2.5}), 0.21 ton per year of sulfur oxides (SO₂), 48.80 tons per year of volatile organic compounds (VOC), 0.49 ton per year of benzene, 0.76 ton per year of ethylbenzene, 3.33 tons per year of formaldehyde, 0.80 ton per year of hexane, 1.61 ton per year of methanol, 0.66 ton per year of toluene, 0.73 ton per year of 2,2,4-TMP, 0.62 ton per year of xylene, 1.95 ton per year of other HAPs, 10.96 tons per year of Hazardous Air Pollutants (HAP), and 73,543 tons per year of greenhouse gases (GHGs).

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121–145. The proposed operating permit includes emission limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 30-00170) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

65-00596: St. Clair Cemetery Association, Inc. (944 Saint Clair Way, Greensburg, PA 15601). In accord-

ance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice of intent to issue a natural minor State Only Operating Permit for the operation of a human crematory located in Hempfield Township, **Westmoreland County**. St. Clair Cemetery operates one natural gas-fired All Crematory Corp Model L-1701-32A crematory incinerator with a 716,000 Btu/hr primary chamber and a 1,400,000 Btu/hr secondary chamber, and one natural gas-fired Matthews IE43-PPI crematory incinerator with a 600,000 Btu/hr primary chamber and a 2,000,000 Btu/hr secondary chamber.

This facility has the potential to emit 1.64 tpy PM, 2.34 tpy CO, 0.59 tpy SO_x, 0.70 tpy NO_x, and 0.70 tpy VOC. The All Crematory unit is limited to 0.1 gr/dscf particulate matter corrected to 12% CO₂ and 500 ppmv sulfur oxides. The Matthews unit is limited to 0.08 gr/dscf particulate matter corrected to 7% O₂ and 500 ppmv sulfur oxides. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00596) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

63-00928: Valley Retreading Company (1002 Arentzen Boulevard, Charleroi, PA 15022-1003) for the operation of a tire retreading facility located in Charleroi Borough, **Washington County**. Sources of emissions at the facility include tire buffing and grinding, tire repair, tire retreading, tire curing, rim blasting, one 0.780 MMBtu/hr burn-off oven, two powder coating booths, and miscellaneous sources that include two boilers rated at 1.14 MMBtu/hr each and two electric infrared heaters. The facility's potential-to-emit is estimated to be following: 11.48 TPY VOC; 5.59 TPY CO; 4.69 TPY TSP; 0.83 TPY PM₁₀; 0.83 TPY PM_{2.5}; 2.59 TPY NO_x; 0.36 TPY total HAP; 0.06 TPY single HAP; 0.05 TPY SO_x, and 1,582 TPY CO_{2e}. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121–145. The

proposed state-only operating permit includes emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (63-00928) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

25-00541: Penn Union Corp. (229 Waterford Street, Edinboro, PA 16412). The Department intends to issue the renewal of the State-Only Operating Permit of a facility that manufactures current-carrying wiring devices located in Edinboro Borough, **Erie County**. Permitted air contamination sources at the facility include various equipment for melting, casting and finishing operations and units used in miscellaneous/supporting activities. Previously permitted as Title V, the facility became Natural Minor in 2015 after discontinuing operation of a perchloroethylene-based batch cold cleaning degreaser. In this renewal, monitoring and recordkeeping requirements associated with Title V operating permits are removed. Previously considered an insignificant activity, grinding machines that exhaust outdoors are incorporated as a permitted source. Subject to a different emission limitation, existing combustions units are designated a new permit source identification.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal for a Natural Minor Operating Permit for the following facility:

OP19-000035: Menasha Packaging, LLC (601 East Erie Avenue, Philadelphia, PA 19134) for the operation of

air emission sources in a production facility for Corrugated and Solid Fiber Boxes in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are two (2) flexographic printing presses, of which one is a 5 color printer with a die cutter and the other is a 6 color printer, two (2) boilers firing natural gas as the primary fuel and No. 2 oil during periods of natural gas curtailment or for periodic testing, maintenance, or operator training on liquid fuel each rated 7.53 MMBtu/hr, two (2) heaters firing natural gas each rated 1.375 MMBtu/hr, and one (1) wastepaper collector cyclone control device.

The changes made as part of the renewal includes the following:

- In Section A, updated the facility contact, permit contact and responsible official.
- In Table A1, updated the Facility Inventory List to add model and serial number for the boilers and heaters, and to add the insignificant sources.
- In Section D: Source Specific Requirements
 - o Specified that compliance with the PM emission limit of 25 Pa. Code § 123.13(c)(1)(i) shall be based only on Method 5.
 - o Updated the monitoring and recordkeeping requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated

above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

56900701 and NPDES Permit No. PA0214078. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, to revise the permit and related NPDES permit to install a pipeline for the addition of one NPDES discharge point for Job 12 Expansion in Shade Township, **Somerset County**, affecting 0.6 proposed surface acre. Receiving stream(s): Dark Shade Creek classified for the following use(s): CWF. The application was considered administratively complete on June 5, 2020. Application received: February 18, 2020.

32841303 and NPDES Permit No. PA0001775. Helvetia Coal Company, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to renew the permit and related NPDES permit for the Lucerne Mine # 6 in Center and Black Lick Townships, **Indiana County**. No additional discharges. The application was considered administratively complete on June 12, 2020. Application received: April 7, 2020.

30950701. The Monongalia County Coal Company, 46226 National Road, St. Clairsville, OH 43950, to renew the permit for the Hughes Hollow Slurry Impoundment in Wayne and Gilmore Townships, **Greene County**. No discharges. The application was considered administratively complete on June 12, 2020. Application received: March 4, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 5676SM16C12 and NPDES Permit No. PA0593915. American Asphalt Paving Co. (500 Chase Road, Shavertown, PA 18708), depth correction to mine to 910 feet MSL of an existing quarry operation and NPDES Permit for discharge of treated mine drainage in Jackson Township, **Luzerne County** affecting 161.7 acres. Receiving stream: Brown's Creek, classified for the following use: cold water fishery. Application received: April 23, 2020.

Permit No. 5575SM1C2 and NPDES Permit No. PA0119555. New Enterprise Stone & Lime Co., Inc. (3912 Brumbaugh Road, New Enterprise, PA 16664), renewal of an existing NPDES Permit for discharge of mine drainage from a quarry operation in Clifford Township, **Susquehanna County** affecting 212.6 acres. Receiving stream: East Branch Tunkhannock Creek, classified for the following use: cold water fishes. Application received: June 18, 2020.

Permit No. 7873SM1A1C8 and NPDES Permit No. PA0225282. Penn Big Bed Slate Co., Inc. (P.O. Box 184, Slatington, PA 18080), renewal of an existing NPDES Permit for discharge of mine drainage from a quarry operation in Washington Township, **Lehigh County** affecting 50.07 acres. Receiving stream: unnamed tributary to Trout Creek, classified for the following uses: cold water and migratory fishes. Application received: June 23, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100 (Contact: Bonnie Herbert).

NPDES No. PA0215198 (Mining Permit No. 03981301) Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a renewal to the NPDES and mining activity permit for the Parkwood Mine in Plumcreek Township, **Armstrong County**, affecting 68.0 surface acres and 3,911.0 underground acres. Receiving stream(s): Unnamed Tributary 46465 to Crooked Creek classified for the following use: WWF. Crooked Creek Watershed TMDL. The application was considered administratively complete: March 15, 2019. The application was received: December 24, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Unnamed Tributary 46465 to Crooked Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 39' 36" Long: -79° 19' 47") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	0.3
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 002 discharges to: Unnamed Tributary 46465 to Crooked Creek

The proposed effluent limits for *Outfall 002* (Lat: 40° 39' 37" Long: -79° 19' 43") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to September 30, 2023:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	1.1
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	-

The EPA Waiver is not in effect.

Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191, (Contact: Cayleigh Boniger).

NPDES No. PA0241776 (Permit No. 10000103). Seneca Landfill, Inc. (P.O. Box 1080, Mars, PA 16046) renewal of an NPDES permit for a bituminous surface mine in Jackson and Lancaster Townships, **Butler County**, affecting 82.1 acres. Receiving streams: unnamed tributary to Connoquenessing Creek, classified for the following uses: WWF. TMDL: None. Application received: April 6, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to unnamed tributary to Connoquenessing Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF2	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

NPDES No. PA06156688 (Mining Permit No. 65810113), M.B. Energy Inc. (175 McKnight Road, Blairsville, PA 15717) permit renewal for a treatment system located in Cook and Donegal Townships **Westmoreland County**. Receiving streams: Unnamed Tributary to Fourmile Run classified for the following use(s): TSF. Application received: March 29, 2019.

The following treatment outfall discharges to UNT to Fourmile Run.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	TFO

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35	70	90
Net Alkalinity, Total (as CaCO ₃)	0			
Acidity, Total (as CaCO ₃)			Report	
Net Alkalinity, Total (as CaCO ₃)			Report	
Flow (gpm)			Report	
Sulfate			Report	
Specific Conductivity (µmhos/cm)			Report	
Temperature (°C)			Report	

Noncoal NPDES Draft Permits

Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191, (Contact: Cayleigh Boniger).

NPDES No. PA0258890 (Permit No. 37100301). Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201) renewal of an NPDES permit for a large industrial mineral surface mine in Slippery Rock Township, **Lawrence County**, affecting 47.0 acres. Receiving streams: Slippery Rock Creek, classified for the following uses: CWF. TMDL: None. Application received: April 28, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
002	N
003	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

The following outfall discharges to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. EA2301220-021/WL2301220-001, Kimberly-Clark Pennsylvania, LLC, Front & Avenue of the States, Chester, PA 19103, City of Chester, Delaware County, ACOE Philadelphia District.

Kimberly-Clark Pennsylvania, LLC is proposing to restore the following watercourses associated with their Market Street Pier and are listed as follows:

- To remove an existing dock facility located within the Delaware River (WWF-MF) and is associated with an existing DEP Water Obstruction and Encroachment Permit (E23-245). This activity includes the removal of dock structure pilings with remaining portions at river bottom, cut and cap an abandoned 24-inch water intake pipe at bulkhead with remaining pipe to be left in place at river bottom resulting in 1.62 acre of dock facility removed from the Delaware River, and 4.15 acres of temporary

watercourse impact due to the installation of a turbidity curtain as a temporary measure for erosion and sedimentation best management practice.

2. To remove a 558-foot long coal conveyor system over Chester Creek (WWF-MF) upstream of its confluence with the Delaware River (WWF-MF) and is associated with an existing DEP Water Obstruction and Encroachment Permit (E23-094) resulting in 190 linear feet (2,280 square feet) removed over the watercourse and 152 linear feet (1,805 square feet) removed from within the floodway.

Existing Submerged Land License Agreements (SLLA) for both water obstructions are subject to modification or termination due to restoration activities and are to be further assessed. This project is located at 1 Avenue of the States in Chester City, Delaware County (USGS PA Bridgeport Quadrangle—Latitude 39.843966 N, Longitude 75.355073 W).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4002220-025. NP Hanover Logistics, LLC, 4825 NW 41st Street, Suite 500, Riverside, MO 64150, in Hanover Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To fill and maintain 0.71 acre of PEM wetlands for the purpose of constructing a portion of a 486,720 ft² Warehouse Building and a portion of an adjoining 35-space parking lot as part of the “Chamber/Loomis” industrial development project. The project will provide 1.11 acre of wetland mitigation. The project is located approximately 0.4 mile north of the intersection of S.R. 29 (South Cross Valley Expressway) and South Valley Parkway (Wilkes-Barre West, PA Quadrangle Latitude: 41° 12' 16.18"; Longitude: -75° 57' 38.78") in Hanover Township, Luzerne County.

E4002220-024. Robert and Julie Lutsky, 3634 St. Mary's Road, Wapwallopen, PA 18660, in Dorrance Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To maintain the following after-the-fact water obstructions and encroachments associated with the construction of a single-family residence:

1) A crossing of 0.026 acre of PFO wetlands (EV) consisting of a 12-foot wide gravel access road.

2) A utility line crossing of PFO wetlands (EV) consisting of a 24-inch diameter corrugated plastic pipe.

3) A utility line crossing of PFO wetlands (EV) consisting of a 6-inch diameter PVC sewage pipe.

The permittee will provide 0.052 acre of replacement wetlands.

The project is located at 3634 St. Mary's Road, approximately 0.14 mile southeast of the intersection of St. Mary's Road (T-404) and Skapura Road (Sybertsville, PA Quadrangle Latitude: 41° 5' 51.2" Longitude: -76° 1' 3.81") in Dorrance Township, Luzerne County.

E4502220-022. Brodhead Creek Regional Authority, 410 Mill Creek Road, East Stroudsburg, PA 18301, in Stroud Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a permanent rock j-hook structure for re-directing stream flow and managing the deposition of gravel and sediment. This will include perpetual maintenance and removal of accumulated gravel and sediment around the raw water intake structure of the water filtration plant. The structure will also serve as a permanent access ramp for the perpetual maintenance. In addition, gravel bars in the areas immediately upstream of the raw water intake structure will be removed and restored down to the normal stream bed elevation. The project is located at 410 Mill Creek Road. (East Stroudsburg, PA Quadrangle, Latitude: 41° 1' 4"; Longitude: -75° 12' 6").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0703220-021. Logan Township, 1760 McMahan Road, Altoona, PA 16602, in Logan Township, **Blair County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 4-foot diameter, 42-foot long CMP in a UNT to Brush Run (WWF, MF) and permanently impacting 0.04 acre of EV wetlands located in Logan Township, Blair County (Latitude: 40.493893; Longitude: -78.388111) for the purpose of gain access to a landlocked parcel.

E3603219-002. East Hempfield Township, 1700 Nissley Road, Landisville, PA 17538 in East Hempfield Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To remove existing structure and to install and maintain a (1) 2 43.5 linear foot 12-foot × 5-foot box culverts with 1 foot uniform depression in Little Conestoga Creek (TSF, MF) and 1 31.5 linear foot 16-foot × 4 foot box culvert with 1-foot uniform depression in UNT Little Conestoga Creek (TSF, MF) and (2) place fill within a unused mill race. The project proposes to impact 164 feet of Little Conestoga Creek (TSF, MF) and 125 feet of UNT Little Conestoga Creek (TSF, MF). There is .001 ac of permanent PEM Wetland impacts and .001 ac of temporary PEM wetland impacts. The project is located in Hempfield Township, Lancaster County (40.0796°, -76.3515°).

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02052-1836, Allegheny County Department of Public Works, 501 County Office Building, 542 Forbes Avenue, Pittsburgh, PA 15219, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Remove the existing 21' wide, single-span, two-lane bridge that carries Coulterville Road over Long Run (HQ-TSF).

2. Construct, operate, and maintain a replacement, 32' wide, single-span, two-lane, concrete spread box beam bridge over Long Run.

3. Relocate, operate, and maintain 40' of a 48" concrete pipe carrying a UNT to Long Run.

4. Relocate an existing 18" outfall structure on the upstream side of the north abutment by constructing and maintaining a new 18" outfall structure on the downstream side of the north abutment.

For the purpose of replacing the existing, structurally-deficient bridge.

The project will permanently impact 53 linear feet of Long Run, 0.033 acre of the floodway, and 0.014 acre of the floodplain. The project will temporarily impact 0.170 acre of the floodway and 0.003 acre of the floodplain.

The project site is located near the intersection of Coulterville Road and Lincoln Way (McKeesport, PA USGS topographic quadrangle; N: 40°, 19', 24"; W: -79°, 47', 16"; Sub-basin 19D; USACE Pittsburgh District), in White Oak Borough, Allegheny County.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D15-405. Chris & Patricia Washburn, 910 Malvern Drive, Pottstown PA 19465. To modify, operate, and maintain Lake Washburn Dam across a tributary to Pigeon Creek (HQ-TSF, MF), for the purpose of modifying the principal spillway structure in order to pass the required design storm (Pottstown, PA Quadrangle N: 15.2 in.; E: 10.6 in. in North Coventry Township, **Chester County**.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0035033 (Sewage)	Pinebrook Bible Conference & Retreat Center 5339 Pinebrook Road East Stroudsburg, PA 18301-7187	Monroe County Stroud Township	Brodhead Creek (CWF (existing use)) (1-E)	Yes
PA0060755 (Sewage)	Wyoming County Housing Authority— Meshoppen Townhouse Apartments 133 S J Bailey Road Nicholson, PA 18446	Wyoming County Meshoppen Township	Little Meshoppen Creek (CWF) (4-G)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0087955 A-1 (Sewage) Issued	Cassville STP P.O. Box 48 Cassville, PA 16623-0048	Huntingdon County Cass Township	Unnamed Tributary of Little Trough Creek (TSF) Watershed(s) 11-D	Yes
PA0032883 (Sewage) Issued	Duncansville STP P.O. Box 502 Duncansville, PA 16635-1359	Blair County Duncansville Borough	Blair Gap Run (TSF) Watershed(s) (11-A)	Yes

Northcentral Region: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0024091 (Sewage)	Millville Borough Sewer System STP P.O. Box 30 Millville, PA 17846-0030	Columbia County Millville Borough	Little Fishing Creek (CWF) (5-C)	Yes
PA0028100 (Sewage)	Turbotville Wastewater Treatment Plant 105 Sodom Road Milton, PA 17847	Northumberland County Turbotville Borough	Unnamed Tributary to Warrior Run (WWF) (10-D)	Yes
PA0021652 (Sewage)	Kreamer Municipal Authority Sewer WWTF P.O. Box 220 Kreamer, PA 17833-0220	Snyder County Middlecreek Township	Middle Creek (TSF) (6-A)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0027537 (Industrial)	Hampton Shaler Water Authority 3101 McCully Road P.O. Box 66 Allison Park, PA 15101-1331	Allegheny County Shaler Township	Allegheny River (WWF) (18-A)	Yes
PA0093262 (Sewage)	PennDot Bureau of Maintenance and Operations 400 North Street 6th Floor Harrisburg, PA 17120	Washington County North Bethlehem Township	Unnamed Tributary of Chartiers Creek (HQ-WWF) (20-F)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0272990 (Sewage)	Jaelyn Rohrman SRSTP 107 McConnell Drive Butler, PA 16001-8318	Butler County Franklin Township	Unnamed Tributary to the Mulligan Run (CWF) (20-C)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0239356 (Sewage)	Robert C. Montgomery SRSTP 1042 Enterprise Road Grove City, PA 16127	Mercer County Pine Township	Unnamed Tributary to the Swamp Run (CWF) (20-C)	Yes
PA0222313 (Sewage)	Gene Kidder SRSTP 370 Old Blackhawk Road Beaver Falls, PA 15010-9768	Jefferson County Barnett Township	Unnamed Tributary to Cathers Run (HQ-CWF) (17-B)	Yes
PA0272973 (Sewage)	Jeannette Kilner SRSTP 259 Old Route 8 Titusville, PA 16354-7555	Venango County Cherrytree Township	Unnamed Tributary to Oil Creek (CWF) (16-E)	Yes
PA0240206 (Sewage)	Brett A & Nicole Y Neely SRSTP 34789 Tryonville Road Townville, PA 16360-3431	Crawford County Steuben Township	Unnamed Tributary to Navy Run (HQ-CWF) (16-A)	Yes
PA0222810 (Sewage)	Brian G. Pitell SFTF 707 Little Creek Road Evans City, PA 16033	Butler County Connoquenessing Township	Unnamed Tributary to the Little Connoquenessing Creek (CWF) (20-C)	Yes
PA0239763 (Sewage)	Collins Reffner SFTF 406 Keck Road Butler, PA 16002-1052	Butler County Summit Township	Unnamed Tributary to Bonnie Brook (WWF) (20-C)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0288284, Sewage, SIC Code 8800, **Darlene Grooms**, 249 Ekastown Road, Sarver, PA 16055-9519.

This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0273112, Sewage, SIC Code 8800, **Bruce A. Miller**, 106 Albert Drive, Prospect, PA 16052-9515.

This existing facility is located in Lancaster Township, **Butler County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

NPDES Permit No. PA0288357, Sewage, SIC Code 8800, **Dennis Hanson**, 6558 E Lake Road, Erie, PA 16511-1539.

This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

WQM Permit No. 4598410 A-2, Sewage, SIC Code 4911, **Comm Utilities of Pennsylvania**, 570 Hallet Road, East Stroudsburg, PA 18301.

This existing facility is located in Stroud Township, **Monroe County**.

Description of Proposed Action/Activity: Refurbishment of the Penn Estates Community Sewage Pump Station # 1 by installing dual non-clog submersible pumps in lieu of the existing pneumatic ejectors now in service. Flow rates will remain unchanged to NPDES PA0060283.

WQM Permit No. 5420401, Sewage, SIC Code 4952, **Schuylkill County Municipal Authority**, 221 S Centre Street, Pottsville, PA 17901-3506.

This proposed facility is located in Mahanoy Township, **Schuylkill County**.

Description of Proposed Action/Activity: A Permit for the construction of a new 0.49 MGD Sewage Only Treatment Plant to service a 540-acre Industrial Park that will be comprised of multiple proposed warehouses. The sewage effluent will discharge under NPDES Permit PA0276189. The site will be called the SCMA-Mahanoy WWTP and no industrial waste is anticipated.

WQM Permit No. WQG02482001, Sewage, SIC Code 4952, **Northampton Borough**, 1401 Laubach Avenue, Northampton, PA 18067-1677.

This proposed facility is located in Northampton Borough, **Northampton County**.

Description of Proposed Action/Activity: Construction of a low-pressure sewage system for the Willow Brook Phase II residential development that will discharge into the Northampton Borough gravity public sewer system.

Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636.

WQM Permit No. 1720403, Sewage, SIC Code 4952, **Wisor Dalton**, 141 Old Camp Road, West Decatur, PA 16878-9127.

This existing facility is located in Bradford Township, **Clearfield County**.

Description of Proposed Action/Activity: New Permit for existing SFTF.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1020406, Sewage, SIC Code 8800, **Darlene Grooms**, 249 Ekastown Road, Sarver, PA 16055-9519.

This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1015402 A-1, Sewage, SIC Code 8800, **Bruce A Miller**, 106 Albert Drive, Prospect, PA 16052-9515.

This existing facility is located in Lancaster Township, **Butler County**.

Description of Proposed Action/Activity: Amendment to install Premier Tech coco filter system.

WQM Permit No. 2520410, Sewage, SIC Code 8800, **Dennis Hanson**, 6558 E Lake Road, Erie, PA 16511-1539.

This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PA460049	Michael Downs Toll PA XIV LP 250 Gibraltar Road Horsham, PA 10944	Montgomery County	Upper Dublin Township	Unnamed Tributary to Wissahickon Creek TSF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390095 Authorization/ Issuance	PennDOT Engineering District 5-0 1002 Hamilton St. Allentown, PA 18101	Lehigh	Upper Macungie Township and Maxatawny Township	Schaefer Run (HQ-CWF, MF)
PAD390045 Authorization/ Issuance	Jaindl Land Company 3150 Coffeetown Rd. Orefield, PA 18069	Lehigh	Upper Macungie Township	Haasen Creek (HQ-CWF, MF) UNT to Haasen Creek (HQ-CWF, MF) Iron Run (HQ-CWF, MF)
PAD480123 Issuance	Silver Maple, L.P. c/o Joseph DeLuca, Jr. 370 East Maple Avenue Suite 101 Langhorne, PA 19047-2859	Northampton	Hanover & East Allen Townships	Catasauqua Creek (CWF, MF) & Monocacy Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD010007 Issued	PennDOT Engineering District 8-0 2140 Herr Street Harrisburg, PA 17103	Adams	Reading Township	Markel Run (WWF, MF) EV Wetlands

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140061 Renewal	State College Area School District 131 West Nittany Avenue State College, PA 16801	Centre	State College Boro	Trib to Slab Cabin Run

Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020027	Quaker Valley Recreation Association, Inc. (QVRA) P.O. Box 48 Sewickley, PA 15143	Allegheny County	Bell Acres Borough	Little Sewickley Creek (HQ-TSF)
PAD020029	Housing Authority of the City of Pittsburgh 200 Ross Street Ninth Floor Pittsburgh, PA 15219	Allegheny County	City of Pittsburgh	Allegheny River (WWF)
PAD300009	Greene County 93 East High Street Waynesburg, PA 15370	Greene County	Franklin Township	Wisecarver Run (HQ-WWF)

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Elk County Conservation District, 850 Washington Street, St. Marys, PA 15857, 814-776-5373.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD240006A1	City of St. Marys 11 Lafayette Street Saint Marys, PA 15857	Elk	City of Saint Marys	Elk Creek CWF

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC090366	Doylestown Township Municipal Authority 425 Wells Road Doylestown, PA 18901-2717	Doylestown Township Bucks County	Mill Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090378	JERC Partners XXV 171 State Route 173 Suite 201 Asbury, NJ 08802-1365	Chalfont Borough Bucks County	West Branch Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230078 A-1	Walsh Construction Company II, LLC 300 S. Pennell Road Suite 610 Media, PA 19063	Middletown Township Delaware County	Chester Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230160	Rose Tree Media School District 308 N. Olive Street Media, PA 19063	Middletown Township Delaware County	Unnamed Tributary to Chester Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC350088 Authorization/ Issuance	Howard Gardner MI Charter School 1615 East Elm Street Scranton, PA 18505-3925	Lackawanna	City of Scranton	Stafford Meadow Brook via Storm Sewer (WWF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC400100 A-4 Authorization/ Issuance	Northpoint Hanover Industrial LLC Eric Watts 4825 NW Forty-First St Ste 500 Riverside, MO 64150	Luzerne	Hanover Twp	Espy Run (CWF, MF) UNT to Espy Run (CWF, MF) Nanticoke Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC060246 Issued	Muhlenberg Township Authority 2840 Kutztown Road Reading, PA 19605-2695	Berks	Muhlenberg Township	UNT Laurel Run (WWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC210189 Issued	200 First Street Associates, LLC 171 Bittersweet Drive Hershey, PA 17033-2601	Cumberland	East Pennsboro Township	University Run (WWF, MF) UNT Susquehanna River (WWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC380162 Issued	The Hershey Company 1025 Reese Avenue Hershey, PA 17033	Lebanon	South Anneville Township North Londonderry Township	Killinger Creek (TSF, MF) UNT Quittapahilla Creek (TSF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC500022 Issued	Fishing Creek Valley Associates 4712 Smith Street Harrisburg, PA 17109	Perry	Marysville Borough	UNT Fishing Creek (WWF, MF) UNT Susquehanna River (WWF, MF)	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717.582.8988, ext. 4
PAC670372 Issued	Sparrows Way, LP 2 Kacey Court Suite 201 Mechanicsburg, PA 17055	York	Dover Township	UNT Little Conewago Creek (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
PAC670408 Issued	Living Word Community Church 2530 Cape Horn Road Red Lion, PA 17356	York	York Township	UNT Mill Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC140097	Kenneth J Sharkey 297 Neff Rd Howard, PA 16841	Boggs Township Centre County	UNT to Bald Eagle Creek CWF, MF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte PA 16823 (814) 355-6817
PAC600054	PPL Electric Utilities Corporation Lake Portieles 2 North Ninth Street Allentown, PA 18101-1139	Kelly Township White Deer Township Milton Borough West Chilliquequa Township, Union County	West Branch Susquehanna River and UNT's WWF, ME	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC040050 A-1	Great Living, LLC 1768 North Main Street Suite 4 Butler, PA 16001	Chippewa Township	UNT to Wallace Run (WWF); UNT to Walnut Bottom (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC040032 A-2	Rochester Joint Sewer Authority 395 Adams Street First Floor Rochester, PA 15074	Rochester Borough	Ohio River (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC040077	Beaverdam Founders Development, LLC 1800 Glamorgan Street Alliance, OH 44601	Big Beaver Borough	UNT to Stockman Run (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC110057	Richland School District 1 Academic Avenue Suite 200 Johnstown, PA 15904	Richland Township	UNT to Little Paint Creek (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
PAC630155	Mount Pleasant Township Municipal Authority P.O. Box 411 Hickory, PA 15340	Mount Pleasant Township	Westland Run (WWF); Millers Run (WWF); Chartiers Creek (WWF); Raccoon Creek (WWF)	Washington County Conservation District 2800 North Main Street Suite 105 Washington, PA 15301 724-705-7098

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC370047	Westminster College 319 South Market Street New Wilmington, PA 16172	New Wilmington Borough Lawrence County	UNT to Little Neshannock Creek TSF	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370049	Shenango Area School District 2501 Old Pittsburgh Road New Castle, PA 16101	Shenango Township Lawrence County	UNT to Big Run WWF	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC200062	Deist Industries 3550 Perry Highway Hadley, PA 16130	Saegertown Borough Crawford County	UNT French Creek WWF	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269

General Permit Type—PAG-03

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>Permit No.</i>	<i>Facility Location: Municipality & County</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG032269 (Storm Water)	PFNonwovens LLC 101 Green Mountain Road Hazleton, PA 18202	Luzerne County Hazle Township	Tomhicken Creek (CWF, MF) (5-E)	Yes

General Permit Type—PAG-08

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Contact Office & Phone No.</i>
PAG083556	Lancaster Area Sewer Authority 130 Centerville Road Lancaster, PA 17603	Susquehanna Water Pollution Control Facility 4160 Blue Rock Road Washington Boro, PA 17582 Manor Township Lancaster County	Southcentral Region— Clean Water 717-705-4707

General Permit Type—PAG-08 (SSN)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Contact Office & Phone No.</i>
PAG08	Synagro P.O. Box B 1605 Dooley Rd Whiteford, MD 21160	Milmark Sickafus Farm Jefferson Twp Berks County	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 3540445, Operations Permit, Public Water Supply.

Applicant	Versum Materials US, LLC— Hometown Facility 357 Marion Avenue Tamaqua, PA 18252
Township	Rush Township
County	Schuylkill
Type of Facility	PWS

Consulting Engineer	NA
Permit to Operate Issued	June 8, 2020

Permit No. 3390817-E2, Operations Permit, Public Water Supply.

Applicant	Yocco's, Inc. (Yocco's South Restaurant) 16 East Minor Street Emmaus, PA 18049
Township	Upper Milford Township
County	Lehigh
Type of Facility	PWS
Consulting Engineer	Mr. Thomas G. Pullar, P.E. Senior Project Manager Earthres Group, Inc. P.O. Box 468 Pipersville, PA 18947

Permit to Operate Issued	June 15, 2020
--------------------------	---------------

Permit No. 3540037, Operations Permit, Public Water Supply.

Applicant	Pine Grove Borough 1 Snyder Avenue Pine Grove, PA 17963
Borough	Pine Grove Borough
County	Schuylkill
Type of Facility	PWS
Consulting Engineer	Mr. David Kavitski PE Sr Project Manager Bcm Engineers 705 Ingham St Freeland, PA 18224

Permit to Operate Issued	June 22, 2020
--------------------------	---------------

Permit No. 4820501, Public Water Supply.

Applicant	Bethlehem Authority 10 East Church Street Bethlehem, PA 18018-6005
City and County	City of Bethlehem Northampton County
Responsible Official	Mr. Stephen Repasch Executive Director 10 East Church Street Bethlehem, PA 18018-6005
Type of Facility	Public Water Supply

Consulting Engineer Mr. Ronald B. Madison, PE
Maser Consulting, P.A.
941 Marcon Blvd.
Suite 801
Allentown, PA 18109-9335

Permit Issued Date June 1, 2020

Permit No. 2400140, Operations Permit, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc. (Sand Springs Water System)**
1 Aqua Way
White Haven, PA 18661

Township Butler Township

County **Luzerne**

Type of Facility PWS

Consulting Engineer Douglas Berg, P.E.
Sr. Project Manager
Entech Engineering, Inc.
8 Silk Mill Drive
Suite 211
Hawley, PA 18428

Permit to Operate Issued June 15, 2020

Permit No. 4018515, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
1 Aqua Way
White Haven, PA 18661

Township Dennison & Butler Townships

County **Luzerne**

Type of Facility PWS

Consulting Engineer Mr. Jonathan Morris, P.E.
GHD, Inc.
326 East Second St.
Bloomsburg, PA 17815

Permit to Construct Issued June 12, 2020

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3820503 MA, Minor Amendment, Public Water Supply.

Applicant **Wellspan Philhaven**

Municipality West Cornwall Township

County **Lebanon**

Responsible Official Tammy Petrasic
Engineering Manager
283 South Butler Road
P.O. Box 550
Mt Gretna, PA 17064

Type of Facility Installation of a new pitless adapter on Well No. 4.

Consulting Engineer Randolph S. Bailey, P.E.
Wm. F. Hill & Assoc., Inc.
207 Baltimore Street
Gettysburg, PA 17325

Permit to Construct Issued June 1, 2020

Permit No. 2220505 MA, Minor Amendment, Public Water Supply.

Applicant **Pennsylvania American Water**

Municipality Steelton Borough

County **Dauphin**

Responsible Official Bruce Alton,
VP—Engineering
852 Wesley Drive
Mechanicsburg, PA 17055

Type of Facility Replacement of the clearwell partition/divider wall.

Consulting Engineer Scott L. Armbrust, P.E.
Pennsylvania American Water
852 Wesley Drive
Mechanicsburg, PA 17055

Permit to Construct Issued June 10, 2020

Operation Permit No. 3618507 MA issued to: **City of Lancaster (PWS ID No. 7360058)**, East Lampeter Township, **Lancaster County** on June 12, 2020 for facilities approved under Construction Permit No. 3618507 MA.

Operation Permit No. 3618521 issued to: **City of Lancaster (PWS ID No. 7360058)**, East Lampeter Township, **Lancaster County** on June 12, 2020 for facilities approved under Construction Permit No. 3618521.

Operation Permit No. 2220502 MA issued to: **Borough of Gratz (PWS ID No. 7220005)**, Gratz Borough, **Dauphin County** on April 3, 2020 for facilities approved under Construction Permit No. 2220502 MA.

Operation Permit No. 4420504 MA issued to: **GSP Management Company (PWS ID No. 4440005)**, Derry Township, **Mifflin County** on June 4, 2020 for facilities at North Hills MHP approved under Construction Permit No. 4420504 MA.

Operation Permit No. 0620508 MA issued to: **Pennsylvania American Water Company (PWS ID No. 3060069)**, Sinking Spring Borough, **Berks County** on June 15, 2020 for facilities approved under Construction Permit No. 0620508 MA.

Transferred Comprehensive Operation Permit No. 7220048 issued to: **Short Mountain Village MHC, LLC (PWS ID No. 7220048)**, Washington Township, **Dauphin County** on June 2, 2020. Action is for a Change in Ownership for Short Mountain Village MHP, Dauphin County for the operation of facilities previously issued to Jason Ficks.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1420505MA, Minor Amendment, Public Water Supply.

Applicant **Walker Township Water Association**
P.O. Box 160
Mingoville, PA 16856

Borough or Township Walker Township

County **Centre County**

Type of Facility Public Water Supply—Construction

Consulting Engineer Mr. Jeff Garrigan
Herbert, Rowland, Grubic Inc.
2568 Park Center Boulevard
State College, PA 16801

Permit Issued June 26, 2020

Operations Permit issued to: **Osceola Township Municipal Authority**, 112 South Tuscarora Street, P.O. Box 249, Osceola, PA 16942, **PWSID No. 2590045**, Osceola Township, **Tioga County** on June 24, 2020, for the operation of facilities approved under construction permit # 5906501. This permit approves operation of the Osceola Township distribution system, transmission mains, three individual residence booster pumps, and rehabilitation of Schoolhouse and Renkin Wells. Construction for this project was completed in 2008; however, an operation permit was not issued at that time.

Operations Permit issued to: **Osceola Township Municipal Authority**, 112 South Tuscarora Street, P.O. Box 249, Osceola, PA 16942, **PWSID No. 2590045**, Osceola Township, **Tioga County** on June 24, 2020, for the operation of facilities approved under construction permit # 5918501. This permit authorizes operation of the recently constructed Greensand Plus filtration system for iron and manganese removal and pre-/post-sodium hypochlorite disinfection facilities.

Operations Permit issued to: **Jersey Shore Area Joint Water Authority**, 334 Tiadiaghton Avenue, Jersey Shore, PA 17740, **PWSID No. 4410156**, Jersey Shore Borough, **Lycoming County** on June 26, 2020, for the operation of facilities approved under construction permit # 4194501-A1. This permit designates Pine Creek Plant at Entry Point No. 101 as a reserve source.

Operations Permit issued to: **Shady Grove Christian School**, 124 Turkey Run Road, Mifflinburg, PA 17844, **PWSID No. 6019501**, Buffalo Township, **Union County** on June 24, 2020, for the operation of facilities approved under construction permit # 6019501. This permit authorizes operation of the recently-constructed treatment facilities for the existing nontransient noncommunity public water system at Shady Grove Christian School. This approval includes Well No. 1 as a source of supply, the transmission line, one hydropneumatic tank, ferric chloride and sodium hypochlorite chemical feed systems, two 120-gallon detention tanks, one dual tank arsenic removal system, one dual-tank softening system, 6-gpm flow restrictor, inline static mixer, 5-micron sediment removal filter, and the distribution system.

Permit No. 4120505MA, Minor Amendment. Public Water Supply.

Applicant **Williamsport Municipal Water Authority**
253 West Fourth Street
Williamsport, PA 17701

Borough or Township City of Williamsport

County **Lycoming County**

Type of Facility Public Water Supply—
Construction

Consulting Engineer Erin Threet, P.E.
HRG, Inc.
776 Bull Run Crossing
Lewisburg, PA 17837

Permit Issued June 24, 2020

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Pittsburgh Water & Sewer Authority**, 1200 Penn Avenue, Pittsburgh, PA 15222, **PWSID No. 5020038**, City of Pittsburgh, **Allegheny County** on June 17, 2020 for the operation of facilities approved under construction permit # 0217549 for the Highland Reservoir No. 1 Microfiltration Plant.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Lower Frankford Township	1205 Easy Rd Carlisle, PA 17015	Cumberland

Plan Description: Approval of a revision to the official plan of Lower Frankford Township, Cumberland County. The project is known as Brian Negley. The plan provides for a Small Flow Treatment Facility with a dry stream discharge. The proposed development is located at 110 Clover Lane. The Department’s review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-21913-113-3s and the APS Id is 1007756. Any required NPDES Permits or WQM permits must be obtained in the name of the property owner.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
East Huntingdon Township	East Huntingdon Township Ms. Alexandria Torock 2494 Route 981 P.O. Box 9 Alverton, PA 15612	Westmoreland

Plan Description: The approved plan revision consists of the installation of a Small Flow Treatment Facility that will provide sewage service to single family home owned by Bill Tedesco. The Planning Module Component was approved as the Lost Warrior Bison Ranch Ltd. Property. The property is located at 300 West Overton Road, Scottdale, PA 15683.

The treated effluent will be discharged into an unnamed tributary of Jacobs Creek which is classified as Warm Water Fisheries stream.

Any required NPDES Permits or WQM Permits must be obtained in the name of the applicant as appropriate.

The Department’s review of the sewage facilities revision has not identified any significant environmental impacts results from this proposal.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
North Huntingdon Township	North Huntingdon Township Ms. Jeffrey Silka Twp. Manager 11279 Center Highway North Huntingdon, PA 15642	Westmoreland

Plan Description: The approved plan revision provides for the construction of a Small Flow Sewage Treatment Facility (S.F.S.T.F.) to serve an existing residential building located on the property owned by Susan C. Troisi. The property is located at 3031 Baker School Road, Irwin, PA 15642.

The treated effluent will be discharged into an unnamed tributary of Brush Creek which is classified as Trout Stocking Fisheries stream.

Any required NPDES Permits or WQM Permits must be obtained in the name of the applicant as appropriate.

The Department's review of the sewage facilities revision has not identified any significant environmental impacts results from this proposal. The installation of this SFSTF will address a malfunctioning septic system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in

the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

1400 East Lackawanna Avenue, 1400 East Lackawanna Avenue, Olyphant, PA 18447, Olyphant Borough, **Lackawanna County**. Langan Engineering and Environmental Services, P.O. Box 1569, Doylestown, PA 18901, on behalf of Eastern PA Land Investment Holding LLC, P.O. Box 96, Temple, PA 19560, submitted a Baseline Environmental Report Work Plan concerning remediation of soil and groundwater contaminated with metals and organic chemicals from historic site operations. The report is intended to document plans to remediate the site to meet Special Industrial Area Standards.

300 Furnace Street, 300 Furnace Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**. Geo-Technology Associates, 2405 John Fries Highway, Quakertown, PA 18951, on behalf of 300 Furnace Street LLC, 2227 Albright Avenue, Allentown, PA 18104, submitted a combined Remedial Investigation Report and Cleanup Plan concerning remediation of soil contaminated by historic fill and a release of heating oil. The report is intended to document remediation of the site to meet Site-Specific Standards.

Collins Property, 4613 Hamlin Highway, Moscow, PA 18444, Jefferson Township, **Lackawanna County**. Mountain Research, 825 25th Street, Altoona, PA 16601, on behalf of Cindy Collins, 4613 Hamlin Highway, Moscow, PA 18444, submitted a Final Report concerning remediation of soil contaminated by heating oil. The report is intended to document remediation of the site to meet Statewide Health Standards.

Weiler Corporation, 1 Weiler Drive, Barrett Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Cresco Realty LLC, 1 Weiler Drive, Cresco, PA 18431, submitted a Final Report concerning remediation soil and groundwater contaminated with heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Silberline Manufacturing Company Inc., 201 East Dock Street, Lansford, PA 18232, Lansford Borough, **Carbon County**, Hydro-Terra Group, 7420 Derry Street, Harrisburg, PA 17111, on behalf of Silberline Manufacturing Company, 201 East Dock Street, Lansford, PA 18232, submitted a Risk Assessment concerning remediation of site soil and groundwater contaminated due to releases of # 6 fuel oil and volatile organic compounds at the site. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Weaver Precast, Inc., 14 Pleasant Valley Road, Ephrata, PA 17522, Ephrata Township, **Lancaster County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of The Weaver Business

Family, 824 East Main Street, Ephrata, PA 17522 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Former Fincor Automation, Inc., 3750 East Market Street, York, PA 17042, Springettsbury Township, **York County**. WSP USA, Inc., 11 Stanwix Street, Suite 950, Pittsburgh, PA 15222, on behalf of Emerson, 8000 West Florissant Avenue, St. Louis, MO 63136, and SK Realty Management, LLP, 254 West 31st Street, 4th Floor, New York, NY 10001 submitted a Final Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with VOCs. The combined Report is intended to document remediation of the site to meet the Site-Specific Standard.

Schneider Electric, USA, Inc., 5460A Pottsville Pike, Leesport, PA 19533, Ontelaunee Township, **Berks County**. Civil and Environmental Consultants, Inc., 4350 Northern Pike, Suite 141, Monroeville, PA 15146, on behalf of Schneider Electric, USA, Inc., 70 Mechanic Street, C41-32, Foxboro, MA 02035, submitted a Final Report concerning remediation of site soil contaminated with arsenic. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

620 Sycamore Drive, 620 Sycamore Drive, Columbia, PA 17512, West Hempfield Township, **Lancaster County**. BL Companies, Inc., 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of 620 Sycamore Drive Associates, LLC, One Tower Bridge, 100 Front Street, Suite 560, West Conshohocken, PA 19428, submitted a Remedial Investigation Report, Risk Assessment, and Final Report concerning remediation of site soil contaminated with metals associated with a historically iron ore deposit. The combined Report is intended to document remediation of the site to meet the Site-Specific Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Greylock Production LLC, Whitetail, 1237 Stump Lick Run, Goshen Township, **Clearfield County**. Moody and Associates, Inc., 199 Johnson Road, Bldg 2, Suite 101, Houston, PA 15342, on behalf of Greylock Production, LLC, 500 Corporate Landing, Charleston, WV 25311, has submitted a Remedial Investigation Report concerning remediation of site soil contaminated with brine. The report is intended to document remediation of the site to meet the Site-Specific Standard.

R. Gill Corp. Diesel Fuel Cleanup, U.S. Route 15S at SR 220 Interchange, City of Williamsport, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of R. Gill Corporation, 6 Marconi Court, Bolton, ON L7E1H3, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard for soils.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Wilson Area School District, 2111 Butler Street, Easton, PA 18042, Wilson Borough, **Northampton County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Wilson Area School District, 2040 Washington Boulevard, Easton, PA 18042, submitted a revised final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on June 29, 2020.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Titusville Wax Plant, 1007 East Spring Street (Frmly. 1100 East Main Street), City of Titusville, **Crawford County**. Wood Environment & Infrastructure Solutions, Inc., 4600 J Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of Honeywell, 101 Columbia Road, Morristown, NJ 07962, submitted a Remedial Investigation/Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with Volatile Organic Compounds, Semi-volatile Organic Compounds, Polychlorinated Biphenyls, and Metals. The Report was disapproved by the Department on June 12, 2020.

REGISTRATION FOR RESIDUAL WASTE GENERAL PERMITS

Registration(s) Issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit Application No. WMGR123SW041. Range Resources Appalachia, LLC, Company, 3000 Town Center Blvd., Canonsburg, PA 15317. A request for registration for coverage under General Permit WMGR123 to construct and operate the DMC East Reuse Water Storage Facility for storage and reuse of oil and gas liquid waste at a facility located at 54 McClelland Road, Claysville, PA 15323 in Buffalo and East Finley Townships, **Washington County**. The registration was granted by the Regional Office on June 25, 2020.

Persons interested in reviewing the general permit may contact Gregory Holesh, Environmental Engineering Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP9-48-031: New Enterprise Stone & Lime Co., Inc. (3912 Brumbaugh Road, New Enterprise, PA 16664) on June 26, 2020, for the operation of IC Engines at the facility located in Lower Mount Bethel Township, **Northampton County**.

GP3-48-031: New Enterprise Stone & Lime Co., Inc. (3912 Brumbaugh Road, New Enterprise, PA 16664) on June 26, 2020, for the operation of a portable stone

crushing plant at the facility located in Lower Mount Bethel Township, **Northampton County**.

GP3-35-022: Latona Trucking, Inc. (620 South Main Street, Pittston, PA 18640) on June 18, 2020 for the construction and operation of a Portable Crushing Operation with watersprays and the installation and operation of IC engines located at the Alliance Landfill located in Taylor Borough, **Lackawanna County**.

GP9-35-022: Latona Trucking, Inc. (620 South Main Street, Pittston, PA 18640) on June 18, 2020 for located at the Alliance Landfill located in Taylor Borough, **Lackawanna County**.

GP1-35-009: Westlake Plastics Company (91 Hickory Street, Mayfield, PA 18433) on June 23, 2020 for the renewal of the boiler permit located at the facility in Mayfield Borough, **Lackawanna County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

GP5-24-180E: National Fuel Gas Midstream Clermont West Compressor Station (12753 Shawmut Grade Road, Emporium, PA 15834) on June 19, 2020, for the authority to construct new sources and the incorporation/modification of existing sources (BAQ-GPA/GP5) located at their facility in Jones Township, **Elk County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

39-00006G: American Craft Brewery LLC (7880 Penn Drive, Breinigsville, PA 18031) issued on June 2, 2020 to memorialize 79.0 tons of NO_x emission reduction credits for use in Plan Approval 39-00006F, thus making them Federally enforceable and non-expiring for the facility located in Upper Macungie Twp., **Lehigh County**.

54-00009B: OMNOVA Solutions Inc. (95 Hickory Drive, Auburn, PA 17922) issued on June 23, 2020 for the re-designation of the facility as an area source of HAP emissions located in West Brunswick Twp., **Schuylkill County**.

40-00136B: Medico Industries Inc. (1500 Highway 315, Wilkes-Barre, PA 18702) issued on June 23, 2020 for two paint lines with filters/dryers at the site located in Plains Twp., **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

22-05010A: Texas Eastern Transmission LP (429 Station Road, Grantville, PA 17028) on June 23, 2020, for the construction of two (2) new natural gas-fired simple cycle turbines at the Grantville Compressor Station lo-

cated in East Hanover Township, **Dauphin County**. These new turbines will replace four (4) turbines. The turbines will be built with SoLoNO_x dry low NO_x (DLN) technology for the control of NO_x and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current 445 bhp emergency generator (Source ID 035) with a Waukesha VGF24GL 585 bhp, natural gas, emergency generator. The project will also include the installation of two (2) fuel gas heaters, each rated at 1.154 MMBtu/hr heat input, one space heater rated at 0.200 MMBtu/hr, three (3) separator vessels each rated less than 500 gallons used to collect pipeline liquids, one (1) 2,260 gallons pipeline liquids tank, two (2) 3,550 gallons oil tanks and one (1) 10,000 gallons oily water tank.

Southwest Region: 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

PA-04-00468E: S.H. Bell Company (P.O. Box 11495, 644 Alpha Dr., Pittsburgh, PA 15238-0495) Plan Approval issuance date effective June 23, 2020, to allow the installation and temporary operation of a portable bag-house rated at 45,000 SCFM at their mineral processing facility located in Ohioville Borough, **Beaver County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

23-0034: Villanova University (800 E Lancaster Avenue, Villanova, PA 1603) on June 23, 2020 for a plan approval authorizes installation and temporary operation of 6 New Natural Gas Emergency Generators in Radnor Township, **Delaware County**.

09-0223: Morton Salt Inc. (12 Solar Drive, Fairless Hills, PA 19030) on June 23, for the installation of a fluid bed dryer and associated high-efficiency multi-cyclone, as well as additional salt processing and packaging equipment an existing salt processing and packaging facility in Falls Township, **Bucks County**.

15-0157: USSC Acquisition Corp (101 Gordon Drive, Exton, PA 19341-1320) on June 23, 2020 for the relocation of existing sources to a new facility at 101 Gordon Drive, in Uwchlan Township, **Chester County**.

15-0081B: Johnson Matthey Inc. (1401 King Road, West Chester, PA 19380-1467) on June 23, 2020 to allow modification to the existing Vertical Wet Scrubbers (Nitric-Scrubbers) (Source ID: 102) to ensure compliance with the allowable limits for HCl and HNO₃ and to require only one scrubber unit to operate at any given time in West Whiteland Township, **Chester County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

59-00017G: Waupaca Foundry, Inc. (18986 Route 287, Tioga, PA 16946) on June 25, 2020, to extend the plan approval expiration date to December 27, 2020 to

authorize continued operation of two fabric collectors and duct heaters for the facility's two metal pouring lines at its Lawrenceville Plant in Lawrence Township, **Tioga County**.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

PA-65-00887A: MSI Corporation (210 1st Street, Vandergrift, PA 15690-1100) Plan Approval Extension issued on June 23, 2020, to facilitate the shake-down of sources and air cleaning devices at their metal processing facility located in Vandergrift Borough, **Westmoreland County**.

30-00233B: Hill Top Energy Center, LLC (P.O. Box 169, Carmichaels, PA 15320-0169) on June 26, 2020, to begin the temporary operating period for the Hill Top Energy Center natural gas-fired combined cycle power plant located in Cumberland Township, **Greene County**. The new expiration date is September 28, 2020.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00306: BASF Corporation (370 Frankfort Road, Monaca, PA 15061-2210). Title V Operating Permit on June 23, 2020, the Department of Environmental Protection (DEP) authorized a renewed Title V Operating Permit for the continued operation of a styrene/butadiene dispersion emulsion manufacturing facility located in Potter Township, **Beaver County**. The permit includes operating requirements and work practice standards, along with monitoring, recordkeeping, and reporting requirements to ensure that the facility complies with all applicable Federal and State air quality regulations. Sources at this facility are subject to 40 CFR Part 60 Subpart IIII, 40 CFR Part 63 Subpart ZZZZ, 40 CFR Part 60 Subpart Kb, 40 CFR Part 60 Subpart Dc, and 40 CFR Part 63 Subpart VVVVVV.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00057: Brandywine Hospital, LLC (201 Reeceville Road, Coatesville, PA 19320) on June 21, 2020 for a renewal for a Non-Title V Facility, State-Only, Synthetic Minor Permit for the operation of two (2) boilers, six (6) diesel fired emergency generators and two (2) parts washers at their facility in Caln Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03171A: York Building Products Co., Inc. (828 East Earl Road, New Holland, PA 17557) on June 18, 2020, for the concrete plant in East Earl Township, **Lancaster County**. The State-Only Permit was renewed.

07-03017: CCK, Inc. t/a Juniata Packing Co. (118 Poorman Street, P.O. Box 276, Tyrone, PA 16686-0276) on June 24, 2020, for the meat processing and smoking facility in Snyder Township, **Blair County**. The State-Only Permit was renewed.

06-05020: Craft Maid Kitchens, Inc. (501 South 9th Street, Bldg. C, Reading, PA 19602-2524) on June 25, 2020, for the wood kitchen cabinet manufacturing facility in Reading City, **Berks County**. The State-Only Permit was renewed.

07-03053: Keystone Cremation Center LLC (14443 S. Eagle Valley Road, Tyrone, PA 16686-8132) on June 26, 2020, for two human crematory units at the facility located in Snyder Township, **Blair County**. The State-Only Permit was renewed.

67-03181: Hartenstein Funeral & Cremation Care, Inc. (P.O. Box 96, New Freedom, PA 17349) on June 26, 2020, for the operation of a human crematory facility in Stewartstown Borough, **York County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814.472.1900, (Contact: Melanie Ford-Wigfield).

Permit 56200102 and NPDES No. PA0279749. Mountaineer Mining Corp., 1010 Garrett Shortcut Road, Berlin, PA 15530, commencement, operation and restoration of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 151.9 acres. Receiving stream(s): unnamed tributaries to/and Tubs Run and to Buffalo Creek classified for the following use(s): cold water fishes. There are no potable water supply

intakes within 10 miles downstream. Application received: February 3, 2020. Permit issued: June 24, 2020.

Permit 56743138 and NPDES No. PA0606511. Cooney Brothers Coal Co., P.O. Box 246, Cresson, PA 16630, permit renewal for reclamation only of a bituminous surface mine in Ogle and Adams Townships, **Somerset and Cambria Counties**, affecting 739.51 acres. Receiving streams: Paint Creek and unnamed tributaries to/and Babcock Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 16, 2020. Permit issued: June 25, 2020.

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

17930124 and NPDES PA0219649. RES Coal LLC (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit renewal for reclamation only of a bituminous coal surface and auger mine located in Woodward and Decatur Townships, **Clearfield County** affecting 346.0 acres. Receiving stream(s): North Branch to Upper Morgan Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: October 8, 2019. Permit issued: June 24, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118 (Contact: Theresa Reilly-Flannery).

Permit No. 54860107R6. Reading Anthracite Company (P.O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite surface mine, coal refuse reprocessing and coal refuse disposal operation in Cass Township, **Schuylkill County** affecting 786.0 acres. Receiving stream: West Branch Schuylkill River. Application received: January 29, 2019. Renewal issued: June 26, 2020.

Permit No. PAM113023R2. Reading Anthracite Company (P.O. Box 1200, Pottsville, PA 17901), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54860107 in Cass Township, **Schuylkill County**, receiving stream: West Branch Schuylkill River. Application received: January 29, 2019. Renewal issued: June 26, 2020.

Permit No. GP12-54860107R. Reading Anthracite Company (P.O. Box 1200, Pottsville, PA 17901), renewal of general operating permit to operate a coal preparation plant on Surface Mining Permit No. 54860107 in Cass Township, **Schuylkill County**. Application received: January 29, 2019. Renewal issued: June 26, 2020.

Permit No. 54840106R7. Reading Anthracite Company (P.O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite surface mine, coal refuse reprocessing and coal refuse disposal operation in West Mahanoy and Butler Townships, **Schuylkill County** affecting 447.6 acres. Receiving streams: Shenandoah and Mahanoy Creeks. Application received: September 4, 2019. Renewal issued: June 26, 2020.

Permit No. PAM112032R2. Reading Anthracite Company (P.O. Box 1200, Pottsville, PA 17901), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54840106 in West Mahanoy and Butler Townships, **Schuylkill County**, receiving streams: Shenandoah and Mahanoy Creeks. Application received: September 4, 2019. Renewal issued: June 26, 2020.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814.472.1900, (Contact: Melanie Ford-Wigfield).

Permit 01180301 and NPDES No. PA0279617. Specialty Granules, LLC, 1455 Old Waynesboro Road, Blue Ridge Summit, PA 17214, commencement, operation and restoration of a large noncoal (industrial minerals) operation in Hamiltonban Township, **Adams County**, affecting, 112.3 acres. Receiving streams: unnamed tributaries to/and Toms Creek classified for the following use: High Quality, Cold Water Fishes and Migratory Fishes (HQ-CWF-MF). There are no potable water supply intakes within 10 miles downstream. Application received: January 5, 2018. The applicant demonstrated Social or Economic Justification to show that lowering water quality is necessary to accommodate important economic or social development in the area of Special Protection waters. Permit issued: June 26, 2020.

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

14120302. Graymont (PA) Inc. (375 Graymont Road, Bellefonte, PA 16823). Permit revision to mine one additional lift, deepening the ultimate pit floor elevation by 50 feet from 810' MSL to 760' MSL on an existing large noncoal mine located in Spring Township, **Centre County**. Receiving stream(s): Unnamed Tributaries to Logan Branch classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Permit issued: June 17, 2020.

59040301 and NPDES PA0243868. Jody Fisher dba Fisher Aggregate, 1658 Buckwheat Hollow Road, Lawrenceville, PA 16929, renewal for an existing NPDES on a large noncoal surface mining site located in Lawrence Township, **Tioga County** affecting 9.6 acres. Receiving stream(s): Daily Creek classified for the following use(s): WWF. Application received: January 8, 2020. Permit issued: June 24, 2020.

53140801 and NPDES PA0269603. Donald R. Reed (392 Ridge Road, Genesee, PA 16923). Renewal for an existing NPDES on a small noncoal surface mining site located in Genesee Township, **Potter County** affecting 5.0 acres. Receiving stream(s): West Branch Genesee River classified for the following use(s): HQ-CWF. Application received: September 25, 2019. Permit issued: June 24, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 13204101. Valley Rock Solutions, LLC (P.O. Box 246, Macungie, PA 18062), construction blasting for St. Luke's Blue Mountain Hospital in Franklin Township, **Carbon County** with an expiration date of June 16, 2021. Permit issued: June 18, 2020.

Permit No. 45204103. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Mt. Pocono Development in Mt. Pocono Borough, **Monroe County** with an expiration date of June 12, 2021. Permit issued: June 18, 2020.

Permit No. 22204104. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for UPS Northeast HUB roadway in Lower Swatara Township, **Dauphin County** with an expiration date of June 16, 2021. Permit issued: June 22, 2020.

Permit No. 45024104. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting at 939 McKinley Way in Smithfield Township, **Monroe County** with an expiration date of June 18, 2021. Permit issued: June 22, 2020.

Permit No. 36204116. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Amos Zimmerman manure pit in Clay Township, **Lancaster County** with an expiration date of September 30, 2020. Permit with issued: June 22, 2020.

Permit No. 36204115. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Zook Esh Yorder Phase 2 in East Lampeter Township, **Lancaster County** with an expiration date of June 30, 2021. Permit issued: June 23, 2020.

Permit No. 36204117. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Chad Kyllonen in West Donegal Township, **Lancaster County** with an expiration date of August 20, 2020. Permit issued: June 23, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4802219-006. Walnutport Authority, 417 Lincoln Ave, Walnutport, PA 18088-1418. Walnutport Borough, **Northampton County**, Army Corps of Engineers Philadelphia District.

To install and maintain a utility line crossing of 78 linear feet of the Lehigh Canal (TSF, MF) and 28 linear feet of associated floodway. The utility line crossing will consist of a 6-inch diameter HDPE water main to be installed via horizontal directional drilling.

The project is located on the right side of South Canal Street approximately 0.3 mile after the intersection of South Canal Street and Main Street (Cementon, PA Quadrangle Latitude: 40° 44' 58" Longitude: -75° 35' 56") in Walnutport Borough, Northampton County.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1804219-005: Clinton County Board of Commissioners, 232 E. Main St., Fl 3, Lock Haven, PA 17745-1312. Bald Eagle Valley Trail—Phase 4 & 5, Pine Creek and Wayne Townships, **Clinton County**, U.S. Army Corps of Engineers Baltimore District (Jersey Shore Quadrangle; Latitude 41° 9' 55.37" N; 77° 20' 6.98" W).

The applicant is authorized to rehabilitate the existing railroad bridge crossing the West Branch Susquehanna River (WWF, MF) for use as a rails-to-trails pedestrian bridge, including removal of the existing timber tie deck and rails and placement of new nail laminated timber deck and railing system. On the west bank, the applicant is authorized to construct and maintain an approach ramp and two-span approach ramp bridge to connect the bridge crossing to the existing Bald Eagle Valley Trail to the west of the project. On the east bank, the applicant is authorized to construct and maintain a double switchback ramp and a new trail surface aggregate trail along the existing farm road to the east to connect the bridge crossing to Old River Road to the east of the project. The project will have the following permeant impacts: water-course indirect impact of 5,934 sf., floodway direct impact of 42,490 sf., and wetland indirect impact of 435 sf.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E30052-265, Greene County, 93 East High Street, Waynesburg, PA 15370, Franklin Township, **Greene County**; Pittsburgh ACOE District.

Has been given consent to:

1. Place and maintain fill in a de minimis amount (0.0043 acre) of Wetland 03 (PEM).

2. Place and maintain fill in approximately 187 linear feet of an unnamed tributary (UNT) to Browns Creek (HQ-WWF), which has a drainage area of less than 100 acres.

3. Place and maintain approximately 187 feet by 100 feet of fill within the floodway of the aforementioned UNT, which has a drainage area of less than 100 acres.

For the purpose of constructing three softball fields and associated parking area. Since wetland impacts are de minimis, compensatory mitigation is not required. The project site is located on State Route 4035, 0.25 mile north of the intersection between State Route 18 and State Route 4035 (Waynesburg, PA USGS topographic quadrangle; N: 39°, 54', 18"; W: -80°, 12', 29.39"; Sub-basin 19B; USACE Pittsburgh District), in Franklin Township, Greene County.

E30052-267, Dominion Energy Transmission, Inc., 5000 Dominion Boulevard, Glen Allen, VA 23060, Franklin Township, **Greene County**; Pittsburgh ACOE District.

Has been given consent to:

1. Remove the lagging wall and fill the temporary trench to stabilize the lines.

2. Fill and maintain 0.10 acre of floodway of two UNTs to Smith Creek (WWF).

3. Fill and maintain 0.14 acre of PEM Wetland (1B) which was impacted by the landslide. 0.14 acre of mitigation will be required, and the applicant has elected to purchase mitigation bank credits from the Robinson Form Mitigation Bank, located in the adjacent Ohio River Sub-basin 20, pending approval.

4. Temporarily fill 0.01 acre of PEM wetland (1D).

5. Temporarily fill 0.11 acre of floodway of two UNTs to Smith Creek (WWF).

For the purpose of remediation and stabilization of two landslides along the existing right of ways of their natural gas transmission lines TL-492 and TL-342. The applicant was provided an emergency permit (EP3019202) in April 2019, in order to temporarily unearth TL-342 to reduce the stress to the line and to build a temporary beam and lagging wall within a trench to support the excavation and prevent instability and stress to the upslope TL-492 line. The project site is located approximately 1.1 mile south of the intersection of Greenhouse Road and Whites Ridge Road off of Whites Ridge Road (Oak Forest, PA USGS topographic quadrangle; N: 39°, 50', 25.39"; W: -80°, 13', 11.0886"; Sub-basin 19J; USACE Pittsburgh District), in Franklin Township, Greene County.

E65052-1002, West Penn Power Company, a First-Energy Company, 800 Cabin Hill Drive, Greensburg, PA 15601, Hempfield Township, **Westmoreland County**; Pittsburgh ACOE District.

Has been given consent to:

Place and maintain fill in 0.44 acre of wetlands to expand an existing 500 kV Yukon substation to address thermal overloads, at existing transformers, under a Critical Events scenario. These impacts to wetlands will be mitigated through the purchase of 0.44 wetland mitigation credits from the Robinson Fork Phase 2 Mitigation Bank within the Monongahela River Sub-basin 20.

The project site is located at 926 Greensburg Pike, West Newton, PA 15089 (Smithton, PA USGS topographic quadrangle; N: 40°, 12', 35.2332"; W: -79°, 43', 31.1988"; Sub-basin 19D; USACE Pittsburgh District), in Sewickley Township, Westmoreland County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E4206220-001, Highland Field Services, LLC, 51 Zents Blvd, Brookville, PA 15825. Mt. Jewett Evaporator Site, in Hamlin and Sergeant Townships, **McKean County**, ACOE Pittsburgh District (Mount Jewett, PA Quadrangle N: 41°, 41', 8.9574"; W: -78°, 38', 8.736").

To permanently fill approximately 0.4 acre of wetlands and construct approximately 0.65 acre of on-site replacement wetlands in order to construct an evaporator unit on a site that has been previously disturbed for industrial purposes along Campbelltown Road approximately 2.3 miles from Halsey Road near Mt. Jewett (Mount Jewett, PA Quadrangle N: 41°, 41', 8.9574"; W: -78°, 38', 8.736") in Hamlin and Sergeant Townships, McKean County.

E2006120-001, PA DOT District 1-0, 255 Elm St., Oil City, PA 16301. SR 1001 SEG 0090 OFFSET 2000, in Woodcock Township, **Crawford County**, ACOE Pittsburgh District (Meadville, PA Quadrangle N: 41°, 41', 3.50"; W: 80°, 8', 37.14").

To install and maintain a 120-ft long, 63-in outside diameter (58-in inside diameter) polyethylene pipe slip liner within the existing 72-in diameter corrugated metal pipe carrying a UNT French Creek under S.R. 1001-0060-2000 (Park Avenue Extension) approximately 0.15 mile north of its intersection with Hogue Road (Meadville, PA Quadrangle N: 41°, 41', 3.50"; W: 80°, 08', 37.14") in Woodcock Township, Crawford County.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E6629220-021: Appalachia Midstream Services, LLC, 30351 Route 6, Wysox, PA 18854, Windham Township, **Wyoming County**, ACOE Baltimore District.

To construct, operate and maintain the Trowbridge Well Line Project, which consists of one 10-inch natural gas pipeline, with the following impacts:

1. 855 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands and 11,639 square feet of temporary floodway impacts to UNT to Susquehanna River (WWF, MF) via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 52.05", Longitude: W 76° 09' 11.64");

2. 2,449 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands and 2,533 square feet of

temporary floodway impacts to UNT to Susquehanna River (WWF, MF) via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 46.81", Longitude: W 76° 09' 16.94");

3. 2,061 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 46.81", Longitude: W 76° 09' 22.04");

4. 5,517 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 40.48", Longitude: W 76° 09' 25.49");

5. 5,576 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 28.84", Longitude: W 76° 09' 43.44");

6. 1,734 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands and 3,438 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 30.77", Longitude: W 76° 09' 48.47");

7. 1,346 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 24.28", Longitude: W 76° 09' 55.14");

8. 50.0 linear feet of a UNT to Roaring Run (CWF, MF) and 11,429 square feet of temporary floodway impacts via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 23.74", Longitude: W 76° 09' 55.88");

9. 2,863 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 23.15", Longitude: W 76° 09' 56.64");

10. 50.0 linear feet of a UNT to Roaring Run (CWF, MF), 6,532 square feet of temporary floodway impacts, 8,985 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands, and 5,364 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 31.89", Longitude: W 76° 10' 38.48");

11. 5,935 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 28.44", Longitude: W 76° 11' 17.52"); and

12. 1,125 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 18.33", Longitude: W 76° 11' 35.62").

The project will result in 100.0 linear feet of stream impacts, 32,133 square feet (0.74 acre) of temporary floodway impacts, 28,698 square feet (0.66 acre) of temporary PEM wetland impacts, and 18,550 square feet

(0.43 acre) of permanent PFO wetland impacts all for the purpose of installing one 10-inch natural pipeline and associated access roadways for Marcellus shale development.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northcentral Region: Waterways & Wetlands Program Manager, 208 W Third Street, Williamsport, PA 17701.

ESCP 2 # ESG0010517003(1) Major Mod
Applicant Name Transcontinental Gas Pipeline Company, LLC

Contact Person Mr. Steve Hall
Address 8701 Port Jackson Ave NW
City, State, Zip North Canton, OH 74720
County Potter
Township(s) Wharton Township
Receiving Stream(s) and Classification(s) E, MFV

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG294120008-00
Applicant Name ARD Operating LLC
Contact Person Jennifer McCarthy
Address 500 Dallas Street, Ste 2930
City, State, Zip Houston, TX 77002-4701
County Lycoming
Township(s) Cascade
Receiving Stream(s) and Classification(s) UNT1 West Branch Wallis Run (HQ, EV), East Branch Wallis Run (HQ, EV), UNTs East Branch Wallis Run (HQ, EV); Secondary: Wallis Run (HQ, EV), Wallis Run (HQ, EV), Wallis Run (HQ, EV)

STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
20-39-013	Allentown Hospital 1700 West Chew Street Allentown, PA 18104 Attn: Donald Hougendobler	Lehigh	Salisbury Township	1 AST storing diesel fuel	25,000 gallons

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a

description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at

the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Vigilantes Enterprises, 09-42408, 1214 Bristol Pike, Bensalem Township, **Bucks County**. Geo-Enviro Consulting & Remediation LLC, 371 Hoes Lane, Suite 200, Piscataway, NJ 08854, on behalf of Mr. Nick Vigilante, 1214 Bristol Pike, Bensalem, PA 19020-5604 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

Lukoil 69202, 46-42586, 1054 E. Main St., Upper Gwynedd Township, **Montgomery County**. EnviroTrac Ltd., 3070 Bristol Pike, Building 1, Suite 221, Bensalem, PA 19020, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Unleaded Gasoline. The report is intended to document remediation of the site to meet site-specific standards.

121 Point Breeze Term, 51-07149, 6310 Passyunk Ave., **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500 Exton, PA 19341, on behalf of Kinder Morgan Liquids Term., 6310 Passyunk Ave., Philadelphia, PA 19134 submitted a SCR 310(b) concerning remediation of soil contaminated with ethanol. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Getty 67435, 09-23947, 192 Durham Rd., PennDel Borough, **Bucks County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002 on behalf of Getty Properties Corp., Two Jericho Plaza, Suite 110, Wing C, Jericho, NY 11753 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet site-specific standards.

Sunoco 0363 9168, 46-30700, 1 W Skippack Pike, Whitpain Township, **Montgomery County**. Mulry Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Cumberland Gulf 153441, 15-40421, Route 724 & S. Hanover, North Coventry Township, **Chester County**. WSP-USA, 4 Westchester Park Drive, Suite 175, White Plains, NY 10604, on behalf of Cumberland Farms, Inc., 165 Flanders Road, Westborough, MA 01581 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded

gasoline. The report is intended to document remediation of the site to meet Statewide health standards.

Chucks Svc Ctr, 46-42826, 2304 Huntingdon Pike, Lower Moreland Township, **Montgomery County**. Storb Environmental, Inc., 410 Easton Road, Willow Grove, PA 19090, on behalf of Chuck's Service Center, 2304 Huntingdon Pike, Huntingdon Valley, PA 19006 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and waste oil. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Speedway 6805, 09-14498, 724 Street Rd., Upper Southampton Township, **Bucks County**. EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017, on behalf of Speedway LLC, 500 Speedway Drive, Enon, OH 45323 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum compounds. The report is intended to document remediation of the site to meet site-specific standards.

7 Eleven 30390, 15-24567, 1818 E. Lancaster Ave., Tredyffrin Township, **Chester County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., P.O. Box 711, Dallas, TX 75221-0711 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded and leaded gasoline. The report is intended to document remediation of the site to meet nonresidential site-specific standards.

US Gas 1, 51-40523, 2656 Frankford Ave., **Philadelphia County**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of Amar Petroleum Inc., 81 Steeple Chase Boulevard, Burlington, NJ 08016 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

C.F. Mart 3022, Storage Tank ID # 40-08512, 366 Wyoming Avenue, Kingston, PA 18704, Kingston Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Convenient Food Marts of PA, P.O. Box 236, Clarks Summit, PA 18411, has submitted a Remedial Action Completion Report concerning remediation of soil contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

Point Store, Storage Tank Facility ID # 44-12044, 5867 Highway 522 North, McClure, PA 17841, Decatur Township, **Mifflin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of Mr. Jeff Bell, Point Store, Lewistown, PA 17044 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

Ronks SVC, Storage Tank Facility ID # 36-09430, 2622 Lincoln Highway East, Ronks, PA 17572, East Lampeter Township, **Lancaster County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381 on behalf of Anil and Jyotsna Jivani, Lancaster Travel Plaza, LLC, 103 Nevermore Circle, North Wales, PA 19454-4423 submitted a Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Coen Oil—Front Lot, Primary Facility ID # 63-80436, 1100 W. Chestnut St., Washington, PA 15301, Washington City, **Washington County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Coen Markets, Inc., 1000 Philadelphia St., Canonsburg, PA 15317, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Former Dick Valley Texaco, Primary Facility ID # 02-23700, 8139 Bennet St., Pittsburgh, PA 15221, Pittsburgh City, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Ave., N.W., North Canton, OH 44720, on behalf of Gino Aquiline, 4630 Sardis Rd., New Kensington, PA 15068, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

The Remedial Action Plan was acceptable to meet nonresidential Statewide health standards and was approved by the DEP on May 26, 2020.

Helms Store, 15-43090, 2840 Manor Rd., West Brandywine Township, **Chester County**. Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335, on behalf of J.H. Mack Oil Company, P.O. Box 387, Telford, PA 18969 submitted a Remedial Action Completion report concerning remediation of soil and groundwater contaminated with petroleum products. The demonstrated attainment of site-specific standards and was approved by DEP on June 5, 2020. Report is intended to document remediation of the site to meet site-specific standards.

Eagleville Sunoco, 46-30212, 3201 W Ridge Pike, Lower Providence Township, **Montgomery County**. Mulry Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of residential and non-residential, Statewide health standards and was approved by the Department on June 16, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Sunoco 0004-2184, Storage Tank ID # 35-20320, 915 Wyoming Avenue, Scranton, PA 18509, Scranton City, **Lackawanna County**. EnviroTrac, 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sunoco, Inc., 1109 Milton Avenue, Syracuse, NY 13204, submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was acceptable for meeting Statewide Health Standards and was approved by DEP on June 24, 2020.

Convenient Food Mart 3025, Storage Tank ID # 35-08522, 401 Wyoming Avenue, Scranton, PA 18503, Scranton City, **Lackawanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Convenient Food Marts of PA Inc., 215 Clark Avenue, Clarks Summit, PA 18411, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

7 Eleven 40285, Storage Tank Facility ID # 36-09241, Route 625 & PA Turnpike, Bowmansville, PA 17505, Brecknock Township, **Lancaster County**. WSP USA, 4 Westchester Park Drive, Suite 175, White Plains, NY 10604 on behalf of Cumberland Farms, Inc. submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the Site-Specific Standard and was approved by DEP on June 18, 2020.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Mt. Lebanon Auto Service, Primary Facility ID # 02-80722, 301 Cochran Rd., Mt. Lebanon, PA 15228, Mt. Lebanon Township, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Ave., N.W., North Canton, OH 44720, on behalf of James Malacki, 301 Cochran Rd., Mt. Lebanon, PA 15228, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on June 23, 2020.

Jefferson Ave. Food Shop, Primary Facility ID # 63-096931300, Jefferson Ave., Washington, PA 15301, Washington City, **Washington County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Robert Grimes, Coen Markets, Inc., 1000 Philadelphia St., Canonsburg, PA 15317, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the site-specific health standards and was approved on June 25, 2020.

SPECIAL NOTICES

WATER MANAGEMENT

Proposed Total Maximum Daily Load (TMDL) for the Mummasburg Run Watershed in Adams County.

REQUEST FOR COMMENT

Central Office: Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774.

The Department of Environmental Protection will accept comments on the proposed TMDLs developed for the Mummasburg Run Watershed in Adams County. The TMDLs were established in accordance with the requirements of Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included impaired stream segments in the watershed. The listings of these segments were due to aquatic life use impairments caused by excessive siltation and nutrients from agriculture.

There currently are no state or federal in-stream numerical water quality criteria for sediment or nutrients. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loading of sediment and nutrients in the Mummasburg Run Watershed. The TMDLs included allocations for nonpoint sources, reserves for future point sources, as well as margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land, streambank and farm animal source sectors present in the watershed. Data used in establishing the TMDL were primarily generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loading within the watershed, the prescribed "TMDL" value, and % reductions needed under annual average conditions.

Summary of "TMDL"—Based Load Reductions (expressed as annual averages) in the Mummasburg Run Watershed

<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>"TMDL" (lbs/yr)</i>	<i>% Reduction</i>
Mummasburg Run	Sediment	1,995,664	760,817	62
Mummasburg Run	Phosphorus	3,342	1,252	63

The following table shows the estimated current sediment loading within the watershed, the prescribed "TMDL" value, and % reductions needed under 99th percentile daily loading conditions.

Summary of "TMDL"—Based Load Reductions (expressed as 99th percentile daily loading) in the Mummasburg Run Watershed

<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/d)</i>	<i>TMDL (lbs/d)</i>	<i>% Reduction</i>
Mummasburg Run	Sediment	100,882	28,509	72
Mummasburg Run	Phosphorus	168	48	71

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/MummasburgRunTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by emailing Michael Morris at michamorri@pa.gov.

Written/typed comments will be accepted at the above email address. Comment submissions must be submitted within 30 days after publication of this notice in the July 4, 2020 issue of the *Pennsylvania Bulletin*. The Department will consider all written/typed comments submitted within the deadline prior to submitting the final TMDL to EPA for

approval. To ensure timely receipt of comments given the office closure and work from home order, please do not mail hard copies of comments. Rather please submit them by email at michamorri@pa.gov. If comments cannot be emailed, please call Michael Morris at 717.772.5670 to request another method of comment submission.

[Pa.B. Doc. No. 20-903. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of the Non-Regulatory Agenda

In accordance with the Department of Environmental Protection's (Department) Policy for Development and Publication of Technical Guidance, the Department provides notice of the availability of the Non-Regulatory Agenda (Agenda) twice a year, in February and July.

The Agenda serves as a guide and resource to the regulated community, the public, Department staff and members of the Department's advisory committees regarding the focus of the Department's policy development for the coming year. The types of documents listed in the Agenda include policies and technical guidance documents that provide directives, guidance or other relevant compliance-related information.

The Agenda is available online at www.depgreenport.state.pa.us/elibrary/GetFolder?FolderID=4198 (select "DEP Non-Regulatory Agenda.PDF 0120-RE-DEP4509").

Questions regarding the Agenda can be directed to Abbey Cadden, Department of Environmental Protection, Policy Office, 400 Market Street, Harrisburg, PA 17101, ra-epthepolicyoffice@pa.gov or (717) 783-8727.

Questions regarding a specific document should be directed to the contact person listed on the Agenda for that specific document.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-904. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications.

Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Draft Technical Guidance: Substantive Revisions

DEP ID: 275-2101-003. Title: Air Quality Permit Exemptions. Description: Consistent with the provision of 25 Pa. Code § 127.14 (relating to exemptions), the Department may determine sources or classes of sources which may be exempt from the plan approval and permitting requirements of 25 Pa. Code Chapter 127 (relating to construction, modification, reactivation and operation of sources). In accordance with 25 Pa. Code § 127.14(d), the listing of these determinations is being revised and a draft is now available.

TGD No. 275-2101-003 identifies the following:

- exemptions under § 127.14(a)(8) that do not require submission of a Request for Determination form.
- exemptions under § 127.14(a)(8) that do require submission of a Request for Determination form.
- further qualifications regarding plan approval exempted sources.
- exemptions under § 127.14(a)(9) related to physical changes.
- exemption criteria for operating permits.

This guidance document is applicable to sources, which will be constructed as a new source, or modified after the effective date of this TGD. It does not apply to sources which were constructed or modified prior to the effective date of this guidance document and operating lawfully without a permit.

Written Comments: The Department invites written comments on the proposed list of plan approval and operating permit exemptions. Notice and opportunity for comment will also be provided to the United States Environmental Protection Agency and the states of Delaware, Maryland, New Jersey, New York, Ohio, Virginia and West Virginia.

These documents are available online on the Department's Bureau of Air Quality web site at <http://www.depgreenport.state.pa.us/elibrary/GetFolder?FolderID=4556> or contact Amanda Rodriguez, P.O. Box 8468, Harrisburg, PA 17105, amarodrigu@pa.gov, (717) 787-9702.

The Department must receive comments by Monday, August 24, 2020. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection.

tection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Sean Wenrich at sewenrich@pa.gov or (717) 772-3979.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

Final Technical Guidance: Minor Revisions

DEP ID: 263-3120-001. *Title:* Evaluation of Underground Storage Tank (UST) Liners. *Description:* This TGD provides guidelines for proper evaluation of internal linings of regulated UST systems. The TGD includes procedures for preparation, measurement requirements, assessment guidelines, report preparation and reporting requirements. Minor editorial revisions were made to this TGD to reference regulatory language which changed as a result of the December 22, 2018, revisions to the Storage Tank Regulations at 25 Pa. Code, Chapter 245 (relating to administration of the Storage Tank and Spill Prevention Program).

Contact: Questions regarding this TGD can be directed to Danielle Mattive at dmattive@pa.gov or (717) 772-5830.

Effective Date: July 11, 2020

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-905. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Justice Advisory Board Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Environmental Justice Advisory Board (Board) meeting scheduled for Tuesday, August 11, 2020, will be held as a virtual meeting and will begin at 1 p.m. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Board's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Allison Acevedo at alacevedo@pa.gov or (484) 250-5818.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Environmental Justice Advisory Board").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the August 11, 2020, meeting can be directed to Allison Acevedo at alacevedo@pa.gov or (484) 250-5818.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Allison Acevedo at (484) 250-5818 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-906. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Dredging of the Federal Navigation Channel in the Delaware River

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C.A. § 1455(d)(14)), relating to public participation during consistency determinations. The Department of Environmental Protection's (Department) Coastal Resources Management Program has received notice that the United States Army Corps of Engineers (USACE), Philadelphia District (Applicant) is proposing to conduct maintenance dredging in the Federal navigation channel of the Delaware River between Tincum Township, Delaware County and Falls Township, Bucks County (project).

The Applicant is proposing to conduct maintenance dredging of the Federally Authorized Navigation Channels in the Delaware River as follows: in the Philadelphia to Sea channel; hydraulic cutterhead dredging of approximately 300,000 cubic yards of predominately silt material between River Mile 89 and 92, utilizing a contractor yet to be determined, with upland placement of the dredged material into the Fort Mifflin confined disposal facility (CDF), a Federally owned and approved facility in Philadelphia. This proposed dredging is scheduled to be conducted in the fall/winter of 2020. In the Philadelphia to Trenton channel; hydraulic dredging of approximately 100,000 cubic yards of primarily sand material between River Miles 106 and 119 with upland disposal at the Fort Mifflin CDF. This proposed dredging is scheduled to be conducted by the USACE Hopper Dredge McFarland in August and September of 2020. In addition, between River Miles 119 and 126 with upland disposal at the Department/Waste Management Money Island CDF in Falls Township, PA. This proposed dredging is scheduled to be conducted by a yet to be determined contractor's suction-cutterhead hydraulic dredge in November or December 2020, or both.

The project is subject to Department review for Federal consistency because it is a Federal agency activity and will have reasonably foreseeable effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C.A. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations in 15 CFR Part 930, Subpart C (relating to consistency for

Federal agency activities), the USACE, Philadelphia District has determined that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Determination from the Department contact listed as follows.

Questions regarding this review can be directed to Matthew Walderon, Federal Consistency Coordinator, RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before Monday, July 27, 2020, before issuing a final Federal consistency concurrence or objection. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-907. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notice of Requirement to Submit Certain ESCGP-3 Applications through the Department of Environmental Protection's ePermitting System

The Department of Environmental Protection (Department) is providing notice that persons seeking to submit New or Major Modification Notices of Intent (NOI), or both for coverage to conduct activities under the Erosion and Sediment Control General Permit-3 (ESCGP-3) for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities to the Department's Bureau of District Oil and Gas Operations must submit those NOIs through the Department's ePermitting system as the NOI form provided by the Department. See 25 Pa. Code §§ 102.1 and 102.6 (relating to definitions; and permit application and fees). The Department's use of the ePermitting system as the form for these NOIs will be effective September 9, 2020. After this date, the Department will no longer accept New or Major Modification NOIs, or both submitted on paper.

The Department will continue to accept paper NOIs for Renewals submitted to the Department's Bureau of District Oil and Gas Operations where the existing Authorization of Coverage under the ESCGP-3 was originally issued. In addition, NOIs for ESCGP-3s submitted to a Conservation District of the Department's Regional Waterways and Wetlands Program should continue to be submitted to the appropriate office on paper. To the extent that an applicant for coverage under the ESCGP-3 is uncertain how to submit their NOI, they should contact the District Oil and Gas Office where the project will be located for further information.

Information concerning the Department's ePermitting system can be accessed at <https://www.dep.pa.gov/Business/Energy/OilandGasPrograms/OilandGasMgmt/Pages/ePermitting.aspx>. Questions regarding the ESCGP-3 electronic submission should be directed to Joseph Kelly at josephkel@pa.gov or (717) 772-2199.

A copy of the ESCGP-3 General Permit, the paper NOI form and instructions, and an updated ESCGP-3 Transition Plan is available by contacting the Department of Environmental Protection, Office of Oil and Gas Management, P.O. Box 8460, Harrisburg, PA 17105-8460, (717) 772-2199. The documents are also available on the Department's web site at <http://www.depgreenport.state.pa.us/elibrary/> (select "Permit and Authorization Packages," then "Oil and Gas," then "Erosion and Sediment Control General Permit ESCGP-3").

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-908. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Small Water Systems Technical Assistance Center Advisory Board Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Small Water Systems Technical Assistance Center Advisory Board (Board) meeting scheduled for Thursday, July 23, 2020, will be held as a virtual meeting and will begin at 9 a.m. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Board's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Dawn Hissner at dhissner@pa.gov or (717) 772-2189.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "Small Water Systems Technical Assistance Center (TAC) Advisory Board").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the July 23, 2020, meeting can be directed to Dawn Hissner at dhissner@pa.gov or (717) 772-2189.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Dawn Hissner at (717) 772-2189 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-909. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Stream Redesignation Evaluations; Cold Water Fishes in the Allegheny River Basin

Under 25 Pa. Code § 93.4d (relating to processing of petitions, evaluations and assessments to change a designated use) the Department of Environmental Protection (Department) gives notice that an evaluation will be conducted on the following named stream sections (and unnamed tributaries to) within the Allegheny River basin to determine the proper water use designations in this Commonwealth's Water Quality Standards.

<i>Stream Name</i>	<i>County</i>
Bailey Run	Allegheny
Blacks Run	Allegheny
Bodies Run	Allegheny
Bull Creek	Allegheny
Campbell Run	Allegheny
Clarks Run	Allegheny
Crawford Run	Allegheny
Crouse Run	Allegheny
Days Run	Allegheny
Deer Creek	Allegheny
Falling Springs Run	Allegheny
Girtys Run	Allegheny
Gourdhead Run	Allegheny
Guyasuta Run	Allegheny
Guys Run	Allegheny
Indian Creek	Allegheny
Lardintown Run	Allegheny
Little Bull Creek	Allegheny
Little Deer Creek	Allegheny
Little Pine Creek	Allegheny
Little Plum Creek	Allegheny
McCaskin Run	Allegheny
McDowell Run	Allegheny
McKnight Run	Allegheny
Montour Run	Allegheny
Nelson Run	Allegheny
Pine Creek	Allegheny
Plum Creek	Allegheny
Powers Run	Allegheny
Quigley Creek	Allegheny
Riddle Run	Allegheny
Sandy Creek	Allegheny
Shades Run	Allegheny
Tawney Run	Allegheny
Willow Run	Allegheny
Yutes Run	Allegheny
Armstrong Run	Armstrong

<i>Stream Name</i>	<i>County</i>
Beers Run	Armstrong
Big Run	Armstrong
Birch Run	Armstrong
Brady Run	Armstrong
Campbell Run	Armstrong
Carnahan Run	Armstrong
Coal Bank Run	Armstrong
Cove Run	Armstrong
Cowanshannock Creek	Armstrong
Craig Run	Armstrong
Craigs Run	Armstrong
Crooked Creek	Armstrong
Elbow Run	Armstrong
Elder Run	Armstrong
Fagley Run	Armstrong
Flat Run	Armstrong
Garretts Run	Armstrong
Glade Run	Armstrong
Gobblers Run	Armstrong
Guffy Run	Armstrong
Hart Run	Armstrong
Hays Run	Armstrong
Hill Run	Armstrong
Holder Run	Armstrong
Horney Camp Run	Armstrong
Huling Run	Armstrong
Huskins Run	Armstrong
Knapp Run	Armstrong
Limestone Run	Armstrong
Lindsay Run	Armstrong
Long Run	Armstrong
Mill Run	Armstrong
Nicholson Run	Armstrong
Pine Run	Armstrong
Rupp Run	Armstrong
South Branch Cowanshannock Creek	Armstrong
Spra Run	Armstrong
Spruce Run	Armstrong
Spur Run	Armstrong
Sugar Creek	Armstrong
Sugar Run	Armstrong
Taylor Run	Armstrong
Tub Mill Run	Armstrong
Watson Run	Armstrong
Whiskey Run	Armstrong
Wiskey Creek	Armstrong
Bull Creek	Butler

<i>Stream Name</i>	<i>County</i>
Fowler Run	Butler
Lardintown Run	Butler
Little Bull Creek	Butler
Lowrey Run	Butler
McDowell Run	Butler
Rocky Run	Butler
South Branch Bear Creek	Butler
Sugar Creek	Butler
Thoms Run	Butler
Cheney Run	Cambria
Clapboard Run	Cambria
Falls Run	Cambria
Hinckston Run	Cambria
Peggys Run	Cambria
Sams Run	Cambria
Solomon Run	Cambria
Black Fox Run	Clarion
Catfish Run	Clarion
Dunlap Creek	Clarion
Fiddlers Run	Clarion
Sandy Lick Creek	Clearfield
Adsit Run	Crawford
Barber Run	Crawford
Bennyhoof Creek	Crawford
Boles Run	Crawford
Brookhouser Creek	Crawford
Campbell Run	Crawford
Carr Run	Crawford
Cemetery Run	Crawford
Conneaut Outlet	Crawford
Conneauttee Creek	Crawford
Cussewago Creek	Crawford
Dick Run	Crawford
Gravel Run	Crawford
Kerns Run	Crawford
McMichael Run	Crawford
Mill Run	Crawford
Mohawk Run	Crawford
Mud Run	Crawford
North Deer Creek	Crawford
Powdermill Run	Crawford
Rock Creek	Crawford
Rundelltown Creek	Crawford
Sandy Creek	Crawford
Spring Run	Crawford
Torry Run	Crawford
Van Horne Creek	Crawford
Watson Run	Crawford

<i>Stream Name</i>	<i>County</i>
West Branch Cussewago Creek	Crawford
Williams Run	Crawford
Wolf Run	Crawford
Riley Run	Elk
Alder Brook	Erie
Bailey Brook	Erie
Benson Run	Erie
Boles Run	Erie
Conneauttee Creek	Erie
Cussewago Creek	Erie
Darrow Brook	Erie
Darrows Creek	Erie
East Branch LeBoeuf Creek	Erie
Hare Creek	Erie
Herrick Creek	Erie
Hubbel Run	Erie
LeBoeuf Creek	Erie
Shenango Creek	Erie
Townley Run	Erie
West Branch Cussewago Creek	Erie
West Branch French Creek	Erie
Wheeler Creek	Erie
Aultmans Run	Indiana
Coal Run	Indiana
Cowanshannock Creek	Indiana
Crooked Creek	Indiana
Gobblers Run	Indiana
Miller Run	Indiana
Neal Run	Indiana
Reeds Run	Indiana
South Branch Cowanshannock Creek	Indiana
Two Lick Creek	Indiana
Yellow Creek	Indiana
Allegheny Portage Creek	McKean
Kendall Creek	McKean
Lafferty Run	McKean
Potato Creek	McKean
Black Run	Mercer
Butchery Creek	Mercer
Dugan Run	Mercer
Fouk Run	Mercer
McConnell Run	Mercer
McCutcheon Run	Mercer
Mill Run	Mercer
North Deer Creek	Mercer

<i>Stream Name</i>	<i>County</i>
Powdermill Run	Mercer
Sandy Creek	Mercer
Sawmill Run	Mercer
Schofield Run	Mercer
Allegheny Portage Creek	Potter
Ajax Run	Venango
Clark Run	Venango
Ditzenberger Run	Venango
Falling Spring Run	Venango
Holeman Run	Venango
Morrison Run	Venango
Patchel Run	Venango
Perry Run	Venango
Siefer Run	Venango
Sulphur Run	Venango
Victory Run	Venango
Whann Run	Venango
Clark Run	Warren
Glade Run	Warren
Hare Creek	Warren
Beaver Run	Westmoreland
Bethel Run	Westmoreland
Campbelle Run	Westmoreland
Chartiers Run	Westmoreland
Crabtree Creek	Westmoreland
Davis Run	Westmoreland
Fourmile Run	Westmoreland
Freeman Run	Westmoreland
Getty Run	Westmoreland
Hendricks Creek	Westmoreland
Hypocrite Creek	Westmoreland
Keffer Run	Westmoreland
Little Crabtree Creek	Westmoreland
Little Pucketa Creek	Westmoreland
McCune Run	Westmoreland
McGee Run	Westmoreland
Monastery Run	Westmoreland
Ninemile Run	Westmoreland
Penn Run	Westmoreland
Pine Run	Westmoreland
Pucketa Creek	Westmoreland
Sawmill Run	Westmoreland
Saxman Run	Westmoreland
Snyders Run	Westmoreland
Tubmill Creek	Westmoreland
Union Run	Westmoreland
Whitethorn Creek	Westmoreland
Wolford Run	Westmoreland

The aquatic life use of each of these streams is currently designated Warm Water Fishes or Trout Stocking and may be eligible for Cold Water Fishes (CWF) protection.

The Department is seeking information concerning the water quality of the waters to supplement any evaluations or assessments that have been or are being performed for potential redesignation as CWF. Persons who have technical data concerning the water quality, instream habitat or biological condition of these stream sections are encouraged to make the data available to the Department for consideration in the evaluations. These evaluations may lead to recommendations by the Department to the Environmental Quality Board for redesignation.

Data should be submitted to Mark Brickner, Water Quality Division, Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774 or mbrickner@pa.gov. Data must be submitted by Monday, August 10, 2020. Questions concerning these evaluations can be directed to Mark Brickner at (717) 787-9637.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Mark Brickner directly at (717) 783-9719 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-910. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Professional Association Approved Guidelines and Adoption of the Human Milk Banking Association of North America Guidelines for Human Milk Banks in this Commonwealth per Act 7 of 2020

Under the authority of the Keystone Mothers' Milk Bank Act (act) (35 P.S. §§ 5011—5024), the Department of Health (Department) is responsible for the licensure and regulation of milk banks in this Commonwealth.

Under section 7(b)(1) of the act (35 P.S. § 5017), the Department transmits the following list of professional associations that have approved guidelines:

- The Human Milk Banking Association of North America

In addition, under section 7(b)(2) of the act, the Department hereby adopts the Human Milk Banking Association of North America as the professional association guidelines to use to maintain the necessary requirements and standards of review for the safe operation and accreditation of milk bank licensees in the Commonwealth effective August 3, 2020.

Accessibility

For more information or persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) contact Lori Gutierrez, Deputy Policy Director, Department of Health,

625 Forster Street, 8th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 547-3311, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-911. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Pharmaceutical Benefits Program Advisory Council Teleconference Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resource Emergency Act of 1990 (42 U.S.C.A. § 300ff-26), will hold a public telephonic meeting on Thursday, July 30, 2020, from 10 a.m. to 12 p.m. To participate dial in by location (877) 853-5247 (toll free). The meeting ID is 95229401117. Consider calling in by 9:50 a.m. so the meeting can begin promptly at 10 a.m. Individuals who have questions, call Sandy Brosius at (717) 547-3419.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary; covered lab services; drug utilization review; clinical programs; eligibility; and program management.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419, or for speech or hearing-impaired persons contact V/TT (717) 783-0572 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without prior notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-912. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Uniform Construction Code Review and Advisory Council Teleconference Meeting

The Uniform Construction Code Review and Advisory Council will hold a teleconference meeting on Tuesday, July 14, 2020, at 10 a.m.

The meeting's dial-in information will be available on the Department of Labor and Industry web site and published in the *Patriot News* in the meeting notice.

The Americans with Disability Act contact is Nathan Clark at (717) 772-9162.

Questions concerning this meeting may be directed to Nathan Clark at (717) 772-9162.

W. GERARD OLEKSIK,
Secretary

[Pa.B. Doc. No. 20-913. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Innovation Council Virtual Meeting

The State Transportation Innovation Council will hold its business meeting on Wednesday, July 22, 2020, from 10 a.m. to 11 a.m. over Skype. For more information, including registration, contact Anja Walker, (717) 425-6288, anjwalker@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 20-914. Filed for public inspection July 10, 2020, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Transportation Advisory Commission Virtual Meeting

The Transportation Advisory Commission (Commission) will hold a conference call meeting on Thursday, July 16, 2020, starting at 10 a.m. The meeting will be held virtually by means of Skype. The dial-in number is +1 (267) 332-8737. The conference ID is 427372607.

For more information, contact the Office of the State Transportation Commission at (717) 787-2913, RA-PennDOTSTC@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 20-915. Filed for public inspection July 10, 2020, 9:00 a.m.]

FISH AND BOAT COMMISSION

Additions to List of Class A Wild Trout Waters

The Fish and Boat Commission (Commission) approved the addition of 33 stream sections to its list of Class A Wild Trout Streams as set forth at 50 Pa.B. 1199 (February 22, 2020). Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource and to conserve

that resource and the angling that it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 20-916. Filed for public inspection July 10, 2020, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Additions, Revisions and Removal

The Fish and Boat Commission (Commission) approved the addition of 85 new waters to its list of wild trout streams and the revisions to the section limit of 8 waters as set forth at 50 Pa.B. 1195 (February 22, 2020). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams. The Commission's Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission's web site at <http://www.fishandboat.com/Fish/PennsylvaniaFishes/Trout/Pages/TroutWaterClassifications.aspx>.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 20-917. Filed for public inspection July 10, 2020, 9:00 a.m.]

HOUSING FINANCE AGENCY

CARES Rent Relief Program Guidelines; Correction

(Editor's Note: This notice supersedes the notice published at 50 Pa.B. 3351 (July 4, 2020).)

The Housing Finance Agency (Agency) hereby provides notice of the CARES Rent Relief Program (CARES RRP). CARES RRP was established under the Federal Coronavirus Aid, Relief, and Economic Security Act (Pub.L. No. 116-136) (act). The act established CARES RRP as an emergency response to the novel coronavirus (COVID-19) pandemic to disburse funds to counties throughout this Commonwealth to provide financial assistance on behalf of low to moderate income renters experiencing difficulty making rent payments as a result of the COVID-19 pandemic. Assistance shall be made available in the form of a grant and funds will be paid directly to landlords or property owners.

This notice describes the eligibility criteria, as well as the application submission and evaluation process. In addition, this notice identifies the timelines applicable to application submission and funding disbursement. Applications will be available on the Agency's CARES web site at <https://www.phfa.org/pacares/>. Participating organizations will accept CARES RRP applications beginning July 6, 2020, until September 30, 2020.

1. Eligibility Guidelines.

When calculating eligible assistance or household income, married lessees will be viewed under the CARES RRP program as one lessee. This means that a married couple's combined income shall be used when determining income eligibility and the couple may only receive assistance as one lessee. The individual incomes of unmarried lessees who reside in the same housing unit shall be used to determine eligibility and each may individually be eligible for the maximum amount of monthly assistance, not to exceed their monthly rent amount.

CARES RRP funds that will be disbursed to participating counties may be used to assist lessees that became unemployed after March 1, 2020, due to the COVID-19 pandemic, or lessees that are experiencing at least a 30% reduction in annual income related to COVID-19. The term "Unemployed" shall have the meaning as set forth in the act of December 5, 1936 (P.L. 2897, No. 1), known as the Unemployment Compensation Law.

Assistance may be provided to support lessees who are at least 30 days past due on their monthly rent payments and can verify job loss or loss of income related to COVID-19 rendering the lessee unable to pay rent. All CARES RRP assistance is subject to the availability of funding.

CARES RRP funds may only be used to cover rent incurred between March 1, 2020, and December 30, 2020. Property owners are eligible to apply on behalf of lessees. The maximum amount of monthly assistance is \$750.

The maximum CARES RRP funding available is \$4,500 throughout a period of 6 months.

For eligible lessees with current income of less than the pre-pandemic level, continuing assistance may be provided for a total of 6 months or until such time as the household income increases to the pre-pandemic level or to an amount which is no longer a 30% reduction, whichever comes first.

Eligible lessees must have an annualized current income of no more than the upper limit of "median income" as defined in guidelines published annually by the United States Department of Housing and Urban Development. To find the median income for a specific county, visit <https://www.huduser.gov/portal/datasets/il.html>. Select 2020 as the year and choose the "Click Here for FY 20 IL Documentation" link to view the income limit per household size.

The CARES RRP income limit can be calculated by doubling the 50% limit (adjusted by household size), compared with the annualized current income amount. Applicant will not be eligible if the annualized current income exceeds that 100% median income amount.

Lessees will be required to submit verification of income from January 2020 to the date of application in order for the Agency to determine the pre-circumstance level and post-circumstance level so that a determination can be made as to whether there was a 30% reduction in income. Income limits per household size may also be found on the CARES RRP section of Agency's web site.

Lessees who became unemployed after March 1, 2020, must be verified with the Department of Labor and Industry's Bureau of Unemployment Compensation. Lessees seeking CARES RRP assistance must be able to provide the following information to demonstrate CARES RRP eligibility, including but not limited to:

(a) Tenant pay stubs or income statements for the period beginning January 2020 until the date of application.

(b) A copy of the lease to verify rent and, in instances where the lease is a verbal lease agreement between the landlord and any lessee, third-party documentation verifying occupancy.

(c) Documentation to verify unemployment with the Department of Labor and Industry’s Bureau of Unemployment Compensation.

- (d) Required CARES RRP executed documents.
 - (i) Landlord Application.
 - (ii) Landlord/Property Certification Form.
 - (iii) Lessee Household Certification.

2. CARES RRP Timeline.

Program begins taking applications from Landlords/Renters	July 6, 2020
Application Deadline for Landlords/Renters	September 30, 2020
End of CARES Rent Relief Funding	November 30, 2020
CARES Report Due to Legislature	December 31, 2020

3. CARES RRP Compliance.

(a) *County Requirements.* Counties are required to track and monitor landlords and lessees benefiting from the use of CARES RRP funds, including, but not limited to, all of the following information for each lessee:

- (i) Lessee’s name.
- (ii) Lessee’s address.
- (iii) City, state and zip code.
- (iv) County.
- (v) Lease effective dates.
- (vi) Phone number.
- (vii) E-mail (if available).
- (viii) Landlord names.
- (ix) Monthly rent amount.
- (x) Dates of delinquent rent (rent due before March 1, 2020, is not eligible).
- (xi) List months with late/missed rent payments.
- (xii) Documents required by the Department of Labor and Industry to verify unemployment.

Counties must verify the eligibility of all CARES RRP award recipients as outlined by the CARES RRP Checklist. A copy of the completed checklist must be saved until December 31, 2023. All lessees benefiting from CARES RRP funding must be notified of the amount of assistance payments made to the landlord on their behalf in a manner similar to the CARES RRP Lessee Award Notification document.

Monthly reports by the county/county designee will be required in a form and timeframe sufficient to allow the Agency to comply with the provisions of the act and the Fiscal Code, as amended by Act 24 of 2020. Awardees are also required to submit a final report to the Agency by December 8, 2020, which shall include the final, cumulative expenditure of awarded CARES RRP funds. In addition to the following identified requirements, any additional reporting requirements will be included in the contract documents.

(b) *Property Owner Requirements.* Property owners seeking CARES RRP assistance on behalf of tenant households and lessees applying for CARES RRP funding must complete and submit the necessary documents, described as follows, directly to the office/agency designated by the county:

- (i) Landlord Application.
- (ii) Landlord/Property Certification Form.
- (iii) Lessee Household Certification.

Copies of all the executed, included but not limited to all CARES RRP Landlord Application, Landlord/Property Certification Forms, Lessee Household Certifications and any other documents required by the Agency must be saved until December 31, 2023.

Property owners receiving CARES RRP funds must attest that they will not hold the lessee responsible for any remaining obligation for any past due or future rent for which CARES RRP assistance is provided.

4. CARES RRP Reporting Requirements.

Each participating county’s designated organization must submit monthly CARES RRP reports to the Agency by using the CARES RRP web site at <https://caresrrp.phfa.org>. CARES RRP funds will be provided to counties monthly based on the monthly reporting data and the availability of funds until November 30, 2020. No more than 5% of the funds disbursed may be used for expenses related to the administration of CARES RRP. All other funds must be used to provide direct rent assistance.

Counties must submit monthly reports including data from the most recent month of program implementation only. (For example: The July report (due July 31, 2020) should only include data occurring between July 6, 2020, and July 31, 2020.) Reports will be due to the Agency at 5 p.m. in accordance with the following schedule deadlines:

1st Program Reporting Deadline	July 31, 2020
2nd Program Reporting Deadline	August 28, 2020
3rd Program Reporting Deadline	September 25, 2020
4th Program Reporting Deadline	October 30, 2020
Final Program Reporting Deadline	December 8, 2020

Monthly CARES RRP reports must include all of the following information:

- (a) Total number of landlords who applied for assistance.
- (b) Total number of lessees who applied for assistance.
- (c) Total amount of CARES funds expended.
- (d) Total amount of CARES funding sought.
- (e) Total amount of CARES RRP funds provided per lessee.
- (f) Number of households served/impacted.
- (g) Total number of landlords who received CARES RRP assistance.
- (h) Household size (tracked for each individual household assisted).
- (i) Household income (tracked for each individual household assisted).
- (j) Use of administrative funds (capped at 5%).

The final report to the Agency (due December 8, 2020) should include cumulative CARES RRP data from July 6, 2020, through November 30, 2020.

CARES reporting must be submitted to the Agency electronically by means of the CARES RRP web site.

ROBIN L. WIESSMANN,
Executive Director

[Pa.B. Doc. No. 20-918. Filed for public inspection July 10, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Domestic Certificate of Authority by WorkPartners National, Inc.

WorkPartners National, Inc. has applied for a Certificate of Authority to operate as a stock casualty insurance company in this Commonwealth. The initial filing was received on March 16, 2020, and was made under The Insurance Company Law of 1921 (40 P.S. §§ 341—1007.15).

Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda E. Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, cbybee@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-919. Filed for public inspection July 10, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by SH OpCo The Quadrangle, LLC

SH OpCo The Quadrangle, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Quadrangle in Haverford, PA. The initial filing was received on June 29, 2020, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written

statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-920. Filed for public inspection July 10, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Act 129 Energy Efficiency and Conservation Program Phase IV; Doc. No. M-2020-3015228

At its June 18, 2020, public meeting, the Pennsylvania Public Utility Commission (Commission) adopted the Act 129 Energy Efficiency and Conservation (EE&C) Program Phase IV Implementation Order establishing a Phase IV for the Act 129 EE&C Program. This Implementation Order tentatively adopts required consumption and peak demand reductions for each electric distribution company subject to Act 129, as well as guidelines for implementing Phase IV of the EE&C Program. The Implementation Order is on the Commission's web site at <http://www.puc.state.pa.us//pcdocs/1666981.docx>.

Any questions regarding technical issues related to the Implementation Order are to be directed to Joseph Sherrick, Bureau of Technical Utility Services, (717) 787-5369, josherrick@pa.gov. Any questions regarding legal and process issues related to the Implementation Order are to be directed to Adam Young, Law Bureau, (717) 787-4700, adyoung@pa.gov.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-921. Filed for public inspection July 10, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Petition of Hamilton Relay, Inc. for Approval of Real Time Text Trial

Public Meeting held
June 18, 2020

Commissioners Present: Gladys Brown Dutrieuille, Chairperson; David W. Sweet, Vice Chairperson; John F. Coleman, Jr.; Ralph V. Yanora

Petition of Hamilton Relay, Inc. for Approval of Real Time Text Trial; P-2019-3008352

Order

By the Commission:

On February 14, 2019, Hamilton Relay, Inc. (Hamilton), filed an Executive Summary and related information seeking Commission approval to conduct a 90-day pilot project of Real Time Text (RTT) (RTT Pilot) supported by the Telecommunications Relay Services (TRS) Fund. No party has opposed Hamilton's request. As discussed below, the Commission concludes that Hamilton's proposed RTT

Pilot could provide a basis for determining whether RTT should become a regular component of the TRS program in Pennsylvania and that it is reasonable and prudent to use the TRS Fund to underwrite the costs of the RTT Pilot. For these reasons, the Commission grants Hamilton's request to begin a 90-day RTT Pilot in Pennsylvania to help the Commission determine whether it should incorporate and approve the permanent expansion and funding for the distribution of RTT-capable devices to modernize Pennsylvania's TRS and Telecommunications Device Distribution program (TDDP).

Background

The Commission established certificated traditional relay service and the associated surcharge funding mechanism in 1990 at Docket No. M-00900239.¹ TRS is a telecommunications service that, inter alia, allows persons with hearing or speech disabilities to place and receive telephone calls.² Subsequently, Act 34 of 1995, 35 P.S. §§ 6701.1—6701.4, codified the operation of relay service and the Commission's oversight of the TRS Fund and the TRS surcharge mechanism. Intrastate relay service, funded by the TRS Fund, endeavors to provide equivalent access to telecommunications services for end-user consumers with physical impairments.³

Consistent with its mission to provide equivalent telephone service to Pennsylvanians with disabilities, the Commission has spearheaded many initiatives to enhance communications options for persons that have any disability that prevents them from using standard telecommunication equipment. Beginning in 2003, the Commission conducted a trial of Captioned Telephone Service (CTS), and then implemented it permanently.⁴ In 2014, the Commission found the TRS Program capable of supporting technology through radio or wire and "authorized funding for the distribution of Internet Protocol (IP) enabled wireline devices through the TDDP to eligible end-users in response to changing technology." WEI Order at 7, *infra* fn. 5. More recently, in February 2019, following the conclusion of a pilot project, the Commission formally expanded the TDDP to provide for the distribution of wireless devices to eligible persons with qualified disabilities.⁵

Much like the CTS and WEI trials, Hamilton now seeks to implement an RTT Pilot in Pennsylvania that is designed to test the use of RTT technology by eligible Pennsylvanians. Hamilton conducted a live demonstration of the RTT technology for the TRS Advisory Board at its meeting of December 5, 2018, and the members recommended to the Commission that Pennsylvania should be included in a short-term limited trial of Hamilton's RTT technology. On February 14, 2019, Hamilton filed its Executive Summary, earlier described, making this request official. Thereafter, on or about July 1, 2019, the

Chair of the TRS Advisory Board forwarded a letter to the Commission in support of the RTT Pilot.

Subsequently, on October 14, 2019, Hamilton submitted a proprietary response to Commission staff inquiries with additional details involving the technology, equipment, and costs of the planned RTT Pilot.⁶ On February 22, 2020, the Commission published a notice in the *Pennsylvania Bulletin* seeking comment on the proposed trial. No comments were filed.

Discussion

The Commission's regulations allow for a party seeking relief to file a petition as set forth in 52 Pa. Code § 5.41 (relating to Petitions). In this proceeding, Hamilton filed an Executive Summary and related information with the Commission seeking approval to conduct an RTT Pilot funded through the state TRS Fund. Because Hamilton's request for relief does not comply with Section 5.41 of our regulations, the Commission could simply dismiss the filing.

This notwithstanding, the Commission will exercise its discretion to treat the combined filings as if they were compliant with the Commission's procedural regulations. The Commission may overlook procedural defects in order to secure the just speedy or inexpensive determination of every matter or proceeding to which its regulations apply. 52 Pa. Code § 1.2(a). Additionally, notice of Hamilton's request was published in the *Pennsylvania Bulletin* and no party opposed the filing. Therefore, a determination to overlook the defects of Hamilton's filing does not affect the substantive rights of any interested party. Thus, in the interest of a just and expeditious resolution of the matter, the Commission will overlook the procedural defects in the petition and rule on its merits.

As for the merits of Hamilton's filing, the RTT Pilot is designed to test the use of wireline RTT technology among eligible Pennsylvanians who are deaf, hard of hearing, deaf-blind, or have a speech disability so that they may eventually transition from text telephone (TTY) technology to RTT as a reliable and interoperable communications technology over IP-enabled networks. TTY technology is over 50 years old. Traditional TTY uses a legacy electromechanical typewriter designed for analog voice phone landlines to communicate with another TTY. Text-to-Voice TTY-based TRS uses a TTY to call an intermediary at the relay center. Through the TTY keyboard, users type their telephone conversations. The text is read on a display screen or a paper printout. A TTY user calls a TRS relay center and types the number of the person he or she wishes to call. The relay center then makes a voice telephone call to the other party to the call and relays the call back and forth between the parties by speaking what a text user types, and typing what a voice telephone user speaks.

RTT is a next-generation digital, IP-based communications capability that transmits text immediately as the sender types. RTT provides text communications for TRS users that may be more functionally equivalent to live interaction as it allows for bi-directional conversations that may also include voice and special characters and does so without the need for a third-party intermediary services. Further, participants will be able to use the Hamilton RTT device over an IP-based connection to communicate directly with other Hamilton RTT trial participants; place and receive calls with speed, clarity, and enhanced capabilities, and conduct voice or text

¹ See generally Petition of the Pennsylvania Telephone Association Requesting the Commission to Approve Implementation of Pennsylvania Relay Service for the Deaf, Hearing and/or Speech Impaired Community within the Commonwealth of Pennsylvania, Docket No. M-00900239 (Orders entered May 29 and July 9, 1990) (collectively 1990 TRS Orders), also cited at 35 P.S. § 6701.4(c). See also 52 Pa. Code § 63.37, operation of the TRS system and relay service fund, and 47 U.S.C. § 225, telecommunications services for hearing-impaired and speech-impaired individuals.

² Traditional TRS uses operators or communication assistants to facilitate telephone calls between people with hearing and speech disabilities and other individuals by relaying voice to text and vice-versa.

³ Americans with Disabilities Act of 1990, as amended, 42 U.S.C. § 12101, et seq.

⁴ See *In re Pennsylvania Telephone Relay Service—Captioned Telephone Service*, Docket No. M-00900239F0008 (Order entered June 29, 2004) (describing the early history of CTS in Pennsylvania).

⁵ Petition of the Department of Labor & Industry Office of Vocational Rehabilitation for a Proposed Pilot for Distribution of Telecommunications Relay Service Wireless Equipment to People with Disabilities in Pennsylvania, Docket Nos. P-2015-2484229 et al. (Order entered February 27, 2019) (wireless expansion initiative or WEI Order). In a parallel Order entered the same day, the Commission instituted a Task Force for a comprehensive examination of the TRS and TDDP programs in Pennsylvania. M-00900239.

⁶ Docket No. P-2019-3008352, Hamilton, Real Time Text Trial Statement of Work and Costs, October 14, 2019 (Proprietary) (Work and Cost Statement).

conversations, or both, according to their preferences all while being able to change mode during the call.⁷

In support of the RTT technology, the Chair of the Commission’s TRS Advisory Board submitted a letter explaining the functionality of RTT technology and how it allows persons with hearing or speech disabilities to have a more “natural” conversation when placing or receiving telephone calls:

RTT is a feature that allows people to view a text message via specialized equipment as it is being typed. The text can be received at the same time it is being transmitted by the individual’s “communication partner,” without being garbled (which is what would happen with current technology). The biggest benefit is the naturalness of the conversation.

TRS Advisory Board Chair Letter, July 1, 2019, at 1.

Hamilton is proposing to implement a short-term trial in Pennsylvania for the purpose of determining whether RTT technology provides a substantial benefit to people with hearing loss such that the technology may replace TTY in the near future.⁸ The RTT Pilot would recruit and select up to 50 eligible participants over a 90-day period. During the RTT Pilot, Hamilton proposes to distribute selected RTT-capable wireline devices equipped with appropriate applications and software to these eligible participants. More specifically, in addition to the devices, Hamilton will provide 24/7 customer support for trial participants; program management, monitoring, and support that will include assistance to applicable Pennsylvania staff involved in the pilot; development of Communication Assistant (CA) procedures, user manuals including questionnaires, user guides, test call instructions and other services; billing and reporting including invoicing, and reports in call volume, and finally a project completion final report that will also include analysis of participants’ feedback and an evaluation of the use of this system.⁹

The pilot will have some calling limitations. Because Hamilton will cover the per-minute costs of each phone call other than session minutes involving CAs, international calls will not be allowed. More importantly, 911/E911 calling capability will be limited because Hamilton, through the pilot, plans to conduct extensive emergency call testing of the new technology before proposing it as a primary device for emergency calls. For that reason, Hamilton will be required to instruct participants that they cannot rely on the RTT phone for emergency calling and must have an alternate method to contact 911.¹⁰

Hamilton is requesting that during the course of the RTT Pilot, the distribution of the RTT-capable devices be supported from the existing TRS Fund. Besides the costs of the RTT-specific devices, Hamilton also proposes that the TRS Fund support all other relevant costs of the RTT Pilot except as noted above. This would include the personnel costs for managing the overall project through its 90-day trial, as well as a setup period. Hamilton has proposed a specific proprietary program cost, consisting of a pilot development, setup, operations, and support for 50 participants at a flat fee. In addition, Hamilton has proposed a proprietary per-minute rate for any session

minutes of use (MOU) that utilize a CA through the relay center. A session MOU is calculated from the moment a CA connects to an incoming RTF call until the CA disconnects the last party. This includes incoming calls (busy, no answer, or wrong number) that do not reach the intended called party and includes call set-up and wrap-up.¹¹

In 2016, the Federal Communications Commission (FCC) adopted rules to facilitate a transition from TTY technology to RTT. The FCC initiated a rulemaking proceeding to determine whether an alternative text technology for IP-based networks should replace TTY technology.¹² The FCC concluded that the technical and functional limitations of TTY technology, which was developed more than 50 years ago for a circuit switched environment, render that technology unsuitable for providing full and effective access to IP-based wireless telephone networks. As a result, the FCC amended it rules to allow (1) wireless providers to support RTT rather than TTY technology for communications using wireless IP-based voice services; and (2) providers of telecommunications and interconnected VoIP services provided over wireless IP facilities, and manufacturers of equipment used with such services, to support RTT rather than support TTY technology in the context of the federal TRS program.¹³ The FCC noted the longstanding need for this transition:

Changes to communications networks, particularly ongoing technology transitions from circuit switched to IP-based networks and from copper to wireless and fiber infrastructure, have affected the quality and utility of TTY technology, prompting discussions on transitioning to an alternative advanced communications technology for text communications. For example, as early as 2010, the Commission’s National Broadband Plan recommended opening a proceeding to implement a standard for reliable and interoperable RTT.

* * * * *

Recognizing the limitations of TTY technology in an IP environment and the need to transition to a more advanced text communications solution, we proposed to require wireless IP-based service providers and manufacturers of IP-based wireless end user devices to support RTT in lieu of supporting TTY technology. Further, we sought comment on extending RTT support requirements to wireline IP-based services and equipment. We asked whether there are certain minimum functionalities of RTT that must be supported to provide people with disabilities with text-based telephone service that is as accessible, usable, and otherwise as effective as voice-based services over IP-based networks.¹⁴

Like the FCC, the Commission acknowledges that more and more of its jurisdictional telecommunications carriers are migrating to IP-based networks. Unlike TTY, RTT technology allows a text message by a customer with a

⁷ Work and Cost Statement at 2.
⁸ In order to make RTT work with the Relay, Hamilton’s affiliate, Hamilton Long Distance, is offering to provide the necessary Voice-over-Internet Protocol (VoIP) service.
⁹ Work and Cost Statement at 2-3.
¹⁰ Work and Cost Statement at 3. While Hamilton asserts that participants should have emergency back up, we will require that Hamilton advise participants that the must have such backup. Ultimately, if implemented on a wide scale, the RTT system will likely support such calls more reliably than the current analog TTY system.

¹¹ Work and Cost Estimate at 3.
¹² Transition from TTY to Real-Time Text Technology; Petition for Rulemaking to Update the Commission’s Rules for Access to Support the Transition from TTY to Real-Time Text Technology, and Petition for Waiver of Rules Requiring Support of TTY Technology, Notice of Proposed Rulemaking, 31 FCC Rcd 6247, 6248, 6295 (April 28, 2016).
¹³ See generally In re Transition from TTY to Real-Time Text Technology; Petition for Rulemaking to Update the Commission’s Rules for Access to Support the Transition from TTY to Real-Time Text Technology, and Petition for Waiver of Rules Requiring Support of TTY Technology, Report and Order and Further Notice of Proposed Rulemaking, 31 FCC Rcd 13568 (December 15, 2016).
¹⁴ Id. ¶¶ 3, 5 (citations omitted).

hearing or speech impairment to be sent immediately as it is created through devices that support RTT over these modern IP-based networks.

The Commission has determined that the proposed Hamilton RTT Pilot may be of material benefit in demonstrating the viability of RTT-capable devices to produce reliable and seamless communications for persons with disabilities in Pennsylvania through wireline networks and the appropriate RTT-capable wireline devices. The RTT Pilot will advance the Commission's stated policy goals to continue the modernization of Pennsylvania's TRS and TDDP programs through the introduction of new technologies and equivalent communications capabilities for persons with disabilities, and do so in appropriate collaboration with Pennsylvania's Department of Labor and Industry, Office of Vocational Rehabilitation.

In accordance with the rationale and parameters that the Commission adopted in its WEI Order, we find that the proposed Hamilton RTT Pilot is in the public interest.¹⁵ The Commission finds the proposed RTT Pilot may provide a basis for determining whether wireline RTT should become a regular component of the TRS program in Pennsylvania. Since the Commission will allow Hamilton to seek reimbursement from the TRS Fund in order to underwrite the costs of the RTT Pilot, Hamilton shall be required to file with the Commission a final report on the findings resulting from the RTT Pilot as described above.¹⁶ To the extent not already proposed, Hamilton shall ensure that the report shall include an itemized statement of costs and a survey of user experience.

Hamilton's proposed flat fee appears reasonable in consideration of the scope of services to be provided during the pilot. We therefore approve that portion of the requested funding as proposed. However, in addition to the flat fee, Hamilton also proposes a CA-assisted relay MOU rate that differs from Hamilton's currently tariffed rate. We cannot approve this new rate without any supporting information from Hamilton to justify the difference. Absent more information, which Hamilton may provide in an addendum to the filing or a compliance filing prior to the implementation of the pilot, we may only approve application of a relay MOU rate that is already on file in Hamilton's current capacity as Pennsylvania's Commission-approved TRS provider.¹⁷ In order to charge a per-session-minute rate that deviates from Hamilton's TRS tariff, Hamilton must provide some evidence that a different rate is justified, or stated differently, that the proposed rate for the pilot service is just and reasonable.¹⁸ Hamilton has provided no evidence to support its proposed MOU rate. Therefore, the Commission is left without any basis to conclude that a rate other than the tariffed-rate is appropriate for the trial. For this reason, the Commission rejects the proposed per-session-minute rate to the extent it would deviate from the current TRS tariff.

Additionally, because the proposed RTT Pilot could potentially benefit other eligible persons with qualified disabilities beyond those limited participants who will be

in the RTT Pilot, we further direct that Hamilton comply with the following general parameters:

- 20 days prior to beginning RTT service under the trial, Hamilton shall provide notice to the Commission at this docket of the commencement date and confirmation of the one-time fees or costs and recurring minutes of use rates to be charged to the Pennsylvania Telecommunications Relay Fund during the trial.
- Hamilton shall advise trial participants that the trial does not support emergency calling, and that they must have an independent method to contact 911.
- Hamilton shall account for its RTT Pilot one-time and recurring per session minute costs as items to be charged for the provision of regular TRS services by submitting detailed bills for the costs incurred for the 90-day RTT Pilot to Commission staff, consistent with current bill payment procedures.
- Hamilton shall collaborate with the Department of Labor and Industry's Office of Vocational Rehabilitation, Office for the Deaf and Hard of Hearing, and the Advisory Council for the Deaf and Hard of Hearing, as well as the Temple University Institute on Disabilities. To the extent that Hamilton will make available appropriately configured RTT wireline devices to eligible persons with disabilities under the existing TDDP program administered by the Office of Vocational Rehabilitation and the Temple University Institute on Disabilities, it shall identify the cost of such devices that will be charged to the TDDP program. These should be separately identified as RTT Pilot specific costs and not as part of Hamilton's routine provision of intrastate TRS and Captioned Telephone Service in Pennsylvania.
- Hamilton shall file with the Commission no later than 60 days after the conclusion of the RTT Pilot a detailed report at this Docket that shall discuss, but not be limited to, the results of the RTT Pilot, any associated costs that are in addition to the applicable devices, all known and anticipated benefits, and a recommendation on including the RTT as a permanent part of the TRS Program, with a proposed budget if continuation is recommended.

Upon review of the final report to be filed by Hamilton at the conclusion of the pilot, the Commission will determine whether to seek proposals for incorporating RTT as a regular component of the Pennsylvania TRS and TDDP programs.

Accordingly, we approve the Hamilton proposed RTT Pilot within the parameters of its proposal and this Order, including the associated funding request as modified herein; *Therefore,*

It Is Ordered That:

1. The Petition for Real Time Text Trial filed by the Hamilton Relay, Inc., at Docket No. P-2019-3008352 is hereby granted consistent with this Order.

2. Hamilton Relay, Inc., shall, 20 days prior to beginning RTT service under the trial, provide notice to the Commission at this docket of the commencement date and confirmation of the one-time fees or costs and recurring minutes of use rates to be charged to the Pennsylvania Telecommunications Relay Fund during the trial.

¹⁵ WEI Order at 17.

¹⁶ To the extent applicable and in the event that Hamilton involves one or more states other than Pennsylvania in the same trial of its wireline RTT communications technology, with a corresponding sharing of underlying one-time and recurring costs, Hamilton will adjust its Pennsylvania-specific budgetary requirements accordingly and provide appropriate and timely notice to the Commission and its Bureau of Technical Utility Services.

¹⁷ Application of Hamilton Relay, Inc. for Approval to Offer, Render, Furnish or Supply Telecommunication Relay Services for the Deaf, Hard of Hearing, and Speech Impaired Individuals to the Public throughout the Commonwealth of Pennsylvania, Docket No. A-2014-2447601 (Order entered December 4, 2014) (order approving application and directing tariff filing).

¹⁸ Hamilton Relay, Inc. Supplement No. 2 to Tariff TRS PA P.U.C. No. 1, Docket No. R-2017-2639884 (Order entered February 9, 2018) at 4.

3. Hamilton Relay, Inc., shall recruit and select up to 50 eligible Pennsylvania residents who will be physically in Pennsylvania over the 90-day period of its RTT communications technology as participants.

4. Hamilton Relay, Inc., shall inform and disclose upfront to all residents participating in the 90-day Real Time Text Pilot that 911/E911 calls will not be supported during the course of the trial and Hamilton Relay, Inc. must take all appropriate measures to ensure that the RTT Pilot participants and users of the wireline RTT Pilot devices are aware of their requirement to maintain separate, adequate, and reliable 911/E911 emergency calling capabilities.

5. The Pennsylvania Telecommunications Relay Fund shall be used to support the costs specifically related to Hamilton Relay, Inc.'s distribution and administration during the 90-day RTT Pilot. Hamilton Relay, Inc., will account for its RTT Pilot one-time and recurring per session minute costs as items to be charged for the provision of regular TRS services by submitting detailed bills for the costs incurred for the 90-day RTT Pilot to Commission staff, consistent with current bill payment procedures.

6. Hamilton Relay, Inc., shall collaborate with the Department of Labor and Industry's Office of Vocational Rehabilitation, Office for the Deaf and Hard of Hearing, and the Advisory Council for the Deaf and Hard of Hearing, as well as the Temple University Institute on Disabilities.

7. To the extent that Hamilton Relay, Inc., will make available appropriately configured RTT wireline devices to eligible persons with disabilities under the existing TDDP program administered by the Office of Vocational Rehabilitation and the Temple University Institute on Disabilities, it shall identify the cost of such devices that will be charged to the TDDP program. These should be separately identified as RTT Pilot specific costs and not as part of Hamilton's routine provision of intrastate TRS and Captioned Telephone Service in Pennsylvania.

8. Hamilton Relay, Inc., shall file with the Commission no later than 60 days after the conclusion of the RTT Pilot, a detailed report at this Docket that shall discuss, but not be limited to, the results of the RTT Pilot as identified in the body of this Order, any associated costs that are in addition to the applicable devices, all known and anticipated benefits, and a recommendation on including the RTT as a permanent part of the TRS Program, with a proposed budget if continuation is recommended.

9. A copy of this Order shall be served on Hamilton Relay, Inc., the Department of Labor and Industry's Office of Vocational Rehabilitation, Office for the Deaf and Hard of Hearing, and Advisory Council for the Deaf and Hard of Hearing.

10. A copy of this Order shall be served on the Office of Consumer Advocate, the Office of Small Business Advocate, and the Hearing Loss Association of America Pennsylvania State Office.

11. A copy of this Order be published in the *Pennsylvania Bulletin*.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-922. Filed for public inspection July 10, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 27, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2020-3020499. Krise Transportation, Inc. (1325 Scotland Avenue Extension, Punxsutawney, Jefferson County, PA 15767) persons, in paratransit service, from points in the Counties of Allegheny, Dauphin, Erie, Indiana, Jefferson and Lawrence, to points in Pennsylvania, and return.

A-2020-3020515. Zahia, LLC (937 Disston Street, Floor 1, Philadelphia, PA 19111) for the right to begin to transport, as a common carrier, by motor vehicle, persons, in paratransit service, between points in the City and County of Philadelphia.

A-2020-3020521. Edmacy Community Transportation, LLC (8428 Madison Place, Philadelphia, Philadelphia County, PA 19153) to transport, by motor vehicle, in paratransit service, senior citizens, from points in the Counties of Chester and Delaware, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2020-3020366. Quality Care Transport Service, Ltd., t/a Quality Care Transport Service (3011 West 11th Street, Chester, Delaware County, PA 19013) in paratransit service, limited to nonemergency medical transportation, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

Application of the following for the approval of the *transfer of stock as described under the application.*

A-2020-3020506. First Choice Limousine, Inc. (9909 Moccasin Creek Lane, McKinney, TX 75071) for the approval of the transfer of 100 shares of the issued stock, from Khaled Dasan to Ziyad Mohammed.

Application of the following for the approval of the *right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.*

A-2019-3020532. Jere E. Fenninger (8 Jordan Drive, Ronks, Lancaster County, PA 17572) discontinuance of

service and cancellation of its certificate, at A-00119796, to transport persons whose personal convictions prevent them from owing or operating motor vehicles, by motor vehicle in paratransit service, between points in the Borough of Strasburg and the Townships of Bart, Eden, Paradise, Sadsbury and Strasburg, and from points in said territory, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-923. Filed for public inspection July 10, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3020436. Verizon Pennsylvania, LLC and Level 3 Communications, LLC. Joint petition of Verizon Pennsylvania, LLC and Level 3 Communications, LLC for approval of an amendment to interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Level 3 Communications, LLC, by their counsel, filed on June 18, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and Level 3 Communications, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-924. Filed for public inspection July 10, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3020438. Verizon North, LLC and Talk America Services, LLC. Joint petition of Verizon North, LLC and Talk America Services, LLC for approval of an amendment to interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon North, LLC and Talk America Services, LLC, by their counsel, filed on June 18, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon North, LLC and Talk America Services, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-925. Filed for public inspection July 10, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3020440. Verizon Pennsylvania, LLC, TelCove Operations, LLC and TelCove of Pennsylvania, LLC. Joint petition of Verizon Pennsylvania, LLC, TelCove Operations, LLC and TelCove of Pennsylvania, LLC for approval of an amendment to interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC, TelCove Operations, LLC and TelCove of Pennsylvania, LLC, by their counsel, filed on June 18, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC, TelCove Operations, LLC and TelCove of Pennsylvania, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-926. Filed for public inspection July 10, 2020, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following list of projects from May 1, 2020, through May 31, 2020.

For further information contact Jason E. Oyler, General Counsel and Secretary to the Commission, (717) 238-

0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) and (13) (relating to standards for consumptive uses of water) for the time period previously specified:

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. Tilden Marcellus, LLC; Pad ID: State 822 Pad; ABR-202005003; Gaines Township, Tioga County, PA; Consumptive Use of Up to 4.9900 mgd; Approval Date: May 3, 2020.

2. Tilden Marcellus, LLC; Pad ID: State 815 Pad; ABR-202005004; Elk and Gaines Townships, Tioga County, PA; Consumptive Use of Up to 4.9900 mgd; Approval Date: May 3, 2020.

3. Chief Oil & Gas, LLC; Pad ID: Cahill Realty Business Unit Pad; ABR-202005005; Overton Township, Bradford County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: May 3, 2020.

4. Repsol Oil & Gas USA, LLC; Pad ID: DCNR (02 006); ABR-20100355.R2; Ward Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: May 3, 2020.

5. SWN Production Company, LLC; Pad ID: LU-10 ELLY MAY—PAD; ABR-202005001; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: May 8, 2020.

6. Chief Oil & Gas, LLC; Pad ID: Kingsley Drilling Pad # 1; ABR-20100336.R2; Monroe Township, Bradford County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: May 8, 2020.

7. SWN Production Company, LLC; Pad ID: Reeve; ABR-20100403.R2; Herrick Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: May 8, 2020.

8. EXCO Resources (PA), LLC; Pad ID: Kensinger 3H Drilling Pad # 1; ABR-20100205.R2; Penn Township, Lycoming County, PA; Consumptive Use of Up to 8.0000 mgd; Approval Date: May 11, 2020.

9. SWEPI LP; Pad ID: Cascarino 443; ABR-20100222.R2; Shippen Township, Tioga County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: May 11, 2020.

10. Chesapeake Appalachia, LLC; Pad ID: Alton; ABR-20100411.R2; Ulster Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 13, 2020.

11. Repsol Oil & Gas USA, LLC; Pad ID: DCNR 587 (02 014); ABR-20100309.R2; Ward Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: May 13, 2020.

12. ARD Operating, LLC; Pad ID: Texas Blockhouse F&G B; ABR-20100207.R2; Pine Township, Lycoming County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: May 13, 2020.

13. ARD Operating, LLC; Pad ID: COP Tr 231 C; ABR-20100304.R2; Boggs and Snowshoe Townships, Cen-

tre County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: May 13, 2020.

14. SWEPI LP; Pad ID: Parthemer 284; ABR-20100311.R2; Charleston Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 13, 2020.

15. SWEPI LP; Pad ID: Cummings 823; ABR-20100350.R2; Chatham Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 13, 2020.

16. SWEPI LP; Pad ID: Waskiewicz 445; ABR-20100330.R2; Delmar Township, Tioga County, PA; Consumptive Use of Up to 1.0000 mgd; Approval Date: May 13, 2020.

17. Seneca Resources Company, LLC; Pad ID: CRV Pad C09D; ABR-201504001.R1; Shippen Township, Cameron County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 13, 2020.

18. EOG Resources, Inc.; Pad ID: HARKNESS 2H; ABR-20091220.R2; Springfield Township, Bradford County, PA; Consumptive Use of Up to 1.9990 mgd; Approval Date: May 17, 2020.

19. Chesapeake Appalachia, LLC; Pad ID: Everbreeze; ABR-20100408.R2; Troy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 17, 2020.

20. Chesapeake Appalachia, LLC; Pad ID: Henry; ABR-20100421.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 17, 2020.

21. Chesapeake Appalachia, LLC; Pad ID: Koromlan; ABR-20100423.R2; Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 17, 2020.

22. Repsol Oil & Gas USA, LLC; Pad ID: ZIEGLER (03 001) E; ABR-20100424.R2; Columbia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: May 17, 2020.

23. SWEPI LP; Pad ID: Halteman 611; ABR-20100406.R2; Delmar Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 17, 2020.

24. SWEPI LP; Pad ID: Lange 447; ABR-20100428.R2; Delmar Township, Tioga County, PA; Consumptive Use of Up to 1.0000 mgd; Approval Date: May 17, 2020.

25. Cabot Oil & Gas Corporation; Pad ID: ChambersO P1; ABR-201504004.R1; Harford Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: May 17, 2020.

26. Chesapeake Appalachia, LLC; Pad ID: Blanche Poulsen; ABR-202005002; Rush Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 18, 2020.

27. Chesapeake Appalachia, LLC; Pad ID: Amburke; ABR-20100438.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 20, 2020.

28. Chief Oil & Gas, LLC; Pad ID: Oliver Drilling Pad # 1; ABR-20100425.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: May 20, 2020.

29. XTO Energy, Inc.; Pad ID: MARQUARDT UNIT 8517H; ABR-20100417.R2; Penn Township, Lycoming

County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 20, 2020.

30. Cabot Oil & Gas Corporation; Pad ID: KelleyP P1; ABR-20100310.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: May 20, 2020.

31. Cabot Oil & Gas Corporation; Pad ID: BlaisureJo P1; ABR-20100325.R2; Jessup Township, Susquehanna County, PA; Consumptive Use of Up to 3.5750 mgd; Approval Date: May 20, 2020.

32. Cabot Oil & Gas Corporation; Pad ID: BlaisureJe P1; ABR-20100431.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 5.000 mgd; Approval Date: May 20, 2020.

33. Chesapeake Appalachia, LLC; Pad ID: Angie; ABR-20100441.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 21, 2020.

34. Chesapeake Appalachia, LLC; Pad ID: Holtan; ABR-20100446.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 21, 2020.

35. Chesapeake Appalachia, LLC; Pad ID: Nickolyn; ABR-20100436.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 21, 2020.

36. Chesapeake Appalachia, LLC; Pad ID: Way; ABR-20100448.R2; Wyalusing Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 21, 2020.

37. Repsol Oil & Gas USA, LLC; Pad ID: CALABRO T1; ABR-201505006.R1; Orange Town, Schuylers County, NY; Consumptive Use of Up to 0.0800 mgd; Approval Date: May 27, 2020.

38. Repsol Oil & Gas USA, LLC; Pad ID: WEBSTER T1; ABR-201505008.R1; Orange Town, Schuylers County, NY; Consumptive Use of Up to 0.0800 mgd; Approval Date: May 27, 2020.

39. Repsol Oil & Gas USA, LLC; Pad ID: DRUMM G2; ABR-201505009.R1; Bradford Town, Steuben County, NY; Consumptive Use of Up to 0.0800 mgd; Approval Date: May 27, 2020.

40. Chesapeake Appalachia, LLC; Pad ID: Pauliny; ABR-20100508.R2; Terry Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 29, 2020.

41. Chesapeake Appalachia, LLC; Pad ID: Ballibay; ABR-20100409.R2; Herrick Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 29, 2020.

42. XTO Energy, Inc.; Pad ID: PA Tract C; ABR-202005006; Chapman Township, Clinton County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 29, 2020.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: June 24, 2020

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 20-927. Filed for public inspection July 10, 2020, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Minor Modifications

The Susquehanna River Basin Commission (Commission) lists the minor modifications approved for previously approved projects from May 1, 2020, through May 31, 2020.

For further information contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists previously approved projects, receiving approval of minor modifications, described as follows, under 18 CFR 806.18 (relating to approval modifications) or to Commission Resolution Nos. 2013-11 and 2015-06 for the time period previously specified:

Minor Modifications Issued Under 18 CFR 806.18

1. Pennsylvania General Energy Company, LLC, Docket No. 20200312, Plunketts Creek Township, Lycoming County, PA; approval to change intake design from a submerged intake to an intake within a buried concrete vault; Approval Date: May 6, 2020.

2. Dillsburg Area Authority, Docket No. 20190904, Carroll Township, York County, PA; approval to revise monitoring condition contained within Special Condition 20 allowing for an alternate monitoring location; Approval Date: May 14, 2020.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: June 22, 2020

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 20-928. Filed for public inspection July 10, 2020, 9:00 a.m.]