

NOTICES

DELAWARE RIVER BASIN COMMISSION

Public Hearing and Business Meeting

The Delaware River Basin Commission (Commission) will hold a public hearing on Wednesday, August 12, 2020. A business meeting will be held the following month on Thursday, September 10, 2020. Both the hearing and the business meeting are open to the public. In light of the novel coronavirus (COVID-19) mitigation measures in effect for Commission member states, however, both meetings will be conducted remotely. Check the Commission's web site at www.drbc.gov, on or after July 29, 2020, for details about the meeting formats and how to attend.

Public hearing. The telephonic public hearing on August 12, 2020, will begin at 1:30 p.m. The hearing items include the draft dockets listed as follows for withdrawals, discharges and other projects that could have a substantial effect on the basin's water resources, as well as resolutions to: (a) adopt the Commission's current expense and capital budgets for the fiscal year ending June 30, 2021; and (b) apportion among the signatory parties the amounts required for the support of the current expense and capital budgets for the fiscal year ending June 30, 2021.

Written comments on matters scheduled for hearing on August 12, 2020, will be accepted through 5 p.m. on August 17, 2020.

The public is advised to check the Commission's web site periodically prior to the hearing date, as items scheduled for hearing may be postponed if additional time is needed to complete the Commission's review, and items may be added up to 10 days prior to the hearing date. In reviewing docket descriptions, the public is also asked to be aware that the details of projects may change during the Commission's review, which is ongoing.

1. *Martins Creek, LLC/Talen Energy, D-1970-025 CP-2.* An application to renew Commission Docket No. D-1970-025 CP, which approved the construction of additional electric generating facilities, a surface water withdrawal and discharge of cooling water, and consumptive use at the Martins Creek Generating Station. The application was submitted as required by Section VIII.B. of Resolution No. 2018-5, adopted by the Commission on June 13, 2018. The applicant requested a total allocation of 785.54 million gallons per month (mgm) of surface water from the Delaware River for industrial cooling of the electric generating facilities known as Martins Creek and Lower Mount Bethel Energy. The project is located in Lower Mount Bethel Township, Northampton County, PA within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters.

2. *Birdsboro Municipal Authority, D-1974-126 CP-4.* An application to renew the approval of the applicant's existing 1.35 million gallons per day (mgd) wastewater treatment plant (WWTP) and its discharge. The WWTP will continue to discharge treated effluent to Hay Creek at River Mile 92.5—63.1—0.3 (Delaware River—Schuylkill River—Hay Creek) in the Borough of Birdsboro, Berks County, PA.

3. *West Grove Borough Authority, D-1987-024 CP-4.* An application to renew the approval of the docket holder's

existing 0.25 mgd WWTP and its discharge. The existing WWTP will continue to discharge to Middle Branch White Clay Creek at River Mile 70.2—10.0—15.9—9.5 (Delaware River—Christina River—White Clay Creek—Middle Branch White Clay Creek) by means of Outfall No. 001, in London Grove Township, Chester County, PA.

4. *Mount Airy # 1, LCC, D-1989-037-4.* An application to renew the approval of an existing groundwater withdrawal of up to 9.82 mgm to supply the applicant's public water supply distribution system from existing Wells Nos. 1 and 2 and to renew the approval of an existing surface water withdrawal of up to 14.47 mgm to irrigate the applicant's golf course from an existing intake in Mount Airy Lake. The requested allocations are not an increase from the previous allocations. The project wells are completed in the Long Run Member of the Catskill Formation. The project is located in the Forest Hills Run Watershed in Paradise Township, Monroe County, PA within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters.

5. *Manwalamink Water Co., D-1989-050 CP-6.* An application to renew the approval to withdraw up to 15.0 mgm of groundwater from existing Wells Nos. 1—3, 5 and 6 for continued use in the docket holder's public water system. Wells Nos. 1 and 2 are screened in sand and gravel and Wells Nos. 3, 5 and 6 are completed in the Ridgeley-Coeymans Formation in the Shawnee Creek and Delaware River watersheds, within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in Smithfield Township, Monroe County, PA.

6. *Aqua Pennsylvania, Inc., D-1993-083 CP-3.* An application to renew the approval of an existing groundwater withdrawal of up to 40.3 mgm to supply the applicant's Chalfont public water supply distribution system from existing Wells Nos. 8A and 11—14. The project wells are completed in the Stockton Formation. The project is located in the Commission's Southeastern Pennsylvania Ground Water Protected Area (SEPA GWPA) within the North Branch Neshaminy Creek, Pine Run and Neshaminy Creek Watersheds in the Borough of Chalfont, Bucks County, PA.

7. *JBS Souderton, Inc., D-1996-021-5.* An application to renew approval of the applicant's existing 1.0 mgd industrial wastewater treatment plant (IWTP) and its discharge. The IWTP will continue to discharge treated effluent to Skippack Creek at River Mile 92.5—32.3—3.0—12.8 (Delaware River—Schuylkill River—Perkiomen Creek—Skippack Creek) in Franconia Township, Montgomery County, PA.

8. *Sunnybrook Golf Club, D-1997-007-3.* An application to renew the approval of an existing groundwater withdrawal of up to 4.65 mgm to irrigate the applicant's golf course from existing Wells Nos. 1 and 2. The project wells are completed in the Ledger Dolomite Formation. The requested allocation is not an increase from the previous allocation. The project is located in the Commission's SEPA GWPA in the Wissahickon Creek Watershed in Whitmarsh Township, Montgomery County, PA.

9. *Northampton Generating Company, D-1998-040-2.* An application to renew the approval of an existing

surface water withdrawal of up to 77.5 mgm to supply the applicant's 112 megawatt cogeneration facility from an existing intake on the Lehigh River. The requested allocation is not an increase from the previous allocation. The project is located in the Lehigh River Watershed in Northampton Borough and Allen Township, both in Northampton County, PA within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters.

10. *New Hanover Township Authority, D-1999-040 CP-5*. An application to renew the approval of the applicant's existing 1.925 mgd WWTP and its discharge. The WWTP will continue to discharge treated effluent to Swamp Creek at River Mile 92.5—32.3—12.9—4.8 (Delaware River—Schuylkill River—Perkiomen Creek—Swamp Creek) in New Hanover Township, Montgomery County, PA.

11. *Fairless Energy, LLC, D-2001-028 CP-3*. An application to renew the approval of the existing Fairless Energy Electric Generating Station and its use of up to 356.5 mgm of surface water from the United States Steel Delaware River Intake. The electric generating station is located adjacent to Delaware River Water Quality Zone 2 in Falls Township, Bucks County, PA.

12. *Bedminster Municipal Authority, D-2006-010 CP-4*. An application to renew the approval of the applicant's existing 0.06 mgd Pennland Farms WWTP and its discharge. The WWTP will continue to discharge treated wastewater effluent to an unnamed tributary (UNT) of Deep Run Creek at River Mile 157.0—4.7—7.1—0.1 (Delaware River—Tohickon Creek—Deep Run Creek—UNT) by means of Outfall No. 001, within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Bedminster Township, Bucks County, PA.

13. *East Brandywine Township Municipal Authority, D-2007-002 CP-4*. An application to renew the approval of the existing 0.3 mgd Applecross WWTP and its discharges to land and to surface water. The WWTP will continue to discharge treated effluent to land by means of spray irrigation and drip disposal and to Beaver Creek at River Mile 70.7—1.7—20.2—8.8—6.1 (Delaware River—Christina River—Brandywine Creek—East Brandywine Creek—Beaver Creek) in East Brandywine Township, Chester County, PA.

14. *Franconia Sewer Authority, D-2007-041 CP-3*. An application to renew the approval of the applicant's existing 0.15 mgd WWTP and its discharge. The WWTP will continue to discharge treated effluent to Skippack Creek at River Mile 92.5—32.3—3.0—12.5 (Delaware River—Schuylkill River—Perkiomen Creek—Skippack Creek) in Franconia Township, Montgomery County, PA.

15. *United States Steel Real Estate, D-2009-006-2*. An application to renew the approval of a total allocation of 7,288.1 mgm of surface water from two intakes for industrial processes, cooling, fire suppression and potable water supply at the docket holder's industrial park facility. The surface water withdraw is located in Water Quality Zone 2 of the Delaware River at River Mile 127.0 in Falls Township, Bucks County, PA.

16. *Pineville Facility Company, LLC, D-2009-031-2*. An application to renew the approval of an existing groundwater withdrawal with a total system allocation of 4.4 mgm for nurse stock irrigation from existing Wells Nos. 1—6. The project wells are completed in the Brunswick

Formation. The wells are located in the Commission's designated SEPA GWPA in the Pidcock and Mill Creek Watersheds in Buckingham Township, Bucks County, PA.

17. *Beaver Lake Estates, D-2009-038 CP-3*. An application to renew the approval of the existing 0.14 mgd Beaver Lake Estates WWTP and its discharge. The WWTP will continue to discharge to a UNT of Barnum Brook at River Mile 253.6—25.2—2.0—1.1 (Delaware River—Neversink River—Barnum Brook—UNT) within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in the Town of Thompson, Sullivan County, NY.

18. *Reading Area Water Authority, D-2010-009 CP-3*. An application to renew approval of the applicant's existing 35 mgd Maiden Creek water filtration plant (WFP) and its discharge of 3.26 mgd of filter backwash and process water. The WFP will continue to discharge from two existing outfalls to Maiden Creek at River Mile 92.5—85.6—0.2 (Delaware River—Schuylkill River—Maiden Creek) in Ontelaunee Township, Berks County, PA.

19. *RALHAL Corp. and Concord Estates Condominiums, LLC, D-2012-019 CP-2*. An application to renew the approval of the applicant's existing 0.137 mgd WWTP and its discharge. The WWTP will continue to discharge treated effluent to Sheldrake Stream at River Mile 253.6—27.3—2.7 (Delaware River—Neversink River—Sheldrake Stream) within the drainage area of the section of the nontidal Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in the Town of Fallsburg, Sullivan County, NY.

20. *MHC Lil Wolf, LP, D-2015-005 CP-2*. An application to renew the approval of the existing 0.07 mgd Lil Wolf Mobile Home Park WWTP and its discharge. The WWTP will continue to discharge treated effluent to an unnamed tributary to Coplay Creek at River Mile 183.7—21.1—9.9—0.6 (Delaware River—Lehigh River—Coplay Creek—UNT) and is located in the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in North Whitehall Township, Lehigh County, PA.

21. *Pechiney Plastic Packaging, Inc., D-2015-013-2*. An application to renew the approval of a 0.72 mgd groundwater remediation IWTP and its discharge to groundwater by means of injection wells. The IWTP will continue to treat groundwater from the Pohatcong Valley Groundwater Contamination Superfund Site utilizing airstripping, after which the treated groundwater will be reinjected into the regional groundwater aquifer. The project IWTP and its discharge are located in the Pohatcong Creek Watershed within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Washington Township, Warren County, NJ. Wells Nos. 1 and 2 are screened in sand and gravel, and Wells Nos. 3, 5 and 6 are completed in the Ridgeley-Coeymans Formation in the Shawnee Creek and Delaware River watersheds, within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in Smithfield Township, Monroe County, PA.

22. *Pottstown Borough Water Authority, D-1989-055 CP-4*. An application to renew approval of the applicant's

existing 12.85 mgd WWTP and its discharge. The WWTP will continue to discharge treated effluent to the Schuylkill River at River Mile 92.5—51.3 (Delaware River—Schuylkill River) in the Borough of Pottstown, Montgomery County, PA. The application also includes a request to renew a total dissolved solids determination consisting of effluent limits of 3,000 milligrams per liter (mg/l) when the WWTP flow is less than or equal to 8.935 mgd and 2,238 mg/l when flow is greater than 8.935 mgd.

23. *Municipal Authority of the Borough of Milford, D-1965-168 CP-2.* An application to approve a surface water withdrawal of up to 6.0 mgm to supply water to the applicant's public water supply distribution system from existing Springs 1 and 2. The springs are located in the drainage area of Vantine Brook within the Sawkill Creek Watershed in the Borough of Milford, Pike County, PA within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has designated as Special Protection Waters.

24. *Aqua Pennsylvania, Inc., D-2019-007 CP-1.* An application to approve an existing discharge from the 0.220 mgd Aqua Pennsylvania Ingram's Mill Water Filtration Plant. Filtered backwash will continue to discharge to the East Branch Brandywine Creek at River Mile 70.6—1.8—20.0—3.9 (Delaware River—Christina River—Brandywine Creek—East Branch Brandywine Creek) in West Chester Borough, Chester County, PA.

Public meeting. The public business meeting on September 10, 2020, will begin at 10:30 a.m. and will include: adoption of the minutes of the Commission's June 10, 2020, business meeting; announcement of upcoming meetings and events; a report on hydrologic conditions; resolutions to: (a) adopt the Commission's annual current expense and capital budgets for the fiscal year ending June 30, 2021; and (b) apportion among the signatory parties the amounts required for the support of the current expense and capital budgets for the fiscal year ending June 30, 2021; and consideration of any items for which a hearing has been completed or is not required.

After all scheduled business has been completed and as time allows, the business meeting will be followed by up to 1 hour of open public comment.

There will be no opportunity for additional public comment for the record at the September 10, 2020, business meeting on items for which a hearing was completed on August 12, 2020, or a previous date. Commission consideration on September 10, 2020, of items for which the public hearing is closed may result in approval of the item (by docket or resolution) as proposed, approval with changes, denial or deferral. When the Commissioners defer an action, they may announce an additional period for written comment on the item, with or without an additional hearing date, or they may take additional time to consider the input they have already received without requesting further public input. Any deferred items will be considered for action at a public meeting of the Commission on a future date.

Advance sign-up for oral comment. Individuals who wish to comment on the record during the public hearing

on August 12, 2020, or to address the Commissioners informally during the open public comment portion of the meeting on September 10, 2020, are asked to sign-up in advance through EventBrite. Links to EventBrite for the public hearing and the business meeting will be available at www.drbc.gov at least 10 days before the public hearing. For assistance contact Patricia Hausler at patricia.hausler@drbc.gov.

Submitting written comment. Written comment on items scheduled for hearing may be made through the Commission's web-based comment system, a link to which is provided at www.drbc.gov. Use of the web-based system ensures that all submissions are captured in a single location and their receipt is acknowledged. Exceptions to the use of this system are available based on need, by writing to the attention of the Commission Secretary, Delaware River Basin Commission, P.O. Box 7360, 25 Cosey Road, West Trenton, NJ 08628-0360. For assistance in using the web-based comment system contact Patricia Hausler at patricia.hausler@drbc.gov.

Accommodations for special needs. Individuals in need of an accommodation as provided for in the Americans with Disabilities Act who wish to attend the meeting or hearing should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate their needs.

Additional information and contacts. Additional public records relating to hearing items may be examined at the Commission's offices by appointment by contacting Denise McHugh, (609) 883-9500, Ext. 240. For other questions concerning hearing items contact David Kovach, Project Review Section Manager, at (609) 883-9500, Ext. 264.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 20-1035. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF AGING

Pennsylvania Long-Term Care Council; Location Change for the August 20, 2020, Meeting

Due to the novel coronavirus (COVID-19) pandemic, the Pennsylvania Long-Term Care Council's (Council) August 20, 2020, meeting will now be held remotely by means of WebEx. The start time will remain at 10 a.m. Individuals who wish to attend the meeting are asked to contact Charles Quinnan, Council Executive Director, (717) 705-7296, cquinnan@pa.gov.

Individuals in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Charles Quinnan, Council Executive Director, (717) 705-7296, cquinnan@pa.gov.

ROBERT TORRES,
Secretary

[Pa.B. Doc. No. 20-1036. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending July 21, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
03-14-2020	Brentwood Bank Bethel Park Allegheny County	1001 Hastings Park Drive Bridgeville Allegheny County (Limited Service Facility)	Opened
07-21-2020	Fleetwood Bank Fleetwood Berks County	61 Kings Plaza Oley Berks County	Approved

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
07-20-2020	Bank of Bird-in-Hand Bird-in-Hand Lancaster County	Filed

Amendment to Article V of the institution's Articles of Incorporation provides for an increase in the authorized number of shares of common stock, par value \$1 per share, from 20 million to 50 million and to authorize 2 million shares of preferred stock, par value \$1 per share, and provide the bank's Board of Directors with the ability to establish classes of preferred stock with differing rights, privileges, preferences, redemption and voting rights.

Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-1037. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Revisions to Schedule of Prices for State Parks

A. Summary and Background

Under section 314 of the Conservation and Natural Resources Act (71 P.S. § 1340.314) and 17 Pa. Code § 11.224 (relating to prices), the Department of Conservation and Natural Resources (Department), Bureau of

State Parks, will revise its price schedule for State park activities, uses and privileges effective August 1, 2020. The new schedule, which is in section D as follows, includes revisions to the schedule to add a transaction fee range for the Ohiopyle whitewater shuttle token.

The ending point for all whitewater river trips at Ohiopyle State Park (State Park), near Bruner Run, is 2 miles below the nearest parking area. Due to the sensitive nature of the resource, a 2-mile single lane paved road between Bruner Run and the nearest parking area at Old Mitchell Place is the only way in or out. The

single lane road is narrow, steep and very winding, making it hazardous for vehicles. Limited parking at the bottom is designed only for shuttle service, and the proximity of a crossing of the Great Allegheny Passage will compound parking issues and quickly become hazardous in terms of public safety if no shuttle service is provided.

To protect the natural resources and to ensure the safety of the State Park's thousands of boaters, the provision of a shuttle bus service is essential. This fee recovers a portion of the Department's cost of operating the shuttle.

For comparison purposes, the current price schedule along with the new price schedule can be found at the State Parks web site at <http://www.dcnr.state.pa.us/stateparks/prices/index.htm>. It can also be obtained by calling Pennsylvania State Parks Reservations and Information at (888) PA-PARKS. When the new price schedule becomes effective, it will be posted on the Department's State Parks previously listed web site.

B. Contact Person

Any questions may be directed to Ryan Dysinger, Assistant Director, Bureau of State Parks, Rachel Carson State Office Building, P.O. Box 8551, Harrisburg, PA 17105-8551, (717) 787-6640, rdysinger@pa.gov. Persons with a disability may use the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users).

C. Effective Date

The effective date of the new price schedule is August 1, 2020.

D. Price Schedule

<i>Facility Type Unit</i>	<i>Unit</i>	<i>Resident</i>	<i>Non-Resident</i>
Shuttle Token Rate	Per Reservation/Registration	\$4—\$24	\$4—\$24

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 20-1038. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Cyber Charter School Application; Virtual Hearing Cancellation

The Department of Education previously scheduled a virtual public hearing regarding a cyber charter school application that it received on or before October 1, 2019, that was published at 50 Pa.B. 3311 (July 4, 2020).

The virtual public hearing scheduled for August 3, 2020, has been cancelled.

For questions regarding this hearing, contact the Division of Charter Schools, (717) 787-9744, ra-charterschools@pa.gov.

PEDRO RIVERA,
Secretary

[Pa.B. Doc. No. 20-1039. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northcentral Region: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0008575 (Industrial)	Wirerope Works Inc. 100 Maynard Street Williamsport, PA 17701-5809	Lycoming County City of Williamsport	West Branch Susquehanna River (WWF) (10-B)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0090981 (Sewage)	Footedale STP 2 Long Street McClellandtown, PA 15458-0287	Fayette County German Township	Unnamed Tributary of Dunlap Creek (WWF) (19-C)	Yes
PA0254118 (Sewage)	Shroyer SRSTP 146 Lee Street Hyndman, PA 15545	Somerset County Southampton Township	North Branch Jennings Run (CWF) (13-A)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0102181 (Sewage)	Two Mile Run County Park 471 Beach Road Franklin, PA 16323-7519	Venango County Sugarcreek Borough	Twomile Run (CWF) (16-E)	Yes
PA0263532 (Sewage)	Matthew Supel SRSTP 3329 Ivanhoe Road Sharpsville, PA 16150	Mercer County South Pymatuning Township	Unnamed Tributary to McCullough Run (WWF) (20-A)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PA0245160, Storm Water, SIC Code 5015, **First Choice Auto Salvage & Recycling, LLC**, P.O. Box 52, Baptistown, NJ 08803. Facility Name: First Choice Auto Salvage & Recycling. This proposed facility is located in, **Bucks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of industrial stormwater.

The receiving stream(s), Unnamed Tributary to Cooks Creek (EV, MF), is located in State Water Plan watershed 2-D and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001, 002, and 003 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Average Monthly	
Total Suspended Solids	XXX	XXX	XXX	30	XXX	XXX
Oil and Grease	XXX	XXX	XXX	5	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	XXX	XXX
Copper, Total	XXX	XXX	XXX	0.009	XXX	XXX
Iron, Total	XXX	XXX	XXX	1.5	XXX	XXX
Lead, Total	XXX	XXX	XXX	0.003	XXX	XXX
Zinc, Total	XXX	XXX	XXX	0.12	XXX	XXX
Mercury, Total	XXX	XXX	XXX	0.0002	XXX	XXX

In addition, the permit contains the following major special conditions:

- Stormwater outfalls & authorized non-stormwater discharges
- Site-Specific BMPs for the facility
- Stormwater monitoring requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0026701, Sewage, SIC Code 4952, **Municipal Authority of the Borough of Morrisville**, 35 Union Street, Morrisville, PA 19067-6246. Facility Name: Morrisville County STP. This existing facility is located in Morrisville Borough, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Delaware River, is located in State Water Plan watershed 2-E and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 7.1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Total Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Duration of Discharge (minutes)	Report	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 7.1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 201 are based on a design flow of 7.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Color (Pt-Co Units) (Pt-Co Units)	XXX	XXX	XXX	100	XXX	150
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	1,302	1,954	XXX	22	33 Wkly Avg	44
CBOD ₅ Minimum % Removal (%) Percent Removal	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	88.50 Min Mo Avg	XXX	XXX
Total Suspended Solids Raw Sewage Influent	1,775	2,665	XXX	30	45 Wkly Avg	60
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	1,000.0 200 Geo Mean	1,500.0 XXX	XXX 1,000
Total Nitrogen Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus Copper, Total	1,184	XXX	XXX	20	XXX	40
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
1,4-Dioxane Phenolics, Total	4.0	5.9	XXX	0.067	0.10	0.135
	35	Daily Max 52.7	XXX	0.594	0.89	1.18
	XXX	Daily Max Report	XXX	Report	XXX	XXX
	Report	Report Daily Max	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 201 are based on a design flow of 7.1 MGD—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 201 are based on a design flow of 7.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

Sludge use and disposal description and location(s): sludge is hauled to a landfill.

In addition, the permit contains the following major special conditions:

- Collected screenings, slurries, sludges and solids shall be disposed properly
- Permittee shall optimize chlorine dosages for disinfection
- Notification of the designation of responsible operator
- Permittee shall develop and maintain O & M plan
- POTW Pretreatment Program Implementation
- WET Testing requirements
- Stormwater Monitoring requirements
- PCB Minimization Plan and Monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0024376, Sewage, SIC Code 4952, **Boyertown Borough**, Boyertown Borough Hall, 100 South Washington Street, Boyertown, PA 19512-1521. Facility Name: Boyertown STP. This existing facility is located in Douglass Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Swamp Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .75 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.34	XXX	1.1
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	125	188	XXX	20	30	40
Raw Sewage Influent Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	125	188	XXX	20	30	40
Total Dissolved Solids	6,255	15,637 Daily Max	XXX	1,000	2,000 Daily Max	2,500
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000*
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	30	XXX	XXX	4.8	XXX	9.6
May 1 - Oct 31	10	XXX	XXX	1.6	XXX	3.2
Total Phosphorus	9.4	XXX	XXX	1.5	XXX	3
Copper, Total	Report	XXX	XXX	Report	XXX	XXX

*Shall not exceed in more than 10% of samples.

Sludge use and disposal description and location: Sewage sludge is hauled away to landfill.

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights

- C. Proper Sludge Disposal
- D. Chlorine Optimization
- E. Operator Notification
- F. Fecal Coliform Reporting
- G. Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

PA0027375, Sewage, SIC Code 4952, **City of DuBois**, 16 W Scribner Avenue, DuBois, PA 15801-2210. Facility Name: City of DuBois Wastewater Treatment Plant. This existing facility is located in City of DuBois, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sandy Lick Creek (TSF), is located in State Water Plan watershed 17-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.4 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.5	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.16	XXX	0.52
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	770	1,155	XXX	21.0	31.5	42
		Wkly Avg			Wkly Avg	
May 1 - Oct 31	255	385	XXX	7.0	10.5	14
		Wkly Avg			Wkly Avg	
Total Suspended Solids	1,100	1,650	XXX	30.0	45.0	60
		Wkly Avg			Wkly Avg	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	230	340	XXX	6.3	9.3	12.6
		Wkly Avg			Wkly Avg	
May 1 - Oct 31	75	110	XXX	2.1	3.1	4.2
		Wkly Avg			Wkly Avg	
Total Phosphorus	XXX	Report	XXX	XXX	Report	XXX
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total (ug/L)	0.48	0.76	XXX	13.27	20.71	33.17
Cyanide, Free (ug/L)	0.32	0.50	XXX	8.75	13.65	21.87
Lead, Total (ug/L)	0.22	0.28	XXX	6.03	7.80	15.07
Mercury, Total (ug/L)	0.003	0.004	XXX	0.084	0.131	0.21
Zinc, Total	4.03	8.07	XXX	0.11	0.22	0.27
Dichlorobromomethane (ug/L)	0.10	0.16	XXX	2.85	4.44	7.12
Bis(2-Ethylhexyl) Phthalate (ug/L)	0.22	0.35	XXX	6.21	9.70	15.52
Chloroform (ug/L)	XXX	Report	XXX	XXX	Report	XXX
Isophorone (ug/L)	2.16	4.32	XXX	58.90	117.8	147.25
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 4.4 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.5	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	770	1,155	XXX	21.0	31.5	42
May 1 - Oct 31	255	Wkly Avg 385	XXX	7.0	Wkly Avg 10.5	14
Total Suspended Solids	1,100	Wkly Avg 1,650	XXX	30.0	Wkly Avg 45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	230	340	XXX	6.3	9.3	12.6
May 1 - Oct 31	75	Wkly Avg 110	XXX	2.1	Wkly Avg 3.1	4.2
Total Phosphorus	XXX	Report	XXX	XXX	Report	XXX
Aluminum, Total	27	27	XXX	0.75	0.75	0.75
Copper, Total (ug/L)	0.48	0.76	XXX	13.27	20.71	33.17
Cyanide, Free (ug/L)	0.32	0.50	XXX	8.75	13.65	21.87
Lead, Total (ug/L)	0.22	0.28	XXX	6.03	7.80	15.07
Mercury, Total (ug/L)	0.003	0.004	XXX	0.084	0.131	0.21
Zinc, Total	4.03	8.07	XXX	0.11	0.22	0.27
Dichlorobromomethane (ug/L)	0.10	0.16	XXX	2.85	4.44	7.12
Bis(2-Ethylhexyl) Phthalate (ug/L)	0.22	0.35	XXX	6.21	9.70	15.52
Chloroform (ug/L)	XXX	Report	XXX	XXX	Report	XXX
Isophorone (ug/L)	2.16	4.32	XXX	58.90	117.8	147.25
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX

Sludge use and disposal description and location(s): Landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

PA0288543, Sewage, SIC Code 8800, **Christopher Boltz**, 221 Hannahstown Road, Cabot, PA 16023-2117. Facility Name: Christopher Boltz SFTF. This proposed facility is located in Jefferson Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Sarver Run (HQ-TSF), is located in State Water Plan watershed 18-F and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288471, Sewage, SIC Code 4952, 8800, **Gino Nicastro**, 421 Pike Street, Farrell, PA 16121-1543. Facility Name: Gino Nicastro SRSTP. This proposed facility is located in Hermitage City, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary of Hogback Run, located in State Water Plan watershed 20-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Offsite Sludge disposal is proposed.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288560, Sewage, SIC Code 8800, **Samuel Melaragno**, 4151 McLaughlin Road, McKean, PA 16426-2034. Facility Name: Samuel Melaragno SRSTP. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary 53014 to Little Conneauttee Creek (CWF), is located in State Water Plan watershed 16-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288578, Sewage, SIC Code 8800, **Steven McNeil**, 2093 Mapleview Road, Brookville, PA 15825. Facility Name: Steven McNeil SRSTP. This proposed facility is located at 1295 Slalom Run Road, Clarion, PA 16214, located in Clarion Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary 49701 (CWF) to Clarion River, is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 2120401, Sewerage, **Brian Negley**, 110 Clover Lane, Carlisle, PA 17015.

This proposed facility is located in Lower Frankford Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a single residence sewage treatment system to serve their residence.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 465S118 A-3, Sewage, **PA State University**, 2 Admin Bldg, New Kensington, PA 15068.

This existing facility is located in Upper Burrell Township, **Westmoreland County**.

Description of Proposed Action/Activity: Replacement of existing chlorine contact tank with a new chlorine contact tank.

WQM Permit No. 6379410 A-1, Sewage, **Washington County Coal Company**, 46226 National Road, Saint Clairsville, OH 43950.

This existing facility is located in South Strabane Township, **Washington County**.

Description of Proposed Action/Activity: Installation of a dechlorination unit at the Livingston Portal STP.

WQM Permit No. 1120403, Sewage, **Ebensburg Municipal Authority**, 300 West High Street, Ebensburg, PA 15931.

This proposed facility is located in the Ebensburg Borough/Cambria Township, **Cambria County**.

Description of Proposed Action/Activity: Proposed construction of the removal of the existing Griffith's Field—Combined Sewer Overflow (CSO) located in Ebensburg Borough/Cambria Township. Treatment to be provided at the existing Ebensburg Municipal Authority STP.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 0320402, Sewage, **Manor Township Joint Municipal Authority**, 160 Schley Street, Ford Cliff, PA 16228.

This proposed facility is located in Manor Township, **Armstrong County**.

Description of Proposed Action/Activity: Replacement of existing Tub Mill Run Sewage Pump Station with new suction lift pump station.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090056	Jerome Giuliano 2774 Sugan Road Solebury, PA 18963-0135	Bucks	Solebury Township	Paunacussing Creek and Unnamed Tributary to Paunacussing Creek HQ-CWF-MF
PAD090057	Alpha Genesis Design Build, LLC 6600 Greenhill Road New Hope, PA 18938-9646	Bucks	Solebury Township	Paunacussing Creek HQ-CWF

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708, 570-674-7991.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD400011 A-1	Sand Springs Dev Corp Michael Tuskes 4511 Fulmer Dr Bethlehem, PA 18020	Luzerne	Butler Twp	Long Run (HQ-CWF, MF)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

CAFO Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

NPDES Permit No. PA0266060, CAFO, **Wentzel Timothy M**, 3819 Powells Valley Road, Halifax, PA 17032-9629.

This existing facility is located in Jefferson Township, **Dauphin County**.

Description of size and scope of existing operation/activity: Poultry (Layers), Beef (Finishing), Swine (Grow—Finish): 446.35 AEU's.

The receiving stream, Unnamed Tributary to North Fork Powell Creek (CWF, MF), is in watershed 6-C and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PA0260495, CAFO, **Hershey Steve**, 2024 Donegal Springs Road, Mount Joy, PA 17552-8906.

This existing facility is located in East Donegal Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Beef (Finishers), Swine (Grow—Finish), Poultry (Pullets): 592.57 AEU's.

The receiving stream, Unnamed Tributary to Donegal Creek (CWF, MF) and Donegal Creek (HQ-CWF, MF), is in watershed 7-G and classified for: Cold Water Fishes, Migratory Fishes, High Quality—Cold Water, and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PA0266078, CAFO, **Dickinson Danyell L & Dickinson Robbie L**, 199 W McKinleyville Road, Hustontown, PA 17229-9215.

This existing facility is located in Taylor Township, **Fulton County**.

Description of size and scope of existing operation/activity: Swine (Grow—Finish): 693.59 AEU's.

The receiving stream, Unnamed Tributary to Sideling Hill Creek (HQ-CWF, MF), is in watershed 12-C and classified for: High Quality—Cold Water and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

STATE CONSERVATION COMMISSION PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

ACT 38 NUTRIENT MANAGEMENT PLANS CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Lamar Sensenig 114 Huckleberry Rd. Jonestown, PA 17018	Lebanon	56.4	319.90	Broilers/ Sheep	NA	Renewal
M.W. Smith Farms 851 Meadow Grove Road Newport, PA 17074	Perry	1,478.2	1,923.00	Dairy	WWF, MF	Renewal
Jonathan W. Stauffer 6430 Route 225 Elizabethville, PA 17023 Operation at 3535 Old State Road Leck Kill, PA 17836	Northumberland	10	263.76	Layer	NA	Renewal
Landis Hoover 1453 Diamon Station Road Ephrata, PA 17522	Lancaster	23.5	314.1	Swine/ Veal	NA	Renewal

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

WA40-184B, Water Allocation, **Hazleton City Authority**, 400 East Arthur Gardner Highway, Hazleton, PA 18201, City of Hazleton, **Luzerne County**. The applicant is requesting the right to withdraw up to a maximum of 5.0 million gallons per day (MGD) from the Lehigh River intake near Rockport in Lehigh Township, Carbon County, PA. The requested withdrawal is a revised quantity versus the original application request of 3.0 MGD as published in the March 19, 2016 *Pennsylvania Bulletin*.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Young & Diberandino Residences, 656 & 658 East Broad Street, Quakertown Borough, **Bucks County**. Geoffrey Kristof, PG, Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381 on behalf of Micheal Berger, Erie Insurance Group, 2200 West Broad Street, Bethlehem, PA 18018 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with the release of No. 2 fuel oil. The proposed future use of the property will be residential. The proposed cleanup standard for the site is the Statewide Health Standard. The Notice of Intent to Remediate was published in the *Montgomery Digital News* on May 31, 2020.

210 North Aberdeen Avenue, 210 North Aberdeen Avenue, Radnor Township, **Delaware County**. Paul White, P.G., Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Christy Flynn, 210 North Aberdeen Associates, LLC, 126 East State Street, Media, PA 19063 submitted a Notice of Intent to Remediate. Site soil has been found to be impacted by low levels of SVOCs. The property owners are proposing to redevelop the property for multi-unit residential use. The proposed cleanup standard for the site is the Site-Specific Standard. The Notice of Intent to Remediate was published in *The Delaware County Daily Times* on May 14, 2020.

Sears Site, 6301 Market Street, Milbourne Borough/City of Philadelphia, **Delaware County/Philadelphia County**. Craig Herr, PG, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Michael Willner, WRD Sears, LP, 33 Rock Hill Road, Suite 350, Bala Cynwyd, PA 19004 submitted a Notice of Intent to Remediate. Soil has been found to be contaminated with No. 2 fuel oil and lead. The intended future use of the subject property will remain commercial (warehouse). The proposed cleanup standard for the site is the Statewide Health Standard. The Notice of Intent to Remediate was published in *The Delaware County Daily Times* on May 22, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Kessler Property, 2210 Henderson Street, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Darcy Lettieri, 41 Dover Street, Cambridge, MA 02140, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Morning Call* on July 3, 2020.

Former Pittston Manufactured Gas Plant, Main Street and Kennedy Boulevard, Pittston, PA 18640, Pittston City, **Luzerne County**. GEI Consultants, 18000 Horizon Way, Suite 200, Mount Laurel, NJ 08054 on behalf of UGI Utilities Inc., 1 UGI Drive, Denver, PA 17517, submitted a Notice of Intent to Remediate. Soil and groundwater were impacted by volatile organic compounds, semi-volatile organic compounds and metals from historic use as a manufactured gas plant. Future use of the site will be for residential and nonresidential purposes. The Notice of Intent to Remediate was published in the *Sunday Dispatch* on June 21, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Zenith Energy Altoona Terminal, 6033 6th Avenue, Altoona, PA 16602, Allegheny Township, **Blair County**. Onesky Engineering, Inc., 510 Wellington Square, # 412, Exton, PA 19341, on behalf of Zenith Energy Terminals/Pennsylvania Holdings, LLC, 3000 Essex Lane, Suite 700, Houston, TX 77027, submitted a Notice of Intent to Remediate site soil contaminated with volatile organic compounds (VOCs). The site will be remediated to the Residential Statewide Health Standard. Future use of the site will remain non-residential as a bulk petroleum storage facility. The Notice of Intent to Remediate was published in the *Altoona Mirror* on May 29, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Walton Residence Heating Oil Release, 2475 Steam Mill Hollow Road, Laceyville, Tuscarora Township, **Bradford County**. Environmental Products & Services of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of Dan Walton, 2475 Steam Mill Hollow Road, Laceyville, PA 18623, has submitted a Notice of Intent to Remediate concerning site soil contaminated with No. 2 fuel oil. The applicant proposes to remediate site to meet the Residential Statewide Health Standard.

State Line Compressor Station, 671 O'Donnell Road, Genesee Township, **Potter County**. Groundwater and Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Dominion Energy Transmission, Inc., 518 E. Pittsburgh Street, Greensburg, PA 15601, has submitted a Notice of Intent to Remediate concerning site soil and groundwater contaminated with Ethylene Glycol. The applicant proposes to remediate site to meet the Residential Statewide Health Standard.

McHugh Residence, 222 Julia Street, Dushore Borough, **Sullivan County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381 on behalf of WOC Energy Services, 44 Reuter Boulevard, Towanda, PA 18848, has submitted a Notice of Intent to Remediate concerning site soil and groundwater contaminated with No. 2 fuel oil. The applicant proposes to remediate site to meet the Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Sullivan Review* on June 24, 2020.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Renewal Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 101701, Republic Services of Pennsylvania, LLC, Highspire Transfer Station, 205 Industrial Road, Highspire Borough, **Dauphin County**, PA 17034.

An application for permit renewal for the Highspire Transfer Station was submitted by Republic Services of Pennsylvania, LLC. This application was deemed administratively complete by the Southcentral Regional Office on June 30, 2020. The Department will accept comments

from the general public recommending revisions to, and approval or denial of, the application during the entire time the Department is reviewing the permit application.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Permit No. 101671. Park's Garbage Service, Inc., 11763 Shirley Ayr Road, Mount Union, PA 17066, Shirley Township, **Huntingdon County**. An application for a permit renewal was submitted by Park's Garbage Service, Inc., for continued operation of the Park's Transfer & Recycling Center located in Shirley Township, Huntingdon County. The current permit expires November 28, 2020. This application was deemed administratively complete by the Southcentral Regional Office on July 14, 2020.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed

Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

09-0245: Penn Engineering & Manufacturing Corp. (5190 Old Easton Road, Danboro, PA 18916) for the installation of an automated barrel plating system and related air pollution control technology equipment, including a packed-bed scrubber. This facility, located in Plumstead Township, **Bucks County**, is a non-Title V facility. The plating system is an acid zinc system and will be used to plate various metal parts and fasteners with zinc and will also allow the facility to apply various trivalent chromium passivates or chromate conversion coatings to the electroplated zinc deposits. The proposed potential emissions in tons per year (tpy) from the new plating system are as follows: 2.06 tpy PM; 0.002 tpy HNO₃; 0.885 tpy HAPs. These proposed emission limits may be subject to change based on stack test results and may include additional pollutants found during stack testing. The proposed plan approval will contain record-keeping requirements, monitoring requirements, operating conditions and performance testing requirements designed to keep the facility operating within the allowable emission limitations and all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief, (412) 442-4168.

65-00713: Greenridge Reclamation, LLC (234 Landfill Road, Scottdale, PA 15683). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a Title V Operating Permit (TVOP-56-000181) renewal to Southern Greenridge Reclamation, LLC for the operation of a municipal solid waste landfill in Conemaugh Township, **Somerset County, PA.**

The Greenridge landfill accepts municipal solid wastes, construction/demolition wastes, and approved residual and special handling wastes. The disposal capacity of the landfill is estimated at 11.8 million tons of waste. Sources and the control devices at this facility are: Paved and Unpaved Roads, Landfill Gas Fugitive, Emergency Generators, LFG Ground Flare (Enclosed Flare), Utility candle flare, Water Truck, and Landfill Gas collection system.

This facility has the potential emissions of the following type and quantity of air contaminants (on an annual basis): 104 tons of carbon monoxide, 35 tons of nitrogen oxides, 92 tons of particulate matter, 94 tons of sulfur oxides, 19 tons of volatile organic compounds, and 13 tons of hazardous air pollutants. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60, 40 CFR Parts 61, 40 CFR Parts 63 and 25 Pa. Code Article III, Chapters 121—145.

Copies of the application, DEP's analyses and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date the notice of the proposed action was published under 25 Pa. Code § 127.521(b) (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit TV-65-00713) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by tele-

phone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Noor Nahar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

20-040L: Advanced Cast Products Inc., Meadville Plant (18771 Mill Street, Meadville, PA 16335-3644) for a permit modification to increase particulate emission limits for sources 101 (Charge & Preheating) and 102 (Melting-Transfer-Mag Trea). This facility is in Vernon Township, **Crawford County**.

Pursuant to 25 Pa. Code §§ 127.44(a) and 127.424, the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 20-040L to Advanced Cast Products Inc. for a modification of particulate matter emissions for sources 101 and 102. This facility is located in Vernon Township, Crawford County. The Plan Approval will subsequently be incorporated into the facility Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 20-040L is for the modification of permit particulate matter emission limits for sources 101 and 102. Based on the information provided by the applicant and DEP's own analysis, the facility will have projected actual emissions of approximately 4.5 tons per year (tpy) of particulate matter and PM₁₀ emissions.

The Plan Approval will contain emission and control device efficiency restrictions, along with, testing, monitoring, recordkeeping, work practice and additional requirements designed to keep the facility operating within all applicable air quality requirements. Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department of Environmental Protection, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335. Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. The Department will consider any written comments received within 30 days of the publication of this notice.

Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 20-040L, Advanced Cast Products Inc., Meadville Plant and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to: New Source Review Section, Air Quality Program, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335, Phone:

814-332-6940. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by calling 814-332-6940, or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00269: IPX 2201 Renaissance Investors, LLC (previously owned and operated by hibü, Inc.) (2201 Renaissance Boulevard, King of Prussia, PA 19406) owns and operates an office building in Upper Merion Township, **Montgomery County**. The source of air emissions from this facility is a 1.5 MW emergency generator engine. Two 1-MW emergency generator engines were emission sources under hibü, Inc.; however, these two generator engines are not part of this renewal operating permit. The facility elects to limit NO_x emissions to less than 25 tons per year; therefore, the facility is considered a Synthetic Minor (State Only Operating Permit). The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

54-00077: Northeast Prestressed Products, LLC (121 River Street, Cressona, PA 17929-1108). The Department intends to issue a State-Only Operating Permit for the operation of a precast concrete operation in North Manheim Township, **Schuylkill County**. The sources consist of one (1) concrete forms coating process, one (1) concrete product coating process, and three (3) parts washers. This is a renewal of a State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to ensure compliance with all applicable Federal and State air pollution control requirements.

45-00007: National Electric Carbon Products/East Stroudsburg (100 Mill Creek Road, East Stroudsburg, PA 18301-1122). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the manufacture of Carbon and Graphite Products located in East Stroudsburg Borough, **Monroe County**. The primary sources consist of kilns, mixers, and bake ovens. The control devices are baghouses and afterburners on the bake ovens. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00101: Bimbo Bakeries USA Inc., Lehigh Valley Plant (150 Boulder Drive, Breinigsville, PA 18031-1838). The Department intends to issue a renewal State-Only

(Synthetic Minor) Permit for the manufacture of Bread, Cake, and Related Products located in Upper Macungie Township, **Lehigh County**. The primary sources consist of roll ovens and a bread oven. The control devices are a catalytic oxidizer. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00070: Prime Conduit Inc./Upper Nazareth (26961 Lake Rd., Bay Village, OH 44140). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the manufacture of noncurrent-carrying wiring devices located in Upper Nazareth Township, **Northampton County**. The primary sources are extrusion lines and storage silos. The control devices are dust collectors. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-03104: Bean Funeral Homes & Cremation Services, Inc. (129 East Lancaster Avenue, Shillington, PA 19607-2613) to issue a State Only Operating Permit for their crematory operation controlled by a secondary afterburner chamber in Sinking Spring Borough, **Berks County**. The potential emissions from the facility are in the form of particulate matter (i.e., PM₁₀) at 1.0 ton per year (tpy) and NO_x at 0.7 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00024: UPMC Susquehanna (1100 Grampian Boulevard, Williamsport, PA 17701), for the Divine Providence Hospital located in Williamsport, **Lycoming County**. The facility's main sources include five (5) natural gas/No. 2 fuel oil-fired boilers and five (5) emergency generator engines. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the previously-mentioned facility. The subject facility has the following potential emissions: 24.41 TPY of carbon monoxide; 34.10 TPY of nitrogen oxides; 0.30 TPY of sulfur oxides; 1.93 TPY of particulate matter; 1.71 TPY of volatile organic compounds and 33,141 TPY of greenhouse gases. The Department has determined that the sources at the facility satisfy best available technology

(BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, the New Source Performance Standards (NSPS) pursuant to 40 CFR Part 60 Subpart IIII and the National Emission Standards for Hazardous Air Pollutants (NESHAP) pursuant to 40 CFR Part 63 Subparts ZZZZ and JJJJJJ. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

41-00015: Pennsylvania Department of Corrections (1920 Technology Parkway, Mechanicsburg, PA 17050-8507) for a State Only Operating Permit for their Muncy Correctional Institution located in Clinton Township, **Lycoming County**. The facility's sources include, two (2) natural gas-fired boilers, four (4) diesel-fired generator engines, two (2) propane-fired generator engines and several small # 2 fuel oil and propane-fired combustion units. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the previously-mentioned facility. The subject facility has the following potential emissions: 34.45 TPY of carbon monoxide; 50.30 TPY of nitrogen oxides; 0.60 TPY of sulfur oxides; 3.10 TPY of particulate matter; 2.44 TPY of volatile organic compounds and 45,877 TPY of greenhouse gases.

The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, the New Source Performance Standards (NSPS) pursuant to 40 CFR Part 60 Subpart IIII, 40 CFR Part 60 Subpart JJJJ and 40 CFR Part 60 Subpart Dc and the National Emission Standards for Hazardous Air Pollutants (NESHAP) pursuant to 40 CFR Part 63 Subpart ZZZZ. The proposed operating permit renewal includes emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

37-00266: Shenango Area School District (2501 Old Pittsburgh Road, New Castle, PA 16101-6095), to issue a renewal of the State Only Operating Permit for the two Tri-Fuel Boilers (6.4 MMBtu/hr, each), miscellaneous natural gas combustion units (total of 2.5 MMBtu/hr), and two diesel fired emergency generators at the High School located in Shenango Township, **Venango County**. The facility is a Natural Minor. The permit contains a requirement which only allows natural gas fuel usage since the boilers have not been fired on coal since April 2010. The emergency generator is exempt from 40 CFR 63 Subpart ZZZZ provided the facility operates the engine in compliance with § 63.6640(f).

43-00260: Mercer Area School District, Middle/High School (545 West Butler St., Mercer, PA 16137-1061). The Department intends to issue the renewal of the State-Only Operating Permit of a school located in

Mercer Borough, **Mercer County**. Permitted air contamination sources at the facility are one bituminous coal-fired boiler, two natural gas-fired boilers, and one natural gas-fired hot water heater. With PTEs below major source thresholds, the school is Natural Minor for permitting purposes. In this renewal, permit conditions based on conditional exemptions from plan approval requirements are removed.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief, (570) 826-2705.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Silgan Containers Manufacturing Corp.** (8201 Industrial Drive, Breinigsville, PA 18031) for their facility located in Upper Macungie Twp., **Lehigh County**. This Plan Approval No. 39-00110A will be incorporated into a State Only Permit through an administrative amendment at a later date.

Plan Approval No. 39-00110A is for the installation of a two food can assembly lines and one draw redraw can assembly line with filters and curing ovens. VOC emissions from the plant will remain under 50 TPY threshold limit, 12-month rolling sum. Particulate emissions will not exceed 0.04 grains/dscf from the filters. The company shall be subject to and comply with all applicable 25 Pa. Code § 129.52 for VOC emission limits. Total HAP emissions from the facility will be under 25 TPY, 12-month rolling sum. Single HAP emissions will be under 10 TPY, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. Emissions from the lines will be controlled by the use of a dry filters and curing oven. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 39-00110A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, phone number 570-826-2511 within 30 days after publication date.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

35-00079A: Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Westlake Plastics Company** (91 Hickory Street, Mayfield, PA 18433) for the construction & operation of a 63.1 MMBtu boiler which will fire on Natural Gas at the Westlake Plastics Company located in Mayfield Borough, **Lackawanna County**.

The Department of Environmental Protection's (Department) review of the information submitted by Westlake Plastics Company indicates that the boiler to be constructed will comply with all regulatory requirements pertaining to air contamination source and the emission of air contaminants including 25 Pa. Code § 123.41 for Visible emissions, 25 Pa. Code § 123.22 for Sulfur Compound Emissions, NSPS Subpart Dc requirements and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Nitrous Oxides emissions will be minimized by using Low NO_x burner for boiler. Expected NO_x emissions from the proposed boiler will be less than 30 PPM when firing with natural gas. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The Plan approval and Operating Permit will include testing, monitoring, recordkeeping, and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

The facility is a State Only facility. If the Department determines that the boiler is constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 35-00079A, the requirements established in the plan approval will be incorporated into State Only Operating Permit 35-00079 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northeast Regional Office, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915. Appointments for scheduling a review must be made by calling 570-826-2511.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 35-00079A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that

such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Engineer Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on

a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Wigfield).

Permit 56090103 and NPDES No. PA0262358. Mountaineer Mining Corp., 1010 Garrett Shortcut Road, Berlin, PA 15530, permit renewal for reclamation only of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 58.1 acres. Receiving streams: unnamed tributaries to/and Buffalo Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 17, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).

17080114 and NPDES PA0256951. Waroquier Coal Company. (P.O. Box 128, Clearfield, PA 16830). Permit renewal for reclamation only of a bituminous surface coal and auger mining in Jordan Township, **Clearfield County** affecting

97.0 acres. Receiving stream(s): Unnamed tributaries to North Witmer Run and Davidson Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: July 15, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54200102. Rausch Creek Coal Mining Branchdale, LLC (978 Gap Street, Valley View, PA 17983), commencement, operation and restoration of an anthracite surface mine operation in Reilly Township, **Schuylkill County**, affecting 473.5 acres. Receiving stream: Muddy Branch Creek and unnamed tributary to Swatara Creek, classified for the following uses: cold water fishes and cold-water fishes and migratory fishes. Application received: July 6, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).

Permit 32040301 and NPDES No. PA0249611. Penn Run Quarry 2 Spruce Mine, 590 Spruce Grove Road, Penn Run, PA 15765, renewal of an NPDES permit located in Cherryhill and Pine Townships, **Indiana County**. Receiving streams: unnamed tributaries to Yellow Creek to Two Lick Creek to Blacklick Creek, classified for the following uses: cold water fishery & trout stocked fishery. The first downstream potable water supply intake from the point of discharge is Central Indiana County Water Authority Intake on Yellow Creek. Application received: July 15, 2020.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).

03200401 and NPDES No. PA0278467. Brady's Bend Limestone Company, LLC, Box 217, 10900 South Avenue, North Lima, OH 44452. Application for commencement, operation and restoration of a large noncoal underground mine in Brady's Bend Township, **Armstrong County**, affecting 658.0 acres. Receiving stream(s): Pine Run to Sugar Creek to the Allegheny River classified for the following use(s): WWF. There is no downstream potable water supply intake from the point of discharge. Application received: July 8, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 09890301C21 and NPDES Permit No. PA0594466. Naceville Materials (305 South Main Street, Suite 207, Doylestown, PA 18901), renewal of an NPDES permit for discharge of treated mine drainage from a quarry operation in West Rockhill Township, **Bucks County** affecting 100.63 acres. Receiving stream: unnamed tributary to Ridge Valley Creek, classified for the following use. Trout stocking fishes. Application received: June 27, 2019.

Permit No. 58202503 and NPDES Permit No. PA0226114. Donald Twining (232 SR 2036, Thompson, PA 18465), commencement, operation and restoration of a GP105 bluestone permit that include an NPDES permit for discharge of treated mine drainage in Gibson Township, **Susquehanna County** affecting 10.0 acres. Receiving stream: unnamed tributary to Tunkhannock Creek, classified for the following use: EV—migratory fishes. Application received: June 24, 2020.

Permit No. 7475SM5C8 and NPDES Permit No. PA0223522. Lehigh Cement Co., LLC (7660 Imperial Way, Allentown, PA 18195), renewal of an NPDES permit for discharge of treated mine drainage from a quarry operation in Nazareth Borough, **Northampton County** affecting 32.7 acres. Receiving stream: unnamed tributary to Schoneck Creek, classified for the following uses: warm water and migratory fishes. Application received: June 9, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96). The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

NPDES No. PA0600156 (Mining Permit No. 14743701), Pennsylvania Mines, LLC, 835 Hamilton Street, Suite 150, Allentown, PA 18101, a renewal to the NPDES and mining activity permit for coal refuse disposal activities for Pauline Hollow Coal Refuse Disposal Area in Rush Township, **Centre County**, affecting 150.0 surface acres. Receiving stream(s): Unnamed Tributary to Moshannon Creek for the following use: TSF. Moshannon Creek Watershed TMDL. The application was considered administratively complete: January 14, 2019. The application was received: April 9, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Unnamed Tributary to Moshannon Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 52' 21.3" Long: -78° 14' 2.3") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from PERMIT EFFECTIVE DATE to PERMIT EXPIRATION DATE:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	50	50
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect (Moshannon Creek Watershed TMDL).

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. PA0224332 on SMP No. 64030301. E.R Linde Construction Corporation (9 Collan Park, Honesdale, PA 18431), renewal of an NPDES Permit for a sandstone quarry operation in Palmyra Township, **Wayne County**, affecting 94.3 acres. Receiving stream: Middle Creek, classified for the following use: HQ—cold water fish. The first downstream potable water supply intake from the point of discharge is NRG Energy Portland Generating Station. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 1 for pH, total suspended solids, turbidity, oil and grease, acidity, alkalinity and net alkalinity which apply to dry weather discharges. in addition to the limits identified in Table 2, which apply to precipitation events less than and equal to the 10-year/24-hour precipitation event. Application received: July 23, 2019.

Outfall Nos.		New Outfall (Y/N)		Type
SP-02		N		Stormwater
<i>Outfalls: SP-02</i>				
<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Turbidity NTU (HQ & EV Only, E&S/Storm water)		40.0	80.0	100.0
Oil and Grease (mg/l)				Report
Total Acidity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Total Alkalinity (mg/L)				Report
<i>Outfalls: SP-02</i>				
<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0			9.0
Total Settleable Solids (mL/L)				0.5
Total Acidity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Total Alkalinity (mg/L)				Report

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA)

(33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environ-

mental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E23-551, Swarthmore College, 500 College Avenue, Swarthmore, PA 19081-1390, Swarthmore Borough, **Delaware County**, ACOE Philadelphia District.

To restore, rehabilitate, and maintain an approximately 834-foot long eroded stream and banks along the swale and UNT to Crum Creek, (WWF/MF) associated with the improvements and several aspects of ecological uplift. The project will include the installation of riffles, Log Vanes, and about 30-inch high imbricated rock walls to support the stabilization.

The site is located about 500-feet southwest of Cedar Lane and Collegeville Avenue (Lansdowne, PA, USGS Quadrangle Latitude: 39.904427; Longitude: -75.356854) in Swarthmore Borough, Delaware County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E5402220-023. Minersville Sewer Authority, 2 East Sunbury Street, Minersville, PA 17954, in Branch Township, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To fill and maintain a 0.01-acre area within the floodplain of the West Branch of the Schuylkill River (CWF, MF) consisting of a 20-foot long, 12-foot wide emergency generator facility and concrete pad. The project is located directly west of the existing Minersville Sewer Authority Wastewater Treatment Plant building, approximately 0.38 mile south of the intersection of

Pottsville-Minersville Highway (S.R. 901) and East Sunbury Street (Swatara Hill, PA Quadrangle Latitude: 40° 41' 9" Longitude: -76° 15' 20") in Branch Township, Schuylkill County. (Swatara Hill, PA Quadrangle, Latitude: 40° 41' 9"; Longitude: -76° 15' 20").

E4802220-023. John Cornell, 1606 Sullivan Trail, Forks, PA 18040, in Forks Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct approximately 8,300 feet of new roadways and supporting utilities and includes the construction of a precast concrete arch bridge. This is part of a larger project (PAD480116) of a proposed residential development located in Forks Township, Northampton County. The proposed 40-foot span arch bridge will carry Ben Jon Road over UNT to Bushkill Creek (CWF, MF), there are no other proposed road crossings for this project. Grading is proposed along the outer edges of the channel and to relocate an existing Forks Township sanitary sewer interceptor, which runs parallel to the channel. The proposed bridge will reduce water surface elevations upstream, by eliminating existing inadequate culverts at this location. The project is located on the north side of Zucksville Road (SR 2036) in Fork Township, Northampton County. Quadrangle Latitude: 40° 43' 18" Longitude: -75° 14' 07". (Easton, PA Quadrangle, Latitude: 40° 43' 18"; Longitude: -75° 14' 07").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0603220-025. UGI Utilities, 1 UGI Drive, Denver, PA 17517 in Amity Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To fill and relocate 31-linear feet of a UNT to Monocacy Creek (WWF, MF) permanently impacting 775 square feet of UNT to Monocacy Creek, 99 square feet of Monocacy Creek (WWF, MF) and 702 square feet of forested wetlands all for the purpose of restoring cover to an exposed 12-inch gas pipeline. The project is located all US Highway 422 Business north of the intersection of Limekiln Road (Latitude: 40.274576, Longitude -76.781549) in Amity Township, Berks County.

E2103220-021. Sporting Hill I LP, 2 Kacey Court, Suite 201, Mechanicsburg, PA 17055 in Hampden Township, **Cumberland County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to 1) place and maintain fill in 0.03 acre of Palustrine Emergent (PEM) wetland within the watershed of Conodoguinet Creek (WWF) and 2) enclose 160 linear feet of stream channel under waiver 25 Pa. Code § 105.12(a)(2), all for the purpose of constructing two multi-family residential buildings along Sporting Hill Road in Hampden Township, Cumberland County (Latitude: 40° 14' 18"; Longitude: -76° 58' 15.58").

E0103120-021. PA Department of Transportation Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699 in, Latimore Township, **Adams County**, U.S. Army Corps of Engineers Baltimore District.

To rehabilitate and maintain a three-span, camelback stone masonry 70.5 foot x 16.5 foot bridge over Bermudian Creek (WWF, MF) along S.R. 1005, Section 009 (Latimore Valley Road) and replace and maintain pipe culvert in UNT to Bermudian Creek (WWF) for the purpose of improving transportation safety in Latimore Township, Adams County (40.001520; -77.58616) or (40° 00' 03", -77° 03' 30"). The project proposes to permanently impact 44 linear feet of stream channel and

0.01 acre and temporarily impacting 48 linear feet of stream channel and 0.01 acre wetland.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D04-031. Albert Wasilewski, PA DCNR, 3000 State Route 18, Hookstown, PA 15050. Hanover Township, **Beaver County**, USACOE Pittsburgh District.

Project proposes to remove the Group Camp Dam to eliminate a threat to public safety and to restore approximately 2,000 feet of stream channel to a free-flowing condition. The proposed restoration project includes con-

struction of a stream channel through the north side of the impoundment where accumulated sediment is significantly less than most of the impoundment. The project includes construction of valley-wide grade control structures, and root wad and log habitat enhancement and stream bank armoring structures in the stream channel through the former reservoir. Given the significant volume of sediment stored in the impoundment, four feet of the dam will remain in place to retain the sediment. The downstream surface will be built up to the top of the remaining dam and an artificial riffle/stream channel will be constructed and will transition to the natural stream invert approximately 200 feet downstream from the dam. The project is located across Traverse Creek (HQ-CWF, TSF) (Hookstown, PA Quadrangle, Latitude: 40.5133; Longitude: -80.4452).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0084328 (Sewage) Issued	Magnesita Refractories York Quarry 425 S Salem Church Road York, PA 17408-5955	York County West Manchester Township	UNT to Honey Run (TSF) and Unnamed Tributary of Codorus Creek (WWF, MF) in Watershed(s) 7-H and 7-F	Y
PA0031992 (Sewage) Issued	Greenwood Furnace State Park 15795 Greenwood Road Huntingdon, PA 16652-5831	Huntingdon County Jackson Township	East Branch Standing Stone Creek (HQ-CWF) in Watershed(s) 11-B	Y
PA0248029 (Sewage) Issued	Hustontown STP P.O. Box 606 Hustontown, PA 17229-0606	Fulton County Dublin Township	Unnamed Tributary to Lamberson Branch (HQ-CWF) in Watershed(s) 12-C	Y
PA0080586 (Sewage) Issued	Morton Bldg. Manufacturing 3370 York Road Gettysburg, PA 17325-8258	Adams County Straban Township	Unnamed Tributary to Swift Run (WWF) in Watershed(s) 7-F	Y
PA0085073 (Sewage) Issued	Wood Broad Top Wells P.O. Box 7 Wood, PA 16694-0007	Huntingdon County Wood Township	Unnamed Tributary to Great Trough Creek (TSF) in Watershed(s) 11-D	Y
PA0087408 (Sewage) Issued	Trainers Midway Lodgings P.O. Box 6 Bethel, PA 19507-0006	Berks County Bethel Township	Unnamed Tributary to Little Swatara Creek (CWF) in Watershed(s) 7-D	Y

Northcentral Region: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0020583 (Sewage)	Middleburg Municipal Authority Wastewater Treatment Plant 13 N Main Street Middleburg, PA 17842-1082	Snyder County Middleburg Borough	Middle Creek (TSF) (6-A)	No

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0255688 (Sewage)	Miller SRSTP 135 Sandy Drive Clinton, PA 15026-1325	Beaver County Hanover Township	Unnamed Tributary to Traverse Creek (HQ-CWF) (20-D)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0263541 (Sewage)	Thomas Young SFTF 209 Center Drive Chicora, PA 16025	Butler County Oakland Township	Unnamed Tributary to the Thorn Creek (HQ-WWF) (20-C)	Yes
PA0101176 (Sewage)	Harvey J. Wolfe SFTF 1547 Rosely Road Saint Marys, PA 15857	Elk County Saint Marys City	Unnamed Tributary to the South Fork West Creek (HQ-CWF, MF) (8-A)	Yes
PA0222780 (Sewage)	Scott Zimmerman SFTF 4822 Glen Hazel Road Wilcox, PA 15870	Elk County Jones Township	Unnamed Tributary to the East Branch Clarion River (HQ-CWF) (17-A)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0058840, Sewage, SIC Code 4952, **Hilltown Township Water & Sewer Authority, Bucks County**, 316 Highland Park Road, Sellersville, PA 18960-0365.

This existing facility is located in Hilltown Township, **Bucks County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES Permit No. PA0026751, Sewage, SIC Code 4952, **Indiana Borough, Indiana County**, 80 N 8th Street, Indiana, PA 15701.

This existing facility is located in Indiana Borough, **Indiana County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0288292, Sewage, SIC Code 8800, **Susan Strohmeier**, 5906 Footemill Road, Erie, PA 16509-3806.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288306, Sewage, SIC Code 8800, **Susan Strohmeier**, 5906 Footemill Road, Erie, PA 16509-3806.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288268, Sewage, SIC Code 8800, **Aldo DeSanto**, 1660 Headin Lane, Southaven, MS 38672-8502.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288098, Sewage, SIC Code 8800, **Sarah Eberle**, 304 Margaret Avenue, Evans City, PA 16033.

This proposed facility is located in Forward Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288438, Sewage, SIC Code 8800, **Anne Slanina**, 286 Donation Road, Greenville, PA 16125-8008.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

WQM Permit No. 0186409 A1, Sewerage, SIC Code 4952, **York Springs STP**, PA Route 94 & US Route 15, York Springs, PA 17372.

This proposed facility is located in York Springs Borough, **Adams County**.

Description of Proposed Action/Activity:

This (permit/amendment) approves the (construction/modification) of sewage facilities consisting of: The Trojan ultraviolet disinfection system (or equivalent) is proposed to replace an existing chlorine system. The electrical and controls for the UV system will be located in the existing chlorine contact structure. The UV system will be modular in nature, with lights, controls, and a stainless-steel channel and flow control weir. The UV system consists of 2 banks with 4 modules per bank and 2 lamps per module. Each bank is sized to disinfect up to 100% of the maximum potential peak flow up to 0.56 MGD at a dose of 30.0 mJ/cm² at 65% minimum transmission. The system will allow for ease of maintenance and the ability to take one rack (channel) out of service while continuing to utilize the other fully redundant rack (channel). The system will be equipped with number UV intensity monitor in mW/cm².

WQM Permit No. 0683408 A-1, Sewerage, SIC Code 4952, **Robeson Township STP**, 8 Boonetown Road, Birdsboro, PA 19508

This proposed facility is located in Robeson Township, **Berks County**.

Description of Proposed Action/Activity:

This permit approves the construction of sewage facilities consisting of:

- Two (2) Peristaltic Pumps capable of pumping 8.0 GPD at a maximum pressure of 100 psi.

- Duplex Chemical Metering Skid.
- Three (3) 55-gallon polyethylene drums placed on a Secondary Containment Pallet (66-gallon capacity).

Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636.

WQM Permit No. 4173403 A-1, Sewage, SIC Code 5271, **Happy Homes Kehrer LLC**, 5567 Reseda Boulevard, Suite 330, Tarzana, CA 91356-2673.

This existing facility is located in Fairfield Township, **Lycoming County**.

Description of Proposed Action/Activity: Construction/installation of a new chlorine contact tank and aeration system improvements.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2520408, Sewage, SIC Code 8800, **Susan Strohmeier**, 5906 Footemill Road, Erie, PA 16509-3806.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2520409, Sewage, SIC Code 8800, **Susan Strohmeier**, 5906 Footemill Road, Erie, PA 16509-3806.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2589409 A-1, Sewage, SIC Code 8800, **Aldo Desanto**, 1660 Headin Lane, Southaven, MS 38672-8502.

This existing facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1020402, Sewage, SIC Code 8800, **Sarah Eberle**, 304 Margaret Avenue, Evans City, PA 16033.

This proposed facility is located in Forward Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320406, Sewage, SIC Code 8800, **Anne Slanina**, 286 Donation Road, Greenville, PA 16125-8008.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390009 Authorization/ Issuance	Dorney Park & Wildwater Kingdom 3830 Dorney Park Road Allentown, PA 18104	Lehigh	South Whitehall Township	Little Lehigh Creek (HQ-CWF, MF)
PAD450100 Authorization/ Issuance	Robert K. Latzanich P.O. Box 759 Mount Pocono, PA 18344	Monroe	Coolbaugh Township	EV Wetlands (EV) to Red Run (HQ-CWF, MF)
PAD640022 Authorization/ Issuance	PPL Electric Utilities Corp. c/o Luke Portieles 2 North 9th Street GENN 4 Allentown, PA 18101	Wayne	South Canaan Lake and Salem Townships	Middle Creek (HQ-CWF, MF); Jones Creek (HQ-CWF, MF); Ariel Creek (HQ-CWF, MF); Moss Hollow Creek (HQ-CWF, MF) and Wallenpaupack Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD380001 A-1 Issued	Keystone Protein Company 154 West Main Street Fredericksburg, PA 17026	Lebanon	Bethel Township	UNT Elizabeth Run (WWF, MF) Erlakill Run (WWF, MF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210056 Issued	Lexington Land Developers Corporation 336 West King Street Lancaster, PA 17603	Cumberland	South Middleton Township	Letort Spring Run (EV)
PAD210051 Issued	Laughner + Patel 4075 Linglestown Road Harrisburg, PA 17112	Cumberland	South Middleton Township	Letort Spring Run (HQ-CWF, MF)

Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD040006	GK Bowser, LLC 1001 Clairton Boulevard Pleasant Hills, PA 15236	Beaver County	Chippewa Township	UNT to Wallace Run (WWF); UNT to North Fork Little Beaver Creek (HQ-CWF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC510116	PolySAT Incorporated 7240 State Road Philadelphia, PA 19135-1412	City of Philadelphia Philadelphia County	Pompeston Creek— Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

3931

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC230065 A-1 Major Amendment	Toll Mid-Atlantic, L.P. Company 4 Hillman Drive, Suite 120 Chadds Ford, PA 19317	Middletown Township Delaware County	Unnamed Tributary to Chester Creek and Chester Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230116 (Formerly PAG02002314006) Renewal	PennDot District 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	Bethel Township Concord Township Thornbury Township Delaware County	Webb Creek TSF-MF Green Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090369	Forest Park at Southampton LLC 37 West 47th Street New York, NY 10036	Upper Southampton Township Bucks County	Mill Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090373	Chick-fil-A 5200 Buffington Road Atlanta, GA 30359-2945	Middletown Township Bucks County	Unnamed Tributary to/Queen Anne Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090346	Nicholas Kownurko 217 Eagle Road Newtown, PA 18940	Newtown Township Bucks County	Unnamed Tributary to/Newtown Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090284	LMCC North Acquisitions, LLC 2929 Arch Street Philadelphia, PA 19104-2857	Lower Makefield Township Bucks County	Core Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090379 (PAG0200915080 Major Amendment)	Warwick Mill, LLC 330 South Randolphville Road Piscataway, NJ 08855-4110	Warwick Township Bucks County	Unnamed Tributary/ Neshaminy Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090092	Zaveta Custom Homes, LLC 4030 Skyron Drive Suite G Doylestown, PA 18901	Upper Makefield Township Bucks County	Unnamed Tributary/ Jericho Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090118	PA Biotechnology Center 3805 Old Easton Road Doylestown, PA 18901	Buckingham Township Bucks County	Unnamed Tributary/ Pine Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090364	Buckingham Township 4613 Hughesian Drive Buckingham, PA 18912-0413	Buckingham Township Bucks County	Watson Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC090332	Scott Wolfinger 3 Geranium Court Newtown, PA 18940-9270	Upper Makefield Township Bucks County	Houghs Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510168	Chestnut Street L.P. 900 7th Street, NW Suite 600 Washington, D.C. 20001	City of Philadelphia Philadelphia County	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510169	1101 Chestnut Street L.P. 900 7th Street, NW Suite 600 Washington, D.C. 2001	City of Philadelphia Philadelphia County	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510116	PolySAT Incorporated 7240 State Road Philadelphia, PA 19135-1412	City of Philadelphia Philadelphia County	Pompeston Creek— Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510165	Amazon 300 Boren Avenue Seattle, WA 98109-5305	City of Philadelphia Philadelphia County	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC510152	Soz De Ave Apartments Owner, LLC 2301 Washington Avenue Suite 111 Philadelphia, PA 19146	City of Philadelphia Philadelphia County	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230145	Ray Iacobucci 1 Raymond Drive Havertown, PA 19083	Chester Heights Borough Delaware County	Chester Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230149	Sarah Peck 125 Stafford Avenue Wayne, PA 19047	Nether Providence Township Delaware County	Vernon Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230158	Robert Riegel 50 East Eagle Road Havertown, PA 19083	Haverford Township Delaware County	Cobbs Creek Naylor's Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

3933

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC400170 Authorization/ Issuance	PPL Electric Utilities Corp Luke Portieles 2 N Ninth St Genn 4 Allentown, PA 18101-1139	Luzerne	Plains Twp Jenkins Twp Lafin Boro	Mill Creek (CWF, MF) Gardner Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400017 A-1 Authorization/ Issuance	Neal A Deangelo 8 W Broad St Ste 1000 Hazle Twp, PA 18201	Luzerne	Hazle Twp	UNT to Stony Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400168 Authorization/ Issuance	Geisinger Wyoming Valley Medical Center Alan Neuner 1000 E Mtn Blvd. Wilkes-Barre, PA 18711	Luzerne	Plains Twp	Mill Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC010135 Issued	John H. McAlister 1004 Washington Road Westminster, MD 21157	Adams	Mount Joy Township	UNT 59082 Littles Run (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC010131 Issued	Lexington Land Developers Corp 336 West King Street Lancaster, PA 17603	Adams	Reading Township	UNT Conewago Creek (WWF) UNT 57470757 Conewago Creek (WWF) UNT 57471109 Conewago Creek (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC220034 Issued	Cider Press Assoc. LLC 4712 Smith Street Harrisburg, PA 17109	Dauphin	Lower Paxton Township	UNT Nyes Run (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220056 Issued	Deodate Assoc, LLP 4400 Deer Path Road Harrisburg, PA 17110	Dauphin	Conewago Township Londonderry Township	Brills Run (TSF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC220031 Issued	Penn Grant Assoc LLC 633 West Germantown Pike Plymouth Meeting, PA 19462	Dauphin	Lower Paxton Township	Spring Creek (CWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220014 Issued	Triple Crown Corporation 5351 Jaycee Avenue Harrisburg, PA 17112	Dauphin	Lower Paxton Township Susquehanna Township	Paxton Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220052 Issued	Penn State Health Hershey Med Center 90 Hope Drive Hershey, PA 17033	Dauphin	Derry Township	UNT Spring Creek East (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220229 Issued	City of Harrisburg Wayne Martin 123 Walnut Street Suite 212 Harrisburg, PA 17057	Dauphin	Harrisburg City	Paxton Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220013 Issued	Susquehanna Area Regional Airport Authority One Terminal Drive Suite 300 Middletown, PA 17057	Dauphin	Lower Swatara Township	Susquehanna River (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220218 Issued	DH Warehouse 6259 Reynolds Mill Road Seven Valleys, PA 17360	Dauphin	Lower Swatara Township	UNT Susquehanna River (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220203 Issued	Fishing Creek Valley Associates, LLP 4712 Smith Street Harrisburg, PA 17109	Dauphin	West Hanover Township	Walnut Run (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220223 Issued	Michael & Elizabeth Federici 436 Laurel Drive Hershey, PA 17033	Dauphin	Derry Township	UNT Spring Creek East (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220232 Issued	Mission Land Company 5755 Union Deposit Road Harrisburg, PA 17111	Dauphin	South Hanover Township	Kellock Run (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220236 Issued	PPL Electric Utilities Corporation 2 North 9th Street Glenn 4 Allentown, PA 18101	Dauphin	Washington Township Wiconisco Township	Wiconisco Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100

NOTICES

3935

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC310014 Issued	PA Game Commission 2001 Elmerton Avenue Harrisburg, PA 17110	Huntingdon	Smithfield Township	UNT Juniata River (WWF, MF)	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652-9603 814.627.1627
PAC670388 Issued	Dover Highlands LP 1 Waterford Professional Center York, PA 17402	York	Dover Township	UNT Fox Run (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
PAC670336 Issued	Poplar Partners 130 Carlisle Street Hanover, PA 17331	York	Jackson Township	Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
PAC670384 Issued	Clover Lane Development LP 160 Ram Drive Hanover, PA 17331	York	Penn Township	UNT Plum Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC240017	Allegheny Coatings Inc P.O. Box 186 Ridgway, PA 15853	Ridgway Township Elk County	Mahon Run CWF	Elk County Conservation District 850 Washington Street St. Marys, PA 15857 814-776-5373
PAC240019	Kenneth Huey 150 Upper Cherry Road Kersey, PA 15846	Fox Township Elk County	UNT to Daguscahonda Run CWF	Elk County Conservation District 850 Washington Street St. Marys, PA 15857 814-776-5373

General Permit Type—PAG-03

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAR123555 A-1	DFA Dairy Brands Fluid LLC 2401 Walnut Street Lebanon, PA 17042-9444	Cornwall Township Lebanon County	Snitz Creek (TSF, MF) in Watershed(s) 7-D	SCRO, Clean Water Program 717-705-4812

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Rick Cramer Noah W. Kreider & Sons, LLP— Mt. Pleasant Facility 1486 Mt. Pleasant Road Lebanon, PA 17042	Lebanon	115.5	7,396.8	Layer	NA	Approved
Ben Moyer 20 Dead End Road Annville, PA 17003	Lebanon	55	269.09	Broiler	NA	Approved
S&J Farms, LLC 9454 Newburg Road Newburg, PA 17240	Franklin	542	658.79	Poultry and Beef	NA	Approved
Mercer Vu Farms, Inc. 12275 Mt. Pleasant Road Mercersburg, PA 17236	Franklin	2,917.3	2,917.24	Dairy	HQ	Approved
David Brenize 7201 Sunset Rd Newburg, PA 17240	Franklin	0	384.43	Poultry	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board

within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 2640036, Operation Permit, Public Water Supply.

Applicant **Wallenpaupack Lake Estates Property Owners Association**
114 Wallenpaupack Drive
Lake Ariel, PA 18436

Municipality Paupack Township

County **Wayne**

Type of Facility Public Water Supply

Consulting Engineer Douglas E. Berg, P.E.
Entech Engineering, Inc.
8 Silk Mill Drive
Hawley, PA 18428

Permit to Operate Issued July 20, 2020

Permit No. 3130004, Operation Permit, Public Water Supply.

Applicant **Lansford-Coaldale Joint Water Authority**
1 East Ridge Street
P.O. Box 147
Lansford, PA 18232

Municipality Nesquehoning Borough

County **Carbon**

Type of Facility Public Water Supply

Consulting Engineer Keith R. Showalter, P.E.
Systems Design Engineering, Inc.
1032 James Drive
Leesport, PA 19533

Permit to Operate Issued July 21, 2020

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2120501, Public Water Supply.

Applicant **SUEZ Water Pennsylvania, Inc.**

Municipality Upper Allen Township

County **Cumberland**

Responsible Official John D. Hollenbach
General Manager
4211 East Park Circle
Harrisburg, PA 17111-0151

Type of Facility The consolidation of SUEZ Mechanicsburg (PWS ID No. 7210028), SUEZ Grantham (PWS ID No. 7210027), and SUEZ Center Square (PWS ID No. 7210054) public water systems, which includes the installation of two (2) pressure-reducing valve vaults and the cessation of fluoridation in PWS ID No. 7210028.

Consulting Engineer Brendan West, P.E.
Suez Water Pennsylvania Inc.
6310 Allentown Blvd
Harrisburg, PA 17112

Permit to Construct Issued July 14, 2020

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1720502MA, Construction/Operation, Public Water Supply.

Applicant **Westover Municipal Authority**
P.O. Box 199
Westover, PA 16692-0199

Borough or Township Westover Borough

County **Clearfield County**

Type of Facility 6170040

Consulting Engineer Joseph Hunt, P.E.
JHA Companies
466 S Main St
Montrose, PA 18801

Permit Issued July 15, 2020

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Borough or Township	Borough or Township Address	County
Lower Swatara Township	1499 Spring Garden Drive Middletown, PA 17057	Dauphin County

Plan Description: Approval of a revision to the official plan of Lower Swatara Township, Dauphin County has been issued. This action is a result of the review of a planning module for the Wilsbach Distribution Facility Development (DEP Code No. B3-22922-203-3; APS ID No. 1014340). The proposed development—to be located at 1977 Oberlin Road in Lower Swatara Township—consists of the construction of one warehouse and one office building with total sewage flows of 1,500 gpd. The Department’s review of the plan revision has not identified any significant impacts resulting from this proposal. Permits for onlot sewage disposal systems must be obtained from the municipality.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Borough or Township	Borough or Township Address	County
East Lampeter Township	2250 Old Philadelphia Pike Lancaster, PA 17602	Lancaster County

Plan Description: The planning module for the Hyatt House & Marriott Towneplace Hotels Development (DEP Code No. B3-36929-430-3; APS ID No. 1016814) has been disapproved. The proposed development—to be located on the 2200 block of Lincoln Highway East in Lancaster—consists of the demolition of three existing commercial buildings and a residential building to be replaced by two extended-stay hotels. This planning module has been disapproved because the submission did not include payment of the module review fee.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information con-

cerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

4801 West Jefferson Street, 4801 West Jefferson Street, City of Philadelphia, **Philadelphia County**. Juddson Herr, PG, Langan Engineering and Environmental Services, Inc., 2700 Kelly Road, Warrington, PA 18976 on behalf of Marlin E. Thomas, Supra Enterprises Limited Liability Company, 5070 Parkside Avenue, Suite 3200, Philadelphia, PA 19131 submitted a Baseline Environmental Report concerning remediation of site soil and groundwater contaminated with antimony, arsenic, lead, mercury naphthalene and benzo(g,h,i)perylene. The report is intended to document remediation of the site to meet the Special Industrial Area Designation.

Proposed AutoZone Store, 6301 North Broad Street, City of Philadelphia, **Philadelphia County**. James M. Connor, PG, LSRP, AEI Consultants, 20 Gibson Place, Suite 310, Freehold, NJ 07728 on behalf of Bill Roundtree, AZ Broad Street, LLC, 20 South Olive Street, Suite 203, Media, PA 19063 submitted Baseline Remedial Investigation Work Plan concerning remediation of site soil and groundwater contaminated with gasoline constituents including benzene, toluene, ethylbenzene and total xylenes. The report is intended to document remediation of the site to meet the Special Industrial Area Designation.

Harmony House Nursing Home, 8420 Roosevelt Boulevard, City of Philadelphia, **Philadelphia County**. Jeremy W. Boly, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Andrea Natchione, DePaul Healthcare, 8410 Roosevelt Boulevard, Philadelphia, PA 19152 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Dreshertown Plaza, 1424 Dreshertown Road, Upper Dublin Township, **Montgomery County**. Craig Herr, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Jim Bladel, Dreshertown Plaza, LP, 1301 Lancaster Avenue, Berwyn, PA 19312 submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Sears Site, 6301 Market Street, Milbourne Borough/City of Philadelphia, **Delaware County/Philadelphia County**. Craig Herr, PG, RT Environmental Services Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Michael Willner, WRD Sears, LP, 33 Rock Hill Road, Suite 350, Bala Cynwyd, PA 19004 submitted a Final Report concerning remediation of site soil contaminated with lead and No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Frei Property, 1315 North Main Street, Honesdale, PA 18431, Honesdale Borough, **Wayne County**. Blue-

stone, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of John Frei, 1315 North Main Street, Honesdale, PA 18431, submitted a Final Report concerning remediation of soil contaminated by heating oil. The report is intended to document remediation of the site to meet Statewide Health Standards.

Francis Property, 311 Hickory Drive, Lakeville, PA 18438, Paupack Township, **Wayne County**. Bluestone, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of Rick Francis, 450 Quaker Hill Road, Morgantown, PA 19543, submitted a Final Report concerning remediation of soil contaminated by heating oil. The report is intended to document remediation of the site to meet Statewide Health Standards.

EMI Tamaqua (former ICI Americas), Near Route 443 West, West Penn Township, **Schuylkill County**. Element Environmental Solutions, Inc., 61 Willow Street, P.O. Box 921, Adamstown, PA 19501, on behalf of Expert Management, Inc., 525 West Van Buren Street, Chicago, IL 60607, submitted a Site-Specific Remedial Investigation Report concerning remediation of site groundwater contaminated with solvents and metals. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Gulf Oil Fullerton Terminal, 2451 Main Street, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. AECOM, 510 Carnegie Center, Princeton, NJ 08540, on behalf of Lucknow Highspire Terminals LLC, 900 South Eisenhower Boulevard, Middletown, PA 17057, submitted a combined Remedial Investigation Report and Cleanup Plan concerning remediation of soil and groundwater contaminated by historic releases of petroleum products at the site. The report is intended to document remediation of the site to meet Site-Specific Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Kutztown II Aggregates, 654 Baldy Road, Kutztown, PA 19530, Maxatawny Township, **Berks County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of New Enterprises Stone & Lime Company, Inc., 350 Division Highway, East Earl, PA 17557, submitted a Final Report concerning remediation of site soil contaminated with polychlorinated biphenyls (PCBs). The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Kenneth Lehman Residence, 1239 Middletown Road, Hummelstown, PA 17036, Derry Township, **Dauphin County**. Environmental Maintenance Company, Inc., 1420 East Mermaid Lane, Glenside, PA 19038, on behalf of Hummelstown Fuel Oil Service, Inc., 10 Cameron Street, Hummelstown, PA 17036, and Kenneth Lehman, 1239 Middletown Road, Hummelstown, PA 17036, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 Fuel Oil. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Walton Residence Heating Oil Release, 2475 Steam Mill Hollow Road, Laceyville, Tuscarora Township, **Bradford County**. Environmental Products & Services of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of Dan Walton, 2475 Steam Mill Hollow Road, Laceyville, PA 18623, has submitted a Final Report

concerning site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Lansdale Finishers, 117 South Broad Street, Lansdale Borough, **Montgomery County**. Marc Chartier,

Pennoni Associates, Inc., 1900 Market Street, Philadelphia, PA 19103 on behalf of Commerce Pursuit Capital, L.P. c/o Mr. Jon Herzog, Westrum Development Company, 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034 submitted a Remedial Investigation Report/Clean-up Plan concerning the remediation of site groundwater contaminated with TCE. The Report was reviewed by the Department which issued a technical deficiency letter on July 13, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Miller's Smorgasbord, 2811 Lincoln Highway, Ronks, PA 17572, East Lampeter Township, **Lancaster County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of Thomas E. Strauss, Inc., 2811 Lincoln Highway, Ronks, PA 17572, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on July 16, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Frisbee BRA Pad, 3168 Cragle Road, Rome, Orwell Township, **Bradford County**. Creston Environmental LLC, P.O. Box 1373, Camp Hill PA 17001, on behalf of Chesapeake Appalachia, LLC, 300 N 2nd Street, 5th FL, Harrisburg, PA 17101, has submitted a Final Report concerning remediation of Site soil contaminated with produced fluid. The Final Report demonstrated attainment of the Residential Statewide Health Standard for soil and was approved by the Department on July 7, 2020.

Former LaFarge Road Marking Facility, 373 Village Road, Pennsdale, Muncy Township, **Lycoming County**. Environmental Planning Specialists, Inc., 400 Northridge Road, Suite 400, Sandy Springs, GA 30350, on behalf of LaFarge Road Marking, Inc., 67 Jaime Court, Morris Plains, NJ 07950, has submitted a Final Report concerning site soil and groundwater contaminated with chlorinated solvents and petroleum constituents. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on July 16, 2020.

North Shore Railroad Company Project, US Route 11N Near Epler Road, Point Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of North Shore Railroad Company, 356 Priestley Avenue, Northumberland, PA 17857, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on July 13, 2020.

Czop Unit Pad, 314 Cold Spring Road, Shunk, Fox Township, **Sullivan County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of Chief Oil & Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754, has submitted a Final Report concerning remediation of site soil contaminated with produced fluid. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on July 15, 2020.

Ingalls 710 Well Pad, 11759 Route 414, Ogdensburg, Liberty Township, **Tioga County**. Civil & Environmental

Consultants, Inc., 333 Baldwin Road, Pittsburgh, 15205, on behalf of Rockdale Marcellus, LLC, 4600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The Final Report demonstrated attainment of the Residential Background and Statewide Health Standards and was approved by the Department on July 8, 2020.

T Pierson 801 Pad, 497 Wetmore Road, Gaines Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Tilden Marcellus, LLC, 4600 J Barry Court, Suite 220, Canonsburg, PA 15317, has submitted a Final report concerning remediation of site soil contaminated with produced fluid. The Final Report demonstrated attainment of the Background and Residential Statewide Health Standards and was approved by the Department on July 10, 2020.

SMJ Trucking LLC Diesel Fuel & Motor Oil Cleanup, Interstate 80 at MM 204.2 E, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of SMJ Trucking, LLC, 33 Pamparo Avenue, FL 2, Jersey City, NJ 07305, has submitted a Final Report concerning remediation of soil contaminated with diesel fuel and motor oil. The Final Report demonstrated attainment of the Non-Residential Statewide Health Standard for soil and was approved by the Department on July 14, 2020.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

U.S. Industrial Technologies, Inc., 12000 Globe Street, Livonia, MI 48150. License No. PA-AH 0747. Effective June 25, 2020.

Stericycle Specialty Waste Solutions, Inc., 395 Baird St, Akron, OH 44311. License No. PA-AH 0770. Effective June 25, 2020.

Ryan Environmental Transport, LLC, 5793 West Veterans Memorial Highway, Bridgeport, WV 26330. License No. PA-AH 0815. Effective June 25, 2020.

Tri-County Industries, Inc., 159 TCI Park Drive, Grove City, PA 16127. License No. PA-AH 0820. Effective July 9, 2020.

Florida Transformer LLC dba Emerald Transformer, P.O. Box 507, Defuniak Springs, FL 32435. License No. PA-AH 0868. Effective July 1, 2020.

AWT Environmental Services, P.O. Box 128, Sayreville, NJ 08871. License No. PA-AH 0871. Effective July 1, 2020.

Midwest Sanitary Service, Inc., P.O. Box 83, Wood River, IL 62095. License No. PA-AH 0872. Effective July 9, 2020.

Westmoreland Sanitary Landfill, 111 Conner Lane, Belle Vernon, PA 15012. License No. PA-AH 0874. Effective June 25, 2020.

Radiac Research Corp., 261 Kent Avenue, Brooklyn, NY 11211. License No. PA-AH S007. Effective July 1, 2020.

Transporter Licenses Reissued

U.S. Industrial Technologies, Inc., 12000 Globe Street, Livonia, MI 48150. License No. PA-AH 0747. Effective June 25, 2020.

Stericycle Specialty Waste Solutions, Inc., 395 Baird St, Akron, OH 44311. License No. PA-AH 0770. Effective June 25, 2020.

Ryan Environmental Transport, LLC, 5793 West Veterans Memorial Highway, Bridgeport, WV 26330. License No. PA-AH 0815. Effective June 25, 2020.

Tri-County Industries, Inc., 159 TCI Park Drive, Grove City, PA 16127. License No. PA-AH 0820. Effective July 9, 2020.

Florida Transformer LLC dba Emerald Transformer, P.O. Box 507, Defuniak Springs, FL 32435. License No. PA-AH 0868. Effective July 1, 2020.

AWT Environmental Services, P.O. Box 128, Sayreville, NJ 08871. License No. PA-AH 0871. Effective July 1, 2020.

Midwest Sanitary Service, Inc., P.O. Box 83, Wood River, IL 62095. License No. PA-AH 0872. Effective July 9, 2020.

Westmoreland Sanitary Landfill, 111 Conner Lane, Belle Vernon, PA 15012. License No. PA-AH 0874. Effective June 25, 2020.

Radiac Research Corp., 261 Kent Avenue, Brooklyn, NY 11211. License No. PA-AH S007. Effective July 1, 2020.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

CCI Transportation Group, LLC, 25600 Brest Rd., Taylor, MI 48180. License No. PA-AH 0902. Effective June 8, 2020.

New Transporter Licenses Issued

CCI Transportation Group, LLC, 25600 Brest Rd., Taylor, MI 48180. License No. PA-AH 0902. Effective July 9, 2020.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

IPC Services, LLC, 232 E Lancaster Rd., Harmony, PA 16037. License No. PA-HC 0282. Effective June 17, 2020.

Transporter License Issued

IPC Services, LLC, 232 E Lancaster Rd., Harmony, PA 16037. License No. PA-HC 0282. Effective June 17, 2020.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Permit terminated under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

PAR000537548. Waste Management of Fairless LLC, 1000 New Ford Mill Road, Morrisville, PA 19067. The RCRA Part B permit No. PAR000537548 has been terminated in response to the permittee's request to approve the clean closure certification report for Borrow Pit-20 (BP-20), a closed hazardous waste management unit (HWMU) that is located within the footprint of Fairless Landfill at the Keystone Industrial Port Complex (KIPC)—the former U.S. Steel Fairless Works in Falls Township, **Bucks County**. Permit termination and facility's clean closure certification report was approved by the Southeast Regional Office on June 25, 2020.

Persons interested in reviewing the clean closure certification report for the facility may contact the Pennsylvania Department of Environmental Protection (DEP) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 301350. Eldredge Inc., 898 Fernhill Road, West Chester PA 19380-4202. This major permit modification permit of the Solid Waste Permit No. 301350 approves several modifications of the waste processing and operations at Eldredge, Inc.'s residual waste oil processing facility located in West Goshen Township, **Chester County**. These modifications include: i) receiving additional residual waste codes; ii) performing bulk liquid solidification/stabilization; iii) modifying Form U procedures for outbound materials; iv) revising waste acceptance procedures; v) receiving liquids with elevated halogens; vi) increasing temporary storage capacity; and

vii) storing multiple materials in storage tanks. The permit modification was issued by the Southeast Regional Office on July 9, 2020.

Persons interested in reviewing the permit may contact the Pennsylvania Department of Environmental Protection (DEP) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 101634. Marsico's Septic & Environmental Services LLC, 628 Hunlock Harveyville Road, Shickshinny, PA 18655-4007. A permit reissuance to transfer the permit for the Chapin Sewage Disposal Transfer Facility located in New Columbus Borough, **Luzerne County** to Marsico's Septic & Environmental Services LLC. The permit transfer was issued by the Regional Office on July 17, 2020.

Persons interested in reviewing the general permit may contact Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP3-64-012B: Rutledge Unlimited LLC (2495 Hancock Highway, Equinunk, PA 18417) on July 20, 2020 for the operation of a portable crushing operation with water sprays located at the site in Damascus Twp., **Wayne County**.

GP9-64-012A: Rutledge Unlimited LLC (2495 Hancock Highway, Equinunk, PA 18417) on July 20, 2020 for the operation of a diesel engine located at the site in Damascus Twp., **Wayne County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-22-03007: UPMC Pinnacle Hospital (218 South 2nd Street, Harrisburg, PA 17104) on July 16, 2020, for two (2) existing natural gas/# 2 oil-fired boilers, 25.1 MMBtu/hr. each, at the Polyclinic Hospital located in the City of Harrisburg, **Dauphin County**. The general permit authorization was renewed.

GP13-67-05121A: York Materials Group, LLC (950 Smile Way, York, PA 17404) on July 16, 2020 for a new batch asphalt plant, under GP13, at the Roosevelt Avenue facility in West Manchester Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

AG9-49-00001A: Cherokee Pharmaceuticals, LLC (100 Avenue C, Riverside, PA 17868) on July 15, 2020 for the construction and operation of a 324 hp Cummins model C150D6D diesel-fired emergency generator engine pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 Fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at their Riverside Borough Plant in Riverside Borough, **Northumberland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

GP5-10-391B: Superior Appalachian Pipeline, LLC, Clinton Compressor Station (Larintown Road, Sarver, PA 16055) on July 16, 2020, for the authority to authorize a new Responsible Official (BAQ-GPA/GP5) located at their facility in Clinton Township, **Butler County**.

GP5-62-139D: Emkey Gathering LLC, Warren Compressor Station (Catline Road, Sugar Grove, PA 16350) on July 15, 2020, for the authority to continue operating existing equipment without modification in a GP-5 renewal (BAQ-GPA/GP5) located at their facility in Sugar Grove Township, **Warren County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

21-03054A: Hollinger Funeral Home & Cremation, Inc. (501 North Baltimore Avenue, Mount Holly Springs, PA 17065-1609) on July 15, 2020, for the operation of a human crematory and pet crematory located in Mount Holly Springs Borough and South Middletown Township respectively in **Cumberland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

32-206C: Rosebud Mining Company (301 Market St., Kittanning, PA 16201). On July 15, 2020, the Department issued Air Quality Plan Approval PA-32-206C authorizing the modification of Air Quality Plan Approval PA-32-00206B to allow the increase in the maximum Raw/ROM coal to be processed to 3,000,000 tons per consecutive 12-month period at their facility known as the Clymer Tipple Coal Preparation Plant located in Cherryhill Township, **Indiana County**.

32-387C: Rosebud Mining Company (301 Market St., Kittanning, PA 16201). On July 14, 2020, the Department issued Plan Approval PA-32-387C to authorize the

installation and the temporary operation of a 450 tph wet coal preparation plant with a Raw/ROM coal throughput limitation of 4,000,000 tons per consecutive 12-month period and a clean and refuse loadout limitation of 5,500,000 tons per consecutive 12-month period at the Crooked Creek Coal Preparation Plant located in Washington Township, **Indiana County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0296A: Woot Services (2455 Boulevard of the Generals, Norristown, PA 19403-3661) on July 15, 2020 an extension for the initial authorization to use a 2nd ink line (production resignation: “0902”) for the digital apparel printing at an existing facility. In addition, the site-wide VOC and HAP emission rates and the allowable usage rates for the one of the Cleanup Solvents (Source ID: 301) (product designation: F-200) have been revised for West Norriton Township, **Montgomery County**.

46-0040D: Lux Global Label Co. LLC (2025 Joshua Road, Lafayette Hill, Pa 19444-2431) on July 13 an extension to re-route the VOC exhaust of thirteen (13) existing solvent-based rotogravure printing stations (previously permitted as Source 112) from directly to the outdoor atmosphere to an existing regenerative thermal oxidizer (C03) in Whitmarsh Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05015H: Dart Container Corp. of PA (60 East Main Street, Leola, PA 17540) on July 15, 2020, for the construction of new extrusion and thermoforming lines and construction of new equipment for the recycling of consumer EPS scrap at the facility located in Upper Leacock Township, **Lancaster County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

14-00002R: Graymont (PA), Inc. (375 Graymont Rd., Bellefonte, PA 16823) was issued an extension to allow for continued operation of the Source ID P313 lime processing system at the Pleasant Gap plant in Spring Township, **Centre County**, pending issuance of an operating permit for the new sources. The extension is valid for 180 days to January 15, 2021.

18-00030C: First Quality Tissue, LLC (904 Woods Avenue, Lock Haven, PA 17745) on July 12, 2020, to extend the authorization to construct a paper towel and tissue manufacturing operation at their facility located in Castanea Township, **Clinton County** to January 9, 2021. The plan approval has been extended.

18-00030D: First Quality Tissue, LLC (904 Woods Avenue, Lock Haven, PA 17745) on July 12, 2020, to extend the authorization to construct a paper towel and tissue manufacturing operation at their facility located in Castanea Township, **Clinton County** to January 9, 2021. The plan approval has been extended.

19-00007B: Transcontinental Gas Pipe Line Company, LLC (P.O. Box 1396, Houston, TX 77251-1396) on July 20, 2020, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from July 21, 2020 to January 17, 2021, at their Compressor Station 517 located in Jackson Township, **Columbia County**. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

07-05004B: Altoona Terminals, DE LLC (P.O. Box 2621, Harrisburg, PA 17105) on July 15, 2020, for the petroleum products distribution terminal in Allegheny Township, **Blair County**. The Title V permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

14-00005: Pennsylvania Department of Corrections (P.O. Box A, Bellefonte, PA 16823) on July 15, 2020, was issued a renewal Title V operating permit for their Rockview State correctional Institution located in Benner Township, **Centre County**. The Title V operating permit contains emission limits, work practice standards, monitoring, recordkeeping and reporting conditions to ensure the facility complies with all applicable Federal and State air quality regulations.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00049: Taylor Industries, Inc. (35 Anderson Rd., Parkerford, PA 19457) on July 15, 2020, for a renewal of Synthetic Minor operating permit in East Coventry Township, **Chester County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

39-00037: Nestle Purina Petcare Co., Petcare Plant (2050 Pope Rd., Allentown, PA 18104-9308). On July 14, 2020, the Department issued a renewal State-Only (Synthetic Minor) Permit for manufacturing of dog and cat food in South Whitehall Township, **Lehigh County**. The

primary sources consist of boilers. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05008: SFS Intec, Inc. (P.O. Box 6326, Wyomissing, PA 19610-0326) on July 15, 2020, for the metal fastener manufacturing facility in Wyomissing Borough, **Berks County**. The State-Only Permit was renewed.

01-05025: New Enterprise Stone & Lime Co., Inc. (P.O. Box J, Chambersburg, PA 17201-0809) on July 15, 2020, for the stone crushing and asphalt production operations at the Gettysburg Quarry located in Cumberland Township, **Adams County**. The State-Only Permit was renewed.

67-05107: Crown Cork & Seal Co., USA, Inc. (1650 Broadway, Hanover, PA 17331-8118) on July 15, 2020, for the metal can manufacturing facility in Penn Township, **York County**. The State-Only Permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

59-00009: PA State System of Higher Education (115 Sherwood St., Mansfield, PA 16933) on July 15, 2020 was issued a renewal State Only Operating Permit for the Mansfield University Campus located in Mansfield Borough, **Tioga County**. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

53-00016: Tennessee Gas Pipeline, LLC (1001 Louisiana St., Ste. 1000, Houston, TX 77002) on July 20, 2020 was issued a State Only Operating Permit for the Ellisburg Booster Station (313A) located in Genesee Township, **Potter County**. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

03-00182: Peoples Gas Company LLC Fisher Station (375 N Shore Drive, Suite 600, Pittsburgh, PA 15212). On July 15, 2020 the Department issued a State Only Operating Permit for compression and transfer of natural gas located in Redbank Township, **Armstrong County**. The subject facility consists of two natural gas compressor engines (1-600 hp and 1-66 hp). The reported 2019 Annual Emission Summary (TPY) for the Fisher Station is: 4.84 CO, 7.23 NO_x, 6.69 VOC, 1.05 HAPs, 0.12 PM, 0.007 SO_x, 182.8 Methane, and 1,461.38 Carbon Dioxide. The facility is a natural minor and is subject to State Regulations and Federal Regulations (40 CFR

Part 63 ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

03-00238: Curran-Shaffer Funeral Home and Crematory, Inc./Apollo (100 Owen View Avenue, Apollo, PA 15613). On July 14, 2020, the Department issued a Natural Minor State Only Operating Permit for the operation of a natural gas incinerator located in Kiskiminetas Township, **Armstrong County**. The subject facility consists of one 100 lb/hr human crematory incinerator, Power-Pak II natural gas-fired rated at 700 MBtu/hr primary chamber and 1.4 MMBtu/hr secondary chamber. The potential emissions are 1.5 tpy NO_x and less than 0.5 tpy for all other criteria pollutants. The facility is subject to State Regulations. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

24-00145: Amphenol Thermometrics, Inc. (967 Windfall Rd., St. Marys, PA 15857-3333). On July 14, 2020, the Department issued the renewal State Only Synthetic Minor Operating Permit for the electronic component manufacturing facility located in the City of Saint Marys, **Elk County**. The facility's primary emission sources include various VOC-emitting sources (such as solder lines, solvent usage, and measuring fluids), mixers, dryers, a transmission fluid bath, miscellaneous natural gas usage, and an emergency generator. The potential emissions, after permit limitations, of the major pollutants from the facility are as follows: 0.59 TPY (tons per year) NO_x, 6.15 TPY CO, 49.0 TPY VOC, 24.9 TPY total HAPs (hazardous air pollutants), 13.58 TPY PM₁₀, 13.54 TPY PM_{2.5}, and 0.00 TPY SO_x. The facility is a synthetic minor and has taken voluntary emission limits of VOC (49.0 TPY), combined HAPs (24.9 TPY) and a single speciated HAP (9.9 TPY) so as to not exceed major source thresholds. The engine is subject to 40 CFR 60 Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00337: Custom Engineering Co. (2800 McClelland Avenue, Erie, PA 16510-2544), on July 14, 2020, the Department issued the renewal of the State-Only Operating Permit of a metal fabrication and machining facility located in Erie City, **Erie County**. Permitted air contamination sources at the facility are two paint booths, burntables for torch cutting, dry abrasive blasting operations, machining operations, welding operations, a spray gun cleaning system, rust inhibitor application, and natural gas-fired combustion sources. The facility is subject to a VOC restriction of 8.2 TPY, on a 12-month rolling basis, established through a plan approval. In this renewal, major permit change is the incorporation of 25 Pa. Code § 129.52d, which may potentially replace 25 Pa. Code § 129.52, for the facility's metal parts surface coating operations. For permitting purposes, the facility is Natural Minor.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on July 17, 2020 a renewal for a Minor State Only Operating Permit for the following facility:

OP20-000006: RR Donnelley Philadelphia (9985 Gatty Road, Philadelphia, PA 19115) for the operation of a commercial printing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include five (5) non-heatset sheetfed lithographic printing presses ranging from a capacity of 10,000—16,000 impressions per hour, and a 30-gallon remote reservoir parts washer.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00028: Wildwood Cemetery Co. (1151 Cemetery St., Williamsport, PA 17701-1605) on July 17, 2020, was issued a revised State-Only Operating Permit to incorporate the terms and conditions of Plan Approval 49-00028A for their Pomfret Manor Cemetery facility located in the City of Sunbury, **Northumberland County**. The revised State-Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

47-00014: United States Gypsum Company (86 PPL Road, Danville, PA 17821) was issued a Title V permit revision on July 20, 2020, to include not limited to bag leak detection monitoring for the Compliance Assurance Monitoring for the Source ID P101 and P102 dryer mills at their Washingtonville Plant facility, in accordance with 40 CFR Part 64. The facility is located in Derry Township, **Montour County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 11130101 and NPDES No. PA0269387, Laurel Sand & Stone Inc., 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, commencement, operation and restoration of a bituminous surface & auger mine to add Lower Kittanning Coal to the mining plan in Elder & Susquehanna Townships, **Cambria County**, affecting 382 acres. Receiving stream(s): Little Brubaker Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: February 24, 2020. Permit issued: July 14, 2020.

Permit 11040101 and NPDES No. PA0249661. E.P. Bender Coal Co., Inc., P.O. Box 594, Carrolltown, PA 15722, permit renewal for reclamation of a bituminous surface and auger mine in Reade Township, **Cambria County**, affecting 69 acres. Receiving streams: unnamed tributaries to/and Powell Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 24, 2020. Permit issued: July 16, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

17814000 and NPDES PA0608769. Rob Holland Enterprises (52 Holland Lane, Curwensville, PA 16833). Permit renewal for continued operation and restoration of a bituminous surface coal and auger mine located in Penn Township, **Clearfield County** affecting 206.9 acres. Receiving stream(s): Irish Run and Unnamed tributaries to Irish Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 23, 2019. Permit issued: July 9, 2020.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

NPDES No. PA0257214 (Mining Permit No. 08090305). Johnson Quarries, Inc. (P.O. Box 136, LeRaysville, PA 18829). NPDES renewal for continue operation on a large noncoal surface mining site located in Wilmot Township, **Bradford County** affecting 53.55 acres. Receiving stream(s): Rocky Forest Creek and Unnamed Tributary to the Susquehanna River classified for the following use(s): CWF and MF. Application received: December 20, 2019. Permit issued: July 9, 2020.

PAM220002. Rock Ridge Quarries, Inc. (403 Ice Harvest Drive, Mountain Top, PA 18707). Renew coverage under General NPDES permit for stormwater discharges associated with mining activities (BMP GP-104) on GP-105 Bluestone Mining No. 08202501 located in Wilmot Township, **Bradford County**. Receiving stream(s): Sugar Run Creek classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: January 28, 2020. Permit issued: July 9, 2020.

NPDES No. PA0257192 (Mining Permit No. 08090303). DeCristo Inc., 9070 Route 414, Canton, PA 17724, renewal of an NPDES permit for discharge of water resulting from noncoal surface mining in LeRoy Township, **Bradford County**, affecting 71.5 acres. Receiving stream(s): unnamed tributary to Towanda Creek, classified for the following use(s): CWF, MF. Application received: December 2, 2019. Permit issued: July 9, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 06204109. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Berks Park 183 in Bern Township, **Berks County** with an expiration date of July 21, 2021. Permit issued: July 15, 2020.

Permit No. 15204102. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Atwater 11 B in Tredyffrin Township, **Chester County** with an expiration date of June 9, 2021. Permit issued: July 15, 2020.

Permit No. 09204104. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Cedar Ridge in Perkasio Borough, **Bucks County** with an expiration date of July 10, 2021. Permit issued: July 16, 2020.

Permit No. 36204120. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Buckton Reserve in Manheim Township, **Lancaster County** with an expiration date of July 13, 2021. Permit issued: July 16, 2020.

Permit No. 38204108. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Hershey Beta in South Annville Township, **Lebanon County** with an expiration date of July 14, 2021. Permit issued: July 16, 2020.

Permit No. 67204108. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Codorus Core 5 in East Manchester and Manchester Townships, **York County** with an expiration date of July 14, 2021. Permit issued: July 16, 2020.

Permit No. 22204105. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for D & H Warehouse in Lower Swatara Township, **Dauphin County** with an expiration date of June 23, 2021. Permit issued: July 20, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E09-1041, Pennsylvania Department of Transportation Engineering District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Wrightstown Township, **Bucks County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation is proposing to perform the following water obstruction and encroachment activities associated with the S.R. 0232 Interchange Improvement Project:

1. To construct and maintain 371 linear feet of new stream channel associated with the relocation of Water Course 3 to existing Wetland Area 1 (PEM). This activity also includes the removal of a 24-inch RCP culvert and an 18-inch RCP culvert under SR 0232 and in its place, construct and maintain a 24-inch RCP culvert with 371 linear feet (928 square feet) of relocated stream channel resulting in 228 linear feet (2,227 square feet) of permanent watercourse impact. In place of the previous location of the Water Course 3, an existing concrete channel will be converted to 230 linear feet of riprap lined channel to facilitate drainage to proposed stormwater facilities.

2. To place fill within Wetland Area 1 (PEM) associated with the construction and maintenance of two stormwater facilities and three constructed wetland stormwater facilities resulting in 157 square feet (0.004 acre) of permanent wetland impact and 580 square feet (0.013 acre) of

temporary wetland impact with the intention to create 3,746 square feet (0.086 acre) of new wetlands. This activity also includes impacts to floodway and floodplain which include 3,696 square feet (230 cubic yards) of floodway impact and 26,899 square feet (1,500 cubic yards) of floodplain impact due to placement of fill.

3. To construct and maintain a permanent wetland crossing within Wetland Area 1 (PEM) for access to construct and maintain stormwater facilities stated in Item 4 and will result in 1,739 square feet (0.040 acre) of permanent wetland impact and 348 square feet (0.008 acre) of temporary wetland impact. This activity also includes the installation of a 24-inch diameter pipe to supply hydrology to the remainder of Wetland Area 1.

4. To construct and maintain a 36-inch diameter outfall associated with the discharge from the stormwater facilities to an unnamed tributary to Neshaminy Creek (WWF) resulting in 380 square feet (0.009 acre) of permanent floodway impact. This activity also includes the placement of rock riprap apron.

This project is located on 2nd Street Pike between the SR 0232 Bridge over Neshaminy Creek up to and including the Swamp Road and 2nd Street Pike Intersection in Wrightstown Township, Bucks County (USGS PA Norristown Quadrangle—Latitude 40.254828 N, Longitude 75.007289 W). Permit issued July 20, 2020.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E1302220-021. Kenneth & Elaine Tucker, 1761 Mulberry Way, Yardley, PA 19067. Penn Forest Township, **Carbon County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a pile supported recreation dock with an associated beach area in Towamensing Lake (HQ-CWF, MF). The dock will be composed of three 4 feet by 8 feet aluminum frame sections, for a total of 96 square feet. The proposed beach area will be 6 inches in depth and extend into the lake by a length of 8 feet and a width of 16 feet. The total encroachment from the proposed dock and beach area is 224 square feet. The project is located at Tax Lot 22A-51-EV9 on Longfellow Circle in the Towamensing Trails community.

E4002220-002. Maryjane Henry, 301 Bulford Road, Shavertown, PA 18708. Harvey's Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain a pile supported addition to an existing boathouse and dock. The proposed boathouse is a 1,175 sq. ft. addition and 925 sq. ft addition to an existing dock, for a total impervious area of 2,100 sq. ft. The existing boathouse is 476 sq. ft. and the existing dock is 1,000 sq. ft., for a total existing impervious area of 1,476 sq. ft. Disturbance to the lake will be for the installation of several 30-inch galvalume pipes to be driven into the lake bottom as pier supports for the new dock in Harvey's Lake (HQ-CWF, MF). The project is located at Pole # 244, located in Harveys Lake Borough, Luzerne County.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E65051-1003, PennDOT District 12-0, 825 North Gallatin Avenue Extension, Uniontown, PA 15401, Allegheny Township, **Westmoreland County**; Pittsburgh ACOE District.

Has been given consent to:

Remove the existing 6' wide, 3.5' high, 70' long concrete arch culvert and construct and maintain 12' wide, 5.5' high, 112' long concrete arch culvert, having a permanent impact of 112 LF to perennial STR-1 (WWF) (287.85 acres drainage area).

Construct and maintain two outfalls having 24 LF and 20 LF impact to STR-1.

Remove the existing headwall and construct and maintain a replacement, having approximately 1 LF of impact to intermittent STR-2 (WWF) (23.587 acres drainage area).

Construct and maintain an outlet, having an impact of 10 LF of perennial STR-1, and 33 LF of intermittent STR-8 (WWF).

Remove the existing 10' wide, 9.5' high, 78' long concrete arch culvert, and construct and maintain a replacement 10' wide, 11.5' high, 98' box culvert, having a total impact of 134 LF to perennial stream STR-3 (WWF) (584.04 acres drainage area).

Construct and maintain an outfall having a permanent impact of 17 LF to STR-3.

Remove the existing headwall and construct and maintain a replacement having approximately 1 LF of impact to perennial STR-4 (WWF) (21.965 acres drainage area).

Construct and maintain an outfall, headwall, and outfall protection having an impact of 35 LF to STR-4.

Construct and maintain a 30' long pipe extension, to the existing 101 long steel pipe, having a permanent impact of 48 LF on intermittent STR-5 (WWF) (12.110 acres drainage area). This activity will also have 0.017 acre of impact to Wetland 4 (POW).

Construct and maintain a 30 ft extension to an existing 30', 101' long steel pipe, having an impact of 48 LF to intermittent STR-5 (12.110 acres drainage area).

Remove the existing 12' wide, 7' high, 62' long Garvers Ferry Road concrete arch culvert, and construct and maintain a replacement 12' wide, 10' high, 54' long concrete box culvert, having a permanent impact of 54 LF to perennial STR-6 (WWF) (460.68 acres drainage area). The culvert replacement will also require a 72 LF relocation of STR-6 channel upstream, and a 132 LF relocation downstream of the proposed culvert.

Remove the existing 11' wide, 9' high, 46' long slab bridge, and construct and maintain a replacement 20' wide, 8.5' high, 85' long concrete box culvert, having a permanent impact of 105 LF to STR-6.

Construct and maintain three channel outfalls having permanent impacts of 15 LF, 23 LF, and 16 LF of STR-6.

Remove the existing headwall and construct and maintain a replacement having a permanent impact of 1 LF to perennial STR-7 (86.653 acres drainage area).

For the purpose of the SR 356 Corridor Safety Improvement Project. This project will have 769 LF of permanent impacts and 1,023 LF of temporary impacts to perennial streams. The project will have 82 LF of permanent impacts and 101 LF of temporary impacts to intermittent streams. The project will also involve 1,554 LF of permanent impacts and 1,786 LF of temporary impacts to seven ephemeral channels within the project area. Impacts for the SR 356 Corridor Safety Improvement Project include 70 feet of perennial stream loss, 48 feet of intermittent stream loss, and 145 feet of ephemeral channel loss. Total wetland impacts for the project are de minimis

(0.017 acre). Stream mitigation for the project will improve 246 feet of stream bank and floodplain, along perennial stream STR-3, below the culvert replacement.

The project site is located on SR 0356 between White Cloud Road and SR 0056 (Leechburg Road), (Freeport and New Kensington East, PA USGS topographic quadrangle; N: 40°, 38', 7.7784"; W: 79°, 39', 11.7955"; Sub-basin 18B; USACE Pittsburgh District), in Allegheny Township, Westmoreland County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E1006120-021, PA Department of Transportation, District 10-0, SR 0228-270 Balls Bend, in Middlesex Township, **Butler County**, ACOE Pittsburgh District (Valencia, PA Quadrangle N: 40.699353°, W: -79.948779°).

To conduct the following activities associated with the widening and realignment of approximately 1.6 mile of SR 0228-270 extending west from its intersection with S.R. 0008 (Valencia, PA Quadrangle N: 40.699353°; W: -79.948779°) in Middlesex Township, Butler County:

1. Construct and maintain a 228-foot long, 18-foot wide by 8-foot high (7-foot effective w/ invert depression and baffles) single cell pre-cast concrete box stream enclosure in a tributary to Glade Run at Station 287+80 and to realign a total of 228 feet of the stream channel extending approximately 140 feet upstream and 88 feet downstream of the structure.

2. Construct and maintain an 88.7-foot wide steel plate girder bridge on integral abutments providing a normal span of 165.15 feet and minimum underclearance of 15.65 feet across Glade Run at station 294+40 and to realign approximately 130 feet of the channel of Glade Run at approximately station 291+30 LT associated with the construction of the approach fill to the bridge.

3. Construct and maintain a 207-foot long, 14-foot wide by 10-foot high (9-foot effective w/ invert depression and baffles) single cell pre-cast concrete box stream enclosure in a tributary to Glade Run at station 326+10 and to realign a total of 906 feet of the channel extending approximately 125 feet upstream and 781 feet downstream of the structure.

4. To construct and maintain a 89-foot long, 24-foot wide by 10-foot high (9-foot effective w/ invert depression and baffles) single cell pre-cast concrete box culvert in a tributary to Glade Run on Park Road and to realign a total of approximately 544 feet of the channel of a tributary to Glade Run extending 419 downstream and 125 feet upstream from the structure.

5. To place fill within the floodplain of tributary to Glade Run to maintain private driveway access from Park Road starting at station 104+20.

6. To remove the existing structure and to construct and maintain a 120-foot long, 36-inch diameter reinforced concrete pipe carrying tributary to Glade Run (Stream 13) at Station 344+90, with an outfall and rock apron discharging to tributary to Glade Run (UNT 7) and to place fill within the floodplain of UNT 7 as part of the proposed roadway fill slope.

7. To permanently fill a 0.23-acre pond at station 203+50 along a relocated section of Harbison Road to accommodate the new roadway alignment.

8. To remove the existing concrete arch from a tributary to Glade Run at station 154+10 on the existing S.R. 228 alignment.

9. To remove the existing concrete slab bridge across Glade Run at station 184+50 on the existing S.R. 228 alignment. Permit No. E1006120-021

10. To permanently impact a total of 1.216 acre of wetlands.

11. To temporarily impact a total of 0.137 acre of wetlands.

The project will result in a total of 3,311 feet of permanent impacts to existing stream channel, which includes 613 feet of proposed structure length. A total of 1,813 feet of stream relocation and 2,602 feet of stream improvements are authorized within the corridor as stream mitigation. A total of 721 ft of temporary stream impacts are authorized during construction. Existing structures will be removed, and areas of existing roadway not required for the new alignment will be restored to vegetated conditions. A total of 2.35 acres of wetland will be created onsite to offset the permanent wetland impacts

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESX29-115-18-0077(01)
Applicant Name Cabot Oil & Gas Corporation
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna
Township(s) Dimock Twp
Receiving Stream(s) and Classification(s) UNT to White Creek (CWF, MF)

ESCGP-3 # ESG295820012-00
Applicant Name SWN Prod Co LLC
Contact Person Marsha Vogel
Address P.O. Box 12359

City, State, Zip Spring, TX 77391-2359
 County Susquehanna
 Township(s) Jackson Twp
 Receiving Stream(s) and Classification(s) UNT to
 Tunkhannock Creek (CWF, MF)
 Secondary: Tunkhannock Creek (CWF, MF)

ESCGP-3 # ESG291220002-00
 Applicant Name NFG Midstream Clermont LLC
 Contact Person Duane Wassum
 Address 6363 Main Street
 City, State, Zip Williamsville, NY 14221-5855
 County Cameron
 Township(s) Shippen
 Receiving Stream(s) and Classification(s) Cherry Run
 (HQ-CWF, MF), Indian Camp Run (HQ-CWF, MF),
 UNT to Elk Fork
 Secondary: Driftwood Branch Sinnemahoning Creek
 (HQ-CWF, MF), Driftwood Brank Sinnemahoning Creek
 (HQ-CWF, MF), Driftwood Branch Sinnemahoning
 Creek (HQ-CWF, MF)

ESCGP-3 # ESG294120001-00
 Applicant Name Seneca Resources Company, LLC
 Contact Person Cindy Jones
 Address 51 Zents Blvd
 City, State, Zip Brookville, PA 15825-2701
 County Lycoming
 Township(s) Gamble
 Receiving Stream(s) and Classification(s) UNTs to Lycom-
 ing Creek (HQ-CWF, MF), UNTs to Mill Creek (TSF,
 MF)
 Secondary: Lycoming Creek (CWF, MF), Mill Creek
 (TSF, MF)

ESCGP-3 # ESG290820023-00
 Applicant Name Chief Oil & Gas, LLC
 Contact Person Joel Ward
 Address 1720 Sycamore Road
 City, State, Zip Montoursville, PA 17754-9306
 County Bradford
 Township(s) Franklin
 Receiving Stream(s) and Classification(s) Coal Run (HQ-
 CWF, MF)
 Secondary: Schrader Creek (HQ-CWF, MF)

ESCGP-3 # ESG290820018-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Marlene Williams
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840-1567
 County Bradford
 Township(s) Wyalusing
 Receiving Stream(s) and Classification(s) UNT to Susque-
 hanna River (WWF, MF), UNT to Susquehanna River
 (WWF, MF)
 Secondary: Susquehanna River (WWF, MF), Susque-
 hanna River (WWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted
 under the Storage Tank and Spill Prevention Act
 (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D,
 Administration of the Storage Tank and Spill Prevention
 Program, require the Department of Environmental Pro-
 tection (DEP) to publish in the *Pennsylvania Bulletin* a
 notice of submission of plans and reports. A remedial

action plan is submitted to summarize the site character-
 ization, document the design and construction details for
 the remedial action, and describe how the remedial action
 will attain the selected remediation standard. The reme-
 dial action plan also provides results of studies performed
 and data collected to support the remedial action and a
 description of postremediation care requirements. A reme-
 dial action completion report is submitted to document
 cleanup of a release of a regulated substance at a site to
 the selected remediation standard. A remedial action
 completion report provides a description of the site inves-
 tigation to characterize the nature and extent of contami-
 nants in environmental media, the basis of selecting the
 environmental media of concern, documentation support-
 ing the selection of residential or non-residential exposure
 factors, a description of the remediation performed and
 summaries of sampling methodology and analytical re-
 sults which demonstrate that the remediation has at-
 tained the cleanup standard selected.

For further information concerning plans or reports,
 please contact the Environmental Cleanup Program Man-
 ager in the DEP Regional Office under which the notice of
 receipt of plans or reports appears. If information con-
 cerning plans or reports is required in an alternative
 form, contact the Community Relations Coordinator at
 the appropriate Regional Office listed. TDD users may
 telephone the DEP through the Pennsylvania AT&T
 Relay Service at (800) 654-5984.

The Department has received the following plans and
 reports:

*Southeast Region: Environmental Cleanup & Brown-
 fields Program, 2 East Main Street, Norristown, PA
 19401, 484-250-5960.*

Contact: Richard Staron, Professional Geologist.

Speedway 6803, 46-14499, 749 Bethlehem Pike, Mont-
 gomery Township, **Montgomery County**. EMS Environ-
 mental, Inc., 4550 Bath Pike, Bethlehem, PA 18017, on
 behalf of Speedway LLC, 500 Speedway Drive, Enon, OH
 45323 submitted a Remedial Action Plan concerning
 remediation of soil and groundwater contaminated with
 petroleum products. The report is intended to document
 remediation of the site to meet nonresidential Statewide
 health and site-specific standards.

Getty 67435, 09-23947, 192 Durham Rd, Pennel
 Borough, **Bucks County**. Antea USA, Inc., 535 Route 38,
 Suite 203, Cherry Hill, NJ 08002 USA, on behalf of Getty
 Properties Corp., Two Jericho Plaza, Suite 110, Wing C,
 Jericho, NY 11753 submitted a Remedial Action Comple-
 tion Report concerning remediation of soil and groundwa-
 ter contaminated with unleaded gasoline. The report is
 intended to document remediation of the site to meet
 site-specific standards.

121 Point Breeze Term, 51-07149, 6310 Passyunk
 Ave., **City of Philadelphia**. Groundwater & Environ-
 mental Services, Inc., 440 Creamery Way, Suite 500,
 Exton, PA 19341, on behalf of Kinder Morgan Liquids
 Term, 6310 Passyunk Ave., Philadelphia, PA 19134 sub-
 mitted a Site Characterization Report and Remedial
 Action Plan concerning remediation of soil contaminated
 with unleaded gasoline. The report is intended to docu-
 ment remediation of the site to meet site-specific stan-
 dards.

Mobil Oil 16 DEF, 46-43630, 1940 Old York Rd,
 Abington Township, **Montgomery County**. Arcadis U.S.,
 Inc., 6041 Wallace Road Ext., Suite 300, Wexford, PA
 15090, on behalf of ExxonMobil Environmental Property
 Solutions Services, 875 West Poplar Avenue, Suite 23,

353, Collierville, TN 38017 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site-specific standards.

Datta Enterprises, 51-04438, 6400 Roosevelt Blvd, **City of Philadelphia**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of BP Products North America, Inc., 1 West Pennsylvania Avenue, Towson, MD 21204 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential site-specific standards.

Jeffersonville East Coast, 46-09109, 2000 W, Main St., West Norriton Township, **Montgomery County**. Comstock Environmental Services LLC, P.O. Box 509, Lafayette Hill, PA 19444, on behalf of East Coast Gas Station, 2000 West Main Street, Jeffersonville, PA 19403, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Cramer's Cashway, Storage Tank ID # 45-23206, 131 Scenic Drive, Polk Township, **Monroe County**. LaBella, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Cramer's Home Building Center, 320 North Courtland Street, East Stroudsburg, PA 18301, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet a combination of Site-Specific and Statewide Health Standards.

Tolino's Speedbreak # 35, Storage Tank ID # 48-35164, 1035 Blue Valley Drive, Pen Argyl, PA 18072, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Tolino's Fuel Service, 225 Flicksville Road, Flicksville, PA 18050, has submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet a combination of Site-Specific and Statewide Health Standards.

Canadensis Gulf Station, Storage Tank ID # 45-16982, Route 390 & Route 447, Canadensis, PA 18325, Barrett Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of W.S. Peeney, Inc., 1745 West Main Street, Stroudsburg, PA 18360, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Cherie M. Campbell, Soil Scientist.

Lancaster Travel Plaza, Storage Tank Facility ID # 36-09430, 2622 Lincoln Highway East, Ronks, PA 17572-9772, East Lampeter Township, **Lancaster County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Jyotsna Jivani,

103 Nevermore Circle, North Wales, PA 19454-4423 submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil contaminated with PADEP diesel short list constituents. The combined Remedial Action Plan and Remedial Action Completion Report demonstrated attainment of the Non-Residential Statewide Health Standard.

Contact: Gregory Bowman, Environmental Group Manager.

Top Star 120, Storage Tank Facility ID # 22-18136, 2826 East Harrisburg Pike, Middletown, PA 17057, Londonderry Township, **Dauphin County**. Synergy Environmental, Inc., 155 Railroad Plaza, Royersford, PA 19468 on behalf of Top Star, Inc., 14 East Main Street, Emmaus, PA 18049 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

Exide Technologies, Storage Tank Facility ID # 06-55324, 280 Grand Street, Hamburg, PA 19526, Hamburg Borough, **Berks County**. Advanced Geoservices, 1055 Andrew Drive, Suite A, West Chester, PA 19380 on behalf of Exide Technologies, Milton, GA submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard.

Former Getty Service Station # 67639, Storage Tank Facility ID # 21-26025, 816 West High Street, Carlisle, PA 17013, Carlisle Borough, **Cumberland County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002 on behalf of Getty Properties Corporation, Two Jericho Plaza, Suite 110, Wing C, Jericho, NY 11753 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

HET Enterprises, Storage Tank Facility ID # 67-21063, 701 Loucks Road, York, PA 17404, York City, **York County**. Sovereign Consulting Inc., 50 West Welsh Pool Road, Suite 6, Exton, PA 19341 on behalf of Equilon Enterprises, LLC dba Shell Oil Products US, 20945 S. Wilmington Avenue, Carson City, CA 90810 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

Rutters 16, Storage Tank Facility ID # 67-26955, 4430 West Market Street, York, PA 17408, West Manchester Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of CHR Corporation, 2295 Susquehanna Trail, Suite C, York, PA 17404 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard.

Snyder's Sunoco Station, Storage Tank Facility ID # 06-61933, 325 East Main Street, Fleetwood, PA 19522, Fleetwood Borough, **Berks County**. MEA, Inc., 1365 Ackermanville Road, Bangor, PA 19610 on behalf of Ms. Viola Snyder submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

Reynolds Jr. High School, Storage Tank Facility ID # 36-60204, 605 West Walnut Street, Lancaster, PA 17404, Lancaster City, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of School District of Lancaster, 1020 Lehigh Avenue, Lancaster, PA 17602 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Statewide Health Standard.

Arconic Lancaster Corporation, Storage Tank Facility ID # 36-20858, 1480 Manheim Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of Lancaster Arconic Corporation, 1480 Manheim Pike, Lancaster, PA 17601 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard and the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist.

Marcus Hook Ind Complex, 23-14224, 100 Green St., Marcus Hook Borough, **Delaware County**. Stantec Consulting Service Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with crude oil. The Remedial Action Completion Reports demonstrated attainment of nonresidential Statewide health and site-specific standards and was approved by the Department on July 14, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Friendly Food Mart III, Storage Tank ID # 39-13934, 906 3rd Street, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of M&B Sons Property LLC, 906 3rd Street, Whitehall, PA 18052, has submitted a combined Site Characterization Report and Remedial Action Completion Report concerning remediation of soil contaminated with gasoline. The report demonstrated attainment Statewide health standards and was approved by DEP on July 16, 2020.

Dorrance Sunoco, Storage Tank ID # 40-20336, 80 Springtown Road, Mountain Top, PA 18707, Dorrance Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Liberty Truck Center, Inc., 2277 Scranton Carbondale Highway, Scranton, PA 18508, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil contaminated with petroleum. The Site Characterization Report was approved, but the Remedial Action Plan was not acceptable to meet Statewide health standards and was disapproved by DEP on July 14, 2020.

Sunrise Mart, Storage Tank ID # 39-06734, 1510 West Tilghman Street, Allentown, PA 18102, Allentown City, **Lehigh County**. Geo-Environmental Consulting & Remediation, 371 Hoes Lane, Suite 200, Piscataway, NJ 08854, on behalf of, Greyhound Investment Group LLC, 1 Bustleton Pike, Feasterville, PA 29053, has submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report was not acceptable to meet Statewide health standards and was disapproved by DEP on July 17, 2020.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Cynthia Stine, LPG.

Point Store, Storage Tank Facility ID # 44-12044, 5867 Highway 522 North, McClure, PA 17841, Decatur Township, **Mifflin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Mr. Jeff Bell, Point Store, 5867 Highway 522 North, McClure, PA 17841 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard. The Remedial Action Plan was acceptable to meet the Standards and was approved by DEP on June 30, 2020.

Contact: Michael Stefanic, P.G., Licensed Professional Geologist.

Exide Technologies, Storage Tank Facility ID # 06-55324, 280 Grand Street, Hamburg, PA 19526, Hamburg Borough, **Berks County**. Advanced Geoservices, 1055 Andrew Drive, Suite A, West Chester, PA

19380 on behalf of Exide Technologies, Milton, GA submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was acceptable to meet the Site-Specific and Statewide Health Standards and was approved with modifications by DEP on July 8, 2020.

SPECIAL NOTICES

RADIATION PROTECTION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the months of March through May 2020, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Celia Rajkovich	122 W 5th Ave Derry, PA 15627	Labratory
Don Cessna	407 W Sample St Ebensburg, PA 15931	Testing
Dante Galan Radon Testing Corp.	2 Hayes Street Elmsford, NY 10523	Labratory
Dana Hillerby	P.O. Box 193 Hatfield, PA 19440	Testing
David Lovic US Radon Professional	501 James St Springdale, PA 15144	Mitigation
Robert Johnson A1 House Prep, LLC	340 Freed Rd Harleysville, PA 19438	Testing
Jeffrey Ralston	420 Valley Rd Bloomsburg, PA 17815	Mitigation
James Budzeak Swat Environmental of Pittsburgh	11676 Perry Hwy Ste 1207 Wexford, PA 15090	Mitigation
Paul Fletcher Alpha Energy Laboratories, Inc.	2501 Mayes Rd Ste 100 Carrollton, TX 75006	Laboratory
Michael Stabile	182 Heather Dr Blakeslee, PA 18610	Testing
Joshua Supik	2879 N Meadow St Natrona Heights, PA 15065	Testing
Erik Funkhouser	145 Dehaven Rd Beaver Falls, PA 15010	Testing
Troy Baughman	823 W Weber Ave Dubois, PA 15801	Testing
Mike Sheely	1000 Wolfe Rd Enola, PA 17025	Testing
Bruce Kollmeyer, Jr Radon Techno	828 Oak St Royersford, PA 19468	Mitigation
James Zamiska	523 Burnside Rd McDonald, PA 15057	Testing
Thomas Grove	118 Dolores Dr Irwin, PA 15642	Testing
Waqas Anwar	1619 Charles St Allentown, PA 18104	Mitigation

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Richard Garzony	815 Montour St Coraopolis, PA 15108	Testing
Alexander Micco	121 Cottonwood Dr Aliquippa, PA 15001	Testing
Spencer Conrad	555 Jamestown St Philadelphia, PA 19128	Testing
Greg Karkowsky	5850 Centre Ave Apt 407 Pittsburgh, PA 15206	Testing
Michael Foglia	2427 Anneto Dr Pottstown, PA 19464	Testing
Elliott Hoffman RJH Radon Mitigation, Inc	P.O. Box 91 Akron, PA 17501	Mitigation
Gregory Gibson	P.O. Box 733 Tannersville, PA 18372	Testing
Kevin Thompson The Green Valley Group	P.O. Box 242 Unionville, PA 19375	Testing
Seth Gitman	530 South 2nd Street Unit 610 Philadelphia, PA 19147	Testing
Matthew Muehling	106 Canvasback Lane Elizabethtown, PA 17022	Testing
Lawrence Transue BPG Inspection, LLC	4300 Alexander Dr Ste 200 Alphratta, GA 30022	Testing
Wayne Stevens	1619 Forest Acres Dr Clarks Summit, PA 18411	Mitigation
Raymond Hutchison	25 Westmoreland Ave Montvale, NJ 7645	Testing
Kevin Barnaba Home Land Environmental Health Labs	9106 Philadelphia Rd Ste 106 Rosedale, MD 21237	Testing
Jody Viscomi	1304 Eynon St Scranton, PA 18504	Testing
Daniel Horvath	7713 Francis Ave Pittsburgh, PA 15218	Testing
Ronald Laporta, Jr	623 N Pottstown Pike Exton, PA 19341	Testing
Joseph Donnelly, III	2 Waterview Rd Apt F10 West Chester, PA 19380	Testing
Jeffrey Ralston	420 Valley Rd Bloomsburg, PA 17815	Testing
Jose Figueroa	1675 N Commerce Pkwy Weston, FL 33326	Laboratory
Matthew Weiss	238 Center Ave Emsworth, PA 15202	Testing
Dante Galan Radon Testing Corp. of America	2 Hayes St Elmsford, NY 10523	Labratory
Dennis Skladanowski	5140 Amherst Rd Erie, PA 16506	Testing
Stephen Fiorelli Quality Home	700 Braxton Rd Ridley Park, PA 19078	Testing
Ryan Reichert	23 Hallton Hill Rd Pine Grove, PA 17963	Testing
Brian Stumm	PO BOX 1520 Havertown, PA 19083	Testing

WATER MANAGEMENT

Proposed Total Maximum Daily Loads (TMDLs) for the Imlertown Run Watershed in Bedford County Request for Comment.

Central Office: Bureau of Clean Water, PO Box 8774, Harrisburg, PA 17105-8774.

The Department of Environmental Protection will accept comments on the proposed TMDLs developed for the Imlertown Run Watershed in Bedford County. The TMDLs were established in accordance with the requirements of Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included stream segments impaired for aquatic life in the watershed. The impairments addressed by this document were caused by excessive siltation and nutrients from agriculture and/or crop related agriculture.

There currently are no State or Federal in-stream numerical water quality criteria for sediment or nutrients. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loading of sediment and phosphorus in the Imlertown Run Watershed. The TMDLs included allocations for nonpoint sources, reserves for future point sources, as well as margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land, streambank and farm animal source sectors present in the watershed. Data used in establishing the TMDL were primarily generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment and phosphorus loadings within the watershed, the prescribed "TMDL" values, and % reductions needed under annual average conditions.

Summary of "TMDL"—Based Load Reductions (expressed as annual averages) in the Imlertown Run Watershed				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>"TMDL" (lbs/yr)</i>	<i>% Reduction</i>
Imlertown Run	Sediment	1,027,080	577,120	44
Imlertown Run	Phosphorus	2,648	1,854	30

The following table shows the estimated current sediment and phosphorus loadings within the watershed, the prescribed "TMDL" values, and % reductions needed under 99th percentile daily loading conditions.

Summary of "TMDL"—Based Load Reductions (expressed as 99th percentile daily loading) in the Imlertown Run Watershed				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/d)</i>	<i>TMDL (lbs/d)</i>	<i>% Reduction</i>
Imlertown Run	Sediment	31,290	14,466	54
Imlertown Run	Phosphorus	106	89	16

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/ImlertownRunTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by emailing Michael Morris at michamorri@pa.gov.

Written/typed comments will be accepted at the above email address. Comment submissions must be submitted within 30 days after publication of this notice in the August 1st, 2020 issue of the *Pennsylvania Bulletin*. The Department will consider all written/typed comments submitted within the deadline prior to submitting the final TMDL to EPA for approval. To ensure timely receipt of comments given the office closure and work from home order, please do not mail hard copies of comments. Rather please submit them by email at michamorri@pa.gov. If comments cannot be emailed, please call Michael Morris at 717.772.5670 to request another method of comment submission.

Proposed Total Maximum Daily Load (TMDL) for the Mummasburg Run Watershed in Adams County Request for Comment.

Previously, a Bulletin notice for this TMDL document was published in the July 11, 2020 Edition of the *Pennsylvania Bulletin*. However, the original notice contained an error stating that there would be a 30-day comment period from its publication in the July 4, 2020 Edition of the *Pennsylvania Bulletin*. To prevent this error from limiting the public's ability to comment on this TMDL document, the public comment period is being extended by another two weeks. Therefore, comments will be accepted by August 24, 2020. See below for a revised notice.

The Department of Environmental Protection will accept comments on the proposed TMDLs developed for the Mummasburg Run Watershed in Adams County. The TMDLs were established in accordance with the requirements of Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included stream segments impaired for aquatic life in the watershed. The cause of the impairments addressed by this TMDL document were excessive siltation and nutrients from agriculture.

There currently are no State or Federal in-stream numerical water quality criteria for sediment or nutrients. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loading of sediment and nutrients (phosphorus) in the Mummasburg Run Watershed. The TMDLs included allocations for nonpoint sources, reserves for future point sources, as well as margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land, streambank and farm animal source sectors

present in the watershed. Data used in establishing the TMDL were primarily generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment and phosphorus loading within the watershed, the prescribed “TMDL” values, and % reductions needed under annual average conditions.

Summary of “TMDL”—Based Load Reductions (expressed as annual averages) in the Mummasburg Run Watershed				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>“TMDL” (lbs/yr)</i>	<i>% Reduction</i>
Mummasburg Run	Sediment	1,995,664	760,817	62
Mummasburg Run	Phosphorus	3,342	1,252	63

The following table shows the estimated current sediment and phosphorus loading within the watershed, the prescribed “TMDL” values, and % reductions needed under 99th percentile daily loading conditions.

Summary of “TMDL”—Based Load Reductions (expressed as 99th percentile daily loading) in the Mummasburg Run Watershed				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/d)</i>	<i>TMDL (lbs/d)</i>	<i>% Reduction</i>
Mummasburg Run	Sediment	100,882	28,509	72
Mummasburg Run	Phosphorus	168	48	71

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/MummasburgRunTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by emailing Michael Morris at michamorri@pa.gov.

Written/typed comments will be accepted at the above email address. The Department will consider all written/typed comments submitted within the deadline prior to submitting the final TMDL to EPA for approval. To ensure timely receipt of comments given the office closure and work from home order, please do not mail hard copies of comments. Rather please submit them by email at michamorri@pa.gov. If comments cannot be emailed, please call Michael Morris at 717.772.5670 to request another method of comment submission.

[Pa.B. Doc. No. 20-1040. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection’s (Department) web site at www.depgreenport.state.pa.us/elibrary/. The “Technical Guidance Final Documents” heading is the link to a menu of the various Department bureaus where each bureau’s final TGDs are posted. The “Technical Guidance Draft Documents” heading is the link to the Department’s draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department’s draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department’s documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final Technical Guidance: Substantive Revision

DEP ID: 563-2112-217. *Title:* Alkaline Addition for Surface Coal Mines. *Description:* This guidance explains the situations where alkaline addition at surface coal mine sites is appropriate and describes the options and procedures for operators when using alkaline addition to maintain and achieve compliance with environmental protection standards, including calculation of application rates and placement of alkaline material. The existing guidance document had previously not been updated since 1997. This revision focuses on updates related to the Department’s experience in issuing permits with alkaline addition over the last 20 years, including best practices regarding location and mixing of alkaline material, use of coal ash and co-products/general permits for alkaline addition, and updates to the process determining target net neutralization potential required for a site. This guidance document was available for public comment from March 30, 2019, to April 29, 2019. The Department received comments from one commenter and based on the suggestions provided, adjusted the guidance accordingly.

Contact: Questions regarding this TGD can be directed to Greg Greenfield at grgreenfie@pa.gov or (717) 787-3174.

Effective Date: August 1, 2020

Rescission of Technical Guidance

DEP ID: 263-3300-002. *Title:* Permeability of Secondary Containment and Emergency Containment. *Description:* This guidance provides permeability recommendations to owners of aboveground storage tanks for sec-

ondary and emergency containment and was first published on December 22, 1993. Since this time, amendments to 25 Pa. Code Chapter 245 (relating to administration of the Storage Tank and Spill Prevention Program), have been published with permeability requirements set forth in regulation. This guidance document is now obsolete.

Contact: Questions regarding this action can be directed to Kris A. Shiffer at kshiffer@pa.gov or (717) 772-5809.

Effective Date: August 1, 2020

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1041. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Children's Dental Surgery	28 Pa. Code § 551.22(3)(i) (relating to criteria for performance of ambulatory surgery on pediatric patients)
Children's Dental Surgery of Bethlehem	28 Pa. Code § 551.22(3)(i)
Children's Dental Surgery of Malvern	28 Pa. Code § 551.22(3)(i)
Hypertension-Nephrology Associates Vascular Center	28 Pa. Code § 551.21(d)(3) (relating to criteria for ambulatory surgery)
	28 Pa. Code § 551.21(d)(3).
Pocono Ambulatory Surgery Center, Limited	28 Pa. Code § 551.21(d)(1)
UPMC West Mifflin Outpatient Surgery Center	28 Pa. Code § 567.53(1) and (2) (relating to sterilization control)
	28 Pa. Code § 553.1 (relating to principle)
	28 Pa. Code § 557.2 (relating to plan)
	28 Pa. Code § 557.3 (relating to Quality Assurance and Improvement Program)
	28 Pa. Code § 555.1 (relating to principle)

These previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1042. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

Prearrest Breath Testing Devices

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to

determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 44559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

Evidential Breath Testing Devices

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant

is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984).

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 BAC, to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993.

Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The NHTSA published an additional update to the CPL at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). This current list was published at 82 FR 50940 (November 2, 2017).

Instruments marked with an asterisk (*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentra-

tions at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

The update to the CPL published at 82 FR 50940 (November 2, 2017) adds twelve (12) new instruments that have been evaluated and found to conform to the Model Specifications, as amended on September 17, 1993 for mobile and nonmobile use. One instrument is distributed by two different companies, so it has been listed twice. One manufacturer changed their legal name. One manufacturer added a new product option for USB and Ethernet connectivity. One manufacturer added a Bluetooth keyboard accessory to two devices and a calibration accessory for seven of its devices. These devices were found to conform with or without the accessories. Another seven instruments are now being listed under a different distributor/manufacturer and those devices will be cross-referenced for legacy purposes. In alphabetical order by company, the new devices are:

(1) The “AlcoMate TS600” distributed by AK GlobalTech Corporation, Palisades Park, NJ. This device will be known as the Alcoscan ALP—1 outside of the U.S. The AlcoMate TS600 is a hand-held device with an electrochemical (EC) fuel cell sensor. This device is powered by internal batteries and is intended for mobile or stationary operations.

(2) The “Intoxilyzer 500” manufactured by CMI, Inc., Owensboro, KY. This instrument is currently listed on the CPL for Alcohol Screening Devices and will be removed when that CPL is updated. Improvements to the device’s sampling system allow it to conform as an EBT. It is a hand-held instrument intended for use in mobile or stationary operations. It uses a fuel cell sensor and is powered by an internal battery. The Intoxilyzer 500 is also distributed as the Lion Alcolmeter 500 by Lion Laboratories outside the United States, so it has been listed twice on the CPL, once under each of its distributors/manufacturers.

(3) The “Intoxilyzer 9000” manufactured by CMI, Inc., Owensboro, KY. This is a bench-top device that is intended for use in mobile or stationary operations. This device uses an infrared (IR) sensor to measure ethanol concentration. The Intoxilyzer 9000 can be powered by either 110 volts alternate current (AC) or 12 volts direct current (DC).

(4) The “Alcotest 3820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 3820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(5) The “Alcotest 5510” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5510 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(6) The “Alcotest 5820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This

device is powered by internal batteries and is intended for use in mobile or stationary operations.

(7) The “Alcotest 6820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 6820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(8) The “AlcoQuant 6020 Plus” manufactured by EnviteC, Wismar, Germany and distributed by Honeywell GmbH, Fond du Lac, WI. The AlcoQuant 6020 Plus is a hand-held device with a fuel cell sensor. This device is powered by internal batteries and is intended for use in mobile and stationary operations.

(9) The Alco-Sensor FST manufactured by Intoximeters, Inc., Saint Louis, MO. The Alco-Sensor FST is a hand-held Evidential Breath Tester that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(10) The Intox DMT Dual Sensor manufactured by Intoximeters, Inc., Saint Louis, MO. The Intox DMT Dual Sensor is a bench-top Evidential Breath Tester that is intended for use in stationary or mobile operations. This device uses both an IR sensor and an EC fuel cell sensor. The Intox DMT Dual Sensor can be powered by either 110 volts AC or 12 volts DC.

(11) The “Intox EC/IR II.t” manufactured by Intoximeters, Inc., Saint Louis, MO. This is a benchtop device intended for use in mobile or stationary operations. This device uses both an EC fuel cell sensor and an IR sensor to measure ethanol concentrations. The Intox EC/IR II.t can be powered by either 110 volts AC or 12 volts DC.

(12) The “FC10Plus” manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO. This is a hand-held device that is intended for use in mobile or stationary operations. This device uses a fuel cell sensor and is powered by internal batteries.

This update indicates that two (2) devices (the Phoenix 6.0 and the FC20, manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO) come with Bluetooth keyboard support and five additional fields that users can use to enter additional information. With these features, these devices will be listed on the CPL as the “Phoenix 6.0BT” and the “FC20BT.” This update indicates also that seven (7) devices manufactured by Lifeloc come with the EASYCAL calibration accessory. Those devices include the FC10, FC10Plus, FC20, FC20BT, EV30, Phoenix 6.0 and the Phoenix 6.0BT. The CPL specifies that each of these devices conforms to the model specifications “w/or without the EASYCAL accessory.”

Intoximeters, Inc., Saint Louis, MO acquired the breath alcohol testing business of National Patent Analytical Systems, Inc. (NPAS). Since there have been no changes to the devices other than ownership and a device name change, all six devices previously listed under NPAS (BAC DataMaster (with or without the Delta-1 accessory), BAC Verifier DataMaster (w/or without the Delta-1 accessory), DataMaster cdm (w/or without the Delta-1 accessory), DataMaster DMT w/Fuel Cell option, DataMaster DMT w/Rev A Fuel Cell option, and DataMaster DMT) will now be listed under both Intoximeters and NPAS. The NPAS DataMaster DMT will now be known as the Intoximeters Intox DMT. Accordingly, this device will be listed under Intoximeters under both names.

The CPL has been updated to reflect that Draeger Safety Diagnostics, Inc. will begin operating under the

name Draeger, Inc. effective July 1, 2017 in order to align all sales and service operations for Draeger in the United States. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Jennifer Okraska at the address given as follows so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey ¹	<ul style="list-style-type: none"> AlcoScan AL-2500. SafeMate.² SafeDrive. AlcoMate.³ (aka: AlcoHAWK Pro by Q3 Innovations). AlcoMate Accu Cell AL-9000. AlcoMate Pro.³ AlcoMate Core.⁴ AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).^{4 5} AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).^{4 6} AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. ⁷ Alco Check 9000. ⁷
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol® .02 Detection System. ⁸
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02™ ⁹ .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> Alco Tector Mark X. Mark X Alcohol Checker. Alcotector WAT89EC-1. Alcotector WAT90.
Han International Co., Ltd., ² Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> BACTRACK Select S50.¹⁰ BACTRACK Select S80.¹⁰ BACTRACK Element. BACTRACK S 75 Pro.
Lion Laboratories, Ltd., Wales, United Kingdom	Alcometer 500 (aka: Intoxilyzer 500-CMI, Inc.).
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> PAS Vr. Alcovisor MARS.

Distributors/Manufacturers	Devices
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> • AlcoHAWK Precision. • AlcoHAWK Slim. • AlcoHAWK Slim 2. • AlcoHAWK Elite. • AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.). • AlcoHAWK Micro. • AlcoHAWK PRO (aka: AlcoMate by AK Solutions). • AlcoHAWK PT 500. • CA2010.
RepcO Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> • AT577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. ⁷
Varian, Inc., Lake Forest, California	On-Site Alcohol. ¹⁰

¹ The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

² Manufactured by Seju Engineering, Korea.

³ Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

⁴ Manufactured by Sentech Korea Corp.

⁵ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with 4 detectors including the one that was already installed.

⁶ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with 5 detectors including the one that was already installed.

⁷ While these devices are still being sold, they are no longer manufactured or supported.

⁸ The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

⁹ While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

¹⁰ While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
AK GlobalTech Corporation, Palisades Park, New Jersey:		
AlcoMate TS600 (aka: Alcoscan ALP-1 outside the U.S.)	X	X
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF [®] IR Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	X
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
800	X	—
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
9000	X	X
9000 (serial numbers 90-000500 and above)	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger, Inc. (aka: Draeger Safety Diagnostics, Inc. or National Draeger) Irving, Texas:		
Alcotest Model:		
3820	X	X
5510	X	X
5820	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC, Wismar, Germany, distributed by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
AlcoQuant 6020 Plus	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Auto Intoximeter*	X	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Photo Electric Intoximeter*	—	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox DMT Dual Sensor	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	—	X
Intox EC/IR II.t	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
(Also Listed under National Patent Analytical Systems, Inc.) BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT w/Fuel Cell option	X	X
DataMaster DMT w/Rev A Fuel Cell option	X	X
DataMaster DMT (aka: Intox MT)	X	X
Intox DMT (aka: DataMaster DMT)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
EV 30 (w/or without EASYCAL accessory)	X	X
FC 10 (w/or without EASYCAL accessory)	X	X
FC 10Plus (w/or without EASYCAL accessory)	X	X
FC 20 (w/or without EASYCAL accessory)	X	X
FC 20BT (w/or without EASYCAL accessory)	X	X
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0 (w/or without EASYCAL accessory)	X	X
Phoenix 6.0BT (w/or without EASYCAL accessory)	X	X
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	X
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
EBA*	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X
2000*	—	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc. (NPAS), Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT (aka: Intox DMT)	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/ Rev A Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Mark V Alcovisor	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemens-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1043. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Research Advisory Committee Special Virtual Meeting

The Department of Health’s Health Research Advisory Committee (Committee), established by section 903(b) of the Tobacco Settlement Act (35 P.S. § 5701.903(b)), will hold a special public meeting on Monday, August 10, 2020, from 11 a.m. to 12 p.m. The meeting will be held virtually by means of Skype at +1 267-332-8737 with Conference ID: 612338865.

The purpose of the special meeting is to review the work of the Committee and to discuss changes to the health research priority for the State Fiscal Year 2020-2021.

For additional information or persons with disabilities who wish to attend the meeting and require an auxiliary aid, service or other accommodation, contact Penny E. Harris, MEd, CAC, LPC, Director, Health Research Office, or Pamela Brown, Management Technician, Health Research Office, (717) 231-2825, ra-healthresearch@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Check the Department of Health, Health Research Office CURE Health Research Advisory Committee web site at <https://www.health.pa.gov/topics/Research/CURE/Pages/Committee.aspx> for any changes to this special public meeting.

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1044. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
AHN Wexford Hospital	28 Pa. Code § 103.31 (relating to the chief executive officer)
Grove City Medical Center	28 Pa. Code § 103.31

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the Guidelines that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Chester County Hospital, The	7.1(a)(3) (relating to general requirements)	14
Crozer-Chester Medical Center	2.1-7.2.2.1 (relating to corridor width)	14
	2.1-7.2.2.3(2)(a)(i) (relating to doors and door hardware)	14
	2.2-2.6.2.2(2) and (3)(b) (relating to space requirements)	18
	2.5-2.2.2.1 (relating to capacity)	14
Encompass Health Rehabilitation Hospital of Sewickley, LLC	2.6-2.2.2.2(2)(a)	18
	2.6-2.3.1.2(1) (relating to dining, recreation and day spaces)	18
	2.6-2.3.2.1(1)(b) (relating to activities of daily living unit)	18
	2.6-3.1.10(1) and (2) (relating to support areas for patients)	18
Geisinger Wyoming Valley Medical Center	2.1-2.8.8.2(1)(c) (relating to medication preparation room)	18
	2.1-2.8.8.2(2)(a) (relating to medication-dispensing units, stations and carts)	18

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Grand View Health	2.1-3.5.8.19(2)(b) (relating to facilities for processing ultrasound probes)	18-O
Robert Packer Hospital, The	2.2-3.4.7.3(6)(c) (relating to patient uptake/cool-down room)	18
Thomas Jefferson University Hospitals, Inc.	2.1-2.2.5.1(1) (relating to location)	18
	2.1-2.2.6.2 (relating to patient toilet room)	18
	2.1-2.2.6.3(2) (relating to room features)	18
	2.1-7.2.2.3(1)(b)(iii) (relating to doors and door hardware)	18
	2.1-7.2.2.3(2)(a)(i) (relating to door openings)	18
	2.2-2.5.4.2(1)—(3) (relating to airborne infection isolation (AII) room)	18
	2.2-2.6.2.2(2) (relating to area)	18
	2.2-2.6.2.2(3)(a)—(c) (relating to clearances)	18
	2.2-2.6.2.2(2) and (3)(b) and (c) (relating to space requirements)	18
	2.2-2.6.2.6(1) (relating to toilet room or human waste disposal room)	18
	2.2-3.2.2.5 (relating to hand-washing station)	18
	2.2-3.2.2.7 (relating to shower room)	18
	2.2-3.2.8.1(1) (relating to support areas for the observation unit)	18
	2.2-3.2.9.2 (relating to staff toilet room)	18
UPMC Hamot	2.1-3.4.1.2 (relating to location)	18
	2.2-3.3.3.5(2) (relating to other design requirements)	18
	2.2-3.3.4.1 (relating to application)	18
	2.2-3.3.6.1 (relating to general)	18
	2.2-3.3.6.2(1)—(3) (relating to nurse or control station(s))	18
	2.2-3.3.6.14(2) (relating to environmental services room)	18
	2.2-3.4.2.1(3) (relating to general)	18
York Hospital	2.8-3.2.1 (relating to holding area)	18

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1045. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Virtual Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold virtual meetings on Wednesday, August 19, 2020, from 9 a.m. to 12 p.m. and on Thursday, August 20, 2020, from 9 a.m. to 12 p.m.

Participants can access the meetings through the following options:

Wednesday, August 19th—Meeting Day 1

To log-in by Zoom:
<https://pitt.zoom.us/j/98226145247>
Meeting ID: 982 2614 5247
Password: AugustHPG

To dial-in by phone:
+1 267 831 0333 US
Meeting ID: 982 2614 5247

Thursday, August 20th—Meeting Day 2

To log-in by Zoom:
<https://pitt.zoom.us/j/94713956519>
 Meeting ID: 947 1395 6519
 Password: AugustHPG2

To dial-in by phone:
 +1 267 831 0333 US
 Meeting ID: 947 1395 6519

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention Integrated HIV Surveillance and Prevention Programs for Health Departments grant. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so should contact Kyle Fait, Planning Coordinator, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Health and Welfare Building, Harrisburg, PA 17120, (717) 260-8929, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel these meetings without prior notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1046. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for per-

sons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter (µg/dL) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit

number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols L and P indicate the following:

L = approved for blood lead analyses

P = approved for erythrocyte protoporphyrin analyses

LP = approved for blood lead and erythrocyte protoporphyrin analyses

31609
ACCU REFERENCE MEDICAL LABORATORY—L
1901 EAST LINDEN AVENUE
SUITE 4
LINDEN, NJ 07036
(908) 474-1004

34723
AHN PEDIATRICS BLOOMFIELD—L
4815 LIBERTY AVE, SUITE 154
WEST PENN HOSPITAL—MELLON PAVILION
PITTSBURGH, PA 15224
(412) 578-4003

10167
AHN PEDIATRICS CHARTIERS—L
1370 WASHINGTON PIKE, SUITE 107
BRIDGEVILLE, PA 15017
(412) 221-0160

30286
AHN PEDIATRICS FOX CHAPEL—L
3394 SAXONBURG BLVD, SUITE 600
GLENSHAW, PA 15116
(412) 767-0707

34549
AHN PEDIATRICS JEFFERSON—L
1200 BROOKS LANE, SUITE 130
JEFFERSON MEDICAL ARTS BLDG
JEFFERSON HILLS, PA 15025
(412) 460-8111

AHN PEDIATRICS MCMURRAY—L
3001 WATERDAM PLAZA
SUITE 200
MCMURRAY, PA 15317
(724) 941-2747

28416
AHN PEDIATRICS, ARCADIA—L
9795 PERRY HIGHWAY, SUITE 100
WEXFORD, PA 15090
(412) 358-9548

22712
AHN PEDS PAL GREENTREE—L
969 GREENTREE ROAD
PRIMARY CARE CENTER OF GREENTREE
PITTSBURGH, PA 15220

34233
AHN PEDS, PED ALL'NCE WEXFORD—L
12311 PERRY HIGHWAY, SUITE D
WEXFORD, PA 15090
(878) 332-4920

02125
AHN, PEDIATRICS, ST. CLAIR—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS, SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121

35986
ALLEGHENY COUNTY HEALTH DEPARTMENT—L
425 FIRST AVE, HARTLEY ROSE BUILDING, 4TH
FLOOR
PITTSBURGH, PA 15219
(412) 578-8070

10286
ALLENTOWN HEALTH BUREAU—L
245 NORTH 6TH ST ALLIANCE HALL
ALLENTOWN, PA 18102
(610) 437-7577

00016
ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES-BARRE, PA 18701
(570) 822-4278

21613
ARUP LABORATORIES INC—LP
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

22757
BIOREFERENCE LABORATORIES INC—L
481 EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600

30248
CARING HANDS PEDIATRICS—L
300 CEDAR RIDGE DRIVE SUITE 309
PITTSBURGH, PA 15205
(412) 921-2345

- 30249
CARING HANDS PEDIATRICS—L
105 BRAUNLICH DRIVE, SUITE 102
PITTSBURGH, PA 15237
(412) 369-7720
- 00228
CHILDRENS HOSP OF PHILADELPHIA—L
3401 CIVIC CENTER BLVD
MAIN BLDG—5TH FLOOR—ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446
- 33794
CLINICAL PATHOLOGY LABORATORIES, INC—L
9200 WALL STREET
AUSTIN, TX 78754
(512) 339-1275
- 31847
DOCTOR'S DATA, INC—L
3755 ILLINOIS AVENUE
ST CHARLES, IL 60174-2420
(630) 377-8139
- 35906
EAST LIBERTY FAMILY HEALTH CARE CTR—HILL
DISTRICT—L
373 BURROWS ST.
PITTSBURGH, PA 15213
(412) 661-2802
- 00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361
- 25549
EAST SUBURBAN PEDIATRICS—L
40 LINCOLN WAY, SUITE 400
NORTH HUNTINGDON, PA 15642
(724) 863-8811
- 29302
EAST SUBURBAN PEDIATRICS—L
2566 HAYMAKER ROAD SUITE 105
MONROEVILLE, PA 15146
(412) 858-2777
- 10390
EAST SUBURBAN PEDIATRICS—L
4262 OLD WILLIAM PENN HWY, SUITE 208
MURRYSVILLE, PA 15668
(724) 325-2133
- 32339
EDEN PARK PEDIATRIC ASSOCIATES—L
779 E MAIN STREET
MOUNT JOY, PA 17552
(717) 569-8518
- 29462
EDEN PARK PEDIATRIC ASSOCIATES—L
4221 OREGON PIKE
EPHRATA, PA 17522
(717) 859-1434
- 10266
EDEN PARK PEDIATRIC ASSOCIATES—L
1725 OREGON PIKE
LANCASTER, PA 17601
(717) 569-8518
- 31378
ENZO CLINICAL LABS—L
60 EXECUTIVE BLVD
FARMINGDALE, NY 11735
(631) 755-5500
- 31400
FRANCES WARDE MEDICAL LABORATORY—LP
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300
- 00173
GEISINGER MEDICAL CENTER—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443
- 32839
GENOVA DIAGNOSTICS—L
3425 CORPORATE WAY
DULUTH, GA 30096
(678) 638-2918
- 31348
GREENVILLE COMMUNITY HEALTH CENTER—L
348 MAIN STREET
GREENVILLE, PA 16125
(724) 588-5250
- 31393
HAMILTON HEALTH CENTER, INC.—L
1313 MONROE STREET
HARRISBURG, PA 17103
(717) 230-3946
- 30487
HAMILTON HEALTH CENTER, INC—L
1301 SYCAMORE STREET
HARRISBURG, PA 17104
(717) 232-9971
- 00547
HAMILTON HEALTH CENTER, INC—L
110 SOUTH 17TH STREET
HARRISBURG, PA 17104
(717) 230-3946
- 01711
HANOVER PEDIATRICS—L
217 BROADWAY
HANOVER, PA 17331
(717) 632-3911
- 24655
HEALTH NETWORK LABORATORIES—L
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 29054
HILLTOP COMMUNITY HEALTHCARE CENTER—L
151 RUTH STREET
PITTSBURGH, PA 15211
(412) 431-3520
- 26490
HOPE PEDIATRICS—L
3512 STATE ROUTE 257 SUITE 106
SENECA, PA 16346
(814) 677-3717
- 34794
KIDS CARE PEDIATRICS INC—L
8279 STATE RT 22 SUITE 2
NEW ALEXANDREIA, PA 15670
(724) 668-5023

3970

29136
KIDS PLUS PEDIATRICS—L
108 HORNER LANE
LATROBE, PA 15650
(724) 537-2131

21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(800) 334-5161

05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300

01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

22715
LABONE LLC DBA QUEST DIAGNOSTICS—LP
10101 RENNEN BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703

29855
LANCASTER HEALTH CENTER AT BRIGHTSIDE—L
515 B HERSHEY AVENUE
LANCASTER, PA 17603
(717) 299-6372

10289
LANCASTER HEALTH CENTER AT DUKE ST.—L
625 SOUTH DUKE STREET
LANCASTER, PA 17602
(717) 299-6372

35866
LANCASTER HEALTH CENTER AT NHA—L
802 NEW HOLLAND AVE. # 200
LANCASTER, PA 17602
(717) 299-6371

31622
LANCASTER HEALTH CENTER AT WATER ST.—L
304 N. WATER ST
LANCASTER, PA 17603
(717) 299-6372

23380
LANCASTER PEDIATRIC ASSOC LTD—L
222 WILLOW VALLEY LAKES DRIVE
SUITE 100
WILLOW STREET, PA 17584-9463
(717) 464-9555

10270
LANCASTER PEDIATRIC ASSOCIATES—L
2106 HARRISBURG PIKE
SUITE 1 MED OFFICE PO BOX 3200
LANCASTER, PA 17601
(717) 291-5931

02555
LEHIGH VALLEY PEDIATRIC ASSOC—L
401 NORTH 17TH STREET STE 307
ALLENTOWN, PA 18104
(610) 434-2162

NOTICES

25678
LEHIGH VALLEY PEDIATRIC ASSOC INC—L
612 ELM ST
BETHLEHEM, PA 18018
(610) 865-3151

34187
LENCO DIAGNOSTIC LABORATORIES INC—L
1857 86TH STREET
BROOKLYN, NY 11214
(718) 232-1515

29898
LGHP/PENN MEDICINE ROSEVILLE PEDIATRICS—L
51 PETERS ROAD SUITE 202
LITITZ, PA 17543
(717) 569-6481

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—LP
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

24668
MCMURRAY PEDIATRIC & ADOLESCENT MEDI-
CINE—L
6000 WATERDAM PLAZA DRIVE # 280
MCMURRAY, PA 15317
(724) 941-8199

28806
MEDIA PEDIATRICS—L
401 MOORE ROAD
WALLINGFORD, PA 19086
(610) 565-3336

05574
MEDTOX LABORATORIES INC—LP
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

26760
METRO COMMUNITY HEALTH CENTER—L
1789 S BRODDOCK AVENUE, SUITE 410
PITTSBURGH, PA 15218
(412) 247-2316

00504
NATIONAL MED SVCS INC-DBA/NMS LABS—LP
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

30553
NATIONWIDE CHILDRENS HOSPITAL—LP
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDRENS DRIVE
COLUMBUS, OH 43205
(614) 722-5335

28787
NEXT GENERATION PEDIATRICS—L
100 TECHNOLOGY DRIVE
SUITE 2
BUTLER, PA 16001
(724) 482-2220

31166
NHCLV—ALLENTOWN—L
218 NORTH SECOND STREET
ALLENTOWN, PA 18102
(610) 841-8400

- 30162
NHCLV—BETHLEHEM—L
1210 E 4TH STREET
BETHLEHEM, PA 18015
(610) 820-7605
- 35491
NHCLV @ TWO RIVERS H & W—L
1101 NORTHAMPTON ST.
EASTON, PA 18042
(610) 841-9400
- 23205
NORTHSIDE CHRISTIAN HEALTH CENTER—L
816 MIDDLE STREET
PITTSBURGH, PA 15212
(412) 321-4001
- 30505
NORTHSIDE CHRISTIAN HEALTH CENTER NVH—L
525 MOUNT PLEASANT ROAD NORTHVIEW
HEIGHTS
PITTSBURGH, PA 15214
(412) 321-4001
- 23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110
- 31516
PAML LLC—L
110 W CLIFF AVENUE
SPOKANE, WA 99204
(509) 755-8670
- 35190
PEDIATRIC ALLIANCE PC WITH AHN ALLE-
GHENY—L
490 E NORTH ST, SUITE 207
PITTSBURGH, PA 15212
(412) 930-0908
- 25436
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L
27 VISTA DRIVE
UNIT 3
WAYNESBORO, PA 17268
(717) 765-6621
- 33953
PEDIATRIC URGENT CARE OF FRANKLIN
COUNTY—L
5 ROADSIDE AVE
WAYNESBORO, PA 17268
(717) 765-6621
- 20407
PEDIATRICS—TOWER HEALTH MEDICAL GROUP—L
301 SOUTH 7TH AVENUE
SUITE 3170
WEST READING, PA 19611
(610) 898-5624
- 10184
PEDIATRICS OF NORTHEASTERN PA—L
920 VIEWMONT DRIVE
DICKSON CITY, PA 18519
(570) 346-1464
- 10248
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L
1570 FRUITVILLE PIKE
LANCASTER, PA 17601
(717) 569-6481
- 29610
PENN STATE HEALTH ALL ABOUT CHILDREN—L
655 WALNUT STREET
WEST READING, PA 19611
(610) 372-9222
- 22533
PENNSYLVANIA DEPT OF HEALTH—L
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 21982
PS MEDICAL GROUP-CORNERSTONE—L
6 WEST NEWPORT ROAD
LITITZ, PA 17543
(717) 627-2108
- 10222
PSHMG LIME SPRING—L
2221 NOLL DRIVE
LANCASTER, PA 17603
(717) 715-1001
- 22899
PSMG-RED ROSE PEDIATRICS—L
233 COLLEGE AVENUE
SUITE 200
LANCASTER, PA 17603
(717) 291-7221
- 00669
QUEST DIAGNOSTICS INCORPORATED—LP
ONE MALCOLM AVENUE
TETERBORO, NJ 07608
(201) 393-5895
- 01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900
- 22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—LP
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543
- 00482
QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600
- 25461
QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675
- 01216
READING PEDIATRICS INC—L
40 BERKSHIRE COURT, SUITE 1
WYOMISSING, PA 19610
(610) 374-7400
- 29871
READING PEDIATRICS INC—L
108 PLAZA DRIVE 2ND FLOOR
BLANDON, PA 19510
(610) 374-7400

29873
 READING PEDIATRICS INC—L
 25 LORANE ROAD
 READING, PA 19606
 (610) 374-7400

32983
 READING PEDIATRICS INC—L
 541 W. PENN AVE
 ROBESONIA, PA 19551
 (610) 374-7400

24657
 SANDY LAKE COMMUNITY HEALTH CENTER—L
 3205 SOUTH MAIN STREET
 SANDY LAKE, PA 16145
 (724) 342-3002

22196
 SHARON MEDICAL GROUP—L
 63 PITT STREET
 SHARON, PA 16146
 (724) 342-6604

24508
 SHEAKLEYVILLE HEALTH CENTER—L
 3339 PERRY HIGHWAY
 SHEAKLEYVILLE, PA 16151
 (724) 253-3428

27649
 SMA MEDICAL LABORATORIES—L
 940 PENNSYLVANIA BOULEVARD UNIT E
 FEASTERVILLE, PA 19053
 (215) 322-6590

24582
 SOUTH PHILA PEDIATRICS—L
 1400 S 5TH STREET
 PHILADELPHIA, PA 19147
 (215) 467-3515

00151
 ST JOSEPH QUALITY MEDICAL LAB—L
 2500 BERNVILLE ROAD
 READING, PA 19605-9453
 (610) 378-2200

01683
 STO-ROX FAMILY HEALTH CENTER—L
 710 THOMPSON AVE
 MCKEES ROCKS, PA 15136
 (412) 771-6462

22718
 SUNRISE MEDICAL LABORATORIES INC—L
 250 MILLER PLACE
 HICKSVILLE, NY 11801
 (631) 435-1515

22134
 TAN & GARCIA PEDIATRICS PC—L
 4700 UNION DEPOSIT RD SUITE 220
 HARRISBURG, PA 17111
 (717) 540-1743

10296
 TAN & GARCIA PEDIATRICS PC—L
 153 SOUTH 32ND STREET
 CAMP HILL, PA 17011
 (717) 761-7901

26198
 THE WRIGHT CENTER MEDICAL GROUP PC—L
 5 SOUTH WASHINGTON AVENUE
 JERMYN, PA 18433
 (570) 343-2383

32536
 THE WRIGHT CENTER MEDICAL GROUP PC—L
 335 S. FRANKLIN STREET
 WILKES-BARRE, PA 18702-3808
 (570) 343-2383

32537
 THE WRIGHT CENTER MEDICAL GROUP PC—L
 1145 NORTHERN BLVD
 CLARKS SUMMIT, PA 18411
 (570) 343-2383

30336
 TRI COUNTY PEDIATRICS—L
 821 HUNTINGDON PIKE, SUITE 207
 HUNTINGDON VALLEY, PA 19006
 (215) 379-3022

29164
 TRI COUNTY PEDIATRICS INC—L
 9121 E ROOSEVELT BLVD
 PHILADELPHIA, PA 19114
 (215) 884-5715

27432
 TRI COUNTY PEDIATRICS INC—L
 140 EAST BUTLER AVENUE
 CHALFONT, PA 18914
 (215) 822-1770

04159
 TRI COUNTY PEDIATRICS INC—L
 205 NEWTOWN ROAD SUITE 210
 WARMINSTER, PA 18974
 (215) 884-5715

04575
 TRI COUNTY PEDIATRICS INC—L
 1939 CHELTENHAM AVENUE
 ELKINS PARK, PA 19027
 (215) 884-5715

30337
 TRI COUNTY PEDIATRICS, INC—L
 729 GROVE AVENUE
 SUITE 1
 SOUTHAMPTON, PA 18966
 (215) 322-0800

31700
 TRUE HEALTH DIAGNOSTICS, LLC—L
 737 N 5TH ST SUITE 103
 RICHMOND, VA 23219
 (804) 343-2718

25506
 UNIVERSITY PHYSICIAN GROUP—L
 35 HOPE DRIVE
 HERSHEY, PA 17033
 (717) 531-1818

00083
 UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
 UPMC CLINICAL LABORATORY BUILDING
 3477 EULER WAY
 PITTSBURGH, PA 15213
 (412) 647-5855

34352
 WARREN COMMUNITY HEALTH CENTER—L
 1885 MARKET STREET, SUITE B
 WARREN, PA 16365
 (814) 723-0100

00539
 WASHINGTON PED & ADOLESCENT MED—L
 100 WELLNESS WAY BLDG 2
 WASHINGTON, PA 15301
 (724) 250-6001

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1047. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Hermitage Nursing and Rehabilitation
 500 Clarksville Road
 Hermitage, PA 16148
 FAC ID # 140702

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 205.20(a) (relating to resident bedrooms):

Crosslands
 P.O. Box 100 Route 926
 1660 East Street Road
 Kennett Square, PA 19348
 FAC ID # 551202

Elizabeth Manor Healthcare and Rehabilitation Center
 320 South Market Street
 Elizabethtown, PA 17022
 FAC ID # 023202

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1048. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Advisory Board Virtual Meeting

The Medical Marijuana Advisory Board (Board), established under section 1201 of the Medical Marijuana Act (35 P.S. § 10231.1201), hereby gives notice that the Board will hold a virtual meeting on Tuesday, August 11, 2020, from 10 a.m. to 12 p.m. At this meeting, the Board will discuss Medical Marijuana Program updates and the Medical Marijuana 2-year final report.

This meeting will be broadcast live for the public through Commonwealth Media Services. Check www.medicalmarijuana.pa.gov and click on the 'Medical Marijuana Advisory Board' tab for live streaming information the day of the meeting.

For additional information, including an alternative format of this notice (for example, large print, audiotape, Braille) or for persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so, contact Holli Senior, Special Assistant, Office of Medical Marijuana, 625 Forster Street, Room 628, Health and Welfare Building, Harrisburg, PA, 17120 (717) 547-3047, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1049. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Eagles Fast Play Game 5091

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name*: The name of the lottery game is Pennsylvania Eagles (hereinafter "Eagles"). The game number is PA-5091.

2. *Definitions*:

(a) *Authorized retailer* or *retailer*: A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *GOAL POST BONUS*: The area on a ticket that may contain either an FG (FLDGL) or a TD (TCHDXP) symbol that is applied to any winning combination to increase the total amount won according to the instructions.

(e) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(g) *Play*: A chance to participate in a particular Fast Play lottery game.

(h) *Play Area*: The area on a ticket, which contains one or more play symbols.

(i) *Play Symbol*: A number, letter, symbol, image or other character found in the play area, which is used to determine whether a player wins a prize.

(j) *Prize*: A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the "YOUR NUMBERS" play symbols, determine whether a player wins a prize.

(l) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(m) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the "WINNING NUMBERS" play symbols, determine whether a player wins a prize.

3. *Price*: The price of an Eagles ticket is \$5.

4. *Description of the Eagles Fast Play lottery game*:

(a) The Eagles lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. Eagles tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Eagles is played by matching any of the play symbols in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING NUMBERS" area. A player matching play symbols in this manner will win the prize shown under the matching "YOUR NUMBERS" play symbol. A bet slip is not used to play this game.

(c) Eagles tickets contain a "GOAL POST BONUS" area. When a FG (FLDGL) symbol appears in the "GOAL POST BONUS" area, add \$3 to the total amount won in the "YOUR NUMBERS" area and win that amount. When a TD (TCHDXP) symbol appears in the "GOAL POST BONUS" area, add \$7 to the total amount won in the "YOUR NUMBERS" area and win that amount.

(d) Players can win the prizes identified in section 7 (relating to prizes available to be won and determination of prize winners).

(e) An Eagles game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request an Eagles game ticket. The ticket shall

be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Eagles game ticket and select the Eagles option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Eagles ticket characteristics*:

(a) An Eagles ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols*: Each Eagles ticket play area will contain a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and a "GOAL POST BONUS" area. The play symbols and their captions, located in the "WINNING NUMBERS" and "YOUR NUMBERS" areas, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVEN), 12 (TWELVE), 13 (THIRTY), 14 (FORTY), 15 (FIFTY), 16 (SIXTY), 17 (SEVENTY), 18 (EIGHTY), 19 (NINETY), 20 (HUNDRED), 21 (ONE HUNDRED), 22 (TWO HUNDRED), 23 (THREE HUNDRED), 24 (FOUR HUNDRED), 25 (FIVE HUNDRED), 26 (SIX HUNDRED), 27 (SEVEN HUNDRED), 28 (EIGHT HUNDRED), 29 (NINE HUNDRED) and 30 (ONE THOUSAND). The play symbols and their captions, located in the "GOAL POST BONUS" area, are: FBL (FUMBLE) symbol, BK (BLOCK) symbol, INT (INTRICPT) symbol, FG (FLDGL) symbol and TD (TCHDXP) symbol.

(c) *Prize Symbols*: The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$5⁰⁰ (FIV DOL), \$8⁰⁰ (EGT DOL), \$10⁰⁰ (TEN DOL), \$12⁰⁰ (TWELVE), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$50,000 (FTY THO).

(d) *Prizes*: The prizes that can be won in this game are: \$5, \$8, \$10, \$12, \$15, \$20, \$30, \$50, \$100, \$200, \$500, \$1,000, \$5,000 and \$50,000. The prizes that can be won in the "GOAL POST BONUS" area are: \$3 and \$7. Eagles contains a feature that can increase the prize shown by \$3 or \$7 as detailed in section 4 (related to description of the Eagles Fast Play lottery game). For a complete list of all prizes that can be won in this game, see section 8 (relating to number and description of prizes and approximate chances of winning). A player can win up to 12 times on a ticket.

(e) *Approximate number of tickets available for the game*: Approximately 2,400,000 tickets will be available for sale for the Eagles lottery game.

6. *Second-Chance Drawing*: The Pennsylvania Lottery will conduct an Eagles Second-Chance Drawing for which non-winning Eagles lottery game tickets may be eligible as provided for in section 9.

7. *Prizes available to be won and determination of prize winners*:

(a) All Eagles prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50,000 (FTY THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING

NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50.00 (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30.00 (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20.00 (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15.00 (FIFTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$12.00 (TWELVE) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$12.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10.00 (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$8.00 (EGT DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$8.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5.00 (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate chances of winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>GOAL POST BONUS Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
\$5		\$5	9.09	264,000
\$5	\$3 w/ FG SYMBOL	\$8	100	24,000
\$8		\$8	100	24,000
\$5 × 2		\$10	45.05	53,280
\$10		\$10	37.04	64,800
\$5	\$7 w/ TD SYMBOL	\$12	76.92	31,200
\$12		\$12	76.92	31,200
\$5 × 3		\$15	111.11	21,600
\$8	\$7 w/ TD SYMBOL	\$15	100	24,000
\$12	\$3 w/ FG SYMBOL	\$15	100	24,000
\$15		\$15	250	9,600

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>GOAL POST BONUS Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
\$10 × 2		\$20	200	12,000
\$15 + \$5		\$20	166.67	14,400
\$8 + \$5	\$7 w/ TD SYMBOL	\$20	163.93	14,640
\$12 + \$5	\$3 w/ FG SYMBOL	\$20	166.67	14,400
\$20		\$20	909.09	2,640
\$10 × 3		\$30	2,000	1,200
\$15 × 2		\$30	2,500	960
(\$5 × 3) + \$8	\$7 w/ TD SYMBOL	\$30	333.33	7,200
\$10 + \$8 + \$5	\$7 w/ TD SYMBOL	\$30	400	6,000
\$10 + \$12 + \$5	\$3 w/ FG SYMBOL	\$30	400	6,000
\$15 + \$12	\$3 w/ FG SYMBOL	\$30	666.67	3,600
\$30		\$30	2,000	1,200
\$10 × 5		\$50	2,400	1,000
(\$5 × 4) + \$15 + \$12	\$3 w/ FG SYMBOL	\$50	2,400	1,000
(\$5 × 3) + \$20 + \$8	\$7 w/ TD SYMBOL	\$50	2,000	1,200
(\$10 × 2) + (\$5 × 3) + \$8	\$7 w/ TD SYMBOL	\$50	1,600	1,500
(\$10 × 3) + \$8 + \$5	\$7 w/ TD SYMBOL	\$50	1,714	1,400
\$20 + \$10 + \$12 + \$5	\$3 w/ FG SYMBOL	\$50	1,500	1,600
\$20 + \$15 + \$12	\$3 w/ FG SYMBOL	\$50	1,500	1,600
\$50		\$50	2,400	1,000
\$50 × 2		\$100	12,000	200
(\$10 × 3) + \$50 + \$8 + \$5	\$7 w/ TD SYMBOL	\$100	3,000	800
(\$10 × 3) + \$30 + \$20 + \$8 + \$5	\$7 w/ TD SYMBOL	\$100	6,000	400
\$50 + \$20 + \$15 + \$12	\$3 w/ FG SYMBOL	\$100	6,000	400
\$50 + \$20 + \$10 + \$12 + \$5	\$3 w/ FG SYMBOL	\$100	6,000	400
\$100		\$100	12,000	200
\$50 × 4		\$200	12,000	200
\$100 × 2		\$200	12,000	200
(\$20 × 4) + (\$10 × 2) + \$100		\$200	12,000	200
(\$20 × 3) + (\$10 × 4) + \$50 + \$30 + \$8 + \$5	\$7 w/ TD SYMBOL	\$200	12,000	200
(\$50 × 2) + (\$10 × 3) + \$30 + \$20 + \$8 + \$5	\$7 w/ TD SYMBOL	\$200	12,000	200
(\$50 × 2) + (\$20 × 2) + \$30 + \$15 + \$12	\$3 w/ FG SYMBOL	\$200	24,000	100

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>GOAL POST BONUS Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
\$200		\$200	24,000	100
\$100 × 5		\$500	60,000	40
(\$100 × 3) + (\$50 × 2) + (\$30 × 2) + \$20 + \$8 + \$5	\$7 w/ TD SYMBOL	\$500	60,000	40
(\$100 × 4) + (\$20 × 2) + \$30 + \$15 + \$12	\$3 w/ FG SYMBOL	\$500	60,000	40
\$500		\$500	60,000	40
\$500 × 2		\$1,000	120,000	20
(\$100 × 4) + (\$30 × 2) + \$500 + \$20 + \$8 + \$5	\$7 w/ TD SYMBOL	\$1,000	120,000	20
(\$200 × 2) + (\$20 × 2) + \$500 + \$30 + \$15 + \$12	\$3 w/ FG SYMBOL	\$1,000	120,000	20
\$1,000		\$1,000	120,000	20
\$1,000 × 5		\$5,000	240,000	10
\$5,000		\$5,000	240,000	10
\$50,000		\$50,000	240,000	10

GOAL POST BONUS: When a “FG” (FLDGL) symbol appears, add \$3 to any prize won above and win that total amount. When a “TD” (TCHDXP) symbol appears, add \$7 to any prize won above and win that total amount.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* The Pennsylvania Lottery’s (hereafter, the “Lottery”) Eagles Second-Chance Drawing for qualifying Fast Play lottery game tickets (hereafter, the “Drawing”).

(a) *Qualifying Tickets:* Non-winning PA-5091 Eagles (\$5) Fast Play lottery game tickets (“Qualifying Tickets”) are eligible for entry in the Drawing.

(b) *Participation and entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing’s promotional web site, available at <http://www.palottery.com>, or the Lottery’s official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(4) Only one claimant per entry is allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Eagles Second-Chance Drawing for qualifying Fast Play Lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. August 3, 2020, through 11:59:59 p.m. October 8, 2020, will be entered into the Drawing to be held between October 13, 2020 and October 21, 2020.

(3) The entry period for the Drawing will be posted to the Lottery’s publicly accessible web site at <http://www.palottery.com>.

(4) When a Qualifying Ticket is entered into the Drawing, the entry has a chance to be multiplied by three or seven (hereafter the “Entry Multiplier Prize”). Each Qualifying Ticket will have a predetermined ticket file assigned at the time the ticket is printed that will determine whether an entry will be multiplied. If an entry is multiplied, the entrant will be notified during the entry process.

(5) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered and the Entry Multiplier Prize, if applicable. The respective purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-5091 Eagles (\$5) = five entries.

(6) Players may review prizes won and their entries for the Drawing via the Drawing’s promotional web site.

(d) *Prizes available to be won, determination of winners, and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(f), or mentioned anywhere else in these rules.

(2) The following table sets forth the approximate number of Entry Multiplier Prizes and the approximate odds of winning an Entry Multiplier Prize:

Approximate Number of Entry Multiplier Prizes:		Approximate Odds of Winning a 3X or 7X Multiplier Are 1 In:	
3X	7X	3X	7X
172,991	432,478	10	4

(3) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first through the seventieth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one Regular Season Loaded Ticket Prize. Each Regular Season Loaded Ticket Prize includes two tickets, with \$30 of stadium concession or Pro Shop credit loaded onto each ticket, for a Philadelphia Eagles home game to be held during the 2021 season.

(ii) The seventy-first through the one hundred and thirty-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one Regular Season Loaded Ticket Prize. Each Regular Season Loaded Ticket Prize includes two tickets, with \$30 of stadium concession or Pro Shop credit loaded onto each ticket, for a Philadelphia Eagles home game to be held during the 2021 season.

(iii) The one hundred and thirty-sixth through the two hundred and thirtieth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one Eagles Insiders Private Event Prize. Each Eagles Insiders Private Event Prize includes two, one-day tickets to attend a private event at a Philadelphia Eagles facility, with an Eagles host and three Eagles alumni player appearances, food and beverages, and a behind-the-scenes tour of the facility, to be held in 2021.

(iv) The two hundred and thirty-first through the two hundred and eightieth entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of one autographed Eagles merchandise.

(v) The two hundred and eighty-first through the three hundred and thirtieth entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their Lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Prize claim procedures:*

(1) Winners of any prize awarded in the Drawing will be contacted by email by the Pennsylvania Lottery to initiate the prize claim procedure.

(2) Winners will have seven calendar days from the date they are notified by the Pennsylvania Lottery, pursuant to this section, to claim their prizes. In order to claim their prizes, winners must respond to the Pennsylvania Lottery's email regarding prize claim procedures and must submit a properly completed prize claim form within seven calendar days from the date they are notified by the Pennsylvania Lottery. Failure to comply with the prize claim requirements as set forth herein, for any reason, shall result in the winner forfeiting their right to receive the prize. An alternate winner will be awarded the respective prize, according to Lottery procedure.

(3) By entering a ticket into the Drawing, the entrant agrees to be bound by these rules, the prize claim requirements set forth herein, and expressly waives any claim against the Pennsylvania Lottery for a prize not awarded in conformance with these rules.

(f) *Drawing restrictions:*

(1) Each winner, their respective heirs, legal representatives, and assigns, agree to indemnify, defend, release, and discharge the Pennsylvania Lottery, Philadelphia Eagles, LLC, Eagles Stadium Operator, LLC, and the NFL, as well as their employees, officers, directors and commissioners from and against any loss, claim, damage, suit, or injury arising out of or relating to this promotion. By entering into the Drawing, the winner indemnifies, releases, discharges, and agrees to hold harmless the Pennsylvania Lottery, Philadelphia Eagles, LLC, Eagles Stadium Operator, LLC, and the NFL, as well as their employees, officers, directors and commissioners from unanticipated cancellation, suspension, or postponement of the promotion due to natural disaster, national emergency, or other unforeseen act of God or man. Winners participate solely at their own risk and responsibility.

(2) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(3) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. If an entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(4) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(5) Employees of the Lottery, MARC USA, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(6) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Lottery that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(7) All entries shall be subject to verification by the Lottery.

(8) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(9) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery Terms & Conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's Lottery account.

(15) Prizes are not transferrable.

(16) Winners and guests must abide by all venue policies. Any promotional partner reserves the right to revoke full or partial prize from any winner or winner's guest whom it or venue personnel, or both, may deem, in their sole discretion, to be intoxicated, a safety risk, to have violated any venue policy or law or may bring the promotional partner into disrepute.

(17) The winner is responsible for all costs, expenses and transportation, not specifically included in the prize won in the Drawing, arising from or in connection with any prize won.

(18) Prizes are not redeemable for cash.

(19) If a date is provided for a game or event that is part of a prize described in section 9(d), the date is subject to change at the sole discretion of the Philadelphia Eagles.

(20) If no date is provided for a game or event that is part of a prize described in section 9(d), the date will be determined by the Philadelphia Eagles and will be communicated to the winner by either the Philadelphia Eagles or the Lottery.

(21) In the event the winner is not available on the date of the game or event that is part of a prize described in section 9(d), there will be no extensions or substitutions of prizes and the winner will not receive any reimbursement for the unused prize.

(22) In the event a prize described in section 9(d) is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent

value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

(23) The specific seats to be provided as part of any prize described in section 9(d) will be determined at the sole discretion of the Philadelphia Eagles.

(24) The food and beverages to be provided as part of any prize described in section 9(d) will be selected at the sole discretion of the Philadelphia Eagles.

(25) The Philadelphia Eagles Players and Alumni Players referenced as part of any prize described in section 9(d) will be selected at the sole discretion of the Philadelphia Eagles.

(26) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may

be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Eagles lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Eagles lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Eagles or through normal communications methods.

21. *Applicability:* This notice applies only to the Eagles lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-1050. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Gone Fishin' Fast Play Game 5093

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Gone Fishin' (hereinafter "Gone Fishin'"). The game number is PA-5093.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *BONUS*: A feature of the Gone Fishin' game that, when played according to the instructions, may award the player an automatic win of \$1.

(d) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(e) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(g) *Play*: A chance to participate in a particular Fast Play lottery game.

(h) *Play Area*: The area on a ticket, which contains one or more play symbols.

(i) *Play Symbol*: A number, letter, symbol, image or other character found in the play area, which is used to determine whether a player wins a prize.

(j) *Prize*: A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *PROGRESSIVE TOP PRIZE*: The top prize available for this game that begins with a minimum prize amount that grows at a pre-determined rate every time a ticket is purchased, and then resets to the minimum prize amount whenever a top prize winning ticket is sold.

(l) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the "YOUR NUMBERS" play symbols determine whether a player wins a prize.

(m) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(n) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the "WINNING NUMBERS" play symbols, determine whether a player wins a prize.

3. *Price*: The price of a Gone Fishin' ticket is \$1.

4. *Description of the Gone Fishin' Fast Play lottery game*:

(a) The Gone Fishin' lottery game is an instant win game printed from a Lottery Terminal. With the exception of the "PROGRESSIVE TOP PRIZE," prizes are predetermined, and the player does not have the ability to select their own play symbols. Gone Fishin' tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Gone Fishin' is played by matching any of the play symbols located in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING NUMBERS" area. A player matching play symbols in this manner will

win the prize shown under the matching "YOUR NUMBERS" play symbol. A bet slip is not used to play this game.

(c) Gone Fishin' tickets contain a "BONUS" area. When the player hooks a "DOLLAR" symbol in the "BONUS" area, the player wins \$1 instantly. The "BONUS" area is played separately.

(d) Players can win the prizes identified in section 6 (relating to prizes available to be won and determination of prize winners).

(e) A Gone Fishin' game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Gone Fishin' game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Gone Fishin' game ticket and select the Gone Fishin' option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Gone Fishin' ticket characteristics*:

(a) A Gone Fishin' ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols*: Each Gone Fishin' ticket play area will contain a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and a "BONUS" area. The play symbols and their captions, located in the "WINNING NUMBERS" and "YOUR NUMBERS" areas, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols located in the "BONUS" area are: Dollar symbol and a Worm symbol.

(c) *Prize Symbols*: The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN) and PROG (TOP PRIZE).

(d) *Prizes*: The prizes that can be won in this game are: Free \$1 Fast Play Ticket, \$1, \$2, \$4, \$5, \$10, \$20, \$50, \$100 and the "PROGRESSIVE TOP PRIZE." The "PROGRESSIVE TOP PRIZE" amount starts at \$2,000 and increases by \$0.10 every time a Gone Fishin' ticket is purchased. When a "PROGRESSIVE TOP PRIZE" winning ticket is sold, the "PROGRESSIVE TOP PRIZE" resets to \$2,000. A player can win up to nine times on a ticket.

(e) *Approximate number of tickets available for the game*: Approximately 2,400,000 tickets will be available for sale for the Gone Fishin' lottery game.

6. *Prizes available to be won and determination of prize winners*:

(a) All Gone Fishin' prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol

of PROG (TOP PRIZE) appears in the "Prize" area, on a single ticket, shall be entitled to a prize of a "PROGRESSIVE TOP PRIZE." The amount won under this paragraph is the amount of the "PROGRESSIVE TOP PRIZE," determined by the Lottery Central Computer System, as of the time the winning ticket was purchased. The amount won will be a minimum of \$2,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol

of \$5⁰⁰ (FIV DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1.

(k) Holders of tickets upon which a Dollar symbol is hooked in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$1.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of FREE (TICKET) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of one Gone Fishin' game ticket.

7. *Number and description of prizes and approximate chances of winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>BONUS Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
FREE		FREE \$1 TICKET	10	240,000
	\$1 w/ DOLLAR	\$1	40	60,000
\$1		\$1	40	60,000
\$1 × 2		\$2	100	24,000
\$1	\$1 w/ DOLLAR	\$2	33.33	72,000
\$2		\$2	100	24,000
\$2 × 2		\$4	200	12,000
\$2 + \$1	\$1 w/ DOLLAR	\$4	66.67	36,000
\$4		\$4	200	12,000
\$1 × 4	\$1 w/ DOLLAR	\$5	1,000	2,400
\$2 × 2	\$1 w/ DOLLAR	\$5	500	4,800
(\$1 × 2) + \$2	\$1 w/ DOLLAR	\$5	500	4,800
(\$2 × 2) + \$1		\$5	500	4,800
\$4 + \$1		\$5	1,000	2,400
\$4	\$1 w/ DOLLAR	\$5	500	4,800
\$5		\$5	1,000	2,400
\$5 × 2		\$10	3,333	720
(\$2 × 3) + (\$1 × 3)	\$1 w/ DOLLAR	\$10	1,000	2,400

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>BONUS Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
(\$4 × 2) + \$1	\$1 w/ DOLLAR	\$10	1,000	2,400
\$5 + \$4	\$1 w/ DOLLAR	\$10	1,000	2,400
\$10		\$10	3,333	720
(\$4 × 4) + (\$1 × 3)	\$1 w/ DOLLAR	\$20	2,400	1,000
(\$5 × 3) + (\$1 × 4)	\$1 w/ DOLLAR	\$20	2,400	1,000
(\$2 × 2) + \$10 + \$5	\$1 w/ DOLLAR	\$20	3,000	800
(\$4 × 3) + (\$2 × 4)		\$20	6,000	400
\$10 × 2		\$20	6,000	400
\$20		\$20	6,000	400
(\$20 × 2) + \$10		\$50	12,000	200
(\$5 × 2) + \$20 + \$10 + \$5 + \$4	\$1 w/ DOLLAR	\$50	8,000	300
(\$10 × 3) + (\$5 × 2) + (\$4 × 2) + \$1	\$1 w/ DOLLAR	\$50	8,000	300
\$50		\$50	12,000	200
\$50 × 2		\$100	24,000	100
(\$20 × 2) + (\$2 × 2) + \$50 + \$5	\$1 w/ DOLLAR	\$100	12,000	200
(\$20 × 2) + (\$1 × 2) + \$50 + \$5 + \$2	\$1 w/ DOLLAR	\$100	12,000	200
(\$10 × 4) + \$50 + \$5 + \$4	\$1 w/ DOLLAR	\$100	24,000	100
\$100		\$100	24,000	100
PROGRESSIVE TOP PRIZE*		\$2,000*	80,000	30

BONUS: When you hook a "DOLLAR," win \$1 instantly!

*PROGRESSIVE TOP PRIZE: The minimum value of the PROGRESSIVE TOP PRIZE is \$2,000. The PROGRESSIVE TOP PRIZE increases by \$0.10 every time a ticket is purchased, and resets to \$2,000 whenever a top prize winning ticket is sold.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present

the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *“PROGRESSIVE TOP PRIZE” restrictions:*

(a) An amount of \$0.10 from the sale of each Gone Fishin’ Cash ticket will be accumulated in the “PROGRESSIVE TOP PRIZE” pool.

(b) *Prize Amount:* The amount of the “PROGRESSIVE TOP PRIZE” at the time a ticket is purchased can only be verified through the Lottery’s Central Computer System. Any advertisement or any materials describing the amount of the “PROGRESSIVE TOP PRIZE” are only valid as of the time they are posted. If any discrepancy exists between this notice and any material describing or advertising the Gone Fishin’ game, this notice and the data contained in the Lottery’s Central Computer System shall govern.

(c) The “PROGRESSIVE TOP PRIZE” and all other prizes are subject to availability at the time of purchase. The Lottery is not responsible for prizes that are not awarded due to technical issues. In the event of a “PROGRESSIVE TOP PRIZE” being reset without the actual sale of a “PROGRESSIVE TOP PRIZE” winning ticket, all prize money that had accumulated into the “PROGRESSIVE TOP PRIZE” pool (i.e. \$0.10 from the sale of each ticket) shall be awarded as part of the next “PROGRESSIVE TOP PRIZE” won.

(d) Prizes payable to “PROGRESSIVE TOP PRIZE” winners will be paid as a one-time cash payment. For the purposes of calculation of the prize to be paid to “PROGRESSIVE TOP PRIZE” winners, the “PROGRESSIVE TOP PRIZE” amount will be rounded up to the nearest \$0.50.

15. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Gone Fishin’ lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

16. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer’s license without the Lottery’s prior written authorization.

17. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Gone Fishin’ lottery game tickets.

18. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

19. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Gone Fishin' or through normal communications methods.

20. *Applicability:* This notice applies only to the Gone Fishin' lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-1051. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Steelers Fast Play Game 5092

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Steelers (hereinafter "Steelers"). The game number is PA-5092.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *GOAL POST BONUS:* The area on a ticket that may contain either an FG (FLDGL) or a TD (TCHDXP) symbol that is applied to any winning combination to increase the total amount won according to the instructions.

(e) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(g) *Play:* A chance to participate in a particular Fast Play lottery game.

(h) *Play Area:* The area on a ticket, which contains one or more play symbols.

(i) *Play Symbol:* A number, letter, symbol, image or other character found in the play area, which is used to determine whether a player wins a prize.

(j) *Prize:* A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *WINNING NUMBERS:* The numbers, letters, symbols or other characters found in the play area that, when matched against the "YOUR NUMBERS" play symbols, determine whether a player wins a prize.

(l) *Winning ticket:* A game ticket which has been validated and qualifies for a prize.

(m) *YOUR NUMBERS:* The numbers, letters, symbols or other characters found in the play area that, when matched against the "WINNING NUMBERS" play symbols, determine whether a player wins a prize.

3. *Price:* The price of a Steelers ticket is \$5.

4. *Description of the Steelers Fast Play lottery game:*

(a) The Steelers lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. Steelers tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Steelers is played by matching any of the play symbols in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING NUMBERS" area. A player matching play symbols in this manner will win the prize shown under the matching "YOUR NUMBERS" play symbol. A bet slip is not used to play this game.

(c) Steelers tickets contain a "GOAL POST BONUS" area. When a FG (FLDGL) symbol appears in the "GOAL POST BONUS" area, add \$3 to the total amount won in the "YOUR NUMBERS" area and win that amount. When a TD (TCHDXP) symbol appears in the "GOAL POST BONUS" area, add \$7 to the total amount won in the "YOUR NUMBERS" area and win that amount.

(d) Players can win the prizes identified in section 7 (relating to prizes available to be won and determination of prize winners).

(e) A Steelers game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Steelers game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Steelers game ticket and select the Steelers option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Steelers ticket characteristics:*

(a) A Steelers ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols:* Each Steelers ticket play area will contain a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and a "GOAL POST BONUS" area. The play symbols and their captions, located in the "WINNING NUMBERS" and "YOUR NUMBERS" areas are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVEN), 12 (TWELVE), 13 (THIRTEEN), 14 (FOURTEEN), 15 (FIFTEEN), 16 (SIXTEEN), 17 (SEVENTEEN), 18 (EIGHTEEN), 19 (NINETEEN), 20

(TWENTY), 21 (TWYONE), 22 (TWY TWO), 23 (TWY THR), 24 (TWY FOR), 25 (TWY FIV), 26 (TWY SIX), 27 (TWY SVN), 28 (TWY EGT), 29 (TWY NIN) and 30 (THIRT). The play symbols and their captions, located in the "GOAL POST BONUS" area, are: FBL (FUMBLE) symbol, BK (BLOCK) symbol, INT (INTRCPT) symbol, FG (FLDGL) symbol and TD (TCHDXP) symbol.

(c) *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area, are: \$5⁰⁰ (FIV DOL), \$8⁰⁰ (EGT DOL), \$10⁰⁰ (TEN DOL), \$12⁰⁰ (TWELVE), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$50,000 (FTY THO).

(d) *Prizes:* The prizes that can be won in this game are: \$5, \$8, \$10, \$12, \$15, \$20, \$30, \$50, \$100, \$200, \$500, \$1,000, \$5,000 and \$50,000. Steelers contains a feature that can increase the prize shown by \$3 or \$7 as detailed in section 4 (related to description of the Steelers Fast Play lottery game). For a complete list of all prizes that can be won in this game, see section 8 (relating to number and description of prizes and approximate chances of winning). The prizes that can be won in the "GOAL POST BONUS" area are: \$3 and \$7. A player can win up to 12 times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 2,400,000 tickets will be available for sale for the Steelers lottery game.

6. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct a Steelers Second-Chance Drawing for which non-winning Steelers lottery game tickets may be eligible as provided for in section 9.

7. *Prizes available to be won and determination of prize winners:*

(a) All Steelers prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50,000 (FTY THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING

NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$12⁰⁰ (TWELVE) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$12.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$8⁰⁰ (EGT DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$8.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate chances of winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>GOAL POST BONUS Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
\$5		\$5	9.09	264,000
\$5	\$3 w/ FG SYMBOL	\$8	100	24,000
\$8		\$8	100	24,000
\$5 × 2		\$10	45.05	53,280
\$10		\$10	37.04	64,800
\$5	\$7 w/ TD SYMBOL	\$12	76.92	31,200
\$12		\$12	76.92	31,200
\$5 × 3		\$15	111.11	21,600
\$8	\$7 w/ TD SYMBOL	\$15	100	24,000
\$12	\$3 w/ FG SYMBOL	\$15	100	24,000
\$15		\$15	250	9,600
\$10 × 2		\$20	200	12,000
\$15 + \$5		\$20	166.67	14,400
\$8 + \$5	\$7 w/ TD SYMBOL	\$20	163.93	14,640
\$12 + \$5	\$3 w/ FG SYMBOL	\$20	166.67	14,400
\$20		\$20	909.09	2,640
\$10 × 3		\$30	2,000	1,200
\$15 × 2		\$30	2,500	960
(\$5 × 3) + \$8	\$7 w/ TD SYMBOL	\$30	333.33	7,200
\$10 + \$8 + \$5	\$7 w/ TD SYMBOL	\$30	400	6,000
\$10 + \$12 + \$5	\$3 w/ FG SYMBOL	\$30	400	6,000
\$15 + \$12	\$3 w/ FG SYMBOL	\$30	666.67	3,600
\$30		\$30	2,000	1,200
\$10 × 5		\$50	2,400	1,000
(\$5 × 4) + \$15 + \$12	\$3 w/ FG SYMBOL	\$50	2,400	1,000
(\$5 × 3) + \$20 + \$8	\$7 w/ TD SYMBOL	\$50	2,000	1,200
(\$10 × 2) + (\$5 × 3) + \$8	\$7 w/ TD SYMBOL	\$50	1,600	1,500
(\$10 × 3) + \$8 + \$5	\$7 w/ TD SYMBOL	\$50	1,714	1,400
\$20 + \$10 + \$12 + \$5	\$3 w/ FG SYMBOL	\$50	1,500	1,600
\$20 + \$15 + \$12	\$3 w/ FG SYMBOL	\$50	1,500	1,600
\$50		\$50	2,400	1,000
\$50 × 2		\$100	12,000	200
(\$10 × 3) + \$50 + \$8 + \$5	\$7 w/ TD SYMBOL	\$100	3,000	800

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>GOAL POST BONUS Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
$(\$10 \times 3) + \$30 + \$20 + \$8 + \$5$	\$7 w/ TD SYMBOL	\$100	6,000	400
$\$50 + \$20 + \$15 + \12	\$3 w/ FG SYMBOL	\$100	6,000	400
$\$50 + \$20 + \$10 + \$12 + \$5$	\$3 w/ FG SYMBOL	\$100	6,000	400
\$100		\$100	12,000	200
$\$50 \times 4$		\$200	12,000	200
$\$100 \times 2$		\$200	12,000	200
$(\$20 \times 4) + (\$10 \times 2) + \$100$		\$200	12,000	200
$(\$20 \times 3) + (\$10 \times 4) + \$50 + \$30 + \$8 + \5	\$7 w/ TD SYMBOL	\$200	12,000	200
$(\$50 \times 2) + (\$10 \times 3) + \$30 + \$20 + \$8 + \5	\$7 w/ TD SYMBOL	\$200	12,000	200
$(\$50 \times 2) + (\$20 \times 2) + \$30 + \$15 + \$12$	\$3 w/ FG SYMBOL	\$200	24,000	100
\$200		\$200	24,000	100
$\$100 \times 5$		\$500	60,000	40
$(\$100 \times 3) + (\$50 \times 2) + (\$30 \times 2) + \$20 + \$8 + \5	\$7 w/ TD SYMBOL	\$500	60,000	40
$(\$100 \times 4) + (\$20 \times 2) + \$30 + \$15 + \$12$	\$3 w/ FG SYMBOL	\$500	60,000	40
\$500		\$500	60,000	40
$\$500 \times 2$		\$1,000	120,000	20
$(\$100 \times 4) + (\$30 \times 2) + \$500 + \$20 + \$8 + \5	\$7 w/ TD SYMBOL	\$1,000	120,000	20
$(\$200 \times 2) + (\$20 \times 2) + \$500 + \$30 + \$15 + \12	\$3 w/ FG SYMBOL	\$1,000	120,000	20
\$1,000		\$1,000	120,000	20
$\$1,000 \times 5$		\$5,000	240,000	10
\$5,000		\$5,000	240,000	10
\$50,000		\$50,000	240,000	10

GOAL POST BONUS: When a "FG" (FLDGL) symbol appears, add \$3 to any prize won above and win that total amount. When a "TD" (TCHDXP) symbol appears, add \$7 to any prize won above and win that total amount.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* The Pennsylvania Lottery's (hereafter, the "Lottery") Steelers Second-Chance Drawing for qualifying Fast Play lottery game tickets (hereafter, the "Drawing").

(a) *Qualifying Tickets:* Non-winning PA-5092 Steelers (\$5) Fast Play lottery game tickets ("Qualifying Tickets") are eligible for entry in the Drawing.

(b) *Participation and entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying

Ticket via the Drawing's promotional web site, available at <http://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(4) Only one claimant per entry is allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Steelers Second-Chance Drawing for qualifying Fast Play Lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. August 3, 2020, through 11:59:59 p.m. October 8, 2020, will be entered into the Drawing to be held between October 13, 2020 and October 21, 2020.

(3) The entry period for the Drawing will be posted to the Lottery's publicly accessible web site at <http://www.palottery.com>.

(4) When a Qualifying Ticket is entered into the Drawing, the entry has a chance to be multiplied by three or seven (hereafter the "Entry Multiplier Prize"). Each Qualifying Ticket will have a predetermined ticket file assigned at the time the ticket is printed that will determine whether an entry will be multiplied. If an entry is multiplied, the entrant will be notified during the entry process.

(5) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered and the Entry Multiplier Prize, if applicable. The respective purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-5092 Steelers (\$5) = five entries.

(6) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners, and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(f), or mentioned anywhere else in these rules.

(2) The following table sets forth the approximate number of Entry Multiplier Prizes and the approximate odds of winning an Entry Multiplier Prize:

Approximate Number of Entry Multiplier Prizes:		Approximate Odds of Winning a 3X or 7X Multiplier Are 1 In:	
3X	7X	3X	7X
172,991	432,478	10	4

(3) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first through the tenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one Tailgate Party Tent Ticket Prize. Each Tailgate Party Tent Ticket Prize includes access to the exclusive Lottery Winners Tent # 1 on Art Rooney Avenue in Pittsburgh, PA, food and beverages and two tickets for the Pittsburgh Steelers home game to be held during the 2021 season.

(ii) The eleventh through the twentieth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one Tailgate Party Tent Ticket Prize. Each Tailgate Party Tent Ticket Prize includes access to the exclusive Lottery Winners Tent # 2 on Art Rooney Avenue in Pittsburgh, PA, food and beverages and two tickets for the Pittsburgh Steelers home game to be held during the 2021 season.

(iii) The twenty-first through the thirtieth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one Tailgate Party Tent Ticket Prize. Each Tailgate Party Tent Ticket Prize includes access to the exclusive Lottery Winners Tent # 1 on Art Rooney Avenue in Pittsburgh, PA, food and beverages and two tickets for the Pittsburgh Steelers home game to be held during the 2021 season.

(iv) The thirty-first through the fortieth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one Tailgate Party Tent Ticket Prize. Each Tailgate Party Tent Ticket Prize includes access to the exclusive Lottery Winners Tent # 2 on Art Rooney Avenue in Pittsburgh, PA, food and beverages and two tickets for the Pittsburgh Steelers home game to be held during the 2021 season.

(v) The forty-first through the fifty-seventh entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one Party Suite Ticket Prize. Each Party Suite Ticket Prize includes food and beverages and two tickets for the Pittsburgh Steelers home game to be held during the 2021 season.

(vi) The fifty-eighth through the sixty-second entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one VIP Training Camp Meet and Greet Ticket Prize. Each VIP Training Camp Meet and Greet Ticket Prize includes two, one-day tickets to the Pittsburgh Steelers training camp, on field access, food and beverages, a special gift and a Meet and Greet with current or alumni players, or both, to be held at St. Vincent College in Latrobe, PA, during the summer of 2021.

(vii) The sixty-third through the one hundred and twelfth entries selected in the Drawing will be winning entries and the entrants who submitted the winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their Lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Prize claim procedures:*

(1) Winners of any prize awarded in the Drawing will be contacted by email by the Pennsylvania Lottery to initiate the prize claim procedure.

(2) Winners will have seven calendar days from the date they are notified by the Pennsylvania Lottery, pursuant to this section to claim their prizes. In order to claim their prizes, winners must respond to the Pennsyl-

vania Lottery's email regarding prize claim procedure, and must submit a properly completed prize claim form within seven calendar days from the date they are notified by the Pennsylvania Lottery. Failure to comply with the prize claim requirements as set forth herein, for any reason, shall result in the winner forfeiting their right to receive the prize. An alternate winner will be awarded the respective prize, according to Lottery procedure.

(3) By entering a ticket into the Drawing, the entrant agrees to be bound by these rules, the prize claim requirements set forth herein, and expressly waives any claim against the Pennsylvania Lottery for a prize not awarded in conformance with these rules.

(f) *Drawing restrictions:*

(1) Each winner, their respective heirs, legal representatives, and assigns, agree to indemnify, defend, release, and discharge the Pennsylvania Lottery, Pittsburgh Steelers, LLC, Steelers Stadium Operator, LLC, and the NFL, as well as their employees, officers, directors and commissioners from and against any loss, claim, damage, suit, or injury arising out of or relating to this promotion. By entering, the winner indemnifies, releases, discharges, and agrees to hold harmless the Pennsylvania Lottery, Pittsburgh Steelers, LLC, Steelers Stadium Operator, LLC, and the NFL, as well as their employees, officers, directors and commissioners from unanticipated cancellation, suspension, or postponement of the promotion due to natural disaster, national emergency, or other unforeseen act of God or man. Winners participate solely at their own risk and responsibility.

(2) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(3) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. If an entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(4) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(5) Employees of the Lottery, MARC USA, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(6) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Lottery that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(7) All entries shall be subject to verification by the Lottery.

(8) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(9) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery Terms & Conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's Lottery account.

(15) Prizes are not transferrable.

(16) Winners and guests must abide by all venue policies. Any promotional partner reserves the right to revoke full or partial prize from any winner or winner's guest whom it or venue personnel, or both, may deem, in their sole discretion, to be intoxicated, a safety risk, to have violated any venue policy or law or may bring the promotional partner into disrepute.

(17) The winner is responsible for all costs, expenses and transportation, not specifically included in the prize won in the Drawing, arising from or in connection with any prize won.

(18) Prizes are not redeemable for cash.

(19) If a date is provided for a game or event that is part of a prize described in section 9(d), the date is subject to change at the sole discretion of the Pittsburgh Steelers.

(20) If no date is provided for a game or event that is part of a prize described in section 9(d), the date will be determined by the Pittsburgh Steelers and will be communicated to the winner by either the Pittsburgh Steelers or the Lottery.

(21) In the event the winner is not available on the date of the game or event that is part of a prize described in section 9(d), there will be no extensions or substitutions of prizes and the winner will not receive any reimbursement for the unused prize.

(22) In the event a prize described in section 9(d) is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

(23) The specific seats to be provided as part of any prize described in section 9(d) will be determined at the sole discretion of the Pittsburgh Steelers.

(24) The food and beverages to be provided as part of any prize described in section 9(d) will be selected at the sole discretion of the Pittsburgh Steelers.

(25) The Pittsburgh Steelers Players or Alumni Players referenced as part of any prize described in section 9(d) will be selected at the sole discretion of the Pittsburgh Steelers.

(26) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Steelers lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Steelers lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Steelers or through normal communications methods.

21. *Applicability:* This notice applies only to the Steelers lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-1052. Filed for public inspection July 31, 2020, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Highly Automated Vehicle Advisory Committee Virtual Meeting

The Highly Automated Vehicle Advisory Committee will hold a Skype teleconference meeting on Wednesday, Au-

gust 12, 2020, between 1 p.m. and 3 p.m. All attendees from the public should RSVP to the following e-mail address to receive call-in information. For more information or to RSVP, contact Mark C. Kopko, Director, Office of Transformational Technology, (717) 783-1903, markkopko@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 20-1053. Filed for public inspection July 31, 2020, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, July 16, 2020, and announced the following:

Actions Taken—Regulation Approved:

State Board of Osteopathic Medicine # 16A-5334: Fees (amends 49 Pa. Code §§ 25.231 and 25.503)

Approval Order

Public Meeting Held
July 16, 2020

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

State Board of Osteopathic Medicine Fees

Regulation No. 16A-5334 (# 3254)

On February 21, 2020, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Osteopathic Medicine (Board). This rulemaking amends 49 Pa. Code §§ 25.231 and 25.503. The proposed regulation was published in the March 7, 2020 *Pennsylvania Bulletin* with a public comment period ending on April 6, 2020. The final-form regulation was submitted to the Commission on June 15, 2020.

This final-form rulemaking raises application and biennial renewal fees for osteopathic physicians, physician assistants, acupuncturists, respiratory therapists, athletic trainers perfusionists and genetic counselors.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. §§ 271.13a(a) and 271.13a(c)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 20-1054. Filed for public inspection July 31, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by LECOM at Village Square, LLC

LECOM at Village Square, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at LECOM at Village Square in Erie, PA. The initial filing was received on July 17, 2020, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1055. Filed for public inspection July 31, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Wyndmoor SNF Operating Company, LLC

Wyndmoor SNF Operating Company, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Wyndmoor Hills Rehabilitation and Nursing Center in Wyndmoor, PA. The initial filing was received on July 17, 2020, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1056. Filed for public inspection July 31, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless Letter Request for Relinquishment of Eligible Telecommunications Carrier Designation

Public Meeting held
July 16, 2020

Commissioners Present: Gladys Brown Dutrieuille, Chairperson; David W. Sweet, Vice Chairperson; John F. Coleman, Jr.; Ralph V. Yanora

Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless Letter Request for Relinquishment of Eligible Telecommunications Carrier Designation;
Docket Number P-2013-2382739

Order

Before the Commission:

On June 10, 2020, Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless (Blue Wireless) filed a Notice with this Commission pursuant to 47 U.S.C. § 214(e)(4) seeking relinquishment of its designation as a Lifeline-only eligible telecommunications carrier (ETC) in the Commonwealth of Pennsylvania (Notice of Relinquishment). Blue Wireless served its Notice of Relinquishment on the Office of Consumer Advocate, the Office of Small Business Advocate, the Commission's Bureau of Investigation and Enforcement, the Commission's Law Bureau and the Office of Attorney General as evidenced by its certificate of service. No responses were filed to the Notice. The Commission will be treating Blue Wireless' Notice of Relinquishment as a petition for relief and hereby grants the requested relief in part and denies the requested relief in part.

Background

Blue Wireless is a Maryland Limited Liability Company (LLC), with its principal place of business at 4915 Auburn Avenue, Suite 200, Bethesda, MD, 20814. Blue Wireless is a "facilities based" wireless telecommunications carrier holding a number of CMRS licenses issued by the Federal Communications Commission (FCC) and providing prepaid wireless services within Pennsylvania. Specifically, Blue Wireless provides wireless service coverage in the service areas of the following seventeen incumbent local exchange carriers (ILECs): Verizon North LLC, Verizon Pennsylvania, LLC, Citizens Telecommunications of New York, Inc., Consolidated Communications of Pennsylvania Company LLC, Frontier Communications Commonwealth Telephone Company, Frontier Communications of Canton, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC, Lackawaxen Telecommunications Services, Inc., The North-Eastern PA Telephone Company, North Penn Telephone Company, Palmerton Telephone Company, South Canaan Telephone Company, The United Telephone Company of Pennsylvania, d/b/a Century Link, Venus Telephone Corporation, Windstream Conestoga, Inc. and Windstream Pennsylvania, LLC.

On September 10, 2013, at Docket Number P-2013-2382739, Blue Wireless filed a Petition seeking Commission approval to be designated as an ETC in the Commonwealth of Pennsylvania, pursuant to Section 214(e)(2) of the Communications Act of 1934, as amended, in the geographic areas in Pennsylvania where it offered

and provided facilities-based wireless services. However, Blue Wireless sought designation as an ETC only for the limited purpose of receiving federal low-income universal service support for prepaid wireless services or what is commonly referred to as a Lifeline-only ETC.

By an Order entered on November 13, 2014, the Commission designated Blue Wireless as a Lifeline-only ETC in the Commonwealth of Pennsylvania throughout its wireless service coverage area. Blue Wireless was directed to notify its existing customer base and the general public in the geographic service areas where it provides wireless services that it had been designated as a Lifeline-only ETC in Pennsylvania and to publicize the availability of its Lifeline program through general distribution media which may include print, radio and social network media. Additionally, Blue Wireless was advised that if at some point in the future it desired to relinquish its Lifeline-only ETC designation, it would agree to comply with the requirements of 47 CFR § 54.205.

In its Notice of Relinquishment, Blue Wireless states that it is in the process of winding down and closing its wireless mobile voice telephone service and evaluating a shift of its business towards providing mobile broadband service only.¹ Blue Wireless further stated that it has ceased enrolling new mobile voice wireless subscribers effective April 27, 2020, and will cease the provision of mobile voice wireless telephone service to its existing customers, including its federal Lifeline customers, effective July 30, 2020. Specifically, Blue Wireless stated that it provided advanced notice of its cessation of service to its customers by mail and text messages on April 27 and 28, 2020. Additional text notifications were sent to all Lifeline customers on May 26, 2020 and on June 30, 2020. In addition, on June 1, 2020, Blue Wireless place calls to all Lifeline customers with a pre-recorded message to inform them of the pending end of service.² Lastly, Blue Wireless avers that its Lifeline customers will not be disadvantaged by its abandonment since other ETCs are currently providing Lifeline Service throughout Blue Wireless' designated service area.

Discussion

In accordance with 47 CFR § 54.205(a), an ETC that seeks to relinquish its ETC status must give advance notice to the state commission of such relinquishment. Additionally, prior to permitting a telecommunications carrier designated as an ETC to cease providing universal service in an area served by more than one ETC, the state commission shall require the remaining ETC(s) to ensure that all customers served by the relinquishing carrier will continue to be served. 47 CFR § 54.205(b).

In a September 3, 2013 Secretarial Letter that was sent to all Pennsylvania ETCs at Docket No. M-2013-2380576, the Commission basically adopted the same above criteria

¹ The Commission notes that the United States Court of Appeals for the District of Columbia Circuit issued its ruling in the *Mozilla Corporation vs Federal Communications Commission (Mozilla)* case and largely upheld the FCC's decision in the 2018 Restoring Internet Freedom Order, Restoring Internet Freedom, Declaratory Ruling, Report and Order, and Order, 33 FCC Red 311 (2017) (Restoring Internet Freedom Order), reclassifying broadband internet access service (BIAS) as an "information service" and repealing network neutrality rules. The implication of the reclassification decision is that broadband-only providers appear to be wholly outside of the jurisdiction of the states. However, the *Mozilla* Court also remanded aspects of the Restoring Internet Freedom Order to address the implications on this reclassification for public safety, pole attachments, and the Lifeline program. With regards to Lifeline, the *Mozilla* Court questioned the FCC's authority to continue to direct that Lifeline support be provided to ETCs providing broadband service to qualifying low-income consumers. In particular, the *Mozilla* Court determined that the BIAS reclassification decision affects the FCC's prior determination that it has the legal "authority under Section 254(e) of the Act to provide Lifeline support to ETCs that provide broadband service over facilities-based broadband-capable networks that support voice service," and that "[t]his legal authority does not depend on the regulatory classification of broadband internet access service." *Mozilla*, 940 F.3d at 68–70 (internal citations removed) (citing Restoring Internet Freedom Order, 33 FCC Red at 426, para. 193).

² Corrected Supplemental Notice dated July 13, 2020.

for relinquishment in its own rules and requirements for a carrier seeking the relinquishing of its ETC status in Pennsylvania. In the letter, the Commission advised all certificated ETCs that before they are allowed to relinquish their ETC designation in Pennsylvania, they must satisfy the criteria under the Telecommunications Act of 1996 (TA-96) and our rules governing petitions for relief. Specifically, we advised them that this Commission may grant a request to relinquish ETC status if the petitioning ETC demonstrates reliable, probative and substantial evidence of the following:

1. More than one ETC serves the service area(s) in question;
2. The ETC seeking to relinquish its ETC designation has provided advance notice to the Commission of such relinquishment;
3. The Commission, prior to authorizing the relinquishment, requires:
 - a. Remaining ETC(s) to ensure that all customers served by the relinquishing carrier will continue to be served;
 - b. Sufficient notice to permit the purchase or construction of adequate facilities by any remaining eligible telecommunications carrier.

See generally 47 U.S.C. § 214(e)(4); 47 CFR § 54.205.

While TA-96 allows an ETC to relinquish its ETC status, and thus forego access to various federal funding sources, we note that the relinquishment process still remains focused on preservation of universal service. To further the federal and state universal service goals, the Commission also requires the following of a carrier that is seeking to relinquish its ETC designation:

1. All Petitions to relinquish ETC status must be accompanied by an affidavit or verification of an authorized individual;
2. The Petition must be served upon the statutory advocates, the Office of Consumer Advocate, Office of Small business Advocate, the Commission's Bureau of Enforcement & Investigation and all carriers referenced in the petition as being alternative ETCs;
3. Notice must be provided to all affected Lifeline customers as follows:
 - a. Written notice 90 days prior to the discontinuation of Lifeline service in the form of a stand-alone mailing separate from any billing or collections mailing;
 - b. Telephonic notice 60 days prior to the discontinuation of Lifeline service
 - c. Written notice 30 days prior to the discontinuation of Lifeline service in the form of a billing insert or stand-alone mailing;
4. The notices should inform affected customers of a date certain that Lifeline service will end, list alternative lifeline providers and offer assistance to those customers who wish to retain Lifeline service;
5. These notices must be attached to the Petition to Relinquish;
6. Petitioners are directed to ensure that the transition to another Lifeline provider is seamless for the Lifeline customer and ensure that the customer is not subject to additional connection fees or deposits. Also, the Petitioner is to assist the Lifeline customer with any lifeline certification occasioned by the petition.

As mentioned earlier, Blue Wireless states in its Notice of Relinquishment that it will cease its provision of wireless telephone service to its existing customers effective July 30, 2020 and thus, seeks to relinquish its designation as a Lifeline-only ETC in Pennsylvania. The Commission's regulations allow for a party seeking relief to file a petition as set forth in 52 Pa. Code § 5.41 (relating to Petitions). In this proceeding, Blue Wireless has only filed a Notice of Relinquishment and related information with the Commission seeking our approval to relinquish its designation as a Lifeline-only ETC.

While Blue Wireless' request for relief does not comply with Section 5.41 of our regulations, instead of dismissing the filing, the Commission will exercise its discretion to treat the Notice of Relinquishment as a petition that was rightfully filed in compliance with the Commission's procedural regulations. Generally, we may overlook minor procedural defects in order to secure the just speedy or inexpensive determination of every matter or proceeding to which its regulations apply. 52 Pa. Code § 1.2(a). Additionally, we note that Blue Wireless served its Notice of Relinquishment on the statutory advocates and the Commission's Bureau of Investigation and Enforcement and no party opposed the filing. Thus, in the interest of a just and expeditious resolution of the matter, the Commission will overlook the minor procedural defects of the instant filing and rule on its merits as any procedural defect regarding Blue Wireless' request for relief does not affect the substantive rights of any interested party.

Blue Wireless advised the Commission that 1,206 Lifeline customers are subject to its decision to relinquish its Lifeline-only ETC designation. In support of its request, Blue Wireless asserts that it has complied with all of the federal and state notice requirements regarding the relinquishment of its ETC designation. In particular, Blue Wireless states that it has provided the required advanced customer notices regarding its plans to cease providing service to its Lifeline customers and also advised them in the customer notice that it is necessary for them to obtain a new cell phone provider.³

The Commission notes that all of Blue Wireless's Lifeline service plans are offered on a prepaid basis and that its Lifeline customers were to be advised of the billing method prior to establishing Lifeline service with the company. We also note that generally a Lifeline subscriber that chooses a Blue Wireless Lifeline Plan will be billed by text message, but Blue Wireless has stated that it would accommodate individual requests for paper bills as needed. Notwithstanding, Blue Wireless has stated that it provided the requisite ninety-days advance notice of its cessation of service to its customers both by mail and via text messages on April 27 and 28, 2020.

Additionally, Blue Wireless sent additional customer notifications to its Lifeline customers of the pending cessation of service on May 24, 2020. Further, in a supplement to the Notice of Relinquishment that was filed on July 9, 2020, in response to a staff inquiry, Blue Wireless stated that it also sent its customers text messages on May 26, 2020 and June 3, 2020, reminding them that their service would be ending on July 30, 2020.⁴ Also, in this supplemental filing, Blue Wireless stated that on June 1, 2020, the company placed calls to all Lifeline customers with a pre-recorded message regarding the pending cessation of Lifeline service. Lastly, Blue Wireless asserts that it planned to send another customer notification regarding the pending cessation of

service on June 30, 2020. Accordingly, based on this information, we find that Blue Wireless has given appropriate and sufficient advanced notice regarding its planned cessation of Lifeline service to its Lifeline customers.

Further, in support of its request to relinquish its Lifeline-only ETC designation, Blue Wireless states that several Lifeline service providers including SafeLink and Assurance Wireless operate and serve customers in its wireless coverage area. Blue Wireless also asserts that in addition to these competitive certificated Lifeline providers in its wireless service area, there are also incumbent local exchange carriers in its wireless service coverage area that provide Lifeline service. While it does not appear that Blue Wireless served its Notice of Relinquishment on these other Lifeline service providers as required by our September 3, 2013 Secretarial letter, we note that as recently of July 8, 2020, 88 of Blue Wireless' 1,206 Lifeline customers had migrated to another Lifeline service provider after receiving the customer notices.⁵

Taking note of this fact, we understand that Blue Wireless is still serving approximately 1,118 Lifeline customers. The Commission requires the relinquishing ETC to make good faith efforts to ensure that its remaining customers are being transferred to other competitive ETCs in its service area. Consequently, it is incumbent for Blue Wireless to ensure that its remaining Lifeline customers are transferred or migrated to another Lifeline service provider in a seamless manner so that the customers are not subject to additional connection fees or deposits by the new Lifeline service provider. Also, Blue Wireless must assist the migrating Lifeline customer with any Lifeline certification that is necessary to obtain service from the new Lifeline provider.

It is the responsibility of the state commission to ensure that all remaining customers served by the relinquishing carrier will continue to be served prior to permitting a telecommunications carrier designated as an ETC to cease providing service in an area served by more than one ETC. Since not all of Blue Wireless' Lifeline customers have been migrated to a new Lifeline service provider, we are directing Blue Wireless to continue providing Lifeline service to its remaining Lifeline customers until they have all been successfully migrated to one of the remaining ETC(s) in the service areas. Accordingly, Blue Wireless may not discontinue service and abandon customers without our approval and until this condition is fully met.

To fulfill this condition, Blue Wireless is directed to track the progress of the customer migrations for its remaining Lifeline customers and provide to the Commission's Bureau of Consumer Services a progress report on the number of Lifeline customers that have and have not migrated to a new Lifeline service provider within twenty days of the entry of this Order. Blue Wireless shall continue to provide Lifeline service to its remaining Lifeline customers until such time as those customers have obtained comparable service from an alternate Lifeline service provider.

Upon full consideration of all matters of record pertaining to this request for relinquishment of an ETC designation, we determine that is in the public interest to grant Blue Wireless' request in part, and deny it in part consistent with the above discussion; *Therefore,*

³ See fn. 4 of the Notice of Relinquishment.

⁴ July 9th Supplemental filing.

⁵ July 9th Supplemental filing.

It Is Ordered That:

1. Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless' request to relinquish its ETC designation is hereby approved in part and denied in part.

2. Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless shall not be authorized to cease providing Lifeline services in Pennsylvania, but rather shall continue to provide Lifeline service to its remaining Lifeline customers until such time as those Lifeline customers have migrated and obtained comparable service from another Lifeline provider in Blue Wireless' designated service area.

3. If necessary, Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless shall assist the migrating Lifeline customer with any Lifeline certification that is necessary to obtain service from the new Lifeline provider.

4. Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless shall track the progress of customer migrations for its remaining Lifeline customers and shall provide the Commission's Bureau of Consumer Services with a progress report on the number of remaining Lifeline customers that have and have not migrated to a new Lifeline service provider within twenty days of the entry of this Order.

5. Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless shall aver in its twenty-day customer migration progress report that all remaining Lifeline customers have obtained Lifeline service from alternate competitive Lifeline providers in a seamless manner so that the migrating Lifeline customer is not subject to additional connection fees or deposits by the new Lifeline service provider.

6. Upon successful completion of the directive in Ordering Paragraph No. 4 above, Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless shall continue to file progress reports regarding customer migrations until all remaining Life customers have obtained comparable service from another Lifeline provider in Blue Wireless' designated service area and shall aver in its customer migration progress report that all remaining Lifeline customers have obtained Lifeline service from alternate competitive Lifeline providers in a seamless manner as denoted in Ordering Paragraph No. 5.

7. The Secretary's Bureau serve a copy of this Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, and the Bureau of Investigation & Enforcement, and also cause a copy of this Order to be published in the *Pennsylvania Bulletin*.

8. Upon Buffalo-Lake Erie Wireless Systems Co., LLC, d/b/a Blue Wireless' successful completion of migrating all of its remaining Lifeline customers to other Lifeline providers operating in its designated service area, it shall be authorized to relinquish its Lifeline-only ETC designation in Pennsylvania and the record shall be mark closed.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1057. Filed for public inspection July 31, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Electric Generation Supplier License Cancellations of Companies with an Expired Financial Security, Insufficient Financial Security Amount or Language

Public Meeting held
July 16, 2020

Commissioners Present: Gladys Brown Dutrieuille, Chairperson; David W. Sweet, Vice Chairperson; John F. Coleman, Jr.; Ralph V. Yanora

*Electric Generation Supplier License Cancellations of
Companies with an Expired Financial Security,
Insufficient Financial Security Amount or Language;
M-2020-3015227*

Tentative Order

By the Commission:

The Commission's regulations at 52 Pa. Code § 54.40(a) state that an Electric Generation Supplier (EGS) license will not be issued or remain in force until the licensee furnishes a bond or other security approved by the Commission. In addition, 52 Pa. Code § 54.40(d) states that the maintenance of an EGS license is contingent on the licensee providing proof to the Commission that a bond or other approved security in the amount directed by the Commission has been obtained.

Each EGS must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120 prior to the EGS's current security expiration date. Each financial instrument must be an original document that displays a "wet" signature or digital signature, preferable in blue ink, and displays a "raised seal" or original notary stamp. The name of the principal on the original financial instrument must match exactly with the name that appears on the EGS's license issued by the Commission.

Failure to file before the financial security's expiration date may cause Commission staff to initiate a formal proceeding that may lead to the following: cancellation of each company's electric supplier license, removal of each company's information from the Commission's website and notification to all electric distribution companies, in which each company is licensed to do business, of the cancellation of the license.

As of July 7, 2020, each EGS listed in the Supplier Table has not provided proof to the Commission that it has a bond or other approved security in the amount or language directed by the Commission, to replace a bond which is expired or which is non-compliant with Commission regulations.

While we recognize that the COVID-19 pandemic has provided some challenges related to the continuance of normal business operations, it is imperative that the Commission have an approved financial security in place with each EGS to ensure compliance with 52 Pa. Code § 54.40(d). On March 25, 2020, Commission staff issued an EGS Financial Security Filing Guidance Memo that stated the following:

- Where practical, EGSs should file an original bond, letter of credit, continuation certificate, amendment,

or other financial instrument. These original financial instruments should display “wet” signatures or digital signatures, preferably in blue ink, and display a “raised seal” or original notary stamp.

- EGSs should email a copy of the original financial instrument directly to Secretary Chiavetta at rchiavetta@pa.gov. Secretary Chiavetta has waived the restriction on emailed filings that contain confidential and proprietary material. As such, financial security instruments will be permitted to be filed by email for the duration of the Commission’s work from home order.
- If an EGS is unable to acquire a “raised seal” or original notary stamp on the financial security during the pendency of the COVID-19 emergency, the Secretary’s Bureau will not reject the financial security.
- If an EGS has been granted a reduction in its financial security, and it is time to renew the annual

reduction, please file an original annual compliance filing with the Secretary’s Bureau and a copy via email at rchiavetta@pa.gov.

Please note that the requirement that EGSs maintain a valid financial security on file with the Commission, remains in effect.

Be advised that emailed financial security instruments—after review and acceptance of the Secretary’s Bureau and the Bureau of Technical Utility Services—will be provisionally approved by the Commission until Commission staff resume working in the Keystone Building. EGSs must still mail the original bond with original signatures and notary stamp as per the Commission’s normal practice.

Based on the Commission’s records, the EGSs listed in the Supplier Table have not provided an original approved financial security, nor have they emailed a copy of the original financial instrument to Secretary Chiavetta as directed by the staff memo.

Supplier Table—List of Electric Generation Suppliers that failed to email a copy or provide an original financial security document to the Commission.

<i>Docket Number</i>	<i>Company Name</i>	<i>Financial Security Expiration Date</i>	<i>Commission Approved Amount or Language</i>
A-2016-2575063*	FREEPOINT ENERGY SOLUTIONS, LLC	7/1/2021	No
A-2016-2575177	NATIONAL UTILITIES REFUND, LLC	6/20/2020	Yes
A-2014-2457160	NORESKO, LLC	6/24/2020	Yes
A-2016-2579236	TRIANGLEENERGY, LLC	6/13/2020	Yes
A-2019-3012205	WATTB, INC.	6/17/2020	Yes

*Taking title to electricity

An EGS listed in the Supplier Table that believes it has provided its original financial security to the Commission and was listed in error, should contact the Commission’s Bureau of Technical Services at pc-puc-tus-energy@pagov.onmicrosoft.com.

As part of its EGS license validation procedures, the Commission’s Bureau of Technical Utility Services sent a 90-day Security Renewal Notice Letter to each entity in the Supplier Table above stating that original documentation of a bond, or other approved security in the amount and language directed by the Commission, must be filed within 30 days prior to each entity’s security expiration date. None of the companies listed provided the required documentation.

Based on the above facts, we tentatively conclude that the EGSs listed in the Supplier Table are not in compliance with 52 Pa. Code § 54.40(a) and (d) and therefore it is appropriate to initiate the cancellation process for the EGS license of each company listed in the Supplier Table, without the necessity of a formal complaint, as being in the public interest; *Therefore,*

It Is Ordered That:

1. Cancellation of the Electric Generation Supplier License of each company listed in the Supplier Table is hereby tentatively approved as being in the public interest.

2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, all electric distribution companies, all of the

Electric Generation Suppliers in the Supplier Table, and publish a copy of this Tentative Order in the *Pennsylvania Bulletin* with a 45-day comment period.

3. The Secretary serve a copy of this Tentative Order upon the Pennsylvania Department of Revenue—Bureau of Compliance, Business License Clearance Division.

4. Absent the filing of adverse public comment or the filing of an approved security within 45 days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services shall prepare a Final Order for entry by the Secretary.

5. Upon entry of the Final Order described in Ordering Paragraph No. 4 above, each company listed in the Supplier Table will be stricken from all active utility lists maintained by the Commission’s Bureau of Technical Utility Services and the Assessment Section of the Bureau of Administration, removed from the Commission’s website, and notifications be sent to all electric distribution companies in which the Electric Generation Suppliers are licensed to do business.

6. Upon entry of the Final Order described in Ordering Paragraph No. 4, each electric distribution company in which the Electric Generation Suppliers are licensed to do business, shall return the customers of the Electric Generation Suppliers to default service.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1058. Filed for public inspection July 31, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by August 17, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2020-3019241 (Corrected). Wisa Enterprises, LLC (4601 Locust Lane, Suite 104, Harrisburg, Dauphin County, PA 17109) in paratransit service, from points in the Counties of Cumberland, Dauphin, Lancaster, Lebanon and York, to points in Pennsylvania, and return.

A-2020-3019438. Anba Bola, LLC (411 Germantown Pike, Collegeville, Montgomery County, PA 19426) persons in paratransit service, from points in the Counties of Bucks, Delaware and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2020-3020872. Reading Checker Cabs, LLC (615 Elm Street, Unit 2, Reading, Berks County, PA 19601) in call or demand, in the Counties of Berks, Dauphin, Lebanon, Luzerne and Schuylkill.

Applications of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.*

A-2020-3020871. Elite Moving Company (229 Bonita Drive, Greensburg, Westmoreland County, PA 15601) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

A-2020-3020875. Pennsylvania & New Jersey Industries, LLC, t/a College Hunks Moving, Lehigh Valley (6690 Apple Butter Road, Slatington, Lehigh County, PA 18080) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania. *Attorney:* Andrew Horowitz, 500 Grant Street, Suite 5240, Pittsburgh, PA 15219.

Applications of the following for the approval of the *right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2020-3020840. Michael Wetherhold, t/a Mike Wetherhold Transit Service (P.O. Box 393, Adamstown, Berks County, PA 19501) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-2019-3012832, persons in paratransit service, from points in Lancaster County, to points in Pennsylvania, and return.

A-2020-3020867. Ray Ray Cab Company, LLC, d/b/a Pittsburgh City Cab, d/b/a Peoples Cab (1825 Liverpool Street, Pittsburgh, Allegheny County, PA 15233) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-6310022, persons, upon call or demand in the City of Pittsburgh, Allegheny County, as more thoroughly described in the original ordering paragraphs at A-2008-2036424. *Attorney:* Ray F. Middleman, Esquire, U.S. Steel Tower, 44th Floor, Pittsburgh, PA 15219.

A-2020-3020897. Corry Ambulance Service, Inc. (1926 Peach Street, Erie, Erie County, PA 16502) for the discontinuance and cancellation of its authority, to transport, as a common carrier, by motor vehicle, persons, in paratransit service, from points in the Counties of Crawford, Erie and Warren, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1059. Filed for public inspection July 31, 2020, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than August 17, 2020. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-20-07-02. Amiya Taxi, LLC (4807 Paschall Avenue, Philadelphia, PA 19143): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 20-1060. Filed for public inspection July 31, 2020, 9:00 a.m.]

STATE BOARD OF NURSING

Automatic Suspension of the License to Practice Professional Nursing of Georgeann Leuzzi, RN; Case No. 18-51-02212

Notice to Georgeann Leuzzi, RN:

The Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted formal administrative action against you by filing a Petition for Automatic Suspension before the State Board of Nursing (Board) alleging that your license to practice professional nursing is subject to automatic suspension under section 23(c) of the Controlled Substance, Drug, Device and Cosmetic Act ("Drug Act"). This notice is being published pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing service of process upon you by publication.

Your license to practice professional nursing in the Commonwealth of Pennsylvania was **AUTOMATICALLY SUSPENDED** under the authority of Section 23(c) of the Drug Act, **EFFECTIVE**, September 18, 2019.

If you wish to defend against the charges in the Petition or request a hearing you must do so within twenty days from the date of publication of this Notice. The procedure for doing so is explained in the Petition, Notice and Order of Automatic Suspension. You may obtain a copy of the Petition, Notice and Order online or by contacting the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105-2649; (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the assistance of an attorney. All proceedings before the Board are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedure. If a response and request for a hearing are not filed within 20 days of publication of this Notice, an order making the suspension of your license final will be issued by the State Board of Nursing. The response and any pleadings or other documents related to this matter must be filed with the Prothonotary for the Department of State at the above address. A copy of the response and request for hearing shall also be served on the prosecuting attorney identified in the Petition.

ANN M. COUGHLIN, MBA, MSN, RN,
Chairperson

[Pa.B. Doc. No. 20-1061. Filed for public inspection July 31, 2020, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Michele L. Rice, LPN; Case No. 17-51-02511

On April 4, 2019, Michele L. Rice, LPN, license No. PN265155, last known of New Castle, Lawrence County, had her license indefinitely suspended by the State Board of Nursing (Board) for having received accelerated rehabilitative disposition in the disposition of a felony.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

ANN M. COUGHLIN, MBA, MSN, RN,
Chairperson

[Pa.B. Doc. No. 20-1062. Filed for public inspection July 31, 2020, 9:00 a.m.]

STATE REAL ESTATE COMMISSION

Bureau of Professional and Occupational Affairs v. Locust Grove Cemetery Association; Case No. 14-56-07941

On February 5, 2020, Locust Grove Cemetery Association, registration No. CE000061A, of Ellwood City, Lawrence County, was assessed a \$1,000 civil penalty for practicing as a cemetery company without a current and valid registration.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final State Real Estate Commission (Commission) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Commission with a copy of their petition for review.

ANNE M. RUBIN,
Chairperson

[Pa.B. Doc. No. 20-1063. Filed for public inspection July 31, 2020, 9:00 a.m.]

