

PENNSYLVANIA BULLETIN

Volume 50
Saturday, August 29, 2020 • Harrisburg, PA
Number 35
Pages 4373—4482

Agencies in this issue

The Governor
The Courts
Department of Agriculture
Department of Banking and Securities
Department of Environmental Protection
Department of Health
Department of Revenue
Independent Regulatory Review Commission
Insurance Department
Pennsylvania Public Utility Commission
State Board of Nursing
State Board of Social Workers, Marriage and
Family Therapists and Professional Counselors
State Conservation Commission
Susquehanna River Basin Commission
Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 549, August 2020

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2020 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GOVERNOR

Proclamations

Amendment to proclamation of disaster emergency.. 4381

THE COURTS

APPELLATE PROCEDURE

Order amending Rule 2323 of the Pennsylvania Rules of Appellate Procedure; No. 289 appellate procedural rules doc..... 4385
 Proposed amendment of Pa.R.A.P. 1116..... 4383

RULES OF CIVIL PROCEDURE

Order amending the Note to Rule 2.4 and adopting Rule 5.50 of the Pennsylvania Orphans' Court Rules; No. 847 Supreme Court rules doc..... 4387
 Order amending Rule 1920.17 of the Pennsylvania Rules of Civil Procedure; No. 709 civil procedural rules doc..... 4385

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF AGRICULTURE

Notices

General Quarantine Order; cervid movement restrictions within core captive management zone .. 4395

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications..... 4398

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Alternative Fuels Incentive Grant Program; grant opportunity..... 4458
 Applications, actions and special notices..... 4400
 Availability of grants through the Coastal Zone Grant Program 4459
 Availability of technical guidance 4459
 Bid opportunity..... 4459

DEPARTMENT OF HEALTH

Notices

Long-term care nursing facilities; requests for exception..... 4460
 Public Health Council virtual meeting regarding the Preventive Health and Health Services Block Grant..... 4460

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); announcement of the request for application to provide services for WIC Program..... 4460

DEPARTMENT OF REVENUE

Notices

Pennsylvania Blank Check fast play game 5094 4461
 Pennsylvania Mattress Money fast play game 5095 . 4468

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Notice of filing of final rulemakings..... 4471

INSURANCE DEPARTMENT

Notices

Application for renewal of designation as a certified reinsurer (5 Documents)..... 4472, 4473

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of motor carrier applications..... 4473
 Water service..... 4474

STATE BOARD OF NURSING

Notices

Automatic suspension of the license to practice as a practical nurse of Melinda S. Paul, LPN; case No. 18-51-008743 4474
 Bureau of Professional and Occupational Affairs v. Amy Klinger Lehman, LPN; case No. 17-51-10939 4474
 Bureau of Professional and Occupational Affairs v. Gifty Teppeh, RN; case No. 17-51-02348..... 4474

STATE BOARD OF SOCIAL WORKERS, MARRIAGE AND FAMILY THERAPISTS AND PROFESSIONAL COUNSELORS

Rules and Regulations

Licensed bachelor social worker; fees..... 4389

STATE CONSERVATION COMMISSION

Notices

Action on odor management plans for concentrated animal operations and concentrated animal feeding operations and volunteers complying with the Commonwealth's Facility Odor Management Program (6 Documents) 4475, 4476, 4477, 4478, 4479

SUSQUEHANNA RIVER BASIN COMMISSION

Notices

Grandfathering registration notice 4480
 Projects approved for consumptive uses of water 4480
 Projects approved for minor modifications 4481
 Telephonic Commission meeting 4482

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2020.

4 Pa. Code (Administration)

Adopted Rules

1	902, 3586
7	3200, 4008
7a	3406

Statements of Policy

9	328, 546, 915, 1118, 1551
---------	---------------------------

7 Pa. Code (Agriculture)

Adopted Rules

150	1836
-----------	------

22 Pa. Code (Education)

Adopted Rules

2	4131
---------	------

25 Pa. Code (Environmental Protection)

Adopted Rules

78A	3845
86	1508
87	1508
88	1508
89	1508
90	1508
93	3426
123	3714
261a	3581
262a	3581
263a	3581
264a	3581
265a	3581
806	1931

Proposed Rules

93	3724
96	3724
121	2633
129	2633
250	1011

Statements of Policy

16	3485
----------	------

28 Pa. Code (Health and Safety)

Adopted Rules

26	1352
----------	------

31 Pa. Code (Insurance)

Proposed Rules

168	798
-----------	-----

34 Pa. Code (Labor and Industry)

Adopted Rules

91	792
93	792
95	792

Proposed Rules

65	3108
----------	------

40 Pa. Code (Liquor)

Proposed Rules

5	1650
---------	------

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

25	4133
33	3854
35	1838
43b	1354
47	4389

Proposed Rules

9	4241
15	4243
25	1364
29	2743
37	4245
39	668

52 Pa. Code (Public Utilities)

Adopted Rules

54	3861
77	469

Proposed Rules

32	3585
----------	------

Statements of Policy

41	1695
69	1652, 3598

55 Pa. Code (Human Services)

Statements of Policy

41	1695
----------	------

58 Pa. Code (Recreation)

Adopted Rules

63	1526, 3892
69	1527
119	1246
135	2257
139	2258
141	2264, 2265, 2268, 2269, 2272
147	2273, 2274, 2276

Proposed Rules

51	3894
61	3895
63	1247
65	3896, 3898
131	1549
135	1372, 1549, 2279
139	1373
141	1379, 1380, 1384, 1385
147	1387, 1390
801a	4248
802a	4248
803a	4248
804a	4248
805a	4248
806a	4248
807a	4248
808a	4248
809a	4248
810a	4248
811a	4248
812a	4248
813a	4248

814a 4248
 815a 4248
 816a 4248
 817a 4248
 830a 4248

Statements of Policy

465b 4142

61 Pa. Code (Revenue)

Adopted Rules

876 1528

67 Pa. Code (Transportation)

Adopted Rules

601 545

Proposed Rules

55 2746

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules

6 2174
 7 2012

204 Pa. Code (Judicial System General Provisions)

Adopted Rules

27 1344
 29 3423
 33 1108
 71 641, 1239, 2012, 2386
 73 2386
 81 3011
 82 2077, 2174
 83 197, 2013, 3571
 85 647, 4014
 89 2387, 2388, 4014
 91 647, 4014
 93 647, 648, 651, 2388, 4014

Proposed Rules

71 4012
 81 4013
 83 642, 2631
 85 642
 89 642
 91 642
 93 642
 303 3203
 307 3305
 309 3409
 311 3417

207 Pa. Code (Judicial Conduct)

Adopted Rules

33 7, 197, 1239

Proposed Rules

51 4017

210 Pa. Code (Appellate Procedure)

Adopted Rules

1 505, 535
 3 505
 5 505
 7 505
 9 505, 535
 11 535
 13 505, 535
 15 505
 16 505

17 505, 535
 19 505
 23 535, 4385
 27 505
 33 505, 535
 37 651
 63 2013
 69 657

Proposed Rules

1 3823
 3 303
 9 3823
 11 3823, 4383
 13 3823
 17 3823
 19 304
 21 3823
 25 3823

225 Pa. Code (Rules of Evidence)

Adopted Rules

Article IX 2837

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules

200 198, 306
 400 199
 1000 199
 1915 4019
 1920 4385
 Part II 306, 4387

Proposed Rules

200 3572, 4023
 400 3573, 3575
 1915 3826, 3834
 1990 4023

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules

1 4123
 5 4124
 10 4123

Proposed Rules

6 3576

237 Pa. Code (Juvenile Rules)

Adopted Rules

1 4128
 11 4128
 13 2389

Proposed Rules

2 3836
 3 3836
 5 3838
 6 3838

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules

200 2252
 300 2252
 400 2252
 500 2252

Proposed Rules

300 3104

4380

249 Pa. Code (Philadelphia Rules)

Unclassified 788, 1503, 3578

252 Pa. Code (Allegheny County Rules)

Unclassified 307

255 Pa. Code (Local Court Rules)

Unclassified 199, 200, 667, 790, 904, 912, 913,
914, 1114, 1115, 1116, 1350, 1503, 1504, 1505, 1506, 1647,
1648, 1827, 1829, 2014, 2018, 2019, 2736, 2925, 3011,
3106, 3308, 3579, 3710, 3711, 4031, 4236

THE GOVERNOR

GOVERNOR'S OFFICE

Amendment to Proclamation of Disaster Emergency

August 18, 2020

Whereas, on January 10, 2018, I declared a disaster emergency due to the opioid crisis that is ravaging the country, including the Commonwealth of Pennsylvania and its citizens;

Whereas, my Proclamation of Disaster Emergency dated January 10, 2018, was renewed by Amendment to Proclamation of Disaster Emergency (1st Amendment) on April 4, 2018, for an additional ninety days. The April 4, 2018, 1st Amendment would have automatically expired by operation of law on July 3, 2018, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on June 28, 2018. The June 28, 2018, Amendment to Proclamation of Disaster Emergency (2nd Amendment) was set to expire by operation of law on September 26, 2018, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on September 24, 2018. The September 24, 2018, Amendment to Proclamation of Disaster Emergency (3rd Amendment) was set to expire by operation of law on December 23, 2018, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on December 21, 2018. The December 21, 2018, Amendment to Proclamation of Disaster Emergency (4th Amendment) was set to expire by operation of law on March 21, 2019, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on March 20, 2019. The March 20, 2019, Amendment to Proclamation of Disaster Emergency (5th Amendment) was set to expire by operation of law on June 18, 2019, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on June 14, 2019. The June 14, 2019, Amendment to Proclamation of Disaster Emergency (6th Amendment) was set to expire by operation of law on September 12, 2019, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on September 5, 2019. The September 5, 2019, Amendment to Proclamation of Disaster Emergency (7th Amendment) was set to expire by operation of law on December 4, 2019, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on December 3, 2019. The December 3, 2019, Amendment to Proclamation of Disaster Emergency (8th Amendment) was set to expire by operation of law on March 2, 2020, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on February 25, 2020. The February 25, 2020, Amendment to Proclamation of Disaster Emergency (9th Amendment) was set to expire by operation of law on May 25, 2020, unless further extended by my official renewal;

Whereas, I renewed the Proclamation of Disaster Emergency for an additional ninety days by official action on May 22, 2020. The May 22, 2020, Amendment to Proclamation of Disaster Emergency (10th Amendment) is set to expire by operation of law on August 20, 2020, unless further extended by my official renewal;

Whereas, the opioid crisis continues to be of such magnitude or severity that emergency action is necessary to protect the health, safety and welfare of affected citizens in Pennsylvania;

Whereas, the opioid crisis continues to be a public health emergency in Pennsylvania contributing to addiction, overdose emergencies and deaths; and

Whereas, investigations by the Opioid Unified Coordination Group indicate that additional resources of the Commonwealth may be needed to mitigate and contend with the magnitude and severity of this continuing and expanding disaster emergency.


Now Therefore, pursuant to the provisions of section 7301(c) of the Emergency Management Services Code, 35 Pa.C.S. § 7301(c), I do hereby order and direct as follows:

1. The Proclamation of Disaster Emergency of January 10, 2018, renewed by Amendments to Proclamation of Disaster Emergency dated April 4, 2018, June 28, 2018, September 24, 2018, December 21, 2018, March 20, 2019, June 14, 2019, September 5, 2019, December 3, 2019, February 25, 2020, and May 22, 2020, is renewed for an additional period of ninety days, and shall continue to apply to the Commonwealth of Pennsylvania.

2. All directives, authorized actions and provisions of the January 10, 2018, Proclamation of Disaster Emergency, and the April 4, 2018, June 28, 2018, September 24, 2018, December 21, 2018, March 20, 2019, June 14, 2019, September 5, 2019, December 3, 2019, February 25, 2020, and May 22, 2020, Amendments to Proclamation of Disaster Emergency shall remain in full force and effect until either rescinded by me or terminated by operation of law ninety days following the effective date of this Proclamation Amendment.

3. This Proclamation Amendment (11th Amendment) shall take effect immediately.

Given under my hand and the Seal of the Governor, at the city of Harrisburg, on this eighteenth day of August two thousand twenty, the year of the commonwealth the two hundred and forty-fifth.



Governor

[Pa.B. Doc. No. 20-1168. Filed for public inspection August 28, 2020, 9:00 a.m.]

THE COURTS

Title 210—APPELLATE PROCEDURE

PART I. RULES OF APPELLATE PROCEDURE

[210 PA. CODE CH. 11]

Proposed Amendment of Pa.R.A.P. 1116

The Appellate Court Procedural Rules Committee is considering proposing to the Supreme Court of Pennsylvania the amendment of Pa.R.A.P. 1116 governing the answer to the petition for allowance of appeal for the reasons set forth in the accompanying explanatory report. Pursuant to Pa.R.J.A. No. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any reports, notes, or comments in the proposal have been inserted by the Committee for the convenience of those using the rules. They will neither constitute a part of the rules nor will be officially adopted by the Supreme Court.

Additions to the text of the proposal are bolded and underlined; deletions to the text are bolded and bracketed.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Karla M. Shultz, Counsel
Appellate Court Procedural Rules Committee
Supreme Court of Pennsylvania
Pennsylvania Judicial Center
PO Box 62635
Harrisburg, PA 17106-2635
FAX: 717-231-9551
appellaterules@pacourts.us

All communications in reference to the proposal should be received by October 2, 2020. E-mail is the preferred method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

*By the Appellate Court
Procedural Rules Committee*

PATRICIA A. McCULLOUGH,
Chair

Annex A

TITLE 210. APPELLATE PROCEDURE

PART I. RULES OF APPELLATE PROCEDURE

ARTICLE II. APPELLATE PROCEDURE

CHAPTER 11. APPEALS FROM COMMONWEALTH COURT AND SUPERIOR COURT

PETITION FOR ALLOWANCE OF APPEAL

Rule 1116. Answer to the Petition for Allowance of Appeal.

(a) *General rule.*—Except as otherwise prescribed by this rule, within 14 days after service of a petition for

allowance of appeal an adverse party may file an answer. The answer shall be deemed filed on the date of mailing if first class, express, or priority United States Postal Service mail is utilized. The answer need not be set forth in numbered paragraphs in the manner of a pleading, shall set forth any procedural, substantive or other argument or ground why the order involved should not be reviewed by the Supreme Court, and shall comply with Pa.R.A.P. [**1115(a).7**] **1115(a)(7)**. No separate motion to dismiss a petition for allowance of appeal will be received. A party entitled to file an answer under this rule who does not intend to do so shall, within the time fixed by these rules for filing an answer, file a letter stating that an answer to the petition for allowance of appeal will not be filed. The failure to file an answer will not be construed as concurrence in the request for allowance of appeal.

(b) *Children's fast track appeals.*—In a children's fast track appeal, within 10 days after service of a petition for allowance of appeal, an adverse party may file an answer.

(c) *Length.*—An answer to a petition for allowance of appeal shall not exceed 9,000 words. An answer that does not exceed 20 pages when produced by a word processor or typewriter shall be deemed to meet the 9,000 word limit. In all other cases, the attorney or the unrepresented filing party shall include a certification that the answer complies with the word count limit. The certificate may be based on the word count of the word processing system used to prepare the answer.

(d) *Supplementary matter.*—The cover of the answer, pages containing the table of contents, table of citations, proof of service, signature block, and anything appended to the answer shall not count against the word count limitations of this rule.

(e) *Certificate of compliance with Case Records Public Access Policy of the Unified Judicial System of Pennsylvania.*—An answer to a petition for allowance of appeal shall contain the certificate of compliance required by Pa.R.A.P. 127.

Official Note: This rule and Pa.R.A.P. 1115 contemplate that the petition and answer will address themselves to the heart of the issue, such as whether the Supreme Court ought to exercise its discretion to allow an appeal, without the need to comply with the formalistic pattern of numbered averments in the petition and correspondingly numbered admissions and denials in the response. While such a formalistic format is appropriate when factual issues are being framed in a trial court [**(as in the petition for review under Chapter 15)**], **as in the petition for review under Chapter 15**, such a format interferes with the clear narrative exposition necessary to outline succinctly the case for the Supreme Court in the allocatur context.

Parties are strongly encouraged to raise any waiver-based or procedural objection to a petition for allowance of appeal in an answer to the petition. In addition, parties are reminded that they may raise waiver-based, procedural, and jurisdictional objections after the grant of a petition for allowance of appeal, but before merits briefing, through a dispositive motion filed under Pa.R.A.P. 1972.

PUBLICATION REPORT

Proposed Amendment of the Official Note to Pa.R.A.P. 1116

The Appellate Court Procedural Rules Committee is considering proposing the amendment of the Official Note to Pennsylvania Rule of Appellate Procedure 1116 to encourage the early identification of waiver in discretionary appeals before the Supreme Court. The Committee undertook review of this issue based, in part, upon a suggestion that:

Any appellee that intends to assert a waiver defense with respect to any issue presented for review in a petition for allowance of appeal, see Rule 1115(3), should be required to file an answer to said petition notifying this Court of its intention to assert such a defense. An appellee failing to comply with this requirement would then be precluded from asserting the defense in any subsequent filings with this Court in the case then at bar. Where an appellee provides the notice as required, it would remain within this Court's discretion to grant allocatur and decide the issue on its substantive merits.

Commonwealth v. Bishop, 217 A.3d 833, 844 (Pa. 2019) (J. Donohue concurring).

Preliminarily, waiver may occur at multiple stages in a proceeding. Often, waiver results at the trial court level through a lack of preservation. See, e.g., Pa.R.E. 103 (Rulings on Evidence); Pa.R.C.P. No. 227.1 (Post-Trial Relief); Pa.R.Crim.P. 607 (Challenges to the Weight of Evidence). Waiver may also result after an appeal has been taken. See, e.g., Pa.R.A.P. 1925(b)(4)(vii); Pa.R.A.P. 2116(a).

To assist the appellate courts in detecting waiver, the Rules of Appellate Procedure require the appellant to identify where and how issues raised on appeal were preserved before the trial court. See, e.g., Pa.R.A.P. 2117, 2119. When the lack of preservation is patent, the Rules are intended to identify the presence of waiver to winnow those issues from review. However, waiver may also result from imperfect issue preservation or inadequate advocacy. Latent waiver, as opposed to patent waiver, is more difficult to discern and may be subject to reasonable dispute. See, e.g., *Commonwealth v. Gonzalez*, 608 A.2d 528, 531 (Pa. Super. 1992) (claim on appeal is waived where appellant neither cites supportive precedent nor gives any reference to record evidence which substantiates argument); Pa.R.A.P. 2119(a).

Regarding petitions for allowance of appeal, a respondent could raise the issue of waiver in an answer to a petition for allowance of appeal. See Pa.R.A.P. 1116(a). The Committee considered a requirement that waiver be identified by answer in every matter. To lend perspective, in 2018, there were 1,973 petitions for allowance of appeal filed with the Supreme Court, but appeals were allowed in only 96 cases. This represents a 95.1% attrition rate based entirely on the merits. The additional workload of raising waiver by answer in every matter did not appear to be warranted given this rate of denial on the merits. Instead, it seemed more efficient that efforts be focused on identifying waiver in the appeals granted review.

Additionally, the Committee believed that the decision whether to file an answer pursuant to Pa.R.A.P. 1116(a) should be left to the discretion of the respondent. When latent waiver might exist, an answer, together with attendant word limitations, may not be an adequate vehicle to present and analyze an assertion of waiver.

Similarly, the Rules of Appellate Procedure do not provide a mechanism for a petitioner to file a reply to an answer that suggests waiver. Moreover, the merits of a petition for allowance of appeal may only concern waiver found by the intermediate appellate court, which would obviate the need for an answer to raise waiver.

The Committee next considered a requirement that an answer identifying waiver be filed only after the Court has identified a petition for allowance containing a potentially meritorious issue. Such a practice would be similar to that in the United States Supreme Court, which, as a practical matter, grants petitions for writ of certiorari only after ordering a response from the party opposing the petition. See Stephen M. Shapiro *et al.*, Supreme Court Practice Ch. 6.37(k) (11th ed. 2019) (“[I]f the respondent has not filed a response, or has affirmatively waived the right to file, and if the Court believes that the petition may have some merit, the respondent will typically be asked to file a response.”). The Committee did not favor this approach because it 1) places a burden on the Court to order the party or parties to file an answer; 2) lengthens the review process; 3) potentially identifies meritorious issues that may nonetheless be denied review; and 4) implicates the preceding concern that an answer may not be an adequate vehicle to analyze a possible waiver claim.

The Committee further considered a requirement that a respondent raise waiver after a petition for allowance of appeal has been granted, but before argument. This approach would allow the Court to address waiver before the merits of the appeal. Additionally, the timing may be more appropriate where waiver is not patent because the record would have been transmitted to the Court. See Pa.R.A.P. 1122 (requiring transmission of record after an appeal is allowed).

The Rules of Appellate Procedure already provide a mechanism to raise the issue of waiver via application and seek dismissal of an appeal. See Pa.R.A.P. 1972(a)(5). Further, this procedure would provide the Court with the flexibility to set a separate briefing schedule to decide the application prior to consideration of the merits or to defer consideration. Moreover, the appellant is permitted to file an answer to the application. See Pa.R.A.P. 123(b).

The Committee believed that filing such an application pursuant to Pa.R.A.P. 1972(a)(5) should remain discretionary for respondent rather than be mandated. Requiring an application may have the unintended consequence of foreclosing earlier identification of patent waiver in an answer to a petition for allowance of appeal. Further, a party may wish to defer raising waiver until merits briefing if a finding of waiver would result in only one of several issues being dismissed on appeal, *i.e.*, incomplete relief.

Concerning the possible consequence for belatedly raising waiver, *i.e.*, “waiving waiver,” such an approach seemed counter-intuitive to long established issue preservation practice. See, e.g., *Dilliaine v. Lehigh Valley Trust*, 322 A.2d 114, 116-17 (Pa. 1974); Pa.R.A.P. 302. Relatedly, the operation of “waiving waiver” may also arguably impede the Court's authority to find waiver sua sponte. See *Wirth v. Commonwealth*, 95 A.3d 822, 836-37 (Pa. 2014); *Commonwealth v. Hill*, 16 A.3d 484, 494 (Pa. 2011).

Undoubtedly, delaying the issue of waiver until consideration of the merits can cause the unnecessary expenditure of time and resources if waiver would operate to dismiss an entire appeal. To encourage parties to identify

waiver earlier in the appellate process, the Committee proposes to amend the Official Note to Pa.R.A.P. 1116 to suggest raising waiver in opposition to a petition for allowance of appeal and through an application pursuant to Pa.R.A.P. 1972. Through this amendment, the Committee seeks to alleviate the inefficiencies discussed in the concurring opinion in *Bishop* without altering longstanding principles of petition for allowance of appeal practice.

All comments, concerns, and suggestions concerning this proposal are welcome.

[Pa.B. Doc. No. 20-1169. Filed for public inspection August 28, 2020, 9:00 a.m.]

Title 210—APPELLATE PROCEDURE

PART I. RULES OF APPELLATE PROCEDURE

[210 PA. CODE CH. 23]

Order Amending Rule 2323 of the Pennsylvania Rules of Appellate Procedure; No. 289 Appellate Procedural Rules Doc.

Order

Per Curiam

And Now, this 18th day of August, 2020, upon the recommendation of the Appellate Court Procedural Rules Committee; the proposal having been submitted without publication pursuant to Pa.R.J.A. No. 103(a)(3):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Rule 2323 of the Pennsylvania Rules of Appellate Procedure is amended in the following form.

This Order shall be processed in accordance with Pa.R.J.A. No. 103(b), and shall be effective immediately.

Annex A

TITLE 210. APPELLATE PROCEDURE

PART I. RULES OF APPELLATE PROCEDURE

ARTICLE II. APPELLATE PROCEDURE

CHAPTER 23. SESSIONS AND ARGUMENT

ORDER AND CONTENT OF ARGUMENT

Rule 2323. Physical Exhibits.

[If] Unless otherwise provided by an appellate court's internal operating procedures, if physical exhibits other than documents are to be used at the argument, the person presenting argument shall arrange to have them placed in the courtroom before the court convenes on the date of the argument. After the argument, the person bringing the exhibits shall cause the exhibits to be removed from the courtroom unless the court otherwise directs. If exhibits are not reclaimed by counsel within a reasonable time after notice given by the prothonotary, they shall be destroyed or otherwise disposed of as the prothonotary shall think best.

Official Note: For the internal operating procedure of the Supreme Court, see 210 Pa. Code § 63.3(D)(1)(h); for the internal operating procedure of the Superior Court, see 210 Pa. Code § 65.34(C).

[Pa.B. Doc. No. 20-1170. Filed for public inspection August 28, 2020, 9:00 a.m.]

Title 231—RULES OF CIVIL PROCEDURE

PART I. GENERAL

[231 PA. CODE CH. 1920]

Order Amending Rule 1920.17 of the Pennsylvania Rules of Civil Procedure; No. 709 Civil Proce- dural Rules Doc.

Order

Per Curiam

And Now, this 18th day of August, 2020, upon the recommendation of the Domestic Relations Procedural Rules Committee, the proposal having been published for public comment in the *Pennsylvania Bulletin*, 49 Pa.B. 7168 (December 7, 2019):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Rule 1920.17 of the Pennsylvania Rules of Civil Procedure is amended in the following form.

This Order shall be processed in accordance with Pa.R.J.A. No. 103(b), and shall be effective on October 1, 2020.

Annex A

TITLE 231. RULES OF CIVIL PROCEDURE

PART I. GENERAL

CHAPTER 1920. ACTIONS OF DIVORCE OR FOR ANNULMENT OF MARRIAGE

Rule 1920.17. [**Discontinuance. Withdrawal of Complaint] **Withdrawal Complaint and Discontinuing Divorce Action. Withdrawing Ancillary Claims Raised in Pleadings. Notice. Death of a Party.****

[(a) The plaintiff may withdraw the divorce complaint and discontinue the divorce action by praecipe that includes a certification that:

- (1) no ancillary claims or counterclaims have been asserted by either party; and
- (2) grounds for divorce have not been established.

(b) A party may withdraw a claim of equitable distribution only:

(1) by written consent of both parties filed with the court, or

(2) after filing and serving on the other party a written notice that the party intends to withdraw the claim of equitable distribution 20 days after service of the notice.]

(a) Withdrawing Complaint and Discontinuing Divorce Action. A plaintiff may withdraw a divorce complaint and discontinue the divorce action by:

(1) a motion, except as provided in subdivision (a)(2), which has been served on the defendant; or

(2) a praecipe, which includes the plaintiff's certification that:

(i) neither equitable division of marital property nor custody claims are pending;

(ii) the defendant has filed neither a counterclaim nor a separate petition raising claims; and

(iii) the parties have not established grounds for divorce.

(b) *Withdrawing Ancillary Claims Raised in Pleadings.* Without discontinuing the divorce action, the party who raised an ancillary claim may withdraw the claim by a *praecipe* filed with the prothonotary, except:

(1) a party who raised an equitable division of marital property claim may withdraw the claim only:

(i) with the parties' written and filed agreement, including as required by Pa.R.C.P. No. 1920.42(a)(4), (b)(4), or (c)(4);

(ii) with the opposing party's written consent; or

(iii) after filing and serving on the opposing party a notice that the party intends to withdraw the equitable division claim 20 days after service of the notice.

Official Note: See subdivision (c) for the notice.

(2) a party who raised a custody claim in a divorce action may withdraw the claim only as provided in Pa.R.C.P. No. 1915.3-1(b).

(c) The notice required in subdivision [(b) above] (b)(1)(iii) shall be substantially in the following form:

(Caption)

NOTICE OF INTENTION TO WITHDRAW CLAIM FOR
EQUITABLE [DISTRIBUTION] DIVISION OF
MARITAL PROPERTY

TO: _____
(PLAINTIFF) (DEFENDANT)

(Plaintiff) (Defendant) intends to withdraw [(his) (her)] his or her pending claim for equitable [distribution of property twenty] division of marital property 20 days after the service of this notice. Unless you have already filed [with the court a written claim for equitable distribution] ancillary claims, which are permitted under the Divorce Code, including equitable division of marital property, you should do so within [twenty] 20 days of the service of this notice, or you may lose the right to assert [a claim for equitable distribution. If] those ancillary claims, if the court enters a decree in divorce [is entered and you have not filed a claim for equitable distribution, you will forever lose the right to equitable distribution of property].

YOU SHOULD TAKE THIS PAPER TO YOUR LAWYER AT ONCE. IF YOU DO NOT HAVE A LAWYER, GO TO OR TELEPHONE THE OFFICE SET FORTH BELOW. THIS OFFICE CAN PROVIDE YOU WITH INFORMATION ABOUT HIRING A LAWYER. IF YOU CANNOT AFFORD TO HIRE A LAWYER, THIS OFFICE MAY BE ABLE TO PROVIDE YOU WITH INFORMATION ABOUT AGENCIES THAT MAY OFFER LEGAL SERVICES TO ELIGIBLE PERSONS AT A REDUCED FEE OR NO FEE.

(Name)

(Address)

(Telephone)

(d) [In the event one party dies during the course of the divorce proceeding, no decree of divorce has been entered and grounds for divorce have been established, neither the complaint nor economic claims can be withdrawn except by the consent of the surviving spouse and the personal representative of the decedent. If there is no agreement, the economic claims shall be determined pursuant to the Divorce Code.] *Death of a Party.*

(1) If a party dies after the parties have established grounds for divorce but before the court has entered the divorce decree:

(i) the surviving spouse or the decedent's personal representative may only withdraw the complaint or an ancillary claim with the parties' written consent;

(ii) the Divorce Code shall determine the disposition of an ancillary claim raised in a pleading, unless:

(A) the parties have an agreement that resolves the ancillary claim; or

(B) the parties have withdrawn the complaint or ancillary claim as provided in subdivision (d)(1)(i); and

Official Note: See 23 Pa.C.S. § 3323(g) for establishing grounds for divorce when a party dies during the pendency of the divorce action.

[If no] (iii) if a personal representative has not been appointed within one year of the decedent's death, [then,] upon motion of the surviving party, the court may allow the withdrawal or dismissal of the complaint [and/or any] or a pending [economic claims] ancillary claim.

(2) If a party dies before the parties have established grounds for divorce, the divorce action abates, and the Probate, Estates, and Fiduciaries Code, 20 Pa.C.S. §§ 101 et seq., controls the decedent's property disposition.

Official Note: See In re Estate of Bullotta, 838 A.2d 594, 596 (Pa. 2003) ("Generally, a divorce action abates with the death of one of the spouses.").

To the extent that *Tosi v. Kizis*, 85 A.3d 585 (Pa. Super. 2014), holds that 23 Pa.C.S. § 3323(d.1) does not prevent the plaintiff in a divorce action from discontinuing the divorce action following the death of the defendant after grounds for divorce have been established, it is superseded.

Comment—2020

As the Divorce Code permits a party to raise a child custody claim in a divorce complaint, subdivision (b)(2) addresses withdrawing a custody count. Pa.R.C.P. No. 1920.32 requires a custody claim raised in a divorce action to follow the custody practices and procedures, and Pa.R.C.P. No. 1915.3-1(b) provides specific limitations on withdrawing a custody action. As such, subdivision

(b)(2) has been added to clarify that a party desiring to withdraw a custody claim raised in a divorce pleading shall do so consistent with Pa.R.C.P. No. 1915.3-1(b).

[Pa.B. Doc. No. 20-1171. Filed for public inspection August 28, 2020, 9:00 a.m.]

Title 231—RULES OF CIVIL PROCEDURE

**PART II. ORPHANS' COURT RULES
[231 PA. CODE PART II]**

Order Amending the Note to Rule 2.4 and Adopting Rule 5.50 of the Pennsylvania Orphans' Court Rules; No. 847 Supreme Court Rules Doc.

Order

Per Curiam

And Now, this 18th day of August, 2020, upon the recommendation of the Orphans' Court Procedural Rules Committee; the proposal having been published for public comment at 49 Pa.B. 444 (February 2, 2019):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that the Note to Rule 2.4 of the Pennsylvania Orphans' Court Rules is amended in the following form and Rule 5.50 of the Pennsylvania Orphans' Court Rules is adopted in the following form.

This Order shall be processed in accordance with Pa.R.J.A. No. 103(b), and shall be effective on October 1, 2020.

Annex A

TITLE 231. RULES OF CIVIL PROCEDURE

PART II. ORPHANS' COURT RULES

CHAPTER II. ACCOUNTS, OBJECTIONS AND DISTRIBUTIONS

Rule 2.4. Petition for Adjudication/Statement of Proposed Distribution; Virtual Representation.

* * * * *

Note: Although substantially modified, Rule 2.4 is derived from former Rule 6.9. One modification is to require averments for virtual representation under 20 Pa.C.S. § 751(6) generally and representation in "trust matters" pursuant to 20 Pa.C.S. §§ 7721 *et seq.* Another substantial modification is the addition of subparagraph (e) that requires counsel to sign the petition for adjudication/statement of distribution attesting that the submitted petition for adjudication/statement of distribution accurately replicates the Model Form and subjects counsel to rules and sanctions as provided in Pa.R.C.P. Nos. 1023.1 through 1023.4. (See Rule 3.12.)

See Rule 5.50 for procedures governing petitions for the settlement of small estates filed pursuant to 20 Pa.C.S. § 3102.

The filings required by this rule are subject to the *Case Records Public Access Policy of the Unified Judicial System of Pennsylvania*. See Rule 1.99.

* * * * *

CHAPTER V. RULES OF GOVERNING SPECIFIC TYPES OF PETITIONS

(Editor's Note: The following rule is added and printed in regular type to enhance readability.)

Rule 5.50. Settlement of Small Estates by Petition.

(a) *Applicability.* This Rule applies to all petitions filed pursuant to 20 Pa.C.S. § 3102, pertaining to settlement of small estates by petition.

(b) *Contents.* In addition to the requirements provided by the Rules in Chapter III, a petition shall set forth the following:

(1) *Estate.*

(i) the name and address of each petitioner and the petitioner's relationship to the decedent;

(ii) the decedent's name, date of death, and domicile at the time of death;

(iii) a statement whether the decedent died testate or intestate and, if testate, that the original will is attached, or that the original will cannot be produced, the reason it cannot be produced, and that a photocopy of the original will is attached;

(iv) the name and address of each testate or intestate beneficiary, and if any such beneficiary is a minor or otherwise incapacitated, the name and address of such beneficiary's legal representative, as applicable; and

(v) whether a claim for family exemption is included, and if the claimant is not the surviving spouse, the relationship of the claimant to the decedent, and a statement that the claimant resided with the decedent at the date of death and if the claimant is the surviving spouse, that he or she has not forfeited the right to claim the family exemption.

(2) *Assets.* All assets of decedent's estate, other than real estate and property distributable under 20 Pa.C.S. § 3101, and the value of each asset.

(3) *Liabilities.*

(i) the names and addresses of all known creditors, total amounts claimed by each, whether the debts have been satisfied, and an itemized list of all debts, including whether or not admitted, a description of the property claimed and the gross value thereof, and whether there is any objection to the debt, and if so, by whom;

(ii) an itemized list of unpaid administrative expenses, unpaid taxes, all other unpaid debts, and, if insolvent, as prioritized under 20 Pa.C.S. § 3392; and

(iii) if the decedent was 55 years of age or older at the time of death, whether a request for a statement of claim was sent to the Department of Human Services in accordance with 62 P.S. § 1412, the date the request was made, and the response received from the Department.

(4) *Distribution.*

(i) the name of any distributee paid prior to the filing of the petition, including the nature and amount of each payment;

(ii) the name of each proposed distributee and respective proposed distribution;

(iii) the name of each interested person who has consented to or joined in the petition; and

(iv) the names of each testate or intestate beneficiary, as applicable, who has not consented to or joined in the petition.

(5) *Taxes.* A statement that a Pennsylvania inheritance tax return has been filed, that all taxes due on the assets listed on the petition have been paid in full, and that proof of such payment is attached to the petition, or the reason why payment has not occurred.

(c) *Exhibits.* The following items shall be attached as exhibits to the petition in the following order:

- (1) an original death certificate;
- (2) the decedent's will, if any;
- (3) Pennsylvania Department of Revenue Notice of Appraisal and Assessment of Tax;
- (4) original consents, joinders, and statements of no objection signed by interested parties; and
- (5) a copy of any correspondence received from the Department of Human Services in response to the statement of claim referenced in subparagraph (b)(3)(iii).

(d) *Notice.* The petitioner shall serve written notice on interested parties in compliance with Chapter III.

Explanatory Comment: 20 Pa.C.S. § 3101, referenced in paragraph (b)(2), sets forth certain allowable payments to the decedent's family members, and to a licensed funeral director for the decedent's burial expenses. Property payable under 20 Pa.C.S. § 3101 shall not be included when determining whether the decedent's personal property exceeds a gross value \$50,000.

In paragraph (b)(3), the term "creditors" includes creditors of the decedent on the date of death, providers of funeral services, and providers of goods and services to the petitioner arising from settlement of the estate.

The Medical Assistance Estate Recovery Program, established by federal law, requires the Commonwealth to recover the Medical Assistance costs from decedents' estates. See 42 U.S.C. § 1396p; 62 P.S. § 1412.

The filings required by this rule are subject to the *Case Records Public Access Policy of the Unified Judicial System of Pennsylvania*. See Rule 1.99.

Orphans' Court Procedural Rules Committee Report

Amendment of the Note to Pa. O.C. Rule 2.4 and Adoption of Pa. O.C. Rule 5.50

The Orphans' Court Procedural Rules Committee ("Committee") recommended to the Supreme Court the amendment of the Note to Rule 2.4 of the Pennsylvania Orphans' Court Rules ("Rules") and the adoption of Rule 5.50 governing petitions filed pursuant to 20 Pa.C.S. § 3102 pertaining to the settlement of small estates. A small estate is one with a gross value not exceeding \$50,000 "exclusive of real estate and property payable under 20 Pa.C.S. § 3101 (relating to payments to family and funeral directors) but including property claimed as the family exemption." See 20 Pa.C.S. § 3102.

The Committee became aware of numerous counties with local rules governing petitions for the settlement of small estates. When a decedent is of modest means or insolvent, proceeding via a small estate petition may be a cost-effective alternative to the conventional administration and settlement process. The Committee recommended a statewide rule addressing this type of petition and identified certain information and exhibits that should be included in petitions for the settlement of small estates. The petition for the settlement of a small estate will require information about the petitioner and decedent, beneficiaries of the decedent, the decedent's assets, liabilities, distributions, and taxes, and will require the attachment of supporting exhibits. The petition is also subject to the general requirements for petitions set forth in Chapter III of these Rules. The amendment of the Note to Rule 2.4 adds a cross-reference to new Rule 5.50.

[Pa.B. Doc. No. 20-1172. Filed for public inspection August 28, 2020, 9:00 a.m.]

RULES AND REGULATIONS

Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

STATE BOARD OF SOCIAL WORKERS, MARRIAGE AND FAMILY THERAPISTS AND PROFESSIONAL COUNSELORS

[49 PA. CODE CH. 47]

Licensed Bachelor Social Worker; Fees

The State Board of Social Workers, Marriage and Family Therapists and Professional Counselors (Board) amends §§ 47.1, 47.4, 47.11, 47.15, 47.32—47.36a, 47.41, 47.61—47.65 and 47.71, deletes § 47.12b and adds § 47.12e (relating to licensed bachelor social worker) to read as set forth in Annex A.

Effective Date

The amendments will be effective upon publication of this final-form rulemaking in the *Pennsylvania Bulletin*.

Statutory Authority

Section 6 of the Social Workers, Marriage and Family Therapists and Professional Counselors Act (act) (63 P.S. § 1906) authorizes the Board to: pass upon the qualifications and fitness of applicants for licenses; to adopt and revise rules and regulations requiring applicants to pass examinations relating to their qualifications as a prerequisite to the issuance of a license; and adopt and revise rules and regulations as may be necessary to carry into effect the provisions of the act. Section 18(c) of the act (63 P.S. § 1918(c)) provides that all fees required under the act shall be fixed by the Board by regulation. Section 9 of the act of October 22, 2014 (P.L. 2884, No. 179) (Act 179) directs the Board to promulgate regulations to carry out Act 179, which provided for the licensure of bachelor social workers.

Background and Need for Amendment

Act 179 requires the Board to promulgate regulations for the licensure of bachelor social workers, including the establishment of applicable fees. In determining the appropriate fees for bachelor social workers, the Board undertook a comprehensive review of its overall fee structure because existing fees for licensed social workers, licensed clinical social workers, licensed marriage and family therapists and licensed professional counselors had not been adjusted since 2002, and the fees associated with approval of continuing education providers, programs and activities had not been updated since 2006. This final-form rulemaking effectuates Act 179 with regard to licensure of bachelor social workers, establishes applicable fees for licensed bachelor social workers, adjusts existing fees for the Board's other licensure categories to cover the Board's costs of operations, and eliminates provisions pertaining to provisional licenses, which were eliminated by Act 179.

Summary and Responses to Comments and Description of Amendments to the Final-Form Rulemaking

Notice of the proposed rulemaking was published at 48 Pa.B. 872 (February 10, 2018). Publication was followed by a 30-day public comment period during which the Board received favorable comments from the Association of Social Work Boards (ASWB). The Board also received comments from the Independent Regulatory Review Commission (IRRC) as part of its review under the

Regulatory Review Act (71 P.S. §§ 745.1—745.15). The Board received no comments from the House Professional Licensure Committee (HPLC) or the Senate Consumer Protections and Licensure Committee (SCP/PLC).

Comments from the ASWB

The ASWB's comments were generally favorable, expressing support for the changes proposed by the Board. First, the ASWB noted that the regulations are consistent with their Model Social Work Practice Act (Model Law), in that the Model Law provides for a bachelor's level license, as well as being consistent with 33 other states that regulate social work practice at the bachelors, masters and clinical levels. The ASWB also noted that the proposed continuing education requirements of the Model Law, which suggests that social work licensees complete at least 15 hours of approved programs of continuing education annually, are consistent with the Board's proposal of 30 hours to be completed biennially. The ASWB also noted that Pennsylvania's efforts to add bachelors' level licensure are in concert with the ASWB Mobility Initiative.

The one area of concern raised by the ASWB pertains to § 47.36 (relating to preapproved providers of continuing education courses and programs for social workers and clinical social workers). The ASWB points out that it is unclear how preapproved providers will demonstrate that their courses routinely meet the standards established by the Board once the entity is approved to offer an unlimited number of courses. The Board acknowledges that there is no formal requirement for preapproved providers to submit every course they intend to offer to the Board for review and approval. The Board believes that requiring Board review of every course offered by preapproved providers would be overly burdensome to both the course providers and the Board and cause pre-approved providers unnecessary delays in presenting additional courses. Therefore, the Board relies on the preapproved providers to adhere to the standards set forth in § 47.35 (relating to standards for courses and programs). This is not to say that there is no mechanism to ensure that preapproved providers are following these standards. As the Board does random audits of licensees' compliance with the continuing education requirements, Board staff evaluates all courses that are submitted to assure that they meet the standards of § 47.35. If the Board determines, after notice and an opportunity to be heard, that a particular preapproved provider is not complying with the established standards, the Board may revoke the provider's pre-approved status. Historically, the Board has been able to resolve any identified issues before revocation of pre-approved status has become necessary. Therefore, the Board does not deem this to be an issue that requires changes to the regulations.

Additionally, the ASWB suggests that their Approved Continuing Education (ACE) program was created to help licensing boards to evaluate a continuing education provider's ability to present social workers with effective, relevant continuing education. The Board notes that continuing education providers, courses and programs approved by ACE are already accepted as preapproved by the Board. However, the Board has not considered mandating ACE approval, believing that because ASWB is also an approved provider of continuing education, it may be considered a conflict if the Board would use their ACE program to evaluate other competing continuing education providers.

Comments from IRRC

IRRC pointed out that § 47.15(a)(5) (relating to biennial renewal; inactive status; failure to renew) references “a late fee required by § 47.4 . . .” but that no corresponding late fee is set forth in § 47.4 (relating to licensure fees). IRRC suggested that the Board clarify this reference by amending § 47.4 to include the late fees as authorized by section 225 of the Bureau of Professional and Occupational Affairs (BPOA) Fee Act (63 P.S. § 1401-225), noting that it is beneficial to the regulated community to have all fees associated with licensure, renewal and reactivation located in one place. The Board agrees with IRRC’s comment and has amended § 47.4 by adding the late fee of \$5 per month, or part of a month, for late renewal, as authorized under the BPOA Fee Act.

Fiscal Impact

This final-form rulemaking will have a fiscal impact on the regulated community of licensed bachelor social workers in that they would be required to pay a \$75 application fee, and a \$95 biennial renewal fee. They would also incur costs associated with completion of 30 hours of continuing education each biennium. Because there are many free and low-cost options for meeting the continuing education requirements, the Board estimates an average cost of \$300 per biennium to comply with the continuing education requirements. It would also have an impact on applicants for licensure as licensed social workers, licensed clinical social workers, licensed marriage and family therapists and licensed professional counselors due to the increased application fees. Applicants for licensure as a licensed social worker would incur a \$50 increase (from \$25 to \$75); applicants for licensure as a licensed clinical social worker would incur a \$45 increase (from \$45 to \$ 90); and applicants for licensure as a licensed marriage and family therapist or licensed professional counselor would incur a \$55 increase (from \$45 to \$100). Providers of continuing education courses and programs and, to a lesser extent, licensees would incur a \$20 increase in the application fee for approval of providers/courses/activities from \$45 to \$65. This final-form rulemaking should have no other fiscal impact on the private sector, the general public or political subdivisions of the Commonwealth.

Paperwork Requirements

This final-form rulemaking will require bachelor level social workers to file an application for licensure and keep documentation on file to demonstrate completion of continuing education credit hours. The Board has developed an application for licensure as a bachelor social worker and will need to revise some of its other applications to provide for the increased fees. There should be no other paperwork requirements for the Commonwealth or the regulated community.

Sunset Date

The Board continuously monitors the effectiveness of its regulations on a fiscal year and biennial basis. Therefore, no sunset date has been assigned.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on January 31, 2018, the Board submitted a copy of the proposed rulemaking and a copy of a Regulatory Analysis Form to the IRRC and to the Chairpersons of the SCP/PLC and the HPLC. A copy of this material is available to the public upon request.

Under section 5(c) of the Regulatory Review Act, IRRC, the HPLC and the SCP/PLC were provided with copies of

the comments received during the public comment period, as well as other documents when requested. In preparing the final-form regulation, the Board has considered all comments.

Under section 5(g)(3) and (j.2) of the Regulatory Review Act (71 P.S. § 745.5a(g)(3) and (j.2)), on February 19, 2020, the final-form rulemaking was deemed approved by the HPLC and the SCP/PLC. Under section 5.1(e) of the Regulatory Review Act, the IRRC met on February 20, 2020 and approved the final-form rulemaking.

Additional Information

Additional information may be obtained by writing to Sandra Matter, Board Administrator, State Board of Social Workers, Marriage and Family Therapists and Professional Counselors, P.O. Box 2649, Harrisburg, PA 17105-2649.

Findings

The Board finds that:

(1) Public notice of proposed rulemaking was given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 2540), (45 P.S. §§ 1201 and 1202), known as the Commonwealth Documents Law and the regulations promulgated thereunder, 1 Pa. Code §§ 7.1 and 7.2 (relating to notice of proposed rulemaking required; and adoption of regulations).

(2) A public comment period was provided as required by law and all comments were considered in drafting this final-form rulemaking.

(3) This final-form rulemaking does not include any amendments that would enlarge the scope of the proposed rulemaking published at 48 Pa.B. 872.

(4) These amendments to the regulations of the State Board of Social Workers, Marriage and Family Therapists and Professional Counselors are necessary and appropriate for enforcing the act.

Order

The Board, acting under its authorizing statute, orders that:

(a) The regulations of the Board at 49 Pa. Code Chapter 47, are amended by amending §§ 47.1, 47.4, 47.11, 47.15, 47.32—47.36a, 47.41, 47.61—47.65 and 47.71, deleting § 47.12b and adding § 47.12e to read as set forth in Annex A.

(b) The Board shall submit this final-form rulemaking to the Office of General Counsel and the Office of Attorney General for approval as required by law.

(c) The Board shall submit this final-form rulemaking to IRRC, the HPLC and the SCP/PLC for approval as required by law.

(d) The Board shall certify this final-form rulemaking and deposit them with the Legislative Reference Bureau as required by law.

(e) This final-form rulemaking shall take effect immediately upon publication in the *Pennsylvania Bulletin*.

JOY E. CORBY, PhD, LMFT,
Chairperson

(Editor’s Note: See 50 Pa.B. 1482 (March 7, 2020) for IRRC’s approval order.)

Fiscal Note: Fiscal Note 16A-6922 remains valid for the final adoption of the subject regulations.

Annex A

TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

PART I. DEPARTMENT OF STATE

Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

CHAPTER 47. STATE BOARD OF SOCIAL WORKERS, MARRIAGE AND FAMILY THERAPISTS AND PROFESSIONAL COUNSELORS

GENERAL PROVISIONS

§ 47.1. Definitions.

The following words and terms, when used in this chapter, have the following meanings, unless the context clearly indicates otherwise:

* * * * *

Client/patient—An individual, group or family for whom a licensed bachelor social worker, licensed social worker or licensed clinical social worker provides social work services or clinical social work services. In the case of an individual with a legal guardian, such as a minor or legally incapacitated adult, the individual is the client/patient.

Immediate family member—A parent/guardian, child, sibling, spouse or other family member with whom the client/patient resides.

Licensed bachelor social worker—A person who is currently licensed as a licensed bachelor social worker under section 7 of the act (63 P.S. § 1907).

Licensed clinical social worker—A person who is currently licensed as a licensed clinical social worker under section 7 of the act.

Licensed social worker—A person who is currently licensed as a licensed social worker under section 7 of the act.

Professional relationship—A relationship which is deemed to exist for the period of time beginning with the first professional contact or consultation between a licensed bachelor social worker, licensed social worker or licensed clinical social worker and a client/patient and continuing thereafter until the last date of a professional service. If a licensed bachelor social worker, licensed social worker or licensed clinical social worker sees a client/patient on an intermittent basis, the professional relationship is deemed to start anew on each date that the licensed bachelor social worker, licensed social worker or licensed clinical social worker provides a professional service to the client/patient.

Related field—Includes the fields of psychiatry, psychology, marriage and family therapy, counseling, art therapy, dance/movement therapy, drama therapy, music therapy, human services and counseling education.

* * * * *

§ 47.4. Licensure fees.

The fee schedule for licensure as a licensed bachelor social worker, licensed social worker, licensed clinical social worker, licensed marriage and family therapist or licensed professional counselor shall be as follows:

- (1) Application fee for licensure and original license issuance as a licensed bachelor social worker or licensed social worker \$75
- (2) Biennial renewal for a licensed bachelor social worker, licensed social worker, licensed clinical social worker, licensed marriage and family therapist or licensed professional counselor \$95
- (3) Verification of licensure \$15
- (4) Certification of license, scores or hours \$25
- (5) Application fee for licensure and original license issuance as a licensed clinical social worker \$90
- (6) Application fee for licensure and original license issuance as a licensed marriage and family therapist or licensed professional counselor \$100
- (7) Late renewal fee (per month or part of month) . . \$5

LICENSURE

§ 47.11. Licensure examination.

- (a) The examination required as a prerequisite to original licensure as a licensed social worker is the Association of Social Work Boards' (ASWB) master's level examination.
- (b) The examination required as a prerequisite to being granted a license to hold oneself out as a licensed bachelor social worker is the ASWB bachelor's level examination.
- (c) The examination required as a prerequisite to being granted a license to hold oneself out as a licensed clinical social worker is the ASWB clinical level examination.

* * * * *

§ 47.12b. (Reserved).

§ 47.12e. Licensed bachelor social worker.

To be issued a license to hold oneself out as a licensed bachelor social worker, an applicant shall provide proof satisfactory to the Board, that the applicant has met all of the following conditions:

- (1) Satisfied the general requirements for licensure of § 47.12 (relating to qualifications for licensure).
- (2) Received a bachelor's degree from a program of social work or social welfare accredited by the Council on Social Work Education.
- (3) Passed the bachelor's license examination requirement set forth in § 47.11 (relating to licensure examination).

§ 47.15. Biennial renewal; inactive status; failure to renew.

(a) Biennial renewal.

- (1) A license granted under the act expires on the last day of the renewal month of every biennial period unless renewed for the next biennium.
- (2) A licensed bachelor social worker, licensed social worker or licensed clinical social worker who fails to renew his license shall cease using the title licensed bachelor social worker, licensed social worker or licensed clinical social worker.
- (3) Biennial renewal forms, other forms and literature to be distributed by the Board will be forwarded to the last mailing address given to the Board by the licensee. Whenever the licensee changes his mailing address of record, the licensee shall notify the Board, in writing, within 10 days after making the address change.

(4) To retain the right to use the title licensed bachelor social worker, licensed social worker or licensed clinical social worker when engaging in practice, the licensee shall renew his license in the manner prescribed by the Board and pay the biennial renewal fee required by § 47.4 (relating to licensure fees), prior to the expiration of the current biennium.

(5) When a license is renewed after the expiration of the biennial period, a late fee required by § 47.4, as authorized by sections 224—227 of the Bureau of Professional and Occupational Affairs Fee Act (63 P.S. §§ 1401-224—1401-227), shall be applied for each month or part of a month that the licensee failed to renew the license or failed to notify the Board of the licensee's desire to be placed on inactive status. This late fee will be charged in addition to the biennial renewal fee.

(6) The licensee who fails to pay the biennial renewal fee or who notifies the Board that the licensee does not desire to renew his license, will not be sent biennial renewal forms for the following biennial renewal periods, unless the licensee notifies the Board in writing of the licensee's desire to reactivate the license.

(7) A licensee who practiced bachelor social work, social work or clinical social work and used or implied the licensee was a licensed bachelor social worker, licensed social worker or licensed clinical social worker during a period in which the licensee was not licensed is subject to prosecution under section 16 of the act (63 P.S. § 1916).

(b) *Inactive status.*

(1) A licensee who does not intend to use the title licensed bachelor social worker, licensed social worker or licensed clinical social worker in this Commonwealth and who does not desire to renew his license shall inform the Board in writing. Written confirmation of the Board's receipt of the licensee's letter and notice that the license has been classified as inactive will be forwarded to the licensee.

(2) A licensee applying for licensure renewal will not be assessed a late fee for preceding biennial periods in which the licensee was not engaging as a licensed bachelor social worker, licensed social worker or licensed clinical social worker in this Commonwealth, if the licensee properly notified the Board of the licensee's desire to be placed on inactive status.

(3) If the other conditions of the act and this chapter have been met, active status will be restored upon payment of fees as required under § 47.4.

(c) *Reactivation.* A licensee who is applying to return to active status after expiration of a license as a licensed bachelor social worker, licensed social worker or licensed clinical social worker shall:

(1) Pay fees which are due as required under the act, § 47.4 and sections 224—227 of the Bureau of Professional and Occupational Affairs Fee Act.

(2) Submit a sworn statement stating the period during which the licensee was not using the title or engaging as a licensed bachelor social worker, licensed social worker or licensed clinical social worker in this Commonwealth.

CONTINUING EDUCATION

§ 47.32. Requirement for biennial renewal.

The Board requires, as a condition of biennial renewal of a bachelor social worker's license, a social worker's license or a clinical social worker's license, the completion during the preceding biennium of 30 clock hours of continuing education in acceptable courses and programs

in social work offered by approved providers. Excess clock hours may not be carried over to the next biennium. At least 3 of the required 30 clock hours must be related to ethical issues.

§ 47.33. Acceptable continuing education courses and programs.

(a) Only courses or programs offered by Board approved providers will be accepted for continuing education credit, except as provided in § 47.36a (relating to other sources of continuing education).

(b) For renewal of a social worker's license or a clinical social worker's license, continuing education courses and programs must be appropriate for the master's level practitioner and pertain to the practice of social work or clinical social work as defined in section 3 of the act (63 P.S. § 1903).

(c) For renewal of a bachelor social worker's license, continuing education courses and programs must pertain to the practice of bachelor social work as defined in section 3 of the act or contribute to the professional development of the licensed bachelor social worker. Nothing in this subsection should be construed as expanding the scope of practice of a licensed bachelor social worker.

(d) The Board will not approve courses or programs in office management or in practice building.

(e) A licensee may accrue up to 20 of the required clock hours in home study courses offered by approved providers if the home study course has specific learning objectives which the provider evaluates to assure that learning has taken place. Home study courses must be indicated as such on the certificates of attendance.

§ 47.34. Registration of continuing education providers who offer one course or program.

(a) An agency, organization, institution, association, center or individual seeking to offer one organized course or program may apply to the Board as a provider.

(b) An applicant for Board approval as a provider of a course or program shall submit an application, along with a fee of \$65, at least 90 days before the date the course or program commences.

* * * * *

§ 47.35. Standards for courses and programs.

(a) A provider or licensee seeking Board approval of a course or program shall present evidence that the course or program has all of the following:

(1) Subject matter pertaining to the enhancement of the licensed bachelor social worker's, licensed social worker's or licensed clinical social worker's knowledge and practice skills related to helping people achieve adequate and productive personal, interpersonal and social adjustments in their individual lives, in their families and in their community.

(2) For courses targeted to licensed social workers and licensed clinical social workers, evidence that the course or program is geared toward the master's level practitioner.

(3) An established mechanism measuring the quality of the course or program being offered.

(4) Established criteria for selecting and evaluating faculty or source material.

(5) Established criteria for the evaluation of each course or program upon completion.

(6) A minimum total duration of at least 1 clock hour. The Board will not approve partial credit for a course or program.

(b) Providers shall comply with relevant Federal, State and local laws related to serving people with disabilities and shall provide adequate facilities and appropriate instructional materials to carry out the continuing education course or program.

(c) Providers shall insure that instructors have suitable qualifications and are of good reputation and character.

§ 47.36. Preapproved providers of continuing education courses and programs for licensed social workers, licensed clinical social workers and licensed bachelor social workers.

* * * * *

(b) The Board will consider for approval, as preapproved providers, other organizations who offer multiple courses and programs for licensed bachelor social workers, licensed social workers and licensed clinical social workers. The request for approval shall be submitted to the Board in writing and accompanied by a \$65 fee, along with a rationale as to why the organization should be included as a preapproved provider with specific reference to the standards in § 47.35.

* * * * *

§ 47.36a. Other sources of continuing education.

(a) Clock hours may be granted on a case-by-case basis for the following:

- (1) Participation in clinical conferences, clinical rounds or training under a preceptor provided through hospitals, medical centers, schools and universities.
- (2) First-time experience as a teacher.
- (3) Publications of articles, books and research relating to the practice of bachelor social work, social work or clinical social work.
- (4) Services as a preceptor, lecturer or speaker.

(b) A licensee who wishes to obtain clock hours for credit under subsection (a)(1), (2) or (4) shall submit, prior to participating in the event, an application for approval along with a \$65 fee as provided by § 47.34(b) (relating to registration of continuing education providers who offer one course or program). A licensee seeking to obtain clock hours for a publication under subsection (a)(3), shall submit, after the publication of the article, book or research, an application for approval along with a fee as provided by § 47.34(b).

§ 47.41. Disciplinary action authorized.

(a) A licensed bachelor social worker, licensed social worker or licensed clinical social worker who submits fraudulent clock hour reports will be subject to disciplinary action under section 11(a)(5) of the act (63 P.S. § 1911(a)(5)).

(b) The falsification of a clock hour report by a program provider will result in revocation of approval by the Board for further program offerings of that provider.

SEXUAL MISCONDUCT

§ 47.61. Prohibited conduct.

Sexual intimacies between a licensed bachelor social worker, licensed social worker or licensed clinical social worker and a current client/patient, or an immediate family member of a current client/patient, are prohibited.

§ 47.62. Former sexual partners as clients/patients.

Licensed bachelor social workers, licensed social workers and licensed clinical social workers may not accept as client/patients individuals with whom they have engaged in sexual intimacies.

§ 47.63. Sexual intimacies with a former client/patient or an immediate family member of a former client/patient.

(a) Sexual intimacies between a licensed bachelor social worker, licensed social worker or licensed clinical social worker and a former client/patient, or an immediate family member of a former client/patient are prohibited for 7 years following the termination of the professional relationship.

(b) Following the passage of the 7-year period, licensed bachelor social workers, licensed social workers and licensed clinical social workers may engage in sexual conduct with a former client/patient, or an immediate family member of a former client/patient which is not exploitive. In determining whether the conduct is exploitive, the licensed bachelor social worker, licensed social worker or licensed clinical social worker shall consider all of the following:

- (1) The amount of time that has passed since the professional relationship terminated.
- (2) The nature and duration of the professional relationship.
- (3) The circumstances of termination.
- (4) The client/patient's personal history—for example, unique vulnerabilities.
- (5) The client/patient's current mental status.
- (6) Statements or actions made by the licensed bachelor social worker, licensed social worker or licensed clinical social worker during the course of professional relationship suggesting or inviting the possibility of a post-termination sexual or romantic relationship with the client/patient.
- (7) The likelihood of adverse impact on the client/patient and immediate family members of the client/patient.

§ 47.64. Disciplinary proceedings.

(a) A violation of §§ 47.61—47.63 (relating to prohibited conduct; former sexual partners as clients/patients; sexual intimacies with a former client/patient or an immediate family member of a former client/patient) will be deemed unprofessional conduct and will subject the licensed bachelor social worker, licensed social worker or licensed clinical social worker to discipline under section 11(a)(2) of the act (63 P.S. § 1911(a)(2)).

(b) The consent of a former client/patient or immediate family member of a former client/patient to engage in sexual intimacies with the licensed bachelor social worker, licensed social worker or licensed clinical social worker is not a defense in any disciplinary action brought under §§ 47.61—47.63.

* * * * *

§ 47.65. Impaired professional program.

When the Board takes disciplinary or corrective action against a licensed bachelor social worker, licensed social worker or licensed clinical social worker under section 11(a) of the act (63 P.S. § 1911(a)), for conduct prohibited by §§ 47.61—47.63 (relating to prohibited conduct; former sexual partners as clients/patients; and sexual intimacies

with a former client/patient, or an immediate family member of a former client/patient), the licensed bachelor social worker, licensed social worker or licensed clinical social worker will not be eligible for placement into an impaired professional program in lieu of disciplinary or corrective action.

**CODE OF ETHICAL PRACTICE AND STANDARDS
OF PROFESSIONAL CONDUCT**

§ 47.71. Codes of ethical practice and professional conduct.

The Board subscribes to the codes of ethics and practice standards promulgated by the National Association of Social Workers (NASW), the Pennsylvania Society for

Clinical Social Work and the Model Social Work Practice Act of the Association of State Social Work Boards. Licensed bachelor social workers, licensed social workers and licensed clinical social workers (licensees) shall adhere to these codes and standards, except when they conflict with this chapter. The Board will use these codes and standards in resolving ambiguities which may arise in the interpretation of this chapter, except that whenever any conflict exists between this chapter and the professional associations' codes and standards, this chapter shall prevail.

[Pa.B. Doc. No. 20-1173. Filed for public inspection August 28, 2020, 9:00 a.m.]

NOTICES

DEPARTMENT OF AGRICULTURE

General Quarantine Order; Cervid Movement Restrictions Within Core Captive Management Zone

I. Recitals.

The following recitals set forth and describe the dangerous transmissible disease for which this "General Quarantine Order; Cervid Movement Restrictions Within Core Captive Management Zone" (hereinafter "CCMZ General Quarantine Order") is instituted, specifies the species of domestic animals affected by and subject to this CCMZ General Quarantine Order and provides the authority under which this CCMZ General Quarantine Order is established.

(a) Chronic Wasting Disease (CWD) is considered an infectious, progressive and fatal disease of susceptible species of the genera *Alces*, *Cervus*, *Odocoileus* and *Rangifer* including elk, white-tailed deer, moose, mule deer, black-tailed deer, sika deer, red deer, reindeer and hybrids thereof.

(b) There is no known treatment for CWD infection; no successful vaccine against this disease and no reliable live individual animal test for this disease. Research regarding live animal testing and genetic resistance to CWD in individual animals is ongoing. As this is understood, it will be evaluated as an option in the future.

(c) CWD is believed to be transmissible from infected to uninfected cervids by ingestion of infected or contaminated materials occurring through shared environment or close contact.

(d) CWD has been designated a "dangerous transmissible disease" of animals by order of the Secretary of Agriculture under the provisions of the Domestic Animal Law (Law) (3 Pa.C.S. §§ 2301—2389), at 3 Pa.C.S. § 2321(d).

(e) The Department of Agriculture (Department) has broad authority under the Law to regulate the keeping, transport and handling of domestic animals to exclude, contain or eliminate dangerous transmissible diseases, such as CWD.

(f) The Department also has broad authority under the Law to prohibit the importation of domestic animals, conveyances, containers, goods, products or materials to keep dangerous transmissible diseases, such as CWD, from entering this Commonwealth.

(g) CWD may negatively impact this Commonwealth's free-ranging and domestic (farmed or captive) cervid populations. CWD is of concern to the captive/farmed cervid industry, in that presence of CWD infection in a herd has resulted in the destruction of the entire herd and severely limited the market for product within and outside this Commonwealth.

(h) In 2012, two captive white-tailed deer in the Commonwealth were confirmed to be infected with CWD. Farmed white-tailed deer have been confirmed in Adams, Bedford, Blair, Cambria, Clearfield, Franklin, Fulton, Jefferson, Lancaster, and Perry counties on a total of 24 premises. Also, the 2012 Pennsylvania Game Commission's hunter harvest program testing detected CWD in

free-ranging deer. Since then, free ranging white-tailed deer have been identified in Bedford, Blair, Cambria, Clearfield, Franklin, Fulton, Huntingdon, Indiana, Jefferson, Juniata, Perry, Snyder, Somerset, and Westmoreland counties. CWD has also been detected in cervids in the nearby states of Maryland, New York, Ohio, Virginia, and West Virginia. To date, the Centers for Disease Control and Prevention has reported CWD in free-ranging deer, elk and moose in 24 states in the continental United States.

II. General Provisions.

With the foregoing recitals incorporated into this CCMZ General Quarantine Order by reference, the Department hereby establishes a General Quarantine under authority of the Domestic Animal Law, at 3 Pa.C.S. § 2329(d). The terms of this CCMZ General Quarantine Order are as follows:

(a) *Repeal, effect and continuance of previous Quarantine Orders.* This CCMZ General Quarantine Order does not repeal or replace any previous Quarantine Order. The provisions of the *General Quarantine Order; Chronic Wasting Disease Program Requirements for Herd Certification Program and Herd Monitoring Program*, published at 44 PaB, 2249, No. 15, April 12, 2014 (hereinafter "2014 General Quarantine Order"), remain in full force and effect and continue to be applicable in the counties covered by this CCMZ General Quarantine Order. To the extent any provisions of this CCMZ General Quarantine Order are more stringent than or conflict with the 2014 General Quarantine Order, the provisions of this CCMZ General Quarantine Order shall take precedence and apply within the Core Captive Management Zone (CCMZ).

(b) *Core Captive Management Zone (CCMZ).* This CCMZ General Quarantine Order is applicable to the CCMZ established by the following counties in the Commonwealth of Pennsylvania; Bedford, Blair, and Fulton.

(c) *Persons subject to this Order.* Any person with a CWD susceptible species of the genera *Alces*, *Cervus*, *Odocoileus* and *Rangifer* including elk, white-tailed deer, moose, mule deer, black-tailed deer, sika deer, red deer, reindeer and hybrids thereof are subject to this CCMZ General Quarantine Order and shall follow all of the requirements established in this CCMZ General Quarantine Order, including movement of live and dead animals as set forth in this CCMZ General Quarantine Order.

(d) *Movement restrictions and conditions.* Premises located within the CCMZ and having CWD susceptible species of Cervidae shall be subject to the following movement restrictions and requirements.

1. *Movement restriction.* No CWD susceptible species of Cervidae may be moved from premises located within the counties subject to this CCMZ General Quarantine Order to an area or premises within Pennsylvania that is outside of the CCMZ.

2. *Live CWD susceptible animal movement conditions.* Premises located within the CCMZ may move and receive CWD susceptible species of Cervidae, under the following rules and conditions:

i. Between premises located within the CCMZ established by this CCMZ General Quarantine Order.

ii. From premises located outside of the CCMZ to inside the CCMZ.

iii. From premises located outside the Commonwealth of Pennsylvania into the CCMZ so long as they meet all of the following requirements:

A. Are fully certified herds meeting all standards and requirements of the 2014 General Quarantine Order and the *Interstate/International Quarantine Order; Chronic Wasting Disease Importation Requirements for Farmed or Captive Chronic Wasting Disease-Susceptible Cervids* published at 44 PaB, 2267, No. 15, April 12, 2014 or any subsequent CWD import Quarantine Order replacing or amending the document.

B. The source premises is greater than 15 miles away from any Chronic Wasting Disease detected or positive animal in either the free ranging or captive animal populations.

C. Are fully certified herds meeting all standards and requirements of 9 Code of Federal Regulations 55 "Control of Chronic Wasting Disease" and 81 "Chronic Wasting Disease in Deer, Elk, and Moose."

iv. From premises located within the CCMZ to another state, so long as they comply with all standards, rules and requirements of the destination state and 9 Code of Federal Regulation 81 "Chronic Wasting Disease in Deer, Elk, and Moose."

v. From premises located within the CCMZ to the following designated premises located within the Commonwealth of Pennsylvania but, outside the CCMZ under the conditions hereunder established:

A. Premises that are Fully Certified under the Department's 2014 General Quarantine Order, or any subsequent CWD Program General Quarantine Order replacing or amending the 2014 General Quarantine Order may ship Cervidae under the following conditions:

aa. Under a written permit issued by the Department of Agriculture.

bb. The Fully Certified Premises is in good standing and is in compliance with all of the requirements of the 2014 General Quarantine Order or any subsequent Order replacing or amending it.

cc. The premises to which the Cervidae will be shipped is in good standing and is in compliance with all of the requirements of the 2014 General Quarantine Order or any subsequent Order replacing or amending it.

dd. The Fully Certified Premises requesting a written permit to ship outside of the CCMZ perform rectal anal mucosal associated lymphoid tissue (RAMALT) testing within three years prior to proposed live CWD susceptible animals' movement. The RAMALT testing must meet the following conditions:

dd1. The RAMALT collection must be performed by trained Category II USDA accredited veterinarians.

dd2. At least 90% of the herd over 9 months of age be tested and have negative or not detected results from National Veterinary Services Laboratory. If 90% herd testing is not achieved, additional RAMALT testing of the untested animals must occur until the 90% is achieved.

dd3. RAMALT testing is only approved for whitetail deer herds. Participants with any other CWD susceptible species in the herd will not be able to participate.

dd4. All costs associated with collection, testing and potential loss of animals is at the participant's expense.

dd5. Positive RAMALT tests will result in a herd quarantine and be designated a CWD positive herd.

B. A veterinary facility for the purposes of medical care under a licensed veterinarian. The Department shall be notified, within 72 hours of such movement, and ownership of the animal(s) shipped shall be maintained by the herd owner.

C. An animal diagnostic laboratory. The Department shall be notified, within 72 hours of such movement, and ownership of the animal(s) shipped shall be maintained by the herd owner.

D. Directly to a slaughter establishment, under a Department issued written permit. Ownership of the animal(s) shipped shall be maintained by the herd owner until released under the terms of the permit issued.

3. *Movement between participants in the CCMZ.* Movement between all cervid farms within the CCMZ shall comply with and meet testing, recordkeeping, identification and all other requirements of the 2014 General Quarantine Order or any subsequent CWD Program General Quarantine Order replacing or amending the 2014 General Quarantine Order.

4. *Dead CWD susceptible animal parts, semen and embryos.* Premises located within the CCMZ may move dead CWD susceptible animal parts, semen and embryos under the following rules and conditions:

i. Only the following parts of dead CWD susceptible species may leave the CCMZ; antlers, clean skull caps, capes and deboned meat. All other parts of CWD susceptible species shall remain within the CCMZ and shall be disposed of in the CCMZ in accordance with all regulations.

ii. No semen or embryos from CWD susceptible species may leave the CCMZ unless they meet the following standards:

A. Originate from CWD not detected animals, as determined by immunohistochemistry or another Department approved test, or

B. Are from CWD animals in compliance with the requirements of Section II(d)2.v.A.dd. of this CCMZ General Quarantine Order, or

C. Originate from an animal that is shown through definitive evidence provided by the owner to the Department, including but not limited to, up to date and complete movement and inventory records with no gaps or periods of non-compliance and proper and complete official identification, to have been located outside of the CCMZ, for the past 60 consecutive months prior to semen collection.

5. For premises that are located within the CCMZ and under an Order of Special Quarantine related to CWD; the following movement restrictions shall apply.

i. *Cervidae operations with a CWD Positive Herd Rate less than 5% shall comply with the following restrictions and requirements:*

A. Male CWD susceptible animals may be added only under written permit issued by the Department. The Department may determine, and set forth in the permit, if there are any restrictions on the number of Cervidae that may be added. Source herds may be from out of state if the requirements are met, within Pennsylvania but outside of the CCMZ, within Pennsylvania and within the CCMZ, or from any premises that is under an Order of Special Quarantine.

B. Female CWD susceptible animals may be added only under written permit issued by the Department and only up to and including the number of female animals over 9 months of age that died or were harvested in the previous anniversary period. Source herds may be from out of state if the requirements are met, within Pennsylvania but outside of the CCMZ, within Pennsylvania and within the CCMZ, or from any premises that is under an Order of Special Quarantine.

C. Live cervids or cervid parts that are not high risk may be moved off of the premises via written permit issued by the Department.

ii. *Cervidae premises determined to have had a CWD Positive Herd Rate equal to or more than 5% at any time shall comply with one of the following sets of restrictions or requirements until expiration or revocation of the Order of Special Quarantine, regardless of CWD Positive Herd Rate:*

A. *A herd that contains only male animals.* Male CWD susceptible animals may be added only under a written permit issued by the Department. The Department may determine, and set forth in the permit, if there are any restrictions on the number or species of Cervidae that may be added. Source herds may be from out of state if the requirements are met, within Pennsylvania but outside of the CCMZ, within Pennsylvania and within the CCMZ, or from any premises that is under an Order of Special Quarantine. Low risk deer parts may be removed only under written permit from the Department.

B. *A herd of known numbers of male and female animals.* The participant may choose one of the following two options:

aa. Within 12 months of exceeding the CWD Positive Herd Rate equal to or more than 5%, all female CWD susceptible animals in the premises shall be harvested, depopulated or removed so only male animals remain and may add males only under a written permit issued by the Department. The Department may determine, and set forth in the permit, if there are any additional restrictions on the number of Cervidae that may be added. Source herds may be from out of state if the requirements are met, within Pennsylvania but outside of the CCMZ, within Pennsylvania and within the CCMZ, or from any premises that is under an Order of Special Quarantine. Low risk deer parts may be removed only under written permit from the Department.

bb. Within 12 months of exceeding the CWD Positive Herd Rate equal to or more than 5%, all males shall be segregated by at least 30 feet from females. Strictly no breeding, naturally or artificially, shall occur without written permit from the Department. Male CWD susceptible animals may not be added to the premises until all females have been fenced separately at least 30 feet from

the males. For herds opting to retain females, the total number of male and female animals on the affected premises may not exceed the total number of animals listed on herd inventory at the time of the CWD Positive Herd Rate was determined to be equal to or more than 5%. The segregated pens shall be listed on a single inventory that encompasses all quarantined animals on the premises. The segregated pens are not allowed to be enrolled separately in the CWD program and shall not be designated as a separate premises on the same establishment. The Department may determine, and set forth in the written permit, if there are any additional restrictions on the number of Cervidae that may be added. Source herds may be from out of state if the requirements are met, within Pennsylvania but outside of the CCMZ, within Pennsylvania and within the CCMZ, or from any premises that is under an Order of Special Quarantine. Low risk deer parts may be removed only under written permit from the Department.

C. *A herd of unknown gender composition.* Within 12 months of exceeding the CWD Positive Herd Rate equal to or more than 5%, if the gender composition cannot be determined, all CWD susceptible animals, or at a minimum all female animals, in the herd shall be harvested, depopulated or otherwise removed from the herd on the premises. Only after harvesting, depopulation or removal of all cervids, or at a minimum all female animals, existing on the premises may male CWD susceptible animals be added to the premises. Such additions may be done only under a written permit issued by the Department after initial removal of animals has been verified and approved by the Department. Once the segregation of all female from male animals has been completed, the premises shall be subject and adhere to the standards and requirements set forth in subsection B.bb. above. The Department may determine, and set forth in the written permit, if there are any restrictions on the number or species of Cervidae that may be added. Source herds may be from out of state if the requirements are met, within Pennsylvania but outside of the CCMZ, within Pennsylvania and within the CCMZ, or from any premises that is under an Order of Special Quarantine. Low risk deer parts may be removed only under written permit from the Department.

iii. All premises shall have their anniversary date changed to March 1 per the requirements of the Department's 2014 General Quarantine Order or any subsequent CWD Program General Quarantine Order replacing or amending that Quarantine Order.

(e) *Continued Compliance.* All cervid operations and program participants within the CCMZ and therefore subject to this CCMZ General Quarantine Order shall continue to comply with and be subject to the standards and rules established in the Department's 2014 General Quarantine Order or any subsequent CWD Program General Quarantine Order replacing or amending that Quarantine Order.

(f) *Moratorium.* No new premises or businesses with CWD susceptible species may be established within the CCMZ established by this CCMZ General Quarantine Order or any addendum hereto. Pre-existing establishments with CWD susceptible species will be grandfathered at the time of publication of this CCMZ General Quarantine Order, as long as such establishments continuously maintain an active business inven-

tory. Grandfathered establishments may, only by written permit, add additional premises containing CWD-susceptible species on the pre-existing establishment.

(g) *Definitions.*

Chronic Wasting Disease (CWD). A dangerous transmissible disease identified as transmissible spongiform encephalopathy of cervids. Clinical signs include but are not limited to the following: loss of body condition, behavioral changes, excessive salivation, increased drinking or urination, depression and eventual death.

$$\text{CWD Positive Herd Rate} = \frac{\text{Number of CWD detected animals times 100}}{\text{Number of CWD susceptible animals over 9 months of age as of the end of the anniversary period.}}$$

OR, if no CWD susceptible animals at the end of the anniversary period;

$$\text{CWD Positive Herd Rate} = \frac{\text{Number of CWD detected animals times 100}}{\text{Number of CWD susceptible animals over 9 months of age over the anniversary period.}}$$

CWD susceptible species. Species of the genera *Alces*, *Cervus*, *Odocoileus* and *Rangifer* including elk, white-tailed deer, moose, mule deer, black-tailed deer, sika deer, red deer, reindeer and hybrids thereof.

Establishment. All of the land on which the cervids are kept, bred, harbored, housed, fenced, sheltered, transferred, sold, exchanged or maintained, including all premises identification numbers associated with that establishment. The term shall encompass the place of business or operation and all of the land, property, housing facilities or any combination thereof.

III. Violations and Penalties.

Violations/Penalties. Any person violating the requirements of this CCMZ General Quarantine Order may be subject to imposition of such criminal and civil penalties and remedies as allowed under the Domestic Animal Law (3 Pa.C.S.A. §§ 2380.8, 2383, 2385 and 2386).

IV. Actions of the Department.

No Restriction on Further Action by the Department. This CCMZ General Quarantine Order shall not be construed as limiting the Department's authority to es-

CWD Positive Herd Rate. The rate that CWD is identified in a herd. For the purposes of this document, the calculation is a percentage of the number of animals CWD detected in the last anniversary period divided by the total number of CWD susceptible animals over 9 months of age as of the end of the anniversary period. If the inventory has no animals at the end of the anniversary period, the number of CWD susceptible animals over 9 months of age over the anniversary period is utilized. This calculation is performed each anniversary period.

establish additional quarantine or testing requirements on imported cervids or to limit the Department's authority under the Domestic Animal Law or any other statutes or regulations administered by the Department.

V. Contact information.

Contact information. Questions regarding this CCMZ General Quarantine Order should be directed to the Commonwealth of Pennsylvania, Department of Agriculture, Bureau of Animal Health, 2301 North Cameron Street, Harrisburg, PA 17110 or by telephone at 717-772-2852, or email at RA-ahds@pa.gov.

VI. Effective Date.

Effective Date. This CCMZ General Quarantine Order in its entirety shall become effective immediately upon publication and shall remain in effect unless rescinded or modified by subsequent order or addendum.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 20-1174. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending August 18, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

**BANKING INSTITUTIONS
Interim Incorporations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
08-01-2020	Interim Clarion County Community Bank Clarion Clarion County	Effective
<p>The purpose of incorporation of Interim Clarion County Community Bank is to facilitate the formation of a bank holding company structure for Clarion County Community Bank. It will merge with Clarion County Community Bank. Clarion County Community Bank will become the wholly-owned subsidiary of CCCB Bancorp, Inc., a newly-formed holding company.</p>		

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
08-01-2020	Clarion County Community Bank Clarion Clarion County	Effective
<p>Merger of Clarion County Community Bank with Interim Clarion County Community Bank to facilitate the formation of a bank holding company structure for Clarion County Community Bank. As a result of this transaction, Clarion County Community Bank has become the wholly-owned subsidiary of CCCB Bancorp, Inc., Clarion, a newly-formed holding company.</p>		

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
08-13-2020	Univest Bank and Trust Co. Souderton Montgomery County	4601 Carlisle Pike Mechanicsburg Cumberland County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
08-14-2020	CNB Bank Clearfield Clearfield County	<i>To:</i> 200 East Mahoning Street Punxsutawney Jefferson County <i>From:</i> 559 West Mahoning Street Punxsutawney Jefferson County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
08-15-2020	CNB Bank Clearfield Clearfield County	1001 East Main Street Bradford McKean County	Closed
08-15-2020	CNB Bank Clearfield Clearfield County	7322 Mentor Avenue Mentor Lake County, OH	Closed
08-15-2020	CNB Bank Clearfield Clearfield County	3602 Main Street Karthaus Clearfield County	Closed

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
07-31-2020	White Rose Credit Union York York County	Effective
<p>Merger of Local 229 IBEW Federal Credit Union, York, with and into White Rose Credit Union, York.</p>		

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0248053 (Sewage)	Brandon Arter 114 Oak Tree Rd Manheim, PA 17545	Lancaster County Manheim Township	UNT Rife Run/7-G	Y

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0008486 (IW)	Ahlstrom-Munksjo Filtration LLC 122 West Butler Street Mount Holly Springs, PA 17065-1218	Cumberland County Mount Holly Springs	Mountain Creek/7-E	Y
PA0086444 (Sewage)	Blue Ridge Sportsmans Club 3030 Waynesboro Pike Fairfield, PA 17320-9801	Adams County Liberty Township	Unnamed Tributary to Miney Branch (CWF) (13-D)	Y

Northcentral Region: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0209651 (Sewage)	Country Terrace Estates WWTF 6009 Columbia Boulevard Bloomsburg, PA 17815-8800	Columbia County Main Township	Unnamed Tributary of Catawissa Creek (CWF) (5-E)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PA0050423, Sewage, SIC Code 4952, **Sisters Servants of the Immaculate Heart of Mary**, 1140 King Road, Immaculata, PA 19345-0200. Facility Name: Villa Maria STP. This existing facility is located in East Whiteland Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary of Ridley Creek (HQ-TSF), is located in State Water Plan watershed 3-G and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.14	XXX	0.32
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	8.3	XXX	XXX	25.0	XXX	50
May 1 - Oct 31	6.7	XXX	XXX	20.0	XXX	40
Total Suspended Solids	10.0	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000*
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	2.0	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	0.7	XXX	XXX	2.0	XXX	4
Total Phosphorus	0.7	XXX	XXX	2.0	XXX	4

*Shall not exceed in more than 10% of samples.

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

Sludge use and disposal description and location: Sludge is hauled away to other WWTP.

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP When Municipal Sewers Available
- E. Chlorine Optimization
- F. Operator Notification
- G. Fecal Coliform Requirement
- H. Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0055697, Sewage, SIC Code 6515, **Tad Facilities Ltd**, 628 Telegraph Road, Coatesville, PA 19320-1034. Facility Name: Spring Run Estates. This existing facility is located in West Caln Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Brandywine Creek, is located in State Water Plan watershed 3-H and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .049 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	10.2	XXX	XXX	25	XXX	50
Total Suspended Solids	12.2	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	4.0	XXX	XXX	10	XXX	20
Ammonia-Nitrogen						
Nov 1 - Apr 30	1.86	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	0.62	XXX	XXX	1.5	XXX	3
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	Report
Total Phosphorus	0.82	XXX	XXX	2.0	XXX	4

Sludge use and disposal description and location(s): Hauled off-site.

In addition, the permit contains the following major special conditions:

- No Stormwater
- Necessary Property Rights
- Collected Screenings, Slurries, Sludges and other Solids
- Connect to Municipal Sewers
- Responsible Operator
- Remedial Measures if Unsatisfactory Effluent
- Instantaneous Maximum Limitations
- Twice per Month Sampling

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0058882, Storm Water, SIC Code 3272, **Trans Fleet Concrete Inc.**, P.O. Box 26483, Collegeville, PA 19426-0483. Facility Name: Trans Fleet Concrete—Exton Batch Plant. This existing facility is located in West Whiteland Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Valley Creek (CWF, MF), is located in State Water Plan watershed 3-H and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)						
Instream Monitoring	XXX	XXX	Report Inst Min	Report	XXX	Report
Downstream Monitoring	XXX	XXX	Report Inst Min	Report	XXX	Report
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	50.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater monitoring requirements.
- Sector and site-specific Best Management Practices (BMP)
- Routine Inspections and PPC Plan for the facility

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0084701, Sewage, SIC Code 4952, **Penn Township Municipal Authority Perry County**, 102 Municipal Building Road, Duncannon, PA 17020-1130. Facility Name: Penn Township Cove STP. This existing facility is located in Penn Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Susquehanna River (WWF, MF), is located in State Water Plan watershed 7-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Lead, Total	XXX	XXX	XXX	Avg Qrtly Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.06
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	8.3	12.5	XXX	10	15	20
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	25	37	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	5.0	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	1.6	XXX	XXX	2.0	XXX	4
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261289, Sewage, SIC Code 6514, **Wilkins Garren**, 10524 Hyndman Road, Manns Choice, PA 15537. Facility Name: Wilkins Res STP. This existing facility is located in Harrison Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Buffalo Run (WWF), is located in State Water Plan watershed 11-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0248720, Sewage, SIC Code 4952, **Brian Nicodemus**, 6091 Cortland Road, Alum Bank, PA 15521-8021. Facility Name: Nicodemus Res. This existing facility is located in West Saint Clair Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Dunning Creek (WWF), is located in State Water Plan watershed 11-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Semi-Annual Average	Maximum	
Flow (GPD)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081108, Sewage, SIC Code 6514, **Morrison Dennis E**, 127 Indian Springs Road, Hopewell, PA 16650-7913. Facility Name: Morrison Res. This existing facility is located in Hopewell Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Maple Run (HQ-CWF), is located in State Water Plan watershed 11-D and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Annl Avg	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
				Avg Mo		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0246433, Sewage, SIC Code 4952, **Broad Top Township Bedford County**, P.O. Box 57, Defiance, PA 16633-0057. Facility Name: Broad Top Township Hess MHP. This existing facility is located in Broad Top Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Sherman Valley Run (CWF, MF), is located in State Water Plan watershed 11-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0012 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	0.25	0.4	5.0	25	40	50
Total Suspended Solids	0.3	0.45	Inst Min	30	45	60

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0110442, Sewage, SIC Code 6515, **Florence E Shockey Trust**, P.O. Box 1233, Falling Waters, WV 25419-1233. Facility Name: Brookwood Countryside Comm MHP. This existing facility is located in Bedford Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Brush Run (WWF, MF), is located in State Water Plan watershed 11-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.5
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	25	XXX	50
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

Sludge use and disposal description and location(s): Biosolids was disposed by Ramsey's Septic Service from McConnellsburg, PA.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0080489, Sewage, SIC Code 5812, **Liberty Truckstop Inc.**, 3298 Susquehanna Trail, Duncannon, PA 17020-7108. Facility Name: Liberty Travel Plz Duncannon. This existing facility is located in Watts Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Buffalo Creek (WWF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

PA0288624, Sewage, SIC Code 5411, **Route 36 LLC**, 530 Spring Avenue, Dubois, PA 15801-1554. Facility Name: Route 36 LLC SFTF. This proposed facility is located at 3204 Pine Hollow Drive, Tionesta, PA 16353, located in Washington Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Irish Run (CWF), is located in State Water Plan watershed 16-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0009 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288608, Sewage, SIC Code 8800, **Tammy King**, 120 McGrady Hollow Road, Butler, PA 16002-1056. Facility Name: Tammy King SRSTP. This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Bonnie Brook (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288527, Sewage, SIC Code 8800, **Candace & Frank Reina**, 151 Sunville Road, Franklin, PA 16323-7341. Facility Name: Candace & Frank Reina SRSTP. This proposed facility is located in Oakland Township, **Venango County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Wolf Run (CWF), is located in State Water Plan watershed 16-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 3603202, Amendment No. 2, Industrial Waste, **Chester County Solid Waste Authority**, 7224 Division Highway, Narvon, PA 17555-9505.

This proposed facility is located in Honeybrook Township, **Chester County** and Caernarvon Township and Salisbury Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit amendment approval for replacing UF and RO with new RO Equipment at Lanchester Landfill.

WQM Permit No. 3120403, Sewerage, **Steven C. Stagon**, P.O. Box 7311, Ft. Lauderdale, FL 33338.

This proposed facility is located in Jackson Township, **Huntingdon County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a single residence sewage treatment plant to serve the residence at 3473 McAlevey's Fort Road, Petersburg, PA 16669.

WQM Permit No. 6720403, Sewerage, **Benjamin Shipley**, 208 Calvary Church Road, Wrightsville, PA 17368.

This proposed facility is located in Lower Windsor Township, **York County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a single residence sewage treatment plant to serve their residence at 208 Calvary Church Road, Wrightsville, PA 17368.

WQM Permit No. 6720402, Sewerage, **Milton W. Cornette**, 5196 Shenks Ferry Road, Brogue, PA 17309.

This proposed facility is located in Chanceford Township, **York County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a single residence sewage treatment plant to serve their residence at 5111 Shenks Ferry Road, Brogue, PA 17309.

WQM Permit No. 0120401, Sewerage, **Floyd Paul Walters**, 140 Village Square Drive, Marietta, PA 17547.

This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a single residence sewage treatment plant to serve their residence at 660 Shrivvers Corner Road, Gettysburg, PA 17325.

WQM Permit No. 2820402, Sewerage, **LKQ Triple Nickel Trucks Incorporated**, 2956 Lincoln Way West, Chambersburg, PA 17201.

This proposed facility is located in Hamilton Township, **Franklin County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a single residence sewage treatment plant to serve their residence at 2956 Lincoln Way West, Chambersburg, PA 17201.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0409402 A-1, Sewage, **Scott D Opalewski**, 147 Red Lane, Saint Benedict, PA 15773.

This existing facility is located in Hanover Township, **Beaver County**.

Description of Proposed Action/Activity: Installation of a Premier Tech Ecoflo coco filter tank with an integrated pump and DiUV disinfection kit to replace the existing sand filter, aeration tank and UV unit.

IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PAI130030, MS4, **Chalfont Borough**, 40 North Main Street, Chalfont, PA 18914. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Chalfont Borough, **Bucks County**. The receiving stream(s), Neshaminy Creek (TSF, MF), Pine Run (TSF, MF), West Branch Neshaminy Creek (WWF, MF), and North Branch Neshaminy Creek (TSF, MF), are located in State Water Plan watershed 2-F and are classified for Migratory Fishes, Warm Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090051	Borough of Doylestown 57 West Court Street Doylestown, PA 18901-4223	Bucks	Doylestown Borough	Cooks Run (Tributary of Neshaminy) WWF-MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD230045	Sharon and Edmund Gaffney 515 North Newtown Street Road Newtown Square, PA 19073	Delaware	Newtown Township	Thomas Run CWF-MF Unnamed Tributary to Crum Creek HQ-CWF-MF
PAD090062	Solebury Township 3092 Sugan Road P.O. Box 139 Solebury, PA 18963-0139	Bucks	Solebury Township	Unnamed Tributary to Aquetong Creek
PAD230015 A-1	Southeastern Pennsylvania Transportation Authority (SEPTA) 1234 Market Street 12th Floor Philadelphia, PA 19107-3780	Delaware	Middletown Township Chester Heights	Chester Creek TSF-MF Rocky Run HQ-CWF-MF
PAD510065	PennDOT District 6-0 7000 Geerdes Blvd King of Prussia, PA 19406-1525	Philadelphia	City of Philadelphia	Delaware River WWF-MF

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390067	Uline 700 Uline Way Allentown, PA 18106	Lehigh County	Upper Macungie Township	Little Lehigh Creek (HQ-CWF, MF), Iron Run (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450116	Alpha Recycling Hwy 80, Inc. 2 Katz Drive Stroudsburg, PA 18360	Monroe County	Stroudsburg Borough	McMichael Creek (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Ave, Greystone Building, Nazareth, PA 18064-9211, 610-829-6276.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480023 A-1	Tatamy Farms LLC Mike Tuskes 4511 Falmer Drive Bethlehem, PA 18020	Northampton County	Tatamy Borough	Bushkill Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110 (717) 705-4802.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD060042	Mid-Atlantic Interstate Transmission (MAIT) 2800 Pottsville Pike P.O. Box 16001 Reading, PA 19612-6001	Berks Lehigh	Hamburg Borough Windsor Township Greenwich Township Albany Township Maxatawny Township Lynn Township Weisenberg Township	UNT Schuylkill River (WWF, MF) Schuylkill River (WWF, MF) Pigeon Creek (WWF, MF) Furnace Creek (WWF, MF) Maiden Creek (TSF, MF) UNT Maiden Creek (TSF, MF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
				UNT Kistler Creek (CWF, MF) Kistler Creek (CWF, MF) UNT Mill Creek (TSF, MF) Switzer Creek (HQ-CWF, MF) UNT Switzer Creek (HQ-CWF, MF) Mill Creek (TSF, MF) Stony Run Creek (CWF, MF) UNT Stony Run Creek (CWF, MF) Lyon Creek (HQ-CWF, MF) UNT Lyon Creek (HQ-CWF, MF) Sacony Creek (CWF, MF) UNT Sacony Creek (CWF, MF)
PAD670049	Shipley Family Limited Partnership 415 Norway Street York, PA 17403	York	Shrewsbury Township	Deer Creek (CWF, MF)
PAD360058	PPL Electric Utilities Corporation 2 North Ninth Street GENN 4 Allentown, PA 18101-1179	Lancaster	Brecknock Township	Muddy Creek (TSF, MF)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

CAFO Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

NPDES Permit No. PAG123767 A-1, CAFO, Brubaker Farms LLC, 493 Musser Road, Mount Joy, PA 17552-9045.

This existing facility is located in East Donegal Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Dairy Holstein/Brown Swiss (Cow, Heifer, Calf); Goat (Meat—Doe); Poultry (Chickens—Broiler): 3,370.72 AEU's.

The receiving stream, Unnamed Tributary to Donegal Creek (CWF, MF) and Donegal Creek (TSF, MF), is in watershed 7-G and classified for: Cold Water Fishes, Migratory Fishes, and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rainstorms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
James Bagley Farm 266 Piatt Road Shunk, PA 17768 Mailing: 602 Ellis Road Forksville, PA 18616	Bradford	72.6	660.62	Swine	EV, HQ-CWF	Renewal
Ryan Rutt 524 North Garfield Rd Bernville, PA 19506	Berks	200	644.43	Poultry, Hog	NA	Renewal
Meadow Vista Dairy, LLC 166 Risser Road Bainbridge, PA 17502	Lancaster	715.9	1,390.58	Dairy	NA	Renewal
Star Rock Dairy, Inc. Robert N. Barley 175 Chestnut Grove Road Conestoga, PA 17516	Lancaster	311	2,542.45	Diary	NA	Renewal
Dividing Ridge Farm 207 Dividing Ridge Rd Fairhope, PA 15538	Somerset	1,076.5	1,546.6	Dairy	HQ	New
Stewhills Farm, LLC 950 Muddy Creek Forks Rd. Airville, PA 17302	York	140.4	737.84	Swine, Beef	NA	New
Blue Springs Farm 174 Stair Ln Berline, PA 15530	Somerset	432.9	744.6	Swine, Beef	None	Renewal
Hillcrest Saylor Dairy 947 Hatch Hollow Road Rockwood, PA 15557	Somerset	1,810.7	1,539.2	Dairy	HQ	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a

concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Application No. 3520503, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 1775 N. Main Street Honesdale, PA 18431
Township and County	Roaringbrook Township Lackawanna County
Responsible Official	Mr. Paul Brindle Division Field Supervisor Aqua Pennsylvania, Inc. 1775 N. Main Street Honesdale, PA 18431
Type of Facility	PWS
Consulting Engineer	Mr. David Hopkins, P.E. Entech Engineering, Inc. 201 Penn Street P.O. Box 32 Reading, PA 19603
Application Received Date	August 11, 2020
Description of Action	Application proposes the installation of pH adjustment chemical treatment facilities (25% sodium hydroxide solution) to the Jonslea Well site for general corrosion control purposes and not per the Department's Lead and Copper Rule.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to

use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s) proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Neve Site, 101 Washington Street, Conshohocken Borough, **Montgomery County**. Jeffery Christopher, Geo-Technology Associates, Inc., Quakertown, PA 18951 on behalf of Chris Sencindiver, High Street Conshohocken I, LLC, 300 Conshohocken State Road, Conshohocken, PA 19428 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with benzo(a)-anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, indeno (1,2,3-cd) pyrene, dibenzo (a,h) anthracene, arsenic, vanadium and tetrachloroethene. The proposed future use includes redevelopment for residential purposes. The proposed cleanup standards for the site are the Site-Specific Standard/Background Standard. The Notice of Intent to Remediate was published in the *News Herald* on July 28, 2019.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

PA State Police Astor Drive Mercury Release, 4370 Astor Drive, Orefield, PA 18069, South Whitehall Township, **Lehigh County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of PA State Police, 2390 Airport Road, Bethlehem, PA 18017, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of mercury. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Lehigh Valley Press* on May 6, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Rose BRA Pad, 2055 Bridge Street Hill Road, Towanda Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 300 N 2nd Street, 5th FL, Harrisburg, PA 17101, has submitted a Notice of Intent to Remediate, concerning the remediation of site soil contaminated with produced water. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soil. A summary of the Notice of Intent to Remediate was published in *The Daily Review* on August 6, 2020.

Valley Energy, Inc., 529 South Keystone Avenue, Sayre Borough, **Bradford County**. Moody and Associates, Inc., 11548 Cotton Road, Meadville, PA 16335, on behalf of Valley Energy, Inc., 523 South Keystone Avenue, Sayre, PA 18840, has submitted a Notice of Intent to Remediate, concerning the remediation of site soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Non-Residential Statewide Health Standard for soil. A summary of the Notice of Intent to Remediate was published in the *Morning Times* on September 16, 2019.

Stoneroad Trucking, LLC Project, 2197 Snyderstown Road, Upper Augusta Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Stoneroad Trucking, LLC, 346 Rose Road, Paxinos, PA 17860, has submitted a Notice of Intent to Remediate, concerning the remediation of site soil contaminated with diesel fuel and hydraulic fluid. The applicant proposes to remediate the site to meet the Non-Residential Statewide Health Standard for soil. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on July 16, 2020.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Club One & Village of Eastside, Pittsburgh City, Allegheny County. Bruce A. Shaw, P.G., American Geosciences, Inc., 3925 Reed Blvd., Ste. 400, Murrysville, PA 15668, on behalf of Todd Reidbord, Walnut Capital Management, Inc., 5500 Walnut St., Ste. 300, Pittsburgh, PA 15232, has submitted a Notice of Intent to Remediate. Up until the late 1960s, businesses at the Property included gasoline stations, dry cleaners, automobile repair and painting businesses, and ice companies. The East Liberty Railway Station was in the northern portion of the Property until sometime between 1959 and 1969. Analysis of samples collected at the property has identified impacts to soil and groundwater by gasoline-related hydrocarbons including benzene, ethylbenzene, total xylenes, cumene, cyclohexane, naphthalene, 1,3,4-trimethylbenzene, and 1,3,5-trimethylbenzene. In addition,

soil at areas of the property was found to be impacted by arsenic, lead, and benzo(a)pyrene as a result of historical fill placement. The preliminary intended future use of the Property is a combination of residential and nonresidential uses. This was published in the *Pittsburgh Post-Gazette* on July 10, 2020.

EQT Strobe Well Pad, Franklin Township, Greene County. David R. Kerschner, P.G., KU Resources Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of David Crayne, EQT Corp., 625 Liberty Ave., Pittsburgh, PA 15222, has submitted a Notice of Intent to Remediate. Washout of an underground dump line behind the GPUs resulted in produced fluids being visible on the surface of the pad and impacting site soils. Known constituents to be addressed include aluminum, barium, boron, chloride, iron, lithium, manganese, strontium, vanadium, zinc, & selenium. The intended future use of the property is to remain a well pad until final reclamation of the well pad in accordance with the approved permits. This was published in the *Observer-Reporter* on August 10, 2020.

Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

CVS Pharmacy Store No. 5093, 100 Market Street, City of Warren, **Warren County**. Ransom Consulting, LLC, 2127 Hamilton Avenue, Hamilton, NJ 08619 on behalf of Pennsylvania CVS Pharmacy, LLC, One CVS Drive, Woonsocket, RI 02895 has submitted a Notice of Intent to Remediate. The site historically operated as a gasoline service station. Monitoring activities have identified site soil and site groundwater to be contaminated with Benzene, Toluene, Ethylbenzene, Total Xylenes, Isopropylbenzene, Naphthalene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, 1,2-Dichloroethane, 1,2-Dibromomethane, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Lead, and Vanadium. The intended future use of the property is commercial. The Notice of Intent to Remediate was published in the *Times Observer* on August 7, 2020.

RESIDUAL WASTE GENERAL PERMITS

Application(s) for Renewal Administratively Complete Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

General Permit No. WMGR123SW024. Mon River Dock Company, P.O. Box 400, Laughlintown, PA 15655-4000. A permit renewal application for continued coverage under General Permit WMGR123 for the processing and beneficial use of oil and gas liquid waste at the Karen Dock Facility, 810 Lowhill Rd., Brownsville, PA 15417 in East Bethlehem Township, **Washington County**, was deemed administratively complete by the Regional Office on August 12, 2020.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit(s) Issued under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit No. WMGR081SW003: Material Recovery Solutions LLP, 3297 Cumberland Highway, Meyersdale, PA 15552. Determination of Applicability (DOA) under residual waste General Permit WMGR081 for the processing prior to beneficial use of source separated waste electronics at Material Recovery Solutions LLP, 3297 Cumberland Highway, Meyersdale, PA 15552 in Larimer Township, **Somerset County** was approved in the Southwest Regional Office on August 13, 2020.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Renewal Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 101538. WSI Sandy Run Landfill, Inc., 995 Landfill Road, P.O. Box 136, Hopewell, PA 16650, Broad Top Township, **Bedford County**. An application for a permit renewal was submitted by WSI Sandy Run Landfill, Inc., for continued operation of the Sandy Run Landfill located in Broad Top Township, Bedford County. The current permit expires June 5, 2021. This application was deemed administratively complete by the Southcentral Regional Office on August 6, 2020.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of, the application.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 301358. Phoenix Resources, Inc., 782 Antrim Road, Wellsboro, PA 16901, Duncan Township, **Tioga County**. Application for re-

newal for the permit to operate the Phoenix Resources Residual Waste Landfill. The renewal application was received by the Northcentral Regional Office on July 30, 2020.

Comments concerning the application should be directed to Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the general permit application may contact the Williamsport Regional Office, 570-327-3752. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E,

or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

38-03003E: Bayer Healthcare, LLC (400 West Stoeber Avenue, Myerstown, PA 17067) for the installation of a Combined Heat and Power (CHP), 2.0 MW, Siemens Model KG2 3G (or similar) natural gas fired combustion turbine. The turbine will be equipped with a heat recovery steam generator (HRSG). NO_x emissions will be controlled by a Dry Low Emissions (DLE) combustion system. The CHP system will be installed at the Myerstown plant located in Myerstown Borough, **Lebanon County**. The expected increases in facility potential emissions as a result of the changes proposed are: NO_x 8.3 tpy, CO 5.1 tpy, SO_x 0.1 tpy, PM₁₀ 0.1 tpy, VOC 0.2 tpy and Formaldehyde 0.1 tpy. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60 Subpart KKKK—Standards of Performance for Stationary Combustion Turbines. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

43-322B: Thompson Fabricating Inc. (P.O. Box 432, Wheatland, PA 16161-0432) for the construction of a surface coating booth. This facility manufactures steel fabrications for the waste industry. The new source will be located at 60 Council Avenue, Wheatland, PA 16161 in Wheatland Borough, **Mercer County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only Operating Permit at a later date.

Plan approval No 43-322B is for the construction of a new paint booth, which will replace the existing one at the facility. The Plan Approval will contain emission restrictions and testing, recordkeeping, reporting, work practice and additional requirements, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

Site:

- The permittee shall maintain records of coatings used and on a monthly basis calculate the facility VOC and HAP emission totals for the previous 12 month rolling period.

- The permittee shall submit an annual AIMS report on March 1, outlining facility emissions.

Source 105:

- The permittee shall use coatings compliant with 25 Pa. Code § 129.52d.

- The permittee shall perform weekly inspections of the panel filters and create records of inspections.

All conditions from the facility operating permit issued on July 21, 2020, remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP Office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments; identification of the proposed plan approval 43-322B; and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting

a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the previously listed public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State Only Operating Permits or §§ 127.521 to 127.524 for Title V operating permits.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Plan Approval for installation of emergency generators at the following facility:

IP20-000295: Federal Reserve Bank of Philadelphia (10 Independence Mall, Philadelphia, PA 19106) for the installation of new emergency generators at a bank by replacing existing emergency generators in the City of Philadelphia, **Philadelphia County**. The following significant stationary air emission sources are part of the Plan Approval: two (2) emergency generators firing diesel fuel each having rated capacity of 1,865 HP and two (2) emergency generators firing diesel fuel each having rated capacity of 4,218 HP. The potential emission increases from the installation are as follows:

(1) 10.18 tons per year (tpy) of Nitrogen Oxides (NO_x), (2) Less than 1 tpy of Carbon Monoxide (CO) and Particulate Matter (PM), and (3) 2.18 tpy of Total Organic Compound (TOC). The combined natural gas and No. 2 fuel oil usage for the existing boilers shall not exceed 272 million standard cubic foot per rolling 12-month period (MMSCF/yr) and 2,800 gallons per rolling 12-month period respectively. The plan approval will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The plan approval will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed plan approval must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the plan approval or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

58-00001: Tennessee Gas Pipeline Company/Compressor Station 321 (1001 Louisiana Street, Houston, TX 77002). The Department intends to issue a modification to the Title V Operating Permit for the natural gas transmission station in Clifford Township, **Susquehanna County**. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The proposed modification to the Title V operating permit addresses the installation of an upgraded turbine core and the related emissions to the unit and incorporates all applicable air quality requirements.

The primary sources at this facility consist of natural gas solar turbines, a natural gas fired boiler, heating furnaces, and space heaters. The Title V Operating Permit includes emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00261: US Tape Company, Inc. (2452 Quakertown Road, Pennsburg, PA 18073-1010), for the renewal of a State Only, Synthetic Minor Operating Permit in Upper Hanover Township, **Montgomery County**. US Tape manufactures two types of steel measuring tapes at this facility. The production process consists of a printing operation and a nickel-plating operation. Each of the two types measuring tapes produced have a steel substrate, while one is printed and clear lacquered and the other is nickel plated and then clear lacquered. The primary pollutant produced is Volatile Organic Compounds (VOC). There is no change to the operations, or any emission increases with the renewal of the operating permit. US Tape Company maintains its status as a minor facility by limiting the VOC emissions to less than 24.90 tons per year. The renewed permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

45-00007: National Electric Carbon Products/East Stroudsburg (100 Mill Creek Road, East Stroudsburg, PA 18301-1122). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the manufacture of Carbon and Graphite Products located in East Stroudsburg Borough, **Monroe County**. The primary

sources consist of kilns, mixers, and bake ovens. The control devices are baghouses and afterburners on the bake ovens. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00101: Bimbo Bakeries USA Inc., Lehigh Valley Plant (150 Boulder Drive, Breinigsville, PA 18031-1838). The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the manufacture of bread, cake, and related products located in Upper Macungie Township, **Lehigh County**. The primary sources consist of roll ovens and a bread oven. The control devices are a catalytic oxidizer. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00070: Prime Conduit Inc./Upper Nazareth (26961 Lake Rd., Bay Village, OH 44140). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the manufacture of noncurrent-carrying wiring devices located in Upper Nazareth Township, **Northampton County**. The primary sources are extrusion lines and storage silos. The control devices are dust collectors. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00108: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17104-1645). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the operation of a stone quarry operation in Jenkins Township, **Luzerne County**. The primary sources consist of three crushers and associated screens and conveyors. The sources are controlled by a water spray system. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

13-00015: Arfan, Inc., Palmerton Facility (525 Delaware Ave., Palmerton, PA 18071-1910). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the human crematory facility located in the Borough of Palmerton, **Carbon County**. The primary sources consist of one (1) crematory incinerator. The control device consists of an afterburner. The source is considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total

suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-03184: Solo Laboratories, Inc. (415 South Laurel Street, Kutztown, PA 19530-9332) to issue a State-Only Operating Permit for the operation of their custom podiatry orthotics manufacturing facility in Kutztown Borough, **Berks County**. Potential emissions from the facility are estimated to be 11.8 tpy of VOCs, 3.7 tpy of a single HAP (toluene), and 6.4 tpy of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

14-00038: Valley Enterprise Container, LLC (111 Eagleville Road, P.O. Box 230, Blanchard, PA 16826) to issue a renewal State Only Operating Permit for their Liberty Township Plant facility located in Liberty Township, **Centre County**. The facility is currently operating under State Only Operating Permit 14-00038. The facility's main sources include seven small combustion units with a total combined maximum heat input rating of 1.32 MMBtu/hr, a surface coating operation controlled by filters, a 432 brake horsepower diesel engine, and a 277 brake horsepower diesel engine. The facility has potential annual emissions of 10.01 tons of carbon monoxide, 15.10 tons of nitrogen oxides, 13.34 tons of particulate matter (including particulate matter less than 10 microns in size and particulate matter less than 2.5 microns in size), 3.01 tons of sulfur oxides, 17.93 tons of volatile organic compounds, 2.40 tons of hazardous air pollutants, and 2,313 tons of carbon dioxide equivalent. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, 40 CFR Part 60 Subpart IIII, and 40 CFR Part 63 Subparts ZZZZ. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

59-00014: Wellsboro Small Animal Hospital, P.C. (12043 Route 287, Middlebury Center, PA 16935) to issue a renewal State Only Operating Permit for their Veterinary Medical Center facility located in Richmond Township, **Tioga County**. The facility is currently operating under State Only Operating Permit 59-00014. The facility's main sources include one crematory with propane-

fired burners with a total combined maximum rated heat input of 2.0 MMBtu/hr. The facility has potential annual emissions of 0.70 ton of carbon monoxide, 0.84 ton of nitrogen oxides, 0.06 ton of particulate matter (including particulate matter less than 10 microns in size and particulate matter less than 2.5 microns in size), 0.04 ton of volatile organic compounds, 0.02 ton of hazardous air pollutants, and 1,024 tons of carbon dioxide equivalent. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

08-00001: Tennessee Gas Pipeline Company, LLC (1001 Louisiana Street, Houston, TX 77002). The Department intends to issue an initial State Only Permit for their 319 Wyalusing Compressor Station facility located in Wyalusing Township, **Bradford County**. The facility is currently operating under Plan Approval 08-00001B pending issuance of the new State Only Permit for the facility. The listed sources in operation at the facility consist of a Solar Titan 130 gas turbine compressor (Source ID P201) used for pipeline natural gas transmission, one (1) emergency generator-engine (Source ID P103A), fugitive sources such as valves, flanges, etc. (104), storage tanks (105), and compressor blowdowns and other gas venting activities including pneumatic devices (P301). Facility wide potential emissions for nitrogen oxides (NO_x , expressed as NO_2), carbon monoxide (CO), volatile organic compounds (VOCs), sulfur oxides (SO_x , expressed as SO_2), PM_{10} and $\text{PM}_{2.5}$, hazardous air pollutants (HAPs), and greenhouse gases (GHGs, expressed as CO_2e) are determined to be equal to approximately equal to these rates: 24.9 tons per year (TPY) for NO_x ; 54.1 TPY for CO; 3.6 TPY for VOCs; 9.2 TPY for SO_x ; 4.5 TPY for PM_{10} and $\text{PM}_{2.5}$; 1.4 TPY for HAPs; and 78,678 TPY for GHGs. The Solar Titan 130 compressor turbine/Source ID P201 is subject to the Standards of Performance for Stationary Combustion Turbines as codified in 40 CFR Part 60 Subpart KKKK as well as Best Available Technology (BAT). The emergency generator-engine is subject to the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines as codified 40 CFR Part 60 Subpart JJJJ. Moreover, the facility leaks are subject to State and Federal Leak Detection and Repair requirements. All applicable air quality regulatory requirements pertaining to the air contaminant sources located at this facility have been incorporated into the permit including appropriate testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance. The applicable requirements were derived from 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

49-00030: Glen Raven Custom Fabrics LLC (1150 Walnut Street Ext, Sunbury, PA 17801) to issue a renewal State Only Operating Permit for their Sunbury facility located in City of Sunbury, **Northumberland County**. The facility's main sources include two natural gas fired boilers. The facility has potential annual emissions of 16.19 tons per year of nitrogen oxides, 13.60 tons per year of carbon monoxide, 0.10 ton per year of sulfur oxides, 1.23 ton per year of particulate matter, 0.89 ton per year of volatile organic compounds including total hazardous air pollutants (HAPs). The potential emissions for all criteria pollutants decreased due to removal of two emergency engines at the facility. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Title 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60, 63 and 98. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

26-00002: Henwil Corporation/Newell Works (899 Third Street, Newell, PA 15466). In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Henwil Corporation to authorize the continued operation of their plant to manufacture aluminum sulfate, calcium nitrate, and poly diallyl dimethyl ammonium chloride (poly-DADMAC) chemicals located in Newell Township, **Fayette County**.

The facility consists of a 10,000-gallon DADMAC storage tank, 12,700-gallon Nitric Acid storage tank, 14,000-gallon Sulfuric Acid storage tank, a 9.96 MMBtu/hr natural gas boiler, a 504 bhp diesel emergency generator, Aluminum Trihydrate storage pad, cooling tower, a 5.02 MMBtu/hr boiler and a 0.56 MMBtu/hr boiler. The facility wide estimated potential emissions are 5.80 tons per year of PM_{10} , 11.01 tons per year of NO_x , 0.70 ton per year of VOCs, 6.40 tons per year of CO and 19.42 tons per year of SO_x . The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145 and Federal Regulations (ZZZZ).

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (26-00002) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Henwil Corporation State Only Operating Permit Application, the Department's Air Quality Review Memorandum

dum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Henwil Corporation State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00220: ESM Group, Inc. (995 Saxonburg Blvd, Saxonburg, PA 16056-2317). The Department intends to renew a State Only Operating Permit for the facility located on Myoma Road in Adams Township, **Butler County**. The facility is a Natural Minor. Potential Emissions are as follows: 16.8192 tpy Particulate Matter; 8.4096 tpy PM₁₀. The primary sources at the facility include truck dumping of raw materials, blending of raw materials, materials handling, materials mixing & bagging, storage silos, a weigh-out station, and 2 parts washers. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

42-00154: Bradford Regional Medical Center (116 Interstate Parkway, Bradford, PA 16701), the Department intends to issue the renewal of the State-Only Operating Permit of a healthcare institution located in Bradford City, **McKean County**. Permitted air contamination sources are two gas-fired/oil-fired boilers and two emergency diesel generators. The facility is Natural Minor for permitting purposes. In this renewal, changes in 25 Pa. Code § 123.22 as amended on July 25, 2020 are incorporated. Operating hour restrictions are added to assure the gas-fired/oil-fired boilers' exemption from 40 CFR 63 Subpart JJJJJJ. With the exception of § 60.48c(g), sections and provisions of 40 CFR 60 Subpart Dc are removed. For one emergency diesel generator, permit conditions based on the RFD exempting the source from plan approval requirements are removed. Source test submittals are revised based on Source Testing Section's latest instructions.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA. 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Natural Minor Operating Permit for operation of air pollution sources at the following facility:

OP20-000020: Ayer Condominium (210 West Washington Sq, Philadelphia, PA 19106) for the operation of condominiums, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include six (6) boilers firing natural gas as primary fuel each rated less than 1 MMBtu/hr, one (1) emergency generator and one (1) fire pump firing diesel fuel rated 476 HP and 145 HP respectively. The operating permit will contain operat-

ing, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

45-00031C: Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Ardent Mills, LLC** (258 Harvest Lane, Pocono Summit, PA 18344) for their facility located in Tobyhanna & Pocono Twp., Pocono Borough, **Monroe County**. This Plan Approval No. 45-00031C will be incorporated into a State Only Operating Permit through an administrative amendment at a later date.

Plan Approval No. 45-00031C is for the replacement of an existing baghouse filter operating at the facility with a new higher capacity baghouse filter to control particulate emissions from wheat receiving area. This facility is a Non-Title V facility. Proposed new baghouse will collect 99.9% of particulate emissions generated from the wheat receiving area operations before discharging into atmosphere. Estimated particulate emissions will be less than 0.031 ton/year. The use of baghouse capable of removing 99.9% of emissions meets Department's BAT criteria for this type of process. The company will operate the sources and maintain the system in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments; identification of the proposed permit No. 45-00031C; and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Engineer Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone number 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated

above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

30831303 and NPDES Permit No. PA0013511. Cumberland Contura, LLC, 158 Portal Road, P.O. Box 1020, Waynesburg, PA 15370, to revise the permit and related NPDES permit to revise 2,855.0 underground and subsidence control plan area acres from development mining only to longwall mining in the West Greene District for Cumberland Mine in Center and Jackson Townships, **Greene County**. No additional discharges. The application was considered administratively complete on August 6, 2020. Application received: June 1, 2020.

56743705 and NPDES Permit No. PA0235695. Rosebud Mining Company, 301 Market Street, Kittanning, PA 162201, to renew the permit and related NPDES permit for Mine 78 CRDA in Paint Township, **Somerset County** and Adams Township, **Cambria County**. No additional discharges. The application was considered administratively complete on August 6, 2020. Application received: June 29, 2020.

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

17080101 and NPDES PA0256692. RES Coal LLC, 51 Airport Road, Clearfield, PA 16830, permit renewal for reclamation only of a bituminous surface coal mine located in Beccaria Township, **Clearfield County** affecting 217.1 acres. Receiving stream(s): Unnamed Tributary to Dewitt Run, Dewitt Run, Unnamed Tributaries to Clearfield Creek and Clearfield Creek classified for the following use(s): CWF, WWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: August 7, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).

Permit 7574SM1 and NPDES No. PA0594300. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, permit modification to change the permit boundary acreage from 167.30 acres to 153.09 acres on a large noncoal (industrial minerals) operation permit located in Silver Spring Township, **Cumberland County**. Receiving streams: Conodoguinet Creek, classified for the following uses: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 14, 2020.

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

08830301 and NPDES PA0608874. Dalrymple Gravel & Contracting Co., Inc., 2105 South Broadway, Pine City, NY 14871, renewal for an existing NPDES on a large noncoal surface mining site located in Athens Township, **Bradford County** affecting 337.3 acres. Receiving stream(s): no outfalls directly to streams. Application received: August 6, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse

disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100, (Contact: Bonnie Herbert).

NPDES No. PA0236519 (Mining Permit No. 30161301), The Marshall County Coal Company, 46226 National Road, St. Clairsville, OH 43950, a new NPDES and mining activity permit for storm water discharges associated with the 6 North 6 South Air Shaft, a support facility for the Marshall County Mine in Aleppo Township, **Greene County**, affecting 12.3 surface acres and 836.0 underground acres. Receiving stream(s): Unnamed Tributary to Unnamed Tributary 32361 to Harts Run: WWF. The application was considered administratively complete: October 23, 2019. The application was received: October 16, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Unnamed Tributary to Unnamed Tributary 32361 to Harts Run

The proposed effluent limits for *Outfall 001* (Lat: 39° 48' 43" Long: - 80° 31' 01") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron ^c	(mg/l)	-	3.0	6.0	7.0
Manganese ^c	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	1.48	1.48
Suspended Solids ^c	(mg/l)	-	35	70	90
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The EPA Waiver is in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).

NPDES No. PA0262358 (Mining Permit No. 56090103), Mountaineer Mining Corporation, 1010 Garrett Shortcut Road, Berlin, PA 15530, renewal of an NPDES permit for continued reclamation in Brothersvalley Township, **Somerset County**, affecting 58.1 acres. Receiving stream(s): Unnamed Tributaries to Buffalo Creek, classified for the following use(s): cold water fishery. This receiving stream is included in the Buffalo Creek TMDL. Application received: July 17, 2020.

The following outfall discharges to Unnamed Tributary "A" to Buffalo Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 003 (Dry Weather) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)			Monitor Only
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 003 (≤10-yr/24-hr Precip. Event) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Outfalls: 003 (>10-yr/24-hr Precip. Event)
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The following outfalls discharge to Unnamed Tributary "B" to Buffalo Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004	N
005	N
006	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 004—006 (All Weather) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	3.64	3.64	3.64
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

NPDES No. PA0617661 (Mining Permit No. 02823014), IREIT Pittsburgh Settlers Ridge, LLC, 2901 Butterfield Road, Oak Brook, IL 60523, NPDES permit renewal for continued water treatment at a reclaimed surface coal mine in Robinson Township, **Allegheny County** affecting 0.404 acre. Receiving stream(s): UNT to Campbell's Run classified for the following use: WWF. The receiving stream is subject to the Chartiers Creek Total Maximum Daily Load. Application received: July 29, 2019.

The following treated wastewater outfall discharges to UNT to Campbells Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
002	N	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfall: 002</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Iron (mg/l)	3.0	6.0	7.0
Total Manganese (mg/l)	2.0	4.0	5.0
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90
Sulfate (mg/l)			
Osmotic Pressure (mOsm/kg)			Monitor & Report
Total Nickel (mg/l)*			Monitor & Report
Total Cadmium (mg/l)*			Monitor & Report
Total Silver (mg/l)*			Monitor & Report
Total Thallium (mg/l)*			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

*Monitor & Report based on effluent characterization.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E0901220-027, Borough of Perkasio, 620 West Chestnut Street, P.O. Box 96, Perkasio, PA 18944, Borough of Perkasio, **Bucks County,** ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with the Lenape Park Family ADA Restroom Building. The proposed project involves the installation of a restroom in the 100-year floodplain of the East Branch Perkiomen Creek (TSF-MF). The project proposes no stream, floodway, or wetland impacts.

The site is approximately located at Constitution Avenue at Lenape Park in Perkasio, PA (Telford, PA Lat. 40° 21' 55"; Long. -75° 17' 53") in the Borough of Perkasio, Bucks County.

Permit No. E2301220-028, Springbrooke Industrial LLC, 300 Conshohocken State Road, West Conshohocken, PA 19428, Aston Township, **Delaware County,** ACOE Philadelphia District.

Springbrooke Industrial LLC is proposing to place fill within two isolated palustrine forested wetland areas and an ephemeral watercourse associated with the construction of two industrial warehouses, access/parking areas, and stormwater management facilities. This activity will result in 0.17 acre of permanent wetland impact and 379.3 linear feet of permanent watercourse impact. A previously constructed 0.28 acre of wetland mitigation site was completed in association with an issued PADEP Water Obstruction and Encroachment Permit (E23-456) within the same project area and is considered compensation for the impacts previously stated.

This project is located near Springbrooke Boulevard and Pennell Road in Aston Township, Delaware County (USGS PA Aston; Upper Chichester Quadrangle—Latitude 39.854219 N, Longitude 75.430787 W).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E5802120-021, Pa Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Lathrop Township and Hop Bottom Borough, **Susquehanna County,** Army Corps of Engineers, Baltimore District.

To authorize the following water obstructions and encroachments associated with the SR 0011, Sections ERS and RS1 Safety Improvement Project:

1. To fill a de minimus area of PEM/PSS wetland equal to 0.01 acre immediately adjacent to SR 0011 for the purpose of reconstruction and grading of SR 0011.

2. To place fill in 2.01 acres of the floodway of Martins Creek (CWF, MF) for the construction/repair of outfalls, reconstruction and grading of SR 0011.

3. To place fill in 0.11 acre of the floodway of Tributary to Martins Creek (CWF, MF) (Stream GG) for the reconstruction and grading of SR 0011.

4. To construct and maintain an outfall structure in the floodway and watercourse of Tributary to Martins Creek (CWF, MF) (Stream FG) consisting of an existing 36" RCP discharging into a proposed R-6 riprap apron.

5. To place fill in 4.86 acres of the floodplain of Martins Creek (CWF, MF) for the construction/repair of outfalls, reconstruction and grading of SR 0011.

6. There are 21 waived activities proposed in the watercourse of multiple Tributaries to Martins Creek (CWF, MF) consisting of outfalls and fill for the reconstruction and grading of SR 0011.

The proposed project is located along the SR 0011 (Hop Bottom, PA Quadrangle, North limit of project: Latitude: 41° 43' 12.92"; Longitude: -75° 45' 59.43"; Southern limit of project: Latitude: 41° 40' 3.02"; Longitude: -75° 46' 50.54") in Lathrop Township and Hop Bottom Borough, Susquehanna County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0603220-024 or E06-711 Amendment. Western Berks Water Authority, 91 Water Road, Sinking Spring, PA 19608, Lower Heidelberg Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

Original:

To construct and maintain a 48-inch diameter raw water line in and along the floodway and floodplain of Tulpehocken Creek (CWF, MF) permanently impacting 41,000 square feet of floodway from grading to accommodate the line, and to construct and maintain a 48-inch diameter in and across a UNT to Tulpehocken Creek (CWF, MF) permanently impacting 20 linear feet (Latitude 40° 21' 53", Longitude -76° 1' 34") for the purpose collecting raw water from the Blue Marsh Dam impoundment. The project is located along just downstream of the Blue Marsh Dam in Lower Heidelberg Township, Berks County.

Current impacts proposed:

370 sq. ft. of temporary impacts to UNT Tulpehocken Creek (CWF, MF), 1,950 sq. ft. of permanent and 39,000 sq. ft. of temporary floodway impacts, 0.17 acre of wetland impacts (627 sq. ft. permanent and 6,896 of temporary wetland impacts).

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1404220-022: Haines-Woodward Municipal Authority, P.O. Box 147, Woodward, PA 16882, Haines Township, **Centre County**, U.S. Army Corps of Engineers Baltimore District (Woodward Quadrangle; Latitude 40° 53' 33" N; 77° 20' 59" W).

The applicant is proposing to install a new two-inch HDPE waterline parallel to and under an unnamed tributary to Pine Creek to connect a new public water well to the existing water treatment system in Haines Township, Centre County. The new waterline will be located beside an existing six-inch cast iron main line. As proposed, permanent impacts will be 3 square feet of stream and 182 square feet of floodway. Temporary impacts will be 97 square feet of stream and 726 square feet of floodway.

E4104120-028. Pennsylvania Department of Transportation, Engineering District 3-0, P.O. Box 218 Montoursville, PA 17754-0218. S.R. 0087 Section 0130, Loyalsock Creek Bank Stabilization, Plunketts Creek Twp., **Lycoming County**, Baltimore ACOE (Montoursville North, PA Quadrangle N: 41° 20' 16"; W: -76° 55' 06").

PA DOT Engineering District 3-0 proposes to restore the roadway side slope and creek bank along SR 0087. The left Loyalsock Creek bank was damaged during high water events in 2016 and 2018. An emergency permit was issued during each flooding event to stabilize the roadway. This permit application is a follow up to the two emergency permits. The project includes 500 L.F. of R-8 Rip Rap stabilization along the left bank of Loyalsock Creek. The project also includes sheet piling placed within the Rip Rap area to a height of approximately 15 ft. The project will not impact any jurisdictional wetlands. Loyalsock Creek is classified as an Exceptional Value Stream by 25 Pa. Code Chapter 93 Water Quality Standards.

E0804220-024. Athens Township, 45 Herrick Ave, Sayre, PA 18840. T-105 Thomas Ave Bridge Replacement, Athens Township, **Bradford County**, Baltimore ACOE (Sayre, PA Quadrangle N: 41° 59' 18"; W: -76° 30' 27").

Athens Township proposes to replace a Single Span Pratt Thru Truss Bridge with a Single Span Steel Multi-Girder Bridge over Cayuta Creek. The existing bridge has a span of 152.5 Ft., a skew of 90 degrees, an underclearance of 15.0 Ft., and a low chord of 768.88 Ft. and a hydraulic opening of 2,286 Ft². The proposed structure has a span of 171.5 Ft., a skew of 90 degrees, an underclearance of 12.5 Ft., and a low chord of 765.99 Ft. and a hydraulic opening of 1,986 Ft². Both the existing and proposed structures will convey the 100-year storm. The proposed structure will utilize Grouted R-8 Rip Rap scour protection around the abutments and wingwalls. The proposed structure is beyond the thresholds to meet GP-11. The project will utilize a detour to convey traffic during construction. The project will utilize a phased cofferdam and causeway system to convey the stream during construction. The existing structure is considered a historic structure. The existing structure will be removed and reused as part of the Marsh Creek Greenway project for pedestrian traffic. The project was found to have no adverse effect on the historic structure. The project will temporarily impact 0.02 acre and permanently impact 0.01 acre of jurisdictional wetlands. Cayuta Creek is classified as a Cold-Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E0205220-024, Central Diesel Power Company, 222 Foxhurst Drive, Pittsburgh, PA 15238, City of Pittsburgh, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Amend Permit No. E02-122 which authorized the existing mooring cells and captive barge located along the Monongahela River (WWF-N).

2. Construct, operate, and maintain two 60-foot by 8-foot floating boat docks off of an existing mooring system along the Monongahela River.

3. Construct, operate, and maintain a 155-foot concrete ADA ramp and concrete sidewalk with aluminum railings, and 35-foot steel gangway located in the floodway of the Monongahela River.

For the purpose of enhancing rowing operations by a local high school and providing improved access to the proposed docks. Cumulatively, the project will permanently impact 0.02 acre of the Monongahela River, and 0.1 acre of the floodway of the Monongahela River. The project site is located approximately 0.25 mile northwest of the intersection of Blair River Road and Hazelwood Ave. (Pittsburgh East, PA USGS topographic quadrangle; N: 40°, 24', 48.8"; W: -79°, 57', 6.51"; Sub-basin 19A; USACE Pittsburgh District), in the City of Pittsburgh, Allegheny County.

E0205220-025, 23RR Associates, LLC, 2645 Railroad Street, Suite 3222, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct and maintain approximately 1 foot of fill 44 LF wide by 142 LF long within the floodway of the Allegheny River (WWF).

2. Construct and maintain within this fill area an asphalt driveway, paved pedestrian plaza, landscaped area, stormwater infrastructure, electrical infrastructure, and tree plantings.

For the purpose of constructing a multistory housing development and associated building facilities. The project also proposes to improve access to the Three Rivers Heritage Trail.

Project activities will permanently impact .141 acre of the Allegheny River Floodway.

The project site is located at 23rd Street, Pittsburgh, PA 15222 (City of Pittsburgh, PA USGS topographic quadrangle; N: 40°, 27', 15.3"; W: -79°, 59', 0.38"; Sub-basin 19A; USACE Pittsburgh District), in City of Pittsburgh, Allegheny County.

E3005120-024, PennDOT District 12-0, 825 North Gallatin Ave Ext, Uniontown, PA 15401, Perry Township, **Greene County**; Pittsburgh ACOE District.

The applicant proposes to:

Remove the existing 9.5' wide, 6.2' high, 34.17' long Concrete Slab Bridge, and construct and maintain a replacement 11' wide, 5.5' high, 34.54' long Concrete Box Culvert, having a permanent impact of 103 LF to Shannon Run (WWF).

Place and maintain R-6 rip rap, log deflectors and toe log cribbing along the bank of Wades Run (WWF).

The project will permanently impact approximately 103' by 10' of the Shannon Run (WWF) and 238' by 17' of Wades Run (WWF).

For the purpose of replacing the structure carrying S.R. 0019 over Shannon Run (WWF).

The project site is located near the intersection of Wades Run Road and S.R. 0019 (Garards Fort, PA USGS topographic quadrangle; N: 39°, 43', 43"; W: -80°, 3', 44"; Sub-basin 20C; USACE Pittsburgh District), in Perry Township, Greene County.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D52-180. Wild Acres Lakes Property Owners Association, 116 Wild Acres Drive, Dingmans Ferry, PA 18328. To modify, operate and maintain North Lake Dam across tributary to Hornbecks Creek (HQ-CWF, MF), impacting 0.03 acre of wetlands (PFO) for the purpose of rehabilitation of existing dam to meet current regulations (Lake Maskenozha, PA Quadrangle Latitude: 41.211107; Longitude: -74.954624) in Delaware Township, **Pike County**.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and

other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0042781 (IW) Issued	Mt Joy Wire Manufacturing 1000 E Main Street Mount Joy, PA 17552-9332	Lancaster County Rapho Township	Little Chiques Creek (TSF, MF) and Unnamed Tributary to Little Chiques Creek (TSF, MF) (7-G)	Y
PA0084026 (Sewage) Issued	Northwestern Lancaster County STP 97 N Penryn Road Manheim, PA 17545-9326	Lancaster County Penn Township	Chiques Creek (WWF) (7-G)	N
PA0085073 (Sewage) Issued	Wood Broad Top Wells Joint Municipal Authority P.O. Box 7 Wood, PA 16694-0007	Huntingdon County South Wood Township	Unnamed Tributary to Great Trough Creek (TSF) in Watershed(s) 11-D	Y
PA0008761 (IW) Issued	Armstrong World Industries Inc. 1507 River Road Marietta, PA 17547-9403	Lancaster County East Donegal Township	Susquehanna River (WWF), Unnamed Tributary to Susquehanna River (WWF), and Susquehanna River (WWF, MF) (7-G)	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0228923 (Sewage)	Pine Cradle Lake Campground 220 Shoemaker Road Ulster, PA 18850-8343	Bradford County Rome Township	Unnamed Tributary to Parks Creek (CWF) (4-D)	Yes
PA0042722 (Sewage)	Dushore Sewer Authority P.O. Box 248 Dushore, PA 18614—0248	Sullivan County Dushore Borough	Little Loyalsock Creek (EV (existing use)) (10-B)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0203661—A1 (Industrial)	Reaxis Inc. P.O. Box 279 941 Robinson Highway McDonald, PA 15057-0279	Washington County Robinson Township	Unnamed Tributary of Robinson Run (WWF) (20-F)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0000906 (Industrial)	Westinghouse Ele Co. Waltz Mill Service Center P.O. Box 158 Waltz Mill Facility Madison, PA 15663-0158	Westmoreland County Sewickley Township	Unnamed Tributary of Sewickley Creek (WWF) and Unnamed Tributary to Sewickley Creek (WWF) (19-D)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES Permit No. PA0034576, Sewage, SIC Code 4952, **Towanda Municipal Authority Bradford County**, 724 Main Street, Towanda, PA 18848.

This existing facility is located in Towanda Borough, **Bradford County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636.

WQM Permit No. 4112406 A-2, Sewage, SIC Code 4952, **West Branch Region Authority**, P.O. Box 428, Muncy, PA 17756-0428.

This existing facility is located in Clinton Township, **Lycoming County**.

Description of Proposed Action/Activity: Upgrade of existing conveyance lines.

NPDES Permit No. PA0034576, Sewage, SIC Code 4952, **Towanda Municipal Authority Bradford County**, 724 Main Street, Towanda, PA 18848.

This existing facility is located in Towanda Borough, **Bradford County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

WQM Permit No. 0220401, Sewage, SIC Code 4952, **Moon Township Municipal Authority**, 1700 Beaver Grade Road, Moon Township, PA 15108.

This proposed facility is located in Moon Township, **Allegheny County**.

Description of Proposed Action/Activity: The applicant proposes to construct a sanitary sewer extension along Hershinger Road and serving Phase 1 of the Village at Marketplace Residential Land Development.

WQM Permit No. 0420200, Industrial, SIC Code 9999, **AK Steel Corp**, P.O. Box 832, Butler, PA 16003.

This proposed facility is located in Harmony Township, **Beaver County**.

Description of Proposed Action/Activity: The construction and operation of an industrial wastewater treatment system, consisting of an oil/water separator, an equalization tank, pre-filtration, carbon adsorption, post-filtration, and a discharge tank, for the treatment of contaminated groundwater collected by an under-drain system associated with a historic industrial landfill.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150165	Planebrook Partners, LLC 2298 Horseshoe Pike Honey Brook, PA 19344	Chester	Wallace Township	East Branch Brandywine Creek HQ-TSF-MF
PAD510048	PennDOT Engineering District 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406	Philadelphia	City of Philadelphia	Frankford Creek WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350016 Authorization/ Issuance	PPL Electric Utilities Corporation 2 North 9th Street GENN 4 Allentown, PA 18101	Lackawanna	Moscow Borough Madison Township	Roaring Brook (HQ-CWF, MF) Bear Brook (HQ-CWF, MF) Kellum Brook (HQ-CWF, MF) UNT to Roaring Brook (HQ-CWF, MF) UNT to Bear Brook (HQ-CWF, MF) UNT to Kellum Brook (HQ-CWF, MF)
PAD390135 Authorization/ Issuance	South Shore Acquisitions, LP 404 N Sumneytown Pike Suite 200 North Wales, PA 18041	Lehigh	Upper Milford Township	Leibert Creek (HQ-CWF, MF)
PAD390119 Authorization/ Issuance	TOA Locust Valley, LLC 1235 Westlakes Dr Suite 300 Berwyn, PA 19312	Lehigh County and Bucks County	Upper Saucon Township and Springfield Township	Laurel Run (CWF, MF) EV Wetlands, UNT to Tohickon Creek (TSF, MF)
PAD450054 Authorization/ Issuance	DJ Holdings II, LLC 186 Murphy Run Stroudsburg, PA 18360	Monroe	Hamilton Township	McMicheals Creek (HQ-CWF, MF)
PAD480119 Authorization/ Issuance	Nazareth Area School District c/o Dennis Riker One Education Plaza Nazareth, PA 18064	Northampton	Bushkill Township	Bushkill Creek (HQ-CWF, MF)
PAD480128 Authorization/ Issuance	Amazon Transportation Engineering Services c/o Todd Plociniak 410 Terry Avenue N Seattle, WA 98109	Northampton	Bethlehem Township	Monocacy Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD050007 Issued	Ervin Zimmerman 850 Lafayette Road New Enterprise, PA 16664	Bedford	South Woodbury Township	UNT Three Springs Run (HQ-CWF, MF)

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Lawrence County Conservation District, 430 Court Street, New Castle, PA 16101, 724-652-4512.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD370007	Millennium Technology Park Lawrence County Economic Development Corporation Alex McCoy 325 East Washington Street New Castle, PA 16101	Lawrence County	Neshannock Township	Shenango River/WWF

Regional Permit Coordination Office: Domenic Rocco, PE, Program Manager, Rachel Carson State Office Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, 717-772-5987.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD360056 (Major Amendment to Individual NPDES Permit Approval)	Landis Homes Retirement Community 1001 East Oregon Road Lititz, PA 17543	Lancaster County	Manheim Township	Tributary to Conestoga River

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC150219	Kennett Gateway Townhomes LLC/Kennett Gateway Apartments LLC 300 Water Street Suite 300 Wilmington, DE 19802	Kennett Township Chester County	Unnamed Tributary to East Branch Red Clay Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090382	Alliance Partners HSP, LLC 40 Morris Avenue Suite 230 Bryn Mawr, PA 19010-3300	Bristol Township Bucks County	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230135	Township of Concord 43 S. Thornton Road Glen Mills, PA 19342	Concord Township Delaware County	Webb Creek TSF-MF Green Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC230164	Borough of Folcroft 1555 Elmwood Avenue Folcroft, PA 19032-1392	Folcroft Borough Delaware County	Tributary to Hermesprota Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC390108 Authoriza- tion/Issuance	Muhlenberg College 2400 Chew St. Allentown, PA 18104	Lehigh	Whitehall Township	Jordan Creek (TSF, MF)	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18401 610-391-9583
PAC400159 Authoriza- tion/Issuance	Kevin W O'Donnell Can Do INC 1 S Church St Hazleton, PA 18201	Luzerne	Hazle Twp	UNT to Stony Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC210042 A-1 Issued	Rider Musser Development, LLC 5 Kacey Court Suite 203 Mechanicsburg, PA 17055-9222	Cumberland	Upper Allen Township	UNT Yellow Breeches Creek (CWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC220238 Issued	Charter Homes at Laurel Hills, Inc. 1190 Dillerville Road Lancaster, PA 17601	Dauphin	Susquehanna Township	Paxton Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220051 Major Amendment Issued	Ameer Farhat 637 South River Road Halifax, PA 17032	Dauphin	Halifax Township	Powells Creek (TSF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220220 Issued	Vernon Petersheim 5326 Shippen Dam Road Elizabethville, PA 17023	Dauphin	Mifflin Township	UNT Deep Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220037 Issued	H-T Partners, Inc. P.O. Box 277 Landisville, PA 17538	Dauphin	Middletown Borough	Swatara Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220234 Issued	Republic Development Corporation P.O. Box 36 Mexico, PA 17056-0036	Dauphin	Washington Township	UNT Wiconisco Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100

NOTICES

4433

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC220110 Renewal Issued	Fulling Mill Road, LLC P.O. Box 291 Lititz, PA 17112	Dauphin	Lower Swatara Township	UNT Susquehanna River (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220147 Major Amendment Issued	UPS 401 Quality Circle Harrisburg, PA 17112	Dauphin	Lower Swatara Township	UNT Swatara Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC360532 Issued	Jonathan Martin 70 North Farmersville Road Ephrata, PA 17522	Lancaster	Earl Township	Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360541 Issued	Zoomer Ventures LLC 700 Hoffmeier Road Gap, PA 17527	Lancaster	Salisbury Township	UNT Pequea Creek (CWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360540 Issued	Jacob King 4862 Elizabethtown Road Manheim, PA 17545	Lancaster	Rapho Township	Rife Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360279 A-1 Issued	Lancaster Airport Authority 500 Airport Road Suite G Lititz, PA 17543	Lancaster	Manheim Township	Bachman Run (TSF) UNT Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC670422 Issued	Trumbull Corporation 225 North Shore Drive Pittsburgh, PA 17070	York	Fairview Township	Yellow Breeches (CWF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC120002	Towerco Whitcomb Subdivision Rd Driftwood, PA 15832	Gibson Twp Cameron County	Bennett Br of the Sinnemahoning Cr WWF/MF Sinnemahoning Cr WWF/MF	Cameron County Conservation District 20 E 5th St Rm 105 Emporium, PA 15834 (814) 486-2244, X 5

NOTICES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC550047	Midd-West School District 568 East Main Street Middleburg, PA 17842	Franklin Twp Snyder County	UNT to Middlecreek CWF	Snyder County Conservation District 403 W Market St Middleburg, PA 17842 (570) 837-3000 X110

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC100186	Sandy Hill Development LLC 1712 Mt. Nebo Road Sewickley, PA 15143	Middlesex Township Butler County	UNT to Glade Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100207	Thoroughbred Development LLC 222 Main Street Prospect, PA 16052	Muddy Creek Township Butler County	UNT to Yellow Creek CWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100175A1	Butler Township 290 S Duffy Road Butler, PA 16001	Butler Township Butler County	Sawmill Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100203	Singer Properties LP P.O. Box 97 Mars, PA 16046	Jackson Township Butler County	Connoquenessing Creek WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100200	Benevan Square LLC 103 Pinecrest Court Butler, PA 16001	Butler Township Butler County	Little Connoquenessing Creek CWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100206	Towne Center Associates 215 Executive Drive Suite 300 Cranberry Township, PA 16066	Jackson Township Butler County	Scholars Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC330021	Dubois Regional Medical Center 100 Hospital Avenue Dubois, PA 15801	Young Township Jefferson County	UNT to Mahoning Creek CWF, Painter Run CWF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC100183	DRS Assets LLC 2161 South Villa Drive Gibsonia, PA 15044	Middlesex Township Butler County	Tributary to Glade Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC030026	PTV 1107 LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235	East Franklin Township Armstrong County	Glade Run TSF	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425

General Permit Type—PAG-03

Southeast Region: 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG030012	Harrys U Pull It 2557 Geryville Pike Pennsburg, PA 18073-2202	Upper Hanover Township Montgomery County	Unnamed Tributary to Macoby Creek (TSF, MF)—3-E	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

General Permit Type—PAG-04

Southeast Region: 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG040095 A-1	Saul & Anita Rosenfeld 1409 Newman Road Pennsburg, PA 18073	Upper Hanover Township Montgomery County	Unnamed Tributary to Perkiomen Creek (TSF, MF)—3-E	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

General Permit Type—PAG-12

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG123898 Issued	Mountain View Swine Farms 411 Chestnut Street Lebanon, PA 17042	Bethel Township Berks County	Swatara Creek Watershed(s) 7-D	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.6639

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form

and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Meadow Vista Dairy, LLC 166 Risser Road Bainbridge, PA 17502	Lancaster	715.9	1,390.58	Dairy	NA	R
Star Rock Dairy, Inc. Robert N. Barley 175 Chestnut Grove Road Conestoga, PA 17516	Lancaster	311	2,542.45	Diary	NA	R

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 4520502, Public Water Supply.

Applicant	Spruce Lake Retreat Center 5389 Route 447 Canadensis, PA 18325
Township	Barrett Township
County	Monroe County
Type of Facility	PWS
Consulting Engineer	Mr Douglas Berg PE Entech Engineering Inc. 8 Silk Mill Drive Suite 211 Hawley, PA 18428
Permit to Construct Issued	August 4, 2020

Permit No. 2400054, Operations Permit Public Water Supply.

Applicant	Borough of Freeland Municipal Authority 711 Birkbeck Street P.O. Box C Freeland, PA 18224
Township	Freeland Borough
County	Luzerne
Type of Facility	PWS
Consulting Engineer	Samantha Albert, P.E. Borton Lawson 613 Baltimore Dr. Suite 300 Wilkes-Barre, PA 18702
Permit to Operate Issued	August 3, 2020

Permit No. 2400956, Operations Permit Public Water Supply.

Applicant **Sitko's Enterprises, LLC**
182 State Route 437
White Haven, PA 18661

Township Foster Township

County **Luzerne County**

Type of Facility PWS

Consulting Engineer Mr. John Synoski, PE
JGS Consulting, LLC
2584 Christine Rd.
Hazle Township, PA 18202

Permit to Operate Issued August 3, 2020

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0718506, Public Water Supply.

Applicant **Altoona Water Authority**

Municipality Antis Township

County **Blair**

Responsible Official Mark A. Perry
General Manager
900 Chestnut Avenue
Altoona, PA 16601

Type of Facility Upgrades to the existing Bellwood Water Treatment Plant including new membrane filtration system, liquid oxygen system, and chemical feed system upgrades.

Consulting Engineer Christopher M. Eckenrode, P.E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602

Permit to Construct Issued July 9, 2020

Permit No. 0620504 MA, Minor Amendment, Public Water Supply.

Applicant Borough of Fleetwood

Municipality Fleetwood Borough

County **Berks**

Responsible Official Craig Conrad
Public Works Director
110 West Arch Street
Suite 104
Fleetwood, PA 19522

Type of Facility Replacement of existing 4" and 6" transite distribution waterline (located along sections of West Main St., East Pine Street, West Arch St., West Washington St., West Race St., Green St., South Franklin St., and West Cedar St.) with 6" ductile iron pipe.

Consulting Engineer Bradley D. Smith, P.E.
ARRO Consulting, Inc.
50 Berkshire Court
Wyomissing, PA 19610

Permit to Construct Issued April 30, 2020

Permit No. 0519506, Public Water Supply.

Applicant **Bedford Township Municipal Authority**

Municipality Bedford Township

County **Bedford**

Responsible Official Eric Zembower
Chairman
P.O. Box 371
Bedford, PA 15522

Type of Facility Construction of a new 0.503 MG glass-fused finished water storage tank, installation of a trihalomethane removal aeration system within the new tank, replacement of existing distribution waterlines, and installation of new distribution waterlines.

Consulting Engineer Timothy A. Cooper, P.E.
Stiffler McGraw & Associates Inc
19 N Juniata Street
Hollidaysburg, PA 16648

Permit to Construct Issued May 6, 2020

Permit No. 0619520, Public Water Supply.

Applicant **Reading Area Water Authority**

Municipality Bethel Township

County **Berks**

Responsible Official William Murray
Executive Director
1801 Kutztown Road
Reading, PA 19604

Type of Facility New source (Well No. 2) and finished water storage tank.

Consulting Engineer Brian Hassinger, P.E.
SSM Group, Inc.
1047 North Park Road
Reading, PA 19610-0307

Permit to Construct Issued June 11, 2020

Permit No. 0719508, Public Water Supply.

Applicant **Altoona Water Authority**

Municipality Antis Township

County **Blair**

Responsible Official Mark A. Perry
General Manager
900 Chestnut Avenue
Altoona, PA 16601

Type of Facility Replacement of the existing ozone generation and feed systems at the Tipton, Plane Nine, and Mill Run Water Treatment Plants.

Consulting Engineer James F. Potopa, P.E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602-4496

Permit to Construct Issued May 21, 2020

Permit No. 0620505, Public Water Supply.
 Applicant **Perry Township Municipal Authority**
 Municipality Perry Township
 County **Berks**
 Responsible Official Donald Mast, Chairman
 P.O. Box 308
 Shoemakersville, PA 19555
 Type of Facility New well (Well No. 2) will provide second source of water for Perry Township Municipal Authority.
 Consulting Engineer Daniel S. Hershey, P.E.
 Hershey Engineering, Inc
 703 Woodcrest Avenue
 Lititz, PA 17543
 Permit to Construct Issued July 31, 2020

Permit No. 4420501, Public Water Supply.
 Applicant **Lewistown Municipal Authority**
 Municipality Armagh Township
 County **Mifflin**
 Responsible Official Craig Bubb
 Superintendent
 70 Chestnut Street
 Lewistown, PA 17004-2216
 Type of Facility Installation of a new booster pumping station.
 Consulting Engineer Jason G. Saylor, P.E.
 Utility Service Company Inc
 1230 Peachtree Street NE
 Atlanta, GA 30309
 Permit to Construct Issued July 28, 2020

Permit No. 4420502 MA, Minor Amendment, Public Water Supply.
 Applicant **Municipal Authority of the Borough of Lewistown**
 Municipality Armagh Township
 County **Mifflin**
 Responsible Official Craig Bubb
 Superintendent
 70 Chestnut Street
 Lewistown, PA 17004-2216
 Type of Facility Rehabilitation of Chlorine Contact Tank Nos. 1 and 2.
 Consulting Engineer Jason G. Saylor, P.E.
 Utility Service Group, Inc.
 535 Courtney Hodges Boulevard
 Perry, GA 31069
 Permit to Construct Issued June 2, 2020

Operation Permit No. 0618510 MA issued to: **Mt Penn Borough Municipal Authority (PWS ID No. 3060082)**, Mount Penn Borough, **Berks County** on June 4, 2020 for facilities approved under Construction Permit No. 0618510 MA.

Comprehensive Operation Permit No. 4290005 issued to: **McConnellsburg Borough Municipal Au-**

thority (PWS ID No. 4290005), Todd Township, **Fulton County** on July 13, 2020 for the operation of facilities approved under Construction Permit No. 2919503 MA.

Operation Permit No. 0619522 MA issued to: **Joe Jurgielewicz & Son Ltd. (PWS ID No. 3061263)**, Tilden Township, **Berks County** on July 13, 2020 for facilities approved under Construction Permit No. 0619522 MA.

Operation Permit No. 3619520 issued to: **Pilgrim's Oak Golf Course LLP (PWS ID No. 7360677)**, Drumore Township, **Lancaster County** on June 5, 2020 for facilities approved under Construction Permit No. 3619520.

Transferred Comprehensive Operation Permit No. 7360048 issued to: **Glennwood MHP, LLC (PWS ID No. 7360048)**, Ephrata Township, **Lancaster County** on July 31, 2020. Action is for a Change in Ownership for the operation of facilities previously issued to Martin J. Buckwalter.

Transferred Comprehensive Operation Permit No. 7360098 issued to: **Groffdale MHP LLC (PWS ID No. 7360098)**, Upper Leacock Township, **Lancaster County** on July 28, 2020. Action is for a Change in Ownership for the operation of facilities previously issued to Ricky Herr.

Operation Permit No. 3619519 MA issued to: **Strasburg Borough Authority (PWS ID No. 7360118)**, Paradise Township, **Lancaster County** on June 18, 2020 for facilities approved under Construction Permit No. 3619519 MA.

Comprehensive Operation Permit No. 7360156 issued to: **UMH PA Lancaster County, LLC (PWS ID No. 7360156)**, Caernarvon Township, **Lancaster County** on August 13, 2020 for the operation of facilities at Mountaintop MHP submitted under Application No. 7360156.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 6020501, Construction. Public Water Supply.

Applicant	Pennsylvanian-American Water Company 852 Wesley Drive Mechanicsburg, PA 17055
Borough or Township	White Deer & Kelly Township
County	Union County
Type of Facility	Public Water Supply—Construction
Consulting Engineer	Garret Hargenrader PE Gannett Fleming Inc. 3121 Fairway Dr Altoona, PA 16602-4496
Permit Issued	August 17, 2020

Operations Permit issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, **PWSID No. 4190013**, Nescopeck Borough, **Luzerne County** on August 17, 2020 for the operation of facilities approved under construction permit # 1919503MA. This permit authorizes operation of one mobile bulk water loading stations Nescopeck Borough (Hydrant # HNB-35: Latitude 41° 3' 8.826" N, Longitude -76° 12' 37.937" W), to provide water for non-potable uses from which authorized customers may withdraw a maximum of 316,800 gallons per day.

Operations Permit issued to: **Spring Township Water Authority**, 1309 Blanchard Street, Bellefonte, PA 16823, **PWSID No. 41400118**, Spring Township, **Centre County** on August 11, 2020, for the operation of facilities approved under construction permit # 14507MA. This permit authorizes Spring Township Water Authority to operate their rehabilitated 500,000-gallon Witherite Tank # 2.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **John Nagle**, Owner, 114 Nagle Court, Ebensburg, PA 15931, **PWSID No. 4110010**, Cambria Township, **Cambria County** on August 17, 2020 for the operation of facilities approved under construction permit # 1120502-R for the reserve sources designation for Well # 2 at the NE Trailer Court.

Operations Permit issued to: **West Penn Allegheny Health System, Inc.**, 320 East North Avenue, Pittsburgh, PA 15212, **PWSID No. 5020956**, City of Pittsburgh, **Allegheny County** on August 13, 2020 for the operation of facilities approved under construction permit # 0218501 for a Barclay iChlor system at Allegheny General Hospital.

Operations Permit issued to: **Municipal Authority of the City of New Kensington**, P.O. Box 577, 920 Barnes Street, New Kensington, PA 15068, **PWSID No. 5650070**, City of New Kensington, **Westmoreland County** on August 17, 2020 for the operation of facilities approved under construction permit # 6519503 for a PAX mixing and power vent system at the 10 million gallon reservoir storage tank.

Operations Permit issued to: **Municipal Authority of the Borough of Derry**, 620 North Chestnut Street, Derry, PA 15627, **PWSID No. 5650049**, Derry Borough, **Westmoreland County** on August 17, 2020 for the operation of facilities approved under construction permit # 6519511 for a flocculation mixer and the addition of DelPAC 2020 at the Derry Water Treatment Plant.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Delta Borough	P.O. Box 278	York
Peach Bottom Township	Delta, PA 17314 6880 Delta Road Delta, PA 17314	York

Plan Description: Approval of a revision to the official plan of Delta Borough and Peach Bottom Township, York County. The project is known as Exelon Power Generation Company, LLC. The plan provides for the proposed construction of a force main to connect the Peach Bottom Atomic Power Station to the Delta Borough Wastewater Treatment Plant, which will increase flows at the wastewater treatment plant by 10,350 gpd. Additionally, a new discharge line will be installed parallel to the force main, and it will redirect Delta Borough's discharge from Scott's Creek to the Susquehanna River. The proposed development is located along Atom Road between Delta Borough and the Peach Bottom Atomic Power Station in Delta

Borough and Peach Bottom Township, York County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Numbers for this planning module are A3-67912-009-3 (Delta Borough) and A3-67950-206-3 (Peach Bottom Township), and the APS Id is 1016456. Any permits must be obtained in the name of the Delta Borough Municipal Authority.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Middle Paxton Township	10 Elizabeth Avenue Dauphin, PA 17018	Dauphin

Plan Description: The proposed revision to the official plan of Middle Paxton Township for the Chestnut Hill Subdivision Phase 1 (DEP Code No. A3-22924-262-2; APS ID No. 1017000) has been disapproved. The proposed development located on Speece Lane in Middle Paxton Township consists of a 16-lot single family residential subdivision utilizing individual onlot sewage disposal systems with total sewage flows of 6,400 gpd. This plan revision has been disapproved because the plan failed to address the requirements of Chapter 71 § 71.52(a)(4) in that the information provided did not establish that replacement area testing to address the marginal site conditions can be implemented on all of the proposed lots.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.10—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property;

and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Neve Site, 101 Washington Street, Conshohocken Borough, **Montgomery County**. Jeffery Christopher, Geo-Technology Associates, Inc., Quakertown, PA 18951 on behalf of Chris Sencindiver, High Street Conshohocken I, LLC, 300 Conshohocken State Road, Conshohocken, PA 19428 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, indeno(1,2,3-cd)pyrene, dibenzo(a,h)anthracene, arsenic, vanadium and tetrachloroethene. The report is intended to document remediation of the site to meet the Site-Specific Standard/Background Standard.

Ashbourne Cleaners, 6 Township Line Road, Cheltenham Township, **Montgomery County**. Jason Kronenwetter, EnviroTrac, 176 Thorn Hill Road, Warrendale, PA 15086 on behalf of Saul Ellman, 707 Southeast 10th Street, Delray Beach, FL 33483 submitted a Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of site groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Meenan Oil Company Facility, 8301 Lansdowne Avenue, Upper Darby Township, **Delaware County**. Andrew Markoski, Patriot Environmental Management, LLC, 2404 Brown Street, Pottstown, PA 19464 on behalf of Barry Miller, Meenan Oil Company, LP, P.O. Box 659, Doylestown, PA 19518 submitted a Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of site groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Wedgewood Cleaners Services, 4311-4313 Lincoln Highway, Caln Township, **Chester County**. Shad Manning, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of Mike Weaver, Wedgewood Associates, LP, 409 Stenton Avenue, Flourtown, PA 19031 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with other organics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

2045 W. Hunting Park Avenue, 2023-2061 West Hunting Park Avenue, City of Philadelphia, **Philadelphia County**. Thomas Geiger, Geosyntec Consultants, 1750 American Boulevard, Suite 200, Pennington, NJ 08534 on behalf of Duane Wanty, GPI Interim, Inc.,

70 Mechanic Street, C41-32, Foxboro, MA 02035 submitted a Final Report concerning remediation of site soil contaminated with PAHs, VOCs and metals. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Dublin Town Center, North Main Street & Elephant Road, Dublin Borough, **Bucks County**. Rocco Mercuri, Gilmore & Associates, Inc., 65 East Butler Avenue, Suite 100, New Britain, PA 18901 on behalf of Robert Loughery, Dublin Town Center I, LP, 1128 Slotter Road, Perkasio, PA 18944 submitted a Final Report concerning remediation of site soil contaminated with arsenic. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Mulcahy Residence, 5938 Corrigan Road, Solebury Township, **Bucks County**. Sean Fullmer, PG, Compliance Management International, Inc., 1350 Welsh Road, Suite 200, North Wales, PA 19454 on behalf of Donna Ofner, Meadows Petroleum Products, Inc., 5 Cherry Hill Drive, Suite L100, Danvers, MA 01923 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Pottstown Plating Work Site, 215 South Washington Street, Pottstown Borough, **Montgomery County**. Joseph Kraycik, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482 on behalf of John Jones, 215 South Washington Street, LLC, 800 Industrial Highway, Pottstown, PA 19464 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with VOCs, PCE, TCE, metals, arsenic, cadmium, lead, and nickel. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Scholler Incorporation Property, 3320 Collins Street, City of Philadelphia, **Philadelphia County**. John C. Lydzinski, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of David Goldstein, Follow Through Capital, 20 Conshohocken State Road, Apartment 312, Bala Cynwyd, PA 19004 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with PCE and TCE. The report is intended to document remediation of the site to meet the Site-Specific Standard.

GE Elmwood Avenue Facility, 6901 Elmwood Avenue, City of Philadelphia, **Philadelphia County**. Darren Szuch, Arcadis U.S., Inc., 50 Millstone Road, Building 200, East Windsor, NJ 08520 on behalf of Cody Platt, General Electric Company, 1935 Redmond Circle NW, Rome, GA 30165 submitted a Remedial Investigation Report/Risk Assessment Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Nanticoke Manufactured Gas Plant (Number 2 Former Gas Holder), Arch and Walnut Streets, Nanticoke, PA 18634, City of Nanticoke, **Luzerne County**. Stantec Consulting Services Inc., 400 David Drive, Suite 400, Plymouth Meeting, PA 19462, on behalf of UGI Utilities Inc., 1 UGI Drive, Denver, PA 17517, submitted a final report concerning remediation of site soil and groundwater contaminated with SVOCs, arsenic,

and lead. The report is intended to document remediation of the site to meet a combination of Site-Specific and Statewide Health Standards.

PA State Police Astor Drive Mercury Release, 4370 Astor Drive, Orefield, PA 18069, South Whitehall Township, **Lehigh County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of PA State Police, 2390 Airport Road, Bethlehem, PA 18017, submitted a Final Report concerning remediation of soil contaminated by a release of mercury. The report is intended to document remediation of the site to meet Statewide Health Standards.

Cosklo Property, 840 Church Street, Clifford, PA 18421, Clifford Township, **Susquehanna County**. Joseph Jannick, 221 Airport Road, Clifford, PA 18421, on behalf of Edward Cosklo, 251 Airport Road, Clifford, PA 18421, submitted a Final Report concerning remediation of soil contaminated by heating oil from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Rose BRA Pad, 2055 Bridge Street Hill Road, Towanda Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 300 N 2nd Street, 5th FL, Harrisburg, PA 17101, has submitted a Final Report concerning the remediation of site soil contaminated with produced water. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard for soil.

Johnson Machine Company (Clearfield Former MGP Site), 290 Bigler Avenue, Clearfield Borough, **Clearfield County**. Stantec Consulting Services, Inc., 400 Davis Drive, Suite 400, Plymouth Meeting, PA 19462, on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, has submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with various Manufactured Gas Plant constituents. The Remedial Investigation Report and Cleanup Plan are intended to document remediation of the site to meet the Site-Specific and Statewide Health Standards.

Stoneroad Trucking, LLC Project, 2197 Snyderstown Road, Upper Augusta Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Stoneroad Trucking, LLC, 346 Rose Road, Paxinos, PA 17860, has submitted a Final Report concerning the remediation of site soil contaminated with diesel fuel and hydraulic fluid. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard for soil.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Stan-

dards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Lots 5, 6, 6A of the Moyer Farm Subdivision, Moyer and Township Line Road, New Hanover Township, **Montgomery County**. Jeffery Leed, Lee Environmental Inc., Van Reed Office Plaza, 2209 Quarry Drive, Suite C-35, Reading, PA 19609 on behalf of Joseph Margusity, Wexford Court, LLC, 356 Hidden Farm Drive, Exton, PA 19341 submitted a Final Report concerning the remediation of site soil contaminated with arsenic and lead. The Final Report demonstrated attainment of the Background Standard and was approved by the Department on July 27, 2020

Kennett Auto Parts & Supply, 719 West Cypress Street, Kennett Township, **Chester County**. Henry Bienkowski, P.G., Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Robert T. Purcell III, 2675 Windwood Place, Cape Coral, FL 33991 submitted a Final Report concerning the remediation of site soil contaminated with leaded gaso-

line. The Final Report demonstrated attainment of the residential Statewide Health Standard and was approved by the Department on July 30, 2020.

Sears Site, 6301 Market Street, Milbourne Borough/ City of Philadelphia, **Delaware County/Philadelphia County**. Craig Herr, PG, RT Environmental Services LP, 215 West Church Road, King of Prussia, PA 19406 on behalf of Michael Willner, WRD Sears, LP, 33 Rock Hill Road, Suite 350, Bala Cynwyd, PA 19004 submitted a Final Report concerning the remediation of site soil contaminated with lead and benzene. The Final Report demonstrated attainment of the non-residential Statewide Health Standard and was approved by the Department on August 3, 2020.

Tioga Marine Terminal Pier 179 North, 3601 North Delaware Avenue, City of Philadelphia, **Philadelphia County**. Gregory Rosenzweig, PG, GES, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341 on behalf of R. J. Sherman, Kinder Morgan Liquids Terminals, LLC, One Terminal Road, Carteret, NJ 07008 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with unleaded gasoline. The Report was reviewed by the Department which issued a technical deficiency letter on July 31, 2020.

403 Collingdale Avenue, 403 Collingdale Avenue, Borough of Collingdale, **Delaware County**. Henry G. Bienkowski, Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Alvin Bunch, Just Oil LLC, 4201 Brown Street, Collingdale, PA 19023 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Report was reviewed by the Department which issued a technical deficiency letter on August 3, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Weiler Corporation, 1 Weiler Drive, Barrett Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Cresco Realty LLC, 1 Weiler Drive, Cresco, PA 18431, submitted a Final Report concerning remediation soil and groundwater contaminated with heating oil from an underground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on August 17, 2020.

Frei Property, 1315 North Main Street, Honesdale, PA 18431, Honesdale Borough, **Wayne County**. Blue-stone, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of John Frei, 1315 North Main Street, Honesdale, PA 18431, submitted a Final Report concerning remediation of soil contaminated by heating oil. The report was intended to document remediation of the site to meet Statewide Health Standards but was disapproved by DEP on August 17, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Kutztown II Aggregates, 654 Baldy Road, Kutztown, PA 19530, Maxatawny Township **Berks County**. Reliance Environmental, 235 North Duke Street, Suite 1, Lancaster, PA 17602, on behalf of New Enterprises Stone & Lime Company, Inc., 350 Division Highway, East Earl, PA 17551, submitted a Final Report concerning remediation of site soil contaminated with mineral insulating oil with Polychlorinated Biphenyls (PCBs). The Final Report

demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on July 29, 2020.

Weaver Precast, Incorporated, 14 Pleasant Valley Road, Ephrata, PA 17522, Ephrata Township, **Lancaster County**. Reliance Environmental, 235 North Duke Street, Suite 1, Lancaster, PA 17602, on behalf of The Weaver Business Family, 824 East Main Street, Ephrata, PA 17522, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on July 29, 2020.

Former Martinsburg RV, 114 West Penn Street, Martinsburg, PA 16662, Martinsburg Borough, **Blair County**. Stiffler McGraw, 1731 North Juniata Street, Hollidaysburg, PA 16648, on behalf of Martinsburg Borough, 110 South Walnut Street, Martinsburg, PA 16662, submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons, chlorinated solvents and metals. The Report was approved by the Department on August 10, 2020.

Former Witmer Brothers Garage, 2089 E. Lincoln Highway, Lancaster, PA 17602, East Lampeter Township, **Lancaster County**. August Mack Environmental, Inc., 641 Wheatland Avenue, Suite 202, Lancaster, PA 17603, on behalf of Lloyd Witmer, 122 Water Street, New Holland, PA 17557, submitted a Remedial Investigation, Cleanup Plan, and Final Report concerning remediation of site groundwater contaminated with No. 2 fuel oil. The combined Report did not demonstrate attainment of the Site-Specific Standard, and was disapproved by the Department on August 13, 2020.

Schneider Electric, 5460A Pottsville Pike, Leesport, PA 19533, Ontelaunee Township, **Berks County**. Civil and Environmental Consultants, Inc., 4350 Northern Pike, Suite 141, Monroeville, PA 15146, on behalf of Schneider Electric, USA, 70 Mechanics Street, Foxboro, MA 02035, submitted a Final Report concerning remediation of site soil contaminated with arsenic. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on August 12, 2020.

Lincoln Nursery, 1022-1098 Lincoln Road, Birdsboro, PA 19508, Exeter Township, **Berks County**. Environmental Maintenance Company, Inc., 1420 East Mermaid Lane, Glenside, PA 19038, on behalf of Borough of South Coatesville, 136 Modena Road, South Coatesville, PA 19320, and Lincoln Nursery Group, P.O. Box 264, Birdsboro, PA 19508 submitted a Final Report concerning remediation of site soil and groundwater contaminated with hydraulic oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 13, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Gordon Food Service Project, Interstate 80 at MM 198 E, Mifflinburg, West Buffalo Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Gordon Food Service, P.O. Box 1787, Grand Rapids, MI 49501, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil, and antifreeze. The Final Report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on August 4, 2020.

Southwest Region: Environmental Cleanup & Brown-field Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Howard A. Patterson Trust, aka Washington Tool & Machine Co., Washington City, Washington. American Geosciences, Inc., 3925 Reed Blvd., Ste. 400, Murrysville, PA 15668, **Westmoreland County**, on behalf of Stephan D. Marriner, Jr., Esq., Howard A. Patterson Trust Fund, 8 S. Main St., Ste. 600, Washington, PA 15301, has submitted a combined Cleanup Plan and Final Report concerning the remediation of site soil and groundwater contaminated with VOCs, SVOCs, PAHs and metals. The report demonstrated attainment of a combination of site specific and Statewide health standards and was approved by the Department on August 11, 2020.

Hoge Noce Impoundment, Cumberland Township, Greene. Moody and Associates, Inc., 199 Johnson Rd., Bldg. 2, Ste. 101, Houston, PA 15342, **Washington County**, on behalf of Keith Eighmey, Greylock Production LLC, 500 Corporate Landing, Charleston, WV 25311, has submitted a revised Remedial Investigation Report concerning the remediation of site contaminates from drilling operations. The report did not demonstrate attainment of site-specific standards and was disapproved by the Department on August 11, 2020.

Northwest Region: Environmental Cleanup and Brown-fields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

212 New Castle Road, 212 New Castle Road, Butler Township, **Butler County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Garber Family Limited Partnership, 308 West Swissvale, Pittsburgh, PA 15218, submitted a combined Remedial Investigation/Risk Assessment/Cleanup Plan Report concerning the remediation of site soil contaminated with benzene, 1,4-dichlorobenzene, 1,2,4-trimethylbenzene and site groundwater contaminated with benzene, 1,2-dichloroethane, ethylbenzene, isopropylbenzene, naphthalene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, m&p-xylene, o-xylene, benzo[a]pyrene, and benzo[b]fluoranthene. The combined Remedial Investigation Report/Risk Assessment Report/Cleanup Plan was approved by the Department on July 28, 2020.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

West Central Environmental Corp., P.O. Box 83, Rensselaer, NY 12144. License No. **PA-AH 0422**. Effective July 24, 2020.

Pioneer Tank Lines, Inc., 12501 Hudson Road South, Afton, MN 55001. License No. **PA-AH 0600**. Effective July 24, 2020.

Action Resources, LLC, 204 20th St. North, Birmingham, AL 35077. License No. **PA-AH 0650**. Effective July 30, 2020.

Hydrochem LLC, 900 Georgia Avenue, Deer Park, TX 77536. License No. **PA-AH 0694**. Effective August 6, 2020.

Basin Transportation LLC, 130 Express Lane, McAlester, OK 74501. License No. **PA-AH 0848**. Effective August 6, 2020.

Transporter Licenses Reissued

West Central Environmental Corp., P.O. Box 83, Rensselaer, NY 12144. License No. **PA-AH 0422**. Effective July 24, 2020.

Pioneer Tank Lines, Inc., 12501 Hudson Road South, Afton, MN 55001. License No. **PA-AH 0600**. Effective July 24, 2020.

Action Resources, LLC, 204 20th St. North, Birmingham, AL 35077. License No. **PA-AH 0650**. Effective July 30, 2020.

Hydrochem LLC, 900 Georgia Avenue, Deer Park, TX 77536. License No. **PA-AH 0694**. Effective August 6, 2020.

Basin Transportation LLC, 130 Express Lane, McAlester, OK 74501. License No. **PA-AH 0848**. Effective August 6, 2020.

Transporter Licenses Expired

Moran Environmental Recovery, LLC, 75D York Avenue, Randolph, MA 02368. License No. **PA-AH 0744**. Effective August 12, 2020.

Transporter Licenses Voluntarily Terminated

Better Management Corporation of Ohio, Inc., 4321 State Route 7, New Waterford, OH 44445. License No. **PA-AH 0773**. Effective July 21, 2020.

Force, Inc., 1380 Route 286 Highway, Indiana, PA 15701. License No. **PA-AH 0819**. Effective July 27, 2020.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

Chesapeake Waste Solutions LLC, 190 Shellyland Rd., Manheim, PA 17545. License No. **PA-HC 0283**. Effective July 21, 2020.

Transporter License Issued

Chesapeake Waste Solutions LLC, 190 Shellyland Rd., Manheim, PA 17545. License No. **PA-HC 0283**. Effective July 21, 2020.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP14-36-03038C: Evans Eagle Burial Vaults, Inc. (15 Graybill Road, Leola, PA 17737) on August 12, 2020, for the installation of two human cremation units, under GP14, at the site located in Upper Leacock Township, **Lancaster County**. The general permit authorization was renewed.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

GP3-04-00743C: Bechtel Oil, Gas & Chemical Inc. (300 Frankfort Road, Monaca, PA 15061) on August 7, 2020, to authorize and allow the installation and operation of a portable nonmetallic mineral processing plant consisting of one (1) crusher with one (1) integrated screen located in Potter Township, **Beaver County**.

GP11-04-00743C: Bechtel Oil, Gas & Chemical Inc. (300 Frankford Road, New Monaca, PA 15061) on August 7, 2020, to allow the installation and operation of two (2) nonroad diesel-fired engines of various capacities in conjunction with a portable nonmetallic mineral processing plant located in Potter Township, **Beaver County**.

GP3-63-00970E: Neiswonger Construction, Inc. (17592 Route 322, Strattanville, PA 16258) on July 16, 2020 to allow the operation of a portable nonmetallic mineral processing plant consisting of three (3) crushers each rated at 200 tph, three (3) radial stacker, three (3) vibratory screens, one (1) scalper/screen machine and associated conveyors located in Deemston Borough, **Washington County**.

GP11-63-00970B: Neiswonger Construction, Inc. (17592 Route 322, Strattanville, PA 16258) on July 16, 2020 to allow the installation and operation of six (6) non-road diesel-fired engines of various capacities in conjunction with a portable nonmetallic mineral processing plant located in Deemston Borough, **Washington County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

59-00020A: Carleton Funeral Home, Inc. (11470 Route 6, Wellsboro, PA 16901) on August 12, 2020 for the construction of a human crematorium at their facility located in Charleston Township, **Tioga County**. The plan approval contains the requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 59-00020A, the applicant will subsequently

apply for an Amendment to incorporate the terms and conditions of the plan approval into State Only Operating Permit 59-0020.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

PA-65-00881B: Innovative Carbide, LLC (11040 Parker Drive, Irwin, PA 15642) Plan Approval issuance date effective July 16, 2020, to allow the installation and temporary operation of the following air contamination sources and air cleaning devices: Four (4) vertical mixing mills; Eight (8) vacuum dryers; Eight (8) Chilled Water Condensers; One (1) Torit/Donaldson DFO 2-4 ≤ 3,600 cfm Cartridge Dust Collector; the authorization for operation of the following air contamination sources: One (1) cold cleaning machine (degreaser); Industrial Cleaning Solvent Activities; and the authorization for modification for the following air contamination sources and air cleaning devices: One (1) existing ≤ 3,600 cfm modified Cartridge Dust Collector; Four (4) existing vacuum dryers; four (4) existing chilled water condensers; One (1) existing insignificant heptane UST with vent; One (1) Powder Room Floor Scoop. The Plan Approval also allows an increase in the facility-wide VOC emission limit from 37 tpy to 49.9 tpy proposed and includes all existing and proposed sources. This Plan Approval is for their Irwin Plant located in North Huntingdon Township, **Westmoreland County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05158A: Perdue AgriBusiness, LLC (1897 River Road, Marietta, PA 17547) on August 18, 2020, for the construction and temporary operation of a grain elevator and a soybean oil extraction facility in Conoy Township, **Lancaster County**. The plan approval was extended, with a compliance schedule and a revised stack test schedule.

36-05158D: Perdue AgriBusiness, LLC (1897 River Road, Marietta, PA 17547) on August 18, 2020, for the modification of the vertical seed conditioner (VSC) fan discharge and the ability to combust propane in Grain Dryer No. 2 (Source ID 104) at the soybean processing facility in Conoy Township, **Lancaster County**. The plan approval was extended, with a compliance schedule, and a revised stack testing schedule.

36-05158E: Perdue AgriBusiness, LLC (1897 River Road, Marietta, PA 17547) on August 18, 2020, for the modification to the 40 CFR Part 64, Continuous Assurance Monitoring (CAM) pressure differential ranges for various particulate matter control devices, and the modification of the mineral oil absorber temperature and flow rate requirements and the mineral oil condenser coolant temperature and flow rate requirements, at the soybean processing facility in Conoy Township, **Lancaster County**. The plan approval was extended, with a compliance schedule.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

08-00016B: Dalrymple Gravel & Contracting Co., Inc. (2105 South Broadway, Pine City, NY 14871) on July 21, 2020, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from July 23, 2020 to January 18, 2021 at their facility located in Athens Township, **Bradford County**. The plan approval has been extended.

08-00016C: Dalrymple Gravel & Contracting Co., Inc. (2105 South Broadway, Pine City, NY 14871) on July 21, 2020, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from July 23, 2020 to January 18, 2021 at their facility located in Athens Township, **Bradford County**. The plan approval has been extended.

59-00021B: Phoenix Resources, Inc. (782 Antrim Rd., Wellsboro, PA 16901) on August 3, 2020, to extend the plan approval expiration date to February 11, 2022 to allow completion of construction of a leachate evaporator at the Phoenix Resources Landfill in Duncan Township, **Tioga County**.

14-00043A: University Area Joint Authority (1576 Spring Valley Road, State College, PA 16801) on August 10, 2020, to extend the plan approval expiration date to February 14, 2021 to allow continued operation of a biofilter for the treatment of malodors at the Authority's Spring Creek Pollution Control Facility's sludge handling operations located in College Township, **Centre County**.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

PA-63-01032: Ameri Precision Metals, Inc. (40 Curry Avenue, Canonsburg, PA 15317) Plan Approval modification issuance on July 21, 2020, to initiate the period of temporary operation for their Canonsburg Facility located in Canonsburg Borough, **Washington County**.

11-00538A: Rosebud Mining Company (301 Market Street, Kittanning, PA 16201) plan approval extension effective on August 28, 2020, for continued temporary operation of sources and controls associated with a coal preparation plant at its Cresson Mine in Cresson Township, **Cambria County**.

30-00072E: Consol Pennsylvania Coal Company, LLC (1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317) plan approval extension effective on August 28, 2020, with expiration on February 28, 2021, for continued temporary operation of air contamination sources and controls associated with the Crabapple Overland Conveyor located in Richhill Township, **Greene County**.

30-00195A: Equitrans, LP (2200 Energy Drive, Canonsburg, PA 15317) plan approval extension effective on August 28, 2020, with expiration on February 28, 2021, for continued temporary operation of air contamination sources and controls at the Jefferson Compressor Station located in Jefferson Township, **Greene County**.

PA-11-00356E: Equitrans, LP (2200 Energy Drive, Canonsburg, PA 15317) on August 18, 2020, plan approval extension issued for approximately 180 days to facilitate

the shake-down of sources and controls at their Rager Mountain Compressor Station located in Jackson Township, **Cambria County**.

PA-04-00699H: National Gypsum Company, Inc. (168 Shippingport Hill Road, P.O. Box 346, Shippingport, PA 15077-1000) plan approval extension issuance date August 18, 2020, for approximately 6 months to allow temporary operation and submit the plan approval application for their NGC facility located in Shippingport Borough, **Beaver County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

31-05005: NOV Fiber Glass Systems (14489 Croghan Pike, Mount Union, PA 17066-8869) on August 14, 2020, for the fiberglass reinforced plastic storage tank manufacturing facility located in Shirley Township, **Huntingdon County**. The is a renewal of the Title V operating permit.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00081: Markel Corporation (435 School Lane, Plymouth Meeting, PA 19462) on August 14, 2020, for the renewal of a State Only, Synthetic Minor Operating Permit for a facility that manufactures coated wire, plastic tubing, coated fiberglass sleeves and specialty tubing products at its location in Plymouth Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

35-00061: Polarized Meats Co., Inc. (107 Keystone Industrial Park, P.O. Box 172, Dunmore, PA 18512-0172). The Department issued on 8/11/2020 a State-Only Operating Permit for operation of sources at a food manufacturing facility in Dunmore Borough, **Lackawanna County**. The sources include two cooking lines, and two charmaker lines. Control devices include a wet scrubber with a demister, and two parallel activated carbon adsorption units. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

35-00050: Maple Hill Cemetery Assn. (68 E Saint Marys Road, Wilkes-Barre, PA 18706-4182). The Department issued on 8/11/2020 a State-Only Operating Permit renewal for operation of a crematory operation in Archibald Borough, **Lackawanna County**. The source includes two (2) incinerators. The operating permit includes emission limits, work practice standards, testing,

monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable Federal and State air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

31-05013: New Enterprise Stone & Lime Co., Inc. (P.O. Box 77, New Enterprise, PA 16664-0077) on August 14, 2020, for the asphalt plant operations at the Tyrone Forge Quarry, located in Warriors Mark Township, **Huntingdon County**. This is a renewal of the State-Only Operating Permit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

46-00013: Clemens Food Group (aka Hatfield Quality Meats, Inc.) (2700 Clemens Rd., Hatfield, PA 19440-0902) on August 12, 2020, to incorporate the requirements of two (2) plan approvals into the operating permit for a facility located in Hatfield Township, **Montgomery County**. The Title V Operating Permit No. 46-00013 was administratively amended to identify a change in the name and title of the Responsible Official identified in the permit or provide a similar change. The amended Title V Operating Permit will contain monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. The facility is not subject to Compliance Assurance Monitoring (CAM) pursuant to 40 CFR Part 64. The Administrative Amendment of Title V Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

07-05027: Curry Supply Company (7324 Woodbury Pike, Roaring Spring, PA 16673-2258) on August 5, 2020, for the railcar reconditioning facility located in Frankstown Township, **Blair County**. The State-Only Permit was administratively amended in order to reflect a change of ownership.

67-05016: Bendix Commercial Vehicle Systems LLC (901 Cleveland Street, Elyria, OH 44035) on August 12, 2020, for the gray and ductile iron foundry located in Hanover Borough, **York County**. The Title V operating permit was administratively amended due to an ownership change.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

10-00028: Armstrong Cement & Supply Corporation (100 Clearfield Road, Cabot, PA 16023-9531). The Department on August 11, 2020 issued an administrative amendment of the Title V Operating Permit for the facility located in Winfield Township, **Butler County**. The amendment incorporates the requirements of Plan Approval 10-028K.

33-00002: Owens Brockway Glass Container Plant 19 (3831 Route 219, Brockport, PA 15823-3811). The Department on May 20, 2020 issued an administrative amendment of the Title V Operating Permit for the facility located in Snyder Township, **Jefferson County**. The amendment incorporates the change of responsible official.

33-00033: Owens Brockway Glass Container Plant 18 (3831 Route 219, Brockport, PA 15823-3811). The Department on August 12, 2020 issued an administrative amendment of the Title V Operating Permit for the facility located in Brockway Borough, **Jefferson County**. The amendment incorporates the change of responsible official.

43-00142: Salem Tube Inc. (951 4th Street, Reynolds Industrial Park, Greenville, PA 16125-8253). The Department on August 17, 2020 issued an administrative amendment of the Title V Operating Permit for the facility located in Pymatuning Township, **Mercer County**. The amendment incorporates the change of responsible official.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

17921603 and NPDES Permit No. PA0214612. Greenwood Processing & Loading Complex, LLC, 1340 Hoyt Road, Curwensville, PA 16833, to renew the permit and related NPDES Permit for Bells Landing Tipple located in Greenwood Township, **Clearfield County**. No additional discharges. The application was

considered administratively complete on July 19, 2019. Application received: June 18, 2019. Permit issued: August 5, 2020.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814.472.1900, (Contact Melanie Ford-Wigfield).

Permit 56080101. Coal Loaders, Inc., 210 E. Main Street, P.O. Box 556, Ligonier, PA 15658, permit renewal for reclamation only of a bituminous surface mine in Stonycreek & Quemahoning Townships, **Somerset County**, affecting 61.6 acres. Receiving stream(s): unnamed tributaries to/and Oven Run and unnamed tributaries to Stonycreek River classified for the following use(s): cold water fishes. The first downstream potable water supply intake from the point of discharge is Hooversville Borough intake. Application received: February 27, 2020. Permit issued: August 14, 2020.

Permit 32950201 and NPDES No. PA0213004. Cambria Reclamation Corporation, 2929 Allen Parkway, Suite 2200, Houston, TX 77019, permit renewal for the continued operation and restoration of a bituminous surface mine in White and Rayne Townships, **Indiana County** affecting 256 acres. Receiving streams: McKee Run to Crooked Creek classified for the following uses: cold water fishes and warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 1, 2020. Permit issued: August 14, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54040202R3. Frederick Consulting (P.O. Box 524, Minersville, PA 17954), renewal of an existing anthracite coal refuse reprocessing operation in Cass Township, **Schuylkill County** affecting 30.0 acres. Receiving stream: West Creek. Application received: February 4, 2020. Renewal issued: August 17, 2020.

Permit No. PAM115005R. Frederick Consulting (P.O. Box 524, Minersville, PA 17954), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54040202 in Cass Township, **Schuylkill County**, receiving stream: West Creek. Application received: February 4, 2020. Renewal issued: August 17, 2020.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).

37990302. Cemex Construction Materials Atlantic, LLC (2001 Portland Park, Wampum, PA 16157), renewal of NPDES Permit No. PA0241547 in Shenango and Wayne Townships, **Lawrence County**. Receiving streams: Unnamed tributary to Beaver Run, Beaver Run, and Snake Run. Application received: January 22, 2020. NPDES Renewal Permit issued: August 10, 2020.

37140301. Amerikohl Aggregates, Inc. (202 Sunset Drive, Butler, PA 16001), renewal of NPDES Permit No. PA0259551 in Wayne Township, **Lawrence County**. Receiving streams: Unnamed tributary to Connoquenessing Creek, unnamed tributary to Squaw Run, and Squaw Run. Application received: April 6, 2020. NPDES Renewal Permit issued: August 10, 2020.

37202801. S & S Processing, Inc. (P.O. Box 373, West Pittsburgh, PA 16160), commencement, operation and restoration of a small industrial minerals surface mine in

Mahoning Township, **Lawrence County** affecting 7.0 acres. Receiving streams: Mahoning River. Application received: April 16, 2020. Permit Issued: August 10, 2020.

PAM620003. S & S Processing, Inc. (P.O. Box 373, West Pittsburgh, PA 16160), coverage under General NPDES Permit for stormwater discharges (BMP GP-104) associated with mining activities on Surface Mining Permit No. 37202801 in Mahoning Township, **Lawrence County**. Receiving streams: Mahoning River. Application received: April 16, 2020. Permit Issued: August 10, 2020.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

26050401. Laurel Aggregates of Delaware, LLC, 2480 Springhill Furnace Road, Lake Lynn, PA 15451. Revision permit issued to add acres to an existing noncoal mine located in Springhill and Georges Townships, **Fayette County**. Receiving Streams: Rubles Run. Classified for the following use: CWF. Application received: November 22, 2019. Permit issued: August 6, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 35204106. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Valley View Lot 13 in Jessup Borough, **Lackawanna County** with an expiration date of August 3, 2021. Permit issued: August 10, 2020.

Permit No. 38204109. M3 Explo, LLC (P.O. Box 528, Brownsville, PA 15417), construction blasting for Alden Place Spoil Area in Cornwall Borough, **Lebanon County** with an expiration date of August 10, 2021. Permit issued: August 10, 2020.

Permit No. 48204107. Valley Rock Solutions, LLC (P.O. Box 246, Macungie, PA 18062), construction blasting for Century Commerce Project Lot 2 in Allen Township, **Northampton County** with an expiration date of August 5, 2021. Permit issued: August 11, 2020.

Permit No. 48204108. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Willow Brook Farms in Allen Township, North Catasauqua and Northampton Boroughs, **Northampton County** with an expiration date of August 5, 2021. Permit issued: August 11, 2020.

Permit No. 58204106. Meshoppen Blasting, Inc. (P.O. Box 127, Meshoppen, PA 18630), construction blasting for Hollenbeck Barn Addition in Brooklyn Township, **Susquehanna County** with an expiration date of August 1, 2021. Permit issued: August 12, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water

Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E1501220-022, PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, Tredyffrin Township, Chester County, ACOE Philadelphia District.

To construct and maintain about 160 LF of 6-inch diameter plastic gas main along Crestline Road and crosses above the existing culvert along a UNT to the Schuylkill River (WWF-MF) associated with the gas service connection for the customers within the Tredyffrin Township Historic District.

The site is located along Crestline and Old Eagle School Roads (Valley Forge, PA USGS Quadrangle, Latitude: 40.050138; Longitude: -75.403517) in Tredyffrin Township, Chester County. Permit issued August 10, 2020.

Permit No. E2301220-023, Southeastern Pennsylvania Transportation Authority (SEPTA), 1234 Market Street, Philadelphia, PA 19107, Middletown Township and Chester Heights Borough, Delaware County, ACOE Philadelphia District.

To amend the existing permit E23-541 to include the rehabilitation and maintenance of the eroded bank stabilization, approximate length 506 feet, width from 13 feet to 51 feet, and thickness from 7 to 10 feet, along the floodway of the Chester Creek (TSF-MF) associated with the SEPTA Elwyn to Wawa Service Restoration Project. The erosion protection will include installation of geotextile layer, coarse aggregate, and R-7 riprap.

The site is located at the SEPTA R3 track between Elwyn and Wawa (USGS Media, PA Quadrangle Latitude 39.900074; Longitude -75.458131) in Middletown Township and Chester Heights Borough, Delaware County. Permit issued August 6, 2020.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4002219-013. Robert Friedman, 667 South River Street, Plains, PA 18705. Harvey's Lake Borough, Luzerne County, Army Corps of Engineers Baltimore District.

To construct and maintain a 468 sq. ft. addition to the west of existing living quarters, consisting of a master bedroom and a bath. To the north of the new bedroom, a new deck covering 340 sq. ft. will connect to the existing deck. To the south of the bedroom will be a staircase, 88 sq. ft. South of the new bedroom, another staircase is proposed covering 64 sq. ft. A 180 sq. ft. wooden dock is proposed at the southeastern part of the property. In all the new construction will total 1,140 sq. ft. All new construction will rest on 26 wooden piles, in Harvey's Lake (HQ-CWF, MF). The project is located at Pole # 304, located in Harveys Lake Borough, Luzerne County.

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E22-621. James D. Myers Jr., 3 Beech Island, Middletown, PA 17057, Londonderry Township, Dauphin County, U.S. Army Corps of Engineers Baltimore District.

To operate and maintain 1.) approximately 156 linear feet of riprap and concrete bank stabilization; 2.) a 5,370 square foot wooden deck resting upon 52 wooden pilings, and 3.) three boat docks in the floodway and ordinary high waters of the Susquehanna River (WWF, MF) (Middletown Quadrangle 40° 8' 53.6" N, 76° 43' 53.2" W). There are no wetlands located in the project area. Permit issued July 24, 2020.

E3603219-002. East Hempfield Township, 1700 Nissley Road, Landisville, PA 17538 in East Hempfield Township, Lancaster County, U.S. Army Corps of Engineers Baltimore District.

To remove an existing structure and to install and maintain a (1) two 43.5 linear foot 12-foot x 5-foot box culverts with 1 foot uniform depression and fish baffles in Little Conestoga Creek (TSF, MF) and one 31.5 linear foot 16-foot x 4 foot box culvert with 1-foot uniform depression and fish baffles in a UNT Little Conestoga Creek (TSF, MF); and (2) place and maintain fill within an existing mill race. The project proposes to impact 164 feet of Little Conestoga Creek (TSF, MF), 125 feet of UNT Little Conestoga Creek (TSF, MF) and 0.01 acre of palustrine

emergent wetlands. The project is located in Hempfield Township, Lancaster County (40.0796°, -76.3515°). Wetland impacts are de minimus and replacement is not required. Permit issued May 6, 2020.

E3603219-010. Elizabethtown Borough, 600 South Hanover Street, Elizabethtown, PA 17022 in Elizabethtown Borough, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To extend an existing pathway by crossing 691 linear feet and placing 43 cubic yards of fill within the floodway of UNT Conoy Creek (TSF, MF). The project is located in Elizabethtown Borough, Lancaster County (40° 09' 14", -76° 35' 37"). Permit issued May 6, 2020.

E3803219-002. J.D. Oliver, 4360 Lewis Road, P.O. Box 4714, Harrisburg, PA 17111 in Union Township, **Lebanon County**, U.S. Army Corps of Engineers Baltimore District.

To 1.) place and maintain fill in two palustrine emergent wetlands and the floodway of an unnamed tributary to Swatara Creek, impacting 0.07 acre of wetland and 0.05 acre of floodway, for the purpose of constructing a commercial truck repair facility. The project is located near the intersection of S.R. 934 and Old Forge Road (Latitude: 40° 26' 56.73" N; Longitude: 76° 30' 48.09" W) in Union Township, Lebanon County. To compensate for the wetland impacts, J.D. Oliver will purchase 0.07 acre of wetland credits from the Codorus Creek Mitigation Bank in York County, Pennsylvania. Permit issued May 14, 2020.

E0603220-023. NorthPoint Development, 4825 NW 41st Street, Suite 500, Riverside, MO 64150 in Bethel Township, **Berks County**, U.S. Army Corps of Engineers Baltimore District.

To place and maintain fill and excavate, permanently impacting 0.26 acre of emergent wetlands (40.4755840. -76.3000150) for the purpose of constructing a 1,011,719 square foot warehouse. The permittee is required to compensate for these impacts by creating 0.26 acre of replacement wetland on-site. The wetland construction and enhancement will impact 0.15 acre of wetland. The project is located at 22 Martha Drive, Bethel Township, Berks County. Permit issued August 6, 2020.

E0603219-008. RAR2-Bethel Industrial, LLC, 171 State Route 173, Suite 201, Asbury, NJ 08802 in Bethel Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To 1.) place and maintain fill in palustrine emergent/scrub shrub wetlands, impacting 0.23 acre of wetlands; 2.) place and maintain fill in 20 linear feet of a UNT to Little Swatara Creek (CWF, MF); 3.) place and maintain fill in 109 linear feet a UNT to Little Swatara Creek (CWF) and 0.79 acre of the floodway of a UNT to Swatara Creek (CWF, MF) (40.479258, -76.260264); all for the purpose of constructing a warehouse and associated infrastructure in Bethel Township, Berks County. The project is located along U.S. 22 near its intersection of Airport Road (Latitude: 40.481402° N; Longitude: 76.264705° W) in Bethel Township, Berks County. To compensate for the impacts, the Permittee is required to purchase 0.28 wetland credits and 137.0 Stream credits from the Codorus Creek Mitigation Bank (PADEP Permit # MB990367-001). Permit issued June 17, 2020.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E4704220-001. Washingtonville Municipal Authority, P.O. Box 147, Washingtonville, PA 17884. Municipal Sewage Treatment Plant Upgrade, in Derry Township, **Montour County**, ACOE Baltimore District (Washingtonville, PA Quadrangle; Latitude: 40° 2' 55.8"; Longitude: -76° 40' 41.6").

To upgrade their existing Wastewater Treatment Plant located to the north of Broadway Road. The permit authorizes the removal of an existing steel package Wastewater Treatment Plant and the existing sludge holding tanks as well as the installation of a new mechanical fine screen, construction of a new concrete SBR biologic process system, a new concrete aerobic digester, a new chlorine contact tank, and the construction of a new controls/blower building to house the needed process equipment. The site is located within the 100-year floodplain of Chillisquaue Creek (Warm Water Fishery) per the Flood Insurance Rate Map (Map Number 42093C0070C). There are no proposed floodway impacts or wetland impacts authorized; however, there will be temporary and permanent floodplain impacts to the Chillisquaue Creek floodplain. Direct permanent floodplain impacts associated with the demolition and construction of the wastewater treatment plant including permanent grading and new pipes will total 11,175 SF (0.24 acre). Direct temporary floodplain impacts associated with the construction activities including construction vehicle access and maneuvering to perform all needed improvements for the site will total 13,940 SF (0.32 acre). The project will reduce the volumetric impacts to the floodplain by 2,952 CF. The existing impact of the WWTP in the floodplain is 45,357 CF and the proposed impact is 42,406 CF. This project is located at 5948-5976 Broadway Road, Danville, PA in Derry Township, Montour County.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E65051-1003, PennDOT District 12-0, 825 North Gallatin Avenue Extension, Uniontown, PA 15401, Allegheny Township, **Westmoreland County**; Pittsburgh ACOE District.

Has been given consent to:

Remove the existing 6' wide, 3.5' high, 70' long concrete arch culvert and construct and maintain 12' wide, 5.5' high, 112' long concrete arch culvert, having a permanent impact of 112 LF to perennial STR-1 (WWF) (287.85 acres drainage area).

Construct and maintain two outfalls having 24 LF and 20 LF impact to STR-1.

Remove the existing headwall and construct and maintain a replacement, having approximately 1 LF of impact to intermittent STR-2 (WWF) (23.587 acres drainage area).

Construct and maintain an outlet, having an impact of 10 LF of perennial STR-1, and 33 LF of intermittent STR-8 (WWF).

Remove the existing 10' wide, 9.5' high, 78' long concrete arch culvert, and construct and maintain a replacement 10' wide, 11.5' high, 98' box culvert, having a total impact of 134 LF to perennial stream STR-3 (WWF) (584.04 acres drainage area).

Construct and maintain an outfall having a permanent impact of 17 LF to STR-3.

Remove the existing headwall and construct and maintain a replacement having approximately 1 LF of impact to perennial STR-4 (WWF) (21.965 acres drainage area).

Construct and maintain an outfall, headwall, and outfall protection having an impact of 35 LF to STR-4.

Construct and maintain a 30-foot-long pipe extension, to the existing 101' long steel pipe, having a permanent impact of 48 LF on intermittent STR-5 (WWF) (12.110 acres drainage area). This activity will also have 0.017 acre of impact to Wetland 4 (POW).

Construct and maintain a 30' long extension to an existing 30', 101' long steel pipe, having an impact of 48 LF to intermittent STR-5 (12.110 acres drainage area).

Remove the existing 12' wide, 7' high, 62' long, Garvers Ferry Road concrete arch culvert, and construct and maintain a replacement 12' wide, 10' high, 54' long concrete box culvert, having a permanent impact of 54 LF to perennial STR-6 (WWF) (460.68 acres drainage area). The culvert replacement will also require a 72 LF relocation of STR-6 channel upstream, and a 132 LF relocation downstream of the proposed culvert.

Remove the existing 11' wide, 9' high, 46' long slab bridge, and construct and maintain a replacement 20' wide, 8.5' high, 85' long concrete box culvert, having a permanent impact of 105 LF to STR-6.

Construct and maintain three channel outfalls having permanent impacts of 15 LF, 23 LF, and 16 LF of STR-6.

Remove the existing headwall and construct and maintain a replacement having a permanent impact of 1 LF to perennial STR-7 (86.653 acres drainage area).

For the purpose of the SR 356 Corridor Safety Improvement Project. This project will have 769 LF of permanent impacts and 1,023 LF of temporary impacts to perennial streams. The project will have 82 LF of permanent impacts and 101 LF of temporary impacts to intermittent streams. The project will also involve 1,554 LF of permanent impacts and 1,786 LF of temporary impacts to seven ephemeral channels within the project area. Impacts for the SR 356 Corridor Safety Improvement Project include 70 feet of perennial stream loss, 48 feet of intermittent stream loss, and 145 feet of ephemeral channel loss. Total wetland impacts for the project are de minimis (0.017 acre). Stream mitigation for the project will improve 246 feet of stream bank and floodplain, along perennial stream STR-3, below the culvert replacement.

The project site is located on SR 0356 between White Cloud Road and SR 0056 (Leechburg Road), (Freeport and New Kensington East, PA USGS topographic quadrangle; N: 40°, 38', 7.7784"; W: 79°, 39', 11.7955"; Sub-basin 18B; USACE Pittsburgh District), in Allegheny Township, Westmoreland County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E6106220-001, Jamy Whitmire, 1400 Stewart Run Road, Tionesta, PA 16353. Holeman Island Aquatic Habitat Connectivity Project, in President Township, **Venango County**, ACOE Pittsburgh District (President, PA Quadrangle N: 41°, 28', 36.19"; W: -79°, 30', 56.84").

To conduct the following activities associated with restoration of a side channel of the Allegheny River around the east and north sides of Holeman Island approximately 1 mile west of the Stewart Run Road and

U.S. Route 62 intersection (President, PA Quadrangle N: 41°, 28', 36.19"; W: -79°, 30', 56.84") in President Township, Venango County:

1. To remove a section of the existing levee and to excavate approximately 734 feet of stream channel connecting the Allegheny River and Holeman Run.

2. To remove the existing road crossing and to construct and maintain a roadway crossing consisting of a 30-foot long aluminum arch plate box culvert having a 25-foot wide by 6-foot high waterway opening and three 30-foot long 24-inch diameter HDPE pipe relief culverts at the entrance to the Kibbe Island Park Campground

3. To impact a total of approximately 0.54 acre of wetland associated with excavation of the stream channel and roadway crossing.

Mitigation for resource impacts resulting from the project will be by constructing approximately 1,147 feet of stream channel, stabilizing more than 400 feet of additional stream channel, and constructing approximately 0.55 acre of replacement wetlands.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

EA2006220-021, PA DCNR, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. Messeral Bridge Removal, in Oil Creek Township, **Crawford County**, ACOE Pittsburgh District (Titusville South, PA Quadrangle N: 41°, 37', 20.71"; W: -79°, 38', 11.89").

To remove the existing 103-foot wrought iron thru truss that spans Pine Creek is Oil Creek Township, Crawford County. The bridge will be rehabilitated and installed at a location in Pymatuning State Park across Linesville Creek as part of a pedestrian trail extension project. No wetland impacts are proposed from the bridge removal.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295820030-00
 Applicant Name SWN Production Company, LLC
 Contact Person Marsha Vogel
 Address P.O. Box 12359
 City, State, Zip Spring, TX 77391-2359
 County Susquehanna
 Township(s) Franklin
 Receiving Stream(s) and Classification(s) UNT Dubois Creek # 31985 (CWF-MF), UNT Dubois Creek # 31991 (CWF-MF)
 Secondary: Dubois Creek (CWF-MF), Dubois Creek (CWF-MF)

ESCGP-3 # ESG294120013-00
 Applicant Name ARD Operating, LLC
 Contact Person Jennifer McCarthy
 Address 500 Dallas Street, Ste 2930
 City, State, Zip Houston, TX 77002-4701
 County Lycoming
 Township(s) Pine
 Receiving Stream(s) and Classification(s) Blockhouse Creek (CWF, EV)
 Secondary: Little Pine Creek (CWF, EV)

ESCGP-3 # ESG290820020-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Marlene Williams
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840-1567
 County Bradford
 Township(s) Wyalusing
 Receiving Stream(s) and Classification(s) Surface Drainage to Wyalusing Creek (WWF, MF);
 Secondary: Susquehanna River (WWF, MF)

ESCGP-3 # ESG290820019-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Marlene Williams
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18440-1567
 County Bradford
 Township(s) Asylum
 Receiving Stream(s) and Classification(s) Surface Drainage to UNT to Durell Creek (WWF, MF), Surface Drainage to UNT to Susquehanna River (WWF, MF)
 Secondary: Susquehanna River (WWF, MF), Susquehanna River (WWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed

and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984. The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960. Contact: Richard Staron, Professional Geologist Manager.

7 Eleven 23853, 09-24564, 2251 New Rodgers Rd., Middletown Township, **Bucks County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., P.O. Box 711, Dallas, TX 75221-0711, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Sunoco 0003 1625, 46-40429, 290 S. Gulph Rd., Upper Merion Township, **Montgomery County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Crystal, 46-41045, 601 W. 8th St., Lansdale Borough, **Montgomery County**. Advanced GeoServices, 1878 Marleton Pike East, Suite 10, Cherry Hill, NJ 08003, on behalf of Crystal Inc.—PMC, 601 West 8th Street, Lansdale, PA 19446-1809 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Philly Transp, 51-45299, 2905 Abbottsford Ave., **City of Philadelphia**. RT Environmental Services Inc., 215 West Church Road, King of Prussia, PA 19046, on behalf of Philly Transportation, LLC, 600 Brooke Road, Glenside, PA 19038 submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet residential Statewide health standards.

Septa Germantown Garage, 51-07482, 6725 Germantown Ave., **City of Philadelphia**. Michael Baker International, 1818 Market Street, Suite 1310, Philadelphia, PA 19103, on behalf of Septa, 1234 Market Street, 6th Floor, Philadelphia, PA 19107-3780 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Atlantic 0363 4748, 46-30725, 2 S. York Rd., Hatboro Borough, **Montgomery County**. Aquaterra Technologies, Inc., 901 S. Bolmar St., Suite A, West Chester, PA 19382, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Country Fair 38, Storage Tank Facility ID # 25-91603, 1818 Sassafras Street, City of Erie, **Erie County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Country Fair, Inc., 2251 East 30th Street, Erie, PA 16501, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, cumene, ethylbenzene, MTBE, naphthalene, xylenes, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

Ironstone Properties, Storage Tank Facility ID # 25-25047, 12214 East Main Road, North East Township, **Erie County**. Hydro-Terra Group, 1106 Business Parkway South, Suite E, Westminster, MD 21157, on behalf of Ironstone Properties, LLC, 27994 Gravel Run Road, Cambridge Springs, PA 16403 and TA Operating, LLC, 24601 Center Ridge Road, Westlake, OH 44145, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, cumene, ethylbenzene, MTBE, naphthalene, xylenes, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloroethane and lead. The plan is intended to document the remedial actions for meeting the Site-Specific Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the

remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

AF Leidy Hdwr, 46-44669, 1010 Gravel Pike, Lower Frederick Township, **Montgomery County**. Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426, on behalf of Kehs Property, 1010 Gravel Pike, Schwenksville, PA 19473-2328, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with kerosene and leaded gasoline. The Remedial Action Plan was acceptable to meet residential Statewide health and site-specific standards and was approved by the DEP on August 5, 2020.

James D. Morrissey, 51-40234, 9119 Frankford Ave., **City of Philadelphia**. J&J Spill Services and Supply, Inc., P.O. Box 370, Blue Bell, PA 19422, on behalf of James D. Morrissey, 9119 Frankford Ave., Philadelphia, PA 19114 submitted a site characterization report 310(b) concerning remediation of soil contaminated with diesel fuel. The Remedial Action Completion Report demonstrated attainment of residential Statewide health and was approved by the DEP on August 13, 2020.

1258 MacDade Blvd BP, 23-29735, 1258 MacDade Blvd., Collingdale Borough, **Delaware County**. Geo-Enviro Consulting and Remediation LLC, 371 Hoes Lane, Suite 200, Piscataway, NJ 00854, on behalf of ARFA Real Estate Holdings, LLC, 1800 Chapel Ave., Suite 1600, Cherry Hill, NJ 08002 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet residential Statewide health and site-specific standards and was approved by the DEP on August 17, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Howe Convenient Market, Storage Tank ID # 64-09036, Route 191, Lake Ariel, PA 18436, Lake

Township, **Wayne County**, LaBella, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of John T. Howe, Inc., P.O. Box 125, Lake Ariel, PA 18436, submitted a revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report demonstrated attainment of a combination of Site-Specific and Statewide Health Standards and was approved by DEP on August 17, 2020.

SPECIAL NOTICES

WATER MANAGEMENT

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Regional Permit Coordination Office as noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates.

More information regarding the permit applications related to this proposed project may be available online (dep.pa.gov/pipelines) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or RA-EPREGIONALPERMIT@pa.gov.

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

Persons with a disability that require an auxiliary aid, service or other accommodation should contact the specified Department office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PUBLIC NOTICE OF APPLICATION AND DRAFT STATE WATER QUALITY CERTIFICATION FOR A FERC REGULATED PIPELINE PROJECT

Proposed State Water Quality Certification Required by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Conemaugh River Crossing Project

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Domenic Rocco, PE, Director, 717-772-5987.

WQ6583220-001, Texas Eastern Transmission, LP, 890 Winter Street, Suite 300, Waltham, MA 02451. Conemaugh River Crossing Project, in Derry Township, **Westmoreland County** and Blacklick Township, **Indiana County**, Pittsburgh Corps District. The proposed project starts on the western side of the Conemaugh River in Westmoreland County within Texas Eastern's existing ROW at their existing valve site (Latitude: 40.455036°; Longitude: -79.301894°), and ends on the eastern side of the Conemaugh River in Indiana County approximately 600 feet northeast of another existing valve site (Latitude: 40.458303°; Longitude: -79.294683°)

On June 11, 2020, the Applicant requested a State water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project, as proposed, includes the in-situ grouting and abandonment of approximately 1,280 linear feet of the existing 24-inch Line 12 pipeline, and the installation and maintenance of approximately 2,600 linear feet of replacement 24-inch pipeline. Approximately 2,350 linear feet will be replaced in-kind and approximately 250 linear feet will be construction of new 24-inch pipeline to reconnect to the existing system. The Project, as proposed, will require approximately 12.23 acres of earth disturbance, and impacts to 195 linear feet of the Conemaugh River (WWF), 0.002 ac. of floodway impacts, 1.78 ac. of temporary palustrine emergent (PEM) wetland impacts, 0.081 ac. of temporary palustrine scrub-shrub (PSS) wetland impacts, 0.103 ac. of temporary palustrine forested (PFO) wetland impacts, 0.029 ac. of permanent PEM wetland impacts, 0.022 ac. of permanent PSS wetland impacts and 0.103 ac. of permanent PFO wetland impacts.

PADEP, by this notice, is proposing to issue a SWQC to Texas Eastern Transmission, LP for the Conemaugh River Crossing Project. PADEP is proposing to certify that construction, operation and maintenance of the Conemaugh River Crossing Project complies with the applicable provisions of sections 301–303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311–1313, 1316 and 1317). The PADEP is proposing to further certify that the construction, operation and maintenance of the Conemaugh River Crossing Project complies with Pennsylvania water quality standards and will protect applicable Commonwealth water quality standards provided that the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1–691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must

implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management) and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—Applicant shall properly operate and maintain at all times all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals which ensure the project shall maintain and protect State water quality standards as required by this SWQC. The Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, the Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained

to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to the Department of Environmental Protection, Regional Permit Coordination Office, Domenic Rocco, PE, Director, 400 Market Street, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

10. *Reservation of Rights*—PADEP may modify, suspend, or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that the Applicant has not complied with the terms and conditions of the SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of this SWQC shall not be affected thereby.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Domenic Rocco, PE, Director, 717-772-5987.

Texas Eastern Transmission, LP, 890 Winter Street, Suite 300, Waltham, MA 02451, Conemaugh River Crossing Project.

The applicant is proposing the in-situ grouting and abandonment of approximately 1,280 linear feet of the existing 24-inch Line 12 pipeline, and the installation and maintenance of approximately 2,600 linear feet of replacement 24-inch pipeline. Approximately 2,350 linear feet will be replaced in-kind and approximately 250 linear feet will be construction of new 24-inch pipeline to reconnect to the existing system within **Westmoreland** and **Indiana Counties**. The purpose of the project is to replace aging infrastructure to ensure the continued safety and reliability of Texas Eastern's bulk natural gas transmission system. The project consists of one Chapter 105 Water Obstruction and Encroachment Permit and one Chapter 102 Erosion and Sediment Control Permit. Below are the Chapter 105 permit applications being reviewed by the Department.

E6583220-026. The Westmoreland County portion of the project is located in Derry Township, the project then crosses the Conemaugh River and ends in Blacklick Township, **Indiana County**, both are in U.S. Army Corps of Engineers, Pittsburgh District. The proposed project starts on the western side of the Conemaugh River in Westmoreland County within Texas Eastern's existing ROW at their existing valve site (Latitude: 40.455036°; Longitude: -79.301894°) and extends to the eastern side of the Conemaugh River in Indiana County approximately 600 feet northeast of another existing valve site (Latitude: 40.458303°; Longitude: -79.294683°).

The Project, as proposed, will require approximately 12.23 acres of earth disturbance, and impacts to 195 linear feet of the Conemaugh River (WWF), 0.002 ac. of floodway impacts, 1.78 ac. of temporary palustrine emergent (PEM) wetland impacts, 0.081 ac. of temporary

palustrine scrub-shrub (PSS) wetland impacts, 0.103 ac. of temporary palustrine forested (PFO) wetland impacts, 0.029 ac. of permanent PEM wetland impacts, 0.022 ac. of permanent PSS wetland impacts and 0.103 ac. of permanent PFO wetland impacts. To mitigate for permanent impacts to PSS and PFO wetlands, Texas Eastern intends to purchase off-site mitigation credits.

EROSION AND SEDIMENT CONTROL

The following parties have applied for Erosion and Sediment Control Permits for earth disturbance associated with oil and gas exploration, production, processing, or treatment operations or transmission facilities.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department proposes to issue a permit to discharge, subject to certain limitations in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

<i>Permit No.</i>	<i>Applicant Name & Address:</i>
ESG83112001-00	Texas Eastern Transmission, LP 890 Winter Street Suite 300 Waltham, MA 02451

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Domenic Rocco, PE, Director, 717-772-5987.

ESG831120001-00. The Department of Environmental Protection (Department) provides notice of receipt of an application for a Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. The application is currently under technical review for the Conemaugh River Crossing Project.

This authorization is required for earth disturbance activities associated with oil and gas exploration, production, processing or treatment operations or transmission facilities when earth disturbance is five acres or greater. Review of this application is being coordinated among the Department and the associated county conservation districts.

The application under review is as follows:

<i>Counties:</i>	<i>DEP Office:</i>
Westmoreland Indiana	Regional Permit Coordination Office 400 Market Street Harrisburg, PA 17101 717-772-5987

PUBLIC COMMENTS FOR WATER OBSTRUCTIONS AND ENCROACHMENTS, STATE WATER QUALITY CERTIFICATION AND EROSION AND SEDIMENT CONTROL

A person wishing to comment on a proposed permit are invited to submit a statement to the appropriate Department office listed before the application within 30 days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department office during the 30-day public comment period.

Following the 30-day comment period, the program manager from the appropriate Department office will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to United States Court of Appeals for the 3rd Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790.

More information regarding the permit applications related to this proposed project may be available online (dep.pa.gov/pipelines) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or RA-EPREGIONALPERMIT@pa.gov.

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Department office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Regional Permit Coordination Office as noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates.

More information regarding the permit applications related to this proposed project may be available online (dep.pa.gov/pipelines) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or RA-EPREGIONALPERMIT@pa.gov.

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

Persons with a disability that require an auxiliary aid, service or other accommodation should contact the specified Department office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PUBLIC NOTICE OF APPLICATION AND DRAFT STATE WATER QUALITY CERTIFICATION FOR A FERC REGULATED PIPELINE PROJECT

Proposed State Water Quality Certification Required by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Lilly Compressor Station.

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Domenic Rocco, PE, Director, 717-772-5987.

WQ1183220-001. Texas Eastern Transmission, LP, 890 Winter Street, Suite 300, Waltham, MA 02451. Lilly Compressor Units Replacement Project, in Cresson Township, **Cambria County**, U.S. Army Corps of Engineers, Pittsburgh District. The proposed project is located at the Lilly Compressor Station situated off Texas Lane (Latitude: 40.43889°; Longitude: -78.592453°).

On January 10, 2020, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP20-37-000). The FERC Environmental Assessment for the Project, which was issued on July 16, 2020 may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; CP20-37-000).

On May 6, 2020, the Applicant requested a State water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project includes replacement of four existing compressor units and related facilities with two new gas turbine units and associated facilities to comply with future air emission reduction requirements. The Project also includes the construction of a new compressor building to house the two new compressor units. The existing compressor units are in two separate compressor buildings, both of which will be removed from service but remain in place. Additional facilities to be updated or installed include a generator building, an electrical control building with battery extension, a service entrance building, and an auxiliary building, as well as the installation of four filter separators. In addition, the project will result in the installation of a new stormwater

management retention basin. The Project, as proposed, will require approximately 31.8 acres of earth disturbance. The Project also includes impacts to a stream and wetlands. Impacts include construction and maintenance of a temporary timber mat equipment bridge across a tributary to Little Conemaugh River (CWF, MF) and associated floodway and temporary impacts to 0.07 acre of PEM wetlands.

PADEP, by this notice, is proposing to issue a SWQC to Texas Eastern Transmission, LP for the Lilly Compressor Units Replacement Project. PADEP is proposing to certify that construction, operation and maintenance of the Lilly Compressor Units Replacement Project complies with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP is proposing to further certify that the construction, operation and maintenance of the Lilly Compressor Units Replacement Project complies with Pennsylvania water quality standards and will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management) and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that

water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—Applicant shall properly operate and maintain at all times all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals which ensure the project shall maintain and protect State water quality standards as required by this SWQC. The Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, the Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to the Department of Environmental Protection, Regional Permit Coordination Office, Domenic Rocco, PE, Director, 400 Market Street, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

10. *Reservation of Rights*—PADEP may modify, suspend, or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that the Applicant has not complied with the terms and conditions of the SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of this SWQC shall not be affected thereby.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Domenic Rocco, PE, Director, 717-772-5987.

E1183220-023. Texas Eastern Transmission, LP, 890 Winter Street, Suite 320, Waltham, MA 02451, Lilly Compressor Units Replacement Project in Cresson Township, **Cambria County**, U.S. Army Corps of Engineers, Pittsburgh District. The proposed project is located at the Lilly Compressor Station situated off Texas Lane (Latitude: 40.43889 °; Longitude: -78.592453°).

The Project includes the construction and maintenance of a temporary timber mat equipment bridge across a tributary to Little Conemaugh River (CWF, MF) and associated floodway. The project will also temporarily impact 0.07 acre of PEM wetlands.

EROSION AND SEDIMENT CONTROL

The following parties have applied for Erosion and Sediment Control Permits for earth disturbance associated with oil and gas exploration, production, processing, or treatment operations or transmission facilities.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department proposes to issue a permit to discharge, subject to certain limitations in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Domenic Rocco, PE, Director, 717-772-5987.

ESG831120001-00. The Department of Environmental Protection (Department) provides notice of receipt of an application for a Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. The application is currently under technical review for the Lilly Compressor Units Replacement Project, which will consist of upgrades to the existing compressor station site. The project is located in Cresson Township, Cambria County, PA.

This authorization is required for earth disturbance activities associated with oil and gas exploration, production, processing or treatment operations or transmission facilities when earth disturbance is five acres or greater. Review of this application is being coordinated among the Department and the associated county conservation districts.

The application under review is as follows:

<i>Permit No.</i>	<i>Applicant Name & Address:</i>	<i>Counties:</i>	<i>DEP Office:</i>
ESG831120001-00	Texas Eastern Transmission, LP 890 Winter Street Suite 320 Waltham, MA 02451	Cambria	Regional Permit Coordination Office

PUBLIC COMMENTS FOR WATER OBSTRUCTIONS AND ENCROACHMENTS, STATE WATER QUALITY CERTIFICATION AND EROSION AND SEDIMENT CONTROL

A person wishing to comment on a proposed permit are invited to submit a statement to the appropriate Department office listed before the application within 30 days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department office during the 30-day public comment period.

Following the 30-day comment period, the program manager from the appropriate Department office will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to United States Court of Appeals for the 3rd Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790.

More information regarding the permit applications related to this proposed project may be available online (dep.pa.gov/pipelines) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or RA-EPREGIONALPERMIT@pa.gov.

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Department office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

[Pa.B. Doc. No. 20-1176. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Alternative Fuels Incentive Grant Program; Grant Opportunity

The Energy Programs Office of the Department of Environmental Protection (Department) announces an opportunity to apply for grants under the Alternative Fuels Incentive Grant (AFIG) Program to improve the air quality in this Commonwealth and reduce consumption of imported oil through the use of homegrown alternative fuels that will help the economy and environment in this Commonwealth. Programs, like AFIG, that incentivize the use of alternative fuels for transportation can help the Commonwealth reach the greenhouse gas emissions reduction goals outlined in the 2018 Pennsylvania Climate Action Plan.

The Department is seeking applications for innovative, advanced fuel and vehicle technology projects resulting in cleaner advanced alternative transportation within this Commonwealth. Approximately \$5 million in grants will be available for school districts, municipal authorities, political subdivisions, nonprofit entities, corporations, limited liability companies or partnerships incorporated or registered in the Commonwealth to support:

- Incremental cost expenses relative to retrofitting vehicles to operate on alternative fuels as a bi-fuel, dual-fuel, hybrid or dedicated vehicle.
- Incremental cost expenses to purchase bi-fuel, dual-fuel, hybrid or dedicated vehicles.
- The cost to purchase and install the necessary fleet refueling or workplace, home or intermediary refueling equipment for bi-fuel, dual-fuel, hybrid or dedicated vehicles.
- The cost to perform research, training, development and demonstration of new applications or next-phase technology related to alternative fuel vehicles.

Priorities for funding:

- Zero emission vehicle projects.
 - Renewable natural gas (RNG) vehicle and infrastructure projects.
 - Publicly accessible alternative fuel refueling infrastructure projects.
 - Projects located in environmental justice areas. (<https://www.dep.pa.gov/PublicParticipation/OfficeofEnvironmentalJustice/Pages/PA-Environmental-Justice-Areas.aspx>)
- Changes to the AFIG Program for 2020 for the Vehicle Retrofit and Purchase projects category are:
- Plug-in hybrid electric vehicles are not eligible; only battery electric vehicles are eligible.
 - Vehicle retrofits and conversions are only eligible for new vehicles.
 - Extra consideration will be given to natural gas vehicle projects involving RNG.

The AFIG Program guidelines and application instructions are available on the Department's web site at www.dep.pa.gov (select the "Grants" icon and under Businesses look for "Alternative Fuel Incentive Grant—for clean energy vehicles and fueling infrastructure").

All applications must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.dced.state.pa.us/Login.aspx. Hardcopy applications will not be accepted. The Department will begin accepting applications on Friday, August 28, 2020. Applications must be received by 4 p.m. on Friday, December 11, 2020.

For more information regarding the AFIG Program, contact the Energy Programs Office at (717) 705-0374. Information is also available on the Department's web site at www.dep.pa.gov (select "Residents," then "Saving Energy," then "Transportation," then "Alternative Fuels").

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1177. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Coastal Zone Grant Program

The Department of Environmental Protection (Department) Office of Water Resources Planning invites interested parties to apply for a Federal Fiscal Year 2021 Coastal Zone Grant beginning Monday, August 31, 2020.

Applicants must meet certain eligibility requirements (for example, an applicant must be an authority, an incorporated nonprofit organization, a political subdivision or an educational institution). Projects must be located within the Delaware Estuary Coastal Zone or the Lake Erie Coastal Zone boundaries as noted in the Coastal Program Grant Application Instruction Guide. Proposals must support the mission of the Department's Coastal Resources Management Program to protect and enhance coastal resources in this Commonwealth.

The Coastal Zone Grant Program guidelines and application instructions are available online through the Department's web site at www.dep.pa.gov (select the "Grants" icon and under Schools look for "Coastal Zone Grant—for protecting water quality and shorelines in the Delaware Estuary and Lake Erie Coastal Zone") or by contacting the Department's Coastal Resources Management Program at RA-epcoastalzone@pa.gov or (717) 772-5622.

All applications must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.dced.state.pa.us/Login.aspx. Hardcopy applications will not be accepted. The Department will begin accepting applications on Monday, August 31, 2020. Applications must be received by 4 p.m. on Monday, October 19, 2020.

For more information regarding the Coastal Zone Grant Program, contact the Department of Environmental Protection, Compacts and Commissions Office, 400 Market Street, P.O. Box 8465, Harrisburg, PA 17105-8465, (717) 772-5622. Information is also available on the Department's web site at www.dep.pa.gov (select "Businesses," then "Water," then "Compacts and Commissions," then "Coastal Resources Management Program," then "Grants").

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1178. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Draft Technical Guidance; New Guidance

DEP ID: 800-0810-003. **Title:** Guidelines for Development of Operator Pressure Barrier Policy for Unconventional Wells. **Description:** The purpose of these guidelines is to inform unconventional operators engaged in drilling, hydraulic fracturing, alteration or plugging activities, or other pertinent oil and gas operations; of items to consider when developing the Pressure Barrier Policy component of a Preparedness, Prevention and Contingency plan. Recommendations relevant to maintaining compliance with the requirements of 25 Pa. Code Chapter 78a (relating to unconventional wells) and any additional requirements in The Clean Streams Law (35 P.S. §§ 691.1—691.1001), the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), 58 Pa.C.S. §§ 3201-3274 (relating to development) (2012 Oil and Gas Act) and other applicable laws are summarized. These guidelines have been developed to facilitate appropriate well control incident risk mitigation.

Written Comments: Interested persons may submit written comments on this draft TGD through Monday, September 28, 2020. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commenter's name and address. Commenters are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Harry Wise at hwise@pa.gov or (717) 772-0219.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1179. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

**OSM 17(6806)101.1, Abandoned Mine Reclamation
Project, Weber Run South, Cooper Township,**

Clearfield County. The principal items of work and approximate quantities include: clearing and grubbing, 1 lump sum; grading, 80,100 cubic yards; and seeding, 9.5 acres.

This bid issues on August 21, 2020, and bids will be opened on September 17, 2020, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1180. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Transitions Healthcare North Huntingdon
8850 Barnes Lake Road
North Huntingdon, PA 15642
FAC ID # 020102

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1181. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Public Health Council Virtual Meeting Regarding the Preventive Health and Health Services Block Grant

The Public Health Council will be holding a virtual meeting on Thursday, September 10, 2020, from 1 p.m. to 1:30 p.m. The virtual meeting will be conducted as a teleconference call and can be accessed by means of Skype by dialing 1 (267) 332-8737, then entering meeting ID: 721715712#. The purpose of the virtual meeting is to discuss the Preventive Health and Health Services Block Grant Federal Fiscal Year 2019 Distribution of Uncommitted Funds to be used before the expiration of the grant which is September 30, 2020.

For additional information contact Kim Mehaffey, Public Health Program Administrator, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 547-3214.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other special accommodations to do so should contact Kim Mehaffey, Public Health Program Administrator, at (717) 547-3214, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1182. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Announcement of the Request for Application to Provide Services for WIC Program

Under 7 CFR 246.5(a) (relating to selection of local agencies), the Department of Health (Department), is providing notice of its intent to competitively bid Local Agency work as of August 17, 2020, to begin providing services October 1, 2022.

The WIC Program is an adjunct to health care programs that seeks to improve the nutrition and health status of pregnant, postpartum and breastfeeding women, infants and children 5 years of age at no cost to eligible persons. WIC is the premier public health nutrition program that provides participant-centered nutrition education, breastfeeding promotion and support, referrals to other health and social service programs, and supplemental foods in specific quantities to support adequate growth and development. Pennsylvania WIC is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider and employer.

When reviewing applications, the State agency shall consider the following priority system, which is based on the relative availability of health and administrative services, in the selection of local agencies:

1) First consideration shall be given to a public or a private nonprofit health agency that will provide ongoing, routine pediatric and obstetric care and administrative services.

2) Second consideration shall be given to a public or a private nonprofit health or human service agency that will enter into a written agreement with another agency for either ongoing, routine pediatric and obstetric care or administrative services.

3) Third consideration shall be given to a public or private nonprofit health agency that will enter into a written agreement with private physicians, licensed by the Commonwealth, to provide ongoing, routine pediatric and obstetric care to a specific category of participants (women, infants or children).

4) Fourth consideration shall be given to a public or private nonprofit human service agency that will enter into a written agreement with private physicians, licensed by the Commonwealth, to provide ongoing, routine pediatric and obstetric care.

5) Fifth consideration shall be given to a public or private nonprofit health or human service agency that will provide ongoing, routine pediatric and obstetric care through referral to a health provider.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jay Mast, Department of Health, Bureau of Women, Infants and Children (WIC), 625 Forster Street, Health and Welfare Building, 7th Floor West, Harrisburg, PA 17120, (717) 783-1289. Speech and/or hearing impaired persons should use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1183. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Blank Check Fast Play Game 5094

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name*: The name of the lottery game is Pennsylvania Blank Check (hereinafter “Blank Check”). The game number is PA-5094.

2. *Definitions*:

(a) *Authorized retailer or retailer*: A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *CHECK*: A specific, pre-defined area of a game ticket located in the play area that contains five play symbols, five prize symbols and a “MEMO MULTIPLIER” area that, when played according to the instructions, determine whether a player wins a prize. Each “CHECK” is played separately, but winning combinations in more

than one “CHECK” can be combined to win larger prizes as described in section 6 (relating to prizes available to be won and determination of prize winners).

(d) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(e) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(g) *MEMO MULTIPLIER Area*: The area within each “CHECK” that contains a 1X, 2X, 3X, 4X or 5X multiplier symbol that is applied to any winning combination. Any prize won in a “CHECK” with a 1X multiplier symbol appearing in the “MEMO MULTIPLIER” area is not multiplied.

(h) *Play*: A chance to participate in a particular Fast Play lottery game.

(i) *Play Area*: The area on a ticket, which contains one or more play symbols.

(j) *Play Symbol*: A number, letter, symbol, image or other character found in the play area, which is used to determine whether a player wins a prize.

(k) *Prize*: A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(l) *PROGRESSIVE TOP PRIZE*: The top prize available for this game that begins with a minimum prize amount that grows at a pre-determined rate every time a ticket is purchased, and then resets to the minimum prize amount whenever a top prize winning ticket is sold.

(m) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the numbers within any “CHECK,” determine whether a player wins a prize.

(n) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

3. *Price*: The price of a Blank Check ticket is \$20.

4. *Description of the Blank Check Fast Play lottery game*:

(a) The Blank Check lottery game is an instant win game printed from a Lottery Terminal. With the exception of the “PROGRESSIVE TOP PRIZE,” prizes are predetermined, and the player does not have the ability to select their own play symbols. Blank Check tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Blank Check is played by matching any of the play symbols in the “WINNING NUMBERS” area to any play symbol located in any “CHECK.” A player matching one or more play symbols in this manner will win the prize shown beneath the matching number within that

“CHECK.” A bet slip is not used to play this game. Each “CHECK” is played separately.

(c) Blank Check tickets contain one “MEMO MULTIPLIER” area within each of the five “CHECK” areas, by which a player may multiply any prize won in that “CHECK” area by the multiplier amount shown in the “MEMO MULTIPLIER” area. The Progressive Top Prize symbol will only appear in a “CHECK” with the 1X symbol. Any prize won within a “CHECK” where a 1X symbol appears in the “MEMO MULTIPLIER” area is not multiplied.

(d) Players can win the prizes identified in section 6 (relating to prizes available to be won and determination of prize winners).

(e) A Blank Check game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Blank Check game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Blank Check game ticket and select the Blank Check option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. Blank Check ticket characteristics:

(a) A Blank Check ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols:* Each Blank Check ticket play area will contain a “WINNING NUMBERS” area, five “CHECK” areas and five “MEMO MULTIPLIER” areas. The play symbols and their captions, located in the “WINNING NUMBERS” area and each of the five “CHECK” areas, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FRTY). The play symbols located in the each of the five “MEMO MULTIPLIER” areas are: 1X, 2X, 3X, 4X and 5X.

(c) *Prize Symbols:* The prize symbols and their captions, located in each of the five “CHECK” areas, are: \$20.⁰⁰ (TWENTY), \$30.⁰⁰ (THIRTY), \$40.⁰⁰ (FORTY), \$50.⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and PROG (TOP PRIZE).

(d) *Prizes:* The prizes that can be won in this game are: \$20, \$30, \$40, \$50, \$100, \$200, \$500, \$1,000, \$10,000 and the “PROGRESSIVE TOP PRIZE.” The “PROGRESSIVE TOP PRIZE” amount starts at \$200,000 and increases by \$3.50 every time a Blank Check ticket is purchased. When a “PROGRESSIVE TOP PRIZE” winning ticket is sold, the “PROGRESSIVE TOP PRIZE” resets to \$200,000. Blank Check contains a feature that can multiply the prize won in any “CHECK” as detailed in section 4 (relating to description of the Blank Check Fast Play lottery game). For a complete list of prizes that

can be won in this game, including multiplied prizes, see section 7 (relating to number and description of prizes and approximate chances of winning). A player can win up to five times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 2,400,000 tickets will be available for sale for the Blank Check lottery game.

6. *Prizes available to be won and determination of prize winners:*

(a) All Blank Check prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in any “CHECK,” and a prize symbol of PROG (TOP PRIZE) appears in the “Prize” area under the matching play symbol, and a 1X symbol appears in the “MEMO MULTIPLIER” area on the same “CHECK,” on a single ticket, shall be entitled to a prize of a “PROGRESSIVE TOP PRIZE.” The amount won under this paragraph is the amount of the “PROGRESSIVE TOP PRIZE,” determined by the Lottery Central Computer System, as of the time the winning ticket was purchased. The amount won will be a minimum of \$200,000.

(c) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$10,000 (TEN THO) appears in the “Prize” area under the matching play symbol, and a 1X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 1X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 1X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 5X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 4X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$400.

(h) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 3X symbol ap-

(TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 3X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$60.

(aa) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 1X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$50.

(bb) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$40⁰⁰ (FORTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 1X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$40.

(cc) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the match-

ing “YOUR NUMBERS” play symbol, and a 2X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$40.

(dd) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 1X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$30.

(ee) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols matches any play symbol in a “CHECK,” and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and a 1X symbol appears in the “MEMO MULTIPLIER” area within the same “CHECK,” on a single ticket, shall be entitled to a prize of \$20.

7. *Number and description of prizes and approximate chances of winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When You Match Any “WINNING NUMBER” To Any Number In A “CHECK,” Win Prize Shown Under The Matching Number.</i>					<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
<i>“Check 1” Win With:</i>	<i>“Check 2” Win With:</i>	<i>“Check 3” Win With:</i>	<i>“Check 4” Win With:</i>	<i>“Check 5” Win With:</i>			
				\$20	\$20	33.33	72,000
			\$20		\$20	33.33	72,000
		\$20			\$20	33.33	72,000
	\$20				\$20	33.33	72,000
\$20					\$20	33.33	72,000
				\$30	\$30	90.91	26,400
			\$30		\$30	90.91	26,400
		\$30			\$30	90.91	26,400
	\$30				\$30	90.91	26,400
\$30					\$30	100	24,000
			\$20	\$20	\$40	100	24,000
	\$20 w/ 2X				\$40	100	24,000
\$20 w/ 2X					\$40	100	24,000
				\$40	\$40	100	24,000
			\$40		\$40	100	24,000
		\$40			\$40	100	24,000
	\$40				\$40	100	24,000
\$40					\$40	100	24,000
	\$20	\$30			\$50	111.11	21,600
				\$50	\$50	200	12,000
			\$50		\$50	200	12,000
		\$50			\$50	200	12,000
	\$50				\$50	200	12,000
\$50					\$50	200	12,000
\$20	\$20	\$20	\$20	\$20	\$100	3,000	800
\$30	\$30		\$20	\$20	\$100	2,400	1,000

<i>When You Match Any "WINNING NUMBER" To Any Number In A "CHECK," Win Prize Shown Under The Matching Number.</i>					<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
<i>"Check 1" Win With:</i>	<i>"Check 2" Win With:</i>	<i>"Check 3" Win With:</i>	<i>"Check 4" Win With:</i>	<i>"Check 5" Win With:</i>			
	\$20 w/ 3X		\$40		\$100	3,000	800
\$20 w/ 3X			\$20	\$20	\$100	3,000	800
\$20		\$20		\$30 w/ 2X	\$100	3,000	800
	\$20		\$40 w/ 2X		\$100	3,000	800
		\$50 w/ 2X			\$100	3,000	800
				\$100	\$100	4,000	600
			\$100		\$100	4,000	600
		\$100			\$100	4,000	600
	\$100				\$100	4,000	600
\$100					\$100	4,000	600
	\$50 × 2		\$50 × 2		\$200	8,000	300
\$100				\$100	\$200	8,000	300
	\$20 w/ 5X	\$20	\$30	\$50	\$200	6,000	400
			\$30 w/ 4X	\$20 w/ 4X	\$200	6,000	400
	\$20	\$40 w/ 4X	\$20		\$200	6,000	400
\$20 w/ 4X				\$40 w/ 3X	\$200	6,000	400
	\$50 w/ 4X				\$200	6,000	400
	\$20	\$30	\$50 w/ 3X		\$200	4,800	500
		\$50 w/ 3X	\$50		\$200	4,800	500
				\$200	\$200	12,000	200
			\$200		\$200	12,000	200
		\$200			\$200	12,000	200
	\$200				\$200	12,000	200
\$200					\$200	12,000	200
			(\$20 + \$30) w/ 4X	\$100 w/ 3X	\$500	13,333	180
(\$20 × 2) w/ 3X	(\$30 × 2) w/ 3X	(\$40 × 2) w/ 2X	\$20	\$20	\$500	12,000	200
\$20 w/ 5X			\$40 w/ 5X	\$40 w/ 5X	\$500	13,333	180
	\$50 w/ 5X	\$50 w/ 5X			\$500	13,333	180
		\$100 w/ 3X	\$50 w/ 3X	\$50	\$500	13,333	180
	\$100 w/ 4X	\$20 w/ 3X	\$20 w/ 2X		\$500	13,333	180
\$100 w/ 5X					\$500	24,000	100
				\$500	\$500	40,000	60
			\$500		\$500	40,000	60
		\$500			\$500	40,000	60
	\$500				\$500	40,000	60
\$500					\$500	40,000	60
				\$1,000	\$1,000	120,000	20
			\$1,000		\$1,000	120,000	20
		\$1,000			\$1,000	120,000	20
	\$1,000				\$1,000	120,000	20
\$1,000					\$1,000	120,000	20
				\$10,000	\$10,000	1,200,000	2
			\$10,000		\$10,000	1,200,000	2

When You Match Any "WINNING NUMBER" To Any Number In A "CHECK," Win Prize Shown Under The Matching Number.					Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 2,400,000 Tickets:
"Check 1" Win With:	"Check 2" Win With:	"Check 3" Win With:	"Check 4" Win With:	"Check 5" Win With:			
		\$10,000			\$10,000	1,200,000	2
	\$10,000				\$10,000	1,200,000	2
\$10,000					\$10,000	1,200,000	2
				PROGRESS-IVE TOP PRIZE*	\$200,000	1,200,000	2
			PROGRESS-IVE TOP PRIZE*		\$200,000	1,200,000	2
		PROGRESS-IVE TOP PRIZE*			\$200,000	1,200,000	2
	PROGRESS-IVE TOP PRIZE*				\$200,000	1,200,000	2
PROGRESS-IVE TOP PRIZE*					\$200,000	1,200,000	2

Multiply any prize won by the multiplier shown in the "MEMO MULTIPLIER" area in that "CHECK." Each "CHECK" is played separately.

*PROGRESSIVE TOP PRIZE: The minimum value of the PROGRESSIVE TOP PRIZE is \$200,000. The PROGRESSIVE TOP PRIZE increases by \$3.50 every time a ticket is purchased, and resets to \$200,000 whenever a top prize winning ticket is sold.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

- (2) A claim form is properly and fully completed;
 - (3) The identification of the claimant is confirmed; and
 - (4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).
- (e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.
- (f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *“PROGRESSIVE TOP PRIZE” restrictions:*

(a) An amount of \$3.50 from the sale of each Blank Check ticket will be accumulated in the “PROGRESSIVE TOP PRIZE” pool.

(b) *Prize Amount:* The amount of the “PROGRESSIVE TOP PRIZE” at the time a ticket is purchased can only be verified through the Lottery’s Central Computer System. Any advertisement or any materials describing the amount of the “PROGRESSIVE TOP PRIZE” are only valid as of the time they are posted. If any discrepancy exists between this notice and any material describing or advertising the Blank Check game, this notice and the data contained in the Lottery’s Central Computer System shall govern.

(c) The “PROGRESSIVE TOP PRIZE” and all other prizes are subject to availability at the time of purchase. The Lottery is not responsible for prizes that are not awarded due to technical issues. In the event of a “PROGRESSIVE TOP PRIZE” being reset without the actual sale of a “PROGRESSIVE TOP PRIZE” winning ticket, all prize money that had accumulated into the “PROGRESSIVE TOP PRIZE” pool (i.e. \$3.50 from the sale of each ticket) shall be awarded as part of the next “PROGRESSIVE TOP PRIZE” won.

(d) Prizes payable to “PROGRESSIVE TOP PRIZE” winners will be paid as a one-time cash payment. For the purposes of calculation of the prize to be paid to “PROGRESSIVE TOP PRIZE” winners, the “PROGRESSIVE TOP PRIZE” amount will be rounded up to the nearest \$0.50.

15. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Blank Check lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

16. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer’s license without the Lottery’s prior written authorization.

17. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Blank Check lottery game tickets.

18. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

19. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Blank Check or through normal communications methods.

20. *Applicability:* This notice applies only to the Blank Check lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-1184. Filed for public inspection August 28, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Mattress Money Fast Play Game 5095

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name*: The name of the lottery game is Pennsylvania Mattress Money (hereinafter “Mattress Money”). The game number is PA-5095.

2. *Definitions*:

(a) *Authorized retailer or retailer*: A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(e) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(f) *Play*: A chance to participate in a particular Fast Play lottery game.

(g) *Play Area*: The area on a ticket, which contains one or more play symbols.

(h) *Play Symbol*: A number, letter, symbol, image or other character found in the play area, which is used to determine whether a player wins a prize.

(i) *Prize*: A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(j) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the “YOUR NUMBERS” play symbols, determine whether a player wins a prize.

(k) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(l) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the “WINNING NUMBERS” play symbols, determine whether a player wins a prize.

3. *Price*: The price of a Mattress Money ticket is \$2.

4. *Description of the Mattress Money Fast Play lottery game*:

(a) The Mattress Money lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. Mattress Money tickets

may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Mattress Money is played by matching any of the play symbols in the “YOUR NUMBERS” area to any of the play symbols located in the “WINNING NUMBERS” area. A player matching play symbols in this manner will win the prize shown under the matching “YOUR NUMBERS” play symbol. A bet slip is not used to play this game.

(c) Players can win the prizes identified in section 6 (relating to prizes available to be won and determination of prize winners).

(d) A Mattress Money game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Mattress Money game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Mattress Money game ticket and select the Mattress Money option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Mattress Money ticket characteristics*:

(a) A Mattress Money ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols*: Each Mattress Money ticket play area will contain a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions, located in the “WINNING NUMBERS” and “YOUR NUMBERS” areas, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT).

(c) *Prize Symbols*: The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN) and \$10,000 (TEN THO).

(d) *Prizes*: The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$40, \$50, \$100, \$200, \$500 and \$10,000. A player can win up to ten times on a ticket.

(e) *Approximate number of tickets available for the game*: Approximately 1,200,000 tickets will be available for sale for the Mattress Money lottery game.

6. *Prizes available to be won and determination of prize winners*:

(a) All Mattress Money prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the

“WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

7. *Number and description of prizes and approximate chances of winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of “YOUR NUMBERS” Match Any “WINNING NUMBER,” Win Prize Shown Under The Matching Number: Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets:</i>
\$2	\$2	8.13	147,600
\$2 × 2	\$4	30.3	39,600
\$4	\$4	30.3	39,600
\$5	\$5	33.33	36,000
\$2 × 5	\$10	250	4,800
\$5 × 2	\$10	250	4,800
(\$2 × 3) + \$4	\$10	200	6,000
(\$4 × 2) + \$2	\$10	200	6,000
\$10	\$10	200	6,000
\$5 × 4	\$20	2,000	600
\$10 × 2	\$20	2,000	600
(\$4 × 4) + (\$2 × 2)	\$20	500	2,400
(\$5 × 2) + (\$4 × 2) + \$2	\$20	500	2,400
\$20	\$20	2,000	600
\$10 × 4	\$40	3,000	400
\$20 × 2	\$40	3,000	400
(\$5 × 4) + (\$2 × 3) + \$10 + \$4	\$40	3,000	400
(\$10 × 2) + (\$5 × 2) + (\$4 × 2) + \$2	\$40	3,000	400

<i>When Any Of "YOUR NUMBERS" Match Any "WINNING NUMBER," Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets:</i>
$(\$10 \times 3) + (\$5 \times 2)$	\$40	3,000	400
\$40	\$40	4,000	300
$\$10 \times 5$	\$50	4,000	300
$(\$5 \times 4) + \$20 + \$10$	\$50	4,800	250
$(\$10 \times 3) + (\$5 \times 2) + (\$4 \times 2) + \2	\$50	4,000	300
$(\$20 \times 2) + (\$5 \times 2)$	\$50	4,000	300
\$50	\$50	4,000	300
$\$50 \times 2$	\$100	6,000	200
$(\$40 \times 2) + (\$5 \times 2) + \$10$	\$100	12,000	100
$(\$40 \times 2) + (\$5 \times 2) + (\$4 \times 2) + \2	\$100	12,000	100
$\$50 + \$40 + \$10$	\$100	12,000	100
\$100	\$100	8,000	150
$\$100 \times 2$	\$200	24,000	50
$(\$20 \times 2) + (\$5 \times 2) + \$100 + \$40 + \$10$	\$200	24,000	50
$(\$50 \times 2) + (\$20 \times 3) + (\$10 \times 3) + (\$5 \times 2)$	\$200	24,000	50
\$200	\$200	24,000	50
$\$100 \times 5$	\$500	120,000	10
$(\$100 \times 2) + (\$50 \times 2) + \$200$	\$500	120,000	10
\$500	\$500	120,000	10
\$10,000	\$10,000	120,000	10

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Mattress Money lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in inter-

pretation of this notice are final and binding on players and persons making a claim in respect thereof.

15. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

16. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Mattress Money lottery game tickets.

17. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

18. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Mattress Money or through normal communications methods.

19. *Applicability:* This notice applies only to the Mattress Money lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-1185. Filed for public inspection August 28, 2020, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
10-209	Department of Health Complete Reporting of CD4 T-Lymphocyte, Viral Load and Geno- typing Test Results Relating to HIV	8/12/20	9/17/20
7-536	Environmental Quality Board Air Quality Fee Schedule Amendments	8/14/20	9/17/20

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 20-1186. Filed for public inspection August 28, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Designation as a Certified Reinsurer

ACE INA Overseas Reinsurance Company Ltd. has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on June 26, 2020, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address, telephone number and e-mail address of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Nicholas S. Murray at nmurray@pa.gov; Bruce K. Hart at bruchart@pa.gov; and Kimberly A. Rankin at krankin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1187. Filed for public inspection August 28, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Designation as a Certified Reinsurer

Chubb European Group SE has applied for designation as a certified reinsurer in this Commonwealth. The application was received on June 29, 2020, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address, telephone number and e-mail address of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and rel-

evant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Nicholas S. Murray at nmurray@pa.gov; Bruce K. Hart at bruchart@pa.gov; and Kimberly A. Rankin at krankin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1188. Filed for public inspection August 28, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Designation as a Certified Reinsurer

Chubb Reinsurance (Switzerland) Ltd. has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on June 26, 2020, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address, telephone number and e-mail address of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Nicholas S. Murray at nmurray@pa.gov; Bruce K. Hart at bruchart@pa.gov; and Kimberly A. Rankin at krankin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1189. Filed for public inspection August 28, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Designation as a Certified Reinsurer

Chubb Tempest Reinsurance Ltd. has applied for renewal of its designation as a certified reinsurer in this

Commonwealth. The application was received on June 27, 2020, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address, telephone number and e-mail address of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Nicholas S. Murray at nmurray@pa.gov; Bruce K. Hart at bruchart@pa.gov; and Kimberly A. Rankin at krankin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1190. Filed for public inspection August 28, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Designation as a Certified Reinsurer

Equator Reinsurance Limited has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on June 30, 2020, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address, telephone number and e-mail address of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Douglas Coleman at doucoleman@pa.gov; Kaushik K. Patel at kaupatel@pa.gov; and Kimberly A. Rankin at krankin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1191. Filed for public inspection August 28, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a

common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by September 14, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2020-3020503. We Care Transportation Services, LLC (7401 Old York Road, 3rd Floor, Elkins Park, PA 19027) for the right to begin to transport, as a common carrier, by motor vehicle, persons, in paratransit service, limited to mobility challenged people, between points in the Counties of Bucks, Chester, Delaware, Montgomery and Philadelphia.

A-2020-3021311. New Hope Home Care, Inc. (802 Garrett Road, Upper Darby, Delaware County, PA 19082) in paratransit service, from points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return. Subject to the following restrictions:

1) transportation is limited to the transportation of persons whose personal convictions prevent them from owning or operating motor vehicles, or

2) transportation is limited to transportation to correctional facilities, or

3) transportation is limited to wheelchair or stretcher van service.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public conveyance as described under each application.*

A-2020-3020765. Rock City Shuttles, LLC (3368 Kingwood Road, Rockwood, Somerset County, PA 19403) for the discontinuance and cancellation of its authority, to transport, as a common carrier, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Fayette, Somerset and Westmoreland.

A-2020-3021100. Private Transit, LLC (343 William Street, Downingtown, PA 19335) discontinuance of service and cancellation of its certificate, for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in Pennsylvania.

A-2020-3021335. Gary R. Ebright (603 Elm Street, Watsontown, Northumberland County, PA 17777) discontinuance of service and cancellation of its certificate, to

transport, as a common carrier, by motor vehicle, at A-6422763, persons in paratransit service, from points in the Counties of Clinton, Lycoming, Montour, Northumberland and Union, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1192. Filed for public inspection August 28, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2020-3021362. Pennsylvania-American Water Company. Application of Pennsylvania-American Water Company for approval to begin to offer, render, furnish or supply water service to the public in an additional portion of Londonderry Township, Dauphin County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, September 14, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to Efile their submissions by opening an Efiling account—free of charge—through the Commission's web site and accepting Eservice.

Applicant: Pennsylvania-American Water Company

Through and By Counsel: Elizabeth Rose Triscari, Esquire, Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1193. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE BOARD OF NURSING

Automatic Suspension of the License to Practice as a Practical Nurse of Melinda S. Paul, LPN; Case No. 18-51-008743

On December 18, 2019, Melinda S. Paul, LPN, license No. PN2568791, last known of Sharon, Mercer County and Masury, OH, was automatically suspended, effective May 31, 2019, based on her misdemeanor conviction under The Controlled Substance, Drug, Device and Cosmetic Act (35 P.S. §§ 780-101—780-144).

Individuals may obtain a copy of the order at www.pals.pa.gov.

This final order represents the State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a

petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

ANN M. COUGHLIN, MBA, MSN, RN,
Chairperson

[Pa.B. Doc. No. 20-1194. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Amy Klinger Lehman, LPN; Case No. 17-51- 10939

On January 28, 2020, Amy Klinger Lehman, LPN, license No. PN264189, last known of Madison, SD, had her license indefinitely suspended by the State Board of Nursing (Board), for being convicted of a felony and being disciplined by the proper licensing authority of another state.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

ANN M. COUGHLIN, MBA, MSN, RN,
Chairperson

[Pa.B. Doc. No. 20-1195. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Gifty Teppeh, RN; Case No. 17-51-02348

On November 1, 2019, Gifty Teppeh, RN, license No. RN354440L, last known of Red Lion, York County and Silver Spring, MD, had her license suspended by the State Board of Nursing (Board) and was assessed a \$550 civil penalty for committing fraud or deceit in the practice of nursing.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

ANN M. COUGHLIN, MBA, MSN, RN,
Chairperson

[Pa.B. Doc. No. 20-1196. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Jason Saylor—Witmer Farms 75 Witmer Road Liverpool, PA 17045	Perry County/ Liverpool Township	96.66	Cattle/ Pullets	Existing	Rescind
Leon Martin—Broiler Barns Leon Martin 453 Showers Road Muncy, PA 17756	Northumberland County/ Lewis Township	155.81	Broilers	New	Approved
David Weaver 153 Quarry Road Kutztown, PA 19530	Berks County/ Maxatawny Township	194.4	Broilers	New	Approved
JSR Management, LLC Jeff Rohrer 1655 Phillips Lane Mohrsville, PA 19541	Berks County/ Upper Bern Township	1,530.08	Pullets/ Layers/ Swine	Existing	Amended
Downs Racing, LP Mohegan Sun at Pocono Downs Dale Rapson 1280 Highway 315 Wilkes-Barre, PA 18702	Luzerne County/ Plains Township	0	Horses	Existing	Amended
Skyline Acres, Inc. Jennifer Hess 477 Skyline Drive Bernville, PA 19506	Berks County/ Upper Bern Township	491.1	Cattle	Existing	Amended
Darvin Martin—Valley View Farm 8245 Holbens Valley Road New Tripoli, PA 18066	Lehigh County/ Weisenberg Township	25.68	Ducks	New	Approved
Carl Horst 209 Bunker Hill Road Womelsdorf, PA 19567	Berks County/ Heidelberg Township	162.74	Swine	New	Approved

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 20-1197. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Samuel L. Lapp 238 Snake Lane Kinzers, PA 17535	Lancaster County/ Salisbury Township	19.3	Horses	New	Approved
Arlin Weaver 201 Bullshead Road Newville, PA 17241	Cumberland County/ North Newton Township	339.58	Swine	Amended	Approved

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 20-1198. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Brian Zimmerman 1553 Shamrock Road Paxinos, PA 17860	Northumberland County/ Shamokin Township	71.14	Broilers	Amended	Approved
Jay Paul Nolt—Misty Hollow Farm Jay Paul Nolt 611 Blattadahl Road Mohrsville, PA 19541	Berks County/ Centre Township	51.4	Ducks	New	Approved
J. David Lapp 380 Auction Road Mill Hall, PA 17751	Clinton County/ Lamar Township	66.45	Turkeys	Existing	Rescind
Daniel S. Smucker—Home Farm 2095 North Churchtown Road Narvon, PA 17555	Lancaster County/ Caernarvon Township	55	Cattle	Amended	Approved
Ron Coleman 3940 Eagles Scout Road Thomasville, PA 17364	York County/ Dover Township	167.77	Broilers	Existing	Rescind
Roman Lantz 8520 Otterbein Church Road Newburg, PA 17240	Franklin County/ Lurgan Township	0	Cattle	Existing	Rescind
Elizabeth Feltman 988 Country Road Middleburg, PA 17842	Snyder County/ Franklin Township	165.06	Cattle	Amended	Approved
Stephen Fisher 1360 May Post Office Road Quarryville, PA 17566	Lancaster County/ Eden Township	91.07	Cattle	Existing	Rescind

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 20-1199. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
John A. Martin—Woodland Poultry Farm 420 Turkey Run Road Mifflinburg, PA 17844	Union County/ Buffalo Township	0	Broilers	New	Approved
Vernon L. Nolt 203 Oak Lane Bernville, PA 19506	Berks County/ Jefferson Township	151.7	Turkey, Cattle	New	Approved
John K. Fisher 46 Embrick Lane Loganton, PA 17747	Clinton County/ Greene Township	41.5	Cattle	Amended	Approved
Neil L. Martin 749 Bloody Spring Road Bethel, PA 19507	Berks County/ Upper Tulpehocken Township	387.41	Broilers, Cattle	New	Approved
Little Hills Farms, LLC 2003 Mount Zion Road Lebanon, PA 17046	Lebanon County/ Bethel Township	171.55	Broilers, Cattle	Existing	Rescind
Dream Farms Allen W. Rice 13689 Dream Highway Newburg, PA 17240	Franklin County/ Lurgan Township	0	Cattle	Existing	Amended

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 20-1200. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE CONSERVATION COMMISSION**Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program**

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Glendon Nolt 222 Long Road Lenhartsville, PA 19534	Berks County/ Greenwich Township	109.6	Duck	New	Approved
Bellaire Farms, LLC William Hynes 200 Bellaire Road Elizabethtown, PA 17022	Lancaster County/ Mount Joy Township	232.39	Broilers	Amended	Approved

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Steven T. Flory 740 Deep Creek Road Hegins, PA 17938	Schuylkill County/ Barry Township	162.02	Swine	New	Approved
Kenton Martin 23 East 28th Division Highway Lititz, PA 17543	Lancaster County/ Elizabeth Township	395	Broilers	Existing	Rescind

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 20-1201. Filed for public inspection August 28, 2020, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Paul Horning 1073 Creek Road Leola, PA 17540	Lancaster County/ Manheim Township	55.83	Cattle	New	Approved
Moyer Poultry Farm, LLC 64 Cavalry Road Jonestown, PA 17038	Lebanon County/ Union Township	294.12	Broilers	Amended	Approved
Hillandale Gettysburg, LP Bailey Farms, Site 1 and 2 James Bailey 2820 Daron Road Spring Grove, PA 17362	York County/ Codorus Township	5,303.58	Layers	Existing	Rescind
Meiserville Milling, LLC Hog Site 1 State Route 105 Mount Pleasant Mills, PA 17853	Snyder County/ Chapman Township	672.7	Swine	Existing	Rescind
Brook-Corner, LLC—Home Farm Reid Hoover 400 Mount Wilson Road Lebanon, PA 17042	Lebanon County/ South Annville Township	448.05	Cattle	Amended	Approved

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Ken-Di Farms, LLC—Home Farm Ken Haller 225 South Carpenter Street Newmanstown, PA 17073	Lebanon County/ Heidelberg Township	0	Broilers	New	Approved
Paul Riehl 406 Glenbrook Road Leola, PA 17540	Lancaster County/ West Earl Township	28.78	Broilers/Goats	New	Approved

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 20-1202. Filed for public inspection August 28, 2020, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Grandfathering Registration Notice

The Susquehanna River Basin Commission lists the following Grandfathering (GF) Registration for projects under 18 CFR 806, Subpart E (relating to registration of grandfathered projects) from July 1, 2020, through July 31, 2020.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists GF Registration for projects, described as follows, under 18 CFR 806, Subpart E for the time period previously specified:

GF Registration Under 18 CFR Part 806, Subpart E

1. Department of Corrections—State Correctional Institute at Huntingdon, GF Certification No. GF-202007101, Smithfield Township, Huntingdon County, PA; Price Spring, Mason Spring, and consumptive use; Issue Date: July 1, 2020.

2. Village of Bath—Bath Electric, Gas and Water Systems, GF Certificate No. GF-202007102, Village and Town of Bath, Steuben County, NY; Wells 4, 6 and 7; Issue Date: July 1, 2020.

3. Village of Canisteo—Public Water Supply System, GF Certificate No. GF-202007103, Village of Canisteo, Steuben County, NY; Well 1; Issue Date: July 30, 2020.

4. Fish and Boat Commission—Reynoldsdale State Fish Hatchery, GF Certificate No. GF-202007104, East St. Clair Township, Bedford County, PA; the Sump and Spring; Issue Date: July 30, 2020.

5. Sugarloaf Golf Club, Inc., GF Certificate No. GF-202007105, Black Creek Township, Luzerne County, PA; Lower Pond, Unnamed Tributary to Black Creek, and consumptive use; Issue Date: July 30, 2020.

6. Pennsylvania-American Water Company—Susquehanna District, GF Certificate No. GF-202007106, Harmony and Great Bend Townships, Susquehanna County, PA; East Branch Canawacta Creek; Issue Date: July 30, 2020.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: August 13, 2020

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 20-1203. Filed for public inspection August 28, 2020, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following list of projects from July 1, 2020, through July 31, 2020.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f)(13) (relating to standards for consumptive uses of water) for the time period previously specified:

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. Seneca Resources Company, LLC; Pad ID: Warren Pad B; ABR-20100621.R2; Covington and Richmond Townships, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 8, 2020.

2. Chesapeake Appalachia, LLC; Pad ID: Shaw; ABR-20100634.R2; Windham Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 8, 2020.

3. Chesapeake Appalachia, LLC; Pad ID: Stalford; ABR-20100617.R2; Wyalusing Township, Bradford County, PA; Consumptive Use of Up to 7.50000 mgd; Approval Date: July 8, 2020.

4. Chesapeake Appalachia, LLC; Pad ID: Towner; ABR-20100638.R2; Rome Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 8, 2020.

5. SWEPI LP; Pad ID: Vandergrift 290; ABR-20100442.R1; Charleston Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 8, 2020.

6. Chief Oil & Gas, LLC; Pad ID: SGL-12 P UNIT PAD; ABR-202007001; Franklin, Bradford County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: July 27, 2020.

7. Chesapeake Appalachia, LLC; Pad ID: Hickory Row; ABR-202007002; Wyalusing Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 27, 2020.

8. Chesapeake Appalachia, LLC; Pad ID: Tanner & Hana; ABR-202007003; Wyalusing Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 27, 2020.

9. Chesapeake Appalachia, LLC; Pad ID: Shingle Ridge; ABR-202007004; North Branch Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 27, 2020.

10. Chesapeake Appalachia, LLC; Pad ID: Black Creek; ABR-20100686.R2; Forks Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 27, 2020.

11. Repsol Oil & Gas USA, LLC; Pad ID: GARDINER (01 071) D; ABR-20100522.R2; Troy Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: July 27, 2020.

12. ARD Operating, LLC; Pad ID: COP Tr 685 A; ABR-20100541.R2; Cummings Township, Lycoming County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: July 27, 2020.

13. ARD Operating, LLC; Pad ID: COP Tr 231 D; ABR-20100530.R2; Snow Shoe Township, Centre County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: July 27, 2020.

14. XTO Energy, Inc.; Pad ID: Everbe Farms 8518H; ABR-20100533.R2; Franklin Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 27, 2020.

15. Chesapeake Appalachia, LLC; Pad ID: Covington; ABR-201007123.R2; Sheshequin Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 28, 2020.

16. Chief Oil & Gas, LLC; Pad ID: McCarty Drilling Pad # 1; ABR-20100676.R2; Elkland Township, Sullivan County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: July 30, 2020.

17. Chief Oil & Gas, LLC; Pad ID: Signore Drilling Pad # 1; ABR-20100697.R2; Elkland Township, Sullivan County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: July 30, 2020.

18. Chief Oil & Gas, LLC; Pad ID: Waldeisen-Ladd Drilling Pad; ABR-20100699.R2; Fox Township, Sullivan County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: July 30, 2020.

19. Chesapeake Appalachia, LLC; Pad ID: Delima; ABR-201007078.R2; Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 30, 2020.

20. Chesapeake Appalachia, LLC; Pad ID: Moose; ABR-201007019.R2; Wysox Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 30, 2020.

21. Chesapeake Appalachia, LLC; Pad ID: Redmond; ABR-201007005.R2; Meshoppen Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 30, 2020.

22. Chesapeake Appalachia, LLC; Pad ID: Robinson NEW; ABR-201007036.R2; Orwell Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 30, 2020.

23. Chesapeake Appalachia, LLC; Pad ID: Rowe; ABR-201007101.R2; Rome Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 30, 2020.

24. Chesapeake Appalachia, LLC; Pad ID: Simpson; ABR-201007030.R2; West Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 30, 2020.

25. Repsol Oil & Gas, LLC; Pad ID: WILBUR (03 065); ABR-20100552.R2; Wells and Columbia Townships, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: July 30, 2020.

26. Repsol Oil & Gas, LLC; Pad ID: Wilcox # 1; ABR-20090803.R2; Covington Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: July 30, 2020.

27. Pennsylvania General Energy Company, LLC; Pad ID: COP TRACT 724—PAD A; ABR-20091118.R1; Gamble Township, Lycoming County, PA; Consumptive Use of Up to 4.9000 mgd; Approval Date: July 30, 2020.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: August 13, 2020

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 20-1204. Filed for public inspection August 28, 2020, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Minor Modifications

The Susquehanna River Basin Commission (Commission) lists the minor modifications approved for previously approved projects from July 1, 2020, through July 31, 2020.

For further information contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists previously approved projects, receiving approval of minor modifications, described as follows, under 18 CFR 806.18 (relating to approval modifications) or to Commission Resolution Nos. 2013-11 and 2015-06 for the time period previously specified:

Minor Modifications Issued Under 18 CFR 806.18

1. Moxie Freedom, LLC, Docket No. 20200314, Salem Township, Luzerne County, PA; approval to add Hazleton Area Water Company as an additional source of water for consumptive use; Approval Date: July 24, 2020.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: August 13, 2020

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 20-1205. Filed for public inspection August 28, 2020, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Telephonic Commission Meeting

The Susquehanna River Basin Commission (Commission) will conduct its regular business meeting telephonically on Friday, September 18, 2020, at 9 a.m. Details concerning the matters to be addressed at the business meeting are contained in the Supplementary Information section of this notice. The Commission published a document at 85 FR 43636 (July 17, 2020) concerning its public hearing on August 13, 2020, in Harrisburg, PA.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, fax (717) 238-2436.

Supplementary Information

The business meeting will include actions or presentations on the following items: (1) adoption of a general permit; (2) rescission of two policies; (3) Resolution 2020-06 considering modifications to the Commission's Fiscal Year (FY) 2021 Budget; (4) adoption of the Com-

mission's FY 2022 Budget; (5) Resolution 2020-08 adopting the proposed water resources program for FY 2019-2021; (6) ratification/approval of contracts/grants; (7) Resolution 2020-09 adopting amendments to *Comprehensive Plan for the Water Resources of the Susquehanna River Basin*; (8) two resolutions providing for emergency certificate extensions; (9) a report on delegated settlements; and (10) Regulatory Program projects.

This agenda is complete at the time of issuance, but other items may be added, and some stricken without further notice. The listing of an item on the agenda does not necessarily mean that the Commission will take final action on it at this meeting. When the Commission does take final action, notice of these actions will be published in the *Federal Register* after the meeting. Any actions specific to projects will also be provided in writing directly to project sponsors.

Due to the novel coronavirus (COVID-19) orders, the meeting will be conducted telephonically and there will be no physical public attendance. The public is invited to attend the Commission's business meeting by telephone conference and may do so by dialing (888) 387-8686, the conference room code number is # 9179686050. Written comments pertaining to items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through www.srbc.net/about/meetings-events/business-meeting.html. The comments are due to the Commission on or before September 16, 2020. Comments will not be accepted at the business meeting noticed herein.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: August 13, 2020

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 20-1206. Filed for public inspection August 28, 2020, 9:00 a.m.]

