

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending February 18, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
02-11-2020	Northwest Bancshares, Inc. Warren Warren County Application for approval to acquire 100% of MutualFirst Financial, Inc., Muncie, IN, and thereby indirectly acquire 100% of MutualBank, Muncie, IN.	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
02-11-2020	Northwest Bank Warren Warren County Application for approval to merge MutualBank, Muncie, IN, with and into Northwest Bank, Warren, PA.	Approved

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
02-18-2020	York Traditions Bank York York County	1687 Oregon Pike Lancaster Lancaster County	Approved
02-18-2020	Community State Bank of Orbisonia Orbisonia Huntingdon County	6962 Lincoln Way West Saint Thomas Franklin County	Approved

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
02-11-2020	Huntingdon Valley Bank Huntingdon Valley Montgomery County Amendment to Article II of the institution's Articles of Incorporation provides for the principal place of business of the bank to be relocated from 2617 Huntingdon Pike, Huntingdon Valley, Montgomery County, PA, to 2005 South Easton Road, Suite 304, Doylestown, Bucks County, PA. Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	Filed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 20-296. Filed for public inspection February 28, 2020, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Proposed Grant Application by the Department of Education under Part B of the Individuals with Disabilities Education Act for Federal Fiscal Year 2020

Public comment is invited regarding the Department of Education's (Department) proposed grant application under Part B of the Individuals with Disabilities Education Act (IDEA-B). The annual grant application provides assurances that the Commonwealth's policies and procedures in effect are consistent with the Federal requirements to ensure that a free appropriate public education is made available to all children with a disability from 3 to 21 years of age, including children who have been suspended or expelled from school. The current IDEA-B policies and procedures are available for viewing on the Department's web site at <http://www.education.pa.gov> (select "Instruction," then "Special Education," then "IDEA-B Regs and Policies," see the "IDEA-B Policies and Procedures" heading).

Section 300.165 of 34 CFR (relating to public participation) requires that the Commonwealth provide notice and opportunity for public comment to ensure reasonable opportunities for participation by local agencies, representatives of the class of individuals affected by this program, and other interested institutions, organizations and individuals in the planning for the provision of special education and related services. Each state must publish the proposed IDEA-B grant application. Copies of the proposed IDEA-B grant application for 2020 are available on the Department's web site at <http://www.education.pa.gov> (select "Instruction," then "Special Education," then "IDEA-B Regs and Policies," under the "IDEA-B Grant Application" heading, select "Proposed 2020 IDEA-B Application"). Alternative formats of the documents (for example, Braille, large print, CD) are available to members of the public upon request. Public comment is welcomed in alternative formats such as Braille, recorded comments and telephone comments for individuals with disabilities. Individuals who are disabled and wish to submit comments by telephone should contact Aaron Ios at (717) 772-3500.

Written public comment will be accepted beginning March 2, 2020, until April 30, 2020. The written comments should be directed to Lisa Irgang, Special Education Adviser, Bureau of Special Education, Department of Education, 333 Market Street, 7th Floor, Harrisburg, PA 17126-0333.

Additionally, the Department's Bureau of Special Education will provide three opportunities (listed as follows), for individuals wishing to present verbal testimony on the proposed IDEA-B application and the current Commonwealth plan. One written copy of verbal testimony at the time of presentation would be appreciated. Presentations should be limited to 15 minutes.

Dates, locations and times for verbal testimony regarding the proposed grant application and current policies and procedures are as follows:

- March 24, 2020 PaTTAN—Pittsburgh
3190 William Pitt Way
Pittsburgh, PA 15238
(3 p.m.—6 p.m.)
- March 25, 2020 PaTTAN—Harrisburg
6340 Flank Drive
Harrisburg, PA 17112
(3 p.m.—6 p.m.)
- March 26, 2020 PaTTAN—East
333 Technology Drive
Malvern, PA 19355
(3 p.m.—6 p.m.)

To schedule time to present verbal testimony, or for persons with a disability who require an accommodation to participate in the proceedings, contact Aaron Ios at (717) 772-3500 no later than March 9, 2020.

The Department will consider all written and verbal comments and make any necessary modifications to the proposed grant application before submission of the 2020 IDEA-B grant application to the Secretary of the United States Department of Education.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 20-297. Filed for public inspection February 28, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-0790, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0275701 (Storm Water)	ABARTA Coca-Cola of Lehigh Valley 2150 Industrial Drive Bethlehem, PA 18017-2136	Lehigh County Bethlehem City	Monocacy Creek (HQ-CWF, MF) (2-C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0055328 (Industrial Waste)	New Morgan Landfill Co., Inc.— Conestoga Landfill 420 Quarry Road Morgantown, PA 19543	Berks County/ New Morgan Borough	UNT East Branch Conestoga River/7J	Y
PA0246808 (CAFO)	Clair Hurst Farm CAFO 283 Reath Rd. Kirkwood, PA 17536	Lancaster County/ Little Britain Twp.	UNT W Branch Octoraro Creek/7K	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0112534 (Sewage)	The Meadows at Watsontown 18 Albatross Drive Watsontown, PA 17777-9732	Northumberland County Delaware Township	Delaware Run (WWF) (10-D)	Yes

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0233722 (Sewage)	Richard Zerby SFTF 211 Wills Hollow Road Port Matilda, PA 16870-8436	Centre County Worth Township	Wills Hollow (CWF) (9-C)	Yes
PA0114049 (Sewage)	Lewis Township Municipal Authority P.O. Box 51 Millmont, PA 17845-0051	Union County Lewis Township	Penns Creek (WWF) (6-A)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0002895 (Storm Water)	Mitchell Power Station 341 White Pond Drive Akron, OH 44320	Washington County Union Township	Monongahela River (WWF), (19-C)	No
PA0030856 (Sewage)	Western Beaver Jr Sr High School STP 343 Ridgemont Drive Midland, PA 15059-2219	Beaver County Industry Borough	Unnamed Tributary of Wolf Run (WWF) (20-B)	Yes
PA0255335 (Industrial)	Mitchell FGD Landfill 341 White Pond Drive Akron, OH 44320	Washington County Union Township	Unnamed Tributary to Monongahela River (WWF) (19-C)	No
PA0205729 (Sewage)	Cunningham SRSTP 208 Rural Valley Road Claysville, PA 15323-1338	Washington County Blaine Township	Wolf Run (HQ-WWF) (20-E)	Yes
PA0255343 (Industrial)	Mitchell Mingo Landfill 800 Cabin Hill Drive Greensburg, PA 15601	Washington County Union Township	Peters Creek (TSF) (19-C)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0245038, Storm Water, SIC Code 1499, **GMA Garnet (USA) Corp**, 1780 Hughes Landing, Suite 725, The Woodlands, TX 77380-1684. Facility Name: GMA Garnet Corporation—Fairless Hills Recycling Facility. This existing facility is located in Falls Township, **Bucks County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of industrial stormwater. New storage of used unwashed garnet sand is proposed.

The receiving stream(s), Delaware River (WWF, MF), is located in State Water Plan watershed 2-E and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 101 are based on stormwater.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Barium, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 102 are based on stormwater.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Barium, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 103 are based on stormwater.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Barium, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 104 are based on stormwater.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Barium, Total	XXX	XXX	XX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- BMPs
- Routine Inspections
- PPC Plan
- Stormwater Monitoring Requirements
- Property Rights
- Sludge Disposal
- New Storage for Used Unwashed Garnet Sand

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0012882, Industrial, SIC Code 4925, **Philadelphia Gas Works**, 800 W. Montgomery Avenue, Philadelphia, PA 19122-2806. Facility Name: Philadelphia Gas Works Richmond Plant. This existing facility is located in Philadelphia City, **Philadelphia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial waste.

The receiving stream(s), Delaware River (WWF, MF), is located in State Water Plan watershed 3-J and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004 are based on a flow of 6.67 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000.0 Avg Qrtly	XXX	Report
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	110
Temperature (deg F) (°F) Industrial Influent	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

I. Other Requirements

A. Public Nuisance

B. Change of Ownership

C. BAT/BCT

D. Temperature Requirements

E. No Net Pollutant Additions

F. Sludge Removal

G. TMDL/WLA Analysis

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

PA0276308, Storm Water, SIC Code 4225, **Amazon.com Services, LLC**, P.O. Box 80842, Seattle, WA 98108-0842. Facility Name: Amazon.com Services, LLC DAE1. This existing facility is located in Bethlehem Township, **Northampton County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of industrial stormwater.

The receiving stream, Monocacy Creek (HQ-CWF/MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0032883, Sewage, SIC Code 4952, **Duncansville Borough Municipal Authority Blair County**, P.O. Box 502, Duncansville, PA 16635-1359. Facility Name: Duncansville STP. This existing facility is located in Duncansville Borough, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Blair Gap Run (TSF), is located in State Water Plan watershed 11-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.75 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Aluminum, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.75 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	364	546	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	437	655	XXX	30	45	60
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	131	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	51	XXX	XXX	3.5	XXX	7
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s): Sludge use and disposal description and location(s): Laurel Highlands Landfill, DEP Permit # 10081.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

NPDES Permit No. PA0246808, CAFO, **Hurst Clair**, 788 King Pen Road, Kirkwood, PA 17536-9759.

This existing facility is located in Little Britain Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Swine (Wean—Finish), Dairy (Cows, Heifers, Calves): 579.39 AEU's.

The receiving stream, Unnamed Tributary to West Branch Octoraro Creek (HQ-CWF, MF), is in watershed 7-K and classified for: High Quality—Cold Water and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PA0081884, Sewage, SIC Code 4952, **Cuttin Co. LLC**, 25 Sandoe Road, Gettysburg, PA 17325-7561. Facility Name: Cuttin Co. This existing facility is located in Straban Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Beaverdam Creek (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.21	XXX	0.68
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Copper, Total	XXX	XXX	XXX	0.01 SEMI AVG	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0232777, Concentrated Animal Feeding Operation (CAFO), **Roaring Creek Egg Farms LLC (Roaring Creek Egg Farms)**, 190 Tyson School Road, Catawissa, PA 17820-8212.

Roaring Creek Egg Farms LLC has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Roaring Creek Egg Farms, located in Cleveland Township, **Columbia County**.

The CAFO is situated near Unnamed Tributary to Mugser Run (HQ-CWF, MF) in Watershed 5-E, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 3,436.09 animal equivalent units (AEUs) consisting of 1,068,000 layers and 65,000 pullets. Manure is stored in roofed solid manure storages. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0070190, Sewage, SIC Code 8661, **Allegheny East Conference**, P.O. Box 266, Pine Forge, PA 19548-0266. Facility Name: Allegheny East Conference. This existing facility is located in Douglass Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Manatawny Creek (CWF), is located in State Water Plan watershed 3-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.034 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Geo Mean 20.0	XXX	40.0
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0029572, Sewage, SIC Code 8059, 8361, **Paramount Senior Living At Fayetteville, LLC**, 6375 Chambersburg Road, Fayetteville, PA 17222. Facility Name: Paramount Senior Living At Fayetteville Facility. This existing facility is located in Franklin Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Clear Run (HQ-CWF), is located in State Water Plan watershed 13-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.14	XXX	0.46
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
Total Nitrogen	XXX	Report Total Annual	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	Report Total Annual	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

PA0028673, Sewage, SIC Code 4952, **Gallitzin Borough Sewer & Disposal Authority**, 411 Convent Street, Suite 10, Gallitzin, PA 16641-1244. Facility Name: Gallitzin Borough Sewer & Disposal Authority WWTP. This existing facility is located in Gallitzin Borough, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream Bradley Run (CWF) is in State Water Plan watershed 8-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

NOTICES

The proposed effluent limits for Outfall 001 are based on a design flow of 0.40 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	Report	XXX	25.0	40.0	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	Report	Report	XXX	30.0	45.0	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	28	43 Daily Max	XXX	8.5	12.8	17
May 1 - Oct 31	10	15 Daily Max	XXX	3.0	4.5	6
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	7,306 Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	974 Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

Sludge use and disposal description and location(s): Municipal landfill.

In addition, the permit contains the following major special conditions:

- The Authority is permitted to discharge uncontaminated storm water from the WWTP site through Outfalls 101 and 102.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PA0255611, Sewage, SIC Code 8800, **Lauren Wengler**, 138 Forrest Drive, Fombell, PA 16123. Facility Name: Wengler Property. This proposed facility is located in Franklin Township, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), UNT to Doe Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 500 GPD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Hauled by septic hauler.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0026841, Sewage, SIC Code 4952, **Oakmont Borough Allegheny County**, 767 5th Street, Oakmont, PA 15139-1524. Facility Name: Oakmont Borough. This existing facility is located in Oakmont Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Deer Creek (WWF) and Allegheny River (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.62 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	335	540	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	405	610	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PA0026751, Sewage, SIC Code 4952, **Indiana Borough**, 80 North 8th Street, Indiana, PA 15701. Facility Name: Indiana Borough WWTP. This existing facility is located in Indiana Borough, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Two Lick Creek (TSF), is located in State Water Plan watershed 18-D and is classified for Trout Stocked Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	51.3	XXX	XXX	0.75	1.87	XXX
Iron, Total	Avg Qrtly 102.6	XXX	XXX	Avg Qrtly 1.5	Daily Max 3.75	XXX
Manganese, Total	Avg Qrtly 68.4	XXX	XXX	Avg Qrtly 1.0	Daily Max 2.5	XXX
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,710	2,600	XXX	25	38	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Total Suspended Solids Raw Sewage Influent	2,052	3,079	XXX	30	45	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen Nov 1 - Apr 30	753	1,129	XXX	11.0	16.5	22
May 1 - Oct 31	274	410	XXX	4.0	6.0	8
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

Sludge use and disposal description and location(s): Evergreen Landfill Permit No. 100434.

In addition, the permit contains the following major special conditions:

- The Borough is permitted to discharge uncontaminated stormwater from the WWTP site thru Outfall 101 and 102.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0287997, Sewage, SIC Code 8800, **Samuel Marcotullio SRSTP**, 904 E Fairfield Avenue, New Castle, PA 16105-2318. Facility Name: Samuel Marcotullio SRSTP. This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary of Neshannock Creek, located in State Water Plan watershed 20-A and classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge disposal is through a licensed septic hauler.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0287962, Sewage, SIC Code 4952, 8800, **Steve Lewis Contracting Inc.**, 3603 West 12th Street, Erie, PA 16505. Facility Name: Lewis SRSTP. This proposed facility is located in Fairview Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is Walnut Creek, located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sewage sludge is to be removed through licensed septage hauler for off-site disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 1520401, Sewage, **Willistown Township**, 688 Sugartown Road, Malvern, PA 19355.

This proposed facility is located in Willistown Township, **Chester County**.

Description of Action/Activity: 5 lot subdivision which will comprise of 4 proposed single-family homes and 1 lot for existing home on 24 acres.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Telephone: 717-705-4707.

WQM Permit No. 2220401, Sewerage 4952, **Susquehanna Township Authority**, 1900 Linglestown Road, Harrisburg, PA 17110-33-2.

This proposed facility is located in Susquehanna Township, **Dauphin County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of the Paxton Creek North Branch Interceptor Replacement.

WQM Permit No. 67054078, Amendment # 2, Sewerage 4952, **Delta Borough Munic Auth**, 101 College Ave., P.O. Box 278, Delta, PA 17314.

This proposed facility is located in Delta Borough, **York County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction of mechanical screen and influent flow distribution chamber to replace existing headworks.

WQM Permit No. 2820401, Sewerage 4952, **Greencastle, Franklin County, Authority**, 60 N. Washington Street, Greencastle, PA 17255.

This proposed facility is located in Greencastle Borough, **Franklin County**.

Description of Proposed Action/Activity: Seeking permit approval for the replacement/operation of the Carlisle Street pumping station.

WQM Permit No. WQG02502001, Sewerage, 4952, **Howe Township Municipal Authority**, 319 N. 4th St., Newport, PA 17074.

This proposed facility is located in How Township, **Perry County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of the Buffalo Crossing Force Main Extension.

WQM Permit No. 3620201 Sewerage, 4952, **Hilltop Acres Mobile Home Park**, P.O. Box 251, Morgantown, PA 19543-0251.

This proposed facility is located in Rapho Township, **Lancaster County**.

Description of Proposed Action/Activity: Applicant is seeking permit approval for the construction/operation of a sewage facility located at Hilltop Mobile Home Park, Rapho Township, Lancaster, PA.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1020402, Sewage, **Sarah Eberle**, 304 Margaret Avenue, Evans City, PA 16033.

This proposed facility is located in Forward Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390151	Griffin Industrial Realty Inc. 204 W Newberry Rd Bloomfield, CT 06002	Lehigh	S Whitehall Twp	UNT To Jordan Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450103	PTV 1019 LLC 400 Penn Center Blvd Bldg 4 Ste 1000 Pittsburgh, PA 15235	Monroe	Middle Smithfield Twp	EV Wetlands (EV) Pond Creek (HQ-CWF, MF)

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020004R	Redevelopment Authority of Allegheny County 112 Washington Place Pittsburgh, PA 15219	Allegheny	Coraopolis Borough; Moon Township; Robinson Township	Montour Run (TSF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020028	Brooks and Blair Waterfront Properties, 310 Seven Fields Boulevard Suite 350 Seven Fields, PA 16046	Allegheny	Oakmont Borough	Plum Creek (WWF); Allegheny River (WWF)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

CAFO Notices of Intent Received

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

NPDES Permit No. PAG122205 A-1, CAFO, Sauder’s Eggs, 824 Church Road, Hegins, PA 17938-9615.

This existing facility is located in Hubley Township, **Schuylkill County**.

Description of size and scope of existing operation/activity: Poultry (Layers): 3,336.78 AEU.s.

The receiving stream, Unnamed Tributary to Pine Creek (CWF), is in watershed 6-C and classified for: Cold Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS**

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Beaverton Sow Farm 429 Beaverton Ln. Beavertown, PA 17813	Snyder	60.88	932.07	Swine	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Melissa Seidler, Clerk Typist 2, 570-830-3048.

Application No. 4520501, Public Water Supply.

Applicant	JA Reinhardt Company P.O. Box 202 Mountainhome, PA 18342
Township or Borough	Barrett Township, Monroe County
Responsible Official	Steven Griffith Business Unit Director JA Reinhardt Company P.O. Box 202 Mountainhome, PA 18342
Type of Facility	PWS
Consulting Engineer	Russell Scott, P.E. RKR Hess, A Division of UTRS, Inc. 112 N. Courtland St. East Stroudsburg, PA 18301
Application Received Date	February 7, 2020

Description of Action	The applicant proposed corrosion control treatment facilities per the Department's Lead and Copper Rule.
-----------------------	--

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA2-175D, Water Allocations. Borough of Sewickley Water Authority, P.O. Box 190, Sewickley, PA 15143, Sewickley Borough, **Allegheny County**. The applicant is requesting the right to withdraw 1.0 million gallons of water per day from the Borough's Well # 1; 1.0 million gallons of water per day from the Borough's Well # 2; and 1.6 million gallons of water per day from the Ohio River.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, State-wide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located,

may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Bergey Electric, 288 Bethlehem Pike, Hatfield Township, **Montgomery County**. Terry Harris, Boucher & James, Inc., 1456 Ferry Road, Building 500, Doylestown, PA 18901 submitted a Notice of Intent to Remediate. Soil and groundwater at the site were suspected of being contaminated by a leak from an underground fuel oil tank. The proposed future use of the property will be non-residential as an electrical contracting business. The proposed cleanup standard for the site is Statewide Health. The Notice of Intent to Remediate was published in *The Bucks County Courier Times* on December 31, 2019.

Mulcahy Residence, 5938 Corrigan Road, Solebury Township, **Bucks County**. Sean Fullmer, PG, Compliance Management International, 1350 Welsh Road, Suite 200, North Wales, PA 19454 on behalf of Donna Ofner, Meadows Petroleum Products, Inc., 5 Cherry Hill Drive, Suite L100, Danvers, MA 01923 submitted a Notice of Intent to Remediate. The site soil has been found to be contaminated with fuel oil No. 2 compounds. The proposed future use of the property will continue to be residential. The proposed cleanup standard for the site is Statewide Health. The Notice of Intent to Remediate was published in *The Intelligencer* on January 24, 2020.

400 Locust Street, 238 4th Street, City of Philadelphia, **Philadelphia County**. Wesley Fitchett, Sr., Curren Environmental, Inc., 10 Penn Avenue, Cherry Hill, NJ 08002 on behalf of Kyle Lissack, Pinemar, Inc., 7 West Athens Avenue, Ardmore, PA 19003 submitted a Notice of Intent to Remediate. The site has been found to be contaminated with No. 2 fuel oil in the soil. The proposed future use of the property will be residential. The proposed cleanup standard for the site is Statewide Health. The Notice of Intent to Remediate was published in *The Philadelphia Daily News* on January 24, 2020.

Ross Residence, 1300 Colwell Lane, Plymouth Township, **Montgomery County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169 submitted a Notice of Intent to Remediate. A release of petroleum occurred at the site with impacts to site soil on the Ross property. The current use and proposed future use of the property is residential. The proposed cleanup standard for

the site is Statewide Health. The Notice of Intent to Remediate was published in *The Ambler Gazette* on December 22, 2019.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Wilson Area School District, 2111 Butler Street, Easton, PA 18042, Wilson Borough, **Northampton County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Wilson Area School District, 2040 Washington Boulevard, Easton, PA 18042, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be as vacant land on school property. The Notice of Intent to Remediate was published in *The Morning Call* on January 16, 2020.

Poler Property, 664 Lenape Lane, Buck Hill Falls, PA 18326, Barrett Township, **Monroe County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Emily Poler, 20 Plaza Street East, Apartment C6, Brooklyn, NY 11238, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in the *Pocono Record* on November 20, 2019.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Mechanicsburg North Petroleum Storage Terminal, 127 Texaco Road, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Arcadis, Inc., 10 Friends Lane, Newtown, PA 18940, on behalf of Chevron Environmental Management Company, 1500 Louisiana Street, # 38134, Houston, TX 77002, and Lucknow Highspire Terminals, LLC, P.O. Box 2621, Harrisburg, PA 17105, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with historical releases of lead, volatile and semi-volatile organic compounds. The site will be remediated to the Site-Specific and Residential Statewide Health Standards. Future use of the site will continue as a bulk-fuels storage and distribution facility. The Notice of Intent to Remediate was published in *The Sentinel* on January 27, 2020.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Thermoclad, 4690 Iroquois Avenue, Harborcreek Township, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Iroquois Avenue, LLC, 4250 Route 6N, Edinboro, PA 16412, submitted a Notice of Intent to Remediate. A localized area of soil containing Volatile Organic Compounds, was excavated and removed off-site. Arsenic is present in soils in the former ballfield area. A combination of Site-Specific and Statewide Health Standards have been selected for remediation of the site. Intended future use of the property will be commercial. The Notice of Intent to Remediate was published in the *Erie-Times News* on February 4, 2020.

212 New Castle Road, 212 New Castle Road, Butler Township, **Butler County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Garber Family Limited Partnership, 308 West Swissvale, Pittsburgh, PA 15218 submitted a Notice of Intent to Remediate. At one time, the property was

used as a filling station. Site soil and site groundwater have been identified as being impacted with residual petroleum constituents. Planned future use of the property will be non-residential. The Notice of Intent to Remediate was published in the *Butler Eagle* on February 12, 2020.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Renewal Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGR123-NE004. Fluid Recovery Services LLC, P.O. Box 232, 5035 Route 110, Creekside, PA 15732. A permit renewal application for continued coverage under General Permit WMGR123 for the operation of an oil and gas liquid waste processing facility located in Lenox Township, **Susquehanna County**. The application was received by the Department on February 13, 2020 and deemed administratively complete by the Regional Office on February 14, 2020.

Comments concerning the application should be directed to Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION FOR APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability for General Permit Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

General Permit No. WMGM043NW005. Whiting Roloffs, Inc., 131 Mahoning Ave, New Castle, PA 16102. An application for a Determination of Applicability under municipal waste General Permit WMGR043 for the acceptance, transfer, and processing prior to beneficial use of construction and demolition waste materials at 131 Mahoning Ave, in New Castle, **Lawrence County**, was received on January 21, 2020 and deemed administratively complete by the Regional Office on January 31, 2020.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6078. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation

to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

55-00028A: Keen Generation LLC (P.O. Box 517 Shamokin Dam, PA 17876). The Department received a Plan Approval application on 12/16/2019 for the construction and operation of the Shamokin Dam Station, a 1,200-Megawatt natural gas powered Combined Cycle Electricity Generating plant to be located in Shamokin Dam Borough, **Snyder County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

15-0041E: Eastern Shore Natural Gas Company—Daleville Compressor Station (604 Street Rd., Cochranville, PA 19330) to revise a testing requirement condition requiring compliance with the proposed minimum destruction efficiency for CO, VOC and HCHO for the existing natural gas-fired reciprocating internal combustion engine for a natural gas compressor at their facility in Londonderry Township, **Chester County**.

The facility is a State-Only, Synthetic Minor facility. The existing permit limits the emissions of nitrogen oxides (NO_x) and volatile organic compounds (VOC) from the facility to less than or equal to 24.9 tons per year on a 12-month rolling sum basis.

The provisions of this plan approval will subsequently be incorporated into a State Only Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

15-0009E: AGC Chemicals Americas, Inc. (255 South Bailey Road, Downingtown, PA 19355) to allow for an increase in emissions of dipropylene glycol n-butyl ether (DPnB) from 0.42 lb/hr to 0.63 lb/hr and to modify a test condition. AGC operates under a Non-Title V Facility, State-Only, Synthetic Minor Permit in Caln Township, **Chester County**. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

23-0119E: Sunoco Partners Marketing & Terminals, L.P. (SPMT) (100 Green Street, Marcus Hook, PA 19061-0426) for the reevaluation of all projects related to the natural gas liquids (NGLs) processing, storage, and distribution operations at its existing Title V facility located in Marcus Hook Borough, **Delaware County**, as a single aggregated project, as ordered by the Environmental Hearing Board in its remand of the original Plan Approval No. 23-0119E, to determine the applicability of Prevention of Significant Deterioration of Air Quality (PSD) and New Source Review (NSR) requirements. The projects comprising the single aggregated project were previously permitted or authorized under the following authorizations:

- Plan Approval No. 23-0119 (originally issued February 5, 2013).
 - Plan Approval No. 23-0119A (originally issued September 5, 2013).
 - Plan Approval No. 23-0119B (originally issued January 30, 2014).
 - Plan Approval No. 23-0119C (originally issued November 19, 2014).
 - Plan Approval No. 23-0119D (originally issued February 26, 2015).
 - Plan Approval No. 23-0119E (originally issued April 1, 2016).
 - Plan Approval No. 23-0119F (originally issued August 15, 2016; only for the storage tanks previously permitted under Plan Approval No. 23-0119B).
 - Plan Approval No. 23-0119J (pending; see corresponding notice in this section of the *Pennsylvania Bulletin* for further discussion).
 - Request for Determination (RFD) No. 5236 (approved August 13, 2015).
 - RFD No. 5340 (approved October 1, 2015).
 - RFDs No. 5918 and 5944 (approved September 26, 2016).
 - RFD No. 6484 (approved August 17, 2017).
 - RFD No. 7548 (approved April 18, 2019).
 - RFD No. 7944 (approved August 21, 2019).
 - De Minimis Emissions Increases (letters dated August 24, 2018, December 10, 2018, and March 22, 2019).
- DEP has determined the emissions increases due to the single aggregated project to be the following:
- Carbon Monoxide [CO]: 110.22 tons/yr
 - Greenhouse Gases (GHG) [CO₂e]: ~183,500 tons/yr
 - Lead [Pb]: 4.09 × 10⁻⁵ tons/yr
 - Nitrogen Oxides [NO_x] (all NO_x also treated as nitrogen dioxide [NO₂]): 65.74 tons/yr
 - Particulate Matter [PM]: 10.64 tons/yr
 - PM less than 10 μm in aerodynamic diameter [PM₁₀]: 10.44 tons/yr
 - PM less than 2.5 μm in aerodynamic diameter [PM_{2.5}]: 8.60 tons/yr
 - Sulfur oxides [SO_x] (all SO_x also treated as sulfur dioxide [SO₂]): 1.22 ton/yr
 - Sulfuric Acid Mist [H₂SO₄]: 0.0676 ton/yr
 - Volatile organic compounds [VOCs]: 169.08 tons/yr

As the facility is an existing major stationary source, in accordance with 40 CFR 52.21(a)(2)(iv), the Pennsylvania Department of Environmental Protection (DEP) has performed a two-step PSD analysis to determine whether the single aggregated project constitutes a major modification for the following pollutants: CO, CO_{2e}, H₂SO₄, NO₂, Pb, PM, PM₁₀, PM_{2.5}, and SO₂. A project is a major modification and subject to PSD requirements if it causes both a significant emission increase and a significant net emissions increase of any of these pollutants (i.e., Steps 1 and 2, respectively), except that GHGs do not trigger a major modification on their own.

Based on the emissions increases of CO, CO_{2e}, H₂SO₄, NO₂, Pb, PM, PM₁₀, PM_{2.5}, and SO₂ for the respective sources and equipment comprising the aggregated project, DEP has determined that the aggregated project causes a significant emission increase of CO, CO_{2e}, and NO₂.

After summing these significant emissions increases with other contemporaneous increases and decreases in actual emissions, DEP has determined that the single aggregated project causes a significant net emission increase of CO_{2e} only. Therefore, the single aggregated project is not subject to PSD requirements.

In addition, in accordance with 25 Pa. Code §§ 127.203a and 127.203(b)(1)(i), DEP has performed an NSR analysis to determine whether the aggregated emissions increases of NO_x or VOCs (i.e., the sum of the emissions increases due to the single aggregated project and the other increases in net emissions occurring over a consecutive 5 calendar-year period), exceed 25 tons/yr.

DEP has determined the aggregated emissions increases of NO_x and VOCs to be the following:

- NO_x: 67.73 tons/yr
- VOCs: 177.02 tons/yr

Therefore, DEP has determined that the single aggregated project is subject to NSR requirements for both pollutants, including requirements to obtain emissions offsets and implement Lowest Achievable Emission Rate (LAER) pursuant to 25 Pa. Code § 127.205. In accordance with 25 Pa. Code §§ 127.201(f) and 127.210, SPMT is required to obtain emissions offsets at the offset ratio of 1.3:1. Based on the required offset ratio, SPMT is required to obtain and surrender 88.05 tons of NO_x Emission Reduction Credits (ERCs) and 230.13 tons of VOC ERCs for the single aggregated project. SPMT has previously surrendered, and DEP has previously retired, 32.80 tons of NO_x ERCs and 131.69 tons of VOC ERCs under previously-issued Plan Approvals for certain sources and equipment under the single aggregated project. Therefore, to fully offset the aggregated emissions of NO_x and VOCs, SPMT is required to obtain and surrender an additional 55.25 tons of NO_x ERCs and 98.44 tons of VOC ERCs for the single aggregated project. Of these ERC amounts, SPMT shall obtain and surrender 55.25 tons of NO_x ERCs and 48.92 tons of VOC ERCs under revised Plan Approval No. 23-0119E, and 49.52 tons of VOC ERCs under Plan Approval No. 23-0119J (see notice for Plan Approval No. 23-0119J in this section of the *Pennsylvania Bulletin* for further discussion).

The revised Plan Approval No. 23-0119E will incorporate the applicable terms and conditions of previously-issued Plan Approvals No. 23-0119 through 23-0119F. In addition, the revised Plan Approval No. 23-0119E will include all other monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements, including those specified as follows to meet LAER:

- The leak detection and repair (LDAR) requirements indicated in the Texas Commission on Environmental Quality's 28LAER program and, to the extent that they are more stringent, those indicated in 40 CFR Part 60, Subpart VVa.

- VOC destruction and removal efficiency restrictions of 98% for the West Cold Flare and East Cold Flare.

- A requirement that SPMT install a secondary seal on the internal floating roof of Tank 609.

Pursuant to 25 Pa. Code §§ 127.44 and 127.45, a 30-day public comment period, beginning February 29, 2020, and ending March 29, 2020, will exist for the submission of written comments, suggestions, objections, or other information regarding the proposed Plan Approval. Submissions may be made in writing to Mr. James D. Rebarchak, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401, or electronically at ra-epseroaqpubcom@pa.gov. Each submission must contain the name, address, and telephone number of the person(s) submitting the comments, identification of the proposed Plan Approval(s) and condition number(s), and a concise statement regarding the relevancy of the information or objections to issuance of the proposed Plan Approval(s).

Pursuant to 25 Pa. Code § 127.48, DEP will hold a public hearing on Thursday, April 2, 2020, at the Marcus Hook Elementary School, 711 Market Street, Marcus Hook, PA 19061, from 6:00 p.m.—9:00 p.m. The public hearing will be held to receive oral and written testimony regarding DEP's intent to issue Air Quality Plan Approvals No. 23-0119E and 23-0119J. Persons wishing to present testimony at the hearing should contact Ms. Virginia Cain, Environmental Community Relations Specialist, at vicain@pa.gov or 484.250.5808. Individuals who do not register may also present testimony the day of the hearing. Oral testimony will be limited to 3 minutes per individual. Each organization is requested to designate one witness to present testimony on its behalf and time may not be relinquished to others. A stenographer will be present to record the testimony. DEP requests that presenters bring two copies of written remarks to aid in the transcription of testimony.

Pursuant to 25 Pa. Code § 127.49, persons unable to attend the public hearing may submit three copies of a written statement and exhibits to DEP, in the same manner as previously specified for the public comment period, by April 12, 2020. All comments, whether delivered orally at the hearing or submitted to DEP in writing, shall merit equal consideration.

Should inclement weather postpone the hearing date, this information will be posted at www.dep.pa.gov/southeast. Please contact Ms. Virginia Cain or monitor our website to determine if a hearing will be held.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodations may contact Ms. Virginia Cain through the Pennsylvania AT&T Relay Service at 800.654.5984 (TDD), to discuss how DEP may accommodate your needs.

Copies of the Plan Approval application, proposed Plan Approval, and other relevant information are available for public review online at the previously listed web address; at the Mary M. Campbell Marcus Hook Public Library, 1015 Green Street, Suite B, Marcus Hook, PA 19061; or at DEP's Southeast Regional Office, 2 East Main Street, Norristown, PA 19401. An appointment to review the documents at DEP's Southeast Regional Office may be

scheduled by contacting the Records Management Section of DEP at 484.250.5910 between 8:00 a.m.—4:00 p.m., Monday—Friday, except holidays.

23-0119J: Sunoco Partners Marketing & Terminals, L.P. (SPMT) (100 Green Street, Marcus Hook, PA 19061-0426) for the installation and operation of two new 600,000-barrel refrigerated ethane storage tanks; a new amine treatment system; a new dehydration train system; two new demethanizers; two new refrigeration systems; two new wet surface air cooling systems; a new elevated, air-assisted Project Phoenix Cold Flare; and all associated piping and components at its existing Title V facility located in Marcus Hook Borough, **Delaware County**.

The proposed emissions from this project are as follows:

- Carbon monoxide [CO]: 29.19 tons/yr
- Greenhouse gases (GHG) [CO₂e]: 29,223 tons/yr
- Lead [Pb]: 3.63×10^{-6} tons/yr
- Nitrogen oxides [NO_x] (all NO_x also treated as nitrogen dioxide [NO₂]): 10.08 tons/yr
- Particulate matter [PM]: 1.28 ton/yr
- PM less than 10 μm in aerodynamic diameter [PM₁₀]: 1.16 ton/yr
- PM less than 2.5 μm in aerodynamic diameter [PM_{2.5}]: 0.726 ton/yr
- Sulfur oxides [SO_x] (all SO_x also treated as sulfur dioxide [SO₂]): 0.119 ton/yr
- Sulfuric acid mist [H₂SO₄]: 0.00599 ton/yr
- Volatile organic compounds [VOCs]: 38.09 tons/yr

The fugitive emissions components associated with this project that are “in VOC service” are subject to the Standards of Performance for New Stationary Sources (NSPS) for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry for Which Construction, Reconstruction, or Modification Commenced After November 7, 2006 [40 CFR Part 60, Subpart VVa]. In addition, the refrigerated ethane storage tanks are subject to the NSPS for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) For Which Construction, Reconstruction, or Modification Commenced After July 23, 1984 [40 CFR Part 60, Subpart Kb].

DEP has performed two separate evaluations for this project to determine whether it is subject to Prevention of Significant Deterioration of Air Quality (PSD) and/or New Source Review (NSR) requirements, as follows:

- This project as a stand-alone project.
- Pursuant to the remand of Plan Approval No. 23-0119E, this and all other projects related to the natural gas liquids (NGLs) processing, storage, and distribution operations at the facility previously permitted or authorized under other Plan Approvals, Requests for Determination, or de minimis emissions increases, as a single aggregated project (see notice for revised Plan Approval No. 23-0119E in this section of the *Pennsylvania Bulletin* for further discussion).

DEP has determined that this project is not subject to PSD requirements (under both evaluations). DEP has determined that this project is subject to NSR requirements for NO_x (under the evaluation as a single aggregated project) and VOCs (under both evaluations), including requirements to obtain emissions offsets and implement Lowest Achievable Emission Rate (LAER) pursuant to 25 Pa. Code § 127.205. In accordance with

25 Pa. Code §§ 127.201(f) and 127.210, SPMT is required to obtain emissions offsets at the offset ratio of 1.3:1. Based on the required offset ratio, SPMT is required to obtain and surrender 49.52 tons of VOC Emission Reduction Credits (ERCs) for this project under Plan Approval No. 23-0119J. [Note: SPMT is also required to obtain and surrender NO_x ERCs and additional VOC ERCs for the single aggregated project under revised Plan Approval No. 23-0119E (see corresponding notice in this section of the *Pennsylvania Bulletin* for further discussion).]

Plan Approval No. 23-0119J will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements, including those specified as follows to meet LAER:

- The leak detection and repair (LDAR) requirements indicated in 40 CFR Part 60, Subpart VVa, except for the following more stringent requirements:
- A leak definition for pumps of 500 ppm.
- A leak percentage for valves required for a reduction in monitoring frequency of 0.5%.
- A VOC destruction and removal efficiency restriction of 99.0% for the Project Phoenix Cold Flare.

Pursuant to 25 Pa. Code §§ 127.44 and 127.45, a 30-day public comment period, beginning February 29, 2020, and ending March 29, 2020, will exist for the submission of written comments, suggestions, objections, or other information regarding the proposed Plan Approval. Submissions may be made in writing to Mr. James D. Rebarchak, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401, or electronically at ra-epseroaqpubcom@pa.gov. Each submission must contain the name, address, and telephone number of the person(s) submitting the comments, identification of the proposed Plan Approval(s) and condition number(s), and a concise statement regarding the relevancy of the information or objections to issuance of the proposed Plan Approval(s).

Pursuant to 25 Pa. Code § 127.48, DEP will hold a public hearing on Thursday, April 2, 2020, at the Marcus Hook Elementary School, 711 Market Street, Marcus Hook, PA 19061, from 6:00 p.m.—9:00 p.m. The public hearing will be held to receive oral and written testimony regarding DEP’s intent to issue Air Quality Plan Approvals No. 23-0119E and 23-0119J. Persons wishing to present testimony at the hearing should contact Ms. Virginia Cain, Environmental Community Relations Specialist, at vicain@pa.gov or 484.250.5808. Individuals who do not register may also present testimony the day of the hearing. Oral testimony will be limited to 3 minutes per individual. Each organization is requested to designate one witness to present testimony on its behalf and time may not be relinquished to others. A stenographer will be present to record the testimony. DEP requests that presenters bring two copies of written remarks to aid in the transcription of testimony.

Pursuant to 25 Pa. Code § 127.49, persons unable to attend the public hearing may submit three copies of a written statement and exhibits to DEP, in the same manner as previously specified for the public comment period, by April 12, 2020. All comments, whether delivered orally at the hearing or submitted to DEP in writing, shall merit equal consideration.

Should inclement weather postpone the hearing date, this information will be posted at www.dep.pa.gov/

southeast. Please contact Ms. Virginia Cain or monitor our website to determine if a hearing will be held.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodations may contact Ms. Virginia Cain through the Pennsylvania AT&T Relay Service at 800.654.5984 (TDD), to discuss how DEP may accommodate your needs.

Copies of the Plan Approval application, proposed Plan Approval, and other relevant information are available for public review online at the previously listed web address; at the Mary M. Campbell Marcus Hook Public Library, 1015 Green Street, Suite B, Marcus Hook, PA 19061 (phone number: 610.485.6519); or at DEP's Southeast Regional Office, 2 East Main Street, Norristown, PA 19401. An appointment to review the documents at DEP's Southeast Regional Office may be scheduled by contacting the Records Management Section of DEP at 484.250.5910 between 8:00 a.m.—4:00 p.m., Monday—Friday, except holidays.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on 2/7/2020 a Plan Approval for installation of air pollution sources at the following facility:

IP19-000615: University of the Arts (320 S. Broad St., Philadelphia, PA 19102) for the installation of air pollution sources at a private university, in the City of Philadelphia, **Philadelphia County**. The following significant stationary air emission sources are part of the Plan Approval: three (3) boilers firing natural gas each rated less than 4 MMBtu/hr, six (6) hot water heaters firing natural gas each rated less than 1 MMBtu/hr, and three (3) emergency generators, of which one (1) firing natural gas rated 315 BHP, and two (2) firing diesel fuel rated 114 HP and 435 HP. Additionally, four (4) insignificant fire pumps firing diesel fuel each rated less than 100 HP, five (5) insignificant hot water heaters firing natural gas each rated less than 0.2 MMBtu/hr and two (2) insignificant emergency generators, one (1) firing natural gas and one (1) firing diesel fuel, each rated less than 100 HP, are also included in the Plan Approval for facility-wide emission calculation, and they are required to follow the applicable requirements in the Plan Approval. The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

36-05146D: EPP Renewable Energy, LLC (3049 River Road, Conestoga, PA 17516) for the recommissioning of the Source ID # 201 landfill gas-fired engine at the EPP Renewable Energy LLC landfill gas-to-energy plant at the Frey Farm Creswell Landfill located in Manor Township, **Lancaster County**. The expected change in facility emissions as a result of the change will be an increase in potential emissions of 21.5 tons of NO_x, 66.7 tons of CO, 21.5 tons of SO_x, 9.3 tons of PM₁₀, 3.3 tons of VOCs, and 8.1 tons of Formaldehyde. The plan approval will include emission limits and work practice standards along with monitoring, recordkeeping, testing, and reporting requirements to ensure the facility complies with the applicable air quality regulations. DEP's review of the

information submitted by the applicant indicates that the air contamination sources as recommissioned will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12 and 40 CFR Part 60 Subpart XXX—Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction, Reconstruction, or Modification After July 17, 2014. Based on these findings, the Department proposes to issue a plan approval for the proposed recommissioning of the engine. After the project has been implemented, if DEP determines that the source is operating in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into the facility's operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

15-00017: Transcontinental Gas Pipeline (60 Bacton Hill Road, Frazer, PA 19355) for the issuance of a Title V Operating Permit renewal located in East Whiteland Township **Chester County**. Transcontinental Gas Pipeline operates a compression station on a natural gas pipeline and is classified as a major facility for NO_x and HAP emissions. The sources at this facility are; thirteen internal combustion (IC) compressor engines, four emergency generator IC engines and one boiler. This renewal of the Title V Operating Permit does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The Title V Operating Permit contains all applicable requirements including monitoring, recordkeeping, reporting and testing.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

36-05029: High Steel Structures, Inc. (1853 William Penn Way, Lancaster, PA 17605-0008) to issue a Title V Operating Permit for the steel girder manufacturing facility located in East Lampeter Township, **Lancaster County**. Actual emissions from the facility in 2018 were reported to be 0.67 tpy CO, 1.57 ton NO_x, 0.13 ton PM₁₀, 0.01 ton SO_x, 28.90 tons VOC, 3.85 tons of a single HAP (toluene), and 8.99 tons of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from §§ 123.13, 123.21, 129.52d, 129.57, 129.63, 40 CFR Part 63 Subpart M—National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products and 40 CFR Part 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00010: G&W Laboratories LLC (650 Cathill Rd, Sellersville, PA 18960) for a non-Title V, State Only, Synthetic Minor Operating Permit in West Rockhill Township, **Bucks County**. This action is a renewal of the State Only Operating Permit. G&W Laboratories LLC manufactures granular pharmaceutical products that emit volatile organic compounds in the drying process. Volatile organic compounds are limited through this permit to 24.0 tons per year from these drying processes. The facility also has three (3) boilers, two (2) emergency generators, and two (2) fire pumps. The renewed permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief of Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a modification for a Minor State Only Operating Permit (N14-021) issued on November 22, 2017 for the following facility:

OP19-00028: Lannett Company, Inc. (9000 State Rd/9001 Torresdale Ave, Philadelphia, PA 19136) for the operation of a pharmaceutical manufacturing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include two (2) 4.2 MMBtu/hr natural gas boilers, one 0.285 MMBtu/hr hot water heater, six (6) 0.27 MMBtu/hr natural gas air handling units, three (3) 0.39 MMBtu/hr natural gas air handling units, one (1) 0.78 MMBtu/hr natural gas air handling unit, one (1) 0.54 MMBtu/hr natural gas air handling unit, one (1) 391 kW Emergency Generator, one (1) 97 kW Emergency Generator, eight (8) Dust Collectors, IPA process to clean equipment, and two (2) Lab Hoods.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

The City of Philadelphia, Air Management Services (AMS) intends to issue a modification for a Minor State Only Operating Permit (OP18-000033) issued on February 6, 2019 for the following facility:

OP19-000019: Catalent Pharma Solutions (10381 Decatur Road, Philadelphia, PA 19154) for the operation of a clinical supply services facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include six (6) 0.3 MMBtu/hr natural gas warm air furnaces, two (2) 0.35 MMBtu/hr natural gas warm air furnaces, one (1) 0.8 MMBtu/hr natural gas warm air furnace, one (1) 285 kW diesel-fired Emergency Generator, one (1) 568 kW diesel-fired Emergency Generator, and one (1) 1,165 kW diesel-fired Emergency Generator.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

40-00107: Hunlock Energy, LLC (390 State Route 11, Hunlock Creek, PA 18621). The Department intends to issue a State-Only (Synthetic Minor) Operating Permit for operation of sources at an electric generation station Hunlock Township, **Luzerne County**. The sources include one 470 MMBtu/hr simple-cycle combustion turbine. Control devices include water injection. The proposed permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

31-03035: Sunoco Pipeline LP—Markelsburg (Valleyview Cemetery Road, James Creek, PA 16657) to issue a State Only Operating Permit for the natural gas liquid (ethane, propane, butane or a mixture of these) pumping station located in Penn Township, **Huntingdon County**. The potential emissions from the facility are estimated at NO_x 0.06 tpy, CO 0.24 tpy and VOCs 0.74 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

36-03137: NESL Martin Limestone Co., Inc. (3580 Division Highway, East Earl, PA 17519-9217) to issue a State Only Operating Permit for the Burkholder Quarry stone crushing plant located in Earl Township,

Lancaster County. The quarry facility has a potential to emit 19.08 tpy of PM₁₀. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart 000.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

53-00010: National Fuel Gas Supply Corporation (6363 Main Street, Williamsville, NY 14221) to issue a State Only Operating Permit for their Costello Compressor Station located in Portage Township, **Potter County**. The facility is currently operating under State Only Operating Permit 53-00010. The facility's sources include eight (8) small combustion units (1.854 million Btu per hour total heat input), four (4) storage tanks, pneumatic devices, venting/blowdowns, pipeline valves and flanges, two (2) 720 horsepower, natural gas-fired compressor engines and a 35-kilowatt, natural gas-fired emergency generator engine. The facility has potential emissions of 42.51 tons per year of nitrogen oxides, 14.33 tons per year of carbon monoxide, 10.63 tons per year of volatile organic compounds, 0.02 ton per year of sulfur oxides, 0.84 ton per year of particulate matter and 1.29 ton per year of volatile hazardous air pollutants. The two (2) 720 horsepower compressor engines and the 35-kilowatt emergency generator engine are subject to Subpart ZZZZ of the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

17-00073: WWF Operating Company, LLC (2592 Oklahoma Salem Road, DuBois, PA 15801). The Department intends to issue an initial State Only (Natural Minor) permit for their DuBois Plant in Sandy Township, **Clearfield County**. The facility is currently operating under GP-1 authorizations for the boilers on site and RFD approvals for the other listed sources for the facility. Facility-wide calculations for Potential to Emit nitrogen oxides (NO_x, expressed as NO₂), carbon monoxide (CO), volatile organic compounds (VOC), sulfur dioxide (SO₂), PM₁₀ & PM_{2.5}, and hazardous air pollutants (HAP) are, as follows: 7.8 tons NO_x per year (tpy); 14.6 tpy CO; 3.5 tpy VOC; 0.3 tpy SO₂; 6.0 tpy PM₁₀ & PM_{2.5}; and 0.4 tpy HAP. Based on the information provided in the initial State Only permit application submittal, all applicable air quality regulatory requirements pertaining to air contaminant sources on site have been incorporated into the renewal permit, including testing, monitoring, recordkeeping, reporting and work practice standards to verify compliance with the requirements. The applicable requirements were derived from 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the

evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

41-00047: Wildwood Cemetery Co. (1151 Cemetery St., Williamsport, PA 17701-1605) to issue a renewal State Only Operating Permit for their Wildwood Cemetery facility located in Loyalsock Township, **Lycoming County**. The facility is currently operating under State Only Operating Permit 41-00047. The facility's main sources include two crematories with propane-fired burners with a total combined maximum rated heat input of 3.92 MMBtu/hr. The facility has potential annual emissions of 1.60 ton of carbon monoxide, 1.68 ton of nitrogen oxides, 0.75 ton of sulfur oxides, 1.52 ton of particulate matter (including particulate matter less than 10 microns in size and particulate matter less than 2.5 microns in size), 0.44 ton of volatile organic compounds, and 2,165 tons of carbon dioxide equivalent. The emission restrictions, testing, monitoring, recordkeeping, reporting and work practice conditions of the NMOP have been derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145 to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00857: Saint-Gobain Ceramics (4702 Route 982, Latrobe, PA 15650). Natural Minor State-Only Operating Permit is for a ceramics manufacturing facility located in Derry Township, **Westmoreland County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the previously-mentioned facility. Sources of emissions consist of two 3.3 MMBtu/hr boilers, six kilns, aluminum mix, spray dryer, lithafrax, machining operations, and parts washers. Facility-wide potential emissions with controls are projected to be 8.4 TPY PM₁₀, 8.4 TPY PM_{2.5}, 8.5 TPY SO_x, 9.8 TPY NO_x, 78.2 TPY CO, 17.7 TPY VOC, and zero HAPs. At a minimum, the facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes operating requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00857) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

25-01030: Burton Funeral Home and Crematory, Inc., Ericson Memorial Studios (3803 West 26th St., Erie, PA 16502). The Department intends to issue the initial State-Only Operating Permit of a funeral home and crematory located in Millcreek Township, **Erie County**. Permitted air contamination source at the facility is a crematory used for cremating animal remains. Requirements of PA 25-1030A, which authorized the crematory and its operation, are incorporated as conditions of the operating permit. With respect to PA 25-1030A, a requirement is added on use of opacity monitoring devices to monitor visible emissions. The facility is Natural Minor for permitting purposes.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the

Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

30121301 and NPDES Permit No. PA0213535. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES permit for installation of three (3) degas boreholes for the Harvey Mine in Richhill and Morris Townships, **Greene County**, affecting 12.9 proposed surface acres. No additional discharges. The application was considered administratively complete on February 7, 2020. Application received: January 13, 2020.

17743702 and NPDES Permit No. PA0215490. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201 to renew the permit and related NPDES permit for the Lady Jane Plant in Huston Township, **Clearfield County**. No additional discharges. The application was considered administratively complete on February 7, 2020. Application received: January 23, 2020.

17041301 and NPDES Permit No. PA0235628 and GP12-17041301. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201 to renew the permit and related NPDES permit including renewal of Air Quality GPA/GP12 Authorization for the Penfield Mine in Huston Township, **Clearfield County**. No additional discharges. The application was considered administratively complete on February 12, 2020. Application received: January 13, 2020.

02141301 and NPDES Permit No. PA0215571. Consol Mining Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to renew the permit and related NPDES permit for the Harmar Mine in Fox Chapel Borough and Harmar and Indiana Townships, **Allegheny County**. No additional discharges. The application was considered administratively complete on February 12, 2020. Application received: January 24, 2020.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Wigfield).

Permit 56200102 and NPDES No. PA0279749. Mountaineer Mining Corp., 1010 Garrett Shortcut Road, Berlin, PA 15530, commencement, operation and restoration of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 151.9 acres. Receiving stream(s): unnamed tributaries to/and Tubs Run and to Buffalo Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: February 3, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

17814033 and NPDES PA0609501. Philip Reese Coal Company, Inc., P.O. Box 235, 2500 Keewaydin Road, Karthaus, PA 16845, permit renewal for continued operation and restoration of a bituminous surface coal mine located in Karthaus Township, **Clearfield County** affecting 412.8 acres. Receiving stream(s): Saltlick Run and Unnamed Tributary to Saltlick Run classified for the following use(s): HQ-CWF. There are no potable water supply intakes within 10 miles downstream. Application received: January 30, 2020.

17080112 and NPDES PA0256919. Kasubick Brothers Coal Company, 501 David Street, Houtzdale, PA 16651, permit renewal for continued operation and restoration of a bituminous surface coal mine located in Woodward Township, **Clearfield County** affecting 46.8 acres. Receiving stream(s): Unnamed Tributary to Upper Morgan Run and North Branch to Morgan Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: February 6, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54040202. Frederick Consulting (P.O. Box 245, Minersville, PA 17954), renewal of an existing anthracite coal refuse reprocessing operation in Cass Township, **Schuylkill County** affecting 30.0 acres. Receiving stream: unnamed tributary to West Creek, classified for the following uses: cold water and migratory fishes. Application received: February 4, 2020.

Permit No. 40140201R. Mineral Reclamation, LLC (20625 Prego Place, Venice, FL 34293), renewal for reclamation activities only of an existing anthracite coal refuse reprocessing operation in Hanover Township, **Luzerne County** affecting 12.8 acres. Receiving stream: Nanticoke Creek, classified for the following uses: cold water and migratory fishes. Application received: February 5, 2020.

Permit No. 54890102R6. White Pine Coal Co., Inc. (P.O. Box 59, Ashland, PA 17921), renewal of an existing anthracite surface mine and coal refuse reprocessing operation in Reilly, Cass and Foster Townships, **Schuylkill County** affecting 729.7 acres. Receiving streams: unnamed tributary to Swatara Creek and Muddy Run, classified for the following uses: cold water and migratory fishes. Application received: February 10, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Robin Myers).

37190301 and NPDES Permit No. PA0280755. Glacial Sand & Gravel Co. (P.O. Box 1022, Kittanning, PA 16201). Application for a wetlands encroachment to allow for direct impacts to 1.87 acre of wetlands consisting of 1.10 acre of emergent wetlands, 0.42 acre of scrub-shrub wetlands, and 0.35 acre of forested wetlands. As replacement for the wetland impacts, 2.98 acres of wetlands consisting of 1.10 acre of emergent wetlands, 0.83 acre of scrub-shrub wetlands, and 1.05 acre of forested wetlands will be developed according to the Module 14.4 mitigation plan. The encroachment impacts are located in Scott Township, **Lawrence County**. Receiving streams: Unnamed tributaries to Slippery Rock Creek, Slippery Rock Creek, and Taylor Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application also includes a request for a Section 401 Water Quality Certification. Application received: December 16, 2019.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

PAM220003. Robert Johnson Flagstone, Inc. (3658 Old Stagecoach Road, Wyalusing, PA 18853), Coverage Under General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on General Permit 105 No. 08202502 located in Stevens Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to Bennet Creek classified for the following uses: WWF, MF. Application received: January 30, 2020.

Noncoal Applications Withdrawn

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 7473SM2A1C27 and NPDES Permit No. PA0118460. Hercules Cement Co., LP, d/b/a Buzzi Unicem USA (P.O. Box 69, Stockertown, PA 18083), correction to an existing quarry and NPDES Permit to add 10.4 acres (for a total of 307.6 acres) to the permit in association with the proposed realignment of SR 191 in Upper Nazareth and Palmer Townships, **Northampton County**. Receiving streams: Bushkill Creek, classified for the following uses: HQ—cold water and migrator fishes and Schoeneck Creek, classified for the following uses: warm water and migratory fishes. Application received: July 2, 2018. Application withdrawn: February 11, 2020.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Robin Myers).

NPDES No. PA0241521 (Permit No. 16990301). Glen-Gery Corporation (1166 Spring Street, P.O. Box 7001, Reading, PA 19610). Renewal of an NPDES permit for a large industrial mineral surface mine in Monroe Township, **Clarion County**, affecting 211.0 acres. Receiving streams: Unnamed tributaries to Reids Run and Reids Run, classified for the following uses: CWF. TMDL: Reids Run. Application received: November 27, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to unnamed tributaries to Reids Run and Reids Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
006	N
007	N
008	N
009	N
010	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

The following outfalls discharge to unnamed tributaries to Reids Run and Reids Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
004	N
005	N

The proposed effluent limits for the previously listed outfalls are as follows:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

NPDES Permit No. PA0594148 on Surface Mining Permit No. 8173SM1. Hanson Aggregates PA, LLC (7660 Imperial Way, Allentown, PA 18195), renewal of an NPDES Permit for a limestone quarry operation in East Caln & West Whiteland Townships, **Chester County**, affecting 303.62 acres. Receiving stream: unnamed tributary to Valley Creek, classified for the following use: cold water and migratory fishes. Application received: October 15, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfall discharges to unnamed tributary to Valley Creek:

Outfall Nos.	New Outfall (Y/N)	Type
001	No	Groundwater

Outfall: 001 Parameter	Minimum	30-Day Average	Daily Maximum	Instantaneous Maximum
pH ¹ (S.U.)	6.0			9.0
Discharge (MGD)		11	17	
Total Suspended Solids		35.0	70.0	90.0
Oil and Grease (mg/l)		Monitor And Report		

¹ The parameter is applicable at all times.

NPDES Permit No. PA0225517 on Surface Mining Permit No. 64142802. Robert A. Coleman (P.O. Box 3, Susquehanna, PA 18847), renewal of an NPDES Permit for a bluestone quarry operation in Scott Township, **Wayne County**, affecting 3.5 acres. Receiving stream: unnamed tributary to Balls Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: January 21, 2020.

Non-discharge BMP's shall be in effect.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or

conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.

Contact: Elaine Henderson, Clerk Typist 3, 484.250.5157.

Permit No. E46-1199, Provco Partners, LP, Two Villanova Center, 796 East Lancaster Avenue, Suite 200,

Villanova, PA 19085, Limerick Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a 62,810-SF Restaurant Depot including driveways, parking, and utilities necessary to support the development within the 100-year floodway/floodplain of the Mingo Creek (WWF, MF) associated with the proposed Restaurant Depot. The project will include 3 road crossings and 4 utility line stream crossings.

The site is located about 200 feet southeast of Township Line and Buckwalter Roads (Phoenixville, PA USGS Quadrangle Latitude: 40.198056; Longitude: -75.521389) in Limerick Township, Montgomery County.

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E3502220-001. Lackawanna County, 1280 Mid Valley Drive, Jessup, PA 18434, in Benton Township, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To remove the existing structure and to construct and maintain a 38.5-foot long, 15.5-foot span single cell precast concrete box culvert crossing of an Unnamed Tributary to the South Branch Tunkhannock Creek (CWF, MF) having a 6.0-foot underclearance to the normal flow elevation, riprap, and precast concrete upstream and downstream wingwalls. The project is located approximately 0.5 mile north on Hack Road (T-544) from the intersection with Wallsville Road (T-438) (Dalton, PA Quadrangle Latitude: 41° 35' 22" Longitude: -75° 41' 9") in Benton Township, Lackawanna County.

E4002120-003. Pa Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Hazle Township, **Luzerne County**, Army Corps of Engineers, Baltimore District.

To fill 0.13 acre of PEM/PSS wetlands for the construction of the Hazelton Beltway Extension, SR 0424 Section 390 project and for the associated wetland mitigation site driveway realignment.

The project is located from the I-81/SR 424 intersection (Exit 141) to the southern end of Commerce Drive (Conyngham, PA Quadrangle Latitude: 40° 55' 31.40"; Longitude: -76° 0' 44.82" to Latitude 40° 55' 50.05"; Longitude: -76° 1' 31.20") and the wetland mitigation site is located at 40° 55' 31.83"; Longitude: -76° 3' 3.89".

E4002220-001. John Nardone, 340 Market Street, Suite 200, Kingston, PA 18704, in Dallas Twp., **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To maintain fill in a de minimis area of exceptional value wetlands equal to 0.04 acre within the Leonard Creek watershed for the purpose of widening an existing private access road. The project is located on West Oak Street, approximately 0.25 mile southeast of the intersection of Laurel Street and West Oak Street (Kingston, PA Quadrangle 41° 22' 18"; Longitude: -75° 58' 06") in Dallas Township, Luzerne County.

E5402219-005. Jeremy Yeakley & Eden Troxell, 325 Hazle Street, Tamaqua, PA 18252, in Walker Township, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To authorize a previously completed private driveway crossing of Cold Run (HQ-CWF, MF) consisting of a 6'-5" by 4'-7" galvanized pipe arch culvert depressed 6-inches

below the existing streambed elevation with upstream and downstream wingwalls. This culvert crossing will be constructed to replace the previously installed dual 30" HDPE culverts. A de minimis impact area of wetlands (EV) equal to 0.016 acre is associated with this crossing. The project is located approximately 0.9 mile east of the intersection of Valley Road (T-529) and Mountain Road (SR 2003) (Orwigsburg, PA Quadrangle Latitude: 40° 42' 55.0"; Longitude: -76° 3' 20.0") in Walker Township, Schuylkill County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0603220-001: Mount Penn Borough Municipal Authority, 200 N. 25th Street, Reading, PA 19606 in Exeter Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To 1.) place and maintain fill in an existing lake impacting 1.53 acre of the lake; 2.) remove sediment from 2.98 acres of the lake; and 3.) repair an existing concrete spillway and install and maintain a 36.0-inch outfall to an unnamed tributary to Antietam Creek (CWF, MF) impacting 110 linear feet of the unnamed tributary, all for the purpose of enhancing water quality in the lake. The project is located at the intersection of Byram Street and Navella Avenue (Latitude: 40° 20' 15" N; Longitude: 75° 52' 20" W) in Exeter Township, Berks County. No wetlands will be impacted by this project.

E3603219-010: Elizabethtown Borough, 600 South Hanover Street, Elizabethtown, PA 17022 in Elizabethtown Borough, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To extend an existing pathway by crossing 691 linear feet and placing 43 cubic yards of fill within the floodway of UNT Conoy Creek (TSF, MF). The project is located in Elizabethtown Borough, Lancaster County (40° 09' 14", -76° 35' 37").

E0503120-001: PennDOT Engineering District 9-0, 1620 N. Juniata Street, Hollidaysburg, PA 16648 in Southampton Township, **Bedford County**, U.S. Army Corps of Engineers Baltimore District.

To remove existing structure and to install and maintain a (1) 61.4 linear foot 12-foot x 5-foot box culvert with 1-foot uniform depression in UNT Sweet Root Creek (HQ-CWF, MF). The project proposes to permanently impact 72 feet of stream channel with 177 feet of temporary impacts. There is 0.002 ac of permanent wetlands (EV) impacts. This is all for the purpose of improving transportation safety and roadway standards. The project is located in Southampton Township, Bedford County (39.8279°, -78.5057°).

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1704220-003: Dr. Robert P. Martini, Jr., Sandy Township, **Clearfield County**, U.S. Army Corps of Engineers Pittsburgh District (Sabula Quadrangle; Latitude 41° 10' 20" N; 78° 44' 5" W).

The applicant is proposing to construct a new house along Treasure Lake in Sandy Township. The project will result in 0.10 acre of permanent emergent wetland impact. The wetland is not considered exceptional value and no known threatened or endangered species inhabit the wetland. Mitigation for the impact will be accomplished through a monetary contribution to the Pennsylvania Wetlands Replacement Project Fund.

E1404220-001: Ivan Beiler, 210 Back Road, Rebersburg, PA 16872. Beiler Dairy Farm Proposed Bridge, Miles Township, **Centre County**, U.S. Army Corps of Engineers Baltimore District (Milheim Quadrangle; Latitude 40° 56' 32"; -77° 25' 45").

The applicant proposes to construct and maintain a bridge over Elk Creek (HQ-CWF) for the use of agricultural access. The project proposes to disturb .17 acre of watercourse and floodway.

Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222.

E02052-1830, Geoffrey Shorts, 2004 Cortona Drive, Oakdale, PA 15071, Collier Township, **Allegheny County**, Pittsburgh ACOE District.

The applicant proposes to:

Construct and maintain a 4.5-foot diameter 80 foot long concrete pipe in an unnamed tributary (UNT) to Robinson Run (WWF) for the purpose of providing a gravel access road to two parcels of property. The project also will temporarily impact an additional 28 LF of this watercourse and will permanently impact 0.18 acre of the floodway.

The project site is located on Parcel 262-L-20 McMichael Road, Carnegie (Oakdale, PA USGS topographic quadrangle; N: 40°, 24', 26"; W: -80°, 8', 25"; Sub-basin 20F; USACE Pittsburgh District), in Collier Township, Allegheny County.

E26052-385, Redstone Township Sewer Authority, 1010 Main Street, Republic, PA 15475, Redstone Township, **Fayette County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct and maintain two (2) 8" PVC sewer line crossings under Dunlap Creek (WWF) via directional bore,

2. Construct and maintain two (2) 8" PVC sewer line crossings under an unnamed tributary to Dunlap Creek (WWF) via directional bore,

3. Construct and maintain six (6) 8" PVC sewer line crossings under six (6) PEM wetlands via open trench.

4. Construct and maintain one pump station within the 100-year floodplain of Dunlap Creek.

For the purpose of constructing a sewerline extension. The project will result in approximately 80 LF of permanent impacts and approximately 110 LF of temporary impacts to Dunlap Creek and unnamed tributaries to Dunlap Creek, approximately 4.6 acres of temporary impacts and approximately 2.0 acres of permanent impacts to PEM wetlands, and approximately 0.17 acre of temporary impact and approximately 0.05 acre of permanent impacts to the 100-year floodplain. Mitigation will include restoring the areas disturbed by the utility line crossing back to original condition and elevation and stabilizing these disturbed areas. The project includes a number of new sewer lines, starting approximately 500 feet northeast of the intersection of Keeny Row and Tower Hill Road (Quadrangle: Carmichaels, PA, Latitude 39° 57' 11"; Longitude: -79° 52' 43"); and ends approximately 500 feet southeast of the intersection of Filbert Orient and Paradise Lake Road at the Filbert pump/treatment station (Quadrangle: Salem, PA, Latitude: 39° 57' 23"; Longitude: -79° 51' 39"), Redstone Township, Fayette County.

E30052-269, Dominion Energy Transmission, Inc., 5000 Dominion Boulevard, Glen Allen, VA 23060, Gilmore Township, **Greene County**, Pittsburgh ACOE District.

The applicant proposes to:

Place and maintain fill in 0.067 acre of wetlands for the purpose of correcting and preventing the causes of a landslide that occurred within and adjacent to a pipeline right-of-way. These impacts to wetlands will be mitigated through the purchase of 0.07 wetland mitigation credits from the Robinson Fork Phase I Mitigation Bank within the Ohio River Sub-basin 20.

The project site is located off of Jones Road, Holbrook, PA 15341 (Holbrook, PA USGS topographic quadrangle; N: 39°, 46', 20.9604"; W: -80°, 20', 13.38"; Sub-basin 19G; USACE Pittsburgh District), in Gilmore Township, Greene County.

E65052-1002, West Penn Power Company, a FirstEnergy Company, 800 Cabin Hill Drive, Greensburg, PA 15601, Hempfield Township, **Westmoreland County**; Pittsburgh ACOE District.

The applicant proposes to:

Place and maintain fill in 0.44 acre of wetlands to expand an existing 500 kV Yukon substation to address thermal overloads, at existing transformers, under a Critical Events scenario. These impacts to wetlands will be mitigated through the purchase of 0.44 wetland mitigation credits from the Enlow Fork Mitigation Bank within the Monongahela River Sub-basin 19.

The project site is located at 926 Greensburg Pike, West Newton, PA 15089 (Smithton, PA USGS topographic quadrangle; N: 40°, 12', 35.2332"; W: -79°, 43', 31.1988"; Sub-basin 19D; USACE Pittsburgh District), in Sewickley Township, Westmoreland County.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E3706219-002, New Castle Sanitation Authority, 110 East Washington Street, New Castle, PA 16101. Wastewater Treatment Plant Upgrade, in the City of New Castle, **Lawrence County**, ACOE Pittsburgh District (Bessemer, PA Quadrangle N: 40°, 58', 4.4463"; W: -80°, 23', 7.527").

The Applicant proposes to renovate portions of an existing wastewater treatment plant which is entirely within the Mahoning River's 100-year floodplain, and to modify and extend an existing flood protection berm around the plant resulting in approximately 0.05 acre of wetland impacts all at a point approximately 1,000 feet southwest of the Routes' 18 and 108 intersection in the City of New Castle, Lawrence County.

E3206219-003, Indiana University of Pennsylvania, 600 S 13th Street, Robertshaw Building, Indiana, PA 15075. Kovalchick Convention and Athletic Complex Parking Lot Expansion, in White Township, **Indiana County**, ACOE Pittsburgh District (Indiana, PA Quadrangle N: 40.610114°; W: -79.161317°).

To conduct the following activities associated with the expansion of the existing parking lot for the Kovalchick Convention and Athletic Complex at the Indiana University of Pennsylvania campus near the intersection of Pratt Drive and Wayne Avenue:

1. To construct and maintain a 6-foot wide steel truss pedestrian bridge on concrete caissons providing a clear span of 51 feet and an underclearance of approximately 6 feet across Marsh Run.

2. To conduct grading and excavation associated with the parking lot expansion and associated stormwater management facilities within the 100-year flood plain of Marsh Run and Stoney Run.

3. To conduct grading and excavation associated with the parking lot expansion and associated stormwater management facilities within the mapped 100-year floodway of Stoney Run.

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, 400 Market Street, 2nd Floor, Harrisburg, PA 17101, (717) 787-3411.

MB990563-0003, First Pennsylvania Resource, LLC, 183 Clovis Ridge Road, West Finley Twp., PA 15377; Robinson Fork Mitigation Bank—Phase II, in West Finley Township, **Washington County**, USACE Pittsburgh District (Valley Grove, Claysville, Majorsville and Wind Ridge, PA Quadrangles N: 39°, 59', 45"; W: 80°, 28', 56").

To amend the existing permit to construct Phase II of the Robinson Fork Mitigation Bank. Phase II consists of restoration, enhancement and conservation activities within approximately 122.83 acres of the Robinson Fork watershed, immediately adjacent to Robinson Fork Mitigation Bank—Phase I. These activities would include

activities affecting uplands, floodplains, stream channels and wetland areas of the Robinson Fork watershed; including the main stem of Robinson Fork, Beham Run tributary and numerous unnamed tributaries.

The project proposal consists of the following activities: Wetland resources—enhancement of 0.57 acre, re-establishment of 9.61 acres, and rehabilitation of 0.68 acre. An additional 0.02 acre of existing wetlands will be protected under the overall site protection instruments. Riverine and floodplain resources—Restoration of 13,323.86 linear feet of the stream and floodplain, rehabilitation of 1,759.43 linear feet of the stream channel and floodplain, enhancement of 15,447.73 linear feet of stream channel and floodplain and 5,454.24 linear feet of stream channel and floodplain protected under the overall site conservation easements. Upland resources—107.19 acres will be protected under the overall site conservation easements. Some of the areas will involve vegetation habitat management, invasive plant species control and vegetative plantings. The project may provide compensatory mitigation credits through the applicant's existing permit MB9915-0001. This application is being jointly evaluated as a mitigation bank by the Army Corps of Engineers under the 2008 Mitigation Rule.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0042641 (Sewage)	Nockamixon State Park STP 2808 Three Mile Run Road Perkasie, PA 18944-2065	Bucks County Haycock Township	Unnamed Tributary to Tohickon Creek (CWF, MF) 2-D	Yes

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0111953 (Sewage)	Guardian Elder Care, Inc. Highlands Care Center STP P.O. Box 10 Laporte, PA 18626-0100	Sullivan County Laporte Borough	Unnamed Tributary to Mill Creek (EV (existing use)) (10-B)	Yes
PA0100099 (Sewage)	Harmony School 5239 Ridge Road Westover, PA 16692-8706	Clearfield County Burnside Township	Snyder Run (CWF) (8-B)	Yes
PA0113034 (Sewage)	Beaver Lake Forest P.O. Box 186 216 Old Cement Road Montoursville, PA 17754-0186	Lycoming County Penn Township	Beaver Run (CWF, MF) (10-D)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0219479 (Sewage)	Salem Ridge Village 180 Pollack Run Road Belle Vernon, PA 15012-3102	Westmoreland County Rostraver Township	Unnamed Tributary to Pollock Run (WWF) (19-D)	Yes
PA0205575 (Sewage)	Pleasant Valley CC STP 440 Pleasant Valley Road Connellsville, PA 15425-6082	Fayette County Bullskin Township	Mounts Creek (WWF) (19-D)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0210714 (Sewage)	Mark D & Wendy J Watt SFTF 3383 Church Street Reynoldsville, PA 15851-5907	Jefferson County Winslow Township	Fehley Run (CWF) (17-C)	Yes
PA0218367 (Industrial)	St Francis University WTP P.O. Box 600 Loretto, PA 15940-0600	Cambria County Loretto Borough	Unnamed Tributary of Pine Creek (HQ-CWF) (16-E)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0245143, Storm Water, **USSC Acquisition Corporation**, 101 Gordon Drive, Exton, PA 19341.

This proposed facility is located in Uwchlan Township, **Chester County**.

Description of Action/Activity: Issuance of an NPDES Permit for a new discharge of treated storm water.

NPDES Permit No. PA0020460, Sewage, **Pennridge Wastewater Treatment Authority**, 180 Maple Avenue, Sellersville, PA 18960-0031.

This proposed facility is located in West Rockhill Township, **Bucks County**.

Description of Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0272531, Sewage, SIC Code 4952, 8800, **Greenfield Township Vol Fire Co.**, 9805 Wilson Road, North East, PA 16428.

This proposed facility is located in Greenfield Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0041645, Sewage, SIC Code 4111, **PA DOT Maintenance & Operations Bureau**, Bureau of Maintenance & Operations, Harrisburg, PA 17120.

This existing facility is located in Springfield Township, **Erie County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit Amendment for an existing discharge of treated sewage.

NPDES Permit No. PA0287822, Sewage, SIC Code 4952, 8800, **Amber & Jason Digiacom**, 15304 Hall Road, Meadville, PA 16335.

This proposed facility is located in Hayfield Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272566, Sewage, SIC Code 8800, **Ronald Cehelsky**, 221 Carbon Center Road, Butler, PA 16002-1021.

This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 4619409, Sewage, **Upper Merion Municipal Utility Authority**, 175 W Valley Forge Road, King of Prussia, PA 19406-1851.

This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Action/Activity: Sewer replacement along Swedeland Road; connection to Glaxo-Smith West campus (aka Innovation at Renaissance).

WQM Permit No. 1506408, Sewage, Amendment, **East Brandywine Township Municipal Authority**, 1214 Horseshoe Pike, Downingtown, PA 19335.

This proposed facility is located in East Brandywine Township, **Chester County**.

Description of Action/Activity: Rerate capacity.

WQM Permit No. WQG02461917, Sewage, **Aqua Pennsylvania Wastewater Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Action/Activity: Sewer collection system is a combined gravity & low pressure sewer system.

WQM Permit No. 4604419, Sewage, Transfer, **Upper Moreland Hatboro Joint Sewer Authority**, 2875 Terrace Road, P.O. Box 535, Willow Grove, PA 19090-1434.

This proposed facility is located in Bryn Athyn Township, **Montgomery County**.

Description of Action/Activity: Transfer Ownership.

WQM Permit No. 4620401, Sewage, **Clemens Food Group**, P.O. Box 902, Hatfield, PA 19440-0902.

This proposed facility is located in Hatfield Township, **Montgomery County**.

Description of Action/Activity: Installation of 3 new boilers to serve proposed expansion of the existing facility.

WQM Permit No. 0919410, Sewage, **Chalfont New Britain Township Joint Sewer Authority**, 1645 Upper State Road, Doylestown, PA 18901-2666.

This proposed facility is located in Doylestown Township, **Bucks County**.

Description of Action/Activity: Installation of a sludge dryer.

WQM Permit No. 1509411, Sewage, Amendment, **West Vincent Township**, 729 Saint Matthews Road, Chester Springs, PA 19425-3301.

This proposed facility is located in West Vincent Township, **Chester County**.

Description of Action/Activity: Reducing permitted capacity of 49,963 gpd to 47,130 gpd.

WQM Permit No 2319405, Sewage, **DELCORA**, 100 East Fifth Street, Chester, PA 19013.

This proposed facility is located in Chadds Ford Township, **Delaware County**.

Description of Action/Activity: Installation of a new pumping station, valve vault, and 6' sanitary sewer force main.

WQM Permit No 0999416, Sewage, Transfer, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Permit Transfer.

WQM Permit No. 0998423, Sewage, Transfer, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Permit Transfer.

WQM Permit No. 0905406, Sewage, Transfer, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Permit Transfer.

WQM Permit No. 765S68, Sewage, Transfer, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Permit Transfer.

WQM Permit No. 0998418, Sewage, Transfer, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Permit Transfer.

WQM Permit No. 0998413, Sewage, Transfer, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Permit Transfer.

WQM Permit No. WQG02090502, Sewage, Transfer, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Permit Transfer.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 3504401A-1, Sewage, SIC Code 4952, **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055.

This existing facility is located in Scranton City, **Lackawanna County**.

Description of Proposed Action/Activity: The purpose of the project is to improve the headworks and odor control processes at the wastewater treatment plant. Major aspects of the project include installation of: an influent flow meter, two multi-rake mechanical coarse bar screens, two dual auger screw wash presses and two screw wash presses, two fine screens, two new grit pumps with doppler style flow meters on the discharge piping, three screw grit classifiers, and a new chemical storage building. An effluent flow meter and meter vault will be added to the outfall line. Replacement of the chemical wet scrubber, sluice gates and level sensors are also included in the project along with various structural, mechanical, electrical and instrumentation improvements.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

WQM Permit No. 1987406 A-3, Sewage, SIC Code 4952, **Catawissa Borough Columbia County**, 307 Main Street, Catawissa, PA 17820-1315.

This existing facility is located in Catawissa Borough, **Columbia County**.

Description of Proposed Action/Activity: Removal of deteriorated air piping, diffusers, influent valves, sludge return valves, and clarifier skimmers and replacing them with similar products.

WQM Permit No. 5508402 A-1, Sewage, SIC Code 4952, **Perry Township Municipal Authority Snyder County**, P.O. Box 27, Mt. Pleasant, PA 17853-0027.

This existing facility is located in Perry Township, **Snyder County**.

Description of Proposed Action/Activity: Permit issued authorizing dechlorination facilities.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

WQM Permit No. 9656-S A-2, Sewage, **Arnold City Westmoreland County**, 1829 5th Avenue, Arnold, PA 15068.

This existing facility is in Arnold City, **Westmoreland County**.

Description of Proposed Action/Activity: Replace sewer line under 14th Street by 5th Ave. to reduce CSOs.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2519418, Sewage, **Greenfield Township Volunteer Fire Company**, 9805 Wilson Road, North East, PA 16428.

This proposed facility is located in Greenfield Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1019406, Sewage, **Ronald Cehelsky**, 221 Carbon Center Road, Butler, PA 16002-1021.

This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. WQG02101904, Sewage, **Breakneck Creek Region Authority**, 1166 Mars Evans City Road, Mars, PA 16046-2216.

This proposed facility is located in Adams Township, **Butler County**.

Description of Proposed Action/Activity: Sewer extension to serve Brookhaven development.

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484-250-5970.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI130542	Upper Providence Township 935 N Providence Road Media, PA 19063-1403	Upper Providence Township Delaware County	Ridley Creek (TSF, MF) and Crum Creek (WWF, MF)/TSF, WWF, and MF	N	Y
PAI130510	Middletown Township P.O. Box 157 Lima, PA 19037-0157	Middletown Township Delaware County	Crum Run (TSF, MF), Ridley Creek (TSF, MF), Rocky Run, (HQ-CWF, MF), Chrome Run (TSF, MF), Unnamed Tributary to Chester Creek (TSF, MF), and Unnamed Tributary to Spring Run (HQ-TSF, MF)/HQ-TSF, TSF, MF and HQ-CWF	N	Y

V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG136347	Finleyville Borough 3515 Washington Avenue Finleyville, PA 15332-1327	Finleyville Borough, Washington	Peters Creek (TSF)/ TSF
PAG136136	South Versailles Township P.O. Box 66 Coulters, PA 15028-0066	South Versailles Township, Allegheny	Youghiogheny River/ WWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390145	East Penn School District 800 Pine St. Emmaus, PA 18049	Lehigh	Emmaus Borough	Leibert Creek (HQ-CWF, MF)
PAD390113	Maplewood Residential, Inc. 1030 W. Germantown Pike P.O. Box 287 E. Norriton, PA 19403	Lehigh	Lower Milford Township	Saucon Creek, (HQ-CWF, MF)

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708, 570-674-7991.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD400029	Presidential Land Company, LTD P.O. Box 157 Mountain Top, PA 18707	Luzerne County	Rice Township	Little Wapwallopen Creek (HQ-CWF, MF)

Wayne Conservation District, 648 Park St, Honesdale, PA 18431, 570-253-0930.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD640019	Pile of Dirt, LLC 105 Rustys Boulevard Honesdale, PA 18431-7746	Wayne	Berlin Township	Indian Orchard Brook (HQ-CWF, MF)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD360047 Issued	PPL Electric Utilities Corporation 2 North Ninth Street GENN4 Allentown, PA 18101-1179	Lancaster	Martic Township Pequea Township	Susquehanna River (WWF, MF) Tobe Run (WWF, MF) UNT Tobe Run (WWF, MF) Kellys Run (WWF, MF) UNT Kellys Run (WWF, MF) Tucquan Creek (HQ-CWF, MF) UNTs Tucquan Creek (HQ-CWF, MF) Pequea Creek (WWF, MF) UNTs Pequea Creek (WWF, MF) UNT Pequea Creek (HQ-CWF, MF) Climbers Run (CWF, MF) UNT Climbers Run (CWF, MF) Silver Mile Run (TSF, MF) UNT Silver Mile Run (TSF, MF) EV Wetland

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD500005 Issued	Dark Hollow, LP 115 Brook Lane Marysville, PA 17053	Perry	Carroll Township	Shermans Creek (HQ-CWF, MF) UNT Sherms Creek (WWF)
PAD440006 Issued	Brown Township Supervisors 22 Brown Township Drive Reedsville, PA 17084	Mifflin	Brown Township	Tea Creek (HQ-CWF, MF)

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140042	1275 East Pennsylvania Ave 1 LP 356 Laurents Rd Montoursville, PA 17754	Centre	College Twp	Thompson Run

Individual Permit Type—PAG-02

Cambria District Office: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAC680031	Attention: Patrick M. Webb Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800	Allegheny County	Elizabeth Township	Fallen Timber Run (WWF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>Permit No.</i>	<i>Facility Location: Municipality & County</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC400032 A-1 Authorization/ Issuance	Pittston Twp Luzerne County	Bi-County Board of Commissioners C/O Stephen Mykulyn 100 Terminal Dr Avoca, PA 18641	Lackawanna River (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400158 Authorization/ Issuance	Hazle Twp Luzerne County	Can Do Inc Kevin W O'Donnell 1 S Church St Hazleton, PA 18201	Black Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC480093 Authorization/ Issuance	Moore Twp Northampton County	S&S Homes Richard George 5196 Cherry Valley Rd Saylorsburg, PA 18353	Hokendauqua Creek (CWF, MF)	Northampton County Conservation District 14 Gracedale Ave Greystone Building Nazareth, PA 18064-9211 610-829-6276

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Facility Location: Municipality & County</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC210180 Issued	North Middleton Township Cumberland County	Shillington MHS GP, LLC 76 Emlyn Lane Mechanicsburg, PA 17055-8021	UNT Conodoguinet Creek (WWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC210108 Issued	Hampden Township Cumberland County	Hampden Medical Center 100 Crystal A Drive Hershey, PA 17033-9524	UNT Sears Run (WWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC220150 Issued	Conewago Township Dauphin County	Hershey RV Park & Lodging, LLC P.O. Box 544 Glenmoore, PA 19343-0544	Gallagher Run (TSF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220125 Issued	Derry Township Dauphin County	Derry Township 600 Clearwater Road Hershey, PA 17033	UNT Spring Creek East (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100

NOTICES

1287

<i>Permit No.</i>	<i>Facility Location: Municipality & County</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC220211 Issued	Lower Swatara Township Dauphin County	PPL Electric Utilities 2 North 9th Street GENN 4 Allentown, PA 18101	Laurel Run (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC360427 Issued	East Hempfield Township East Petersburg Borough Lancaster County	Traditions of America LP 1235 Westlake Drive Suite 300 Berwyn, PA 19312	Little Conestoga Creek (TSF, MF) UNT Little Conestoga Creek (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360367 Issued	Salisbury Township Lancaster County	Houston Run Properties LLC 1324 Main Street East Earl, PA 17519	Houston Run (CWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360490 Issued	East Earl Township Lancaster County	ELANCO School District 669 East Main Street New Holland, PA 17557	UNT Shirks Run (WWF, MF) UNT Conestoga River (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360477 Issued	East Hempfield Township Lancaster County	Heat and Control 21121 Cabot Boulevard Hayward, CA 94545	Brubaker Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360492 Issued	Manheim Township Lancaster County	Lancaster Country Club 1466 New Holland Pike Lancaster, PA 17601	Conestoga River (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360471 Issued	Leacock Township Lancaster County	Destiny Builders & Management LLC 3738 Kennel Avenue Columbia, PA 17512	Muddy Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360478 Issued	Elizabethtown Borough Lancaster County	Mars Wrigley Confectionery US LLC 295 Brown Street Elizabethtown, PA 17022	Conoy Creek (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360481 Issued	East Earl Township Lancaster County	Premier R&G Properties LP 341 Clay School Road Ephrata, PA 17522	Shirks Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Plum Borough	PAC020487	Restano Heating and Cooling 130 Anderson Lane Pittsburgh, PA 15239	UNT to Plum Creek (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
City of Pittsburgh	PAC020490	Carnegie Mellon University 5000 Forbes Avenue Pittsburgh, PA 15213	Monongahela River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
Plum Borough	PAC020455	Borough of Plum 4575 New Texas Road Pittsburgh, PA 15239	Little Plum Creek (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
Ross Township	PAC020047	Ross Township 1000 Ross Township Municipal Drive Pittsburgh, PA 15237	Girty's Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
Plum Borough	PAC020538	Borough of Plum 4575 New Texas Road Pittsburgh, PA 15239	Robinson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
Pine Township	PAC020491	Pine Township 230 Pearce Mill Road Wexford, PA 15090	UNT to North Fork Pine Creek (CWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
City of Pittsburgh	PAC020526	Butler and 40th, LLC 460 Virginia Avenue Indianapolis, IN 46203	Allegheny River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645

NOTICES

1289

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Robinson Township	PAC020499	Modern Transportation 2605 Nicholson Road Suite 2301 Sewickley, PA 15143	Ohio River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
City of Pittsburgh	PAC020525	AL Neyer, LLC 535 Smithfield Street Pittsburgh, PA 15222	Allegheny River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
Hampton Township	PAC020503	William Miller's Sons, Inc. 4377 William Flynn Highway Allison Park, PA 15101	UNT to Pine Creek (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
Findlay Township	PAC020527	Chapman Commerce Center, LLC 100 Leetsdale Industrial Drive Leetsdale, PA 15056	Saint Patrick Run (WWF); Potato Garden Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
South Park Township	PAC020501	Allegheny County Parks Department County Office Building 211 542 Forbes Avenue Pittsburgh, PA 15219	Catfish Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b Pittsburgh, PA 15219 412-241-7645
North Strabane Township	PAC630160	Canon McMillan School District 1 North Jefferson Avenue Canonsburg, PA 15317	UNT to Chartiers Creek (WWF)	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Girard Township Erie County	PAC250082	Country Gardens Mobile Homes & Storage 2500 Nursery Road Lake City, PA 16423	UNT Lake Erie CWF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
Millcreek Township Erie County	PAC250079	Verizon North, LLC 40 South Mercer Street New Castle, PA 16101	Lake Erie CWF, Presque Isle Bay WWF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403

General Permit Type—PAG-03

<i>Permit No.</i>	<i>Facility Location Municipality & County</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG034868 Issued	West Chillisquaque Township Northumberland County	Ward Trucking LLC P.O. Box 1553 Altoona, PA 16603	Unnamed Tributary to Susquehanna River—10-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

General Permit Type—PAG-08

<i>Permit No.</i>	<i>Facility Location: Municipality & County</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG-08-0002	Altemose Farm	Synagro Central LLC	Pohopoco	Northeast Region
PAG-08-2203	2195 Altemose	1600 Dooley Road	Creek/HQ-CWF &	570.826.2511
PAG-08-3504	Drive/167 &	P.O. Box B	Unnamed Tributary	
PAG-08-9903	265 Effort-Neola	Whiteford, MD 21160	to Pohopoco	
PAG-08-3522	Road		Creek/CWF	
PAG-08-2224	Chestnuthill			
PAG-08-3547	Township			
PAG-08-0016	Monroe County			
PAG-08-3518				
PAG-08-3825				
PAG-08-0007				
PAG-08-3515				
PAG-08-2219				
PAG-08-3565				
PAG-07-3508				
PAG-08-3610				
PAG-08-9904				
PAG-08-3540				
PAG-08-0022				
PAG-08-3568				
PAG-08-3596				
PAG-08-3597				
PAG-08-3556				
PAG-08-3605				
WMGR-099				
PAG-08-3535				
PAG-08-9905				
PAG-08-3510				
PAG-08-0011				
PAG-08-2211				
PAG-08-3551				
PAG-08-3573				
PAG-08-3600				
PAG-08-3611				
PAG-08-3506				
PAG-07-0003				
PAG-08-0004				
PAG-08-0003				
PAG-08-0005				
PAG-08-3615				
PAG-08-3581				
PAG-08-2223				
PAG-08-3567				
PAG-08-9909				
PAG-08-0021				
PAG-08-9903				
PAG-08-0006				
PAG-08-0008				
PAG-07-0005				
PAG-08-0023				
PAG-08-0018				
PAG-08-9601				
PAG-08-3614				
PAG-08-3501				

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Spring Township Centre County	PAG084814	Borough of Bellefonte 236 West Lamb St. Bellefonte, PA 16823	Borough of Bellefonte Waste Water Treatment Plant	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.0530

General Permit Type—PAG-08 (SSN)

<i>Permit No.</i>	<i>Facility Location: Municipality & County</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG-08-3541	Ayr Township Fulton County	McConnellsburg Sewer Authority P.O. Box 681 McConnellsburg, PA 17233	N/A	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-13

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Borough of Conshohocken Montgomery County	PAG130013	Borough of Conshohocken 400 Fayette Street Suite 200 Conshohocken, PA 19425	Plymouth Creek Schuylkill River (WWF, MF) 3-F	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norrstown, PA 19401 484.250.5970
Upland Borough Delaware County	PAG130085	Upland Borough 224 Castle Avenue Upland, PA 19015-2914	Chester Creek (WWF, MF) 3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norrstown, PA 19401 484.250.5970
Rockledge Borough Montgomery County	PAG130152	Rockledge Borough 121 Huntingdon Pike Rockledge, PA 19046	Rockledge Branch (TSF, MF) and Unnamed Tributary to Tacony Creek (WWF, MF) 3-J	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norrstown, PA 19401 484.250.5970

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Jeff & Amy Kline Kline's Hillside Farm 167 Coble Rd Chambersburg, PA 17201	Franklin	1.9	498.18	Swine Turkey	None	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5980.

Contact: Kimberleigh Rivers, Clerk Typist 2, 484.250.5887.

Operations Permit # 4620504 issued to: **Pottstown Hospital Tower Health**, 1600 East High Street, Pottstown, PA 19464, **PWS ID No. 1460500**, Pottstown Borough, **Montgomery County** on January 30, 2020 for the operation of emergency use of Sodium Hypochlorite for Legionella Treatment on the entire water system facilities approved under construction permit # 4620504.

Operations Permit # 0919541 issued to: **Bryn Gweled Homesteads, Inc.**, 1805 Meadow Road, Southampton, PA 18966, **PWS ID No. 1091229**, Upper Southampton Township, **Bucks County** on February 4, 2020 for the operation of disinfection using sodium hypochlorite, one (1) 82-gallon chlorine contact 10 gpm flow restrictor, and certification of 4-log treatment of viruses' facilities approved under construction permit # 0919541.

Operations Permit # 1518540 issued to: **Doe Run Mobile Home Park**, P.O. Box 194, East Earl, PA 17519, **PWS ID No. 1150224**, East Fallowfield Township, **Chester County** on February 4, 2020 for the operation certification of 4-log treatment of viruses and chlorine contact tank facilities approved under construction permit # 1518540.

Operations Permit # 2318504 issued to: **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWS ID No. 1460073**, Middletown Township, **Delaware County** on February 11, 2020 for the operation modifications to the existing chlorine dioxide generation and feed system and addition of 2,000-gallon bulk sodium chlorite storage tank facilities approved under construction permit # 2318504.

Permit No. 1519532, Public Water Supply.

Applicant	Pennsylvania American Water Company 852 Westley Drive Mechanicsburg, PA 17055
Borough	Parkesburg
County	Chester
Type of Facility	PWS
Consulting Engineer	Herbert, Rowland & Grubic, Inc. 369 E. Park Drive Harrisburg, PA 17111
Permit to Construct Issued	February 11, 2020

Permit No. 4619538, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	Abington
County	Montgomery
Type of Facility	PWS
Consulting Engineer	Mott Macdonald 325 Chestnut Street Philadelphia, PA 19106
Permit to Construct Issued	February 11, 2020

Permit No. 2320501, Public Water Supply.
 Applicant **Chester Water Authority**
 P.O. Box 467
 Chester, PA 19016-0467
 Township Aston
 County **Chester**
 Type of Facility PWS
 Consulting Engineer Tank Industry Consultants
 7740 West New York Street
 Indianapolis, IN 46214
 Permit to Construct February 5, 2020
 Issued

Permit No. 5119502, Public Water Supply.
 Applicant **Philadelphia Water Department**
 1101 Market Street
 Philadelphia, PA 19107
 Township City Philadelphia
 County **Philadelphia**
 Type of Facility PWS
 Consulting Engineer Brown and Caldwell
 100 North 18th Street
 Suite 300
 Philadelphia, PA 19103
 Permit to Construct February 5, 2020
 Issued

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Melissa Seidler, Clerk Typist 2, 570-830-3048.

Permit No. 6619505MA, Construction Permit, Public Water Supply.

Applicant **Tunkhannock Borough Municipal Authority**
 201 West Tioga Street
 Tunkhannock, PA 18657
 Municipality Tunkhannock Borough
 County **Wyoming**
 Type of Facility Public Water Supply
 Consulting Engineer Michael P. Goodwin, P.E.
 Milnes Engineering, Inc.
 12 Frear Hill Road
 Tunkhannock, PA 18657
 Permit to Construct January 16, 2020
 Issued
 Description of Action Replacement of the existing Swale Brook Well House with a new well house.

Permit No. 4019512, Public Water Supply.
 Applicant **Sitko's Enterprises, LLC**
 182 State Route 437
 White Haven, PA 18661
 Borough or Township Foster Township
 County **Luzerne**
 Type of Facility PWS

Consulting Engineer Mr. John Synoski, P.E.
 JGS Consulting, LLC
 2584 Christine Rd.
 Hazle Township, PA 18202
 Permit to Construct February 7, 2020
 Issued

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Operation Permit No. 0615511 MA issued to: **Borough of Fleetwood (PWS ID No. 3060029)**, Fleetwood Borough, **Berks County** on 2/7/2020 for facilities approved under Construction Permit No. 0615511 MA.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **North Fayette County Municipal Authority**, 1634 University Drive, P.O. Box 368, Dunbar, PA 15431, **PWSID No. 5260019**, Jefferson Township, **Fayette County** on February 14, 2020 for the operation of facilities approved under construction permit # 5260034.

Operations Permit issued to: **Monroeville Municipal Authority**, 29 Speelman Lane, Monroeville, PA 15146, **PWSID No. 5020027**, Monroeville, **Allegheny County** on February 13, 2020 for the operation of facilities approved under construction permit # 0219540-EI.

Operations Permit issued to: **Monroeville Municipal Authority**, 29 Speelman Lane, Monroeville, PA 15146, **PWSID No. 5020027**, Monroeville, **Allegheny County** on February 14, 2020 for the operation of facilities approved under construction permit # 0219541-EI.

Operations Permit issued to: **Monroeville Municipal Authority**, 29 Speelman Lane, Monroeville, PA 15146, **PWSID No. 5020027**, Monroeville, **Allegheny County** on February 14, 2020 for the operation of facilities approved under construction permit # 0219542-EI.

Operations Permit issued to: **Monroeville Municipal Authority**, 29 Speelman Lane, Monroeville, PA 15146, **PWSID No. 5020027**, Monroeville, **Allegheny County** on February 12, 2020 for the operation of facilities approved under construction permit # 0219543-EI.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, P.O. Box 187, Jefferson, PA 15344, **PWSID No. 5300017**, Franklin Township, **Greene County** on February 14, 2020 for the operation of facilities approved under construction permit # 3013501WMP27.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, P.O. Box 187, Jefferson, PA 15344, **PWSID No. 5300017**, Washington Township, **Greene County** on February 12, 2020 for the operation of facilities approved under construction permit # 3013501WMP26.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, P.O. Box 187, Jefferson, PA 15344, **PWSID No. 5300017**, Wayne Township, **Greene County** on February 13, 2020 for the operation of facilities approved under construction permit # 3017525MA.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, P.O.

Box 187, Jefferson, PA 15344, **PWSID No. 5300017**, Franklin Township, **Greene County** on February 14, 2020 for the operation of facilities approved under construction permit # 3019507MA.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, P.O. Box 187, Jefferson, PA 15344, **PWSID No. 5300017**, Wayne Township, **Greene County** on February 13, 2020 for the operation of facilities approved under construction permit # 3007501-EI.

Operations Permit issued to: **Borough of Shippingport**, P.O. Box 76, Shippingport, PA 15077, **PWSID No. 5040086**, Shippingport Borough, **Beaver County** on February 14, 2020 for the operation of facilities approved under construction permit # 0418529MA.

Operations Permit issued to: **Portage Borough Municipal Authority**, 606 Cambria Street, Portage, PA 15946, **PWSID No. 4110027**, Portage Township, **Cambria County** on February 12, 2020 for the operation of facilities approved under construction permit # 1119505-EI.

Operations Permit issued to: **Coraopolis Water & Sewer Authority**, 1301 Fourth Avenue, Suite 1, Coraopolis, PA 15108, **PWSID No. 5020010**, Borough of Coraopolis, **Allegheny County** on February 12, 2020 for the operation of facilities approved under construction permit # 6350-R.

Operations Permit issued to: **Coraopolis Water & Sewer Authority**, 1301 Fourth Avenue, Suite 1, Coraopolis, PA 15108, **PWSID No. 5020010**, Borough of Coraopolis, **Allegheny County** on February 12, 2020 for the operation of facilities approved under construction permit # 0219538-R.

Operations Permit issued to: **Conemaugh Township Municipal Authority**, 113 South Main Street, Davidsville, PA 15928, **PWSID No. 4560048**, Jenner Township, **Somerset County** on February 12, 2020 for the operation of facilities approved under construction permit # 5692520-R.

Operations Permit issued to: **Forest Hills Care Services, LLC**, 365 Humbert Road, Sidman, PA 15955, **PWSID No. 4110028**, Croyle Township, **Cambria County** on February 6, 2020 for the operation of facilities approved under construction permit # 4110028-T1.

Operations Permit issued to: **Forest Hills Care Services, LLC**, 365 Humbert Road, Sidman, PA 15955, **PWSID No. 4110028**, Croyle Township, **Cambria County** on February 6, 2020 for the operation of facilities approved under construction permit # 1116509GWR-T1.

Operations Permit issued to: **Brighton Township Municipal Authority**, 1300 Brighton Road, Beaver, PA 15009, **PWSID No. 5040017**, Beaver Borough, **Beaver County** on February 13, 2020 for the operation of facilities approved under construction permit # 0406505-EI.

Operations Permit issued to: **Municipal Authority of Aliquippa**, 160 Hopewell Avenue, Aliquippa, PA 15001, **PWSID No. 5040006**, Center Township, **Beaver County** on February 13, 2020 for the operation of facilities approved under construction permit # 0402503-EI.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operation Permit issued to **Forest Area School District**, **PWSID No. 6270834**, Hickory Township, **Forest County**. Permit Number 2719501 issued February 7, 2020 for the operation of the corrosion control treatment for lead and copper at the public water system serving the Forest Area Schools. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on January 30, 2020.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Penn Township	Mr. Alex Graziana, Secretary 2001 Municipal Court Harrison City, PA 15636	Westmoreland

Plan Description: The approved plan provides for the construction of a Small Flow Sewage Treatment Facility (SFSTF) to serve an existing residential building located on the property owned by Gary & Evelyn Mumper. The property is located at 1108 Dutch Hollow Road, Jeanette, PA 15644.

The treated effluent will be discharged into Bushy Run which is classified as a Trout Stocking Fisheries Stream.

Any required NPDES Permits or WQM Permits must be obtained in the name of the applicant as appropriate.

The Department's review of the sewage facilities revision has not identified any significant environmental impacts results from this proposal. The installation of this SFSTF will address a malfunctioning septic system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate

that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Ross Residence, 1300 Colwell Lane, Plymouth Township, **Montgomery County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Bergey Electric, 2888 Bethlehem Pike, Hatfield Township, **Montgomery County**. Terry Harris, Boucher & James, Inc., 1456 Ferry Road, Building 500, Doylestown, PA 18901 submitted a Final Report concerning remediation of site soil contaminated with fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Wilson Area School District, 2111 Butler Street, Easton, PA 18042, Wilson Borough, **Northampton County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Wilson Area School District, 2040 Washington Boulevard, Easton, PA 18042, submitted a final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Poler Property, 664 Lenape Lane, Buck Hill Falls, PA 18326, Barrett Township, **Monroe County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Emily Poler, 20 Plaza Street East, Apartment C6, Brooklyn, NY 11238, submitted a final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

NPS-Cliff Park Superintendent's House, 155 Cliff Park Road, Milford, PA 18337, Dingman Township, **Pike County**. Comstock Environmental Services, 806 Fayette Street, Conshohocken, PA 19428, on behalf of the National Park Service, 1978 River Road, Bushkill, PA 18324, submitted a final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

NPS-Travis House Apartment, 152 Route 209 South, Milford, PA 18337, Dingman Township, **Pike County**. Comstock Environmental Services, 806 Fayette Street, Conshohocken, PA 19428, on behalf of the National Park Service, 1978 River Road, Bushkill, PA 18324, submitted a final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Golberg Residence, 404 Blacklatch Lane, Camp Hill, PA 17011, Lower Allen Township, **Cumberland County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of David Golberg, 404 Blacklatch Lane, Camp Hill, PA 17011, submitted a Final Report concerning remediation of site soil contaminated with # 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.

1334 PA State Route 14, Lewis Township, **Lycoming County**. Environmental Products & Services of Vermont, Inc., 2902 Reach Road, Williamsport, PA 17701, on behalf of Centre Concrete Company, 2280 E. College Avenue, State College, PA 16801, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, used motor oil, and ethylene glycol. The report is intended to document remediation of the site to meet the Statewide Health Standard.

921 Oak Ridge Avenue, State College, College Township, **Centre County**. Elizabeth McGraw, 921 Oak Ridge Avenue, State College, PA 16801, has submitted a Final Report concerning remediation of site soil contaminated with No. 2 Fuel Oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Tops Market No. 602, 1520 West 26th Street, City of Erie, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Tops Markets, LLC, P.O. Box 1027, Buffalo, NY 14240-1027, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning the remediation of site soil contaminated with benzene, ethylbenzene, isopropylbenzene, naphthalene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, total xylenes, acenaphthene, acenaphthylene, anthracene, benzo[a]anthracene, benzo[b]fluoranthene, benzo[k]fluoranthene, benzo[g,h,i]perylene, benzo[a]pyrene, bis[2-ethylhexyl]phthalate, carbazole, chrysene, 2-methylnaphthalene, dibenzo[a,h]-

anthracene, dibenzofuran, fluoranthene, fluorene, indeno[1,2,3-cd]pyrene, n-nitrosodi-n-propylamine, phenanthrene, pyrene, 1-methylnaphthalene, lead and site groundwater contaminated with benzene, 1,2-dibromomethane, ethylbenzene, isopropylbenzene, MTBE, naphthalene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, total xylenes, anthracene, benzo[a]-anthracene, benzo[b]fluoranthene, benzo[k]fluoranthene, benzo[g,h,i]perylene, benzo[a]pyrene, dibenzo[a,h]-anthracene, fluoranthene, fluorene, indeno[1,2,3-cd]pyrene, phenanthrene, phenol, pyrene, 1-methylnaphthalene, and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the

appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Jensen Residence, 23 Smoketree Road, Middletown Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Chris Oliveri, State Farm Insurance, P.O. Box 10619, Atlanta, GA 30348-6169 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 19, 2019.

United States Steel Corporation (KIPC), 21-Acre Parcel, One Ben Fairless Drive, Falls Township, **Bucks County**. John A. Garges, GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341 on behalf of Michael H. Leon, United States Steel Corporation, 1350 Penn Avenue, Suite 200, Pittsburgh, PA 19522 submitted a Final Report concerning the remediation of site soil contaminated with VOCs, SVOCs and metals and PCBs. The Final Report demonstrated attainment of the non-residential Statewide Health Standard and was approved by the Department on December 9, 2019.

Gretz Beverage Company, 700 East Main Street, Borough of Norristown, **Montgomery County**. Carl G. Rinkevich II, PG, Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of Aaron Muderick, TIPCO, LLC, 700 East Main Street, Norristown, PA 19401 submitted a Risk Assessment Report/Final Report concerning the remediation of site soil and groundwater contaminated with MTBE and other organics. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on January 6, 2020.

Rosemont College—Kaul Hall, 1400 Montgomery Avenue, Lower Merion Township, **Montgomery County**. Douglas B. Schott, Brickhouse Environmental, 51 South Franklin Street, West Chester, PA 19382 on behalf of Christopher Sheriok, Rosemont College, 1400 Montgomery Avenue, Bryn Mawr, PA 19010 submitted a Final Report concerning the remediation of site groundwater and soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 9, 2020.

395 Jacksonville Road, 395 Jacksonville Road, Warminster Township, **Bucks County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19404 on behalf of Gregory Rogerson, JERC Partners XLVI, LLC, 171 Route 173, Suite 201, Asbury, NJ 08802 submitted a Remedial Investigation Report/Cleanup Plan/Final Report concerning the remediation of site groundwater and soil contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the site-specific standard and was disapproved by the Department on February 3, 2020.

French Creek West, North Main Street, Phoenixville Borough, **Chester County**. Paul White, PG, Brickhouse Environmental, 51 South Franklin, West Chester, PA 19382 on behalf of Christy Flynn, French Creek THLP, 126 East State Street, Media, PA 19063 submitted a Final

Report concerning the remediation of site groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on December 19, 2019.

Philadelphia Gas Works Passyunk, 3100, City of Philadelphia, **Philadelphia County**. Tim Silar, PG, Silar Services, Inc., 32313 Back Acres Road, Efland, NC 27243 on behalf of Kevin Grooms, Philadelphia Gas Works, 800 West Montgomery Avenue, Philadelphia, PA 19122 submitted a Cleanup Plan/Final Report concerning the remediation of site soil and groundwater contaminated with inorganics and other organics. The Final Report did not demonstrate attainment of the site-specific standard and was disapproved by the Department on January 30, 2020.

Constitution Square, LLC, 108 East Walnut Street, Perkasio Borough, **Bucks County**. Sean M. Damon, PG, Langan Engineering and Environmental Services, Inc., P.O. Box 1569, Doylestown, PA 18901 on behalf of James W. Moulton, Constitution Square, LLC, 402 Swedesford Road, North Wales, PA 19454 submitted a Remedial Investigation Report/Cleanup Plan/Risk Assessment Report concerning the remediation of site groundwater as soil contaminated with inorganics. The Report was approved by the Department on January 10, 2020.

The Milk Depot LLC, 1327-1333 North Marston Street, City of Philadelphia, **Philadelphia County**. John C. Lydzinski, PG, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406-3207 on behalf of David Ross, The Milk Depot, LLC, 3001 West Girard Avenue, Unit 1F, Philadelphia, PA 19130 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 30, 2020.

Kim Residence, 2121 Springhouse Road, Marple Township, **Delaware County**. John Filoon, REPSG, Inc., 6901 Kingsessing Avenue, 2nd Floor, Philadelphia, PA 19142 on behalf of David Fentress, HEPACO, 6901 Kingsessing Avenue, Philadelphia, PA 19142 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 29, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

8 Valley View Drive, 8 Valley View Drive, Newfoundland, PA 18445, Sterling Township, **Wayne County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Firmstone Oil Company, 411 High Street, P.O. Box 507, Honesdale, PA 18431, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an aboveground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on February 18, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Danskin Factory, 300 North State Street, York, PA 17403, York City, **York County**. ECS Mid-Atlantic, LLC, 56 Grumbacher Road, Suite D, York, PA 17406, on behalf of Pennrose, LLC, One Brewery Park, 1301 North 31st Street, Philadelphia, PA 19121, submit-

ted a Remedial Investigation, Risk Assessment Report, and Cleanup Plan concerning remediation of site groundwater and soil contaminated with heating oil from an underground storage tank. The combined reports were not approved by the Department on February 10, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.

COP Tract 285 G Pad, 583 Texaco Road, Grugan Township, **Clinton County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of ARD Operating, LLC, 33 W. Third St., Suite 300, Williamsport, PA 17701, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The Final Report demonstrated attainment of the Residential Background and Statewide Health Standards for soil and was approved by the Department on January 25, 2020.

Former LaFarge Road Marking Facility, 373 Pond Road, Pennsdale, Muncy Township, **Lycoming County**. Environmental Planning Specialists, Inc., 400 Northridge Road, Suite 400, Sandy Springs, GA 30350, on behalf of LaFarge Road Marking, Inc., 67 Jaime Court, Morris Plains, NJ 07950, has submitted a Risk Assessment Report and Cleanup Plan concerning site soil and groundwater contaminated with chlorinated solvents. The Risk Assessment Report and Cleanup Plan was approved by the Department on January 28, 2020.

Former Palmer Industrial Coating, 191 Palmer Industrial Road, Williamsport, Woodward Township, **Lycoming County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of D & B Industrial Leasing, LLC, 464 Huling Lane, Williamsport, PA 17702, has submitted a Final Report concerning site soil contaminated with Methyl Isobutyl Ketone and Zinc. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 15, 2020.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Keystone Powdered Metal State Street, 251 State Street, City of St. Marys, **Elk County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Keystone Powdered Metal Company, 251 State Street, St. Marys, PA 15857 submitted a Remedial Investigation Report concerning the remediation of site soil contaminated with 1,1-dichloroethane, 1,2-dichloroethane, 1,1-dichloroethene, tetrachloroethene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, vinyl chloride, and trichloroethene and site groundwater contaminated with 1,4-dioxane, 1,1-dichloroethane, 1,2-dichloroethane, 1,1-dichloroethene, cis-1,2-dichloroethene, tetrachloroethene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, trichloroethene, and vinyl chloride. The Report was approved by the Department on February 7, 2020.

ARG Refinery, 77 North Kendall Avenue, City of Bradford, **McKean County**. Wood Environmental & Infrastructure Solutions, Inc., 4600 J. Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of American Refining Group, 77 North Kendall Avenue, Bradford, PA 16701, submitted a Remedial Investigation Report concerning the remediation of site soil contaminated with 1,2,4-trimethylbenzene, benzene, toluene, total xylenes, 2-methylnaphthalene, benzo[a]anthracene, anthracene, chrysene, benzinidine, dibenzo[a,h]anthracene, naphtha-

lene, benzo[a]pyrene, dibenzofuran, fluorene, antimony, arsenic, iron, lead, manganese, thallium, mercury, zinc and site groundwater contaminated with 1,1-dichloroethane, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, 2-butanone (MEK), 2-hexanone, benzene, chloroform, cis-1,2-dichloroethene, ethylbenzene, isopropylbenzene, methyl tert-butyl ether, n-propylbenzene, tetrachloroethene, toluene, total xylenes, trichloroethene, vinyl chloride, 2-methylnaphthalene, benzidine, benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, bis[2-ethylhexyl]phthalate, dibenzofuran, indeno[1,2,3-cd]pyrene, naphthalene, pentachlorophenol, pyrene, aluminum, antimony, arsenic, barium, beryllium, cobalt, copper, iron, manganese, mercury, nickel (oxides), thallium, vanadium, and zinc. The Report was disapproved by the Department on February 14, 2020.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) Renewed Under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

Permit No. 101544, Greater Lebanon Refuse Authority Landfill, 1610 Russell Road, Lebanon, PA 17046, **Lebanon County**. The permit for the Greater Lebanon Refuse Authority Landfill, Solid Waste Permit No. 101544, was renewed on February 7, 2020, and is extended until February 1, 2025.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: 2 East Main Street, Norristown, PA 19401, 484-250-5900.

GP1-46-0257: Clemens Food Group (P.O. Box 902, 2700 Clemens Rd., Hatfield, PA 19440). Issued on April 2, 2019 and revised on February 7, 2020, for three (3) Small Gas and No. 2 Oil Fired Combustion Units located in Hatfield Township, **Montgomery County**.

GP1-46-0108: Upper Merion School District (440 Crossfield Rd., King of Prussia, PA 19406) was issued on February 5, 2020 for the operation of two 12.6 MMBtu/hr natural gas/No. 2 Fuel Oil fired boilers at the district Senior High School located in Upper Merion Township, **Montgomery County**.

GP14-09-0150: Naugle Funeral & Cremation Service, LTD (135 West Pumping Station Rd., Quakertown, PA 18951) was issued on February 5, 2020 for a transfer of ownership from Jeffrey A. Naugle to Matthew J. Grieco for this location in Richland Township, **Bucks County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

AG5-18-00002A: National Fuel Gas Supply Corporation (6363 Main Street, Williamsville, NY 14221) on January 30, 2020, authorize the construction and operation of the Tamarack Compressor Station located in Leidy Township, **Clinton County**. The sources at the facility consist of two (2) natural gas-fired compressor turbine engines, one (1) natural gas-fired emergency generator engine, one (1) storage tank and several small natural gas-fired building heaters pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP5).

AG5-41-00007B: NFG Midstream Trout Run, LLC (6363 Main Street, Williamsville, NY 14221) on February 7, 2020, granted authorization for the installation of the natural gas-fired flares on the glycol dehydrators and continued operation of existing sources pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP5) at the Trout Run Mountain Compressor Station located in Lewis Township, **Lycoming County**. The authorized sources are four (4) 1,900 bhp GE Waukesha model VHP-L7044GSI four stroke, rich-burn, natural gas-fired compressor engines, each equipped with non-selective catalytic reduction (three-way catalyst) (ENG-003, -004, -005, -006), one (1) 1,114 bhp Caterpillar model 03512 four-stroke, lean-burn, natural gas-fired emergency generator engine (GEN-002), one (1) 259 bhp Kohler model 150REZGC, four-stroke, rich-burn, natural gas-fired emergency generator engine equipped with a three-way catalyst (GEN-00 I), one (1) 160 million standard cubic foot per day (MMscf/day) dehydration unit equipped with a 1.0 MMBtu/hr reboiler and flash tank (DEHY-003, FLT-003, RB-003), one (1) Frederick Logan 100 million standard cubic foot per day (MMscf/day) dehydration unit equipped with a 1.5 MMBtu/hr reboiler, flash tank and .58 MMBtu/hr natural gas-fired flare (DEHY-002, FLT-002, RB-002), one (1) 16,800-gallon waste fluids storage tank (T-001), one (1) 16,800-gallon waste fluids storage tank (T-007), one (1) 2,100-gallon waste oil tank (T-008), two (2) 3,000-gallon lube oil tanks (T-009, T-010), one (1) 1,500-gallon triethylene glycol storage tank (T-002), two (2) 1,500-gallon Mercaptan odorant tanks (T-004, T-005), two (2) 295-gallon glycol tanks (T-011, T-012), four (4) 25,000 Btu/hr catalytic heaters (HTR-002, HTR-003, HTR-005, HTR-007), two (2) 60,000 Btu/hr catalytic heaters (HTR-004, HTR-006), two (2) 5.0 MMBtu/hr natural gas-fired pipeline heaters (PL-001, PL-002), two (2) 0.14 MMBtu/hr natural gas-fired fuel gas heaters (HTR-001, HTR-008), associated fugitive components (FUG-00 I) and liquids loading (L-001).

AG5-08-00005A: EOG Resources, Inc. (421 West 3rd St., Suite 300, Fort Worth, TX 76102) on February 13, 2020, for the continued operation of one 1,340 bhp Caterpillar model G3516LE four-stroke lean-burn natural-gas fired compressor engine (identified by EOG as Bradford # 1), two 1,380 bhp Caterpillar model G3516ULB four-stroke lean-burn natural-gas fired compressor engines (identified by EOG as Bradford # 2 and Bradford # 3) where each engine is equipped with an Emit Technologies model ELX-4200Z-1616F-31CEE-36P1 oxidation catalyst, one 12 MMscf/day dehydrator equipped with a 0.375 MMBtu/hr reboiler, one 12 MMscf/

day dehydrator equipped with a 0.375 MMBtu/hr reboiler, and one 12 MMscf/day dehydrator equipped with a 0.375 MMBtu/hr reboiler, one 4,200-gallon produced water tank, one 8,820-gallon produced water tank, and one 250-gallon methanol tank under the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Bradford Compressor Station in Springfield Township, **Bradford County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

AG5-25-00001A: Laurel Mountain Midstream Operating LLC—Union City Compressor Station (Glade Run Road, Union City, PA 16438) on January 28, 2020, for the authority to construct and/or operate under the Air Quality general plan approval and operating permit for natural gas production (BAQ-GPA/GP5) located at their facility in Union Township, **Erie County**.

AG5-42-00002A: National Fuel Gas Supply Corporation-Marvindale Compressor Station (128 Kin Folks Lane, Mount Jewett, PA 16740) on February 7, 2020, for the authority to construct and/or operate under the Air Quality general plan approval and operating permit for natural gas production (BAQ-GPA/GP5) located at their facility in Sergeant Township, **McKean County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-05002S: Letterkenny Army Depot (One Overcash Avenue, Chambersburg, PA 17201) on February 11, 2020, for the permanent shutdown and removal of the Regenerative Thermal Oxidizer (RTO), which functions as a VOC control device for four coating booths operating inside Building 350, and for the rework of the ventilation system for the coating booths at the Letterkenny Army Depot located in Letterkenny Township, **Franklin County**. The facility will continue to adhere to the existing PAL permit VOC limit set forth in their current operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

03-179A: Leading Technologies Incorporated (1153 Industrial Park Road, Leechburg, PA 15656), on February 3, 2020 issued a Plan Approval authorizing the construction of two replacement scrubber control devices in Parks Township, **Armstrong County**. This is a State Only facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0112G: Palmer Intl Inc. (2036 Lucon Road, Skip-pack, PA 19474) on February 10, 2020 for the replacement of a thermal oxidizer with a regenerative thermal oxidizer (RTO) in Skippack Township, **Montgomery County**.

09-0237: TC Millwork, Inc. (P.O. Box 826, Bensalem, PA 19020-0626) on February 3, 2020 for operation of two (2) spray booths and associated filters and adhesives in Bensalem Township, **Bucks County**.

09-0196KL: Abington Reldan Metals LLC (550 Old Bordentown Road, Fairless Hills, PA 19030-4510) on February 5, 2020 to replace a new NO_x Scrubber in Falls Township, **Bucks County**.

09-0235A: CP Converters Inc. (181 Rittenhouse Circle, Bristol, PA 19007-1617) on February 5, 2020 for the installation of a new press and modification of the post-control VOC emission in Bristol Township, **Bucks County**.

46-0027F: Janssen R & D, LLC (1400 McKean Road, Spring House, PA 19477) on February 14, 2020 for replacement of the natural gas and No. 2 fuel oil-fired low-nitrogen oxides (NO_x) burner and reactivation of the boiler, in Lower Gwynedd, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05005J: Brunner Island, LLC (P.O. Box 221, York Haven, PA 17370-0221) on February 11, 2020, for the addition of contingent annual NO_x emission limits (TPY = tons during any consecutive 12-month period) at the Brunner Island Steam Electric Station located in East Manchester Township, **York County**. The plan approval was extended.

06-05069AB: East Penn Manufacturing Co., Inc. (P.O. Box 147, Lyon Station, PA 19536) on February 13, 2020, for the installation of battery manufacturing equipment controlled by baghouses, mist eliminators or filtration systems. The equipment will be installed in the Industrial Battery Manufacturing Facility located at East Penn's Lyon Station Plant in Richmond Township, **Berks County**. The plan approval was extended.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

PA-11-00356E: Equitrans, LP (2200 Energy Drive, Canonsburg, PA 15317-1011) on February 13, 2020, plan approval extension issued for 180 days to facilitate the shake-down of sources and controls at their Rager Mountain Compressor Station located in Jackson Township, **Cambria County**.

PA-11-00356C: Equitrans, LP (2200 Energy Drive, Canonsburg, PA 15317-1011) on February 13, 2020, plan approval extension issued for 180 days to facilitate the shake-down of sources and controls at their Laurel Ridge Compressor Station located in Jackson Township, **Cambria County**.

26-00535B: Dynegy Fayette II, LLC (100 Energy Drive, Masontown, PA 15461-0511) plan approval extension effective February 28, 2020, with expiration on August 28, 2020, to extend the period of temporary operation of the modified combustion gas turbines (“CGT”) at Fayette Energy Center located in German Township and Masontown Borough, **Fayette County**.

PA-11-00533B: Starprint Publications, Inc. (722 Dulancey Drive, Portage, PA 15946-6902) plan approval extension is issued for 180 days on February 18, 2020, to prepare and submit SOOP application to the Department for their Starprint Publications facility located in Portage Township, **Cambria County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

32-00428B: Creps United Publications, LP (4185 Route 286 Highway West, Indiana, PA 15701) on February 10, 2020, effective February 11, 2020, has issued a plan approval extension to allow time for the DEP to review and approve the State-only air quality permit application in White Township, **Indiana County**. This is a State Only facility. This will expire on August 9, 2020.

37-331D: RWE Holding Company, West Pittsburg Plant (372 Rundle Road, New Castle, PA 16101) on January 31, 2020, effective January 31, 2020, has issued a plan approval extension to continue construction in Taylor Township, **Lawrence County**. This is a State Only facility. This will expire on July 31, 2020.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00020: Superior Tube Company, Inc. (3900 Germantown Pike, Collegeville, PA 19426) on February 5 2020, a renewal which (1) incorporated the provisions of Pennsylvania’s Reasonably Achievable Control Technology (RACT Phase II) regulations for the presumptive RACT requirements as per 25 Pa. Code § 129.97 and the alternate RACT proposal as per 25 Pa. Code § 129.99; (2) amended the responsible official; and (3) incorporated Plan Approvals—46-0020H, 46-0020J and 46-0020K. The facility is in Lower Providence Township, **Montgomery County**.

15-00085: Lincoln University (1570 Baltimore Pike, Lincoln University, PA 19352) on February 6, 2020 the renewal of a non-Title V, State-Only, Synthetic Minor Operating Permit. The facility is in Lower Oxford Township, **Chester County**.

15-00104: Flowers Baking Company of Oxford Incorporated (700 Lincoln Street, Oxford, PA 19363), on February 5, 2020 for the renewal of the Title V Operating Permit to their bakery plant located in Oxford Borough, **Chester County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

62-00017: On February 6, 2020, in accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection issued a significant modification to the Title V operating permit for **United Refining Company**, in Warren City, **Warren County**. The permit modification incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008 and 2015 National Ambient Air Quality Standard (NAAQS) for ozone. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania’s State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; this includes the provisions of the Department’s presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility. The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

<i>Source</i>	<i>RACT II Requirement</i>
Source 051—Pretreater Heater	NO _x emissions shall not exceed 0.11 lb/MMBtu and 21.4 TPY (12-month rolling). Perform an annual adjustment or tune-up including inspection adjustment, cleaning, or replacement of fuel burning equipment, including the burners and moving parts necessary for proper operation as specified by the manufacturer.
Source 053—Sat Gas Reboiler	NO _x emissions shall not exceed 0.1 lb/MMBtu and 8.2 TPY (12-month rolling). Perform an annual adjustment or tune-up including inspection adjustment, cleaning, or replacement of fuel burning equipment, including the burners and moving parts necessary for proper operation as specified by the manufacturer.
Source 055—DHT2 Heater	NO _x emissions shall not exceed 0.12 lb/MMBtu and 19.3 TPY (12-month rolling). Perform an annual adjustment or tune-up including inspection adjustment, cleaning, or replacement of fuel burning equipment, including the burners and moving parts necessary for proper operation as specified by the manufacturer.

Source	RACT II Requirement
Source 056— Prefractionator Reboiler 2	NO _x emissions shall not exceed 0.1 lb/MMBtu and 19.4 TPY (12-month rolling). Perform an annual adjustment or tune-up including inspection adjustment, cleaning, or replacement of fuel burning equipment, including the burners and moving parts necessary for proper operation as specified by the manufacturer.
Source 101A—FCC Unit	NO _x emissions shall not exceed 71 lb/1,000 barrels FCC feed, 11.5 lbs/hr and 40.2 TPY (12-month rolling). NO _x testing every 5 years and operation in accordance with the manufacturer's recommendations.
Cooling Water Towers	VOC emissions shall not exceed 7.5 TPY (12-month rolling) as demonstrated via throughput and emission factors. Operation in accordance with good operating practices to minimize emissions of VOC. Compliance with monitoring and repair provisions of 40 CFR 63.654.
Source 110—Wastewater Treatment Plant	VOC emissions shall not exceed 3.6 TPY (12-month rolling) for the Isom and Alky Pits as demonstrated via throughput and emission factors. The source shall minimize discharge of hydrocarbons to the greatest extent practicable. Conduct daily inspections for odors and take corrective actions as indicated by the results of the inspections.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00096: Suburban Heating Oil Partners (3115 State Hill Rd, Telford, PA 09869-1076) on February 5, 2020, a renewal for a non-Title V (State only) operating permit for operation of a fuel oil, gasoline and diesel fuel storage and loading facility in West Rockhill Township, **Bucks County**.

15-00132: Teva Branded Pharmaceutical Products R&D Inc. (Teva) (145 Brandywine Parkway, West Ches-

ter, PA 19380) on February 5, 2020 for a renewal of a State Only, Synthetic Minor Operating Permit to a pharmaceutical research and development facility located in West Goshen Township, **Chester County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

54-00037: Copperhead Chemical Company, Inc. (120 River Road, Tamaqua, PA 18252). The Department issued, on February 10, 2020, a State-Only Operating Permit for the operation of sources at the pharmaceutical preparation and explosives manufacturing facility located in Walker Township, **Schuylkill County**. The sources include two No. 2 fuel oil fired boilers; an acetone recovery system; and a pharmaceutical manufacturing process. The control device used is a vapor condenser. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

22-05059: MI Profiles LLC (1519 State Route 209, Millersburg, PA 17061-8217) on February 11, 2020, for the plastic architectural profile manufacturing facility located in Upper Paxton Township, **Dauphin County**.

06-03010: Brenntag Northeast LLC (81 West Huller Lane, Reading, PA 19605-9728) on February 10, 2020, for the Huller Lane chemical distribution facility located in Ontelaunee Township, **Berks County**. The State-only permit was renewed.

21-05064: Atlas Roofing Corp. (817 Spangler Road, Camp Hill, PA 17011-5823) on February 12, 2020, for the polyisocyanurate foam manufacturing facility located in Camp Hill Borough, **Cumberland County**. The State-only permit was renewed.

06-05087: H & K Group, Inc. (2052 Lucon Road, P.O. Box 196, Skippack, PA 19474-0196) on February 7, 2020, for the Bechtelsville Asphalt Plant located in Colebrookdale Township, **Berks County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

47-00005: Geisinger Health System (100 North Academy Avenue, Danville, PA 17822-1540) for their Geisinger Medical Center facility in Mahoning Township, **Montour County** was issued on February 12, 2020, a State Only operating permit (renewal) for the above facility. All applicable Federal and State regulatory requirements including testing, monitoring, recordkeeping, reporting, and work practice conditions to assure compliance with the applicable requirements have been included in the permit.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-01026: BenBilt Building Products (123 BenBilt Place, Greensburg, PA 15601) on February 11, 2020, the Department issued a Synthetic Minor State-Only Operating Permit for the manufacturing and surface coating of residential exterior doors facility located in Unity Township, **Westmoreland County**. BenBilt operates four spray booths, one drying oven, a manual staining area, natural gas-fired heating units, and miscellaneous equipment such as woodworking machines. Emissions are controlled through the use of air assisted spray guns, dry filter units, and a duct collection unit. The facility will be designated as a synthetic minor and includes emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements.

04-00673: Lacock Cremation Services, Inc. (2 Chester Way, P.O. Box 589, Rochester, PA 15074-0589), Natural Minor Operating Permit. On February 14, 2020, the Department of Environmental Protection authorized a renewed natural minor State-Only operating permit for the operation of the facility's air contamination source consisting of one natural gas-fired, 100 lb/hr Industrial Equipment & Engineering Company IE43-PPII crematory incinerator rated at 750.0 MMBtu/hr primary chamber and 1.2 MMBtu/hr secondary chamber located in East Rochester Borough, **Beaver County**. The permit includes emission restrictions, operating requirements, monitoring requirements, work practice standards, and recordkeeping requirements for the site.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

25-00395: Eriez Mfg Co. (2200 Asbury Rd., Erie, PA 16506-1402). On February 11, 2020, the Department issued the renewal State Only Natural Minor Operating Permit for operation of the Eriez Magnetics manufacturing facility located in Millcreek Township, **Erie County**. The facility's primary emission sources include two spray paint booths and the paint gun cleaners, natural gas-fired process and comfort heating sources, a parts cleaner, the shot blasting booth, the plasma cutting operation, and a 60-kW natural gas-fired emergency generator. The potential emissions of the primary pollutants from the facility are as follows: 4.13 TPY (tons per year) NO_x, 3.08 TPY CO, 9.70 TPY VOC, 0.96 TPY PM₁₀ and PM_{2.5}, and 0.02 TPY SO_x; thus, the facility is a natural minor. The spray booths are subject to 25 Pa. Code §§ 129.52 or 129.52d for miscellaneous metal parts surface coating processes. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

37-00322: Joseph A. Tomon Jr. Funeral Home & Crematory (97 Grim Avenue, Ellwood City, PA 16117), on February 6, 2020, the Department issued the renewal of the State-Only Operating Permit of a funeral home and crematory located in Ellport Borough, **Lawrence County**. Permitted air contamination sources at the

facility are two cremators, each equipped with an after-burner as a control device. One cremator was initially authorized through PA 37-322A, which adopted restrictions and requirements from the recommended Best Available Technology (BAT) for crematory incinerators (DEP Doc. No. 275-2101-007). The other cremator was initially authorized through and is subject to requirements of GP-14, which pertains to General Plan Approval And/Or General Operating Permit for Human Or Animal Crematories (BAQ-GPA/GP-14). The facility is Natural Minor for permitting purposes. No significant changes in permit requirements are made in this renewal.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief of Source Registration, 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) administratively amended operating permits issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices for the following facilities:

OP20-000007: Grays Ferry Cogeneration Partnership (2600 Christian Street, Philadelphia, PA 19146) administratively amended on February 12, 2020 to incorporate a change in ownership and responsible official. The Title V Operating Permit (V13-003) was originally issued on October 18, 2019.

OP20-000003: Vicinity Energy, Edison Station (formerly known as Veolia Energy, Efficiency, 2600 Christian Street, Philadelphia, PA 19146) administratively amended on February 12, 2020 to incorporate a change in name, ownership, and responsible official. The Title V Operating Permit (V14-002) was originally issued on June 26, 2019.

OP20-000004: Vicinity Energy, Edison Station (formerly known as Veolia Energy, Edison Station, 908 Sansom Street, Philadelphia, PA 19107) administratively amended on February 12, 2020 to incorporate a change in name, ownership, and responsible official. The Title V Operating Permit (OP17-000076) was originally issued on February 8, 2018.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

54-00073: INGENCO Wholesale Power, LLC (2250 Dabney Road, Rickmond, VA 23230) on December 26, 2019, for the facility located in Pine Grove Township, **Schuylkill County**. This Title V operating permit was administratively amended to reflect a change in the name of the Responsible Official.

40-00018: Hood Packaging Corporation (3 Maplewood Drive, Hazleton, PA 18202) on February 12, 2020, for the facility located in Hazle Township, **Luzerne County**. This State Only Operating Permit was adminis-

tratively amended to reflect a change in the ownership of the facility from Transcontinental US, LLC.

35-00003: General Dynamics Ordnance and Tactical Systems, Inc. (156 Cedar Avenue, Scranton, PA 18505) on January 16, 2020, for the facility located in the City of Scranton, **Lackawanna County**. This State Only Operating Permit was administratively amended to reflect a change in the name of the facility and Responsible Official.

40-00002: Transcontinental Pipeline Corporation (99 Farber Road, Princeton, NJ 08540) on February 10, 2020, for the facility located in Buck Township, **Luzerne County**. This Title V Operating Permit was administratively amended to reflect a change in the name of the Responsible Official.

35-00016: Sandvik (982 Griffin Pond Road, Clarks Summit, PA 18411) on February 5, 2020, for the facility located in Scott Township, **Lackawanna County**. This State Only Operating Permit was administratively amended to reflect a change in the name of the Responsible Official.

48-00090: MC OpCo, LLC (6605 Foul Rift Road, Bangor, PA 18013) on February 12, 2020, for the facility located in Bangor Borough, **Northampton County**. This State Only Operating Permit was administratively amended to reflect a change in the ownership of the facility from Interstate Energy Company, LLC.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

53-00005: Dominion Energy Transmission Inc. (5000 Dominion Boulevard, Glenn Allen, VA 23060) issued a revised Title V operating permit on February 11, 2020, for a change in the responsible official and permit contact person for the Greenlick Compressor Station. This facility is located in Stewardson Township, **Potter County**.

59-00006: Dominion Energy Transmission Inc. (5000 Dominion Boulevard, Glenn Allen, VA 23060) issued a revised State Only (Synthetic Minor) operating permit on February 11, 2020, for a change in the responsible official and permit contact person for the Boom Compressor Station. This facility is located in Lawrence Township, **Tioga County**.

14-00040: Dominion Energy Transmission Inc. (5000 Dominion Boulevard, Glenn Allen, VA 23060) issued a revised State Only operating permit on February 13, 2020, for a change in the responsible official and permit contact person for the Centre Compressor Station. This facility is located in Spring Township, **Centre County**.

17-00053: Nydree Flooring LLC (1115 Vista Park Dr., P.O. Box 289, Forest, VA 24551-0298) was issued a permit

revision on February 6, 2020, to reflect the recent changes to the Responsible Official and Permit Contact for the facility, located in Karthaus Township, **Clearfield County**. All applicable regulatory requirements, including testing, monitoring, recordkeeping, reporting and work practice conditions, are included in the revised permit.

19-00023: Element US Holding Company, d/b/a Trivium Packaging USA, Inc. (6670 Low Street, Bloomsburg, PA 17815) on February 14, 2020, for a change to Responsible Official and Permit Contact for the State Only operating permit for their Bloomsburg facility located in South Centre Township, **Columbia County**. The amended operating permit includes emission limits and work practice standards along with monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

GP5-30-00251: CNX Midstream Operating Company, LLC (1000 CONSOL Energy Drive, Canonsburg, PA 15317) on January 10, 2020, received an approval for a de minimis emissions increase pursuant to 25 Pa. Code § 127.449 of 0.56 ton of VOCs, 0.05 ton of HAPs, and 91.13 tons of CO₂e resulting from installation and operation of one (1) 16-inch pig receiver, eleven (11) intermittent-bleed pneumatic devices, and one (1) continuous-bleed pneumatic device at its RHL22 Dehydration Station located in Richhill Township, **Greene County**. The list of de minimis increases for this facility includes only this project.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

37-00008: Ellwood City Forge (800 Commercial Avenue, Ellwood City, PA 16117) for its facility located in Ellwood City Borough, **Lawrence County**. The de minimis emission increase is for the installation of a shot blasting operation. In addition, the proposed activity is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the de minimis emission increase. The following table is a list of the de minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the de minimis emission increases since the Synthetic Minor Operating Permit issuance on May 28, 2015.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
December 30, 2019	Shot blasting	0.31	0	0	0	0
Total Reported Increases		0.31	0	0	0	0
Allowable		0.6 ton/ source 3 tons/ facility	1.6 ton/ source 8 tons/ facility	1 ton/ source 5 tons/ facility	1 ton/ source 5 tons/ facility	4 tons/ source 20 tons/ facility

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

30841316 and NPDES Permit No. PA0213535. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317 to revise the permit and the related NPDES permit for installation of degas borehole for the Bailey Mine & Prep Plant located in Richhill Township, **Greene County**, affecting 17.3 proposed surface acres. No additional discharges. The application was considered administratively complete on April 17, 2018. Application received: January 17, 2018. Permit issued: February 7, 2020.

30121301 and NPDES Permit No. PA0236195. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317 to revise the permit and the related NPDES permit for installation of an overhead electric line between the 7 North 1 Portal and the 5B Bleeder Shaft for the Harvey Mine located in Richhill, Morris, and Washington Townships, **Greene County**, affecting 60.8 proposed surface acres. No additional discharges. The application was considered administratively complete on June 4, 2019. Application received: April 30, 2019. Permit issued: February 11, 2020.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Wigfield).

Permit No. 56813104 and NPDES No. PA0599115. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, permit renewal for reclamation only of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 344.7 acres. Receiving stream(s): unnamed tributaries to/and Tubs Run, classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 3, 2019. Permit issued: February 13, 2020.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Robin Myers).

24110101 and NPDES No. PA0259055. RES Coal, LLC (51 Airport Road, Clearfield, PA 16830). Renewal of an existing bituminous surface and auger mine in Fox Township, **Elk County** affecting 68.0 acres. Receiving streams: Little Toby Creek. Application received: August 29, 2019. Permit issued: February 4, 2020.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

PAM219012. John Preston, 821 Township Road, Wyalusing, PA 18853, coverage under General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08060808 located in Wyalusing Township, **Bradford County**. Receiving stream(s): Susquehanna River classified for the following use(s): CWF, MF. Application received: July 23, 2019. Permit Issued: February 11, 2020.

17190801. Monty L. Bloom, 1573 Wallacetown Road, Morrisdale, PA 16858 commencement, operation and restoration of a small noncoal industrial minerals surface mine permit (shale) in Morris Township, **Clearfield County** affecting 2.0 acres. Receiving stream(s): Emigh Run classified for the following use(s): CWF. Application received: June 21, 2019. Permit Issued: February 11, 2020.

PAM215002. Michael R. Ackley, 323 Beechwood Lake Road, Westfield, PA 16950, coverage under General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 59880301 located in Clymer Township, **Tioga County**. Receiving stream(s): Tributary to Mill Creek classified for the following use(s): TSF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: September 30, 2019. Permit issued: February 12, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 8074SM3C6 and NPDES Permit No. PA0118443. Harleysville Materials, LLC (P.O. Box 587, Berlin, NJ 08009), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Lower Salford Township, **Montgomery County**. Receiving stream: unnamed tributary to East Branch Perkiomen Creek. Application received: April 16, 2019. Permit issued: February 13, 2020.

Permit No. PAM119022. John A. Jr. & Richard J. Kobylski (99 East Harrison Street, Tunkhannock, PA 18657), coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 66102801 in Lemon Township, **Wyoming County**, receiving stream: unnamed tributary to Meshoppen Creek. Application received: October 7, 2019. Permit issued: February 14, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 36204105. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting at 372 Turtle Hill Road in West Earl Township, **Lancaster County** with an expiration date of February 29, 2020. Permit issued: February 12, 2020.

Permit No. 09204101. M3 Explo, LLC (P.O. Box 528, Brownsville, PA 15417), construction blasting for Ken Weaver Basement in Bridgeton Township, **Bucks County** with an expiration date of February 6, 2021. Permit issued: February 13, 2020.

Permit No. 58204102. John H. Brainard (P.O. Box 66, Clifford, PA 18413), construction blasting for Mike Oliverio road widening and stone yard expansion in Gibson Township, **Susquehanna County** with an expiration date of December 31, 2020. Permit issued: February 13, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at one. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E1302219-002. PA Solar Park II, LLC, 100 Summit Lake Drive, Valhalla, NY 10595. Nesquehoning Borough, **Carbon County**, Army Corps of Engineers Philadelphia District.

To install and maintain a 24" steel conduit that will run 3-feet below the existing stream bed, and cross approximately 6 linear feet of Deep Run (EV, MF). The steel conduit will contain two (2) × 6" PVC conduits, housing electrical lines and two (2) × 2" PVC conduits, housing communication lines. This crossing is associated with the PA Solar Park II Project.

Access to the project is located approximately 0.25 mile on the right of Industrial Road after the intersection of Industrial Road and Park Ave. (Nesquehoning, PA Quadrangle Latitude: 41° 51' 18" Longitude: -75° 51' 32") in Nesquehoning Borough, Carbon County.

E35-473. Throop Borough, 436 Sanderson Avenue, Throop, PA 18512. Throop Borough, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To construct and maintain a stream restoration project in a 1,700-foot reach of Sulfur Creek with work consisting of removal of accumulated sediment from the channel, 6 rock vanes, and stream bank stabilization with R-7 riprap. The project also includes regrading of the stream channel consisting of a bottom width ranging from approximately 12-feet to 18-feet in width and 2.5:1 stream bank slope.

The project is located along Sanderson Street (Olyphant, PA Quadrangle Latitude: 41° 27' 9"; Longitude: -75° 37' 23") in Throop Borough, Lackawanna County.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1204219-001 (Previously E12-194): Shippen Township, Shippen Township, **Cameron County**, U.S. Army Corps of Engineers Baltimore District (Emporium Quadrangle; Latitude 41° 32' 3" N; 78° 14' 18" W).

The applicant has been authorized to replace approximately 950' of 30" diameter corrugated metal pipe with a new 66' × 51' CMP Arch Pipe; the new culvert will be relocated in sections that are currently under residential structures. The culvert will permanently impact .221

acre and temporarily impact .001 acre of UNT to Sinnemahoning Portage Creek (HQ-CWF, MF).

E5904219-008. Blossburg Municipal Authority, 241 Main Street, Blossburg, PA 16912. Wastewater Treatment Plant, in Blossburg Borough, **Tioga County**, ACOE Baltimore District (Blossburg, PA Quadrangle; Latitude: 41° 41' 34.9"; Longitude -77° 4' 13.4").

This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Floodway Impact Table:

Impact #	Resource Name	Municipality	Activity	Chapter 93	Listed Trout	Impact Length Temp. (LF)	Impact Area Temp. (SF)	Impact Length Perm. (LF)	Impact Area Perm. (SF)	Lat. Long.
1	WB Susq River	Delaware Twp	Pool Constr	WWF	None	0	0	50	6,530	41.092209 -76.876659
<i>TOTAL</i>						0	0	50	6,530	

The total estimated permanent floodway disturbance for the project is approximately 6,530 square feet of West Branch Susquehanna River.

The proposed work will not permanently impact cultural or archaeological resources, national/state/local parks, forests recreational areas, landmarks wildlife refuge, or historical sites. West Branch Susquehanna River is classified with a designated use of Warm Water Fishery (WWF).

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63052-727, Redevelopment Authority of The County of Washington, 100 West Beau Street, Washington, PA 15301, South Franklin Township, **Washington County**; Pittsburgh ACOE District.

Has been given consent to:

Construct, operate and maintain:

1. A 36 inch, 140-foot-long pipe enclosure for the purpose of constructing an access road. Impacts will include 198 linear feet of permanent impact to stream S-KLE-02, an unnamed tributary of Chartiers Creek (WWF).

2. Fill within W-KLE-02 (PEM Wetland) to construct an access road. Permanent impacts include 0.077 acre.

3. A stormwater management basin within the 100-year floodway of stream S-KLE-02. Permanent impacts include 0.022 acre.

4. An outfall located at the southwest corner of a proposed stormwater management basin. Permanent impacts will include 0.011 acre to floodway of stream S-KLE-02. Temporary impacts will include 0.48 acre.

5. A paved apron with associated hangars within wetland W-KLE-03 (PEM Wetland). Permanent impacts include 0.435 acre.

6. Fill within wetland W-KLE-04 (PEM Wetland) for the purpose of improving grade and elevations of Runway 27 and to assist in meeting the width and grading requirements of Federal Aviation Administration's (FAA)

E4904220-001. Frey's Campground, 314 Main Street, Watsonstown, PA 17777. In-ground swimming pool construction within the floodway of the West Branch Susquehanna River in Delaware Township, **Northumberland County**. Allenwood, PA Quadrangle Latitude N: 41° 05' 31" Longitude W: -76° 52' 38".

To construct an in-ground swimming pool with fencing and the mitigating cut section.

The project proposes to have the following impacts:

Runway Safety Area (RSA) design standards. Permanent impacts include 0.221 acre. Temporary impacts include 0.040 acre.

7. Fill within the 100-year floodway of stream S-KLE-06 an unnamed tributary of Chartiers Creek (WWF) to improve grading and elevations to meet FAA's RSA design standards. Permanent impacts will include 0.53 acre. Temporary impacts include 0.014 acre.

8. Fill within the 100-year floodway of stream S-KLE-05 an unnamed tributary of Chartiers Creek (WWF). Temporary impacts include 0.008 acre.

For the purpose of expanding the airport facilities and improving the Run Way Safety Areas to meet Federal Aviation Administration grading standards for safety. To provide compensatory mitigation for the projects impacts, the permanent impacts to wetlands and streams will be mitigated through the purchase of credits from Robinson Fork and Enlow Fork Mitigation Banks. The project site is located at 205 Airport Road (Washington West, PA USGS topographic quadrangle; N: 40°, 08', 11"; W: -80°, 17', 24"; Subbasin 20F; USACE Pittsburgh District), in South Franklin Township, Washington County.

E63052-737, Canon McMillan School District, 186 Boone Avenue, Strabane, PA 15363, North Strabane Township, **Washington County**; Pittsburgh ACOE District.

Has been given consent to:

Construct, operate, and maintain a 115 linear foot, 6'5" by 10' box culvert, and gas, sewer, water, electric, and telephone utilities, and a stormwater channel within an unnamed tributary to Chartiers Creek (UNT 1 WWF) for the purpose of constructing a new middle school facility. Permanent impacts total 175 linear feet of stream impacts and 0.39 acre of floodway impacts. Temporary impacts total 52 linear feet of stream impacts and 0.15 acre of floodway impacts.

Additionally, remove an existing 37' long, 60" diameter corrugated metal pipe located within UNT 1. Upon completion the area will be restored to approximate original conditions.

Earth disturbances associated with the box culvert and utilities will result in 0.11 acre of temporary floodway

impacts and 0.02 acre of permanent impacts to a separate unnamed tributary of Chartiers Creek (UNT 4 WWF).

The onsite compensatory mitigation will be provided to offset stream channel loss. The 415 linear feet of stream immediately upstream from the enclosure will receive habitat improvements that include removal of the aforementioned culvert, installation of woody debris habitat/bank stabilization, in-culvert baffle installation, and establishment of a riparian zone vegetation.

The project site is located at Hill Church Houston Road, Canonsburg and Washington East, PA USGS topographic quadrangle; N: 40°, 14', 26"; W: -80°, 11', 38"; Subbasin 20F; USACE Pittsburgh District), in North Strabane Township, Washington County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA67-032: Izaak Walton League of America, York, PA Chapter 67, 7131 Ironstone Hill Road, Dallastown, PA 17313, North Hopewell & Springfield Townships, **York County**, ACOE Baltimore District.

To restore and maintain 2,008 linear feet of East Branch Codorus Creek (WWF-MF) and 206 linear feet of an unnamed tributary to East Branch Codorus Creek and their floodplains by use of channel relocations, log vanes, J-hooks, cross vanes, channel grading and floodplain grading. The project is located immediately north of the intersection of Graydon Road and Swamp Road in North Hopewell and Springfield Townships, York County (39.8554°, -76.6557°). Permit issued February 13, 2020.

EA67-033: Izaak Walton League of America, York, PA Chapter 67, 7131 Ironstone Hill Road, Dallastown, PA 17313, Chanceford & Windsor Townships, **York County**, ACOE Baltimore District.

To restore and maintain 2,054 linear feet of Pine Run (CWF-MF) and its floodplain by use of channel relocations, log vanes, J-hooks, cross vanes, channel grading, toe wood, and floodplain grading. The project also proposes the installation of stable agricultural crossings. The project is located immediately south of the intersection of Brownnton Road and Runkle Road in Chanceford and Windsor Townships, York County (39.8699°, -76.5629°). Permit issued February 14, 2020.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG290819025-00

Applicant Name Regency Marcellus Gas Gathering, LLC
Contact Person Douglas Speerstra
Address 101 West Third Street
City, State, Zip Williamsport, PA 17701
County Bradford
Township(s) Overton
Receiving Stream(s) and Classification(s) UNT to Sugar Run (EV, MF), Sugar Run (EV, MF);
Secondary: Schrader Creek (EV, MF)

ESCGP-3 # ESX12-115-0184(01)

Applicant Name Cabot Oil and Gas Corporation
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna
Township(s) Lathrop
Receiving Stream(s) and Classification(s) Horton Creek (CWF-MF)

ESCGP-3 # ESG291819002-00

Applicant Name XTO Energy Incorporated
Contact Person Melissa Breitenbach
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Clinton
Township(s) Chapman
Receiving Stream(s) and Classification(s) Long Fork (EV);
Secondary: Hyner Run (EV)

ESCGP-3 # ESG295920001-00

Applicant Name Repsol Oil and Gas USA, LLC
Contact Person Lance Ridall
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086
County Tioga
Township(s) Covington
Receiving Stream(s) and Classification(s) Canoe Camp Creek (CWF);
Secondary: Tioga River (CWF)

ESCGP-3 # ESG295920003-00

Applicant Name Repsol Oil and Gas USA, LLC
Contact Person Lance Ridall
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086
County Tioga
Township(s) Sullivan
Receiving Stream(s) and Classification(s) Corey Creek (CWF);
Secondary: Tioga River (CWF)

ESCGP-3 # ESG29-115-15-0047 (01)

Applicant Name Cabot Oil and Gas Corporation
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna
Township(s) Bridgewater

Receiving Stream(s) and Classification(s) Beaver Creek (HQ, CWF-MF) and Unnamed Tributary to Snake Creek (CWF-MF)

ESCGP-3 # ESG295819043-00
 Applicant Name Cabot Oil & Gas Corp
 Contact Person Kenneth Marcum
 Address 2000 Park Lane, Ste 300
 City, State, Zip Pittsburgh, PA 15275
 County Susquehanna
 Township(s) Springville

Receiving Stream(s) and Classification(s) UNT to White Creek (CWF, MF), White Creek (CWF, MF);
 Secondary: Meshoppen Creek (CWF, MF) Meshoppen Creek (CWF, MF)

ESCGP-3 # ESG294119036-00
 Applicant Name SWN Production Company, LLC
 Contact Person Nicki Atkinson
 Address 917 State Route 92 North
 City, State, Zip Tunkhannock, PA 18657

County Lycoming
 Township(s) Cogan House
 Receiving Stream(s) and Classification(s) Bear Run (HQ/CWF-MF, NRT); Little Pine Creek (CWF/MF, NRT)

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-3 # ESX16-059-0050 Major
 Applicant Name EQM Gathering OPCO, LLC
 Contact Person Brint Goettel
 Address 2200 Energy Dr.
 City, State, Zip Canonsburg, PA 15317
 County Greene County
 Township(s) Aleppo Township

Receiving Stream(s)and Classification(s) UNTs to Mudlick Fork (TSF);
 Secondary Receiving Water—South Fork Dunkard Fork (TSF)

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>ESCP No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESG0003119002	Columbia Gas Transmission, LLC 1700 MacCorkle Ave, SE P.O. Box 1273 Charlestown, WV 25314	Clarion	Redbank Township	Pine Creek CWF Patton Run, CWF

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

Southcentral Regional Office: 909 Elmerton Avenue, Harrisburg, PA 18110-8200, 717-705-4700.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
20-06-012	Brenntag Northeast, LLC 81 W Huller Lane Reading, PA 19605-9728 Attn: F. L. Sallada, Jr.	Berks	Ontelaunee Township	3 ASTs storing hazardous substances	80,000 gallons total

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document

cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

7 Eleven 23854, 51-24572, 3301 Tyson Ave., **City of Philadelphia**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., P.O. Box 711, Dallas, TX 75221-0711 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide Health Standards.

Marshall Road Exxon, 23-06913, 6898 Marshall Rd., Upper Darby Township, **Delaware County**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of 6898 Marshall Road, Upper Darby, LLC, 645 Hamilton St., Allentown, PA 18101, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site-specific standards.

UPS Freight Svc Ctr, 09-42452, 525 Imperial Ct., Bensalem Township, **Bucks County**. Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426, on behalf of UPS Ground Freight, Inc., 1000 Semmes Avenue, Richmond, VA 23224-2246, submitted a Site Characterization Report, 310(b) concerning remediation of soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet nonresidential Statewide Health Standards.

Chestnut Hill Mobil, 51-43700, 8019 Germantown Ave., **City of Philadelphia**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of Cross America Partners, 600 W. Hamilton Street, Suite 500, Allentown, PA 18101 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet residential Statewide Health Standards.

Sunoco 0004 7522, 23-30279, 1491 Providence Road, Upper Providence Township, **Delaware County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Dorrance Sunoco, Storage Tank ID # 40-20336, 7018 Blue Ridge Trail, Mountain Top, PA 18707, **Dorrance Township, Lackawanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Liberty Truck Center, Inc., 2227 Scranton-Carbondale Highway, Scranton, PA 18508, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

25th Street Sunoco, Storage Tank ID # 48-06963, 201 South Wood Avenue, Easton, PA 18042, **Palmer Township, Northampton County**, MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of VAADAS Inc., 201 South Wood Avenue, Easton, PA 18042, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel. The report is intended to document the remedial actions for meeting Statewide Health Standards.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Terry's Texaco, Primary Facility ID # 02-14637, 3032 Freepoint Road, Natrona Heights, PA 15065, **Harrison Township, Allegheny County**. Letterle & Associates, Inc., 191 Howard Street, Franklin, PA 16323, on behalf of Reed Oil Company, Inc., 511 Montgomery Avenue, P.O. Box 2328, New Castle, PA 16102, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the residential site-specific standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

United Refining Company of PA, Storage Tank Facility ID # 62-90266, 15 Bradley Street, Warren, PA 16365-0780, **City of Warren, Warren County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company of Pennsylvania, 15 Bradley Street, P.O. Box 688, Warren, PA 16365 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, isopropyl benzene, naphthalene, MTBE, 1,2,4 trimethylbenzene, 1,3,5 trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling meth-

odology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Monroe Energy, 23-41511, 4101 Post Rd, Trainer Borough, **Delaware County**. Weston Solutions, 1400 Weston Way, West Chester, PA 19380, on behalf of Monroe Energy, 4101 Post Road, Marcus Hook, PA 19061, submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with crude oil. The Site Characterization Report 310(b) demonstrated attainment of the nonresidential, Statewide Health Standards and was approved by the Department on February 7, 2020.

7 Eleven 40195, 51-30651, 2300 Fairmount Ave., # 16, **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report demonstrated attainment of the non-residential Statewide Health Standards and was approved by the Department on February 7, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager; 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Frontier Communications, Storage Tank ID # 40-08486, 110 CTE Drive, Dallas, PA 18612, Dallas Township, **Luzerne County**. ATC Group Services, 920 Germantown Pike, Plymouth Meeting, PA 19462, on behalf of Frontier Communications, 610 Morgan Street, Tampa, FL 33602, submitted a combined Site Characterization Report and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Report did not demonstrate attainment of the Residential Statewide Health Standards and was disapproved by DEP on February 10, 2020.

Former Hawk Valley General Store, Storage Tank ID # 54-50635, 16 Summer Valley Road, West Brunswick Township, **Schuylkill County**, United Environmental, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Jack Rich Inc., 617 Altamont Boulevard, Frackville, PA 17961, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The report was not acceptable to meet Statewide Health Standards and was disapproved by DEP on February 14, 2020.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Kane Liquid Fuels, Storage Tank Facility ID # 24-90458, 1 Tanner Street, Ridgway Borough, **Elk County**. Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Kane Liquid Fuels, P.O. Box 420, Kane, PA 16735 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with benzene, ethylbenzene, isopropylbenzene, methyl tert-butyl ether, naphthalene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, xylenes. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by DEP on February 5, 2020.

SPECIAL NOTICES

WASTE MANAGEMENT

Notice of Request for Proposals for Municipal Solid Waste Capacity

The following notice(s) is placed through the Department of Environmental Protection as required by Section 502(d) of Act 101 of 1988: The Municipal Waste Planning, Recycling and Waste Reduction Act.

Request for Proposals for disposal capacity for municipal solid waste (MSW), including construction and demolition (C&D) waste and municipal sewage sludge (sludge).

In accordance with the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of July 28, 1988, as amended, and Chapter 272 of the Pennsylvania Rules and Regulations, 25 Pa. Code, the **County of Cameron** is hereby soliciting disposal capacity for municipal solid waste (MSW), including construction and demolition (C&D) waste and municipal sewage sludge (Sludge). The term of provision of disposal capacity shall be ten (10) years. Cameron County hereby seeks responses from qualified facilities to provide processing/disposal capacity for the County-generated MSW, to begin on or after January 1, 2021.

The County of Cameron will receive sealed proposals until 3:30 p.m., prevailing local time, Tuesday, April 14, 2020, at the Cameron County Courthouse, 20 East 5th, Emporium, PA 15834. Written questions are due Monday, April 6, 2020 by 3:30 p.m. and shall be sent via email to the attention of Tara Newton, Deputy Treasurer, camcotreas@cameroncountypa.com. Proposals will be publicly opened at the regular meeting of the Cameron County Commissioners at 10:00 a.m., prevailing local time, Thursday, April 16, 2020, at the Cameron County Courthouse, 20 East 5th, Emporium, PA 15834.

Copies of proposal documents shall be available on or after release from the Cameron County Courthouse, 20 East 5th, Emporium, PA 15834 or by phone request: (814) 486-9335.

All responses shall include completed Submittal Forms contained in Appendix A of the RFP. Respondents shall submit one (1) original hard copy labeled as "Original" containing the original signature forms and other original documents plus one (1) copy to the address listed above, Attention: Tara Newton. Include with the submission, a

removable storage device or “jump or flash drive” containing electronic files in Adobe PDF format including 1) the complete RFP response and 2) a separate PDF file containing only the completed Submittal Forms. Clearly label the sealed RFP response envelopes with the following information written on the outside:

Proposal: Cameron County Municipal Waste Disposal/ Processing Capacity

Due Date: Tuesday, April 14, 2020, 3:30 p.m. Local Prevailing Time

Submitted to: Cameron County

Submitted by: (Company Name of Vendor; Address of Vendor)

Authorized Official: (Name of Vendor’s Authorized Official)

[Pa.B. Doc. No. 20-298. Filed for public inspection February 28, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Sewage Advisory Committee Meeting Rescheduled

The Sewage Advisory Committee meeting scheduled for Wednesday, March 11, 2020, has been rescheduled to Wednesday, June 17, 2020, at 10:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the June meeting should be directed to Janice Vollero at jvollero@pa.gov or (717) 772-5157. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection’s (Department) web site at www.dep.pa.gov (select “Public Participation,” then “Advisory Committees,” then “Water Advisory Committees,” then “Sewage Advisory Committee”).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-5157 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-299. Filed for public inspection February 28, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e), (h) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

The Summit at Blue Mountain Nursing and Rehabilitation Center
211 North 12th Street
Lehigh, PA 18235
FAC ID # 070502

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(a) and (c) (relating to resident bedrooms):

Kendal at Longwood
Box 100, 1109 East Baltimore Pike
Kennett Square, PA 19348
FAC ID # 110402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Kendal at Longwood
Box 100, 1109 East Baltimore Pike
Kennett Square, PA 19348
FAC ID # 110402

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-300. Filed for public inspection February 28, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Cancer Control, Prevention and Research Advisory Board Quarterly Meeting

The Department of Health will hold a public meeting of the Pennsylvania Cancer Control, Prevention and Research Advisory Board (Board) on Thursday, March 19, 2020, from 9 a.m. to 12 p.m. at the Dixon University Center, Administration Building, Board Room, 2986 North Second Street, Harrisburg, PA 17110. The purpose of this meeting is to discuss the Commonwealth’s cancer control initiatives.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact the Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harris-

burg, PA, (717) 317-5425, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-301. Filed for public inspection February 28, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Vehicle, Equipment and Supply Requirements for Emergency Medical Services Agencies; Correction

Errors occurred in the notice published at 50 Pa.B. 991 (February 15, 2020). The following is the corrected document in its entirety.

Under 28 Pa. Code § 1027.3(c) (relating to licensure and general operating standards), the Department of Health (Department) has the authority to publish in the *Pennsylvania Bulletin*, and update as necessary, vehicle construction and equipment and supply requirements for emergency medical services (EMS) agencies based upon the types of services they provide and the EMS vehicles they operate. An EMS agency that is licensed to operate as a quick response service (QRS), basic life support (BLS) ambulance, intermediate life support ambulance, advanced life support (ALS) ambulance, critical care ambulance, air ambulance, BLS squad, intermediate life support squad and ALS squad service by the Department under 35 Pa.C.S. § 8129 (relating to emergency medical services agencies), shall maintain and have readily available in working order the following vehicle, equipment and supply requirements.

A. Ground Ambulance Requirements

Ground Ambulances: QRS/BLS/Intermediate Life Support/ALS/Critical Care Transport/BLS Squad/Intermediate Life Support Squad/ALS Squad

1. The ambulance must meet the requirements of Federal Specifications KKK 1822 and Ambulance Manufacturers Division (AMD) Standards in effect at the time of the vehicles manufacture. (Does not apply to a Squad Vehicle.)

2. The ambulance must meet the requirements in 75 Pa.C.S. (relating to Vehicle Code) for vehicle registration, annual safety inspection and liability insurance, and the requirements of all Department of Transportation regulations relating to flashing and revolving lights, including intersection lights.

3. Emblems and markings must be affixed to the ambulance exterior as follows:

a. The word "AMBULANCE" shall be mirror imaged in letters not less than 4" high, centered above the grill. The placement of the word "AMBULANCE" shall be on the rear of the vehicle and the curved surface of the hood or can be placed on a flat bug screen. (Does not apply to a Squad Vehicle or QRS Vehicle.)

b. The words "EMS SQUAD," "PARAMEDIC," "ALS SQUAD," "BLS SQUAD" or "PARAMEDIC RESCUE" shall be mirror imaged in letters not less than 4" high, centered above the grill. The placement of the wording identified in this section shall be on the rear of the vehicle and the curved surface of the hood, front bumper or can be placed on a flat bug screen. (Does not apply to ambulances, Fire Apparatus (for example, Rescue, Engine, Ladder, Tower and the like) that is primarily used for fire suppression or QRS Vehicle.)

c. "Star of Life" shall appear on the ambulance in the following sizes and numbers:

* Two 3" size "Stars of Life" on each side of the word "AMBULANCE" on the hood of the vehicle or on a bug screen.

* Two 16" size "Stars of Life" on the right and left side panels.

* Two 12" size "Stars of Life" on the rear of the vehicle.

* One 32" size "Star of Life" on the vehicle rooftop.

Note: All squad units must have at least 3" size "Stars of Life," one on each side, and two in front and two on the rear of the vehicle. (Does not apply to QRS Vehicles.)

d. The Department issued licensure decal must be applied to right and left exterior sides of the vehicle in a conspicuous place.

e. A reflective chevron is not required. If used, a reflective chevron may be placed on the rear vertical surface of the exterior of the vehicle. The chevron pattern shall slant downward on both sides of the vehicle at an angle of 45° pointing in the direction of the bottom rear corner of the tailboard. The pattern shall resemble an inverted V with the point at the top center of the vehicle. The chevron shall use an alternating color pattern. The vertical panels shall be 8" to 12" wide and at least 24" in height, and consist of alternating color retro-reflective stripes at least 4" in width. If the panel height is greater than 36" the stripes shall be 6" wide, shall slope down at 45° and have a minimum of 270 square inches of retro-reflective area facing traffic.

4. The name of the EMS agency or its registered fictitious name in letters at least 3" in size must appear on both the right and left exterior sides of the vehicle. The name must be the dominant lettering. Reference the Agency Name and Fictitious Name FAQ published on January 20, 2017.

a. The word "Ambulance" or words such as Emergency Medical Services, EMS and Rescue must also appear on both exterior sides and rear of the vehicle. (Does not apply to Squad Vehicle.)

5. The EMS vehicle must be equipped with an electronically operated audible warning device with a 100-watt or higher watt speaker.

6. The ambulance must have overhead interior lighting that illuminates the entire top surface of the patient litter, stair-well lighting and courtesy lights that must illuminate the ambulance's controls. (Does not apply to a Squad Vehicle or QRS Vehicle.)

7. The ambulance must have a dual battery system. (Does not apply to Squad Vehicle or QRS Vehicle.)

8. The ambulance must have two minimum 5-pound unit fire extinguishers (ABC dry chemical or carbon dioxide) in a quick-release bracket, one in the driver/cab compartment or in the body of the ambulance reachable from outside the vehicle and one in the patient compart-

ment. When located in either the driver or patient compartment the mounting bracket shall be of a stable design. Each fire extinguisher must be intact with a safety seal, have been inspected within the previous 12 calendar months and have the appropriate completed inspection tag attached. (Squad and QRS Vehicles are only required to have one.)

9. The ambulance must have a power supply to generate sufficient current to operate all accessories without excessive demand on the generating system. All exterior and interior lighting and onboard equipment shall be able to run for at least 5 minutes without placing a demand on the engine.

10. The ambulance must have a nonskid floor that is flat, reasonably unencumbered, free of equipment in the walk-through areas and well maintained. (Does not apply to a Squad Vehicle or QRS Vehicle.)

11. The ambulance must have minimum interior dimensions of 60" from floor to ceiling. (Does not apply to a Squad Vehicle or QRS Vehicle.)

12. The ambulance must have a patient partition to separate the patient area from the driver area. (Does not apply to a Squad Vehicle or QRS Vehicle.)

13. The ambulance must have storage cabinets with sliding doors or with latches, or have a cargo-type netting or other means to ensure against opening during vehicle movement. (Does not apply to a Squad Vehicle or QRS Vehicle.)

14. Bulky items such as portable radios and AEDs, oxygen equipment and jump bags must be secured at all times during patient transport to prevent them from falling on patients or crew or becoming projectiles if the vehicle is involved in an accident. Equipment on a Squad Vehicle or QRS must be in cabinets or otherwise secured at all times.

15. The ambulance must have two IV hangers mounted flush with the ceiling. (Does not apply to a Squad Vehicle or QRS Vehicle.)

16. The ambulance must have a litter for transporting a patient and at least five patient restraint straps (which includes a minimum of two shoulder restraint straps) in good operating condition that are secured to the litter. (Does not apply to a Squad Vehicle or QRS Vehicle.)

17. The ambulance must have a stair chair designed for patient extrication.

18. The ambulance must have a pediatric safe transport device. (Does not apply to a Squad Vehicle or QRS Vehicle.)

19. The ambulance must have doors that function properly with door seals that are not cracked, broken or missing pieces, and are otherwise in good condition.

20. The ambulance must have both "No Smoking Oxygen Equipped" and "Fasten Seat Belts" signs (in English) in both the driver and the patient compartment. A Squad and QRS Vehicle is required to have these signs in the driver compartment.

21. The ambulance must have operational heating, cooling and ventilation equipment meeting GSA KKK-1822 Standard. Must be capable of maintaining patient compartment temperature of 68°F to 78°F.

22. Required equipment and supplies shall be carried and readily available in working order and maintained in accordance with manufacturers recommended/required operating standards.

23. The EMS vehicle must have current vehicle inspection validation issued by the state where the vehicle is registered.

24. The EMS vehicle must have communication equipment that is in compliance with the regional communication plan. This equipment shall allow for direct communication with a public safety answering point (PSAP) and hospitals in the agency response/service areas. A cellular phone may be used as a backup means of communication and not as the primary means of communication.

25. The ambulance must have an installed, onboard oxygen system with the following: (Does not apply to a Squad Vehicle or QRS Vehicle.)

a. At least 122 cubic feet supply of oxygen in a cylinder that is secured to provide maximum safety for patients and personnel. The oxygen cylinders shall be mounted with restraining devices, as required for the crashworthiness tests of AMD Standard 003, Oxygen Tank Retention System. A liquid oxygen system that provides the same volume of oxygen and meets AMD Standard 003 is also acceptable. Critical Care Transport ambulance must have onboard oxygen system with a capacity of a minimum of 6,800 liters.

b. The cylinder must have more than 500 liters of oxygen at all times (Critical Care Transport ambulance must have more than 1,750 liters of oxygen at all times.) and be secured with at least three metal or nylon brackets while in the compartment.

c. The unit must be equipped with a reducing valve (from 2,000 psi to 50 psi line pressure).

d. The unit must be equipped with one flow meter with a range of 0—25 lpm delivery.

26. The ambulance must have an installed onboard suctioning system with the following components and/or capabilities: (Does not apply to Squad Vehicle.)

a. It is fitted with a large bore, nonkinking tubing.

b. It has power enough to provide within 4 seconds a vacuum of over 300 mm/Hg or 11.8 inches of water when the tube is clamped.

c. It is controllable for use on children and intubated patients. The vacuum gauge, when attached to the tubing, must be adjustable to the amount of vacuum needed to ensure that the unit can maintain vacuum levels without requiring continuous increase in control.

d. It is equipped with a lateral opening between the suction tube and the suction source.

B. Air (Rotorcraft) Ambulance Requirements

The following will apply to all air ambulances. The air ambulance must have:

1. The name of the air ambulance service or its registered fictitious name prominently displayed on the exterior of the aircraft. Reference the Agency Name and Fictitious Name FAQ published on January 20, 2017.

2. Exterior lighting that illuminates the tail rotor and pilot controllable search/spot/landing lights.

3. An "Air Worthiness Certificate" from the Federal Aviation Administration (FAA).

4. A patient litter capable of carrying one adult in the supine position and capable of being secured according to FAA requirements.

5. An FAA Form 337 with items 1 (which identifies the aircraft), 2 (which identifies the aircraft owner) and 7 (which shows that the aircraft is approved to “Return to Service”) completed and signed by the appropriate FAA official.

6. Climate controls for maintaining an ambient cabin temperature of between 60°—85° during flight.

7. Sufficient interior lighting to allow for close observation of patients.

8. A physical barrier between the pilot, throttle, flight controls and radios and the patient(s).

9. Patient litter with manufacture approved straps.

10. A 110-volt electrical outlet for each patient transported.

11. Two-way radio communications for the pilot to be able to communicate with hospitals, PSAPs and ground ambulances in areas to which the air ambulance routinely provides service.

12. At least one headset per crew member with built in communication among the crew when the aircraft is operating and noise levels prevent normal conversation.

13. One fully charged fire extinguisher rated at least 5 B:C securely mounted where it can be reached by the pilot or crewmembers. The fire extinguisher must be intact with safety seal, have been inspected within the previous 12 calendar months and have the appropriate inspection tag attached.

14. Installed onboard suctioning equipment that meets the same requirements as a transporting ground ambulance. (See requirements under Ground Ambulances.)

15. Must have a pediatric safe transport device.

16. An onboard oxygen system with the following:

a. Cylinders with a capacity of 1,200 liters.

b. The cylinders must have at least 1,650 psi at the time of inspection.

c. If a liquid oxygen system is used, manufacturer documentation must be provided that the system has at least a 1,200-liter capacity.

d. A flow meter with a range of 0—25 lpm delivery.

<i>Equipment / Supplies</i>	<i>QRS</i>	<i>BLS Ambulance</i>	<i>BLS Squad</i>	<i>IALS Ambulance</i>	<i>IALS Squad</i>	<i>ALS Ambulance</i>	<i>ALS Squad</i>	<i>CCT</i>	<i>Air</i>
Portable Suction Unit with wide-bore tubing. Must achieve 300 mm/Hg or 11.8” in 4 sec.	X	X	X	X	X	X	X	X	X
<i>Suction catheters, pharyngeal: (Must be sterile) Size is FR</i>									
Rigid (2)	X	X	X	X	X	X	X	X	X
Flexible 6 and 8 (1 each)		X	X	X	X	X	X	X	X
Flexible 10 or 12 (2)		X	X	X	X	X	X	X	X
Flexible 14 or 16 (2)		X	X	X	X	X	X	X	X
<i>Airways:</i>									
Nasopharyngeal (5 different sizes) Size 16, Size 24, Size 26, Size 32, Size 34 (1 of each)	X	X	X	X	X	X	X	X	X
Oropharyngeal (6 different sizes) Size 0, Size 1, Size 2, Size 3, Size 4, Size 5 (1 of each)	X	X	X	X	X	X	X	X	X
<i>Sphygmomanometer:</i>									
Child, Adult and Thigh (large) (1 each) Interchangeable gauges are permitted	X	X	X	X	X	X	X	X	X
Stethoscope (1) Adult and (1) Pediatric	X	X	X	X	X	X	X	X	X
Stethoscope Doppler (1)								X	X
Penlight (1)	X	X	X	X	X	X	X	X	X
<i>Portable Oxygen Unit:</i>									
Cylinder capacity of at least 300 Liters (D Size), with 500 psi Yoke Cylinder with a minimum total pressure of 500 psi	X	X	X	X	X	X	X		X
Nonsparking wrench/tank opening device	X	X	X	X	X	X	X	X	X
Gauge/flow meter not gravity dependent and can deliver 0—25 liter per minute	X	X	X	X	X	X	X	X	X

<i>Equipment / Supplies</i>	<i>QRS</i>	<i>BLS Ambulance</i>	<i>BLS Squad</i>	<i>IALS Ambulance</i>	<i>IALS Squad</i>	<i>ALS Ambulance</i>	<i>ALS Squad</i>	<i>CCT</i>	<i>Air</i>
Full spare cylinder with at least 300-liter capacity	X	X	X	X	X	X	X		X
Cylinders must be secured in the vehicle at all times	X	X	X	X	X	X	X	X	X
Folding Litter/Collapsible Device (1)		X		X		X		X	
<i>Oxygen Delivery Devices:</i>									
Nasal Cannulas adult/pediatric 1 each	X	X	X	X	X	X	X	X	X
High concentration mask capable of providing 80% or greater concentration adult, pediatric, infant—1 each	X	X	X	X	X	X	X	X	X
Humidifier bottle (1)		X		X		X		X	
Adhesive Tape (4 rolls assorted) 1 roll must be hypoallergenic	X	X	X	X	X	X	X	X	X
<i>Dressings:</i>									
Multi Trauma (10 × 30) (4)	X	X	X	X	X	X	X	X	X
Occlusive (3 × 4) (4)	X	X	X	X	X	X	X	X	X
Sterile Gauze Pads (4 × 4) (25)	X	X	X	X	X	X	X	X	X
Soft self-adhering (6 rolls)	X	X	X	X	X	X	X	X	X
Bandage Shears (1)	X	X	X	X	X	X	X	X	X
<i>Immobilization Devices:</i>									
Cervical spine device (1)		X		X		X		X	
Long spine board (1)		X		X		X		X	
Rigid/Semi-rigid neck immobilizer S, M, L, pediatric (1 each) Multi-size are permitted and will suffice for the S, M, L (3)		X	X	X	X	X	X	X	X
<i>Bag-Valve-Mask Devices:</i>									
Hand operated infant/pediatric (450—700cc) (1) Must be capable of high concentration oxygen delivery with adult and pediatric masks to include neonatal, infant and child sizes	X	X	X	X	X	X	X	X	X
Pediatric length-based Drug Dosing/Equipment Sizing Tape, most current version available				X	X	X	X	X	X
Straps—9' (5) (may substitute spider straps or speed clips for 3 straps)		X		X		X		X	
<i>Splinting Devices:</i>									
Lower extremity mechanical traction splint adult and pediatric (1 each or combination)		X		X		X		X	
Upper and Lower extremity splints (2 each)		X		X		X		X	
Sterile Water/Normal Saline (2 liters)		X	X	X	X	X	X	X	X
Sterile Burn Sheet (4' by 4') (2)	X	X	X	X	X	X	X	X	X
Cold Packs, Chemical (4)		X	X	X	X	X	X	X	X
Heat Packs, Chemical (4)		X	X	X	X	X	X	X	X
Triangular Bandages (8)	X	X	X	X	X	X	X	X	

<i>Equipment / Supplies</i>	<i>QRS</i>	<i>BLS Ambulance</i>	<i>BLS Squad</i>	<i>IALS Ambulance</i>	<i>IALS Squad</i>	<i>ALS Ambulance</i>	<i>ALS Squad</i>	<i>CCT</i>	<i>Air</i>
Sterile OB Kits (2) (AIR 1)		X	X	X	X	X	X	X	X
Separate Bulb Syringe (1) Sterile		X	X	X	X	X	X	X	X
Sterile Thermal Blanket (Silver Swaddler) (1), or 1 roll of sterile aluminum foil for use on infants/newborns		X	X	X	X	X	X	X	X
Blankets (2)	X	X	X	X	X	X	X	X	
Sheets (4)		X		X		X		X	
Pillowcases (2)		X		X		X		X	
Pillow (1)		X		X		X		X	
Towels (4)		X		X		X		X	
Appropriate patient coverings capable of maintaining body temperature based on anticipated weather conditions									X
Disposable Tissues (1 box)		X		X		X		X	
Emesis Container (1)		X		X		X		X	
Urinal (1)		X		X		X		X	
Bed Pan (1)		X		X		X		X	
Disposable Paper Drinking Cups (3 oz.) (4)		X		X		X		X	
Regional Approved Triage Tags (20)	X	X	X	X	X	X	X	X	
Hand-lights (2)	X	X	X	X	X	X	X	X	
Hazard Warning Device (3)		X	X	X	X	X	X	X	
Emergency BLS/ALS Jump Kit (1)	X	X	X	X	X	X	X	X	
Survival Bag (1)									X
Emergency Response Guidebook (1) Current Ed.	X	X	X	X	X	X	X	X	
Thermometer—electronic digital, nontympanic		X	X	X	X	X	X	X	X
Sharps Receptacle—Secured		X		X		X		X	
Instant Glucose (40% dextrose-d-glucose gel) or food grade substitute (for example, cake frosting) 45 grams		X	X	X	X	X	X	X	X
Personal Protective Equipment (PPE) Helmet, eye protection, gloves and high-visibility safety apparel (1 per crew member)	X	X	X	X	X	X	X	X	
Flight Helmet (1 per crew member) w/Comm.									X
<i>Personal Infection Control Kit, which includes the following:</i>									
Eye protection, clear, disposable (1 per crew member)	X	X	X	X	X	X	X	X	X
Gown/coat (1 per crew member)	X	X	X	X	X	X	X	X	X
Surgical Cap/Foot Coverings, disposable (1 set per crew member)	X	X	X	X	X	X	X	X	X
Exam Gloves (1 set per crew member)	X	X	X	X	X	X	X	X	X
Sharps Containers and Red Bags per Infectious Control Plan	X	X	X	X	X	X	X	X	X

<i>Equipment / Supplies</i>	<i>QRS</i>	<i>BLS Ambulance</i>	<i>BLS Squad</i>	<i>IALS Ambulance</i>	<i>IALS Squad</i>	<i>ALS Ambulance</i>	<i>ALS Squad</i>	<i>CCT</i>	<i>Air</i>
N95 respirator (1 per crew member)	X	X	X	X	X	X	X	X	X
Hand Disinfectant—Nonwater hand disinfectant (1 container)	X	X	X	X	X	X	X	X	X
Sponges, Alcohol, Prep (10)				X	X	X	X	X	X
<i>Endotracheal Tubes Sizes/ Quantities:</i>									
2.5 mm or 3.0 mm (2 uncuffed)						X	X	X	X
3.5 mm or 4.0 mm (2 uncuffed)						X	X	X	X
4.5 mm or 5.0 mm (2)						X	X	X	X
5.5 mm or 6.0 mm (2)						X	X	X	X
6.5 mm or 7.0 mm (2)						X	X	X	X
7.5 mm or 8.0 mm (2)						X	X	X	X
8.5 mm or 9.0 mm (2)						X	X	X	X
(3) King LT™ Size 3, 4 and 5 or (3) i-gel® Size 3, 4 and 5 or (2) Combitubes™ Size 37 Fr and 41 Fr				X	X	X	X	X	X
Electronic Wave-Form Capnography				X	X	X	X	X	X
Laryngoscope handle with batteries and spare batteries and bulbs and the following blades:						X	X	X	X
<i>Straight</i>									
# 1 (S)						X	X	X	X
# 2 (M)						X	X	X	X
# 3 (L)						X	X	X	X
<i>Curved</i>									
# 3						X	X	X	X
# 4						X	X	X	X
Lubrication (2 cc or larger tubes) sterile water soluble (2)	X	X	X	X	X	X	X	X	X
Forceps, Magill (adult/pediatric 1 each)						X	X	X	X
<i>Medication and Supplies:</i>									
Per Statewide protocols, approved medications that must be kept within expiration dates		X	X	X	X	X	X	X	X
Nebulizer System (1)				X	X	X	X	X	X
<i>Hypodermic needles:</i>									
16—18 gauge (4), 20—22 gauge (4), 23—25 gauge, (4) Total of 12 and each must be individually wrapped and sterile. Two syringes of assorted sizes, including at least one with a 1 mL volume				X	X	X	X	X	X
<i>Defibrillator / Monitor: (FDA approved)</i>									
(HIGHER THAN IALS ONLY) Battery powered, monophasic or biphasic, energy dose range capable of treating adult and pediatric patients, paper readout, 12 lead electrocardiogram with transmit capabilities and pediatric/adult pads with pacing capabilities						X	X	X	X

<i>Equipment / Supplies</i>	<i>QRS</i>	<i>BLS Ambulance</i>	<i>BLS Squad</i>	<i>IALS Ambulance</i>	<i>IALS Squad</i>	<i>ALS Ambulance</i>	<i>ALS Squad</i>	<i>CCT</i>	<i>Air</i>
<i>12-Lead ECG</i>									
Battery powered, 12 lead electrocardiogram with paper print out and transmit capabilities				X*	X*				
<i>Defibrillator / Monitor Supplies:</i>									
Defibrillator pads, (1) set of adult and (1) set of pediatric, electrodes (ECG, adult and pediatric sizes 12 each)				X	X	X	X	X	X
Automated External Defibrillator with pads, (1) set of adult and (1) set of Pedi Pads	X	X	X	X*	X*				
<i>*IALS vehicles must be capable of obtaining and transmitting a 12-lead ECG and have an AED. To meet this requirement the AED and 12-Lead ECG can be met with a single device or by having two separate</i>									
CPAP Ventilation—portable equipment with (2) disposable masks				X	X	X	X	X	X
Stylette, Malleable—adult (1) must be sterile						X	X	X	X
Phlebotomy Equipment (per protocols)						X	X	X	
Pulse Oximetry		X	X	X	X	X	X	X	X
Electronic Glucose Meter (Optional for BLS ambulance and BLS squad as of September 1, 2017)				X	X	X	X	X	X
“IV” fluid Therapy Supplies Catheters over the Needle sized 14, 16, 18, 20, 22 (4 each) and 24 (2)				X	X	X	X	X	X
Micro drip 50—60 drops/ml (2)						X	X	X	X
Macro drip 10—20 drops/ml (2)				X	X	X	X	X	X
IV solutions (2,000) ml total per Statewide protocols				X	X	X	X	X	X
Tourniquets for IV (2)				X	X	X	X	X	X
Intraosseous Needle 14—18 gauge (1 of each)						X	X	X	X
Commercial “Tactical” Tourniquet (2)	X	X	X	X	X	X	X	X	X
Copy of most current version of Statewide EMS Protocols	X	X	X	X	X	X	X	X	X
Aspirin, chewable, one small bottle		X	X	X	X	X	X	X	X
Bougie endotracheal tube introducer (1)								X	X
Video capable laryngoscope with appropriate sized blades (1)								X	X
Electronic wave-form capnography, nonintubated patient, capable of wave-form display (1)								X	X
Electronic wave-form capnograph, including gas sampler for intubated patient, capable of wave-form display (1)				X	X	X	X	X	X

<i>Equipment / Supplies</i>	<i>QRS</i>	<i>BLS Ambulance</i>	<i>BLS Squad</i>	<i>IALS Ambulance</i>	<i>IALS Squad</i>	<i>ALS Ambulance</i>	<i>ALS Squad</i>	<i>CCT</i>	<i>Air</i>
Portable transport ventilator which must have the capabilities that include, but are not limited to, controlling rate, volume, FiO ₂ , I:E Ratio, PEEP and volume control, pressure control, SIMV and NPPV modes. Device must have both volume and pressure modes and low/high pressure warning alarms (1)								X	X
Portable transport ventilator circuits appropriately sized for patient being transported (2)								X	X
3 1/4" over the needle catheter in 10, 12 or 14 gauge (2)						X	X	X	X
Automated noninvasive blood pressure monitoring device (1)								X	X
Endotracheal cuff pressure manometer (1)								X	X
Invasive pressure monitoring, electronic waveform, two-channel capability (1)								X	X
Portable Doppler (1)								X	X
Pelvic stabilization device (1)								X	X
Blood administration sets only if agency provides or maintains blood products (2)								X	X
Intravenous infusion pumps or one multi-channel unit capable of managing three simultaneous infusions (3)								X	X
Onboard oxygen with a capacity of a minimum of 6,800 liters								X	
Portable oxygen with a capacity of a minimum of 1,800 liters								X	
Inverter or generator capability of supporting all required equipment electrical needs								X	

All QRS, BLS, intermediate advanced life support (IALS) and ALS ambulance services, which also includes air (rotorcraft) agencies that are licensed to operate in this Commonwealth, shall collect, maintain and report accurate and reliable patient data and information for calls of assistance in the format prescribed using electronic forms provided or approved by the Department. An EMS agency shall file the report for any call to which it responds that results in patient care, assessment or refusal of the patient to be assessed. The report shall be made by completing an EMS patient care report and filing it, within 30 days, with the regional EMS council that is assigned responsibilities for the region in which the ambulance is based. It shall contain information specified by the Department. The Department will publish a list of the data elements and the form specifications for the EMS patient care report form in a notice in the *Pennsylvania Bulletin* and on the Department's web site. Electronic reporting shall conform with the requirements published in the *Pennsylvania Bulletin* notice. The Department will maintain a list of software it has determined to satisfy the requirements for electronic reporting.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Aaron M. Rhone, Department of Health, Bureau of Emergency Medical Services, 1310 Elmerton Avenue, Harrisburg, PA 17110, (717) 787-8740. Persons with a speech or hearing impairment, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-302. Filed for public inspection February 28, 2020, 9:00 a.m.]

**DEPARTMENT OF
LABOR AND INDUSTRY**

Liquefied Petroleum Gas Facility; Notice of Application

The following liquefied petroleum gas (LPG) facility has been determined to be over 400,000 gallons. This notice is published for the information and convenience of public bodies subject to the Propane and Liquefied Petroleum Gas Act (35 P.S. §§ 1329.1—1329.19). Section 13.21(c) of 34 Pa. Code (relating to LPG facilities over 400,000 gallons) mandates that the Department of Labor and Industry publish notice in the *Pennsylvania Bulletin* of these facilities.

Owner	Address	Tanks
Koppy's Propane, Inc.	1-5 West Main Street Good Spring Tremont, PA 17981	6 60,000 tanks
	Good Spring Borough	4 90,000 tanks 720,000 gallons of propane total

W. GERARD OLEKSIK,
Secretary

[Pa.B. Doc. No. 20-303. Filed for public inspection February 28, 2020, 9:00 a.m.]

**DEPARTMENT OF
LABOR AND INDUSTRY**

Uniform Construction Code Review and Advisory Council Meeting

The Uniform Construction Code Review and Advisory Council will hold a meeting on Tuesday, March 10, 2020, at 10 a.m. at the Department of Labor and Industry, 651 Boas Street, Room E-100, 1st Floor, Harrisburg, PA 17121.

The Americans with Disability Act contact is Nathan Clark at (717) 772-9162.

Questions concerning this meeting may be directed to Nathan Clark at (717) 772-9162.

W. GERARD OLEKSIK,
Secretary

[Pa.B. Doc. No. 20-304. Filed for public inspection February 28, 2020, 9:00 a.m.]

**DEPARTMENT OF MILITARY
AND VETERANS AFFAIRS**

Per Diem Rates at Pennsylvania State Veterans' Homes

The Department of Military and Veterans Affairs (Department) has established the following per diem rates

for the costs of care for residents at Pennsylvania's six State Veterans' Homes. These rates are based on costs of care for the period July 1, 2018, to June 30, 2019. The Department has implemented and will continue to implement cost-savings measures for the State Veterans' Homes, which are reflected in these per diem rates.

These per diem rates are effective February 1, 2020, until further notice:

Hollidaysburg Veterans' Home, Hollidaysburg:
Nursing Care \$447
Personal Care (Domiciliary) \$243

Pennsylvania Soldiers' and Sailors' Home, Erie:
Nursing Care \$429
Personal Care (Domiciliary) \$213

Southeastern Veterans' Center, Spring City:
Nursing Care \$372
Personal Care (Domiciliary) \$208

Gino J. Merli Veterans' Center, Scranton:
Nursing Care \$419
Personal Care (Domiciliary) N/A

Southwestern Veterans' Center, Pittsburgh:
Nursing Care \$392
Personal Care (Domiciliary) N/A

Delaware Valley Veterans' Home, Philadelphia:
Nursing Care \$426
Personal Care (Domiciliary) N/A

ANTHONY J. CARRELLI,
Major General
Pennsylvania Air National Guard
The Adjutant General

[Pa.B. Doc. No. 20-305. Filed for public inspection February 28, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Bankroll Fast Play Game 5081

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Bankroll (hereinafter "Bankroll"). The game number is PA-5081.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(e) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(f) *Play*: A chance to participate in a particular Fast Play lottery game.

(g) *Play Area*: The area on a ticket which contains one or more play symbols.

(h) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(i) *Prize*: A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(j) *PRIZE KEY*: The area on the ticket that shows a player the corresponding prize that can be won by matching different winning scenarios.

(k) *PROGRESSIVE TOP PRIZE*: The top prize available for this game that begins with a minimum prize amount that grows at a pre-determined rate every time a ticket is purchased, and then resets to the minimum prize amount whenever a top prize winning ticket is sold.

(l) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

3. *Price*: The price of a Bankroll ticket is \$2.

4. *Description of the Bankroll Fast Play lottery game*:

(a) The Bankroll lottery game is an instant win game printed from a Lottery Terminal. With the exception of the "PROGRESSIVE TOP PRIZE" amount, all prizes are predetermined, and the player does not have the ability to select their own play symbols. Bankroll tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Bankroll is played by matching like play symbols in the play area. A player matching three like symbols in this manner will win the corresponding prize shown in the "PRIZE KEY." A bet slip is not used to play this game.

(c) Players can win the prize identified in section 6 (relating to prizes available to be won and determination of prize winners).

(d) A Bankroll game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Bankroll game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Bankroll game ticket and select the Bankroll option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Bankroll ticket characteristics*:

(a) A Bankroll ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols*: Each Bankroll ticket will contain one play area. The play symbols located in the play area are: Diamond symbol, Credit Cards symbol, Purse symbol, Safe symbol, Gold Bars symbol, Wallet symbol, Moneybag symbol, Piggy Bank symbol and a Moneyroll symbol.

(c) *Prizes*: The prizes, located in the "PRIZE KEY" area, which can be won in this game, are: \$2, \$4, \$5, \$10, \$20, \$50, \$100, \$1,000 and the "PROGRESSIVE TOP PRIZE." The "PROGRESSIVE TOP PRIZE" amount starts at \$10,000 and increases by \$.25 every time a Bankroll ticket is purchased. When a "PROGRESSIVE TOP PRIZE" winning ticket is sold, the "PROGRESSIVE TOP PRIZE" resets to \$10,000. A player can win up to three times on a ticket.

(d) *Approximate number of tickets available for the game*: Approximately 2,400,000 tickets will be available for sale for the Bankroll lottery game.

6. *Prizes available to be won and determination of prize winners*:

(a) All Bankroll prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which three Moneyroll symbols appear in the play area, on a single ticket, shall be entitled to a prize of a "PROGRESSIVE TOP PRIZE." The amount won under this paragraph is the amount of the "PROGRESSIVE TOP PRIZE," determined by the Lottery Central Computer System, as of the time the winning ticket was purchased. The amount won will be a minimum of \$10,000.

(c) Holders of tickets upon which three Piggy Bank symbols appear in the play area, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which three Moneybag symbols appear in the play area, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which three Wallet symbols appear in the play area, on a single ticket, shall be entitled to a prize of \$50.

(f) Holders of tickets upon which three Gold Bars symbols appear in the play area, on a single ticket, shall be entitled to a prize of \$20.

(g) Holders of tickets upon which three Safe symbols appear in the play area, on a single ticket, shall be entitled to a prize of \$10.

(h) Holders of tickets upon which three Purse symbols appear in the play area, on a single ticket, shall be entitled to a prize of \$5.

(i) Holders of tickets upon which three Credit Cards symbols appear in the play area, on a single ticket, shall be entitled to a prize of \$4.

(j) Holders of tickets upon which three Diamond symbols appear in the play area, on a single ticket, shall be entitled to a prize of \$2.

7. *Number and description of prizes and approximate chances of winning*. The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When You Find Three Like Symbols Above, Win Corresponding Prize Shown in the PRIZE KEY Below. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets:</i>
3—DIAMOND SYMBOLS	\$2	8	300,000
3—CREDIT CARDS SYMBOLS	\$4	15.15	158,400
3—PURSE SYMBOLS	\$5	33.33	72,000
3—SAFE SYMBOLS	\$10	66.23	36,240
(3—SAFE SYMBOLS) + (3—PURSE SYMBOLS)	\$15	200	12,000
3—GOLD BARS SYMBOLS	\$20	500	4,800
(3—GOLD BARS SYMBOLS) + (3—SAFE SYMBOLS)	\$30	800	3,000
3—WALLET SYMBOLS	\$50	1,500	1,600
(3—WALLET SYMBOLS) + (3—GOLD BARS SYMBOLS) + (3—PURSE SYMBOLS)	\$75	6,000	400
3—MONEYBAG SYMBOLS	\$100	6,316	380
3—PIGGY BANK SYMBOLS	\$1,000	240,000	10
3—MONEYROLL SYMBOLS PROGRESSIVE TOP PRIZE	\$10,000*	240,000	10

*PROGRESSIVE TOP PRIZE: The minimum value of the PROGRESSIVE TOP PRIZE is \$10,000. The PROGRESSIVE TOP PRIZE increases by \$.25 every time a ticket is purchased, and resets to \$10,000 whenever a top prize winning ticket is sold.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

- (1) The game ticket's bar code shall be present in its entirety.
- (2) The game ticket must be intact.
- (3) The game ticket may not be mutilated, altered, reconstituted or tampered with.
- (4) The game ticket may not be counterfeit or a duplicate of a winning ticket.
- (5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

- (1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;
- (2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *“PROGRESSIVE TOP PRIZE” restrictions:*

(a) An amount of \$.25 from the sale of each Bankroll ticket will be accumulated in the “PROGRESSIVE TOP PRIZE” pool.

(b) *Prize Amount:* The amount of the “PROGRESSIVE TOP PRIZE” at the time a ticket is purchased can only be verified through the Lottery’s Central Computer System. Any advertisement or any materials describing the amount of the “PROGRESSIVE TOP PRIZE” are only valid as of the time they are posted. If any discrepancy exists between this notice and any material describing or advertising the Bankroll game, this notice and the data contained in the Lottery’s Central Computer System shall govern.

(c) The “PROGRESSIVE TOP PRIZE” and all other prizes are subject to availability at the time of purchase. The Lottery is not responsible for prizes that are not awarded due to technical issues. In the event of a “PROGRESSIVE TOP PRIZE” being reset without the actual sale of a “PROGRESSIVE TOP PRIZE” winning ticket, all prize money that had accumulated into the “PROGRESSIVE TOP PRIZE” pool (i.e. \$.25 from the sale of each ticket) shall be awarded as part of the next “PROGRESSIVE TOP PRIZE” won.

(d) Prizes payable to “PROGRESSIVE TOP PRIZE” winners will be paid as a one-time cash payment. For the purposes of calculation of the prize to be paid to “PROGRESSIVE TOP PRIZE” winners, the “PROGRESSIVE TOP PRIZE” amount will be rounded up to the nearest \$0.50.

15. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Bankroll lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

16. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer’s license without the Lottery’s prior written authorization.

17. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Bankroll lottery game tickets.

18. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

19. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Bankroll or through normal communications methods.

20. *Applicability:* This notice applies only to the Bankroll lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary -

[Pa.B. Doc. No. 20-306. Filed for public inspection February 28, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Fast Cash Fever Fast Play Game 5080

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name*: The name of the lottery game is Pennsylvania Fast Cash Fever (hereinafter “Fast Cash Fever”). The game number is PA-5080.

2. *Definitions*:

(a) *Authorized retailer or retailer*: A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *BONUS GAME*: The area at the bottom of a Fast Cash Fever ticket containing five “BONUS GAME YOUR NUMBERS” play symbols that, when matched against the “FEVER NUMBER,” determine whether the player wins the “FAST CASH” prize shown in the “BONUS GAME.”

(d) *BONUS GAME YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the “BONUS GAME” that, when matched against the “FEVER NUMBER” play symbol, determines whether a player wins the “FAST CASH” prize shown in the “BONUS GAME.”

(e) *FAST CASH*: The area within the “BONUS GAME” that contains the bonus prize that can be won by matching any of the “YOUR NUMBERS” play symbols, located in the “BONUS GAME,” with the “FEVER NUMBER,” located in the “BONUS GAME.”

(f) *FEVER NUMBER*: The play symbol located in the “BONUS GAME” that, when it matches a “BONUS GAME YOUR NUMBERS” play symbol, determines whether the player wins the “FAST CASH” prize shown in the “BONUS GAME.”

(g) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(h) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(i) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(j) *Play*: A chance to participate in a particular Fast Play lottery game.

(k) *Play Area*: The area on a ticket, which contains one or more play symbols.

(l) *Play Symbol*: A number, letter, symbol, image or other character found in the play area, which is used to determine whether a player wins a prize.

(m) *Prize*: A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(n) *PROGRESSIVE TOP PRIZE*: The top prize available for this game that begins with a minimum prize amount that grows at a pre-determined rate every time a ticket is purchased, and then resets to the minimum prize amount whenever a top prize winning ticket is sold. A PROGRESSIVE TOP PRIZE cannot be won in the “BONUS GAME.”

(o) *Thermometer*: The visual representation of a Thermometer printed around certain play symbols in the “YOUR NUMBERS” area. When a “YOUR NUMBERS” play symbol is printed within a Thermometer and matches any “WINNING NUMBERS” play symbol, the player wins double the prize shown above the Thermometer.

(p) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the “YOUR NUMBERS” play symbols determine whether a player wins a prize.

(q) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(r) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the “WINNING NUMBERS” play symbols, determine whether a player wins a prize.

3. *Price*: The price of a Fast Cash Fever ticket is \$20.

4. *Description of the Fast Cash Fever Fast Play lottery game*:

(a) The Fast Cash Fever lottery game is an instant win game printed from a Lottery Terminal. With the exception of the “PROGRESSIVE TOP PRIZE” amount, all prizes are predetermined, and the player does not have the ability to select their own play symbols. Fast Cash Fever tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Fast Cash Fever is played by matching the play symbols in the “YOUR NUMBERS” area to the play symbols located in the “WINNING NUMBERS” area. A player matching play symbols in this manner will win the prize shown above the “YOUR NUMBERS” play symbol. If the matching play symbol is printed within a Thermometer, the player wins double the prize shown above the matching “YOUR NUMBERS” play symbol. The “PROGRESSIVE TOP PRIZE” cannot be doubled. A bet slip is not used to play this game.

(c) Fast Cash Fever is also played by matching the “FEVER NUMBER” play symbol in the “BONUS GAME” area to any of the “BONUS GAME YOUR NUMBERS” play symbols located in the “BONUS GAME” area. Players matching play symbols in this manner will win the “FAST CASH” prize shown in the “BONUS GAME.” The “BONUS GAME” is played separately.

(d) Players can win the prize identified in section 6 (relating to prizes available to be won and determination of prize winners).

(e) A Fast Cash Fever game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Fast Cash Fever game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Fast Cash Fever game ticket and select the Fast Cash Fever option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Fast Cash Fever ticket characteristics:*

(a) A Fast Cash Fever ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols:* Each Fast Cash Fever ticket play area will contain a "WINNING NUMBERS" area, a "YOUR NUMBERS" area, and a "BONUS GAME" area. The play symbols located in the "WINNING NUMBERS" and "YOUR NUMBERS" areas are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The "FEVER NUMBER" and "BONUS GAME YOUR NUMBERS" play symbols located in the "BONUS GAME" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT).

(c) *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and PROGRESSIVE (TOP PRIZE). The "FAST CASH" prize symbols and their captions located in the "BONUS GAME" area are: \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN) and \$1,000 (ONE THO).

(d) *Prizes:* The prizes that can be won in this game are: \$20, \$30, \$40, \$50, \$100, \$200, \$500, \$1,000, \$10,000

and the "PROGRESSIVE TOP PRIZE." The "PROGRESSIVE TOP PRIZE" amount starts at \$200,000 and increases by \$3.50 every time a Fast Cash Fever ticket is purchased. When a "PROGRESSIVE TOP PRIZE" winning ticket is sold, the "PROGRESSIVE TOP PRIZE" resets to \$200,000. Fast Cash Fever contains a feature that can double the prize shown above the matching "YOUR NUMBERS" play symbol as detailed in section 4 (related to description of the Fast Cash Fever Fast Play lottery game). For a complete list of prizes that can be won in this game, including multiplied prizes, see section 7 (relating to number and description of prizes and approximate chances of winning). A player can win up to 19 times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 4,800,000 tickets will be available for sale for the Fast Cash Fever lottery game.

6. *Prizes available to be won and determination of prize winners:*

(a) All Fast Cash Fever prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of PROGRESSIVE (TOP PRIZE) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of a "PROGRESSIVE TOP PRIZE." The amount won under this paragraph is the amount of the "PROGRESSIVE TOP PRIZE," determined by the Lottery Central Computer System, as of the time the winning ticket was purchased. The amount won will be a minimum of \$200,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10,000 (TEN THO) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, with the "YOUR NUMBERS" play symbol appearing within a Thermometer, and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, with the "YOUR NUMBERS" play symbol appearing within a Thermometer, and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the "BONUS GAME YOUR NUMBERS" play symbols

matches the "FEVER NUMBER" play symbol and a prize symbol of \$1,000 (ONE THO) appears in the "FAST CASH" area, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which any one of the "BONUS GAME YOUR NUMBERS" play symbols matches the "FEVER NUMBER" play symbol and a prize symbol of \$500 (FIV HUN) appears in the "FAST CASH" area, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, with the "YOUR NUMBERS" play symbol appearing within a Thermometer, and a prize symbol of \$200 (TWO HUN) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, with the "YOUR NUMBERS" play symbol appearing within a Thermometer, and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which any one of the "BONUS GAME YOUR NUMBERS" play symbols matches the "FEVER NUMBER" play symbol and a prize symbol of \$200 (TWO HUN) appears in the "FAST CASH" area, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, with the "YOUR NUMBERS" play symbol appearing within a Thermometer, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which any one of the "BONUS GAME YOUR NUMBERS" play symbols matches the "FEVER NUMBER" play symbol and a prize symbol of \$100 (ONE HUN) appears in the "FAST CASH" area, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the

"WINNING NUMBERS" play symbols, with the "YOUR NUMBERS" play symbol appearing within a Thermometer, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$80.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, with the "YOUR NUMBERS" play symbol appearing within a Thermometer, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$60.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(t) Holders of tickets upon which any one of the "BONUS GAME YOUR NUMBERS" play symbols matches the "FEVER NUMBER" play symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "FAST CASH" area, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, with the "YOUR NUMBERS" play symbol appearing within a Thermometer, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(w) Holders of tickets upon which any one of the "BONUS GAME YOUR NUMBERS" play symbols matches the "FEVER NUMBER" play symbol and a prize symbol of \$40⁰⁰ (FORTY) appears in the "FAST CASH" area, on a single ticket, shall be entitled to a prize of \$40.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "PRIZE" area above the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(z) Holders of tickets upon which any one of the "BONUS GAME YOUR NUMBERS" play symbols matches the "FEVER NUMBER" play symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "FAST CASH" area, on a single ticket, shall be entitled to a prize of \$20.

7. *Number and description of prizes and approximate chances of winning.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of YOUR NUMBERS Match The WINNING NUMBER For That GAME, Win Prize Shown Above The Matching Number. Win With:</i>	<i>BONUS GAME: When Any Of The BONUS GAME YOUR NUMBERS Match The FEVER NUMBER, Win FAST CASH Shown. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
	\$20	\$20	12.5	384,000
\$20		\$20	14.29	336,000
\$30		\$30	20	240,000
\$20 × 2		\$40	55.56	86,400
\$20	\$20	\$40	50	96,000
\$20 w/ THERMOMETER		\$40	33.33	144,000
\$40		\$40	100	48,000
\$30 + \$20		\$50	100	48,000
\$30	\$20	\$50	100	48,000
	\$50	\$50	100	48,000
\$50		\$50	100	48,000
\$20 × 5		\$100	4,000	1,200
\$50 × 2		\$100	4,000	1,200
(\$30 × 2) + (\$20 × 2)		\$100	2,400	2,000
\$30 + \$20	\$50	\$100	4,000	1,200
\$50	\$50	\$100	3,000	1,600
(\$20 w/ THERMOMETER) + \$40	\$20	\$100	1,200	4,000
\$30 w/ THERMOMETER	\$40	\$100	1,714	2,800
\$40 w/ THERMOMETER	\$20	\$100	1,714	2,800
	\$100	\$100	2,400	2,000
\$50 w/ THERMOMETER		\$100	1,714	2,800
\$100		\$100	4,000	1,200
\$50 × 4		\$200	6,000	800
\$100 × 2		\$200	6,000	800
(\$40 × 4) + (\$20 × 2)		\$200	6,000	800
(\$50 × 2) + (\$40 × 2)	\$20	\$200	6,000	800
\$100 + \$50 + \$30	\$20	\$200	4,000	1,200
\$100	\$100	\$200	4,000	1,200
(((\$30 w/ THERMOMETER) × 2) + (\$40 w/ THERMOMETER))		\$200	4,000	1,200
\$50 w/ THERMOMETER	\$100	\$200	4,000	1,200
(\$20 w/ THERMOMETER) × 5		\$200	4,000	1,200
	\$200	\$200	6,000	800
\$100 w/ THERMOMETER		\$200	4,000	1,200
\$200		\$200	6,000	800
\$100 × 5		\$500	24,000	200
\$200 × 2	\$100	\$500	24,000	200
(((\$50 w/ THERMOMETER) × 2) + (\$50 × 2) + (\$40 × 2) + (\$30 × 2) + (\$20 × 2))	\$20	\$500	24,000	200

<i>When Any Of YOUR NUMBERS Match The WINNING NUMBER For That GAME, Win Prize Shown Above The Matching Number. Win With:</i>	<i>BONUS GAME: When Any Of The BONUS GAME YOUR NUMBERS Match The FEVER NUMBER, Win FAST CASH Shown. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
(\$20 w/ THERMOMETER) + \$200 + \$100 + \$50 + \$40 + \$30	\$40	\$500	24,000	200
(((\$100 w/ THERMOMETER) × 2) + (\$50 w/ THERMOMETER)		\$500	24,000	200
\$200 w/ THERMOMETER	\$100	\$500	24,000	200
(\$50 w/ THERMOMETER) × 5		\$500	24,000	200
	\$500	\$500	24,000	200
\$500		\$500	24,000	200
\$100 × 10		\$1,000	120,000	40
\$500 × 2		\$1,000	120,000	40
(((\$50 w/ THERMOMETER) × 4) + (((\$20 w/ THERMOMETER) × 4) + (\$50 × 4) + (\$40 × 2) + (\$30 × 4)	\$40	\$1,000	120,000	40
(((\$200 w/ THERMOMETER) × 2) + (\$100 w/ THERMOMETER)		\$1,000	120,000	40
	\$1,000	\$1,000	120,000	40
\$500 w/ THERMOMETER		\$1,000	120,000	40
\$1,000		\$1,000	120,000	40
(\$1,000 w/ THERMOMETER) × 5		\$10,000	480,000	10
\$10,000		\$10,000	480,000	10
PROGRESSIVE TOP PRIZE		\$200,000*	320,000	15

When the matching number is in a Thermometer, win DOUBLE the prize shown.

BONUS GAME: When any of YOUR NUMBERS match the FEVER NUMBER, win FAST CASH amount. BONUS GAME played separately.

* PROGRESSIVE TOP PRIZE: The minimum value of the PROGRESSIVE TOP PRIZE is \$200,000. The PROGRESSIVE TOP PRIZE increases by \$3.50 every time a ticket is purchased, and resets to \$200,000 whenever a top prize winning ticket is sold.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. Ticket responsibility:

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. Ticket validation and requirements:

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *"PROGRESSIVE TOP PRIZE" restrictions:*

(a) An amount of \$3.50 from the sale of each Fast Cash Fever ticket will be accumulated in the "PROGRESSIVE TOP PRIZE" pool.

(b) *Prize Amount:* The amount of the "PROGRESSIVE TOP PRIZE" at the time a ticket is purchased can only be verified through the Lottery's Central Computer System. Any advertisement or any materials describing the amount of the "PROGRESSIVE TOP PRIZE" are only valid as of the time they are posted. If any discrepancy exists between this notice and any material describing or advertising the Fast Cash Fever game, this notice and the data contained in the Lottery's Central Computer System shall govern.

(c) The "PROGRESSIVE TOP PRIZE" and all other prizes are subject to availability at the time of purchase. The Lottery is not responsible for prizes that are not awarded due to technical issues. In the event of a "PROGRESSIVE TOP PRIZE" being reset without the actual sale of a "PROGRESSIVE TOP PRIZE" winning ticket, all prize money that had accumulated into the "PROGRESSIVE TOP PRIZE" pool (i.e. \$3.50 from the sale of each ticket) shall be awarded as part of the next "PROGRESSIVE TOP PRIZE" won.

(d) Prizes payable to "PROGRESSIVE TOP PRIZE" winners will be paid as a one-time cash payment. For the purposes of calculation of the prize to be paid to "PROGRESSIVE TOP PRIZE" winners, the "PROGRESSIVE TOP PRIZE" amount will be rounded up to the nearest \$0.50.

15. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Fast Cash Fever lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

16. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

17. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Fast Cash Fever lottery game tickets.

18. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast

Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

19. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Fast Cash Fever or through normal communications methods.

20. *Applicability:* This notice applies only to the Fast Cash Fever lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-307. Filed for public inspection February 28, 2020, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Sierra Club and PennEnvironment v. Department of Environmental Protection and PPG Industries, Inc., Permittee; EHB Doc. No. 2020-015-B

Sierra Club and PennEnvironment have appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0254967 to PPG Industries, Inc. for facilities in Cadogan and North Buffalo Townships, Armstrong County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 20-308. Filed for public inspection February 28, 2020, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-4626	State Board of Dentistry Child Abuse Reporting Requirements	2/13/20	3/19/20
7-546	Environmental Quality Board Revision of the Maximum Allowable Sulfur Content Limit for No. 2 and Light Commercial Fuel Oil	2/14/20	3/19/20
7-542	Environmental Quality Board Unconventional Well Permit Application Fee Amendments	2/14/20	3/19/20
<i>Final-Omit Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
7-543	Environmental Quality Board Hazardous Waste Generator Improvements Rule	2/14/20	3/19/20

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 20-309. Filed for public inspection February 28, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of Region 6 Rx Corp.

Anthem, Inc., an Indiana corporation, has filed an application to acquire control of Region 6 Rx Corp., a Pennsylvania domiciled stock life insurance company. The filing was received on February 19, 2020, and was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1413).

Persons wishing to comment on this acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Karen Feather, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov. Comments received will be part of the public record regarding the filing and will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-310. Filed for public inspection February 28, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Metropolitan Life Insurance Company (META-132258907); Rate Increase Filing for Several Individual LTC Forms

Metropolitan Life Insurance Company is requesting approval to increase the premium 6.77% on 2,828 policyholders of several individual LTC forms. The forms affected are LTC-IDEAL-PA, LTC-FAC-PA, LTC-VAL-PA, LTC-PREM-PA, LTC-IDEAL-PA-ML, LTC-FAC-PA-ML, LTC-VAL-PA-ML and LTC-PREM-PA-ML.

Unless formal administrative action is taken prior to May 14, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square,

Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-311. Filed for public inspection February 28, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Metropolitan Life Insurance Company (META-132261800); Rate Increase Filing for Several Individual LTC Forms

Metropolitan Life Insurance Company is requesting approval to increase the premium 16.91% on 1,959 policyholders of several individual LTC forms. The forms affected are LTC2-IDEAL-PA, LTC2-FAC-PA, LTC2-VAL-PA, LTC2-PREM-PA, LTC2-IDEAL-ML-PA, LTC2-FAC-ML-PA, LTC2-VAL-ML-PA and LTC2-PREM-ML-PA.

Unless formal administrative action is taken prior to May 14, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-312. Filed for public inspection February 28, 2020, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held at the Pennsylvania Medical Society, 777 East Park Drive, Harrisburg, PA 17111 at 9 a.m. on Monday, March 23, 2020.

Individuals with questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,
Executive Director

[Pa.B. Doc. No. 20-313. Filed for public inspection February 28, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pro Forma Application

A-2020-3018307. MCI Communications Services, Inc., d/b/a Verizon Business Services. Pro forma application of MCI Communications Services, Inc., d/b/a Verizon Business Services, for any approvals required under the Public Utility Code for an LLC conversion and internal corporate restructuring.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before March 16, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: MCI Communications Services, Inc., d/b/a Verizon Business Services

Through and By Counsel: Suzan D. Paiva, Verizon, 900 Race Street, 6th Floor, Philadelphia, PA 19107

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-314. Filed for public inspection February 28, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be

filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by March 16, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2020-3016361. Bate Reliable Transportation, LLC (1204 Baltimore Pike, Suite 200, Chadds Ford, Delaware County, PA 19317) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, from points in the County of Delaware and the City and County of Philadelphia to points in Pennsylvania, and return.

A-2020-3018247. Delaware Valley Corporate Sedan, Inc. (887 Stevens Avenue, Langhorne, Bucks County, PA 19053) persons in limousine service, between points in Pennsylvania; excluding areas under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* David P. Temple, 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

A-2020-3018531. Keshav Smruti, LLC, t/a Golden Dove Transit (3832 Springtown Road, Furlong, Bucks County, PA 18925) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service in wheelchair and stretcher vans, between points in the Counties of Lackawanna, Luzerne, Wayne and Wyoming.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

A-2019-3014727. Sebastian Moving Philadelphia, LLC (2228 Majestic Woods Boulevard, Apopka, FL 32712) household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-315. Filed for public inspection February 28, 2020, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Dallas Equine Center, LLC— Pine Wood Acres Lauren Swicklick 232 Harris Pond Road Sweet Valley, PA 18656	Luzerne County/ Ross Township	3.3	Horses	New	Approved
Elias Stoltzfus 518 Pine Woods Road Jersey Shore, PA 17740	Lycoming County/ Limestone Township	48.10	Veal	New	Approved
Herbruck Poultry Ranch, Inc. 8069 Corner Road Mercersburg, PA 17236	Franklin County/ Montgomery Township	7,560	Layers	Amended	Approved

RUSSELL C. REDDING,
Chairperson

[Pa.B. Doc. No. 20-316. Filed for public inspection February 28, 2020, 9:00 a.m.]

