

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending March 30, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 03-24-2021 | Bank of Bird-in-Hand Bird-in-Hand Lancaster County | 1759 West Main Street Ephrata Lancaster County | Filed |
| 03-24-2021 | Farmers and Merchants Trust Co. of Chambersburg Chambersburg Franklin County | 4050 Crums Mill Road Suite 301 Harrisburg Dauphin County (Limited Service Facility) | Filed |
| 03-26-2021 | CNB Bank Clearfield Clearfield County | 683 Northland Avenue Suite 1 Buffalo Erie County, NY | Filed |
| 03-29-2021 | 1st Colonial Community Bank Cherry Hill Camden County, NJ | 440 Linfield Trappe Road Limerick Montgomery County, PA | Opened |

Branch Relocations

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|---|---|---------------|
| 03-25-2021 | Sharon Bank Springfield Delaware County | <i>To:</i> 901 Main Street Darby Delaware County <i>From:</i> 9 Chester Pike Darby Delaware County | Approved |

Branch Discontinuances

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 03-19-2021 | First Commonwealth Bank Indiana Indiana County | 2501 East Carson Street Pittsburgh Allegheny County | Closed |

CREDIT UNIONS
Branch Applications
Branch Relocations

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|--|---------------|
| 3-24-2021 | TruMark Financial Credit Union Fort Washington Montgomery County | <i>To:</i> 600 Old York Road Jenkintown Montgomery County <i>From:</i> 515 Old York Road Jenkintown Montgomery County | Approved |

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 21-566. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Weatherization Assistance Program; Proposed State Plan; Virtual Public Hearing

The Department of Community and Economic Development (Department) publishes notice of a public hearing to be held electronically, by means of web/conference call on Thursday, April 22, 2021. In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), this public hearing will only be held virtually by means of the method listed. There will be no in-person opportunity to attend the hearing.

The virtual public hearing by means of the web/conference call will be held at 1 p.m. and will last as long as there are comments to be received. This more widely available computer access/conference call will replace the onsite public hearing. The format will be more accessible than an in-person meeting because those who wish to make comment may participate directly from their electronic device, telephone or computer. Access information can be found at the end of this notice.

The purpose of this virtual public hearing is to receive comments on the proposed Pennsylvania 2021-2022 annually appropriated United States Department of Energy (DOE) Weatherization Assistance Program (WAP) State Plan (Plan).

The proposed 2021-2022 Plan will authorize the formula-based distribution for each county. Specific performance goals emphasize production, quality of the work product, prompt, accurate and complete reporting, and compliance with program standards and regulations.

The Plan includes the following changes:

- Provisions for the 2020-2021 unspent funds and extension to spend the funds due to production shutdown during the current COVID-19 pandemic.
- An overall administrative allowance increase from 10 to 15% due to a change in the WAP reauthorization legislation.
- Reweathering date change from September 30, 1994, to a rolling 15 years from receiving previous Federally identified weatherization activities.

- A plan of work to receive DOE approval of the home energy audit processes, policies and procedures to include the use of the National Energy Audit Tool and the Manufactured Home Energy Audit Tool for single family and manufactured housing, respectively and an extension for the use of the Home Energy Audit Toolkit audit.

- A plan of work to receive DOE approval of multifamily weatherization processes to include a multifamily audit tool and finalized policy and procedures.

- Training and technical assistance activity changes such as: dramatically streamlining the Home Energy Professional's structure and registration process, introduction of a new training plan template, and moving the training and technical assistance pieces from the Health and Safety Plan to the Master File, Training and Technical Assistance Plan.

- The name change of the National Sustainable Structures Center to the Clean Energy Center.

- The 2021 Pennsylvania WAP SWS Field Manual, reflecting the most recent updates to the SWSs, will be released in Fall 2021, pending DOE approval.

There is a continued National focus on coordination of efforts where other health and safety, lead-abatement, utility weatherization and housing rehab services are coordinated locally with weatherization services.

Copies of the proposed 2021-2022 DOE WAP Plan may be obtained beginning April 9, 2021, by contacting the Department of Community and Economic Development, Center for Community Services, (717) 425-7597 or it can be downloaded from the Department's web site at www.dced.pa.gov. Written comments may be submitted electronically to ra-wxmail@pa.gov until 5 p.m. on April 22, 2021.

There is no registration. Individuals can join the virtual public hearing by connecting to Microsoft Teams at https://teams.microsoft.com/l/meetup-join/19%3ameeting_MmQxZjZlNmItOGU4Yi00NzhmLTl1MjgtNTk4MjVjMWE2MzEz%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%22c8c9df7c-1884-4a14-820e-8fc755829b57%22%7d.

Individuals can join the virtual public hearing by phone at +1 (267) 332-8737. The conference ID number is 121 901 69#.

The virtual public hearing will be shortened if there is no one to testify or there is minimal response.

Persons with a disability who wish to participate in this virtual public hearing should contact Yvonne Adams at (717) 425-7597 to discuss how the Department may accommodate their needs.

DENNIS M. DAVIN,
Secretary

[Pa.B. Doc. No. 21-567. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by American College of Education to Operate a Location in this Commonwealth

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval for American College of Education to open a location in York, PA. American College of Education has applied to open a location in York, PA for the purpose of offering the Master of Education in Educational Leadership.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher Education, Access and Equity, 333 Market Street, 12th Floor, Harrisburg, PA 17126-0333 on or before the due date prescribed by this notice. Person wishing to review the application should phone (717) 783-6786 or write to the previously listed address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and requires an auxiliary aid, service or other accommodations to participate, should contact the Division of Higher Education, Access and Equity at (717) 783-6786 to discuss accommodations.

NOE ORTEGA,
Acting Secretary

[Pa.B. Doc. No. 21-568. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Liberty University, Inc. to Operate a Location in this Commonwealth

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval for Liberty University, Inc. to open a location in Butler, PA. Liberty University, Inc. has applied to open a location in Butler, PA for the purpose of offering credit toward the Bachelor of Science in Aviation (online).

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher Education, Access and Equity, 333 Market Street, 12th Floor, Harrisburg, PA 17126-0333 on or before the due date prescribed by this notice. Person wishing to review the application should phone (717) 783-6786 or write to the previously listed address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and requires an auxiliary aid, service or other accommodations to participate, should contact the Division of Higher Education, Access and Equity at (717) 783-6786 to discuss accommodations.

NOE ORTEGA,
Acting Secretary

[Pa.B. Doc. No. 21-569. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Liberty University, Inc. to Operate a Location in this Commonwealth

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval for Liberty University, Inc. to open a location in Blue Bell, PA. Liberty University, Inc. has applied to open a location in Blue Bell, PA for the purpose of offering credit toward the Bachelor of Science in Aviation (online).

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher Education, Access and Equity, 333 Market Street, 12th Floor, Harrisburg, PA 17126-0333 on or before the due date prescribed by this notice. Person wishing to review the application should phone (717) 783-6786 or write to the previously listed address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and requires an auxiliary aid, service or other accommodations to participate, should contact the Division of Higher Education, Access and Equity at (717) 783-6786 to discuss accommodations.

NOE ORTEGA,
Acting Secretary

[Pa.B. Doc. No. 21-570. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

| <i>Section</i> | <i>Category</i> |
|----------------|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as previously discussed.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|--|-------------------------|---|--|-------------------|
| 0290201 | Industrial Waste Individual WQM Permit | Amendment | Westmoreland County Municipal Authority P.O. Box 730 Greensburg, PA 15601-0730 | McKeesport City Allegheny County | SWRO |
| 0589201 | Industrial Waste Individual WQM Permit | Amendment | Sandy Run Landfill, LLC 995 Landfill Road Hopewell, PA 16650-8653 | Broad Top Township Bedford County | SCRO |
| 2602201 | Industrial Waste Individual WQM Permit | Transfer | Fayette Power Co. LLC 100 Energy Drive Masontown, PA 15461-2588 | German Township Fayette County | SWRO |
| 0121803 | Joint DEP/PFBC Pesticides Permit | New | Stephani J Maitland 2795 Fairfield Road Gettysburg, PA 17325-7210 | Highland Township Adams County | SCRO |
| 0121804 | Joint DEP/PFBC Pesticides Permit | New | Gettysburg National Golf Course 4099 Bullfrog Road Fairfield, PA 17320-9389 | Hamiltonban Township Adams County | SCRO |
| 0521801 | Joint DEP/PFBC Pesticides Permit | New | Angela & Steven Fulton 11120 Hopewell Road Hagerstown, MD 21740-2103 | Monroe Township Bedford County | SCRO |
| 2121801 | Joint DEP/PFBC Pesticides Permit | New | Big Spring Fish & Game P.O. Box 81 Newville, PA 17241-0081 | North Newton Township Cumberland County | SCRO |
| 2821801 | Joint DEP/PFBC Pesticides Permit | New | Logan Ocker 994 Black Gap Road Fayetteville, PA 17222-9783 | Greene Township Franklin County | SCRO |
| 4821801 | Joint DEP/PFBC Pesticides Permit | New | Thomas H Gulick 441 Bierys Bridge Road Bethlehem, PA 18017-1101 | Bethlehem City Northampton County | NERO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---|-------------------------|---|--|-------------------|
| 6717805 | Joint DEP/PFBC Pesticides Permit | Renewal | DLA Installation Management at Susquehanna 5750 3rd Street Bldg 750 New Cumberland, PA 17070-5076 | Fairview Township York County | SCRO |
| PAG030116 | PAG-03 NPDES General Permit for Industrial Stormwater | New | 121 CD Assoc, LP 3701 Sablewood Drive Doylestown, PA 18902-6610 | Richland Township Bucks County | SERO |
| PAG036257 | PAG-03 NPDES General Permit for Industrial Stormwater | Transfer | Chestnut Valley Landfill, LLC 1184 McClellandtown Road McClellandtown, PA 15458 | German Township Fayette County | SWRO |
| PAG038395 | PAG-03 NPDES General Permit for Industrial Stormwater | New | Myers Trucking, Inc. 3058 Route 219 Kane, PA 16735-4630 | Hamlin Township McKean County | NWRO |
| PAG123588 | PAG-12 NPDES General Permit for CAFOs | Renewal | Lynn Eberly 2071 Mount Pleasant Road Fayetteville, PA 17222-9763 | Greene Township Franklin County | SCRO |
| PAG123647 | PAG-12 NPDES General Permit for CAFOs | Renewal | Joe Jurgielewicz & Son, Ltd P.O. Box 257 Shartlesville, PA 19554-0257 | Tilden Township Berks County | SCRO |
| PAG123648 | PAG-12 NPDES General Permit for CAFOs | Renewal | Joe Jurgielewicz & Son, Ltd P.O. Box 257 Shartlesville, PA 19554-0257 | Perry Township Berks County | SCRO |
| PAG123649 | PAG-12 NPDES General Permit for CAFOs | Renewal | Joe Jurgielewicz & Son Ltd P.O. Box 257 Shartlesville, PA 19554-0257 | Upper Tulpehocken Township Berks County | SCRO |
| PAG123666 | PAG-12 NPDES General Permit for CAFOs | Renewal | Harold S Weaver 2871 N Colebrook Road Manheim, PA 17545 | Rapho Township Lancaster County | SCRO |
| PAG123706 | PAG-12 NPDES General Permit for CAFOs | Renewal | Gerald and Mike Long 39 Reeds Creek Road Annville, PA 17003-8405 | East Hanover Township Lebanon County | SCRO |
| PAG123713 | PAG-12 NPDES General Permit for CAFOs | Renewal | Malcolm R Rudolph 200 Ginzler Road New Oxford, PA 17350-9011 | Tyrone Township Adams County | SCRO |
| PAG123716 | PAG-12 NPDES General Permit for CAFOs | Renewal | Laverne H Rohrer 118 Bentz Mill Road East Berlin, PA 17316-9108 | Washington Township York County | SCRO |
| PAG123789 | PAG-12 NPDES General Permit for CAFOs | Renewal | Noah W Kreider & Sons, LLP 1461 Lancaster Road Manheim, PA 17545-9768 | Penn Township Lancaster County | SCRO |
| PAG123794 | PAG-12 NPDES General Permit for CAFOs | Renewal | Joe Jurgielewicz & Son, Ltd P.O. Box 27 Shartlesville, PA 19554-0027 | Centre Township Berks County | SCRO |
| PAG123859 | PAG-12 NPDES General Permit for CAFOs | Renewal | Colton W Deppen 847 Imes Road Mifflin, PA 17058-7100 | Spruce Hill Township Juniata County | SCRO |
| PAG123895 | PAG-12 NPDES General Permit for CAFOs | Renewal | Matter Dylan 1501 Sugar Run Road Millerstown, PA 17062-8603 | Greenwood Township Perry County | SCRO |
| PAG124823 | PAG-12 NPDES General Permit for CAFOs | Renewal | Keith Heimbach 129 Don Packard Road Granville Summit, PA 16926-9231 | Granville Township Bradford County | SCRO |

NOTICES

2073

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|--|-------------------------|--|---|-------------------|
| PAG124827 | PAG-12 NPDES General Permit for CAFOs | Renewal | Shady Rill Hog 252 Tharp Road Mt Pleasant Mills, PA 17853-8310 | Washington Township Snyder County | SCRO |
| PAG124831 | PAG-12 NPDES General Permit for CAFOs | Renewal | Pete Drost 3899 Mountain Road Beamsville, ON L0R 1B2 | Derry Township Montour County | SCRO |
| PAG124851 | PAG-12 NPDES General Permit for CAFOs | Renewal | James W Stahl 4089 Produce Road Selinsgrove, PA 17870-8161 | Union Township Snyder County | SCRO |
| PAG124869 | PAG-12 NPDES General Permit for CAFOs | Renewal | Steven T Wolfe 272 Middle Road Centre Hall, PA 16828-8105 | Harris Township Centre County | SCRO |
| PAG126101 | PAG-12 NPDES General Permit for CAFOs | Renewal | Keith & Denise Leydig 594 Cumberland Highway Berlin, PA 15530-6002 | Brothersvalley Township Somerset County | SCRO |
| PAG132325 | PAG-13 NPDES General Permit for MS4s | New | Hallstead Borough Susquehanna County 127 Franklin Hill Road Box 366 Hallstead, PA 18822-9403 | Hallstead Borough Susquehanna County | NERO |
| 0421401 | Sewage Treatment Facilities Individual WQM Permit | New | Rettop Development Corp 246 Mowry Road Monaca, PA 15061-2224 | Potter Township Beaver County | SWRO |
| 1021405 | Sewage Treatment Facilities Individual WQM Permit | New | Billy Brennen 208 Dodds Road Butler, PA 16002-8820 | Penn Township Butler County | NWRO |
| 1701407 | Sewage Treatment Facilities Individual WQM Permit | Amendment | Aqua Pennsylvania Wastewater Inc. 906 Beaver Drive DuBois, PA 15801-2539 | Sandy Township Clearfield County | NCRO |
| 2021404 | Sewage Treatment Facilities Individual WQM Permit | New | Roger L Brown 17930 Station Road Centerville, PA 16404-6756 | Rome Township Crawford County | NWRO |
| 2221402 | Sewage Treatment Facilities Individual WQM Permit | New | Sheetz Inc. 5700 6th Avenue Altoona, PA 16602-1111 | Reed Township Dauphin County | SCRO |
| 4221401 | Sewage Treatment Facilities Individual WQM Permit | New | Jeffrey E Hale 2755 W Washington Street Bradford, PA 16701-2423 | Corydon Township McKean County | NWRO |
| 6121401 | Sewage Treatment Facilities Individual WQM Permit | New | Joyce Balas 1007 Columbia Avenue Grove City, PA 16127-1309 | Cornplanter Township Venango County | NWRO |
| 6598406 | Sewage Treatment Facilities Individual WQM Permit | Transfer | Fox Tiels, LLC 4425 William Penn Highway Murrysville, PA 15668-1917 | Washington Township Westmoreland County | SWRO |
| 1503401 | Sewer Extensions and Pump Stations Individual WQM Permit | Amendment | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |
| 1511402 | Sewer Extensions and Pump Stations Individual WQM Permit | Amendment | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|--|-------------------------|--|--|-------------------|
| 1511406 | Sewer Extensions and Pump Stations Individual WQM Permit | Amendment | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |
| 1512402 | Sewer Extensions and Pump Stations Individual WQM Permit | Amendment | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |
| 1512410 | Sewer Extensions and Pump Stations Individual WQM Permit | Amendment | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |
| PA0217832 | Small Flow Treatment Facility Individual NPDES Permit | Transfer | Fox Tiels, LLC 4425 William Penn Highway Murrysville, PA 15668-1917 | Washington Township Westmoreland County | SWRO |

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0026921, Sewage, SIC Code 4952, **Greater Hazleton Joint Sewer Authority**, P.O. Box 651, Hazleton, PA 18201-0651. Facility Name: Greater Hazleton Joint Sewer Authority Wastewater Treatment Plant. This existing facility is located in West Hazleton Borough, **Luzerne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Black Creek (CWF/MF), Tributary 28127 to Black Creek (CWF/MF), Unnamed Tributary to Black Creek (CWF/MF), Unnamed Tributary to Hazle Creek (HQ-CWF/MF), Cranberry Creek (CWF/MF) and an Unnamed Tributary to Cranberry Creek (CWF/MF), are located in State Water Plan watersheds 5-D and 2-B and are classified as indicated previously as well as for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.9 MGD.

(From Permit Effective Date to Permit Expiration Date)

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|---|-----------------------------|---------------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | <i>Minimum</i> | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 1,856 | 2,969 | XXX | 25.0 | 40.0 | 50.0 |
| Total Suspended Solids | 2,227 | 3,340 | XXX | 30.0 | 45.0 | 60.0 |
| Fecal Coliform (No./100 ml) | | | | | | |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 | XXX | 1,000 |
| Oct 1 - Apr 30 | XXX | XXX | XXX | Geo Mean 2,000 | XXX | 10,000 |
| Influent Biochemical Oxygen Demand (BOD ₅) | Report | Report | XXX | Report | XXX | XXX |
| Influent Total Suspended Solids | Report | Report | XXX | Report | XXX | XXX |
| Ammonia-Nitrogen (Total Load, lbs) | Report Total Monthly | Report Total Annual | XXX | XXX | XXX | XXX |
| Total Kjeldahl Nitrogen | Report | XXX | XXX | Report | XXX | XXX |
| Total Kjeldahl Nitrogen (Total Load, lbs) | Report Total Monthly | XXX | XXX | XXX | XXX | XXX |

NOTICES

2075

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|---|-----------------------------|----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Nitrate-Nitrite as N (Total Load, lbs) | Report | XXX | XXX | Report | XXX | XXX |
| | Report | XXX | XXX | XXX | XXX | XXX |
| | Total Monthly | | | | | |
| Total Nitrogen (Total Load, lbs) | Report | XXX | XXX | Report | XXX | XXX |
| | Report | Report | XXX | XXX | XXX | XXX |
| | Total Monthly | Annual | | | | |
| Net Total Nitrogen (Total Load, lbs) | Report | 216,739 | XXX | XXX | XXX | XXX |
| | Total Monthly | Total | | | | |
| | Report | Annual | | | | |
| Total Phosphorus (Total Load, lbs) | Report | XXX | XXX | Report | XXX | XXX |
| | Report | Report | XXX | XXX | XXX | XXX |
| | Total Monthly | Total | | | | |
| Net Total Phosphorus (Total Load, lbs) | Report | 27,092 | XXX | XXX | XXX | XXX |
| | Total Monthly | Total | | | | |
| | Report | Annual | | | | |
| Aluminum, Total | Report | XXX | XXX | Report | XXX | XXX |
| Iron, Total | Report | XXX | XXX | Report | XXX | XXX |
| Iron, Dissolved | Report | XXX | XXX | Report | XXX | XXX |
| Manganese, Total | Report | XXX | XXX | Report | XXX | XXX |
| Cobalt, Total | Report | XXX | XXX | Report | XXX | XXX |
| Copper, Total | Report | XXX | XXX | Report | XXX | XXX |
| Silver, Total | Report | XXX | XXX | Report | XXX | XXX |
| Zinc, Total | Report | XXX | XXX | Report | XXX | XXX |

The proposed effluent limits for Outfall 001 are based on a design flow of 8.9 MGD.

(From Permit Effective Date to 3 Years After Permit Effective Date)

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Ammonia-Nitrogen | Report | XXX | XXX | Report | XXX | XXX |
| Hexachlorobutadiene (µg/L) | Report | XXX | XXX | Report | XXX | XXX |
| Cyanide, Free (µg/L) | Report | XXX | XXX | Report | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | XXX | XXX | 1.6 |

The proposed effluent limits for Outfall 001 are based on a design flow of 8.9 MGD.

(From 3 Years After Permit Effective Date to Permit Expiration Date)

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Ammonia-Nitrogen | 204 | XXX | XXX | 2.75 | XXX | 5.5 |
| | 612 | XXX | XXX | 8.25 | XXX | 16.5 |
| Hexachlorobutadiene (µg/L) | 0.13 | XXX | XXX | 1.86 | 2.90 | 4.64 |
| Cyanide, Free (µg/L) | 0.60 | XXX | XXX | 8.1 | 12.7 | 20.3 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | XXX | XXX | 0.29 |

The proposed effluent limits for Outfall 101 are based on a design flow of 0 MGD (stormwater).

(From Permit Effective Date to Permit Expiration Date)

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| pH (S.U.) | XXX | XXX | Report | XXX | XXX | Report |
| Total Suspended Solids | XXX | XXX | XXX | XXX | XXX | Report |
| Oil and Grease | XXX | XXX | XXX | XXX | XXX | Report |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | XXX | XXX | Report |
| Iron, Total | XXX | XXX | XXX | XXX | XXX | Report |

The proposed effluent limits for Outfall 102 are based on a design flow of 0 MGD (stormwater).

(From Permit Effective Date to Permit Expiration Date)

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| pH (S.U.) | XXX | XXX | Report | XXX | XXX | Report |
| Total Suspended Solids | XXX | XXX | XXX | XXX | XXX | Report |
| Oil and Grease | XXX | XXX | XXX | XXX | XXX | Report |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | XXX | XXX | Report |
| Iron, Total | XXX | XXX | XXX | XXX | XXX | Report |

The proposed effluent limits for Outfall 103 are based on a design flow of 0 MGD (stormwater).

(From Permit Effective Date to Permit Expiration Date)

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| pH (S.U.) | XXX | XXX | Report | XXX | XXX | Report |
| Total Suspended Solids | XXX | XXX | XXX | XXX | XXX | Report |
| Oil and Grease | XXX | XXX | XXX | XXX | XXX | Report |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | XXX | XXX | Report |
| Iron, Total | XXX | XXX | XXX | XXX | XXX | Report |

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

| <i>Parameters</i> | <i>Mass Units (lbs)</i> | | <i>Monthly</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|--|-------------------------|---------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Monthly</i> | <i>Total Annual</i> | | <i>Monthly Average</i> | <i>Maximum</i> | |
| Total Nitrogen (Total Load, lbs) Effluent Net | XXX | 216,739 | XXX | XXX | XXX | XXX |
| (Total Load, lbs) Ammonia-Nitrogen (Total Load, lbs) | Report | Report | XXX | XXX | XXX | XXX |
| (Total Load, lbs) Total Phosphorus (Total Load, lbs) Effluent Net | Report | Report | XXX | See Above | XXX | See Above |
| | XXX | 27,092 | XXX | XXX | XXX | XXX |

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Maximizing Treatment at the Existing POTW
- Combined Sewer Overflows
- POTW Pretreatment Program Implementation
- Solids Management
- Water Quality-Based Effluent Limitations for Toxic Pollutants
- Whole Effluent Toxicity (WET)
- Requirements for Total Residual Chlorine (TRC)
- Requirements Applicable to Stormwater Outfalls
- High Flow Management Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0222798, Sewage, SIC Code 7011, **Westline Inn, Inc.**, P.O. Box 7156, Mount Jewett, PA 16740-7156. Facility Name: Westline Inn. This existing facility is located in Lafayette Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Kinzua Creek (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Total Nitrogen | XXX | XXX | XXX | Report Annl Avg | XXX | XXX |
| Total Phosphorus | XXX | XXX | XXX | Report Annl Avg | XXX | XXX |

The proposed effluent limits for Outfall 001 are based on a design flow of .004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 4.0 Inst Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC)— Interim | XXX | XXX | XXX | 1.4 | XXX | 3.2 |
| Total Residual Chlorine (TRC)— Final | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 10 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10 | XXX | 20 |
| Fecal Coliform (No./100 ml) Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ammonia-Nitrogen Nov 1 - Apr 30 | XXX | XXX | XXX | 9.0 | XXX | 18 |
| May 1 - Oct 31 | XXX | XXX | XXX | 3.0 | XXX | 6 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0223069, Sewage, SIC Code 4952, **Coolspring Jackson Lake Latonka Joint Authority**, 644A Franklin Road, Mercer, PA 16137. Facility Name: Coolspring Jackson Lake Latonka STP. This existing facility is located in Coolspring Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Cool Spring Creek (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--|-----------------------------|-----------------------|------------------|------------------------------|-----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 Daily Max | XXX |
| Dissolved Oxygen | XXX | XXX | 4.0 Daily Min | XXX | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Nov 1 - Apr 30 | 31.0 | 50.0 | XXX | 25.0 | 40.0 | 50 |
| May 1 - Oct 31 | 25.0 | 37.5 | XXX | 20.0 | 30.0 | 40 |
| Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent | Report | XXX | XXX | Report | XXX | XXX |
| Total Suspended Solids Raw Sewage Influent | Report | XXX | XXX | Report | XXX | XXX |

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|---------|-----------------------|----------------|--------|
| | Average Monthly | Weekly Average | | Average Monthly | Weekly Average | |
| Total Suspended Solids | 37.5 | 56.0 | XXX | 30.0 | 45.0 | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | Geo Mean 200 | XXX | 1,000 |
| Geo Mean | | | | | | |
| Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$) | XXX | XXX | XXX | Report | XXX | XXX |
| Total Nitrogen | Report | XXX | XXX | Report | XXX | XXX |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | 26.0 | XXX | XXX | 21.0 | XXX | 42 |
| May 1 - Oct 31 | 8.5 | XXX | XXX | 7.0 | XXX | 14 |
| Total Phosphorus | Report | XXX | XXX | Report | XXX | XXX |
| E. Coli (No./100 ml) | XXX | XXX | XXX | XXX | XXX | Report |

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0263745, Sewage, SIC Code 4952, 8811, **Thomas Henry Nolan**, 128 Dalmagro Road, Butler, PA 16002-9306. Facility Name: Nolan SFTF. This existing facility is located in Clearfield Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Buffalo Run (HQ-CWF), is located in State Water Plan watershed 18-F and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Weekly Average | | Annual Average | Maximum | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | Annl Avg | XXX | 6.0 | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | Inst Min XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0263788, Sewage, SIC Code 4952, 8811, **James Hitchcock**, 5916 US 62, Tionesta, PA 16353-4922. Facility Name: James Hitchcock SFTF. This existing facility is located in President Township, **Venango County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Allegheny River (CWF), is located in State Water Plan watershed 16-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Weekly Average | | Annual Average | Maximum | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | Annl Avg | XXX | 6.0 | XXX | XXX | 9.0 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | Inst Min XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0263796, Sewage, SIC Code 4952, 8800, **Robert J. Rylands Jr**, 4850 Middle Road, Allison Park, PA 15101-1118. Facility Name: Robert J. Rylands Properties. This existing facility is located in Tionesta Township, **Forest County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Allegheny River (WWF), is located in State Water Plan watershed 16-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Maximum | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 Geo Mean | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0264342, Sewage, SIC Code 4952, 8800, **Dennis & Linda Desilvey**, 211 Gearhart Road, Pulaski, PA 16143-1307. Facility Name: Dennis & Linda Desilvey SRSTP. This existing facility is located in Shenango Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Buchanan Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Annual Average | Maximum | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| Effluent Net | Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288942, Sewage, SIC Code 8800, **Thomas F. Huff**, 1025 Fenton Road, Indiana, PA 15701-5741. Facility Name: Thomas Huff SRSTP. This proposed facility is located in White Township, **Indiana County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary 44103 of Cherry Run (CWF), is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0006 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0288969, Sewage, SIC Code 8800, **Brandon Dagues**, 431 Tieline Road, Grove City, PA 16127-6115. Facility Name: Brandon Dagues SRSTP. This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Wolf Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289175, Sewage, SIC Code 8800, **Roger L. Brown**, 17930 Station Road, Centerville, PA 16404-6756. Facility Name: Roger L. Brown SFTF. This proposed facility is located in Rome Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Oil Creek (CWF), is located in State Water Plan watershed 16-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0087637, Sewage, SIC Code 6515, **Kathy Rodas**, 1190 Wyndsong Drive, York, PA 17403-4492. Facility Name: Mountain View Terrace MHP. This existing facility is located in Upper Frankford Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Conodoguinet Creek (WWF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Nitrate-Nitrite as N | XXX | Report | XXX | XXX | Report | XXX |
| Total Nitrogen | XXX | Daily Max | XXX | XXX | Daily Max | XXX |
| Total Kjeldahl Nitrogen | XXX | Report | XXX | XXX | Report | XXX |
| | | Daily Max | | | Daily Max | |

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min | XXX | XXX | XXX |
| | | | 5.0 | | | |
| Total Residual Chlorine (TRC) | XXX | XXX | Daily Min | 0.14 | XXX | 0.46 |
| Carbonaceous Biochemical | | | XXX | | | |
| Oxygen Demand (CBOD ₅) | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 20.0 | XXX | 40 |
| May 1 - Oct 31 | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 | XXX | 1,000 |
| | | | | Geo Mean | | |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 9.0 | XXX | 18 |
| May 1 - Oct 31 | XXX | XXX | XXX | 3.0 | XXX | 6 |
| Total Phosphorus | XXX | XXX | XXX | 1.0 | XXX | 2 |

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| E. Coli (No./100 ml) | XXX | XXX | XXX | XXX | XXX | Report |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267198, Sewage, SIC Code 8811, **Carey L Lightner**, 7072 Diamond Valley Road, Alexandria, PA 16611. Facility Name: Lightner Property. This proposed facility is located in Logan Township, **Huntingdon County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Reeds Run (HQ-CWF, MF), is located in State Water Plan watershed 11-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | Annl Avg | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267279, Sewage, SIC Code 1521, **Henry Thurston Griswold**, 4760 Cold Springs Road, Huntingdon, PA 16652-3156. Facility Name: Thurston Griswold Res. This proposed facility is located in Oneida Township, **Huntingdon County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Standing Stone Creek (HQ-CWF, MF), is located in State Water Plan watershed 11-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 15.0 | XXX | XXX |
| May 1 - Oct 31 | XXX | XXX | XXX | Avg Mo 5.0 | XXX | XXX |
| | | | | Avg Mo | | |

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | Annl Avg | XXX | 5.0 | XXX | XXX | 9.0 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | Inst Min XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0036447, Industrial, SIC Code 8731, **Naval Surface Warfare Center Philadelphia Division**, 5001 South Broad Street, Philadelphia, PA 19112-1403. Facility Name: Naval Surface Warfare Center. This existing facility is located in Philadelphia City, **Philadelphia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Naval Reserve Basin and Delaware River, is located in State Water Plan watershed 3-F, 3-J, and are classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for IMP 101 are based on a design flow of 72 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|--------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | 9.0 | XXX |
| Temperature (deg F) (°F) | XXX | XXX | XXX | XXX | XXX | 110 |

The proposed effluent limits for IMP 105 are based on a design flow of 0.55 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | 9.0 | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.2 |
| Temperature (deg F) (°F) | XXX | XXX | XXX | XXX | XXX | 110 |
| Total Dissolved Solids | XXX | XXX | XXX | 750 | XXX | XXX |
| Iron, Total | XXX | XXX | XXX | Report | XXX | XXX |

The proposed effluent limits for IMP 205 are based on a design flow of 0.045 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | 9.0 | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |

The proposed effluent limits for Outfall 003 and 004 are based on stormwater.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Total | XXX | XXX | XXX | XXX | Report | XXX |

In addition, the permit contains the following major special conditions:

- I. Other Requirements
 - A. Property Rights
 - B. Sludge Disposal
 - C. WQM Permit
 - D. BAT/BCT Development
 - E. No Net additions of Pollutants to NCW
 - F. No PCB Discharges
 - G. DRBC Approval for Thermal Load Mitigations
- II. Chemical Additives
- III. Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0057657, Sewage, SIC Code 4941, **Kendal Crosslands Communities**, P.O. Box 100, Kennett Square, PA 19348-0100. Facility Name: Kendall Crosslands STP. This existing facility is located in Kennett Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Bennetts Run (WWF, MF) and Unnamed Tributary to Bennetts Run (WWF, MF), is located in State Water Plan watershed 3-H and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .125 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | Inst Min | 0.06 | XXX | 0.2 |

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|-------------------|---------|-----------------------|-------------------|-------|
| | Average Monthly | Average Weekly | | Average Monthly | Maximum | |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 21 | XXX | XXX | 20 | XXX | 40 |
| Total Suspended Solids | 21 | XXX | XXX | 20 | XXX | 40 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | 1,000 |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | 6.3 | XXX | XXX | 6.0 | XXX | 12 |
| May 1 - Oct 31 | 2.1 | XXX | XXX | 2.0 | XXX | 4 |
| Total Phosphorus | 2.1 | XXX | XXX | 2.0 | XXX | 4 |
| Copper, Total | 0.013 | 0.025 | XXX | 0.012 | 0.024 | 0.03 |
| Zinc, Total | 0.08 | Daily Max 0.17 | XXX | 0.08 | Daily Max 0.16 | 0.2 |
| | | Daily Max | | | Daily Max | |

In addition, the permit contains the following major special conditions:

- Optimization of Chlorine dosages
- Notification of designation of responsible operator
- Emergency discharge only
- Solids management for lagoon system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0096733, Sewage, SIC Code 4952, **Maheep Goyal**, 240 Mingo Road, Royersford, PA 19468. Facility Name: Pleasant View MHP STP. This existing facility is located in Saltlick Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Indian Creek (HQ-CWF), is located in State Water Plan watershed 19-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.024 MGD.—Interim Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------------------|--------|
| | Average Monthly | Average Weekly | | Average Monthly | Maximum | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min 4.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60.0 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | Geo Mean 200 | XXX | 1,000 |
| Ammonia-Nitrogen | XXX | XXX | XXX | Report | XXX | Report |
| Total Nitrogen | XXX | XXX | XXX | XXX | Report Daily Max | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Report Daily Max | XXX |

The proposed effluent limits for Outfall 001 are based on a design flow of 0.024 MGD.—Final Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------|----------------------|----------------|----------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Maximum | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| | | | Inst Min | | | |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Dissolved Oxygen | XXX | XXX | 4.0 Inst Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | XXX | XXX | 0.02 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60.0 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ammonia-Nitrogen | XXX | XXX | XXX | Report | XXX | Report |
| Total Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Daily Max Report Daily Max | XXX |

In addition, the permit contains the following major special conditions:

- Other Requirements
- Schedule of Compliance
- TRC Effluent Limitations Below Quantitation Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0096903, Sewage, SIC Code 6515, **G & G Mobile Home Sales**, 23 Oakridge Heights Drive, Oakdale, PA 15071-3914. Facility Name: Hidden Valley Estates. This existing facility is located in Robinson Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Little Raccoon Run, is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|------------------|------------------------------|----------------------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 Daily Max | XXX |
| Dissolved Oxygen | XXX | XXX | 4.0 Daily Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 25.0 | XXX | 50 |
| May 1 - Oct 31 | XXX | XXX | XXX | 15.0 | XXX | 30 |
| E. Coli (No./100 ml) | XXX | XXX | XXX | XXX | XXX | Report |
| Total Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Daily Max Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | XXX | Daily Max Report Daily Max | XXX |

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------------|----------------------|----------------|---------|-----------------------|------------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Maximum Daily | |
| Iron, Total | XXX | XXX | XXX | XXX | Report Daily Max | XXX |
| Manganese, Total | XXX | XXX | XXX | XXX | Report Daily Max | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0098973, Sewage, SIC Code 4952, **Conemaugh Township Somerset County**, 1120 Tire Hill Road, Johnstown, PA 15905-7707. Facility Name: Benson STP. This existing facility is located in Paint Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Stonycreek River (WWF), is located in State Water Plan watershed 18-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1597 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Average Monthly | Concentrations (mg/L) | | IMAX |
|---|----------------------|------------------|-----------------|-----------------------|---------------|--------|
| | Average Monthly | Weekly Average | | Monthly | Daily Maximum | |
| Flow (MGD) | 0.1597 | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 4.0 Inst Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 33 | 50 | 25.0 | 38.0 | 50.0 | 50 |
| Raw Sewage Influent | Report | Report Daily Max | XXX | Wkly Avg Report | Report | XXX |
| Total Suspended Solids Raw Sewage Influent | Report | Report Daily Max | XXX | Report | Report | XXX |
| Total Suspended Solids | 40 | 60 | 30.0 | 45.0 Wkly Avg | 60.0 | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Total Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Ammonia-Nitrogen | XXX | XXX | XXX | Report | Report | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Report | XXX |

Sludge use and disposal description and location(s): landfill

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0008222, Industrial, SIC Code 3274, **Graymont (PA) Inc.**, 375 Graymont Road, Bellefonte, PA 16823-6869. Facility Name: Graymont (PA) Inc.—Bellefonte Plant. This existing facility is located in Spring Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Buffalo Run (CWF), is located in State Water Plan watershed 9-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.208 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------|----------------------|------------------|-----------------|-----------------------|---------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Maximum Daily | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |

The proposed effluent limits for Outfall 002 are based on a design flow of 0.236 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 | XXX | XXX | 9.0 |
| Total Suspended Solids | XXX | XXX | Inst Min XXX | 30.0 | 60.0 | 75 |
| Oil and Grease | XXX | XXX | XXX | 15.0 | XXX | 30.0 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0113280, Industrial, SIC Code 8221, **The Pennsylvania State University**, Room 139J Office of Physical Plant Building, University Park, PA 16802-1118. Facility Name: Breazeale Reactor. This existing facility is located in State College Borough, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Slab Cabin Run, is located in State Water Plan watershed 9-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point 101 are:

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 | XXX | XXX | 9.0 |
| Gross Alpha Radioactivity (pCi/L) | XXX | XXX | Inst Min XXX | Report | XXX | XXX |
| Beta, Total (pCi/L) | XXX | XXX | XXX | Report | XXX | XXX |

The proposed effluent limits for Internal Monitoring Point 103 are:

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 | XXX | XXX | 9.0 |
| | | | Inst Min | | | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|---------------------------|-------------------------|---|--|---------------|
| PAD510200 | New | BHB Group Investment LLC P.O. Box 521 Wynnewood, PA 19006 | City of Philadelphia Philadelphia County | SERO |
| PAD150211 | New | Phoenixville Borough 1351 Bridge Street Phoenixville, PA 19460 | Phoenixville Borough Chester County | SERO |
| PAD150213 | New | DeLuca Signature, LP 370 East Maple Avenue Suite 101 Langhorne, PA 19047 | Wallace Township Chester County | SERO |
| PAD390190 | New | County of Lehigh 17 S. 7th Street Allentown, PA 18101 | South Whitehall Township Lower Macungie Township Lehigh County | NERO |

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|---------------------------|-------------------------|--|--|---|
| PAD380014 | New | Mt. Pleasant Ventures, LLC 1310 Mount Pleasant Road Lebanon, PA 17042 | North Lebanon Township Lebanon County | SCRO |
| PAD060051 | New | Alan Griesemer 1318 Jackson Street Philadelphia, PA 19148-2930 | Pike Township Berks County | SCRO |
| PAD110010 | New | Westmont Hilltop School District 222 Fair Oaks Drive Johnstown, PA 15905 | Upper Yoder Township Cambria County | Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120 |
| PAD690002 | New | PADEP/BAMR 13th Floor 400 Market Street P.O. Box 69205 Harrisburg, PA 17106-9205 | West Branch Township Potter County | DEP, Bureau of Abandoned Mine Reclamation 13th Floor 400 Market Street P.O. Box 69205 Harrisburg, PA 17106-9205 717-783-2267 |

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

ACT 38 NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal/ New</i> |
|--|---------------|--------------------|--------------------------------|--------------------|---|---------------------|
| Aaron Warner 18826 New Fording Road Broad Top, PA 16621 | Huntingdon | 167.3 | 716.05 | Swine | N/A | Renewal |
| Nelson Ziegler Nelson Ziegler Poultry Opr 1660 N State Route 934 Annville, PA 17003 | Lebanon | 104 | 296.78 | Broilers | NA | New |

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 1521504, Public Water Supply.

| | |
|---------------------------|--|
| Applicant | Daddy O's Restaurant 1761 New London Road Kemblersville, PA 19347 |
| Township | Franklin |
| County | Chester County |
| Responsible Official | Charles Weir |
| Type of Facility | PWS |
| Consulting Engineer | J. S. Madaras Consulting, LLC 250 Indian Lane Boyertown, PA 19512 |
| Application Received Date | March 22, 2021 |
| Description of Action | A permit for existing reduction system. |

Permit No. 5121501, Public Water Supply.

| | |
|-----------|---|
| Applicant | The Schuylkill Center for Environmental Education 8480 Hagy's Road Philadelphia, PA 19128-1938 |
| City | Philadelphia |

| | |
|--|--|
| City | Philadelphia County |
| Responsible Official | Mike G. Weillbacher 8480 Hagy's Road Philadelphia, PA 19128-1938 |
| Type of Facility | PWS |
| Consulting Engineer | CSC Technology 170 Netherwood Drive West Brandywine, PA 19320 |
| Application Received Date | March 30, 2021 |
| Description of Action | Corrosion control lead/copper amendment. |
| Permit No. 0921503 , Public Water Supply. | |
| Applicant | Pine Run Community 777 Ferry Road Doylestown, PA 18901-2102 |
| Township | Doylestown |
| County | Bucks County |
| Responsible Official | Maria Santangelo |
| Type of Facility | PWS |
| Consulting Engineer | Environmental Guidance & Solutions P.O. Box 261 Lafayette Hill, PA 19444 |
| Application Received Date | March 29, 2021 |
| Description of Action | Secondary treatment of hot potable water using chlorine disinfectant. |

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3120503, Public Water Supply.

| | |
|-----------------------|---|
| Applicant | Alexandria Borough Water Authority |
| Municipality | Alexandria Borough |
| County | Huntingdon County |
| Responsible Official | Kenneth Bost Chairman 7561 Fridge Street Suite No. 3 P.O. Box 336 Alexandria, PA 16611 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Christopher M. Eckenrode, P.E. Gwin, Dobson & Foreman, Inc. 3121 Fairway Drive Altoona, PA 16602 |
| Application Received: | June 10, 2020 |
| Description of Action | Water treatment facility upgrades, waterline and meter replacements, and reservoir and intake upgrades. |

Permit No. 0720507, Public Water Supply.

| | |
|--------------|--|
| Applicant | Greenfield Township Municipal Authority |
| Municipality | Greenfield Township |
| County | Blair County |

Responsible Official Jonathan Furry
Chairman
1342 Bedford Street
P.O. Box 372
Claysburg, PA 16625

Type of Facility Public Water Supply

Consulting Engineer John C. Clabaugh, P.E.
Stiffler, McGraw and
Associates, Inc.
1731 N Juniata Street
Hollidaysburg, PA 16648

Application Received: December 2, 2020

Description of Action New well, disinfection, and 4-log
treatment of viruses

Permit No. 0620519, Public Water Supply.

Applicant **Gaspari Farms Inc.**

Municipality Muhlenberg Township

County **Berks County**

Responsible Official Mark Gaspari, President
670 Clauss Road
Lenhartsville, PA 19534

Type of Facility Public Water Supply

Consulting Engineer James P. Cinelli, P.E.
Liberty Environmental Inc.
505 Penn Street
Reading, PA 19601

Application Received: October 1, 2020

Description of Action Installation of nitrate treatment.

Permit No. 6720513, Public Water Supply.

Applicant **The York Water Company**

Municipality Springfield Township

County **York County**

Responsible Official Mark S. Snyder
Engineering Manager
130 East Market Street
P.O. Box 15089
York, PA 17405-7089

Type of Facility Public Water Supply

Consulting Engineer Steven Metzler, P.E.
The York Water Company
130 East Market Street
York, PA 17401

Application Received: October 29, 2020

Description of Action Replacement of booster pumps at
existing Loganville booster
pumping station.

Permit No. 0620524, Public Water Supply.

Applicant **Niagara Bottling LLC**

Municipality Hamburg Borough

County **Berks County**

Responsible Official Tiffany Moseley
Director of Regulatory Affairs &
Compliance
1440 Bridgegate Drive
Diamond Bar, CA 91765

Type of Facility Public Water Supply

Consulting Engineer Holly R. Evans, P.E.
Evans Engineering Inc.
2793 Old Post Road
Harrisburg, PA 17110

Application Received: November 10, 2020

Description of Action Removal of the existing 1-gallon
filling line and installation of
new 8-liter "bag in a box" filling
line.

Permit No. 0720507, Public Water Supply.

Applicant **Greenfield Township
Municipal Authority**

Municipality Greenfield Township

County **Blair County**

Responsible Official Jonathan Furry
Chairman
1342 Bedford Street
P.O. Box 372
Claysburg, PA 16625

Type of Facility Public Water Supply

Consulting Engineer John C. Clabaugh, P.E.
Stiffler, McGraw and
Associates, Inc.
1731 N Juniata Street
Hollidaysburg, PA 16648

Application Received: December 2, 2020

Description of Action New well, disinfection, and 4-log
treatment of viruses

Permit No. 3420504, Public Water Supply.

Applicant **Thompsontown Municipal
Authority**

Municipality Thompsontown Borough

County **Juniata County**

Responsible Official Roger Stutts
Manager
P.O. Box 154
Thompsontown, PA 17904

Type of Facility Public Water Supply

Consulting Engineer Brian L. Book, P.E.
CB3 Solutions, LLC
1161 Seibert Road
Bellefonte, PA 16823

Application Received: December 30, 2020

Description of Action Installation of a booster pump
station

Permit No. 2820515, Public Water Supply.

Applicant **Chambersburg Borough**

Municipality Greene Township

County **Franklin County**

Responsible Official Lance D. Anderson
Water/Sewer Superintendent
100 South Second Street
Chambersburg, PA 17201

Type of Facility Public Water Supply

Consulting Engineer Chad M. Angle, P.E.
GHD Inc
1240 North Mountain Road
Harrisburg, PA 17112

Application Received: December 30, 2020
 Description of Action Use of a PACl polymer for coagulation improvement

Permit No. 3620549, Public Water Supply.

Applicant **Central Manor Church of God**

Municipality Manor Township
 County **Lancaster County**
 Responsible Official Matthew A. Kautz
 Building & Grounds Chairperson
 387 Penn Street
 Washington Borough, PA 17582

Type of Facility Public Water Supply
 Consulting Engineer Charles A. Kehew II, P.E.
 James R. Holley & Associates, Inc.
 18 South George Street
 York, PA 17401

Application Received: December 30, 2020
 Description of Action Installation of nitrate and hardness removal facilities.

Permit No. 3621501, Public Water Supply.

Applicant **Perdue AgriBusiness, LLC**

Municipality Conoy Township
 County **Lancaster County**
 Responsible Official Sharon Clark
 Senior Vice President
 Regulatory Affairs
 6906 Zion Church Road
 Salisbury, MD 21804

Type of Facility Public Water Supply
 Consulting Engineer Brian C. Bonner, P.E.
 ARM Group Inc
 2548 Park Center Blvd
 State College, PA 16801

Application Received: January 6, 2021
 Description of Action Installation of Well AP-2, softening, carbon filtration, and ultraviolet disinfection.

Permit No. 3621503, Public Water Supply.

Applicant **Welsh Mountain Home**

Municipality Salisbury Township
 County **Lancaster County**
 Responsible Official Mona Frey
 Executive Director
 567 Springville Road
 New Holland, PA 17557

Type of Facility Public Water Supply
 Consulting Engineer Jeffrey W. Sweater, P.E.
 ELA Group Inc.
 743 S Broad Street
 Lititz, PA 17543

Application Received: January 13, 2021
 Description of Action Well No. 2

Permit No. 3621502, Public Water Supply.

Applicant **Valley Proteins, Inc.**

Municipality East Earl Township
 County **Lancaster County**
 Responsible Official Christopher M. Buckley
 General Manager
 693 Wide Hollow Road
 East Earl, PA 17519

Type of Facility Public Water Supply
 Consulting Engineer Charles A. Kehew II, P.E.
 James R. Holley & Associates, Inc.
 18 South George Street
 York, PA 17401

Application Received: January 13, 2021
 Description of Action Application for a nitrate removal system.

Permit No. 2221501, Public Water Supply.

Applicant **Susquehanna Regional Airport Authority**

Municipality Lower Swatara Township
 County **Dauphin County**
 Responsible Official Timothy Edwards Director of Aviation
 One Terminal Drive
 Suite 300
 Middletown, PA 17057-5048

Type of Facility Public Water Supply
 Consulting Engineer Max E. Stoner, P.E.
 Glace Associates, Inc.
 3705 Trindle Rd
 Camp Hill, PA 17011

Application Received: January 27, 2021
 Description of Action Installation of a treatment system for the treatment of PFCs utilizing granular activated carbon and the removal of the existing air stripping towers.

Permit No. 0621501, Public Water Supply.

Applicant **Borough of Boyertown**

Municipality Boyerstown Borough
 County **Berks County**
 Responsible Official Patricia A. Loder
 Manager
 100 S Washington Street
 Boyertown, PA 19512

Type of Facility Public Water Supply
 Consulting Engineer Ryan R. Troutman, P.E.
 The Pidcock Company
 2451 Parkwood Drive
 Allentown, PA 18103

Application Received: January 21, 2021
 Description of Action Turbidimeter replacement.

Permit No. 0621502, Public Water Supply.

Applicant **Dunkin Donuts**

Municipality Richmond Township
 County **Berks County**

Responsible Official Arun Mandi
Francise Owner
60 Farmers Drive
Fleetwood, PA 19522

Type of Facility Public Water Supply

Consulting Engineer Scott M. Rights, P.E.
Steckbeck Engineering
Associates
279 N Zinns Mill Rd
Lebanon, PA 17042

Application Received: January 21, 2021

Description of Action Treatment improvements including water softening, nitrate removal, UV disinfection with pre-filtering, and finished water storage and booster pump system.

Permit No. 0621503, Public Water Supply.

Applicant **Giorgio Foods, Inc.**

Municipality Maiden creek Township

County **Berks County**

Responsible Official Christopher Gordon
Director—Environmental,
Health & Safety
P.O. Box 96
Temple, PA 19560

Type of Facility Public Water Supply

Consulting Engineer Jamie Lorah, P.E.
Spotts Stevens & McCoy
1047 North Park Road
Reading, PA 19610

Application Received: February 8, 2021

Description of Action Modifications to the potable water storage tanks and softener system.

Permit No. 3621506, Public Water Supply.

Applicant **Green Acres
Mobile Home Park**

Municipality West Earl Township

County **Lancaster County**

Responsible Official Irvin H. Peifer
Owner
P.O. Box 506
Elizabethown, PA 17022

Type of Facility Public Water Supply

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley &
Associates, Inc.
18 South George Street
York, PA 17401

Application Received: February 8, 2021

Description of Action Installation of iron & manganese treatment and 4-log contact piping.

Permit No. 0621505, Public Water Supply.

Applicant **Longswamp United Church
of Christ**

Municipality Longswamp Township

County **Berks County**

Responsible Official Laurie Heagy
Board Member
200 Clay Road
Mertztown, PA 19539

Type of Facility Public Water Supply

Consulting Engineer Jeremy S. Madaras, P.E.
J.S. Madaras Consulting LLC
250 Indian Lane
Boyertown, PA 19512

Application Received: February 23, 2021

Description of Action Proposed replacement of existing UV system with a sodium hypochlorite disinfection system to provide for 4-Log treatment of viruses.

Permit No. 3621511, Public Water Supply.

Applicant **Bible Fellowship Church of
Ephrata**

Municipality West Earl Township

County **Lancaster County**

Responsible Official Garth H. Bulgrien
Deacon Chairman
P.O. Box 299
Ephrata, PA 17522

Type of Facility Public Water Supply

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley &
Associates, Inc.
18 South George Street
York, PA 17401

Application Received: March 3, 2021

Description of Action Proposed new storage tank and 4-Log treatment of viruses.

Permit No. 0121502, Public Water Supply.

Applicant **Adams Rescue Mission, Inc.**

Municipality Straban Township

County **Adams County**

Responsible Official James E. Staub
Director of Men's Ministries
2515 York Road
Gettysburg, PA 17325

Type of Facility Public Water Supply

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley &
Associates, Inc.
18 South George Street
York, PA 17401

Application Received: March 3, 2021

Description of Action Proposed replacement of jet pump and replacement of existing UV system with a chlorination system to provide for 4-Log treatment of viruses.

Permit No. 3621512 MA, Minor Amendment, Public Water Supply.

Applicant **Manheim Area Water &
Sewer Authority**

Municipality Manheim Borough
 County **Lancaster County**
 Responsible Official Terry Shaffer
 Authority Manager
 18 East High Street
 Manheim, PA 17545

Type of Facility Public Water Supply

Consulting Engineer Jason G. Saylor, P.E.
 Utility Service Company Inc
 1230 Peachtree Street NE
 Atlanta, GA 30309

Application Received: March 2, 2021

Description of Action Interior repainting of the Big and Small finished water storage tanks.

Permit No. 0121501 MA, Minor Amendment, Public Water Supply.

Applicant **Gettysburg Municipal Authority**

Municipality Cumberland Township
 County **Adams County**
 Responsible Official Mark Guise
 Manager
 601 E Middle Street
 Gettysburg, PA 17325-3307

Type of Facility Public Water Supply

Consulting Engineer Daniel Cargnel, P.E.
 Buchart Horn Inc.
 3700 Koppers Street
 Baltimore, MD 21227

Application Received: February 17, 2021

Description of Action Replacement of the filter media.

Permit No. 0621507, Public Water Supply.

Applicant **Giorgi Mushroom Company**

Municipality Maiden creek Township

County **Berks County**

Responsible Official Joe Caldwell
 President
 P.O. Box 96
 Temple, PA 19560

Type of Facility Public Water Supply

Consulting Engineer James P. Cinelli, P.E.
 Liberty Environmental, Inc.
 50 North Street
 Reading, PA 19601

Application Received: February 23, 2021

Description of Action Installation of nitrate removal treatment.

Permit No. 0621506, Public Water Supply.

Applicant **Giorgi Mushroom Company**

Municipality Maiden creek Township

County **Berks County**

Responsible Official Mike Vallonio
 Farm Manager
 1161 Park Road (rear)
 Reading, PA 19510

Type of Facility Public Water Supply

Consulting Engineer James P. Cinelli, P.E.
 Liberty Environmental Inc
 505 Penn Street
 Reading, PA 19601

Application Received: February 23, 2021

Description of Action Installation of nitrate removal treatment.

Central Office: Bureau Director, Bureau of Safe Drinking Water, P.O. Box 8467, Harrisburg, PA 17105-8467.

Permit No. 9996620, Public Water Supply.

Applicant **Niagara Bottling, LLC**
 1250 Whitaker Road
 Plainfield, IN 46168

Responsible Official Andy Peykoff II

Type of Facility Out of State Bottled Water System

Application Received Date March 25, 2021

Description of Action Application to include Rock Spring as a new source of supply for the bottled water system, as well as approval to sell 1-gallon bottles listed under Enon Springs, Freedom's Choice, Holiday, Kroger, Mills Fleet Farm, Nature's Promise, and Niagara.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

5813 Little Ireland Road, 5813 Little Ireland Road, Starrucca, PA 18465, Thompson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Gloria Magnus, 5813 Little Ireland Road, Starrucca, PA 18465, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of gasoline from an aboveground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on February 17, 2021.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

76 Lenwood Park, Shippensburg, PA 17257, Shippensburg Borough, **Franklin County**. AMO Environmental Decisions, Inc., 875 North Easton Road, Suite 10, Doylestown, PA 18902, on behalf of Leffler Energy, 669 East Ross Street, Lancaster, PA 17602, and Ester Martin, 5874 Gabrielle Lane, Chambersburg, PA 17202, submitted a Notice of Intent to Remediate site soil contaminated with No. 2 fuel oil. The site will be remediated to the residential Statewide health standard. Future use of the site is for residential purposes. The Notice of Intent to Remediate was published in *The Sentinel* on March 16, 2021.

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Cornerstone Automotive, 1301 Chester Pike, Crum Lynne, PA 19022, Ridley Township, **Delaware County**. Paul White, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Brian Hoffman, Cornerstone Automotive, 1301 Chester Pike,

Crum Lynne, PA 19022 submitted a Notice of Intent to Remediate. Site groundwater has been impacted by VOCs related to historic gasoline filling operations. The site is currently operating as an automotive repair shop and the intended future use of the property is to continue automotive repair operations. The proposed cleanup standard for the site is Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *The Daily Times and The Sunday Times* on February 12, 2021.

Commercial Property, 1140 Old York Road, Abington, PA 19001, Abington Township, **Montgomery County**. Joseph T. Jacobsen, Ph.D., P.G., Intex Environmental Group, Inc., 33 Appletree Lane, Pipersville, PA 18947 on behalf of Rich Hasson, American Heritage Federal Credit Union, 2060 Red Lion Road, Philadelphia, PA 19115 submitted a Notice of Intent to Remediate. Soil has been contaminated with the release of unleaded gasoline compounds. The intended future use of the property will be commercial. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Montgomery News Digital* on February 21, 2021.

La Azteca, Inc., 815 & 821 Bristol Avenue, Bristol, PA 19007, Bristol Borough, **Bucks County**. John C. Lydzinski, PG, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Roy Fleming, Geo T. Fleming & Sons, 821 Route 13, Bristol, PA 19007 submitted a Notice of Intent to Remediate. Soil has been contaminated with lead. The site will continue to be used for non-residential purposes. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on February 26, 2021.

Barrett Playground Redevelopment, 641 Lindley Avenue, Philadelphia, PA 19120, City of Philadelphia, **Philadelphia County**. Jennifer L. Gresh, P.G., Duffield Associates, Inc., 211 North 13th Street, Suite 702, Philadelphia, PA 19107 on behalf of Zakariyya Abdur-Rahman, Nicetown Community Development Corporation, 4414 Germantown Avenue, Philadelphia, PA 19140 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with the release of VOCs, SVOCs, PCBs, pesticides, inorganics, vanadium, benzo(a)-pyrene. The site has been used primarily for recreational purposes and is expected to continue to be used for recreational purposes. The proposed cleanup standard for the site is Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *Philadelphia Tribune* on March 7, 2021.

Keystone Trade Center—Lot 24, Southeast intersection of Sinter Road and Sessa Circle, Fairless Hills, PA 19067, Falls Township, **Bucks County**. Jeffrey A. Smith, PG, Langan Engineering and Environmental Service Inc., 1818 Market Street, Suite 3300, Philadelphia, PA 19103 on behalf of Andy Mace, NP Falls Township Industrial, LLC, 4825 NW 41st Street, Suite 500, Riverside, MO 64150 submitted a Notice of Intent to Remediate. Soil has been contaminated with the release of VOCs, SVOCs, PCBs, metals, iron and vanadium. The KTC property, including the site is currently zoned for Materials Processing and Manufacturing use. The future use will involve storage, manufacturing, and industrial uses, and the property is deed restricted to non-residential use. The proposed cleanup standard for the site is Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on March 11, 2021.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Applications Received, Withdrawn, Denied or Returned under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application PAD981038227-A211. World Resources Company, 984 West Broadway, Suite 3, Jackson, WY 83001. A permit renewal application for the continued operation of a hazardous waste treatment and storage facility located in Norwegian Township, **Schuylkill County**. The application was received by the Northeast Regional Office on March 9, 2021 and accepted as administratively complete on March 29, 2021.

DETERMINATION OF APPLICABILITY UNDER RESIDUAL WASTE GENERAL PERMITS

Application(s) Received for Registration Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit Application No. WMGR123SW052. Range Resources—Appalachia, LLC, 3000 Town Center Blvd, Canonsburg, PA 15317. The site address is 331 Eldersville Rd, Burgettstown, PA 15021, Jefferson Township, **Washington County**. The Department received a new application for coverage under General Permit No. WMGR123. This general permit is for the processing, transfer, and beneficial use of oil and gas liquid waste to develop or hydraulically fracture an oil or gas well. The application was determined to be administratively complete on March 24, 2021.

Comments concerning the application should be directed to Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Persons interested in obtaining more information about the general permit application may contact the Southwest Regional Office (412) 442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

General Permit No. WMGR047SW002. Cosmos Technologies, Inc., 700 River Avenue, Suite 412, Pittsburgh, PA 15212. A Determination of Applicability to operate under residual waste general permit WMGR047 for the beneficial use of metal alloy slag residual aggregate as acid mine drainage treatment plant feed stock at the Cosmos Technologies Rondell-Correal Discharge facility in Saltlick Township, **Fayette County**, was approved in the Regional Office on March 26, 2021.

Persons interested in reviewing the general permit may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA

15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Permit Application No. 400658. Hatfield Township Municipal Auth, 3200 Advance Lane, Colmar, PA 18915-9766. This permit is for the ten-year renewal to continue operation under Solid Waste Permit No. 400658 at the Hatfield Township Municipal Authority Wastewater Treatment facility, an existing sewage sludge incinerator, located at 3200 Advance Lane, Colmar, PA 18915-9766, in Hatfield Township, **Montgomery County**. The permit application was received by the Southeast Regional Office on March 22, 2021.

Comments concerning the application should be directed to the Waste Management Program Manager, Department of Environmental Protection (DEP) Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the (DEP) through the Pennsylvania Hamilton Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional

Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

09-0142F: Bank of America National Association (35 Runaway Drive, Levittown, PA 19057-4700). Revises the monitoring and reporting condition language pertaining to the pressure drop limits applicable to Source ID(s): 101 and 102 to comply with 40 C.F.R. 63, Subpart ZZZZ and to establish the intent to use these revisions as indicators of proper catalyst maintenance at their data center facility in Bristol Township, **Bucks County**. The application also requests other minor clarifications to permit conditions. As a result of potential emissions of NO_x and VOC, the facility is a State-Only facility. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional

Office through the contact person listed in the previously listed header. Comments on the draft permit (or plan approval) can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

49-00063B: Renewal Processing, Inc. (10705 State Route 44, Watsontown, PA 17777) for the modification of the facility's bakery waste rotary dryer to reestablish emission limitations for nitrogen oxides, carbon monoxide and particulate matter, as well as for the installation of a cartridge collector and a regenerative thermal oxidizer, at their facility to be located in Lewis Township, **Northumberland County**. The Department of Environmental Protection's (Department) review of the information submitted by Renewal Processing, Inc. indicates that the air contamination source to be modified and control devices to be installed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed modification and installation. The emissions from the proposed source included in this project will not exceed the following limits: 45.50 tons of nitrogen oxides per year, 20.65 tons of carbon monoxide per year, 8.05 tons of volatile organic compounds per year, 3.50 tons of sulfur oxides per year and 13.30 tons of particulate matter (including PM₁₀) per year. In addition to the emission limitation, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: The rotary dryer shall not be operated more than 7,000 hours per year and the regenerative thermal oxidizer shall be maintain at a minimum operating temperature of 1,600° F at all times bakery waste materials are being processed. The facility is a State Only facility. If the Department determines that the source is modified and control devices are installed, and all operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 49-00063B, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to 25 Pa. Code § 127.421. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.3636.

14-00003: Pennsylvania State University (101 Physical Plant Bldg, University Park, PA 16802) for a significant permit modification pursuant to 25 Pa. Code § 127.541 for the University Park Campus located in College Township and State College Borough, **Centre County**. PSU has submitted a significant operating permit modification application to establish that the carbon monoxide (CO) emissions from New Boilers # 1 and # 2 at the West Campus Steam Plant which are generated during startup and shutdown are not included in the 30-day rolling average emission limits established for these boilers in the TVOP. The Department determined that during startup and shutdown the boilers will comply with work practice standards, including conduct-

ing startups and shutdowns in accordance with manufacturer guidelines and limiting the duration to a maximum of six hours, to ensure compliance with Best Available Technology requirements. The Department is requiring CO emissions generated during startup and shutdown to be counted towards the annual limits for each boiler. There are no proposed changes to the short-term, 30-day, or annual emission limits in the TVOP. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements pertaining to these sources have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. Several permit conditions have been derived from the applicable requirements of 40 CFR Parts 60 and 63 as well as 25 Pa. Code Article III, Chapters 121–145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Plan Approval for installation of air pollution sources at the following facility:

IP21-000063: Kinder Morgan Liquids Terminals, LLC—Philadelphia Terminal (3300 N Delaware Ave, Philadelphia, PA 19134) for the installation and operation of the following air pollution sources, in the City of Philadelphia, **Philadelphia County**.

- Allow the facility to process and load Methyl Methacrylate (MMA).
- Installation of a Vapor Combustion Unit with a 16.2 MMBtu/hr natural gas burner to control MMA emissions.
- Remove the internal floating roofs from tanks 225, 226, 227, and 228. MMA will be stored in existing tanks 225, 226, 227, and 228. Each tank will be converted into a vertical fixed roof tank and vented to the Vapor Combustion Unit (VCU), CD-03.

The potential emission from the installation are as follows: (1) 1.23 tons per year of (tpy) of MMA, (2) 8.1 tpy of Nitrogen Oxides (NO_x), (3) 0.31 tpy of Particulate Matter (PM), (4) 12.0 tpy of Carbon Monoxide (CO), and (5) 0.22 tpy of Volatile Organic Compound (VOC). The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

The plan approval will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies, statement of basis, and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed plan approval must submit the protest, comments or request for a public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are

based. Based upon the information received during the public comment period, AMS may modify the plan approval or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-03186A: Technical Machinery Solutions, LLC (9024 Old Route 22, Bethel, PA 19507) for the new mailer production facility in the Bethel plant. A mailer is formed between two pieces of paper using water-based adhesive containing a VOC that expands and becomes solid when heated. Ink for printing on the mailer may also contain VOCs. The facility will be installed in Bethel Township, **Berks County**. The facility will have a maximum potential to emit of less than 50 tons per year of VOCs and will be a State Only facility. DEP's review of the information submitted by the applicant will ensure that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and/or the requirements of 25 Pa. Code § 129.52b. The Department proposes to issue a plan approval for the proposed construction.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00037: Sunoco Partners Marketing & Terminals, LP—Fort Mifflin Terminal (4 Hog Island Road, Fort Mifflin, PA 19153), located in Tincin Township, **Delaware County**. This action is a renewal of the Title V Operating Permit. The facility is a marine terminal for loading and unloading tankers and barges containing various petroleum products. As a result of potential emissions of VOCs and HAPs, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The renewal permit contains all applicable requirements including monitoring, recordkeeping and reporting for all sources at the facility.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit (or plan approval) can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

09-00024: Waste Management of Pennsylvania, Inc. Tullytown Resource Recovery Facility (1000 New Ford Mill Rd., Morrisville, PA 19067) for renewal of the Title V Operating Permit for its landfill located in Tullytown Borough, **Bucks County**. The permit renewal includes the incorporation of Plan Approval Nos. 09-0024J

(Source ID 105) and 09-0024K (Source IDs C03 and C04). Source ID 105 has been incorporated into Source ID 101. Source IDs C03 and C04 have been incorporated as permitted under Plan Approval No. 09-0024K. The permit renewal also incorporates eRFD No. 7217, for a temporary flare. The listing of insignificant sources at the facility has been updated. The renewal does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit (or plan approval) can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

15-00091: McAvoy Vitrified Brick Company (75 McAvoy Lane, Phoenixville, PA 19460) for a brick manufacturing facility located in Schuylkill Township, **Chester County**. The initial Synthetic Minor Operating Permit will supersede Title V Operating Permit No. 15-00091. There are no new sources at the facility and no new applicable regulations in this permit. The facility's major emission points include a Brick Dryer and a Brick Kiln each fired by natural gas. McAvoy Brick limits HAP emissions below major source and is considered an area source of HAP emissions. The facility is exempt from the requirements of 40 CFR 63 Part JJJJJ—National Emission Standards for Hazardous Air Pollutants for Brick and Structural Clay Products Manufacturing by applying a facility-wide Hazardous Air Pollutant (HAP) emission limit and including an annual brick production limit to the existing Brick Kiln (Source ID 107). The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit (or plan approval) can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

46-00200: John Middleton Company (418 West Church Rd., King of Prussia, PA 19406) for the operation of sources at their facility located in King of Prussia, Upper Merion Twp., **Montgomery County**. The permit is for a non-Title V (State Only) facility. John Middleton Co. is a manufacturer of pipe tobacco and machine-made cigars. The significant pollutant sources at the facility include two (2) steam-heated tobacco dryers, the Top Dressing Application process, a 350-horsepower (hp) natural gas-fired boiler, a 500-hp natural gas-fired boiler, two (2) baghouses and two (2) regenerative thermal oxidizers (RTO), as well as sizing, separating, blending, conditioning, treatment and casing activities. Based on the potential emissions of VOC and NO_x, which are less than major source threshold, the facility is a Synthetic Minor. This action is a renewal of the State Only Operating

Permit. The initial permit was issued on 10-7-2003 and was subsequently renewed on 11-7-2008 and again on 10-20-2014. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit (or plan approval) can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

07-05021: Albemarle Corp. (2858 Back Vail Road, Tyrone, PA 16686) to issue a State Only Operating Permit for the Tyrone Chemical Plant located in the Borough of Tyrone, **Blair County**. The actual emissions from the facility in 2019 year are estimated at 12.65 tons of VOCs; 12.06 tons of combined HAPs; 5.25 tons of CO; 3.72 tons of NO_x; 1.01 tons of SO_x; and less than one ton each of PM₁₀ and PM_{2.5}. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code, § 129.57—Storage tanks less than or equal to 40,000 gallons capacity containing VOCs; 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units; 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines; 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines; and 40 CFR Part 63, Subpart VVVVV—National Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00022: Walker Lumber Company, Inc. (P.O. Box 60, 148 Tipple Lane, Woodland, PA 16881) for the State Only Operating Permit renewal authorization for their Bigler Mill facility in Bradford Township, **Clearfield County**. The sources for the facility are comprised of the two (2) wood-fired boilers including a Burnham boiler (model 4NL 662A), with heat input rating equal 2.4 MMBtu/hr and fuel combustion or firing by a Biomass control system and firebox (Source ID 033) and a Kewanee boiler (model H3S-125-RG), with heat input rating equal to 2.4 MMBtu/hr and fuel firing by a JS Company control system and firebox (Source ID 034), six (6) total lumber drying kilns (Source ID P101), various sawmill equipment (Source ID P102), application or usage of end sealers & paints (Source P103), and five (5) total kerosene fired space heaters each rated less or equal to 0.2 MMBtu/hr heat input. The type and quantity of pollutants emitted on a facility-wide potential emissions basis are provided, as follows: 6.7 tpy of PM₁₀; 0.6 tpy of SO_x; 10.8 tpy of NO_x; 12.7 tpy of CO; 2.4 tpy of VOC;

1.9 TPY of HAP; and 4,590 tpy of CO₂, based on the information provided to the Department. No modifications to the facility occurred over the permit term. The boilers are subject to the National Emissions Standards for Hazardous Air Pollutants for Area Source Boilers as codified 40 CFR Part 63 subpart JJJJJ (6J). Additionally, the renewal permit incorporates all other applicable requirements to the facility including appropriate testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance. The applicable requirements are derived from 25 Pa. Code Chapters 121 and 145 (relating to Air Resources). All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

49-00012: Northumberland Terminals—DE LLC (P.O. Box 2621, Harrisburg, PA 17105) for their petroleum bulk storage and distribution (Northumberland Terminal) facility located in Point Township, **Northumberland County**. The facility is currently operating under State Only Operating Permit 49-00012. The facility's main sources include a seventeen (17) storage tanks and a gasoline-distillate loading operation. The facility has potential emissions of 2 tons per year of nitrogen oxides, 0.6 ton per year of carbon monoxide, 0.6 ton per year of sulfur oxides, 0.2 ton per year of particulate matter, 55.9 tons per year of volatile organic compounds, and 4.7 tons per year of total hazardous air pollutants (HAPs). The facility has taken synthetic minor restrictions to limit its volatile organic compounds, single hazardous air pollutant and total combined hazardous air pollutants emissions below the major emission thresholds. No major equipment or emissions changes are being proposed by this action. The facility will continue to comply with the existing synthetic minor limitations. This facility is subject to the requirements of 40 CFR Part 63, Subpart BBBB—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Sections 63.11080—63.11100. The gasoline-distillate loading operation is subject to the requirements of 40 CFR Part 60, Subpart XX—Standards of Performance for Bulk Gasoline Terminals, Sections 60.500—60.506. The tanks are subject to the requirements of 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels, Section 60.110b through 60.117b. The emergency generator is subject to the requirements of 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00927: Hoover Stone Quarry, LLC/Saltsburg Plant (3497 Route 981, Saltsburg, PA 15681). In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice of intent to issue a natural minor State Only Operating Permit for the operation of a shale and sandstone surface mining operation located in Loyalhanna Township, **Westmoreland County**.

Hoover operates one stone crushing/screening plant with a maximum production rate of 230 tons per hour. This facility has maximum annual emissions of 27.3 tons of particulate matter and 8.9 tons of PM₁₀. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00927) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00355: Glacial Sand & Gravel Company/Rodgers Site (P.O. Box 1022, Kittanning, PA 16201) the Department intends to issue a Natural Minor State Only Operating Permit renewal for the operation of a sand and

gravel processing facility located at the intersection of T860 and T383 (Swope and W. Liberty), Harrisville, PA in Worth Township, **Butler County**. The operation of the facility's air contamination source consists of crushing, screening, transferring, stockpiling, unpaved roadways, and unloading/loading. The potential emissions are estimated at 25.16 tpy PM and 8.21 tpy PM₁₀. The facility is subject to State Regulations and NSPS 40 CFR Part 60 Subpart 000. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

32-00408: MGK Technology Homer City Plant (57 Cooper Avenue, Homer City, PA 15478), the Department intends to issue a State Only Operating Permit renewal for the processing of sand and decorative gravel facility located in Homer City Borough, **Indiana County**. The facility consists of steel preparation, fabrication and surface coating. Emission sources at the facility are paint building, shot blast units, plasma machine, welding machines, dry off ovens, burn off oven, and unpaved roadways. The facility has the potential to emit: 7.92 tpy VOC, 4.4 tpy NO_x, 2.81 tpy CO, 22.04 tpy PM₁₀. The facility is a natural minor and is subject to State Regulations. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Envi-

ronmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|-------------------|---------------------------|---------------------------------|----------------------------------|
| Iron (total) | 1.5 to 3.0 mg/l | 3.0 to 6.0 mg/l | 3.5 to 7.0 mg/l |
| Manganese (total) | 1.0 to 2.0 mg/l | 2.0 to 4.0 mg/l | 2.5 to 5.0 mg/l |
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Aluminum (Total) | 0.75 to 2.0 mg/l | 1.5 to 4.0 mg/l | 2.0 to 5.0 mg/l |
| pH ¹ | | greater than 6.0; less than 9.0 | |

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 4074SM28 and NPDES No. PA0599123. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, renewal of an NPDES permit for a reclaimed surface coal operation for water treatment only in Summit

Township, **Somerset County**, affecting 377.2 acres. Receiving stream: Unnamed Tributaries to Bigby Creek and Bigby Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 23, 2021.

Permit No. 56050105 and NPDES Permit No. PA0249793. Svonavec, Inc., 2555 New Centerville Road, Rockwood, PA 15557, permit renewal for reclamation only of a bituminous surface mine in Milford Township, **Somerset County**, affecting 273.6 acres. Receiving streams: Unnamed tributaries to/and Middle Creek and unnamed tributaries to/and South Glade Creek, classified for the following use: trout stocked fishes, warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 23, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).

Permit No. 17050109 and NPDES No. PA0256293. Forcey Coal, Inc., 475 Banion Road, Madera, PA 16661, permit renewal for reclamation only of a bituminous surface coal mine located in Bloom Township, **Clearfield County** affecting 119.9 acres. Receiving stream(s): Unnamed Tributary to Little Anderson Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: March 22, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 40663025R7. Pagnotti Enterprises, Inc., 144 Brown Street, Yatesville, PA 18640, renewal of an existing anthracite surface mine, coal refuse reprocessing, coal refuse disposal and preparation plant operation in Hazle Township, **Luzerne County** affecting 325.0 acres. Receiving stream: Black Creek, classified for the following uses: cold water and migratory fishes. Application received: March 8, 2021.

Permit No. 40663026R7. Pagnotti Enterprises, Inc., 144 Brown Street, Yatesville, PA 18640, renewal of an existing anthracite surface mine, coal refuse disposal and preparation plant operation in Hazle Township, **Luzerne County** affecting 470.0 acres. Receiving stream: Black Creek, classified for the following uses: cold water and migratory fishes. Application received: March 12, 2021.

Permit No. 40110201R2. Stell Enterprises, Inc., 16 East Ann Street, Plains, PA 18705, renewal of an existing anthracite surface mine, coal refuse reprocessing and preparation plant operation in Dupont and Avoca Boroughs, **Luzerne County** affecting 25.3 acres. Receiving stream: Mill Creek, classified for the following uses: cold water and migratory fishes. Application received: March 19, 2021.

Permit No. GP12-40110201R. Stell Enterprises, Inc., 16 East Ann Street, Plains, PA 18705, renewal application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 40110201 in Dupont and Avoca Borough, **Luzerne County**. Application received: March 19, 2021.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table

| <i>Parameter</i> | <i>30-day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|--------------------------------------|---------------------------|---------------------------------|----------------------------------|
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Alkalinity exceeding acidity* pH* | | greater than 6.0; less than 9.0 | |

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 66970808. Randy M. Wiernusz, c/o Laura Wiernusz, P.O. Box F, Tunkhannock, PA 18657, Stage I & II bond release of a quarry operation in Eaton Township, **Wyoming County** affecting 1.0 acre on quarry owned by Randy M. Wiernusz. Application received: March 17, 2021.

Permit No. 58910801. Theodore Kilmer, 443 SR 374, Nicholson, PA 18446, Stage I & II bond release of a quarry operation in Oakland Township, **Susquehanna County** affecting 5.0 acres on quarry owned by Theodore Kilmer. Application received: March 19, 2021.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|----------------------------------|---------------------------|---------------------------------|----------------------------------|
| Iron (Total) | 3.0 mg/l | 6.0 mg/l | 7.0 mg/l |
| Manganese (Total) | 2.0 mg/l | 4.0 mg/l | 5.0 mg/l |
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| pH* | | greater than 6.0; less than 9.0 | |
| Alkalinity greater than acidity* | | | |

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472.1900.

NPDES No. PA0279315 (Mining Permit No. 56140103), Fieg Brothers, P.O. Box 38, Berlin, PA 15530, renewal of an NPDES permit for surface mining in Southampton and Fairhope Townships, **Somerset County**, affecting 291.3 acres. Receiving stream(s): unnamed tributaries to Wills Creek to Potomac River, classified for the following use(s): High-Quality Cold-Water Fishes. Application received: February 2, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls require a non-discharge alternative:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001 (SP37) | N |
| 002 (SP39) | N |
| 003 (SP38) | N |
| 004 (SP82) | N |
| 005 (SP81) | N |
| 006 (SP83) | N |
| 007 (SP84) | N |

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of infiltration galleries. The only potential point source discharges to surface water are the discharges from the emergency spillway of a sediment pond during precipitation that exceeds a 10 yr/24 hr event. Instantaneous maximum BAT limits will be applied to the outfall effluent entering the infiltration galleries for the protection of the groundwater.

Effluent limits for the emergency spillway are as follows:

Outfalls: (001, 003, 005, 007 Sediment Pond)

Emergency Spillway

(During >10-yr/24-hr Precipitation Event)

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|-----------------------|----------------------|-------------------------|
| Total Suspended Solids (mg/l) | N/A | N/A | 10.0 |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

Outfalls: (002 Sediment Pond)

Emergency Spillway

(During >10-yr/24-hr Precipitation Event)

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|-----------------------|----------------------|-------------------------|
| Total Suspended Solids (mg/l) | N/A | N/A | 42.0 |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

Outfalls: (004, 006 Sediment Pond)

Emergency Spillway

(During >10-yr/24-hr Precipitation Event)

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|-----------------------|----------------------|-------------------------|
| Total Settleable Solids (ml/l) | N/A | N/A | 63.0 |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

NPDES No. PA058976 (Mining Permit No. 56900112), Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, renewal of an NPDES permit for a bituminous surface mine in Summit Township, **Somerset County**, affecting 650 acres. Receiving stream(s): Stony Batter Run and Shafer Run, classified for the following use(s): cold water fishery. This receiving stream is included in the Casselman River TMDL. Application received: November 24, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfall discharges to Stony Batter Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 009 (TF-6A) | N |

The proposed effluent limits for the previously listed outfall are as follows:

| <i>Outfalls: 009</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|-----------------------|----------------------|-------------------------|
| <i>Parameter</i> | | | |
| Iron (mg/l) | 3.0 | 6.0 | 7.0 |
| Manganese (mg/l) | 2.0 | 4.0 | 5.0 |
| Aluminum (mg/l) | 1.1 | 2.2 | 2.7 |
| Osmotic Pressure (mOsm/kg) | | | Monitor and Report |
| pH (S.U.): Must be between 6.0 and 10.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

The following stormwater outfalls discharge to Shafer Run and Stony Batter Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 007 (SP-2) | N |
| 008 (SP-4) | N |
| 010 (SP-1) | N |
| 013 (SP-6) | N |
| 014 (SP-7) | N |

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342.8200.

NPDES No. PA0257893 (Mining Permit No. 17120101), RES Coal, LLC, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, renewal of an NPDES permit for bituminous coal surface mining in Lumber City Borough, **Clearfield County** affecting 55 acres. Receiving stream(s): unnamed tributaries to the West Branch Susquehanna River, classified for the following use(s): CWF. This receiving stream is included in the West Branch Susquehanna River TMDL. Application received: November 4, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributaries to the West Branch Susquehanna River and to the West Branch Susquehanna River:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | <i>Type</i> |
|---------------------|--------------------------|--------------------|
| 001 (TF1) | N | Treatment Facility |
| 002 (SP1) | N | Sediment Control |
| 003 (SP2) | N | Sediment Control |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Outfalls: 001 (TF1) (All Discharges)</i> | <i>30-Day</i> | <i>Daily</i> | <i>Instant.</i> |
|---|----------------|----------------|------------------|
| <i>Parameter</i> | <i>Average</i> | <i>Maximum</i> | <i>Maximum</i> |
| Iron (mg/l) | 2.5 | 5.0 | 6.2 |
| Manganese (mg/l) | 1.7 | 3.4 | 4.2 |
| Aluminum (mg/l) | 0.75 | 1.5 | 1.8 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| Sulfate (mg/L) | | | Monitor & Report |
| Flow (gpm) | | | Monitor & Report |
| Temperature (°C) | | | Monitor & Report |
| Specific Conductivity (µmhos/cm) | | | Monitor & Report |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

| <i>Outfalls: 002 (SP1) (All Discharges)</i> | <i>30-Day</i> | <i>Daily</i> | <i>Instant.</i> |
|---|----------------|----------------|------------------|
| <i>Parameter</i> | <i>Average</i> | <i>Maximum</i> | <i>Maximum</i> |
| Iron (mg/l) | 2.5 | 5.0 | 6.2 |
| Manganese (mg/l) | 1.7 | 3.4 | 4.2 |
| Aluminum (mg/l) | 1.2 | 2.4 | 3.0 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| Sulfate (mg/L) | | | Monitor & Report |
| Flow (gpm) | | | Monitor & Report |
| Temperature (°C) | | | Monitor & Report |
| Specific Conductivity (µmhos/cm) | | | Monitor & Report |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

| <i>Outfalls: (003) SP2 (All Discharges)</i> | <i>30-Day</i> | <i>Daily</i> | <i>Instant.</i> |
|---|----------------|----------------|------------------|
| <i>Parameter</i> | <i>Average</i> | <i>Maximum</i> | <i>Maximum</i> |
| Iron (mg/l) | 2.3 | 4.6 | 5.7 |
| Manganese (mg/l) | 1.8 | 3.6 | 4.5 |
| Aluminum (mg/l) | 1.3 | 2.6 | 3.2 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| Sulfate (mg/L) | | | Monitor & Report |
| Flow (gpm) | | | Monitor & Report |
| Temperature (°C) | | | Monitor & Report |
| Specific Conductivity (µmhos/cm) | | | Monitor & Report |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

NPDES No. PA0256528 (Mining Permit No. 17070106), Junior Coal Contracting, Inc., 2330 Six Mile Road, Philipsburg, PA 16866, renewal of an NPDES permit for Bituminous Coal Surface Mining in Decatur Township, **Clearfield County**, affecting 245.6 acres. Receiving stream(s): Unnamed Tributary to Big Run and Big Run, classified for the following use(s): Cold Water Fishes. This receiving stream is included in the Moshannon Creek Watershed TMDL. Application received: November 20, 2020. The following outfalls discharge to Unnamed Tributary (UNT-A) to Big Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | <i>Type</i> |
|---------------------|--------------------------|------------------------|
| 004 | N | Treatment Facility TB4 |
| 008 | N | Sediment Pond SPD |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Outfalls: 004 (All Weather Conditions)</i> <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|---------------------------|--------------------------|-----------------------------|
| Iron (mg/L) | 2.0 | 4.0 | 5.0 |
| Manganese (mg/L) | 2.0 | 4.0 | 5.0 |
| Aluminum (mg/L) | 0.75 | 1.5 | 1.8 |
| Total Suspended Solids (mg/L) | 35.0 | 70.0 | 90.0 |
| Sulfate (mg/L) | | | Monitor & Report |
| Flow (gpm) | | | Monitor & Report |
| Temperature (°C) | | | Monitor & Report |
| Specific Conductivity (µmhos/cm) | | | Monitor & Report |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

| <i>Outfalls: 008 (All Weather Conditions)</i> <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|---------------------------|--------------------------|-----------------------------|
| Iron (mg/L) | 2.0 | 4.0 | 5.0 |
| Manganese (mg/L) | 2.0 | 4.0 | 5.0 |
| Aluminum (mg/L) | 1.6 | 3.2 | 4.0 |
| Total Suspended Solids (mg/L) | 35.0 | 70.0 | 90.0 |
| Sulfate (mg/L) | | | Monitor & Report |
| Flow (gpm) | | | Monitor & Report |
| Temperature (°C) | | | Monitor & Report |
| Specific Conductivity (µmhos/cm) | | | Monitor & Report |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

The following outfalls discharge to Big Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | <i>Type</i> |
|---------------------|--------------------------|------------------------|
| 001 | N | Treatment Facility TB1 |
| 002 | N | Treatment Facility TB2 |
| 003 | N | Treatment Facility TB3 |
| 005 | N | Sediment Pond SPA |
| 006 | N | Sediment Pond SPB |
| 007 | N | Sediment Pond SPC |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Outfalls: 001, 002, 003 (All Weather Conditions)</i> <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|---------------------------|--------------------------|-----------------------------|
| Iron (mg/L) | 3.0 | 6.0 | 7.0 |
| Manganese (mg/L) | 2.0 | 4.0 | 5.0 |
| Aluminum (mg/L) | 0.75 | 1.5 | 1.8 |
| Total Suspended Solids (mg/L) | 35.0 | 70.0 | 90.0 |
| Sulfate (mg/L) | | | Monitor & Report |
| Flow (gpm) | | | Monitor & Report |
| Temperature (°C) | | | Monitor & Report |
| Specific Conductivity (µmhos/cm) | | | Monitor & Report |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

| <i>Outfalls: 005—007 (Dry Weather)</i> <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|---------------------------|--------------------------|-----------------------------|
| Iron (mg/L) | 3.0 | 6.0 | 7.0 |
| Manganese (mg/L) | 2.0 | 4.0 | 5.0 |
| Aluminum (mg/L) | | | Monitor Only |
| Total Suspended Solids (mg/L) | 35.0 | 70.0 | 90.0 |
| Sulfate (mg/L) | | | Monitor & Report |
| Flow (gpm) | | | Monitor & Report |
| Temperature (°C) | | | Monitor & Report |
| Specific Conductivity (µmhos/cm) | | | Monitor & Report |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times. | | | |
| Alkalinity must exceed acidity at all times. | | | |

| <i>Outfalls: 005—007 (≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|---|---------------------------|--------------------------|-----------------------------|
| Iron (mg/L) | N/A | N/A | 7.0 |
| Total Settleable Solids (mL/L) | N/A | N/A | 0.5 |
| Sulfate (mg/L) | | | Monitor & Report |
| Flow (gpm) | | | Monitor & Report |

Outfalls: 005—007 (≤10-yr/24-hr Precip. Event)
Parameter

*30-Day
Average*

*Daily
Maximum*

*Instant.
Maximum*

Temperature (°C)
 Specific Conductivity (µmhos/cm)
 pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

Monitor & Report
 Monitor & Report

Outfalls: 005—007 (>10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87 Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code Chapter 87.102(a) Group A, whichever is least stringent.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.

NPDES Permit No. PA0225070. Jeddo-Highland Coal Company, 144 Brown Street, Yatesville, PA 18640, renewal of NPDES Permit on Surface Mining Permit No. 40663031 in Foster Township, **Luzerne County** affecting 459.0 acres. Receiving streams: Black Creek Watershed, classified for the following use: cold water fishes and Sandy Run Watershed classified for the following use: HQ—cold water fishes. The first downstream potable water supply intake from the mine is in Lehighton, PA. There are no discharges from this mine site. Application received: January 8, 2021.

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.

SMP No. 7474SM2 and NPDES No. PA0124303. Lehigh Cement Co, LLC, 7660 Imperial Way, Allentown, PA 18195, modification of Individual NPDES Permit on a quarry permit in Upper & Lower Nazareth Townships & Nazareth Borough, **Northampton County** affecting 272.8 acres. Receiving stream: unnamed tributary to Schoeneck Creek classified for the following uses: warm water and migratory fishes. The first active downstream potable water supply intake from the mining operation is BCWSA New Hope, Delaware River intake. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 2. Application received: April 30, 2020.

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | | <i>Type</i> | |
|---|--------------------------|---------------------------|--------------------------|----------------------------------|
| 001 | N | | TFO | |
| <i>Outfalls: Parameter</i> | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
| pH ¹ (S.U.) | 6.0 | | | 9.0 |
| Total Suspended Solids (mg/L) | | 35.0 | 70.0 | 90.0 |
| Total Alkalinity (as CaCO ₃) (mg/L) | | | | Report |
| Total Acidity (as CaCO ₃) (mg/L) | | | | Report |
| Net Alkalinity (mg/L) | 0.0 | | | |
| Flow (MGD) | | 1.25 | 1.75 | |

¹ This parameter is applicable at all times.

NPDES Permit No. PA0224472. Meckley's Limestone Products, Inc., P.O. Box 503, Herndon, PA 17830, renewal of NPDES Permit on Surface Mining Permit No. 40930301, in Hazle Township, **Luzerne County** affecting 113.5 acres. Receiving streams: Black Creek Watershed classified for the following use: cold water fishes and Hazle Creek Watershed classified for the following use: HQ—cold water fishes. The first downstream potable water supply intake from the quarry is in Lehighton, PA. There are no discharges from this mine site. Application received: July 10, 2021.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant state requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this

notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4002221-004. Wilkes-Barre/Scranton International Airport, 100 Terminal Drive, Avoca, PA 18641, in Pittston Township & Dupont Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a stream crossing of Lidy Creek (CWF, MF) consisting of an 80-foot long, 18-foot wide, 8.16-foot high concrete box culvert having ten (10) fish baffles, an invert depressed by 1.0-foot, concrete wingwalls, and R-7 riprap choked with R-4 riprap, natural streambed material at the upstream and downstream ends of the culvert, and a permanent wetland impact of 0.31 acre of PEM wetlands (EV) consisting of eleven (11) 12-inch diameter wetland cross-pipes. The purpose of this project is to provide a 28-foot wide, 1,400-foot long asphalt access road interconnecting Taxiway "B" and adjoining Runway # 4. The project will provide for 0.31 acre of wetland mitigation.

The project is located approximately 0.47 mile east of the intersection of Lidy Road (T-0.13) and I-81 (Avoca, PA Quadrangle Latitude: 41° 20' 3" Longitude: -75° 43' 27") in Pittston Township and Dupont Borough, Luzerne County. (Avoca, PA Quadrangle, Latitude: 41°20' 3"; Longitude: -75° 43' 27").

E4002221-005. Scott and Paula Crispell, 2028 Lakeside Drive, Harveys Lake, PA 18618, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To remove an existing structure and to construct and maintain a 2,485 sq. ft., pile-supported structure consisting of a dock, boathouse, and boat slip within the normal pool elevation of Harveys Lake (HQ-CWF). The project is located at Pole # 182 along Lakeside Drive (S.R. 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 25"; Longitude: -76° 2' 41") in Harveys Lake Borough, Luzerne County. (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 56.76"; Longitude: -76° 3' 27.31").

E4802121-004: Pa Department of Transportation, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Allen Township, **Northampton County**, Army Corps of Engineers, Philadelphia District.

To authorize the following water obstructions and encroachments associated with the SR 3017-01B Project:

1. To remove the existing structure and to construct and maintain a 67.17-foot wide box culvert carrying SR 3017 across Dry Run (CWF, MF) having a 16.5-foot span and a 4.5'-foot underclearance.

2. To construct and maintain a new outfall projecting through the Southwest wingwall and discharging into Dry Run. Impacts include 931 square feet of the Dry Run floodway.

3. To remove the existing structure and to construct and maintain an outfall structure discharging into Dry Run approximately 175-feet west of the proposed structure. Watercourse impacts include 198 square feet of a Tributary to Dry Run and Dry Run.

The project is located along S.R. 3017 Sec 01B Segment 0150, Offset 1387, approximately 0.20 mile northwest of the S.R. 3017/0329 intersection (Catasauqua, PA Quadrangle Latitude: 40° 41' 56" N Longitude: 75° 28' 6" W).

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E4104220-032. Millers Run Greenway Trail—Phase 2, Miller Run Greenway Trail, Williamsport, PA 17754, Loyalsock Township, **Lycoming County**, U.S. Army Corps of Engineers Baltimore District (Montoursville North; Montoursville South, PA Quadrangles, Latitude: 41.25303°N; Longitude: 76.97275°W).

The applicant will connect Susquehanna River Walk to Bruce Henry Park. Which is phase 2 of the proposed Millers Run Greenway Trail. The proposed trail will consist of either plain cement concrete pavement or superpave asphalt mixture design. Work done will be along Millers run a Warm Water Fishery or WWF that supports Migratory Fish or MF. The total estimated permanent stream impact is 345 feet. There are .1 acre of wetlands within the vicinity of the project area that will not be impacted. Grading of trail begins at 10+07.03 and ends at 30+74.66. The entire project for phase 2 starts at station 10+00 and ends at station 48+00.

E4104221-001. Firetower Road & Upper Rynearson Road Improvements, Upper Rynearson Rd & Fire Tower Road, Huntersville, PA 17756, Mill Creek & Plunketts Creek Township, **Lycoming County**, U.S. Army Corps of Engineers Baltimore District (Huntersville, PA Quadrangles, Latitude: 41.331740°N; Longitude: 76.783032°W).

Pennsylvania General Energy (PGE) is proposing to make roadway and drainage improvements to approximately 2.4 miles of Fire Tower Road (T-580) and 0.7 mile of Upper Rynearson Road (T-582) in Mill Creek and Plunketts Creek Townships, Lycoming County, Pennsylvania. The project extends in a general south to north direction and is located both on private property and within the Loyalsock State Forest. The southern terminus of the project is located at the intersection of SR 864 and Upper Rynearson Road, approximately 0.5 mile west of Huntersville, Pennsylvania. The northern terminus is located at the intersection of Fire Tower Road and Sand Spring Road, approximately 3.3 miles south of barbour, Pennsylvania. Latitude/longitude coordinates for the mid-point of the project are 41.62411°/-76.71467°.

Land use/land cover in the project area includes existing roadway, maintained law, agricultural fields, Loyalsock State Forest, and forested hillside and mountaintop.

E4104221-004. Loyalsock Creek Pipeline Replacement Project, Heim Hill Road, Montoursville, PA 17754, Fairfield and Loysock Township, **Lycoming County**, ACOE Baltimore if in Susquehanna Basin District (Montoursville North, PA Quadrangle 41.281°N; Longitude: 76.916°W).

To: This project proposes to replace portions of the existing 24-inch-diameter Leidy A and Leidy B natural gas pipelines. The purpose of the project is to rebury these two existing natural gas pipelines to increase depth of cover and to install grade control structures in the stream channel. Depth of cover has been lost due to erosive forces of Loyalsock Creek and its side channel such that portions of pipelines have become exposed within the stream. An existing J-hook boulder structure located in the main channel will be removed because it currently presents an obstacle to boaters. The project is located in Loyalsock Creek (Latitude: 41° 16' 50" N, Longitude: 76° 54' 56" W) and its side channel (Latitude: 41° 16' 50" N, Longitude: 76° 55' 4" W) in Fairfield and Loyalsock Townships, Lycoming County, Pennsylvania.

Total temporary impacts in the Watercourse is 26.58 acres and 17.46 acres in the Floodway. Permanent impact in the Watercourse is 1,064 sq. ft. and 2,210 sq. ft of impact in the Floodway. Loyalsock Creek is a Exceptional Value Fishery.

E5504121-001. PA DOT Engineering District 3-0, 715 Jordan Ave., Montoursville, PA 17754, SR 0015, Section 088, Central Susquehanna Valley Throughway Highway Construction, Monroe Township, Shamokin Dam Borough, **Snyder County**, Baltimore ACOE (Northumberland, PA Quadrangle N: 40° 51' 02"; W: -76° 50' 35").

PA DOT propose to construct a 5.7-mile-long New Four Lane Limited Access Highway that connects the existing SR 11/15 Four Lane at the southern end and the SR 15 Winfield Interchange at the northern end. The project will include an interchange at SR 522 and SR 61 and a new SR 61 Connector. The project will not cross either fly ash basin in the area, due to the lack of material strength identified during geotechnical testing. The project will cross multiple streams and wetlands. The project will temporarily impact 1.2 acres of Jurisdictional Wetlands. The project will permanently impact 2.69 acres of Jurisdictional Wetlands. The project will temporarily impact 0.64 acre or 4,590 L.F. of stream. The project will permanently impact 1.8 acres or 12,748 L.F. of stream. The project will temporarily impact 16.56 acres of floodway. The project will permanently impact 20.87 acres of floodway. The project includes a stream mitigation agreement. The wetland impacts will be mitigated at the Vargo and Center Mitigation Banks. Penns Creek and Tributaries are classified as Cold Water Fisheries by Title 25 Chapter 93 Water Quality Standards. The Susquehanna River and Tributaries are classified as Warm Water Fisheries by Title 25 Chapter 93 Water Quality Standards.

E5904221-004. Union Township Supervisors, 324 Union Centre Road, Canton, PA 16929. Goode Town Road Crossing in Union Township, **Tioga County**, ACOE Baltimore District (Ralston, PA Quadrangle; Latitude: 41° 34' 50"; Longitude: -76° 59' 22").

To install a new crossing under Goose Town Road carrying an unnamed tributary to French Lick Run. A driveway and a roadway culvert will be taken out of service. 100 feet of 71" x 103" CMPA will be installed to convey the flow directly into French Lick Run. Approximately, 75 feet of French Lick Run stream bank will be stabilized with riprap in addition to the culvert outlet protection. The proposed structure will be depressed 12".

Approximately 350 feet of stream bank stabilization will also be performed along the main stem of French Lick Run. At three locations, rip-rap will be installed to prevent further loss and protect the Goose Town Road cartway.

The total disturbed area along the watercourses is 0.15 acre.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E2506221-002. Millcreek Township, 3608 W 26th Street, Erie, PA 16506. Wilkins Run Stream Restoration, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 42.079696; W: -80.195033°).

In an effort to support Millcreek Township's Pollutant Reduction Plan goals, the Applicant proposes to restore, stabilize, and maintain the stream channel of approximately 1,300 linear feet of Wilkins Run and the stream channel of approximately 662 linear feet of an unnamed tributary to Wilkins Run utilizing natural channel design techniques consisting of: grading and stabilizing steep streambanks; reestablishing and expanding floodplains; restoration and creation of wetland areas; and installation of numerous in-stream structures such as rock cross vanes, rock step pools, rock and log riffles, and toe wood with live brush layering all at a point approximately 400 feet northwest of the West Lake Road and Woodside Drive intersection in Millcreek Township, Erie County. All temporary impacts to wetlands, steams, and floodways during restoration activities will be restored to preexisting conditions. All permanent impacts to wetlands, steams, and floodways during restoration activities will be mitigated for in exceedance of their preexisting conditions.

E1606221-001. Clarion Industries, 143 Fiberboard Road, Shippensburg, PA 16254. Clarion Boards Expansion, in Paint Township, **Clarion County**, ACOE Pittsburgh District (Clarion, PA Quadrangle N: 41°, 13', 51"; W: 79°, 25', 4").

To construct and maintain an industrial operation expansion at Clarion Industries located along SR 0322 and Fiberboard Road in Paint Township, Clarion County Pennsylvania consisting of a laminate plant, a warehouse, a truck parking area, chip storage area, a chip mill and particle board chip preparation area permanently impacting 1,927 linear feet of stream and 4.15 acres of wetland. Mitigation will be done onsite, consisting of a minimum of 2,051 LF of stream enhancement and 4.68 acres of wetland mitigation.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D37-054EA. Thomas Scott, Pennsylvania American Water, 800 West Hershey Park Drive, Hershey, PA 17033, Perry and Wayne Townships, **Lawrence County**, USACOE Pittsburgh District.

Project proposes to remove the Slippery Rock-Wortemburg Pump Dam and the intake building to eliminate a threat to public safety and to restore approximately 500 feet of stream channel to a free-flowing condition. The project is located across Slippery Rock Creek (CWF) (Beaver Falls, PA Quadrangle, Latitude: 40.85798; Longitude: -80.2555).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I. is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOS.

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---|---------------------|--|---|-------------------|
| PA0276391 | Industrial Stormwater Individual NPDES Permit | Issued | Station of PA Inc. 409 Elk Street Carnegie, PA 15106 | Macungie Borough Lehigh County | NERO |
| PAS603506 | Industrial Stormwater Individual NPDES Permit | Issued | Milroy Auto & Truck Salvage P.O. Box 354 45 Auto Parts Drive Milroy, PA 17063 | Armagh Township Mifflin County | SCRO |
| 6709202 | Industrial Waste Individual WQM Permit | Issued | Brunner Island LLC P.O. Box 221 1400 Wago Road York Haven, PA 17370-0221 | East Manchester Township York County | SCRO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|----------------------------------|---------------------|---|--|-------------------|
| 0219802 | Joint DEP/PFBC Pesticides Permit | Issued | Randall Robert 420 Knob Road Wexford, PA 15090 | Marshall Township Allegheny County | SWRO |
| 0220801 | Joint DEP/PFBC Pesticides Permit | Issued | Jeffrey G Druzak 187 McMichael Road Carnegie, PA 15106-1412 | Collier Township Allegheny County | SWRO |
| 0419800 | Joint DEP/PFBC Pesticides Permit | Issued | Jeff Raub 514 Hartzell School Road Fombell, PA 16123 | Marion Township Beaver County | SWRO |
| 1013808 | Joint DEP/PFBC Pesticides Permit | Issued | Lakeland Country Estates 304 Green Lake Drive Mars, PA 16046-2108 | Adams Township Butler County | NWRO |
| 1018809 | Joint DEP/PFBC Pesticides Permit | Issued | Treesdale CC Inc. 1 Arnold Palmer Drive Gibsonia, PA 15044-6133 | Adams Township Butler County | NWRO |
| 1019804 | Joint DEP/PFBC Pesticides Permit | Issued | Christopher Lewis 159 Dutch Road Harmony, PA 16037 | Franklin Township Butler County | NWRO |
| 1019805 | Joint DEP/PFBC Pesticides Permit | Issued | Cranberry Woods Owners Assoc 800 Cranberry Woods Drive Cranberry Township, PA 16066 | Cranberry Township Butler County | NWRO |
| 1019808 | Joint DEP/PFBC Pesticides Permit | Issued | Dirk Anderson 3 Reedmoor Lane Cranberry Township, PA 16066 | Cranberry Township Butler County | NWRO |
| 2519805 | Joint DEP/PFBC Pesticides Permit | Issued | Allen Platz 8091 New Road Cranesville, PA 16410 | Franklin Township Erie County | NWRO |
| 2521802 | Joint DEP/PFBC Pesticides Permit | Issued | Rob Wright 9620 Oliver Road Waterford, PA 16441-3322 | McKean Township Erie County | NWRO |
| 2719801 | Joint DEP/PFBC Pesticides Permit | Issued | Fran Lasalvia 667 Shriver Road Tionesta, PA 16353 | Tionesta Township Forest County | NWRO |
| 3915803 | Joint DEP/PFBC Pesticides Permit | Issued | Diorio Annette 1909 Blue Barn Road Orefield, PA 18069 | South Whitehall Township Lehigh County | NERO |
| 4013812 | Joint DEP/PFBC Pesticides Permit | Issued | Beech Mountain Lakes Association 1 Burke Drive Drums, PA 18222-1200 | Butler Township Luzerne County | NERO |
| 4319811 | Joint DEP/PFBC Pesticides Permit | Issued | Jason Michaels 758 N Perry Highway Mercer, PA 16137 | Coolspring Township Mercer County | NWRO |
| 4319812 | Joint DEP/PFBC Pesticides Permit | Issued | Gloria Roman 1017 Milledgeville Road Cochranton, PA 16314 | Deer Creek Township Mercer County | NWRO |
| 4320807 | Joint DEP/PFBC Pesticides Permit | Issued | Gary Sawor 1491 Perry Highway Mercer, PA 16137-3927 | Springfield Township Mercer County | NWRO |
| 4513831 | Joint DEP/PFBC Pesticides Permit | Issued | Stillwater Lakes Civic Assoc 210 Woodland Drive Pocono Summit, PA 18346 | Mount Pocono Borough Monroe County | NERO |
| 4520805 | Joint DEP/PFBC Pesticides Permit | Issued | Stillwater Lakes Civic Assoc 5144 Hummingbird Drive Pocono Summit, PA 18346 | Coolbaugh Township Monroe County | NERO |
| 5213837 A-1 | Joint DEP/PFBC Pesticides Permit | Issued | Wild Acres Lake Properties & Home Association RR 1 Box 500 Dingmans Ferry, PA 18328-9744 | Delaware Township Pike County | NERO |

NOTICES

2111

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---|---------------------|---|--|-------------------|
| 5213838 A-1 | Joint DEP/PFBC Pesticides Permit | Issued | Wild Acres Lake Properties & Home Association 116 Wild Acre Drive Dingmans Ferry, PA 18328-9744 | Delaware Township Pike County | NERO |
| 5213839 A-1 | Joint DEP/PFBC Pesticides Permit | Issued | Wild Acres Lake Properties & Home Association RR 1 Box 500 Dingmans Ferry, PA 18328-9744 | Delaware Township Pike County | NERO |
| 5213840 A-1 | Joint DEP/PFBC Pesticides Permit | Issued | Wild Acres Lake Properties & Home Association RR 1 Box 500 Dingmans Ferry, PA 18328-9744 | Delaware Township Pike County | NERO |
| 5213841 A-1 | Joint DEP/PFBC Pesticides Permit | Issued | Wild Acres Lake Properties & Home Association RR 1 Box 500 Dingmans Ferry, PA 18328-9744 | Delaware Township Pike County | NERO |
| 5213842 A-1 | Joint DEP/PFBC Pesticides Permit | Issued | Wild Acres Lake Properties & Home Association RR 1 Box 500 Dingmans Ferry, PA 18328-9744 | Delaware Township Pike County | NERO |
| 5213843 A-1 | Joint DEP/PFBC Pesticides Permit | Issued | Wild Acres Lake Properties & Home Association RR 1 Box 500 Dingmans Ferry, PA 18328-9744 | Delaware Township Pike County | NERO |
| 5215802 | Joint DEP/PFBC Pesticides Permit | Issued | Masthope Mountain Community POC 196 Karl Hope Bld Lackawaxen, PA 18435 | Lackawaxen Township Pike County | NERO |
| 5318801 | Joint DEP/PFBC Pesticides Permit | Issued | Brookland Club Inc. P.O. Box 429 Coudersport, PA 16915-0429 | Ulysses Township Potter County | NCRO |
| 6319800 | Joint DEP/PFBC Pesticides Permit | Issued | Alex Hauptmann 339 Stone Church Road Finleyville, PA 15332 | Union Township Washington County | SWRO |
| 6321801 | Joint DEP/PFBC Pesticides Permit | Issued | John Burnham 212 Birch Road West Finley, PA 15377-2308 | Peters Township Washington County | SWRO |
| 6415805 | Joint DEP/PFBC Pesticides Permit | Issued | Jefferey Oakes 450 Lexington Avenue New York, NY 10017 | Canaan Township Wayne County | NERO |
| 6519800 | Joint DEP/PFBC Pesticides Permit | Issued | Brookside Condo Assoc 3885 Brookside Lane Murrysville, PA 15668-1259 | Murrysville Borough Westmoreland County | SWRO |
| PA0008281 | Major Industrial Waste Facility >= 250 MGD Individual NPDES Permit | Issued | Brunner Island LLC P.O. Box 221 1400 Wago Road York Haven, PA 17370-0221 | East Manchester Township York County | SCRO |
| PA0021075 | Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit | Issued | Myerstown Borough Lebanon County 101 S Railroad Street Myerstown, PA 17067-1351 | Myerstown Borough Lebanon County | SCRO |
| PA0053651 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Johnson Matthey Inc. 1401 King Road West Chester, PA 19380-1467 | West Whiteland Township Chester County | SERO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---|---------------------|---|--|-------------------|
| PA0085111 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Altoona Water Authority 900 Chestnut Avenue Altoona, PA 16601-4617 | Antis Township Blair County | SCRO |
| PA0104086 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Milwaukee Forge LLC 1532 E Oklahoma Avenue Milwaukee, WI 53207-2433 | Mercer Borough Mercer County | NWRO |
| PA0245046 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Horsham Air Guard Station 1120 Fairchild Street Horsham, PA 19044-5236 | Horsham Township Montgomery County | SERO |
| PA0247162 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4475 | Fairview Township York County | SCRO |
| PA0098345 | Minor Sewage Facility < 0.05 MGD Individual NPDES Permit | Issued | Cnp Mountain Plaza LLC 3508 Regent Court Murrysville, PA 15668-8520 | Saltlick Township Fayette County | SWRO |
| PA0038865 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | Zerbe Township Northumberland County 800 Mahanoy Street Trevorton, PA 17881-1106 | Zerbe Township Northumberland County | NCRO |
| PA0064025 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | KBM Region Authority 74 S Kennedy Drive McAdoo, PA 18237-1806 | Banks Township Carbon County | NERO |
| PA0228893 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | Liberty Area Municipal Authority P.O. Box 73 Liberty, PA 16930-0073 | Liberty Township Tioga County | NCRO |
| NOEXNW086 | No Exposure Certification | Issued | Milwaukee Forge LLC 1532 E Oklahoma Avenue Milwaukee, WI 53207-2433 | Wheatland Borough Mercer County | NWRO |
| NOEXSE327 | No Exposure Certification | Issued | Burriss Logistics Honor Foods Inc. 1801 North 5th Street Philadelphia, PA 19122-2120 | Philadelphia City Philadelphia County | SERO |
| PAG030114 | PAG-03 NPDES General Permit for Industrial Stormwater | Issued | Amazon Com Service LLC P.O. Box 80842 NA Environmental Department Seattle, WA 98108-0842 | Bensalem Township Bucks County | SERO |
| PAG123911 | PAG-12 NPDES General Permit for CAFOs | Issued | Weaver Arlin 201 Bullshead Road Newville, PA 17241 | North Newton Township Cumberland County | SCRO |
| PAG130082 | PAG-13 NPDES General Permit for MS4s | Issued | Upper Chichester Township Delaware County 8500 Furey Road P.O. Box 2187 Boothwyn, PA 19061-8187 | Upper Chichester Township Delaware County | SERO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---|---------------------|--|--|-------------------|
| 0215403 | Sewage Treatment Facilities Individual WQM Permit | Issued | James A Pennell 14026 Belle Avenue Culpeper, VA 22701-1835 | Lincoln Borough Allegheny County | SWRO |
| 3120402 | Sewage Treatment Facilities Individual WQM Permit | Issued | Christine A Corl 8466 Standing Stone Road Huntingdon, PA 16652-4315 | Oneida Township Huntingdon County | SCRO |
| 3921401 | Sewage Treatment Facilities Individual WQM Permit | Issued | Parkland School District 2219 N Cedar Crest Boulevard Allentown, PA 18104-9665 | South Whitehall Township Lehigh County | NERO |
| 0466S24 | Sewage Treatment Facilities Individual WQM Permit | Issued | Cnp Mountain Plaza LLC 3508 Regent Court Murrysville, PA 15668-8520 | Saltlick Township Fayette County | SWRO |
| 6376418 | Sewage Treatment Facilities Individual WQM Permit | Issued | Oliver Real Estate Holdings LLC P.O. Box 533 Lawrence, PA 15055-0533 | Cecil Township Washington County | SWRO |
| PA0248045 | Single Residence STP Individual NPDES Permit | Issued | Jason R Sauder 88 Oak Tree Road Manheim, PA 17545-8325 | Rapho Township Lancaster County | SCRO |
| PA0254924 | Single Residence STP Individual NPDES Permit | Issued | James A Pennell 14026 Belle Avenue Culpeper, VA 22701-1835 | Lincoln Borough Allegheny County | SWRO |
| PA0267180 | Single Residence STP Individual NPDES Permit | Issued | Christine A Corl 8466 Standing Stone Road Huntingdon, PA 16652-4315 | Oneida Township Huntingdon County | SCRO |
| PA0204960 | Small Flow Treatment Facility Individual NPDES Permit | Issued | Oliver Real Estate Holdings, LLC P.O. Box 533 Lawrence, PA 15055-0533 | Cecil Township Washington County | SWRO |
| PA0216721 | Small Flow Treatment Facility Individual NPDES Permit | Issued | George & Thomas Meerhoff 1118 Old Route 31 Mount Pleasant, PA 15666-8867 | Mount Pleasant Township Westmoreland County | SWRO |
| WQG02392001 | WQG-02 WQM General Permit | Issued | Griffin Industrial Realty, Inc. 204 W Newberry Road Bloomfield, CT 06002-5314 | South Whitehall Township Lehigh County | NERO |

II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------|---------------------|---|-------------------------------------|---|
| PAC230019 A-1 | PAG-02 General Permit | Issued | Marple Newtown School District 28 Media Line Road Suite 102 Newtown Square, PA 19073 | Newtown Township Delaware County | Delaware CCD Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 |
| PAC230127 A-2 | PAG-02 General Permit | Issued | ESIII L.P. 107 Twaddell Mill Road Wilmington, DE 19807 | Radnor Township Delaware County | Delaware CCD Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 |
| PAC150244 | PAG-02 | Issued | Rock Holdings PA, LLC P.O. Box 250 Sadsburyville, PA 19369 | Sadsbury Township Chester County | Chester CCD 688 Unionville Road Kennett Square, PA 19348 610-455-1360 |

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|---------------------------|-----------------------------|---------------------|---|---|--|
| PAC150248 | PAG-02 | Issued | Paoli Pike Shared Use Path 1580 Paoli Pike West Chester, PA 19380 | East Goshen Township Chester County | Chester CCD 688 Unionville Road Kennett Square, PA 19348 610-455-1360 |
| PAC090425 | PAG-02 General Permit | Issued | BT 213 Properties, LP 200 Dryden Road Suite 2000 Dresher, PA 19025-1048 | Middletown Township Bucks County | Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 |
| PAC090450 Renewal Only | PAG-02 General Permit | Issued | 651 N. Shady Retreat Road, L.P. 301 Oxford Valley Road Suite 702 Yardley, PA 19067 | Doylestown Township Bucks County | Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 |
| PAC350105 | PAG-02 General Permit | Issued | Pennsylvania American Water Company 2699 Stafford Avenue Scranton, PA 18505-3608 | North Abington Township Scott Township Lackawanna County | Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086 |
| PAD450118 | Individual NPDES | Issued | VanLauren Properties, LLC P.O. Box 70 Saylorsburg, PA 18353 | Chestnuthill Township Monroe County | NERO |
| PAC350103 | PAG-02 General Permit | Issued | Glenmaura Commons, LP 2 Glenmaura National Blvd. Moosic, PA 18507-2126 | Moosic Borough Lackawanna County | Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086 |
| PAC400020A-1 | PAG-02 General Permit | Issued | Earth Conservancy 101 South Main Street Ashley, PA 18706 | Nanticoke City Hanover Township Luzerne County | Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 |
| PAD210062 | Individual NPDES | Issued | Joe Ramer 98 Mooney Road Shippensburg, PA 17257 | South Newton Township Cumberland County | SCRO |
| PAC010156 | PAG-02 General Permit | Issued | Susquehanna Area Regional Airport Authority One Terminal Drive Suite 300 Middletown, PA 17057 | Cumberland Township Adams County | Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636 |
| PAC010159 | PAG-02 General Permit | Issued | The Trone Family Trust 350 Third Street Hanover, PA 17331 | Conewago Township Adams County | Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636 |

NOTICES

2115

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------------|---------------------|--|--|--|
| PAC010158 | PAG-02 General Permit | Issued | Randal J. Breighner 1705 Hanover Pike Littlestown, PA 17340 | Union Township Adams County | Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636 |
| PAC210231 | PAG-02 General Permit | Issued | JJLH Associates LTD 4437 East Street Road Trevose, PA 19053 | Silver Spring Township Cumberland County | Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812 |
| PAC210228 | PAG-02 General Permit | Issued | Presbyterian Development LLC 5050 Ritter Road Mechanicsburg, PA 17055 | Lower Allen Township Cumberland County | Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812 |
| PAC210230 | PAG-02 General Permit | Issued | Shree Suktam LLC 5007 Carlisle Pike Suite 101 Mechanicsburg, PA 17050 | Hampden Township Cumberland County | Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812 |
| PAC220250 | PAG-02 General Permit | Issued | Core5 Industrial Partners LLC 1250 North Mountain Road Harrisburg, PA 17112 | Londonderry Township Dauphin County | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100 |
| PAC220191 A-1 | PAG-02 General Permit | Issued | Michael Lapioli 1188 Auburn Avenue Hummelstown, PA 17036 | Londonderry Township Dauphin County | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100 |
| PAC220218 A-3 | PAG-02 General Permit | Issued | DHK D&H Lot LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360 | Lower Swatara Township Dauphin County | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100 |
| PAC220251 A-1 | PAG-02 General Permit | Issued | UPS Northeast Regional Hub—North Union Street 401 Quality Circle Harrisburg, PA 17112 | Lower Swatara Township Dauphin County | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100 |
| PAC220280 | PAG-02 General Permit | Issued | Edward Keeth 3398 Garnet Mine Road Garnet Valley, PA 19060 | Lower Swatara Township Dauphin County | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100 |

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------------|---------------------|---|--|--|
| PAC340032 | PAG-02 General Permit | Issued | Aaron Petersheim 75 Steves Wood Drive McAllisterville, PA 17049 | Fayette Township Juniata County | Juniata County Conservation District 146 Stoney Creek Drive Suite 4 Mifflintown, PA 17059-8709 717.436.8953, ext. 5 |
| PAC360620 | PAG-02 General Permit | Issued | LPADC Inc. P.O. Box 804 Hershey, PA 17033 | Manheim Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360280 A-1 | PAG-02 General Permit | Issued | B&F Partners 1650 Crooked Oak Drive Suite 300 Lancaster, PA 17601 | East Hempfield Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360322 A-1 | PAG-02 General Permit | Issued | High Properties 1853 William Penn Way Lancaster, PA 17601 | East Lampeter Township L ancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360614 | PAG-02 General Permit | Issued | Daniel Stoltzfus 244 Sproul Road Kirkwood, PA 17536 | Colerain Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC380199 | PAG-02 General Permit | Issued | Northern Lebanon School District 345 School Drive Fredericksburg, PA 17026 | Bethel Township Lebanon County | Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275 |
| PAC380180 | PAG-02 General Permit | Issued | Linford Snyder 90 Court Street Bethel, PA 19507 | Swatara Township Lebanon County | Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275 |
| PAC380192 | PAG-02 General Permit | Issued | Curvin Good 151 Hergelrode Drive Myerstown, PA 17067 | Jackson Township Lebanon County | Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275 |
| PAC380207 | PAG-02 General Permit | Issued | Justin Sauder 15 Webster School Road Grantville, PA 17026 | East Hanover Township Lebanon County | Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275 |

NOTICES

2117

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------------|---------------------|--|---|--|
| PAC380204 | PAG-02 General Permit | Issued | Dieffenbach Properties, LLC 318 West Park Avenue Myerstown, PA 17067 | Jackson Township Lebanon County | Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275 |
| PAC500027 | PAG-02 General Permit | Issued | Spring Township 539 Paige Hill Road Landisburg, PA 17040 | Spring Township Perry County | Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717.582.8988, ext. 4 |
| PAC670104 | PAG-02 General Permit | Issued | Conewago North Ridge Partnership 610 Edgewood Road P.O. Box 688 Hanover, PA 17331 | Hanover Borough Penn Township York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAC670361 | PAG-02 General Permit | Issued | Woodbridge Farms Associates, LLC 1520 Slate Hill Road Camp Hill, PA 17011 | Fairview Township York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAC670430 A-1 | PAG-02 General Permit | Issued | Dillsburg Borough 151 Baltimore Street Dillsburg, PA 17019 | Dillsburg Borough York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAC670453 | PAG-02 General Permit | Issued | Pero Farms Hanover Facility, LLC 26 Industrial Drive Hanover, PA 17331-9531 | Penn Township York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAC670439 | PAG-02 General Permit | Issued | Springettsbury Township 1501 Mt. Zion Road York, PA 17402 | Springettsbury Township York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAD140059 | New | Issued | The Pennsylvania State University Corner of Commuter Drive & Dauer Drive University Park, PA 16802 | College Township Centre County | NCRO |
| PAD140067 | New | Issued | HRI Inc. 3000 Block Jacksonville Rd (SR 26) Bellefonte, PA 16823 | Marion Township Centre County | NCRO |
| PAD140068 | New | Issued | York Acquisitions, LLC 1275 Pennsylvania Avenue State College, PA 16801 | College Township Centre County | NCRO |

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------------|---------------------|---|--|---|
| PAC140112 | New | Issued | Fishing Creek Valley Association, LP 580 Valentine Hill Road Bellefonte, PA 16823 | Spring Township Benner Township Centre County | NCRO |
| PAC140113 | New | Issued | PennDOT, District 2-0 SR 0064, 0.3 mile N.E. of intersection of Cemetery Lane Zion, PA 16823 | Walker Township Centre County | NCRO |
| PAC110075 | PAG-02 General Permit | Issued | Cellco Partnership 1 Oakwood Lane Fairport, NY 14450 | Richland Township Cambria County | Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 814-472-2120 |
| PAD260014 | Individual NPDES | Issued | Fayette County Housing Authority 624 Pittsburgh Road Uniontown, PA 15401 | City of Connellsville Fayette County | DEP Southwest Regional Office Waterways and Wetlands Program 400 Waterfront Drive Pittsburgh, PA 15222 412-442-4000 |
| PAC250123 | PAG-02 General Permit | Issued | Erie County Technical School 8500 Oliver Road Erie, PA 16509 | Summit Township Erie County | Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403 |
| PAC100197 | PAG-02 General Permit | Issued | CRS Contracting LLC 110 Spiker Road Cabot, PA 16023 | Penn Township Butler County | Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270 |
| PAC100107A1 | PAG-02 General Permit | Issued | Arden Development Partners 215 Executive Drive Suite 300 Cranberry Township, PA 16066 | Lancaster Township Butler County | Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270 |
| PAC160033 | PAG-02 General Permit | Issued | Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017 | Rimersburg Borough Madison Township Clarion County | Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813 |
| PAC160001 | PAG-02 General Permit | Issued | Armstrong Trails P.O. Box 777 Kittanning, PA 16201 | Brady Township Madison Township Clarion County | Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813 |
| PAD680009 | Individual NPDES | Issued | Covington-Karthus-Girard Area Authority 777 Frenchville Road P.O. Box 104 Frenchville, PA 16836 | Girard and Goshen Townships Clearfield County | Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814.472.1800 |

| Permit Number | Permit Type | Action Taken | Applicant Name & Address | Municipality, County | Office |
|---------------|--------------------------|--------------|--|--------------------------------------|---|
| PAC680041 | PAG-02 General Permit | Issued | Eugene Trio PA DEP BAMR 286 Industrial Park Road Ebensburg, PA 15931 | Gulich Township Clearfield County | PA DEP-BAMR Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814.472.1800 |
| PAD690001 | New | Issued | PADEP—Bureau of Abandoned Mine Reclamation Full Gospel Church AML Site Greenbrier Road Dunbar, PA 15431 | Stewart Township Fayette County | DEP, Bureau of Abandoned Mine Reclamation 400 Market Street 13th Floor P.O. Box 69205 Harrisburg, PA 17106-9205 |

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

| | |
|---|--|
| Permit No. 3520505 , Public Water Supply. | |
| Applicant | GSP Management Company (Pocono Manor MHP) P.O. Box 677 Morgantown, PA 19543 |
| Township | Clifton Township |
| County | Lackawanna County |
| Type of Facility | PWS |
| Consulting Engineer | Mr. James A. Cieri, Sr., P.E. James A. Cieri—Professional Engineer, LLC 914 Mountain Road Harrisburg, PA 17112 |
| Permit to Construct Issued | March 25, 2021 |
| Permit No. 3390073 , Operations Permit, Public Water Supply. | |
| Applicant | Lehigh County Authority (Kohler Tract Pumping Station) 1300 Martin Luther King Jr. Drive Allentown, PA 18102 |
| Borough or Township | Upper Macungie Township |
| County | Lehigh County |
| Type of Facility | PWS |
| Consulting Engineer | Mr. Christopher R. Brendza, P.E. Senior Associate— Water/Wastewater Johnson, Mirmiran & Thompson, Inc. 121 Continental Drive Suite 300 Newark, DE 19713 |
| Permit to Operate Issued | March 15, 2021 |
| Permit No. 5421502MA , Public Water Supply. | |
| Applicant | Schuylkill County Municipal Authority (Indian Run WTP SCADA Upgrade) 221 South Centre Street Pottsville, PA 17901 |

Borough or Township Branch Township
 County **Schuylkill County**
 Type of Facility PWS
 Consulting Engineer Trisha Graves, P.E.
 Gannett Fleming, Inc.
 207 Senate Avenue
 Camp Hill, PA 17011-2316
 Permit to Construct March 15, 2021
 Issued
Permit No. 2450053, Operations Permit, Public Water Supply.

Applicant **Tobyhanna Army Depot**
 11 Hap Arnold Blvd.
 Tobyhanna, PA 18466

Borough or Township Coolbaugh Township
 County **Monroe County**
 Type of Facility PWS
 Consulting Engineer Mr. Craig Burt, P.E.
 Weston Solutions, Inc.
 1400 Weston Way
 West Chester, PA 19380
 Permit to Operate March 18, 2021
 Issued

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0620513, Public Water Supply.
 Applicant **Village at Summit Crest, LLC**
 Municipality Maiden creek Township
 County **Berks County**
 Responsible Official Christopher C. Bradley
 Owner
 35 Pinehurst Court
 Phoenixville, PA 19460
 Type of Facility Particulate removal with
 cartridge filtration.
 Consulting Engineer Charles A. Kehew II, P.E.
 James R. Holley &
 Associates, Inc.
 18 South George Street
 York, PA 17401
 Permit to Construct February 17, 2021
 Issued

Permit No. 3620524, Public Water Supply.
 Applicant **Ephrata Area Joint Authority**
 Municipality Ephrata Borough
 County **Lancaster County**
 Responsible Official Charles M. Nigrelli
 Waster/Wastewater Manager
 301 Church Avenue
 Ephrata, PA 17522
 Type of Facility Installation of a sodium
 permanganate feed system as
 pretreatment with the removal
 of gas chlorination in an effort to
 eliminate DBPs.

Consulting Engineer Bruce A. Brubaker, P.E.
 Gannett Fleming Inc
 207 Senate Avenue
 Harrisburg, PA 17106-7100
 Permit to Construct January 21, 2021
 Issued

Permit No. 0620515, Public Water Supply.
 Applicant **PA American Water Company**
 Municipality Spring Township
 County **Berks County**
 Responsible Official Bruce Aiton

Vice President—Engineering
 852 Wesley Park Drive
 Mechanicsburg, PA 17055
 Type of Facility Installation of VFD and pump
 motor replacement at the
 Blanton Booster Pumping
 Station.

Consulting Engineer Scott M. Thomas, P.E.
 Pennsylvania American Water
 852 Wesley Drive
 Mechanicsburg, PA 17055
 Permit to Construct February 4, 2021
 Issued

Permit No. 3620530, Public Water Supply.
 Applicant **Mount Joy Township**
 Municipality Mount Joy Township
 County **Lancaster County**
 Responsible Official Justin S. Evans
 Manager
 8853 Elizabethtown Road
 Elizabethtown, PA 17022
 Type of Facility Installation of sodium hydroxide
 for lead and copper corrosion
 control.
 Consulting Engineer Charles A. Kehew II, P.E.
 James R. Holley &
 Associates, Inc.
 18 South George Street
 York, PA 17401
 Permit to Construct February 11, 2021
 Issued

Permit No. 0720506, Public Water Supply.
 Applicant **McKee Tavern**
 Municipality Blair Township
 County **Blair County**
 Responsible Official Lisa Martz
 Owner
 139 Reservoir Road
 Hollidaysburg, PA 16648-9655
 Type of Facility 4-log treatment of viruses and
 iron and manganese filtration.
 Consulting Engineer Mark T. Eckert, P.E.
 JHA Companies
 466 South Main Street
 Montrose, PA 18801
 Permit to Construct March 11, 2021
 Issued

Permit No. 0120511 MA, Minor Amendment, Public Water Supply.

Applicant **Gettysburg Municipal Authority**
Municipality Cumberland Township
County **Adams County**
Responsible Official Mark Guise
Manager
601 E Middle Street
Gettysburg, PA 17325-3307

Type of Facility Filter-to-Water piping modifications.

Consulting Engineer Daniel Cargnel, P.E.
Buchart Horn Inc
3700 Koppers Street
Baltimore, MD 21227

Permit to Construct Issued January 19, 2021

Permit No. 3620544, Public Water Supply.

Applicant **Conestoga Valley School District**
Municipality East Lampeter Township
County **Lancaster County**
Responsible Official Kenneth R. Johnson
Director of Operations
2110 Horseshoe Road
Lancaster, PA 17601

Type of Facility Replacement of the softener, nitrate treatment and booster pumps and instrumentation.

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley &
Associates, Inc.
18 South George Street
York, PA 17401

Permit to Construct Issued February 10, 2021

Permit No. 2220509 MA, Minor Amendment, Public Water Supply.

Applicant **Capital Region Water**
Municipality Harrisburg
County **Dauphin County**
Responsible Official Daniel Galbraith
Drinking Water Superintendent
3003 North Front Street
Harrisburg, PA 17110

Type of Facility Modification to the soda ash feed system.

Consulting Engineer Timothy J. Glessner, P.E.
Gannett Fleming, Inc.
207 Senate Avenue
Camp Hill, PA 17011

Permit to Construct Issued March 10, 2021

Permit No. 3420503 MA, Minor Amendment, Public Water Supply.

Applicant **Port Royal Municipal Authority**
Municipality Turbett Township

County **Juniata County**

Responsible Official Duane Hart
Operator
P.O. Box 236
Port Royal, PA 17082

Type of Facility Raw water storage tank and chlorination building.

Consulting Engineer Brian L. Book, P.E.
cb3 Solutions, LLC
1161 Seibert Road
Bellefonte, PA 16823

Permit to Construct Issued March 16, 2021

Permit No. 6720515 MA, Minor Amendment, Public Water Supply.

Applicant **The York Water Company**
Municipality East Prospect Borough
County **York County**

Responsible Official Mark S. Snyder
Engineering Manager
130 East Market Street
P.O. Box 15089
York, PA 17405-7089

Type of Facility Storage tank repainting and submersible mixer installation.

Consulting Engineer Mark S. Snyder, P.E.
The York Water Company
130 East Market Street
P.O. Box 15089
York, PA 17405-7089

Permit to Construct Issued March 12, 2021

Permit No. 2920504 MA, Minor Amendment, Public Water Supply.

Applicant **McConnellsburg Boro Munc Auth**
Municipality Todd Township
County **Fulton County**

Responsible Official Seleen Shives
Chairperson
P.O. Box 218
McConnellsburg, PA 17233

Type of Facility Installation of disinfection contact piping.

Consulting Engineer Jamie R. Shambaugh, P.E.
Gannett Fleming, Inc.
P.O. Box 67100
Harrisburg, PA 17106-7100

Permit to Construct Issued March 23, 2021

Permit No. 3621507 MA, Minor Amendment, Public Water Supply.

Applicant **Borough of Lititz**
Municipality Lititz Borough
County **Lancaster County**

Responsible Official Sue Ann Barry
Borough Manager
7 South Broad Street
Lititz, PA 17543

Type of Facility Orange Street Meter Pit Replacement.
 Consulting Engineer Steven E. Riley, P.E.
 Entech Engineering, Inc
 201 Penn Street
 Reading, PA 19603
 Permit to Construct March 16, 2021
 Issued

Permit No. 7360916, Public Water Supply.

Applicant **Refreshing Mountain Camp**
 Municipality Clay Township
 County **Lancaster County**
 Responsible Official Marlin Harnish
 President
 455 Camp Road
 Stevens, PA 17578

Type of Facility Approval to construct an acid neutralization system.

Consulting Engineer Not Listed
 Permit to Construct March 23, 2021
 Issued

Operation Permit No. 3817503 issued to: **Quentin Water Company (PWS ID No. 7380031)**, West Cornwall Township, **Lebanon County** on March 2, 2021 for facilities approved under Construction Permit No. 3817503.

Operation Permit No. 3619505 MA issued to: **Borough of Lititz (PWS ID No. 7360126)**, Lititz Borough, **Lancaster County** on January 29, 2021 for facilities approved under Construction Permit No. 3619505 MA.

Operation Permit No. 0620505 issued to: **Perry Township Municipal Authority (PWS ID No. 3060123)**, Perry Township, **Berks County** on February 11, 2021 for facilities approved under Construction Permit No. 0620505.

Operation Permit No. 4420501 issued to: **Lewistown Municipal Authority (PWS ID No. 4440010)**, Armagh Township, **Mifflin County** on March 4, 2021 for facilities approved under Construction Permit No. 4420501.

Operation Permit No. 3820504 MA issued to: **Quentin Water Company (PWS ID No. 7380031)**, West Cornwall Township, **Lebanon County** on March 2, 2021 for facilities approved under Construction Permit No. 3820504 MA.

Operation Permit No. 3620513 issued to: **Weaverland Valley Authority (PWS ID No. 7360119)**, Terre Hill Borough, **Lancaster County** on March 2, 2021 for facilities at Terre Hill Borough System approved under Construction Permit No. 3620513.

Operation Permit No. 2220506 issued to: **Pennsylvania American Water Company (PWS ID No. 7220017)**, West Hanover Township, **Dauphin County** on March 17, 2021 for facilities approved under Construction Permit No. 2220506.

Operation Permit No. 0620512 issued to: **Kirbyville Farm Market LLC (PWS ID No. 3061281)**, Richmond Township, **Berks County** on March 18, 2021 for facilities approved under Construction Permit No. 0620512.

Operation Permit No. 0519502 MA issued to: **Evitts Creek Water Company (PWS ID No. 4050028)**, Cum-

berland Valley Township, **Bedford County** on February 24, 2021 for facilities approved under Construction Permit No. 0519502 MA.

Operation Permit No. 6719516 issued to: **Suez Water Pennsylvania, Inc. (PWS ID No. 7670061)**, Newberry Township, **York County** on March 23, 2021 for facilities approved under Construction Permit No. 6719516.

Operation Permit No. 3620525 issued to: **Eden Glen Village LLC (PWS ID No. 7360110)**, Eden Township, **Lancaster County** on February 10, 2021 for facilities approved under Construction Permit No. 3620525.

Operation Permit No. 0520507 MA issued to: **Coaldale Six Mile Run Water Corporation (PWS ID No. 4050025)**, Broad Top Township, **Bedford County** on March 2, 2021 for facilities approved under Construction Permit No. 0520507 MA.

Operation Permit No. 4420505 issued to: **Wayne Township Municipal Authority (PWS ID No. 4440017)**, Wayne Township, **Mifflin County** on February 17, 2021 for facilities approved under Construction Permit No. 4420505.

Operation Permit No. 0120512 MA issued to: **Gallo Pizza & Italian Restaurant (PWS ID No. 7010976)**, Berwick Township, **Adams County** on March 4, 2021 for facilities approved under Construction Permit No. 0120512 MA.

Operation Permit No. 2220508 issued to: **Capital Region Water (PWS ID No. 7220049)**, Harrisburg, **Dauphin County** on February 4, 2021 for facilities submitted under Application No. 2220508.

Operation Permit No. 3620541 issued to: **Borough of Lititz (PWS ID No. 7360126)**, Lititz Borough, **Lancaster County** on February 4, 2021 for facilities submitted under Application No. 3620541.

Operation Permit No. 0620526 MA issued to: **Kutztown Borough (PWS ID No. 3060041)**, Kutztown Borough, **Berks County** on February 19, 2021 for facilities approved under Construction Permit No. 0620526 MA.

Operation Permit No. 3620546 issued to: **West Earl Water Authority (PWS ID No. 7360143)**, West Earl Township, **Lancaster County** on March 18, 2021 for facilities approved under Construction Permit No. 3620546.

Transferred Comprehensive Operation Permit No. 7010066 issued to: **The York Water Company (PWS ID No. 7010066)**, Straban Township, **Adams County** on January 22, 2021. Action is for a Change in Ownership for Amblebrook Water System, Adams County for the operation of facilities previously issued to CCD Rock Creek, LLC.

Transferred Comprehensive Operation Permit No. 7360781 issued to: **Mark V Hospitality LLC (PWS ID No. 7360781)**, Penn Township, **Lancaster County** on January 22, 2021. Action is for a Change in Ownership for Lancaster Inn & Suites, Lancaster County for the operation of facilities previously issued to Kreider Horst LLC.

Rescission of Operation Permit No. 3066584 issued to: **Niagara Bottling, LLC (PWS ID No. 3066584)**, Hamburg Borough, **Berks County** on March 22, 2021. Action is for the Entire rescission of facilities approved under Operation Permit No. 3066584.

Transferred Comprehensive Operation Permit No. 7220006 issued to: **Halifax Inn, LLC (PWS ID No. 7220006)**, Halifax Township, **Dauphin County** on March 16, 2021. Action is for a Change in Ownership for the operation of facilities previously issued to Edward B. Sutliff, Jr. (Cendico, LLC).

Operation Permit No. 7671097 issued to: **Diamond 7 Ranch & Arena (PWS ID No. 7671097)**, Washington Township, **York County** on March 3, 2021 for facilities submitted under Application No. 7671097.

Operation Permit No. 0721501 issued to: **Martinsburg Municipal Authority (PWS ID No. 4070030)**, Martinsburg Borough, **Blair County** on March 30, 2021 for facilities submitted under Application No. 0721501.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Operations Permit issued to: **DCNR, Bureau of State Parks, S.B. Elliott State Park**, 400 Market Street, 8th Floor, P.O. Box 8451, Harrisburg, PA 17105. PWSID No. 6170324, Pine Township, **Clearfield County** on March 30, 2021, for the operation of facilities approved under construction permit # 1720501. This permit authorizes replacement of the existing spring and treatment facilities at S.B. Elliott State Park. Only the existing distribution system will remain in operation. This approval includes operation of drilled Well No. 1 as a source of supply, a transmission line, a sodium hypochlorite chemical feed system, two 120-gallon detention tanks, a neutralizing tank, three Greensand Plus filters for iron and manganese removal, three 300-gallon storage tanks, two hydropneumatic tanks, and a booster pump system.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0221506MA, Minor Amendment.

| | |
|---------------------|---|
| Applicant | Pennsylvania American Water Company 852 Wesley Drive Mechanicsburg, PA 17055 |
| Borough or Township | Union Township |
| County | Washington County |
| Type of Facility | Aldrich Purification Units # 2 and # 4 |
| Consulting Engineer | Pennsylvania American Water Company 852 Wesley Drive Mechanicsburg, PA 17055 |
| Permit Issued | March 25, 2021 |

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

WA11-621C, Water Allocations. Greater Johnstown Water Authority, 640 Franklin Street, Johnstown, PA 15901, **Cambria County**. The right to purchase 5.4 million gallons of water per day, 30-day average, from the Cambria Somerset Authority 9.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

| <i>Township</i> | <i>Township Address</i> | <i>County</i> |
|--------------------|---|---------------|
| Fermanagh Township | 109 Municipal Road Mifflintown, PA 17059 | Juniata |

Plan Description:

The exemption from the requirement to revise the Official Plan for the Rivers Edge RV Park development, DEP Code No. A3-34904-179-2E, APS Id 1034546, consisting of a 68-space RV park using a community on-lot sewage disposal system with flows of 6,800 gallons per day, is disapproved. The proposed development is located on William Penn Highway. This plan is disapproved because it does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the project proposes the use of a community on-lot sewage disposal system in an area underlain by carbonate geology as per Chapter 71, Section 71.51(b)(1)(ii), and because total project flows will exceed 1 EDU per acre.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

MacGowan Property, 1883 Pleasant View Road, Coopersburg, PA 18036, Springfield Township, **Bucks County**. David DeCaro, Compliance Plus Services, 240 Gibraltar Road, Suite 100, Horsham, PA 19044 on behalf of Ryan Shelly, EWMI, Inc., 14 Brick Kiln Court, Northampton, PA 19067 submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide health standard.

U-Haul Moving & Storage of Riverview, 8 East Oregon Avenue, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. Aaron Epstein, P.G., Partner Engineering & Science, Inc., 100 Deerfield Lane, Suite 200, Malvern, PA 19355 on behalf of Larry Hine, AMERCO Real Estate Company, 2727 North Central Avenue, Phoenix, AZ 85004 submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum compounds. The report is intended to document remediation of the site to meet the Statewide health standard.

1313 McCay Avenue, 1313 McCay Avenue, Boothwyn, PA 19061, Upper Chichester Township, **Delaware County**. Jessica Fox, The Vertex Companies, Inc., 700 Turner Way, Suite 105, Aston, PA 19014 on behalf of Michael Cooley, Provco Pineville Boothwyn, LLC, 795 East Lancaster Avenue, Suite 200, Villanova, PA 19085 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511 .

Contact: Eric Supey, Environmental Program Manager.

5813 Little Ireland Road, 5813 Little Ireland Road, Starrucca, PA 18465, Thompson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Gloria Magnus, 5813 Little Ireland Road, Starrucca, PA 18465 submitted a Final Report concerning remediation of soil contaminated by a release of gasoline from an aboveground storage tank.

The report is intended to document remediation of the site to meet Statewide health standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Mobil York Terminal 37-049, 651 Albright Avenue, York, PA 17404, North York Borough, **York County**. Arcadis, U.S. Inc., 6041 Wallace Road Extension, Suite 300, Wexford, PA 15090, on behalf of Exxon Mobil

Environmental & Property Solutions, 875 Poplar Avenue, Suite 353, Collierville, TN 32017, and Steven Rotz, 907 Roosevelt Avenue, York, PA 17404, submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the site-specific and residential Statewide health standard.

FR&S Industrial Waste Site, Red Lane and Lincoln Drive, Birdsboro, PA 19603, Exeter Township, **Berks County**. Synergy Environmental, Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of Buddies Nursery, Inc., P.O. Box 264, Birdsboro, PA 19508 submitted a Risk Assessment, Cleanup Plan and Final Report concerning remediation of site groundwater contaminated with VOCs. The combined report is intended to document remediation of the site to meet the site-specific and residential Statewide health standards.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

Pinpoint Federal Credit Union, 37 Ferry Lane, Milton, PA 17847, Milton Borough, **Northumberland County**. Blackrock Environmental, LLC, P.O. Box 288, Nazareth, PA 19064, on behalf of Pinpoint Federal Credit Union, 37 Ferry Lane, Milton, PA 17847, has submitted a Baseline Environmental Report concerning remediation of site soil and groundwater contaminated with metals and solvents. The report is intended to document remediation of the site to meet the Special Industrial Area requirements.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Club One & Village of Eastside Property, LRP # 5-2-1-19769, 6315-6401 Penn Ave., Pittsburgh, PA 15206, Pittsburgh City, **Allegheny County**. American Geosciences, Inc., 3925 Reed Blvd., Ste. 400, Murrysville, PA 15668, on behalf of Walnut Capital Management, Inc., 5500 Walnut St., Ste. 300, Pittsburgh, PA 15232, has submitted a combined Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil contaminated with lead, PAH's, unleaded gasoline, inorganics, chlorinated solvents, and used motor oil. The report is intended to document remediation of the site to meet the site specific standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection

of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Church Hill Mall (former Hazleton Custom Cleaners), 1099 North Church Street, Hazle Township, **Luzerne County**. AEI Consultants, 211 Forrest Drive, Chalfont, PA 18914, on behalf of Timmus Development Corporation, 1065 North Church Street, Hazleton, PA 18202, submitted a combined Remedial Investigation Report, Risk Assessment, and Cleanup Plan concerning soil and groundwater contaminated with TCE, PCE, and cis-1,2 DCE from a former dry-cleaning operation. The report was approved by DEP on March 29, 2021.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Harrisburg Steel Company (HARSCO) Facility, 1001 Herr Street, Harrisburg, PA 17101, City of Harrisburg, **Dauphin County**. Independence Environmental Consulting, LLC, 1750 Kaylor Road, Hummelstown, PA 17036, on behalf of Capital Region Economic Development Corporation, 3211 North Front Street, Harrisburg, PA 17110, submitted a Final Report concerning remediation of site groundwater contaminated with metals and SVOCs. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on March 25, 2021.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

Moore Trucking-Truck Rollover, near 250 Red Burn Road, Ralston, PA 17771, McIntyre Township, **Lycoming County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Moore Trucking, 2784 Route 414, Canton, PA 17724, has submitted a Final Report concerning remediation of site soil contaminated with produced water and diesel fuel. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on March 29, 2021.

Mountain Meadow Pad A, 1889 Mountain Meadow Road, Ralston, PA 17763, McIntyre Township, **Lycoming County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of ARD Operating, LLC, 33 West Third Street, Williamsport, PA 17701, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The Final report demonstrated attainment of the Background and Statewide health standards and was approved by the Department on March 30, 2021.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745,

Former Union Switch and Signal, 1789 Braddock Ave., Pittsburgh, PA 15216, Pittsburgh City, **Allegheny County**. Arcadis U.S. Inc., 10 Friends Lane, Ste. 100, Newtown, PA 18940, on behalf of WABCO Holdings, Inc., 2770 Research Dr., Rochester Hills, MI 48309, has submitted a Remedial Investigation Report concerning the remediation of site soil contaminated with chlorinated solvents, PAH's, and metals. The report is intended to document remediation of the site to meet the site specific standard. The Remedial Investigation Report was approved by the Department on March 17, 2021.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP1-48-005: Straight Arrow Products Inc. (900 Conroy Place, Easton, PA 18040-6645) on March 26, 2021 for the renewal of the boiler permit located at the facility Forks Twp., **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP4-06-03136: Summit Steel & Mfg., Inc. (1005 Patriot Parkway, Reading, PA 19605) on March 26, 2021, for an existing burnoff oven, under GP4, at the metal pipe fabrication facility located in Muhlenberg Township, **Berks County**. The general permit authorization was renewed.

GP19-36-03202: US Pipe Fabrication, LLC (596 Trout Run Road, Ephrata, PA 17522) on March 26, 2021, for an existing abrasive blasting booth controlled by a cartridge collector, under GP19, at the pipe manufacturing facility located in Denver Borough, **Lancaster County**. The general permit authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager; (570) 327-3648.

GP3-41-00067: R.S. Services (119 Falls Road, Beech Creek, PA 16822) on March 24, 2021, for the authorization to relocate and operate a 2008 KPI model FT4240 crusher, a 2011 McCloskey model C44 crusher, a 2012 McCloskey model R155 screener, a 2007 Extec S5 screener, and a 2018 McCloskey J45 crusher non-metallic mineral processing plants pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) to the Glenn O. Hawbaker Montoursville Plant # 15 located in the Loyalsock Township, **Lycoming County**.

GP11-41-00067: R.S. Services (119 Falls Road, Beech Creek, PA 16822) on March 24, 2021, for authorization to relocate and operate a 2007 model year 345 bhp Cummins QSL9-G3 diesel-fired engine, a 2011 model year 440 bhp Caterpillar C-13 diesel-fired engine, a 2010 model year 129.4 bhp Caterpillar C4.4 diesel-fired engine, a 2007 model year 100.4 bhp Deutz BF4M2010 diesel-fired engine, and a 2016 model year 374 bhp Caterpillar C-9 diesel-fired engine as nonroad engines to power portable non-metallic mineral processing plants pursuant to the General Plan Approval and/or General Operating Permit for Nonroad Engines (BAQ-GPA/GP-11) to the Glenn O. Hawbaker Montoursville Plant # 15 located in the Loyalsock Township, **Lycoming County**.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief; 412.442.4168.

GP13-11-00062: Quaker Sales Corporation (P.O. Box 880, Johnstown, PA 15907-0880) on March 29, 2021, to allow continued operation of their previously authorized Northern Cambria batch hot mix plant, rated at 250 tph, equipped with packaged low NO_x multi-fuel burners, rated at 86 MMBtu/hr, and controlled by a cyclone dust collector, rated at 63,000 ACFM at 300° F in Susquehanna Township, **Cambria County**.

GP5-63-00946F/AG5-63-00012A: EQT CHAP, LLC (625 Liberty Avenue, Pittsburgh, PA 15222-0611) on March 25, 2021, to allow the continued operation of one Caterpillar rated at 1,265 bhp, one dehydrator rated at 16.5 MMscfd and a reboiler 0.25 MMBtu/hr, one dehydrator rated at 28.5 MMscfd and a reboiler 0.5 MMBtu/hr, one storage tank, two water condensate tanks located in Deemston Borough, **Washington County**. This is a renewal of the GP-5 authorization.

65-01010C/AG5-65-00008B: RW Gathering, LLC (6000 Town Center Blvd. Southpoint II, Suite 210, Canonsburg, PA 15317) on March 25, 2021, to allow the continued operation of two Caterpillar rated at 1,340 bhp, one dehydrator rated at 24 MMscfd and a reboiler 1.5 MMBtu/hr, three storage tanks, truck loading operations, pigging and fugitive emissions at the Salem Compressor Site located in Derry Township, **Westmoreland County**. This is a renewal of the GP-5 authorization.

65-00950C: The Peoples Natural Gas Company (375 North Shore Drive, Suite 600, Pittsburgh, PA 15212) on March 25, 2021, to allow the continued operation of a natural gas production facility at the Arnold Compressor Site located in City of Lower Burrell, **Westmoreland County**. This is a renewal of the GP-5 authorization.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

AG5-43-00006A: Hillcorp Energy Company, Lackawannock-Larmon Central Facility (PA 318, Mercer, PA 16137) on March 25, 2021, for the authority to continue operation of 2 natural gas fired compressor engines, both Caterpillar 3306TA, a 17.5 mmscf/d glycol dehydrator/reboiler and production/condensate storage tanks (BAQ-GPA/GP5), located at their compressor station facility in Lackawannock Township, **Mercer County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0210A: Waste Management of Fairless LLC (1000 New Ford Mill Road, Morrisville, PA 19067-3704) On March 26, 2021 an extension for construction of the second flare from the originally issued Plan Approval 09-0210A for the Fairless Landfill (April 14, 2015), in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05007R: Carpenter Technology Corp. (101 Bern Street, Reading, PA 19601) on March 26, 2021, for the installation of a hot rolling mill and associated equipment in the specialty steel alloy manufacturing facility located in the City of Reading, **Berks County**. The plan approval was extended.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

30-00170B: Laurel Mountain Midstream Operating, LLC (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275-1026) on March 24, 2021, to extend the period of temporary operation of two (2) Caterpillar G3516B lean burn natural gas-fired compressor engine rated at 1,380 bhp at the existing Brown Compressor Station located in Greene Township, **Greene County**. The new expiration date is September 28, 2021.

63-00999A: EQM Poseidon Midstream, LLC (2200 Energy Drive, Canonsburg, PA 15317-1001) plan approval extension effective March 28, 2021, with expiration on September 28, 2021, to extend the period for installation of five compressor engines, two triethylene glycol dehy-

drators, four produced water tanks, three low pressure pig receivers, one high pressure pig launcher, miscellaneous lubrication oil tanks, and piping components in natural gas service at Blue Moon Compressor Station located in West Pike Run Township, **Washington County**. Temporary operation of five compressor engines, two tri ethylene glycol dehydrators, four produced water tanks, miscellaneous lubrication oil tanks, and piping components in natural gas service previously authorized under GP5-63-00999A is also extended.

65-00634A: Eastern Gas Transmission and Storage, Inc. (5000 Dominion Blvd., 2 NW, Glen Allen, PA 23060-3308) on March 23, 2021, for continued construction and operation at the JB Tonkin Compressor Station located in Murrysville Borough, **Westmoreland County**. The new expiration date of the plan approval is September 28, 2021.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00045: Sunoco Partners Marketing & Terminals, L.P. (Twin Oaks) (4041 Market Street, Aston, PA 19014) on March 24, 2021 for the renewal of a Title V Operating Permit for their petroleum bulk stations and terminals located in Upper Chichester Township, **Delaware County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00055: Cheyney University (1837 University Circle, Cheyney, PA 19319) on March 24 2021, for the initial Operating Permit for the operation of three (3) diesel fuel-fired, ten (10) natural gas-fired emergency generators, miscellaneous natural gas-fired air-conditioning chillers and other exempted or miscellaneous sources in Thornbury Township, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03066: Perdue Agribusiness LLC (1609 River Road, Marietta, PA 17547-9504) on March 23, 2021, for the grain storage facility located in East Donegal Township, **Lancaster County**. The State-Only Permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00036: Repsol Oil & Gas USA, LLC (337 Daniel Zenker Dr., Horseheads, NY 14845) on March 29, 2021,

was issued a renewal State Only (Synthetic Minor) Operating Permit for their Putnam Station located in Armenia Township, **Bradford County**. The State Only (Synthetic Minor) Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00966: Greensburg Thermal, LLC (P.O. Box 42, Morrisville, PA 19067) on March 23, 2021, the Department of Environmental Protection issued a renewed natural minor State-Only Operating Permit for the continued operation of a steam generating facility located in Hempfield Township, **Westmoreland County**. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145 and the applicable provisions of 40 CFR Part 63 Subpart JJJJJJ. The permit includes emission restrictions, operating requirements, monitoring requirements, work practice standards, and recordkeeping requirements for the site.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215.685.9426.

The City of Philadelphia, Air Management Services (AMS) issued on March 25, 2021 an initial Natural Minor (State Only) Operating Permit for the following facility:

OP20-000040: University of the Arts (320 S. Broad Street, Philadelphia, PA 19102) on March 25, 2021, was issued an initial Natural Minor (State Only) Operating Permit for the operation of air emission sources in a private university, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are three (3) boilers firing natural gas each rated less than 4 MMBtu/hr, six (6) hot water heaters firing natural gas each rated less than 1 MMBtu/hr, and three (3) emergency generators, of which one (1) firing natural gas rated 315 BHP, and two (2) firing diesel fuel rated 114 HP and 435 HP. Additionally, four (4) insignificant fire pumps firing diesel fuel each rated less than 100 HP, five (5) insignificant hot water heaters firing natural gas each rated less than 0.2 MMBtu/hr and two (2) insignificant emergency generators, one (1) firing natural gas and one (1) firing diesel fuel, each rated less than 100 HP, are also included in the Natural Minor Operating Permit for facility-wide emission calculation, and they are required to follow the applicable requirements in the Natural Minor Operating Permit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

46-00171: John Evans' Sons, Inc. (1 Spring Avenue, Lansdale, PA 19446) on March 24, 2021 for the incorporation of Plan Approval 46-0171 into a Non-Title V Facility, State-Only, Natural Minor Permit in Lansdale Borough, **Montgomery County**. The Administrative Amendment

of the State-Only Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

46-00041: Graphic Packaging International, Inc. (1035 Longford Road, Phoenixville, PA 19460), located in Upper Providence Township, **Montgomery County**. On March 20, 2021 Administrative Amendment of the Title V Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. Graphic Packaging is a major source for Volatile Organic Compound (VOC) emissions and an area source for Hazardous Air Pollutant (HAP) emissions, currently operating under Title V Operating Permit No. 46-00041. The Administrative Amendment incorporates terms and conditions from Plan Approval No. 46-0041H which is for the installation of a new non-heatset, sheetfed, offset lithographic printing press (Source ID 219) at the existing facility. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05109: OmniMax International, Inc. (450 Richardson Drive, Lancaster, PA 17603) on March 23, 2021, for the exterior home products manufacturing facility located in East Hempfield Township, **Lancaster County**. The State-Only Permit was administratively amended in order to reflect a change of ownership.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

53-00001: Tennessee Gas Pipeline Company LLC (1001 Louisiana St., Ste. 1000, Houston, TX 77002-5089) was issued an administrative amendment permit revision on March 29, 2021, to reflect recent changes to the company contact information regarding the Responsible Official and Permit Contact for the facility, located in Hebron Township, **Potter County**. All applicable regulatory requirements, including testing, monitoring, recordkeeping, reporting and work practice conditions, are included in the revised permit.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00084: Stoelzle Glass USA, Inc. (400 9th Street, Monaca, PA 15061-1862). Administrative Amendment, issued on March 24, 2020, for a change of ownership from Anchor Hocking LLC to Stoelzle Glass USA, Inc. The Monaca Plant operates as a pressed and blown glass and glassware manufacturing facility located in Monaca Borough, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

25-00279: Barnes Group Incorporated Associated Spring Corry Division (226 S. Center Street, Corry, PA 16407-1935). The Department on March 18, 2021 issued

an administrative amendment of the State Operating Permit for the facility located in Corry City, **Erie County**. The amendment incorporates the change of responsible official.

25-00964: FMC Technologies Incorporated Measurement Solutions (1602 Wagner Avenue Erie, PA 16510-1444). The Department on March 24, 2021 issued an administrative amendment of the State Operating Permit for the facility located in Erie City, **Erie County**. The amendment incorporates the change of responsible official.

42-00147: WR Case & Sons Cutlery Company (50 Owens Way, P.O. Box 4000, Bradford, PA 16701-3749). The Department on March 29, 2021 issued an administrative amendment of the State Operating Permit for the facility located in Bradford Township, **McKean County**. The amendment incorporates the change of responsible official.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 17030106 and NPDES PA0243477. Waroquier Coal Company, P.O. Box 128, Clearfield, PA 16830, permit renewal for continued operation and restoration of a bituminous surface coal mine located in Beccaria Township, **Clearfield County** affecting 244.0 acres. Receiving stream(s): Unnamed Tributaries to Dotts Run and Dotts Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 4, 2020. Permit issued: March 24, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54743007R7 and NPDES Permit No. PA0123617. Schuylkill Reclamation Corp., 10 Gilberton Road, Gilberton, PA 17934, renewal of an existing anthracite surface mine and coal refuse disposal operation and NPDE Permit for discharge of treated mine drainage in Branch and Cass Townships, **Schuylkill County** affecting 326.0 acres. Receiving stream: West Creek. Application received: August 11, 2020. Renewal issued: March 26, 2021.

Permit No. 54743007C4. Schuylkill Reclamation Corp., 10 Gilberton Road, Gilberton, PA 17934, correction to update the post-mining land use of an existing anthracite surface mine and coal refuse disposal operation in Branch and Cass Townships, **Schuylkill County** affecting 326.0 acres. Receiving stream: West Creek. Application received: August 11, 2020. Renewal issued: March 26, 2021

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 58202503 and NPDES Permit No. PA0226114. Donald Twining, 232 SR 2036, Thompson, PA 18465, commencement, operation and restoration of a quarry operation and NPDES Permit for discharge of treated mine drainage in Gibson Township, **Susquehanna County** affecting 10.0 acres. Receiving stream: unnamed tributary to Tunkhannock Creek. Application received: June 24, 2020. Permits issued: March 24, 2021.

Permit No. 64950301C2 and NPDES Permit No. PA0225886. Eureka Stone Quarry, Inc., P.O. Box 249, Chalfont, PA 18914, NPDES Permit for discharge of treated mine drainage from a quarry operation in Sterling Township, **Wayne County** affecting 162.0 acres. Receiving stream: Uban Creek. Application received: June 15, 2018. Renewal issued: March 26, 2021.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 36214109. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Lancaster Landfill in Mt. Joy Township, **Lancaster County** with an expiration date of March 11, 2022. Permit issued: March 19, 2021.

Permit No. 36214111. Abel Construction Co., Inc., 3925 Columbia Avenue, Mountville, PA 17554, construction blasting for Meadows at Strasburg in Strasburg Township, **Lancaster County** with an expiration date of December 1, 2021. Permit issued: March 24, 2021.

Permit No. 13214101. Maurer & Scott Sales, Inc., 122 Thomas Street, Coopersburg, PA 18036, construction blasting for Little Leaf Farm in Banks Township, **Carbon County** with an expiration date of March 22, 2022. Permit issued: March 25, 2021.

Permit No. 36214108. M & J Explosives, LLC, 104 East Main Street, Carlisle, PA 17015, construction blasting for LGH Expansion in the City of Lancaster, **Lancaster County** with an expiration date of March 2, 2022. Permit issued: March 26, 2021.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Envi-

ronmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0603220-027. Borough of Topton, 205 South Cal-lowhill Street, Topton, PA 19562. Topton Borough, **Berks County**, U.S. Army Corps of Engineers, Philadelphia District.

To 1.) install and maintain rock vanes in 5 locations permanently impacting approximately 840 linear feet of Toad Creek (HQ-CWF, MF); 2.) install and maintain biogel and rock deflectors in 8 locations permanently impacting approximately 380 linear feet of Toad Creek (HQ-CWF, MF); 3.) install and maintain rip rap bank

protection in 4 locations permanently impacting approximately 255 linear feet of Toad Creek (HQ-CWF, MF); 4.) maintain culverts and bank protection at 2 locations impacting approximately 100 linear feet of Toad Creek (HQ-CWF, MF); 5.) replace and maintain a pedestrian bridge impacting approximately 40 linear feet of Toad Creek (HQ-CWF, MF); 6.) repair and maintain stream bank protection at 2 locations impacting approximately 300 linear feet of Toad Creek (HQ-CWF, MF); 7.) install and maintain 2 concrete stream bank stabilization walls impacting approximately 130 linear feet of Toad Creek (HQ-CWF, MF); 8.) grade and maintain the floodway way of Toad Creek (HQ-CWF, MF), permanently impacting approximately 6,500 square feet of the floodway; 9.) maintain existing geocell, impacting 393 linear feet of Toad Creek (HQ-CWF); 10.) grade and maintain 225 feet of stream bank of Toad Creek (HQ-CWF); 11.) the install and maintain a modified muddsill (lunker) impacting 30 feet of Toad Creek (HQ-CWF); and 12.) the install and maintain streambank protection along 6 linear feet of Toad Creek (HQ-CWF) all for the purposes of stream restoration and enhancement of Toad Creek and implementation of the Borough's Master Plan. The project begins at Latitude: 40.497987° N; Longitude: -75.704241° W and ends at Latitude: 40.503983° N; Longitude: -75.700498° W in Topton Borough, Berks County. This is a major amendment to the previously issued DEP permit # E06-714. Permit issued March 23, 2021.

E3803220-022. PA Department of Military and Veterans Affairs—c/o Office of Facilities and Engineering, Building 0-10, Chapel Road, Fort Indiantown Gap, Annville, PA 17003. Union Township, **Lebanon County**, U.S. Army Corps of Engineers, Baltimore District.

To 1.) install and maintain a 78.0-foot long, 5.0 foot diameter HDPE pipe with endwalls in Qureg Run (WWF, MF); and 2.) place and maintain fill in a palustrine emergent/scrub shrub wetland and the floodway of an Qureg Run (WWF, MF), impacting 0.21 acre of wetland and 0.26 acre of floodway, all for the purpose of expanding an existing tactical unmanned aircraft runway. The project is located on the Ft. Indiantown Gap facility (Latitude: 40° 26' 52.0" N; Longitude: 76° 33' 5.0" W) in Union Township, Lebanon County. To compensate for the wetland impacts, the applicant proposes the creation of 0.23 acre of wetlands onsite. Permit issued March 23, 2021.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1804220-024. Devanie DuFur, 2238 Teaberry Lane, Lock Haven, PA 17745. New Elevated Home Construction, in Lamar Township, **Clinton County**, ACOE Baltimore District (Mill Hall, PA Quadrangle; Latitude: 41° 05' 7.7"; Longitude: -77° 28' 12.3").

The project involves the replacement of an existing two-story wood-framed home located at 257 Long Run Road, Mill Hall, PA (Lamar Township, Clinton County). The new elevated single-story wood-framed home will be 28' x 42', having a 18'-6" x 38'-8" elevated deck on the north end, a 5'-4" x 14'-9" elevated deck on the east side, a 5'-4" x 14'-9" elevated deck on the west side and a 4' wide staircase to finished grade from the north deck. Construction of the home and decks will be set on a heavy steel knee-braced frame, supported on (17) 18"

diameter reinforced concrete piers. There will be no enclosed space under the elevated home or decks. The floodway is FEMA delineated, with 100-yr elevation of 603.0 determined for the area of the home. The first-floor elevation will be set at 604.5' or higher.

A PNDI search determined no impacts. A wetland delineation determined no wetlands at the project site.

A total of one (1) permanent floodway impact is proposed to Fishing Creek (HQ-CWF). Project watercourse impacts shall include and be limited to a total of 80 linear feet (4,000 square feet) of permanent floodway impacts.

E1404220-024: York Acquisitions, LLC, 8008 Corporate Center Drive, # 201, Charlotte, NC 28226. Aspen Heights Squirrel Dr, College Township, **Centre County**, U.S. Army Corps of Engineers Baltimore District (State College, PA Quadrangle; 40.806985° N, 77.833142° W).

The applicant is authorized to construct and maintain a Post Construction Stormwater Management (PCSM) outfall consisting of a 24" outfall pipe, concrete wingwall, and rip-rap along the right-bank of Thompson Run (HQ-CWF, MF). The project result in .1 acre of direct floodway impact.

E1804221-001: Andrew J. & Lynn A. Gavlock, 441 Pennsylvania Ave, Renovo, PA 17764. Gavlock Residence, Chapman Township, **Clinton County**, U.S. Army Corps of Engineers Baltimore District (Renovo East, PA Quadrangle; 41.369783° N, 77.701704° W).

The permittee is authorized to demolish an existing residence, and to construct and maintain a new residence in the same location as the existing home. The project is in the floodway of Young Woman's Creek (HQ-CWF, MF) and will result in .23 acre of direct floodway impact.

Central Office: Bureau of Abandoned Mine Reclamation, 400 Market Street, 13th Floor, P.O. Box 69205, Harrisburg, PA 17106-9205.

E-1110-1-20-001. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, 400 Market Street, P.O. Box 69205, Harrisburg, PA 17106-9205. Blacklick Creek Acid Mine Drainage Treatment Facility, Buffington and East Wheatfield Townships, **Indiana County** and Blacklick Township, **Cambria County**, U.S. Army Corps of Engineers Pittsburgh District.

To (1) construct and maintain an acid mine drainage (AMD) treatment facility and associated infrastructure permanently impacting 0.89 acre of wetlands, 558 linear feet (LF) of an unnamed tributary (UNT) to Blacklick Creek (CWF); (2) construct and maintain a road crossing permanently impacting 0.12 acre of wetlands; (3) construct and maintain an intake structure permanently impacting 23.33 LF of a UNT to North Branch Blacklick Creek (CWF) and 186 square feet (SF) of its floodway; (4) construct and maintain an outfall structure permanently impacting three (3) LF of UNT to North Branch Blacklick Creek (CWF) and 49 SF of its floodway; (5) install and maintain 4 utility crossings permanently impacting 101.2 LF of a UNT to Blacklick Creek (CWF) and 5,520 SF of its floodway; (6) install and maintain a utility crossing permanently impacting 70.3 LF of UNT to Blacklick Creek (CWF) and 1,655 SF of its floodway; (7)

construct and maintain a riprap apron permanently impacting 60 SF of the floodway of a UNT to Blacklick Creek (CWF); (8) construct and maintain a riprap apron permanently impacting 52 SF of the floodway of a UNT to Blacklick Creek (CWF); (9) construct and maintain a riprap apron permanently impacting 5.1 LF of a UNT to Black Lick creek and 84 SF of its floodway; (10) construct and maintain a riprap apron within the floodway of Blacklick Creek (CWF); (11) construct and maintain a riprap apron permanently impacting 27 SF of the floodway of a UNT to Blacklick Creek; (12) construct and maintain a 12-foot long, 36-inch culvert depressed 6 inches below the natural streambed of a UNT to North Branch Blacklick Creek (CWF); (13) seal and maintain three 4-inch relief wells permanently impacting 1 SF of the North Branch Blacklick Creek (CWF); (14) install and maintain a utility crossing permanently impacting 43 LF of a UNT to Blacklick Creek (CWF) and 3,190 SF of its floodway; (15) install and maintain a utility line impacting 43 LF of a UNT to Blacklick Creek (CWF) and its floodway; (16) construct a temporary access road impacting 17,955 SF of the floodway of Blacklick Creek (CWF); (17) construct a temporary crossing impacting 0.611 acre of wetlands; (18) construct a temporary access road impacting 0.002 acre of wetlands; (19) construct and maintain a 47 foot long dual 12-inch culvert within a UNT to North Branch Blacklick Creek (CWF); (20) construct and maintain a 57-foot long dual 12-inch culvert within a UNT to North Branch Blacklick Creek (CWF); (21) construct and maintain a 42-foot long 8-inch culvert within a UNT to North Branch Blacklick Creek (CWF); (22) install and maintain two (2) utilities impacting 35 LF of a UNT to Blacklick Creek (TSF); (23) install and maintain two (2) utilities impacting 36 LF of a UNT to Blacklick Creek (TSF); (24) install and maintain two (2) utilities impacting 73 LF of a UNT to Blacklick Creek (TSF); (25) construct a temporary access impacting 99 LF of a UNT to Blacklick Creek (CWF) and 1,815 SF of its floodway; (26) seal and maintain a mine shaft permanently impacting 81 SF of a UNT to Ramsey Run (CWF); and (27) construct temporary access impacting 4,810 SF of the floodway of Ramsey Run (CWF). All for the purpose of constructing and operating the Blacklick Creek AMD Treatment Facility (Facility) in Buffington and East Wheatfield Townships, Indiana County and Blacklick Township, Cambria County. Latitude (40.511797); Longitude (-78.901781). The Bureau of Abandoned Mine Reclamation proposes to collect and treat three (3) mine water discharges at a central location to include the Wehrum, Vinton No. 6, and Commercial No. 16 mine discharges. The weighted average of mine discharge water quality data is: Wehrum with a pH of 3.4, total iron of 60.5 mg/l, and aluminum of 20.2 mg/l; Vinton No. 6 with a pH of 5, total iron of 146.1 mg/l, and aluminum of 5.1 mg/l; and Commercial No. 16 with a pH of 4, total iron of 47.5 mg/l, and aluminum of 6.9 mg/l. The Facility has a maximum treatment capacity of approximately 7.2 million gallons per day (MGD) of treated AMD discharging into Blacklick Creek (TSF). The goal of the Facility is to discharge water that meets or exceeds the daily maximum standards for aluminum (1.0 mg/l) and total iron (3.0 mg/l). The Facility will be located off Wehrum Road in Buffington Township, Indiana County. Once the plant is operating at the previously-mentioned treatment capacity, the three (3) mine water discharges will be eliminated. The applicant is proposing to construct 0.36 acre of onsite wetland mitigation, 2,180 LF of stream mitigation on North Branch Blacklick Creek and proposes to purchase 0.73

credits for compensatory mitigation from the Land Reclamation Group, LLC, Shrader Hollow Road Resources Mitigation Bank.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E5929220-030: Rockdale Marcellus, LLC, 4600 J. Barry Court, Suite 120, Canonsburg, PA 15317, Liberty Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 1,744 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41° 35' 26" N, 77° 02' 15" W);

2) A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 980 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Liberty, PA Quadrangle 41° 35' 28" N, 77° 02' 08" W);

3) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 18 linear feet of an unnamed tributary to Salt Spring Run (HQ-CWF), 16 linear feet of another unnamed tributary to Salt Spring Run (HQ-CWF), and 668 square feet of an exceptional value palustrine forest (EV-PFO) wetland (Liberty, PA Quadrangle 41° 35' 29" N, 77° 02' 05" W);

The project will result in 34 linear feet of temporary stream impacts and 3,392 square feet (0.08 acre) of temporary wetland impacts all for the purpose of installing a freshwater pipeline in Liberty Township, Tioga County.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D52-200. Birchwood Lakes Community Association (212 Aspen Road, Dingmans Ferry, PA). Permit issued to modify, operate, and maintain Upper Birchwood Lake Dam across Dingmans Creek (HQ-CWF), impacting 0.30 acre of wetlands temporarily and 0.57 acre permanently, for the purpose of complying with the Commonwealth's regulations. (Lake Maskenozha, PA Quadrangle Latitude: 41.24861°; Longitude: -74.9147°) in Delaware Township, **Pike County**.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.

ESCGP-3 # ESG070420002-00
 Applicant Name ETC Northeast FLD SVC, LLC
 Contact Person Nicholas J Bryan
 Address 6051 Wallace Road Ext Fl 3
 City, State, Zip Wexford, PA 15090
 County Beaver County
 Township(s) Economy Borough
 Receiving Stream(s) and Classification(s) North Branch Legionville Run (WWF), UNTs to Trib 36606 to North Fork Big Sewickley Creek (TSF), Trib 36606 to North Fork Big Sewickley Creek (TSF), Trib 36605 to North Fork Big Sewickley Creek (TSF), UNTs to North Branch Legionville Run (WWF)
 Secondary Receiving Waters: Legionville Run (WWF), North Fork Big Sewickley Creek (TSF), North Branch Legionville Run (WWF)

ESCGP-3 # ESX14-007-0013-Major Modification to Beaver Pad 9
 Applicant Name PennEnergy Resources LLC
 Contact Person Mr. Cody Salmon
 Address 1000 Commerce Drive, Park Place One, Suite 400
 City, State, Zip Pittsburgh, PA 15275
 County Beaver County
 Township(s) Marion Township
 Receiving Stream(s) and Classification(s) Connoquenessing Creek (WWF); UNT to Connoquenessing Creek (WWF)
 Secondary; Connoquenessing Creek (WWF)

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG290821012-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Bradford County
 Township(s) Albany
 Receiving Stream(s) and Classification(s) UNT to South Branch Towanda Creek (CWF, MF)
 Secondary: South Branch Towanda Creek (CWF, MF)

ESCGP-3 # ESG294121002-00
 Applicant Name Range Resources Appalachia, LLC
 Contact Person Karl Matz
 Address 3000 Town Center Blvd
 City, State, Zip Cannonsburg, PA 15317-5839
 County Lycoming County
 Township(s) Lewis
 Receiving Stream(s) and Classification(s) UNT to Trout Run (HQ-CWF/MF), UNT to Wolf Run (HQ-CWF/MF)
 Secondary: Trout Run (HQ-CWF/MF), Wolf Run (HQ-CWF/MF)

ESCGP-3 # ESG290821013-00
 Applicant Name Chief Oil & Gas, LLC
 Contact Person Jeffrey J. Deegan
 Address 1720 Sycamore Road
 City, State, Zip Montoursville, PA 17754
 County Bradford County
 Township(s) Leroy
 Receiving Stream(s) and Classification(s) UNT Schrader Creek (EV, MF), UNT Thomas Run (EV, MF), UNT Little Schrader Creek (EV, MF), Little Schrader Creek (EV, MF)
 Secondary: Schrader Creek (EV, MF), Thomas Run (EV, MF), Little Schrader Creek (EV, MF), Schrader Creek (EV, MF)

ESCGP-3 # ESG290821003-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Bradford County
 Township(s) Leroy
 Receiving Stream(s) and Classification(s) UNT Towanda Creek (DA-1) (TSF-MF), UNT Towanda Creek (DA-2) (TSF-MF), UNT Towanda Creek (S-BJT-134) (TSF-MF)
 Secondary: Susquehanna River (WWF-MF), Towanda Creek (TSF-MF), Towanda Creek (TSF-MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the

environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Environmental Group Manager, Storage Tanks Program.

Former BP Service Station No. 00956, Storage Tank Facility ID # 02-80163, 2929 Churchview Ave., Pittsburgh, PA 15227, Baldwin Township, **Allegheny County** Antea USA, Inc., 1055 Westlakes Dr., Ste. 300, Berwyn PA 19312, on behalf BP Products N. America Inc., 1 West Pennsylvania Ave., Ste. 440, Towson, MD 21204, submitted a revised combined Remedial Action Plan and Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the site specific standard.

Former Pennzoil Quaker State Facility No. 3112, Storage Tank Facility ID # 65-01194, 731 S. Main St., Greensburg, PA 15601, SW Greensburg Borough, **Westmoreland County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Dr., Cranberry Township, PA 16066, on behalf of Shell Oil Products US SAP—171188, 20945 S. Wilmington Ave., Carson, CA 90810, submitted a revised Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Wyandt's One Stop, Storage Tank Facility ID # 56-10864, 312 N. Main St., Davidsville, PA 15928, Conemaugh Township, **Somerset County**. DMS Environmental Services, LLC, 103 S. Spring St., Bellefonte, PA 16823, on behalf of Mr. Don Wyandt, 312 N. Main St., Davidsville, PA 15928, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Ed's Corner Station, Storage Tank Facility ID # 65-29538, 488 Charles Houck Rd., Latrobe, PA 15650, Unity Township, **Westmoreland County**. Letterle & Associates, Inc., 191 Howard St., Ste. 108, Franklin, PA 16323, on behalf of Ed Stas, 488 Charles Houck Rd., Latrobe, PA 15650, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Former Berlin Auto, Storage Tank Facility ID # 56-81167, 3512 Berlin Plank Rd., Berlin, PA 15530, Berlin Borough, **Somerset County**. Appalachian Engineering Group, 213 Dale St., Ste. 1, P.O. Box 162, Meyersdale, PA 15552, on behalf Berlin Auto, LLC, 913 Rockdale Rd., Rockwood, PA 15557, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Siemon's Lakeview Manor Nursing and Rehabilitation, Storage Tank Facility ID # 56-00279, 228 Siemon Dr., Somerset, PA 15501, Somerset Township, **Somerset County**. CORE Environmental Services Inc., 3960 William Flinn Hwy., Ste. 100, Allison Park, PA 15101, on behalf Consulate Health Care, 800 Concourse Parkway S., Maitland, FL 32751, submitted a combined Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Sheetz 130, Storage Tank Facility ID # 02-29988, 899 Freeport Rd., Creighton, PA 15030, E. Deer Township, **Allegheny County**. EnviroTrac Ltd., 176 Thorn Hill Road, Warrendale, PA 16365, on behalf of Sheetz, Inc., 351 Sheetz Way, Claysburg, PA 16625, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Flying J Travel Plaza No. 620, Storage Tank Facility ID # 65-81075, 122 Fitzhenry Rd., Smithton, PA 15479, S. Huntingdon Township, **Westmoreland County**. Sovereign Consulting, Inc., 359 Northgate Dr., Ste. 400, Warrendale, PA 15086, on behalf of Pilot Travel Centers, LLC, P.O. Box 10146, 5508 Lonas Dr., Knoxville, TN 37939, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the site specific standard.

Santiago Distributing Co., Inc., Storage Tank Facility ID # 02-15432, 8175 Steubenville Pike, Imperial, PA 15126, N. Fayette Township, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of TJLR Properties, 8179 Steubenville Pike, Ste. B, Imperial, PA 15126, submitted a revised Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Hilltop Mini Mart, Storage Tank Facility ID # 10-91376, 285 Chicora Road, Butler, PA 16001, Oakland Township, **Butler County**. Applied Geology and Environmental Science, Inc., 2402 Hookstown Grade Road, Suite 200, Clinton, PA 15026, on behalf of Source One Transportation, LLC, 200 Speers Road, Belle Vernon, PA 15012 and Sunrise United, Inc., 285 Chicora Road, Butler, PA

16001, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide health standard (residential, used aquifer).

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Sunoco 80010510 05662408, 15-38409, 950 Common Dr., Parkesburg, PA 19365, Parkesburg Borough, **Chester County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803,

submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet residential Statewide health standards and was approved by the DEP on March 19, 2021.

Stephanous SVC STA, 23-32291, 2319 W. Marshall Rd., Lansdowne, PA 19050, Upper Darby Township, **Delaware County**. Keystone Petroleum Equipment, Ltd., 981 West Trindle Road, Mechanicsburg, PA 17055, on behalf of Stephanou's Service Station, 2319 W. Marshall Rd., Lansdowne, PA 19050, submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with unleaded gasoline. The report was acceptable to meet residential Statewide health standards and was approved by the DEP on March 29, 2021.

Main Line Citgo, 23-45906, 700 W. Haverford Rd., Bryn Mawr, PA 19010, Haverford Township, **Delaware County**. Comstock Environmental Services, LLC, 806 Fayette Street, Conshohocken, PA 19428, on behalf of Sun and Raj LLC, 700 Haverford Road Haverford, Bryn Mawr, PA 19010, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the nonresidential Statewide health standard and was approved by the DEP on March 29, 2021.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Rudy's Gulf Mart, Storage Tank ID # 48-22836, 2900 Easton Avenue, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Community First Fund, 51 South Duke Street, Suite 400, P.O. Box 524, Lancaster, PA 17608, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was not acceptable to meet Statewide health standards and was disapproved by DEP on March 30, 2021.

CF Mart # 3035, Storage Tank ID # 58-39706, 3615 State Route 374, Nicholson, PA 18446, Lenox Township, **Susquehanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Convenient Food Marts of Pennsylvania, 215 Clark Avenue, Clarks Summit, PA 18411 submitted a Remedial Action Completion Report concerning remediation groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of Statewide health standards and was approved by DEP on March 25, 2021.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Environmental Group Manager, Storage Tanks Program.

Santiago Distributing Co., Inc., Storage Tank Facility ID # 02-15432, 8175 Steubenville Pike, Imperial, PA 15126, N. Fayette Township, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park,

PA 15101, on behalf of TJLR Properties, 8179 Steubenville Pike, Ste. B, Imperial, PA 15126, submitted a revised Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan demonstrated attainment of the Statewide health standard was approved by DEP with modifications on March 23, 2021.

Larry Miller, Storage Tank Facility ID # 56-03788, 477 Horner Church Rd., Stoystown, PA 15563, Quehoning Township, **Somerset County**. Letterle & Associates, Inc., 2022 Axemann Rd., Ste. 201, Bellefonte, PA 16823, on behalf of Larry Miller, 378 Miller Rd., Stoystown, PA 15563, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The combined Site Characterization Report and Remedial Action Plan demonstrated attainment of the Statewide health standard was approved by DEP on March 23, 2021.

Golden Oil Angotti Texaco, Storage Tank Facility ID # 02-03724, 1330 Banksville Rd., Pittsburgh, PA 15216, Pittsburgh City, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Golden Oil Co., P.O. Box 275, Oakdale, PA 15071, submitted a combined additional Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The combined Site Characterization Report and Remedial Action Plan demonstrated attainment of the Statewide health standard was approved by DEP on March 08, 2021.

Sunoco Facility # 0363-4813, Storage Tank Facility ID # 02-30643, 2873 W. Liberty Ave., Mt. Lebanon, PA 15216, Dormont Borough, **Allegheny County**. EnviroTrac Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sunoco, Inc., 2 Righter Parkway, Ste. 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard was approved by DEP on March 17, 2021.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Penelec Bradford Office, Storage Tank Facility ID 42-31826, 475 High Street, Bradford, PA 16701, Bradford Township, **McKean County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of First Energy Corporation, 800 Cabin Hill Drive, Greensburg, PA 15601, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with benzene, ethylbenzene, cumene, MTBE, naphthalene, toluene, 1,2,4 TMB, 1,3,5, TMB and xylenes. The report is intended to document remediation of the site to meet the Statewide health standard. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on March 25, 2021.

Kwik Fill M-175, Storage Tank Facility ID # 61-14854, 3670 State Route 257, Seneca, PA 16346, Cranberry Township, **Venango County**. ATC Group Services LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of United Refining of Pennsylvania, 15 Bradley Street, Warren, PA 16365, submitted a Remedial Action Plan

concerning remediation of soil and groundwater contaminated with petroleum constituents (unleaded gasoline and blended ethanol). The Remedial Action Plan was not acceptable to meet the Statewide health standard and was disapproved by DEP on March 25, 2021.

[Pa.B. Doc. No. 21-571. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final Technical Guidance: Minor Revision

DEP ID: 263-4200-001. **Title:** Closure Requirements for Aboveground Storage Tank Systems. **Description:** This guidance document establishes the minimum standards that must be met to comply with the closure requirements for regulated large aboveground storage tanks and aboveground storage tanks situated in underground vaults. These procedures include closure notification, tank handling, waste management and disposal, site assessment, sampling requirements, analytical requirements, release reporting and recordkeeping. This TGD was revised to include aboveground storage tanks situated in underground vaults. Minor editorial changes were made.

Contact: Questions regarding this TGD can be directed to Danielle Mattive at dmattive@pa.gov or (717) 772-5830.

Effective Date: April 10, 2021

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-572. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft Assessment and Strategy of Pennsylvania's Coastal Resources Management Program under Section 309 of the Coastal Zone Management Act; Availability for Public Comment

Pennsylvania's Coastal Resources Management Program has developed a draft Assessment and Strategy in accordance with section 309 of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1456b), as amended in 1990 and 1996. This assessment and strategy is part of a voluntary coastal zone enhancement grants program (Program) that encourages states and territories to develop program changes in one or more of the following nine coastal enhancement areas: coastal wetlands; coastal hazards; public access; marine debris; cumulative and secondary impacts; special area management planning; ocean/Great Lakes resources; energy and government facility siting and activities; and aquaculture. Under this Program, the United States Secretary of Commerce is authorized to make awards to states and territories to develop and submit for Federal approval program changes that support attainment of the objectives of one or more of the enhancement areas.

The draft 2016—2020 Section 309 Assessment and Strategy is available on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us/elibrary/ (select "Publications," then "Compacts and Commissions Office") or it can also be obtained by contacting the Department at ra-epcoastalzone@pa.gov or (717) 783-9491.

The Department will consider all comments received on or before Monday, May 10, 2021. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

Questions regarding the draft 2016—2020 Section 309 Assessment and Strategy can be directed to Kevin Hess, Water Program Specialist, at ra-epcoastalzone@pa.gov or (717) 783-9491.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-573. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

| <i>Facility Name</i> | <i>Regulation and relating to</i> |
|--|--|
| Ambulatory Surgery Center of Bala Cynwyd | 28 Pa. Code § 569.35(7) (relating to general safety precautions) |
| Hypertension-Nephrology Associates Vascular Center | 28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery) |
| Physicians' Surgery Center Lancaster General | 28 Pa. Code § 551.21(d)(1) |
| Surgery Center of Lancaster, LP | 28 Pa. Code § 551.21(d)(1) |

The following ASFs have filed a request for exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Facility Guidelines Institute (*FGI Guidelines*). The following list includes the citation to the section of the *FGI Guidelines* for which the hospital is seeking an exception and the year of publication.

| <i>Facility Name</i> | <i>Guidelines Section and relating to</i> | <i>Yr¹</i> |
|--|---|-----------------------|
| Physicians' Surgery Center Lancaster General | A2.1-3.2.3.2(1) space requirements | O-18 |
| Surgery Center of Lancaster, LP | A2.1-3.2.3.2(1) | O-18 |

¹ 2018 Year FGI Regulations were split into 2 books; *Hospitals*, and *Outpatient Facilities* as indicated by "-O."

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-574. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions) effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code, Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from March 1, 2021, through March 31, 2020. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding home health agencies shall be addressed to Linda Chamberlain, Director, Division of Home Health, Suite 701, 555 Walnut Street, Forum Place, 7th Floor, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

| <i>Facility Name</i> | <i>28 Pa. Code Regulation</i> | <i>Dec. Date</i> | <i>Decision</i> |
|--|--|------------------|-----------------------------------|
| Allegheny Health Network Monroeville Surgery Center | § 551.21(d)(1) (relating to criteria for ambulatory surgery) | 03/13/2021 | Granted Probationary w/Conditions |
| | § 571.1 (relating to minimum standards) A2.1-3.2.3.1(1) space requirements | 03/13/2021 | Granted w/Conditions |
| Doylestown Surgery Center, LLC | § 551.21(d)(1) | 03/13/2021 | Granted Probationary w/Conditions |
| Lancaster General Hospital Ambulatory Surgical Facility | § 553.1 (relating to principle) | 03/13/2021 | Granted w/Conditions |
| | § 553.31(a) and (b) (relating to administrative responsibilities) | 03/13/2021 | Granted w/Conditions |
| | § 555.1 (relating to principle) | 03/13/2021 | Granted w/Conditions |
| | § 555.2 (relating to medical staff membership) | 03/13/2021 | Granted w/Conditions |
| | § 555.3(a)—(f) (relating to requirements for membership and privileges) | 03/13/2021 | Granted w/Conditions |
| | § 555.4(a)—(c) (relating to clinical activities and duties of physician assistants and certified registered nurse practitioners) | 03/13/2021 | Granted w/Conditions |
| | § 557.2(a)—(d) (relating to plan) | 03/13/2021 | Granted w/Conditions |
| | § 557.3(a)—(f) (relating to Quality Assurance and Improvement Program) | 03/13/2021 | Granted w/Conditions |
| | § 563.1 (relating to principle) | 03/13/2021 | Granted w/Conditions |
| | § 563.2(a) and (b) (relating to organization and staffing) | 03/13/2021 | Granted w/Conditions |
| | § 569.35(7) (relating to general safety precautions) | 03/13/2021 | Granted w/Conditions |
| Langhorne Surgical Center | § 569.35(7) | 03/13/2021 | Granted w/Conditions |

| <i>Facility Name</i> | <i>28 Pa. Code Regulation</i> | <i>Dec. Date</i> | <i>Decision</i> |
|--|--|------------------|-----------------------------------|
| Nazareth Endoscopy Center, LLC | § 551.3 (relating to definitions) | 03/13/2021 | Granted w/Conditions |
| Physician's Care Surgery Center | § 551.21(d)(1) | 03/24/2021 | Granted Probationary w/Conditions |
| Planned Parenthood Keystone—Bensalem | § 29.33(6) (relating to requirements for abortion) | 03/17/2021 | Granted |
| Planned Parenthood Keystone—Wilkes-Barre | § 29.33(6) | 03/17/2021 | Granted |
| Western PA Surgery Center | § 551.21(d)(1) | 03/19/2021 | Granted Probationary w/Conditions |
| | § 571.1 A2.1-3.2.3.2(1) space requirements | 03/19/2021 | Granted w/Conditions |

Hospitals

| <i>Facility Name</i> | <i>28 Pa. Code Regulation</i> | <i>Dec. Date</i> | <i>Decision</i> |
|-------------------------------|--|------------------|----------------------|
| ACMH Hospital | § 153.1(a) (relating to minimum standards) 2.1-7.2.3.1(7)(a)(ii) flooring and wall bases | 03/13/2021 | Granted |
| | 2.2-3.4.2.5(1)(a) system component room | 03/13/2021 | Granted |
| Clarion Hospital | § 153.1(a) 2.2-3.1.3 emergency departments | 03/19/2021 | Granted |
| | 2.2-3.1.3.6(4)(b)(i) and (ii) treatment room or area | 03/19/2021 | Granted |
| | 2.2-3.1.3.6(4)(e) treatment room or area | 03/19/2021 | Granted w/Conditions |
| | 2.2-3.1.3.6(8) human decontamination room | 03/19/2021 | Granted |
| Meadville Medical Center | § 153.1(a) 2.1-7.2.2.2 ceiling height | 03/19/2021 | Granted |
| | 2.1-7.2.2.2(1) ceiling height | 03/19/2021 | Granted |
| St. Mary Medical Center | § 153.1(a) 2.2-3.4.2.2(2)(a) space requirements | 03/13/2021 | Granted |
| Troy Community Hospital, Inc. | § 107.62(a) and (b) (relating to oral orders) | 03/13/2021 | Granted w/Conditions |
| UPMC Hamot | § 153.1(a) 2.2-3.4.4.3(1) fluoroscopy room | 03/20/2021 | Granted |
| UPMC Kane | § 153.1(a) 2.1- 3.2.1.2(3)(e) single-patient examination/observation room | 03/19/2021 | Granted w/Conditions |
| | 2.1-7.2.2.8 hand-washing stations | 03/19/2021 | Granted w/Conditions |
| UPMC Muncy | § 153.1(a) 2.8-1.1.1.1 applicable medical units | 03/17/2021 | Granted |

Nursing Care Facilities

| <i>Facility Name</i> | <i>28 Pa. Code Regulation</i> | <i>Dec. Date</i> | <i>Decision</i> |
|---|---|------------------|-----------------|
| Bethany Village Retirement Center | § 201.22(d), (e), (j) and (k) (relating to prevention, control and surveillance of tuberculosis (TB)) | 03/10/2021 | Granted |
| Cathedral Village | § 205.6(a) (relating to function of building) | 03/15/2021 | Granted |
| New Eastwood Healthcare and Rehabilitation Center | § 205.36(h) (relating to bathing facilities) | 03/15/2021 | Granted |
| Pine Run Health Center | § 205.36(h) | 03/15/2021 | Withdrawn |
| Riverside Care Center | § 205.6(a) | 03/11/2021 | Granted |

Home Health Agencies

| <i>Facility Name</i> | <i>28 Pa. Code Regulation</i> | <i>Dec. Date</i> | <i>Decision</i> |
|--------------------------------|--|------------------|-----------------|
| Gallagher Home Health Services | § 601.31 (relating to acceptance of patients, plan of treatment and medical supervision) | 03/18/2021 | Granted |
| Penn Home Palliative Care | § 601.31 | 03/18/2021 | Granted |
| Penn Medicine Home Health | § 601.31 | 03/18/2021 | Granted |
| Wellspan VNA Home Care—Ephrata | § 601.31 | 03/18/2021 | Granted |

| <i>Facility Name</i> | <i>28 Pa. Code Regulation</i> | <i>Dec. Date</i> | <i>Decision</i> |
|------------------------------------|-------------------------------|------------------|-----------------|
| Wellspan VNA Home Care— Lebanon | § 601.31 | 03/18/2021 | Granted |
| Wellspan VNA Home Care— York | § 601.31 | 03/18/2021 | Granted |

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-575. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Home Health Agencies; Requests for Exception

The following home health agencies are seeking exceptions to 28 Pa. Code § 601.6 (relating to definitions); specifically the definition of home health aide:

Aveanna Healthcare
1605 North Cedar Crest Boulevard
Suite 109
Allentown, PA 18104
LIC ID # 02910501

Aveanna Healthcare
One Belmont Avenue
Suite 200
Bala Cynwyd, PA 19004
LIC ID # 02410501

The following home health agencies are seeking exceptions to 28 Pa. Code § 601.21(b) (relating to organization, services and administration):

Aveanna Healthcare
1605 North Cedar Crest Boulevard
Suite 109
Allentown, PA 18104
LIC ID # 02910501

Aveanna Healthcare
One Belmont Avenue
Suite 200
Bala Cynwyd, PA 19004
LIC ID # 02410501

Aveanna Healthcare
4 Sentry Way Parkway
Suite 105
Blue Bell, PA 19422
LIC ID # 719705

Aveanna Healthcare
1167 North Washington Street
Suite E
Wilkes-Barre, PA 18705
LIC ID # 04250501

The following home health agencies are seeking exceptions to 28 Pa. Code § 601.35(c) (relating to home health aide services):

Aveanna Healthcare
1605 North Cedar Crest Boulevard
Suite 109
Allentown, PA 18104
LIC ID # 02910501

Aveanna Healthcare
One Belmont Avenue
Suite 200
Bala Cynwyd, PA 19004
LIC ID # 02410501

Aveanna Healthcare
1167 North Washington Street
Suite E
Wilkes-Barre, PA 18705
LIC ID # 04250501

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379, fax (717) 787-3188, ra-communityprogramlicensure@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-576. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care

Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

| <i>Facility Name</i> | <i>Regulation and relating to</i> |
|----------------------------|---|
| L VH Coordinated Allentown | 28 Pa. Code § 127.32 (relating to written orders) |
| Pottstown Hospital | 28 Pa. Code § 107.61 (relating to written orders) |

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

| <i>Facility Name</i> | <i>FGI Guidelines Section and relating to</i> | <i>Yr¹</i> |
|-----------------------------------|---|-----------------------|
| Geisinger Medical Center | 2.1-3.2.3.1(1) and (2) space requirements | 18 |
| | 2.1-3.4.2.2(2)(a)(i) space requirements | 18 |
| | 2.2-3.1.4.3 (1)—(4) secure holding room | 18 |
| Penn Highlands Dubois | 2.1-6.2.4.1 public toilet room | 18-O |
| St. Luke's Hospital—Easton Campus | 2.2-3.4.2.2(2)(a) space requirements | 18 |
| | 2.5-2.2.4.3 seclusion room | 18 |
| | 2.5-2.2.8.16(1) consultation rooms | 18 |
| | 2.5-2.3.3.1(3) space requirements | 18 |
| | 2.1-3.4.1.2 location | 18 |
| UPMC East | 2.1-3.4.1.2 location | 18 |

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-577. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Cole Place
1001 East Second Street
Coudersport, PA 16915
FAC ID # 031802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.17 (relating to location):

Waverly Heights
1400 Waverly Road
Gladwyne, PA 19035
FAC ID # 233402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Saint Ignatius Nursing and Rehab Center
4401 Haverford Avenue
Philadelphia, PA 19104
FAC ID # 450602

These requests are on file with the Department of Health. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-578. Filed for public inspection April 9, 2021, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Transportation Revenue Options Commission Teleconference Meetings

The Transportation Revenue Options Commission will meet two times in April 2021 holding public teleconference meetings on Thursday, April 15, 2021, and Thursday, April 29, 2021, between 1 p.m. and 3 p.m.

Attendees from the public should RSVP to the following e-mail address to receive call-in information. For more information or to RSVP, contact Shane Rice, Policy Office, (717) 319-7920, TROC@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 21-579. Filed for public inspection April 9, 2021, 9:00 a.m.]

FISH AND BOAT COMMISSION

Lake Erie Commercial Fishing—2021

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 69.31(b) (relating to seasons), has determined that the 2021 total allowable commercial catch for walleye from the Commonwealth waters of Lake Erie is 4,000 pounds. The commercial fishing season for walleye on Lake Erie is January 1 to March 14 and 12:01 a.m. the first Saturday in May to December 31. This season shall end when the Executive Director determines that 4,000 pounds of walleye probably have been taken by commercial fishing interests fishing in the Commonwealth waters of Lake Erie.

The Executive Director of the Commission, acting under the authority of 58 Pa. Code § 69.31(c), has established that the 2021 total allowable commercial catch for yellow perch from the Commonwealth waters of Lake Erie is 100,000 pounds. The commercial fishing season for yellow perch on Lake Erie is January 1 until the date the

Executive Director determines that 100,000 pounds of yellow perch probably have been taken by commercial fishing interests fishing in the Commonwealth waters of Lake Erie.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 21-580. Filed for public inspection April 9, 2021, 9:00 a.m.]

FISH AND BOAT COMMISSION

Lake Erie Creel Limits for Walleye and Yellow Perch—2021

The Executive Director of the Fish and Boat Commission, acting under the authority of 58 Pa. Code § 69.12b (relating to Lake Erie walleye and yellow perch adaptive management for establishing daily limits) has established the daily limits for walleye and yellow perch that are necessary and appropriate for the better protection and management of the fishery. Effective May 1, 2021, the daily limit for yellow perch is 30 and the daily limit for walleye is 6.

The Executive Director may revise the daily limit for walleye or yellow perch if he determines that conditions so warrant. The daily limits will remain in effect until April 30, 2022, or until the Executive Director establishes new daily limits. Anglers are responsible for obtaining the current daily limits for walleye and yellow perch on Lake Erie including Presque Isle Bay prior to fishing those waters.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 21-581. Filed for public inspection April 9, 2021, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Teleconference Meetings Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meetings by teleconference: Tuesday, April 13, 2021—Technical Advisory Group at 10 a.m. and Thursday, May 6, 2021—Council meeting at 10 a.m.

The public is invited to participate. To do so contact Reneé Greenawalt, rgreenawalt@phc4.org at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 21-582. Filed for public inspection April 9, 2021, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

| <i>Reg. No.</i> | <i>Agency/Title</i> | <i>Close of the Public Comment Period</i> | <i>IRRC Comments Issued</i> |
|-----------------|--|---|-----------------------------|
| 16A-4941 | State Board of Medicine Child Abuse Reporting Requirements 51 Pa.B. 545 (January 30, 2021) | 3/1/21 | 3/31/21 |
| 16A-5140 | State Board of Nursing Child Abuse Reporting Requirements 51 Pa.B. 558 (January 30, 2021) | 3/1/21 | 3/31/21 |

**State Board of Medicine # 16A-4941 (IRRC # 3287)
Child Abuse Reporting Requirements
March 31, 2021**

We submit for your consideration the following comments on the proposed rulemaking published in the January 30, 2021 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the State Board of Medicine (Board) to respond to all comments received from us or any other source.

1. Possible conflict with statute and regulations; Protection of the public health, safety and welfare; and Implementation.

Board regulated practitioners and Mandated reporters

The Preamble explains that Chapter 18 (relating to the State Board of Medicine—Practitioners other than Medical Doctors) is being amended to provide appropriate cross-references to the mandatory training and continuing education requirements for nurse midwives, acupuncturists, practitioners of Oriental medicine, physician assistants, respiratory therapists, athletic trainers, behavior specialists, perfusionists, genetic counselors, prosthetists, orthotists, pedorthists, and orthotic fitters.

The list of practitioners and their corresponding subchapters identified in the Preamble summary are derived from the Board's proposed definition of "Board-regulated practitioner." The Board does not include in the Preamble's description of the amendments or the actual updates "auxiliary personnel performing radiologic procedures on the premises of a medical doctor." (auxiliary personnel)

On April 12, 2018, the State Board of Medicine issued a special notice that the State Boards of Chiropractic, Dentistry, Medicine, Osteopathic Medicine and Podiatry are no longer registering auxiliary personnel or otherwise issuing documents authorizing auxiliary personnel to apply ionizing radiation in the offices of licensees. Auxiliary personnel that wish to perform radiologic procedures are required to pass an exam approved by the relevant Board, or obtain certification through an accrediting or credentialing organization.

Chapter 18 (relating to State Board of Medicine—Practitioners other than Medical Doctors) Subchapter E (relating to Performance of Radiologic Procedures by Auxiliary Personnel), which provides for the examination and certification in Radiography, Radiation Therapy Technology and Nuclear Medicine Technology is not part of the proposed regulation.

Section 6311(a)(12) of the Child Protective Services Law (CPSL) (23 Pa.C.S. §§ 6301—6387) requires an individual

supervised or managed by a person licensed or certified to practice in any health-related field under the jurisdiction of the Department of State, who has direct contact with children in the course of employment, to make a report of suspected child abuse, if the person has reasonable cause to suspect that a child is a victim of child abuse. 23 Pa.C.S. § 6311(a)(12) Auxiliary personnel work under the direct supervision of a medical doctor. 49 Pa. Code § 18.202 (relating to Auxiliary personnel performing radiologic procedures).

The proposed regulation adds and defines the term "Mandated reporter" to mean a person who is required under 23 Pa.C.S. § 6311 (relating to persons required to report suspected child abuse) to make a report of suspected child abuse. The term includes all Board-regulated practitioners. Section 6383(b)(3) of the CPSL requires each licensing board with jurisdiction over professional licensees identified as mandated reporters to require all persons applying for a license or certification or applying for renewal of a license or certification to provide documentation that they have complied with the training and continuing education requirements mandated by Act 31 of 2014. 23 Pa.C.S. § 6383(b)(3).

The Board does not explain in the Preamble or RAF why this subchapter has been omitted from the updates that are necessary to make the Board's regulations consistent with Act 31 of 2014. How does the Board verify that auxiliary personnel are completing the required training in the recognition of the signs of child abuse and reporting?

We ask the Board to amend Chapter 18 (relating to State Board of Medicine—Practitioners other than Medical Doctors) Subchapter E (relating to Performance of Radiologic Procedures by Auxiliary Personnel) in a future rulemaking to include the appropriate cross-references to the required CPSL training in child abuse recognition and reporting for auxiliary personnel or explain why it is unnecessary to do so.

2. Implementation.

Section 6383(b)(3)(ii) of the CPSL requires all persons applying for renewal of a license or certificate to submit documentation acceptable to the Board of the completion of at least 2 hours of approved continuing education "per licensure cycle." We have three questions regarding the Board's interpretation of "per licensure cycle" as it pertains to exemptions. The first question relates to Board-regulated practitioners that are exempt from completing the continuing education requirements during the initial biennial renewal period in which the license is issued. Does this exemption for first-time licensees include the continuing education mandated in Act 31 of 2014?

Second, how will the Board implement the requirements of Section 6383(b)(3)(ii) of the CPSL for Board-regulated practitioners that hold more than one license or certification (i.e. nurse-midwife, acupuncturist and practitioner of Oriental medicine)? If an individual is required to have licensure as a prerequisite for another level of certification or licensure would the CPSL training credits earned for the initial license or certification satisfy the requirements for the second, if the training was completed within the same biennial renewal period? It is unclear in Section 16.108(c) whether a Board-regulated practitioner with more than one level of certification or license would need to apply for an exemption or will the credit for the training be applied automatically to both.

Third, the Board explains in the Preamble that “if a licensee happened to be a foster parent and was required to complete the training under Section 6383(c) there would be no need to repeat the training as a condition of licensure or license renewal.” Under Section 6383(c)(3) of the CPSL, foster parents must receive three hours of training within 90 days of hire or approval as a foster parent and three hours of training every five years thereafter. In order for an applicant or licensee to be granted an exemption under Section 16.108(c), must the training have been completed within a certain time period to satisfy the CPSL requirements? The Board should describe in the final-form regulation’s Preamble and Annex how it will implement the exemptions discussed in the above paragraphs.

Chapter 16. State Board of Medicine—General Provisions

Subchapter B. General License, Certification and Registration Provisions

3. Section 16.18. Volunteer license.—Clarity.

Section 16.18(c)(3) requires an applicant for a volunteer license to “provide verification” of having completed 3 hours of the mandated reporter training. Section 16.108(b) (relating to Child abuse recognition and reporting—mandatory training requirement) states that the Board will not renew a license unless the Bureau has received an electronic report from an approved course provider documenting attendance/participation by the licensee in an approved course or the licensee has obtained an exemption.

Does the verification process work differently for volunteer license applicants? If it is not to work differently, the Board should place the requirement in Section 16.18(b) along the following manner:

“(b) *License*. A volunteer license may be issued to a Board-regulated practitioner of the Board **for whom the Board has received verification that the applicant has received 3 hours of approved training in child abuse recognition and reporting in accordance with Section 16.108(a) (relating to child abuse recognition and reporting—mandatory training requirement and** who documents to the satisfaction of the Board that the applicant will practice without personal remuneration in approved clinics and meets one of the following:

(1) Holds a currently renewed, active, unrestricted license, registration or certificate in this Commonwealth and retires from active practice at the time the applicant applies for a volunteer license.

(2) Retires from active practice in this Commonwealth in possession of an unrestricted license which was allowed to lapse by not renewing it” 49 Pa. Code § 16.18(b)

4. Section 16.19. Continuing medical education.—Clarity.

This section is amended to incorporate the required mandatory training in child abuse recognition and reporting as part of the continuing education requirements for medical doctors. This proposal, however, does not address the “at least 3 hours of approved child abuse recognition and reporting training” for medical doctor licensees required under Section 6383(b)(3)(i) of the CPSL.

We ask the Board to amend Chapter 17 (relating to the State Board of Medicine—Medical Doctors) in a future rulemaking to include the appropriate cross-references to the mandatory training requirements for medical doctor licensees or explain why it is unnecessary to do so.

Subchapter G. Minimum Standards of Practice—Child Abuse Reporting

5. Section 16.101. Definitions.—Clarity; Compliance with the RRA and IRRC regulations; and Possible conflict with statute and regulations.

“Board-regulated practitioner”

The term Board-regulated practitioner is defined in Section 16.1 (relating to definitions) as “A medical doctor, midwife, physician assistant, drugless therapist, athletic trainer, acupuncturist, practitioner of Oriental medicine, perfusionist or an applicant for a license or certificate that the Board may issue.” This definition applies to Chapters 16 (relating to State Board of Medicine—General provisions), 17 (relating to State Board of Medicine—Medical doctors) and 18 (relating to State Board of Medicine—Practitioners other than medical doctors) unless the context clearly indicates otherwise.

The Board should make the definition of “Board-regulated practitioner” consistent throughout Chapter 16 (relating to State Board of Medicine—General provisions) in the final-form regulation or explain why it is not feasible. It should also submit a revised Description of the proposed amendments that includes the term “Board-regulated practitioner.”

“Person responsible for the child’s welfare”

A variation of the term appears in the definition of “Perpetrator.” The Board should revise the language in the definition of “Perpetrator” to be consistent with the term “Person responsible for the child’s welfare.”

“Recent act or failure to act”

In the text of the definition, the “of” in the phrase “An act of failure to act” should be changed to an “or” to read “An act or failure to act.”

6. Section 16.102. Suspected child abuse—mandated reporting requirements.—Clarity; and Protection of the public, health and welfare.

Subsection (a)

This subsection tracks, for the most part, the statutory requirements of Section 6311(b)(1)(i)—(iv) (relating to Basis to report) of the CPSL. Sections 6311(b)(2) and (3) of the CPSL, which are not carried over in the Board’s proposal, state that:

“. . . (2) Nothing in this section shall require a child to come before the mandated reporter in order for the mandated reporter to make a report of suspected child abuse.

(3) Nothing in this section shall require the mandated reporter to identify the person responsible for the child

abuse to make a report of suspected child abuse.” 23 Pa.C.S. § 6311(b)(2) and (3).

Sections 6311(b)(2) and (3) make clear the mandated reporter’s responsibility to act and to make a report of suspected child abuse even if certain information is unknown. The statutory provisions, if added, would also make this section consistent with the requirements for written or electronic reports in Section 16.102(d). The Board should incorporate these provisions in the final-form rulemaking or explain why it is unnecessary to do so and how not including them in the final version of the rulemaking protects the public health, safety and welfare.

7. Section 16.103. Photographs, medical tests and X-rays of child subject to report.—Possible conflict with statutes and regulations.

The Preamble explains that this section is in accordance with Section 6314 of the CPSL. Section 6314 of the CPSL also provides that medical summaries or reports of the photographs, X-rays and medical tests “shall be made available to law enforcement officials in the course of investigating cases pursuant to section 6340(a)(9) or (10) (relating to release of information in confidential reports).”

Section 16.103 is referenced in Section 16.105 (relating to Immunity from liability) which provides a Board-regulated practitioner who acts in good faith in making a report of suspected child abuse, a referral to general protective services, cooperates in or consults with an investigation, testifies in a proceeding or engages in any action authorized under 23 Pa.C.S. §§ 6314—6317 immunity from civil and criminal liability that might otherwise result by reason of the practitioner’s actions. To be consistent with the CPSL and Section 16.105 (relating to immunity from liability), the Board should amend this Section to include the statutory provision relating to the availability of reports, summaries and medical tests to law enforcement officials or explain why it is not needed.

8. Section 16.108. Child abuse recognition and reporting—mandatory training requirement.—Implementation procedures.

Subsection (a)

Subsection (a) requires an individual applying for an initial license to the Board to complete at least three hours of training in child abuse recognition and reporting requirements. This subsection does not address documentation and reporting of completion of training as required under 23 Pa.C.S. § 6383(b)(3)(i) (relating to Education and training). We ask the Board to revise this subsection to include the implementation procedures for submitting proof of training.

Subsection (c)

Under subsection (c)(3), an applicant or licensee may apply for an exemption from subsection (a) or (b) by submitting documentation demonstrating that the individual “should not be subject to the training or continuing education requirement.” A request for exemption is “considered on a case-by-case basis.” The standards for documentation and evaluation are vague. We ask the Board to explain the standards for sufficient documentation and the evaluation process for reviewing a request for exemption.

The Board should clarify that exemptions granted under this subsection are applicable only for the biennial renewal period for which the exemption is requested. A description of how the applicant or licensee will be

notified if their request for exemption is granted or denied should be included in the Preamble and Annex to the final-form regulation.

9. Section 16.109. Child abuse recognition and reporting—course approval process.—Clarity and lack of ambiguity.

Subsection (c)

This subsection states that the Bureau will notify the applicant in writing upon approval of the course and will post a list of approved courses on the Bureau’s website. “Applicant” as used in this subsection would appear to mean an individual, entity or organization applying for approval to provide mandated reporter training. In Section 16.108 the term “applicant” refers to a person applying for initial certification or licensure. The Board should clarify this subsection with regards to the use of “applicant.”

Chapter 18. State Board of Medicine—Practitioners other than Medical Doctors

Subchapter J. Perfusionists

10. Section 18.603. Application for perfusionist license.—Clarity.

Subsection (a)

The Board should amend this subsection to include the phrase “or cause to be submitted” similar to proposed Section 18.523(a)(1) since the verification of taking the mandated child abuse recognition and reporter training will be submitted electronically by the course provider.

11. Miscellaneous Clarity.

In RAF # 7, the Board should update the statutory citation for the CPSL to read “Child Protective Services Law (CPSL) (23 Pa.C.S. §§ 6301—6387).”

**State Board of Nursing Regulation
16A-5140 (IRRC # 3288)**

Child Abuse Reporting Requirements

March 31, 2021

We submit for your consideration the following comments on the proposed rulemaking published in the January 30, 2021 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the State Board of Nursing (Board) to respond to all comments received from us or any other source.

1. Implementation procedures; Clarity and lack of ambiguity.

The definition of “Board-regulated practitioner” in Section 21.501 (relating to definitions) includes certified registered nurse practitioners and clinical nurse specialists. We acknowledge that these certifications are held by registered nurses. However, the proposed rulemaking does not amend the application and continuing education requirements for these certifications in Chapter 21, Subchapters C and H (relating to certified registered nurse practitioners; and clinical nurse specialists). We ask the Board to explain how child abuse recognition and reporting training and continuing education requirements in 23 Pa.C.S. § 6383(b)(3)(i) and (ii) (relating to education and training) are implemented for these certifications. Further, we ask the Board to consider clarifying these subchapters in a future rulemaking by either adding child abuse recognition and reporting requirements or cross-references to the applicable registered nurse regulations.

2. Section 21.20. Licensure by examination.—Implementation procedures; Clarity and lack of ambiguity.

This section requires an applicant for licensure as a registered nurse to “submit proof of completion of at least 3 hours of approved training in child abuse recognition and reporting.” (Emphasis added.) As explained in the Preamble and required by Section 21.509(b)(13) (relating to child abuse recognition and reporting course approval process), an approved course provider reports participation/attendance electronically to the Bureau of Professional and Occupational Affairs (Bureau). We ask the Board to revise this section to clarify that the approved course provider electronically reports proof of attendance/completion.

This comment also applies to Sections 21.28(f), 21.131(d) and (e), 21.150, 21.155(f) and 21.723(b)(3).

3. Section 21.501. Definitions.—Clarity and lack of ambiguity.

Perpetrator

Subparagraphs (i)(D) and (ii)(D) of the definition of “perpetrator” limit this term to individuals of certain ages who are responsible for a child’s welfare. However, the specifically-defined term “person responsible for the child’s welfare” is not used. To improve clarity, we ask the Board to revise the definition of “perpetrator” to use the term defined in this section.

Serious physical neglect

The definition of “serious physical neglect” does not include the phrase “when committed by a perpetrator” as specified in the definition of this term in 23 Pa.C.S. § 6303 (relating to definitions). We ask the Board to revise this definition to include the omitted language.

4. Section 21.502. Suspected child abuse—mandated reporting requirements.—Protection of the public health, safety and welfare; Clarity and lack of ambiguity.

Subsection (a) requires a Board-regulated practitioner to report suspected child abuse when there is “reasonable cause to suspect that a child is a victim of child abuse” under a set of circumstances derived from 23 Pa.C.S. § 6311(b)(1) (relating to persons required to report suspected child abuse). This subsection does not include the responsibilities under 23 Pa.C.S. § 6311(b)(2) and (3) to report suspected child abuse when certain information is not known. To protect the public health, safety and welfare, the Board should add the omitted statutory provisions or explain why it is unnecessary to do so.

5. Section 21.503. Photographs, medical tests and X-rays of child subject to report.—Clarity and lack of ambiguity.

Under this section, a Board-regulated practitioner is required to send “[m]edical summaries or reports of the photographs, X-rays and relevant medical tests taken” to the county children and youth social service agency after the written or electronic report is submitted. Under 23 Pa.C.S. § 6314 (relating to photographs, medical tests and X-rays of child subject to report), these materials “shall be made available to law enforcement officials in the course of investigating cases.” For consistency, the Board should add the statutory requirement to make these materials available to law enforcement officials or explain why it is not necessary to do so.

6. Section 21.508. Child abuse recognition and reporting—mandatory training requirement.—Implementation procedures; Clarity and lack of ambiguity.

Subsection (a)

Subsection (a) requires an individual applying for initial licensure to complete at least three hours of training in child abuse recognition and reporting requirements. This subsection does not address documentation and reporting of completion of training as required under 23 Pa.C.S. § 6383(b)(3)(i). We ask the Board to revise this subsection to include the implementation procedures for submission of proof of training by an approved course provider.

Subsection (b)

Subsection (b) states that the “Board will not renew a license unless the Bureau has received an electronic report from an approved course provider documenting the attendance/participation by the licensee in an approved course or the licensee has obtained an exemption under subsection (c).” Section 21.131(b) (relating to continuing education) provides that a registered nurse “will not be required to meet the continuing education requirement on the first renewal immediately following licensure.” We ask the Board to explain how it will implement the child abuse recognition and reporting continuing education requirements for registered nurses who are exempt from continuing education following initial licensure.

Subsection (c)

Under subsection (c), an applicant or licensee may apply for an exemption from subsection (a) or (b). Paragraph (3) directs an applicant or licensee to submit documentation demonstrating that the individual “should not be subject to the training or continuing education requirement.” A request for exemption is “considered on a case-by-case basis.” We have three concerns. First, the standards for documentation and evaluation are vague. Second, this subsection does not specify if the exemption is limited to one biennial renewal period. Third, the process for notification of approval or denial is not stated. We ask the Board to explain the standards for sufficient documentation and the evaluation process for reviewing a request for exemption, including if there is a time frame for completion of training prior to applying for an exemption. We also ask the Board to consider clarifying this subsection to state the time period of the exemption and the process for notifying applicants and licensees.

7. Section 21.721. Qualifications for licensure.—Implementation procedures; Clarity and lack of ambiguity.

Subsection (c) requires an applicant for licensure as a dietitian-nutritionist to “submit complete at least 3 hours of training in child abuse recognition and reporting.” (Emphasis added.) As addressed in Comment # 1, since the approved course provider electronically reports participation/attendance to the Bureau, this subsection should be revised to delete “submit.”

8. Miscellaneous clarity.

- We identified the following clarity issues in Section 21.501:

- o In the definition of “mandated reporter,” the reference to “chapter” should be corrected to “subchapter.”

- o In subparagraph (i)(F) of the definition of “perpetrator,” the phrase “by birth or adoption of the child” should be corrected to “by birth or adoption to the child.”

o In the definition of “recent act or failure to act,” the phrase “act of failure” should be corrected to “act or failure.”

- The reference to “subparagraph” in Section 21.502(c)(1) (relating to suspected child abuse—mandated reporting requirements) should be corrected to “paragraph.”

- In Section 21.507(b)(4) (relating to noncompliance), the phrase “convicted of a prior offense under § 6319” should be revised to cross-reference 23 Pa.C.S. § 6319. (Emphasis added.)

- In Section 21.603(b) (relating to applications), “applicant for a volunteer licensee” should be corrected to “applicant for a volunteer license.”

- Section 21.605 (relating to biennial renewal) should be revised to cross-reference 35 P.S. § 449.46(c). (Emphasis added.)

- We identified the following clarity issues in the Regulatory Analysis Form:

- o The citation to the Child Protective Services Law in Question # 7 should be updated to 23 Pa.C.S. §§ 6301—6387. (Emphasis added.)

- o The citation to The Professional Nursing Law in Question # 8 should be corrected to 63 P.S. § 212.1(k). (Emphasis added.)

- o The number of volunteer applicants and licensees should be included in responses to Questions # 15, 16, 18 and 19.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 21-583. Filed for public inspection April 9, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT

Pennsylvania Compensation Rating Bureau; Workers' Compensation Rule Filing; Revised Experience Rating Plan Rules

On March 19, 2021, the Insurance Department received from the Pennsylvania Compensation Rating Bureau (Bureau) a filing that proposes changes to the Bureau's Experience Rating Plan rules. The revised rules impact how recoveries under subrogation rights or from third parties are handled for experience rating purposes and formalize contingent rating procedures when unit statistical reports do not include all necessary data.

The filing is available for review on the Bureau's web site at www.pcrb.com in the “Filings” section.

Interested parties are invited to submit written comments, suggestions or objections by means of e-mail to Dennis Sloand, Insurance Department, Office of Insurance Product Regulation, desloand@pa.gov, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 21-584. Filed for public inspection April 9, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT

Principal Life Insurance Company (SERFF # TRIP-132766190); Rate Increase Filing for Principal Life LTC Form FR 601; Rate Filing

Principal Life Insurance Company is requesting approval to increase the premium an aggregate 53.5% on 38 policyholders Principal Life LTC form FR 601.

Unless formal administrative action is taken prior to June 24, 2021, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 21-585. Filed for public inspection April 9, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT

Transamerica Life Insurance Company (SERFF # AEGB-132758770); Rate Increase Filing for Several LTC Forms; Rate Filing

Transamerica Life Insurance Company is requesting approval to increase the premium an aggregate 114% on 1,480 policyholders with group LTC forms 1-820 44-991, 1-822 44-991, LTC 104-194-PA, LTC 105-194-PA, LTC 106-194-PA, LTC 124-197-PA, LTC 224-197-PA, LTC 125-197-PA, LTC 225-197-PA, LTC 126-197-PA, LTC 226-197-PA, LTC 304-198-PA and LTC 305-198-PA.

Unless formal administrative action is taken prior to June 24, 2021, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 21-586. Filed for public inspection April 9, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT

Transamerica Life Insurance Company (SERFF # AEGB-132761334); Rate Increase Filing for Several LTC Forms; Rate Filing

Transamerica Life Insurance Company is requesting approval to increase the premium an aggregate 114% on 1,642 policyholders of: (a) GCPRO (PA) 193, GCPRO (PA-FR) 193, GCPRO (PA) 995, GCPRO (PA-FR) 995, GCPRO-II (PA) 794, GCPRO-II (PA-FR) 794, GCPRO-II (PA) 995, GCPRO-II (PA-FR) 995, LI-LTCP (PA) 192, LI-LTCP (PA) 195, LI-LTCP (PA-FR) 195, LI-LTCP TQ (PA) 898, LI-LTCP TQ (PA-FR) 898 (LIICA); (b) GP001 796 (GC001 NH (PA) 796, GC001 LTC (PA) 796, GC001 HHC (PA) 796) (NEA); (c) IP-70-PA-494, IP-71-PA-494, FP-70-PA-494, FP-71-PA-494, LTC 3 (PA) 1091, LTC 3 (PA) 1091 (GR194), LTC 3 (PA) 1091 (GR195), LTC 3 (PA) 1091 (REV195), LTC 5 TQ NH (PA) 1096, LTC 5 TQ COM (PA) 1096, LTC 5 TQ NH (PA-FP) 1096, LTC 5 TQ COM (PA-FP) 1096 (TLIC); and (d) ML-LTCP TQ (PA) 898, ML-LTCP TQ (PA-FR) 898, FPTQ (PA) 197, FPTQ (PA-FP) 197, LTC 5 TQ COM (PA) 1197, LTC 5 TQ COM (PA-FP) 1197, P-0001 (PA) 4/98, P-0001 (PA-FP) 4/98 (TPLIC).

Unless formal administrative action is taken prior to June 24, 2021, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 21-587. Filed for public inspection April 9, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Acquisition by Purchase

A-2021-3024887. Peoples Natural Gas Company, LLC. Application of Peoples Natural Gas Company, LLC for approval of the acquisition by purchase from Equitrans LP of certain pipeline facilities located in Fayette and Greene Counties.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 26, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at

M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Applicants: Peoples Natural Gas Company, LLC; Equitrans LP

Through and By Counsel for: Lauren M. Burge, Esquire, Eckert Seamans Cherin & Mellott, LLC, 600 Grant Street, 44th Floor, Pittsburgh, PA 15219, (412) 566-2146, lburge@eckertseamans.com; Michael C. Turzai, Esquire, Vice President and General Counsel, William H. Roberts, II, Esquire, Senior Counsel, Peoples Natural Gas Company, LLC, 375 North Shore Drive, Pittsburgh, PA 15212, (412) 208-6527, michael.turzai@peoples-gas.com, william.h.roberts@peoples-gas.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-588. Filed for public inspection April 9, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Electric Generation Supplier License Cancellations of Companies with an Expired Financial Security, Insufficient Financial Security Amount or Language

Public Meeting held
March 25, 2021

Commissioners Present: Gladys Brown Dutrieuille, Chairperson; David W. Sweet, Vice Chairperson; John F. Coleman, Jr.; Ralph V. Yanora

Electric Generation Supplier License Cancellations of Companies with an Expired Financial Security, Insufficient Financial Security Amount or Language;
M-2021-3023559

Tentative Order

By the Commission:

The Commission's regulations at 52 Pa. Code § 54.40(a) state that an Electric Generation Supplier (EGS) license will not be issued or remain in force until the licensee furnishes a bond or other security approved by the Commission. In addition, 52 Pa. Code § 54.40(d) states that the maintenance of an EGS license is contingent on the licensee providing proof to the Commission that a bond or other approved security in the amount directed by the Commission has been obtained.

Each EGS must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA, 17120, prior to the EGS's current security expiration date. Each financial instrument must be an original document that displays a "wet" signature or digital signature, preferably in blue ink, and displays a "raised seal" or original notary stamp. The name of the principal on the original financial instrument must match exactly with the name that appears on the EGS's license issued by the Commission.

Failure to file before the financial security's expiration date may cause Commission staff to initiate a formal proceeding that may lead to the following: cancellation of each company's electric supplier license, removal of each company's information from the Commission's website and notification to all electric distribution companies, in which each company is licensed to do business, of the cancellation of the license.

While we recognize that the COVID-19 pandemic has provided some challenges related to the continuance of normal business operations, it is imperative that the Commission have an approved financial security in place with each EGS to ensure compliance with 52 Pa. Code § 54.40(d). On March 25, 2020, Commission staff issued an EGS Financial Security Filing Guidance Memo (Guidance Memo) that stated the following:

- Where practical, EGSs should file an original bond, letter of credit, continuation certificate, amendment, or other financial instrument. These original financial instruments should display “wet” signatures or digital signatures, preferably in blue ink, and display a “raised seal” or original notary stamp.
- EGSs should email a copy of the original financial instrument directly to Secretary Chiavetta at rchiavetta@pa.gov. Secretary Chiavetta has waived the restriction on emailed filings that contain confidential and proprietary material. As such, financial security instruments will be permitted to be filed by email for the duration of the Commission's work from home order.
- If an EGS is unable to acquire a “raised seal” or original notary stamp on the financial security during the pendency of the COVID-19 emergency, the Secretary's Bureau will not reject the financial security.
- If an EGS has been granted a reduction in its financial security, and it is time to renew the annual

reduction, please file an original annual compliance filing with the Secretary's Bureau and a copy via email at rchiavetta@pa.gov.

Please note that the requirement that EGSs maintain a valid financial security on file with the Commission, remains in effect.

Be advised that emailed financial security instruments—after review and acceptance of the Secretary's Bureau and the Bureau of Technical Utility Services—will be provisionally approved by the Commission until Commission staff resume working in the Keystone Building. EGSs must still mail the original bond with original signatures and notary stamp as per the Commission's normal practice.

On July 27, 2020, the Commission issued a Secretarial Letter which modified certain filing and service requirements.¹ Specifically, this Secretarial Letter amended the Emergency Order issued on March 20, 2020, at Docket No. M-2020-3019262 regarding the filing of certain confidential documents. At the time the Emergency Order was issued, the Commission did not have access to its physical location. However, since that time the Commission has secured limited access to its place of business. Under these circumstances and consistent with the authority provided to the Secretary by the Emergency Order, the Secretarial Letter requires that confidential filings made pursuant to 52 Pa. Code § 54.40(a) (EGS financial securities), must be filed with the Secretary by overnight delivery and are not to be filed electronically with the Secretary.

As of March 16, 2021, each EGS listed in the Supplier Table below has not provided proof to the Commission that it has a bond or other approved security in the amount or language directed by the Commission, to replace a bond which is expired or which is non-compliant with Commission regulations.

¹ Docket No. M-2020-3019262.

Supplier Table—List of Electric Generation Suppliers

| <i>Docket Number</i> | <i>Company Name</i> | <i>Financial Security Expiration Date</i> | <i>Commission Approved Amount or Language</i> |
|----------------------|--------------------------------------|---|---|
| A-2012-2311652 | ALTERNATIVE ESCO, LLC | 2/15/2021 | Yes |
| A-2019-3010105 | BROKER ONLINE EXCHANGE, LLC | 2/28/2021 | Yes |
| A-2018-3004377 | CSD ENERGY ADVISORS, LLC | 3/1/2021 | Yes |
| A-2016-2532829* | HOLCIM (US), INC. | 3/2/2021 | No |
| A-2014-2444295 | KWH SAVINGS, LLC | 3/15/2021 | Yes |
| A-2020-3021922 | POWER MARKETING GROUP, LLC | 3/13/2021 | Yes |
| A-2009-2143245* | PUBLIC POWER, LLC | 3/1/2021 | Yes |
| A-2016-2552583 | REGIONAL RESOURCES ENERGY GROUP, LLC | 3/9/2021 | Yes |
| A-2019-3007847* | SOUTH BAY ENERGY CORP. | 2/26/21 | Yes |

*Taking title to electricity

As part of its EGS license validation procedures, the Commission's Bureau of Technical Utility Services sent a 90-day Security Renewal Notice email to each entity in the Supplier Table above stating that original documentation of a bond, or other approved security in the amount or language directed by the Commission, must be filed within 30-days prior to each entity's security expiration

date. None of the companies listed in the Supplier Table provided the required documentation.

Based on the above facts, we tentatively conclude that the EGSs listed in the Supplier Table are not in compliance with 52 Pa. Code § 54.40(a) and (d) and therefore it is appropriate to initiate the cancellation process for the

EGS license of each company listed in the Supplier Table, without the necessity of a formal complaint, as being in the public interest; *Therefore,*

It Is Ordered That:

1. Cancellation of the Electric Generation Supplier License of each company listed in the Supplier Table is hereby tentatively approved as being in the public interest.

2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, all electric distribution companies, all of the Electric Generation Suppliers in the Supplier Table and publish a copy of this Tentative Order in the *Pennsylvania Bulletin* with a 30-day comment period.

3. The Secretary serve a copy of this Tentative Order upon the Pennsylvania Department of Revenue—Bureau of Compliance, Business License Clearance Division.

4. Absent the filing of adverse public comment or the filing of an approved security within 30-days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services shall prepare a Final Order for entry by the Secretary.

5. Upon entry of the Final Order, EGSs that remain listed as not in compliance with 52 Pa. Code § 54.40(a) and (d) will be stricken from all active utility lists maintained by the Commission's Bureau of Technical Utility Services and the Assessment Section of the Bureau of Administration, removed from the Commission's website, and notifications be sent to all electric distribution companies in which the Electric Generation Suppliers are licensed to do business.

6. Upon entry of the Final Order described in Ordering Paragraph No. 4, each electric distribution company in which the Electric Generation Suppliers are licensed to do business, shall return the customers of the Electric Generation Suppliers to default service.

ROSEMARY CHIAVETTA,
Secretary

ORDER ADOPTED: March 25, 2021

ORDER ENTERED: March 25, 2021

[Pa.B. Doc. No. 21-589. Filed for public inspection April 9, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 26, 2021. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by April 26, 2021. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in

matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2021-3024472. Restorative Non Medical Transportation, LLC (7800 Haines Road, Cheltenham, Montgomery County, PA 19012) in paratransit service, limited to members of the Restorative Home Healthcare Agency, in vehicles staffed with a driver and either a nurse or nurse's aide, to or from healthcare facilities, or to or from locations necessary to obtain goods required for managing the member's medical conditions, from points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2021-3024620. First Horizon Transportation Corporation (7325 Rising Sun Avenue, Philadelphia, PA 19111) in paratransit service, limited to members of the First Horizon Homecare Agency, in vehicles staffed with a driver and either a nurse or nurse's aide, to or from healthcare facilities, or to or from locations necessary to obtain goods required for managing the member's medical conditions, from points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2021-3024844. Azzu Transport Group, LLC (611 North Harrisburg Street, Suite 2, Steelton, Dauphin County, PA 17113) for the right to begin to transport, as a common carrier, by motor vehicle, in paratransit service, between points in the Counties of Cumberland, Dauphin and Lancaster. *Attorney:* Kevin L. Hall, Esquire, 2 Lemoyne Drive, Suite 200, Lemoyne, PA 17043.

A-2021-3024869. Liberty Limo Service, LLC (818 Mill Grove Drive, Norristown, Montgomery County, PA 19403) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in the Counties of Bucks, Chester, Delaware and Montgomery.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2021-3024765. Carol Ann Frazier (111 Pheasant Run, Spring Mills, PA 16875) discontinuance of service and cancellation of its certificate—for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Centre, to points in Pennsylvania, and return.

A-2021-3024835. Philly Limo, Inc. (P.O. Box 2644, Bala Cynwyd, Montgomery County, PA 19004) for the discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Bucks, Chester, Delaware and Montgomery, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority, which is to be a transfer of all the right authorized under the certificate issued at A-00123405 to Luis A. Escobar, subject to the same limitations and conditions.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-590. Filed for public inspection April 9, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer of Control

A-2021-3024882. Pennsylvania Telephone Company, New Lisbon Telephone Company and NLTC Holdco. Joint application of Pennsylvania Telephone Company, New Lisbon Telephone Company and NLTC Holdco for approval of the proposed transfer of control of Pennsylvania Telephone Company and New Lisbon Telephone Company to NLTC Holdco.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 26, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Joint Applicants: Pennsylvania Telephone Company; New Lisbon Telephone Company; NLTC Holdco

Through and By: Charles E. Thomas, Jr., Esquire, Thomas, Niesen & Thomas, LLC, 212 Locust Street, Suite 302, Harrisburg, PA 17010, cthomasjr@tntlawfirm.com; James A. L. Buddenbaum, Esquire, Parr Richey Frandsen Patterson Kruse, LLP, 251 North Illinois Street, Suite 1800, Indianapolis, IN 46204, jbuddenbaum@parrlaw.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-591. Filed for public inspection April 9, 2021, 9:00 a.m.]
