

NOTICES

DEPARTMENT OF AGRICULTURE

Order; Training and Certification for Certified Parking Meter Inspectors

Section 1. Purpose; Authority; Duration.

This Order is a temporary order establishing training and certification requirements and procedures for persons seeking to become Certified Parking Meter Inspectors, and is authorized under the Consolidated Weights and Measures Act, at 3 Pa.C.S. § 4115(b).

This Order is effective as of April 24, 2021 and shall remain in effect until April 24, 2022—one year from date of issuance.

Section 2. Definitions.

The following word and terms, when used in this order, have the following meanings, unless the context clearly indicates otherwise:

Act—The Consolidated Weights and Measures Act, 3 Pa.C.S. §§ 4101—4194.

Certified parking meter inspector or CPMI—An individual who is certified by the Department of Agriculture to inspect and certify the accuracy of parking meters.

Department—The Department of Agriculture of the Commonwealth.

Section 3. Certified parking meter inspector.

(a) *General.* A person may apply to the Department to be designated a certified parking meter inspector (“CPMI”) for purposes of the Act and this order.

(b) *Authority.* A CPMI may inspect and certify the accuracy of parking meters as required by the Act.

(c) *Fees.* A CPMI may charge a fee for inspection and testing services.

Section 4. Certification standards.

A person seeking a CPMI certificate from the Department shall do the following:

(1) Successfully complete an approved training course as described in Section 5 (relating to training courses).

(2) Pass a Department-administered or Department-approved written test by a score of at least 70%.

(3) Possess or have access to field standards and test equipment as necessary to inspect, determine and certify the accuracy of parking meters, as required under the Act.

(4) Comply with the application requirements described in Section 7 (relating to applying for CPMI certification) and other requirements of this order.

(5) Be at least 18 years of age.

Section 5. Training courses.

(a) *Department-administered courses and Department-approved courses.* The Department-administered parking meter certification training course meets the requirements of subsection (b) and is an approved training course. The Department will approve additional parking meter certification training courses that meet the application and course-content requirements of this Section.

(b) *Training course; hours and content.* A Department-approved parking meter certification training course shall consist of a minimum of four (4) hours of instruction, with at least two (2) hours of classroom training and at least two (2) hours of hands-on training. The training course shall cover the following topics:

(1) Basic operation of mechanical and digital parking meters.

(2) Determination and use of appropriate field standards.

(3) Familiarization with documentation requirements.

(4) Inspection and testing procedures.

(5) Noting deficiencies and reporting results.

(c) *Application for approval by Department.* A person seeking the Department’s approval of a parking meter certification training course shall apply in writing to the Department and provide the following:

(1) A course outline.

(2) A description of the subject matter to be addressed in each component of the course, addressing all of the course topic requirements set forth in subsection (a).

(3) The name and background information of each course instructor, a description of the subject matter to be addressed by that instructor and information to demonstrate the familiarity of the instructor with that subject matter.

(4) A list of the dates, times and locations at which the training course is to be presented.

(5) A copy of the proposed written test, together with a copy of the answer key.

(6) Verification that the person conducting the course shall issue a certificate of completion to any person who successfully completes the course, and shall promptly report the results of the testing required under Section 4, Paragraph (2) (relating to certification standards), above, in writing to the Department.

(7) Such other information as the Department may reasonably require.

(d) *Obtaining the list of current approved training courses.* The Department will provide a current list of approved training courses upon request, and will maintain a copy of the current list on its internet website: www.agriculture.state.pa.us.

(e) *Effect of addition of a course to list of courses.* If a training course is added to the list described in subsection (d), a person who has successfully completed that course within six (6) months preceding the date the Department approved the course will be deemed to have successfully completed an approved training course as described in Section 4, Paragraph 1 (relating to certification standards). That person must also meet the requirements of Section 4, Paragraphs (2), (3), (4) and (5) in order to be designated a CPMI.

Section 6. Audit by Department.

The Department may attend and audit an approved training course to ascertain whether the course is conducted in accordance with the Act and this order. A person offering or conducting an approved training course shall, at least 7 days in advance of conducting the course, mail or deliver to the Department written notification of

the date, time and location of the training course. A person offering or conducting an approved training course shall allow the Department's auditors entry to the program and provide copies of course materials.

Section 7. Applying for CPMI certification.

(a) *Application required.* A person who has successfully completed a Department-administered or Department-approved parking meter certification training course may apply to the Department for a CPMI certificate. Certification is granted through issuance of the certificate described in Section 8 (relating to CPMI certificate).

(b) *Form of application.* A person seeking certification under the Act may obtain an application form from the Department using the contact information provided in Section 14 (relating to contacting the Department). The applicant shall complete the form and return it to that same address. The application form shall require the following information:

(1) The name, mailing address and birth date of the person seeking a certificate.

(2) The name, location and date of completion of any approved training course completed by the person seeking a certificate.

(3) A copy of any certificate of completion with respect to the approved training course.

(4) A detailed description of the equipment the person seeking the CPMI certificate will use in conducting parking meter inspections, including applicable verifications of accuracy, inspection records and other documentation demonstrating the equipment is accurate and in working order.

(5) The date of the application.

(6) Other information the Department might reasonably require.

(c) *Departmental action on application.* The Department will, within 30 days of receiving an application, mail the applicant a certificate, a disapproval notice or a request for additional clarification or documentation. If the Department requests additional clarification or documentation, its review and consideration of the application will cease until the requested material is received, from which time the 30-day review period shall begin again.

Section 8. CPMI certificate.

(a) *CPMI certificate.* The Department will provide a CPMI a CPMI certificate.

(b) *Contents of CPMI certificate.* A CPMI certificate will bear the following information:

(1) The name of the person to whom it is issued.

(2) The date of issuance.

(3) A unique identification number.

(4) A statement that the Department has determined the person identified on the certificate to be a "CPMI" with respect to parking meters.

(5) Other information the Department might reasonably include.

(c) *Ownership of CPMI certificate.* A CPMI certificate issued by the Department will remain the property of the Department. A CPMI or other person having physical possession of a certified parking meter certificate shall, upon written notice from the Department, surrender and return the certificate to the Department.

(d) *Obligation to produce CPMI certificate for inspection.* A CPMI shall produce the CPMI certificate for inspection upon demand by the Department or any person on whose behalf the CPMI is performing the inspection or test.

Section 9. Expiration of CPMI certificate.

A CPMI certificate will remain valid unless or until five (5) years or more elapse between consecutive parking meter inspections by the CPMI to whom the CPMI certificate is issued, or unless the CPMI certificate is suspended or revoked in accordance with the procedures in Section 12 (relating to suspension or revocation of certification).

Section 10. Obtaining a new CPMI certificate.

(a) *No renewals: new certificate required.* The Department will not renew a CPMI certificate or extend the expiration date of a certificate. A person shall, instead, apply for and obtain a new CPMI certificate in accordance with Section 7 (relating to applying for CPMI certification) to be issued a successor CPMI certificate.

(b) *Training course.* A person who is applying for a CPMI certificate shall have successfully completed a training course as described in Section 5 (relating to training courses) within six (6) months of the date of the application form.

Section 11. Inspection and testing by the Department.

(a) *Random inspection and testing.* The Department may conduct random inspection and testing of parking meters that have been inspected and tested by a CPMI to determine whether the CPMI conducted the inspection and testing in accordance with the Act and this order.

(b) *Inspections generally.* In addition to the random inspection and testing described in subsection (a), the Department may conduct inspection and testing of any parking meter that has been inspected and tested by a CPMI.

(c) *Time lapse affecting results.* In evaluating the inspection and testing performed by the CPMI, the Department will take into account any lapse of time between an inspection performed by the Department and the inspection performed by the CPMI.

(d) *Reporting of results.* Within 30 days following a random inspection, the Department will mail the CPMI written notice of the inspection and the results of that inspection.

(e) *Use of results.* The Department may use the results of its inspection and testing to suspend or revoke the certificate of a CPMI in accordance with Section 12 (relating to suspension or revocation of certification), or as the basis for a warning or instruction directed to the CPMI.

Section 12. Suspension or revocation of certification.

(a) *Basis for action.* The Department may suspend or revoke a CPMI certificate if the CPMI does one or more of the following:

(1) Violates a provision of this order.

(2) Violates a provision of the Act.

(3) Intentionally or fraudulently reports inaccurate information on an inspection report form.

(4) Is found, following inspection and testing by the Department in accordance with Section 11 (relating to

inspection and testing by the Department), to have inaccurately, improperly or incompetently performed testing and inspections of parking meters issued.

(b) *Notice.* The Department will provide a CPMI with written notice of its intention to suspend or revoke certification, which will afford the CPMI notice and opportunity for an administrative hearing before the Department prior to the effective date of the suspension or revocation.

(c) *Delivery of notice.* The Department will deliver the notice described in subsection (b) to the affected CPMI by personal service or by regular mail to the address provided by the CPMI on his application for a certificate under Section 7 (relating to applying for CPMI certification), or to the address most recently provided to the Department in writing by the CPMI as the address to which notices should be sent.

Section 13. CPMI list.

(a) *CPMI list to be maintained.* The Department will maintain a current CPMI list containing the following information with respect to each CPMI:

- (1) Name and address.

- (2) Telephone number.
- (3) Fax number (if available).
- (4) The unique identification number of the CPMI's certificate.

(b) *Distribution of copies.* The Department will provide a copy of the current CPMI list upon request.

Section 14. Contacting the Department.

For purposes of this order, a person may contact the Department at the following address:

Department of Agriculture
 Bureau of Ride and Measurement Standards
 2301 North Cameron Street
 Harrisburg, Pennsylvania 17110-9408
 Telephone Number: (717) 787-9089
 FAX Number: (717) 783-4158

This Order is effective as of April 24, 2021.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 21-636. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending April 13, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--------------------------------------------------------------|----------------------------------------------------------|---------------|
| 04-12-2021 | Univest Bank and Trust Co. Souderton Montgomery County | 4601 Carlisle Pike Mechanicsburg Cumberland County | Opened |

CREDIT UNIONS

Branch Applications

Branch Relocations

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 04-12-2021 | TruMark Financial Credit Union Fort Washington Montgomery County | <i>To:</i> 600 Old York Road Jenkintown Montgomery County <i>From:</i> 515 Old York Road Jenkintown Montgomery County | Effective |

Articles of Amendment

| <i>Date</i> | <i>Name and Location of Institution</i> | <i>Action</i> |
|-------------|----------------------------------------------------------------------|---------------|
| 03-15-2021 | Knoll Employees Credit Union East Greenville Montgomery County | Effective |

| <i>Date</i> | <i>Name and Location of Institution</i> | <i>Action</i> |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| | Amendment to Article VII of the institution's Articles of Incorporation provides for a change to the Credit Union's field of membership. | |
| | Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety. | |

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 21-637. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

| <i>Section</i> | <i>Category</i> |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that

explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the "Applications Received with Comment Periods Report" (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as previously discussed.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|-----------------------------------------------|-------------------------|------------------------------------------------------------------------------------|---------------------------------------------|-------------------|
| PA0001571 | Industrial Stormwater Individual NPDES Permit | Transfer | Trogon Development LLC P.O. Box 65 Cheswick, PA 15024-0065 | Union Township Washington County | SWRO |
| 0287202 | Industrial Waste Individual WQM Permit | Transfer | Trogon Development LLC P.O. Box 65 Cheswick, PA 15024-0065 | Jefferson Hills Borough Allegheny County | SWRO |
| 0782201 | Industrial Waste Individual WQM Permit | Transfer | Pef Real Estates LLC 250 Power Plant Drive P.O. Box F Shawville, PA 16873 | Catharine Township Blair County | SCRO |
| 6372205 | Industrial Waste Individual WQM Permit | Transfer | Trogon Development LLC 2833 New Beaver Avenue Pittsburgh, PA 15233-1003 | Union Township Washington County | SWRO |
| 6373209 | Industrial Waste Individual WQM Permit | Transfer | Trogon Development LLC P.O. Box 65 Cheswick, PA 15024-0065 | Union Township Washington County | SWRO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|----------------------------------------|-------------------------|----------------------------------------------------------------------------------------|------------------------------------------|-------------------|
| 6377210 | Industrial Waste Individual WQM Permit | Transfer | Trogon Development LLC P.O. Box 65 Cheswick, PA 15024-0065 | Union Township Washington County | SWRO |
| 0620803 | Joint DEP/PFBC Pesticides Permit | Amendment | Bensing Andy 1411 Cross Keys Road Reading, PA 19605-9513 | Bern Township Berks County | SCRO |
| 0913898 | Joint DEP/PFBC Pesticides Permit | Transfer | Martin Sharon P.O. Box 225 Mechanicsville, PA 18934-0225 | Buckingham Township Bucks County | SERO |
| 0913979 | Joint DEP/PFBC Pesticides Permit | Transfer | Hall Brandon 452 Rosie Lane Hatfield, PA 19440-1245 | Hilltown Township Bucks County | SERO |
| 0921804 | Joint DEP/PFBC Pesticides Permit | New | Prousi Anthony 8 Round Hill Road Newtown, PA 18940-3110 | Upper Makefield Township Bucks County | SERO |
| 1513804 | Joint DEP/PFBC Pesticides Permit | Amendment | Aqua PA Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402 | Schuylkill Township Chester County | SERO |
| 1515827 | Joint DEP/PFBC Pesticides Permit | New | Lewis Steve 107 Parsons Road Landenberg, PA 19350-1551 | Franklin Township Chester County | SERO |
| 1517806 | Joint DEP/PFBC Pesticides Permit | New | Charter Chase HOA 1237 Highgate Road West Chester, PA 19380-5812 | East Goshen Township Chester County | SERO |
| 1521809 | Joint DEP/PFBC Pesticides Permit | New | Natural Lands Trust 201 Piersol Road Elverson, PA 19520-8833 | Warwick Township Chester County | SERO |
| 1521811 | Joint DEP/PFBC Pesticides Permit | New | Akins Jennifer 1680 Waterglen Drive West Chester, PA 19382-6900 | Pocopson Township Chester County | SERO |
| 1521812 | Joint DEP/PFBC Pesticides Permit | New | Kiefer Mary 80 W Welsh Pool Road Exton, PA 19341-1233 | Uwchlan Township Chester County | SERO |
| 1521813 | Joint DEP/PFBC Pesticides Permit | New | O'Donnell Sean 3362 Conestoga Road Glenmoore, PA 19343-2632 | East Nantmeal Township Chester County | SERO |
| 2021801 | Joint DEP/PFBC Pesticides Permit | New | John Manross 25950 Hayden Lane Edinboro, PA 16412-4750 | Cussewago Township Crawford County | NWRO |
| 2921801 | Joint DEP/PFBC Pesticides Permit | New | Aravanis Sara 11105 Easecrest Drive Silver Spring, MD 20902-3508 | Licking Creek Township Fulton County | SCRO |
| 3515807 | Joint DEP/PFBC Pesticides Permit | Renewal | Kaufman David P.O. Box L Waverly, PA 18471-0757 | Waverly Township Lackawanna County | NERO |
| 3621804 | Joint DEP/PFBC Pesticides Permit | New | Conrad Brandon 475 Buch Avenue Lancaster, PA 17601-2907 | Manheim Township Lancaster County | SCRO |
| 3621805 | Joint DEP/PFBC Pesticides Permit | New | Highland Tank & Manufacturing Co. 4535 Elizabethtown Road Manheim, PA 17545-8367 | Rapho Township Lancaster County | SCRO |
| 3913802 | Joint DEP/PFBC Pesticides Permit | Renewal | Leiss Alan 1055 Cetronia Road Breinigsville, PA 18031-1681 | Upper Macungie Township Lehigh County | NERO |
| 3914801 | Joint DEP/PFBC Pesticides Permit | Renewal | Brookside Country Club 901 Willow Lane Macungie, PA 18062-9328 | Macungie Borough Lehigh County | NERO |

NOTICES

2281

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|----------------------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------|
| 4113803 | Joint DEP/PFBC Pesticides Permit | Renewal | Williamsport City Municipal Water Authority Lycoming County 253 W 4th Street Williamsport, PA 17701-6113 | Armstrong Township Lycoming County | NCRO |
| 4515806 | Joint DEP/PFBC Pesticides Permit | Renewal | Robinwood Village HOA 323 W Windsor Road Saylorsburg, PA 18353-8702 | Chestnuthill Township Monroe County | NERO |
| 4614805 | Joint DEP/PFBC Pesticides Permit | New | Tornetta Vicky 810 Brookwood Lane Bryn Mawr, PA 19014 | Lower Merion Township Montgomery County | SERO |
| 4619804 | Joint DEP/PFBC Pesticides Permit | Amendment | Squires Golf Course 623 Cedar Hill Road Ambler, PA 19002-1507 | Horsham Township Montgomery County | SERO |
| 4619813 | Joint DEP/PFBC Pesticides Permit | Transfer | Rittenhouse Estates 2131 N Broad Street Suite 102 Lansdale, PA 19446 | Lower Salford Township Montgomery County | SERO |
| 4621804 | Joint DEP/PFBC Pesticides Permit | New | Upper Dublin Township Sewer Authority Montgomery County 801 Loch Alsh Avenue Fort Washington, PA 19034-1651 | Upper Dublin Township Montgomery County | SERO |
| 4621806 | Joint DEP/PFBC Pesticides Permit | New | Preserve at Providence HOA 427 Exton Commons Exton, PA 19341 | Upper Providence Township Montgomery County | SERO |
| 4621807 | Joint DEP/PFBC Pesticides Permit | New | Oxford of Blue Bell 11 Bromley Drive Blue Bell, PA 19422 | Whitpain Township Montgomery County | SERO |
| 4621808 | Joint DEP/PFBC Pesticides Permit | New | Westover Country Club 401 S Schuylkill Avenue Norristown, PA 19403-3562 | West Norriton Township Montgomery County | SERO |
| 4621809 | Joint DEP/PFBC Pesticides Permit | New | Talamore Country Club 723 Talamore Drive Ambler, PA 19002-1872 | Horsham Township Montgomery County | SERO |
| 4816806 | Joint DEP/PFBC Pesticides Permit | Renewal | Victaulic Co. 4901 Kesslersville Road Easton, PA 18040-6714 | Forks Township Northampton County | NERO |
| 5213815A-1 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213816 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213817 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Hawley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213818A-1 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Conyngham, PA 18428 | Blooming Grove Township Pike County | NERO |
| 5213819 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---------------------------------------------------------------------|-------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------|-------------------|
| 5213820 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213821 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213822 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213823 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213824A-1 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213825A-1 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5213826 | Joint DEP/PFBC Pesticides Permit | Renewal | Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066 | Blooming Grove Township Pike County | NERO |
| 5816803 | Joint DEP/PFBC Pesticides Permit | Renewal | Dream Lake Homeowners 2192 School Road New Milford, PA 18834-7599 | Harford Township Susquehanna County | NERO |
| 6321800 | Joint DEP/PFBC Pesticides Permit | New | Orchard Hill Homeowners Assoc 290 Perry Highway Pittsburgh, PA 15229-1864 | Peters Township Washington County | SWRO |
| 6414808 | Joint DEP/PFBC Pesticides Permit | Renewal | Whitney Company 23 Twin Pond Way Hawley, PA 18428 | Paupack Township Wayne County | NERO |
| 6414809 | Joint DEP/PFBC Pesticides Permit | Renewal | Whitney Company 23 Twin Pond Way Hawley, PA 18428 | Paupack Township Wayne County | NERO |
| PA0026379 | Major Sewage Facility >= 5 MGD Individual NPDES Permit | Amendment, Minor | Bradford Sanitary Authority McKean County 28 Kennedy Street Bradford, PA 16701-2006 | Foster Township McKean County | NWRO |
| PA0080845 | Minor Industrial Waste Facility with ELG Individual NPDES Permit | Transfer | Pef Real Estates LLC 250 Power Plant Drive P.O. Box F Shawville, PA 16873 | Catharine Township Blair County | SCRO |
| PA0210625 | Minor Industrial Waste Facility with ELG Individual NPDES Permit | Transfer | Bradford Forest LLC 444 High Street Bradford, PA 16701-3735 | Bradford City McKean County | NWRO |
| NOEXSC364 | No Exposure Certification | New | RH Sheppard Co. Inc. 101 Philadelphia Street Hanover, PA 17331-2038 | Hanover Borough York County | SCRO |
| NOEXSE282 | No Exposure Certification | Renewal | Engineered Arresting System Corp 2550 Market Street Aston, PA 19014 | Upper Chichester Township Delaware County | SERO |

NOTICES

2283

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|-------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------|
| NOEXSW042 | No Exposure Certification | New | Ernies Waste Oil LLC 155c Swiontek Road Aliquippa, PA 15001-5844 | Independence Township Beaver County | SWRO |
| PAG033654 | PAG-03 NPDES General Permit for Industrial Stormwater | New | South Mountain Creamery LLC 8305 Bolivar Road Middletown, MD 21769-8408 | Guilford Township Franklin County | SCRO |
| PAG036217 | PAG-03 NPDES General Permit for Industrial Stormwater | Transfer | Nextier Completion Solutions Inc. 3990 Rogerdale Road Houston, TX 77042-5142 | Mount Pleasant Township Westmoreland County | SWRO |
| PAG036252 | PAG-03 NPDES General Permit for Industrial Stormwater | Transfer | Nextier Completion Solutions Inc. 3990 Rogerdale Road Houston, TX 77042-5142 | East Huntingdon Township Westmoreland County | SWRO |
| PAR116136 | PAG-03 NPDES General Permit for Industrial Stormwater | Amendment | Sandvik Mining & Const USA LLC P.O. Box 282 6701 National Pike Brier Hill, PA 15415-0282 | Redstone Township Fayette County | SWRO |
| PAR200048 | PAG-03 NPDES General Permit for Industrial Stormwater | Transfer | PW Forging Group Holdings Inc. 201 Bethel Avenue Aston, PA 19014-3433 | Upper Chichester Township Delaware County | SERO |
| PAR216143 | PAG-03 NPDES General Permit for Industrial Stormwater | Transfer | Gold Bond Bldg Products LLC P.O. Box 346 Shippingport, PA 15077-0346 | Shippingport Borough Beaver County | SWRO |
| PAG123514 | PAG-12 NPDES General Permit for CAFOs | Renewal | Chiou Hog Farm 312 Hammonton Place Silver Spring, MD 20904 | Belfast Township Fulton County | SCRO |
| PAG123574 | PAG-12 NPDES General Permit for CAFOs | Renewal | Swanger Paul 150 Kissel Barrick Road Bainbridge, PA 17502-9335 | Conoy Township Lancaster County | SCRO |
| PAG123583 | PAG-12 NPDES General Permit for CAFOs | Renewal | Pigtale Acres LLC 1030 Girl Scout Road Stevens, PA 17578-9784 | Clay Township Lancaster County | SCRO |
| PAG123597 | PAG-12 NPDES General Permit for CAFOs | Renewal | Martin Daryl L 204 Farmers Drive Myerstown, PA 17067-1631 | Bethel Township Lebanon County | SCRO |
| PAG123627 | PAG-12 NPDES General Permit for CAFOs | Renewal | Critter Hill Farm LLC 224 Quaker Run Road Biglerville, PA 17307-9205 | Butler Township Adams County | SCRO |
| PAG123679 | PAG-12 NPDES General Permit for CAFOs | Renewal | Terry L Hershey Farm 573 Strasburg Road Paradise, PA 17562-9703 | Paradise Township Lancaster County | SCRO |
| PAG123704 | PAG-12 NPDES General Permit for CAFOs | Renewal | Daniel F Lukens 7075 Old Stage Road McClure, PA 17841-8908 | Decatur Township Mifflin County | SCRO |
| PAG123711 | PAG-12 NPDES General Permit for CAFOs | Renewal | Wine Christopher 223 Old Mill Road Newmanstown, PA 17073-8963 | Heidelberg Township Lebanon County | SCRO |
| PAG123718 | PAG-12 NPDES General Permit for CAFOs | Renewal | Buser Kieran R 665 Woodshead Ter Wrightsville, PA 17368-9330 | Lower Windsor Township York County | SCRO |
| PAG123799 | PAG-12 NPDES General Permit for CAFOs | Renewal | Bauman Tyler C 1277 Bridgeton Road Airville, PA 17302-9210 | Lower Chanceford Township York County | SCRO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|----------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------------|
| PAG123882 | PAG-12 NPDES General Permit for CAFOs | Renewal | Rohrer Dairy Farm LLC 124 Charlestown Road Washington Boro, PA 17582-9669 | Manor Township Lancaster County | SCRO |
| PAG123889 | PAG-12 NPDES General Permit for CAFOs | Renewal | Klines Hillside Farm 167 Coble Road Chambersburg, PA 17202-9430 | Saint Thomas Township Franklin County | SCRO |
| 1592417 | Sewage Land Application Individual WQM Permit | Amendment | Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976 | West Vincent Township Chester County | SERO |
| 5815401 | Sewage Land Application Individual WQM Permit | Amendment | Bahs Operating Inc. dba Camp Chen A Wanda Jon & Elissa Grabow 1 Ellis Court Woodcliff Lake, NJ 07677 | Ararat Township Susquehanna County | NERO |
| 0220403 | Sewage Treatment Facilities Individual WQM Permit | New | Phyllis Thomas Estate 116 Allegheny Center Mall P8-YB35-02-6 Pittsburgh, PA 15212 | Sewickley Heights Borough Allegheny County | SWRO |
| 1021404 | Sewage Treatment Facilities Individual WQM Permit | New | Rezzetano Robert 171 Powell Road Butler, PA 16002-0447 | Penn Township Butler County | NWRO |
| 1021406 | Sewage Treatment Facilities Individual WQM Permit | New | Uhrinek Kathleen 1029 West Home Road Emlenton, PA 16373 | Oakland Township Butler County | NWRO |
| 1621401 | Sewage Treatment Facilities Individual WQM Permit | New | Pragle Jeffrey J 413 Walnut Street Reno, PA 16343-1052 | Washington Township Clarion County | NWRO |
| 2021405 | Sewage Treatment Facilities Individual WQM Permit | New | Tammy & Wilburt Barickman 19126 E Cole Road Meadville, PA 16335-9668 | Woodcock Township Crawford County | NWRO |
| 3120405 | Sewage Treatment Facilities Individual WQM Permit | New | Thurston Griswold Henry 4760 Cold Springs Road Huntingdon, PA 16652-3156 | Oneida Township Huntingdon County | SCRO |
| 3721401 | Sewage Treatment Facilities Individual WQM Permit | New | McDanel Bret 3403 Cindy Drive New Castle, PA 16101-9667 | Scott Township Lawrence County | NWRO |
| 4621403 | Sewage Treatment Facilities Individual WQM Permit | New | Muscara Robert 245 Jacksonville Road Ivylnd, PA 18974 | Upper Moreland Township Montgomery County | SERO |
| 6520403 | Sewage Treatment Facilities Individual WQM Permit | Transfer | William K & Marissa L Tedesco 222 Longsite Drive # 43 Uniontown, PA 15401 | East Huntingdon Township Westmoreland County | SWRO |
| 6717405 | Sewage Treatment Facilities Individual WQM Permit | Transfer | Mason Russell J Jr & Mason Kathryn L P.O. Box 429 Dillsburg, PA 17019 | Franklin Township York County | SCRO |
| 5221401 | Sewer Extensions and Pump Stations Individual WQM Permit | New | Comm Utilities of Pennsylvania 570 Hallet Road East Stroudsburg, PA 18301 | Lehman Township Pike County | NERO |
| PA0255734 | Single Residence STP Individual NPDES Permit | Transfer | William K & Marissa L Tedesco 222 Longsite Drive # 43 Uniontown, PA 15401 | East Huntingdon Township Westmoreland County | SWRO |
| PA0266515 | Small Flow Treatment Facility Individual NPDES Permit | Transfer | Mason Russell J Jr & Mason Kathryn L P.O. Box 429 Dillsburg, PA 17019 | Franklin Township York County | SCRO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---------------------------|-------------------------|--------------------------------------------------------------------------------|------------------------------------------|-------------------|
| WQG02462104 | WQG-02 WQM General Permit | New | Towamencin Municipal Authority 2225 Kriebel Road Lansdale, PA 19446-5019 | Towamencin Township Montgomery County | SERO |

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0008443 A-1, Industrial, SIC Code 1795, 2999, 4911, **Montour LLC**, P.O. Box 128, Washingtonville, PA 17884-0128. Facility Name: Montour LLC. This existing facility is located in Derry Township, **Montour County**.

Description of Existing Activity: The application is for an amendment to an existing NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Mud Creek (WWF, MF), West Branch Susquehanna River (WWF), and Chillisquaque Creek (WWF, MF), is located in State Water Plan watershed 10-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Total | XXX | XXX | XXX | XXX | Report | XXX |

The proposed effluent limits for Outfall 050 are based on a design flow of 2 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| PCBs, Total (ug/L) | XXX | XXX | XXX | XXX | XXX | 1.75 |

The proposed effluent limits for Outfall 050 are based on a design flow of 2 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | 9.0 | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.08 | XXX | 0.18 |
| Temperature (deg F) (°F) | XXX | XXX | XXX | Report | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | 100.0 | 125 |
| Total Dissolved Solids | Report | XXX | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15.0 | 20.0 | 30 |
| Nitrate-Nitrite as N | XXX | XXX | XXX | Report | Report | XXX |
| Total Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Aluminum, Total | XXX | XXX | XXX | 0.56 | 1.1 | 1.4 |
| Copper, Total | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Dissolved | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | 1.7 | 3.4 | 4.3 |
| Sulfate, Total | Report | XXX | XXX | Report | Report | XXX |
| Thallium, Total Chloride | XXX | XXX | XXX | Report | Report | XXX |
| Bromide | Report | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 050 are based on a design flow of 2 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | XXX | 0.0 | XXX | XXX | XXX | XXX |
| | | Daily Max | | | | |

The proposed effluent limits for Outfall 050 are based on a design flow of 2 MGD.—Final Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | XXX | 0.0 Daily Max | XXX | XXX | XXX | XXX |

The proposed effluent limits for Outfall 052 are based on a design flow of .46 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---------------------------------|-----------------------------|-----------------------|------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 | XXX |
| Specific Conductance (µmhos/cm) | XXX | XXX | XXX | Report | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | 100.0 | 125 |
| Total Dissolved Solids | Report | XXX | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15 | 20 | 30 |
| Aluminum, Total | XXX | XXX | XXX | 1.1 | 2.2 | 2.8 |
| Copper, Total (ug/L) | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Dissolved | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | 2.6 | 5.2 | 6.5 |
| Lithium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Magnesium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Calcium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Strontium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Sulfate, Total | Report | XXX | XXX | Report | Report | XXX |
| Chloride | Report | XXX | XXX | Report | Report | XXX |
| Bromide | Report | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 052 are based on a design flow of .46 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---------------------------------|-----------------------------|-----------------------|------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 | XXX |
| Specific Conductance (µmhos/cm) | XXX | XXX | XXX | Report | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | 100.0 | 125 |
| Total Dissolved Solids | Report | XXX | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15 | 20 | 30 |
| Aluminum, Total | XXX | XXX | XXX | 0.85 | 1.7 | 2.1 |
| Copper, Total (ug/L) | XXX | XXX | XXX | 15.8 | 31.6 | 39.5 |
| Iron, Dissolved | XXX | XXX | XXX | 0.53 | 1.0 | 1.3 |
| Iron, Total | XXX | XXX | XXX | 2.6 | 5.2 | 6.5 |
| Lithium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Magnesium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Calcium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Strontium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Sulfate, Total | Report | XXX | XXX | Report | Report | XXX |
| Chloride | Report | XXX | XXX | Report | Report | XXX |
| Bromide | Report | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 052 are based on a design flow of .46 MGD.—Final Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---------------------------------|-----------------------------|-----------------------|------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 | XXX |
| Specific Conductance (µmhos/cm) | XXX | XXX | XXX | Report | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | 100.0 | 125 |
| Total Dissolved Solids | Report | XXX | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15 | 20 | 30 |
| Aluminum, Total | XXX | XXX | XXX | 0.85 | 1.7 | 2.1 |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Copper, Total (ug/L) | XXX | XXX | XXX | 15.8 | 31.6 | 39.5 |
| Iron, Dissolved | XXX | XXX | XXX | 0.53 | 1.0 | 1.3 |
| Iron, Total | XXX | XXX | XXX | 2.6 | 5.2 | 6.5 |
| Lithium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Magnesium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Calcium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Strontium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Sulfate, Total | Report | XXX | XXX | Report | Report | XXX |
| Chloride | Report | XXX | XXX | Report | Report | XXX |
| Bromide | Report | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 052 are based on a design flow of .46 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| PCBs, Total (ug/L) | XXX | XXX | XXX | XXX | XXX | 1.75 |

The proposed effluent limits for Outfall 053 are based on a design flow of .3 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------|-----------------------------|-----------------------|------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 | XXX |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | 20.0 | 30 |
| Total Dissolved Solids | Report | XXX | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15 | 20 | 30 |
| Nitrate-Nitrite as N | XXX | XXX | XXX | Report | Report | XXX |
| Nitrate-Nitrite as N (Total Load, lbs) (lbs) | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Total Nitrogen (Total Load, lbs) (lbs) | Report Total Mo | XXX | XXX | Report XXX | XXX XXX | XXX XXX |
| Ammonia-Nitrogen (Total Load, lbs) (lbs) | Report Total Mo | XXX | XXX | Report XXX | XXX XXX | XXX XXX |
| Total Kjeldahl Nitrogen (Total Load, lbs) (lbs) | Report Total Mo | XXX | XXX | Report XXX | XXX XXX | XXX XXX |
| Total Phosphorus (Total Load, lbs) (lbs) | Report Total Mo | XXX | XXX | Report XXX | XXX XXX | XXX XXX |
| Arsenic, Total (ug/L) | XXX | XXX | XXX | Report | Report | XXX |
| Boron, Total | XXX | XXX | XXX | Report | Report | XXX |
| Cadmium, Total | XXX | XXX | XXX | 0.24 | 0.37 | 0.6 |
| Chromium, Hexavalent | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | 5.0 | 7.5 | 10 |
| Lead, Total | XXX | XXX | XXX | Report | Report | XXX |
| Mercury, Total | XXX | XXX | XXX | 0.027 | 0.043 | XXX |
| Selenium, Total | XXX | XXX | XXX | 3.4 | 5.3 | XXX |
| Silver, Total | XXX | XXX | XXX | Report | Report | XXX |
| Sulfate, Total | Report | XXX | XXX | Report | Report | XXX |
| Thallium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Chloride | Report | XXX | XXX | Report | Report | XXX |
| Bromide | Report | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 053 are based on a design flow of .3 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Total Dissolved Solids | Report | XXX | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15 | 20 | 30 |
| Nitrate-Nitrite as N | XXX | XXX | XXX | Report | Report | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Total Nitrogen | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Ammonia-Nitrogen | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Total Kjeldahl Nitrogen | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Total Phosphorus | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Arsenic, Total (ug/L) | XXX | XXX | XXX | Report | Report | XXX |
| Boron, Total | XXX | XXX | XXX | Report | Report | XXX |
| Cadmium, Total | XXX | XXX | XXX | 0.24 | 0.37 | 0.6 |
| Chromium, Hexavalent | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | 5.0 | 7.5 | 10 |
| Lead, Total | XXX | XXX | XXX | Report | Report | XXX |
| Mercury, Total (ug/L) | XXX | XXX | XXX | 27.0 | 43.0 | XXX |
| Selenium, Total | XXX | XXX | XXX | 3.4 | 5.3 | XXX |
| Silver, Total | XXX | XXX | XXX | Report | Report | XXX |
| Sulfate, Total | Report | XXX | XXX | Report | Report | XXX |
| Thallium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Chloride | Report | XXX | XXX | Report | Report | XXX |
| Bromide | Report | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 053 are based on a design flow of .3 MGD.—Final Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | 9.0 | XXX |
| Total Dissolved Solids | Report | XXX | XXX | Report | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | 15 | 20 | 30 |
| Nitrate-Nitrite as N | XXX | XXX | XXX | 4.4 | 17.0 | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Total Nitrogen | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Ammonia-Nitrogen | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Total Kjeldahl Nitrogen | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Total Phosphorus | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Boron, Total | XXX | XXX | XXX | 17.4 | 34.8 | 43 |
| Cadmium, Total (ug/L) | XXX | XXX | XXX | 4.6 | 9.2 | 11.5 |
| Chromium, Hexavalent (ug/L) | XXX | XXX | XXX | 35.0 | 70.0 | 87.5 |
| Copper, Total (ug/L) | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Dissolved | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total | XXX | XXX | XXX | 5.0 | 7.5 | 10 |
| Lead, Total | XXX | XXX | XXX | Report | Report | XXX |
| Selenium, Total (ug/L) | XXX | XXX | XXX | 86.7 | 173.4 | XXX |
| Silver, Total (ug/L) | XXX | XXX | XXX | 8.1 | 16.2 | 20.2 |
| Sulfate, Total | Report | XXX | XXX | Report | Report | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Thallium, Total (ug/L) | XXX | XXX | XXX | 2.9 | 5.8 | 7.2 |
| Chloride | Report | XXX | XXX | Report | Report | XXX |
| Bromide | Report | XXX | XXX | Report | Report | XXX |

The proposed effluent limits for Outfall 053 are based on a design flow of .3 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| PCBs, Total (ug/L) | XXX | XXX | XXX | XXX | XXX | 1.75 |

The proposed effluent limits for Outfall 053 are based on a design flow of .3 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Total Nitrogen (Total Load, lbs) (lbs) Effluent Net | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Total Phosphorus (Total Load, lbs) (lbs) Effluent Net | Report Total Mo | XXX | XXX | XXX | XXX | XXX |

The proposed effluent limits for Outfall 150.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Chromium, Total Internal Monitoring Point | XXX | XXX | XXX | 0.2 | 0.2 Daily Max | XXX |
| Zinc, Total Internal Monitoring Point | XXX | XXX | XXX | 1.0 | 1.0 Daily Max | XXX |

The proposed effluent limits for Outfall 151.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Chromium, Total Internal Monitoring Point | XXX | XXX | XXX | 0.2 | 0.2 Daily Max | XXX |
| Zinc, Total Internal Monitoring Point | XXX | XXX | XXX | 1.0 | 1.0 Daily Max | XXX |

The proposed effluent limits for Outfall 151.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) Internal Monitoring Point | Report | XXX | XXX | XXX | XXX | XXX |
| Free Available Chlorine Internal Monitoring Point | XXX | XXX | XXX | 0.2 Daily Max | XXX | 0.5 |

The proposed effluent limits for Outfall 152.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) Internal Monitoring Point | Report | XXX | XXX | XXX | XXX | XXX |
| Free Available Chlorine Internal Monitoring Point | XXX | XXX | XXX | 0.2 Daily Max | XXX | 0.5 |

The proposed effluent limits for Outfall 152.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Chromium, Total Internal Monitoring Point | XXX | XXX | XXX | 0.2 Annl Avg | 0.2 Daily Max | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum Daily</i> | |
| Zinc, Total Internal Monitoring Point | XXX | XXX | XXX | 1.0 Annl Avg | 1.0 Daily Max | XXX |

The proposed effluent limits for Outfall 153.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---------------------------------------------------------------------------------------------|-----------------------------|-----------------------|------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum Daily</i> | |
| Flow (MGD) Internal Monitoring Point | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) Internal Monitoring Point | XXX | XXX | 6.0 Daily Min | XXX | 9.0 Daily Max | XXX |
| Total Residual Chlorine (TRC) Internal Monitoring Point | XXX | XXX | XXX | Report | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Internal Monitoring Point | XXX | XXX | XXX | 25.0 | XXX | 50 |
| Total Suspended Solids Internal Monitoring Point | XXX | XXX | XXX | 30.0 | XXX | 60 |
| Fecal Coliform (No./100 ml) Internal Monitoring Point | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |

The proposed effluent limits for Outfall 253.—Final Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Total Suspended Solids Internal Monitoring Point | XXX | XXX | XXX | 10.0 | 20.0 | 30 |
| Nitrate-Nitrite as N Internal Monitoring Point | XXX | XXX | XXX | Report | Report | XXX |
| Arsenic, Total Internal Monitoring Point | XXX | XXX | XXX | Report | Report | XXX |
| Mercury, Total Internal Monitoring Point | XXX | XXX | XXX | 0.027 | 0.043 | XXX |
| Selenium, Total Internal Monitoring Point | XXX | XXX | XXX | 3.4 | 5.3 | XXX |

The proposed effluent limits for Outfall 353—Final Limits

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Average Monthly</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------------|-----------------------------|-----------------------|------------------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Daily Maximum</i> | <i>Maximum</i> | |
| Total Suspended Solids Internal Monitoring Point | XXX | XXX | 30.0 | 100.0 | XXX | 125.0 |

In addition, the permit contains the following major special conditions:

- Compliance schedules to meet WQBELs
- Chemical Additive Usage
- Requirements Applicable to Stormwater

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0228044, Sewage, SIC Code 6515, **WJM Services Inc.**, P.O. Box 78, Woodland, PA 16881-0078. Facility Name: Bradford Hts MHP. This existing facility is located in Bradford Township, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Abes Run (CWF), is located in State Water Plan watershed 8-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.027 MGD.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------------------|-----------------------------|-----------------------|--------------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min Report | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | Inst Min XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ammonia-Nitrogen | Report | XXX | XXX | Report | XXX | XXX |

Sludge use and disposal description and location(s): Sludge is disposed at other WWTPs for further processing.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0228320, Sewage, SIC Code 4952, **Davidson Township Sewer Authority**, 32 Michelle Road, Sonestown, PA 17758-5358. Facility Name: Davidson Township Sewer Authority Water Pollution Control Facility. This existing facility is located in Davidson Township, **Sullivan County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Muncy Creek (EV (existing use)), is located in State Water Plan watershed 10-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.024 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------------------|-----------------------------|-----------------------|--------------------|------------------------------|-----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min Report | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | Inst Min XXX | XXX | XXX | 0.02 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 5.0 | 8.0 | XXX | 25 | 40 | 50 |
| Biochemical Oxygen Demand (BOD ₅) | Report | Report | XXX | Report | XXX | XXX |
| Raw Sewage Influent | | Daily Max | | | | |
| Total Suspended Solids | Report | Report | XXX | Report | XXX | XXX |
| Raw Sewage Influent | | Daily Max | | | | |
| Total Suspended Solids | 6.0 | 9.0 | XXX | 30 | 45 | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ammonia-Nitrogen | Report | XXX | XXX | Report | XXX | XXX |
| E. Coli (No./100 ml) | XXX | XXX | XXX | XXX | XXX | Report |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0232734, Sewage, SIC Code 4952, **Timothy L. Lutz**, 794 E Ridge Road, Sunbury, PA 17801-5219. Facility Name: Timothy L. Lutz Res. This existing facility is located in Lower Augusta Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Hallowing Run (WWF, MF), is located in State Water Plan watershed 6-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|-----------------------------------------------|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Annual Average | Maximum | |
| Flow (MGD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

In addition, the permit contains the following major special conditions:

- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0233111, Sewage, SIC Code 4952, **H P Holdings, LLC**, 112 Sunset Circle, Montoursville, PA 17754-1203. Facility Name: H P Holdings LLC SRSTP. This proposed facility is located in Loyalsock Township, **Lycoming County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Millers Run (WWF, MF), is located in State Water Plan watershed 10-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|-----------------------------------------------|----------------------|----------------|------------------|-----------------------|------------------|-------|
| | Average Monthly | Average Weekly | | Daily Maximum | Maximum | |
| Flow (MGD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 Daily Max | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 Annl Avg | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200.0 Annl Avg | XXX | 1,000 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0275735, Storm Water, SIC Code 3479, **Vorteq Coil Finishers, LLC**, 2233 26th Street, SW, Allentown, PA 18103-6601. Facility Name: Vorteq Coil Finishers, LLC. This existing facility is located in Allentown City, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Trout Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------|----------------------|----------------|---------|-----------------------|---------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Daily Maximum | |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Total Suspended Solids | XXX | XXX | XXX | XXX | XXX | 100.0 |
| Nitrate-Nitrite as N | XXX | XXX | XXX | XXX | Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | XXX | Report | XXX |

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0027693, Sewage, SIC Code 4952, **Minersville Borough Sewer Authority Schuylkill County**, 2 E Sunbury Street, Minersville, PA 17954-1719. Facility Name: Minersville Sewer Authority WWTP. This existing facility is located in Minersville Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Schuylkill River (CWF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Total Dissolved Solids | Report | XXX | XXX | 1,000.0 | XXX | XXX |
| Nitrate-Nitrite as N | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Total Nitrogen | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Total Kjeldahl Nitrogen | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Total Phosphorus | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Aluminum, Total | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Copper, Total | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Iron, Total | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Manganese, Total | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Zinc, Total | Avg Qrtly | XXX | XXX | Avg Qrtly | XXX | XXX |
| | Report | | | Report | | |
| Toxicity, Chronic— Ceriodaphnia Survival (TUc) | XXX | XXX | XXX | XXX | 5.26 | XXX |
| | XXX | | | XXX | | |
| Toxicity, Chronic— Ceriodaphnia Reproduction (TUc) | XXX | XXX | XXX | XXX | 5.26 | XXX |
| | XXX | | | XXX | | |
| Toxicity, Chronic— Pimephales Survival (TUc) | XXX | XXX | XXX | XXX | 5.26 | XXX |
| | XXX | | | XXX | | |
| Toxicity, Chronic— Pimephales Growth (TUc) | XXX | XXX | XXX | XXX | 5.26 | XXX |
| | XXX | | | XXX | | |

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 208 | 334 | XXX | 25.0 | 40.0 | 50 |
| Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent | Report | Report Daily Max | XXX | Report | Wkly Avg XXX | XXX |
| Total Suspended Solids | 250 | 375 | XXX | 30.0 | 45.0 | 60 |
| Total Suspended Solids Raw Sewage Influent | Report | Report Daily Max | XXX | Report | Wkly Avg XXX | XXX |
| Fecal Coliform (CFU/100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | Report | XXX | XXX | Report | XXX | XXX |
| May 1 - Oct 31 | 100 | XXX | XXX | 12.0 | XXX | 24 |

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |

Sludge use and disposal description and location(s): Landfilled at approved sites. Class B biosolids are land applied by Reading Anthracite Company under Permit PAG082220 at 90 dry tons/year.

In addition, the permit contains the following major special conditions:

- Combined Sewer Overflows
- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

PA0061450, Sewage, SIC Code 4952, **Elmhurst Township Sewer Authority Lackawanna County**, 112 Municipal Lane, Elmhurst Twp, PA 18444-8548. Facility Name: Elmhurst Township Sewer Authority. This existing facility is located in Elmhurst Township, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Roaring Brook (CWF), is located in State Water Plan watershed 5-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .281 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Report | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.50 | XXX | 0.75 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 58 | 93 | XXX | 25.0 | 40.0 | 50 |
| Raw Sewage Influent | XXX | XXX | XXX | Report | XXX | XXX |
| Total Suspended Solids | 70 | 105 | XXX | 30.0 | 45.0 | 60 |
| Raw Sewage Influent | XXX | XXX | XXX | Report | XXX | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-----------------------------|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Fecal Coliform (CFU/100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | Geo Mean 200 | XXX | 1,000 |
| Nitrate-Nitrite as N | XXX | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Total Nitrogen | Total Mo | XXX | XXX | Report | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| Effluent Net | Total Mo | XXX | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | Total Mo | XXX | XXX | Report | XXX | XXX |
| Ammonia-Nitrogen | Report | XXX | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | Total Mo | XXX | XXX | Report | XXX | XXX |
| Total Kjeldahl Nitrogen | Report | XXX | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | Total Mo | XXX | XXX | Report | XXX | XXX |
| Total Phosphorus | Report | XXX | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | Total Mo | XXX | XXX | Report | XXX | XXX |
| Effluent Net | Report | XXX | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | Total Mo | XXX | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | Report | XXX | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | Total Mo | | | | | |

The proposed effluent limits for Outfall 001 are based on a design flow of .281 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|----------------------|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| E. Coli (No./100 ml) | XXX | XXX | XXX | Report | XXX | XXX |
| | | | | Avg Qrtly | | |

The proposed effluent limits for Outfall 001 are based on a design flow of .281 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Yearly</i> | <i>Weekly Average</i> | |
| Aluminum, Total | XXX | XXX | XXX | Report | XXX | XXX |
| Iron, Total | XXX | XXX | XXX | Report | XXX | XXX |
| Manganese, Total | XXX | XXX | XXX | Report | XXX | XXX |
| Copper, Total | XXX | XXX | XXX | Report | XXX | XXX |

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Monthly</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|-------------------------|-----------------------------|---------------|----------------|------------------------------|----------------|-------------------------|
| | <i>Monthly</i> | <i>Annual</i> | | <i>Monthly Average</i> | <i>Maximum</i> | |
| Total Nitrogen | XXX | Report | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | | Total | | | | |
| Effluent Net | | Annual | | | | |
| (Total Load, lbs) (lbs) | XXX | Report | XXX | XXX | XXX | XXX |
| | | Total | | | | |
| | | Annual | | | | |
| Ammonia-Nitrogen | XXX | Report | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | | Total | | | | |
| | | Annual | | | | |
| Total Phosphorus | XXX | Report | XXX | XXX | XXX | XXX |
| (Total Load, lbs) (lbs) | | Total | | | | |
| Effluent Net | | Annual | | | | |
| (Total Load, lbs) (lbs) | XXX | Report | XXX | XXX | XXX | XXX |
| | | Total | | | | |
| | | Annual | | | | |

In addition, the permit contains the following major special conditions:

- Phase 4 Chesapeake Bay facility
- Solids Management

- High Flow Management Plan
- Offsite disposal of Biosolids

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0020052, Sewage, SIC Code 4952, **Eldred Borough**, P.O. Box 270, Eldred, PA 16731-0270. Facility Name: Eldred Borough STP. This existing facility is located in Eldred Borough, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Allegheny River (CWF), is located in State Water Plan watershed 16-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.259 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|-------------------------------------------------------------|----------------------|---------------------|------------------|-----------------------|------------------|--------|
| | Average Monthly | Weekly Average | | Average Monthly | Weekly Average | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Daily Min | XXX | 9.0 Daily Max | XXX |
| Dissolved Oxygen | XXX | XXX | 4.0 Daily Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | 1.08 | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 54.0 | 86.0 | XXX | 25.0 | 40.0 | 50 |
| Biochemical Oxygen Demand (BOD ₅) | Report | XXX | XXX | Report | XXX | XXX |
| Raw Sewage Influent | | | | | | |
| Total Suspended Solids | 65.0 | 97.0 | XXX | 30.0 | 45.0 | 60 |
| Raw Sewage Influent | Report | XXX | XXX | Report | XXX | XXX |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| E. Coli (No./100 ml) | XXX | XXX | XXX | XXX | XXX | Report |
| Total Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | Report | XXX | XXX | Report | XXX | XXX |
| May 1 - Oct 31 | Report | XXX | XXX | Report | XXX | XXX |
| Total Phosphorus | XXX | XXX | XXX | Report | XXX | XXX |

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289001, Sewage, SIC Code 8800, **Stephanie & Thomas Hart**, 9945 Williamson Road, Meadville, PA 16335-5157. Facility Name: Stephanie & Thomas Hart SRSTP. This proposed facility is located in West Mead Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Mud Run (WWF), is located in State Water Plan watershed 16-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------|----------------------|----------------|---------|-----------------------|---------|------|
| | Average Monthly | Weekly Average | | Annual Average | Maximum | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289035, Sewage, SIC Code 8800, **Lisa Schening**, 5636 Old State Road, Edinboro, PA 16412-1089. Facility Name: Lisa Schening SRSTP. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Lamson Run (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289132, Sewage, SIC Code 8800, **Jeffrey E. Hale**, 2755 W Washington Street, Bradford, PA 16701-2423. Facility Name: Jeffrey E. Hale SRSTP. This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Willow Creek (HQ-CWF), is located in State Water Plan watershed 16-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289159, Sewage, SIC Code 4952, 8800, **Robert Rezzetano**, 171 Powell Road, Butler, PA 16002-0447. Facility Name: Robert Rezzetano SRSTP. This proposed facility is located in Penn Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Glade Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | Annl Avg | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289191, Sewage, SIC Code 4952, 8800, **Kathleen Uhrinek**, 1029 West Home Road, Emlenton, PA 16373. Facility Name: Donna Connor SRSTP. This proposed facility is located in Oakland Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Bonnie Brook (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | Annl Avg | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0080195, Industrial, SIC Code 3322, **Anvil International LLC**, 1411 Lancaster Avenue, Columbia, PA 17512-1939. Facility Name: Anvil International Iron Foundry Columbia. This existing facility is located in West Hempfield Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Shawnee Run (WWF), is located in State Water Plan watershed 7-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .168 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| Temperature (deg F) (°F) | Jan 1 - 31 | XXX | XXX | 50 Daily Max | XXX | XXX |
| | | | | | | |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Mar 1 - 31 | XXX | XXX | XXX | 71 Daily Max | XXX | XXX |
| Apr 1 - 15 | XXX | XXX | XXX | 80 Daily Max | XXX | XXX |
| Apr 16 - 30 | XXX | XXX | XXX | 86 Daily Max | XXX | XXX |
| May 1 - 15 | XXX | XXX | XXX | 82 Daily Max | XXX | XXX |
| May 16 - 31 | XXX | XXX | XXX | 103 Daily Max | XXX | XXX |
| Jun 1 - 15 | XXX | XXX | XXX | 103 Daily Max | XXX | XXX |
| Jun 16 - 30 | XXX | XXX | XXX | 110 Daily Max | XXX | XXX |
| Jul 1 - 31 | XXX | XXX | XXX | 101 Daily Max | XXX | XXX |
| Aug 1 - 15 | XXX | XXX | XXX | 98 Daily Max | XXX | XXX |
| Aug 16 - 31 | XXX | XXX | XXX | 98 Daily Max | XXX | XXX |
| Sep 1 - 15 | XXX | XXX | XXX | 94 Daily Max | XXX | XXX |
| Sep 16 - 30 | XXX | XXX | XXX | 87 Daily Max | XXX | XXX |
| Oct 1 - 15 | XXX | XXX | XXX | 81 Daily Max | XXX | XXX |
| Oct 16 - 31 | XXX | XXX | XXX | 75 Daily Max | XXX | XXX |
| Nov 1 - 15 | XXX | XXX | XXX | 68 Daily Max | XXX | XXX |
| Nov 16 - 30 | XXX | XXX | XXX | 58 Daily Max | XXX | XXX |
| Dec 1 - 31 | XXX | XXX | XXX | 50 Daily Max | XXX | XXX |

The proposed effluent limits for Outfall 002 are based on a design flow of .0298 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| Temperature (deg F) (°F) | | | | | | |
| Jan 1 - 31 | XXX | XXX | XXX | 50 Daily Max | XXX | XXX |
| Feb 1 - 28 | XXX | XXX | XXX | 50 Daily Max | XXX | XXX |
| Mar 1 - 31 | XXX | XXX | XXX | 71 Daily Max | XXX | XXX |
| Apr 1 - 15 | XXX | XXX | XXX | 80 Daily Max | XXX | XXX |
| Apr 16 - 30 | XXX | XXX | XXX | 86 Daily Max | XXX | XXX |
| May 1 - 15 | XXX | XXX | XXX | 82 Daily Max | XXX | XXX |
| May 16 - 31 | XXX | XXX | XXX | 103 Daily Max | XXX | XXX |
| Jun 1 - 15 | XXX | XXX | XXX | 103 Daily Max | XXX | XXX |
| Jun 16 - 30 | XXX | XXX | XXX | 110 Daily Max | XXX | XXX |
| Jul 1 - 31 | XXX | XXX | XXX | 101 Daily Max | XXX | XXX |
| Aug 1 - 15 | XXX | XXX | XXX | 98 Daily Max | XXX | XXX |
| Aug 16 - 31 | XXX | XXX | XXX | 98 Daily Max | XXX | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum Daily</i> | |
| Sep 1 - 15 | XXX | XXX | XXX | 94 | XXX | XXX |
| Sep 16 - 30 | XXX | XXX | XXX | Daily Max 87 | XXX | XXX |
| Oct 1 - 15 | XXX | XXX | XXX | Daily Max 81 | XXX | XXX |
| Oct 16 - 31 | XXX | XXX | XXX | Daily Max 75 | XXX | XXX |
| Nov 1 - 15 | XXX | XXX | XXX | Daily Max 68 | XXX | XXX |
| Nov 16 - 30 | XXX | XXX | XXX | Daily Max 58 | XXX | XXX |
| Dec 1 - 31 | XXX | XXX | XXX | Daily Max 50 | XXX | XXX |

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | XXX | Report | XXX |
| Chemical Oxygen Demand (COD) | XXX | XXX | XXX | XXX | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Report | XXX |
| Arsenic, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cadmium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Chromium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Copper, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cyanide, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Dissolved | XXX | XXX | XXX | XXX | Report | XXX |
| Lead, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Nickel, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Silver, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | XXX | Report | XXX |

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | XXX | Report | XXX |
| Chemical Oxygen Demand (COD) | XXX | XXX | XXX | XXX | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Report | XXX |
| Arsenic, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cadmium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Chromium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Copper, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cyanide, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Dissolved | XXX | XXX | XXX | XXX | Report | XXX |
| Lead, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Nickel, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Silver, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | XXX | Report | XXX |

The proposed effluent limits for Outfall 103.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | XXX | Report | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Chemical Oxygen Demand (COD) | XXX | XXX | XXX | XXX | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Report | XXX |
| Arsenic, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cadmium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Chromium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Copper, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cyanide, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Dissolved | XXX | XXX | XXX | XXX | Report | XXX |
| Lead, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Nickel, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Silver, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | XXX | Report | XXX |

The proposed effluent limits for Outfall 200.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | XXX | Report | XXX |
| Chemical Oxygen Demand (COD) | XXX | XXX | XXX | XXX | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Report | XXX |
| Arsenic, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cadmium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Chromium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Copper, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cyanide, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Dissolved | XXX | XXX | XXX | XXX | Report | XXX |
| Lead, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Nickel, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Silver, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | XXX | Report | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0088455, Industrial, SIC Code 0723, **Rice Fruit Co.**, 2760 Carlisle Road, Gardners, PA 17324-9684. Facility Name: Rice Fruit Pkg Plant. This existing facility is located in Menallen Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Opossum Creek (TSF), is located in State Water Plan watershed 7-F and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min 5.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.20 | XXX | 0.67 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25 | 50 | 62 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | 60 | 75 |

NOTICES

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------------|----------------------|----------------|---------|-----------------------|---------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Daily Maximum | |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 4.5 | 9.0 | 11.2 |
| May 1 - Oct 31 | XXX | XXX | XXX | 1.5 | 3.0 | 3.7 |

The proposed effluent limits for Outfall 001 are based on a design flow of .08 MGD.—Final Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|-------------------------------------------------------------|----------------------|----------------|-----------------|-----------------------|---------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Daily Maximum | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min 5.0 | XXX | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | Inst Min XXX | 25 | 50 | 62 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | 60 | 75 |
| Ultraviolet light intensity (mW/cm ²) | XXX | XXX | XXX | Report Daily Max | XXX | XXX |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 4.5 | 9.0 | 11.2 |
| May 1 - Oct 31 | XXX | XXX | XXX | 1.5 | 3.0 | 3.7 |

The proposed effluent limits for Outfall 001 are based on a design flow of .08 MGD.—Final Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|-------------------------|----------------------|----------------|---------|-----------------------|---------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Daily Maximum | |
| Nitrate-Nitrite as N | XXX | XXX | XXX | Report Semi Avg | XXX | XXX |
| Total Nitrogen | XXX | XXX | XXX | Report Semi Avg | XXX | XXX |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | Report Semi Avg | XXX | XXX |
| Total Phosphorus | XXX | XXX | XXX | Report Semi Avg | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0020222, Sewage, SIC Code 4952, **Weaverland Valley Authority**, 4610 Division Highway, East Earl, PA 17519. Facility Name: Terre Hill Borough WWTP. This existing facility is located in Terre Hill Borough, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Black Creek (HQ-WWF), is located in State Water Plan watershed 7-J and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .21 MGD.—Limits.

| Parameters | Mass Units (lbs) | | Minimum | Concentrations (mg/L) | | IMAX |
|----------------------|------------------|--------|---------|-----------------------|----------------|------|
| | Monthly | Annual | | Average Monthly | Weekly Average | |
| Ammonia-Nitrogen | Report | Report | XXX | Report | XXX | XXX |
| Kjeldahl-Nitrogen | Report | XXX | XXX | Report | XXX | XXX |
| Nitrite-Nitrate as N | Report | XXX | XXX | Report | XXX | XXX |
| Total Nitrogen | Report | Report | XXX | Report | XXX | XXX |
| Total Phosphorus | Report | Report | XXX | Report | XXX | XXX |

The proposed effluent limits for Outfall 001 are based on a design flow of .21 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------|----------------------|----------------|---------|-----------------------|----------------|------|
| | Average Monthly | Weekly Average | | Average Monthly | Weekly Average | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| | | Daily Max | | | | |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|-----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 5.0 Inst Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.26 | XXX | 0.85 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | | | | | | |
| Nov 1 - Apr 30 | 44 | 70 | XXX | 25 | 40 | 50 |
| May 1 - Oct 31 | 35 | 53 | XXX | 20 | 30 | 40 |
| Biochemical Oxygen Demand (BOD ₅) | Report | Report | XXX | Report | XXX | XXX |
| Raw Sewage Influent | | Daily Max | | | | |
| Total Suspended Solids | 53 | 79 | XXX | 30 | 45 | 60 |
| Raw Sewage Influent | Report | Report | XXX | Report | XXX | XXX |
| Daily Max | | Daily Max | | | | |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| E. Coli (No./100 ml) | XXX | XXX | XXX | XXX | XXX | Report |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | 16 | XXX | XXX | 9.0 | XXX | 18 |
| May 1 - Oct 31 | 5.3 | XXX | XXX | 3.0 | XXX | 6.0 |
| Total Phosphorus | 3.5 | XXX | XXX | 2.0 | XXX | 4.0 |
| Total Dissolved Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Daily Max | | | | | Daily Max | |
| Sulfate, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Daily Max | | | | | Daily Max | |
| Chloride | XXX | XXX | XXX | XXX | Report | XXX |
| Daily Max | | | | | Daily Max | |
| Bromide | XXX | XXX | XXX | XXX | Report | XXX |
| Daily Max | | | | | Daily Max | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0024023, Sewage, SIC Code 4952, **Bernville Borough Berks County**, P.O. Box 40, Bernville, PA 19506-0040. Facility Name: Bernville Borough STP. This existing facility is located in Bernville Borough, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tulpehocken Creek (WWF), is located in State Water Plan watershed 3-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .285 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------|-----------------------------|-----------------------|------------------------------|------------------------------|-----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Total Dissolved Solids | XXX | XXX | XXX | 1000.0 Avg Qrtly | XXX | XXX |

The proposed effluent limits for Outfall 001 are based on a design flow of .285 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------------------------------------|-----------------------------|-----------------------|------------------------------|------------------------------|-----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| Daily Max | | Daily Max | | | | |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 5.0 | XXX | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 59 | 95 | XXX | 25 | 40 | 50 |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|-----------------------|-------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent | Report | Report Daily Max | XXX | Report | XXX | XXX |
| Total Suspended Solids Raw Sewage Influent | 71 Report | 106 Report Daily Max | XXX XXX | 30 Report | 45 XXX | 60 XXX |
| Fecal Coliform (No./100 ml) Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Ultraviolet light transmittance (%) Ammonia-Nitrogen | XXX 47 | XXX XXX | Report XXX | XXX 20 | XXX XXX | XXX 40 |
| Total Phosphorus | 2.38 | XXX | XXX | 1.0 | XXX | 2 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083593, Sewage, SIC Code 4952, **Silver Spring Township Authority**, 5 Willow Mill Park Road, Suite 3, Mechanicsburg, PA 17050-8238. Facility Name: Silver Spring Township WWTP. This existing facility is located in Silver Spring Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.2 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Daily Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>Instant. Maximum</i> |
|----------------------------------------------------------------------|-----------------------------|----------------------------|----------------------|------------------------------|-----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 5.0 | XXX | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 250 | 400 | XXX | 25.0 | 40.0 | 50 |
| Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent | Report | Report Daily Max | XXX | Report | XXX | XXX |
| Total Suspended Solids Raw Sewage Influent | 300 Report | 450 Report Daily Max | XXX XXX | 30.0 Report | 45.0 XXX | 60 XXX |
| Fecal Coliform (No./100 ml) Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| E. Coli (No./100 ml) | XXX | XXX | XXX | XXX | XXX | Report |
| Ultraviolet light transmittance (%) | XXX | XXX | Report | XXX | XXX | XXX |
| Nitrate-Nitrite as N (Total Load, lbs) (lbs) | XXX Report | XXX XXX | XXX XXX | Report XXX | XXX XXX | XXX XXX |
| Total Nitrogen (Total Load, lbs) (lbs) | Total Mo XXX Report | XXX XXX | XXX XXX | Report XXX | XXX XXX | XXX XXX |
| Ammonia-Nitrogen Nov 1 - Apr 30 | 190 | XXX | XXX | 19.0 | XXX | 38 |
| May 1 - Oct 31 (Total Load, lbs) (lbs) | 180 Report | XXX XXX | XXX XXX | 18.0 XXX | XXX XXX | 36 XXX |
| Total Kjeldahl Nitrogen (Total Load, lbs) (lbs) | Total Mo XXX Report | XXX XXX | XXX XXX | Report XXX | XXX XXX | XXX XXX |

| Parameters | Mass Units (lbs/day) | | Daily Minimum | Concentrations (mg/L) | | Instant. Maximum |
|---------------------------------------------|--------------------------|-------------------|------------------|-----------------------|-------------------|---------------------|
| | Average Monthly | Weekly Average | | Average Monthly | Weekly Average | |
| Total Phosphorus (Total Load, lbs) (lbs) | 20 Report Total Mo | XXX XXX | XXX XXX | 2.0 XXX | XXX XXX | 4 XXX |

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

| Parameters | Mass Units (lbs/day) | | Monthly | Concentrations (mg/L) | | Instant. Maximum |
|----------------------------------------------------------------------------------------|----------------------|--------------------------------------------------------|---------|-----------------------|---------|---------------------|
| | Monthly | Annual | | Monthly Average | Maximum | |
| Total Nitrogen (Total Load, lbs) (lbs) Effluent Net (Total Load, lbs) (lbs) | XXX | 21,918 Total Annual Report Total Annual | XXX | XXX | XXX | XXX |
| Ammonia-Nitrogen (Total Load, lbs) (lbs) | XXX | Report Total Annual | XXX | XXX | XXX | XXX |
| Total Phosphorus (Total Load, lbs) (lbs) Effluent Net (Total Load, lbs) (lbs) | XXX | 2,922 Total Annual Report Total Ancnual | XXX | XXX | XXX | XXX |

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0246999, Sewage, SIC Code 6514, **LaGena Hayes (Estate of Donald Hayes)**, 7886 Lincoln Way W, Saint Thomas, PA 17252-9559. Facility Name: Hayes SRSTP. This proposed facility is located in Saint Thomas Township, **Franklin County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Campbell Run (CWF), is located in State Water Plan watershed 13-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|--------------------------------------------------|----------------------|-------------------|---------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Annual Average | Maximum | |
| Flow (MGD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267414, Sewage, SIC Code 8811, **Shonna Blair**, 1111 S Oak Street, Altoona, PA 16602. Facility Name: Blair Residence. This proposed facility is located in Tyrone Township, **Blair County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Sinking Run (CWF, MF), is located in State Water Plan watershed 11-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (MGD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267422, Sewage, SIC Code 8811, **J Craig Raisner**, 384 Main Street, Southwest Harbor, ME 04679. Facility Name: Craig Raisner Properties. This proposed facility is located in Rye Township, **Perry County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Trout Run (CWF, MF), is located in State Water Plan watershed 7-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (MGD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0052728, Sewage, SIC Code 5411, **Turkey Hill Minit Markets, LLC**, 165 Flanders Road, Westborough, MA 01851. Facility Name: Turkey Hill Minit Market STP. This existing facility is located in Coatesville City, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to West Branch Brandywine Creek, is located in State Water Plan watershed 3-H and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 6.0 Inst Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.0 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | 1,000 |
| Total Nitrogen | XXX | XXX | XXX | Geo Mean 20.0 | XXX | 40 |
| Ammonia-Nitrogen | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Phosphorus | XXX | XXX | XXX | 10.0 | XXX | 20 |

In addition, the permit contains the following major special conditions:

- Total Residual Chlorine (TRC) reduction in effluent
- Proper disposal of sludges, slurries, screenings, and solids
- No stormwater into sewage
- Submission of Annual Maintenance Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0264121, Storm Water, SIC Code 3479, **Korns Galvanizing Co. Inc.**, 75 Bridge Street, Johnstown, PA 15902-2902. Facility Name: Korns Galvanizing Plant. This existing facility is located in Johnstown City, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Stonycreek River (WWF), is located in State Water Plan watershed 18-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 and 002 are based on a variable and intermittent design flow.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|------------------------|----------------------|------------------|---------|-----------------------|---------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Daily Maximum | |
| Flow (MGD) | XXX | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | XXX | XXX | XXX | 9.0 |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Oil and Grease | XXX | XXX | XXX | XXX | Report | XXX |
| Nitrate-Nitrite as N | XXX | XXX | XXX | XXX | Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Manganese, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | XXX | Report | XXX |

In addition, the permit contains the following major special conditions:

- Submit a Stormwater Pollution Prevention Plan to the Department within one year following the permit effective date.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0255858, Industrial, SIC Code 1711, 3444, **W G Tomko Inc.**, 2559 PA 88, Finleyville, PA 15332-3504. Facility Name: W G Tomko Inc. This proposed facility is located in Union Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Peters Creek (TSF), is located in State Water Plan watershed 19-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.03 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|-------------------------|----------------------|------------------|---------|-----------------------|---------------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Daily Maximum | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | XXX | XXX | 9.0 | XXX |
| Aluminum, Total (ug/L) | XXX | XXX | XXX | 750.0 | 750.0 | XXX |
| Antimony, Total (ug/L)* | XXX | XXX | XXX | 6.13 | 9.57 | XXX |
| Arsenic, Total (ug/L)* | XXX | XXX | XXX | Report | Report | XXX |
| Cadmium, Total (ug/L)* | XXX | XXX | XXX | 0.69 | 1.08 | XXX |
| Copper, Total (ug/L)* | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Dissolved (ug/L)* | XXX | XXX | XXX | Report | Report | XXX |
| Iron, Total (ug/L) | XXX | XXX | XXX | 1,642.0 | 2,562.0 | XXX |
| Lead, Total (ug/L)* | XXX | XXX | XXX | Report | Report | XXX |
| Selenium, Total (ug/L) | XXX | XXX | XXX | 5.46 | 8.52 | XXX |
| Silver, Total (ug/L)* | XXX | XXX | XXX | Report | Report | XXX |
| Thallium, Total (ug/L)* | XXX | XXX | XXX | 0.26 | 0.41 | XXX |
| TRC (mg/L) | XXX | XXX | XXX | Report | Report | XXX |

Several effluent limits and monitoring requirements are proposed because analytical results did not meet the Department's minimum quantitation limits. Accordingly, the Department will allow the applicant to resample for these pollutants during the 30-day public comment period to verify whether they are present in the discharge or not. Pollutants determined to be absent from the discharge may be removed prior to final permit issuance.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0091588, Sewage, SIC Code 8211, **Yough School District**, 915 Lowber Road, Herminie, PA 15637-1226. Facility Name: Yough Intermediate/Middle School Wastewater Treatment Plant. This existing facility is located in South Huntingdon Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Sewickley Creek (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0135 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|----------------------------------------------------------------|----------------------|----------------|-----------------|-----------------------|---------------------|--------|
| | Average Monthly | Average Weekly | | Average Monthly | Maximum | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min 5.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | Inst Min XXX | 0.08 | XXX | 0.26 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25 | XXX | 50 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | XXX | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | Geo Mean 200 | XXX | 1,000 |
| Ammonia-Nitrogen | | | | Geo Mean | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 4.8 | XXX | 9.6 |
| May 1 - Oct 31 | XXX | XXX | XXX | 1.9 | XXX | 3.8 |
| Total Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Total Phosphorus | XXX | XXX | XXX | XXX | Daily Max Report | XXX |
| | | | | | Daily Max | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0216186, Sewage, SIC Code 8052, **United Mine Workers of America Career Centers Inc.**, 197 Dunn Station Road, Prosperity, PA 15329-1625. Facility Name: Mining Tech & Training Center STP. This existing facility is located in Washington Township, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Ruff Creek (WWF), is located in State Water Plan watershed 19-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|----------------------------------------------------------------|----------------------|----------------|------------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Average Monthly | Maximum | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Daily Min 5.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | Daily Min XXX | 0.07 | XXX | 0.17 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 25.0 | XXX | 50.0 |
| May 1 - Oct 31 | XXX | XXX | XXX | 20.0 | XXX | 40.0 |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60.0 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 | XXX | 1,000 |
| Total Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| | | | | Annual Avg | | |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 6.0 | XXX | 12.0 |
| May 1 - Oct 31 | XXX | XXX | XXX | 2.0 | XXX | 4.0 |
| Total Phosphorus | XXX | XXX | XXX | Report | XXX | XXX |
| | | | | Annual Avg | | |
| E. Coli (No./100 ml) | XXX | XXX | XXX | XXX | XXX | Report |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0253774, Sewage, SIC Code 9999, **Hill Properties LLC**, 300 Alton Hill Drive, Eighty-Four, PA 15330. Facility Name: Hill Properties LLC SFTF. This proposed facility is located in Somerset Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), North Branch Pigeon Creek (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0007 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | 0.0007 | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| | | | Inst Min | | | |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | XXX | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| | | | | Geo Mean | | |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 | XXX | 1,000 |
| | | | | Geo Mean | | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0255807, Sewage, SIC Code 8800, **Phyllis Thomas Estate**, 116 Allegheny Center Mall, P8-YB35-02-6, Pittsburgh, PA 15212. Facility Name: Thomas Estate Property. This proposed facility is located in Sewickley Heights Borough, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Sewickley Creek (HQ-TSF), is located in State Water Plan watershed 20-G and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0253774, Sewage, SIC Code 9999, **Hill Properties LLC**, 300 Alton Hill Drive, Eighty-Four, PA 15330. Facility Name: Hill Properties LLC SFTF. This proposed facility is located in Somerset Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), North Branch Pigeon Creek (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0007 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|----------------------------------------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | 0.0007 | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | XXX | 60 |
| Fecal Coliform (No./100 ml) Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|---------------------------|-------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| PAD090073 | New | Matthew Stanford 201 N. Wales Road North Wales, PA 19454-3803 | Milford Township Bucks County | SERO |
| PAD150218 | New | James Goodchild 1559 Beechnut Circle Maple Glen, PA 19002-2833 | Warwick Township Chester County | SERO |
| PAD150216 | New | Toni Ioppolo Revocable Trust 11 Andrews Road Malvern, PA 19355 | Willistown Township Chester County | SERO |
| PAD210068 | New | Victor G. Barrick 2653 Walnut Bottom Road Carlisle, PA 17015 | Penn Township Cumberland County | SCRO |
| PAD310010 | New | Russell W. Culbertson 5526 Standing Stone Road Huntingdon, PA 16652 | Miller Township Huntingdon County | SCRO |
| PAD410016 | New | Williamsport Ball Park Inc 102 West 4th St Williamsport, PA 17701 | City of Williamsport Lycoming County | NCRO |
| PAD530007 | New | PA DCNR Cherry Spring State Park 4639 Cherry Springs Rd Coudersport, PA 16915 | West Branch Township Potter County | NCRO |
| PAD020041 | New | Riverfront 47, LP 19th Street Sharpsburg, PA 15215 | Sharpsburg Borough Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAD020042 | New | Shady Side Academy 423 Fox Chapel Road Pittsburgh, PA 15238-2247 | Fox Chapel Borough Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAD300015 | New | Peoples Natural Gas Company, LLC 195 Donahoe Road Greensburg, PA 15601 | Franklin Township Jackson Township Center Township Greene County | Greene County Conservation District 22 West High Street Suite 204 Waynesburg, PA 15370 724-852-5278 |

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|---------------------------|-------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PAD630002 A-2 | New | Washington County Council on Economic Development 273 South Main Street Washington, PA 15301 | Hanover Township Washington County | Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 |
| PAD090067 | New | Pennsylvania Turnpike Commission 700 S. Eisenhower Blvd. Middletown, PA 17057 | Milford & West Rockford Townships Bucks County Salford Township Montgomery County | Regional Permit Coordination Office (RPCO) Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101 Email: RA-EPREGIONAL PERMIT@pa.gov |

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal/ New</i> |
|----------------------------------------------------------------------------|---------------|--------------------|--------------------------------|--------------------|---------------------------------------------------|---------------------|
| Jason L. & Stephanie E. Shives 455 Lear Road Harrisonville, PA 17228 | Fulton | 45 | 722.56 | Finishing Swine | N/A | New |

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the

name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No.6621501, Public Water Supply

Applicant **FR Mehoopany Property Holding, LP (FR Mehoopany Warehouse)**
279 P&G Warehouse Way
Tunkhannock, PA 18657

Township or Borough Meshoppen & Washington Townships

County **Wyoming County**

Responsible Official **Mr. Jose de los Rios**
Mehoopany Plant Environmental Compliance & Public Relation Leader
FR Mehoopany Property Holding, LP
(FR Mehoopany Warehouse)
279 P&G Warehouse Way
Tunkhannock, PA 18657

Type of Facility PWS

Consulting Engineer **Timothy K. Steed, PE**
HUNT Engineers, Architects,
Land Surveyors & Landscape Architects, DPC
1 Elizabeth Street, Suite 12
Towanda, PA 18848

Application Received Date January 20, 2021

Description of Action The applicant has proposed the construction of water softening and reverse osmosis treatment to reduce TDS to below the PA DEP requirements.

Permit No.6621503, Public Water Supply

Applicant **Davan's Delight Restaurant**
1235 PA-29 North
Tunkhannock, PA 18657

Township or Borough Lemon Township

County **Wyoming County**

Responsible Official **Suhag Patel**
Owner
Davan's Delight Restaurant
1235 PA-29 North
Tunkhannock, PA 18657

Type of Facility PWS

Consulting Engineer **Michael P. Goodwin, P.E.**
Vice President
Milnes Engineering, Inc.
12 Frear Hill Road
Tunkhannock, PA 18657

Application Received Date March 25, 2021

Description of Action The applicant has proposed the construction of a new well source, and an ion exchange water treatment unit for manganese treatment and the installation of an arsenic/heavy metals adsorbent filter.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified sites, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involve-

ment plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Jackson Property, 7019 Forrest Trail Road, Butler, PA 16002, Penn Township, **Butler County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101-3603 on behalf of Robert Jackson, 7019 Forrest Trail Road, Butler, PA 16002 has submitted a Notice of Intent to Remediate. A leak from a home heating oil underground storage tank resulted in site soil and site groundwater being contaminated with Benzene, Toluene, Ethylbenzene, Methyl tert-butyl ether, Cumene (Isopropylbenzene), Naphthalene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. Intended future use of the property is residential. The Notice of Intent to Remediate was published in the *Butler Eagle* April 1, 2021.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed

Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

09-0142G: Bank of America National Association, 35 Runaway Drive, Levittown, PA 19057-4700, Bristol Township, **Bucks County**. For the installation of a new 2,250-kW, diesel nonemergency generator. The diesel fuel-fired engine is certified to comply with EPA tier-4 exhaust pollutant emission standards. As a result of potential emissions of NO_x and VOC, the facility is a State-Only facility. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-05115C: Energy Developments Morgantown, LLC (608 South Washington Ave., Lansing, MI 48933) for the installation of a landfill gas (LFG) fired engine generator set at their landfill gas-to-energy plant located in Caernarvon Township, **Berks County**. Specifically, the project is for the installation of a second 2,233 bHP (1,600 kW) Caterpillar G3520C landfill gas fired engine. Potential emissions from the new engine are estimated to be 75.5 tpy CO, 10.8 tpy NO_x, 3.2 tpy PM₁₀/PM_{2.5}, 5.1 tpy SO_x, 19.0 tpy VOC, 10.4 tpy of combined HAPs, and 9.4 tpy of a single HAP (formaldehyde). DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12 & 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines and 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

43-182F: Wheatland Tube LLC—Council Ave. Facility (One Council Ave., Wheatland, PA 16161) for the installation of a baghouse at their facility in Wheatland Borough, **Mercer County**. This is a Title V facility.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 43-182F to Wheatland Tube LLC for the installation of a baghouse at the company's facility located at One Council Avenue, Wheatland Borough, Mercer County. The facility currently has a Title V permit No. 43-00182. The Plan Approval will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 43-182F is for the installation of a baghouse to control particulate emissions from the existing # 2 Galvanizing Kettle (Source ID # 103). Based on the information provided by the applicant and DEP's own analysis, emissions from the subject source will not exceed 0.45 ton of particulate matter per year. The subject Plan Approval will not result in an increase in emissions over previously permitted levels.

The permittee will be required to monitor and maintain records of visible emissions and baghouse pressure drop

and will be required to conduct initial stack testing for emissions of particulate matter. The Plan Approval will contain additional monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following shown address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following shown address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 43-182F and concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

OP20-000051: Philadelphia Energy Solutions Refining and Marketing LLC (3144 Passyunk Avenue, Philadelphia, PA 19145) for the operation of a petroleum products storage tank facility and equipment to support the safe closure of the former refinery in the City of Philadelphia, **Philadelphia County**. The Title V operating permit has been administratively amended, and the administrative amendment includes the following changes in the operating permit:

- Change in operational control of the former refinery from Philadelphia Energy Solutions Refining and Marketing LLC to NorthStar Contracting Group, Inc.
- Change in name, address, and phone number of the Responsible Official.
- Incorporation of requirements from General Plan Approvals, and plan approvals that were issued but not yet included in the Title V operating permit. These include: Reactivation of Tank GP PB 843, 847, 885, 886, PB 7300, GP 219, a RACT plan approval and a plan approval for Boiler GP 45.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409

40-00085: Certech, Inc. (550 Stewart Road, Hanover Township, PA 18706). The Department intends to issue a State-Only Operating Permit renewal for their facility located in Hanover Township, **Lehigh County**. The renewal State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to insure the operation of the facility within applicable air quality requirements.

54-00064: USS Achey, Inc. (355 East Second Mountain Road Schuylkill Haven, PA 17972). The Department intends to issue a State-Only Operating Permit renewal for their facility located in North Manheim Township, **Schuylkill County**. The renewal State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to insure the operation of the facility within applicable air quality requirements.

40-00059: Reilly Plating Company, Inc. (130 Alden Road, Nanticoke, PA 18634). The Department intends to issue a State-Only Operating Permit renewal for their facility located in Nanticoke City, **Luzerne County**. The renewal State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to insure the operation of the facility within applicable air quality requirements.

48-00058: Effort Foundry, Inc. (P.O. Box 158, Bath, PA 18014). The Department intends to issue a State-Only Operating Permit renewal for their facility located in East Allen Township, **Northampton County**. The renewal State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to insure the operation of the facility within applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

21-05030: Ahlstrom—Munksjo LLC (2 Yates Street, Mount Holly Springs, PA 17065), to issue a State Only Operating Permit renewal for the specialty paper manufacturing facility located in Mt. Holly Springs Borough, **Cumberland County**. The primary emissions from the facility are NO_x and CO. The facility's actual emissions in 2020 were: NO_x 4.1 tons, CO 3.44 tons, VOC 0.22 ton, 0.12 ton of PM₁₀, SO_x 0.02 ton, and HAPs 0.07 ton. The Operating Permit will include emission limits and work practice requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from the following: NSPS Subpart Dc, MACT Subpart JJJJJJ; NSPS Subpart III; and MACT Subpart ZZZZ.

06-05155: Martins Forestry Products, LLC (56 Wintersville Road, Richland, PA 17087) to issue a

State Only Operating Permit for the wood chip production facility in Bethel Township, **Berks County** located at 523 Brown Road, Myerstown, PA 17067. The potential emissions from the facility are estimated at 7 tpy of PM, 23 tpy of CO, 42 tpy of NO_x, 48 tpy of VOC, 3 tpy of formaldehyde (a HAP) and 10 tpy of total HAP. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

56-00025: New Enterprise Stone & Lime Company, Inc./Bakersville Quarry (P.O. Box 77, New Enterprise, PA 16664). In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice of intent to issue a natural minor State Only Operating Permit for the operation of a limestone crushing and screening operation located in Jefferson Township, **Somerset County**.

New Enterprise operates one limestone crushing/screening plant with a maximum production rate of 1,500 tons per hour. This facility has a potential to emit 173.9 tons of PM and 65.1 tons of PM₁₀ based on the proposed operating limits. The Diester 7 × 16 screen will be limited to 1,800 hours of operation per 12-consecutive month period (12-cmp). The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (56-00025) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written

comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Synthetic Minor Operating Permit Renewal for operation of air pollution sources at the following facility:

OP20-000058: RichardsApex, Inc.—(4202-24 Main Street, Philadelphia, PA 19127) for the operation of a lubricants manufacturing plant, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) boilers firing natural gas or No. 5 oil each rated less than 9 MMBtu/hr. The operating permit will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Natural Minor Operating Permit Renewal for operation of air pollution sources at the following facility:

OP21-000002: The Comcast Center (1701 John F. Kennedy Blvd, Philadelphia, PA 19103) for the operation of a corporate office, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one (1) emergency generator firing diesel fuel rated 2,922 HP and three (3) fire pumps firing diesel fuel rated 240 HP, 275 HP, and 460 HP respectively. The operating permit will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the

public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

58-00023A: Clear Water Technology LLC (118 Hart Road, Montrose, PA 18801) for their facility located in Jessup Township, **Susquehanna County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Clear Water Technology LLC (118 Hart Road, Montrose, PA 18801) for their facility located in Jessup Township, Susquehanna County. This Plan Approval No. 58-00023A will be incorporated into a Natural Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-00023A is for the installation and operation of an evaporator to process 7,500 bpd of feedwater and condense evaporated vapor for reuse in gas well development. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for Oxides of Nitrogen (NO_x), Volatile Organic Compounds (VOC), Particulate Matter (PM), and Carbon Monoxide (CO) for the source. The company shall be subject to and comply with 25 Pa. Code § 123.41 for visible emissions. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 58-00023A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting

a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or

local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

| Parameter | 30-Day Average | Daily Maximum | Instantaneous Maximum |
|----------------------------------------------|------------------|---------------------------------|-----------------------|
| Iron (total) | 1.5 to 3.0 mg/l | 3.0 to 6.0 mg/l | 3.5 to 7.0 mg/l |
| Manganese (total) | 1.0 to 2.0 mg/l | 2.0 to 4.0 mg/l | 2.5 to 5.0 mg/l |
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Aluminum (Total) | 0.75 to 2.0 mg/l | 1.5 to 4.0 mg/l | 2.0 to 5.0 mg/l |
| pH ¹ | | greater than 6.0; less than 9.0 | |
| Alkalinity greater than acidity ¹ | | | |

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Permit No. 30841601. Consol Mining Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317 to renew the permit for Robena Preparation Plant in Monongahela Township, **Greene County**. No discharges. The application was considered administratively complete on March 24, 2021. Application received: February 26, 2021.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).

Permit No. 6433-E1024221-001. Seneca Landfill, Inc., P.O. Box 1080, Mars, PA 16046, Application for a stream encroachment to mine through the lower 54 feet of unnamed tributary No. 3 and mine through the lower 210 feet of unnamed tributary No. 5 in Jackson and Lancaster Townships, **Butler County**. Receiving stream(s): Unnamed tributary to Connoquenessing Creek classified for the following use(s): WWF. The first downstream potable water supply intake from the point of discharge is the Zelienople Water Company, 4.3 miles downstream. Application received: January 4, 2021.

Permit No. 10210101. Seneca Landfill, Inc., P.O. Box 1080, Mars, PA 16046, Application for a wetland encroachment to mine through 0.01 acre of emergent wetlands and remove invasive species and plant riparian buffer from unnamed

tributary No. 1 adjacent to the site in Jackson and Lancaster Townships, **Butler County**. Receiving stream(s): Unnamed tributary to Connoquenessing Creek classified for the following use(s): WWF. The first downstream potable water supply intake from the point of discharge is the Zelenople Water Company, 4.3 miles downstream. Application received: January 4, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).

Permit No. 59060101 and NPDES No. PA0256315. Phoenix Resources, Inc., 782 Antrim Road, Wellsboro, PA 16901, permit renewal for continued operation and restoration of a bituminous surface coal mine located in Duncan Township, **Tioga County** affecting 80.9 acres. Receiving stream(s): Unnamed Tributaries to Rock Run to Babb Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: March 29, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 49871602R6. Lenig & Kosmer Coal Washery, 2993 Lower Road, Shamokin, PA 17872, renewal of an existing anthracite coal preparation plant operation in West Cameron Township, **Northumberland County** affecting 3.6 acres. Receiving stream: Mahanoy Creek, classified for the following uses: warm water and migratory fishes. Application received: April 1, 2021.

Permit No. 54683043R7. Park Mine Coal Co., LLC, 294 Pine Creek Drive, Orwigsburg, PA 17961, renewal of an existing anthracite surface mine and coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 1,225.0. Receiving stream: North Mahanoy Creek, classified for the following uses: cold water and migratory fishes. Application received: April 5, 2021.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

| Parameter | 30-day Average | Daily Maximum | Instantaneous Maximum |
|--------------------------------------|-------------------|---------------------------------|--------------------------|
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Alkalinity exceeding acidity* pH* | | greater than 6.0; less than 9.0 | |

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 8275SM5C2 and NPDES Permit No. PA0595381. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, modification to increase the discharge rate of an NPDES Permit for discharge of treated mine drainage from a quarry operation in East Cocalico Township, **Lancaster County** affecting 150.0 acres. Receiving stream: Stony Run, classified for the following use: warm water fishes. Application received: March 9, 2021.

Permit No. 58060842. David J. Dudock, 25 Foran Street, Friendsville, PA 18818, Stage I & II bond release of a quarry operation in Auburn Township, **Susquehanna County** affecting 3.0 acres on quarry owned by David J. Dudock. Application received: March 26, 2021.

Permit No. 58050849. Lynn D. Joines, 1347 Franks Road, Susquehanna, PA 18847, Stage I & II bond release of a quarry operation in Jackson Township, **Susquehanna County** affecting 1.0 acre on quarry owned by Lynn D. Joines. Application received: March 29, 2021.

Permit No. 58060875. Lynn D. Joines, 1347 Franks Road, Susquehanna, PA 18847, Stage I & II bond release of a quarry operation in Gibson Township, **Susquehanna County** affecting 1.0 acre on quarry owned by Lynn D. Joines. Application received: March 29, 2021.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|-------------------|---------------------------|---------------------------------|----------------------------------|
| Iron (Total) | 3.0 mg/l | 6.0 mg/l | 7.0 mg/l |
| Manganese (Total) | 2.0 mg/l | 4.0 mg/l | 5.0 mg/l |
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| pH* | | greater than 6.0; less than 9.0 | |

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100.

NPDES No. PA0215031 (Mining Permit No. 33971301) Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a renewal to the NPDES and mining activity permit for Dora No. 8 Mine in Perry Township, **Jefferson County**, affecting 23.7 surface acres. Receiving stream(s): Mahoning Creek: WWF. East Branch Mahoning Creek Watershed TMDL. The application was considered administratively complete: January 24, 2018. The application was received: July 27, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 002 discharges to: Mahoning Creek

The proposed effluent limits for *Outfall 002* (Lat: 40° 55' 13" Long: -79° 04' 47") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|----------------------------------------|--------|----------------|-----------------------|----------------------|-------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |

The EPA Waiver is not in effect.

NPDES No. PA0235628 (Mining Permit No. 17041301) Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a renewal to the NPDES and mining activity permit for Penfield Mine in Huston Township, **Clearfield County**, affecting 62.1 surface acres and 5,370.6 underground acres. Receiving stream(s): Unnamed Tributary "S" to Wilson Run: CWF. Bennett Branch Sinnemahoning Creek Watershed TMDL. Receiving stream(s): Unnamed Tributary "B" to Wilson Run: CWF. Sinnemahoning Creek Watershed TMDL. The application was considered administratively complete: February 12, 2020. The application was received: January 13, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Unnamed Tributary "S" to Wilson Run

The proposed effluent limits for *Outfall 001* (Lat: 41° 13' 59" Long: -78° 36' 31") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|----------------------------------------|--------|----------------|-----------------------|----------------------|-------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |

Outfall 002 discharges to: Unnamed Tributary "S" to Wilson Run

The proposed effluent limits for *Outfall 002* (Lat: 41° 13' 54" Long: -78° 36' 34") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|----------------------------------------|--------|----------------|-----------------------|----------------------|-------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |

Outfall 003 discharges to: Unnamed Tributary "B" to Wilson Run

The proposed effluent limits for *Outfall 003* (Lat: 41° 14' 09" Long: -78° 36' 38") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|----------------------------------------|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |

The EPA Waiver is not in effect.

NPDES No. PA0092193 (Mining Permit No. 32840701) Tanoma Coal Company, Inc., 1501 Ligonier Street, Suite 370, Latrobe, PA 15650, a renewal to the NPDES and mining activity permit for Tanoma Refuse Area # 2 in Rayne Township, **Indiana County**, affecting 160.0 surface acres. Receiving stream(s): Rayne Run: CWF. Crooked Creek Watershed TMDL. The application was considered administratively complete: November 21, 2019. The application was received: November 4, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Rayne Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 43' 05" Long: -79° 03' 25") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> | | <i>Annual loading (lbs/yr)</i> | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|----------------------------------------|----------|----------------------------------------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | - | Report |
| Iron | (mg/l) | - | - | 1.69 | 3.38 | 4.23 |
| Manganese | (mg/l) | - | - | 1.13 | 2.26 | 2.83 |
| Aluminum | (mg/l) | - | - | 0.75 | 0.75 | 0.75 |
| Suspended Solids | (mg/l) | 7,671 | - | 35 | 70 | 90 |
| pH | (s.u.) | - | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | - | Report |
| Alkalinity, Net | (mg/l) | - | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | - | - | - | Report |
| Total Dissolved Solids | (mg/l) | - | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | - | Report |
| Chloride | (mg/l) | - | - | - | - | Report |

The EPA Waiver is not in effect.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472.1900.

NPDES No. PA0279773 (Mining Permit No. 07200801), Glass Bagging Enterprises, Inc., P.O. Box 120, Duncanville, PA 16635, new NPDES permit for discharge of stormwater/process water from a sand processing operation in Frankstown Township, **Blair County**, affecting 5.0 acres. Receiving stream: Frankstown Branch of the Juniata River, classified for the following use: Warm Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: December 8, 2020.

The following outfall discharges to the Frankstown Branch of the Juniata River:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001 | Y |

The proposed effluent limits for the previously listed outfall are as follows:

| <i>Outfall: 001</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|-----------------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| Specific Conductance | | | Monitor Only |
| Temperature | | | Monitor Only |
| Flow | | | Monitor Only |

pH (S.U.): Must be between 6.0 and 9.0 standard units.

NPDES No. PA0213373 (Mining Permit No. 05960301), New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, renewal of an NPDES permit for discharge of water resulting from limestone mining in Snake Spring Township, **Bedford County**, affecting 107.2 acres. Receiving stream(s): Raystown Branch of Juniata River, classified for the following use: Trout Stock Fishery. Application received: April 1, 2021.

The following outfalls discharge to Raystown Branch of Juniata River:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|-----------------------|--------------------------|
| 001 (Sediment Pond A) | N |
| 002 (Sediment Pond B) | N |
| 003 (Sediment Pond C) | N |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Outfalls: 003 (All Weather Conditions)</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|-------------------------------------------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Flow (mgd) | 1.0 | 1.0 | 1.0 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |

pH (S.U.): Must be between 6.0 and 9.0 standard units.
Alkalinity must exceed acidity.

| <i>Outfalls: 001 & 002 (Dry Weather to ≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Total Suspended Solids (mg/l) | N/A | N/A | 90.0 |

pH (S.U.): Must be between 6.0 and 9.0 standard units.
Alkalinity must exceed acidity.

Outfalls: 001 & 002 (>10-yr/24-hr Precip. Event)
pH (S.U.): Must be between 6.0 and 9.0 standard units
Alkalinity must exceed acidity

NPDES No. PA0262846 (Mining Permit No. 56090301), New Enterprise Stone & Lime Co. Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664. Renewal of an NPDES permit for non-coal surface mining in Jefferson Township, **Somerset County**, affecting 67.8 acres. Receiving stream(s): unnamed tributary to/and Kooser Run (HQ-CWF), and unnamed tributaries to/and Shafer Run (HQ-CWF), classified for the following use(s): High Quality (HQ); Cold Water Fishery (CWF). This receiving stream is included in the Casselman TMDL. Application received: April 1, 2021.

The following outfall discharges to unnamed tributary to Kooser Run.

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001 | N |

The proposed effluent limits for the previously listed outfall are as follows:

| <i>Outfalls: 001 (≥10-yr/24-hr Precip. Event)</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|-----------------------------------------------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Carbonaceous Biochemical Oxygen Demand (COBD ₅) | | | Monitor and Report |
| Ammonia (NH ₃ -N) | | | Monitor and Report |
| Nitrates/Nitrites (NO ₂ /NO ₃ -N) | | | Monitor and Report |
| Phosphorus | | | Monitor and Report |
| Total Residual Chlorine (TRC) | | | Monitor and Report |
| Lead (Total) | | | Monitor and Report |
| Copper (Total) | | | Monitor and Report |
| Iron (Total) | | | Monitor and Report |
| Sulfate | | | Monitor and Report |
| Aluminum (Total) | | | Monitor and Report |
| Total Suspended Solids (mg/l) | | | Monitor and Report |
| Total Dissolved Solids | | | Monitor and Report |
| Zinc (Total) | | | Monitor and Report |

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, draw-

ings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

F3803220-001. Jackson Township (Floodplain Mitigation), 60 North Ramona Road, Myerstown, PA 17067. Jackson Township, **Lebanon County**, U.S. Army Corps of Engineers, Baltimore District.

To remove structures from the floodplain. The project proposes to temporarily affect approximately 0.37 acre of floodplains. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341).

| | <i>Address</i> | <i>Waterway</i> | <i>Chapter 93 Designation</i> | <i>USGS Quadrangle</i> | <i>Latitude</i> | <i>Longitude</i> |
|----|---------------------------|-----------------------------|-------------------------------|------------------------|-----------------|------------------|
| 1. | 851 South Railroad Street | UNT Tulpehocken Creek (TSF) | WWF | Richland | 40.362795° | -76.302977° |

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E0205221-002, Edgeworth Borough, 301 Beaver Road, Edgeworth, PA 15143, Edgeworth Borough, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct, operate, and maintain 35 linear feet of riparian buffer along both banks of an unnamed tributary (UNT) to the Ohio River (WWF);
2. Construct, operate, and maintain 108 linear feet of double throated rock cross vanes with step pools within the UNT;
3. Operate and maintain 25 linear feet of gabion baskets along the left descending bank of the UNT.

For the purpose of providing nutrient and sediment load reduction toward Edgeworth Borough’s MS4 requirements of their NPDES permit. Cumulatively, the project will permanently impact 255 linear feet of the UNT, temporarily impact 270 feet of the UNT, permanently impact 0.29 acre of the floodway of the UNT, and temporarily impact 0.3 acre of the floodway of UNT. The project site is located near the intersection of Creek Drive and Woodland Road (Ambridge, PA USGS topographic quadrangle; N: 40°, 32', 59.0"; W: -80°, 11', 10.0"; Sub-basin 20G; USACE Pittsburgh District), in Edgeworth Borough, Allegheny County.

E5605220-027, Columbia Gas Transmission, LLC, 1700 MacCorkle Avenue SE, P.O. Box 1273, Charleston, WV 25314; Wellersburg Borough, **Somerset County**; Baltimore ACOE District.

The applicant proposes to:

1. Remove portions of and cut, cap, and abandon in its entirety the remaining portions of Columbia Gas Line 138, an 8-inch natural gas transmission line, which has become exposed in a perennial stream known as North Branch Jennings Run (CWF),
2. Operate and maintain portions of two adjoining Columbia Gas natural gas transmission lines, Line 1804, a 20-inch natural gas transmission line and Columbia Gas Line 10240, a 24-inch line, by constructing a pipeline protection system in North Branch Jennings Run which entails:

- a. exposing Line 1804, placing an articulated concrete mat over the line, and reburying the mat with native streambed material which will raise the streambed,
- b. placing the previously mentioned articulated concrete mat over the existing buried Line 10240 and reburying the mat which will raise the streambed,
- c. installing engineer rock riffles throughout the previously-mention work area to allow for the raised streambed to align with its existing slope.

3. Construct, operate, and maintain approximately 300 linear feet of boulder revetment streambank stabilization along the southwestern bank of North Branch Jennings Run.

For the purposes of abandonment and protection of natural gas transmission lines within North Branch Jennings Run and for the purposes of streambank stabilization along the southwestern bank of North Branch Jennings Run to prevent future exposure of these pipelines within the streambank and floodway.

The project will permanently impact 55 LF of stream, temporarily impact 45 LF of stream, permanently impact 0.17 acre of floodway, and temporarily impact 0.41 acre of floodway. No wetlands are proposed to be impacted by the project.

The project site is located approximately 300 feet southwest of the intersection of Witt Hill Road and Cumberland Highway (PA 160) in Wellersburg Borough, Somerset County (Cumberland, PA USGS topographic quadrangle; N: 39°, 43', 23"; W: -78°, 50', 49.47"; Sub-basin 13A; USACE Baltimore District).

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E4206221-001, Sergeant Township, 14225 Wilcox Road, Mt Jewett, PA 16740. Bloomster Hollow Road Bridge, in Sergeant Township, **McKean County**, ACOE Pittsburgh District (Hazel Hurst, PA Quadrangle N: 41°, 44', 30"; W: -78°, 30', 18").

The Applicant proposes to replace an existing bridge that carries Bloomster Hollow Road over Bloomster Hollow (CWF) by installing, operating, and maintaining a new precast concrete box culvert measuring approximately 8 feet high by 12 feet wide by 26 feet long with wing walls and in-stream channel ribs for grade control all at a point approximately 1,000 feet northwest of the Bloomster Hollow Road and Riddell Lane intersection in Sergeant Township, McKean County.

E4206220-029, Matthew Foster, 651 West Branch Road, Smethport, PA 16749. Foster Bridge, in Norwich Township, **McKean County**, ACOE Pittsburgh District (Crosby, PA Quadrangle N: 41°, 40', 15.93"; W: -78°, 24', 36.16").

In order to facilitate agricultural and hunting access, the Applicant proposes to construct, operate, and maintain a private bridge crossing of West Branch Potato Creek (HQ-CWF) measuring approximately 15 feet wide by 40 feet long and consisting of a decommissioned/modified flatbed trailer deck resting on concrete block abutments all at a point approximately 4,500 feet west of the West Branch Road and West Valley Road intersection in Norwich Township, McKean County.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E0829220-027: Regency Marcellus Gas Gathering, LLC, 101 West Third Street, Williamsport, PA 17701, Leroy Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 12-inch steel gas line and a 12-inch HDPE waterline impacting 148 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.62417°, Longitude: -76.71333°);

2. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 3,538

square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.62444°, Longitude: -76.71250°);

3. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 33 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.62222°, Longitude: -76.71000°);

4. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 15,559 square feet of floodway of an unnamed tributary to Wolf Run (EV, MF) (Leroy, PA Quadrangle, Latitude: 41.62111°, Longitude: -76.66028°);

5. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 76 linear feet of an unnamed tributary to Wolf Run (EV, MF), 7,787 square feet of its channel/floodway and impacting 640 square feet of an adjacent Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.62056°, Longitude: -76.71083°);

6. a temporary timber mat bridge impacting 56 linear feet of a unnamed tributary to Wolf Run (EV, MF) and 12,656 square feet of its channel/floodway (Leroy, PA Quadrangle, Latitude: 41.62000°, Longitude: -76.71083°);

7. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 90 linear feet of Wolf Run (EV, MF) and 2,594 square feet of its channel/floodway and impacting 12,848 square feet of an adjacent Palustrine Forested Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61944°, Longitude: -76.71056°);

8. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 13,461 square feet of a Palustrine Scrub Shrub Wetland (EV) and 838 square feet of a Palustrine Forested Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61778°, Longitude: -76.70667°);

9. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 95 linear feet of an unnamed tributary to Thomas Run (EV, MF), and 9,801 square feet of its channel/floodway (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.70361°);

10. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 88 linear feet of an unnamed tributary to Thomas Run (EV, MF), 8,592 square feet of its channel/floodway and impacting 18 square feet of an adjacent Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.70306°);

11. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 2,333 square feet of a Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.70194°);

12. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 116 linear feet of Thomas Run (EV, MF), 11,888 square feet of its channel/floodway and impacting 671 square feet of an adjacent Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.70167°);

13. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 413 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.61667°, Longitude: -76.70028°);

14. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 39 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.69972°);

15. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 897 square feet of a Palustrine Forested Wetland (Leroy, PA Quadrangle, Latitude: 41.61667°, Longitude: -76.69472°);

16. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 173 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.69472°);

17. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 71 linear feet of an unnamed tributary to Thomas Run (EV, MF), and 7,582 square feet of its channel/floodway (Leroy, PA Quadrangle, Latitude: 41.61583°, Longitude: -76.69417°);

18. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 79 linear feet of an unnamed tributary to Thomas Run (EV, MF), and 8,140 square feet of its channel/floodway (Leroy, PA Quadrangle, Latitude: 41.61500°, Longitude: -76.69222°);

The project will result in 671 linear feet of temporary stream impacts and 81,893 square feet floodway impacts, 8,006 square feet (0.18 acre) of temporary PEM impacts, 8,753 square feet (0.20 acre) of temporary PSS impacts, 4,708 square feet of permanent PSS impacts and, 14,583 square feet (0.33 acre) of permanent PFO wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Leroy Township, Bradford County.

E0829221-002: Appalachia Midstream Services, LLC, 30351 Route 6, Wysox, PA 18854, Wilmot Township, Bradford County, ACOE Baltimore District.

To construct, operate and maintain the Shingle Ridge Well Line Project, which consists of one 8-inch steel natural gas pipeline, with the following impacts:

1. 4.0 linear feet of UNT to Miller Brook (CWF) and 90 square feet of temporary floodway impacts via HDD boring (Jenningsville, PA Quadrangle, Latitude: N: 41° 32' 55.92", Longitude: W: 76° 13' 07.63");

2. 211 square feet (0.01 acre) of permanent impacts to Exceptional Value (EV) Palustrine Forested (PFO) Wetlands via HDD boring (Jenningsville, PA Quadrangle, Latitude: N: 41° 32' 55.64", Longitude: W: 76° 13' 08.43");

3. 5 square feet (0.01 acre) of permanent impacts to Exceptional Value (EV) Palustrine Scrub Shrub (PSS) Wetlands via HDD Boring (Jenningsville, PA Quadrangle, Latitude: N: 41° 32' 54.81", Longitude: W: 76° 13' 10.80"); and

4. 360 square feet of temporary floodway impacts to UNT to Miller Brook (CWF) via placement of fill for

construction access (Jenningsville, PA Quadrangle, Latitude: N: 41° 32' 02.55", Longitude: W: 76° 13' 18.58").

The project will result in 4.0 linear feet of permanent stream impacts, 450 square feet (0.01 acre) of temporary floodway impacts, 5 square feet (0.01 acre) of permanent EV PSS wetland impacts and 211 square feet (0.01 acre) of permanent EV PFO wetland impacts all for the purpose of installing a natural gas gathering line and associated access roadways for Marcellus shale development.

E6629221-002: Appalachia Midstream Services, LLC, 30351 Route 6, Wysox, PA 18854, North Branch Township, Wyoming County, ACOE Baltimore District.

To construct, operate and maintain the Shingle Ridge Well Line Project, which consists of one 8-inch steel natural gas pipeline, with the following impacts:

1. 22 square feet of permanent impacts to Exceptional Value (EV) Palustrine Scrub Shrub (PSS) Wetlands and 336 square feet of temporary impacts to Exceptional Value (EV) Palustrine Scrub Shrub (PSS) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'02.31", Longitude: W76°12'56.47").

The project will result in 22 square feet (0.01 acre) of permanent EV PSS wetland impacts and 336 square feet (0.01 acre) of temporary EV PSS wetland all for the purpose of installing a natural gas gathering line and associated access roadways for Marcellus shale development.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, Telephone number: 717-787-3411.

D35-138EA. Kurt Staller, Pennsylvania American Water, 852 Wesley Drive, Mechanicsburg, PA 17055, Covington Township, Lackawanna County. USACOE Baltimore District.

Project proposes to remove the Hollister Dam to eliminate a threat to public safety and to restore approximately 3,700 feet of stream channel to a free-flowing condition. The proposed restoration project includes construction of small portions of the stream channel through a high spot within the former reservoir and through the breach. The project is located across Roaring Brook (HQ-CWF, MF) (Sterling, PA Quadrangle, Latitude: 41.3130, Longitude: -75.4953).

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, P.O. Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

SSIP

Application

| Application No. | Applicant Name & Address | County | Municipality | Tank Type | Tank Capacity |
|-----------------|-----------------------------------------------------------------------------------------------|-------------|-----------------|----------------------------|----------------------|
| 21004 | United Parcel Service, Inc. 1620 Van Buren Road Easton, PA 18045 Attn: Jason Fahrler | Northampton | Palmer Township | 2 ASTs storing diesel fuel | 40,000 gallons total |

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

| Application Number | Permit Type | Action Taken | Permittee Name & Address | Municipality, County | DEP Office |
|--------------------|-----------------------------------------------|--------------|-------------------------------------------------------------|----------------------------------------------|------------|
| PA0034819 | Industrial Stormwater Individual NPDES Permit | Issued | Ametek Corp 1085 Route 519 Eighty Four, PA 15330-2813 | North Strabane Township Washington County | SWRO |

NOTICES

2327

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|----------------------------------------|---------------------|-------------------------------------------------------------------------------------------|--------------------------------------------|-------------------|
| 6321201 | Industrial Waste Individual WQM Permit | Issued | Cyprus Amax Minerals Co. 333 N Central Avenue Phoenix, AZ 85004-2189 | Smith Township Washington County | SWRO |
| 0913898 | Joint DEP/PFBC Pesticides Permit | Issued | Martin Sharon P.O. Box 225 Mechanicsville, PA 18934-0225 | Buckingham Township Bucks County | SERO |
| 0913979 | Joint DEP/PFBC Pesticides Permit | Issued | Hall Brandon 452 Rosie Lane Hatfield, PA 19440-1245 | Hilltown Township Bucks County | SERO |
| 0921804 | Joint DEP/PFBC Pesticides Permit | Issued | Prousi Anthony 8 Round Hill Road Newtown, PA 18940-3110 | Upper Makefield Township Bucks County | SERO |
| 1513802 | Joint DEP/PFBC Pesticides Permit | Issued | Pickering Valley HOA P.O. Box 527 Chester Springs, PA 19425-0527 | West Pikeland Township Chester County | SERO |
| 1513804 | Joint DEP/PFBC Pesticides Permit | Issued | Aqua PA Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402 | Schuylkill Township Chester County | SERO |
| 1513809 | Joint DEP/PFBC Pesticides Permit | Issued | Barley Sheaf HOA 1000 N Prince Street Lancaster, PA 17603-2736 | Caln Township Chester County | SERO |
| 1513821 | Joint DEP/PFBC Pesticides Permit | Issued | Liberty Properties LP 3843 West Chester Pike Newtown Square, PA 19073-2304 | East Whiteland Township Chester County | SERO |
| 1515827 | Joint DEP/PFBC Pesticides Permit | Issued | Lewis Steve 107 Parsons Road Landenberg, PA 19350-1551 | Franklin Township Chester County | SERO |
| 1517806 | Joint DEP/PFBC Pesticides Permit | Issued | Charter Chase HOA 1237 Highgate Road West Chester, PA 19380-5812 | East Goshen Township Chester County | SERO |
| 2019806 | Joint DEP/PFBC Pesticides Permit | Issued | Thora Resinger 14672 Hatch Street Meadville, PA 16335 | Blooming Valley Borough Crawford County | NWRO |
| 2020802 | Joint DEP/PFBC Pesticides Permit | Issued | Jeffery Scott Lang 21489 German Road Meadville, PA 16335 | Woodcock Township Crawford County | NWRO |
| 2519804 | Joint DEP/PFBC Pesticides Permit | Issued | Raku Place 4570 Old State Road McKean, PA 16426 | Washington Township Erie County | NWRO |
| 2520813 | Joint DEP/PFBC Pesticides Permit | Issued | Sue Sutto 10156 Sampson Road Erie, PA 16509-5718 | Greene Township Erie County | NWRO |
| 3719801 | Joint DEP/PFBC Pesticides Permit | Issued | Rose Point Park Campground Co. 8775 Old Rte 422 New Castle, PA 16101 | Slippery Rock Township Lawrence County | NWRO |
| 3913805 | Joint DEP/PFBC Pesticides Permit | Issued | Legacy Oaks at Lehigh Valley 2923 Lifford Lane Macungie, PA 18062-8473 | Lower Macungie Township Lehigh County | NERO |
| 3913808 | Joint DEP/PFBC Pesticides Permit | Issued | Four Seasons at Farmington 6995 Farmington Drive Macungie, PA 18062-8986 | Lower Macungie Township Lehigh County | NERO |
| 3915802 | Joint DEP/PFBC Pesticides Permit | Issued | Cawley Bob 7907 Carpet Road New Tripoli, PA 18066-2908 | Weisenberg Township Lehigh County | NERO |
| 4013826 | Joint DEP/PFBC Pesticides Permit | Issued | Meadow Run Mountain Lake Park Association P.O. Box 112 Bear Creek, PA 18602-0112 | Bear Creek Township Luzerne County | NERO |

NOTICES

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|----------------------------------|---------------------|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-------------------|
| 4013827 | Joint DEP/PFBC Pesticides Permit | Issued | Meadow Run Mountain Lake Park Association P.O. Box 112 Bear Creek, PA 18602-0112 | Bear Creek Township Luzerne County | NERO |
| 4515802 | Joint DEP/PFBC Pesticides Permit | Issued | Camelot Forest Conservation Association Inc. P.O. Box 18 Blakeslee, PA 18610-0018 | Tobyhanna Township Monroe County | NERO |
| 4517802 | Joint DEP/PFBC Pesticides Permit | Issued | Camelot Forest Conservation Association Inc. P.O. Box 18 Blakeslee, PA 18610 | Tobyhanna Township Monroe County | NERO |
| 4518802 | Joint DEP/PFBC Pesticides Permit | Issued | Camp Lindenmere 163 Lindenmere Lane Henryville, PA 18332 | Pocono Township Monroe County | NERO |
| 4518805 | Joint DEP/PFBC Pesticides Permit | Issued | Pocono Springs Camp 48 Pocono Springs Way East Stroudsburg, PA 18302-8936 | Middle Smithfield Township Monroe County | NERO |
| 4613823 | Joint DEP/PFBC Pesticides Permit | Issued | 2301 Renaissance Partners LP 500 Chesterfield Parkway Malvern, PA 19355-8707 | Upper Merion Township Montgomery County | SERO |
| 4614805 | Joint DEP/PFBC Pesticides Permit | Issued | Tornetta Vicky 810 Brookwood Lane Bryn Mawr, PA 19014 | Lower Merion Township Montgomery County | SERO |
| 4618804 | Joint DEP/PFBC Pesticides Permit | Issued | Gilbertsville Golf Course 2944 Lutheran Road Gilbertsville, PA 19525-9622 | New Hanover Township Montgomery County | SERO |
| 4619804 | Joint DEP/PFBC Pesticides Permit | Issued | Squires Golf Course 623 Cedar Hill Road Ambler, PA 19002-1507 | Horsham Township Montgomery County | SERO |
| 4619813 | Joint DEP/PFBC Pesticides Permit | Issued | Rittenhouse Estates 2131 N Broad Street Suite 102 Lansdale, PA 19446 | Lower Salford Township Montgomery County | SERO |
| 4621804 | Joint DEP/PFBC Pesticides Permit | Issued | Upper Dublin Township Sewer Authority Montgomery County 801 Loch Alsh Avenue Fort Washington, PA 19034-1651 | Upper Dublin Township Montgomery County | SERO |
| 4621806 | Joint DEP/PFBC Pesticides Permit | Issued | Preserve at Providence HOA 427 Exton Commons Exton, PA 19341 | Upper Providence Township Montgomery County | SERO |
| 4621807 | Joint DEP/PFBC Pesticides Permit | Issued | Oxford of Blue Bell 11 Bromley Drive Blue Bell, PA 19422 | Whitpain Township Montgomery County | SERO |
| 4621808 | Joint DEP/PFBC Pesticides Permit | Issued | Westover Country Club 401 S Schuylkill Avenue Norristown, PA 19403-3562 | West Norriton Township Montgomery County | SERO |
| 4621809 | Joint DEP/PFBC Pesticides Permit | Issued | Talamore Country Club 723 Talamore Drive Ambler, PA 19002-1872 | Horsham Township Montgomery County | SERO |
| 4820804 | Joint DEP/PFBC Pesticides Permit | Issued | Northampton County Parks & Recreation Division 151 Country Club Road Easton, PA 18045 | Upper Mount Bethel Township Northampton County | NERO |
| 5218801 | Joint DEP/PFBC Pesticides Permit | Issued | O'Kane Liam 4 Nancy Road Nanuet, NY 10954 | Lackawaxen Township Pike County | NERO |

NOTICES

2329

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-------------------|
| 5613803 | Joint DEP/PFBC Pesticides Permit | Issued | Stony Creek Valley Development Corp P.O. Box 307 Scotland, PA 17254-0307 | Stonycreek Township Somerset County | SWRO |
| 5617800 | Joint DEP/PFBC Pesticides Permit | Issued | Seven Springs Mountain Resort 777 Waterwheel Drive Seven Springs, PA 15622 | Middlecreek Township Somerset County | SWRO |
| 6119804 | Joint DEP/PFBC Pesticides Permit | Issued | Ralph Porterfield 155 Mills Street Cooperstown, PA 16317 | Cooperstown Borough Venango County | NWRO |
| 6119806 | Joint DEP/PFBC Pesticides Permit | Issued | Scott Moon 476 Boals Road Cooperstown, PA 16317 | Jackson Township Venango County | NWRO |
| 6319802 | Joint DEP/PFBC Pesticides Permit | Issued | Dustin Darnley & Carrie Torre 160 Eberle Road Hickory, PA 15340-1407 | Mount Pleasant Township Washington County | SWRO |
| 6319807 | Joint DEP/PFBC Pesticides Permit | Issued | Chapman Jeff 345 Mounts Road Washington, PA 15301 | South Franklin Township Washington County | SWRO |
| PA0012637 | Major Industrial Waste Facility < 250 MGD Individual NPDES Permit | Issued | Monroe Energy LLC Trainer Refinery 4101 Post Road Trainer, PA 19061-5052 | Trainer Borough Delaware County | SERO |
| PA0221244 | Minor Industrial Waste Facility with ELG Individual NPDES Permit | Issued | Salem Tube Inc. 951 4th Street Greenville, PA 16125-8253 | Pymatuning Township Mercer County | NWRO |
| PA0070319 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Berks County Dept of Emergency Services 2561 Bernville Road Reading, PA 19605 | Reading City Berks County | SCRO |
| PA0081850 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Gettysburg Borough Municipal Authority Adams County 601 E Middle Street P.O. Box 3307 Gettysburg, PA 17325-1951 | Cumberland Township Adams County | SCRO |
| PA0205028 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Buckeye Terminal LLC 933 Brodhead Road Moon Township, PA 15108 | Hempfield Township Westmoreland County | SWRO |
| PA0255815 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Cyprus Amax Minerals Co. 333 N Central Avenue Phoenix, AZ 85004-2189 | Smith Township Washington County | SWRO |
| PA0030511 | Minor Sewage Facility < 0.05 MGD Individual NPDES Permit | Issued | Bermudian Springs School District 7335 Carlisle Pike York Springs, PA 17372-0501 | Huntington Township Adams County | SCRO |
| PA0080527 | Minor Sewage Facility < 0.05 MGD Individual NPDES Permit | Issued | Olivers Upper Lawn Mobile Home Comm 23 Mockingbird Lane Palmyra, PA 17078-9159 | South Londonderry Township Lebanon County | SCRO |
| PA0209694 | Minor Sewage Facility < 0.05 MGD Individual NPDES Permit | Issued | Sherwood James 3995 Route 414 Canton, PA 17724-7508 | Canton Township Bradford County | NCRO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|--------------------------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------|
| PA0022179 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | Mercersburg Sewer Authority Franklin County 113 S Main Street Mercersburg, PA 17237 | Mercersburg Borough Franklin County | SCRO |
| PA0244066 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | Bedminster Municipal Authority Bucks County 442 Elephant Road Perkasie, PA 18944-4163 | Bedminster Township Bucks County | SERO |
| PA0248037 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | Bethel Township Municipal Authority Berks County P.O. Box 274 60 Klahr Road Bethel, PA 19507-0274 | Bethel Township Berks County | SCRO |
| NNOEXSW58 | No Exposure Certification | Issued | Fed Express Corp 3620 Hacks Cross Road Bldg B 2nd Floor Memphis, TN 38125 | Plum Borough Allegheny County | SWRO |
| NNOEXSW59 | No Exposure Certification | Issued | Fed Express Corp 3620 Hacks Cross Road Bldg B, 2nd Floor Memphis, TN 38125-8800 | Robinson Township Allegheny County | SWRO |
| NOEXSC354 | No Exposure Certification | Issued | Shanks Extracts 350 Richardson Drive Lancaster, PA 17603-4034 | East Hempfield Township Lancaster County | SCRO |
| NOEXSC355 | No Exposure Certification | Issued | Shanks Extracts 350 Richardson Drive Lancaster, PA 17603-4034 | East Hempfield Township Lancaster County | SCRO |
| NOEXSC356 | No Exposure Certification | Issued | Shanks Extracts 350 Richardson Drive Lancaster, PA 17603-4034 | East Hempfield Township Lancaster County | SCRO |
| NOEXSC360 | No Exposure Certification | Issued | Syncreon US 609 Memory Lane York, PA 17402-2235 | Springettsbury Township York County | SCRO |
| NOEXSC361 | No Exposure Certification | Issued | Utz Quality Foods LLC 900 High Street Hanover, PA 17331-1639 | Conewago Township Adams County | SCRO |
| NOEXSC362 | No Exposure Certification | Issued | Utz Quality Foods LLC 900 High Street Hanover, PA 17331-1639 | Conewago Township Adams County | SCRO |
| NOEXSC363 | No Exposure Certification | Issued | Utz Quality Foods LLC 900 High Street Hanover, PA 17331-1639 | Hanover Borough York County | SCRO |
| PAG034876 | PAG-03 NPDES General Permit for Industrial Stormwater | Issued | Cameron International Corp 5599 San Felipe Street Houston, TX 77056-2724 | Hughesville Borough Lycoming County | NCRO |
| PAR200048 | PAG-03 NPDES General Permit for Industrial Stormwater | Issued | PW Forging Group Holdings Inc. 201 Bethel Avenue Aston, PA 19014-3433 | Upper Chichester Township Delaware County | SERO |
| PAR804885 | PAG-03 NPDES General Permit for Industrial Stormwater | Issued | Petro Products LLC P.O. Box 459 Nitro, WV 25143-0459 | Montoursville Borough Lycoming County | NCRO |
| PAG041159 | PAG-04 NPDES General Permit for Small Flow Treatment Facilities | Issued | Margaret & Robert Yarnell 3271 Liams Court The Villages, FL 32163 | Springfield Township Erie County | NWRO |

NOTICES

2331

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|-------------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------|
| PAG123631 | PAG-12 NPDES General Permit for CAFOs | Issued | Hillside Acres Farm 335 Dotterer Road Lenhartsville, PA 19534-9501 | Albany Township Berks County | SCRO |
| PAG123850 | PAG-12 NPDES General Permit for CAFOs | Issued | Martin A Keith 1111 Forest Hill Road Stevens, PA 17578-9680 | Clay Township Lancaster County | SCRO |
| PAG124871 | PAG-12 NPDES General Permit for CAFOs | Issued | Beachel Denis W 368 Fairview Road Danville, PA 17821-9079 | Limestone Township Montour County | SCRO |
| PAG156102 | PAG-15 NPDES General Permit for Pesticides | Issued | Stony Creek Valley Development Corp P.O. Box 307 Scotland, PA 17254-0307 | Stonycreek Township Somerset County | SWRO |
| 1505402 | Sewage Land Application Individual WQM Permit | Issued | Aqua Pennsylvania Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402 | Londonderry Township Chester County | SERO |
| 1586409 | Sewage Land Application Individual WQM Permit | Issued | Wallace Township Municipal Authority Chester County P.O. Box 96 Glenmoore, PA 19343-0096 | Wallace Township Chester County | SERO |
| 1521401 | Sewage Treatment Facilities Individual WQM Permit | Issued | Patricia A McVey & Alan S McVey 226 Valley Green Drive Coatesville, PA 19320 | West Caln Township Chester County | SERO |
| 3120405 | Sewage Treatment Facilities Individual WQM Permit | Issued | Thurston Griswold Henry 4760 Cold Springs Road Huntingdon, PA 16652-3156 | Oneida Township Huntingdon County | SCRO |
| 5400407A1 | Sewage Treatment Facilities Individual WQM Permit | Issued | Orwigsburg Borough Municipal Authority Schuylkill County 209 N Warren Street Orwigsburg, PA 17961-1852 | Orwigsburg Borough Schuylkill County | NERO |
| 1406408 | Sewer Extensions and Pump Stations Individual WQM Permit | Issued | University Area Joint Authority 1576 Spring Valley Road State College, PA 16801-8401 | Benner Township Centre County | NCRO |
| 1503401 | Sewer Extensions and Pump Stations Individual WQM Permit | Issued | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |
| 1511402 | Sewer Extensions and Pump Stations Individual WQM Permit | Issued | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |
| 1511406 | Sewer Extensions and Pump Stations Individual WQM Permit | Issued | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |
| 1512402 | Sewer Extensions and Pump Stations Individual WQM Permit | Issued | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|----------------------------------------------------------|---------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------|
| 1512410 | Sewer Extensions and Pump Stations Individual WQM Permit | Issued | Easttown Township Municipal Authority Chester County P.O. Box 79 566 Beaumont Road Devon, PA 19333-0079 | Easttown Township Chester County | SERO |
| 3814401 | Sewer Extensions and Pump Stations Individual WQM Permit | Issued | Fredericksburg S&W Authority Lebanon Co. P.O. Box 161 Fredericksburg, PA 17026-0161 | Bethel Township Lebanon County | SCRO |
| 4621402 | Sewer Extensions and Pump Stations Individual WQM Permit | Issued | Hatfield Township Municipal Authority Montgomery County 3200 Advance Lane Colmar, PA 18915-9766 | Hatfield Township Montgomery County | SERO |
| PA0055034 | Single Residence STP Individual NPDES Permit | Issued | Jonna & Kevin McCoy 9 Hilldale Road Malvern, PA 19355-2964 | Willistown Township Chester County | SERO |
| PA0245275 | Single Residence STP Individual NPDES Permit | Issued | Patricia A McVey & Alan S McVey 226 Valley Green Drive Coatesville, PA 19320 | West Caln Township Chester County | SERO |
| PA0254118 | Single Residence STP Individual NPDES Permit | Issued | Shroyer Andrew 146 Lee Street Hyndman, PA 15545-9106 | Southampton Township Somerset County | SWRO |
| PA0232726 | Small Flow Treatment Facility Individual NPDES Permit | Issued | Potter Township Centre County 124 Short Road Spring Mills, PA 16875-9326 | Potter Township Centre County | NCRO |
| WQG01251406 | WQG-01 WQM General Permit | Issued | Margaret & Robert Yarnell 3271 Liams Court The Villages, FL 32163 | Springfield Township Erie County | NWRO |

II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|--------------------------|---------------------|------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------|
| PAC510197 | PAG-02 | Issued | 2019 N 29th St, LLC P.O. Box 15196 Philadelphia, PA 19130-0196 | City of Philadelphia Philadelphia County | SERO |
| PAC510158 | PAG-02 | Issued | Philadelphia Water Department 1101 Market Street 2nd Floor Philadelphia PA 19104-2994 | City of Philadelphia Philadelphia County | SERO |
| PAC510180 | PAG-02 | Issued | University of Penn Health Systems 3930 Chestnut Street First Floor Philadelphia, PA 1904 | City of Philadelphia Philadelphia County | SERO |
| PAC510189 | PAG-02 | Issued | PECO 2301 Market Street Philadelphia, PA 19103 | City of Philadelphia Philadelphia County | SERO |
| PAC090410 | PAG-02 General Permit | Issued | Jennifer Utterback 904 Gainsway Road Yardley, PA 19067-3073 | Solebury Township Bucks County | Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 |
| PAC090429 | PAG-02 General Permit | Issued | Joseph Pizzolato 90 Welisewitz Road Ringoos, NJ 08551-1711 | New Hope Borough Bucks County | Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 |

NOTICES

2333

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------------------------|-----------------------------|---------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| PAC090126 A-1 Major Modification | PAG-02 General Permit | Issued | Newtown Family Partnership, L.P. 3690 Airport Boulevard Doylestown, PA 18901 | Newtown Township Bucks County | Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 |
| PAC150253 | PAG-02 | Issued | Edward Westerman 423 Homestead Drive West Chester, PA 19382 | Pocopson Township Chester County | Chester CCD 688 Unionville Road Kennett Square, PA 19348 610-455-1360 |
| PAC150252 | PAG-02 | Issued | West Chester Area School District 782 Springdale Drive Exton, PA 19341 | Westtown Township Chester County | Chester CCD 688 Unionville Road Kennett Square, PA 19348 610-455-1360 |
| PAD060039 | Individual NPDES | Issued | John Membrino 32 Spring Hill Road Hereford, PA 18056 | Hereford Township Berks County | SCRO |
| PAD670037 | Individual NPDES | Issued | Springwood, LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601-6813 | York Township York County | SCRO |
| PAC070085 | PAG-02 General Permit | Issued | Curryville Water Authority P.O. Box 11 Curryville, PA 16631 | North Woodbury Township Blair County | Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5 |
| PAC220059 | PAG-02 General Permit | Issued | Halifax Area Water & Sewer Authority 203 Armstrong Street P.O. Box 433 Halifax, PA 17032 | Halifax Township Dauphin County | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100 |
| PAC220266 | PAG-02 General Permit | Issued | City of Harrisburg 123 Walnut Street Harrisburg, PA 17552 | City of Harrisburg Dauphin County | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100 |
| PAC360603 | PAG-02 General Permit | Issued | Jonathan Rupert 956 Smoketown Road Denver, PA 17517 | East Cocalico Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360613 | PAG-02 General Permit | Issued | Cherry Place Properties, LP 400 Wabash Road P.O. Box 788 Ephrata, PA 17522 | East Cocalico Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360585 | PAG-02 General Permit | Issued | David Fisher 202 Cambridge Road Coatesville, PA 19320 | Leacock Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------------|---------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| PAC360568 | PAG-02 General Permit | Issued | High Real Estate Group, LLC 1853 William Penn Way Lancaster, PA 17601 | East Lampeter Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360570 | PAG-02 General Permit | Issued | Berg Group, LP P.O. Box 828 Morgantown, PA 19543 | Caernarvon Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC360616 | PAG-02 General Permit | Issued | Yellow Goose Properties, LLC 2456 Noll Drive Lancaster, PA 17603 | East Hempfield Township Lancaster County | Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5 |
| PAC670458 | PAG-02 General Permit | Issued | Woodhaven Building & Development, Inc. 4175 Hanover Pike Manchester, MD 21002 | Penn Township, West Manheim Township York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAC670454 | PAG-02 General Permit | Issued | Southern York County School District 3280 Fissels Church Road Glen Rock, PA 17327 | Shrewbury Township York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAC140088 A-1 | Renewal/ Major Amend | Issued | The Village of Canterbury, LP Brandywine Drive State College, PA 16801 | College Township Centre County | NCRO |
| PAC140119 | Renewal | Issued | Bald Eagle Area High School 51 South Eagle Valley Rd Wingate, PA 16823 | Boggs Township Centre County | NCRO |
| PAC140120 | Renewal | Issued | Allegheny Lutheran Social Ministries 200 Rachel Drive Pleasant Gap, PA 16823 | Spring Township Centre County | NCRO |
| PAD180025 | New | Issued | Vision Investment Properties LLC 960 Third Street Jersey Shore, PA 17740 | Pine Creek Township Clinton County | NCRO |
| PAC020685 | PAG-02 General Permit | Issued | North Side Properties Residences IV, LLC 1300 Brighton Road Pittsburgh, PA 15223 | City of Pittsburgh Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020681 | PAG-02 General Permit | Issued | Municipality of Bethel Park 5100 West Library Avenue Bethel Park, PA 15102 | Municipality of Bethel Park Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |

NOTICES

2335

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| PAC020701 | PAG-02 General Permit | Issued | Pennsylvania Turnpike Commission 700 South Eisenhower Boulevard Middletown, PA 17057 | Hampton Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020676 | PAG-02 General Permit | Issued | North Fayette Township 400 North Branch Road Oakdale, PA 15071 | North Fayette Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020669 | PAG-02 General Permit | Issued | Hutton ST 17, LLC 736 Cherry Street Chatanooga, TN 37402 | South Fayette Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020378 A-1 | PAG-02 General Permit | Issued | Laurel Blair Oaks Partners, LLC Building 100 Suite 130 2543 Washington Road Pittsburgh, PA 15241 | Marshall Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020642 | PAG-02 General Permit | Issued | Municipality of Bethel Park 5100 West Library Avenue Bethel Park, PA 15102 | Municipality of Bethel Park Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020429 A-1 | PAG-02 General Permit | Issued | Golden Triangle Construction 8555 Old Steubenville Pike Imperial, PA 15126 | Harmar Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020553 A-1 | PAG-02 General Permit | Issued | Woodville Associates 5020 Thoms Run Road Oakdale, PA 15071 | Collier Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020710 | PAG-02 General Permit | Issued | Sofay Realty Partners, LLC 58 Wildwood Road Ridgewood, NJ 07450 | South Fayette Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020652 | PAG-02 General Permit | Issued | Huntington National Bank EAWBOAH 5555 Cleveland Avenue Columbus, OH 43231 | Robinson Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020688 | PAG-02 General Permit | Issued | Moon Township Municipal Authority Suite 200 1700 Beaver Grade Road Moon Township, PA 15108 | Moon Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| PAC020668 | PAG-02 General Permit | Issued | Baldwin-Whitehall School District 4900 Curry Road Pittsburgh, PA 15236 | Baldwin Borough Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020675 | PAG-02 General Permit | Issued | Moon Township 1000 Beaver Grade Road Moon Township, PA 15108 | Moon Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020680 | PAG-02 General Permit | Issued | Allegheny County Airport Authority Landslide Terminal Fourth Floor, Mezzanine P.O. Box 12370 Pittsburgh, PA 15231 | Findlay Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020659 | PAG-02 General Permit | Issued | The Hamptons, LP 375 Golfside Drive Wexford, PA 15090 | Hampton Township Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020687 | PAG-02 General Permit | Issued | Duquesne Light Company 2841 New Beaver Avenue Mail Drop N3-AM Pittsburgh, PA 15233 | West Mifflin Borough Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAC020638 | PAG-02 General Permit | Issued | Saint John the Baptist 444 Saint John Street Plum Borough, PA 15239 | Plum Borough Allegheny County | Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010 |
| PAD560005 | Individual NPDES | Issued | New Enterprise Stone and Lime Company, Inc. P.O. Box 77 New Enterprise, PA 16664 | Jefferson Township Lincoln Township Somerset Township Somerset County | SWRO |
| PAD630035 | Individual NPDES | Issued | Teagarden Land, LLC 70 Grimes Road Claysville, PA 15323 | Donegal Township Washington County | SWRO |
| PAD630058 | Individual NPDES | Issued | New Mon River Industrial Group, LLC 1 Wheeling Pittsburgh Drive P.O. Box 249 Allenport, PA 15412-0249 | Allenport Borough Washington County | SWRO |
| PAC250127 | PAG-02 General Permit | Issued | AnDi, LLC 1 Arena Park Drive Dayton, OH 45408 | Fairview Township Erie County | Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403 |

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|--------------------------|---------------------|-------------------------------------------------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------|
| PAC680042 | PAG-02 General Permit | Issued | Steve Fisanick 286 Industrial Park Road Ebensburg, PA 15931 | Blacklick Township Cambria County | PA DEP BAMR Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814.472.1800 |

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>AEU’s</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Approved or Disapproved</i> |
|-------------------------------------------------------------------------------|---------------|--------------------|--------------|------------------------------|---------------------------------------------------|--------------------------------|
| Wayne Leid 14159 Paxton Run Road Shippensburg, PA 17257 | Franklin | 127.96 | 419.20 | Poultry, Swine, Horses | NA | Approved |
| Junk-Inn Farms, LLC 14492 Path Valley Road Willow Hill, PA 17271 | Franklin | 444 | 1,703.16 | Swine, Turkey, Sheep | NA | Approved |
| S.&A. Kreider & Sons, Inc. 761 Spring Valley Road Quarryville, PA 17566 | Lancaster | 2,369.3 | 4,842.05 | Dairy | HQ | Approved |
| Irwin Martin 231 Brosius Hill Road Mt. Pleasant Mills, PA 17853 | Snyder | 113.5 | 614.26 | Turkey | NA | Approved |

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second

Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This

paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 6420505. Construction Permit, Public Water Supply.

| | |
|---------------------|--------------------------------------------------------------------------------------------------|
| Applicant | Aqua Pennsylvania, Inc. 762 Lancaster Avenue Bryn Mawr, PA 19010 |
| Borough or Township | Lake Township |
| County | Wayne County |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Daniel Hopkins, P.E. Entech Engineering, Inc. 500 N. Center Street Pottsville, PA 17901 |
| Permit Issued | March 26, 2021 |

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Transferred Comprehensive Operation Permit No. 3060098 issued to: **Ontelaunee Township Municipal Authority (PWS ID No. 3060098)**, Ontelaunee Township, **Berks County** on April 5, 2021. Action is for a Change in Ownership for the operation of facilities previously issued to Ontelaunee Township Municipal Authority.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4920511. Public Water Supply.

| | |
|---------------------|-------------------------------------------------------------------------------------------|
| Applicant | Pennsylvania-American Water Company 852 Wesley Drive Mechanicsburg, PA 17055 |
| Borough or Township | Milton Borough |
| County | Northumberland County |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Mr. Peter Lusardi, P.E. GHD, Inc. 1240 N. Mountain Rd Harrisburg, PA 17112 |
| Permit Issued | April 13, 2021 |

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4620535. Public Water Supply.

| | |
|-----------|------------------------------------------------------------------------------------|
| Applicant | Aqua Pennsylvania, Inc. 765 West Lancaster Avenue Bryn Mawr, PA 19010 |
|-----------|------------------------------------------------------------------------------------|

| | |
|---------------------|------------------------------------------------------------------------------|
| Township | Upper Merion |
| County | Montgomery County |
| Type of Facility | PWS |
| Consulting Engineer | Mott MacDonald 325 Chestnut Street Suite-300 Philadelphia, PA 19106 |
| Permit Issued | November 23, 2020 |

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

| Township | Township Address | County |
|-----------------|--------------------------------------|--------|
| Tilden Township | 874 Hex Highway Hamburg, PA 19526 | Berks |

Plan Description:

The exemption from the requirement to revise the Official Plan for the Pleasant Hill Lot 42 subdivision, DEP Code No. A3-06965-133-3E, APS Id 1035555, consisting of two new modular homes with flows of 400 gallons per day using Pleasant Hill MHP private sewers, and the Tilden Township and Hamburg Municipal Authority system, is disapproved. The proposed development is located on Ash Road. This plan is disapproved because it does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the project proposes the connection to or an extension of a privately owned facility as per Chapter 71, Section 71.51(b)(2).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in

environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Cintas/Former RUS Facility, 164 East Main Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**, Arcadis, 10 Friends Lane, Newtown, PA 18940, on behalf of Cintas, 27 Whitney Drive, Milford, OH 45150, submitted a Risk Assessment concerning remediation of soil and groundwater contaminated with chlorinated solvents from historical dry cleaning operations. The report is intended to document remediation of the site to meet site-specific standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton, Harrisburg, PA 17110.

Plaza 2331, 2331 East Market Street, York, PA 17402, Springettsbury Township, **York County**. Independence Environmental Consulting, LLC, 1750 Kaylor Road, Hummelstown, PA 17036, on behalf of Barbara B. Elliott, 5490 Mohawk Road, Littleton, CO 80123, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with chlorinated solvents from historic dry cleaning operations. The combined report is intended to document remediation of the site to meet the site-specific standard.

Cornwall Pump Station, 370 Horseshoe Pike, Lebanon, PA 17042, West Cornwall Township, **Lebanon County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Pipeline Operations, Evergreen Resources Management Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Investigation Report concerning remediation of site groundwater and soil contaminated with petroleum hydrocarbons. The Report is intended to document remediation of the site to meet the site-specific standard.

Morgan Automotive, 820 Lancaster Road, Manheim, PA 17545, Penn Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of 820 Holding, LLC, 2126 North Rocky Top Road, Brookline, MO 65619, and Morgan Automotive, 850 Lancaster Road, Manheim, PA 17545, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the residential Statewide health standard.

Former Specialty Screw Machine Products, Inc., 1028 Dillerville Road, Lancaster, PA 17603, Manheim

Township, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Molt, LLC, P.O. Box 20316, York, PA 17402, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with VOCs and SVOCs. The combined report is intended to document remediation of the site to meet the site-specific standard.

York Wallcoverings, Inc., 750 Linden Avenue, York, PA 17405, City of York, **York County**. Environmental International Corp., 214 Carnegie Center, Princeton, NJ 08540, on behalf of York Wallcoverings, Inc., 750 Linden Avenue, York, PA 17404, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

620 Sycamore Drive, Columbia, PA 17512, West Hempfield Township, **Lancaster County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of 620 Sycamore Drive Associates, LLC, One Tower Bridge, 100 Front Street, Suite 560, West Conshohocken, PA 19428, and United Mineral Corporation, c/o Jon M. Gruber, Esquire, Russel, Kraft & Gruber, LLP, Hempfield Center Suite 300, 930 Red Rose Court, Lancaster, PA 17601 submitted a Remedial Investigation Report, Risk Assessment, and Final Report concerning remediation of site soil contaminated with metals. The combined Final Report is intended to document remediation of the site to meet the site-specific standard.

Harrisburg Steel Works (HARSCO), 102, 106, 116-118, 120, 140, 154, 180, 202, 216, 220, and 230 North Front Street, Harrisburg, PA 17113, Borough of Steelton, **Dauphin County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Steel Works, LLC, 430 North Front Street, Wormleysburg, PA 17043, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil contaminated with arsenic, lead, formaldehyde, and semi-volatile organic compounds. The combined report is intended to document remediation of the site to meet the site-specific standard.

76 Lenwood Park, Shippensburg, PA 17257, Shippensburg Borough, **Franklin County**. AMO Environmental Decisions, Inc., 875 North Easton Road, Suite 10, Doylestown, PA 18902, on behalf of Leffler Energy, 669 East Ross Street, Lancaster, PA 17602 and Ester Martin, 5874 Gabrielle Lane, Chambersburg, PA 17202 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the residential Statewide health standard.

Clay's Service Center, Former Exxon Station # 23303, 138 West Main Street, Mechanicsburg, PA 17019, Mechanicsburg Borough, **Cumberland County**. Arcadis, U.S., Inc., 6041 Wallace Road Extension, Suite 300, Wexford, PA 15090, on behalf of Exxon Mobil Environmental & Property Solutions, 875 West Poplar Avenue, Suite 23 # 353, Collierville, TN 38017, and Mr. and Mrs. James Clay, 138 West Main Street, Mechanicsburg, PA 17019 submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The Final Report is intended to document remediation of the site to meet the site-specific and residential Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Ralph's Service Station, 574 South Main Street, Nazareth, PA 18064, Nazareth Borough, **Northampton County**. Mobile Environmental Analytical, Inc.,

1365 Ackermanville Road, Bangor, PA 18013, on behalf of Ralph Murante, 409 Bushkill Center Road, Nazareth, PA 18064, submitted a Final Report concerning remediation of soil and groundwater contaminated by a release of petroleum from an underground storage tank. The Final Report demonstrated attainment of a combination of site-specific and Statewide health standards and was approved by DEP on April 6, 2021.

Country Cleaners, 1245 Chestnut Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**. Resource Control Consultants, P.O. Box 180, Moorestown, NJ 08057, on behalf of Mannino Brothers Partnership, 1985 Brookside Road, Macungie, PA 18062, submitted a revised Remedial Investigation Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with chlorinated solvents. The report was intended to document remediation of the site to meet site-specific standards but was disapproved by DEP on April 13, 2021.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former AESYS Technologies, LLC, 693 North Hills Road, York, PA 17402, Springettsbury Township, **York County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of SP2H Holdings LP, 2900 Westchester Avenue, Suite 207, Purchase, NY 10577, and RREEF CPIF, 693 North Hills, LLC, 4 Radnor Corp Center, Suite 105, Radnor, PA 19087 submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The Report/Plan was disapproved by the Department on April 1, 2021.

HB McClure Fuel Oil Release/Hyle Property, 6920 Parkway East, Harrisburg, PA 17112, Lower Paxton Township, **Dauphin County**. Weaver Consulting Group, 2601 Market Place, Suite 35, Harrisburg, PA 17110, on behalf of H.B. McClure Company, 600 South 17th Street, P.O. Box 1745, Harrisburg, PA 17102-1745, and Christine Hyle, 6920 Parkway East, Harrisburg, PA 17112, submitted a Final Report concerning remediation of soils contaminated with No. 2 Heating Oil from an above-ground storage tank. The Final Report was approved demonstrating attainment of the residential Statewide health standard and was approved by the Department on April 2, 2021.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) Renewed Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 101566. Hanover Area Transfer Station, 23 Barnhart Drive, Hanover, PA 17331-3501, **York County**. The permit for the Hanover Area Transfer Station, Solid Waste Permit No. 101566, was renewed on March 30, 2021, and is extended until March 30, 2031.

Persons interested in reviewing the general permit may contact John Oren, Environmental Engineer Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg,

PA 17110-8200. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP1-23-0163: Harrah's Chester Downs and Marina LLC (777 Harrah's Boulevard, Chester, PA 19013-4505) On April 15, 2021 for a four (4) Small natural Gas Fired Combustion Units in Chester City, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

AG5A-58-00025A: Chesapeake Appalachia, LLC (14 Chesapeake Lane, Sayre, PA 18840) on March 11, 2021 to operate one (1) IC Engine, three (3) heaters, two (2) generators, and one (1) condensate tank at the Rosiemar SUS well pad site in Auburn Township, **Susquehanna County**.

GP1-48-013: Stuffed Puffs, LLC (3910 Burgess Place, Bethlehem, PA 18017) on March 19, 2021 to operate one (1) natural gas boiler at their facility in Hanover Township, **Northampton County**.

GP3-66-015: MHW Crushing, LLC (1100 N. Lackawanna Trail, Dalton, PA 18414) on March 24, 2021 to construct and operate a Portable Crushing Operation with water sprays at Tunnel Hill Quarry in Clinton Township, **Wyoming County**.

GP9-66-015: MHW Crushing, LLC (1100 N. Lackawanna Trail, Dalton, PA 18414) on March 24, 2021 to install and operate three (3) Diesel I/C engines at Tunnel Hill Quarry in Clinton Township, **Wyoming County**.

GP3-64-014: Leo's 848 Products, LLC (3230 Creamton Drive, Lake Como, PA 18437) on March 24, 2021 to construct and operate a Portable Crushing Operation with water sprays at Creamton 2 105 Quarry in Preston Township, **Wayne County**.

GP9-64-014: Leo's 848 Products, LLC (3230 Creamton Drive, Lake Como, PA 18437) on March 24, 2021 to install and operate four (4) Diesel I/C engines at Creamton 2 105 Quarry in Preston Township, **Wayne County**.

AG5-58-00026A: Bluestone Pipeline Company of Pa, LLC (1429 Oliver Road, New Milford, PA 18834) on March 26, 2021 to operate ten (10) IC Engines, one (1) emergency generator, one (1) flare, two (2) dehydrators with reboilers, and two (2) condensate tanks at the CDP # 5 Compressor Station site in Hartford Township, **Susquehanna County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP9-36-03183: Chester Water Authority (415 Welsh Street, Chester, PA 19016-0467) on April 9, 2021, for two existing 2,937 bhp diesel-fired generators, under GP9, at the water pumping facility located in Little Britain Township, **Lancaster County**. The general permit authorization was renewed.

GP14-31-03039: Anderson Family Funeral Homes, Inc. d/b/a Anderson Crematory (61 East Shirley Street, Mount Union, PA 17066) on April 9, 2021, for the operation of a human crematory unit, under GP14, at the facility located in Mount Union Borough, **Huntingdon County**.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

GP5A-30-00250A (AG5A-30-00006B): CNX Gas Company, LLC (1000 Consol Energy Drive, Canonsburg, PA 15317-6506) on April 8, 2021, to allow the continued operation of 14 natural gas wells, 14 GPU's, five (5) storage tanks, two (2) truck loading, and fugitives operations, controlled by two VDU's rated at 10.3 MMBtu/hr and one VDU 8.75 at the RHL-8 well pad located in Richhill Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

AG5-43-00007A: Hilcorp Energy Company, Shenango-Radkowski Compressor Station (PA 551S, Pulaski, PA 16143) on April 7, 2021, for the authority to continue operation of natural gas line heaters, flare, and condensate, produced water, and slop oil storage tank(s) (BAQ-GPA/GP5) located at their facility in Shenango Township, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05158F: Perdue AgriBusiness, LLC (1897 River Road, Marietta, PA 17547) for the modification of the soybean day tanks' (Source ID 211) exhausts and for the installation of a dust reclaim system and a clay addition system at the soybean processing facility in Conoy Township, **Lancaster County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

23-0014J: Kimberly Clark of PA LLC (1 Avenue of the States, Chester PA 19013-4435) on April 12, 2021 for the installation of three (3) new diesel fired emergency generators. Each emergency generator will be rated at 500 kW power output and will utilize a 762 bhp diesel fired engine. Each emergency generator will operate a maximum of 500 hours per year. Additionally, three (3) 1,001-gallon double walled diesel fuel storage tanks will be installed as part of this project in Chester City, **Delaware County**.

46-0221C: Upper Moreland Hatboro JT Sew Auth (2875 Terwood Road, Willow Grove, PA 19090-1434) on April 7, 2021, for the use of an existing emergency generator (source # 700) as a non-emergency generator. The facility will continue to also use the source as an emergency generator, in Upper Moreland Township, **Montgomery County**.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

04-00740A: Shell Chemical Appalachia, LLC (300 Frankford Road, Monaca, PA 15061-2210) issued on April 6, 2020, to extend the period of temporary operation and for the continued construction of the Shell Petrochemicals Complex located in Potter and Center Townships, **Beaver County**. The new expiration date is October 28, 2021.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

24-083Y: Mersen USA Saint Marys—PA Corporation (1032 Trout Run Road, Saint Marys, PA 15857) on February 28, 2021, effective February 28, 2021, has issued a plan approval extension for installation of a backup thermal oxidizer in Saint Marys City, **Elk County**. This is a Title V facility. This will expire on February 28, 2022.

27-015A: Tennessee Gas Pipeline Company, LLC, Marienville Station 307 (44264 Route 66, Marienville, PA 16239) on March 29, 2021, effective March 29, 2021, has issued a plan approval extension to allow additional time for installation of the RACT II control devices for Source 135 in Howe Township, **Forest County**. This is a Title V facility. This will expire on September 30, 2021.

62-176B: Lignetics of New England Incorporated (1055 Matthews Run Road, Youngville, PA 16371) on March 29, 2021, effective March 29, 2021, has issued a plan approval extension to allow for further compliance evaluation of the facility's stack testing results from the replacement multi-cyclone in Brokenstraw Township, **Warren County**. This is a State Only facility. This will expire on September 30, 2021.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

48-00015: Lehigh Heavy Forge Corporation (275 Emery Street, Bethlehem, PA 18015). The Department issued, on March 23, 2021, a Title V Operating Permit for the operation of sources at their facility located in Bethlehem City, **Northampton County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

20-00194: Lord Corporation, Saegertown Operations (601 South St., Saegertown, PA 16433). On April 12, 2021, the Department issued the renewal Title V Operating Permit for the adhesive and coating manufacturing facility located in Saegertown Borough, **Crawford County**. The manufacturing consists of several operations including pre-assembly, premix and reactions, pigment grinding or milling, product finishing, product filling, and equipment cleaning. The major emission source types at this facility are storage tanks, reactors, blend/mix tanks, grinders/mills, filters, scales, natural gas combustion sources, and other miscellaneous sources. The facility is a major facility due to its potential to emit HAPs and VOCs. Actual reported 2019 emissions of the major pollutants from the facility are as follows: 5.15 tons NO_x, 4.35 tons CO, 25.165 tons VOC, 0.13 ton PM₁₀, 0.10 ton PM_{2.5}, and 0.13 SO_x. The facility is limited to 160 tpy of VOC on a yearly basis. The facility is subject to the following NSPS of 40 CFR Part 60: Subpart IIII for Stationary CI ICE and Subpart JJJJ for Stationary SI ICE. The facility is also subject to the following NESHAPs of 40 CFR Part 63: Subpart G for Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater, Subpart R for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations), Subpart SS for Closed Vent Systems, Subpart TT and UU for Equipment Leaks, Control Devices, Recovery Devices and Routing to a Fuel Gas System or Process, Subpart GGG for Pharmaceuticals Production, Subpart FFFF for Miscellaneous Organic Chemical Manufacturing, Subpart HHHHH for Miscellaneous Coating Manufacturing, and Subpart DDDDD for Major Source ICI Boilers and Process Heaters. Several of the small emission units are subject to presumptive RACT under 25 Pa. Code § 129.97(c) relating to work practice requirements. Several other processes, including five reactors, are subject to alternative RACT under 25 Pa. Code § 129.99 relating to emission restrictions. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

62-00012: Warren Generation, LLC (250 Power Plant Rd, P.O. Box F, Shawville, PA 16873). On April 13,

2021, the Department issued the renewal Title V Operating Permit for the Warren Combustion Turbine facility located in Conewango Township, **Warren County**. The facility's primary emission source is the combustion turbine. The potential emissions, after permit limitations, of the major pollutants from the facility are as follows: 400 TPY NO_x, 82.50 TPY CO, 2.13 TPY VOC, 1.89 TPY total HAPs, 5.36 TPY PM₁₀ and PM_{2.5}, and 6.38 TPY SO_x; thus, the facility is subject to Title V requirements for potential emissions of NO_x in excess of 100 TPY. The turbine is subject to presumptive RACT under 25 Pa. Code § 129.97(c)(7)(ii) for an EGU with an annual capacity factor less than 5%. The turbine is also subject to CSAPR (Cross State Air Pollution Rule) requirements of 40 CFR Part 97, Subparts AAAAA, CCCCC, and EEEEE. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

39-00081: Insulation Corporation of America, LLC (2571 Mitchell Avenue, Allentown, PA 18103). The Department issued, on March 23, 2021, a State-Only Operating Permit for the operation of sources at their facility located in Allentown City, **Lehigh County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00856: Ligonier Stone & Lime Company DBA Derry Stone & Lime/Horn Mine (117 Marcia Street, Latrobe, PA 15650-4300). On April 13, 2021, the Department issued a Natural Minor Operating Permit renewal for the operation of the facility's air contamination sources consisting of a limestone surface mining operation and one diesel-fired emergency generator. The limestone crushing/screening plant, Source 101, is limited to 4,000 hours of operation per 12-cmp. The emergency generator is limited to 500 hour of operation per 12-cmp. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit located at the facility in Derry Township, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

62-00183: PAPCO, Inc. Warren Station (213 West 3rd Ave, Suite 304, Warren, PA 16365). On April 13, 2021, the Department issued the renewal State Only Natural Minor Operating Permit for operation of the natural gas processing facility located in Mead Township, **Warren**

County. The facility's primary emission sources include: two (2) two-stroke lean-burn natural gas-fired compressor engines (346 and 384 bhp), the diethylene glycol dehydration unit and its associated 179 CF/hr natural gas reboiler, a hot oil heater, three (3) 300-BBL condensate storage tanks, and fugitive VOC emissions. The potential emissions of the primary pollutants from the facility are as follows: PM₁₀ and PM_{2.5}: 1.32 TPY, NO_x: 15.56 TPY, SO_x: 0.03 TPY, CO: 9.05 TPY, VOC: 33.09 TPY, and total HAPs: 7.05 TPY; thus, the facility is a natural minor. The two engines are subject to 40 CFR Part 63, Subpart ZZZZ, NESHAP for stationary RICE and the facility is subject to 40 CFR Part 60, Subpart KKK, NSPS for equipment leaks of VOC. The permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

46-00027: Janssen Research & Development, LLC (1400 McKean Road, Spring House, PA 19477) On April 9, 2021 for an Administrative Amendment of Title V Operating Permit (TVOP) No. 46-00027 for its facility located in Lower Gwynedd Township, **Montgomery County**. The Administrative Amendment incorporates the requirements of the following Plan Approvals:

- Plan Approval No. 46-0027E for the installation and operation of boilers 1A and 2A (Source IDs 038-039, respectively).

- Plan Approval No. 46-0027F for the replacement of the low-NO_x burner on and reactivation of existing Bryan boiler 1 (Source ID 035).

In addition, DEP has incorporated Plan Approval No. 46-0027G for the replacement of the selective catalytic reduction system (Source ID C116—Source ID C116A) for an existing 1,500-ekW emergency generator set (Source ID 116) into the TVOP by reference.

The Administrative Amendment is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

09-00141: Lower Bucks County Joint Municipal Authority/Kenwood Station (7811 New Falls Road, Levittown, PA 19058) on April 7, 2021 for the minor modification of a State-Only Operating Permit in Bristol Township, **Bucks County**. The facility is a sewage pumping station. The modification is for replacing an odor removal scrubber (Source Id C01) with a Photoionization odor control unit (Source Id C03) in accordance with 25 Pa. Code §§ 127.14(c)(3) and 127.462. The permit includes monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05163: Parker Hannifin Corp. (3649 Hempland Road, Lancaster, PA 17601-1323) on April 5, 2021, for the diesel locomotive filter manufacturing facility located in West Hempfield Township, **Lancaster County**. The State-Only Permit was administratively amended in order to reflect a change of ownership, and to make minor administrative corrections.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

04-00059: IPSCO Koppel Tubulars, LLC (P.O. Box 750, Beaver Falls, PA 15010-0750). Per 25 Pa. Code § 127.449(i), this notice is for the following de minimis emission increase at the Koppel Plant located in Koppel and Big Beaver Boroughs Township, **Beaver County**.

Project involves an indoor and outdoor cutting operations of ladle skulls and scrap with an oxygen lance and propane torch with control. The following conditions of this de minimis emission increase will be included in the operating permit:

- All sources and controls shall be installed, operated, and maintained per manufacturer's recommended specifications.
- Emissions from indoor/outdoor from torch cutting operations shall be captured via a hood/canopy/umbrella type and vented to an "ETI Cyclone 20 DC Dust Collector" rated at 20,000 SCFM with 99.8% control efficiency at all times.
- All material processed in the torch cutting operation shall be free from oil, paint, and/or grease.
- Galvanized, stainless, and/or coated metals shall not be processed at this facility for torch cutting operation.
- Actual hours of outdoor cutting operations shall not exceed 850 hours per year and record of actual hours of operation shall be kept per 40 CFR Part 63 Subpart ZZZZ.
- Cutting shall be performed indoors in the Steel Yard Building when feasible.
- A record of material throughput shall be kept at site clearly showing tons of material received; tons of material shipped from facility; and actual hours of indoor and outdoor torch cutting at the facility on a 12-month rolling basis.
- The owner or operator shall use water sprays or other control techniques on as needed basis to prevent fugitive emissions from becoming airborne.

The list of de minimis increases for this facility includes only this project.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).

Permit No. 61120108. Ben Hal Mining Company, 389 Irishtown Road, Grove City, PA 16127, revision to an existing bituminous surface mine to change the post-mining land use from Forestland to Unmanaged Natural Habitat on the property(ies) of Jack R. & Patricia E. Weber and Jack R. Weber, Jr., and Richard D. Weber and Vicki L. Martusevich located in Richland Township, **Venango County**. Receiving stream(s): Unnamed tributaries to the Allegheny River. Application received: October 23, 2020. Permit issued or denied: March 22, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 17941601. Forcey Coal, Inc., 475 Banion Road, Madera, PA 16661, permit renewal for reclamation only of a coal preparation plant/processing facility located in Bigler Township, **Clearfield County** affecting 11.3 acres. Receiving stream(s): Unnamed tributary to Muddy Run to Muddy Run, classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 15, 2020. Permit issued: April 7, 2021.

Permit No. 17130105 and NPDES No. PA0269662. Corey L. Shawver DBA Hilltop Coal Company, 12 Dutchtown Road, Houtzdale, PA 16651, permit renewal for continued operation and restoration of a bituminous surface coal and auger mine located in Bigler and Woodward Townships, **Clearfield County** affecting 137.7 acres. Receiving stream(s): Unnamed Tributary to Japling Run and Unnamed Tributaries to Beaver Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: August 19, 2020. Permit issued: April 7, 2021.

Permit No. 14080103. RES Coal, LLC, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920. Permit

renewal for reclamation only of a bituminous surface coal mine located in Rush Township, **Centre County** affecting 150.8 acres. Receiving stream(s): Moshannon Creek and Mountain Branch classified for the following use(s): CWF and TSF. There are no potable water supply intakes within 10 miles downstream. Application received: January 19, 2021. Permit issued: April 7, 2021.

Permit No. 17080109 and NPDES No. PA0256838. Corey L. Shawver DBA Hilltop Coal Company, 12 Dutchtown Road, Houtzdale, PA 16651, permit renewal for continued operation and restoration of a bituminous surface coal and auger mine located in Bigler Township, **Clearfield County** affecting 164.9 acres. Receiving stream(s): Unnamed Tributary to Beaver Run and Japling Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: August 19, 2020. Permit issued: April 7, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54850107R7. Lone Eagle Coal Company, Inc., 2068 Old Phoenix Road, Pottsville, PA 17901, renewal for Reclamation Activities Only of an anthracite surface mine operation in Foster Township, **Schuylkill County** affecting 55.9 acres: Receiving stream: Crystal Run. Application received: August 14, 2020. Renewal issued: April 9, 2021.

Permit No. PAM110001R2. Lone Eagle Coal Company, Inc., 2068 Old Phoenix Road, Pottsville, PA 17901, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54850107 in Foster Township, **Schuylkill County**, receiving stream: Crystal Run. Application received: August 14, 2020. Renewal issued: April 9, 2021.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).

Permit No. 04150301. Three Rivers Aggregates, LLC, 1807 Shenango Road, New Galilee, PA 16141, renewal of NPDES Permit No. PA0259624 in Darlington Township, **Beaver County**. Receiving stream(s): None. Application received: December 16, 2020. Permit issued: March 22, 2021.

Permit No. 33050304. Glen-Gery Corporation, 1166 Spring Street, P.O. Box 7001, Reading, PA 19610, renewal of NPDES Permit No. PA0258008 in Oliver Township, **Jefferson County**. Receiving stream(s): Beaver Run and an unnamed tributary to Beaver Run. Application received: December 16, 2020. Permit issued: March 22, 2021.

Permit No. 37180402 and NPDES Permit No. PA0280607. Shenango Limestone & Storage Company, LLC, 10900 South Avenue, P.O. Box 217, North Lima, OH 44452, commencement, operation and restoration of a large industrial minerals surface and underground mine in Shenango Township, **Lawrence County** affecting 212.0 acres. Receiving stream(s): McKee Run and an unnamed tributary to McKee Run. Application received: June 21, 2018. Permit issued: March 29, 2021.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 57214101. Meshoppen Blasting Inc., Frantz Rd, P.O. Box 127, Meshoppen, PA 18630. Blasting for gas pad located in Colley Township, **Sullivan County** with an expiration date of April 6, 2022. Permit issued: April 9, 2021.

Permit No. 14214102. Douglas Explosives Inc., 2052 Philipsburg Bigler Hwy, Philipsburg, PA 16866. Blasting for residential development located in Spring and Benner Township, **Centre County** with an expiration date of April 15, 2022. Permit issued: April 8, 2021.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

Permit No. 65214102. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141-2018. Blasting activity permit for the construction of Stoy Sheetz Greensburg, located in South Greensburg Borough, **Westmoreland County** with an expiration date of December 31, 2021. Blasting permit issued: April 5, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 58214001. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, construction blasting for Bill Kilmer Highway stabilization for reclamation in Liberty Township, **Susquehanna County** with an expiration date of March 15, 2022. Permit issued: April 7, 2021.

Permit No. 64214001. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, construction blasting for Perkins Pond Road House foundation in Berlin Township, **Wayne County** with an expiration date of March 15, 2022. Permit issued: April 7, 2021.

Permit No. 06214102. Schlouch, Inc., P.O. Box 69, Blandon, PA 19510, construction blasting for Hamburg Commerce Lot 2 in Perry Township, **Berks County** with an expiration date of April 7, 2022. Permit issued: April 7, 2021.

Permit No. 48214105. American Rock Mechanics, Inc., 7531 Chestnut Street, Zionsville, PA 18092, construction blasting for Majestic Lot 6 in the City of Bethlehem and Lower Saucon Township, **Northampton County** with an expiration date of March 5, 2022. Permit issued: April 7, 2021.

Permit No. 48214106. Schlouch, Inc., P.O. Box 69, Blandon, PA 19510, construction blasting for LFHN Nazareth Campus sewer extension in Lower Nazareth Township, **Northampton County** with an expiration date of March 26, 2022. Permit issued: April 7, 2021.

Permit No. 48214107. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Valley Industrial Park in Washington Town-

ship, **Northampton County** with an expiration date of March 26, 2022. Permit issued: April 7, 2021.

Permit No. 22214103. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for North Union Street utilities in Londonderry Township, **Dauphin County** with an expiration date of March 30, 2022. Permit issued: April 8, 2021.

Permit No. 67214105. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, construction blasting for River Ridge Hills in Lower Windsor Township, **York County** with an expiration date of March 30, 2022. Permit issued: April 8, 2021.

Permit No. 22214102. M & J Explosives, LLC, 104 East Main Street, Carlisle, PA 17015, construction blasting for Blue Ridge Village in Lower Paxton Township, **Dauphin County** with an expiration date of March 29, 2022. Permit issued: April 9, 2021.

Permit No. 36214112. M & J Explosives, LLC, 104 East Main Street, Carlisle, PA 17015, construction blasting for Willow Acres in Pequea Township, **Lancaster County** with an expiration date of March 30, 2022. Permit issued: April 9, 2021.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epwv-sero@pa.gov.

Permit No. E0901220-027, Borough of Perkasio, 620 West Chestnut Street, Perkasio, PA 18944, Perkasio Borough, **Bucks County**, ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with the Lenape Park Family ADA Restroom Building. The proposed project involves the installation of a restroom in the 100-year floodplain of the East Branch Perkiomen Creek (TSF-MF). The project proposes no stream, floodway, or wetland impacts.

The site is approximately located at Constitution Avenue at Lenape Park in Perkasio, PA (Telford, PA Latitude: 40° 21' 55"; Longitude: -75° 17' 53") in the Borough of Perkasio, Bucks County. Permit issued April 7, 2021.

Permit No. E4601120-033, Pennsylvania Department of Transportation, Engineering District 6-0, 7000 Gerdes Boulevard, King of Prussia, PA 19406, Franconia and Hatfield Townships, **Montgomery County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation (PennDOT District 6-0) is proposing to construct a new roadway connection associated with the Sumneytown Pike/S.R. 309 Connector Project: Section HT2 and is part of the overall S.R. Connector Project which includes Section HAT completed in 2012 and future construction of HT3 in Bucks County. Section HT2 water obstruction and encroachment activities are as follows:

1. To remove a 100-foot long, 48-inch RCP stream enclosure carrying an unnamed tributary to Skippack Creek (TSF-MF, SCT2) and in its place, construct and maintain a 132.5-foot long, 66-inch diameter RCP stream enclosure plus distilling basin resulting in 157.5 linear feet (499 square feet) of permanent watercourse impact. This activity also includes the placement of riprap apron, grading, temporary bypass, grading to construct new roadway and embankment, perform a stream relocation with the construction and maintenance of regenerative step pools associated with the outfall of a stormwater facility, and the construction and maintenance of three outfalls with riprap aprons. These activities will result in an additional 308 linear feet (2,227 square feet) of permanent watercourse impact, 43 linear feet (327 square feet) of temporary watercourse impact, 9,940 square feet (0.229 acre) of permanent floodway impact and includes the construction and maintenance of clay blocks, and 9,637 square feet (0.221 acre) of temporary floodway impact due to construction access. Impacts to a wetland area (PEM, Wetland 3A) include 194 square feet (0.005 acre) of permanent wetland impact due to stream restoration and clay blocks and 293 square feet (0.006 acre) of temporary wetland impact due to construction access (USGS PA Telford Quadrangle—Latitude: 40.277159 N, Longitude: 75.75.332107 W).

2. To place fill, riprap, and perform grading to facilitate the construction and maintenance of a stormwater facility

within the floodway of an unnamed tributary to Skippack Creek (TSF-MF, SCT2) resulting in 4,676 square feet (0.107 acre) of permanent floodway impact and 4,652 square feet (0.107 acre) of temporary floodway impact due to construction access (USGS PA Telford Quadrangle—Latitude: 40.250209, Longitude: 75.329335 W).

3. To temporarily disturb 22 square feet of floodway associated with an unnamed tributary to Skippack Creek (TSF, SCT2) due to construction access for a proposed stormwater facility (USGS PA Telford Quadrangle—Latitude: 40.250209, Longitude: 75.329335 W).

4. To place fill and perform grading within wetland areas (PEM, wetland 5 and 5a) associated with the roadway construction and proposed stormwater facilities resulting in 4,398.2 square feet (0.101 acre) of permanent wetland impact and 772.2 square feet (0.017 acre) of temporary wetland impact. This activity also includes the placement of riprap (USGS PA Telford Quadrangle—Latitude: 40.291107 N, Longitude: 75.317485 W).

5. To remove an existing 125-foot long, 60-inch RCP stream enclosure carrying an unnamed tributary to Skippack Creek (TSF, SCT3, Culvert # 1), and in its place, construct and maintain a 77-foot long, 7-foot by 7-foot precast concrete box culvert resulting in 146 linear feet (483 square feet, 0.018 acre) of permanent watercourse impact which includes riprap toe protection and 310 linear feet (2,864 square feet, 0.065 acre) of temporary watercourse impact due to temporary culvert bypass and dewatering operation. Other impacts associated with this activity are 379 square feet (0.009 acre) of permanent floodway impact due to placement of riprap for the culvert with apron for an adjacent 18-inch outfall and 8,133 square feet (0.187 acre) of temporary floodway impact with 719 (0.017 acre) of temporary wetland impact (PFO, Wetland 6) due to construction access (USGS PA Telford Quadrangle—Latitude: 40.294352 N, Longitude: 75.313755 W).

6. To place fill and perform grading associated with roadway construction within the floodway of an unnamed tributary to Skippack Creek (TSF, SCT3) resulting in 13,993 square feet (0.322 acre) of permanent floodway impact and 4,987 square feet (0.115 acre) of temporary floodway impact (USGS PA Telford Quadrangle—Latitude: 40.295136 N, Longitude: 75.312633 W).

7. To relocate and restore an unnamed tributary to Skippack Creek (TSF, SCT3) as a result of the replacement and relocation of an existing 54-inch RCP culvert (Culvert # 2) resulting in 129.5 linear feet (1,330 square feet) of permanent watercourse impact, 84 linear feet (1,120 square feet) of temporary watercourse impact due to access and dewatering operations, 224 square feet (0.005 acre) of temporary wetland impact to Wetland 7 (PEM, PFO) due to construction access, 324 square feet (0.008 acre) of permanent floodway impact, and 1,086 square feet (0.025 acre) of temporary floodway impact (USGS PA Telford Quadrangle—Latitude: 40.295251 N, Longitude: 75.312344 W).

8. To remove an existing 82-foot long, 54-inch RCP culvert carrying an unnamed tributary to Skippack Creek (TSF, SCT3, Culvert # 2) and in its place, construct and maintain a 74-foot long, 7-foot by 7-foot precast concrete box culvert associated with the previously listed stream relocation. This activity will result in 143 linear feet (1,262 square feet) of permanent watercourse impact and 100 linear feet (985 square feet) of temporary watercourse impact due to access and dewatering operations. Addi-

tional impacts include 2,178 square feet (0.05 acre) of permanent floodway impact due to the placement of riprap and construction of roadway with 3,450 square feet (0.079 acre) of temporary floodway impact due to construction access. This activity also includes the construction and maintenance of a 36-inch outfall that discharges adjacent to the new culvert (USGS PA Telford Quadrangle—Latitude: 40.295620 N, Longitude: 75.312298 W).

9. To construct and maintain a 24-inch outfall and place fill associated with roadway construction activities within an unnamed tributary to Skippack Creek (TSF, SCT3B) resulting in 12.4 linear feet (98 square feet) of permanent watercourse impact, 0.8 linear feet (7.7 square feet) of temporary watercourse impact, 212 square feet (0.004 acre) of permanent floodway impact, and 159 square feet (0.003 acre) of temporary floodway impact (USGS PA Telford Quadrangle—Latitude: 40.299612 N, Longitude: 75.309780 W).

A mitigation site for total wetland impact (HAT and HT2) was constructed during the first phase in 2012 (HAT, DEP Permit No. E46-1005) with continued monitoring and maintenance. This project is located from its intersection with Allentown Road to Township Line Road in Franconia and Hatfield Townships, Montgomery County. Permit issued April 7, 2021.

Permit No. E4601221-003, Borough of Royersford, 300 Main Street, Royersford, PA 19468-2313, Royersford Borough, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain The Royersford River Front Trail which will consist of approximately 813 LF long of a 10 ft wide paved pedestrian trail and small Gazebo in and along the 100-year floodway of Schuylkill River impacting 0.47 acre of permanent floodway. This trail will be considered as an extension to the existing adjoining trail, a.k.a. The Schuylkill River Trail (Phase 4).

The site is located near the intersection of South Township Line Road and Main Street, (Phoenixville, PA USGS Map; Latitude: 40.1834434; Longitude: -75.545009) in Royersford Borough, Montgomery County. Permit issued March 31, 2021.

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0103220-025. Jim and Cindy Sells, 61 Bragg Drive, East Berlin, PA 17316, Reading Township, **Adams County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 256.0-square foot dock/boathouse with associated riprap bank protection, as well as a 45.0-square foot boat ramp, all cut into the banks of Lake Meade (Mud Run)(WWF, MF) at 61 Bragg Drive in Reading Township, Adams County (Latitude: 39.9752; Longitude: -77.0374). Permit issued April 8, 2021.

E2203220-001. Susquehanna Township Authority, 1900 Linglestown Road, Harrisburg, PA 17110-3302, Susquehanna Township, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To install and maintain approximately 7,300 linear feet of 36-inch PVC/DIP pipe and approximately 1,500 linear feet of 24-inch PVC/DIP. The project will involve eleven utility line stream crossings, ten of Black Run (WWF, MF) and one of a UNT to Black Run (WWF, MF), and seven permanent wetland impacts totaling 0.54 acre, all for the purpose of enlarging the interceptor for future development and eliminating the risk of overflow due to additional development. The Project is located in

Susquehanna Township, Dauphin County (Latitude: 40.3181; Longitude: -76.8676). Permit issued April 8, 2021.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

ESCGP-2 # ESG050020001
Applicant Name Columbia Gas Transmission, LLC
Contact Person William Timmermeyer
Address 1700 McCorkle Avenue SE
City, State, Zip Charlestown, WV 25314
County Washington and Greene Counties
Township(s) Amwell Township; Washington Township and Franklin Townships
Receiving Stream(s) and Classification(s) Redd Run (TSF); Little Tenmile Creek (TSF); Bane Creek (TSF); Home Run (TSF); Ruff Run (WWF); Wisecarver Run (HQ-WWF); Garners Run (HQ-WWF); and Browns Creek (HQ-WWF)

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

ESCGP-3 # ESG081021002-00—Burgh Gas Well ESX
Applicant Name Pennenergy Resources LLC
Contact Person Richard Watson
Address 1000 Commerce Dr Park Place One, Ste 400
City, State, Zip Pittsburgh, PA 15275
County Butler County
Township(s) Lancaster Township
Receiving Stream(s) and Classification(s) Little Yellow Creek (CWF), Tributary 34929 to Little Yellow Creek (CWF), Scholars Run (WWF).
Secondary Waters: Yellow Creek (CWF), Little Yellow Creek (CWF), Connoquenessing Creek (WWF)

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.

ESCGP-3 # ESG070419008-00—B07 to B37 Pipeline ESCGP
Applicant Name ETC Northeast Fld Svc LLC
Contact Person Larry Connors
Address 6051 Wallace Road Ext, Floor 3
City, State, Zip Wexford, PA 15090-7386
County Beaver County
Township(s) New Sewickley Township
Receiving Stream(s) and Classification(s) Trib 34803 to Brush Creek (WWF), Trib 34807 to Brush Creek (WWF), Trib 34809 to Brush Creek (WWF), UNT 1 to Trib 34803 to Brush Creek (WWF), UNT 2 to Trib 34803 to Brush Creek (WWF), UNT 3 to Trib 34803 to Brush Creek (WWF), and UNT 4 to Trib 34803 to Brush Creek (WWF)
Secondary Use: Brush Creek (WWF) and Trib 34803 to Brush Creek (WWF).

ESCGP-3 # ESG073020015-00—NITMS015—NITMH015 Pipeline Project
Applicant Name EQM Gathering Opco LLC
Contact Person Gregg West
Address 625 Liberty Ave, Ste 1700
City, State, Zip Pittsburgh, PA 15222-3114
County Greene County
Township(s) Whiteley Township
Receiving Stream(s) and Classification(s) Trib 41286 to Whiteley Creek (TSF), Trib 41285 to Whiteley Creek (TSF), Whiteley Creek (TSF), Trib 41290 to Whiteley Creek (TSF), Trib 41291 to Whiteley Creek (TSF), Trib 41292 to Whiteley Creek (TSF), Trib 41289 to Whiteley Creek (TSF), Trib 41265 to Dyers Fork (TSF), Trib 41271 to Dyers Fork (TSF)
Secondary Use: Whiteley Creek (TSF), Monongahela River (WWF), Dyers Fork (TSF)

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG294121003-00
Applicant Name Pennsylvania General Energy Company, LLC
Contact Person David Straub
Address 120 Market Street
City, State, Zip Warren, PA 16365-2510
County Lycoming County
Township(s) Cummings
Receiving Stream(s) and Classification(s) Pine Creek (HQ-TSF, MF, EV), Ramsey Run (HQ-CWF, MF)
Secondary: West Branch Susquehanna River (WWF, MF), West Branch Susquehanna River (WWF, MF)

ESCGP-3 # ESG290821016-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford County
Township(s) Tuscarora
Receiving Stream(s) and Classification(s) Tuscarora Creek (CWF, MF)
Secondary: Susquehanna River (CWF, MF)

ESCGP-3 # ESG296621001-00
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Adam Weightman
 Address 30351 Route 6
 City, State, Zip Wysox, PA 18854
 County Wyoming County
 Township(s) North Branch
 Receiving Stream(s) and Classification(s) UNT to Miller Brook (CWF, MF, WT), Miller Brook (CWF, MF, WT)
 Secondary: Miller Brook (CWF, MF, WT), North Branch Mehoopany Creek (CWF, MF, AT, WT)

ESCGP-3 # ESG291221001-00
 Applicant Name Seneca Resources Company, LLC
 Contact Person Ben Williams
 Address 51 Zents Blvd
 City, State, Zip Brookville, PA 15825-2701
 County Cameron County
 Township(s) Shippen
 Receiving Stream(s) and Classification(s)
 Left Branch to Cooks Run (EV, MF), Havens Run (CWF), UNT to Left Branch Cooks Run (EV, MF)
 Secondary: Cooks Run (EV, MF), Potato Creek (TSF), Cooks Run (EV, MF)

ESCGP-3 # ESG294121001-00
 Applicant Name Beech Resources, LLC
 Contact Person Charles Pollard
 Address 3033 East 1st Ave, Ste 400
 City, State, Zip Denver, CO 80206
 County Lycoming County
 Township(s) Lycoming
 Receiving Stream(s) and Classification(s) UNT to Beautys Run (WWF, MF)
 Secondary: Beautys Run (WWF, MF)

ESCGP-3 # ESG290821022-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Bradford County
 Township(s) Wyalusing
 Receiving Stream(s) and Classification(s) UNT to Susquehanna River (CWF, MF)
 Secondary: Susquehanna River (WWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a

description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

EZ gas sta, 51-43054, 1701 Cottman Ave., Philadelphia, PA 19111-3802, **City of Philadelphia**. Keith Valley Environmental, Inc., P.O. Box 5376, Deptford, NJ 08096, on behalf of the Guru Krupa, Inc., 1701 Cottman Ave., Philadelphia, PA 19111-3802, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Ambler Coal, 46-05337, 252 N. Main St., Ambler, PA 19002, Ambler Borough, **Montgomery County**. Storb Environmental, Inc., 410 North Easton Road, Willow Grove, PA 19090, on behalf of Amber Coal Company, Inc., 252 N. Main St., Ambler, PA 19002, submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with petroleum products. The report is intended to document remediation of the site to meet residential Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Mid Monroe Service Station, Storage Tank ID # 45-50649, 5801 Milford Road, East Stroudsburg, PA 18301, Middle Smithfield Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Mid-Monroe Service Stations Inc., P.O. Box 1158, Marshalls Creek, PA 18335, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet site-specific standards.

Rosemergy's Convenient Store, Storage Tank ID # 52-01926, 1623 State Route 590, Hawley, PA 18428, Lackawaxen Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Lochgen LLC, 751 Welcome Lake Road, Hawley, PA 18428, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet site-specific standards.

Northwest Regional: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Kwik Fill M 2, Storage Tank Facility ID # 25-22460, 55001 Peach Street, Erie, PA 16509, Millcreek Township, **Erie County**. CORE Environmental Services, Inc., 3960 William Flynn Hwy, Suite 100, Allison Park, PA 15101, on behalf of United Refining Company, 15 Bradley Street, Warren, PA 16528, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, methyl tertiary butyl ether, cumene and naphthalene. The report is intended to document remediation of the site to meet the residential site-specific standard.

Country Fair 38, Storage Tank Facility ID # 25-91603, 1818 Sassafra Street, Erie, PA 16502, City of Erie, **Erie County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Country Fair, Inc., 2251 East 30th Street, Erie, PA 16501, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, cumene, ethylbenzene, MTBE, naphthalene, xylenes, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the nonresidential Statewide health standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the

remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

823 N Broad St BP, 51-29714, 823 N. Broad St., **City of Philadelphia**. The ELM Group, Inc., 345 Wall Street, Research Park, Princeton, NJ 08540, on behalf of Philadelphia Broad Street, L.P., 1401 Broad Street, Suite 200, Clifton NJ, 07013, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with ethanol and unleaded gasoline. The report demonstrated attainment of residential Statewide health standards and was approved but DEP on March 30, 2021.

PMG 2507, 46-14443, 312 Manatawny St., Pottstown, PA 19464, Pottstown Borough, **Delaware County**. Advantage Environmental Consultants, LLC, 3819 Germantown Pike, Suite B, Collegeville, PA 19426, on behalf of Petroleum Marketing Group, Inc., 2900 Telestar Court, Falls Church, VA 22042, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report demonstrated attainment of nonresidential Statewide health standards and was approved by DEP on April 13, 2021.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Convenient Food Mart 3029, Storage Tank ID # 35-08517, 330 Northern Boulevard, Clarks Summit, PA 18411, South Abington Township, **Lackawanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Convenient Food Marts of Pennsylvania, 215 Clark Avenue, Clarks Summit, PA 18411, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The Site Characterization Report was acceptable to meet Statewide health standards and was approved by DEP on March 30, 2021, but the Remedial Action Plan was not acceptable to meet Statewide health standards and was disapproved by DEP on March 30, 2021.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Sheetz 202, Storage Tank Facility ID # 43-91428, 2381 South Hermitage Road, Hermitage, PA 16148, City of

Hermitage, **Mercer County**. Envirotrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 5700 6th Avenue, Altoona, PA 16602 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on March 17, 2021.

Eldred Keystone, Storage Tank Facility ID # 42-00731, 156 Main Street, Eldred, PA 16731, Eldred Borough, **McKean County**. Juniata Geosciences, LLC, 6872 Wil-

low Brook Road, Alexandria, PA 16611, on behalf of Mr. Jay Jordan, 156 Main Street, Eldred, PA 16731, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, total xylenes, cumene, naphthalene, MTBE, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The combined Remedial Action Plan and Remedial Action Completion Report demonstrated attainment of the site-specific & Statewide health standards and was approved by DEP on March 30, 2021.

SPECIAL NOTICES

RADIATION PROTECTION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of March 2021, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

| <i>Name</i> | <i>Address</i> | <i>Certification</i> |
|--------------------------|-------------------------------------------------------|----------------------|
| American Radon Solutions | 3537 Hartzdale Dr., Ste. H Camp Hill, PA 17011 | Mitigation |
| Brian Bacchus | 125 Twin Oaks Dr. Wexford, PA 15090 | Testing |
| Kevin M Barnaba | 9106 Philadelphia Rd., Ste. 106 Rosedale, MD 21237 | Testing |
| James Battaglia | 661 Landis Rd. Freedom, PA 15042 | Testing |
| David Bolt | P.O. Box 218 Duncansville, PA 16635 | Testing |
| James Brownell | 11 Brannigan Rd. Pleasant Mount, PA 18453 | Testing |
| Jason D'Amato | 149 Bond Ln. Brodheads ville, PA 18322 | Testing |
| Lois Distenfeld | 4326 Crestview Rd. Harrisburg, PA 17112 | Laboratory |
| James Domanico Jr. | 1215 W Baltimore Pike, Unit 3 Media, PA 19603 | Testing |
| Jim Dombrowski | P.O. Box 8105 Erie, PA 16505 | Testing |
| Idrees N Fareed | 491 Baltimore Pike # 689 Springfield, PA 1906 | Testing |
| Idrees N Fareed | 491 Baltimore Pike # 689 Springfield, PA 19064 | Mitigation |
| David Freeman | 110 Ingrid Ct. Sarver, PA 16055 | Testing |
| Timothy Gentry | P.O. Box 1956 Horsham, PA 19044 | Mitigation |
| Charles Herpy Jr | 5880 Schramling Rd. Pierpont, OH 44082 | Testing |
| Elliot Hoffman | P.O. Box 91 Akron, PA 17501 | Mitigation |
| Ryan Hubbard | 35 S State St., Apt. 1 Newtown, PA 18940 | Testing |

| <i>Name</i> | <i>Address</i> | <i>Certification</i> |
|-------------------------|--------------------------------------------------------|----------------------|
| Corwin Jackson | 5656 Cricket Ln. Bensalem, PA 19020 | Testing |
| Ludwig Kubli | 1090 Aerie Dr. North Huntingdon, PA 15642 | Testing |
| Ronald Kuntz | P.O. Box 174 Alexandria, PA 16611 | Testing |
| Marc A Marino | 693 Egypt Rd. Phoenixville, PA 19460 | Testing |
| Ronald Moraski | 104 Deer Path Tafton, PA 18464 | Testing |
| Sean Myers | 10 Orchard Ln. Myerstown, PA 17067 | Testing |
| Tuan Nguyen | 3537 Hartzdale Dr., Ste. H Camp Hill, PA 17011 | Mitigation |
| Andrew W Nyveldt | 27 Mount Carmel St. Roseto, PA 18013 | Testing |
| Nyveldt Enterprises LLC | 27 Mount Carmel St. Roseto, PA 18013 | Testing |
| Heath Papinchak | 3751 Merle St. Pittsburgh, PA 15204 | Testing |
| Michael Peters | 101 East St. Renfrew, PA 16053 | Mitigation |
| Roger Priest | P.O. Box 200 Salfordville, PA 18958 | Testing |
| Joel Ruch | 201 Furnace Rd. Lewisburg, PA 17837 | Testing |
| Tayzak Inc. | 523 Burnside Rd. McDonald, PA 15057 | Testing |
| William Staniland | 706 Russett Meadow Ct. Cranberry Township, PA 16066 | Testing |
| Milan Stanojevic | 199 Jill Dr. Pittsburgh PA 15236 | Testing |
| William Sterling | 37 N Washington St. Wilkes-Barre, PA 18701 | Testing |
| TCS Industries | 4326 Crestview Rd. Harrisburg, PA 17112 | Laboratory |
| Robert Ulm | 543 Twele Rd. Greenock, PA 15047 | Testing |
| Clayton Watson | 1015 W. Fairway Ridge Dr. Alum Bank, PA 15521 | Testing |
| Anthony T Wilhelm | 153 Crooked Hill Rd. Hummelstown, PA 17036 | Testing |
| Chris Willig | 4 Theresa Dr. Conestoga, PA 17516 | Testing |
| David Wotring | 1389 Waterview Dr. Scotrun, PA 18355 | Testing |
| George Zarick | 201 Furnace Rd. Lewisburg, PA 17837 | Testing |

WATER PROGRAMS
FEDERAL WATER POLLUTION
CONTROL ACT, SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water

Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Phila-

delphia, PA 19106-1790 as provided by law. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. Important legal rights are at stake, so you should show this document to a lawyer promptly.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

PUBLIC NOTICE OF FINAL STATE WATER QUALITY CERTIFICATION FOR FERC REGULATED PIPELINE PROJECT

State Water Quality Certification Issued by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Conemaugh River Crossing Project.

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

WQ6583220-001, Texas Eastern Transmission, LP, 890 Winter Street, Suite 300, Waltham, MA 02451. Conemaugh River Crossing Project (Project), in Derry Township, **Westmoreland County** and Blacklick Township, **Indiana County**, Pittsburgh Corps District. The proposed project starts on the western side of the Conemaugh River in Westmoreland County within Texas Eastern's existing ROW at their existing valve site (Latitude: 40.455036°; Longitude: -79.301894°), and ends on the eastern side of the Conemaugh River in Indiana County approximately 600 feet northeast of another existing valve site (Latitude: 40.458303°; Longitude: -79.294683°).

On June 11, 2020, the Applicant requested a state water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project, as proposed, includes the in-situ grouting and abandonment of approximately 1,275 linear feet of the existing 24-inch Line 12 pipeline, and the installation and maintenance of approximately 2,670 linear feet of replacement 24-inch pipeline. Approximately 2,330 linear feet will be replaced in-kind and approximately 340 linear feet will be construction of new 24-inch pipeline to reconnect to the existing system. The Project, as proposed, will require approximately 12.0 acres of earth disturbance, and impacts to 195 linear feet of the Conemaugh River (WWF), 0.002 ac. of floodway impacts, 1.78 ac. of temporary palustrine emergent (PEM) wetland impacts, 0.06 ac. of temporary palustrine scrub-shrub (PSS) wetland impacts, 0.03 ac. of permanent PEM wetland impacts, 0.02 ac. of permanent PSS wetland impacts and 0.10 ac. of permanent PFO wetland impacts.

PADEP published notice of its proposed SWQC in the *Pennsylvania Bulletin* on August 29, 2020 (50 Pa.B. 4400) and received no comments from the public.

PADEP certifies that the construction, operation and maintenance of the Project complies with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP further certifies that the construction, operation and maintenance of the Project complies with Pennsylvania water quality standards and that the construction, operation and maintenance of the Project will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management), and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality

assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued to ensure the project shall maintain and protect state water quality standards as required by this SWQC. The Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, the Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to the Department of Environmental Protection, Regional Permit Coordination Office, Domenic Rocco, PE, Director, 400 Market Street, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

10. *Reservation of Rights*—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that the Applicant has not complied with the terms and conditions of this SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of the SWQC shall not be affected thereby.

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 as provided by law. This paragraph does not, in and of itself, create a right of appeal

beyond that permitted by applicable statutes and decisional law. Important legal rights are at stake, so you should show this document to a lawyer promptly.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

Applicant: Texas Eastern Transmission, LP; 890 Winter Street, Suite 300, Waltham, MA 02451; Conemaugh River Crossing Project.

The project begins on the western side of the Conemaugh River in **Westmoreland County** at an existing valve site (Latitude: 40.455036°; Longitude: -79.301894°), and ends on the eastern side of the Conemaugh River in Indiana County northeast of another existing valve site (Latitude: 40.458303°; Longitude: -79.294683°). The project consists of one Chapter 105 Water Obstruction and Encroachment Permit and one Chapter 102 Erosion and Sediment Control Permit. Below is the Chapter 105 permit application reviewed by the Department.

E6583220-026. To construct, operate and maintain water obstructions and encroachments associated with the Conemaugh River Crossing Project, consisting of installation of approximately 2,670 feet of 24-inch diameter replacement Line 12 pipeline and appurtenant facilities and abandonment via grouting of approximately 1,275 feet of existing Line 12 24-inch pipeline. Approximately 1,860 feet of the pipeline will be installed via Horizontal Directional Drilling (HDD) under the Conemaugh River. The proposed project impacts include 195 linear feet of permanent impacts to the Conemaugh River (WWF); 0.002 acre of permanent floodway impacts; 0.15 acre of permanent impacts to Palustrine Emergent (PEM), Palustrine Scrub-Shrub (PSS), and Palustrine Forested (PFO) wetlands and; 1.83 acres of temporary impacts to PEM and PSS wetlands.

The permittee is required to compensate for the proposed project impacts by providing 0.23 acre of wetland mitigation. The permittee will purchase 0.23 acre of off-site mitigation bank credits from the approved compensatory mitigation provider.

EROSION AND SEDIMENT CONTROL

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

ESG836520001-00. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. The Conemaugh River Crossing Project proposes approximately 12 acres of total earth disturbance for the in-situ abandonment of approximately 1,275 feet of the existing 24-inch Line 12 pipeline and the installation and maintenance of approximately 2,670 linear feet of replacement pipeline, with an ancillary mainline valve.

| | | | |
|-------------------|------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------|
| <i>Permit No.</i> | <i>Applicant Name & Address:</i> | <i>Counties:</i> | <i>DEP Office:</i> |
| ESG836520001-00 | Texas Eastern Transmission, LP 890 Winter Street Suite 300 Waltham, MA 02451 | Indiana and Westmoreland Counties | Regional Permit Coordination Office |

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 as provided by law. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. Important legal rights are at stake, so you should show this document to a lawyer promptly.

REQUEST FOR COMMENT

Proposed Total Maximum Daily Loads (TMDLs) for the UNT Susquehanna River Watershed in Northumberland County.

Central Office: Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774.

The Department of Environmental Protection will accept comments on the proposed "TMDLs" developed for the UNT Susquehanna River Watershed in Northumberland County under Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring

and Assessment Report included stream segments impaired for aquatic life in the watershed. The impairments addressed by this document were caused by excessive siltation due to agriculture.

There currently are no state or Federal in-stream numerical water quality criteria for sediment. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loading of sediment in the UNT Susquehanna River Watershed. The "TMDLs" included allocations for nonpoint sources, reserves for future point sources, as well as margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land, and streambank source sectors present in the watershed. Data used in establishing the TMDL were primarily generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loadings within the watershed, the prescribed "TMDL" values, and % reductions needed under annual average conditions.

Summary of "TMDL"—Based Load Reductions (expressed as annual averages) in the UNT Susquehanna River Watershed

| Watershed | Pollutant | Existing Load (lbs/yr) | "TMDL" (lbs/yr) | % Reduction |
|-----------------------|-----------|------------------------|-----------------|-------------|
| UNT Susquehanna River | Sediment | 1,539,762 | 1,159,767 | 25 |

The following table shows the estimated current sediment loading within the watershed, the prescribed "TMDL" values, and % reductions needed under 99th percentile daily loading conditions.

Summary of "TMDL"—Based Load Reductions (expressed as 99th percentile daily loading) in the UNT Susquehanna River Watershed

| Watershed | Pollutant | Existing Load (lbs/d) | TMDL (lbs/d) | % Reduction |
|-----------------------|-----------|-----------------------|--------------|-------------|
| UNT Susquehanna River | Sediment | 62,200 | 46,211 | 26 |

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/UNTSusquehannaRiverSedimentTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by emailing Michael Morris at michamorri@pa.gov.

Written/typed comments will be accepted at the previously listed email address. Comment submissions must be submitted within 30 days after publication of this notice in the April 24, 2021 issue of the *Pennsylvania Bulletin*. The Department will consider all written/typed comments submitted within the deadline prior to submitting the final TMDL to EPA for approval. To ensure timely receipt of comments given the office closure and work from home order, please do not mail hard copies of comments. Rather please submit them by email at michamorri@pa.gov. If comments cannot be emailed, please call Michael Morris at 717.772.5670 to request another method of comment submission.

[Pa.B. Doc. No. 21-638. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

City of Philadelphia's 2021 Annual Ambient Air Monitoring Network Plan

Part 58 of 40 CFR (relating to ambient air quality surveillance) requires State and local air pollution control agencies to adopt and submit to the United States Environmental Protection Agency (EPA) Regional Administrator an Annual Monitoring Network Plan (AMNP) by July 1, 2021. The AMNP provides for the establishment

and maintenance of an air quality surveillance system that consists of a network of monitoring stations. A proposed AMNP must be made available for public inspection and comment for at least 30 days prior to submission to the EPA.

Air Management Services is the local air pollution control agency for the City of Philadelphia (City) under the Department of Public Health. The City has an air monitoring network of 10 air monitoring stations that house instruments that measure ambient levels of air pollutants.

The proposed AMNP is available for public inspection on the City's web site at <https://www.phila.gov/departments/>

air-pollution-control-board/air-management-notice/ and at the office of Air Management Services, 321 University Avenue, 2nd Floor, Philadelphia, PA 19104, during normal business hours. For further information, contact Jason Li, Engineering Supervisor of Program Services at (215) 685-9440.

Written comments on the proposed AMNP can be sent by mail to Jason Li, Engineering Supervisor of Program Services, Air Management Services, 321 University Avenue, 2nd Floor, Philadelphia, PA 19104 or by e-mail to jiazheng.li@phila.gov. Use "2021 Air Monitoring Network Plan" as the subject line in written communication. Only written comments will be accepted. Comments received by facsimile will not be accepted. Persons wishing to comment on the proposed AMNP must submit comments by Monday, May 24, 2021.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-639. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Interstate Pollution Transport Reduction; Final 2021 Ozone Season Nitrogen Oxide Emission Limits for Nonelectric Generating Units

The Department of Environmental Protection (Department) is providing notice for the final Nonelectric Generating Unit (non-EGU) 2021 Ozone Season (OS) Nitrogen Oxide (NO_x) emission limitations established under 25 Pa. Code § 145.8(d) (relating to transition to CAIR NO_x trading programs).

Notice of the proposed NO_x emission limitations was published at 51 Pa.B. 1083 (February 27, 2021), to allow for a 17-day public comment period, which closed March 15, 2021. The Department did not receive any comments during the public comment period.

Specifically, 25 Pa. Code § 145.8(d) establishes a non-EGU NO_x Trading Program budget of 3,619 tons of NO_x, less a specified adjustment amount, to serve as a State-

wide OS NO_x emissions cap for new and existing non-EGUs. This NO_x emissions cap also applies to Clean Air Interstate Rule exempt EGUs that are subject to the NO_x Budget Trading Program. If total emissions from all the units exceed the Statewide NO_x emissions cap of 3,438 tons, the owners and operators of non-EGUs must comply with the NO_x emission limitations established under 25 Pa. Code § 145.8(d). The final NO_x emissions limitations for individual units ensure that non-EGUs in this Commonwealth continue to meet the emission limits of the NO_x Budget Trading Program.

The Statewide cap for 2020 was not exceeded. Therefore, non-EGUs do not need to purchase allowances to meet their 2020 OS NO_x emission limitations established under 25 Pa. Code § 145.8(d). The NO_x emissions for the 2020 OS (May through September) reported to the United States Environmental Protection Agency by the owners and operators of the affected non-EGUs are 644 tons. The Department's permanent retirement of 3,438 NO_x allowances under 25 Pa. Code § 145.8(b) covers all the NO_x emissions from the affected non-EGUs in 2020. Table 1, as follows, lists the final non-EGU 2021 ozone season NO_x emission limits.

In addition to the 3,438-ton non-EGU cap previously described, 25 Pa. Code § 145.8(d)(12) provides 181 tons of NO_x emissions annually for non-EGUs and the other units that need to address their emissions through accounting adjustments, including units that previously participated in the NO_x Budget Trading Program. The Department may use a portion of the 181 tons of the budgeted NO_x emissions, if necessary, to address mistakes or miscalculations. This year, the Department is not using any of the 181 tons of NO_x for accounting adjustments or to make corrections.

The following table, Final Non-EGU 2021 OS NO_x Emission Limits, lists the following: the 'facility name,' 'ORIS code,' the 'unit ID' for each non-EGU unit, the '2020 NO_x mass (tons)' or the 2020 OS emissions, the '2020 heat input (MMBtu)' for the 2020 Ozone Season, the 'county' location of the facility, the calculated '2021 rate (lbs/MMBtu),' and the '2021 OS Limit (tons NO_x).'

Questions concerning this notice can be directed to Randy Bordner at ranbordner@pa.gov or (717) 772-3921. TDD users may contact the Pennsylvania Hamilton Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

Table 1: Final Non-EGU 2021 Ozone Season NO_x Emission Limits

| <i>Facility Name</i> | <i>ORIS Code</i> | <i>Unit ID</i> | <i>2020 NO_x Mass (Tons)</i> | <i>Heat Input (MMBtu)</i> | <i>County</i> | <i>2021 Rate (Lbs/MMBtu)</i> | <i>2021 OS Limit (Tons NO_x)</i> |
|----------------------------------|------------------|----------------|----------------------------------------|---------------------------|---------------|------------------------------|--------------------------------------------|
| AdvanSix Resins & Chemicals, LLC | 880007 | 52 | 33.236 | 837,284.3 | Philadelphia | 0.35 | 145 |
| Armagh Compressor Station | 880071 | 31301 | 0 | 0 | Indiana | 0.35 | 0 |
| Bernville Station | 880049 | 32001 | 0 | 0 | Berks | 0.35 | 0 |
| Domtar Paper Company, LLC | 54638 | 40 | 15.978 | 514,307.1 | Elk | 0.35 | 89 |
| Domtar Paper Company, LLC | 54638 | 41 | 17.544 | 560,079.9 | Elk | 0.35 | 97 |
| Entriiken Compressor Station | 880072 | 31601 | 0 | 0 | Huntingdon | 0.35 | 0 |
| Kimberly-Clark Tissue Company | 50410 | 34 | 9.372 | 12,456.9 | Delaware | 0.35 | 2 |

NOTICES

2357

| <i>Facility Name</i> | <i>ORIS Code</i> | <i>Unit ID</i> | <i>2020 NO_x Mass (Tons)</i> | <i>Heat Input (MMBtu)</i> | <i>County</i> | <i>2021 Rate (Lbs/MMBtu)</i> | <i>2021 OS Limit (Tons NO_x)</i> |
|-------------------------------------------|------------------|----------------|----------------------------------------|---------------------------|---------------|------------------------------|--------------------------------------------|
| Merck & Company—West Point | 52149 | 39 | 5.825 | 136,373.6 | Montgomery | 0.35 | 24 |
| Merck & Company—West Point | 52149 | 40 | 18.395 | 1,492,642 | Montgomery | 0.35 | 259 |
| Philadelphia Refinery | 52106 | 150137 | 0 | 0 | Philadelphia | 0.35 | 0 |
| Philadelphia Refinery | 52106 | 150138 | 0 | 0 | Philadelphia | 0.35 | 0 |
| Philadelphia Refinery | 52106 | 150139 | 7.802 | 536,072.8 | Philadelphia | 0.35 | 93 |
| Philadelphia Refinery | 52106 | 150140 | 0 | 0 | Philadelphia | 0.35 | 0 |
| Philadelphia Refinery | 52106 | 150145 | 2.763 | 251,420.1 | Philadelphia | 0.35 | 44 |
| Pixelle Specialty Solutions | 50397 | 36 | 131.597 | 1,162,005 | York | 0.35 | 202 |
| Pixelle Specialty Solutions | 50397 | 38 | 7.81 | 503,820.2 | York | 0.35 | 88 |
| Pixelle Specialty Solutions | 50397 | 39 | 11.815 | 575,300.3 | York | 0.35 | 100 |
| Procter & Gamble Paper Products | 50463 | 328001 | 112.456 | 1,898,640 | Wyoming | 0.35 | 330 |
| Procter & Gamble Paper Products | 50463 | 328002 | 8.148 | 2,043,043 | Wyoming | 0.35 | 355 |
| SPMT Marcus Hook Industrial Complex | 880107 | AB01 | 8.374 | 618,497.7 | Delaware | 0.35 | 107 |
| SPMT Marcus Hook Industrial Complex | 880107 | AB03 | 3.402 | 274,242.3 | Delaware | 0.35 | 48 |
| SPMT Marcus Hook Industrial Complex | 880107 | AB04 | 7.032 | 825,834.9 | Delaware | 0.35 | 144 |
| Shermans Dale Station | 880050 | 31801 | 0 | 0 | Perry | 0.35 | 0 |
| Trainer Refinery | 880025 | 34 | 1.672 | 674,101.5 | Delaware | 0.35 | 117 |
| Trainer Refinery | 880025 | 35 | 1.694 | 691,976.9 | Delaware | 0.35 | 120 |
| Trainer Refinery | 880025 | 53 | 0.685 | 692,857.9 | Delaware | 0.35 | 120 |
| US Steel (Clairton Coke) | 50729 | CLBLR1 | 104.722 | 907,994.4 | Allegheny | 0.35 | 158 |
| US Steel (Clairton Coke) | 50729 | CLBLR2 | 59.666 | 617,262.3 | Allegheny | 0.35 | 107 |
| US Steel (Edgar Thomson) | 50732 | ETBLR1 | 26.688 | 1,678,967 | Allegheny | 0.35 | 292 |
| US Steel (Edgar Thomson) | 50732 | ETBLR2 | 20.401 | 1,577,070 | Allegheny | 0.35 | 274 |
| US Steel (Edgar Thomson) | 50732 | ETBLR3 | 16.261 | 1,288,377 | Allegheny | 0.35 | 224 |
| Veolia Energy Philadelphia—Edison Station | 880006 | 1 | 0 | 0 | Philadelphia | 0.35 | 0 |
| Veolia Energy Philadelphia—Edison Station | 880006 | 2 | 0.296 | 1,522.7 | Philadelphia | 0.35 | 0 |
| Veolia Energy Philadelphia—Edison Station | 880006 | 3 | 2.122 | 16,903.7 | Philadelphia | 0.35 | 3 |
| Veolia Energy Philadelphia—Edison Station | 880006 | 4 | 1.318 | 7,541 | Philadelphia | 0.35 | 1 |
| Veolia Energy Philadelphia—Schuylkill | 50607 | 23 | 0 | 0 | Philadelphia | 0.35 | 0 |
| Veolia Energy Philadelphia—Schuylkill | 50607 | 24 | 0 | 0 | Philadelphia | 0.35 | 0 |

| <i>Facility Name</i> | <i>ORIS Code</i> | <i>Unit ID</i> | <i>2020 NO_x Mass (Tons)</i> | <i>Heat Input (MMBtu)</i> | <i>County</i> | <i>2021 Rate (Lbs/MMBtu)</i> | <i>2021 OS Limit (Tons NO_x)</i> |
|---------------------------------------|------------------|----------------|----------------------------------------|---------------------------|---------------|------------------------------|--------------------------------------------|
| Veolia Energy Philadelphia—Schuylkill | 50607 | 26 | 6.356 | 108,603 | Philadelphia | 0.35 | 19 |
| Veolia Energy Philadelphia—Schuylkill | 50607 | RSB1 | 0.263 | 56,116.37 | Philadelphia | 0.35 | 10 |
| Veolia Energy Philadelphia—Schuylkill | 50607 | RSB2 | 0.303 | 53,797.38 | Philadelphia | 0.35 | 9 |
| <i>Totals:</i> | | | 643.996 | 19,777,827 | | | 3,436 |

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-640. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Virtual Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold virtual public meetings by means of Microsoft Teams on Wednesday, May 26, 2021, from 9 a.m. to 4:45 p.m. and on Thursday, May 27, 2021, from 9 a.m. to 12 p.m.

Participants can access the virtual public meetings through the following options:

1. To join by computer, contact Kyle Fait at c-kyfait@pa.gov to request a link for the virtual public meeting the individual wants to join. This will connect the individual to the virtual public meeting on their computer. Individuals who have a camera and microphone on their computer, can access the virtual public meeting through the provided link.

2. Individuals who need to connect by phone should dial (412) 648-8888 and enter the meeting ID which is listed as follows:

Wednesday, May 26th—Day 1: Main Meeting

Phone Conference ID: 592 911 238#

Wednesday, May 26th—Day 1: Evaluation Subcommittee

Phone Conference ID: 489 007 259#

Wednesday, May 26th—Day 1: Assessment Subcommittee

Phone Conference ID: 667 482 806#

Thursday, May 27th—Day 2: Main Meeting

Phone Conference ID: 581 637 130#

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention Integrated HIV Surveillance and Prevention Programs for Health Departments grant. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires

that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the virtual public meetings who require an auxiliary aid, service or other accommodation to do so should contact Kyle Fait, Planning Coordinator, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Health and Welfare Building, Harrisburg, PA 17120, (717) 260-8929, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel these virtual public meetings without prior notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-641. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Infant Hearing Screening Advisory Committee Virtual Public Meeting

The Infant Hearing Screening Advisory Committee established under the Infant Hearing, Education, Assessment, Reporting and Referral (IHEARR) Act (11 P.S. §§ 876-1—876-9), will hold a virtual public meeting on Thursday, May 6, 2021. The virtual public meeting will be held by means of Microsoft Teams from 1 p.m. until 3 p.m. The virtual public meeting can be accessed in by logging on electronically through Microsoft Teams at https://teams.microsoft.com/l/meetup-join/19%3ameeting_ODc5NzZlZT or by calling 1 (267) 332-8737 and entering call ID: 111958749#. Agenda items will include reports by the Cytomegalovirus and Audiology subcommittees, a review of the Newborn Hearing Screening Program activities, an update on the 2021 Early Hearing Detection Intervention National Conference and a discussion of the 2019 Joint Committee on Infant Hearing position statement.

For additional information or for persons with a disability who wish to attend the virtual public meeting and require auxiliary aid, service or other accommodation to do so, contact Mark Beall, Program Administrator, Division of Newborn Screening and Genetics, (717) 783-8143. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-642. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Organ Donation Advisory Committee Virtual Public Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a virtual public meeting on Thursday, May 6, 2021, from 10 a.m. to 1:30 p.m. The purpose of the virtual public meeting is to review progress in the area of organ and tissue donation in this Commonwealth, recommend education and awareness activities, recommend priorities in expenditures from the Organ and Tissue Donation Awareness Fund (Fund) and advise the Secretary of Health on matters relating to the administration of the Fund. The virtual public meeting will be conducted virtually using Microsoft Teams. Contact the Organ Donation Program at (717) 787-5876 or ra-dhorgandonation@pa.gov with any questions regarding connecting to the virtual public meeting.

For additional information or for persons with a disability who wish to attend the virtual public meeting and require an auxiliary aid, service or other accommodation to do so contact Amy Flaherty, Director, Division of Nutrition and Physical Activity, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 787-5876, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This virtual public meeting is subject to cancellation without notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-643. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC) Virtual Public Meetings

In accordance with 7 CFR 246.4(b) (relating to State plan), the Department of Health has scheduled 10 virtual public meetings from 10 a.m. to 3 p.m. to record public comments to the program. These public meetings will be held virtually this year, not in-person, and will occur on the following dates:

1. May 3, 2021, Shenango Valley Urban League, Inc., Farrell, PA
Call: 1 (267) 332-8737 and Conference ID: 774 134 341#
2. May 3, 2021, Broad Top Medical Center, Mount Union, PA
Call: 1 (267) 332-8737, Conference ID: 215 236 594#
3. May 5, 2021, Maternal Family Health Services, Inc., Wilkes-Barre, PA
Call: 1 (267) 332-8737, Conference ID: 573 006 825#
4. May 5, 2021, Home Nursing Agency, Altoona, PA
Call: 1 (267) 332-8737, Conference ID: 381 723 559#
5. May 6, 2021, Chester County Health Department, West Chester, PA
Call: 1 (267) 332-8737, Conference ID: 923 422 573#
6. May 10, 2021, Hamilton Health Center, Harrisburg, PA
Call: 1 (267) 332-8737, Conference ID: 521 969 236#
7. May 11, 2021, Adagio Health, Inc., Butler, PA
Call: 1 (267) 332-8737, Conference ID: 782 987 661#
8. May 12, 2021, NORTH, Inc., Philadelphia, PA
Call: 1 (267) 332-8737, Conference ID: 814 720 208#
9. May 13, 2021, Blueprints, Washington, PA
Call: 1 (267) 332-8737, Conference ID: 922 636 742#
10. May 18, 2021, Community Progress Council, Inc., York, PA
Call: 1 (267) 332-8737, Conference ID: 774 533 939#

These virtual public meetings are open to the public to provide comments and recommendations for the development of the 2022 WIC State Plan of Program Operation and Administration for the Special Supplemental Nutrition Program for Women, Infants and Children (WIC) in the Commonwealth. Persons wishing to give testimony at a virtual public meeting are asked to pre-register with the State WIC Program Office by calling (717) 783-1289. Call-in information will be confirmed upon pre-registration. Individuals unable to participate by calling into a virtual public meeting, but wishes to express their views, may submit written comments by May 31, 2021, by e-mail to the PA WIC Outreach Coordinator, cansanders@pa.gov, or mail to the Department of Health, Bureau of Women, Infants and Children (WIC), 625 Forster Street, 7 West, Health and Welfare Building, Harrisburg, PA 17120.

For speech and/or hearing-impaired persons, call V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984. The Pennsylvania WIC program is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider.

These virtual public meetings are subject to cancellation without notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-644. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Traumatic Brain Injury Advisory Board Virtual Public Meeting

The Traumatic Brain Injury Advisory Board (Board), established under section 1252 of the Federal Traumatic

Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a virtual public meeting on Friday, May 7, 2021. Due to health concerns related to the novel coronavirus (COVID-19), the virtual public meeting will be held by means of Microsoft Teams from 9 a.m. to 1 p.m.

Meeting materials will be sent out before the virtual public meeting. Contact Nicole Johnson at njohnson@pa.gov with any questions. To join the Microsoft Teams virtual public meeting, call 1 (267) 332-8737. The conference ID is 592447138#.

The Department of Health's (Department) Head Injury Program (HIP) strives to ensure that eligible individuals who have a traumatic brain injury receive high quality rehabilitative services aimed at reducing functional limitations and improving quality of life. The Board assists the Department in understanding and meeting the needs of persons living with traumatic brain injury and their families. This quarterly virtual public meeting will provide updates on a variety of topics including the number of people served by HIP. In addition, meeting participants will discuss budgetary and programmatic issues, community programs relating to traumatic brain injury and available advocacy opportunities.

For additional information, or for persons with a disability who wish to attend the virtual public meeting and require an auxiliary aid, service or other accommodation to do so contact Nicole Johnson, Division of Community Systems Development and Outreach, (717) 772-2763, or for speech and/or hearing-impaired persons, contact V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984.

This virtual public meeting is subject to cancellation without notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-645. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments and Supplemental Hospital Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds in Fiscal Year 2020-2021 for a class of inpatient Disproportionate Share payments and a class of inpatient supplemental payments to Medical Assistance (MA) enrolled, qualifying inpatient acute care general hospitals. The Department does not

intend to otherwise change the qualifying criteria or payment methodology for these payments. The qualifying criteria and payment methodology for each payment are described in the Commonwealth's Medicaid State Plan.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual Disproportionate Share Hospital (DSH) allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

The allocation of the funds for DSH payments described as follows is contingent on the availability of Federal financial participation for these payments.

Allocation of Funds

The Department intends to allocate \$1.658 million in total funds for DSH payments to enrolled acute care general hospitals that provide a high volume of services to MA and low-income populations upon approval by the Centers for Medicare & Medicaid Services (CMS).

The Department intends to allocate \$5.168 million in total funds for supplemental payments to qualifying acute care general hospitals that provide medical and surgical ocular services to MA beneficiaries to ensure continued access to these critical eye related services upon approval by CMS.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1433. (1) General Fund; (2) Implementing Year 2020-21 is \$1,929,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-646. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule: Addition of Procedure Codes for SARS-CoV-2 Vaccine Administration

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of procedure codes to the Medical Assistance (MA) Program Fee Schedule for the administration of vaccines for the novel coronavirus (SARS-CoV-2).

On November 10, 2020, in anticipation of the availability of vaccines for SARS-CoV-2, the American Medical Association (AMA), in collaboration with the Centers for Medicare & Medicaid Services (CMS), established new Current Procedural Terminology (CPT) codes for the administration of the vaccines manufactured by Pfizer, Inc. and Moderna, Inc. These codes were added to the MA Program Fee Schedule on December 1, 2020.

On December 17, 2020, the AMA, in collaboration with CMS, established new CPT codes for the administration of the SARS-CoV-2 vaccines manufactured by AstraZeneca. These codes were added to the MA Program Fee Schedule on February 1, 2021.

On January 20, 2021, the AMA, in collaboration with CMS, established a new CPT code for the administration of the SARS-CoV-2 vaccines manufactured by Janssen Biotech, Inc. The code was added to the MA Program Fee Schedule on February 26, 2021.

The Department updated the MA Program Fee Schedule to include the CPT codes for the administration of the SARS-CoV-2 vaccines, as set forth as follows.

| <i>Vaccine Manufacturer</i> | <i>Code</i> | <i>Code Description</i> | <i>MA Fee</i> |
|-----------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Pfizer, Inc. | 0001A | Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; first dose | \$16.94 |
| | 0002A | Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; second dose | \$28.39 |
| Moderna, Inc. | 0011A | Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; first dose | \$16.94 |
| | 0012A | Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; second dose | \$28.39 |
| AstraZeneca | 0021A | Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, DNA, spike protein, chimpanzee adenovirus Oxford 1 (ChAdOx1) vector, preservative free, 5×10 ¹⁰ viral particles/0.5mL dosage; first dose | \$16.94 |
| | 0022A | Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, DNA, spike protein, chimpanzee adenovirus Oxford 1 (ChAdOx1) vector, preservative free, 5×10 ¹⁰ viral particles/0.5mL dosage; second dose | \$28.39 |
| Janssen Biotech, Inc. | 0031A | Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5×10 ¹⁰ viral particles/0.5mL dosage; single dose | \$28.39 |

The Department also issued MA Bulletins to providers enrolled in the MA Program advising of the addition of the new CPT codes to the MA Fee Schedule.

Fiscal Impact

The estimated fiscal impact of the addition of SARS-CoV-2 vaccine administration for Fee-for-Service for Fiscal Year (FY) 2020-2021 is \$3.464 million. The estimated fiscal impact for managed care for FY 2021-2022 is \$102.335 million and for Fee-for-Service is \$10.495 million.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1418. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 21-647. Filed for public inspection April 23, 2021, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Planning and Environmental Linkages; Virtual Public Meeting

The Department of Transportation (Department) will host an on-demand virtual public meeting for a Planning and Environmental Linkages (PEL) Study exploring sustainable transportation funding options. The virtual public meeting takes place from April 29, 2021, to June 1, 2021, and will be accessible online at all hours of the day at www.penndot.gov/funding.

The PEL Study, in support of the Department Pathways Program (Program), is being conducted to identify near-term and long-term alternative funding solutions and establish a methodology for their evaluation.

In February, the Department announced candidate bridge projects being considered as a part of the Major Bridges Public-Private Partnership (P3) initiative. This initiative, the first of the Program, was formed in response to one of the early findings of the PEL Study—that tolling of major bridges in need of replacement or rehabilitation is a potential viable near-term funding solution. The draft PEL Study report is currently available for review and comment and identifies additional medium-term to long-term funding alternatives that could be considered for implementation.

The Department encourages everyone to review the materials presented in the virtual public meeting and to provide comments, which will be accepted throughout the duration of the virtual public meeting. Online comments can be submitted directly from the virtual public meeting web site or by other comment submission methods, including:

- E-mail: PennDOTPathways@pa.gov
- Hotline: (717) 325-6129

For more information about the Program, individuals can visit: www.penndot.gov/funding.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 21-648. Filed for public inspection April 23, 2021, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Rescheduled

The Environmental Quality Board (Board) meeting scheduled for Tuesday, May 18, 2021, has been rescheduled. The Board will now meet virtually on Wednesday, May 19, 2021, beginning at 9 a.m. Individuals who wish to join the meeting may do so remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board," then "2021 Meetings").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the May 19, 2021, meeting can be directed to Laura Griffin at laurgriffi@pa.gov or (717) 783-8727.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-8727 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 21-649. Filed for public inspection April 23, 2021, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed at the Commission's web site at www.irrc.state.pa.us.

| <i>Final-Form Reg. No.</i> | <i>Agency/Title</i> | <i>Received</i> | <i>Public Meeting</i> |
|--------------------------------|---------------------------------------------------------------------------------------|-----------------|-----------------------|
| 12-111 | Department of Labor and Industry Unemployment Compensation; Employee Provisions | 4/5/21 | 5/20/21 |

| <i>Final-Form Reg. No.</i> | <i>Agency/Title</i> | <i>Received</i> | <i>Public Meeting</i> |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------|
| 7-533 | Environmental Quality Board Water Quality Management and National Pollution Discharge Elimination System Permit Application and Annual Fees | 4/6/21 | 5/20/21 |

| <i>Final-Omit Reg. No.</i> | <i>Agency/Title</i> | <i>Received</i> | <i>Public Meeting</i> |
|--------------------------------|----------------------------------------------------------------------------------|-----------------|-----------------------|
| 3-57 | Department of Banking and Securities Repeal or Amendment of Assorted Sections | 4/7/21 | 5/20/21 |

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 21-650. Filed for public inspection April 23, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Angelique Gross; Doc. No. SC21-04-002

Notice is hereby given of the Order to Show Cause issued on April 13, 2021, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: sections 611-A(1), (2), (8) and (20) and 678-A(a) and (b) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(1), (2), (8) and (20) and 310.78(a) and (b)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 21-651. Filed for public inspection April 23, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT

Notice Regarding the Need to Assess the Impacts of the COVID-19 Pandemic in Property and Casualty Rate Filing; Notice 2021-04

Since the start of the novel coronavirus (COVID-19) pandemic, the Insurance Department's (Department)

property and casualty actuarial staff have allocated significant resources in the rate filing review process on ensuring that the impacts of the pandemic have been appropriately accounted for in rate filings. Many questions have been asked regarding insurers' assessments of the impacts of the pandemic and how these impacts have been incorporated in the rates being requested. In many filings, the Department has also requested the insurer's monthly claim frequency statistics such that the Department can analyze the impacts on its own.

Calendar year 2021 has been met with great optimism as vaccinations are being administered in significant numbers across this Commonwealth. However, much has changed since the start of the pandemic and there will be lasting impacts on many insurance products. These impacts will continue to need to be analyzed and addressed in rate filings.

For example, it has been well established that telework is expected to continue even after a majority of Americans and residents of this Commonwealth are vaccinated. While there will be a return to the office for many workers, expectations are that various types of permanent telework arrangements (for example, work from home on certain days) will be at levels that far exceed that which existed prior to the pandemic. This will have a negative impact on miles driven, especially during high-volume commuting hours.

Insurers are therefore reminded that the lasting impacts of the pandemic continue to need to be accounted for in their rate filings. For those property and casualty insurance products impacted by the pandemic, insurers, rating organizations and third-party filers are instructed to include, within their rate filings, a specific section describing their analysis and assessment of the impacts of the pandemic on the product and how this has been accounted for in the filing. The filings should also include claim frequency statistics, by month, on both a Commonwealth and National basis. Five years' worth of claim frequency data should be provided (when available), inclusive of the most recent months in which it is available. The claim frequencies should be at equal stages of development such that the older data can be compared to the recent data. (Note that claim frequencies do not mean raw claim counts.) The data should be provided in Excel and be separated by coverage type (for example, liability and physical damage). If the filer believes that there is an offsetting impact to severity, severity statistics should also be provided in Excel.

For those property and casualty insurance products that insurers, rating organizations and third-party filers believe have not been impacted by the pandemic, rate filings should include a specific section describing why they believe there has not been an impact and be prepared to provide the previously-mentioned claim frequency statistics to support this assessment, if requested.

The Department will monitor the on-going impacts of the pandemic in this manner and will make an announcement when it believes the previously-requested information is no longer necessary to be included with rate filings.

Finally, note that it is not acceptable to base a rate change proposal on a rate level indication that ignores the impacts of the pandemic and then suggest that the pandemic's impacts have been accounted for by proposing a rate change that deviates from the rate level indication provided. The Department cannot evaluate a rate proposal on an invalid rate level indication.

Questions regarding this notice can be addressed to Michael McKenney, Property and Casualty Actuarial Supervisor, mmckenney@pa.gov, (717) 705-0166.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 21-652. Filed for public inspection April 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2021-3025221. Columbia Gas of Pennsylvania, Inc. Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to two residential premises located in Adams County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 10, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Applicant: Columbia Gas of Pennsylvania, Inc.

Through and By Counsel for: Meagan B. Moore, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-653. Filed for public inspection April 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 10, 2021. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by May 10, 2021. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-2021-3024992. Busy Bee Transit, Inc. (2625 West Oxford Street, Philadelphia, Philadelphia County, PA 19121) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the City and County of Philadelphia, and from points in the City and County of Philadelphia to points in the Counties of Bucks, Chester, Delaware and Montgomery, and return.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.*

A-2021-3024868. Millennium Moving, LLC (117 Redford Road, Oreland, Montgomery County, PA 19075) to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania, which is to be a transfer of all rights authorized under the certificate issued at A-00115679, F.3, to Millennium Moving Co., Inc., subject to the same limitations and conditions.

Applications of the following for the approval of the *right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2021-3024834. Classic Limousine Transportation, LLC (1001 Third Avenue, Coraopolis, Allegheny County, PA 15108) discontinuance of service and cancellation of its certificate to transport as a common carrier, by motor vehicle, persons in paratransit service, as previously granted under A-00112166.

A-2021-3024980. AK Moving Solutions, LLC (86 Lilly Drive, Feasterville-Trevese, Bucks County, PA 19053) for discontinuance and cancelation of the right to transport, as a common carrier, household goods in use, between points in Pennsylvania, as authorized at Docket A-2018-3000034.

A-2021-3024835. Classic Limousine Transportation, LLC (1001 Third Avenue, Coraopolis, Allegheny County, PA 15108) discontinuance of service and cancellation of its permit to arrange transport as a broker of persons, as previously granted under A-00112166.

A-2021-3024837. Classic Limousine Transportation, LLC (1001 Third Avenue, Coraopolis, Allegheny County, PA 15108) discontinuance of service and cancellation of its certificate to transport as a common carrier, by motor vehicle, persons in limousine service, as previously granted under A-00112166.

A-2021-3024838. Classic Limousine Transportation, LLC (1001 Third Avenue, Coraopolis, Allegheny County, PA 15108) discontinuance of service and cancellation of its certificate to transport as a common carrier, by motor vehicle, persons in group and party 11—15 passenger service, as previously granted under A-00112166.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-654. Filed for public inspection April 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025209. Verizon Pennsylvania, LLC and Entelephant Solutions, Inc. Joint petition of Verizon Pennsylvania, LLC and Entelephant Solutions, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Entelephant Solutions, Inc., by their counsel, filed on April 13, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon Pennsylvania, LLC and Entelephant Solutions, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-655. Filed for public inspection April 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025212. Verizon North, LLC and Entelephant Solutions, Inc. Joint petition of Verizon North, LLC and Entelephant Solutions, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Entelephant Solutions, Inc., by their counsel, filed on April 13, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon North, LLC and Entelephant Solutions, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-656. Filed for public inspection April 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications; Zito Mifflin County, LLC; Doc. No. P-2021-30023622

The Pennsylvania Public Utility Commission (Commission) invites comment on the following application to amend an eligible telecommunications carrier (ETC) designation since it was awarded Federal high-cost support moneys from the Federal Communication Commission's Rural Digital Opportunity Fund Auction: Zito Mifflin County, LLC; Docket No. P-2021-30023622.

On August 2, 2010, the Commission entered an Order adopting a final policy statement on ETC designation

and ETC annual recertification and reporting requirements for all telecommunications carriers at Docket No. M-2010-2164741. See 52 Pa. Code § 69.2501 (relating to standards applicable for designation and annual certification as an eligible telecommunications carrier, for purposes of obtaining Federal universal service support) for the Final Policy Statement, Standards Applicable for Designation and Annual Certification as an Eligible Telecommunications Carrier, for purposes of obtaining Federal universal service support. The Final Policy Statement became effective on October 2, 2010, upon publication at 40 Pa.B. 5586 (October 2, 2010).

This notice is to inform telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission. By this notice, the Commission extends the time for filing an answer to the petition under 52 Pa. Code § 5.61 (relating to answers to complaints, petitions, motions and preliminary objections). Interested persons may file an answer on or before 20 days after this notice is published in the *Pennsylvania Bulletin*. Thereafter, the petitioner has 10 days to file and serve its response. Filings must reference Docket No. P-2018-3005035. All answers to the application must also be served on the petitioner. Documents filed relative to this docket are available for inspection by searching under the petitioner's docket number on the Commission's web site at <https://www.puc.pa.gov/search/document-search/>.

In accordance with the Commission's Emergency Order at Docket No. M-2020-3019262 (issued on March 20, 2020; ratified on March 26, 2020; modified by Secretarial Letter issued July 27, 2020), all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. Any confidential filings should be clearly marked as such and e-mailed directly to Commission Secretary, Rosemary Chiavetta, at rchiavetta@pa.gov.

The contact for questions regarding this notice is Rhonda L. Daviston, Assistant Counsel, Law Bureau, (717) 787-6166.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-657. Filed for public inspection April 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer Indirect Control

A-2021-3025199, A-2021-3025205, A-2021-3025208, A-2021-3025210 and A-2021-3025211. GTCR Onvoy Holdings, LLC, Transferor, Onvoy, LLC, Broadvox-CLEC, LLC, ANPI Business, LLC, ANPI, LLC, Neutral Tandem-Pennsylvania, LLC, Licensees and

Sinch US Holding, Inc., Transferee. Joint application of GTCR Onvoy Holdings, LLC, Transferor, Onvoy, LLC, Broadvox-CLEC, LLC, ANPI Business, LLC, ANPI, LLC, Neutral Tandem-Pennsylvania, LLC, Licensees and Sinch US Holding, Inc., Transferee, for approval to transfer indirect control of licenses to transferee.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 10, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the Applicant's business address.

Applicants: Onvoy, LLC; Broadvox-CLEC, LLC; ANPI Business, LLC; ANPI, LLC; Neutral Tandem-Pennsylvania, LLC

Through and By Counsel: Catherine G. Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921, (215) 963-5000, fax (215) 963-5001, catherine.vasudevan@morganlewis.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-658. Filed for public inspection April 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2021-3025160 and U-2021-3025162. Pennsylvania-American Water Company. Application of Pennsylvania-American Water Company for certificate of public convenience for approval of the right to offer, render, furnish and supply water service to the public in Middlesex Township, Cumberland County, and filing by Pennsylvania-American Water Company under 66 Pa.C.S. § 507 (relating to contracts between public utilities and municipalities) emergency interconnection agreement between Pennsylvania-American Water Company and Middlesex Township Municipal Authority.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 10, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Applicant: Pennsylvania-American Water Company

Through and By Counsel: Elizabeth Rose Triscari, Corporate Counsel, Pennsylvania-American Water Com-

pany, 852 Wesley Drive, Mechanicsburg, PA 17055, (717) 550-1574, elizabeth.triscari@amwater.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-659. Filed for public inspection April 23, 2021, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than May 10, 2021. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-21-04-02. Subha Trans, Inc. (132 Marlboro Road, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-21-04-03. Saha Taxi, LLC. (2482 Brandon Court, Bensalem, PA 19020): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-21-04-04. A&M Taxi, LLC (6200 Brous Avenue, Philadelphia, PA 19149): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-21-04-05. AKM Taxi, LLC (307 East Sanger Street, Philadelphia, PA 19120): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-21-04-06. GK & HS Transport, LLC (245 Wiltshire Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a

common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 21-660. Filed for public inspection April 23, 2021, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Rita Anna-Maria Krichevsky, MD; Case No. 18-49-011140

On February 9, 2021, Rita Anna-Maria Krichevsky, MD, Pennsylvania license No. MD060435L, last known of Lawrenceville, NJ, had her license indefinitely suspended, retroactive to March 11, 2020, and was assessed \$600 in costs of investigation, based on being unable to practice medicine with reasonable skill and safety to patients due to impairment.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final State Board of Medicine (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

MARK B. WOODLAND, MS, MD,
Chairperson

[Pa.B. Doc. No. 21-661. Filed for public inspection April 23, 2021, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Nicole Leandre Eicher, RN; Case No. 19-51- 002728

On January 29, 2021, Nicole Leandre Eicher, RN, license No. RN605676, last known of Cleveland, OH, had her license indefinitely suspended, based on disciplinary action being taken against her license by the proper licensing authority of another state.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 21-662. Filed for public inspection April 23, 2021, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

| <i>Ag Operation Name, Address</i> | <i>County/Township</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>New, Amended or Existing</i> | <i>Action Taken</i> |
|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|--------------------------------|--------------------|---------------------------------|---------------------|
| Zugstead Farms, Inc.— Home Farm and Walker Mansion Farm 558 Freed Road and 123 Freed Road Mifflintown, PA 17059 | Juniata County/ Walker Township | 1,583.5 | Cattle | New | Approved |
| Paul Dotterer & Sons, Inc.— Home Farm 410 Kryder Road Mill Hall, PA 17751 | Clinton County/ Porter Township | 1,038.2 | Cattle | Amended | Approved |
| Kulp Family Dairy, LLC— Lar-Ann Farm 2373 Cove Mountain Road Martinsburg, PA 16662 | Blair County/ North Woodbury Township | 171 | Cattle/Goats | New | Approved |
| Roaring Creek Egg Farms, LLC—Middle Road Farm 319 Middle Road Catawissa, PA 17820 | Columbia County/ Cleveland Township | 2,747.04 | Layers | Amended | Approved |
| S.&A. Kreider & Sons, Inc.— Hershberger Farm 227 Center Road Quarryville, PA 17566 | Lancaster County/ East Drumore Township | 353.65 | Cattle | New | Approved |
| R.W. Sauder, Inc. Hegins Valley Layer Complex 824 Church Road Hegins, PA 17938 | Schuylkill County/ Hubley Township | 816.8 | Layers | Amended | Approved |
| PID, LLC—Presque Isle Downs & Casino 8199 Perry Highway Erie, PA 16509 | Erie County/ Summit Township | 154.42 | Horses | Transferred | Approved |

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 21-663. Filed for public inspection April 23, 2021, 9:00 a.m.]

