

NOTICES

DEPARTMENT OF AGRICULTURE

Pennsylvania Certified Hemp Sampling Program; General Standards and Requirements for Penn- sylvania Certified Hemp Sampling Agents

Recitals.

A. The Act relating to Controlled Plants and Noxious Weeds (“Act”) (3 Pa.C.S.A. § 1501 et seq.) authorizes the Department of Agriculture (Department) through the Controlled Plant and Noxious Weed Committee (Committee) to establish a controlled plant list and to add plants to or remove plants from the controlled plant list (3 Pa.C.S.A. § 1511(b)(3)(ii)(iii)).

B. The Act provides for publication of the noxious weed and the controlled plant list and additions or removals or changes thereto to be published as a notice in the *Pennsylvania Bulletin* and for such additions or removals to become effective sixty (60) days from publication (3 Pa.C.S.A. § 1511(b)(3)(iv)).

C. Pursuant to that authority, the Committee acted to add hemp to the Controlled Plant List and published such Notice in the *Pennsylvania Bulletin* on April 6, 2019 (49 Pa.B. 1667, Saturday April 6, 2019).

D. Section 1513 of the Act authorizes the Department to issue General Permits, on a Statewide or Regional basis, for the research, marketing, retail, wholesale, transport, storage, warehousing, display, distribution, cultivation or propagation of controlled plants, where the controlled plants have similar characteristics and are capable of being cultivated, propagated, processed and controlled or eradicated in a similar fashion (3 Pa.C.S.A. § 1513(1)). A Notice was published, “General Permit Standards and Requirements for Hemp,” in the May 9, 2020 *Pennsylvania Bulletin* (50 Pa.B. 2397, Saturday, May 9, 2020) with amendments also published in subsequent editions of the *Pa Bulletin*.

E. Section 1521 of the Act authorizes the Department, through its inspectors, employees, and agents, to inspect any land, premises, buildings, vehicles, vessels, articles, locations, machinery conveyances or other places of a person holding a permit under this chapter, and collect samples and take pictures of any controlled plants (3 Pa.C.S.A. § 1521(e)).

F. Section 1521 of the Act further authorizes the Department to delegate inspection and sampling conducted under this chapter to an agent acting on behalf of the department. (3 Pa.C.S.A. § 1521(f)).

G. This Notice establishes rules and requirements that constitute the Pennsylvania Certified Hemp Sampling Program and standards for Certified Hemp Sampling Agents, including the process by which a person may be approved by the Department to become a Certified Hemp Sampling Agent, procedures for hemp sampling, and associated recordkeeping requirements.

General Provisions.

The Department hereby establishes a Hemp Sampling Agent Certification Program, under the authority of the act related to controlled plants and noxious weeds (Act) (3 Pa.C.S.A. § 1501 et seq.), for the Controlled Plant, hemp. This program covers the entire Commonwealth. The terms of the Program are as follows:

Article I. General Provisions and Definitions.

(a) *Purpose of the Program.* The purpose of this program is as follows:

(1) To establish provisions under which persons may apply to become certified by the Department to take official hemp samples and be recognized as Certified Hemp Sampling Agents by the Department.

(2) To establish hemp sampling procedures and requirements.

(3) To establish procedures and requirements for documentation and reporting by Certified Hemp Sampling Agents to the Department.

(4) To establish procedures for Department oversight of Certified Hemp Sampling Agents and for denial, revocation, or suspension of Hemp Sampling Agent certification.

(b) *Definitions.*

Act. The act of October 30, 2017, P.L. 774, No. 46, at 3 Pa.C.S.A. §§ 1501—1562, related to controlled plants and noxious weeds.

Applicant. A person signing and submitting a hemp sampling agent application and responsible for ensuring compliance with the terms of the application and certification.

Certified Hemp Sampling Agent. A person having met all of the certification requirements of the program set forth herein.

Controlled plant. A plant species or subspecies that has been designated by the Committee as a controlled plant and is regulated to prevent uncontained growth and to negate undesirable characteristics.

Department. The Department of Agriculture of the Commonwealth.

Hemp. The plant *Cannabis sativa L.* and any viable part of that plant, with a delta-9 tetrahydrocannabinol (THC) concentration of not more than 0.3 percent on a dry weight basis.

Lot. The term “lot,” as defined in the Agricultural Marketing Service Final Rule (FR) on the Establishment of a Domestic Hemp Production Program (86 FR 5596), refers to a contiguous area in a field, greenhouse or indoor growing structure containing the same variety or strain of cannabis throughout the area. In addition, “lot” refers to the batch of contiguous, homogeneous whole of a product being sold to a single buyer at a single time. To be defined by the producer in terms of farm location, field acreage and variety (i.e. cultivar) and to be reported as such to the Department and the FSA.

Permittee. A person who has secured a permit issued by the Department authorizing that person to perform functions and activities related to hemp research, marketing, retail, wholesale, transport, storage, warehousing, display, distribution, cultivation or propagation.

Person. An individual, corporation, association, partnership, municipality or any other entity.

THC. The chemical delta-9 tetrahydrocannabinol. For the purposes of this General Permit, THC shall include total potential delta-9 tetrahydrocannabinol in a plant or product. THC value is determined after the process of decarboxylation, or the application of a conversion factor if the testing methodology does not include decarboxy-

lation, that expresses the potential total delta-9 tetrahydrocannabinol content derived from the sum of the THC and THCA content and reported on a dry weight basis. This post-decarboxylation value of THC can be calculated by using a chromatograph technique using heat, such as gas chromatography, through which THCA is converted from its acid form to its neutral form, THC. Thus, this test calculates the total potential THC in a given sample. The total THC can also be calculated by using a liquid chromatograph technique, which keeps the THCA intact. This technique requires the use of the following conversion: (Total THC = (0.877 × THCA) + THC) which calculates the potential total THC in a given sample.

USDA. The United States Department of Agriculture.

Article II. Procedure for Application and Certification.

(a) *Certified Hemp Sampling Agent General Requirements:* To be eligible to become a Pennsylvania Certified Hemp Sampling Agent, an applicant shall meet the following requirements:

- (1) Be at least 18 years old.
- (2) Must possess a legal and current driver's license.
- (3) Have no real, apparent or hidden conflict of interest or vested interest in the outcome of sample results, such as:
 - (i) Be a nuclear or extended family member of a hemp permittee;
 - (ii) Be employed by a hemp permittee or have a financial stake in a business with an active hemp permit;
 - (iii) Be a hemp broker, distributor or processor.
 - (iv) Be soliciting hemp for sale, processing or distribution or be an employee of an entity that is soliciting, producing, processing or distributing hemp.
- (4) Have an active Spotted Lanternfly permit from the Commonwealth of Pennsylvania or other state.
- (5) Successfully complete all training and testing requirements for the Pennsylvania Hemp Sampling Agent certification. Certification is based on one individual's application, exam, and performance.
- (6) No entity other than the Pennsylvania Department of Agriculture may authorize an individual to take official samples for the Pennsylvania Hemp Program.

(b) *Application Process.* The following process must be followed to become a Pennsylvania Certified Hemp Sampling Agent:

- (1) The applicant must take training provided by the Department on hemp sampling and responsibilities of a Certified Hemp Sampling Agent. The applicant must review the sampling protocol and associated forms, all found on the PA Hemp Program website, https://www.agriculture.pa.gov/Plants_Land_Water/industrial_hemp/Pages/default.aspx.
- (2) The applicant must demonstrate understanding of the training by taking an exam administered by the Department, and must receive a score of 80% or higher.
- (3) The applicant must complete an application form for the certified hemp sampling agent program.

(c) The Department will begin accepting applications effective with signing of this notice and posting of training materials on the Department website: https://www.agriculture.pa.gov/Plants_Land_Water/industrial_hemp/Pages/default.aspx.

(d) Procedures for sampling hemp may change upon future conditions, including requirements imposed by USDA in acceptance of the Pennsylvania State Hemp Plan, legal standards imposed by another federal agency, statutory or regulatory changes or changes in other legal requirements. Such changes may be incorporated into the Pennsylvania Certified Hemp Sampling Program through written notification to all Certified Hemp Sampling Agents and publication on the PA hemp program website, https://www.agriculture.pa.gov/Plants_Land_Water/industrial_hemp/Pages/default.aspx.

(e) Certified Hemp Sampling Agent training and application materials will be available from the Department's Hemp Program website at https://www.agriculture.pa.gov/Plants_Land_Water/industrial_hemp/Pages/default.aspx. Materials may also be requested by contacting The Bureau of Plant Industry Hemp Program at 223-666-2561, RA-AGPLHEMP@pa.gov, or by mail at:

Hemp Program
Pennsylvania Department of Agriculture
2301 North Cameron Street, Harrisburg, PA 17110.

(f) Any persons who materially falsify any information in their application shall be deemed ineligible to participate in the Pennsylvania Certified Hemp Sampling Program.

(g) Upon successful review of completed applications, training and all Program standards, the Department will issue a certification number and certification document to approved applicants, and will display Certified Hemp Sampling Agent, certification and contact information on the Department website.

(h) *Application Contents.* All applicants shall provide the following information on an application provided by the Department:

(1) *Contact information.* Contact information shall include name, business affiliation (if applicable), mailing address, telephone number, email address, business website address (optional), state and county where the applicant is headquartered.

(2) Evidence of successful Spotted lanternfly training completion. This may be a copy of the online training certificate, the certificate ID #, or copy of the Department Permit. If training was provided by a permitted member of the applicant's business organization, then the name and certificate or permit for that individual must be provided.

(3) *Attestations.* The applicant shall attest to all the following:

(i) To have no real, apparent or hidden conflict of interest or vested interest in the outcome of sample results, and will perform duties without bias.

(ii) That in transporting hemp samples, all biosecurity safeguards will be utilized in order to assure isolation from the domestic environment outside of permitted locations.

(iii) That the applicant is 18 years of age or older and possesses a legal and active driver's license.

(iv) That the applicant has reviewed Pennsylvania Hemp Sampling Agent Program materials and agrees to follow the procedures and meet all requirements outlined therein.

(v) That the applicant is responsible for their own actions, including setting fees and securing payment for services rendered, being properly insured and obeying all laws of the Commonwealth and Federal Government.

(i) *Hemp Sampling Agent Approval and Renewal.* Once a Certified Hemp Sampling Agent applicant has been approved by the Department, the Department will issue a certification number and document to the approved applicant. All the following rules and requirements apply.

(1) No entity other than the Pennsylvania Department of Agriculture may authorize an individual to take official samples for the Pennsylvania Hemp Program.

(2) Certification is not transferrable in any manner.

(3) An applicant will not be considered certified and shall not commence any hemp sampling activities until the applicant is issued a certification number and document by the Department for the current sampling year.

(4) Certification is in effect from the date the certification is received until March 31 of the following calendar year. Certification does not renew automatically and must be renewed each year.

(5) Applications for renewal will follow the same process as set forth herein for initial applicants.

(6) *Change in Information or Status.* A Certified Hemp Sampling Agent shall notify the Department immediately should there be any change in the contact or other information required to be provided on the application, or if the Certified Hemp Sampling Agent intends to withdraw from the Program.

(7) Extensions of a certification cycle may be announced, at the discretion of the Department, if application and renewal processes do not allow for continuity of operations.

Article III. Certified Hemp Sampling Agent Liability and Financial Responsibility.

(a) *Liability.* A Certified Hemp Sampling Agent is an independent contractor and is responsible for their own actions, including setting fees and securing payment for services rendered, being properly insured and obeying all laws of the Commonwealth and Federal Government. The Certified Hemp Sampling Agent is responsible for any insurance claims made or criminal or civil actions brought against them during the course of carrying out the duties of a Certified Hemp Sampling Agent.

(b) The Department assumes no liability for the actions of a Certified Hemp Sampling Agent and does not waive or limit its sovereign immunity.

Article IV. Sampling.

The following rules and requirements apply to the sampling of hemp.

(a) All hemp planted, cultivated, propagated or growing in Pennsylvania must be sampled and tested to determine THC concentration levels. It shall be the responsibility of the hemp permittee to assure that each hemp lot described in their permit is sampled and tested.

(i) Active permittees are responsible for contacting a Certified Hemp Sampling Agent to make arrangements for sampling. The permittee or an authorized representative must be present at the growing site during the sampling.

(ii) The hemp permit holder shall hire a Certified Hemp Sampling Agent to take a representative sample of each lot of hemp planted, cultivated, propagated or grown, to submit for testing.

(b) The permit holder shall grant the Certified Hemp Sampling Agent unrestricted access, during normal business hours, to all permitted sites or sites required to be

sampled under the provisions of the Pennsylvania Hemp Program, including all growing, planting, cultivation and propagation locations.

(c) *Sampling*

(1) Official samples must be collected by a Certified Hemp Sampling Agent and in accordance with the sampling procedures and requirements established by the Department and set forth on the Department's Hemp Program webpage: https://www.agriculture.pa.gov/Plants_Land_Water/industrial_hemp/Pages/default.aspx.

(2) The sampling procedures shall assure a representative sample of each variety and lot is procured for testing and address the process and procedures to be followed from entering a growing area and collecting the minimum number of plant specimens necessary to accurately represent the THC content, through shipment to a laboratory for testing of the samples. At a minimum samples shall be obtained from the flowering tops of plants when flowering tops are present, and shall be approximately five to eight inches in length from the "main stem" (that includes the leaves and flowers), "terminal bud" (that occurs at the end of a stem), or "central cola" (cut stem that could develop into a bud) of the flowering top of the plant.

(3) The method used for sampling is defined in the training module and in the document "Hemp Sampling Protocol" available on the Department's Hemp Program webpage. This protocol must be followed to assure that sampling is sufficient to demonstrate at a confidence level of 95 percent that no more than one percent of the plants in each lot would exceed the acceptable hemp THC level and ensure that a representative sample is collected that represents a homogeneous composition of the lot.

(4) The Department may adopt a performance-based alternative sampling procedure in very specific cases, such as when a permittee is conducting research on hemp. In such cases, the permittee will be provided with alternative sampling instructions. If those instructions require or allow sampling to be done by a Certified Hemp Sampling Agent, it is the responsibility of the permittee to communicate any alternative sampling instructions to the agent.

(5) Samples must be collected no more than thirty (30) days prior to harvest. If THC results fall within the THC compliance level, but the permittee fails to complete harvest within thirty (30) days of sample collection, a second pre-harvest sample of the remaining material in the lot shall be required to be submitted for testing. Certified Hemp Sampling Agent may take this second sample from the remaining field material of the lot, and shall clearly designate that sample as being a second official sample for the lot by submitting a PreHarvest Resample Form to the Department along with other required documentation.

(6) A Chain of Custody Form developed by the Department shall be utilized by all persons authorized to take official samples.

(7) A sample receipt shall be completed by the Certified Hemp Sampling Agent or Department employee conducting the sampling and signed by the hemp permittee or an authorized representative thereof, who must be present at the growing site during the sampling.

(8) No sample(s) may be removed from the permitted site prior to the chain of custody form and sample receipt being completed and signed.

(9) *Submitting hemp samples to a THC testing laboratory.*

(i) The permit holder shall designate the specific Department-approved laboratory where samples will be sent for THC testing.

(ii) The Certified Hemp Sampling Agent shall be responsible for transport of the sample directly from the farm to a carrier facility or to the laboratory. The hemp permittee must agree to the process used to transport the sample to the laboratory, but the sample shall remain in the custody of the Certified Hemp Sampling Agent throughout the process, until surrendered to the carrier or laboratory.

(iii) Before being taken from the growing site, all samples will be in labeled, sealed packages and will be accompanied with a Chain of Custody form.

(iv) All movement of hemp samples from a growing site shall be conducted in a manner to prevent any release of viable plant material to the environment and to maintain the identification of the producer, permit number and lot information.

(v) The Certified Hemp Sampling Agent is responsible for determining the system by which the permittee shall pay any fees charged and costs associated with sampling, transporting or mailing samples.

(vi) Samples that are lost in transit, or samples that arrive at the laboratory in unusable condition, are the responsibility of the permittee and Certified Hemp Sampling Agent.

(10) A permittee may request a second official pre-harvest sampling and testing if it is believed that the original results were in error.

(i) The permittee may choose to use the same or a different Certified Hemp Sampling Agent and approved laboratory for the test.

(ii) No more than two official samples per lot will be considered by the Department; only the final official sample will be considered by the Department when determining compliance.

(iii) The permitted grower shall pay the fees and costs of resampling and retesting.

(iv) The Certified Hemp Sampling Agent will clearly designate the resample as being a second official sample for the lot by submitting a PreHarvest Resample Form to the Department along with other required documentation.

(b) *Prohibition Against Harvest Prior to Testing.*

(1) Hemp may not be harvested prior to an official sample being taken by the Department or a Certified Hemp Sampling Agent, but may begin immediately after the official sample has been taken.

(2) Certified Hemp Sampling Agents are not authorized by the Department to take post-harvest samples. Any sample taken after harvest shall not be accepted, the crop will no longer be compliant, a notice of violation may be issued to the permittee, and the harvested material may be required to be destroyed.

Article V. Storage of Hemp Samples.

(a) Storage of hemp samples is not recommended, since degradation during storage may affect test results.

(b) If a Certified Hemp Sampling Agent intends to store samples before sending to the testing laboratory, that must be communicated to and approved by the permittee.

Article VI. Reporting and Recordkeeping.

(1) *Reports.* The following reports are required to be filed by a Certified Hemp Sampling Agent:

(i) *A Receipt for Sample Form*—This form is provided by the Department. The Certified Hemp Sampling Agent shall provide a copy of this form to the permittee or designated representative at the time of sampling, and shall submit a copy to the Department within 5 days after sampling.

(ii) *A Chain of Custody—Sample Shipment Form*—This form is provided by the Department. The Certified Hemp Sampling Agent shall include a copy with the samples being sent to the laboratory for THC testing, and shall submit a second copy to the Department within 5 days after sampling.

(iii) *PreHarvest Resample Form*—If a permitted grower requests a second official sample be taken of a lot pre-harvest, this form, provided by the Department, must be completed by the Certified Hemp Sampling Agent and must accompany the other forms sent to the Department within 5 days of sampling.

(2) *Recordkeeping Requirements.* A Certified Hemp Sampling Agent shall maintain a log of all sample visits made and of samples taken, including date of visit, permit number, and samples taken. Agents shall retain copies of all records and reports necessary to demonstrate compliance with the Pennsylvania Certified Hemp Sampling Program.

(3) All records, reports and documents shall be kept and maintained for a minimum of one calendar year beyond the last sampling date, and must be made available to the Department for inspection upon request.

Article VII. Certified Hemp Sampling Agent Auditing; Certification Denial, Revocation and Suspension.

(a) *Auditing of Certified Hemp Sampling Agent procedures and records.* The Department may conduct audits of Certified Hemp Sampling Agents and take its own samples for testing.

(1) The Department may observe Certified Hemp Sampling Agent sampling activity, to confirm that established procedures are being followed.

(2) The Department may conduct random audits of hemp permit holders and take its own samples for testing. A Department employee may take official samples to audit samples taken by a Certified Hemp Sampling Agent. Such audits will be done on a random basis and may be done at the Department's discretion.

(3) The Department may review all records of a Certified Hemp Sampling Agent related to the requirements of the Pennsylvania Certified Hemp Sampling Program including, sampling, storage and shipping of hemp samples.

(b) *Denial, Suspension or Revocation of a Certified Hemp Sampling Agent Certification.* Certification of a hemp sampling agent may be suspended or revoked if the Department or its representative receives credible information that a Certified Hemp Sampling Agent has done any of the following:

(1) Violated a provision of the Act, the General Permit or the Department's Hemp Sampling Agent Certification Program.

(2) Failed to comply with a written direction of the Department.

(3) Failed to complete the required sampling, shipping, and recordkeeping required by the Department's Hemp Sampling Agent Certification Program.

(c) *Action Upon Suspension, Revocation or Denial.* Upon suspension, revocation or denial of certification, the hemp sampling agent shall cease all sampling agent activities, including any advertising of hemp sampling agent services. The Department will not accept as official any sample records or sample results that indicate a sampling date after the suspension or revocation of certification of the sampling agent.

(d) *Effective timeframe for suspension or revocation.* Any person whose certification has been suspended or revoked for cause will be barred from becoming re-certified for a period of three years from the suspension or revocation date.

Article VIII. Violations and Effective Date.

(a) The Department will carry out all administration of the Pennsylvania Hemp Sampling Agent Certification Program.

(b) Penalties for any violations of the Act, permit or order of the Department or unlawful conduct, as set forth at sections 1541 (related to unlawful conduct), 1543 (related to enforcement and 1544 (related to injunctive relief) of the Act may be imposed.

Effective date. This Hemp Sampling Agent Certification Program shall become effective upon signature and publication in the *Pennsylvania Bulletin* and shall remain in effect until rescinded by subsequent order.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 21-709. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending April 27, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Interim Incorporations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-01-2021	Hyperion Interim Bank Philadelphia Philadelphia County	Effective
	The purpose of incorporation of Hyperion Interim Bank is to facilitate the formation of a bank holding company structure for Hyperion Bank. It will then merge with Hyperion Bank and become the wholly-owned subsidiary of Hyperion Bancshares, Inc.	

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-23-2021	LINKBANCORP, Inc. Camp Hill Cumberland County	Filed
	Application for approval to acquire 100% of GNB Financial Services, Inc., Gratz, PA, and thereby indirectly acquire 100% of The Gratz Bank, Gratz, PA.	

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-01-2021	Hyperion Bank Philadelphia Philadelphia County	Effective
	Merger of Hyperion Interim Bank with and into Hyperion Bank. As a result of this transaction, Hyperion Bank has become the wholly-owned subsidiary of Hyperion Bancshares, Inc., a newly-formed holding company.	

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-23-2021	The Gratz Bank Gratz Dauphin County Application for approval to merge LINKBANK, Camp Hill, PA, with and into The Gratz Bank.	Filed

Branch Applications**De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
04-23-2021	LINKBANK Camp Hill Cumberland County	2057 EG Drive Suite 500 Harrisburg Dauphin County	Filed
04-23-2021	LINKBANK Camp Hill Cumberland County	1436 Pottstown Pike West Chester Chester County	Filed

CREDIT UNIONS**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
04-20-2021	White Rose Credit Union York York County	3603 East Market Street York York County	Filed

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 21-710. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP’s tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP’s website to obtain additional information as previously discussed.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0121805	Joint DEP/PFBC Pesticides Permit	New	Andrea & Steve Lehr 630 S Barton Street Arlington, VA 22204-2139	Hamiltonban Township Adams County	SCRO
0221800	Joint DEP/PFBC Pesticides Permit	New	Superior Appalachian Pipeline LLC 4000 Town Center Boulevard Canonsburg, PA 15317-5837	Frazer Township Allegheny County	SWRO
0221801	Joint DEP/PFBC Pesticides Permit	New	Superior Appalachian Pipeline LLC 4000 Town Center Boulevard Canonsburg, PA 15317-5837	Fawn Township Allegheny County	SWRO
0221802	Joint DEP/PFBC Pesticides Permit	New	Superior Appalachian Pipeline LLC 4000 Town Center Boulevard Canonsburg, PA 15317-5837	Indiana Township Allegheny County	SWRO
1417801	Joint DEP/PFBC Pesticides Permit	New	Dimakopoulos John 200 S Nixon Road State College, PA 16801-2313	Ferguson Township Centre County	NCRO
1516815	Joint DEP/PFBC Pesticides Permit	Renewal	Olmstead HOA 15 Peale Drive West Chester, PA 19382-6788	Pocopson Township Chester County	SERO
1521814	Joint DEP/PFBC Pesticides Permit	New	Chester County Parks 382 County Park Road Pottstown, PA 19465	West Nottingham Township Chester County	SERO
1521815	Joint DEP/PFBC Pesticides Permit	New	Chester County Parks 382 County Park Road Pottstown, PA 19465	West Fallowfield Township Chester County	SERO
1521817	Joint DEP/PFBC Pesticides Permit	New	Rosenberg Chad 1020 Newcomen Road Chester Springs, PA 19425-2437	Charlestown Township Chester County	SERO
2021802	Joint DEP/PFBC Pesticides Permit	New	Ross Orgera 23895 Shreve Ridge Road Union City, PA 16438-3237	Bloomfield Township Crawford County	NWRO
2321802	Joint DEP/PFBC Pesticides Permit	New	Charette Dominique 731 W Brookhaven Road Wallingford, PA 19086-6715	Nether Providence Township Delaware County	SERO
2521803	Joint DEP/PFBC Pesticides Permit	New	Manchester Farms HOA 6684 Richardson Road Fairview, PA 16415-1654	Fairview Township Erie County	NWRO
3613857	Joint DEP/PFBC Pesticides Permit	Renewal	Safe Harbor Water Power Corp 1 Powerhouse Drive Conestoga, PA 17516-9651	Manor Township Lancaster County	SCRO
4321802	Joint DEP/PFBC Pesticides Permit	New	Gerald Hooks 550 N Keel Ridge Road Hermitage, PA 16148-3152	Hermitage City Mercer County	NWRO
4321803	Joint DEP/PFBC Pesticides Permit	New	Kenneth Lapinski 150 Hughes Road Jamestown, PA 16134-9537	Greene Township Mercer County	NWRO
4321804	Joint DEP/PFBC Pesticides Permit	New	Edward Bardella 331 North Summit Road Jamestown, PA 16134	West Salem Township Mercer County	NWRO
4619814	Joint DEP/PFBC Pesticides Permit	Transfer	Nissman Steven 7026 Sheaff Lane Fort Washington, PA 19034	Whitemarsh Township Montgomery County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6121803	Joint DEP/PFBC Pesticides Permit	New	Donald Page 1738 W Home Road Emlenton, PA 16373-8328	Richland Township Venango County	NWRO
6516801	Joint DEP/PFBC Pesticides Permit	Amendment	Ligonier Camp & Conference Center 188 Macartney Lane Ligonier, PA 15658-2708	Ligonier Township Westmoreland County	SWRO
0611201	Manure Storage Facilities Individual WQM Permit	Transfer	JSR Management LLC 275 Naftzingertown Road Mohrsville, PA 19541-9700	Upper Bern Township Berks County	SCRO
PA0115100	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Dear MHP LLC 4007 Dean Martin Drive Las Vegas, NV 89103-4137	Lawrence Township Tioga County	NCRO
NOEXSE330	No Exposure Certification	New	Xynatech Inc. 672 Davisville Road Willow Grove, PA 19090	Upper Moreland Township Montgomery County	SERO
PAG036298	PAG-03 NPDES General Permit for Industrial Stormwater	New	Giant Eagle Inc. 101 Kappa Drive Pittsburgh, PA 15238-2809	New Sewickley Township Beaver County	SWRO
PAG056273	PAG-05 NPDES General Permit for Groundwater Cleanup	New	Tkl Holdings LLC P.O. Box 44 Delmont, PA 15626-0044	Loyalhanna Township Westmoreland County	SWRO
PAG120001	PAG-12 NPDES General Permit for CAFOs	Renewal	McMichael Custom Spreading LLC 791 Street Road Oxford, PA 19363-1135	Lower Oxford Township Chester County	SCRO
PAG123545	PAG-12 NPDES General Permit for CAFOs	Renewal	Hershey AG 138 Airport Road Marietta, PA 17547-9105	South Londonderry Township Lebanon County	SCRO
PAG123630	PAG-12 NPDES General Permit for CAFOs	Renewal	Charles James H 3241 Blue Rock Road Lancaster, PA 17603-9773	Manor Township Lancaster County	SCRO
PAG123689	PAG-12 NPDES General Permit for CAFOs	Renewal	Brubaker Robert L Jr 2871 N Colebrook Road Manheim, PA 17545-8309	Rapho Township Lancaster County	SCRO
PAG123699	PAG-12 NPDES General Permit for CAFOs	Renewal	Blue Berry Hill Farm Inc. 2950 Centennial Road Hanover, PA 17331-8759	Mount Pleasant Township Adams County	SCRO
PAG123721	PAG-12 NPDES General Permit for CAFOs	Renewal	Staub Dennis & Staub Denise 352 Fleshman Mill Road New Oxford, PA 17350-9080	Reading Township Adams County	SCRO
PAG123831	PAG-12 NPDES General Permit for CAFOs	Renewal	Franklin Family Farms Inc. 419 W High Street Elizabethtown, PA 17022-2143	Lurgan Township Franklin County	SCRO
PAG123851	PAG-12 NPDES General Permit for CAFOs	Renewal	Bence Tanner D 953 Valley Road Schellsburg, PA 15559-8753	Napier Township Bedford County	SCRO
PAG123852	PAG-12 NPDES General Permit for CAFOs	Renewal	Jsr Management LLC 275 Naftzingertown Road Mohrsville, PA 19541-9700	Upper Bern Township Berks County	SCRO
PAG124832	PAG-12 NPDES General Permit for CAFOs	Renewal	Elam B Stoltzfoos Jr 552 Mountain Road Dalmatia, PA 17017-8210	Lower Mahanoy Township Northumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2321401	Sewage Treatment Facilities Individual WQM Permit	New	DELCORA 100 East Fifth Street P.O. Box 999 Chester, PA 19016-0999	Chester City Delaware County	SERO
2521407	Sewage Treatment Facilities Individual WQM Permit	New	Peterson Cary 5914 Stonebridge Drive Erie, PA 16506-7024	McKean Township Erie County	NWRO
2882419	Sewage Treatment Facilities Individual WQM Permit	Amendment	Saint Thomas Township Municipal Authority Franklin County 175 Saint Thomas Edenville Road St Thomas, PA 17252	Saint Thomas Township Franklin County	SCRO
3608403	Sewage Treatment Facilities Individual WQM Permit	Transfer	Mountain View Terr LP 4-6 West King Street Suite 4 Lancaster, PA 17603	Salisbury Township Lancaster County	SCRO
3681401	Sewage Treatment Facilities Individual WQM Permit	Amendment	Ephrata Borough Authority Lancaster County 124 S State Street Ephrata, PA 17522-2411	Ephrata Borough Lancaster County	SCRO
3692402	Sewage Treatment Facilities Individual WQM Permit	Amendment	Conoy Township Lancaster County 211 Falmouth Road Bainbridge, PA 17502-9428	Conoy Township Lancaster County	SCRO
5992404	Sewage Treatment Facilities Individual WQM Permit	Transfer	Dear MHP LLC 4007 Dean Martin Drive Las Vegas, NV 89103-4137	Lawrence Township Tioga County	NCRO
6221402	Sewage Treatment Facilities Individual WQM Permit	New	Green Buck Acres LLC 8528 Gulf Road North East, PA 16428-4312	Pleasant Township Warren County	NWRO
6221403	Sewage Treatment Facilities Individual WQM Permit	New	Haines Brian 451 Phillips Street Warren, PA 16365-1643	Glade Township Warren County	NWRO
6321400	Sewage Treatment Facilities Individual WQM Permit	New	Consol PA Coal Co. LLC 1000 Consol Energy Drive Canonsburg, PA 15317-6506	South Franklin Township Washington County	SWRO
1521402	Sewer Extensions and Pump Stations Individual WQM Permit	New	Upper Uwchlan Township Municipal Authority 140 Pottstown Pike Chester Springs, PA 19425-9516	Upper Uwchlan Township Chester County	SERO
1521404	Sewer Extensions and Pump Stations Individual WQM Permit	New	Aqua Pennsylvania Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402	Penn Township Chester County	SERO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0021814, Sewage, SIC Code 4952, **Mansfield Borough Municipal Authority Tioga County**, 14 S Main Street, Mansfield, PA 16933-1527. Facility Name: Mansfield Municipal Authority Sanitary Sewer STP. This existing facility is located in Mansfield Borough, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tioga River (CWF), is located in State Water Plan watershed 4-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.3 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	270	430 Wkly Avg	XXX	25	40 Wkly Avg	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	320	485 Wkly Avg	XXX	30	45 Wkly Avg	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
(Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen Oct 1 - Apr 30	Report	Report Wkly Avg	XXX	Report	Report Wkly Avg	XXX
May 1 - Sep 30	162	271 Wkly Avg	XXX	15.0	25.0 Wkly Avg	25
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Phosphorus	21	32 Wkly Avg	XXX	2.0	3.0 Wkly Avg	4
(Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
1,2,4-Trichlorobenzene (ug/L)	0.005	0.008	XXX	0.48	0.76	1.21
Dibenzo(a,h)Anthracene (ug/L)	0.00004	0.00006	XXX	0.003	0.005	0.008
Hexachlorobutadiene (ug/L)	0.004	0.006	XXX	0.33	0.52	0.83

The proposed effluent limits for Outfall 001 are based on a design flow of 1.3 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Cadmium, Total	Report Avg Qrtly	Report	XXX	Report Avg Qrtly	Report	XXX
Copper, Total	Report Avg Qrtly	Report	XXX	Report Avg Qrtly	Report	XXX
Zinc, Total	Report Avg Qrtly	Report	XXX	Report Avg Qrtly	Report	XXX
2,4-Dinitrophenol	Report Avg Qrtly	Report	XXX	Report Avg Qrtly	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net (Total Load, lbs) (lbs)	XXX	23,744 Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	Report Total Annual 3,166 Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Combined Sewer Overflow (CSO) requirements
- WET Testing Requirements
- Chesapeake Bay Requirements
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0273023, Storm Water, SIC Code 5171, **Reed Oil Company**, 511 Montgomery Avenue, New Castle, PA 16102-1111. Facility Name: Harned Oil. This existing facility is located in Sadsbury Township, **Crawford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater. Outfall 002 is also added with this application.

The receiving stream, an Unnamed Tributary to the Conneaut Lake (HQ-WWF), is located in State Water Plan watershed 16-D and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	15.0	XXX	30.0

The proposed effluent limits for Outfall 002 are based on a design flow of 0.00 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	15.0	XXX	30.0

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288713, Storm Water, SIC Code 3499, **Metaldyne Sinterforge Products LLC**, 197 W Creek Road, Saint Marys, PA 15857. Facility Name: AAM St Marys. This proposed facility is located in Saint Marys City, **Elk County**.

Description of Proposed Activity: The application is for a new Individual NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Unnamed Tributary 25332 to West Creek (HQ-CWF, MF), is located in State Water Plan watershed 8-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids (TSS)	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Aluminum	XXX	XXX	XXX	Report	XXX	XXX
Total Iron	XXX	XXX	XXX	Report	XXX	XXX
Total Manganese	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0209929, Sewage, SIC Code 4952, 8811, **Dennis Stefanak**, 69 Romain Road, Pulaski, PA 16143-1215. Facility Name: Dennis Stefanak SRSTP. This existing facility is located in Shenango Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Shenango River (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00035 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	20.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0264521, Sewage, SIC Code 4952, 8800, **Adam J. McAvoy**, 3301 W Washington Street, Bradford, PA 16701-2436. Facility Name: Adam J McAvoy SRSTP. This existing facility is located in Corydon Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Willow Creek (HQ-CWF), is located in State Water Plan watershed 16-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288985, Sewage, SIC Code 8800, **Dotty & Roger Shreve**, 141 Butcher Knife Hill Road, Pleasantville, PA 16341-5101. Facility Name: Dotty & Roger Shreve SRSTP. This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Pithole Creek (CWF), is located in State Water Plan watershed 16-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289230, Sewage, SIC Code 4952, 8800, **James & Tabatha Volle**, 3598 Fallen Drive, Jamestown, PA 16134-3412. Facility Name: James & Tabatha Volle SRSTP. This proposed facility is located in West Shenango Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Stream, is located in State Water Plan watershed 20-A and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289302, Sewage, SIC Code 8800, **Brian Haines**, 451 Phillips Street, Warren, PA 16365-1643. Facility Name: Brian Haines SRSTP. This proposed facility is located in Glade Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Conewango Creek (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PAI133501, MS4, **Reading City Berks County**, 815 Washington Street, Reading, PA 19601.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Reading City, **Berks County**. The receiving stream(s), Tulpehocken Creek (WWF, MF), Unnamed Tributary to Schuylkill River (WWF, MF), Wyomissing Creek (CWF, MF), and Angelica Creek (CWF, MF), is located in State Water Plan watershed 3-C and is classified for Migratory Fishes, Cold Water Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

PA0088340, Sewage, SIC Code 6514, **Larry Acchione**, 800 Shady Maple, Enola, PA 17025. Facility Name: TJs Restaurant. This existing facility is located in Buffalo Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Bucks Run (WWF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00032 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0247499, Sewage, SIC Code 6514, **Ruth Colledge**, 1180 E Graceville Road, Breezewood, PA 15533-8012. Facility Name: Colledge Residence. This existing facility is located in East Providence Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Tub Mill Run (WWF), is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Semi Avg XXX	XXX	XXX	30.0	XXX	60.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267341, Sewage, SIC Code 1521, **Frankie L Yocum**, 799 Creek Road, Carlisle, PA 17015-8965. Facility Name: Frankie Yocum Res. This proposed facility is located in West Pennsboro Township, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	5.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0050431 A-1, Industrial, SIC Code 2086, **Refresco North America**, 20 Aldan Avenue, Concordville, PA 19342. Facility Name: Refresco Beverages IWTP. This existing facility is located in Concord Township, **Delaware County**.

Description of Existing Activity: The application is for NPDES permit amendment for an existing discharge of treated industrial waste.

The receiving streams, Unnamed Tributary to West Branch Chester Creek (TSF, MF), and West Branch Chester Creek (TSF, MF) are located in State Water Plan watershed 3-G and are classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.364 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Dissolved Solids	3,036.0	6,072.0	XXX	1,000.0	2,000.0	2,500
Oil and Grease	45.5	Daily Max 91.1 IMAX	XXX	15.0	Daily Max XXX	30.0
Total Nitrogen	45.5	91.1 Daily Max	XXX	15.0	30.0 Daily Max	37.5
Total Phosphorus	3.0	6.1 Daily Max	XXX	1.0	2.0 Daily Max	2.5

The proposed effluent limits for Outfall 002 are based on a design flow of .364 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Dissolved Solids	3,036.0	6,072.0	XXX	1,000.0	2,000.0	2,500
Oil and Grease	45.5	Daily Max 91.1 Imax	XXX	15.0	Daily Max XXX	30.0
Total Nitrogen	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Total Phosphorus	3.0	6.1 Daily Max	XXX	1.0	2.0 Daily Max	2.5

The proposed effluent limits for Outfall 101 are based on a design flow of 0.07 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.17
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	12.0	24.0	XXX	20.0	40.0	50
Total Suspended Solids	18.0	36.0	XXX	30.0	60.0	75
Ammonia-Nitrogen						
Nov 1 - Apr 30	3.5	7.0	XXX	6.0	12.0	15
May 1 - Oct 31	1.2	2.4	XXX	2.0	4.0	5

The proposed effluent limits for Outfall 201 are based on a design flow of 0.288 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Antimony, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	0.0019	0.0038	XXX	0.0008	0.0016	0.002
Selenium, Total	0.012	0.024	XXX	0.005	0.01	0.013
Thallium, Total	0.0005	0.0010	XXX	0.0002	0.0004	0.0005

The proposed effluent limits for Outfall 201 are based on a design flow of 0.288 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Antimony, Total	0.033	0.051	XXX	0.014	0.021	0.034
Cadmium, Total	0.003	0.005	XXX	0.0012	0.0019	0.003
Selenium, Total	0.029	0.045	XXX	0.012	0.019	0.03
Thallium, Total	0.001	0.002	XXX	0.0006	0.0009	0.0015

The proposed effluent limits for Outfall 201 are based on a design flow of 0.288 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	24.0	48.0	XXX	10.0	20.0	25
Total Suspended Solids	24.0	48.0	XXX	10.0	20.0	25
Ammonia-Nitrogen						
Nov 1 - Apr 30	14.4	28.8	XXX	6.0	12.0	15
May 1 - Oct 31	4.8	9.6	XXX	2.0	4.0	5

In addition, the permit contains the following major special conditions:

- Acquire Necessary Property Rights
- Proper Sludge Disposal
- WQM Permit Conditions
- BAT/ELG Reopener
- Chlorine Minimization
- Small Stream Discharge
- 2° Change in the Temperature
- Chemical Additives Condition
- Stormwater Requirements
- Schedule for Discharge Relocation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0050393, Sewage, SIC Code 4952, **Worcester Township**, 1721 Valley Forge Road, Worcester, PA 19490-0767. Facility Name: Valley Green STP. This existing facility is located in Worcester Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Zacharias Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.22 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.22 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	18.3	27.5	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	29.0	44.0	XXX	16.0	24.0	32
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	3.7	XXX	XXX	2.0	XXX	4
Total Phosphorus	1.1	XXX	XXX	0.61	XXX	1

In addition, the permit contains the following major special conditions:

- No stormwater shall be admitted to sanitary sewer
- Proper disposal of screening, slurries, sludges, and other solids
- Notification of the designation of the responsible operator
- Permittee shall develop a treatment facility operations and maintenance (O&M) plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0094111, Sewage, SIC Code 4952, **UMH PA Wellington Estates LLC**, 3499 Route 9 North, Suite 3C, Freehold, NJ 07728. Facility Name: Wellington Estates MHP. This existing facility is located in Washington Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Thorn Run (HQ-CWF), is located in State Water Plan watershed 18-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02812 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	10.0	XXX	20
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Daily Max Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0095087, Sewage, SIC Code 4952, **Bradys Run Sanitary Authority**, 2326 Darlington Road, Beaver Falls, PA 15010-1357. Facility Name: Bradys Run Sanitary Authority STP. This existing facility is located in Chippewa Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Brady Run (TSF), is located in State Water Plan watershed 20-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.13 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	440	665	XXX	25.0	37.5	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	530	795	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.13 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PA0204064, Sewage, SIC Code, **Jeffrey S Robson**, 829 Baileys Run Road, Tarentum, PA 15084-3720. Facility Name: Robson Sr STP. This existing facility is located in Frazer Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Bailey Run (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0218308, Sewage, SIC Code 8211, **Outside In School of Experiential Ed**, 196 Hamill School Road, Bolivar, PA 15923-2525. Facility Name: Outside In School of Experiential Ed. This existing facility is located in Fairfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Hannas Run (CWF), is located in State Water Plan watershed 18-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	12.0	XXX	24.0
May 1 - Oct 31	XXX	XXX	XXX	4.0	XXX	8.0
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Other Requirements
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0254444, Sewage, SIC Code 1241, **Consol PA Coal Company, LLC**, 1000 Consol Energy Drive, Canonsburg, PA 15317-6506. Facility Name: Enlow Fork Mine Oak Spring Slope & Supply Yard STP. This existing facility is located in East Finley Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Rocky Run (TSF), is located in State Water Plan watershed 20-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0028 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.04
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	2.8	XXX	5.6
May 1 - Oct 31	XXX	XXX	XXX	1.9	XXX	3.8
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- TRC Effluent Limitations Below Quantitation Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Northeast Regional Office

PAI132212, MS4, **East Allen Township**, 5344 Nor-Bath Boulevard, Northampton, PA 18067.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in East Allen Township, **Northampton County**. The receiving streams, Monocacy Creek (HQ-CWF/MF), East Branch Monocacy Creek (HQ-CWF/MF), Catasauqua Creek (CWF/MF), Tributaries 3410, 3411 and 3413 to Monocacy Creek (HQ-CWF/MF) and Tributaries 3633

and 3640 to Catasaquua Creek (CWF/MF), are located in State Water Plan watershed 2-C and are classified as previously indicated as well as for aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD150215	New	R&M Holdings, LLC 2300 LLC 2300 New Schuylkill Road Pottstown, PA 19470-7912	East Coventry Township Chester County	SERO
PAD230034 A-2	Amendment	WV-PP Towne Center, LP. 940 Sproul Road Suite 301 Springfield, PA 19064	Middletown Township Delaware County	SERO
PAD450052 A-1	Renewal	Kalahari Resorts 1305 Kalahari Dr. Wisconsin Dells, WI 53965	Tobyhanna and Pocono Townships Monroe County	NERO
PAD520033	Renewal	Dingman Township 118 Fisher Lane Milford, PA 18337	Dingman Township Pike County	NERO
PAD480149	New	Liberty Property Limited Partnership 7584 Morris Court Ste. 200 Allentown, PA 18106	Lower Nazareth Township Northampton County	NERO
PAD390205	Renewal	Elysium Acquisitions, LLC 132 Solomon Way Macungie, PA 18062	South Whitehall Township Lehigh County	NERO
PAD480149	New	Liberty Property Limited Partnership 7584 Morris Court Ste. 200 Allentown, PA 18106	Lower Nazareth Township Northampton County	NERO
PAD210069	New	Upper Allen Township 100 Gettysburg Pike Mechanicsburg, PA 17055	Upper Allen Township Cumberland County	SCRO
PAD280010	New	Guilford Water Authority 115 Spring Valley Road Chambersburg, PA 17202	Greene Township Franklin County	SCRO
PAD670054	New	John Lakatos 45 Forest Ridge Court Red Lion, PA 17356	Windsor Township York County	SCRO
PAD140073 previously PAI041415012	Renewal PAG-02 IP	Anatoli and Irina Loutsik Meeks Lane & Grays Woods Boulevard State College, PA 16801	Patton Township Centre County	NCRO
PAD140070	New PAG-02 IP	BCT Realty, LLC 109 Grandview Road State College, PA 16801	Patton Township Centre County	NCRO
PAD300015	New	Peoples Natural Gas Company, LLC 195 Donohoe Road Greensburg, PA 15601	Center Township Franklin Township Jackson Township Greene County	Greene County Conservation District 22 West High Street Suite 204 Waynesburg, PA 15370 724-852-5278

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD650031	New	RWS Development Company, RC 8958 Hill Drive Irwin, PA 15642	North Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 724-837-4127
PAD360069	New	Robert Redcay 259 Brook Farms Road Lancaster, PA 17601	Rapho Township Lancaster County	Regional Permit Coordination Office (RPCO)—Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101 Email: RA-EPREGIONAL PERMIT@pa.gov

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Hamilton Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Dwight Manbeck 917 Schwartz Valley Road Schuylkill Haven, PA 17972	Schuylkill	159.2	679.17	Swine	NA	Renewal
Linford Snyder Collette Pullet (Covered Bridge Road Farm) 334 Covered Bridge Road Pine Grove, PA 17963	Schuylkill	37.2	380.5	Pullets, Sheep, Goats	NA	Approved

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be

considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed per-

mit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0221512, Public Water Supply.

Applicant	Hampton Shaler Water Authority 3101 McCully Road Allison Park, PA 15101
Township and Borough	Etna Borough Shaler Township
County	Allegheny
Responsible Official	Sam Scarfone Executive Director
Type of Facility	Water system
Consulting Engineer	KLH Engineers, Inc. 5173 Campbells Run Road Pittsburgh, PA 15205
Application Received Date	April 6, 2021
Description of Action	Replacement Wells # 1 & # 2.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 3221502, Public Water Supply.

Applicant	Pennsylvania American Water Company—Indiana Division 1034 Waterworks Road Indiana, PA 15701-6119
Township or Borough	White Township
County	Indiana
Responsible Official	Bruce Aiton
Type of Facility	Oak Hills Booster Pump Station
Consulting Engineer	Gwin, Dobson & Foreman, Inc.
Application Received Date	April 13, 2021
Description of Action	Variable Speed Packaged Pump Station.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Farabella Property, 2301 Computer Avenue, Willow Grove, PA 19090, Upper Moreland Township, **Montgomery County**. Jeff Margdin, Ramboll US Consulting, Inc., 1600 Parkwood Circle, Suite 310, Atlanta, GA 30339 on behalf of Ernest Farabella, 1650 Market Street, 36th Floor, Philadelphia, PA 19103 submitted a Notice of Intent to Remediate. Groundwater at the site has been found to be contaminated with PCE and TCE. The proposed future use of the property will be nonresidential for commercial/industrial purposes. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in the *Times Herald* on March 24, 2021.

APPS—Manoa Medical Center, 1010 West Chester Pike, Havertown, PA 19083, Haverford Township, **Delaware County**. Ethan Prout, PG, BSTI, 3157 Limestone Road, Cochranville, PA 19330 on behalf of Joe Forman, American Para Professional, 1010 West Chester Pike, Havertown, PA 19083 submitted a Notice of Intent to Remediate. Soil has been found to be contaminated with lead, naphthalene, toluene and 1,2,4-TMB. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in the *Philadelphia Inquirer* on April 12, 2021.

1002-1004 Buttonwood Street, 1002-1004 Buttonwood Street (Parcel ID 4452300), Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. William Schmidt, Ransom Consulting, LLC, 2127 Hamilton Avenue, Hamilton, NJ 08619 on behalf of Matt Wagner, SA Buttonwood LP, 600 Spring Garden Street, Philadelphia, PA 19123 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with vinyl chloride, 1,1-DCE, trans-1,2-DCE, arsenic, vinyl chloride, cis-1,2-DCE, TCE and PCE. Intended future use will be commercial ground floor with office space on upper floors. The proposed cleanup standard for the site is site-specific standard/Statewide health standard. The Notice of Intent to Remediate was published in the *Metro* on April 2, 2021.

McDonald's Restaurant # 37-0267, 2801 Cottman Avenue, Philadelphia, PA 19149, City of Philadelphia, **Philadelphia County**. Jeffrey T. Bauer, PG, Whitestone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Jonathan M. Baske, PE, McDonald's USA, LLC, 64 Harbor Drive, Hammonton, NJ 08037 submitted a Notice of Intent to Remediate. Soil at the site has been contaminated with VOCs, SVOCs and lead. The site will continue to be used for nonresidential purposes. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in the *Philadelphia Daily News* on February 12, 2021.

East 10th Street Hazardous Sites Cleanup Act (HSCA) Site, 201 East 10th Street, Marcus Hook, PA 19061, Marcus Hook Borough, **Delaware County**. Peter D. Beyer, PG, Environmental Resources Management Inc., 75 Valley Stream Parkway, Suite 200, Malvern, PA 19355 on behalf of Christina Moretti, FMC Corporation, 2929 Walnut Street, Philadelphia, PA 19104 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with metals, SVOC, VOCs and PCBs. The future use of the property is commercial/non-residential. The proposed cleanup standard for the site is

site-specific standard/Statewide health standard. The Notice of Intent to Remediate was published in the *Daily Times* and *Sunday Times* on March 10, 2021.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Synthetic Thread, 825 12th Avenue, Bethlehem, PA 18018, Bethlehem City, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Francesca Associates LLC, 903 Chestnut Street, Emmaus, PA 18049, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of # 4 heating oil from an underground storage tank. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in the *Express Times* on April 14, 2021.

Former Poseidon Pools, Intersection of Crestwood Drive and Elmwood Road, Mountain Top, PA 18707, Wright Township, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of the Greater Wilkes-Barre Chamber of Commerce, 2 Public Square, Wilkes-Barre, PA 18701, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with lead and organic chemicals from historic operations. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in the *The Times Leader* on April 21, 2021.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

MTS Bethel Properties, LLC, 175 Legion Drive, Bethel, PA 19507, Bethel Township, **Berks County**. Compliance Plus Services, 240 Gibraltar Road, Suite 100, Horsham, PA 19044, on behalf of Berman Truck Group, 83 Ashley Way, Leesport, PA 19533, submitted a Notice of Intent to Remediate soil and groundwater contaminated with heating oil. The site will be remediated to the site-specific standard. Future use of the site is unknown. The Notice of Intent to Remediate was published in the *Reading Eagle* on April 8, 2021.

Phoenix Redevelopment Reading, LLC, 3000 Montrose Avenue, Laureldale, PA 19605, Laureldale Borough and Muhlenberg Township, **Berks County**. Key Engineering Group, Ltd, 735 North Water Street, Suite 510, Milwaukee, WI 53202, on behalf of Phoenix Redevelopment Reading, LLC, 401 East Kilbourn Avenue, Suite 201, Milwaukee, WI 53202, and Exide Environmental Response Trust, One World Trade Center, 8th Floor, Long Beach, CA 90831 submitted a Notice of Intent to Remediate site soil contaminated with lead. The site will be remediated to the Special Industrial Area Standard. Future use of the site is to be used as a warehouse, light manufacturing, and parking. The Notice of Intent to Remediate was published in the *Reading Eagle* on April 11, 2021.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating

Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

46-0027H: Janssen Research & Development, LLC (1400 McKean Road, Spring House, PA 19477) for the installation of a new 1,000-ekW emergency generator set at its existing pharmaceutical research and development facility located in Lower Gwynedd Township, **Montgomery County**.

The emergency generator set will be equipped with an EPA-certified natural gas-fired engine rated at 1,468 bhp power output. Therefore, the engine is subject to the Standards of Performance for New Stationary Sources (NSPS) for Stationary Spark Ignition Internal Combustion Engines (40 CFR Part 60, Subpart JJJJ) and the additional nitrogen oxides (NO_x) requirements specified in 25 Pa. Code §§ 129.203—129.205.

In addition, Janssen R&D has proposed to restrict the amount of natural gas consumed by the engine of the emergency generator set to 1,988,400 ft³/yr (the equivalent of 200 full-load operating hours), such that the associated potentials to emit NO_x and volatile organic compounds (VOCs) are each less than 1 ton/yr. Based on this and the other historical emissions increases and decreases at the facility, the project is not subject to New Source Review (NSR) requirements.

The Plan Approval will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

09-0143B: Naceville Materials JV (2001 Ridge Road, Sellersville, PA 18960), located in West Rockhill Township, **Bucks County**. Naceville Materials submitted a plan approval application for the replacement of a water spray dust suppression system used to control particulate matter emissions (PM) from the secondary-tertiary circuit of their stone crushing facility. Activities at this facility include the mining of construction aggregate, along with the crushing, screening, and storage of the aggregate. All of the equipment at the facility is electrically powered. The primary pollutant of concern from the aggregate operations is PM and Naceville Materials is classified as a natural minor facility for PM₁₀ emissions. There is no increase of PM emissions since the new control device has the same control efficiency as the replaced system. The Plan Approval will contain testing, monitoring, recordkeeping, and work practice conditions designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously

listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

41-00084C: Hamilton Patriot, LLC (50 Patriot Lane, Montgomery, PA 17752-6501) to replace the rotor and upgrade electrical generation capacity for the natural gas-fired combined cycle combustion turbine Source P103 at the Hamilton Patriot Generation Plant facility located in Clinton Township, **Lycoming County**. The application is for the modification of the existing U10 Combustion Turbine at the Hamilton Patriot facility which is an existing facility with a Title V operating permit 41-0084. The Hamilton Patriot LLC representative to contact regarding the proposed project is Mr. Paul Baiotto EHS Manager, 50 Patriot Lane, Montgomery, PA 17752.

The Department reviewed the application for replacement of the turbine rotor and enhance the performance of the turbine to increase its electrical generation capacity. The Siemens train capacity will be upgraded from 458 megawatts (MW) to 486 megawatts (MW) of electricity. The maximum heat input rating after the upgrade will be approximately 3,096 MMBtu/hr (HHV) and 2,792 MMBtu/hr (LHV). The Department reviewed the application and determined that the proposed modifications will satisfy all applicable air quality regulatory requirements, including New Source Performance Standards and Best Available Technology, provided that the source complies with the following requirements. There are no increases in emissions for the air contaminants due to the proposed modifications

Based on these findings previously listed, the Department intends to approve the application and issue a plan approval for the modification of the turbine. If the Department determines that the permittee has demonstrated compliance with all of the plan approval conditions, the conditions will be incorporated into a Title V Operating Permit by means of an administrative amendment pursuant to 25 Pa. Code § 127.450 and pursuant to the operating permit requirements of 25 Pa. Code Subchapter F. The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable air quality regulatory requirements.

1.) Pursuant to the plan approval requirements of 25 Pa. Code §§ 127.1, 127.12, and only for NO_x and VOC: 127.203a(a)(5)(iii)(A), a) the annual emissions from the operation of the combined-cycle combustion turbine unit incorporated in Source P103 (including startups and shutdowns) shall not exceed any of the following limitations in any 12 consecutive month period: i.) 92.5 tons of nitrogen oxides (expressed as NO₂), ii.) 84.0 tons of carbon monoxide, iii.) 13.0 tons of sulfur oxides (expressed as SO₂), iv.) 51.0 tons of total (filterable and condensable) Particulate Matter, v.) 51.0 tons of PM₁₀, vi.) 51.0 tons of PM_{2.5}, vii.) 21.6 tons of volatile organic compounds, viii.) 2.0 tons of sulfuric acid mist, iv.) 100.7 tons of ammonia, x.) 6.49 tons of hazardous air pollutants, xi.) 1,401,333 tons of greenhouse gases expressed as CO₂e.

2.) Pursuant to plan approval requirements of 25 Pa. Code §§ 127.1 and 127.12, a) the emissions from the operation of the combined-cycle combustion turbine unit incorporated in Source P103 shall not exceed any of the following limitations: i.) Carbon monoxide: 2.0 ppmv,

ii.) Nitrogen oxides (expressed as NO₂): 2.0 ppmv, iii.) Volatile organic compounds: 0.7 ppmv (without duct burner) and 1.5 ppmv (with duct burner), iv.) Sulfur oxides (expressed as SO₂): 0.0010 lb/MMBtu, v.) Total (filterable and condensable) Particulate Matter: 0.0057 lb/MMBtu, vi.) Total PM₁₀: 0.0057 lb/MMBtu, vii.) Total PM_{2.5}: 0.0057 lb/MMBtu, viii.) H₂SO₄: 0.00040 lb/MMBtu, ix.) Ammonia (NH₃): 5.0 ppmv, x.) Carbon dioxide (CO₂): 865.6 lb/MW-hr (net). b) ppmv = parts per million volume on a dry gas basis, corrected to 15 percent O₂. c) The previously listed emissions limits shall apply at all times except for periods of startup and shutdown. The Permittee shall comply with the startup and shutdown emission limitations as established in Title V operating permit 41-00084.

3.) Pursuant to plan approval requirements of 25 Pa. Code §§ 127.1 and 127.12, a) the emissions from the operation of the combined-cycle combustion turbine unit incorporated in Source P103 shall not exceed any of the following limitations: i.) Nitrogen oxides: 24.8 pounds per hour, ii.) Carbon monoxide: 15.0 pounds per hour, iii.) Volatile organic compounds: 5.0 pounds per hour, iv.) Sulfur oxides: 3.1 pounds per hour, v.) Ammonia: 23.0 pounds per hour, vi.) Total (filterable and condensable) particulate matter: 12.9 pounds per hour, vii.) Total PM₁₀: 12.9 pounds per hour, viii.) Total PM_{2.5}: 12.9 pounds per hour, ix.) Sulfuric acid mist: 1.0 pound per hour. b) The previously listed emissions limits shall apply at all times except for periods of startup and shutdown. The Permittee shall comply with the startup and shutdown emission limitations as established in Title V operating permit 41-00084.

4.) a) The permittee shall keep accurate and comprehensive records of the monthly emissions of nitrogen oxides, carbon monoxide, volatile organic compounds, greenhouse gases, total hazardous air pollutants, sulfur oxides (SO₂), sulfuric acid mist, total PM, total PM₁₀, total PM_{2.5}, hexane, formaldehyde, and toluene from the combined-cycle combustion turbine unit incorporated into Source ID P103 in order to demonstrate compliance with the emission limitations. b) The permittee shall use the calculation methods specified in 40 CFR Part 60 Subpart TTTT to demonstrate compliance with the lb/MW-hr CO₂ emission limit by using the methods specified in 40 CFR 60.5540. c) All information used to satisfy this recordkeeping requirement shall be kept for a minimum of five (5) years and shall be made available to the Department upon request.

5.) a) The permittee shall submit semi-annual reports that include: the nitrogen oxides, carbon monoxide, volatile organic compound, greenhouse gas, total hazardous air pollutants, sulfur oxides (SO₂), sulfuric acid mist, total PM, total PM₁₀, total PM_{2.5}, formaldehyde, carbon dioxide, hexane, and toluene emissions including emissions calculations from the combined-cycle combustion turbine unit incorporated into Source ID P103, on a monthly basis, in order to demonstrate compliance with the emission limitations. b) The semi-annual reports shall be submitted to the Department no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the concurrent year).

6.) Source ID P103 is one 486 MW Siemens model SGT6-8000H(1.6) natural-gas-fired combined-cycle combustion turbine unit where the combustion turbine unit consists of a 3,096 MMBtu/hr (HHV) and 2,792 MMBtu/hr (LHV) combustion turbine and heat recovery steam generator with 164 MMBtu/hr (HHV) and 148

MMBtu/hr (LHV) duct burner. The air contaminants are controlled by a selective catalytic reduction unit and an oxidation catalyst.

7.) The permittee shall comply with all applicable requirements specified in 40 CFR 52.21 including 40 CFR 52.21(r).

8.) Within 120 days of start-up of the modified combustion turbine, the permittee shall submit a source testing protocol for EPA reference method testing programs to determine the emission rates of nitrogen oxides, carbon monoxide, ammonia slip, volatile organic compounds, sulfur oxides (expressed as SO₂), sulfuric acid mist, total PM, total PM₁₀, total PM_{2.5}, formaldehyde, hexane, and toluene emissions. Within 90 days of receipt of an approved protocol from BAQ Source Testing, the permittee shall conduct the source testing to demonstrate compliance with the emission limits in this plan approval.

9.) The Permittee shall comply with all requirements specified in Title V operating permit 41-00084. In the event that language in this plan approval contradicts language in TVOP 41-00084, the language in this plan approval shall supersede the language in TVOP 41-00084. Nothing in this plan approval relieves the permittee from complying with the requirements in TVOP 41-00084 that do not contradict the requirements in this plan approval.

All appropriate testing, monitoring, recordkeeping and reporting requirements have been included in the plan approval to ensure the facility complies with all applicable Federal and State air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.3636.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

16-177A: Northwestern PA Crematory, Inc. (300 Wood Street, Clarion, PA 16214). The Department of Environmental Protection intends to issue a plan approval to Northwestern PA Crematory Inc. to provide authorization for the construction and initial operation of one human crematory and one animal crematory at their newly constructed facility located in Monroe Township, Clarion County.

No air emission sources are currently associated with this newly constructed facility. The proposed sources are not eligible for authorization under the GP-14 due to their limited function door interlocks. The operator may also open the crematory's door during operation in order to reposition remains and to reduce cremation cycle times. These crematories were not eligible for authorization under General Plan Approval 14 per the Department's instruction that those facilities which open their primary chamber's door during operation, could no longer use the general permit. Special conditions will be included in this plan approval which address door opening and its' impact on emissions and operation. The crematories will be required to meet all emission and temperature requirements while the door is opened and will have additional recordkeeping and monitoring requirements.

This will be a natural minor facility upon completion of the project. Public notice is obligatory for sources required to obtain a Plan Approval in accordance with 25 Pa. Code

§ 127.44. The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Potential emissions from the proposed source are estimated to be: less than 5.0 tons per year (tpy) of particulate matter and less than 1.0 tpy (each) of SO_x, NO_x, CO, VOC, and HAP.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval 16-177A: Northwestern PA Crematory, Inc., a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region. Written comments or requests for a public hearing should be directed to Eric A. Gustafson, 230 Chestnut St., Meadville, PA 16335, Phone (814) 332-6819.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-05001: Magnesita Refractories Co. (425 South Salem Church Road, York, PA 17408-5955) for the renewal of the facility's Title V operating permit, and the incorporation of plan approval 67-05120A into the operating permit at the refractories products manufacturing plant in West Manchester Township, **York County**. This is for renewal of the existing Title V operating permit. The facility 2019 actual air emissions were 21.23 tons VOC, 36.14 tons PM₁₀, 9.70 tons PM_{2.5}, 44.47 tons HAP total, 44.19 tons HAP-HCl, 2,405.63 tons NO_x, 1,019.44 tons SO_x, and 183.50 tons CO. The Operating Permit will

include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements of 40 CFR 60 Subpart OOO—Standards of Performance for nonmetallic mineral processing plants, 40 CFR 60 Subpart Y—Standards of Performance for Coal Preparation and Processing Plants, 40 CFR 63 AAAAA—National Emission Standards for Hazardous Air Pollutants for Lime Manufacturing Plants, 40 CFR 63 Subpart SSSSS—National Emission Standards for Hazardous Air Pollutants for Refractory Manufacturing, 40 CFR 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00004: Resilite Sports Products, Inc. (200 Point Township Drive, Northumberland, PA 17857-8701) for renewal of the Title V operating permit for their facility located in Northumberland Borough, **Northumberland County**. The facility's sources include one (1) natural gas-fired boiler, mat finishing, adhesive and reconditioning operations, one (1) spray booth, one (1) 20,000 gallon storage tank and one (1) propane-fired emergency generator. The facility has the potential to emit 2.15 tons of nitrogen oxides (NO_x) per year, 2.25 tons of carbon monoxide (CO) per year, 236.25 tons of volatile organic compounds (VOCs) per year, 0.09 ton of sulfur oxides per year (SO_x), 0.51 ton of particulate matter (PM/PM₁₀) per year, less than 10 tons of any individual hazardous air pollutants (HAPs) per year, 25 tons of total combined HAPs per year and 6,735 tons of greenhouse gasses (GHGs) per year. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart Dc of 40 CFR Part 60, Subpart ZZZZ of 40 CFR Part 63 and 25 Pa. Code Article III, Chapters 121–145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

53-00008: National Fuel Gas Supply Corporation (6363 Main Street, Williamsville, NY 14221-5855) to issue a renewal Title V operating permit for their East Fork Compressor Station located in Wharton Township, **Potter County**. The facility is currently operating under Title V Operating Permit 53-00008. The facility's sources include three 540 horsepower compressor engines, two 720 horsepower compressor engines, two emergency generators (20 and 80 kilowatts respectively), four VOC storage tanks, two water sump tanks, pipeline connections, pneumatic valves, venting/blowdown operations, a pigging operation and numerous small combustion units and space heaters.

The facility has the potential to emit 89.82 tons of nitrogen oxides (NO_x) per year, 119.49 tons of carbon monoxide (CO) per year, 50.00 tons of volatile organic compounds (VOCs) per year, 0.02 ton of sulfur oxides

(SO_x), 1.73 tons of particulate matter (PM, including PM₁₀) per year and 2.74 tons of hazardous air pollutants. No emission or equipment changes are being proposed by this action. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart JJJJ of 40 CFR Part 60, Subpart ZZZZ of 40 CFR Part 63 and 25 Pa. Code Article III, Chapters 121–145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.3636.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

22-05058: Martins Creek, LLC (600 Hamilton Street, Suite 600, Allentown, PA 18101), to issue a State Only Operating Permit renewal for the electric peaking station at the Harrisburg CTG site located in the City of Harrisburg, **Dauphin County**. The facility's actual emissions as reported in 2018 were: 4.24 tons of NO_x, 0.58 ton of SO₂, and 0.10 ton of PM₁₀. The Operating Permit will include emission limits and work practice requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 123.13 for particulate matter and 25 Pa. Code § 123.21 for sulfur dioxide emissions.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

30-00097: Pennsylvania Department of Corrections (1920 Technology Parkway, Mechanicsburg, PA 17050). In accordance with 25 Pa. Code § 127.441 and 25 Pa. Code § 127.425, the Department is providing notice that they intend to issue a renewed, facility-wide, State Only Operating Permit for the continued operation of a boiler house at a prison, known as SCI-Greene, located in Franklin Township, **Greene County**.

The primary sources at the boiler house are five boilers and two emergency engines. Three boilers (Boilers 1, 2, and 6), with rated Heat Inputs of 45.0 MMBtu/hr, 45.0 MMBtu/hr, 20.67 MMBtu/hr, only burn natural gas. The other two boilers (Boilers 4 and 5), with rated Heat Inputs of 4.18 MMBtu/hr, each, are natural gas-fired with distillate oil backup. The facility also contains two, 745-bhp, emergency, diesel generator engines.

Annual potential emissions are 58 tons of CO, 55 tons of NO_x, 5 tons of PM₁₀, 5 tons of PM_{2.5}, 4 tons of VOC, 2 tons of SO₂, 1.0 ton of all HAPs combined, and 57,797 tons of CO₂e. Sources at the Torrance State Hospital are subject to 40 CFR Part 60, Subpart A—General Provi-

sions, and 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. Sources are also subject to 25 Pa. Code Chapters 121—145. The permit includes emission limitations and operational, monitoring, reporting, and recordkeeping requirements for the plant.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of this Title V Operating Permit may submit the information to Martin L. Hochhauser, P.E., Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Operating Permit (specify Operating Permit SOOP-30-00097), and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. In accordance with 25 Pa. Code § 127.428, prior to issuing an operating permit, the Department may hold a fact-finding conference or hearing at which the petitioner, and a person who has properly filed a protest under § 127.426 (relating to filing protests) may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant and other participants will be notified of the time, place, and purpose of a conference or hearing, in writing or by publication in a newspaper or the *Pennsylvania Bulletin*, unless the Department determines that notification by telephone will be sufficient.

65-00598: Citizens General Hospital (651 4th Avenue, New Kensington, PA 15068-6525). In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice that it intends to issue a renewal natural minor State Only Operating Permit (SOOP) for the operation of Citizens General Hospital in New Kensington, **Westmoreland County**.

Equipment at this facility includes two (2) 12.6 MMBtu/hr Superior natural gas-fired boilers, one (1) Caterpillar 370 kW diesel powered emergency generator, and one (1) Onan 225 kW natural gas-fired emergency generator. Potential emissions from this facility are 13.04 tons per year (tpy) NO_x, 9.65 tpy CO, 0.95 tpy particulate matter, 0.15 tpy SO₂, 0.73 tpy VOC, and 13,319 tpy CO_{2e}.

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The proposed operating permit includes emissions limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the

proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 65-00598) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

65-00887: MSI Corporation (210 1st Street, Vandergrift, PA 15690-1100) initial natural minor State-Only Operating Permit for a toll processing and specialty metal processing facility located in Vandergrift Borough, **Westmoreland County**. Sources of emissions at the facility include one (1) 18.4 MMBtu/hr furnace, two (2) 13.8 MMBtu/hr furnaces, two (2) shot-blasting units, seven (7) cutting mills, ten (10) electric band saws, two (2) grinders, one (1) parts washer, six (6) electric grinders, one (1) abrasive saw, one (1) blasting cabinet, and two (2) mills. Miscellaneous sources include one (1) 80-bhp natural gas-fired generator, ten (10) natural gas-fired space heaters totaling 1.25 MMBtu/hr, one (1) quench tank, torch cutting operations, and roadways. The facility's potential-to-emit is estimated to be the following: 19.4 TPY NO_x; 16.5 TPY CO; 3.0 TPY PM; 2.5 TPY PM₁₀; 2.5 TPY PM_{2.5}; 2.8 TPY VOC; 1.0 TPY total HAP; 0.5 TPY single HAP; 0.2 TPY SO_x; and 24,000 TPY CO_{2e}. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145, and no National Emissions Standards for Hazardous Air Pollutants nor New Source Performance Standards apply at this time. The facility is currently operating under plan approval PA-65-00887A. The proposed State-Only Operating permit includes emission restrictions, operating hour restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Natural Minor State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00887) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone,

where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

43-00305: Champion Carrier Corp. (2755 Kirila Blvd, Hermitage, PA 16148-9019). The Department is providing notice that they intend to renew a State Only Synthetic Minor Operating Permit for operation of the Hermitage facility located in the City of Hermitage, **Mercer County**. The facility manufactures various carrier vehicles (typical tow-truck design). Coatings are applied to steel parts. The facility has six surface coating booths. Other emission sources include miscellaneous natural gas combustion and clean-up operations. The potential emissions of the primary pollutants from the facility are as follows: 7.65 TPY (tons per year) NO_x, 1.53 TPY CO, 49.14 TPY VOC, 15.00 TPY total HAPs, 9.80 TPY MIBK, 0.67 TPY PM₁₀ and PM_{2.5}, and 0.05 TPY SO_x. The facility is a synthetic minor, electing to take a limit on total HAP and a single speciated HAP (MIBK). The facility is also limited to 49.14 TPY VOC per Plan Approval 43-305F. The surface coating operations are subject to 25 Pa. Code § 129.52d for miscellaneous metal parts surface coating processes. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in

response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Permit No. 30841317 and NPDES Permit No. PA0213527. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317 to revise the permit and related NPDES permit for installation of an overhead electric powerline for Enlow Fork Mine in Richhill and Morris Townships, **Greene County** affecting 24.0 proposed surface acres. No additional discharges. The application was considered administratively complete on March 2, 2021. Application received: December 15, 2020.

Permit No. 30121301 and NPDES Permit No. PA0236195. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317 to revise the permit and related NPDES permit for installation of a degas borehole for Harvey Mine in Richhill and Morris Townships, **Greene County** affecting 2.3 proposed surface acres. No additional discharges. The application was considered administratively complete on March 25, 2021. Application received: January 26, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).

Permit No. 17000111 and NPDES No. PA0243027. Gregg Barrett Coal, 288 Watts Road, Curwensville, PA 16833, permit renewal for continued operation and restoration of a bituminous surface coal mine located in Ferguson Township, **Clearfield County** affecting 65.0 acres. Receiving stream(s): Unnamed Tributaries to Watts Creek and Watts Creek classified for the following use(s): HQ. There are no potable water supply intakes within 10 miles downstream. Application received: April 12, 2021.

Permit No. 17080105. King Coal Sales, Inc., P.O. Box 712, Philipsburg, PA 16866, permit renewal for reclamation only of a bituminous surface coal mine located in Morris Township, **Clearfield County** affecting 94.2 acres. Receiving stream(s): Unnamed Tributaries to Alder Run and Alder Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 19, 2021.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).

Permit No. 02070104 and NPDES Permit No. PA0251224. Collier Land & Coal Development, LP, 223 Fourth Avenue, 4th Floor, Pittsburgh, PA 15222. Revision application to revise water abatement plan to an existing bituminous surface mine, located in Collier Township, **Allegheny County**, affecting 33.3 acres. Receiving streams: unnamed tributaries to Robinson Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: April 21, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54900103R6. EOJ, Inc., 2401 Summer Valley Road, New Ringgold, PA 17960, renewal of an existing anthracite surface mine operation in East Norwegian Township and Palo Alto Borough, **Schuylkill County** affecting 200.1 acres. Receiving stream: Upper Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: April 1, 2021.

Permit No. 49871601R6. Calvin V. Lenig Coal Prep & Sales, Inc., 5860 SR 225, Shamokin, PA 17872, renewal of an existing anthracite coal preparation plant operation in Little Mahanoy Township, **Northumberland County** affecting 3.2 acres. Receiving streams: Mahanoy Creek and unnamed tributary to Mahanoy Creek, classified for the following uses: cold water, warm water and migratory fishes. Application received: April 23, 2021.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 7373SM3C9 and NPDES Permit No. PA0593206. Lehigh Asphalt Paving & Construction Co., P.O. Box 549, Tamaqua, PA 18252, renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in East Penn Township, **Carbon County** affecting 203.6 acres. Receiving stream: unnamed tributary to Lizard Creek. Application received: April 5, 2021.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342.8200.

NPDES No. PA0608777 (Mining Permit No. 17813024), EnerCorp, Inc., 1310 Allport Cuttoff, Morrisdale, PA 16858, renewal of a NPDES permit for surface coal mining, post-mining water treatment only in Bradford Township, **Clearfield County**, affecting 8.3 acres. Receiving stream(s): Unnamed Tributary to West Branch Susquehanna River classified for the following use(s): Warm Water Fishes. The Unnamed Tributary is included in the West Branch Susquehanna River Watershed TMDL. Application received: December 14, 2020.

The following outfall discharges to Unnamed Tributary to West Branch Susquehanna River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Treatment Pond

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	2.1	4.2	5.2
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	1.6	3.2	4.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E1501221-002, PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, New Garden Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain about 680 LF of three 0.72-inch diameter electrical cables along Penn Green Road and aerial crossing above the East Branch White Clay Creek and to its UNT (CWF-MF) associated with the improved current electrical services to the properties along Penn Green Road. East Branch White Clay Creek is designated as a Wild and Scenic River.

The site is located along Penn Green Road between Laurel Wood and Laurel Bridge Roads (West Grove, PA USGS Quadrangle, Latitude: 39.783194; Longitude: -75.774933) in New Garden Township, Chester County.

Permit No. E1501221-009, Parke Mansion Partners, LP, 1380 Wilmington Pike, West Chester, PA 19381, Parkesburg Borough, **Chester County**, ACOE Philadelphia District.

To reissue permit no. E15-782 which authorized the following water obstructions and encroachments activities associated with the proposed Parke Mansion Estates Residential Subdivision Development Project along Little Buck Run (TSF, MF):

1. To construct and maintain an open bottom box culvert secured to poured foundation constructed on both sides of the stream associated with Parke Drive.

2. To install and maintain a water and sanitary sewer utility line crossing within the roadway bed of Parke Drive.

3. To construct and maintain four stormwater outfalls along Buck Run.

The site is located along S.R. 00100 (Church Street) between Main Street and Sadsbury Road (Parkesburg, PA USGS Map (Lat: 39.964664; Long: -75.910631) in the Borough of Parkesburg, Chester County.

Permit No. E4601221-005, Southeastern Pennsylvania Transportation Authority (SEPTA), 1234 Market Street, Philadelphia, PA 19107-3780, Conshohocken Borough, **Montgomery County**, ACOE Philadelphia District.

To reconstruct and maintain a SEPTA Train Station including platform, station building, grading, sidewalks, and stormwater management, etc., within the floodplain of the Schuylkill River (WWF-MF), associated with the upgrading amenities for the modern station standards and improve facilities for the residents. The project will also include ADA accessible ramps.

The site is located at 8 West Washington Street (Norristown, PA USGS Quadrangles Latitude: 40.072587; Longitude: -75.310100) in Conshohocken Borough, Montgomery County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0503220-025. Vertical Bridge REIT, LLC, 750 Park of Commerce Drive, Boca Raton, FL 33487-3650 in West St. Clair Township, **Bedford County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to construct and maintain an 18.0-foot long 30.6-foot wide by 10.25-foot high single span aluminum structural plate open bottom box culvert and associated wingwalls in and across Barefoot Run (WWF, MF) for the purpose of gaining access to a cell phone tower location. No wetland impacts are anticipated. The project is located along SR 56 in West St. Clair Township, Bedford County (Latitude: 40.1732; Longitude: -78.6014).

E06-732. PennDOT Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101 in Albany Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To build a vehicle wash facility with utility lines in the floodplain of Laurel Run (WWF, MF) in Muhlenberg Township, Berks County (40.4033°, -75.9292°).

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E1404221-002. Vyacheslav Dmitriyev, 110 Lingle Road, Centre Hall, PA 16928. Private driveway crossing, in Potter Township, **Centre County**, ACOE Baltimore District (Centre Hall, PA Quadrangle, Latitude: 40° 47' 4.7" N; Longitude: 77° 40' 52.6" W).

The applicant is proposing to install a new driveway crossing a wetland and unnamed tributary to Sinking

Creek (CWF, MF). As proposed, permanent impacts will be 1,050 square feet of exceptional value wetland, 45 square feet of stream, and 1,500 square feet of floodway. No temporary impacts to waters of the Commonwealth are proposed.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

EA0205221-001, PennDOT District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017, Crescent Township, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

Remove a 13' long, 27' wide, concrete encased I-beam structure, carrying SR 3111, Segment 0010, Offset 0080, over Shouse Run (WWF), having a permanent impact of 40 LF, and temporary impact of 60 LF, to Shouse Run, for the purpose of removing a structurally deficient structure and restoring the stream channel.

The project site is located along Sugargrove Road. (Ambridge, PA USGS topographic quadrangle; N: 40°, 33', 44.279"; W: -80°, 13', 43.7672"; Sub-basin 20G; USACE Pittsburgh District), in Crescent Township, Allegheny County.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E1006220-027, Hawkins Crest, LLC, 1712 Mt. Nebo Road, Sewickley, PA 15143. Hawkins Crest Development, in Middlesex Township, **Butler County**, ACOE Pittsburgh District (Valencia, PA Quadrangle N: 40.702208°; W: -79.950994°).

As part of a proposed access roadway to a new residential housing development, the Applicant proposes to construct, operate, and maintain an approximately 155 feet long stream enclosure of an unnamed tributary to Glade Run (WWF) consisting of a 5 feet diameter HDPE pipe beneath approximately 30 vertical feet of fill located off of Harbinson Road in Middlesex Township, Butler County. Approximately 0.0955 acre of wetlands will be permanently impacted by the construction activities but will be mitigated for by the Applicant via the creation of 0.3 acre of forested wetlands.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA2203221-001: Lower Paxton Township, 425 Prince Street, Harrisburg, PA 17109-3053. Lower Paxton Township, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To remove existing structures and to: 1.) regrade and maintain Asylum Run (WWF, MF) and its floodway impacting 1,419.0-feet of stream, 0.89 acre of floodway and 0.13 acre of palustrine emergent wetlands; 2.) install and maintain a 50.0-foot long by 6.0-foot, 2.0-inch wide half through connector truss bridge having an underclearance of 5.98 feet across Asylum Run (WWF, MF); 3.) install and maintain a 50.0-foot long by 6.0-foot, 2.0-inch wide half through connector truss bridge having an underclearance of 5.13 feet across Asylum Run (WWF, MF); 4.) construct and maintain a 15.0-inch HDPE outfall with R-3 rip rap apron to the floodway of Asylum Run (WWF, MF); 5.) construct and maintain a 24.0-inch HDPE

outfall with R-4 rip rap apron to the floodway of Asylum Run (WWF, MF); 6.) construct and maintain a 42.0-inch HDPE outfall with R-5 rip rap apron to Asylum Run (WWF, MF); 7.) construct and maintain a 30.0-inch HDPE outfall with R-4 rip rap apron to Asylum Run (WWF, MF); 8.) construct and maintain a 24.0-inch HDPE outfall with R-4 rip rap apron to the floodway of Asylum Run (WWF, MF); 9.) construct and maintain a 18.0-inch HDPE outfall with R-3 rip rap apron to the floodway of Asylum Run (WWF, MF); 10.) construct and maintain a 18.0-inch HDPE outfall with R-3 rip rap apron to Asylum Run (WWF, MF); 11.) relocate and maintain a 4.0-inch diameter PVC pipe outfall to the floodway of Asylum Run (WWF, MF); 12.) relocate and maintain a 4.0-inch diameter PVC pipe outfall to the floodway of Asylum Run (WWF, MF); 13.) relocate and maintain a 1.25 inch diameter fiber optic line in the floodway of Asylum Run (WWF, MF), all for the purpose of meeting MS4 requirements. The project is located between Colonial Road and N. Arlington Avenue (Latitude: 40.301175°N Longitude: 76.823540°W) in Lower Paxton Township, Dauphin County. Permit issued April 22, 2021.

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, Telephone number: 717-787-3411.

WQC6415121-001. Bruce Ferretti, Peter Blum, P.E., Chief, Planning Division, Philadelphia District Corps of Engineers, 100 Penn Square East, Wannamaker Building, Philadelphia, PA 19107, Dyberry Township, **Wayne County**. USACOE Philadelphia District.

The U.S. Army Corps of Engineers proposes a civil works project on the General Edgar Jadwin Dam. The Corps proposes to rehab and replace a portion of the dam where seepage has been occurring for years. An area of embankment on the upstream side of the dam (approximately 400' by 400') will be removed and an impermeable liner will be installed. This portion of the dam will then be restored. There are no wetland or stream channel impacts associated with the project. The dam is located across Dyberry Creek (HQ-CWF, MF) (Honesdale, PA Quadrangle, Latitude: 41.6135, Longitude: -75.2654).

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, Telephone number: 717-787-3411.

D37-068. Pennsylvania Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110. To modify, operate, and maintain No. 2 Mine Road (SGL 284) Dam across Hunters Run (TSF) impacting 0.005 acre of wetlands (PEM) for the purpose of wildlife management/recreation (Harlansburg, PA Quadrangle N: N 41° 06' 50", W -80°, 11' 45") in Washington Township, **Lawrence County**.

EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are

provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Applications received under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.

ESCGP-3 # ESG070420003-00
Applicant Name ETC Northeast FLD SVC LLC
Contact Person Nicholas J Bryan
Address 6051 Wallace Road Extension, 3rd Floor
City, State, Zip Wexford, PA 15090
County Beaver
Township(s) New Sewickley Twp
Receiving Stream(s) and Classification(s) UNT to Pine Run (WWF), Trib 36571 to Pine Run (WWF), Trib 34820 to Brush Creek (WWF), UNT 1 to Trib 34820 to Brush Creek (WWF), UNT 2 to Trib 34820 to Brush Creek (WWF), Trib 36572 to Crows Run (WWF), UNT to Crows Run (WWF), UNT to Trib 34824 to Brush Creek (WWF), UNT to Brush Creek (WWF)
Secondary Receiving Waters—Pine Run (WWF), Brush Creek (WWF), Crows Run (WWF)

ESCGP-3 # ESG076319037-00
Applicant Name MarkWest Liberty Midstream & Resources, LLC
Contact Person Richard Lowry
Address 4600 J Barry Ct., Suite 500
City, State, Zip Canonsburg, PA 15317
County Washington
Township(s) Donegal, Blaine, & Buffalo Twps
Receiving Stream(s) and Classification(s) UNT to Buffalo Creek (HQ-WWF) and UNT to Buck Run (HQ-WWF)
Secondary Receiving Waters—Buffalo Creek (HQ-WWF)

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0053635	Industrial Stormwater Individual NPDES Permit	Issued	Buckeye Terminal LLC 5002 Buckeye Road P.O. Box 368 Emmaus, PA 18049-5347	East Whiteland Township Chester County	SERO
PAS314805	Industrial Stormwater Individual NPDES Permit	Issued	Nextier Completion Solutions Inc. 3990 Rogerdale Road Houston, TX 77042-5142	Lamar Township Clinton County	NCRO
0589201	Industrial Waste Individual WQM Permit	Issued	Sandy Run Landfill LLC 995 Landfill Road Hopewell, PA 16650-8653	Broad Top Township Bedford County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0782201	Industrial Waste Individual WQM Permit	Issued	PEF Real Estates LLC 10341 Fox Run Road Williamsburg, PA 16693	Catharine Township Blair County	SCRO
0113813	Joint DEP/PFBC Pesticides Permit	Issued	Ivan & Sharon Pryor 17300 N Seton Avenue Emmitsburg, MD 21727-9158	Freedom Township Adams County	SCRO
0121805	Joint DEP/PFBC Pesticides Permit	Issued	Andrea & Steve Lehr 630 S Barton Street Arlington, VA 22204-2139	Hamiltonban Township Adams County	SCRO
1516815	Joint DEP/PFBC Pesticides Permit	Issued	Olmstead HOA 15 Peale Drive West Chester, PA 19382-6788	Pocopson Township Chester County	SERO
1521814	Joint DEP/PFBC Pesticides Permit	Issued	Chester County Parks 382 County Park Road Pottstown, PA 19465	West Nottingham Township Chester County	SERO
1521815	Joint DEP/PFBC Pesticides Permit	Issued	Chester County Parks 382 County Park Road Pottstown, PA 19465	West Fallowfield Township Chester County	SERO
3613857	Joint DEP/PFBC Pesticides Permit	Issued	Safe Harbor Water Power Corp 1 Powerhouse Drive Conestoga, PA 17516-9651	Manor Township Lancaster County	SCRO
3813818	Joint DEP/PFBC Pesticides Permit	Issued	Lebanon Valley Family YMCA P.O. Box 339 Cornwall, PA 17016-0339	West Cornwall Township Lebanon County	SCRO
4319801	Joint DEP/PFBC Pesticides Permit	Issued	Lake Latonka POA 420 Latonka Drive Mercer, PA 16137-9373	Coolspring Township Mercer County	NWRO
4320811	Joint DEP/PFBC Pesticides Permit	Issued	Steve Kurtz 19 Lower Road Cochranton, PA 16314-3017	French Creek Township Mercer County	NWRO
PAI132224	MS4 Individual NPDES Permit	Issued	Lackawanna County 1280 Mid Valley Drive Jessup, PA 18434-1819	Scranton City Lackawanna County	NERO
PAI133525	MS4 Individual NPDES Permit	Issued	South Middleton Township Cumberland County 520 Park Drive Boiling Springs, PA 17007-9506	South Middleton Township Cumberland County	SCRO
PA0080845	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Pef Real Estates LLC 10341 Fox Run Road Williamsburg, PA 16693	Catharine Township Blair County	SCRO
PA0083879	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Sandy Run Landfill LLC 995 Landfill Road Hopewell, PA 16650-8653	Broad Top Township Bedford County	SCRO
PA0088722	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	JF Martin Family Corp P.O. Box 137 55 Lower Hillside Road Stevens, PA 17578-0137	West Cocalico Township Lancaster County	SCRO
PA0000736	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Keystone Powdered Metal Co. 251 State Street Saint Marys, PA 15857-1658	Saint Marys City Elk County	NWRO
PA0221481	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Norfolk Southern Railway Co. 1200 Peachtree Street NE # 13 Atlanta, GA 30309-3579	Meadville City Crawford County	NWRO

NOTICES

2533

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0267155	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Fulton Financial Corp One Penn Square Lancaster, PA 17602	East Petersburg Borough Lancaster County	SCRO
PA0061476	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Summit EW LLC 3190 Route 87 Highway Montoursville, PA 17754-7704	Glenburn Township Lackawanna County	NERO
PA0087998	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Urban Acres MHP 35 Ridge Drive Fleetwood, PA 19522-9638	Alsace Township Berks County	SCRO
PA0113221	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Youth Challenge Int Bible Institution 155 N Williamson Road Blossburg, PA 16912-1215	Upper Augusta Township Northumberland County	NCRO
PA0205761	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Jones Estates PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703	Hanover Township Beaver County	SWRO
PA0247669	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	John E Groninger Inc. P.O. Box 36 Mexico, PA 17056-0036	Fermanagh Township Juniata County	SCRO
PA0028282	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Eagles Mere Borough Authority Sullivan County P.O. Box 393 Eagles Mere, PA 17731-0393	Eagles Mere Borough Sullivan County	NCRO
PA0060551	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Aqua Pennsylvania Wastewater Inc. 1 Aqua Way White Haven, PA 18661-1115	Tunkhannock Township Wyoming County	NERO
PA0082589	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Fairview Township York County	SCRO
PA0087611	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Richfield Area Joint Authority Juniata County 186 Seven Stars Road Richfield, PA 17086-8824	Monroe Township Juniata County	SCRO
PA0222852	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	West Fallowfield Township Crawford County P.O. Box 157 6817 Main Street Hartstown, PA 16131-0157	West Fallowfield Township Crawford County	NWRO
NNOEXSC78	No Exposure Certification	Issued	Te Connectivity Corp P.O. Box 3608 MS 018-011 Harrisburg, PA 17105-3608	Swatara Township Dauphin County	SCRO
NOEXSC146	No Exposure Certification	Issued	Bally Ribbon Mills 23 N 7th Street Bally, PA 19503-9638	Bally Borough Berks County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSC149	No Exposure Certification	Issued	Waste Recovery Solutions LLC 343 King Street Myerstown, PA 17067-2526	Jackson Township Lebanon County	SCRO
NOEXSC352	No Exposure Certification	Issued	Divert Inc. 302 Mulberry Drive Mechanicsburg, PA 17050-3108	Mechanicsburg Borough Cumberland County	SCRO
NOEXSE250	No Exposure Certification	Issued	Olympic Tool & Mach Corp 2100 Bridgewater Road Aston, PA 19014-2133	Aston Township Delaware County	SERO
PAG033528	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Utilimaster Corp 64 Cocalico Creek Road Ephrata, PA 17522-9455	West Earl Township Lancaster County	SCRO
PAG048388	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Christine Divens & Donald & Megan Leskanic 429 Engle Road Industry, PA 15052-1801	Springfield Township Erie County	NWRO
PAG123766	PAG-12 NPDES General Permit for CAFOs	Issued	Scattered Acres Inc. 1750 Van Reed Road Sinking Spring, PA 19608-8801	West Cocalico Township Lancaster County	SCRO
PAG123880	PAG-12 NPDES General Permit for CAFOs	Issued	Wason Farms LLC 2823 Farm House Lane James Creek, PA 16657	Lincoln Township Huntingdon County	SCRO
3613404	Sewage Land Application Individual WQM Permit	Issued	Strasburg Township Lancaster County 400 Bunker Hill Road Strasburg, PA 17579-9501	Strasburg Township Lancaster County	SCRO
0471421	Sewage Treatment Facilities Individual WQM Permit	Issued	Jones Estates PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703	Hanover Township Beaver County	SWRO
2591401	Sewage Treatment Facilities Individual WQM Permit	Issued	Christine Divens & Donald & Megan Leskanic 429 Engle Road Industry, PA 15052-1801	Springfield Township Erie County	NWRO
3098405	Sewage Treatment Facilities Individual WQM Permit	Issued	Rices Landing Borough 137 Main Street Rices Landing, PA 15357	Rices Landing Borough Greene County	SWRO
4320413	Sewage Treatment Facilities Individual WQM Permit	Issued	Curry Sarah 439 District Road Fredonia, PA 16124-1505	Delaware Township Mercer County	NWRO
5421401	Sewage Treatment Facilities Individual WQM Permit	Issued	Cressona Borough Authority Schuylkill County 58 S Sillyman Street Cressona, PA 17929-1117	Cressona Borough Schuylkill County	NERO
6720404	Sewage Treatment Facilities Individual WQM Permit	Issued	Christopher & Carol Emswiler 1992 Alpine Road York, PA 17406-7030	Springettsbury Township York County	SCRO
6792402	Sewage Treatment Facilities Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Fairview Township York County	SCRO
6520405	Sewer Extensions and Pump Stations Individual WQM Permit	Issued	Westmoreland County Municipal Authority 1146 Woodward Drive Greensburg, PA 15601-6416	Hempfield Township Westmoreland County	SWRO
PA0267287	Single Residence STP Individual NPDES Permit	Issued	Christopher & Carol Emswiler 1992 Alpine Road York, PA 17406-7030	Springettsbury Township York County	SCRO

NOTICES

2535

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0288870	Single Residence STP Individual NPDES Permit	Issued	Curry Sarah 439 District Road Fredonia, PA 16124-1505	Delaware Township Mercer County	NWRO
PA0233927	Small Flow Treatment Facility Individual NPDES Permit	Issued	Lewis Township Northumberland County 1428 Rovendale Drive Watsontown, PA 17777-8459	Lewis Township Northumberland County	NCRO
PA0265985	Small Flow Treatment Facility Individual NPDES Permit	Issued	Stonersville Social Club 5580 Boyertown Pike Birdsboro, PA 19508-8626	Exeter Township Berks County	SCRO
WQG02232105	WQG-02 WQM General Permit	Issued	Marple Township Delaware County 227 S Sproul Road Broomall, PA 19008-2341	Marple Township Delaware County	SERO
WQG02392101	WQG-02 WQM General Permit	Issued	Laurel Field LLC 5930 Hamilton Boulevard Allentown, PA 18106-9654	Upper Macungie Township Lehigh County	NERO

II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC510203	PAG-02	Issued	School District of Philadelphia 440 N. Broad Street Philadelphia, PA 19130	City of Philadelphia Philadelphia County	SERO
PAD150182	Individual NPDES	Renewal	Pennsylvania Turnpike Commission 700 South Eisenhower Boulevard Middletown, PA 17057	Tredyffrin Township Chester County	SERO
PAD230026	Individual NPDES	Renewal	The Trustees of the University of Pennsylvania 3930 Chestnut Street Philadelphia, PA 19104	Radnor Township Delaware County	SERO
PAD460067	Individual NPDES	Renewal	Corson Street Acquisition, L.P. 3815 West Chester Pike Newtown Square, PA 19073-2304	Conshohocken Borough Montgomery County	SERO
PAD150196	Individual NPDES	Renewal	Toll PA IV, L.P. 1140 Virginia Drive Fort Washington, PA 19034	Upper Uwchlan Township Chester County	SERO
PAD150198	Individual NPDES	Renewal	Robert Landis 1346 Village Lane Chester Springs, PA 19425	West Pikeland Township Chester County	SERO
PAD150202	Individual NPDES	Renewal	Brandywine Station, LLC 707 Eagleview Boulevard Exton, PA 19341	Uwchlan Township Chester County	SERO
PAD510187	Individual NPDES	Issued	ALM Philadelphia, LLC 9830 Colonnade Boulevard Suite 600 San Antonio, TX 78230-2202	City of Philadelphia Philadelphia County	SERO
PAD150207	Individual NPDES	Renewal	Philadelphia Suburban Development Corporation 100 Ross Road Suite 200 King of Prussia, PA 19406	East Whiteland Township Chester County	SERO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD150209	Individual NPDES	Renewal	Mountain Laurel Funding Company 155 N Wacker Drive Suite 4250 Chicago, IL 60606	East Whiteland Township Chester County	SERO
PAD150210	Individual NPDES	Renewal	John Walsh 268 McCoury Road Nottingham, PA 19362	Oxford Borough Chester County	SERO
PAD150214	Individual NPDES	Renewal	Toll PASVI, LP 1140 Virginia Drive Fort Washington, PA 19034	East Pikeland Township Chester County	SERO
PAD450122	Individual NPDES	Issued	TKL Properties 7355 Interchange Road Lehighton, PA 18235	Ross Township Monroe County	NERO
PAD400040	Individual NPDES	Issued	M.A.C. Realty Company, Inc. 265 Magnolia Drive Dallas, PA 18612	Dallas Township Luzerne County	NERO
PAD390176	Individual NPDES	Issued	PD Flint Hill, LLC 4511 Falmer Drive Bethlehem, PA 18020	Upper Saucon Township Lehigh County	NERO
PAC400195	PAG-02 General Permit	Issued	Wico Van Genderen The Greater Wilkes-Barre Industrial Fund Inc. 2 Public Square Wilkes-Barre, PA 18701	Wright Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC060329	PAG-02 General Permit	Issued	SWC Klahr & Schubert LLC 1400 Sixteenth Street Suite 300 Oak Brook, IL 60523	Bethel Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060311	PAG-02 General Permit	Issued	East Pennsylvania Conference of SDA Inc. 720 Museum Road Reading, PA 19611	Tilden Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060312	PAG-02 General Permit	Issued	H & K Group Inc. 2052 Lucon Road Skippack, PA 19474	Douglass Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060327	PAG-02 General Permit	Issued	Johanna Chervak 427 Bloomfield Avenue Suite 405 Montclair, NJ 07042	Ontelaunee Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657

NOTICES

2537

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC060323	PAG-02 General Permit	Issued	Mark Weaver 9237 Old Route 22 P.O. Box 11 Bethel, PA 19507	Bethel Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060326	PAG-02 General Permit	Issued	Lenny Leibman 3 Dutch Court Sinking Spring, PA 19608	South Heidelberg Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060325	PAG-02 General Permit	Issued	Daniel Sullivan 1375 Virginia Drive Suite 206 Fort Washington, PA 19034	Jefferson Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060328	PAG-02 General Permit	Issued	Joseph Kopalek 1 UGI Drive Denver, PA 17517	Perry Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060331	PAG-02 General Permit	Issued	Giorgi Mushroom Co. P.O. Box 96 Temple, PA 19560	Maidencreek Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060322	PAG-02 General Permit	Issued	Cleon Swartzentruber 134 Brown Road Shoemakersville, PA 19555	Greenwich Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060321	PAG-02 General Permit	Issued	Willie Weiler 190 Musselman Road Bethel, PA 19507	Bethel Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060324	PAG-02 General Permit	Issued	Mike Cafoncelli 630 Evans Avenue Wyomissing, PA 19610	Wyomissing Borough Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC060292	PAG-02 General Permit	Issued	Heritage Campus LLC 265 Magnolia Avenue Suite A Larkspur, CA 94939	Cumru Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060299	PAG-02 General Permit	Issued	Bud Reitnouer 5 East Point Drive Birdsboro, PA 19508	Ontelaunee Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060315	PAG-02 General Permit	Issued	Michael Collester P.O. Box 6585 Wyomissing, PA 19610	Amity Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060316	PAG-02 General Permit	Issued	Fiorino Grande 2213 Quarry Drive West Lawn, PA 19609	Muhlenberg Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060317	PAG-02 General Permit	Issued	Spencer Lorah 294 Water Street Boyerstown, PA 19512	Earl Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060318	PAG-02 General Permit	Issued	Larry Adam 8 Morgan Drive Sinking Spring, PA 19608	Lower Heidelberg Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060319	PAG-02 General Permit	Issued	Gary Kinsley 2191 Seven Valleys Road Seven Valleys, PA 17360	Ontelaunee Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060344	PAG-02 General Permit	Issued	Mike Krzyzanowski 1166 Spring Street Wyomissing, PA 19610	Shoemakersville Borough Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657

NOTICES

2539

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC060333	PAG-02 General Permit	Issued	Seth Moorhouse 12 2nd Street Douglassville, PA 19518	Amity Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060313	PAG-02 General Permit	Issued	Mark Balthaser 52 Tulley Drive Bernville, PA 19506	Upper Tulpehocken Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060314	PAG-02 General Permit	Issued	Jeff Bartlett 4975 DeMoss Road Reading, PA 19606	Exeter Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC190058	PAG-02 GP	Issued	Mulberry Mill, LP 700 Sawmill Road Suite 101 Bloomsburg, PA 17815	Town of Bloomsburg Columbia County	Columbia CCD 702 Sawmill Road Suite 204 Bloomsburg, PA 17815-7727
PAC140120	Renewal PAG-02 GP	Issued	Allegheny Lutheran Social Ministries 200 Rachel Drive Pleasant Gap, PA 16823	Spring Township Centre County	Centre CCD 414 Holmes Ave Suite 4 Bellefonte, PA 16823-1400
PAD140071	New PAG-02 IP	Issued	Mark & Olga Levi Buffalo Run Road Port Matilda, PA 16870	Patton Township Centre County	NCRO
PAC140118	New PAG-02 GP	Issued	Pennsylvania State University Intersection of Bigler & Services Rd. Secondary intersection at Bigler & Park Road University Park, PA 16803	College Township State College Borough Centre County	Centre CCD 414 Holmes Avenue Suite 4 Bellefonte, PA 16823-1400
PAC110076	PAG-02 General Permit	Issued	Cambria County Transit Authority 1226 North Center Street Ebensburg, PA 15931	Ebensburg Borough Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120
PAC650231	PAG-02 General Permit	Issued	Maronda Homes, LLC 11 Timberglen Drive Imperial, PA 15126	Penn Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 724-837-5271

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC650232	PAG-02 General Permit	Issued	North Huntingdon APA RE, LLC 5875 Northwest 163rd Street Suite 104 Miami Lakes, FL 33014	North Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 724-837-5271
PAC650259	PAG-02 General Permit	Issued	Vinson, LLC 415 Unity Center Road Pittsburgh, PA 15239	Hempfield Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 724-837-5271
PAC650261	PAG-02 General Permit	Issued	Stargazer Land Conservancy, LLC 111 Conner Lane Belle Vernon, PA 15012	Rostraver Township Westmoreland County	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 724-837-5271
PAC200075	PAG-02 General Permit	Issued	Titusville Area School District 301 East Spruce Street Titusville, PA 16354	Titusville City Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAD100012	Individual NPDES	Issued	Holbein Inc. 180 Parker Road Sarver, PA 16055	Buffalo Township Butler County	NWRO
PAC330026	PAG-02 General Permit	Issued	Bruceton Farm Service Inc. 116 Shannon Drive Morgantown, WV 26508	Brookville Borough Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC100222A1	PAG-02 General Permit	Issued	Don Balla 371 Steeplechase Drive Cranberry Township, PA 16066	Adams Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Country View Family Farms, LLC River Valley Farm 504 Doan Road Knoxville, PA 16928	Tioga	445	3,271.5	Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 5120504, Public Water Supply.

Applicant **Veteran's Affairs Medical Center**
3900 Woodland Avenue
Philadelphia, PA 19104

Township Philadelphia City
County **Philadelphia**
Type of Facility PWS
Consulting Engineer H F Lenz Company
1407 Scalp Avenue
Johnstown, PA 15904
Permit Issued September 8, 2020

Permit No. 4620534, Public Water Supply.
Applicant **Play & Learn Centers**
3000 Main Street
Green Lane, PA 19034

Township Marlborough
County **Montgomery**
Type of Facility PWS
Consulting Engineer Steckbeck Engineering & Surveying, Inc.
279 N. Zinn's Mill Road
Lebanon, PA 17042
Permit Issued November 23, 2020

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 5220512, Construction Permit, Public Water Supply.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Lehman Township
County **Pike**
Type of Facility Public Water Supply
Consulting Engineer Daniel Hopkins, P.E.
Entech Engineering, Inc.
201 Penn Street
P.O. Box 32
Reading, PA 19603

Permit to Construct Issued April 19, 2021

Description of Action Rigby and Dorchester tank replacement projects in Saw Creek Estates.

Permit No. 2359008, Operation Permit, Public Water Supply.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Municipality South Abington Township and the City of Scranton

County **Lackawanna**

Type of Facility Public Water Supply

Consulting Engineer Richard C. Dudek, P.E.
Pennsylvania American Water Company
2699 Stafford Avenue
Scranton, PA 18505

Permit Issued April 13, 2021

Description of Action Partial Operation Permit for pump station modification projects at two locations.

Permit No. 3130040, Operation Permit, Public Water Supply.

Applicant **Blue Heron Homeowner's Association c/o Preferred Management**
P.O. Box 687
Moscow, PA 18444

Municipality Kidder Township

County **Carbon**

Type of Facility Public Water Supply

Consulting Engineer Russell D. Scott, IV, P.E.
RKR Hess
112 North Courtland Street
P.O. Box 268
East Stroudsburg, PA 18301

Permit Issued April 23, 2021

Description of Action Installation of a treatment system for corrosion control utilizing an ortho-polyphosphate blend and chemical feed system to abate elevated levels of Lead.

Permit No. 3480029, Operation Permit, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
204 E. Sunbury Street
Shamokin, PA 17872

Municipality Moore Township

County **Northampton**

Type of Facility Public Water Supply

Consulting Engineer Peter J. Lusardi, P.E.
GHD, Inc.
1240 North Mountain Road
Harrisburg, PA 17112

Permit Issued December 29, 2020

Description of Action Tank replacement project at the Evanwood Water System located at 2493 Evanwood Road in Moore Township.

Permit No. 2660014, Operation Permit, Public Water Supply.

Applicant **Tunkhannock Borough Municipal Authority**
201 West Tioga Street
Tunkhannock, PA 18657

Municipality Tunkhannock Borough

County **Wyoming**

Type of Facility Public Water Supply

Consulting Engineer Michael P. Goodwin, P.E.
Milnes Engineering, Inc.
12 Frear Hill Road
Tunkhannock, PA 18657

Permit Issued March 12, 2021

Description of Action Replacement of the existing Swale Brook Well House with a new well house.

Permit No. 3130990, Operation Permit, Public Water Supply.

Applicant **Wen-Lehighton, LLC**
P.O. Box 1158
Marshalls Creek, PA 18335

Municipality Mahoning Township

County **Carbon**

Type of Facility Public Water Supply

Consulting Engineer Thomas G. Puller, P.E.
Earthres Group, Inc.
6912 Old Easton Road
Pipersville, PA 18947

Permit Issued January 28, 2021

Description of Action New well and manganese treatment system for Wendy's Leighton Restaurant.

Permit No. 3540038, Operations Permit, Public Water Supply.

Applicant **Schuylkill County Municipal Authority**
(Gordon Well Station Improvement Project)
221 South Centre Street
Pottsville, PA 17901

Township Butler Township

County **Schuylkill**

Type of Facility PWS

Consulting Engineer Mr. Patrick Caulfield, P.E.
Schuylkill County Municipal Authority
221 South Centre Street
Pottsville, PA 17901

Permit to Operate Issued April 13, 2021

Permit No. 3921503MA, Public Water Supply.
 Applicant **Lehigh County Authority LCA North Whitehall Division** (Schnecksville Tank Rehab.)
 1053 Spruce Street
 P.O. Box 3348
 Allentown, PA 18106-0348
 Township North Whitehall Township
 County **Lehigh**
 Type of Facility PWS
 Consulting Engineer Mr. Jason G. Saylor, P.E.
 Utility Service Company, Inc.
 230 Peachtree Street NE
 Suite 1100-Promenade
 Atlanta, GA 30309
 Permit to Construct Issued April 14, 2021

Permit No. 3921501MA, Public Water Supply.
 Applicant **Lehigh County Authority LCA Heidelberg Heights Division** (Heidelberg Tank Rehab.)
 1053 Spruce Street
 P.O. Box 3348
 Allentown, PA 18106-0348
 Township Heidelberg Township
 County **Lehigh**
 Type of Facility PWS
 Consulting Engineer Mr. Jason G. Saylor, P.E.
 Utility Service Company, Inc.
 1230 Peachtree Street NE
 Suite 1100-Promenade
 Atlanta, GA 30309
 Permit to Construct Issued April 15, 2021

Permit No. 3390055, Operations Permit Public Water Supply.
 Applicant **Lehigh County Authority LCA North Whitehall Division**
 1053 Spruce Street
 P.O. Box 3348
 Allentown, PA 18106-0348
 Township North Whitehall Township
 County **Lehigh**
 Type of Facility PWS
 Consulting Engineer NA
 Permit to Operate Issued April 8, 2021

Permit No. 3480030, Operation Permit, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 204 E. Sunbury Street
 Shamokin, PA 17872
 Municipality Moore Township
 County **Northampton**
 Type of Facility Public Water Supply

Consulting Engineer Peter J. Lusardi, P.E.
 GHD, Inc.
 1240 North Mountain Road
 Harrisburg, PA 17112
 Permit Issued December 29, 2020
 Description of Action Tank replacement project at the Christian Springs Water System located at 209 Jefferson Avenue in Moore Township.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Operations Permit issued to: **Tulpehocken Spring Water, Inc.**, 750 Point Township Drive, Point Township Drive, PA 17857, **PWSID No. 4496031**, Point Township, **Northumberland County** on April 22, 2021 for the operation of facilities approved under construction permit # 4496031. This permit approves the operation of a bulk water loading station at 750 Point Township Drive, Northumberland, PA (Latitude: 40° 54' 33"N and Longitude: -76° 45' 53"W) at the Tulpehocken Spring Water, Inc. Oak Park Bottling Facility in Point Township, Northumberland County to provide water for potable uses from which Tulpehocken Spring Water, Inc. may withdraw a maximum of 50,000 gallons per day. This permit also authorizes Tulpehocken Spring Water, Inc. to withdraw up to 50,000 GPD of potable water from Tulpehocken Spring Water, Inc. Bulk Station, located at 750 Point Township Drive, Northumberland, PA and transport this water in two Heil 5,700-gallon stainless steel tankers with vehicle identification numbers 1HLR1D7B3G9D39592 and 1HLR1D7B7G9D39594.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Township	Township Address	County
Frankstown Township	2122 Frankstown Road Hollidaysburg, PA 16648	Blair

Plan Description:

Approval of a revision to the official plan of Frankstown Township, Blair County. The project is known as Jason Donaldson Property SFTF. The plan provides for the installation of a small flow treatment facility with a discharge on the property into a drainage channel tributary to the Frankstown Branch of the Juniata River, to replace a failing on-lot sewage disposal system for a single-family dwelling on a 1.05-acre lot. The property is located at 326 Beaver Dam Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-07911-206-3s and the APS Id is 1028848. Any permits must be obtained in the name of the property owner.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Plan Location:

Single Residence Sewage Treatment Plant at 330 Stubber Road, New Brighton, PA 15066.

Township	Township Address	County
Daugherty Township	2182 Mercer Road New Brighton, PA 15066	Beaver

Plan Description:

The approved plan provides for the installation of a Single Residence Sewage Treatment Plant at 330 Stuber Road, New Brighton, PA 15066 to remedy an existing malfunction. The proposed SFTF will discharge to an existing catch basin adjacent to the property that flows to an Unnamed and Undocumented Tributary to the Beaver River, a 25 Pa. Code Chapter 93—defined Warm Water Fishery. This approval was granted in part based on the Department's Water Quality Antidegradation Implementation Guidance policy. The approved sewage facility plan, evaluated all non-discharge alternatives and determined no environmentally sound and cost effective non-discharge alternative is available under subsection (b)(1)(i)(A.).

The Department's review of the sewage facility plan has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the homeowner.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Township	Township Address	County
Ruscombmanor Township	204 Oak Lane Fleetwood, PA 19522	Berks

Plan Description:

The Component 2 Planning Module for the 134 Spook Lane Subdivision, DEP Code No. B3-06957-155-2, APS Id 1023392, consisting of four new single-family residential lots each using an individual on-lot sewage disposal system, is disapproved. The proposed development is located on Spook Lane. This plan is disapproved because it continues to be technically deficient due to the failure to provide an accurate assessment of the background groundwater nitrate-nitrogen levels beneath the site.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for se-

lecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

601 Spruce Street, 601 West Spruce Street, Perkasio, PA 18944, Perkasio Borough, **Bucks County**. Mark Fortna Sr., Penn Environmental and Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of James Cassidy, 601 Spruce Street Investments Partners, LLC, 270 West Walnut Lane, Philadelphia, PA 19444 submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with VOCs and inorganics. The report is intended to document remediation of the site to meet the site-specific standard.

Folcroft West Business Park, 701A, 701B, and 701C Ashland Avenue and 801 Carpenters Crossing, Folcroft, PA 19032, Folcroft Borough, **Delaware County**. Michael Edelman, PG, TRC Environmental Corporation, 1801 Market Street, Suite 1380, Philadelphia, PA 19103 on behalf of Brian Coyle, Henderson Ashland Carpenters Crossing Associates LLC (Ashland I, II, and IV) and Henderson Ashland Three Associates LLC (Ashland III), 112 Chesley Drive, Suite 200, Media, PA 19032 submitted a Remedial Investigation Report/Cleanup Plan/Risk Assessment Report/Final Report concerning remediation of site groundwater contaminated with chlorinated solvent compounds including perchloroethylene, trichloroethylene, cis-1,2-dichloroethylene and vinyl chloride. The report is intended to document remediation of the site to meet the site-specific standard.

Fairfield Cleaners, 143 East Swedesford Road, Exton, PA 19341, West Whiteland Township, **Chester County**. David Berry, The Vertex Companies, Inc., 2501 Seaport Drive, Suite BH 110, Chester, PA 19013 on behalf of Kevin Lahn, Exton/Whiteland Devco, 200 Old Forge Lane, Suite 201, Kennett Square, PA 19348 submitted a Final Report concerning remediation of site groundwater con-

taminated with PCE. The report is intended to document remediation of the site to meet the Statewide health standard.

BASF Corporation, 300 Brookside Avenue, Ambler, PA 19002, Lower Gwynedd Township, **Montgomery County**. John M. (Jay) Ash, PG, AMO Environmental Decisions, 875 North Easton Road, Suite 10, Doylestown, PA 18902 on behalf of Edward Vanyo, BASF Corporation, 100 Park Avenue, Florham, NJ 07932 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site groundwater contaminated with SVOCs, VOCs, metals, herbicides and organic compounds. The report is intended to document remediation of the site to meet the site-specific standard.

225 Lincoln Highway, 225 Lincoln Highway, Fairless Hills, PA 19030, Falls Township, **Bucks County**. J. Matthew Brainard, BrightFields, Inc., 810 Industrial Street, Wilmington, DE 19801 on behalf of Bill Koelewyn, 225 Lincoln Properties, LP, 225 Lincoln Properties, Suite 150, Fairless Hills, PA 19030 submitted a Risk Assessment Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the site-specific standard.

Hicinbothem Residence, 328 Crabtree Drive, Levittown, PA 19055, Bristol Township, **Bucks County**. Richard Trimpi, PG, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Poseidon Pools, Intersection of Crestwood Drive and Elmwood Road, Mountain Top, PA 18707, Wright Township, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of the Greater Wilkes-Barre Chamber of Commerce, 2 Public Square, Wilkes-Barre, PA 18701, submitted a Final Report concerning remediation of soil and groundwater contaminated with lead and organic chemicals from historic operations. The report is intended to document remediation of the site to meet Statewide health standards.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

Former Harner Farm, 2191 West Whitehall Road, State College, PA 16801, Ferguson Township, **Centre County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406, on behalf of Aspen Whitehall Partners, LLC and Aspen Route 26 Partners, LLC, 116 Union Avenue, Altoona, PA 16602, has submitted a Combined Remedial Investigation Report and Risk Assessment Report concerning remediation of site soil contaminated with arsenic. The report is intended to document remediation of the site to meet the site-specific standard.

Beech Resources Premier Well Site, 819 Waltz Mountain Drive, Williamsport, PA 17701, Lycoming Township, **Lycoming County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Beech Resources, LLC, 343 Pine Street, Suite

1, Williamsport, PA 17701, has submitted a Final Report concerning remediation of site soil contaminated with production water. The report is intended to document remediation of the site to meet the Statewide health standard.

Puderbaugh Trucking Truck Rollover, Route 220-Route 15N on ramp, Williamsport, PA 17701, Williamsport City, **Lycoming County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of ARD Operating, LLC, 33 West Third Street, Williamsport, PA 17701, has submitted a Final Report concerning remediation of site soils contaminated with production water. The report is intended to document remediation of the site to meet the Statewide health standard.

JKLM Energy, LLC—Headwater 145 Well Pad, 420 Longfellow Lane, Ulysses, PA 16948, Ulysses Borough, **Potter County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of JKLM Energy, LLC, 2200 Georgetowne Drive, Sewickley, PA 15143, has submitted a Final Report concerning remediation of site soil contaminated with production water. The report is intended to document remediation of the site to meet the Background and Statewide health standards.

Ledvance, LLC, 1 Jackson Street, Wellsboro, PA 16901, Wellsboro Borough, **Tioga County**. Sanborn Head & Associates, Inc., 500 W Office Center Drive, Suite 400, Fort Washington, PA 19034, on behalf of Ledvance LLC, 200 Ballardvale Street, Wilmington, MA 01887, has submitted a Final Report concerning remediation of site soil contaminated with chromium. The report is intended to document remediation of the site to meet the site-specific standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the

presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

1400 East Lackawanna Avenue, 1400 East Lackawanna Avenue, Olyphant, PA 18447, Olyphant Borough, **Lackawanna County**. Langan Engineering and Environmental Services, 2700 Kelly Road, Suite 200, Warrington, PA 18976, on behalf of Canpack USA, P.O. Box 96, Temple, PA 19560, submitted a combined Baseline Environmental Report and final report concerning remediation of soil and groundwater contaminated with metals and organic chemicals from historic site operations. The report is intended to document remediation of the site to meet Special Industrial Area and Statewide health standards. The Final Report demonstrated attainment of Statewide health standards and the combined Baseline Environmental Report and final report was approved by DEP on April 22, 2021.

Range Unit 31 Scott Well Pad, 2867 Three Lakes Road, New Milford, PA 18834, New Milford Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil contaminated by a release of production fluid (brine). The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on April 21, 2021.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Rutter's Farm Store # 54, 5305 Susquehanna Trail, York, PA 17404, Conewago Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 North Susquehanna Trail, Suite C, York, PA 17404, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report did not demonstrate attainment of the residential Statewide health standard and was disapproved by the Department on April 19, 2021.

FR&S Industrial Waste Site, Red Lane & Lincoln Road, Birdsboro, PA 19508, Exeter Township, **Berks County**. Synergy Environmental, Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of Buddies Nursery, Inc., P.O. Box 264, Birdsboro, PA 19508, submitted a Cleanup Plan, Risk Assessment, and Final Report concerning remediation of site soil and groundwater contaminated with demolition and industrial waste. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on April 20, 2021.

UPS Freight Mechanicsburg Terminal, 6060 Carlisle Pike, Mechanicsburg, PA 17055, Hampden Township, **Cumberland County**. Arcadis U.S., Inc., 2410 Paces Ferry Road, Atlanta, PA 30339, on behalf of United Parcel Service, 55 Glenlake Parkway NE, Atlanta, GA 30328, submitted a Remedial Investigation and Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The Final Report did not demonstrate attainment of the site-specific standard and was disapproved by the Department on April 20, 2021.

Phillips & Phillips, Attorneys at Law, 101 West Middle Street, Gettysburg, PA 17325, Gettysburg Borough, **Adams County**. United Environmental Services, Inc., 1143 Long Run Road, Schuylkill Haven, PA 17972, on behalf of Phillips & Phillips, Attorneys at Law, 101 West Middle Street, Gettysburg, PA 17325, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the residential Statewide health standard and was disapproved by the Department on April 26, 2021.

Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Former Green Shingle Service & Restaurant, 6468 Sterrettania Road, Fairview, PA 16415, McKean Township, **Erie County**. Environmental Geo-Services, 678 Georgetown Road, Hadley, PA 16130 on behalf of Old PID, Inc., c/o Eldorado Resorts, 100 West Liberty Street, Suite 1150, Reno, NV 89501 has submitted a Remedial Investigation Report concerning remediation of site soil contaminated with Benzene, Ethylbenzene, Cumene, Methyl Tert Butyl Ether, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Xylenes and site groundwater contaminated with Benzene, Ethylbenzene, Naphthalene, and 1,2,4-Trimethylbenzene. The Remedial Investigation Report was disapproved by the Department on April 22, 2021.

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Columbia Silk Dying, 1726 North Howard Street, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. John Pavlik, Advantage Environmental Consultants, LLC, 3819 Germantown Pike, Suite B, Collegeville, PA 19427 on behalf of Andrew Zakroff, Urban Conversions, LLC, 1028 North 3rd Street, Philadelphia, PA 19123 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil contaminated with lead and inorganics. The Report was approved by the Department on April 15, 2021.

Wawa 8088, 101 Easton Road, Horsham, PA 19044, Horsham Township, **Montgomery County**. Geoff Kristof, PG, Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19382 on behalf of Joseph Standen, Jr., PG, Wawa, Inc., 260 West Baltimore Pike, Media, PA 19063

submitted a Final Report concerning the remediation of site soil contaminated with unleaded gasoline. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on April 20, 2021.

601-701 Washington Street, 601-701 Washington Street, Conshohocken, PA 19426, Whitemarsh Township, **Montgomery County**. Michael Gonshor, PG, Roux Associates, Inc., 402 Heron Drive, Logan Township, NJ 08085 behalf of Kevin Kyle, 601 Washington Street Associates, LP, 201 King of Prussia Road, Suite 501, Radnor, PA 19087 submitted a Remedial Investigation Report/Cleanup Plan/Final Report concerning the remediation of site soil and groundwater contaminated with PAHs, chlorinated solvents and inorganics. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on April 6, 2021.

Hicinbothem Residence, 328 Crabtree Drive, Levittown, PA 19055, Bristol Township, **Bucks County**. Richard Trimpi, PG, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Report was reviewed by the Department which issued an administrative deficiency letter on April 2, 2021.

Raleigh Mill Roeper Foundry, 1617-35 North 5th Street, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Jennifer Poole, PG, Pennoni, 1900 Market Street, Philadelphia, PA 19103 on behalf of Lawrence McKnight, PE, L & M Turner Court, LLC c/o The River Wards Group, 3020 Richmond Street, Philadelphia, PA 19134 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with PAHs, inorganics and other organics. The Report was approved by the Department on April 2, 2021.

NW Controls Facility Property, 2210 Shelly Road, Harleysville, PA 19438, Upper Salford Township, **Montgomery County**. Terence O'Reilly, PG, TriState Environmental Management Services, Inc., 368 Dunksferry Road, Bensalem, PA 19020 on behalf of Keith Miller, Guardian for Karl Ifert, Acorn Fund, LLC, 6 Kendra Court, Ridgefield, CT 06877 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with trichloroethene, tetrachloroethene, cis-1,2-dichloroethene and vinyl chloride. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on April 2, 2021.

REGISTRATION FOR GENERAL PERMIT—MUNICIPAL WASTE

Registration(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Registration No. WMGM042SC001. Reinford Farms, Inc. (Reinford), 505 Cedar Grove Road, Mifflintown, PA 17059, Walker Township, **Juniata County**. The application submitted by Reinford Farms requests a major modification to the base General Permit

No. WMGM042, as well as Reinford Farms' coverage under the general permit, WMGM042SC001. General Permit No. WMGM042 authorizes the processing of animal manure mixed with grease trap waste, pre- and post-consumer food waste from commercial and institutional establishments by anaerobic digestion on a farm and the beneficial use of the following:

- 1) Methane gas produced by the anaerobic digestion as fuel, including in the production of electricity,
- 2) Waste solids removed from the digester as animal bedding material at the farm, and
- 3) Liquid waste and solids removed from the digester as a soil additive for agricultural purposes.

The modifications added to the WMGM042 base permit allow the processing of packaged food waste using a de-packaging unit(s) to mechanically separate packaging from pre-consumer and post-consumer food waste from commercial establishments, institutional establishments, or industrial food manufacturing operations prior to anaerobic digestion. Reinford Farms also proposed to modify its coverage under WMGM042SC001 to add a second anaerobic digester and pre-digester tanks/equipment that would operate in conjunction with the existing anaerobic digester. The modifications to the base permit WMGM042, and the modifications to Reinford Farms' coverage under WMGM042SC001 were issued by Central Office and the Southcentral Regional Office, respectively, on April 2, 2021.

Persons interested in reviewing the general permit may contact John Oren, P.E., Permits Section Chief, PADEP Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4907. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 100955. Clinton County Solid Waste Authority, 264 Landfill Lane, P.O. Box 209, McElhattan, PA 17748-0209, Wayne Township, **Clinton County**. This permit modification is for changes to the perimeter berm increasing the exterior slope from 2:1 to 1.5:1, scalehouse relocation, modification to the Radiation Plan, replacement of Sedimentation Basin 3 with Sedimentation Basin 3R, an increase in the leachate equalization impoundment (LEI) high water level to 580.0', relocation of the meteorological station to the office building and addition of Skaps as an approved geomembrane manufacturer for Wayne Township Landfill. The permit was issued by DEP Northcentral Regional Office on June 27, 2021.

Persons interested in reviewing the general permit applications may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3752. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP1-09-0115: St. Mary Medical Center (1201 Langhorne-Newton Road, Langhorne, PA 19047) on April 22, 2021 for the installation and operation of 30.62 MMBtu/hr Cleaver-Brooks Boiler in Middletown Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP3-52-002A: E.R. Linde Construction Corporation (239 Golf Hill Road, Honesdale, PA 18431) on April 26, 2021, to operate a portable stone crushing plant at the facility located in Lackawaxen Township, **Pike County**.

GP11-52-002A: E.R. Linde Construction Corporation (239 Golf Hill Road, Honesdale, PA 18431) on April 26, 2021, to operate non road IC Engines at the facility located in Lackawaxen Township, **Pike County**.

GP4-39-005: Stanley Vidmar (11 Grammes Road, Allentown, PA 18103-4760) on April 21, 2021 for the installation of a natural gas fired burn off oven at the facility located in Allentown, **Lehigh County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager; (570) 327-3648.

GP3-08-395A: Bishop Brothers Construction Company, Inc. (1376 Leisure Drive, Towanda, PA 18848) on April 23, 2021, for the authorization to construct and operate one Extec C-12 portable crusher rated at 300 tons per hour (tph) throughput, one Eagle 33D5500 portable crusher rated at 250 tpy, one Powerscreen Chiefton 1200 vibratory screen rated at 300 tph, one Sandvic QE340 vibratory screen rated at 320 tph, one Powerscreen Warrior 2100 vibratory screen rated at 400 tph, and two radial stackers (manufacturer/model unidentified) each rated at 320 tph pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at the Byers Quarry facility located in Sheshequin Township, **Bradford County**.

GP9-08-395A: Bishop Brothers Construction Company, Inc. (1376 Leisure Drive, Towanda, PA 18848) on April 23, 2021, for the authorization to construct and operate one 366 brake-horsepower (bhp) Deutz model BF6M1015C diesel engine to power an Extec C-12 crusher, one 665 bhp Detroit 6064HU33 diesel engine to power and Eagle 33D5500 crusher, and one 110 bhp Caterpillar C4.4 diesel engine to power a Powerscreen Warrior 2100 screener pursuant to the General Plan Approval and/or General Operating Permit for Diesel or

No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Byers Quarry facility located in Sheshequin Township, **Bradford County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on April 22, 2021 a Plan Approval for installation of air pollution sources at the following facility:

IP20-000531: Ivy Hill Cemetery Company (1201 Easton Road, Philadelphia, PA 19150) on April 22, 2021, was issued a Plan Approval for the installation of air pollution sources at a crematorium, in the City of Philadelphia, **Philadelphia County**. The significant stationary air emission source in the Plan Approval is the Human Cremation Unit G, which has the capacity to process 250 lbs/hr of human remains and has burner and afterburner each firing natural gas with combined rated capacity of 3.0 MMBtu/hr. Additionally, the facility requested an amendment for the Human Cremation Unit E that was previously permitted under Installation Permit Nos. 99102-99103 Issued October 8, 1999. The Human Cremation Unit E has the capacity to process 200 lbs/hr of human remains and has burner and afterburner each firing natural gas with combined rated capacity of 1.9 MMBtu/hr. The facility requested removing the requirement to monitor and record stack pressure drop for the Human Cremation Unit E. The potential emission from the installation are as follows: (1) 5.61 tons per year (tpy) of Nitrogen Oxides (NO_x), (2) 4.76 tpy of Particulate Matter (PM), (3) 4.67 tpy of Carbon Monoxide (CO), (4) 2.15 tpy of Sulfur Oxides (SO_x), and (5) 0.41 tpy of Volatile Organic Compound (VOC). The plan approval contains operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0196L: Abington Reldan Metals, LLC (550 Old Bordertown Road, Fairless Hills, PA 19030-4510) on April 20, 2021 an extension of the temporary operation to facilitate shakedown of the existing Thermal Destructor 2 Baghouse (C02B) with a new Baghouse (C14B) in Falls Township, **Bucks County**.

23-0003AD: Monroe Energy, LLC (4101 Post Road, Trainer, PA 19061-5052) on April 22, 2021 an extension of the temporary operation to facilitate shakedown of a new, 2-bay, LPG Truck Loading Rack and associated piping components in Trainer Borough, **Delaware County**.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

11-00536A: CPV Fairview, LLC (50 Braintree Hill Office Park, Suite 300, Braintree, MA 02184) plan approval extension effective on April 28, 2021, with expiration on October 28, 2021, for continued temporary operation of air contamination sources and controls associated with the CPV Fairview Energy Center located at 2862 William Penn Avenue, Johnstown, PA 15909, in Jackson Township, **Cambria County**.

11-00536B: CPV Fairview, LLC (50 Braintree Hill Office Park, Suite 300, Braintree, MA 02184) plan approval extension effective on April 28, 2021, with expiration on October 28, 2021, for continued temporary operation of air contamination sources and controls associated with the CPV Fairview Energy Center located at 2862 William Penn Avenue, Johnstown, PA 15909, in Jackson Township, **Cambria County**.

PA-65-01040: Elliott Company (901 North Fourth Street, Jeanette, PA 15644-1474) on April 26, 2021 to extend the construction and temporary operation period for the Product Testing Facility located in the City of Jeanette, **Westmoreland County**. The new expiration date is October 28, 2021.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

TV-26-00405: Eastern Gas Transmission and Storage, Inc. (6603 West Broad St., Richmond, VA 23230). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that it has issued a renewal Title V Operating Permit to authorize continued operation of the North Summit Compressor Station located in North Union Township, **Fayette County**.

The emission sources covered by this operating permit will include two Cooper natural gas-fired compressor engines rated at 3,200 bhp each, a Waukesha natural gas-fired auxiliary generator engine rated at 610 bhp, a natural gas-fired Peerless boiler rated at 3.57 MMBtu/hr, two natural gas-fired Tulpro Heaters rated at 25 MMBtu/hr each, a natural gas-fired GasTech Water Bath Heater rated at 6.34 MMBtu/hr, and miscellaneous storage tanks.

The emission restrictions and testing, monitoring, recordkeeping, reporting, and work practice conditions of the Title V Operating Permit have been derived from the applicable requirements of 40 CFR Parts 60, 61, 63, and 70, and 25 Pa. Code Article III, Chapters 121—145. The Title V Operating Permit was issued final on April 21, 2021.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00101: Kendal Crosslands Communities (P.O. Box 100, Kennett Square, PA 19348) on April 20, 2021, for the renewal of a non-Title V, State Only Operating Permit for the operation of two (2) 1,500 kW diesel fuel-fired generators, six (6) dual fuel-fired boilers that can fire either natural gas or No. 2 fuel oil and each rated at less than 10 MMBtu/hr at their facilities located in Kennett and Pennsbury Townships, **Chester County**.

15-00068: Spring City Electrical Manufacturing Co. (1 South Main St., Spring City, PA 19475) on April 21, 2021 for a non-Title V, State Only, Synthetic Minor for the operation of a foundry that manufactures iron and aluminum cast light posts at their facility located in Spring City Borough, **Chester County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00026: Bishop Brothers Construction Company, Inc. (1376 Leisure Drive, Towanda, PA 18848) on April 26, 2021, was issued a renewal State Only Operating Permit for their Sheshequin Plant facility located in Sheshequin Township, **Bradford County**. The State Only Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

41-00021: Buckeye Energy Services, LLC (3186 Gates Road, Auburn, NY 13021) on April 26, 2021, was issued a renewal State Only (Synthetic Minor) Operating Permit for their Williamsport Bulk Terminal facility located in Armstrong Township, **Lycoming County**. The State Only (Synthetic Minor) Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

11-00538: Rosebud Mining Company/Cresson Coal Preparation Plant (301 Market Street, Kittanning, PA 16201-1504) on April 27, 2021, the Department issued a Natural Minor Operating Permit for the operation of the facility's air contamination sources consisting of a coal preparation plant including a 600 tph double-deck incline vibratory screen with associated conveyors and stockpiles, one 755 bhp diesel-fired emergency generator, and one 1,372 bhp diesel-fired emergency generator. The facility will be limited to 1,500,000 tons of raw coal throughput

per year. The 755 bhp generator will be limited to 500 hours of operation per 12-cmp. The 1,372 bhp generator will be limited to 100 hours of operation per 12-cmp. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit located at the facility in Cresson Township, **Cambria County**.

26-00288: Hanson Aggregates BMC, Inc./Springfield Pike Quarry and Asphalt (2200 Springfield Pike, Connellsville, PA 15425-6412) on April 6, 2021, the Department issued a Synthetic Minor Operating Permit renewal for the operation of the facility's air contamination sources consisting of an underground limestone mine, above ground limestone processing plant, sand plant, and a Hot Mix Asphalt (HMA) plant with a RAP processing system. The facility is limited to 425,000 tons HMA/yr and 1,111,500 gallons of liquid fuel per 12-cmp. The operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit located at the facility in Connellsville Township, **Fayette County**.

26-00545: Heartland Fabrication, LLC (1800 Paul Thomas Blvd., Brownsville, PA 15417) on April 23, 2021, an Air Quality Synthetic Minor State Only Operating Permit (SOOP) renewal to Heartland Fabrication located in Brownsville Borough, **Fayette County**.

65-00659: Hanson Aggregates BMC, Inc./Adamsburg Asphalt Plant (2200 Springfield Pike, Connellsville, PA 15425-6412) on April 6, 2021, the Department issued a Synthetic Minor Operating Permit renewal for the operation of the facility's air contamination sources consisting of a drum mix Hot Mix Asphalt (HMA) plant. Adamsburg Asphalt Plant operates one 500 tph HMA plant, three asphalt cement tanks, a waste fuel tank, a diesel fuel tank, haul roads, and material storage bins. The facility is limited to 736,000 tons HMA/yr and 1,380,000 gallons of liquid fuel per 12-cmp. The operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit located at the facility in Hempfield Township, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

25-00464: Klein Plating Works, Inc. (2020 Greengarden Road, Erie, PA 16502) on April 20, 2021, the Department issued the renewal State-Only Operating Permit of an electroplating and metal finishing facility located in Erie City, **Erie County**. Permitted air contamination sources are electroplating operations, electroless nickel plating, pretreatment operations, and a natural gas-fired boiler. Electroplating operations involve copper, gold, nickel, silver, tin, and tin-lead solder. Tanks on nickel and lead electroplating and on electroless nickel plating are subject to 40 CFR 63 Subpart WWWW. In this renewal, a natural gas-fired boiler is added as a permitted source. For permitting purposes, the facility is Natural Minor.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00065: Hanson Aggregates BMC, Inc./Lower Burrell Plant (2200 Springfield Pike, Connellsville, PA 15425-6412) Administrative Amendment, issued on April 16, 2021, to update the facility owner from "Hanson Aggregates BMC, Inc." to "Hanson Aggregates Pennsylvania LLC." Lower Burrell Plant operates a sand and gravel depot and is located in Lower Burrell City, **Westmoreland County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

Permit No. 32061303 and NPDES Permit No. PA0235725. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, to revise the permit and related NPDES Permit for installation of a degas borehole for Heilwood Mine located in Pine and Cherryhill Townships, **Indiana County** affecting 0.5 surface acre. No additional discharges. The application was considered administratively complete on July 24, 2020. Application received: June 25, 2020. Permit issued: February 25, 2021.

Permit No. 30841317 and NPDES Permit No. PA0213527. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for installation of a sediment pond access road for Enlow Fork Mine in East Finley Township, **Washington County** and Richhill Township, **Greene County** affecting 1.2 surface acres. No additional discharges. The application was considered administratively complete on April 29, 2020. Application received: March 2, 2020. Permit issued: February 25, 2021.

Permit No. 33971301 and NPDES Permit No. PA0215031. Rosebud Mining Company, 301 Market

Street, Kittanning, PA 16201, to revise the permit and related NPDES Permit for post-mining land use change for Dora No. 8 Mine located in Perry Township, **Jefferson County**. No additional discharges. The application was considered administratively complete on February 26, 2020. Application received: January 13, 2020. Permit issued: March 4, 2021.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 56140105 and NPDES No. PA0269506. Fieg Brothers, P.O. Box 38, Berlin, PA 15530, renewal of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 41.5 acres. Receiving streams: unnamed tributaries to/and Tubs Run to Buffalo Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: February 9, 2021. Permit issued: April 20, 2021.

Permit No. 32900108. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, renewal for reclamation only of a bituminous surface and auger mine in South Mahoning Township, **Indiana County**, affecting 74.4 acres. Receiving streams: Ross Run, unnamed tributary to Little Mahoning Creek, classified for the following use: high quality cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: February 11, 2021. Permit issued: April 23, 2021.

Permit No. 56090111. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, permit renewal for reclamation only on a bituminous surface mine in Quemahoning and Somerset Townships, **Somerset County**, affecting 233.6 acres. Receiving streams: unnamed tributaries to/and Wells Creek; Stonycreek River classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Hooversville Municipal Water Authority. Application Received: January 28, 2021. Permit issued: April 23, 2021.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert)

65-19-01 and PAG-02 No. 256519001. Robindale Energy Services, Inc., 224 Grange Hall Road, P.O. Box 288, Armagh, PA 15920. Government Financed Construction Contract issued for removal of coal refuse from approximately 12 acres, and reclamation of approximately 17 acres of abandoned mine lands located in South Huntingdon Township, **Westmoreland County**. Receiving stream: Sewickley Creek. Application received: July 3, 2019. Contract issued: April 22, 2021.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

PAM216001-GP104. Daggett Sand and Gravel, Inc., 4716 Route 328, Millerton, PA 16936. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 4977SM4 located in Jackson Township, **Tioga County**. Receiving stream(s): Seeley Creek, classified for the following use(s): Cold Water

Fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: December 30, 2020. Renewal of Coverage issued: April 23, 2021.

PAM213001-GP104. Glenn O. Hawbaker, Inc., 1952 Waddle Road, State College, PA 16803. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08040301 located in Canton Township, **Bradford County**. Receiving stream(s): Towanda Creek, classified for the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: January 15, 2021. Renewal of Coverage issued: April 23, 2021.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 08214102. Maurer & Scott Sales, Inc., 122 Thomas St., Coopersburg, PA 18036. Blasting for landfill located in West Burlington Township, **Bradford County** with an expiration date of April 16, 2022. Permit issued: April 22, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 15214102. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Sadsbury Commons in Sadsbury Township, **Chester County** with an expiration date of April 6, 2022. Permit issued: April 19, 2021.

Permit No. 45214107. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, construction blasting for 7 Catfish Court in Barrett Township, **Monroe County** with an expiration date of April 1, 2022. Permit issued: April 19, 2021.

Permit No. 39214102. Maurer & Scott Sales, Inc., 122 Thomas Street, Coopersburg, PA 18036, construction blasting for Rockefeller Lehigh 5A in Alburts Borough and Hanover Township, **Lehigh County** with an expiration date of December 31, 2021. Permit issued: April 20, 2021.

Permit No. 64214002. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, construction blasting for Steve Donovan house foundation in Cherry Ridge Township, **Wayne County** with an expiration date of March 15, 2022. Permit issued: April 21, 2021.

Permit No. 06214103. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Western Berks Landfill 2021 cell reconstruction in Cumru Township, **Berks County** with an expiration date of April 16, 2022. Permit issued: April 22, 2021.

Permit No. 36214114. M & J Explosives, LLC, 104 East Main Street, Carlisle, PA 17015, construction blasting for Overlook Town Center in Manheim Township, **Lancaster County** with an expiration date of April 16, 2022. Permit issued: April 22, 2021.

Permit No. 36214115. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, construction blasting for Caernarvon Township Building Addition in Caernarvon Township, **Lancaster County** with an expiration date of June 30, 2021. Permit issued: April 22, 2021.

Permit No. 36214116. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, construction blasting for Fairmont Church in West Earl Township, **Lancaster County** with an expiration date of June 30, 2021. Permit issued: April 22, 2021.

Permit No. 38414104. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Greystone Crossing in North Cornwall Township, **Lebanon County** with an expiration date of April 20, 2022. Permit issued: April 22, 2021.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4802220-025. Northampton County General Purpose Authority, 669 Washington Street, Easton, PA 18042. Lower Mount Bethel Township, **Northampton County**, Army Corps of Engineers Philadelphia District.

To construct and maintain dual culverts conveying flow for Little Martins Creek (CWF, MF) consisting of two (2) 79-foot long, 16.5-foot span, 11-foot high concrete box culverts. The replacement structures will include appurtenant features such as fish baffles, 1-foot of streambed embedment and upstream and downstream wingwalls. A de minimus amount of permanent EV wetland impacts are associated with this crossing. The project is located on Little Creek Road (T-659) approximately 0.5 mile north of the intersection of Little Creek Road (T-659) and S. Delaware Drive (Bangor, PA Quadrangle Latitude: 40° 47' 25" Longitude: -75° 11' 6") in Lower Mount Bethel Township, Northampton County.

E3502220-023. Ramar Land Corporation, 600 Gil-lam Road, Wilmington, OH 45177. Jermyn Borough, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To permanently impact two PEM wetlands, totaling 0.09 acre, for the construction of a cross dock trucking facility, office, maintenance building and associated parking. The project is located at the intersection of S.R. 107 Road and Bonnie Drive (Carbondale, PA Quadrangle Latitude: 41° 31' 42.25"; Longitude: -75° 32' 19.32") in Jermyn Borough, Lackawanna County.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E30052-263, Lamar Prospect Trust, 430 East Oakview Drive, Waynesburg PA 15370, Franklin Township, **Greene County**; Pittsburgh ACOE District.

Has been given consent to:

1. Construct and maintain an 18" diameter, 39.3 linear foot smooth HDPE culvert conveying a UNT to South Fork Tenmile Creek (WWF) (aka WC-2F), with a drainage area less than 100-acres; and

2. Construct and maintain a 24" diameter, 39.5 linear foot smooth HDPE culvert within the floodway of UNT to South Fork Tenmile Creek (WWF) (aka WC-2L), with a drainage area less than 100-acres; and

3. Construct and maintain three 24" diameter, 32 linear foot smooth HDPE culvert conveying a UNT to South Fork Tenmile Creek (WWF) (aka WC-2N), with a drainage area less than 100-acres; and

4. Construct and maintain two 30" diameter, 31.7 linear foot RCP culvert conveying a UNT to South Fork Tenmile Creek (WWF) (aka WC-2E), with a drainage area less than 100-acres; and

5. Place and maintain 1.42-acres of fill within the floodway of UNTs to South Fork Tenmile Creek (WWF) (akas WC-2E, WC-2J, WC-2K, WC-2L, WC-2N, WC-3A, UNT-4a), with a drainage area less than 100-acres; and

6. Permanently fill 0.09-acre of Wetland (PEM/PSS) (aka W-11); and

7. Temporarily cross 21 linear feet of stream (UNT to South Fork Tenmile Creek (WWF) (aka WC-2D), with a drainage area less than 100-acres, and 0.003-acre of Wetland (PEM/PSS) (aka W-5) for the construction of an on-site wetland mitigation area; and

8. Place and maintain a rip-rap culvert outlet and regrade (for the purpose creating a mitigation area) within 0.12 acre of Wetland (PEM) (aka WL-6); and

9. Place and maintain a rip-rap culvert outlet within 0.015 acre of Wetland (PEM/PSS) (aka W-7); and

10. Place and maintain three 24" diameter culvert inlets within 0.002 acre of Wetland (PEM) (aka W-24).

For the purpose of facilitating future commercial pads and a staging area for commercial trucking operations. The project will permanently impact 214 linear feet of stream, 0.22 acre of wetland and 1.42 acres of floodway. The project will temporarily impact 21 linear feet of stream, 0.003 acre of wetland and 0.02 acre of floodway. Mitigation for these proposed impacts will occur on-site and are included in a comprehensive mitigation plan that will also include restoration of wetlands and streams that were previously impacted without a permit in accordance with a Consent Order and Agreement (COA), dated December 3, 2010. The project site is located on Baker Drive off Route 21 East (Waynesburg, PA USGS topographic quadrangle; N: 39°, 54', 8.5"; W: -80°, 8', 33"; Sub-basin 19B; USACE Pittsburgh District), in Franklin Township, Greene County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA2203221-001: Lower Paxton Township, 425 Prince Street, Harrisburg, PA 17109-3053, Lower Paxton Township, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To remove existing structures and to: 1.) regrade and maintain Asylum Run (WWF, MF) and its floodway impacting 1,419.0-feet of stream, 0.89 acre of floodway and 0.13 acre of palustrine emergent wetlands; 2.) install and maintain a 50.0-foot long by 6.0-foot, 2.0-inch wide half through connector truss bridge having an underclearance of 5.98 feet across Asylum Run (WWF, MF); 3.) install and maintain a 50.0-foot long by 6.0-foot, 2.0-inch wide half through connector truss bridge having an underclearance of 5.13 feet across Asylum Run (WWF, MF); 4.) construct and maintain a 15.0-inch HDPE outfall with R-3 rip rap apron to the floodway of Asylum Run (WWF, MF); 5.) construct and maintain a 24.0-inch HDPE outfall with R-4 rip rap apron to the floodway of Asylum Run (WWF, MF); 6.) construct and maintain a 42.0-inch HDPE outfall with R-5 rip rap apron to Asylum Run (WWF, MF); 7.) construct and maintain a 30.0-inch HDPE outfall with R-4 rip rap apron to Asylum Run (WWF, MF); 8.) construct and maintain a 24.0-inch HDPE outfall with R-4 rip rap apron to the floodway of Asylum Run (WWF, MF); 9.) construct and maintain a 18.0-inch HDPE outfall with R-3 rip rap apron to the floodway of Asylum Run (WWF, MF); 10.) construct and maintain a 18.0-inch HDPE outfall with R-3 rip rap apron to Asylum Run (WWF, MF); 11.) relocate and maintain a 4.0-inch diam-

eter PVC pipe outfall to the floodway of Asylum Run (WWF, MF); 12.) relocate and maintain a 4.0-inch diameter PVC pipe outfall to the floodway of Asylum Run (WWF, MF); 13.) relocate and maintain a 1.25 inch diameter fiber optic line in the floodway of Asylum Run (WWF, MF), all for the purpose of meeting MS4 requirements. The project is located between Colonial Road and N. Arlington Avenue (Latitude: 40.301175°N Longitude: 76.823540°W) in Lower Paxton Township, Dauphin County. Permit issued April 22, 2021.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

EA2506221-001, US Army Corps of Engineers (Buffalo District), 1776 Niagara Street, Buffalo, NY 14207, 2021 Erie Harbor Dredging, **Erie County** (Erie North, PA Quadrangle 42° 12' 27.8"N; 80° 03' 29.4"W).

The US Army Corps of Engineers is granted Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) to dredge approximately 400,000 cubic yards of sediment from the Erie Harbor Federal navigation channels and dispose of the dredged material at an existing, authorized one-mile square open-lake discharge area in Lake Erie within Pennsylvania waters. The Water Quality Certification is based on an environmental assessment (EA2506221-001) of the physical and chemical quality of the material to be dredged and the finding of low risk to the protected uses of the Pennsylvania waters of Lake Erie. The Water Quality Certification is contingent upon compliance with the Erosion and Sediment Control Plan submitted for the project and places constraints on the dates when dredging activities may take place.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

ESCGP-2 # ESG050420001
 Applicant Name Marathon Pipe Line, LLC
 Address 539 South Main Street
 City, State, Zip Findlay, OH 45840
 County Beaver County
 Township(s) Industry Borough; Brighton Township
 Receiving Stream(s) and Classification(s) Wolf Run (WWF); UNTs to Wolf Run (WWF); Six Mile Run (WWF); UNTs to Six Mile Run (WWF); Four Mile Run (WWF); UNTs to Four Mile Run (WWF); Mudlick Run (WWF); UNTs to Mudlick Run (WWF); UNTs to Ohio River (WWF); UNTs to Two Mile Run (WWF)

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.

ESCGP-3 # ESX10-125-0087
 Applicant Name CNX Gas Company LLC
 Contact Person Ms. Sarah Weigand
 Address 1000 Consol Energy Drive
 City, State, Zip Canonsburg, PA 15317
 County Washington
 Township(s) Morris
 Receiving Stream(s) and Classification(s) Unnamed Tributaries to Tenmile Creek (TSF)
 Secondary: Tenmile Creek (TSF)

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG294121004-00
 Applicant Name Beech Resources, LLC
 Contact Person Charles Pollard
 Address 3033 East 1st Ave, Suite 400
 City, State, Zip Denver, CO 80206
 County Lycoming
 Township(s) Lycoming
 Receiving Stream(s) and Classification(s) Beauty's Run (WWF, WWF)
 Secondary: Lycoming Creek (WWF, EV)

ESCGP-3 # ESG291821002-00
 Applicant Name UGI Ponderosa, LLC
 Contact Person Amber Holly
 Address 835 Knitting Mills Way
 City, State, Zip Wyomissing, PA 19610-3078
 County Clinton
 Township(s) Grugan & Gallagher
 Receiving Stream(s) and Classification(s) Deep Hollow (HQ-CWF, MF), Davis Cabin Hollow (HQ-CWF, MF)
 Secondary: Wildcat Hollow (HQ-CWF, MF), Wildcat Hollow (HQ-CWF, MF)

ESCGP-3 # ESG291821001-00
 Applicant Name UGI Ponderosa, LLC
 Contact Person Amber Holly
 Address 835 Knitting Mills Way
 City, State, Zip Wyomissing, PA 19610-3078
 County Clinton
 Township(s) Gallagher
 Receiving Stream(s) and Classification(s) UNT to Wildcat Hollow (HQ-CWF, MF)
 Secondary: Wildcat Hollow (HQ-CWF, MF)

ESCGP-3 # ESG290820033-00
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Barry Mahar
 Address 30351 Route 6
 City, State, Zip Wysox, PA 18854
 County Bradford
 Township(s) Monroe & Overton
 Receiving Stream(s) and Classification(s) Millstone Creek (HQ, CWF, MF), Tributary 30343 to Millstone Creek (HQ, CWF, MF), UNT to Millstone Creek (HQ, CWF, MF)
 Secondary: Schrader Creek (HQ, CWF, MF), Schrader Creek (HQ, CWF, MF)

ESCGP-3 # ESG290821023-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Bradford
 Township(s) Rome
 Receiving Stream(s) and Classification(s) UNT to Laning Creek (WWF, MF), UNT to Hollow Run (CWF, MF)
 Secondary: Laning Creek (WWF, MF), Hollow Run (CWF, MF)

ESCGP-3 # ESG290821024-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Bradford
 Township(s) Ulster & Burglington
 Receiving Stream(s) and Classification(s) Browns Creek (WWF, MF), Sugar Creek (WWF, MF)
 Secondary: Sugar Creek (WWF, MF), Susquehanna River (WWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure

factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Elias Auto Sales—Former Greenie's Service Station, Storage Tank ID # 39-28192, 1024 West Emaus Avenue, Allentown, PA 18103, Allentown City, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of 1030 W Emaus Ave, Land Corp LLC, 1412 East Pennsylvania Street, Allentown, PA 18109, has submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet a combination of site-specific and Statewide health standards.

Former PSC Turnpike Mobil, Storage Tank ID # 40-19230, 2999 Bear Creek Boulevard, Bear Creek, PA 18702, Bear Creek Township, **Luzerne County**. Converse Consultants, 2738 West College Avenue, State College, PA 16801, on behalf of Yogkala Management, Inc., 815 Kidder Street, Wilkes-Barre, PA 18703, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet site-specific standards.

Former Sandy Bottom Gulf, Storage Tank ID # 40-28633, 2133 Lakeside Drive (Pole # 190), Harvey's Lake, PA 18618, Harvey's Lake Borough, **Luzerne County**. Black Rock Environmental, P.O. Box 288, Nazareth, PA 18064, on behalf of Arnold Hardman, 625 Lakeside Drive, Harvey's Lake, PA 18618, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Plan is intended to document the remedial actions for meeting Statewide health standards.

JL Market, Storage Tank ID # 40-50901, 7896 Blue Ridge Trail, Wapwallopen, PA 18660, Dorrance Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Karunesh Prop, Inc., 7896 Blue Ridge Trail, Wapwallopen, PA 18660, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide health standards.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Greg Bowman, Environmental Group Manager.

Former Reinharts Auto Sales, Storage Tank Primary Facility ID # 01-97859, 443 York Street, Gettysburg, PA 17352, Gettysburg Borough, **Adams County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Boyd E. Rinehart Estate, 443 York Street, Gettysburg, PA 17352 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide health standard.

Rutter's Farm Store 25, Storage Tank Primary Facility ID # 67-26961, 1520 Pennsylvania Avenue, York, PA 17404, York City, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, York, PA 17404 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide health standard and the site-specific standard.

Northcentral Regional Office: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager.

Former Sunoco Station # 0818-1315, Storage Tank Facility ID # 49-16749, Mill Street & Route 54, Riverside, PA 17868, Riverside Borough, **Northumberland County**. Aquaterra Technologies, Inc., 901 S. Bolmar Street, Suite A, West Chester, PA 19382, on behalf of Sunoco, LLC c/o Evergreen Resources Group, 2 Righter Parkway, Suite 120, Wilmington, DE, 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the nonresidential site-specific standard.

Northwest Regional Office: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Sheetz 114, Storage Tank Facility ID # 03-83804, 100 Walnut Street, Kittanning, PA 16201, Kittanning Borough, **Armstrong County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 5700 6th Avenue, Altoona, PA 16602, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, MTBE, cumene, naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. This report is intended to document remediation of the site to meet the Background Standard.

Sheetz 58, Storage Tank Facility ID # 16-29460, 1281 East Main Street, Clarion, PA 16214, Clarion Borough, **Clarion County**. Envirotrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 351 Sheetz Way, Claysburg, PA 16625, submitted a Remedial

Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the nonresidential Statewide health standard.

Jenks Curve, Storage Tank Facility ID # 33-01987, Intersection of Route 119 and Jenks Avenue, Punxsutawney, PA 15767, Punxsutawney Borough, **Jefferson County**. Core Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101, on behalf of Pennsylvania Department of Transportation, Engineering District 10-0, 2550 Oakland Avenue, P.O. Box 429, Indiana, PA 15701, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the residential site-specific standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The Department of Environmental Protection (DEP) Has Taken Action on the Following Plans and Reports Under the Storage Tank And Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

A1 Gas Mini Mart, Storage Tank ID # 39-40896, 1247 West Turner Street, Allentown, PA 18102, Allentown City, **Lehigh County**. Center Point Tank Services, 536 East Benjamin Franklin Highway, Douglassville, PA 19518, on behalf of Moobi and Qasim Corporation, 1247 West Turner Street, Allentown, PA 18102, has submitted a Remedial Action Plan concerning remediation of soil contaminated with gasoline. The Remedial Action Plan was not acceptable to meet site-specific standards and was disapproved by DEP on April 22, 2021.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Cherie Campbell, Soil Scientist.

Giant Fuel 6661 Lititz, Storage Tank Primary Facility ID # 36-17537, 825 Lititz Pike, Lititz, PA 17543-8629, Warwick Township, **Lancaster County**. Letterle and Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Pritesh Patel, 1048 Earls Court, Lititz, PA 17543 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the residential Statewide health standard and was approved by DEP on April 22, 2021.

Contact: Gregory Bowman, Environmental Group Manager.

Lakeside Food Mart, Storage Tank Facility ID # 21-26058, 101 Front Street, Boiling Springs, PA 17007, South Middleton Township, **Cumberland County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of Getty Properties Corp., 292 Madison Avenue, 9th Floor, New York, NY 10017-6318 submitted a Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report failed to demonstrate attainment of the site-specific standard and was disapproved by DEP on April 26, 2021.

Contact: Michael Stefanic, P.G.

Pilot Travel Center 245, Storage Tank Primary Facility ID # 22-03902, 7961 Linglestown Road, Harrisburg, PA 17112, West Hanover Township, **Dauphin County**. Sovereign Consulting, Inc., 359 Northgate Drive, Suite 400, Warrendale, PA 15086, on behalf of Pilot Travel Centers, LLC, P.O. Box 10146, 5508 Lonas Drive, Knoxville, TN 37939 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report did not demonstrate attainment of the Statewide health standard and was disapproved by DEP on April 26, 2021.

Northwest Regional Office: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Coen Market 1203, Storage Tank Facility ID # 32-01883, 4650 Route 422, Shelocta, PA 15774, Shelocta Borough, **Indiana County**. Letterle & Associates,

191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Coen Markets, 1000 Philadelphia Street, Canonsburg, PA 15317, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes,

methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on April 26, 2021.

SPECIAL NOTICES

WATER PROGRAMS

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.

EROSION AND SEDIMENT CONTROL PERMIT AMENDMENT WATER OBSTRUCTION AND ENCROACHMENT PERMIT AMENDMENT

The Department of Environmental Protection (Department) provides notice of a complete application for a permit amendment for the following listed Chapter 102, Erosion and Sediment Control Permit and Chapter 105 Water Obstruction and Encroachment Permit, issued for the Pennsylvania Pipeline Project (PPP)/Mariner East II.

<i>Ch. 102 Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
ESG0100015001	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Delaware and Chester	Southeast Region
<i>Ch. 105 Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
E15-862	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Chester	Southeast Region

Chapter 102 Permit No. ESG0100015001

This request, received April 7, 2021, is entitled Major Amendment, HDD S3-0290 Installation Method Change and Additional Temporary Workspace, Upper Uwchlan Township, Chester County. This amendment consists of a change in the route and installation method for the 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 290.

This amendment is being requested for a change in the horizontal directional drill (HDD) installation method for the 20-inch diameter pipeline to a conventional open trench construction. The new installation plan will involve use of the open cut construction method across Wetland H17 and dry open cut construction methods across Streams S-H10 and S-H11, and open cut construction under the intersection of Milford Road and Little Conestoga Road and under Highview Road. Additional temporary workspace will be required.

An increase to the limits of disturbance of 5.42 acres is being requested.

Chapter 105 Permit No. E15-862

This request, received April 7, 2021, is entitled Major Amendment, HDD S3-0290 Installation Method Change, Upper Uwchlan Township, Chester County. This amendment consists of a change in the route and installation method for the 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 290.

This amendment is being requested for a change in the horizontal directional drill (HDD) installation method for the 20-inch diameter pipeline to a conventional open trench construction through Wetland WL-H17 and Streams S-H10 and SH11.

For more detailed information regarding the Southeast Regional Office Chapter 102 permit (ESG0100015001) and Chapter 105 permit (E15-862) related to this project, which is available in the Department's Regional Office

and available online at <https://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Persons wishing to comment on a permit application and its contents are invited to submit comments within 45 days of this public notice. Comments on the applications can be emailed to ra-epww-sero@pa.gov or sent via postal mail to the Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 45-day public comment period should contact the specified Department office. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

PA Pipeline Project (PPP)/Mariner East II; Permit Amendment Virtual Public Hearing.

In accordance with current COVID-19 mitigation efforts, the Pennsylvania Department of Environmental Protection (DEP) will hold a Virtual Public Hearing to receive comments from citizens and interested stakeholders on **Chapter 102, Erosion and Sediment Control Permit ESG0100015001** and **Chapter 105, Water Obstruction and Encroachment Permit E15-862 Amendment** requests currently under technical review for **PA Pipeline Project (PPP)/Mariner East II Project, HDD 290**. DEP has scheduled a Virtual Public Hearing for Wednesday, June 16, 2021, beginning at 6:00 PM. Individuals who wish to present testimony at the virtual hearing must contact John Repetz at 717-705-4904 or jrepetz@pa.gov a minimum of 24 hours in advance of the hearing to reserve a time to present testimony; a link will be provided upon registration. For those wishing only to listen, access information to the hearing will be posted to the Virtual Public Hearing web page found at www.dep.pa.gov (select "Public Participation")

then “Virtual Public Hearings”), as well as the designated Community Information page for HDD 290 found at www.dep.pa.gov/southeast. Video demonstrations and screen sharing by witnesses will not be permitted. Testimony will be limited to 3 minutes; time may not be relinquished or shared, and organizations are asked to designate one speaker on its behalf. All comments, whether received in writing or spoken at a hearing, carry equal weight and consideration before DEP. Comments may be submitted to RA-EPWW-SERO@pa.gov for 45 days from the date of this posting. In order to accommodate all interested parties, this hearing will be accessible both by Internet and phone; more information on accessing the hearing is available on the web pages previously listed.

Individuals providing testimony are requested to submit a written copy of their verbal testimony by e-mail to RA-EPWW-SERO@pa.gov after providing testimony at the hearing. A stenographer will also be on the line to transcribe oral comments for the official record.

[Pa.B. Doc. No. 21-711. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Extension of National Pollutant Discharge Elimination System General Permit for Discharges from Small Flow Treatment Facilities (PAG-04)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department), by this notice, extends for 12 months the availability of the current National Pollutant Discharge Elimination System General Permit for Discharges from Small Flow Treatment Facilities (PAG-04).

The existing PAG-04 General Permit in effect at this time will expire May 11, 2021. Persons who are currently operating under the PAG-04 General Permit may continue to operate until May 11, 2022. The Department is extending the availability of this permit to adequately complete preparation of the renewal of the PAG-04 General Permit. During the period of administrative extension, no new coverage under the PAG-04 General Permit may be authorized by the Department.

To access the General Permit and related documents, visit the Department’s eLibrary web site at www.depgreenport.state.pa.us/elibrary/ (select “Permit and Authorization Packages,” then “Clean Water,” then “PAG-04 Discharges from Small Flow Treatment Facilities”).

Questions regarding the PAG-04 General Permit can be directed to Sean M. Furjanic, PE, at sefurjanic@pa.gov or (717) 787-2137.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-712. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Extension of National Pollutant Discharge Elimination System General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (PAG-06)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department), by this notice, extends for 12 months the availability of the current National Pollutant Discharge Elimination System General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (PAG-06).

The existing PAG-06 General Permit in effect at this time will expire May 31, 2021. Persons who are currently operating under the PAG-06 General Permit may continue to operate until May 31, 2022. The Department is extending the availability of this permit to adequately complete preparation of the renewal of the PAG-06 General Permit. During the period of administrative extension, no new coverage under the PAG-06 General Permit may be authorized by the Department.

To access the General Permit and related documents, visit the Department’s eLibrary web site at www.depgreenport.state.pa.us/elibrary/ (select “Permit and Authorization Packages,” then “Clean Water,” then “PAG-06 General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems”).

Questions regarding the PAG-06 General Permit can be directed to Sean M. Furjanic, PE, at sefurjanic@pa.gov or (717) 787-2137.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-713. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person’s breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

Prearrest Breath Testing Devices

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife

Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

Evidential Breath Testing Devices

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any

summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984).

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 BAC, to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993.

Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The NHTSA published an additional update to the CPL at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). This current list was published at 82 FR 50940 (November 2, 2017).

Instruments marked with an asterisk (*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be

used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

The update to the CPL published at 82 FR 50940 (November 2, 2017) adds 12 new instruments that have been evaluated and found to conform to the Model Specifications, as amended on September 17, 1993, for mobile and nonmobile use. One instrument is distributed by two different companies, so it has been listed twice. One manufacturer changed their legal name. One manufacturer added a new product option for USB and Ethernet connectivity. One manufacturer added a Bluetooth keyboard accessory to two devices and a calibration accessory for seven of its devices. These devices were found to conform with or without the accessories. Another seven instruments are now being listed under a different distributor/manufacturer and those devices will be cross-referenced for legacy purposes. In alphabetical order by company, the new devices are:

(1) The “AlcoMate TS600” distributed by AK GlobalTech Corporation, Palisades Park, NJ. This device will be known as the Alcoscan ALP—1 outside of the United States. The AlcoMate TS600 is a hand-held device with an electrochemical (EC) fuel cell sensor. This device is powered by internal batteries and is intended for mobile or stationary operations.

(2) The “Intoxilyzer 500” manufactured by CMI, Inc., Owensboro, KY. This instrument is currently listed on the CPL for Alcohol Screening Devices and will be removed when that CPL is updated. Improvements to the device’s sampling system allow it to conform as an Evidential Breath Tester (EBT). It is a hand-held instrument intended for use in mobile or stationary operations. It uses a fuel cell sensor and is powered by an internal battery. The Intoxilyzer 500 is also distributed as the Lion Alcolmeter 500 by Lion Laboratories outside the United States, so it has been listed twice on the CPL, once under each of its distributors/manufacturers.

(3) The “Intoxilyzer 9000” manufactured by CMI, Inc., Owensboro, KY. This is a bench-top device that is intended for use in mobile or stationary operations. This device uses an infrared (IR) sensor to measure ethanol concentration. The Intoxilyzer 9000 can be powered by either 110 volts alternate current (AC) or 12 volts direct current (DC).

(4) The “Alcotest 3820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 3820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(5) The “Alcotest 5510” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5510 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(6) The “Alcotest 5820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5820 is a hand-held device that

uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(7) The “Alcotest 6820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 6820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(8) The “AlcoQuant 6020 Plus” manufactured by EnviteC, Wismar, Germany and distributed by Honeywell GmbH, Fond du Lac, WI. The AlcoQuant 6020 Plus is a hand-held device with a fuel cell sensor. This device is powered by internal batteries and is intended for use in mobile and stationary operations.

(9) The Alco-Sensor FST manufactured by Intoximeters, Inc., Saint Louis, MO. The Alco-Sensor FST is a hand-held EBT that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(10) The Intox DMT Dual Sensor manufactured by Intoximeters, Inc., Saint Louis, MO. The Intox DMT Dual Sensor is a bench-top EBT that is intended for use in stationary or mobile operations. This device uses both an IR sensor and an EC fuel cell sensor. The Intox DMT Dual Sensor can be powered by either 110 volts AC or 12 volts DC.

(11) The “Intox EC/IR II.t” manufactured by Intoximeters, Inc., Saint Louis, MO. This is a benchtop device intended for use in mobile or stationary operations. This device uses both an EC fuel cell sensor and an IR sensor to measure ethanol concentrations. The Intox EC/IR II.t can be powered by either 110 volts AC or 12 volts DC.

(12) The “FC10Plus” manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO. This is a hand-held device that is intended for use in mobile or stationary operations. This device uses a fuel cell sensor and is powered by internal batteries.

This update indicates that two devices (the Phoenix 6.0 and the FC20, manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO) come with Bluetooth keyboard support and five additional fields that users can use to enter additional information. With these features, these devices will be listed on the CPL as the “Phoenix 6.0BT” and the “FC20BT.” This update indicates also that seven devices manufactured by Lifeloc come with the EASYCAL calibration accessory. Those devices include the FC10, FC10Plus, FC20, FC20BT, EV30, Phoenix 6.0 and the Phoenix 6.0BT. The CPL specifies that each of these devices conforms to the model specifications “w/or without the EASYCAL accessory.”

Intoximeters, Inc., Saint Louis, MO acquired the breath alcohol testing business of National Patent Analytical Systems, Inc. (NPAS). Since there have been no changes to the devices other than ownership and a device name change, all six devices previously listed under NPAS (BAC DataMaster (with or without the Delta-1 accessory), BAC Verifier DataMaster (w/or without the Delta-1 accessory), DataMaster cdm (w/or without the Delta-1 accessory), DataMaster DMT w/Fuel Cell option, DataMaster DMT w/Rev A Fuel Cell option, and DataMaster DMT) will now be listed under both Intoximeters and NPAS. The NPAS DataMaster DMT will now be known as the Intoximeters Intox DMT. Accordingly, this device will be listed under Intoximeters under both names.

The CPL has been updated to reflect that Draeger Safety Diagnostics, Inc. will begin operating under the name Draeger, Inc. effective July 1, 2017, in order to align all sales and service operations for Draeger in the United States. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Jennifer Okraska at the address given as follows so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey ¹	<ul style="list-style-type: none"> AlcoScan AL-2500. SafeMate.² SafeDrive. AlcoMate.³ (aka: AlcoHAWK Pro by Q3 Innovations). AlcoMate Accu Cell AL-9000. AlcoMate Pro.³ AlcoMate Core.⁴ AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).^{4 5} AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).^{4 6} AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. ⁷ Alco Check 9000. ⁷
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol® .02 Detection System. ⁸
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02™ ⁹ .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> Alco Tector Mark X. Mark X Alcohol Checker. Alcotector WAT89EC-1. Alcotector WAT90.
Han International Co., Ltd., ² Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> BACTRACK Select S50.¹⁰ BACTRACK Select S80.¹⁰ BACTRACK Element. BACTRACK S 75 Pro.
Lion Laboratories, Ltd., Wales, United Kingdom	Alcometer 500 (aka: Intoxilyzer 500-CMI, Inc.).
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> PAS Vr. Alcovisor MARS.

Distributors/Manufacturers	Devices
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> • AlcoHAWK Precision. • AlcoHAWK Slim. • AlcoHAWK Slim 2. • AlcoHAWK Elite. • AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.). • AlcoHAWK Micro. • AlcoHAWK PRO (aka: AlcoMate by AK Solutions). • AlcoHAWK PT 500. • CA2010.
RepcO Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> • AT577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. ⁷
Varian, Inc., Lake Forest, California	On-Site Alcohol. ¹⁰

¹ The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

² Manufactured by Seju Engineering, Korea.

³ Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

⁴ Manufactured by Sentech Korea Corp.

⁵ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

⁶ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

⁷ While these devices are still being sold, they are no longer manufactured or supported.

⁸ The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

⁹ While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

¹⁰ While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
AK GlobalTech Corporation, Palisades Park, New Jersey:		
AlcoMate TS600 (aka: Alcoscan ALP-1 outside the U.S.)	X	X
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF [®] IR Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	X
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
800	X	—
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
9000	X	X
9000 (serial numbers 90-000500 and above)	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger, Inc. (aka: Draeger Safety Diagnostics, Inc. or National Draeger) Irving, Texas:		
Alcotest Model:		
3820	X	X
5510	X	X
5820	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC, Wismar, Germany, distributed by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
AlcoQuant 6020 Plus	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Auto Intoximeter*	X	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Photo Electric Intoximeter*	—	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox DMT Dual Sensor	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	—	X
Intox EC/IR II.t	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
(Also Listed under National Patent Analytical Systems, Inc.) BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT w/Fuel Cell option	X	X
DataMaster DMT w/Rev A Fuel Cell option	X	X
DataMaster DMT (aka: Intox MT)	X	X
Intox DMT (aka: DataMaster DMT)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
EV 30 (w/or without EASYCAL accessory)	X	X
FC 10 (w/or without EASYCAL accessory)	X	X
FC 10Plus (w/or without EASYCAL accessory)	X	X
FC 20 (w/or without EASYCAL accessory)	X	X
FC 20BT (w/or without EASYCAL accessory)	X	X
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0 (w/or without EASYCAL accessory)	X	X
Phoenix 6.0BT (w/or without EASYCAL accessory)	X	X
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	X
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
EBA*	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X
2000*	—	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc. (NPAS), Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT (aka: Intox DMT)	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/ Rev A Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Mark V Alcovisor	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemens-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-714. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision at 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal

proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols SB, SSe, CB, CSe indicate the following:

SB = approved for blood screening analyses

SSe = approved for serum screening analyses

CB = approved for blood confirmatory analyses

CSe = approved for serum confirmatory analyses

00671

ALLEGHENY COUNTY MED EX DIV OF LAB—SB,
SSe, CB, CSe

1520 PENN AVENUE, 2ND FLOOR

PITTSBURGH, PA 15222

(412) 350-4425

31871

AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,
SSe, CB, CSe

789 PARK AVENUE

HUNTINGTON, NY 11743

(631) 973-0166

21613

ARUP LABORATORIES INC—SSe, CSe

500 CHIPETA WAY

SALT LAKE CITY, UT 84108

(800) 242-2787

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,
SSe, CB, CSe

3520 PROGRESS DRIVE UNIT C

BENSALEM, PA 19020

(267) 525-2470

00977

DRUGSCAN INC—SB, SSe, CB, CSe
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

36525

FIRSTOX LABORATORIES LLC—CSe
4850 PLAZA DRIVE
IRVING, TX 75063
(813) 781-0891

31400

FRANCES WARDE MEDICAL LABORATORY—SSe, CSe
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

24655

HEALTH NETWORK LABORATORIES—SB, SSe, CB,
CSe
794 ROBLE ROAD
ALLEN TOWN, PA 18109-9110
(610) 402-8150

29685

MAYO CLINIC LABS-ROCH SUPERIOR DR—SSe, CSe
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

05574

MEDTOX LABORATORIES INC—SB, SSe, CB, CSe
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

32803

MOLECULAR DX, LLC—SB, CB
620 7TH STREET SUITE C
WINDBER, PA 15963
(814) 361-6993

00504

NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,
CB, CSe
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

29741

NORTHERN TIER RESEARCH—SB, SSe, CB, CSe
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

30984

OFFICE OF THE DISTRICT ATTORNEY—SB, SSe, CB
1601 RITNER HIGHWAY
CARLISLE, PA 17013
(717) 240-6526

35876

OPANS, LLC—CB
4134 S. ALSTON AVE., SUITE 100
DURHAM, NC 27713
(919) 323-4299

22533

PENNSYLVANIA DEPT. OF HEALTH—SB, CB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

01136

QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,
SSe, CB, CSe
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376

QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—SSe, CSe
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482

QUEST DIAGNOSTICS OF PA INC—CB, SSe
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461

QUEST DIAGNOSTICS VENTURE LLC—CB, SSe
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675

00151

ST JOSEPH QUALITY MEDICAL LAB—SSe
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00018

WBGH COMMONWEALTH HEALTH LAB SVS—SSe
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141

YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-715. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This

approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, B and SB indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

00212
ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 481-2000

00041
ACMH HOSPITAL LABORATORY—S
ONE NOLTE DRIVE
KITTANNING, PA 16201
(724) 543-8219

00233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK RD—LABS—TOWER BLDG
GROUND FL
PHILADELPHIA, PA 19141-3001
(215) 456-6102

00100
ALLE-KISKI MD CTR DBA AVH—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

00671
ALLEGHENY COUNTY MED EX DIV OF LABS—SB
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

28233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077
ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886

34874
AMERATHON LLC, DBA AHA—S
26300 EUCLID AVENUE, SUITE 910
CLEVELAND, OH 44132
(216) 472-2318

00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-2648

00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068

00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

21861
ARGNOT-OGDEN MEMORIAL HOSPITAL—S
600 ROE AVENUE
ELMIRA, NY 14905
(607) 737-4478

21613
ARUP LABORATORIES INC—S
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

00047
ASSOCIATED CLINICAL LABORATORIES—SB
PATHOLOGY ASSOCIATES OF ERIE, INC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

00320
BARNES KASSON HOSPITAL LAB—S
2872 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059

00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110

00301
BHS LABORATORY—S
ONE HOSPITAL WAY (911 E BRADY STREET)
BUTLER, PA 16001
(724) 284-4513

00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000

00369
BUCKTAIL MED CENTER—S
1001 PINE STREET
RENOVO, PA 17764
(570) 531-6176

00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-6100

00157
CGOH LABORATORY—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7973

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 260-9955 x6181

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-1399

00026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVENUE PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

33142
CLINICAL REFERENCE LABORATORY, INC—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

00125
CONEMAUGH MEM MED CTR-MAIN LAB—SB
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787

00231
CONEMAUGH MEYERSDALE MEDICAL CTR—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 972-6913

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

- 00326
CORRY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORRY, PA 16407
(814) 664-4641
- 36342
COVANCE CENTRAL LABORATORY SERVICE, INC—B
8211 SCICOR DRIVE
INDIANAPOLIS, IN 46214
(317) 273-1200
- 00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232
- 00204
DELAWARE COUNTY MEM HOSP-LAB—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 447-2232
- 00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423
- 00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250
- 00977
DRUGSCAN INC—SB
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310
- 00027
DUBOIS REG MED CTR-WEST UNIT—S
100 HOSPITAL AVE
DUBOIS, PA 15801
(814) 371-2200
- 00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000
- 00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801
- 00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311
- 00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510
- 00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 850-3121
- 00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567
- 31400
FRANCES WARDE MEDICAL LABORATORY—SB
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300
- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169
- 00002
GEISINGER BLOOMSBURG HOSPITAL
LABORATORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098
- 00005
GEISINGER COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 703-8000
- 00138
GEISINGER LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7113
- 00173
GEISINGER MEDICAL CENTER—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443
- 36920
GEISINGER ST. LUKE'S HOSPITAL—S
100 PARAMONT BLVD
ORWIGSBURG, PA 17961
(272) 212-1091
- 00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845
- 00185
GEISINGER SHAMOKIN AREA COMMUNITY
HOSPITAL—S
4200 HOSPITAL ROAD
COAL TOWNSHIP, PA 17866-9697
(570) 644-4281
- 00122
GETTYSBURG HOSPITAL LABORATORY—S
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 337-4120

00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7500

00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4648

00061
GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7128

00017
GSWB A CAMPUS OF GWVMC—S
25 CHURCH STREET
WILKES-BARRE, PA 18765
(570) 808-7845

00024
GUTHRIE CLINIC LAB AT TROY COMM—S
275 GUTHRIE LANE
TROY, PA 16947
(570) 297-9289

00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-4177

00023
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 316-2150

00155
HARRISBURG HOSPITAL LABORATORY—S
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 782-3340

00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236

00022
HEALTH NETWORK LABORATORIES—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3370

00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(484) 425-8150

00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259

24655
HEALTH NETWORK LABORATORIES—SB
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000

00099
HERITAGE VALLEY KENNEDY—S
25 HECKEL ROAD
MCKEES ROCKS, PA 15136
(412) 777-6161

00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 749-7364

00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500

00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

00038
JEFFERSON HOSPITAL LABORATORY—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723

00200
JENNERSVILLE HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

22715
LABONE LLC DBA QUEST DIAGNOSTICS—SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET, LAB
LANCASTER, PA 17604
(717) 544-4331

00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623

00010
LEHIGH VALLEY HOSPITAL—HAZLETON—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00182
LVH-SCHUYLKILL E NORWEGIAN—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SB
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5514

05574
MEDTOX LABORATORIES INC—SB
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
YORK, PA 17408
(717) 849-5371

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4185

00247
MERCY HOSPITAL OF PHILADELPHIA—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9170

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

32803
MOLECULAR DX, LLC—B
620 7TH STREET SUITE C
WINDBER, PA 15963
(814) 361-6993

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2630

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ATTN: 2ND FLOOR LAB
ELKINS PARK, PA 19027
(215) 456-6152

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

36182
NJMHMC LLC D/B/A HUDSON REGIONAL HOS-
PITAL—S
55 MEADOWLANDS PARKWAY
SECAUCUS, NJ 07094
(201) 392-3516

29741
NORTHERN TIER RESEARCH—SB
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

30984
OFFICE OF THE DISTRICT ATTORNEY—B
37 E HIGH STREET, FORENSIC LAB
CARLISLE, PA 17013
(717) 240-6526

00053
PENN HIGHLANDS-BROOKVILLE—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312

00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1000

00221
POTTSTOWN HOSPITAL—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

00130
PSH HOLY SPIRIT MEDICAL CENTER—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2191

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

27461
QUEST DIAGNOSTICS INC—SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4502

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7867

00150
READING HOSPITAL LABORATORY—S
420 S 5TH AVE
WEST READING, PA 19611
(484) 628-8615

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 942-3800

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER-PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5383

00064
SHARON REGIONAL LAB SERVICES—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914

00171
SLUHN SACRED HEART CAMPUS—S
421 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 776-4720

00209
SPRINGFIELD HOSPITAL LABORATORY—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2232

- 00151
ST JOSEPH QUALITY MEDICAL LAB—SB
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00180
ST LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271
- 35019
ST LUKE'S MONROE CAMPUS LABORATORY—S
100 ST LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723
- 00175
ST. LUKE'S HOSPITAL EASTON CAMPUS—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819
- 00195
ST LUKES QUAKERTOWN HOSPITAL—S
1021 PARK AVENUE
QUAKERTOWN, PA 18951
(215) 538-4681
- 32021
ST LUKES HOSPITAL-ANDERSON LAB—S
1872 ST LUKE'S BLVD
EASTON, PA 18045
(484) 503-1075
- 00152
ST LUKES HOSPITAL LEHIGHTON—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(866) 785-8537
- 00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075
- 00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4470
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD STREET
DEPT OF PATH & LAB MED-RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560
- 00240
TEMPLE UNIVERSITY HOSPITAL—JEANES CAMPUS
7600 CENTRAL AVENUE
PHILADELPHIA, PA 19111
(215) 728-2248
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143
- 00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET
204 FOERDERER PAVILION
PHILADELPHIA, PA 19107
(215) 955-3941
- 00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851
- 00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705
- 00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384
- 00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340
- 00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506
- 32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682
- 00046
UPMC HAMOT—S
201 STATE STREET, 4TH FLOOR WEST
ERIE, PA 16550
(814) 877-3131
- 00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100
- 00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500
- 00054
UPMC JAMESON—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4082

00034
UPMC KANE—S
4372 ROUTE 6
KANE, PA 16735
(814) 837-4570

00030
UPMC LOCK HAVEN LABORATORY—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5033

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7624

00035
UPMC MUNCY LABORATORY—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
ATTN: LAB
PITTSBURGH, PA 15237
(412) 367-6700

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
ATTN: LAB
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00131
UPMC PINNACLE CARLISLE—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 960-3336

00166
UPMC PINNACLE LITITZ—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5572

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
LABORATORY
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00297
UPMC SOMERSET HOSPITAL—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215

00039
UPMC WELLSBORO LABORATORY—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-7764

00037
UPMC WILLIAMSPORT LABORATORY—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00105
WASHINGTON HEALTH SYSTEM GREENE—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00111
WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVENUE
PITTSBURGH, PA 15224
(412) 578-5779

33480
WEST SHORE HOSP LABORATORY—S
1995 TECHNOLOGY PKWY
MECHANICSBURG, PA 17050
(717) 782-3128

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

00106
WINDBER HOSPITAL—S
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-3430

25064
WVU HOSPITAL LAB AT RUBY MEMORIAL
HOSPITAL—S
1 MEDICAL CENTER DR PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-716. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances.

This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory urine drug analyses, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence

of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, C, SC indicate the following:

S = approved for screening analyses

C = approved for confirmatory analyses

SC = approved for screening and confirmatory analyses

37082
A-Z URGENT CARE LLC—S
45 SOUTH PINE STREET
ELVERSON, PA 19520
(610) 901-3900

00212
ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 481-2324

32917
ACCURATE DIAGNOSTIC LABS, INC—S
3000 HADLEY ROAD
SOUTH PLAINFIELD, NJ 07080
(732) 839-3300

34830
ACUTIS DIAGNOSTICS—SC
400 KARIN LANE
HICKSVILLE, NY 11801
(516) 253-2171

36379
ADVANCED COMPREHENSIVE LABORATORY—SC
67-71 EAST WILLOW STREET
MILLBURN, NJ 07041
(877) 355-3580

34513
ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC
2 8TH STREET
HAMMONTON, NJ 08037
(888) 985-2727, X185

34867
ADVANTA LABORATORIES—SC
10935 CR 159 SUITE 101
TYLER, TX 75703
(903) 805-9955

31695
AEGIS SCIENCES CORPORATION—SC
515 GREAT CIRCLE ROAD
NASHVILLE, TN 37228
(615) 255-2400

33996
AIM LABORATORIES LLC—SC
3165 MCKELVEY RD, SUITE 110
BRIDGETON, MO 63044
(314) 743-3748

00233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK RD-LABS-TOWER BLDG GROUND FL
PHILADELPHIA, PA 19141-3001
(215) 456-6102

24496
ALERE TOXICOLOGY SERVICES—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130

26008
ALERE TOXICOLOGY SERVICES INC—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989

37650
ALFA LABS INC—SC
101 WOODWINDS INDUSTRIAL CT. STE L
CARY, NC 27511
(919) 473-6298

00100
ALLE-KISKI MD CTR DBA AVH—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SC
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

28233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077
ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886

35214
ALLIANCE PHARMA, INC—SC
17 LEE BOULEVARD
MALVERN, PA 19355
(610) 296-3152

34874
AMERATHON LLC, DBA AHA—S
26300 EUCLID AVENUE SUITE 910
CLEVELAND, OH 44132
(216) 472-2318

33871
AMERICAN CLINICAL SOLUTIONS, LLC—SC
721 CORTARO DR
SUN CITY CENTER, FL 33573
(813) 634-4529

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 923-0166

36327
AMERICAN HEALTH ASSOCIATES INC.
DAVIE FLORIDA—S
15712 SW 41 STREET, SUITE 16-20
DAVIE, FL 33331
(216) 409-8226

34710
AMERICAN INSTITUTE OF TOXICOLOGY, INC
(DBA AIT LABORATORIES)—SC
1500 INTERSTATE 35W
DENTON, TX 76207
(940) 435-0242

26620
AMMON ANALYTICAL LABORATORY—S
35 BLANCKE STREET
LINDEN, NJ 07036
(908) 862-4404

34650
APEX LABS, INC—SC
6015 BENJAMIN ROAD SUITE 315
TAMPA, FL 33634
(813) 385-7784

00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-2648

00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068

00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

21861
ARNOT-OGDEN MEMORIAL HOSPITAL—S
600 ROE AVENUE
ELMIRA, NY 14905
(607) 737-4478

- 37557
ARS TREATMENT CENTERS, P.C.—SC
1200 SHARON ROAD, SUITE 200
BEAVER, PA 15009
(724) 467-2145
- 33097
ART OF PAIN MANAGEMENT—SC
3300 GRANT AVE
PHILADELPHIA, PA 19114
(610) 352-1710
- 26137
ARTHRITIS & OSTEOPOROSIS CTR INC—S
2760 CENTURY BOULEVARD
WYOMISSING, PA 19610
(610) 375-4251
- 21613
ARUP LABORATORIES INC—SC
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787
- 36859
ASPIRAR MEDICAL LAB—SC
135 PARKWAY OFFICE CT., STE. 105
CARY, NC 27518
(919) 977-9011
- 00047
ASSOCIATED CLINICAL LABORATORIES—S
PATHOLOGY ASSOCIATES OF ERIE, INC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400
- 35582
ASSURITY LABS—SC
6140 S FORT APACHE RD, # 140
LAS VEGAS, NV 89148
(702) 749-5588
- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 33692
AUSPICIOUS LABORATORY INC—SC
3707 WESTCENTER DRIVE, SUITE # 100
HOUSTON, TX 77042
(713) 266-0808
- 33067
AVERTEST—S
4709 LAGUARDIA DRIVE
BERKELEY, MO 63134
(866) 680-3106
- 00320
BARNES KASSON HOSPITAL LAB—S
2872 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059
- 37340
BAYSIDE LABORATORIES, INC—S
4557 BELL BLVD
BAYSIDE, NY 11361
(718) 229-8800
- 00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110
- 00301
BHS LABORATORY—S
ONE HOSPITAL WAY (911 E BRADY STREET)
BUTLER, PA 16001
(724) 284-4513
- 34189
BIODIAGNOSTIC LABS—S
2380 E 22 STREET
BROOKLYN, NY 11229
(718) 646-6000
- 22757
BIOREFERENCE LABORATORIES INC—SC
481 EDWARD H. ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247
- 00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000
- 00472
BROOKSIDE CLINICAL LAB INC—S
2901 W DUTTONS MILLS ROAD, SUITE 100
ASTON, PA 19014
(610) 872-6466
- 00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916
- 34470
CAPITAL DIAGNOSTICS LLC—SC
14201 PARK CENTER DRIVE SUITE 407
LAUREL, MD 20707
(703) 424-5604
- 35410
CARING HEALTHCARE NETWORK LAB—SC
601 N FRONT ST
PHILIPSBURG, PA 16866
(814) 342-2333
- 35694
CAYUGA MEDICAL CENTER—S
101 DATES DRIVE
ITHACA, NY 14850
(604) 274-4474
- 36293
CENTER FOR INTERVENTIONAL PAIN & SPINE
LLC—SC
535 PENNSYLVANIA AVE, SUITE 101
FT WASHINGTON, PA 19034
(856) 701-0039
- 32471
CENTERS LAB NJ, LLC—SC
DBA MEDLABS DIAGNOSTICS, INC.
85 HORSE HILL ROAD
CEDAR KNOLLS, NJ 07927
(973) 731-2900

34075
CENTRAL TOX LLC—SC
525 ROUND ROCK WEST DRIVE STE B200
ROUND ROCK, TX 78681
(512) 382-9710

00157
CGOH LABORATORY—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7973

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 260-9955, X6181

35702
CHATTAHOOCHEE PHYSICIANS LABORATORY
SERVICES, LLC—SC
1122 CAMBRIDGE SQUARE, STE E
ALPHARETTA, GA 30009
(770) 674-4468

34920
CHESAPEAKE TOXICOLOGY RESOURCES—SC
8415 PROGRESS DRIVE, SUITE V
FREDERICK, MD 21701
(240) 397-7060

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-1399

36109
CLARITY LABS—SC
220 DAVIDSON AVE, SUITE 104
SOMERSET, NJ 08873
(405) 266-3784

34259
CLEANSLATE CENTERS—SC
59 BOBALA ROAD
HOLYOKE, MA 01040
(413) 584-2173

00026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVENUE PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

27845
CLINICAL REFERENCE LABORATORY—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 693-5481

33142
CLINICAL REFERENCE LABORATORY, INC—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106

31556
COMPREHENSIVE PAIN CENTER ALLENTOWN—SC
1146 CEDAR CREST BLVD.
ALLENTOWN, PA 18103
(610) 366-9000

00125
CONEMAUGH MEM MED CTR-MAIN LAB—S
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

29015
CORDANT HEALTH SOLUTIONS—SC
2617 EAST L STREET # A
TACOMA, WA 98421-2205
(253) 552-1551

00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641

36342
COVANCE CENTRAL LABORATORY SERVICE,
INC—SC
8211 SCICOR DRIVE
INDIANAPOLIS, IN 46214
(317) 273-1200

34732
CRESTAR LABS, LLC—SC
2001 CAMPBELL STATION PARKWAY, SUITE C-2
SPRING HILL, TN 37174
(615) 302-8411

00201
CROZER CHESTER MEDICAL CENTER-LAB—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232

00204
DELAWARE COUNTY MEMORIAL HOSP-LAB—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 447-2232

- 35842
DELAWARE DIAGNOSTIC LABS, LLC—SC
1 CENTURIAN DRIVE, SUITE 103
NEWARK, DE 19713
(302) 407-5903
- 00266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423
- 36709
DEVANSH LAB WERKS INC—SC
234 AQUARIUS DRIVE, SUITE 111
HOWEWOOD, AL 35209
(205) 994-8266
- 37157
DISCOVER DIAGNOSTICS LABORATORY—SC
702 S. ILLINOIS AVE., STE B-104
OAK RIDGE, TN 37830
(855) 314-3337
- 32240
DOMINION DIAGNOSTICS, LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(877) 734-9600
- 00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250
- 00977
DRUGSCAN INC—SC
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310
- 35752
DYNIX DIAGNOSTIX, LLC—SC
2260 N US HIGHWAY 1
FORT PIERCE, FL 34946
(772) 324-6330
- 00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000
- 34056
ELITE DIAGNOSTICS, LLC—SC
10996 FOUR SEASONS PLACE, 100A
CROWN POINT, IN 46307
(888) 339-7339
- 31625
EMPIRE CITY LABORATORIES—S
229 49TH STREET
BROOKLYN, NY 11220
(718) 788-3840
- 34725
EMPOWER 3 LAB SERVICES, LLC—S
2525 9TH AVENUE, SUITE 2B
ALTOONA, PA 16602
(814) 201-2835
- 00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801
- 00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311
- 36981
ETHOS LABORATORIES—SC
29 E. 6TH STREET
NEWPORT, KY 41071
(877) 496-2570
- 00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510
- 00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 850-3121
- 34527
EXCELA CLINICAL LABORATORY—SC
1 ETHEL ROAD, SUITE 103B
EDISON, NJ 08817
(732) 287-5115
- 33902
FIRST CHOICE LABORATORY, LLC—SC
6061 NE 14TH AVE, SUITE B
FORT LAUDERDALE, FL 33334
(954) 800-1000
- 36525
FIRSTOX LABORATORIES LLC—SC
4850 PLAZA DRIVE
IRVING, TX 75063
(813) 781-0891
- 00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567
- 32166
FORENSIC FLUIDS LABORATORIES, INC—SC
225 PARSONS STREET
KALAMAZOO, MI 49007
(269) 492-7700
- 32497
FOX CHASE PAIN MANAGEMENT ASSOCIATES—S
4979 OLD STREET ROAD, SUITE B
TREVISO, PA 19053
(267) 288-5601
- 31400
FRANCES WARDE MEDICAL LABORATORY—SC
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300
- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 09163
FRIENDS MEDICAL LAB INC—SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
(412) 247-4417

00330
 FULTON COUNTY MEDICAL CENTER—S
 214 PEACH ORCHARD ROAD
 MCCONNELLSBURG, PA 17233
 (717) 485-6169

30188
 GARCIA CLINICAL LABORATORY INC—S
 2195 SPRING ARBOR ROAD
 JACKSON, MI 49201
 (517) 787-9200

00002
 GEISINGER-BLOOMSBURG HOSPITAL
 LABORATORY—S
 549 E FAIR STREET
 BLOOMSBURG, PA 17815
 (570) 387-2098

00005
 GEISINGER COMMUNITY MEDICAL CENTER—S
 1800 MULBERRY STREET
 SCRANTON, PA 18510
 (570) 703-7123

00312
 GEISINGER JERSEY SHORE HOSPITAL—S
 1020 THOMPSON STREET
 JERSEY SHORE, PA 17740
 (570) 398-0100

00138
 GEISINGER-LEWISTOWN HOSPITAL—S
 400 HIGHLAND AVENUE
 LEWISTOWN, PA 17044
 (717) 242-7113

00173
 GEISINGER MEDICAL CENTER—SC
 100 N ACADEMY AVENUE
 DANVILLE, PA 17822-0131
 (570) 271-7443

36920
 GEISINGER ST. LUKE'S HOSPITAL—S
 100 PARAMONT BLVD
 ORWIGSBURG, PA 17961
 (272) 212-1091

00019
 GEISINGER WYOMING VALLEY MC LABORATORY—S
 1000 E MOUNTAIN DRIVE
 WILKES-BARRE, PA 18711
 (570) 808-7845

00185
 GEISINGER-SHAMOKIN AREA COMMUNITY
 HOSPITAL—S
 4200 HOSPITAL ROAD
 COAL TOWNSHIP, PA 17866-9697
 (570) 644-4281

35154
 GENE TOX WORLDWIDE, LLC DBA SCIENTIA
 DIAGNOSTIC LLC—C
 136 RIDGE ROAD, SUITE 1A
 LYNDHURST, NJ 07071
 (201) 844-9160

35160
 GENESIS REFERENCE LABORATORY, LLC—SC
 7924 FOREST CITY ROAD, SUITE 210
 ORLANDO, FL 32810
 (407) 232-7130

34333
 GENOTOX LABORATORIES, LTD—SC
 2170 WOODWARD STREET SUITE 100
 AUSTIN, TX 78745
 (512) 600-6601

37022
 GENTECH LABORATORIES, LLC—SC
 4403 N. BELTWOOD PKWY., STE 300
 DALLAS, TX 75244
 (866) 658-4485

00299
 GOOD SAMARITAN HOSPITAL—S
 4TH & WALNUT STS PO BOX 1281
 LEBANON, PA 17042-1218
 (717) 270-7500

35228
 GRAVITY DIAGNOSTICS, LLC—SC
 632 RUSSELL STREET
 COVINGTON, KY 41011
 (859) 757-0158

00017
 GSWB A CAMPUS OF GWVMC—S
 25 CHURCH STREET
 WILKES-BARRE, PA 18765
 (570) 826-3100

00024
 GUTHRIE CLINIC LAB AT TROY COMM—S
 275 GUTHRIE LANE
 TROY, PA 16947
 (570) 297-9289

00654
 GUTHRIE MEDICAL GROUP LABORATORIES—S
 ONE GUTHRIE SQUARE
 SAYRE, PA 18840
 (570) 887-4177

00023
 GUTHRIE MEDICAL GRP LAB-TOWANDA—S
 91 HOSPITAL DRIVE
 TOWANDA, PA 18848
 (570) 265-2191

00139
 HANOVER HOSPITAL LABORATORY—S
 300 HIGHLAND AVE
 HANOVER, PA 17331
 (717) 316-2150

00155
 HARRISBURG HOSPITAL LABORATORY—S
 100 SOUTH 2ND STREET
 HARRISBURG, PA 17101
 (717) 782-3340

35930
 HARVEST LABS, INC—SC
 730 N AVENUE K, SUITE 201
 CROWLEY, LA 70526
 (888) 975-7447

00169
 HEALTH NETWORK LABORATORIES—S
 1627 WEST CHEW STREET
 ALLENTOWN, PA 18102
 (610) 402-2236

00022
 HEALTH NETWORK LABORATORIES—S
 206 EAST BROWN STREET
 EAST STROUDSBURG, PA 18301
 (570) 476-3370

- 24655
HEALTH NETWORK LABORATORIES—SC
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(484) 425-8150
- 00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259
- 36670
HEALTHQUEST ESOTERICS, INC—SC
6 BENDIX
IRVINE, CA 92618
(949) 242-2260
- 00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000
- 00099
HERITAGE VALLEY KENNEDY—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161
- 00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 749-7364
- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500
- 37187
HIGHLANDS HOSPITAL TOXICOLOGY
LABORATORY—SC
700 PARK STREET, LOWER LEVEL
CONNELLSVILLE, PA 15425
(724) 603-2741
- 00216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 938-3703
- 36118
IDEAL OPTION—SC
8508 W. GAGE BLVD. SUITE A101
KENNEWICK, WA 99336
(509) 222-1275
- 37831
IDEAL OPTION PLLC—SC
1215 120TH AVE., NE, SUITE 201 & 204
BELLEVUE, WA 98005
(509) 290-1543
- 36818
INDIANA REGIONAL MEDICAL CENTER—SC
120 IRMC DRIVE
INDIANA, PA 15701
(724) 357-7188
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7160
- 34295
INFINITI LABS INC—SC
6015 BENJAMIN ROAD SUITE 315
TAMPA, FL 33634
(813) 886-2616
- 33708
INFINITY DIAGNOSTIC LABORATORIES—S
370 NORTH STREET
TETERBORO, NJ 07608
(201) 843-7750
- 35507
INTEGRALABS MDG INCORPORATED—C
136A INDUSTRIAL PARK ROAD
PINEY FLATS, TN 37686
(423) 328-0527
- 37159
ISPM LAB LLC DBA CAPSTONE DIAGNOSTICS,
LLC—SC
8601 DUNWOODY PLACE, BUILDING 400, SUITE 444
ATLANTA, GA 30350
(678) 515-4524
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723
- 00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080
- 37360
KASHI CLINICAL LABORATORIES, INC—SC
10101 SW BARBUR BLVD., SUITE 200
PORTLAND, OR 97219
(503) 206-4989
- 34192
KEYSTONE LABORATORIES, INC—SC
3 MCDOWELL STREET
ASHEVILLE, NC 28801
(828) 255-0307
- 21306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042
- 20512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-6900

- 01088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703
- 37647
LABQ CLINICAL DIAGNOSTICS—S
140 58 ST. BUILDING A, UNIT 3L
BROOKLYN, NY 11220
(717) 534-5227
- 34646
LABTEST LLC—SC
5000 CEDAR PLAZA PKWY # 200
ST LOUIS, MO 63128
(888) 977-8862
- 35680
LABXPERIOR CORPORATION—S
517 WEST MAIN STREET
WISE, VA 24293
(276) 321-7866
- 00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET, LAB
LANCASTER, PA 17602
(717) 544-4331
- 00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623
- 32311
LEBANON PAIN RELIEF—S
918 RUSSELL DRIVE
LEBANON, PA 17042
(717) 272-7272
- 00010
LEHIGH VALLEY HOSPITAL-HAZLETON
LABORATORY—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156
- 34187
LENCO DIAGNOSTIC LABORATORIES INC—SC
1857 86TH STREET
BROOKLYN, NY 11214
(718) 232-1515
- 35348
LEXAR LABS ANALYSIS, LLC—C
3221 SUMMIT SQUARE PLACE, SUITE 150
LEXINGTON, KY 40509
(859) 543-2022
- 34254
LIFEBRITE LABORATORIES, LLC—SC
9 CORPORATE BLVD NE SUITE 150
ATLANTA, GA 30329
(678) 433-0606
- 00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300
- 37285
LUMINUS DIAGNOSTICS, LLC—SC
2773 MARSHALL DR., SUITE D
TIFTON, GA 31793
(855) 518-5542
- 00182
LVH-SCHUYLKILL E NORWEGIAN—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032
- 37916
M1 LABS LLC—SC
1330 STATE ROUTE 14
COLUMBIANA, OH 44408
(330) 892-5191
- 00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768
- 00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521
- 00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000
- 00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339
- 29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SC
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458
- 33620
MCKEESPORT DRUG SCREENING LAB—S
339 FIFTH AVENUE, WANDER BLDG, ROOM 208
MCKEESPORT, PA 15132
(412) 664-8871
- 33842
MD SPINE SOLUTIONS LLC, DBA MD LABS—SC
10715 DOUBLE R BLVD, SUITE 102
RENO, NV 89521
(775) 391-5221
- 00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 333-5000
- 36586
MED SCREEN LABORATORIES INC.—SC
992 CLIFTON AVE, 2ND FLOOR
CLIFTON, NJ 07013
(914) 393-3148

35673
MEDARBOR LLC DBA MEDARBOR
DIAGNOSTICS—SC
200 RITTENHOUSE CIRCLE
EAST BUILDING SUITE 1
BRISTOL, PA 19007
(610) 660-8100, X141

34940
MEDCOMP SCIENCES, LLC—SC
20203 MCHOST ROAD
ZACHARY, LA 70791
(225) 570-8486

03298
MEDICAL GROUP OF CORRY RHC—S
315 YORK STREET
CORY, PA 16407
(814) 664-8686

35682
MEDSCAN LABORATORY, INC—SC
1502 13TH AVE. WEST, SUITE 201
WILLISTON, ND 58801
(701) 577-0498

05574
MEDTOX LABORATORIES INC—SC
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
YORK, PA 17403

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4185

00247
MERCY HOSPITAL OF PHILADELPHIA—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9170

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

00045
MILLCREEK COMMUNITY HOSP LAB—S
5515 PEACH STREET
ERIE, PA 16509
(814) 864-4031

31050
MILLENIUUM HEALTH, LLC—SC
16981 VIA TAZON, BUILDING 1
SAN DIEGO, CA 92127
(858) 451-3535

34564
MOLECULAR TESTING LABS—SC
14401 SE 1ST STREET
VANCOUVER, WA 98684
(360) 693-8850

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2630

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ATTN: 2ND FLOOR LABORATORY
ELKINS PARK, PA 19027
(215) 456-6152

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215

35947
NASPAC—NJ, PLLC—S
3501 MASON'S MILL RD, SUITE 501
HUNTINGDON VALLEY, PA 19006
(215) 657-1313

37004
NASPAC1-CHERRY HILL—S
1601 N KINGS HWY, STE 800
CHERRY HILL, NJ 08034
(856) 888-2602

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

33988
NATIONWIDE LABORATORY SERVICES—SC
4805 NW 2ND AVENUE
BOCA RATON, FL 33431
(888) 377-3522

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

37288
NEWSTAR MEDICAL LABORATORIES—SC
975 COBB PLACE BLVD NW, STE 218
KENNESAW, GA 30144
(678) 505-8016

35423
NEXTGEN LABORATORIES—SC
4229 BIRCH ST. STE 130
NEWPORT BEACH, CA 92660
(949) 467-9770

36182
NJMHMC LLC D/B/A HUDSON REGIONAL
HOSPITAL—S
55 MEADOWLANDS PARKWAY
SECAUCUS, NJ 07094
(201) 392-3516

36459
NOAH ASSOCIATES, INC—SC
10501 W. GREENFIELD AVE.
WEST ALLIS, WI 53214
(414) 600-1020

29741
NORTHERN TIER RESEARCH—SC
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

35679
OMNIHEALTH DIAGNOSTICS—SC
2211 CENTURY CENTER BLVD, SUITE 110
IRVING, TX 75062
(214) 396-9440

35920
OPTIMUM LABS INC—S
34 WELBY ROAD
NEW BEDFORD, MA 02745
(508) 993-3710

23801
PACIFIC TOXICOLOGY LABORATORIES—SC
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110

34837
PAIN AND SPINE SPECIALISTS OF MARYLAND—S
2702 BACK ACRE CIR
MOUNT AIRY, MD 21771
(301) 703-8767

29507
PAIN MED PC—SC
1556 ISLAND AVENUE
MCKEES ROCKS, PA 15136
(412) 782-1500

36349
PARADIGM LABS, LLC—SC
249 REDFERN VILLAGE
ST. SIMONS ISLAND, GA 31522
(912) 342-2443

00250
PARKWAY CLINICAL LABORATORIES—SC
3494 PROGRESS DRIVE, SUITE D
BENSALEM, PA 19020
(215) 245-5112

35477
PARKWAY NEUROSCIENCE & SPINE INSTITUTE—S
17 WESTERN MARYLAND PARKWAY STE 100
HAGERSTOWN, MD 21740
(301) 797-9240

37301
PATRIOT MEDICAL LABORATORIES—SC
DBA CIAN DIAGNOSTICS
5330 SPECTRUM DRIVE, SUITE 1
FREDERICK, MD 21703
(240) 396-4343

33194
PEACHSTATE HEALTH MANAGEMENT—C
2225 CENTENNIAL DRIVE
GAINESVILLE, GA 30504
(678) 276-8412

00053
PENN HIGHLANDS—BROOKVILLE—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312

00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541

36582
PGN LAB, LLC—SC
7847 SW ELLIPSE WAY
STUART, FL 34997
(772) 291-2629

31082
PHAMATECH INC—SC
15175 INNOVATION DRIVE
SAN DIEGO, CA 92128
(858) 643-5555

32887
PHOENIX TOXICOLOGY & LAB SERVICES—SC
2432 W PEORIA AVE, # 1064
PHOENIX, AZ 85029
(602) 374-4097

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1000

36380
PINPOINT TESTING, LLC—C
13 CHILDREN'S WAY, R2109
LITTLE ROCK, AR 72202
(501) 891-0070

33621
PITTSBURGH DRUG SCREENING LAB—S
440 ROSS STREET, SUITE 2033
PITTSBURGH, PA 15219
(412) 350-5808

00221
POTTSTOWN HOSPITAL—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

33487
PRECISION TOXICOLOGY, LLC—SC
4215 SORRENTO VALLEY BLVD
SAN DIEGO, CA 92121
(800) 635-6901

34191
PREMIER BIOTECH LABS, LLC—SC
723 KASOTA AVE SE
MINNEAPOLIS, MN 55414
(855) 718-6917

36873
PREMIER LABORATORY SERVICES, LLC—SC
1556 ISLAND AVENUE
MCKEES ROCKS, PA 15136
(412) 458-5431

35108
PREMIER MEDICAL LABORATORY SERVICES—SC
6000A PELHAM ROAD
GREENVILLE, SC 29615
(864) 862-0517

34030
PRINCIPLE LABS, LLC—SC
2550 BROADHEAD ROAD, SUITE 105
BETHLEHEM, PA 18020-8922
(484) 353-6661

35172
PROGRESSIVE DIAGNOSTICS, LLC—SC
35 NUTMEG DRIVE, SUITE 303
TRUMBULL, CT 06611
(888) 503-8803

00130
PSH HOLY SPIRIT MEDICAL CENTER—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2191

21648
PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

00255
PUBLIC HEALTH LAB CITY OF PHILADELPHIA—S
500 SOUTH BROAD STREET, RM 359
PHILADELPHIA, PA 19146
(215) 685-6501

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

36980
QR DIAGNOSTICS LLC—SC
12734 KENWOOD LN., UNIT 68
FORT MYERS, FL 33907
(239) 330-4573

34652
QUALITOX LABORATORIES, LLC—SC
1556 ISLAND AVENUE
MCKEES ROCKS, PA 15136
(412) 326-8570

36012
QUALITY LABORATORY SERVICE—SC
2124 MORRIS AVE
UNION, NJ 07083
(908) 686-2300

34644
QUALITY LABORATORY SERVICES—SC
2651 EAST 14TH STREET
BROOKLYN, NY 11235
(718) 646-5100

27461
QUEST DIAGNOSTICS INC—SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4502

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675

34188
RADEAS LLC—SC
907 GATEWAY COMMONS CIRCLE, SUITE 100
WAKE FOREST, NC 27587
(919) 263-1150

38038
RCA LABORATORY SERVICES, LLC—S
4144 INNSLAKE DR.
GLEN ALLEN, VA 23060
(804) 346-4363

36227
RDX BIOSCIENCE INC.—SC
629 SPRINGFIELD ROAD
KENILWORTH, NJ 07033
(844) 762-9522

00150
READING HOSPITAL LABORATORY—S
420 S 5TH AVE
WEST READING, PA 19611
(484) 628-8615

34074
REALTOX LABS LLC—SC
200 BUSINESS CENTER DRIVE
REISTERTOWN, MD 21136
(410) 833-3025

36232
RED LION PAIN AND PRIMARY CARE—SC
718 S. MAIN STREET
RED LION, PA 17356
(717) 244-8504

25348
REDWOOD TOXICOLOGY LABORATORY—SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
(707) 577-7958

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

- 32372
REGIONAL WOMENS HEALTH—S
450 CRESSON BLVD.
SUITE 305-307
OAKS, PA 19456
(484) 842-0717
- 35000
RIDGEWOOD DIAGNOSTIC LABORATORY—SC
126 STATE STREET, 2ND FLOOR
HACKENSACK, NJ 07601
(973) 542-2343
- 27779
RNJ SERVICES—S
35-37 PROGRESS STREET, SUITE B6
EDISON, NJ 08820
(908) 574-4300
- 00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394
- 30821
RXTOX INC—SC
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300
PITTSBURGH, PA 15236
(412) 460-1310
- 00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 942-3800
- 00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558
- 00328
SAINT MARY MEDICAL CENTER-PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162
- 29838
SAN DIEGO REFERENCE LABORATORY—SC
6565 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995
- 35681
SCHUYLER HOSPITAL—S
220 STEUBEN ST
MONTOUR FALLS, NY 14856
(607) 535-8607
- 36007
SCIENTIFIC LABORATORY COMPANY LLC—SC
3395 LAKE WORTH ROAD, SUITES 1 & 2
PALM SPRINGS, FL 33461
(561) 855-2479
- 36297
SCION LAB SERVICES, LLC—SC
4111 SW 47TH AVENUE, UNIT 333
DAVIE, FL 33314
(786) 525-6855
- 36741
SE PA PAIN MANAGEMENT, LTD—SC
508 PRUDENTIAL RD, SUITE 500
HORSHAM, PA 19044
(855) 235-7246
- 00064
SHARON REGIONAL LAB SERVICES—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914
- 00171
SLUHN SACRED HEART CAMPUS—S
421 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 776-4720
- 27649
SMA MEDICAL LABORATORIES—SC
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590
- 34171
SONIC REFERENCE LABORATORY, INC—C
3800 QUICK HILL ROAD, BUILDING 3, SUITE 101
AUSTIN, TX 78728
(512) 531-2100
- 36804
SONORAN DESERT PATHOLOGY ASSOCIATES—SC
6061 NE 14TH AVENUE, SUITE B
FT. LAUDERDALE, FL 33334
(954) 800-1000
- 36860
SPARK LABORATORY—SC
101 NE 54TH ST
MIAMI, FL 33137
(786) 391-0988
- 35875
SPECTOR SCIENTIFIC LAB—C
160 SW 12TH AVE, UNIT 103B
DEERFIELD BEACH, FL 33442
(561) 507-0522
- 00209
SPRINGFIELD HOSPITAL LABORATORY—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2232
- 00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
160 EAST ERIE AVENUE
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134-1095
(215) 427-3165
- 00151
ST JOSEPH QUALITY MEDICAL LAB—S
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00180
ST LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271
- 35019
ST LUKE'S MONROE CAMPUS LABORATORY—S
100 ST LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723

- 35762
ST. ANTHONY MEDICAL LABORATORIES—S
654 AVENUE C, SUITE # 303
BAYONNE, NJ 07002
(201) 455-8940
- 00175
ST. LUKE'S HOSPITAL EASTON CAMPUS—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819
- 32021
ST LUKES HOSPITAL-ANDERSON LAB—S
1872 ST LUKE'S BLVD
EASTON, PA 18045
(484) 503-1075
- 00152
ST LUKES LEHIGHTON CAMPUS—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(866) 785-8537
- 00195
ST. LUKE'S UPPER BUCKS CAMPUS—S
3000 ST. LUKE'S WAY
QUAKERTOWN, PA 18951
(267) 985-0038
- 37359
STAR LABORATORY CORPORATION—SC
125 FLEMING STREET
PISCATAWAY, NJ 08854
(732) 529-5100
- 31613
STEELFUSION CLINICAL TOXICOLOGY
LABORATORY, LLC—C
1103 DONNER AVE
MONESSEN, PA 15062
(724) 691-0263
- 33771
STR ADDICTION COUNSELING, LLC—S
1400 VETERANS HIGHWAY SUITE 108
LEVITTOWN, PA 19056
(267) 244-1107
- 00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075
- 36199
SUNRISE CLINICAL LAB LLC—SC
22 BALL STREET SECOND FLOOR
IRVINGTON, NJ 07111
(973) 877-8358
- 34011
SURETOX LABORATORY—SC
241 MOLNAR DR
ELMWOOD PARK, NJ 07407-2041
(201) 791-7293
- 33368
SYNERGY MEDICAL LABORATORIES, PC—C
152 STATE ROUTE 35
KEYPORT, NJ 07735
(732) 792-3609
- 00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232
- 27246
TECHNICAL RESOURCE MGMT—SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4470
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD STREET
DEPT OF PATH & LAB MED—RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560
- 00240
TEMPLE UNIVERSITY HOSPITAL—JEANES CAM-
PUS—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2248
- 36013
TESTING MATTERS, INC—SC
14001 NW 4TH ST.
SUNRISE, FL 33325
(954) 268-1470, X1003
- 36673
TGM LABS, LLC—S
1000 GERMANTOWN PIKE, SUITE E5
PLYMOUTH MEETING, PA 19462
(484) 965-9529
- 36695
THE OCCUPATIONAL HEALTH CENTER—
EAST SIDE—S
4950 BUFFALO ROAD
ERIE, PA 16510
(814) 452-7879
- 35318
THE OCCUPATIONAL HEALTH CENTER—
SAINT VINCENT—S
1910 SASSAFRAS ST, SUITE 200
ERIE, PA 16502
(814) 452-7879
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143
- 00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 S 11TH STREET, 204 FOERDERER PAVILION
PHILADELPHIA, PA 19107
(215) 955-3941
- 34847
THREE RIVERS PAIN MANAGEMENT—SC
2611 WAYNE AVE., BUILDING 63, STE 150
DAYTON, OH 45420
(724) 812-5580
- 34314
THYROID SPECIALTY LABORATORY, INC—C
10854 MIDWEST INDUSTRIAL BLVD
SAINT LOUIS, MO 63132-1611
(314) 200-3040

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

34643
TOTAL TOXICOLOGY LABS—C
24525 SOUTHFIELD ROAD, SUITE 100
SOUTHFIELD, MI 48075
(248) 352-7171

34359
TOX MANAGEMENT—S
422 W NAKOMA ST
SAN ANTONIO, TX 78216
(210) 571-1302

34358
TRI-STATE TOXICOLOGY LLC—SC
424 W NAKOMA ST
SAN ANTONIO, TX 78216
(210) 571-1300

36669
TRIDENT LABS, LLC—SC
242 HOWARD AVE.,
HOLLAND, MI 49424
(616) 395-8926

36731
TRINITY MEDICAL LABORATORIES LLC—SC
3 EVES DRIVE, SUITE 300
MARLTON, NJ 08053
(856) 334-9496

34190
TRUETOX LABORATORIES, LLC—SC
50 ROSE PLACE
GARDEN CITY PARK, NY 11040
(516) 741-1501

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384

34997
UNITED CLINICAL LABORATORY LLC—SC
2257 VISTA PARKWAY SUITE 2
WEST PALM BEACH, FL 33411
(561) 632-7922

36800
UNITED CLINICAL LABORATORY OF NEW JERSEY
LLC—SC
373 E US ROUTE 46, W UNIT 111
FAIRFIELD, NJ 07004
(862) 210-8456

00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340

00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506

32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682

00046
UPMC HAMOT—S
201 STATE STREET, 4TH FLOOR WEST
ERIE, PA 16550
(814) 877-3131

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00054
UPMC JAMESON—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4082

00030
UPMC LOCK HAVEN LABORATORY—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5033

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7624

00035
UPMC MUNCY LABORATORY—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120

00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
ATTN: LAB
PITTSBURGH, PA 15237
(412) 367-6700

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
ATTN: LAB
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00131
UPMC PINNACLE CARLISLE—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 960-3336

00166
UPMC PINNACLE LITITZ—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5572

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
LABORATORY
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00297
UPMC SOMERSET HOSPITAL—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215

00039
UPMC WELLSBORO LABORATORY—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0140

00037
UPMC WILLIAMSPORT LABORATORY—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

00335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500

35707
VERRALAB JA LLC DBA BIOTAP MEDICAL—SC
716 WEST MAIN STREET SUITE 100A
LOUISVILLE, KY 40202
(502) 566-3588

37491
VIBRA HEALTH LABORATORY—SC
1307 ALLEN DR., STE A
TROY, MI 48083
(248) 846-0663

34702
VISION LABORATORIES LLC—SC
6130 SHALLOWFORD ROAD, SUITE 100
CHATTANOOGA, TN 37421
(844) 484-3522

35815
VISITING PHYSICIANS ASSOCIATION PC LAB—S
500 KIRTS BLVD
TROY, MI 48084
(248) 824-6500

34864
VITAE DIAGNOSTICS—SC
3848 DEL AMO BLVD SUITE 303
TORRANCE, CA 90503
(310) 376-5812

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00105
WASHINGTON HEALTH SYSTEM GREENE—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00111
WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL LABORATORY—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

33480
WEST SHORE HOSP LABORATORY—S
1995 TECHNOLOGY PKWY
MECHANICSBURG, PA 17050
(717) 782-3128

34586
WESTERN SLOPE LABORATORY, LLC—C
1197 ROCHESTER ROAD SUITE K
TROY, MI 48083
(248) 307-1168

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

35377
WESTOX LABS LLC—C
18102 SKYPARK SOUTH, BLDG. 52, STE E
IRVINE, CA 92614
(949) 371-2050

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-717. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ($\mu\text{g}/\text{dL}$) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 $\mu\text{g}/\text{dL}$ or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 $\mu\text{g}/\text{dL}$.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency test-

ing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols L and P indicate the following:

L = approved for blood lead analyses

P = approved for erythrocyte protoporphyrin analyses

LP = approved for blood lead and erythrocyte protoporphyrin analyses

20978

ABW ST. LUKES PEDIATRICS—L
834 EATON AVE. SUITE # 201
BETHLEHEM, PA 18018
(484) 526-7722

27431

ABW ST. LUKE'S PEDIATRICS—L
487 EAST MOORESTOWN ROAD
SUITE 105
WIND GAP, PA 18091
(601) 863-8200

34235

ABW ST. LUKES PEDIATRICS—L
6651 SILVER CREST ROAD, SUITE 103
BATH, PA 18014
(484) 526-7360

31609

ACCU REFERENCE MEDICAL LABORATORY—L
1901 EAST LINDEN AVENUE
SUITE 4
LINDEN, NJ 07036
(908) 474-1004

28994

AHN PEDIATRICS—EDGEWOOD—L
1789 SOUTH BRADDOCK AVENUE, SUITE 294
PITTSBURGH, PA 15218
(412) 371-3000

10167

AHN PEDIATRICS CHARTIERS—L
1370 WASHINGTON PIKE, SUITE 107
BRIDGEVILLE, PA 15017
(412) 221-0160

30286

AHN PEDIATRICS FOX CHAPEL—L
3394 SAXONBURG BLVD SUITE 600
GLENSHAW, PA 15116
(412) 767-0707

34549

AHN PEDIATRICS JEFFERSON—L
1200 BROOKS LANE, SUITE 130
JEFFERSON MEDICAL ARTS BLDG
JEFFERSON HILLS, PA 15025
(412) 460-8111

28764

AHN PEDIATRICS MCMURRAY—L
3001 WATERDAM PLAZA
SUITE 200
MCMURRAY, PA 15317
(724) 941-2747

28416

AHN PEDIATRICS, ARCADIA—L
9795 PERRY HIGHWAY, SUITE 100
WEXFORD, PA 15090
(412) 358-9548

22712

AHN PEDS PAL GREENTREE—L
969 GREENTREE ROAD
PRIMARY CARE CENTER OF GREENTREE
PITTSBURGH, PA 15220

26609

AHN PEDS PAL NORTHLAND 7 FIELDS—L
100 NORTH POINTE CIRCLE STE 101
SEVEN FIELDS, PA 16046
(724) 772-0777

24516

AHN PEDS PAL NORTHLAND CRANBERRY—L
TWO LANDMARK NORTH
SUITE 136 20397 ROUTE 19 NORTH
CRANBERRY TOWNSHIP, PA 16066
(724) 776-6030

01543

AHN PEDS PAL NORTHLAND MCKNIGHT—L
4721 MCKNIGHT RD, SUITE 209N
PITTSBURGH, PA 15237

02125

AHN, PEDIATRICS, ST. CLAIR—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121

35986

ALLEGHENY COUNTY HEALTH DEPARTMENT—L
425 FIRST AVE, HARTLEY ROSE BUILDING
4TH FLOOR
PITTSBURGH, PA 15219
(412) 578-8070

22604

ALLEGHENY HEALTH & WELLNESS PAVILION—L
4247 WEST RIDGE ROAD, SUITE 105
ERIE, PA 16506

10286

ALLENTOWN HEALTH BUREAU—L
245 NORTH 6TH ST ALLIANCE HALL
ALLENTOWN, PA 18102
(610) 437-7577

00016

ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES-BARRE, PA 18701
(570) 822-4278

21613

ARUP LABORATORIES INC—LP
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 22757
BIOREFERENCE LABORATORIES INC—L
481 EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 36638
BTAMC PEDIATRIC & FAMILY HEALTH CARE—L
6678 TOWNE CENTER BLVD.
HUNTINGDON, PA 16652
(814) 506-8490
- 30248
CARING HANDS PEDIATRICS—L
300 CEDAR RIDGE DRIVE SUITE 309
PITTSBURGH, PA 15205
(412) 921-2345
- 30249
CARING HANDS PEDIATRICS—L
105 BRAUNLICH DRIVE, SUITE 102
PITTSBURGH, PA 15237
(412) 369-7720
- 02526
CARLISLE PEDIATRIC ASSOCS LAB—L
804 BELVEDERE STREET
CARLISLE, PA 17013
(717) 243-1943
- 36061
CHI ST. JOSEPH CHILDREN'S HEALTH DENTAL
CENTER—L
401 LOCUST ST
COLUMBIA, PA 17512
(717) 397-7625
- 00228
CHILDRENS HOSP OF PHILADELPHIA—L
3401 CIVIC CENTER BLVD
MAIN BLDG—5TH FLOOR—ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446
- 27845
CLINICAL REFERENCE LABORTORY—LP
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 693-5481
- 33408
CONCORD MED & PEDIATRICS OF CHRISTIANA
CARE—L
CHRISTIANA CARE CONCORD
161 WILMINGTON WEST CHESTER PIKE (RTE. 202)
CHADDSFORD, PA 19317
(610) 361-1270
- 31847
DOCTOR'S DATA, INC—L
3755 ILLINOIS AVENUE
ST CHARLES, IL 60174-2420
(630) 377-8139
- 20306
EAST LIBERTY FAMILY HEALTH CTR—L
6023 HARVARD STREET
PITTSBURGH, PA 15206
(412) 661-2802
- 00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361
- 25549
EAST SUBURBAN PEDIATRICS—L
40 LINCOLN WAY, SUITE 400
NORTH HUNTINGDON, PA 15642
(724) 863-8811
- 29302
EAST SUBURBAN PEDIATRICS—L
2566 HAYMAKER ROAD SUITE 105
MONROEVILLE, PA 15146
(412) 858-2777
- 10390
EAST SUBURBAN PEDIATRICS—L
4262 OLD WILLIAM PENN HWY, SUITE 208
MURRYSVILLE, PA 15668
(724) 325-2133
- 32339
EDEN PARK PEDIATRIC ASSOCIATES—L
779 E MAIN STREET
MOUNT JOY, PA 17552
(717) 569-8518
- 29462
EDEN PARK PEDIATRIC ASSOCIATES—
MOUNT JOY—L
4221 OREGON PIKE
EPHRATA, PA 17522
(717) 859-1434
- 10266
EDEN PARK PEDIATRIC ASSOCIATES—L
1725 OREGON PIKE
LANCASTER, PA 17601
(717) 569-8518
- 31378
ENZO CLINICAL LABS—L
60 EXECUTIVE BLVD
FARMINGDALE, NY 11735
(631) 755-5500
- 10324
FORBES FAMILY MEDICINE—L
2550 MOSSIDE BLVD, SUITE 500
MONROEVILLE, PA 15146
(412) 457-1077
- 31400
FRANCES WARDE MEDICAL LABORATORY—LP
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300
- 00173
GEISINGER MEDICAL CENTER—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443
- 32839
GENOVA DIAGNOSTICS—L
3425 CORPORATE WAY
DULUTH, GA 30096
(678) 638-2918

- 10395
GETTYSBURG PEDIATRICS—L
11 HUNTERS TRAIL
GETTYSBURG, PA 17325
(717) 334-7681
- 31348
GREENVILLE COMMUNITY HEALTH CENTER—L
348 MAIN STREET
GREENVILLE, PA 16125
(724) 588-5250
- 22573
GUTHRIE MEDICAL GROUP—PEDIATRICS—L
1011 N. ELMER AVENUE
SAYRE, PA 18840
(570) 887-3070
- 03729
GUTHRIE MEDICAL GROUP—TROY CLINIC—L
285 GUTHRIE DRIVE
TROY, PA 16947
(570) 297-4104
- 36246
HAMILTON HEALTH CENTER OF PERRY—L
46 RED HILL COURT
NEWPORT, PA 17074
(717) 232-9971
- 31393
HAMILTON HEALTH CENTER, INC.—L
1313 MONROE STREET
HARRISBURG, PA 17103
(717) 230-3946
- 30487
HAMILTON HEALTH CENTER, INC.—L
1301 SYCAMORE STREET
HARRISBURG, PA 17104
(717) 232-9971
- 27989
HAMILTON HEALTH CENTER, INC.—L
1000 EVELYN DRIVE
MILLERSBURG, PA 17061
(717) 988-9262
- 00547
HAMILTON HEALTH CENTER, INC.—L
110 SOUTH 17TH STREET
HARRISBURG, PA 17104
(717) 230-3946
- 01711
HANOVER PEDIATRICS—L
217 BROADWAY
HANOVER, PA 17331
(717) 632-3911
- 34095
HARBORVIEW MED CNTR, DEPT OF LAB
MEDICINE—P
325 9TH AVE. ROOM GWH-47
SEATTLE, WA 98104
(206) 897-5201
- 24655
HEALTH NETWORK LABORATORIES—L
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 29054
HILLTOP COMMUNITY HEALTHCARE CENTER—L
151 RUTH STREET
PITTSBURGH, PA 15211
(412) 431-3520
- 26490
HOPE PEDIATRICS—L
3512 STATE ROUTE 257 SUITE 106
SENECA, PA 16346
(814) 677-3717
- 29136
KIDS CARE PEDIATRICS—L
108 HORNER LANE
LATROBE, PA 15650
(724) 537-2131
- 33090
KIDS PLUS PEDIATRICS—L
671D CASTLE CREEK DRIVE
SEVEN FIELDS, PA 16046
(724) 761-2020
- 28267
KIDS PLUS PEDIATRICS PC—L
4070 BEECHWOOD BLVD
PITTSBURGH, PA 15217
(412) 521-6511
- 10158
KIDS PLUS PEDIATRICS PC—L
810 CLAIRTON BLVD, SUITE 100
PITTSBURGH, PA 15236
(412) 466-5004
- 21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(336) 436-2153
- 05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300
- 01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703
- 29855
LANCASTER HEALTH CENTER AT BRIGHTSIDE—L
515 B HERSHEY AVENUE
LANCASTER, PA 17603
(717) 299-6372
- 10289
LANCASTER HEALTH CENTER AT DUKE ST.—L
625 SOUTH DUKE STREET
LANCASTER, PA 17602
(717) 299-6372
- 35866
LANCASTER HEALTH CENTER AT NHA—L
802 NEW HOLLAND AVE. # 200
LANCASTER, PA 17602
(717) 299-6371
- 34598
LANCASTER HEALTH CENTER AT REYNOLDS—L
605 W. WALNUT STREET
LANCASTER, PA 17603-3383
(717) 299-6372

31622
LANCASTER HEALTH CENTER AT WATER ST.—L
304 N. WATER ST
LANCASTER, PA 17603
(717) 299-6372

23380
LANCASTER PEDIATRIC ASSOC LTD—L
222 WILLOW VALLEY LAKES DRIVE
SUITE 100
WILLOW STREET, PA 17584-9463
(717) 464-9555

10270
LANCASTER PEDIATRIC ASSOCIATES—L
2106 HARRISBURG PIKE
SUITE 1 MED OFFICE PO BOX 3200
LANCASTER, PA 17601
(717) 291-5931

02555
LEHIGH VALLEY PEDIATRIC ASSOC—L
401 NORTH 17TH STREET STE 307
ALLENTOWN, PA 18104
(610) 434-2162

25678
LEHIGH VALLEY PEDIATRIC ASSOC INC—L
612 ELM ST
BETHLEHEM, PA 18018
(610) 865-3151

34187
LENCO DIAGNOSTIC LABORATORIES INC—L
1857 86TH STREET
BROOKLYN, NY 11214
(718) 232-1515

25658
LINCOLN LEMINGTON FAMILY HCC—L
7171 CHURCHLAND STREET
PITTSBURGH, PA 15206
(412) 361-8284

37668
LUZ MEDICINE, PC—L
29 CLOISTER AVENUE
EPHRATA, PA 17522
(717) 844-9003

10180
LVPG PEDIATRICS—BROAD ST—L
564 W BROAD STREET
HAZLETON, PA 18201
(570) 501-6400

37009
LVPG PEDIATRICS—EASTON—L
2401 NORTHAMPTON ST., SUITE 210
EASTON, PA 18045
(484) 591-7470

20350
LVPG PEDIATRICS—LEHIGHTON—L
363 N. 1ST STREET
LEHIGHTON, PA 18235
(610) 377-6969

31930
LVPG PEDIATRICS—PLAZA COURT—L
447 PLAZA COURT BUILDING
SUITE 500
EAST STROUDSBURG, PA 18301
(570) 476-3585

37144
LVPG PEDIATRICS—STROUDWEST—L
205 APPLGATE RD., SUITE 101
STROUDSBURG, PA 18360
(570) 476-3585

33419
LVPG PEDIATRICS—WEST BROAD—L
325 W BROAD ST, 2ND FLOOR
BETHLEHEM, PA 18018
(484) 626-9222

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—LP
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

24668
MCMURRAY PEDIATRIC & ADOLESCENT
MEDICINE—L
6000 WATERDAM PLAZA DRIVE # 280
MCMURRAY, PA 15317
(724) 941-8199

28806
MEDIA PEDIATRICS—L
401 MOORE ROAD
WALLINGFORD, PA 19086
(610) 565-3336

05574
MEDTOX LABORATORIES INC—LP
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

26760
METRO COMMUNITY HEALTH CENTER—L
1789 S BRODDOCK AVENUE, SUITE 410
PITTSBURGH, PA 15218
(412) 247-2316

10233
MNPJ DEPT OF PEDIATRICS—L
3901 SOUTH ATHERTON STREET, SUITE 5
STATE COLLEGE, PA 16801

00504
NATIONAL MED SVCS INC—DBA/NMS LABS—LP
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

30553
NATIONWIDE CHILDRENS HOSPITAL—L
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDRENS DRIVE
COLUMBUS, OH 43205
(614) 722-5335

37445
NHCLV—BROAD ST—L
635 E. BROAD ST
BETHLEHEM, PA 18018
(610) 820-7605

31166
NHCLV—ALLENTOWN—L
218 NORTH SECOND STREET
ALLENTOWN, PA 18102
(610) 841-8400

30162
NHCLV—BETHLEHEM—L
1210 E 4TH STREET
BETHLEHEM, PA 18015
(610) 820-7605

- 35491
NHCLV TWO RIVERS H & W—L
1101 NORTHAMPTON ST.
EASTON, PA 18042
(610) 841-9400
- 23205
NORTHSIDE CHRISTIAN HEALTH CENTER—L
816 MIDDLE STREET
PITTSBURGH, PA 15212
(412) 321-4001
- 36128
OLIVERO MEDICAL HEALTH CENTER—L
1243 SKYTOP MOUNTAIN RD., SUITE 4
PORT MATILDA, PA 16870
(814) 499-3009
- 23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110
- 35190
PEDIATRIC ALLIANCE PC WITH AHN
ALLEGHENY—L
490 E NORTH ST, SUITE 207
PITTSBURGH, PA 15212
(412) 930-0908
- 28784
PEDIATRIC ASSOCIATES OF KINGSTON LLC—L
451 3RD AVENUE
KINGSTON, PA 18704
(570) 288-6543
- 25436
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L
27 VISTA DRIVE
UNIT 3
WAYNESBORO, PA 17268
(717) 765-6621
- 33953
PEDIATRIC URGENT CARE OF FRANKLIN
COUNTY—L
5 ROADSIDE AVE
WAYNESBORO, PA 17268
(717) 765-6621
- 20407
PEDIATRICS—TOWER HEALTH MEDICAL GROUP—L
2101 STATE HILL ROAD
SUITE 6
WYOMISSING, PA 19610
(484) 628-7540
- 10184
PEDIATRICS OF NORTHEASTERN PA—L
920 VIEWMONT DRIVE
DICKSON CITY, PA 18519
(570) 346-1464
- 24790
PEDIATRICS SOUTH MT LEBANON—L
240 MT LEBANON BLVD
PITTSBURGH, PA 15234
(412) 494-9588
- 27844
PEDIATRICS SOUTH PETERS
3055 WASHINGTON ROAD, SUITE 102
MCMURRAY, PA 15317
(724) 969-5025
- 10248
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L
1570 FRUITVILLE PIKE
LANCASTER, PA 17601
(717) 569-6481
- 29898
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L
51 PETERS ROAD, SUITE 202
LITITZ, PA 17543
(717) 569-6481
- 29610
PENN STATE HEALTH ALL ABOUT CHILDREN—L
655 WALNUT STREET
WEST READING, PA 19611
(610) 372-9222
- 22533
PENNSYLVANIA DEPT OF HEALTH—L
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 36240
PORTERSVILLE FAMILY PRACTICE—L
105 ADAMS LANE
PORTERSVILLE, PA 16051
(724) 368-4118
- 36974
PRIMARY HEALTH NETWORK ELLWOOD CITY
PRIMARY CARE—L
304 EVANS DR., SUITE 201
ELLWOOD CITY, PA 16117
(724) 824-8185
- 21982
PS MEDICAL GROUP-CORNERSTONE—L
6 WEST NEWPORT ROAD
LITITZ, PA 17543
(717) 627-2108
- 23778
PSH MEDICAL GROUP-ELIZABETHTOWN—L
ONE CONTINENTAL DRIVE
ELIZABETHTOWN, PA 17022
(717) 361-0666
- 10222
PSHMG LIME SPRING—L
2221 NOLL DRIVE
LANCASTER, PA 17603
(717) 715-1001
- 37644
PSMG NYES ROAD—L
121 NYES ROAD
HARRISBURG, PA 17112
(717) 531-1780
- 00669
QUEST DIAGNOSTICS INCORPORATED—L
ONE MALCOLM AVENUE
TETERBORO, NJ 07608
(201) 393-5895
- 01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—L
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675

01216
READING PEDIATRICS INC—L
40 BERKSHIRE COURT, SUITE 1
WYOMISSING, PA 19610
(610) 374-7400

29871
READING PEDIATRICS INC—L
5101 ALLENTOWN PIKE
TEMPLE, PA 19560
(610) 374-7400

29873
READING PEDIATRICS INC—L
25 LORANE ROAD
READING, PA 19606
(610) 374-7400

32983
READING PEDIATRICS INC—L
541 W. PENN AVE
ROBESONIA, PA 19551
(610) 374-7400

24657
SANDY LAKE COMMUNITY HEALTH CENTER—L
3205 SOUTH MAIN STREET
SANDY LAKE, PA 16145
(724) 342-3002

22196
SHARON MEDICAL GROUP—L
63 PITT STREET
SHARON, PA 16146
(724) 342-6604

24508
SHEAKLEYVILLE HEALTH CENTER—L
3339 PERRY HIGHWAY
SHEAKLEYVILLE, PA 16151
(724) 253-3428

27649
SMA MEDICAL LABORATORIES—L
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590

24582
SOUTH PHILA PEDIATRICS—L
1408 S. BROAD ST., 2ND FLOOR
PHILADELPHIA, PA 19146
(215) 467-3515

00151
ST JOSEPH QUALITY MEDICAL LAB—L
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

34494
ST LUKE'S ALLENTOWN PEDIATRICS—L
501 CETRONIA ROAD, SUITE 115
ALLENTOWN, PA 18104
(484) 426-2468

33310
ST LUKE'S COOPERSBURG PEDIATRICS—L
5445 LANARK ROAD, 1ST FLOOR SUITE 103
CENTER VALLEY, PA 18034
(484) 526-7337

33636
ST LUKE'S PALMERTON PEDIATRICS—L
217 FRANKLIN AVENUE
PALMERTON, PA 18071
(610) 826-1166

23136
ST LUKE'S POCONO PEDIATRIC ASSOC—L
208 LIFELINE ROAD, SUITE 201
STROUDSBURG, PA 18360
(570) 664-8750

23134
ST LUKES POCONO PEDIATRIC ASSOC—L
9090 FRANKLIN HILL ROAD
SUITE 201
EAST STROUDSBURG, PA 18301
(570) 664-8750

36017
ST. LUKE'S ANDERSON PEDIATRICS—L
1700 ST. LUKE'S BLVD., SUITE 403
EASTON, PA 18045
(484) 503-0060

10346
ST. LUKE'S QUAKERTOWN PEDIATRICS—L
237 N WEST END BLVD
QUAKERTOWN, PA 18951
(215) 536-1915

37359
STAR LABORATORY CORPORATION—L
125 FLEMING STREET
PISCATAWAY, NJ 08854
(732) 529-5100

01683
STO-ROX FAMILY HEALTH CENTER—L
710 THOMPSON AVE
MCKEES ROCKS, PA 15136
(412) 771-6462

22718
SUNRISE MEDICAL LABORATORIES INC—L
250 MILLER PLACE
HICKSVILLE, NY 11801
(631) 435-1515

22134
TAN & GARCIA PEDIATRICS PC—L
4700 UNION DEPOSIT RD SUITE 120
HARRISBURG, PA 17111
(717) 540-1743

10296
TAN & GARCIA PEDIATRICS PC—L
2020 GOOD HOPE ROAD, SUITE 120
ENOLA, PA 17025
(717) 761-7901

02079
THE WRIGHT CENTER MEDICAL GROUP—L
2 SHARPE STREET
KINGSTON, PA 18704
(570) 343-2383

36990
THE WRIGHT CENTER MEDICAL GROUP—L
501 S. WASHINGTON AVE.
SCRANTON, PA 18505
(570) 491-0125

35522
THE WRIGHT CENTER MEDICAL GROUP PC—L
335 S. FRANKLIN STREET
WILKES-BARRE, PA 18702-3808
(570) 343-2383

26198
THE WRIGHT CENTER MEDICAL GROUP PC—L
5 SOUTH WASHINGTON AVENUE
JERMYN, PA 18433
(570) 343-2383

32536
THE WRIGHT CENTER MEDICAL GROUP PC—L
335 S. FRANKLIN STREET
WILKES-BARRE, PA 18702-3808
(570) 343-2383

32537
THE WRIGHT CENTER MEDICAL GROUP PC—L
1145 NORTHERN BLVD
CLARKS SUMMIT, PA 18411
(570) 343-2383

30336
TRI COUNTY PEDIATRICS—L
821 HUNTINGDON PIKE, SUITE 207
HUNTINGDON VALLEY, PA 19006
(215) 884-5715

29164
TRI COUNTY PEDIATRICS INC—L
9121 E ROOSEVELT BLVD
PHILADELPHIA, PA 19114
(215) 884-5715

27432
TRI COUNTY PEDIATRICS INC—L
140 EAST BUTLER AVENUE
CHALFONT, PA 18914
(215) 822-1770

04159
TRI COUNTY PEDIATRICS INC—L
205 NEWTOWN ROAD SUITE 210
WARMINSTER, PA 18974
(215) 884-5715

04575
TRI COUNTY PEDIATRICS INC—L
1939 CHELTENHAM AVENUE
ELKINS PARK, PA 19027
(215) 884-5715

30337
TRI COUNTY PEDIATRICS, INC—L
729 GROVE AVENUE
SUITE 1
SOUTHAMPTON, PA 18966
(215) 322-0800

25506
UNIVERSITY PHYSICIAN GROUP—L
35 HOPE DRIVE
HERSHEY, PA 17033
(717) 531-0003

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00539
WASHINGTON PED & ADOLESCENT MED—L
100 WELLNESS WAY BLDG 2
WASHINGTON, PA 15301
(724) 250-6001

34515
ZERO PEDIATRICS, PLLC—L
1000 MEADE ST, SUITE 102
DUNMORE, PA 18512
(570) 871-4445

37072
ZRT LABORATORY—L
8605 SW CREEKSIDE PL
BEAVERTON, OR 97008
(503) 466-2445

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-718. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 205.6(a) (relating to function of building):

Delaware Valley Skilled Nursing and Rehabilitation Center
111 Rivers Edge Drive
Matamoras, PA 18336
FAC ID # 50600201

Immaculate Mary Center for Rehabilitation and Health-care
2990 Holme Avenue
Philadelphia, PA 19136
FAC ID # 090902

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Loyalhanna Care Center
535 McFarland Road
Latrobe, PA 15650
FAC ID # 016702

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-719. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Rural Health Redesign Center Authority Board Virtual Meeting

The Pennsylvania Rural Health Redesign Center Authority Board (Board), established under section 302 of the Pennsylvania Rural Health Redesign Center Authority Act (35 P.S. § 449.132), will hold its next virtual meeting on Tuesday, May 18, 2021, from 10 a.m. to 12 p.m. The meeting will be held virtually by means of Microsoft Teams at https://teams.microsoft.com/l/meetup-join/19%3ameeting_ZDJINmUwOTctYzZmNC00MGU2LTliNzAtM2E5YjA4OTIzMzNk%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%220fc4a4bd-5e1b-4934-80c5-00e4d2bb8f23%22%7d or by using the following information: toll number: +1 (267) 332-8737; conference ID: 526183240#.

The Board is charged with administering the Pennsylvania Rural Health Model (Model) which aims to protect the financial viability of rural hospitals in this Commonwealth through transitioning them from a traditional fee-for-service model to a global budget payment model. The virtual meeting will provide updates on a variety of topics including Model status updates, Federal grant deliverables, global budget methodology and more. It will also discuss current and upcoming activities.

For additional information or for persons with a disability who wish to attend the virtual meeting and require an auxiliary aid, service or other accommodation to do so, contact Emily Roussel, Executive Advisor for Health Resources and Services, Department of Health, (717) 425-0623, eroussel@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This virtual meeting is subject to cancellation without notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-720. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to establish a new class of disproportionate share hospital (DSH) payments for qualifying acute care general hospitals in Fiscal Year (FY) 2020-2021. These payments will provide financial relief to hospitals and promote access to acute care services for Pennsylvania Medical Assistance (MA) beneficiaries during the novel coronavirus (COVID-19) pandemic. In addition, the Department is revising the payment reconciliation process to account for this new class of DSH payments.

Background

Since 2010, the Department has imposed a monetary assessment on the net inpatient revenue of licensed hospitals in this Commonwealth, other than exempt hospitals under Article VIII-G of the Human Services Code (code) (62 P.S. §§ 801-G—816-G). The code was amended by the act of June 22, 2018, (P.L. 258, No. 40) (Act 40), effective July 1, 2018, to authorize the Department to also assess the net outpatient revenue of those hospitals. As required by section 805-G of the code (62 P.S. § 805-G(a)), funds generated by the hospital assessment on both net inpatient and outpatient revenues are deposited into a restricted account called the Quality Care Assessment Account. The funds are used to make MA payments to hospitals and managed care organizations for inpatient and outpatient services, described in section 805-G(a)(1) and (2) of the code, as well as other purposes as approved by the Secretary for inpatient hospital, outpatient hospital and hospital-related services. The Department intends to use a portion of these funds for COVID-19 relief DSH payments.

Qualifying Criteria

A hospital is eligible for this additional class of DSH payments if the hospital is enrolled in the MA Program as an acute care general hospital, and the hospital submitted a FY 2017-2018 MA-336 hospital cost report.

Payment Methodology

The Department will determine a qualifying hospital's annual payment amount by multiplying the hospital's number of Pennsylvania MA inpatient acute care days, both fee-for-service and managed care, by either:

- a) \$127.50 for qualifying hospitals with at least 90% MA dependence percent ranking; or,
- b) \$102 for qualifying hospitals with at least 75% but less than 90% MA dependence percent ranking; or,
- c) \$76.50 for qualifying hospitals with at least 50% but less than 75% MA dependence percent ranking; or,
- d) \$51 for qualifying hospitals with less than 50% MA dependence percent ranking.

For purposes of these DSH payments, the Department determines each hospital's MA dependence statistic by dividing the hospital's Pennsylvania MA inpatient acute care days, both fee-for-service and managed care, by the hospital's total hospital inpatient acute care days. The Department determines each hospital's MA dependence

percent ranking using the hospital's MA dependence statistic in relation to all eligible hospitals. The source of the information is the FY 2017-2018 MA-336 Hospital Cost Report, as available to the Department on April 7, 2020.

All payment limitations are still applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit. The Department will not redistribute DSH payments made under this class of DSH payments to qualifying hospitals as a result of a qualifying hospital exceeding its hospital-specific DSH limit.

Payment Reconciliation

The Department intends to modify the payment reconciliation process used to determine the available funding for certain MA payments funded with assessment revenues. Specifically, the Department is proposing to:

a) Include the COVID-19 Relief DSH payment in the annual payment reconciliation process and compare the allocated payment amounts for these payments to projected and actual payment amounts as part of the reconciliation factor calculation; and,

b) Change the amount of available funding for payments to be reconciled to \$353.639 million (and of this amount, the portion attributable to the inpatient disproportionate share payments and direct medical education payments is \$40.959 million).

The Department is not otherwise changing its approved State Plan provisions addressing the payment reconciliation process.

Fiscal Impact

The FY 2020-2021, the Department will allocate an annualized amount of \$128.724 million in total funds (State and Federal) for these DSH payments upon approval by the Centers for Medicare & Medicaid Services, adjusted to reflect the reconciliation factor described in Part VI of the Pennsylvania State Plan.

Public Comment

Interested persons are invited to submit written comments regarding this proposed payment to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1437. (1) General Fund; (2) Implementing Year 2020-21 is \$0; (3) 1st Succeeding Year 2021-22 is \$53,549,000; 2nd Succeeding Year 2022-23 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the proposed budget to cover this increase.

[Pa.B. Doc. No. 21-721. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2020-2021 disproportionate share hospital payments to qualifying acute care general hospitals that provide enhanced access to multiple types of medical care in economically distressed areas. The Department is not changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 50 Pa.B. 7360 (December 26, 2020). The Department received no comments during the 30-day comment period and will implement the change as described in the notice of intent.

Fiscal Impact

The FY 2020-2021 impact, as a result of the funding allocation for these payments, is \$149.136 million in total funds.

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1439; (1) General Fund; (2) Implementing Year 2020-21 is \$62,040,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-722. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Nursing Facility Assessment Program for Fiscal Year 2020-2021

The Department of Human Services (Department) is providing final notice of the amount of the nursing facility assessment for Fiscal Year (FY) 2020-2021, the assessment methodology and the estimated aggregate impact on nursing facilities subject to the assessment.

Background

Article VIII-A of the Human Services Code (code) (62 P.S. §§ 801-A—815-A) authorizes the Department to impose an annual monetary assessment on nonpublic and county nursing facilities in this Commonwealth each fiscal year through FY 2021-2022. Under section 803-A of the code (62 P.S. § 803-A), the Department may impose the assessment only to the extent that the assessment revenues qualify as the State share of Medical Assistance (MA) Program expenditures eligible for Federal financial participation (FFP). To ensure receipt of FFP, section 812-A of the code (62 P.S. § 812-A) requires the Department to seek a waiver from the Centers for Medicare & Medicaid Services if necessary to implement the Assessment Program.

For each fiscal year that the Assessment Program is implemented, the code authorizes the Secretary of the Department (Secretary) to determine the aggregate amount of the assessment and the annual assessment rate in consultation with the Secretary of the Budget. See 62 P.S. § 804-A. The code specifies that annual assessment rates must be sufficient to generate at least \$50 million in additional revenue, but not more than the maximum aggregate assessment amount that that may be assessed under 42 CFR 433.68(f)(3)(i) (relating to permissible health care-related taxes) or any other maximum established under Federal law. See 62 P.S. § 804-A.

The Secretary must publish a notice in the *Pennsylvania Bulletin* before imposing an annual assessment for a fiscal year. The notice must specify the amount of the assessment being proposed, explain the proposed assessment methodology, identify the estimated assessment amount and aggregate impact on nursing facilities subject to the assessment and provide interested persons a 30-day period to comment. See 62 P.S. § 805-A.

After consideration of any comments received during the 30-day comment period, the Secretary must publish a second notice announcing the rate of assessment for the fiscal year. See 62 P.S. § 805-A. The annual aggregate assessment amount and assessment rate for the fiscal year must be approved by the Governor. See 62 P.S. § 804-A.

In determining the proposed rates under the methodology for FY 2020-2021 that were initially published in the notice at 50 Pa.B. 3178 (June 27, 2020), the Department examined projected nursing facility revenues for purposes of assuring the overall assessment amount would comply with Federal rules relating to maximum permissible levels for health care-related assessments. The Department did not have estimates of the impact of the novel coronavirus (COVID-19) pandemic on net patient revenues of nursing facilities at the time it published the June 2020 notice. The Department has since evaluated nursing facility financial reporting required by the act of May 29, 2020 (P.L. 186, No. 24) and determined it was necessary to issue new annual aggregate assessment amounts and assessment rates for FY 2020-2021 to comply with State and Federal statute. See 62 P.S. §§ 803-A and 804-A and 42 CFR 433.68(f)(3)(i). An updated proposed notice was published at 51 Pa.B. 1755 (March 27, 2021). No comments were received by the Department in response to the updated proposed notice.

Assessment Methodology and Rates for FY 2020-2021

The following nursing facilities will continue to be exempt from the Assessment Program in FY 2020-2021:

- (1) State-owned and operated nursing facilities.
- (2) Veteran's Administration nursing facilities.
- (3) Nursing facilities that provide nursing facility services free of charge to all residents.
- (4) Newly licensed nursing facilities that have not been licensed and operated by the current or previous owner will be exempt until the nursing facility's days are included in the data used as the basis of the assessment. A nursing facility that changes ownership is not considered a newly licensed nursing facility for assessment purposes.

The Department will continue to assess nonexempt nursing facilities at two rates. For FY 2020-2021 an assessment rate of \$4.61 which represents a decrease of \$2.69 from last year's rate will apply to the following five categories of nursing facilities:

- County nursing facilities.
- Nursing facilities that have 44 or fewer licensed beds.
- Certain continuing care retirement community (CCRC) nursing facilities (see 40 Pa.B. 7297 (December 18, 2010)).
- Nursing facilities with an MA occupancy rate of at least 94% based on Calendar Year (CY) 2018 resident days as of November 19, 2019. For the purpose of qualifying for the lower assessment rate, a nursing facility's MA occupancy rate will be calculated as follows: $\text{MA Occupancy Rate} = \frac{\text{Sum of Total PA MA Days from the CY 2018 resident days data}}{\text{Sum of Total Resident Days from the CY 2018 resident days data}}$, rounded to two decimals.
- Nursing facilities with at least 125,000 MA days and with an overall occupancy rate of 90% or higher based on the CY 2018 resident days as of November 19, 2019. For the purpose of qualifying for the lower assessment rate, a nursing facility's overall occupancy rate will be calculated as follows: $\text{Overall Occupancy Rate} = \frac{\text{Sum of Total Resident Days from CY 2018 resident days as of November 19, 2019}}{\text{(number of licensed beds as of November 18, 2019} \times 365)}$, rounded to two decimals.

For all other nonexempt facilities, including nursing facilities that began participation in a CCRC on or after July 1, 2010, an assessment rate of \$28.70 will apply which is a decrease of \$2.69 from last year's rate.

Aggregate Assessment Amounts and Fiscal Impact

The Department estimates that the annual aggregate assessment fees for nonexempt nursing facilities will total \$425.337 million. The Department will use the State revenue derived from the assessment fees and any associated FFP to support payments to qualified MA nursing facility providers in accordance with applicable laws and regulations.

Public Comment

Interested persons are invited to submit written comments regarding the contents of this notice to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Montrell Fletcher, P.O. Box 8025, Harrisburg, PA 17105-8025, or at RA-PWOLTLNF PUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1440. (1) General Fund; (2) Implementing Year 2020-2021 is \$425,337,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$2,328,000,000; 2018-19 Program—\$693,766,000; 2017-18 Program—N/A; (7) Community HealthChoices; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-723. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Updates to the Medical Assistance Program Fee Schedule for Administration of SARS-CoV-2 Monoclonal Antibody Therapy

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the following procedure codes to the Medical Assistance (MA) Program Fee Schedule for the administration of monoclonal antibody products for the novel coronavirus (SARS-CoV-2). The effective date and MA Fee for each code is indicated as follows.

<i>Procedure Code</i>	<i>Description</i>	<i>Effective Date</i>	<i>MA Fee</i>
M0239	Intravenous infusion, bamlanivimab-xxxx, includes infusion and post administration monitoring	11/9/20	\$247.68
M0243	Intravenous infusion, casirivimab and imdevimab includes infusion and post administration monitoring	11/21/20	\$247.68
M0245	Intravenous infusion, bamlanivimab and etesevimab, includes infusion and post administration monitoring	2/9/2021	\$247.68

On November 9, 2020, the United States Food and Drug Administration (FDA) granted an Emergency Use Authorization (EUA) for the unapproved monoclonal antibody therapy Bamlanivimab for the treatment of mild to moderate COVID-19 in adults and pediatric patients with positive COVID-19 test results who are at high risk for progressing to severe COVID-19 or hospitalization, or both.

On November 21, 2020, the FDA granted an EUA for the unapproved monoclonal antibody therapy, Casirivimab and Imdevimab, administered together, for the treatment of mild to moderate COVID-19 in adults and pediatric patients with positive COVID-19 test results who are at high risk for progressing to severe COVID-19 or hospitalization, or both.

On February 9, 2021, the FDA granted an EUA for the unapproved monoclonal antibody therapy Bamlanivimab and Etesevimab, administered together, for the treatment of mild to moderate COVID-19 in adults and pediatric patients with positive COVID-19 test results who are at high risk for progressing to severe COVID-19 or hospitalization, or both.

The MA Program Fee Schedule has been updated with the new Current Procedural Terminology (CPT) codes to allow for payment of the administration of the monoclonal antibody therapies to MA beneficiaries.

The Department issued MA Bulletins to inform providers enrolled in the MA Program of the addition of the CPT codes for the administration of the monoclonal antibody infusion therapies.

Fiscal Impact

The estimated fiscal impact of the addition of monoclonal antibody therapy is \$0.225 million in total (State and Federal) funds. The estimated fiscal impact of the addition of monoclonal antibody therapy for Fiscal Year 2021-2022 is \$0.450 million in total funds.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1438. (1) General Fund; (2) Implementing Year 2020-21 is \$75,000; (3) 1st Succeeding Year 2021-22 is \$150,000; 2nd Succeeding Year 2022-23 through 5th Succeeding Year 2025-26 are \$0; (4) 2019 Program—\$344,107,000; 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-724. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3) intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

1. State Route 6219, Parcel 46, Brothersvalley Township, Somerset County. This parcel contains approximately 0.17 acre of unimproved landlocked land. The property will be sold in as is condition. The estimated fair market value of the parcel is \$100. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public agencies are invited to express their interest in purchasing the site within 30 calendar days of publication of this notice in the *Pennsylvania Bulletin* to Thomas A. Prestash, PE, District Executive, Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648.

Questions regarding this application or the proposed use may be directed to Robert Lynn, Property Manager, 1620 North Juniata Street, Hollidaysburg, PA 16648, (814) 317-1674.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 21-725. Filed for public inspection May 7, 2021, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Transportation Revenue Options Commission Public Teleconference Meetings

The Transportation Revenue Options Commission will meet two times in May 2021, holding public teleconference meetings on Thursday, May 13, 2021, and Thursday, May 27, 2021, between 1 p.m. and 3 p.m.

Attendees from the public should RSVP to the following e-mail address to receive call-in information. For more information or to RSVP, contact Shane Rice, Policy Office, (717) 319-7920, TROC@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 21-726. Filed for public inspection May 7, 2021, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Special Reports and Requests for Data

The Health Care Cost Containment Council (Council), according to the act of July 8, 1986 (P.L. 408, No. 89), as amended most recently by the act of April 20, 2020 (P.L. 82, No. 15), is required to publish a list of all special reports and data that have been prepared during the previous calendar year. The following represents a summary of the reports and requests for data generated by the Council in calendar year 2020. The list of data fields that are included in the standard public use files are located in PDF files posted on the Council's web site at www.phc4.org (select "Services" then "Data Requests"). Questions about procedures for obtaining access to Council data should be addressed to JoAnne Z. Nelson, Supervisor of Special Requests, Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101, (717) 232-6787, jnelson@phc4.org.

Applicant and Project Description

Agency for Healthcare Research & Quality—William Freeman, PhD/Rachel Lipari, PhD

Statewide second through fourth quarter 2019 inpatient discharge and inpatient revenue code detail datasets with derived fields (number of days to admission, days to procedure and age). The data will be used in the Healthcare Cost and Utilization Project (HCUP), which uses the

data for multiple databases, reports, tools and products. The HCUP databases enable research on a broad range of health policy issues, including cost and quality of health services, medical practice patterns, access to health care programs and outcomes of treatments at the National, regional, State and local levels.

Albert Einstein Healthcare Network—Brian Mendes

Standard Statewide third quarter 2012 through 2018 inpatient discharge dataset to use for internal analysis to support strategic initiatives at Einstein Healthcare Network.

Allegheny County Health Department—LuAnn Brink, PhD, MPH

Standard regional 2019 inpatient discharge dataset for Region 1 to be used for public health surveillance, research and targeted intervention purposes to help identify areas of Allegheny County with a higher risk of nonfatal injuries, including falls and motor vehicle crashes and acute outcomes that may be associated with environmental quality, including asthma and cardiovascular events.

Capital Health—Jeremy Cohen

Standard regional fourth quarter 2018 through fourth quarter 2019 inpatient discharge and ambulatory/outpatient procedure datasets for Regions 8 and 9 to be used for Capital Health's planning purposes for their health system to assist in determining public demand.

Children's Hospital of Philadelphia—Scott Lorch, MD

A modification to a prior request for a custom 2006 through second quarter 2017 inpatient discharge dataset of mother delivery and newborn birth records, with readmission records linked to Department of Health birth certificate and mortality data for mothers and infants delivered/born 2006 through 2014 with derived data fields (number of days to admissions, days to death and intensive care unit indicator). The data is to be used for a study, Effect of Changing NICU Patient Volumes and Levels of Care on Neonatal Outcomes, which will identify the structures and patient volumes needed to optimize the outcomes of premature infants, allowing for evidence-based policies at the State and National-level to guide the development of perinatal delivery systems.

Community Health Systems—Tomi Galin

Standard Statewide 2019 inpatient discharge and ambulatory/outpatient procedure datasets to be used to understand Community Health Systems' communities specific health care needs, areas of underservice and with high risk for specific disease, defining health care demand to support planning and illustrate access issues to develop outreach programs or eliminate service. The data will be used to determine whether primary care services and appropriate access are satisfied within a defined market area.

Doylestown Hospital—Joseph Prinzi

Standard regional third quarter 2017 through second quarter 2019 ambulatory/outpatient procedure dataset for Region 8, prepared by their consultant Intalere, to be produced into reports for Doylestown to review activity performed at Doylestown within specific surrounding market areas served and compare that activity to the services performed at other health care organizations within those market areas.

Evangelical Community Hospital—Nicole Lohr

A 2019 custom inpatient discharge dataset of Region 4 and 5 cases with a derived field (number of days from

prior discharge) and standard regional ambulatory/outpatient procedure dataset for Regions 4 and 5 to be used to conduct an internal study of Evangelical Community Hospital's market share and to gain a better understanding of the population it serves.

Excelsa Health—Allison Lutz

Standard Statewide second quarter 2019 through fourth quarter 2019 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets, prepared by their consultant, Intalere, to be used to develop reports for Excelsa Health to examine State, county and hospitals inpatient and outpatient market share.

Geisinger Health System—Jennifer Goff

Standard Statewide second through fourth quarter 2019 inpatient discharge and ambulatory/outpatient procedure datasets to be used for the following analysis: market demand, market share, patient origin, payer mix and distribution, patient demographics, diagnosis/procedure distribution, facility and physician profile and distribution and trend analysis.

Good Shepherd Rehab Network—Cindy Buchman

Standard Statewide 2019 inpatient discharge datasets and regional second and third quarter 2019 ambulatory/outpatient procedure datasets for Regions 6—9 to be used for internal analysis for Good Shepherd Rehab Network's services.

Highmark Health—Daniel Loschiavo

Standard Statewide 2019 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets to be used for ongoing operational analysis and planning purposes. Highmark Health will perform analyses of hospitals and surgery centers in western and central Pennsylvania with respect to issues including: service offerings, payer mix, patient travel patterns, facility service areas, provider market shares and trends; and analyses of hospital capacity and utilization, bed counts, revenues and costs, and trends. The analyses will relate to regulatory compliance and integrated health care delivery network and financing system efforts to evaluate hospital competition, further develop Allegheny Health Network, and offer high-value insurance products.

Hospital Executive Council—Ronald Lagoe

Standard regional 2018 inpatient discharge dataset for Region 6 to use to develop resident county data for planning organization for hospitals of Syracuse, NY.

Hospital & Healthsystem Association of Pennsylvania—Peter Nguyen/Graycen Hunt

A second through fourth quarter 2019 custom inpatient discharge readmission analysis data report, a custom Statewide inpatient discharge dataset with a derived field (number of days from prior discharge) and a standard Statewide inpatient revenue code detail dataset. The Hospital & Healthsystem Association of Pennsylvania (HAP) will use the data to conduct ongoing monitoring of Statewide, regional and hospital-specific quality outcomes. HAP may, from time to time, release the aggregate results of its quality monitoring research for membership

education. The readmission analysis data will be used for HAP's Hospital Improvement Innovation Network contract awarded by Centers for Medicare & Medicaid Services (CMS), and future Network of Quality Improvement and Innovation work through CMS.

Hospital & Healthsystem Association of Pennsylvania—Sari Siegel, PhD

Standard Statewide 2019 volume one financial data report to be used by HAP to conduct ongoing monitoring of Statewide, regional and hospital-specific financial information and outcomes. HAP may, from time to time, release aggregate results of its monitoring research, and they intend to use analysis of the information for member research.

Indiana Regional Medical Center—Mark Richards

Standard regional first and second quarter 2019 inpatient discharge datasets for Region 3 to be used for analysis to conduct a market assessment for strategic planning.

Intalere—Richard Mackey/Joe Morrison

Standard Statewide second quarter 2019 through first quarter 2020 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets will be combined with other health care data to be used to produce various aggregate report files distributed by Intalere's Navigate system (PC based) and NavigateNet system (Internet-based) that are offered as health care software products to its customers. The reports can be by product line, service area, hospital or health system, physician or physician group, or both, which can include but are not limited to market share, patient origin, use rates, charges, surgery detail, payer mix, patient demographics, diagnosis/procedure distribution, refinement, and the like.

International Business Machines Corporation (IBM)—Katherine Blumhardt/Kayla Blanchard

Standard Statewide second quarter 2019 through first quarter 2020 inpatient discharge and ambulatory/outpatient procedure datasets. IBM will process, standardize and distribute different types of data and statistical analyses to its clients (hospitals, health networks, government agencies, health care providers, payers, consultants, vendors, researchers, and the like) through proprietary decision tools, benchmark databases, research, custom studies and other associated products by Internet or PC/CD based, which provide utilization market share, service demand, outcome indicators, assistance in resource allocation and in evaluating benefit plans.

Jian Strategic Marketing—Heidi Orié

Standard Statewide second quarter 2019 through first quarter 2020 inpatient discharge datasets and standard regional ambulatory/outpatient procedure datasets of 2017 through 2019 for Regions 4—7; second through fourth quarter 2019 for Regions 1—3; and first quarter 2020 for Regions 1—7 to be used to analyze trends in the market for nonprofit health care providers. The data will be used for consulting purposes to help guide marketing and communication tactics to providers and consumers.

Lehigh Valley Health Network—Vanessa J. Vilverde

Standard Statewide second through fourth quarter 2019 inpatient discharge and ambulatory/outpatient procedure datasets to be used for service area analyses, competitive analyses, product line trends and analyses, and incidence rate comparisons and trends for program

development. The data will also be used for research population based health issues, to promote health and well-being of targeted vulnerable populations; internal quality control research; internal resource utilization research; support development of continuum of care research; and community based health needs that target chronic illnesses.

LifePoint Health—Casey Tebeau

Standard Statewide second quarter 2019 inpatient discharge dataset, prepared by their consultant, Trilliant Health, to be used to evaluate Conemaugh Health System's current performance, competitor's performance and future opportunities. They will be able to illustrate current market share and enhance various other planning tools such as budgets and 5-year plans.

Main Line Health—Praveen Shanbhag

Standard second quarter 2019 through first quarter 2020 Statewide inpatient discharge dataset and regional ambulatory/outpatient procedure dataset for Regions 8 and 9 to be used for market assessments, internal facility and service line planning purposes to evaluate consumer need and identify underserved geographic and clinical areas in Main Line Health's market.

Monongahela Valley Hospital—Patrick J. Alberts

Standard second through fourth quarter 2019 regional inpatient discharge and ambulatory/outpatient procedure datasets for Region 1 and Statewide inpatient and ambulatory/outpatient revenue code detail datasets to be used to analyze clinical data to identify gaps in services in order to offer new services to Monongahela Valley Hospital's community.

Mount Nittany Health—Alicia Grube

Custom second quarter 2019 through first quarter 2020 inpatient discharge dataset of patients who reside in Blair, Centre, Clearfield, Clinton, Huntingdon or Mifflin Counties to be used for internal market share analysis.

Nemours/Alfred I. duPont Hospital for Children—Stacey Milunsky

Custom second quarter 2019 inpatient discharge dataset for obstetric delivery cases and inpatient discharge and ambulatory/outpatient procedure dataset for pediatric cases with an age group indicator. The data will be used to understand the market forces to help support the development of strategic programs, services and new locations of care to better support the needs of the patients and communities Nemours/Alfred I. duPont Hospital for Children serve.

OSS Health—Daniel Fenyes/Tricia Wolf

Custom second through third quarter 2019 inpatient discharge and ambulatory/outpatient procedure musculoskeletal related cases for patients who reside in Region 5 or were treated at hospitals and ambulatory surgery centers in Region 5 to be used for studying Southwestern Pennsylvania Region 5 analysis of populations health/value-based musculoskeletal care. They will conduct a competitive research study and analysis of patient access, cost and outcomes of OSS Health's physicians, hospitals and ancillaries versus other health care networks in the similar service area.

Penn Highlands Healthcare—Gregory P. Bauer

Standard Statewide second through fourth quarter 2019 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets, prepared by their consultant, Intalere, will be used to develop market share reports for Penn Highlands Healthcare to use the information in preparation of strategic plans as well as in the development of physician recruitment plans for Penn Highlands Healthcare.

Standard Statewide second through fourth quarter 2019 inpatient discharge and ambulatory/outpatient procedure datasets, prepared by their consultant, Advisory Board Market Innovation Center, to provide Penn State Health with analysis of utilization, disease and procedure incidence, market analysis and strategic planning for the improvement of health care services provided by Penn State Health. Reports created from the data may be shared with outside counsel/consultants as part of the strategic planning process.

Penn State Hershey Health System—Julie Eisenhauer

Standard Statewide third quarter 2011 through second quarter 2019 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets and 2011 through 2018 financial data. In partnership with Indiana University of Pennsylvania researchers, the data will be merged with multiple other datasets and used for a project, Establishing a Baseline for Costs of Pennsylvania Firearm-Related Injuries, to understand the current scope and dynamics of gun violence in this Commonwealth. The research will be used to prepare written briefings, presentations and analysis by the Office of Gun Violence Prevention within Pennsylvania Commission on Crime and Delinquency to establish a baseline of firearm-related fatalities to support the work of State policymakers in developing public health and public safety strategies to address gun violence in its many forms.

Pennsylvania Commission on Crime and Delinquency—Kirsten Kenyon

Standard Statewide 2019 inpatient discharge dataset to be used for the Bureau of Health Promotion and Risk Reduction, Violence and Injury Prevention, and Division of Nutrition and Physical Activity programs. The data will be used to help identify groups at high risk for injury, specific types and causes of injury, and effective injury prevention, planning and evaluation strategies; produce various injury reports and asthma related reports; respond to requests for aggregate data pertaining to injury, chronic diseases, drug overdoses, and the like; and disseminate in aggregate on the Department of Health's EDDIE system and dashboard.

Pennsylvania Department of Health—Brian Wright

Standard Statewide 2019 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets to be used to expand information on the Opioid Data Dashboard on the PA Open Data Portal. The enhancement will assist agencies and citizens in gaining a richer and nuanced perspective of the epidemic and the downstream impacts of the epidemic across various societal and governmental interfaces. The University of Pittsburgh Graduate School of Public Health is the contractor work-

Pennsylvania Department of Health—Carolyn Byrnes

Standard Statewide 2019 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets to be used to expand information on the Opioid Data Dashboard on the PA Open Data Portal. The enhancement will assist agencies and citizens in gaining a richer and nuanced perspective of the epidemic and the downstream impacts of the epidemic across various societal and governmental interfaces. The University of Pittsburgh Graduate School of Public Health is the contractor work-

ing with the data, as well as, with Medicaid data, child welfare system data, workers' compensation claims, employment data and motor vehicle injury data for the project.

A custom 2015 through third quarter 2019 inpatient discharge data report of the number of cases for specified conditions to evaluate hemorrhage and eclampsia/preeclampsia in this Commonwealth. The Department of Health is applying to become part of the Alliance for Innovation in Maternal Health (AIM), along with the support of the Pennsylvania Perinatal Quality Collaborative. When applying to become an AIM state, a choice of patient safety bundle to implement must be chosen. These data will help in making the decision by evaluating which condition has a higher burden in the Commonwealth, and which condition may disproportionately affect African American women in this Commonwealth.

Pennsylvania Department of Health—Christine Mulgrew, MPH, PhD

A custom 2018 through first quarter 2019 inpatient discharge and ambulatory/outpatient procedure dataset for patients with colon surgical procedures with a derived field (number of days from procedure to discharge) to be used to compare with the National Healthcare Safety Network figures for the purposes of validating surgical site infections that arise following colon surgery.

Pennsylvania Department of Health—Danyang Chen, MD

A custom 2008 through 2018 inpatient discharge dataset for patient records to be linked with a listeria case reported in Pennsylvania's reportable disease surveillance system (PA-NEDSS) and for patient records not linked with a listeria report event but have a listeria diagnosis with derived fields (number of days from onset of condition to admission and listeria indicator). The data will be used for an Assessment of Listeriosis Reporting in Pennsylvania study, which is to evaluate the completeness of listeria reported to the Department of Health. They will compare cases reported to PA NEDSS to admissions captured in Council data.

Pennsylvania Department of Health—Zhen-qiang Ma, MD, MPH, MS

A 2019 standard Statewide ambulatory/outpatient procedure dataset and custom Statewide inpatient discharge dataset with a derived field (admission) to be used to assess the health impacts associated with various environmental factors in this Commonwealth. Additionally, the data will be used to provide summary information to the Centers for Disease Control and Prevention's (CDC) Environmental Public Health Tracking Network on monthly hospitalizations for five conditions: acute myocardial infarction (AMI), asthma, carbon monoxide poisoning, chronic obstructive pulmonary disease and heat stress.

Pennsylvania Department of Human Services—George Rhyne

Custom third quarter 2017 through second quarter 2018 inpatient discharge dataset from the corrected self-pay database and 2016 through 2018 financial data of the 3-year average percent of uncompensated care to be used to compute payments to hospitals for the Hospital Uncompensated Care and Extraordinary Expense programs established under the Tobacco Settlement Act of 2001.

A custom third quarter 2017 through second quarter 2018 inpatient discharge dataset of records with an MDC 14 or MDC 15 from general acute care hospitals to be used to calculate payments to hospitals for obstetrical and neonate services.

Pennsylvania Department of the Auditor General—Jo Anne Walchak

A standard Statewide third quarter 2018 through second quarter 2019 inpatient discharge dataset to be used to review data used to calculate Tobacco Settlement entitlements to hospitals within this Commonwealth prior to the Department of Human Services' calculation of the payment amounts. The Department of the Auditor General will review data that will be provided to Department of Human Services for use in making Uncompensated Care Tobacco Fund payments in 2021.

Pennsylvania Legislative Budget and Finance Committee—Stephen Fickes

Custom third quarter 2012 through second quarter 2018 inpatient discharge and ambulatory/outpatient procedure data report of cases with a mental health diagnosis by county, fiscal year and category to be used to assist the Pennsylvania Legislative Budget and Finance Committee with their study in response to House Resolution 515, which requires them to conduct a broadly-focused study of county-based mental health services.

Pennsylvania Office of Attorney General—Tracy W. Wertz

Standard Statewide second through fourth quarter 2019 inpatient discharge, ambulatory/outpatient procedure, inpatient revenue and ambulatory/outpatient revenue code detail datasets and 2018 financial data report to be used for review of hospital mergers to ensure that the mergers are in compliance with antitrust laws; and the information may be disclosed for official law enforcement purposes or disclosed in litigation related to Federal antitrust laws or other state and Federal laws. These data may also be shared with the Federal Trade Commission or the United States Department of Justice to be used for investigations that are conducted jointly with the Office of Attorney General.

Pennsylvania Patient Safety Authority—Shawn Kepner

A custom second quarter 2019 through first quarter 2020 hospital data report and 2012 through first quarter 2020 ambulatory surgery center data report on the number of cases by facility and quarter with lengths of stay and charges to be used in combination with the Pennsylvania Patient Safety Authority's (PSA) PA-PSRS data to produce facility specific and aggregate medical error rate data to improve PSA's analytic capabilities, thereby supporting PSA's overall mission.

A custom 2018 through 2019 inpatient discharge dataset for cases with air embolisms and blood incompatibility events to be used to identify specific hospital acquired conditions for an internal analysis.

A custom 2018 through 2019 inpatient discharge dataset for cases with specific diagnosis to be used to identify retained foreign body events for an internal analysis.

Pennsylvania Senator Pam Lovino—Samantha Smith

A custom report for the number of hospital admissions with an amyloidosis diagnosis for fiscal year 2019 and

Fiscal Year July 1, 2016—June 30, 2019, for a Senate Resolution on making March Amyloidosis Awareness month.

Philadelphia Department of Public Health—Raynard Washington, PhD, MPH/Vanessa Assibey-Mensah, PhD, MPH

Standard regional 2019 inpatient discharge and ambulatory/outpatient procedure datasets for Regions 8 and 9 to be used for a variety of analyses that allow tracking of diseases. Data are used for the evaluation of trends in services, estimated cost and outcomes for several conditions (HIV, diabetes, asthma, hypertension, cancer screening, violence-related injuries, influenza-like illness, pelvic inflammatory disease and, if any, emerging infectious diseases, and the like) as well as patient demographics for research and policy planning. The data will be used to examine obstetrical services, high-risk pregnancies and ongoing research of birth outcomes and in needs assessment activities for both Health Start and Title V. The data is also used to evaluate the HIV/AIDS surveillance system and as part of Ryan White Part A. On occasion the results of the analyses may be shared with other city agencies and health advisory groups.

Reading Hospital and Medical Center—Daniel Ahern

Standard Statewide second quarter 2019 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets, prepared by their consultant, Intalere, to be used to track historic volumes and market shares in Reading Hospital's system area and other areas will be examined for potential expansion of services. The data will be utilized through Intalere's user-friendly tool to identify trends and analyze market activity by payer mix, patient age mix and service line distribution.

Renzi Podiatry/Save Your Soles Campaign—Ronald M. Renzi, DPM

A custom 2013 inpatient discharge dataset for patients with lower extremity amputations who reside in Region 8 or 9, a custom 2010 through 2019 inpatient discharge and ambulatory/outpatient procedure dataset for patients with an amputation procedure who reside in Region 6 or 7, and a custom 2005 through 2014 inpatient discharge and ambulatory procedure dataset for patients diagnosed and treated for critical limb ischemia (CLI) who reside in Region 8 or 9. The data will be used for the Save Your Soles Campaign program sponsored by Abington Memorial Hospital Innovators Foundation, which is to reduce amputations in the Philadelphia area. Dr. Renzi plans to develop the number and rate of major and minor amputations over time in the study area to evaluate the effectiveness of amputation prevention strategies and to develop rate of procedures for CLI.

A custom 1990 through 2019 inpatient discharge dataset and 1996 through 2019 ambulatory/outpatient procedure dataset for patients with a foot surgery who reside in Regions 6—9 and a custom 2019 data report for patients with an amputation who reside in Regions 8 or 9 to develop trends in amputations and identify a correlation between foot surgery procedures and amputation rates.

RKSB Health Care Consulting—Whitney E. Hess

A custom 2019 inpatient discharge dataset of cases who reside in West Virginia to be used for consulting and to

determine the number of West Virginia residents using cardiac services in this Commonwealth to establish a use rate for the population.

RWJBarnabas Health System—Elizabeth McNutt

Standard regional and facility 2015 through 2019 inpatient discharge dataset for Regions 7—9 and Lehigh Valley Health Pocono and Saint Luke's Monroe Campus. The data will be combined with New Jersey and New York databases to use for market analysis. The information will be used for Health Reform Act of 1992 Data Reporting and Utilizations Requirements, to fulfill certificate of need requirements, internal market analysis, to comply with Community Health Needs Assessment and Population Health Needs Assessment and Population Health Improvement Mandates of PPACA, or both, which is to enhance data reporting, quality improvement and marketing activities.

Safety-Net Association of Pennsylvania—James A. Tomkins

Standard regional 2019 inpatient discharge dataset for Regions 8 and 9 to be used to update prior analysis on inpatient hospital utilization in the Philadelphia area, which will be used to educate PA Safety-Net Association hospitals.

SG-2—Tanya Chin-Fatt

Standard Statewide second quarter 2019 through first quarter 2020 inpatient discharge dataset to be used in SG-2's online platform applications and desktop tools, and summary reports. The data will be used in their Market Forecast and State Data Analysis Tool software that was developed to support their client hospitals' long and short term operational and strategic planning efforts. These tools enable their clients to develop 10-year health services demand forecasts by clinical area and geography, to provide them with the ability to project and meet future demands by determining the appropriate allocation of resources and to improve both the quality and availability of health care in the communities they serve. The tools containing this data will be accessible only by authorized users on a secure web-based portal, will be confidential and used only for SG-2's hospital and health system clients.

St. Luke's University Health Network—Amanda Mazza

Standard Statewide 2019 inpatient discharge dataset, with analysis prepared by Stratasan, to be used for internal use to analyze inpatient market share and trends.

Stratasan, LLC—Jason Moore

Standard Statewide 2019 inpatient discharge, ambulatory/outpatient procedure and inpatient and ambulatory/outpatient revenue code detail datasets. Stratasan will use the data for market share analysis, product line performance and patient migration patterns. They will provide analytic services to their hospitals and health care system clients through the aggregation of the data within their multiple analytic software platforms and visualization tools.

Tandigm Health—Keith Garthwaite

Standard 2018 through 2019 regional inpatient discharge and ambulatory/outpatient procedure datasets for Regions 8 and 9 and Statewide inpatient and ambulatory/

outpatient revenue code detail datasets. Tandigm Health will use the data to enhance their performance through analytical insights, specifically by, finding opportunities to reduce the cost of care while continuing to drive health outcomes, integrating data insights into care delivery process and establishing a data driven insights culture focused on continuous improvement.

Temple University College of Public Health—Bari Dzomba, MS, PhD

A standard regional 2017 through 2018 inpatient discharge and ambulatory/outpatient procedure datasets for Regions 8 and 9 and reuse the 2014—2016 datasets for a study, Health Insurance Design as a Determinant of Bariatric Surgery Utilization, which will investigate the impact of insurance-related factors on the access and utilization of bariatric procedures.

Thomas Jefferson University—Jared Gorin

Standard Statewide 2016 through 2018 inpatient discharge and ambulatory/outpatient procedure dataset will be used through tools developed by their contractors, SG-2, Stratason and Optum, to determine the community need for certain services within Thomas Jefferson University's service area. Members of the Jefferson Strategy & Business Development department will use the data to create internal reports and presentations.

University of California San Francisco—Joanne Spetz, PhD

Standard facility 2018 inpatient discharge datasets for ten hospitals will be combined with other states data and with the American Hospital Association Annual Hospital Survey data for a study titled, Looking at Birth Outcomes and their Relationship to Registered Nurse Staffing. The study will measure relationships between nursing care during labor and birth and patient outcomes. Data will be used with the Agency for Healthcare Research and Quality's (AHRQ) software to calculate hospital-level outpatient variables including AHRQ's Quality Indicators, Patient Safety Indicators, patient comorbidities and patient demographics.

University of Pennsylvania—Stephen E. Kimmel, MD

A custom 1999 through 2018 Statewide inpatient discharge dataset linked with Department of Health mortality data with derived fields (number of days to admission and days to death). The data will be used for a study, Dynamic Prediction Modeling to Improve Clinical Predictions, which is to develop a novel framework for risk assessment that uses sequentially updated information across domains and time to refine prediction models.

University of Pennsylvania—School of Medicine—Mitesh Patel, MD, MBA, MS

A custom 2016 through 2019 inpatient discharge dataset of specified cohort of patients enrolled in a study with a derived field (number of days to admission). The data will be used for a study, The PREDICT Trial: Prediction using a Randomized Evaluation of Data Collection Integrated through Connected Technologies. The objective of the study is to develop algorithms for the dynamic and timely prediction of health care utilization using an integrated dataset from insurer and pharmacy claims, electronic health records and patients-generated health data.

University of Pennsylvania—School of Medicine—Laurie Norton

Modification to a prior request for a custom 2019 inpatient discharge dataset with derived fields (number of days to admission and rehab indicator) linked with a cohort data file of participants in a randomized controlled trial study of patients with congestive heart disease (CHF) to be used for a study, RCT of Automated Hovering for Congestive Heart Failure Management. The study will test the effectiveness of applying automated hovering to improve outcomes among CHF patients at high risk of readmission.

University of Pittsburgh—Richard K. Zimmerman, MD, MPH

Custom first quarter 2019 through fourth quarter 2019 inpatient discharge data reports on the number of hospitalization admissions of patients who reside in Allegheny County with an acute respiratory infection related condition reported by modified quarter, hospital, age-group, condition and race. The data will be used for CDC sponsored study, US Hospitalized Adult Influenza Vaccine Effectiveness Network. The data will be used to determine the population-based incidence of various respiratory virus-associated hospitalizations within Allegheny County, by season, virus type, year, age group and race and will be provided to CDC to calculate the multisite incidence to inform public health policy. The CDC will use the aggregate data for other publications related to the project. The CDC will combine the results from Allegheny County with three other sites in the country to create an overall estimate for the country of respiratory hospitalization incidence.

University of Pittsburgh—Mary Patricia Nowalk, PhD

Custom third quarter 2015 through third quarter 2018 inpatient discharge quarterly data reports for specified cohorts (age-groups, gender, race, ethnicity, insurance, charges, lengths of stay and readmissions), which include Department of Health mortality data to be used for a research study, Epidemiology, Burden and Cost of Respiratory Syncytial Virus (RSV) Infection in Adults in Allegheny County, PA: A Retrospective Cohort Study, which will evaluate the epidemiology, burden of illness and cost of RSV infection in adults over three seasons in Allegheny County, PA.

University of Pittsburgh Medical Center—Matthew W. Michaels

Standard Statewide second quarter 2019 through first quarter 2020 inpatient discharge and ambulatory/outpatient procedure datasets to be used to produce various research reports including: patient origin for UPMC hospitals, UPMC market share in various geographies and for various service lines, utilization trends in volume and market share over different time periods, and physician volumes at UPMC and other hospitals.

UPMC Pinnacle—Patrick Dreer

Standard regional third quarter 2018 through fourth quarter 2019 inpatient discharge and ambulatory/outpatient procedure datasets for Region 5 to be used to determine specialty physician needs based on, among other criteria, market share.

Warren General Hospital—Lisa Ristau

Standard regional 2017 through 2019 inpatient discharge dataset for Region 2 to be used for a strategic plan of operations.

WellSpan Health—David Kimpel

Standard Statewide second quarter 2019 through first quarter 2020 inpatient discharge and ambulatory/outpatient procedure datasets to be used for an internal assessment of the delivery of health care services within the region they serve and beyond for comparative purposes. Service area utilization of services and analysis are the primary purpose for them to obtain the data.

Yale School of Public Health—Henry G. Dove, PhD

Standard Statewide 2018 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets and financial data report to be used for a Practicum class at the Health Management Program in the School of Public Health at Yale University. As part of the Practicum, the students will produce various data analysis reports to benchmark ambulatory surgery centers' quality and efficiency for the Constitution Surgery Alliance intern projects.

Yale University—Yen Tran

Standard regional 2015 through 2017 ambulatory/outpatient procedure dataset for Region 8 to be used for a study, Medicare's Payment Structure for Outpatient Care Setting. An estimated optimal payment structure that balances the value and cost of care in hospital outpatient departments (HOPD) and ambulatory surgery centers (ASC), and the potential savings if Medicare moves toward that structure, in comparison to the site-neutral payment structure will be studied. How Medicare beneficiaries value the outpatient services provided at HOPDs relative to those provided at ASCs will be examined in which patients' utility of a facility depends on its quality, their health risk, their distance to the facility and the out-of-pocket payment.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 21-727. Filed for public inspection May 7, 2021, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION**Notice of Filing of Final Rulemakings**

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-7103	Bureau of Professional and Occupational Affairs Schedule of Civil Penalties—Crane Operators	4/26/21	6/17/21
16A-6518	State Board of Physical Therapy Child Abuse Reporting Requirements	4/26/21	6/17/21
125-230	Pennsylvania Gaming Control Board Video Gaming	4/27/21	6/17/21

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 21-728. Filed for public inspection May 7, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT**Annual Attestations under Acts 89 and 92; Notice 2021-05**

The General Assembly of the Commonwealth enacted the act of October 29, 2020 (P.L. 736, No. 89) (Act 89), adding 40 Pa.C.S. Chapter 43 (relating to mental health parity and access to addiction treatment), and the act of October 29, 2020 (P.L. 769, No. 92) (Act 92), adding sections 604.1-B and 604.2-B of the Insurance Company Law of 1921 (40 P.S. §§ 908-14a and 908-14b) to require annual attestation of efforts to comply with the Paul Wellstone and Pete Domenici Mental Health Parity and Addition Equity Act of 2008 (MHPAEA) (Pub.L. No. 110-343) (42 U.S.C. §§ 300gg—300gg-95) and Federal regulations regarding parity in mental health and substance use disorder benefits (MH/SUD Parity Federal regulations). In addition, Congress recently amended MHPAEA regarding compliance with nonquantitative treatment limitation requirements. See section 2726(a)(8) of the Public Health Service Act

(42 U.S.C. § 300gg-26(a)(8)), as added by the Consolidated Appropriations Act of 2021 (Pub.L. No. 116-260).

The Insurance Department (Department) provides the following guidance to insurance entities (insurers) seeking to demonstrate compliance with the annual attestation requirements established under Acts 89 and 92.

Acts 89 and 92 require insurers to annually file a statement with the Department attesting to either the insurer's efforts to comply with MHPAEA and the MH/SUD Parity Federal regulations, or the nonapplicability of MHPAEA, as to the form for each health insurance policy offered, issued or renewed by an insurer. Attestation filing requirements apply to forms for each insurance policy to be offered, issued or renewed in the Commonwealth after December 31, 2021.

If a form for a health insurance policy to be offered, issued or renewed is required to be filed with the Department, the attestation shall be submitted with the form filing. To facilitate an efficient review, insurers are encouraged to submit the attestation with the form filing in SERFF as part of the supporting documentation.

If a form for a health insurance policy to be offered, issued or renewed is not required to be filed with the Department, as set forth in Department Notice 2018-10 (48 Pa.B. 7282 (November 17, 2018)), the attestation shall be made by no later than April 30 after the policy is offered, issued or renewed. To facilitate an efficient review, insurers are encouraged to submit the attestation in SERFF using the appropriate major medical type of insurance and, where applicable, referencing the previously approved form number and corresponding SERFF tracking number.

To comply with the annual attestation requirement, an insurer may file with the Department an attestation executed by an authorized representative of the insurer substantially identical to the attestation form on the following Attachment A. Attachment A is also available in the Product Filing section on the Department's web site at <https://www.insurance.pa.gov/Companies/ProductAndRateRequire/Pages/default.aspx>.

Questions regarding this notice may be directed to Tracie Gray, Director, Bureau of Accident and Health, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, RA-rateform@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

Attachment A

Exemplar Attestation Form

_____, [Company Name] _____, through the undersigned authorized representative, hereby attests that, as required by Acts 89 and 92 of 2020:

[Company Name] has performed and documented analyses of its efforts to comply with the Mental Health Parity and Addiction Equity Act of 2008 (MHPAEA), as amended, and the Mental Health/Substance Use Disorder Parity Federal regulations (MH/SUD Parity Federal regulations) for Form [Form Number]. The performed and documented analyses for each quantitative treatment limitation (including financial requirements) (QTL) and each non-quantitative treatment limitation (NQTL) applicable to a Mental Health or Substance Use Disorder (MH/SUD) benefit covered under the policy form, as required by Act 89 and Act 92 of 2020, include each of the following:

- (i) Baseline analyses pursuant to § 604.2-B(a)(1) for the first year the limitation applies;
- (ii) Analyses of each change thereafter to a limitation pursuant to § 604.2-B(a)(2);
- (iii) Disclosure documents required pursuant to § 604.2-B(a)(3).

OR

[Company Name] has NOT performed and documented analyses of its efforts to comply with the Mental Health Parity and Addiction Equity Act of 2008 (MHPAEA), as amended, and the Mental Health/Substance Use Disorder Parity Federal regulations (MH/SUD Parity Federal regulations) for [Form Number]. MHPAEA does not apply to [Form Number] because [provide reason, e.g., retiree-only plan, excepted benefits, small employer exception, increased cost exception].

I, _____ (authorized representative's name) _____, hereby warrant that I have full, complete and final authority to make this attestation on behalf of the Company, and that the representations set forth in this Attestation are true, correct, and complete.

Policy Form # _____

Date: _____

Name and Title of Authorized Representative of the Company

Signature of Authorized Representative of the Company

[Pa.B. Doc. No. 21-729. Filed for public inspection May 7, 2021, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**

Natural Gas Service

A-2021-3025481. National Fuel Gas Distribution Corporation. Application of National Fuel Gas Distribution Corporation for approval of abandonment/discontinuance of service and related distribution main to three residential customers in Venango County: (a) 267 Halyday Run Road, Oil City, PA 16301; (b) 233 Halyday Run Road, Oil City, PA 16301; and (c) 314 Halyday Run Road, Oil City, PA 16301.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 24, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Applicant: National Fuel Gas Distribution Corporation

Through and By Counsel for: Tanya C. Leshko, Esquire (PA ID # 78787), Alan M. Seltzer, Esquire (PA ID # 27890) Buchanan, Ingersoll & Rooney PC, 409 North Second Street, Suite 500, Harrisburg, PA 17101-1357, Tanya.leshko@bipc.com, (717) 237-4868; Dominick A. Sisinni, Esquire (PA ID # 322523), National Fuel Gas Distribution Corporation, 1100 State Street, P.O. Box 2081, Erie, PA 16512

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-730. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025460. Verizon Pennsylvania, LLC and Massachusetts Local Telephone Company, Inc. Joint petition of Verizon Pennsylvania, LLC and Massachusetts Local Telephone Company, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Massachusetts Local Telephone Company, Inc., by their counsel, filed on April 22, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon Pennsylvania, LLC and Massachusetts Local Telephone Company, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-731. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025470. Verizon Pennsylvania, LLC and Peerless Network of Pennsylvania, LLC. Joint petition of Verizon Pennsylvania, LLC and Peerless Network of Pennsylvania, LLC for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Peerless Network of Pennsylvania, LLC, by their counsel, filed on April 23, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon Pennsylvania, LLC and Peerless Network of Pennsylvania, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-732. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025472. Verizon North, LLC and Peerless Network of Pennsylvania, LLC. Joint petition of Verizon North, LLC and Peerless Network of Pennsylvania, LLC for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Peerless Network of Pennsylvania, LLC, by their counsel, filed on April 23, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon North, LLC and Peerless Network of Pennsylvania, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-733. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025483. Verizon Pennsylvania, LLC and BullsEye Telecom, Inc. Joint petition of Verizon Pennsylvania, LLC and BullsEye Telecom, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and BullsEye Telecom, Inc., by their counsel, filed on April 26, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania

Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon Pennsylvania, LLC and BullsEye Telecom, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-734. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025485. Verizon Pennsylvania, LLC and Armstrong Telecommunications, Inc. Joint petition of Verizon Pennsylvania, LLC and Armstrong Telecommunications, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Armstrong Telecommunications, Inc., by their counsel, filed on April 26, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon Pennsylvania, LLC and Armstrong Telecommunications, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-735. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025486. Verizon North, LLC and Wholesale Carrier Services, Inc. Joint petition of Verizon North, LLC and Wholesale Carrier Services, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Wholesale Carrier Services, Inc., by their counsel, filed on April 26, 2021, at the Pennsylvania Public Utility Commission (Commission), a

joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon North, LLC and Wholesale Carrier Services, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-736. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025487. Verizon North, LLC and Wholesale Carrier Services, Inc., d/b/a DIGIZIP.COM. Joint petition of Verizon North, LLC and Wholesale Carrier Services, Inc., d/b/a DIGIZIP.COM for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Wholesale Carrier Services, Inc., d/b/a DIGIZIP.COM, by their counsel, filed on April 26, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon North, LLC and Wholesale Carrier Services, Inc., d/b/a DIGIZIP.COM joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-737. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025488. Verizon Pennsylvania, LLC and Wholesale Carrier Services, Inc. Joint petition of

Verizon Pennsylvania, LLC and Wholesale Carrier Services, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Wholesale Carrier Services, Inc., by their counsel, filed on April 26, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon Pennsylvania, LLC and Wholesale Carrier Services, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-738. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025496. Verizon North, LLC and BullsEye Telecom, Inc. Joint petition of Verizon North, LLC and BullsEye Telecom, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and BullsEye Telecom, Inc., by their counsel, filed on April 26, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon North, LLC and BullsEye Telecom, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-739. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025504. Verizon Pennsylvania, LLC and Wholesale Carrier Services, Inc., d/b/a DIGIZIP.COM. Joint petition of Verizon Pennsylvania, LLC and Wholesale Carrier Services, Inc., d/b/a DIGIZIP.COM for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Wholesale Carrier Services, Inc., d/b/a DIGIZIP.COM, by their counsel, filed on April 26, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon Pennsylvania, LLC and Wholesale Carrier Services, Inc., d/b/a DIGIZIP.COM joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-740. Filed for public inspection May 7, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3025493. Verizon North, LLC and Armstrong Telecommunications, Inc. Joint petition of Verizon North, LLC and Armstrong Telecommunications, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Armstrong Telecommunications, Inc., by their counsel, filed on April 26, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon North, LLC and Armstrong Telecommunications, Inc., joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-741. Filed for public inspection May 7, 2021, 9:00 a.m.]

**PHILADELPHIA PARKING
AUTHORITY**

**Service of Notice of Motor Carrier Applications in
the City of Philadelphia**

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with

the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than May 24, 2021. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-21-04-10. D&D Taxi, LLC (185 Berkley Avenue, Lansdowne, PA 19050): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 21-742. Filed for public inspection May 7, 2021, 9:00 a.m.]
