

# PENNSYLVANIA BULLETIN

Volume 51

Number 24

Saturday, June 12, 2021 • Harrisburg, PA

Pages 3221—3328

**Agencies in this issue**

The General Assembly

The Courts

Department of Banking and Securities

Department of Community and Economic  
Development

Department of Environmental Protection

Department of Health

Department of Human Services

Department of Transportation

Environmental Quality Board

Fish and Boat Commission

Game Commission

Independent Regulatory Review Commission

Patient Safety Authority


Pennsylvania Infrastructure Investment Authority

Pennsylvania Public Utility Commission

State Board of Vehicle Manufacturers, Dealers  
and Salespersons

State Horse Racing Commission

**Detailed list of contents appears inside.**



**Latest Pennsylvania Code Reporter  
(Master Transmittal Sheet):**

**No. 559, June 2021**

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

**CHANGE NOTICE/NEW SUBSCRIPTION**

If information on mailing label is incorrect, please email changes to [info@pabulletin.com](mailto:info@pabulletin.com) or mail to:

**FRY COMMUNICATIONS, INC.**  
Attn: *Pennsylvania Bulletin*  
800 W. Church Rd.  
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

**PENNSYLVANIA**



**BULLETIN**

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198  
(717) 766-0211 ext. 2340  
(800) 334-1429 ext. 2340 (toll free, out-of-State)  
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2021 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

# CONTENTS

## THE GENERAL ASSEMBLY

### The General Assembly

Recent actions during the 2021 regular session of the General Assembly . . . . . 3228

## THE COURTS

### DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of disbarment . . . . . 3229  
 Notice of suspension . . . . . 3229  
 Notice of transfer to disability inactive status . . . . . 3229

## EXECUTIVE AND INDEPENDENT AGENCIES

### DEPARTMENT OF BANKING AND SECURITIES

#### Notices

Actions on applications . . . . . 3234  
 Maximum lawful rate of interest for residential mortgages for the month of July 2021 . . . . . 3235

### DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

#### Notices

Substantial amendments for the Community Development Block Grant-Disaster Recovery 2012 (P.L. 112-55) and 2013 (P.L. 113-2) allocations/modification to the Citizen Participation Plan/public hearing . . . . . 3235

### DEPARTMENT OF ENVIRONMENTAL PROTECTION

#### Notices

Applications, actions and special notices . . . . . 3237  
 Availability of technical guidance . . . . . 3307  
 Environmental assessment approval for PENNVEST funding consideration . . . . . 3324  
 Extension of National Pollutant Discharge Elimination System General Permit for discharges from hydrostatic testing of tanks and pipelines (PAG-10) . . . . . 3307  
 Federal consistency under the Coastal Zone Management Act; maintenance dredging of the Delaware River Federal navigation channels . . . . . 3308

### DEPARTMENT OF HEALTH

#### Notices

Home health agencies; requests for exception . . . . . 3308  
 Special Supplemental Nutrition Program for Women, Infants and Children (WIC) vendor minimum technology . . . . . 3310

### DEPARTMENT OF HUMAN SERVICES

#### Notices

Availability of the Low-Income Home Energy Assistance Program; proposed State plan and public hearing schedule . . . . . 3310

### DEPARTMENT OF TRANSPORTATION

#### Notices

Findings . . . . . 3311  
 Transportation Revenue Options Commission tele-conference meetings . . . . . 3313

### ENVIRONMENTAL QUALITY BOARD

#### Notices

June meeting . . . . . 3314

### FISH AND BOAT COMMISSION

#### Notices

Proposed special regulation designations . . . . . 3314  
 Removal of waters from the refuge areas program; July 2021 . . . . . 3314

### GAME COMMISSION

#### Notices

Chronic wasting disease—designation of disease management areas and endemic states and Canadian provinces order # 9 . . . . . 3315

### INDEPENDENT REGULATORY REVIEW COMMISSION

#### Notices

Notice of filing of final rulemaking . . . . . 3324

### PATIENT SAFETY AUTHORITY

#### Notices

Virtual public meeting . . . . . 3324

### PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

#### Notices

Environmental assessment approval for PENNVEST funding consideration . . . . . 3324

### PENNSYLVANIA PUBLIC UTILITY COMMISSION

#### Notices

Service of notice of motor carrier applications . . . . . 3326  
 Telecommunications (2 Documents) . . . . . 3326, 3327  
 Telecommunications; Tri-Co Connections, LLC; doc. No. P-2018-3005127 . . . . . 3327  
 Wastewater service . . . . . 3327

### STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

#### Proposed Rulemaking

Fee increase . . . . . 3230

### STATE HORSE RACING COMMISSION

#### Notices

Amended Association Racing Commissioners international restricted therapeutic use—Clenbuterol (thoroughbred horses only); administrative policy SHRC 2021-3 . . . . . 3328

---

Available Online at <http://www.pacodeandbulletin.gov>

---

# READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

## *Pennsylvania Bulletin*

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

### **Adoption, Amendment or Repeal of Regulations**

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

## *Citation to the Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

## *Pennsylvania Code*

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

### **How to Find Rules and Regulations**

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at [www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde\\_index.cfm](http://www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm).

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

**Subscription Information: (717) 766-0211**  
**General Information and Finding Aids: (717) 783-1530**



### Printing Format

*Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code*

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

*Court Rules in Titles 201—246 of the Pennsylvania Code*

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

### Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

### Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

#### § 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

## List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2021.

### 4 Pa. Code (Administration)

#### Adopted Rules

6	1641, 1777
7	2761
602	425
607	425

#### Statements of Policy

9	183, 569, 2065
---	----------------

### 7 Pa. Code (Agriculture)

#### Adopted Rules

143	2963
-----	------

### 12 Pa. Code (Commerce, Trade and Local Government)

#### Statements of Policy

31	1824
----	------

### 22 Pa. Code (Education)

#### Adopted Rules

19	1653
----	------

#### Proposed Rules

4	3103
741	1516
741a	1516

### 25 Pa. Code (Environmental Protection)

#### Adopted Rules

121	283
127	283
901	2629
902	2629
903	2629

#### Proposed Rules

77	1519
208	1316
806	1988
1021	2166

### 28 Pa. Code (Health and Safety)

#### Proposed Rules

1131	1141
1141	1141
1141a	1141
1151	1141
1151a	1141
1161	1141
1161a	1141
1171	1141
1171a	1141
1181	1141
1181a	1141
1191	1141
1191a	1141
1211	1141
1211a	1141
1230	1141
1230a	1141

### 34 Pa. Code (Labor and Industry)

#### Adopted Rules

65	3099
----	------

### Proposed Rules

101	1318
111	1019

### 37 Pa. Code (Law)

#### Adopted Rules

241	1136
261	1512

### 40 Pa. Code (Liquor)

#### Adopted Rules

5	2927
---	------

#### Proposed Rules

11	1997
----	------

### 49 Pa. Code (Professional and Vocational Standards)

#### Adopted Rules

23	2633
33	304

#### Proposed Rules

13	1320
16	545
18	180, 545
19	3230
21	558
37	2170
47	14
48	14
49	14

### 52 Pa. Code (Public Utilities)

#### Proposed Rulemaking

51	3134
53	1999
63	1999
64	1999
65	1802
66	1802

#### Statements of Policy

69	435
----	-----

### 55 Pa. Code (Human Services)

#### Adopted Rules

3290	784
------	-----

### 58 Pa. Code (Recreation)

#### Adopted Rules

51	426, 427
61	428
63	429
65	430, 431, 433, 1799, 1800, 1801
137	1313
139	2929, 2937
141	2940, 2942
143	2937, 2944, 2945
147	2947
441a	2966
465a	2966
501a	2966
503a	2966
603a	2966
609a	2966

686a ..... 2975  
 687a ..... 2975  
 688a ..... 2975

**Proposed Rules**

65 ..... 1822, 3139, 3140  
 131 ..... 2949  
 139 ..... 1328, 1336  
 141 ..... 1338, 1339, 2949, 2951  
 143 ..... 1336, 1341, 1343  
 147 ..... 1345, 2952

**Statements of Policy**

57 ..... 1828

**201 Pa. Code (Rules of Judicial Administration)**

**Adopted Rules**

6 ..... 2261, 2769  
 19 ..... 1644

**204 Pa. Code (Judicial System General Provisions)**

**Adopted Rules**

81 ..... 1128  
 82 ..... 179, 1983  
 83 ..... 1128  
 85 ..... 781  
 89 ..... 781  
 91 ..... 781  
 93 ..... 781  
 213 ..... 1497

**Proposed Rules**

71 ..... 780, 1648  
 81 ..... 891  
 83 ..... 1128, 2486  
 213 ..... 2160  
 221 ..... 2770

**207 Pa. Code (Judicial Conduct)**

**Adopted Rules**

51 ..... 2261, 2626

**210 Pa. Code (Appellate Procedure)**

**Adopted Rules**

3 ..... 1501  
 63 ..... 2962  
 65 ..... 11, 3090

**Proposed Rules**

1 ..... 1780 1783, 1788  
 17 ..... 1503  
 19 ..... 1783, 1788  
 21 ..... 1783, 1788  
 27 ..... 1788

**231 Pa. Code (Rules of Civil Procedure)**

**Adopted Rules**

200 ..... 265  
 1910 ..... 265

**Proposed Rules**

200 ..... 1002, 1003, 1504  
 1000 ..... 1003  
 1900 ..... 1006  
 1910 ..... 1006  
 1915 ..... 1006, 1013  
 1920 ..... 1006, 1014  
 1930 ..... 1006, 1131  
 1932 ..... 1014  
 2950 ..... 1003  
 3000 ..... 1003  
 Part II ..... 1651, 1796

**234 Pa. Code (Rules of Criminal Procedure)**

**Adopted Rules**

4 ..... 684  
 5 ..... 684

**237 Pa. Code (Juvenile Rules)**

**Adopted Rules**

4 ..... 3090

**Proposed Rules**

1 ..... 1307  
 4 ..... 1307  
 11 ..... 3095  
 13 ..... 3095  
 14 ..... 3095  
 15 ..... 3095  
 16 ..... 3095

**246 Pa. Code (Minor Court Civil Rules)**

**Adopted Rules**

100 ..... 2261

**Proposed Rules**

200 ..... 1506  
 300 ..... 1506  
 500 ..... 422, 1506

**249 Pa. Code (Philadelphia Rules)**

Unclassified ..... 2163

**255 Pa. Code (Local Court Rules)**

Unclassified ..... 11, 12, 542, 543, 904, 905, 908,  
 1134, 1135, 1309, 1510, 1511, 1798, 1983, 1984, 1986,  
 1987, 2163, 2164, 2265, 2273, 2274, 2380, 2488, 2627,  
 2794

# THE GENERAL ASSEMBLY

## THE GENERAL ASSEMBLY

### Recent Actions during the 2021 Regular Session of the General Assembly

The following is a summary of recent actions of the General Assembly during the 2021 Regular Session:

<i>Doc. No.</i>	<i>Date of Action</i>	<i>Bill Number</i>	<i>Printer's Number</i>	<i>Effective Date</i>	<i>Subject Matter</i>
<b>2021 General Acts of Regular Session Enacted—Act 014</b>					
014	May 20	H0110	PN0078	Immediately	Hardwoods Development Council Act—Hardwoods Development Council

\* denotes an effective date with exceptions

#### Effective Dates of Statutes

The effective dates specified for laws and appropriation acts were contained in the applicable law or appropriation act. Where no date is specified or where the effective date specified is prior to the date of enactment, the effective date is 60 days after final enactment except for statutes making appropriations or affecting budgets of political subdivisions. See 1 Pa.C.S. §§ 1701—1704 (relating to effective date of statutes).

#### Advance Copies of Statutes

Section 1106 of 1 Pa.C.S. (relating to prothonotaries to keep files of advance copies of statutes) provides that the prothonotaries of each county shall file advance copies of statutes in their offices for public inspection until the *Laws of Pennsylvania* are generally available.

One-time purchases of the advance copies of statutes can be purchased through the State Bookstore's web site at [www.shoppaheritage.com](http://www.shoppaheritage.com).

VINCENT C. DeLIBERATO, Jr.,  
*Director*  
*Legislative Reference Bureau*

[Pa.B. Doc. No. 21-917. Filed for public inspection June 11, 2021, 9:00 a.m.]

# THE COURTS

## DISCIPLINARY BOARD OF THE SUPREME COURT

### Notice of Disbarment

Notice is hereby given that Ernest Paul Francis (# 41031), having been disbarred in Virginia, the Supreme Court of Pennsylvania issued an Order on May 27, 2021, disbaring Ernest Paul Francis from the Bar of this Commonwealth, effective June 26, 2021. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside of the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

MARCEE D. SLOAN,  
*Board Prothonotary*

[Pa.B. Doc. No. 21-918. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DISCIPLINARY BOARD OF THE SUPREME COURT

### Notice of Suspension

By Order of the Supreme Court of Pennsylvania dated May 27, 2021, Debra L. Ackerman A/K/A Debra Lee Ackerman (# 46118), whose registered address is in Washington, D.C., has been suspended from the practice

of law in this Commonwealth for a period of sixty days, reciprocal with the state of Maryland, effective June 26, 2021. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

MARCEE D. SLOAN,  
*Board Prothonotary*

[Pa.B. Doc. No. 21-919. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DISCIPLINARY BOARD OF THE SUPREME COURT

### Notice of Transfer to Disability Inactive Status

Notice is hereby given that by Order of the Supreme Court of Pennsylvania dated May 27, 2021, Kristine W. Holt is transferred to Disability Inactive Status for an indefinite period and until further Order of the Court. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

MARCEE D. SLOAN,  
*Board Prothonotary*

[Pa.B. Doc. No. 21-920. Filed for public inspection June 11, 2021, 9:00 a.m.]



# PROPOSED RULEMAKING

## STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

[ 49 PA. CODE CH. 19 ]

### Fee Increase

The State Board of Vehicle Manufacturers, Dealers and Salespersons (Board) proposes to amend § 19.4 (relating to fees) to read as set forth in Annex A. This proposed rulemaking provides for increased application fees and biennial renewal fees for vehicle salespersons, factory representatives or distributor representatives, manufacturers, manufacturer branches, distributors, dealers, auction and dealer branches.

#### *Effective Date*

The amendments will be effective upon final-form publication in the *Pennsylvania Bulletin*. It is anticipated that application fees will be implemented on a graduated basis on July 1, 2023, and on July 1, 2025.

The increased biennial renewal fees will be implemented beginning with the June 1, 2023—May 31, 2025 biennial renewal period. Thereafter, the subsequent graduated increase will be implemented with the biennial renewal for June 1, 2025—May 31, 2027.

#### *Statutory Authority*

Under section 302(a)(9) of the Board of Vehicles Act (act) (63 P.S. § 818.302(a)(9)), the Board is authorized to adopt, promulgate and enforce such rules and regulations consistent with the act as are deemed necessary and proper to effectuate the provisions of the act. Section 304 of act (63 P.S. § 818.304) requires license holders to pay a biennial renewal fee. Section 321(c) of act (63 P.S. § 818.321(c)) requires applications for licensure to be accompanied by the required fee. Under section 330(a) of the act (63 P.S. § 818.330(a)), all fees shall be fixed by the Board by regulation and shall be subject to review in accordance with the Regulatory Review Act (71 P.S. § 745.1—745.14). Section 330(a) further requires the Board to increase fees when revenues generated by fees, fines and civil penalties are insufficient to match expenditures over a 2-year period.

#### *Background and Purpose*

Section 330(a) of the act requires the Board to increase fees if the revenues generated by fees, fines and civil penalties imposed is not sufficient to meet the expenditures over a 2-year period. The Board raises approximately 85% of its revenue through initial application and renewal fees. The remaining 15% of its revenue comes from other fees, fines and civil penalties. The Board last increased its fees in 2007.

The Board receives an annual report from the Department of State's Bureau of Finance and Operations (BFO) regarding the Board's income and expenses. In Fiscal Year (FY) 2017-2018, the Board incurred \$2,963,270.71 in expenditures and generated only \$947,667.84 in revenue, with a remaining balance of \$1,130,724.10. In FY 2018-2019, the Board incurred \$3,153,485.29 in expenditures and generated \$4,584,031.19 in revenue, with a remaining balance of \$2,635,652.66. Finally, in FY 2019-2020, as of October 20, 2020, it was estimated that the Board

would incur \$2,880,000.00 in expenditures and generate only \$594,639.35 in revenue, with a remaining balance of \$350,292.01. In FYs 2020-2021 and 2021-2022, the Board is projected to incur \$6.293 million in expenditures and generate \$4.939 million in revenue, with a deficit balance of (\$817,347.34) at the end of FY 2021-2022. In FY 2022-2023, the Board is projected to incur \$3.266 million in expenditures and generate \$3.19 million in revenue, resulting in a deficit balance of (\$76,347.34).

On November 27, 2019, the BFO advised the Board that it would be necessary to raise its application and biennial renewal fees for vehicle salespersons, factory representatives or distributor representatives, manufacturers, manufacturer branches, distributors, dealers, auction and dealer branches. As part of its annual report, the Board analyzed the cost of the Board's operations to determine if the current application fees reflected the actual cost of the services provided. While application fees only make up less than 15% of the Board's revenue, the Board, with the encouragement and support of the Bureau of Professional and Occupational Affairs (Bureau), determined that a re-evaluation of all application fees was appropriate. Actual cost calculations are based upon the following formula:

$$\begin{aligned} & \text{number of minutes to perform the function} \\ & \quad \times \\ & \text{pay rate for the classification of the personnel performing} \\ & \quad \text{the function} \\ & \quad + \\ & \text{a proportionate share of administrative overhead} \end{aligned}$$

Application fees are based on time study reports created within the Bureau giving each step in the process and the amount of time it takes to process one application. That amount is multiplied by the anticipated application requests for 1 year (times two since the increases are biennial). Application fee increases, which will be effective July 1, 2023, are calculated at a 9.5% increase as pay increases for staff that process applications are 2.5% in July and 2.25% in January or 4.75% annually (9.5% biennially) and the fees are primarily dependent upon personnel-related costs. The analysis determined that the current application fees do not accurately reflect the actual cost of processing the following applications: vehicle salespersons, factory representatives or distributor representatives, manufacturers, manufacturer branches, distributors, dealers, auction and dealer branches.

During the BFO's presentation to the Board on November 27, 2019, the BFO reported that the new application and biennial renewal fee structure is projected to produce biennial revenues of: \$6.500 million in FYs 2022-2023 and 2023-2024, which will allow the Board to meet or exceed its projected expenditures of \$6.482 million; biennial revenues of \$7.895 million in FYs 2024-2025 and 2025-2026, which will allow the Board to meet or exceed its projected expenditures of \$6.829 million, and will result in a positive remaining balance of \$266,652.66 in FY 2025-2026.

Accordingly, the BFO recommended, and the Board agreed, to amend a total of 16 fees, consisting of 8 application fees and 8 biennial renewal fees on a graduated basis.

On August 6, 2020, the Board released an exposure draft of a proposed annex reflecting proposed increases for application and biennial renewal fees and invited stakeholders to submit comments. As a result of the

Board's exposure draft, one comment was received from a stakeholder. Specifically, on August 17, 2020, the Pennsylvania Automotive Association (PAA) submitted a comment to proposed fee increases, expressing their concern as to the amount of the increase to the fees that the Board was proposing. The Board discussed PAA's concerns and noted that the fee increase amount is based upon recommendations made by the BFO and is necessary to support the Board's expenditures. While the Board appreciates the concerns relating to increasing fees, especially during the novel coronavirus (COVID-19) pandemic, the Board has provided sufficient time for licensees to plan for and adjust to the increased fees, as the increases would not go into effect until 2023.

As a part of the BFO's fee increase recommendations, the BFO recommended graduated application and biennial renewal fee increases so that the application fee increases are reflective of actual costs to process applications and biennial renewal fees coincide more closely with the projected expenses for each biennium. The Board adopted the graduated fee schedule in an effort to minimize the impact of fee increases to licensees and to ensure that fee increases only occur when it is fiscally necessary to do so.

The Board proposes to amend the term "factory" to manufacturer in § 19.4 of the regulation. The Board would note that "factory" is an outdated term that was used interchangeably in the past with the term "manufacturer." The term "factory" is no longer used within the industry and deleting it would allow the Board to update its terminology and provide consistency between the initial application fee section and the renewal fee section of § 19.4 of the regulations. Finally, the Board proposes adding the word "lot" to the term "dealer branch license" in the license renewal fees and the word "distributor" to the term "manufacturer branch license" in the initial license application fees to ensure consistency of terms throughout § 19.4.

#### *Proposed Initial Application Fees*

As set forth as follows and in § 19.4, the proposed graduated increases will impact applicants as follows:

#### *Manufacturer or Distributor Representatives and Salespeople*

The Board receives approximately 600 manufacturer or distributor representative applications and 11,000 vehicle salespeople applications per biennial period. The graduated application fee increases will generate additional revenue as follows:

*FY 2022-2023 through FY 2023-2024:* The fee increase from \$25 to \$65 will generate an additional \$464,000 in application fees.

*FY 2024-2025 through FY 2025-2026:* The fee increase from \$65 to \$70 will generate an additional \$58,000 in application fees.

#### *Vehicle Dealers, Dealer Branch Lot and Vehicle Auctions*

The Board receives approximately 900 vehicle dealer applications, 100 dealer branch lot applications and 10 vehicle auction applications per biennial period. The graduated application fee increases will generate additional revenue as follows:

*FY 2022-2023 through FY 2023-2024:* The fee increase from \$65 to \$175 will generate an additional \$111,100 in application fees.

*FY 2024-2025 through FY 2025-2026:* The fee increase from \$175 to \$190 will generate an additional \$15,150 in application fees.

#### *Vehicle Manufacturer, Manufacturer Branch, Distributor and Distributor Branch*

The Board receives approximately 50 vehicle manufacturer applications, 2 manufacturer or distributor branch applications and 40 vehicle distributor applications per biennial period. The graduated application fee increases will generate additional revenue as follows:

*FY 2022-2023 through FY 2023-2024:* The fee increase from \$30 to \$90 will generate an additional \$5,520 in application fees.

*FY 2024-2025 through FY 2025-2026:* The fee increase from \$90 to \$100 will generate an additional \$920 in application fees.

#### *Proposed Biennial Renewal Fees*

As set forth as follows and in § 19.4, the proposed graduated increases will impact licensees, registrants and certificate holders as follows:

#### *Vehicle Dealer*

There are approximately 6,576 vehicle dealers who will be impacted by the proposed biennial renewal fee increases. The graduated biennial renewal fee increases will generate additional revenue as follows:

*FY 2022-2023:* The fee increase from \$175 to \$219 will generate an additional \$289,344 in revenue.

*FY 2024-2025:* The fee increase from \$219 to \$274 will generate an additional \$361,680 in revenue.

#### *Vehicle Salesperson*

There are approximately 31,300 vehicle salespeople who will be impacted by the proposed biennial renewal fee increases. The graduated biennial renewal fee increases will generate additional revenue as follows:

*FY 2022-2023:* The fee increase from \$90 to \$113 will generate an additional \$719,900 in revenue.

*FY 2024-2025:* The fee increase from \$113 to \$141 will generate an additional \$876,400 in revenue.

#### *Dealer Branch Lot*

There are approximately 389 vehicle dealer branches that will be impacted by the proposed biennial renewal fee increases. The graduated biennial renewal fee increases will generate additional revenue as follows:

*FY 2022-2023:* The fee increase from \$175 to \$219 will generate an additional \$17,116 in revenue.

*FY 2024-2025:* The fee increase from \$219 to \$274 will generate an additional \$21,395 in revenue.

#### *Vehicle Auction*

There are approximately 57 vehicle auctions that will be impacted by the proposed biennial renewal fee increases. The graduated biennial renewal fee increases will generate additional revenue as follows:

*FY 2022-2023:* The fee increase from \$175 to \$219 will generate an additional \$2,508 in revenue.

*FY 2024-2025:* The fee increase from \$219 to \$274 will generate an additional \$3,135 in revenue.

#### *Vehicle Manufacturer*

There are approximately 284 vehicle manufacturers that will be impacted by the proposed biennial renewal fee increases. The graduated biennial renewal fee increases will generate additional revenue as follows:

*FY 2022-2023:* The fee increase from \$250 to \$313 will generate an additional \$17,892 in revenue.

*FY 2024-2025:* The fee increase from \$313 to \$391 will generate an additional \$22,152 in revenue.

*Vehicle Manufacturer or Distributor Branch*

There are approximately 14 vehicle manufacturer or distributor branches that will be impacted by the proposed biennial renewal fee increases. The graduated biennial renewal fee increases will generate additional revenue as follows:

*FY 2022-2023:* The fee increase from \$175 to \$219 will generate an additional \$616 in revenue.

*FY 2024-2025:* The fee increase from \$219 to \$274 will generate an additional \$770 in revenue.

*Vehicle Manufacturer or Distributor Representative*

There are approximately 11,684 vehicle manufacturer or distributor representatives who will be impacted by the proposed biennial renewal fee increases. The graduated biennial renewal fee increases will generate additional revenue as follows:

*FY 2022-2023:* The fee increase from \$90 to \$113 will generate an additional \$268,732 in revenue.

*FY 2024-2025:* The fee increase from \$113 to \$141 will generate an additional \$327,152 in revenue.

*Vehicle Distributor*

There are approximately 56 vehicle distributors that will be impacted by the proposed biennial renewal fee increases. The graduated biennial renewal fee increases will generate additional revenue as follows:

*FY 2022-2023:* The fee increase from \$175 to \$219 will generate an additional \$2,464 in revenue.

*FY 2024-2025:* The fee increase from \$219 to \$274 will generate an additional \$3,080 in revenue.

*Fiscal Impact and Paperwork Requirements.*

The proposed amendments will increase the application and biennial renewal fees for all licensees of the Board. There are approximately 14 manufacturer or distributor branches; 57 vehicle auctions; 389 vehicle dealer branches; 6,576 vehicle dealers; 56 vehicle distributors; 284 vehicle manufacturers; 1,164 vehicle manufacturer or distributor representatives and 31,300 vehicle salespersons for a total of approximately 39,840 licensees who will be required to pay more to renew their licenses. Based upon the previously listed fee increases, the total economic impact per fiscal year is as follows:

FY 2022-2023:	\$1,608,882
FY 2023-2024:	\$290,310
FY 2024-2025:	\$1,652,799
FY 2025-2026:	\$37,035
<b>TOTAL:</b>	<b>\$3,589,026</b>

These fees may be paid by applicants and licensees or an employer may elect to pay the application fee of an employee. This proposed rulemaking should have no other fiscal impact on the private sector, the general public or political subdivisions of the Commonwealth.

This proposed rulemaking will require the Board to alter initial licensure applications and biennial renewal forms to reflect the new fees; however, the amendments will not create additional paperwork for the regulated community or for the private sector.

*Sunset Date*

The Board continuously monitors the effectiveness of its regulations. Therefore, no sunset date has been assigned. Additionally, the BFO provides the Board with an annual report detailing the Board's financial condition. In this way, the Board continuously monitors the adequacy of its fee schedule.

*Regulatory Review*

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on May 26, 2021, the Board submitted a copy of this proposed rulemaking and a copy of a Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and to the Chairpersons of the House Professional Licensure Committee and the Senate Consumer Protection and Professional Licensure Committee. A copy of this material is available to the public upon request.

Under section 5(g) of the Regulatory Review Act, IRRC may convey any comments, recommendations or objections to the proposed rulemaking within 30 days from the close of the public comment period. The comments, recommendations or objections must specify the regulatory review criteria in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b) which have not been met. The Regulatory Review Act specifies detailed procedures for review, prior to final publication of the rulemaking, by the Board, the General Assembly and the Governor.

*Public Comment*

Interested persons are invited to submit written comments, recommendations or objections regarding this proposed rulemaking to the Board Counsel, State Board of Vehicle Manufacturers, Dealers and Salespersons, P.O. Box 69523, Harrisburg, PA 17106-9523, RA-STRegulatoryCounsel@pa.gov, within 30 days following publication of this proposed rulemaking in the *Pennsylvania Bulletin*. Reference (16A-6015—Fee Increase) when submitting comments.

DANIEL G. MURPHY, III,  
*Chairperson*

**Fiscal Note:** 16A-6015. No fiscal impact; (8) recommends adoption.

**Annex A**

**TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS**

**PART I. DEPARTMENT OF STATE**

**Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS**

**CHAPTER 19. STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS**

**GENERAL PROVISIONS**

**§ 19.4. Fees.**

The following is the schedule of fees charged by the Board:

PROPOSED RULEMAKING

3233

[ Salesperson license application	\$ 25
Factory representative or distributor representative license application	\$ 25
Manufacturer license application	\$ 30
Factory or distributor branch license application	\$ 30
Distributor license application	\$ 30
Dealer license application	\$ 65
Auction license application	\$ 65
Dealer branch lot license application	\$ 65 ]

		<u>Effective</u> <u>July 1, 2023</u>	<u>Effective</u> <u>July 1, 2025</u>
<u>Salesperson license application</u> .....	<u>\$ 25</u>	<u>\$ 65</u>	<u>\$ 70</u>
<u>Manufacturer representative or Distributor representative license application</u> .....	<u>\$ 25</u>	<u>\$ 65</u>	<u>\$ 70</u>
<u>Manufacturer license application</u> .....	<u>\$ 30</u>	<u>\$ 90</u>	<u>\$ 100</u>
<u>Manufacturer or distributor branch license application</u> .....	<u>\$ 30</u>	<u>\$ 90</u>	<u>\$ 100</u>
<u>Distributor license application</u> .....	<u>\$ 30</u>	<u>\$ 90</u>	<u>\$ 100</u>
<u>Dealer license application</u> .....	<u>\$ 65</u>	<u>\$ 175</u>	<u>\$ 190</u>
<u>Auction license application</u> .....	<u>\$ 65</u>	<u>\$ 175</u>	<u>\$ 190</u>
<u>Dealer branch lot license application</u> .....	<u>\$ 65</u>	<u>\$ 175</u>	<u>\$ 190</u>

\* \* \* \* \*

[ Biennial renewal—salesperson license	\$ 90
Biennial renewal—vehicle representative license	\$ 90
Biennial renewal—manufacturer license	\$ 250
Biennial renewal—manufacturer branch license	\$ 175
Biennial renewal—distributor license	\$ 175
Biennial renewal—dealer license	\$ 175
Biennial renewal—auction license	\$ 175
Biennial renewal—dealer branch license	\$ 175 ]

		<u>June 1, 2023—</u> <u>May 31, 2025</u> <u>Biennial</u> <u>Renewal Fee</u>	<u>June 1, 2025—</u> <u>May 31, 2027</u> <u>Biennial</u> <u>Renewal Fee</u> <u>and thereafter</u>
<u>Biennial renewal—salesperson license</u>	<u>\$ 90</u>	<u>\$ 113</u>	<u>\$ 141</u>
<u>Biennial renewal—manufacturer representative or distributor representative license</u>	<u>\$ 90</u>	<u>\$ 113</u>	<u>\$ 141</u>
<u>Biennial renewal—manufacturer license</u>	<u>\$ 250</u>	<u>\$ 313</u>	<u>\$ 391</u>
<u>Biennial renewal—manufacturer or distributor branch license</u>	<u>\$ 175</u>	<u>\$ 219</u>	<u>\$ 274</u>
<u>Biennial renewal—distributor license</u>	<u>\$ 175</u>	<u>\$ 219</u>	<u>\$ 274</u>
<u>Biennial renewal—dealer license</u>	<u>\$ 175</u>	<u>\$ 219</u>	<u>\$ 274</u>
<u>Biennial renewal—auction license</u>	<u>\$ 175</u>	<u>\$ 219</u>	<u>\$ 274</u>
<u>Biennial renewal—dealer branch lot license</u>	<u>\$ 175</u>	<u>\$ 219</u>	<u>\$ 274</u>

[Pa.B. Doc. No. 21-921. Filed for public inspection June 11, 2021, 9:00 a.m.]



# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 1, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
05-01-2021	Traditions Bancorp, Inc. York York County Application for approval to acquire 100% of York Traditions Bank, York, PA.	Effective
05-04-2021	JBT Bancorp, Inc. Jonestown Lebanon County Application for approval to acquire 100% of Jonestown Bank and Trust Company of Jonestown, PA.	Effective

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
05-12-2021	Middletown Valley Bank Middletown Frederick County, MD	11337 Buchanan Trail East Waynesboro Franklin County, PA	Opened
06-01-2021	Peoples Security Bank and Trust Company Scranton Lackawanna County	24 Mary Street Binghamton Broome County, NY	Filed

#### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-01-2021	Riverview Bank Marysville Perry County	509 North Center Avenue Somerset Somerset County	Closed

### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
Secretary

[Pa.B. Doc. No. 21-922. Filed for public inspection June 11, 2021, 9:00 a.m.]



## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of July 2021

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of July 2021, is 4 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 2.05 to which was added 2.50 percentage points for a total of 4.55 that by law is rounded off to the nearest quarter at 4 1/2%.

RICHARD VAGUE,  
Secretary

[Pa.B. Doc. No. 21-923. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Substantial Amendments for the Community Development Block Grant-Disaster Recovery 2012 (P.L. 112-55) and 2013 (P.L. 113-2) Allocations/Modification to the Citizen Participation Plan/Public Hearing

Notice is hereby given for a public comment period to review the proposed substantial amendments to the Commonwealth's Fiscal year (FY) 2012 Community Development Block Grant-Disaster Recovery (CDBG-DR) (P.L. 112-55) funds and FY 2013 Community Development Block Grant-Disaster Recovery (P.L. 113-2) funds. The public comment period is from June 12, 2021, through July 12, 2021.

*P.L. 112-55*

The United States Department of Housing and Urban Development (HUD) issued a notice at 77 FR 22583 (April 16, 2012), which awarded \$27,142,501 of CDBG-DR funds to the Commonwealth to be administered by the Department of Community and Economic Development (Department). This was the first allocation of CDBG-DR funding to assist the Commonwealth with recovery from 2011 storm events (Hurricane Irene—FEMA-4025-DR and

Tropical Storm Lee—FEMA-4030-DR). An Action Plan for these funds was submitted and subsequently approved. Since then the Department has published and received approval for six Substantial Amendments to the Action Plan for the CDBG-DR funding received under P.L. 112-55. Priorities for funding were identified in the last Substantial Amendment which was approved by HUD on June 12, 2018.

The Commonwealth is hereby notifying the public of the award of specific projects in the affected municipalities identified and prioritized and soliciting comments on the announcements.

The changes proposed by the 7th Substantial Amendment to be dated July 27, 2021, are as follows:

#### *Acquisition and Clearance (Buyout Program)*

- *Montour County*—\$352,000 for the county to acquire and demolish three repetitively flooded properties which are located outside of the protection of the levee system in Danville Borough.

- *Columbia County*—\$2,957,348.90 for the county to acquire and demolish 22 properties which have been identified as being located in a floodway, flood-prone area or have experienced severe repetitive loss or repetitive loss as a result of past flooding events.

- *Lycoming County*—\$912,000 for the county to acquire and demolish six properties in Muncy Borough, which have been identified as repetitive loss or severe repetitive loss properties.

#### *New Housing Construction*

- *Columbia County*—\$3,125,438 to construct nine condominiums available to low-income and moderate-income persons located on the existing Mills housing campus in Bloomsburg.

#### *Multifamily Rental Program*

- *Wyoming County*—\$2,458,747 to construct 16 rental units in Nicholson Borough designed for elderly persons, which are presumed to be low-income and moderate-income persons. Additional funds are being provided from P.L. 113-2 allocation. Total projected project costs are \$3,309,074.

#### *Infrastructure*

- *Town of Bloomsburg*—\$445,000 for the improvement of the Honeysuckle Lane Stormwater Mitigation System, which provide benefit to the entire low-income and moderate-income town.

#### *Planning*

- *Pennsylvania Emergency Management Agency (PEMA)*—\$100,000 to update the State Recovery Plan. The staff at PEMA have determined the original plan needs to be updated to include the Pennsylvania Business Emergency Operations Center and the splitting Recovery Support Function-6 into two distinct RSFs: RSF-6—Natural and Environmental Recovery and RSF-6—Cultural and Historical Recovery. In addition, the county recovery template would be updated to reflect the current revision to emphasize the new FEMA Community Lifeline resilience needs of communities.

#### *P.L. 113-2*

The Commonwealth received \$29,986,000 from HUD under the Disaster Relief Appropriations Act, 2013 (P.L. 113-2, approved January 29, 2013). This was the second allocation of CDBG-DR funding to assist the Commonwealth with recovery from storm events in 2011 (Hurri-

cane Irene—FEMA-4025-DR and Tropical Storm Lee—FEMA-4030-DR). The Action Plan guiding the distribution of the \$29,986,000 appropriation was published on August 30, 2013. Since then, the Department has published and received approval for four Substantial Amendments to the Action Plan. Priorities for funding of specific project types were identified in the previous Substantial Amendment which was approved by HUD on June 12, 2018.

The Commonwealth is hereby notifying the public of the award of specific projects in the affected municipalities identified and prioritized and soliciting comment on the announcements. The following information details the awards under P.L. 113-2 appropriation to reflect updated strategic priorities of the Commonwealth.

The changes proposed by the 5th Substantial Amendment to be dated July 27, 2021, are as follows:

#### *Multifamily Rental Program*

- *Wyoming County*—\$850,327 to construct 16 rental units in Nicholson Borough designed for elderly persons, which are presumed to be low-income and moderate-income persons. Additional funds are being provided from the P.L. 112-55 allocation. Total project costs are \$3,309,074.

#### *Infrastructure*

- *Schuylkill County*—\$2,798,969.84 to continue wetlands restoration to mitigate the future impacts of flooding in Pine Grove Borough along the Swatara Creek. The project will qualify under the Urgent Need National objective.

#### *Planning*

- *PEMA*—\$100,000 for planning activities to ensure effective recovery from future disasters. Funds are being allocated for a study of users and nonusers of flood insurance to determine how best to communicate with consumers the importance of and the benefits of flood insurance coverage for protection of properties in flood prone areas. PEMA will engage with the Pennsylvania State University to collaborate on this study and make recommendations for future communication strategies.

### **Modification to the Citizen Participation Process for the Consolidated Plan and Action Plan**

#### *Other Special Project Grants or Emergency Declaration*

In the event that other Federal special programs are awarded to the Commonwealth or if an emergency declaration is made that affects the administration of the existing Federal programs, that are authorized under the Housing and Community Development Act of 1974, as amended (42 U.S.C.A. §§ 5301—5322), Cranston-Gonzales National Affordable Housing Act of 1990, as amended (42 U.S.C.A. §§ 12701—12713) or McKinney-Vento Homeless Assistance Act 1987, as amended (42 U.S.C.A. §§ 11301—11435), and administered by the Department, the citizen participation requirements will be followed in accordance with either the statute or regulations set forth in the program. If HUD may allow for or provides opportunities to request waivers to specific elements of the citizen participation process the Department will determine whether a waiver is necessary and seek use of the waiver authority in accordance with information provided by HUD. Once the waiver is granted by HUD to the Commonwealth, the special conditions will be passed to its grantees, if necessary, to streamline the citizen participation process in accordance with the regulations in place.

To take advantage of the granted waiver authority, the grantee must amend their Citizen Participation Plan to meet the minimum standards included in the waiver if the required action is not already covered in their Citizen Participation Plan.

#### *Amendment—5-2021—Recovery Housing Program*

Federal Register 6225-N-01: Notice of fiscal year 2020 Allocations, Waivers and Alternative Requirements for the Pilot Recovery Housing Program, allows the Commonwealth's Citizen Participation Plan to be updated to provide no less than 15 calendar days for public comment of the Recovery Housing Program Action Plan. The Department will be following this requirement in accordance with this waiver.

### **Public Review, Public Hearing and Citizen Comment**

These substantial amendments to the P.L. 112-55 and P.L. 113-2 Action Plans and supporting documentation is available on the Department's web site at <http://dced.pa.gov/>, under the Consolidated Plan, Action Plan, & Reports tab at the bottom of the homepage. The substantial amendments are available for public comment from June 12, 2021, through July 12, 2021.

A virtual public hearing will be held by means of Microsoft Teams on Tuesday, July 6, 2021, at 10 a.m. Individuals and organizations may give testimony or comments on the proposed changes to the Action Plans for the CDBG-DR funding.

Individuals can join the virtual public hearing at [https://teams.microsoft.com/l/meetup-join/19:meeting\\_yzu0mjrkmjetmmnhos00m2qzlhjzdcywgynjmwogi4zdzm@thread.v2/0?context={%22tid%22:%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22,%22oid%22:%222c296ac5-0c5b-4ce1-a0c3-0db3ef8fb7f4%22}](https://teams.microsoft.com/l/meetup-join/19:meeting_yzu0mjrkmjetmmnhos00m2qzlhjzdcywgynjmwogi4zdzm@thread.v2/0?context={%22tid%22:%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22,%22oid%22:%222c296ac5-0c5b-4ce1-a0c3-0db3ef8fb7f4%22}).

Individuals can join the virtual public hearing by phone at +1 267-332-8737, 370565837# United States, Philadelphia. The conference ID number is 370 565 837#.

Persons with a disability or who possess limited English proficiency and wish to participate in the virtual public hearing should contact Megan L. Snyder, Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7404, [megsnyder@pa.gov](mailto:megsnyder@pa.gov). Persons in need of TDD, call (717) 346-0308 to discuss how the Department can accommodate their needs.

Comments on the Substantial Amendments to the P.L. 112-55 and P.L. 113-2 Action Plans and the Citizen Participation Plan for the Consolidated Plan may be electronically submitted to the Department at [RA-DCEDcdbghomequestions@pa.gov](mailto:RA-DCEDcdbghomequestions@pa.gov). Comments will also be accepted by telephone by calling (717) 787-5327. Written comments may be submitted to Megan L. Snyder, Center for Community and Housing Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. All comments must be received by Monday, July 12, 2021, at 4 p.m. to be included as testimony in the Action Plans that will be submitted to HUD, no later than July 22, 2021.

DENNIS M. DAVIN,  
*Secretary*

[Pa.B. Doc. No. 21-924. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.



Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality</i>	<i>DEP Office</i>
0916808	Joint DEP/PFBC Pesticides Permit	Renewal	Joe Bauer 6412 Durham Road Pipersville, PA 18947-9724	Bedminster Township Bucks County	SERO
0921814	Joint DEP/PFBC Pesticides Permit	New	Malek John 4782 Coldspring Creamery Road Doylestown, PA 18902	Buckingham Township Bucks County	SERO
0921815	Joint DEP/PFBC Pesticides Permit	New	Colonial Heritage 857 East Butler Avenue Doylestown, PA 18901	Doylestown Township Bucks County	SERO
2521806	Joint DEP/PFBC Pesticides Permit	New	Summit Township Erie County 1230 Townhall Road W Erie, PA 16509-5080	Summit Township Erie County	NWRO
3817801	Joint DEP/PFBC Pesticides Permit	Renewal	Fink Dan 127 Nettie Drive Myerstown, PA 17067-2186	North Lebanon Township Lebanon County	SCRO
4616825	Joint DEP/PFBC Pesticides Permit	Renewal	Newbury Community Association 2131 N Broad Street Suite 201 Lansdale, PA 19446-1083	Upper Gwynedd Township Montgomery County	SERO
4821804	Joint DEP/PFBC Pesticides Permit	New	Matthews Tim 21 Reservoir Lane Belvidere, NJ 07823-2741	Lower Mount Bethel Township Northampton County	NERO
6421803	Joint DEP/PFBC Pesticides Permit	New	Island Lake Campco LLC 50 Island Lake Road Starrucca, PA 18462	Scott Township Wayne County	NERO

## NOTICES

3239

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality</i>	<i>DEP Office</i>
6613802	Joint DEP/PFBC Pesticides Permit	Amendment	Costello Robert 1080 SR 4002 Laceyville, PA 18623-6768	Windham Township Wyoming County	NERO
NOEXNW159	No Exposure Certification	Renewal	Covanta Environmental Solutions LLC 1001 Sampson Street New Castle, PA 16101-8913	New Castle City Lawrence County	NWRO
PAG043669	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Broad Top Township Bedford County P.O. Box 57 Defiance, PA 16633-0057	Broad Top Township Bedford County	SCRO
PAG049293	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Dolak Karl 9033 Route 89 North East, PA 16428-5247	North East Township Erie County	NWRO
PAG049494	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Adams Paul 5410 W Stancliff Road McKean, PA 16426	McKean Township Erie County	NWRO
PAG123538	PAG-12 NPDES General Permit for CAFOs	Renewal	Mach LLC 411 Chestnut Street Lebanon, PA 17042-6142	East Hanover Township Lebanon County	SCRO
PAG123540	PAG-12 NPDES General Permit for CAFOs	Renewal	Mach LLC 411 Chestnut Street Lebanon, PA 17042-6142	East Hanover Township Lebanon County	SCRO
PAG123575	PAG-12 NPDES General Permit for CAFOs	Renewal	Newburg Poultry LLC 301 Three Square Hollow Road Newburg, PA 17240-9330	Hopewell Township Cumberland County	SCRO
PAG123610	PAG-12 NPDES General Permit for CAFOs	Renewal	Hege Michael J 11473 Gehr Road Waynesboro, PA 17268-9239	Washington Township Franklin County	SCRO
PAG123687	PAG-12 NPDES General Permit for CAFOs	Renewal	Hidden Springs Farm LLC 2916 Safe Harbor Road Millersville, PA 17551-9628	Manor Township Lancaster County	SCRO
PAG123709	PAG-12 NPDES General Permit for CAFOs	Renewal	Hoover Philip 2862 Harvest Road Elizabethtown, PA 17022-9676	Mount Joy Township Lancaster County	SCRO
PAG123719	PAG-12 NPDES General Permit for CAFOs	Renewal	Sensenig Lamar 114 Huckleberry Road Jonestown, PA 17038	Union Township Lebanon County	SCRO
PAG123816	PAG-12 NPDES General Permit for CAFOs	Renewal	Linford Snyder Office 90 Court Street Bethel, PA 19507-9721	Lykens Township Dauphin County	SCRO
PAG123818	PAG-12 NPDES General Permit for CAFOs	Renewal	Parx Casino & Racing 3001 Street Road Bensalem, PA 19020-2006	Bensalem Township Bucks County	SCRO
PAG123821	PAG-12 NPDES General Permit for CAFOs	Renewal	Schlappich Kimberly 1359 Main Street Mohrsville, PA 19541-8768	Centre Township Berks County	SCRO
PAG123822	PAG-12 NPDES General Permit for CAFOs	Renewal	Linford Snyder 90 Court Street Bethel, PA 19507	Lykens Township Dauphin County	SCRO
PAG123833	PAG-12 NPDES General Permit for CAFOs	Renewal	Mercer Vu Farms Inc. 12275 Mount Pleasant Road Mercersburg, PA 17236-9745	Montgomery Township Franklin County	SCRO
PAG123845	PAG-12 NPDES General Permit for CAFOs	Renewal	Musser Keith 300 Evergreen Road New Bloomfield, PA 17068-9308	Carroll Township Perry County	SCRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality</i>	<i>DEP Office</i>
PAG123860	PAG-12 NPDES General Permit for CAFOs	Renewal	Zugstead Farm Inc. 558 Freed Road Mifflintown, PA 17059-7772	Delaware Township Juniata County	SCRO
PAG123879	PAG-12 NPDES General Permit for CAFOs	Renewal	Zuck Jeffrey H 135 Fox Road Lebanon, PA 17042-8842	South Lebanon Township Lebanon County	SCRO
PAG123890	PAG-12 NPDES General Permit for CAFOs	Renewal	Mount Rock Dairy LLC 473 Mount Rock Road Newville, PA 17241	West Pennsboro Township Cumberland County	SCRO
PAG123921	PAG-12 NPDES General Permit for CAFOs	New	Leid Wayne B 14159 Paxton Run Road Shippensburg, PA 17257-9118	Lurgan Township Franklin County	SCRO
PAG124809	PAG-12 NPDES General Permit for CAFOs	Renewal	Hite Brock N 612 Viall Hill Road Towanda, PA 18848	Terry Township Bradford County	SCRO
PAG124821	PAG-12 NPDES General Permit for CAFOs	Renewal	Just A Mere Family Farm, LLC 3746 Mahantongo Creek Road Dalmatia, PA 17017-7235	Lower Mahanoy Township Northumberland County	SCRO
PAG124836	PAG-12 NPDES General Permit for CAFOs	Renewal	Rowe Family Farms Co. 216 Pawling Station Road Selinsgrove, PA 17870-7913	Middlecreek Township Snyder County	SCRO
PAG124843	PAG-12 NPDES General Permit for CAFOs	Renewal	Hummel Family Farms, LLC 3493 Middle Road Middleburg, PA 17842-8693	Center Township Snyder County	SCRO
PAG124854	PAG-12 NPDES General Permit for CAFOs	Renewal	Makin Bacon, LLC 650 Beers Road Granville Summit, PA 16926-9354	Granville Township Bradford County	SCRO
PAG124863	PAG-12 NPDES General Permit for CAFOs	Renewal	Jom Hogs, LLC 1417 Peters Road Troy, PA 16947-8664	West Burlington Township Bradford County	SCRO
PAG124870	PAG-12 NPDES General Permit for CAFOs	Renewal	Cotner Farms, Inc. 970 Rushtown Road Danville, PA 17821-9292	Rush Township Northumberland County	SCRO
PAG128301	PAG-12 NPDES General Permit for CAFOs	Amendment	Hillandale Gettysburg, LP 3910 Oxford Road Gettysburg, PA 17325-8367	East Fallowfield Township Crawford County	SCRO
2517408	Sewage Treatment Facilities Individual WQM Permit	Transfer	Jesse and Virginia Horton 8127 Station Road Erie, PA 16510-5705	Harborcreek Township Erie County	NWRO
2588403	Sewage Treatment Facilities Individual WQM Permit	Amendment	Albion Borough Erie County 26 Smock Avenue Albion, PA 16401	Conneaut Township Erie County	NWRO
6103403	Sewage Treatment Facilities Individual WQM Permit	Amendment	Frenchcreek Township Venango County 4507 Georgetown Road Franklin, PA 16323-4733	Polk Borough Venango County	NWRO
0604412	Sewer Extensions and Pump Stations Individual WQM Permit	Amendment	Tulpehocken Township Berks County P.O. Box 272 Rehrersburg, PA 19550	Tulpehocken Township Berks County	SCRO
4621406	Sewer Extensions and Pump Stations Individual WQM Permit	Transfer	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Upper Providence Township Montgomery County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality</i>	<i>DEP Office</i>
4621407	Sewer Extensions and Pump Stations Individual WQM Permit	Transfer	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Upper Providence Township Montgomery County	SERO
PA0265225	Single Residence STP Individual NPDES Permit	Transfer	Jesse and Virginia Horton 8127 Station Road Erie, PA 16510-5705	Harborcreek Township Erie County	NWRO
WQG018502	WQG-01 WQM General Permit	Transfer	Dolak Karl 9033 Route 89 North East, PA 16428-5247	North East Township Erie County	NWRO
WQG018674	WQG-01 WQM General Permit	Transfer	Adams Paul 5410 W Stancliff Road McKean, PA 16426	McKean Township Erie County	NWRO

**II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

*Northcentral Regional Office*

**PA0026557**, Sewage, SIC Code 4952, **The Municipal Authority of the City of Sunbury**, 462 S. 4th Street, Sunbury, PA 17801-3134. Facility Name: Sunbury Municipal Authority Wastewater Treatment Facility. This existing facility is located in Sunbury City, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Shamokin Creek (WWF, MF), is located in State Water Plan watershed 6-B and is classified for Cold Water Fishes, Migratory Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.3	XXX	1.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	875	1,400	XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,050	1,575	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo					
(Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	Report	XXX	Report	Report	XXX
May 1 - Oct 31	585	875	XXX	16	25	33
Ammonia-Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX Report	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Phosphorus (Total Load, lbs) (lbs)	Total Mo Report	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Copper, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrients Requirements
- Combined Sewer Overflows
- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

*Northeast Regional Office*

**PA0275816**, Storm Water, SIC Code 3594, 3593, **Bosch Rexroth Corporation**, 2315 City Line Road, Bethlehem, PA 18018-2131. Facility Name: Bosch Rexroth Corporation. This existing facility is located in Bethlehem Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Monocacy Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100.0
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0012394**, Industrial, SIC Code 3433, 3559, **Patterson-Kelley LLC**, 155 Burson Street, East Stroudsburg, PA 18301-2251. Facility Name: Patterson-Kelley. This existing facility is located in East Stroudsburg Borough, **Monroe County**.

Description of Existing Activity: The application is for a transfer and renewal of an NPDES permit for an existing discharge of treated industrial waste. The previous NPDES Permittee was Harsco Industrial Patterson-Kelley.

The receiving stream(s), Unnamed Tributary to Brodhead Creek (TSF, MF) a.k.a. Little Sambo Creek, is located in State Water Plan watershed 1-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0104 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Thallium, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
3,4-Benzofluoranthene (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0104 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Copper, Total (ug/L)	0.025	0.038	XXX	28.3	44.1	XXX
Thallium, Total (ug/L)	0.0004	0.0007	XXX	0.50	0.78	1.25
3,4-Benzofluoranthene (ug/L)	0.00001	0.00001	XXX	0.011	0.017	0.028

The proposed effluent limits for Outfall 001 are based on a design flow of .0104 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Nitrate-Nitrite as N	Report	Report	XXX	Report	Report	XXX
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	Report	Report	XXX
	Semi Avg			Semi Avg		
	Semi Avg			Semi Avg		
	Semi Avg			Semi Avg		

The proposed effluent limits for Outfall 001 are based on a design flow of .0104 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			InstMin			
Total Suspended Solids	Report	XXX	XXX	XXX	100.0	200.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Antimony, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Dissolved (ug/L)	Report	Report	XXX	Report	Report	XXX
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Necessary property rights; Residuals Management; Relationship to WQM permits; BAT/ELG requirements; WQBELs for Toxic Pollutants; WQBELs below Quantitation Limits; Requirements Applicable to Stormwater Influenced Outfall; and Unlined Wastewater Treatment Impoundment (Pond/Basin) Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0063061**, Industrial, SIC Code 4941, **Ashland Area Municipal Authority**, 401 South 18th Street, Ashland, PA 17921. Facility Name: Ashland Water Treatment Plant. This existing facility is located in Butler Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial wastewater.

The receiving stream(s), Little Mahanoy Creek (CWF, MF), is located in State Water Plan watershed 6-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .021 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	0.63	1.26	XXX	3.6	7.2	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Total	0.32	0.64	XXX	1.8	3.6	XXX
Manganese, Total	0.16	0.32	XXX	0.9	1.8	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0060330**, Sewage, SIC Code 4952, **Hawley Borough Area Authority**, 1010 Hudson Street, Hawley, PA 18428-0145. Facility Name: Hawley Area Authority WWTP. This existing facility is located in Lackawaxen Township, **Pike County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Lackawaxen River (HQ-TSF, MF), is located in State Water Plan watershed 1-B and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	0.75
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	42.0	67.0	XXX	25.0	40.0	50.0
Raw Sewage Influent CBOD <sub>5</sub> Minimum % Removal (%)	XXX 85 Min Mo Avg	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Suspended Solids	50.0	75.0	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	14.8	XXX	XXX	Report	Report	XXX
Total Nitrogen	Report	XXX	XXX	Report	Daily Max Report Daily Max	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	20.0	XXX	XXX	12.0	XXX	24
May 1 - Oct 31	6.7	XXX	XXX	4.0	XXX	8.0
Total Kjeldahl Nitrogen	10.5	XXX	XXX	Report	Report	XXX
Total Phosphorus	5.1	XXX	XXX	Report	Daily Max Report Daily Max	XXX
Copper, Total	Report	XXX	XXX	Report	Report Daily Max	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000 Avg Qrtly	XXX	2,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX



In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0062219**, Sewage, SIC Code 4952, **Frackville Area Municipal Authority Schuylkill County**, P.O. Box 471, Frackville, PA 17931-0471. Facility Name: Frackville Area Municipal Authority. This existing facility is located in Butler Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Mahanoy Creek (CWF, MF), is located in State Water Plan watershed 6-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.4 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ammonia-Nitrogen						
Nov 1 - Apr 30	87.6	Report	XXX	7.5	15.0	15.0
		Daily Max			Daily Max	
May 1 - Oct 31	29.2	Report	XXX	2.5	5.0	5.0
		Daily Max			Daily Max	
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Iron, Dissolved (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 1.4 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ammonia-Nitrogen						
Nov 1 - Apr 30	53.5	Report	XXX	4.59	9.18	9.18
		Daily Max			Daily Max	
May 1 - Oct 31	17.8	Report	XXX	1.53	3.06	3.06
		Daily Max			Daily Max	
Copper, Total (ug/L)	0.075	0.100	XXX	6.42	8.64	8.64
		Daily Max			Daily Max	
Iron, Dissolved (ug/L)	3.74	5.83	XXX	320.0	499.0	800.0
		Daily Max			Daily Max	
Zinc, Total (ug/L)	0.91	0.91	XXX	77.6	77.6	77.6
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 1.4 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.06
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	116.7	175.1	XXX	10.0	15.0	20.0
BOD <sub>5</sub> Minimum % Removal (%)	85	XXX	XXX	XXX	XXX	XXX
	Min Mo Avg					

NOTICES

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids	350.2	525.4	XXX	30.0	45.0	60.0
Minimum % Removal (%)	85	XXX	XXX	XXX	XXX	XXX
Fecal Coliform (No./100 ml)	Min Mo Avg					
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	128	Report	XXX	11.0	22.0	22.0
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	Daily Max XXX	XXX
Total Nitrogen	Total Mo XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Total Mo Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo 11.7	XXX	XXX	1.0	2.0	2.0
Total Phosphorus	Report	XXX	XXX	XXX	Daily Max XXX	XXX
(Total Load, lbs) (lbs)	Total Mo Report	Report	XXX	Report	Report	XXX
Antimony, Total (ug/L)	Report	Daily Max	XXX	Report	Daily Max	XXX
Manganese, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Nickel, Total (ug/L)	Report	Daily Max	XXX	Report	Daily Max	XXX
Selenium, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Ultraviolet light dosage (mjoules/cm <sup>2</sup> )	XXX	Daily Max XXX	Report	Report	Daily Max XXX	XXX

The proposed effluent limits for Stormwater Outfalls 002—004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	Inst Min XXX	XXX	XXX	100.0
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 101 (Raw Sewage Influent monitoring point) are based on a design flow of NA MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	25,570 Total	XXX	XXX	XXX	XXX
Effluent Net (Total Load, lbs) (lbs)	XXX	Annual Report Total	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Annual Report Total	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Annual Report Total	XXX	XXX	XXX	XXX
Effluent Net	XXX	Annual 3,409 Total Annual	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay conditions; Schedule of compliance (Ammonia-N); Solids Management; WQBELs for Toxics (Copper and Zinc); WET Testing; IW Stormwater; Stormwater prohibition; Residuals Management; Necessary Property Rights; Chlorine Minimization; SBR condition; and dry stream.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

**PA0062294**, Sewage, SIC Code 4952, **Coolbaugh Township**, 5520 Municipal Drive, Tobyhanna, PA 18466. Facility Name: Coolbaugh Township WWTP. This existing facility is located in Coolbaugh Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tobyhanna Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .052 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .052 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000 Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .052 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	1.6

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	10.8	17.3	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	13.0	19.5	XXX	30.0	45.0	60.0
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	3.9	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31	1.3	XXX	XXX	3.0	XXX	6.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	0.43	XXX	XXX	1.0	XXX	2.0

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0221279**, Sewage, SIC Code 8800, **Station Road Properties Owners Association, Inc.**, 7018 Station Road, Erie, PA 16510-4847. Facility Name: Station Road Properties Owner Association. This existing facility is located in Harborcreek Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream, an Unnamed Tributary to the Sixmile Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0016 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1000
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Phosphorus	XXX	XXX	XXX	Avg Mo 1.0	XXX	XXX
				Avg Mo		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0238571**, Sewage, SIC Code 4952, 6515, **Rhett Walls d/b/a Pinehurst Manor MHP**, 907 Rockdale Road, Butler, PA 16002-8858. Facility Name: Pinehurst Manor MHP. This existing facility is located in Center Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Stony Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
				Annl Avg		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0264059**, Sewage, SIC Code 8800, **Christopher Carpin**, 3715 Williams Road, Erie, PA 16510-6147. Facility Name: Christopher Carpin SRSTP. This existing facility is located in Harborcreek Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream, an Unnamed Tributary to the Sevenmile Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289167**, Sewage, SIC Code 8800, **Billy Brennen**, 208 Dodds Road, Butler, PA 16002-8820. Facility Name: Billy Brennen SRSTP. This proposed facility is located in Penn Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Robinson Run (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289183**, Sewage, SIC Code 8800, **Jeffrey J. Pragle**, 413 Walnut Street, Reno, PA 16343-1052. Facility Name: Jeffrey J Pragle SRSTP. This proposed facility is located in Washington Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Tionesta Creek (CWF), is located in State Water Plan watershed 16-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289205**, Sewage, SIC Code 8800, **Bret McDanel**, 3403 Cindy Drive, New Castle, PA 16101-9667. Facility Name: Bret McDanel SRSTP. This proposed facility is located in Scott Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Big Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.



**PA0289311**, Sewage, SIC Code 4952, 8800, **Joseph B. Cunningham**, 9599 Peach Street, Waterford, PA 16441-4031. Facility Name: Joseph Cunningham SFTF. This proposed facility is located in Le Boeuf Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to LeBoeuf Creek (TSF), is located in State Water Plan watershed 16-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .000975 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0014605**, Industrial, SIC Code 4941, **Suez Water PA, Inc.**, 1081 Limekiln Road, New Cumberland, PA 17070. Facility Name: Suez Water PA Mechanicsburg System. This existing facility is located in Fairview Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Yellow Breeches Creek (CWF, MF), is located in State Water Plan watershed 7-E and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	Report	Report	XXX	30.0	60.0	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

In addition, the permit contains the following major special conditions:

- Condition for lagoon and sedimentation tank cleaning.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0087971**, Industrial, SIC Code 4941, **Bedford Borough Municipal Authority**, 244 W Penn Street, Bedford, PA 15522-1226. Facility Name: Bedford Borough Water System. This existing facility is located in Bedford Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Raystown Branch Juniata River (WWF), is located in State Water Plan watershed 11-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.25
Total Suspended Solids	Report	Report	XXX	30	60	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0246921**, Sewage, SIC Code 4952, **Lenhartsville Borough Berks County**, P.O. Box 238, Lenhartsville, PA 19534-0238. Facility Name: Lenhartsville Borough STP. This existing facility is located in Lenhartsville Borough, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Furnace Creek (TSF), is located in State Water Plan watershed 3-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0423 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	8.8	XXX	XXX	25.0	XXX	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	10	XXX	XXX	30.0	XXX	60
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	7.0	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	3.6	XXX	XXX	10.1	XXX	20.2
Total Phosphorus	Report	XXX	XXX	2.0	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		

The proposed effluent limits for Outfall 001 are based on a design flow of .0423 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	3,862 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	129 Total Annual	XXX	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Proper transport and disposal of sludge and solids in accordance with Federal and State regulations

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0026336**, Sewage, SIC Code 4952, **Hopewell Township**, 1700 Clark Boulevard, Aliquippa, PA 15001-4205. Facility Name: Wickham Village STP. This existing facility is located in Hopewell Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Boggs Run (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 010 are based on a design flow of 0.12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	25.0	38.0	XXX	25.0	38.0	50
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	30.0	45.0	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	Report	Report Daily Max	XXX	Report	XXX	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	3.0	4.5	XXX	3.0	4.5	6
May 1 - Oct 31	1.7	2.5	XXX	1.7	2.5	3.4
Total Nitrogen	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Daily Max	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0024163**, Sewage, SIC Code 4952, **Cambria Township Sewer Authority**, P.O. Box 247, Revloc, PA 15948-0247. Facility Name: Revloc STP. This existing facility is located in Cambria Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, South Branch Blacklick Creek (CWF), is in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.50 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Ammonia-Nitrogen	Report	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.50 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.16
Ammonia-Nitrogen						
Nov 1 - Apr 30	29.2	XXX	XXX	7.0	10.5 Wkly Avg	14
May 1 - Oct 31	10.0	XXX	XXX	2.4	3.6 Wkly Avg	4.8

The proposed effluent limits for Outfall 001 are based on a design flow of 0.50 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.50 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	104.3	156.4	XXX	25	38	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Raw Sewage Influent						
Total Suspended Solids	125.1	187.6	XXX	30	45	60
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

Sludge use and disposal description and location(s): Landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0031313**, Sewage, SIC Code 8211, **Intermediate Unit 1**, 1 Intermediate Unit Drive, Coal Center, PA 15423-1000. Facility Name: Colonial Elementary School. This existing facility is located in Redstone Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary 39947 to Colvin Run (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0105 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.12	XXX	0.39
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Ammonia-Nitrogen	XXX	XXX	XXX	200	XXX	1,000
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0

The proposed effluent limits for Outfall 001 are based on a design flow of .0105 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

**PA0218120**, Sewage, SIC Code 4952, **Dennis O'Hara**, 126 Walker Road, Apollo, PA 15613-9221. Facility Name: O'Hara SRSTP. This existing facility is located in Washington Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Poke Run is located in State Water Plan watershed 18-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX



You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0255904**, Sewage, SIC Code, **Dwayne Pattison**, 45 Knight Lane, Washington, PA 15301-8034. Facility Name: Pattison Properties SFTF. This proposed facility is located in South Franklin Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Tenmile Creek (TSF), is located in State Water Plan watershed 19-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0016 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0006254 A-3**, Industrial, SIC Code 2821, **BVPV Styrenics LLC**, 400 Frankfort Road, Monaca, PA 15061-2212. Facility Name: Beaver Valley Site. This existing facility is located in Potter Township, **Beaver County**.

Description of Existing Activity: The application is for an NPDES permit for existing discharges of treated sewage. Effluent limits at Internal Monitoring Point 102 are changed to add ultraviolet light dosage reporting.

The receiving streams, Ohio River (WWF) and Raccoon Creek (WWF), are located in State Water Plan watershed 20-B and 20-D and are classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point 102 are based on a design flow of 0.10 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Nov 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Oct 31	XXX	XXX	XXX	200 Geo Mean	XXX	400
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Ultraviolet light dosage (mWsec/cm <sup>2</sup> )	XXX	XXX	XXX	XXX	Report	XXX

TRC limits will apply only when chlorine is used for backup disinfection. All other effluent limits at Internal Monitoring Point 102 and Outfalls 001 and 002 are unchanged.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PAI130006**, MS4, **Lower Salford Township Montgomery County**, 379 Main Street, Harleysville, PA 19438.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Lower Salford Township, **Montgomery County**. The receiving stream(s), East Branch Perkiomen Creek (TSF, MF), Unnamed Tributary to Perkiomen Creek

(TSF, MF), Indian Creek (TSF, MF), and Unnamed Tributary to Skippack Creek, is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

**PAI130505**, MS4, **Uwchlan Township Chester County**, 715 N Ship Road, Exton, PA 19341-1945.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Uwchlan Township, **Chester County**. The receiving stream(s), East Branch Brandywine Creek (WWF, MF), Unnamed Tributary to East Branch Brandywine Creek (HQ-TSF, MF), Pine Creek (HQ-TSF, MF), Unnamed Tributary to Valley Creek (CWF, MF), Shamona Creek (HQ-TSF, MF), and Unnamed Tributary to Pickering Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-H and 3-D and is classified for Mi, Cold Water Fishes, Migratory Fishes, Warm Water Fishes, and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD230052	New	PennDOT District 6-0 7000 Geerdes Blvd King of Prussia, PA 19406-1525	Upper Chichester Township Aston Township Delaware County	SERO
PAD090061	New	Alpha Genesis McNeal, LLC P.O. Box 122 Carversville, PA 18913-0122	Plumstead Township Bucks County	SERO
PAD480150	New	Abraham Atiyeh Airport Road Partners, LP 1177 6th St. Whitehall, PA 18052	Hanover Township Northampton County	NERO
PAD390204	Renewal	Wrenfield Development, LLC 559 Main Street Suite 300 Bethlehem, PA 18018	Upper Macungie Township Lehigh County	NERO
PAD540018	Renewal	H&S Investment Companies 1020 Chestnut Road Orwigsburg, PA 17961	East Norwegian Township Schuylkill County	NERO
PAD180026	New PAG-02 Individual Permit	Autozone Store # 6878 153 Hogan Blvd Mill Hall, PA 17751	Bald Eagle Township Clinton County	NCRO
PAD020044 (Correction to June 5, 2021 Notice)	Individual NPDES	Duquesne University 1323 Forbes Avenue Pittsburgh, PA 15219	City of Pittsburgh Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAD020045 (Correction to June 5, 2021 Notice)	Individual NPDES	TC Pursuit Services, Inc. 833 East Pittsburgh McKeesport Boulevard North Versailles, PA 15137	North Versailles Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010

**STATE CONSERVATION COMMISSION**  
**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS**  
**FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38**  
**NUTRIENT MANAGEMENT PLANS**  
**CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Dividing Ridge Farm 207 Dividing Ridge Road Fairhope, PA 15538	Somerset	1,076.5	1,546.6	Dairy	HQ	Renewal
Tyler Snider 22357 Mountain Foot Road Neelyton, PA 17329	Huntingdon	676.1	317.78	Swine/Beef	HQ	Renewal
Newburg Poultry LLC 301 Three Square Hollow Rd Newburg, PA 17240	Cumberland	345.6	850.04	Laying Hens/ Finishing Beef	NA	New
Penn England Farm 10341 Fox Run Road Williamsburg, PA 16693	Blair Huntingdon	3,480.8	4,253.75	Dairy	Clover Creek Fox Run New Creek Piney Creek— All HQ	Renewal
Nathan Ebersole 44 Kline Road Shippensburg, PA 17257	Cumberland	132.8	1.14	Finishing Duck/ Finishing Steer/ Calf-Steer	N/A	Renewal
Troester Dairy 175 Cannon Road Mifflinburg PA 17844	Union	975.8	2,024.98	Dairy/ Swine	HQ	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Com-

ments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

### SAFE DRINKING WATER

#### Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 7671032**, Public Water Supply.

Applicant **Peach Bottom Inn**  
Municipality Peach Bottom Township  
County **York**  
Responsible Official George Skouras  
Owner  
6085 Delta Road  
Delta, PA 17314  
Type of Facility Public Water Supply  
Consulting Engineer Not Listed  
Application Received: March 15, 2021  
Description of Action New UV disinfection system

**Permit No. 7671097**, Public Water Supply.

Applicant **Diamond 7 Ranch & Arena**  
Municipality Washington Township  
County **York**  
Responsible Official Mary Keeney  
36 Deardorff Road  
Dillsburg, PA 17019  
Type of Facility Public Water Supply  
Consulting Engineer Not Listed  
Application Received: March 18, 2021  
Description of Action New Treatment and Distribution

**Permit No. 2121502**, Public Water Supply.

Applicant **Pennsylvania American Water Company**  
Municipality Middlesex Township  
County **Cumberland**  
Responsible Official Bruce Aiton  
Vice President—Engineering  
852 Wesley Park Drive  
Mechanicsburg, PA 17055

Type of Facility Public Water Supply  
Consulting Engineer Ewoud Hulstein, P.E.  
Pennsylvania American Water Company  
852 Wesley Drive  
Mechanicsburg, PA 17011  
Application Received: March 17, 2021  
Description of Action Interconnection with Middlesex Township Municipal Authority

**Permit No. 2121503**, Public Water Supply.

Applicant **Middlesex Township Municipal Authority**  
Municipality Middlesex Township  
County **Cumberland**  
Responsible Official Rory Morrison  
Operations Manager  
350 North Middlesex Road  
Suite 2  
Carlisle, PA 17013

Type of Facility Public Water Supply  
Consulting Engineer Max E. Stoner, P.E.  
Glace Associates, Inc.  
3705 Trindle Rd  
Camp Hill, PA 17011

Application Received: March 26, 2021  
Description of Action Interconnection with Pennsylvania American Water Company

**Permit No. 0621508**, Public Water Supply.

Applicant **Giorgi Mushroom Farm 1 Plant 2**  
Municipality Maiden creek Township  
County **Berks**  
Responsible Official Mike Vallonio  
Farm Manager  
1161 Park Road (Rear)  
Reading, PA 19510

Type of Facility Public Water Supply  
Consulting Engineer James P. Cinelli, P.E.  
Liberty Environmental Inc  
10 North 5th Street  
Reading, PA 19601  
Application Received: February 23, 2021  
Description of Action Installation of nitrate treatment, iron/manganese removal, softening, and ultraviolet disinfection.

**Permit No. 0621509**, Public Water Supply.

Applicant **Giorgi Mushroom Farm 1 Plant 12**  
Municipality Maiden creek Township  
County **Berks**  
Responsible Official Mike Vallonio  
Farm Manager  
1161 Park Road (Rear)  
Reading, PA 19510  
Type of Facility Public Water Supply



Consulting Engineer James P. Cinelli, P.E.  
Liberty Environmental Inc.  
10 North 5th Street  
Reading, PA 19601

Application Received: February 23, 2021

Description of Action Installation of nitrate treatment,  
iron/manganese removal,  
softening, and ultraviolet  
disinfection.

**Permit No. 2221509**, Public Water Supply.

Applicant **Pennsylvania American  
Water**

Municipality Steelton Borough

County **Dauphin**

Responsible Official Bruce Aiton  
Vice President—Engineering  
852 Wesley Park Drive  
Mechanicsburg, PA 17055

Type of Facility Public Water Supply

Consulting Engineer Scott L. Armbrust, P.E.  
Pennsylvania American Water  
852 Wesley Drive  
Mechanicsburg, PA 17055

Application Received: April 29, 2021

Description of Action Installation of a temporary  
booster pump for distribution  
flushing.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 0221513**, Public Water Supply.

Applicant **Blawnox Borough**  
376 Freeport Road  
Blawnox, PA 15238

Township or Borough Blawnox Borough

County **Allegheny**

Responsible Official Deborah E. Laskey  
Council President

Type of Facility Water system

Consulting Engineer Senate Engineering Company  
420 William Pitt Way  
Pittsburgh, PA 15238

Application Received: March 29, 2021

Date

Description of Action Water System Improvements  
Project Phase I which includes  
the installation of a mixing  
system in the 300,000-gallon  
water storage tank.

**Permit No. 0221517**, Public Water Supply.

Applicant **Pennsylvania American  
Water Company**  
852 Wesley Drive  
Mechanicsburg, PA 17055

Borough or Township North Strabane Township

County **Washington**

Type of Facility Water system

Consulting Engineer Pennoni  
750 Holiday Drive  
Building 9  
Suite 700  
Pittsburgh, PA 15220

Application Received: April 22, 2021

Date

Description of Action Replacement of the Christy  
booster station.

**Permit No. 1121503**, Public Water Supply.

Applicant **PA DCNR**  
RCSOB 8th Floor  
400 Market Street  
Harrisburg, PA 17105

Borough or Township White Township

County **Cambria**

Type of Facility Water system

Consulting Engineer PA DCNR—Facility Design &  
Construction  
RCSOB 8th Floor  
400 Market Street  
Harrisburg, PA 17105

Application Received: May 11, 2021

Date

Description of Action Addition of two potassium  
permanganate chemical feeders  
for seasonal manganese removal  
at the water treatment plant.

### WATER ALLOCATIONS

**Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**WA56-1012, Water Allocations. Hooversville Borough**, P.O. Box 176, 50 Main Street, Hooversville, PA 15936, Hooversville Borough, **Somerset County**. Applicant requests the right to purchase 65,000 gallons of water per day, peak month, from the Conemaugh Township Municipal Authority.

### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

#### UNDER ACT 2, 1995 PREAMBLE 1

**Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a



site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the mediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the mediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**1828 Peach Street**, 1828 Peach Street, Chichester, PA 19061, Upper Chichester Township, **Delaware County**. Thomas Hippensteal, PG, P.O. Box 940, Springhouse, PA 19477 on behalf of Federal National Mortgage Associates, 14221 Dallas Parkway # 100, Dallas, TX 75265 submitted a Notice of Intent to Remediate. Soil has been contaminated with the release of No. 2 fuel oil. The proposed future use of the property will be residential. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Spirit* on May 5, 2021.

**HP Inc.—Avondale Groundwater Remediation Site**, 374 Starr Road, Landenberg, PA 19350, New Garden Township, **Chester County**. Thomas Donahue, CDM Smith Inc., 280 Granite Run Drive, Suite 160, Lancaster, PA 17601 on behalf of Christopher Dirscherl, HP Inc., 1501 Page Mill Road, Palo Alto, CA 94304 submitted a Notice of Intent to Remediate. Groundwater and soil have

been contaminated with chlorinated solvents and TCE. The future use of the property will continue to be for nonresidential purposes. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in the *Daily Local News* on May 11, 2021.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**2363 MacArthur Road Property**, 2363 MacArthur Road, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Bluestone Environmental, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of Saint Luke's Bethlehem Campus, 801 Ostrum Street, Fountain Hill, PA 18015, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in the *Morning Call* on May 23, 2021.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Shermans Valley Road Sewer Lining Project**, Shermans Valley Road, west of Potter Lane, Loysville, PA 17047, Tyrone Township, **Perry County**. Sovereign Consulting, Inc., 111-A North Gold Drive, Robbinsville, NJ 08691, on behalf of National Water Main Cleaning (NWMCC), 1806 Newark Turnpike, Kearny, NJ 07032, and Loysville Village Municipal Authority, P.O. Box 133, Loysville, PA 17047 submitted a Notice of Intent to Remediate site soil and groundwater contaminated with styrene from a sewer line repair project. The site will be remediated to the residential Statewide health standard. Future use of the site is to remain residential and commercial. The Notice of Intent to Remediate was published in the *Patriot News* on May 27, 2021.

**Auto One Site**, 1282 Manheim Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of 1282 Manheim Pike, LLC, 950 Smile Way, York, PA 17404, submitted a Notice of Intent to Remediate site groundwater contaminated with VOCs. The site will be remediated to the Background Standard. Future use of the site is to be continued as commercial land. The Notice of Intent to Remediate was published in the *Patriot News* on May 16, 2021.

**Caron Treatment Centers**, 229 North Galen Hall Road, Wernersville, PA 19565, South Heidelberg Township, **Berks County**. Element Environmental Solutions, Inc., 61 Willow Street, P.O. Box 921, Adamstown, PA 19501, on behalf of Caron Treatment Centers, 243 North Galen Hall Road, P.O. Box A, Wernersville, PA 19565 submitted a Notice of Intent to Remediate site soil contaminated with lead and arsenic. The site will be remediated to the residential Statewide health standard. Future use of the site will remain the same, as a behavioral and substance abuse treatment facility. The Notice of Intent to Remediate was published in the *Reading Eagle* on May 17, 2021.

*Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Tanner & Hana 6HC**, 486 Brown Homestead Lane, Wyalusing, PA 18853, Wyalusing Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373,

Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Notice of Intent to Remediate concerning site soil contaminated with oil-based drilling mud. The applicant intends to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was published in *The Daily Review* on May 22, 2021.

**Sunoco Pipeline, L.P. Coal Township Release Site**, Southside of Little Mountain, Coal Township, PA 17866, Coal Township, **Northumberland County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19441, on behalf of Sunoco Pipeline, L.P., 100 Green Street, Marcus Hook, PA 19061, has submitted a Notice of Intent to Remediate concerning site groundwater contaminated with unleaded gasoline. The applicant intends to remediate the site to meet the Statewide health standard for groundwater and the future intended use of the property will remain the right-of-way for the pipeline. A summary of the Notice of Intent to Remediate was published in *The News-Item* on May 11, 2021.

**The Federal National Mortgage Association Property**, 11 East Walker Street, McClure, PA 17841, McClure Borough, **Snyder County**. Envirosearch Consultants, Inc., P.O. Box 940, Spring House, PA 19477, on behalf of The Federal National Mortgage Association, 1000 Dallas Parkway # 1421, Dallas, TX 75265, has submitted a Notice of Intent to Remediate concerning site soil contaminated with No. 2 fuel oil. The applicant intends to remediate the site to meet the Statewide health standard. The future use of the property is planned to be residential. A summary of the Notice of Intent to Remediate was published in the *Snyder County Times* on September 18, 2020.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application(s) Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit Application No. 101691. Triumvirate Environmental of Pittsburgh, Inc.**, 200 Inner Belt Road, Somerville, MA 02143. The application to modify an existing regulated medical waste processing facility permit to increase the permit area and processing capacity of the Jeannette ICW Processing Facility, 1092 Claridge Elliott Road, Jeannette, PA 15644 in Penn Township, **Westmoreland County** was accepted as administratively complete in the Regional Office on May 28, 2021.

Comments concerning the application should be directed to Gregory Holesh, Environmental Engineering Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Persons interested in obtaining more information about the general permit application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**Permit Application ID No. 300615. ATON Environmental, LLC**, 5430 Fox Hill Road, Hilliard, OH 43026. A Solid Waste Management permit application was received for reissuing the permit for a change of ownership of the Fern Valley Ash Disposal Site, located in Jefferson Hills Borough, Allegheny County. The application was deemed administratively complete by the Regional Office on May 27, 2021.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

**Application ID No. 301380. Brat Towing and Recovery, Inc.**, 804 Horner St, Johnstown, PA 15902. An application for a permit for a residual waste processing facility at 804 Horner St, Johnstown, PA 15902. City of Johnstown Township, **Cambria County**, was accepted in the Regional Office on May 25, 2021.

Comments concerning the application should be directed to Waste Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222. Persons interested in obtaining more information about the general permit application may contact the Southwest Regional Office, (412) 442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application

*Northwest Region: Christina Wilhelm, Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit Application No. 300845. Meadville Redi-mix Concrete, Inc.**, P.O. Box 418, Meadville, PA 16335, East Fairfield Township, **Crawford County**. Meadville Redi-mix submitted an application for a permit renewal of their construction/demolition waste landfill to continue operation for another ten years. The application was received by the Northwest Regional Office on May 15, 2021.

Comments concerning the application should be directed to Christina Wilhelm, Waste Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the general permit application may contact the Regional Office, 814-332-6848. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, 800-654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.



The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief, (484) 250-5920.*

**46-0013G: Clemens Food Group** (2700 Clemens Rd., Hatfield, PA 19440-0902) for the installation of a pre-filter to control PM emissions followed by a thermal recuperative oxidizer (TRO) for control of VOC and PM emissions from the existing twelve (12) smokehouses that use liquid or natural smoke. In addition, the plan approval application proposes the installation of a new sausage cooking line equipped with an oil mist elimination system to control particulate matter and two (2) new hot water heaters at their meat processing facility in Hatfield Township, **Montgomery County**.

As a result of potential emissions of nitrogen oxides (NO<sub>x</sub>), the facility is Title V facility. The facility has a plantwide Federally Enforceable Emission Cap (FEEC) of 74.15 tons per year for NO<sub>x</sub>.

In addition, the Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the plan approval can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Raymond Kempa, New Source Review Chief, (570) 826-2507.*

**66-00001: Procter and Gamble Paper Products Co.** (P. O. Box 32, State Route 87 South, Mehoopany, PA 18629). The Department intends to issue an amended Title V Operating Permit for operation in Washington Township, **Wyoming County**. The amendment is intended to correct case-by-case RACT II conditions for incorrectly labeled sources. The proposed Title V Operating Permit contains all applicable requirements including Federal and State regulations. The proposed operating permit includes all applicable emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source.*

*Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**06-05034A: Texas Eastern Transmission/Bechtelsville** (467 Forgedale Road, Barto, PA 19504) for the construction of two (2) new natural gas-fired simple cycle turbines at the Bechtelsville Compressor Station located in Washington Township, **Berks County**. These new turbines will replace four (4) turbines. The turbines will be built with SoLoNO<sub>x</sub> dry low NO<sub>x</sub> (DLN) technology for the control of NO<sub>x</sub> and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current Leroi emergency generator (Source ID 105) with a Waukesha VGF24GL 585 bhp, natural gas, emergency generator. The project will also include the installation of five (5) natural gas fired heaters (one (1) 0.050 MMBtu/hr heat input unit, two (2) 0.105 MMBtu/hr heat input units and two (2) 1.154 MMBtu/hr heat input units), five (5) separator vessels (two (2) 83-gallon separator vessels, two (2) 33-gallon separator vessels, and one (1) 185-gallon

vessel), one (1) 1,880 gallon pipeline liquids tank, one (1) 3,550 gallon oil tank and one (1) 12,690 gallon oily water tank. The expected facility potential emissions as a result of the changes proposed are: NO<sub>x</sub> 48 tpy, CO 39 tpy, PM<sub>9</sub> 9 tpy, PM<sub>10</sub> 9 tpy, SO<sub>2</sub> 20 tpy, VOCs 44 tpy and HAPs 3 tpy. The facility will be a State Only facility upon completion of the project. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60, Subpart KKKK—Standards of Performance for Stationary Combustion Turbines and 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

**67-05092I: Starbucks Coffee Company** (3000 Espresso Way, York, PA 17406) for the installation of a new roasting train to replace the existing Roasting Train No. 3 and new chaff press cartridge collector to supplement the existing fabric collector at the facility located in East Manchester Township, **York County**. The new roasting train will include the following equipment: two preheaters, two roasters, two cooling trays, two destoners, two regenerative thermal oxidizers (RTO), and four cyclones. The following existing equipment will be removed: two roasters, two cooling trays, two catalytic oxidizers, and two cyclones. The expected potential emissions from this project are as follows: 10.11 tpy CO; 33.45 tpy NO<sub>x</sub>; 14.35 tpy PM<sub>10</sub>; 31.89 tpy VOC; and less than 1 tpy of SO<sub>x</sub> and HAPs. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code § 127.1 and 127.12. Based on this finding, DEP proposes to issue a plan approval for the proposed installation. The facility is a State Only facility. If DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

#### OPERATING PERMITS

##### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**36-05014: Arconic Lancaster Corporation** (1480 Manheim Pike, Lancaster, PA 17604-3167) for operation of the secondary aluminum production facility in Manheim Township, **Lancaster County**. Actual emissions from the facility in 2019 were estimated at 97.28 tons CO, 170.14 tons NO<sub>x</sub>, 42.68 tons PM<sub>10</sub>, 40.86 tons PM<sub>2.5</sub>, 0.69 ton SO<sub>x</sub>, 160.37 tons VOC, 5.10 tons of a single HAP (hydrochloric acid), and 10.30 tons of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52 and 40 CFR 60, Subpart TT—Standards of Performance for Metal Coil Surface Coating, 40 CFR 63 Subpart SSSS—National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Coil, 40 CFR 63, Subpart RRR—National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production, 40 CFR 60, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, and 40 CFR 63, Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6328.*

**10-00284: Seneca Landfill, Inc.**, (P.O. Box 1080, Mars, PA 16046-1080). The Department intends to renew the Title V operating permit for the municipal waste landfill located in Jackson and Lancaster Townships, **Butler County**. The facility is not a major source for any criteria pollutants. The facility is considered a Title V facility only under paragraph (iv) of 25 Pa. Code § 121.1. The facility is a Title V facility due to the EPA promulgating a rule requiring regulation of municipal solid waste landfills under Title V of the Clean Air Act. The facility's emission sources include: 3.8 million Btu/hr natural gas fueled waste water treatment plant boiler; municipal waste landfill; landfill gas processing plant; a 250 mcf/hr landfill gas fueled generator; 2 diesel-fueled emergency generators; 7 diesel engines which power 2 tipplers, a portable rock crusher, 2 portable screens, 2 wood grinders; a parts washer; and 2 approved landfill gas fueled 1,966 hp electric generators which have not yet been installed. Actual reported emissions for the facility for 2020 were: 9.4974 tons NO<sub>x</sub>; 0.7542 ton SO<sub>x</sub>; 21.6304 tons CO; 45.9890 tons PM<sub>10</sub>; 12.0795 tons PM<sub>2.5</sub>; 31.2537 tons VOCs; 0.3818 ton all HAPs combined; and 33,798 tons CO<sub>2</sub>. This facility is subject to the following Standards of Performance of 40 CFR Part 60: Subparts WWW and XXX for Municipal Solid Waste Landfills and Subpart OOO for Nonmetallic Mineral Processing Plants and Subpart JJJJ for Stationary Spark Ignition Internal Combustion Engines. It is also subject to the following National Emission Standards for Hazardous Air Pollutants in 40 CFR Part 63: Subpart AAAA for Municipal Solid Waste Landfills and Subpart ZZZZ for Stationary Reciprocating Internal Combustion Engines. The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The conditions of the previous plan approvals and operating permit are incorporated into the renewal permit.

**32-00040: Seward Generating Station** (595 Plant Road, New Florence, PA 15944). The Department intends



to issue the renewal Title V Operating Permit of an electric utility steam generating facility located in East Wheatfield Township, **Indiana County**. Permitted air contamination sources at the facility include two circulating fluidized bed (CFB) waste coal-fired boilers, limestone dryers, several diesel engines, space heaters, cooling tower, cold cleaning machines, material handling operations, and various fugitive dust sources. In this renewal, major permit changes made are the following: addition of the Cross-State Air Pollution Rule (40 CFR 97 Subparts AAAAA, CCCCC, EEEEE and the newly promulgated GGGGG); addition of Additional Reasonably Available Control Technology (RACT) Requirements for Major Sources of NO<sub>x</sub> and VOC (RACT II, 25 Pa. Code §§ 129.96—129.100); addition of contingency measures pursuant to the approved Indiana County SO<sub>2</sub> SIP revision plan; addition of 25 Pa. Code § 123.22 for fuel oil-combusting sources; incorporation of 60 Subparts Da and OOO, and 63 Subpart UUUUU, which were previously incorporated by reference only; addition of compliance schedule to amend CEMS certification to include pounds per hour (lb/hr) data for sulfur dioxide (SO<sub>2</sub>) and NO<sub>x</sub>; updated source test submittals; removal of # 2 fuel oil tank as a permitted source; removal of 60 Subpart Y, which is determined not applicable to waste coal handling operation; corrected implementation of 60 Subpart OOO, determined applicable to limestone handling operations but not to limestone dryers; and updated requirements for the space heaters.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**46-00285: Montgomery County Crematory** (516 Fayette Street, Conshohocken, PA 19428), for the renewal of a State Only, Natural Minor Operating Permit Renewal in Conshohocken Borough, **Montgomery County**. The permit is for a non-Title V (State Only) facility. Montgomery County Crematory operates a 175 lb/hr Matthews Human Cremation Unit at an existing funeral home. There are no other significant sources of emissions at this facility. The following are potential emissions from the human cremation unit: 2.7 TPY of PM, PM<sub>10</sub>, and PM<sub>2.5</sub>; 0.96 TPY of SO<sub>x</sub>; 3.83 TPY of CO; 1.15 TPY of NO<sub>x</sub>; and 1.15 TPY of VOC. The renewed permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**44-05013: Glenn O'Hawbaker, Inc.** (711 East College Avenue, Bellefonte, PA 16823), to issue a State-Only Operating Permit renewal for Naginey Quarry located at

Armagh Township, **Mifflin County**. The primary emissions from the facility are particulate matter. The facility's actual emissions based on 6,000 hours operation are 2.65 tpy. The Operating Permit will include emission limits and work practice requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, NSPS, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**56-00299: Hoover Conveyor and Fabrication Corp.** (262 Industrial Park Road, P.O. Box 179, Meyersdale, PA 15613-7258). In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Hoover Conveyor and Fabrication Corp to authorize the continued operation of their Meyersdale facility in Meyersdale Boro, **Somerset County**. Hoover Conveyor and Fabrication Corp. manufacture and services conveyors and other equipment used in the mining and aggregate industries.

The facility consists of boilers, spray booth, lathes, welders, shears, sand blasters and other miscellaneous equipment associated with this type of operation. The estimated uncontrolled potential emissions from this facility are approximately 2.46 tons per year (tpy) of PM<sub>10</sub>, 1.32 tpy of NO<sub>x</sub>, 10.73 tpy of SO<sub>x</sub>, 9.34 tpy of VOCs and 3.65 tpy of HAPS. The proposed SOOP renewal contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145 and 40 CFR Part 63, Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (56-00299) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Hoover Conveyor and Fabrication Corp. State Only Operating Permit Application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Hoover Conveyor and Fabrication Corp. State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.



*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**25-01058: Kloecker Funeral Home and Crematory, Inc.** (2502 Sassafras St, Erie, PA 16502). The Department is providing notice that they intend to issue a new State Only Natural Minor Operating Permit for operation of the human crematory located in the City of Erie, **Erie County**. The facility's primary emission source consists of a human crematory. The potential emissions of the primary pollutants from the facility are as follows: 1.169 TPY (tons per year) NO<sub>x</sub>, 0.969 TPY CO, 0.098 TPY VOC, 0.799 TPY filterable PM, and 0.713 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The crematory is subject to Plan Approval 25-1058A which includes opacity and emission restrictions. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**37-00319: Three Rivers Aggregates, LLC Wampum Plant** (3118 Wampum Road, Wampum, PA 16157). The Department intends to issue a Natural Minor State Only Operating Permit renewal for the operation of a sand and gravel processing facility located in North Beaver Township, **Lawrence County**. The operation of the facility's air contamination source consists of crushing, screening, transferring, stockpiling, one diesel engine, roadways, and unloading/loading. The potential emissions are estimated at 16.14 tpy NO<sub>x</sub>, 0.19 tpy CO, 0.13 tpy SO<sub>x</sub>, 0.67 tpy VOC, 11.68 tpy PM, and 4.77 tpy PM<sub>10</sub>. The facility is subject to State Regulations and Federal Regulations (NSPS 40 CFR Part 60 Subpart OOO and NESHAP 40 CFR Part 63 Subpart ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**43-00386: Sandy Creek Cremation and Monument Company** (3236 S. Main Street, Sandy Lake, PA 16145). The Department intends to issue a Natural Minor State Only Operating Permit for the operation of a human incinerator located in Sandy Lake Borough, **Mercer County**. The subject facility consists of one 150 lb/hr human incinerator, Matthews Environmental Solutions natural gas-fired rated at 1.0 MMBtu/hr primary chamber and 1.2 MMBtu/hr. The potential emissions are less than 1.0 tpy for all criteria pollutants. The facility is subject to State Regulations. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**61-00032: Hickman Lumber Company** (P.O. Box 130, Emlenton, PA 16373-0130). The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for the sawmill and kiln operations located in Scrubgrass Township, **Venango County**. The facility's primary emission sources include a 7 mmBtu/hr natural gas-fired boiler, the 14.3mmBtu/hr wood-fired boiler, sawmill operations, seven (7) lumber-drying kilns, and wax end seal and paint operations. The potential emissions of the primary pollutants from the facility are as follows: 17.01 TPY (tons per year) NO<sub>x</sub>, 40.29 TPY CO, 1.89 TPY VOC, 4.69 TPY filterable PM<sub>10</sub> and PM<sub>2.5</sub>, and 1.59 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The wood boiler is subject to 40 CFR 63 Subpart JJJJJJ, NESHAP for Industrial, Commercial, and Institutional Boilers Area Sources. The renewal

permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.*

The City of Philadelphia, Air Management Services (AMS) intends to issue an initial Natural Minor Operating Permit for operation of air pollution sources at the following facility:

**OP21-000001: SEPTA—Headquarters Building** (1234 Market Street, Philadelphia, PA 19107) for the operation of a corporate office, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include three (3) boilers firing natural gas each rated less than 8.5 MMBtu/hr, and one (1) emergency generator firing diesel fuel rated 1,200 HP. The operating permit will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on

a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as

provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

#### *Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	

Alkalinity greater than acidity<sup>1</sup>

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).*

**Permit No. 56960106 and NPDES No. PA0234192. Rosebud Mining Co.**, 301 Market Street, Kittanning, PA 16201, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Lincoln Township, **Somerset County** affecting 352.6 acres. Receiving streams: North Branch Quemahoning Creek and Horner Run classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Quemahoning SWI. Application received: May 25, 2021.

**Permit No. 32160101 and NPDES No. PA0279498. P&N Coal Co., Inc.**, P.O. Box 332, Punxsutawney, PA 15767, land use change from forestland to unmanaged natural habitat on a bituminous surface mine in Banks and Burnside Townships, **Indiana and Clearfield Counties**, affecting 82.3 acres. Receiving streams: unnamed tributaries to Cush Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: May 27, 2021.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).*

**Permit No. 33080105. Original Fuels, Inc.**, P.O. Box 343, Punxsutawney, PA 15767, revision to an existing bituminous surface mine to change the post-mining land use from Forestland to Unmanaged Natural Habitat on the properties of Gary D. Fairman, Diane J. Campbell, and Tyler P. Wingard in Perry and Young Townships, **Jefferson County**, affecting 447.4 acres. Receiving stream(s): Unnamed tributaries to Mahoning Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: May 7, 2021.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).*

**Permit No. 17140102 and NPDES No. PA0269689. River Hill Coal Company, Inc.**, P.O. Box 141, Kylertown, PA 16847, permit renewal for continued operation and restoration of a bituminous surface and auger coal mine located in Burnside Township, **Clearfield County** affecting 385.6 acres. Receiving stream(s): Unnamed Tributaries to Deer Run and Deer Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: May 19, 2021.

*New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).*

**Permit No. 02860201 and NPDES Permit No. PA0588407. IP Harmar Holdings LLC**, 2929 Allen Parkway, Suite 3275, Houston, TX 77019. Renewal application for continued mining to an existing bituminous surface mine, located in

Harmar Township, **Allegheny County**, affecting 168.3 acres. Receiving streams: Guys Run, classified for the following use WWF. Wilksburg Penn Joint Water Authority and Pittsburgh Water and Sewer Authority are the potable water supply intakes within 10 miles downstream from the point of discharge. Renewal application received: May 24, 2021.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).*

**Permit No. 7574SM2 and NPDES No. PA0614343, Hempt Brothers, Inc.**, P.O. Box 77, New Enterprise, PA 16664, renewal of an NPDES permit, located in Lower Allen Township, **Cumberland County**, affecting 29 acres. Receiving stream: Yellow Breeches Creek classified for the following uses: cold water fishes, migratory fishes. There are no potable water supply intakes within 10 miles downstream. Application received: May 25, 2021.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).*

**Permit No. 10210302. Three Rivers Aggregates, LLC**, 1807 Shenango Road, New Galilee, PA 16141, commencement, operation, and restoration of a large industrial minerals surface mine in Worth Township, **Butler County**, affecting 42.4 acres. Receiving stream(s): Unnamed tributary to Black Run, Black Run, and Slippery Rock Creek classified for the following use(s): Unclassified and CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: April 26, 2021.

*New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).*

**Permit No. 26840301 and NPDES Permit No. PA0200042. Norman Thomson**, P.O. Box 10, Lemont Furnace, PA 15456. NPDES renewal application for continued mining to an existing large noncoal surface mine, located in North Union Township, **Fayette County**, affecting 50.2 acres. Receiving streams: unnamed tributary to Cove Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: May 21, 2021.

**Permit No. 02010301 and NPDES Permit No. PA0202916. Redland Brick, Inc.**, 26 Rich Hill Road, Cheswick, PA 15024-2317. NPDES renewal application for continued mining to an existing large noncoal surface mine, located in Harmar Township, **Allegheny County**, affecting 48.0 acres. Receiving streams: Deer Creek, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: May 21, 2021.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\*The parameter is applicable at all times.



A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

*Coal NPDES Draft Permits*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342.8200.*

**NPDES No. PA0256315 (Mining Permit No. 59060101). Phoenix Resources, Inc.,** 782 Antrim Road, Wellsboro, PA 16901, renewal of an NPDES permit for bituminous surface coal mining in Duncan Township, **Tioga County**, affecting 80.9 acres. Receiving stream(s): Rock Run, classified for the following use(s): Cold Water Fishes (CWF). This receiving stream is included in the Babb Creek TMDL. Application received: March 29, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Rock Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Treatment Facility 1 (TF1)
004	N	Sediment Pond (BA1)

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	1.5	3.0	3.7
Manganese (mg/L)	1.0	2.0	2.5

<i>Outfalls: 001 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 004 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	3.4	6.8	8.5
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

**NPDES No. PA0242951 (Mining Permit No. 17000107). King Coal Sales, Inc.,** P.O. Box 712, Philipsburg, PA 16201, renewal of an NPDES permit for coal surface mine in Bigler and Woodward Townships, **Clearfield County**, affecting 167.8 acres. Receiving stream(s): Unnamed Tributaries to Upper Morgan Run, classified for the following use(s): Cold Water Fishes. This receiving stream is included in the North Branch Upper Morgan Run TMDL. Application received: January 7, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Unnamed Tributary 1 to Upper Morgan Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
002	N	Sediment Pond SB-1A
003	N	Sediment Pond SB-1B
004	N	Treatment Pond TP-2
005	N	Sediment Pond SB-3C
006	N	Sediment Pond SB-4
007	N	Treatment Pond TP-5
104	Y	Sediment Pond SB-2B
105	Y	Sediment Pond SB-2A
106	Y	Sediment Pond SB-3B
107	Y	Sediment Pond SB-3A

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 004 and 007 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 002, 003, 005, 006, 104—107 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	3.5	7.0	8.7



<i>Outfalls: 002, 003, 005, 006, 104—107 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following outfalls discharge to Unnamed Tributary 2 to Upper Morgan Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Treatment Pond TP-1
101	N	Sediment Pond SB-5
102	Y	Sediment Pond SB-A
103	N	Sediment Pond SB-2C

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 101—103 (Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Monitor & Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 101—103 (≤10-yr/24-hr Precip. Event)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Outfalls: 101—103 (>10-yr/24-hr Precip. Event)*  
 pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
 Alkalinity must exceed acidity at all times.

**NPDES No. PA0257265 (Mining Permit No. 17100101), Waroquier Coal Company, P.O. Box 128, Clearfield, PA 16830, renewal of an NPDES permit for bituminous coal surface mining in Lawrence Township, Clearfield County, affecting 115 acres. Receiving stream(s): Two (2) unnamed tributaries to the West Branch Susquehanna River and one (1) unnamed tributary to Clearfield Creek, classified for the following use(s): CWF. The receiving streams are subject to the West Branch Susquehanna River Watershed TMDL and the Clearfield Creek Watershed TMDL. Application received: January 5, 2021.**

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to two (2) unnamed tributaries to the West Branch Susquehanna River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001 (TF1)	N	Treatment Facility 1
002 (TF2)	N	Treatment Facility 2
003 (TF3)	N	Treatment Facility 3
004 (TF4)	N	Treatment Facility 4
005 (SPA)	N	Sediment Pond A
006 (SPB)	N	Sediment Pond B
007 (SPC)	N	Sediment Pond C

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 &amp; 002 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	1.5	1.8
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 003 &amp; 004 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	2.9	5.8	7.0
Manganese (mg/L)	1.9	3.8	4.7
Aluminum (mg/L)	0.75	1.5	1.8
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 005 &amp; 006 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	1.5	3.0	3.7
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 007 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	2.9	5.8	7.0
Manganese (mg/L)	1.9	3.8	4.7
Aluminum (mg/L)	1.4	2.8	3.5
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following outfall discharges to an unnamed tributary to Clearfield Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
008 (SPD)	N	Sediment Pond D

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 008 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	2.1	4.2	5.2
Manganese (mg/L)	1.4	2.8	3.5
Aluminum (mg/L)	1.0	2.0	2.5
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

*New Stanton District Mining Office, P.O. Box 133, New Stanton, PA 15672, (724) 925.5500.*

**NPDES No. PA0202134 (Mining Permit No. 03970110) Mears Enterprises, Inc.**, 2770 Tanoma Road, Clymer, PA 15728, NPDES permit renewal for continued water treatment at a reclaimed surface coal mine in Valley Township, **Armstrong County**, affecting 27.4 acres. Receiving stream(s): UNT to Cowanshannock Creek, classified for WWF use, with Cowanshannock Creek classified for TSF use. The first downstream potable water supply intake from the point of discharge is Kittanning Suburban Joint Water Authority (PWS 5030043) on the Allegheny River at Tarrtown, PA. Application received: July 6, 2020.

The following treated wastewater outfall discharges to UNT to Cowanshannock Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
MPA	N	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron	3.0	6.0	7.0
Total Manganese	2.0	4.0	5.0
Total Aluminum	2.0	4.0	5.0
Total Suspended Solids	35.0	70.0	90.0
Sulfate			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

*Noncoal NPDES Draft Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.*

**NPDES Permit No. PA00594954. Lehigh Cement Co., LLC**, 7660 Imperial Way, Allentown, PA 18195, NPDES, renewal of Individual NPDES Permit Associated with Noncoal Mining Activities on SMP No. 7775SM5 in Oley Township, **Berks County**, affecting 91.04 acres. Receiving stream: Limekiln Creek, classified for the following use: warm water fishes. The first downstream potable water supply intake from the point of discharge is PA American Royersford, Schuylkill River. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 2. Application received: April 29, 2020.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>		<i>Type</i>	
001	No		Treatment Facility Outfall	
<i>Outfalls: Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Acidity (mg/L)				Report
Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Flow (GPM or MGD)		2.16		2.88

**NPDES Permit No. PA0595241. Lehigh Cement Co., LLC**, 7660 Imperial Way, Allentown, PA 18195, renewal of Individual NPDES Permit Associated with Noncoal Mining Activities on SMP No. 45170301 in Ross Township, **Monroe County**, affecting 283.0 acres. Receiving stream: Buckwha Creek Watershed, classified for the following uses: cold water and migratory fishes. The first downstream potable water supply intake from the point of discharge is at Cementon, PA. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 1 for Noncoal Mining Operations in addition to the limits identified in Table 2. Application received: February 5, 2021.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	No	Stormwater/Groundwater

<i>Outfalls: Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Flow (MGD)		0.75		
Free Cyanide (µg/L)		Monitor And Report		

**NPDES Permit No. PA0594644. Kinsley Construction, Inc.**, P.O. Box 2886, York, PA 17405, renewal of NPDES Permit on SMP Nos. 4873SM8 and 4873SM5 in West Manchester Township, **York County**, affecting 579.09 acres. Receiving streams: unnamed tributary to the Codorus Creek Watershed, classified for the following uses: warm water and migratory fishes. The first downstream potable water supply intake from the point of discharge is at Wrightsville, PA. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 1 for Noncoal Mining Activities in addition to the limits identified in Table 2. Application received: February 10, 2021.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>		
004	No	Stormwater/Groundwater		

<i>Outfalls: Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Flow (MGD)		0.50		
Oil and Grease mg/L)		Annual Report		

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epwv-sero@pa.gov.*

**Permit No. E2301221-009, City of Philadelphia, Division of Aviation (DOA)**, Philadelphia International Airport Terminal D, Third Floor, Philadelphia, PA 19153, Tincum Township, **Delaware County**, ACOE Philadelphia District.

The City of Philadelphia DOA is proposing to place fill and perform various floodplain activities in order to relocate portions of Taxiway P within the 100-year floodplain of the Delaware River (WWF-MF) resulting in an overall 2,998,216 square feet (68.6 acres) of permanent impact to the floodplain which includes milling and overlay, full depth taxiway reconstruction, and the placement of a low density cellular concrete (LDCC) in areas to protect underground infrastructure. Fill for this project will be supplied from two (2) existing stockpiles within the floodplain resulting in 480,000 square feet (11.0 acres) of temporary floodplain impact.

This project is located at the Philadelphia International Airport in Tincum Township, Delaware County (USGS PA Bridgeport; Philadelphia; Woodbury Quadrangle—Latitude: 39.869444 N; Longitude: -75.244303 W).

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E3902221-004. South Whitehall Township**, 4444 Walbert Avenue, Allentown, PA 18104, in South Whitehall Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.



To construct and maintain the following water obstructions and encroachments associated with the Jordan Creek Greenway Trail—Wehr Mill Road to Lapp Road Project:

- A fill within the floodway of Jordan Creek (TSF, MF) consisting of a 10-foot wide, 3,956-LF, at-grade asphalt trail.
- A fill within the floodplain of Jordan Creek (TSF, MF) consisting of a 10-foot wide, 1,716-LF, at-grade asphalt trail.

The project begins at the intersection of Wehr Mill Road and River Road and terminates at the intersection of Lapp Road and River Road (Cementon, PA Quadrangle Latitude: 40° 37' 43"; Longitude: -75° 33' 40") in South Whitehall Township, Lehigh County.

**E5402221-004. Richard C. Hardy**, 2034 Wynonah Drive, Auburn, PA 17922-9366, in South Mainheim Township, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Richard Hardy Property:

- 1) To maintain an existing 3.5-foot high, 174-LF wooden bulkhead within the normal pool elevation of Lake Wynonah (CWF, MF).
- 2) To maintain an existing 104 ft<sup>2</sup>, floating wooden dock and gangway within the normal pool elevation of Lake Wynonah (CWF, MF).
- 3) To maintain an existing 128 ft<sup>2</sup>, floating wooden dock and gangway within the normal pool elevation of Lake Wynonah (CWF, MF).
- 4) To maintain an existing 176 ft<sup>2</sup>, floating wooden dock and gangway within the normal pool elevation of Lake Wynonah (CWF, MF).
- 5) To construct and maintain a 110 ft<sup>2</sup>, pile-supported aluminum boat lift within the normal pool elevation of Lake Wynonah (CWF, MF).

The project is located at 2034 Wynonah Drive, directly south of the intersection of Moccasin Drive and Wynonah Drive (Friedensburg, PA Quadrangle, Latitude: 40° 35' 49.58"; Longitude: -76° 10' 3.31") in South Manheim Township, Schuylkill County.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E0603220-032. Borough of Bally**, 425 Chestnut Street, P.O. Box 217, Bally, PA 19503-0217, **Berks County**, U.S. Army Corps of Engineers, Baltimore District.

To remove the existing crossing and to construct and maintain a sanitary sewer line crossing of tributary West Branch Perkiomen Creek. Sanitary line consists of 18 i.f. across tributary consisting of 10-inch ductile iron pipe (DIP) a minimum of 12" below streambed elevation. The project is located along Church Street, approximately 0.5-mile Southeast of intersection with Main Street. (East Greenville, PA Quadrangle, Latitude: 40.399382; Longitude: -75.583964) in Bally Borough, Berks County.

**E3103221-001. Teena Wise**, 260 Robin Ann Court, York, PA 17406-1411, **Huntingdon County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 14-foot wide steel girder/steel grate bridge, having a 27-foot span and a 4.3-foot underclearance, across Roaring Run to provide access to residential property. The project is located off Roaring Run Road, approximately 0.3-mile Southeast of intersection with Coles Valley Road. (Saltillo, PA Quadrangle, Latitude: 40.182231; Longitude: -78.065463) in Wood Township, Huntingdon County.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E4403220-021. Randall Sunderland**, 13400 Weiler Road, Huntingdon, PA 16652. Randall Sunderland Project, in Brown Township, **Mifflin County**, ACOE Baltimore District (Barrville, PA Quadrangle; Latitude: 40° 38' 50.85"; Longitude: -77° 44' 44.86").

On behalf of Randall Sunderland, a Joint Permit Application for Pennsylvania Chapter 105 Water Obstructions and Encroachment Permit and U.S. Army Corps of Engineers Section 404 Permit is being submitted for the approval to construct a bridge across Kishacoquillas Creek in order to serve access to his private property.

The site is located in the east, rear-most corner of the field behind 64 E Hooley Lane in Brown Township, Mifflin County. A USGS Location Map showing the project location can be found enclosed within this Project Review submission. The property owner is not able to obtain an easement through the neighboring property to gain access via K V Railroad drive to the east, and therefore needs to construct a bridge across Kishacoquillas Creek to access his property from SR 655. Kishacoquillas Creek flows parallel to the entire frontage of the property and K V Railroad drive; therefore it is necessary to impact the stream in order to gain access to the owner's property. The project will consist of constructing a 7-foot wide, single span bridge that will span 47-feet across Kishacoquillas Creek. The bridge will be accessed from 50-foot wide right-of-way purchased from Walter Jr. and Donna Schmidt by a 10-foot wide driveway. The driveway is accessed off of State Route 655 along the northeast edge of the flag parcel and follows the woods line until the bridge location is reached.

The installation of the bridge will disturb approximately 0.106 acre, with a permanent impact of 0.01 acre. The proposed bridge is located within the floodway (FEMA Rate Map # 42087C0145C eff. August 16, 2016) and was sited to avoid impacts to existing wetlands. No existing structures will be affected upon completion.

At the location of the bridge crossing, the east stream bank is naturally higher than on the west side. The top of grate of the bridge was sited to match the top of the east stream bank. In doing so, the western stream bank will require additional fill material at a straight slope. The concrete footer locations were set behind the top of bank elevation determined by the eastern bank.

Excavation for the proposed bridge construction is minimal, only that of which is required for the placement of the concrete footers.

**E4904221-003. Turbot Township**, 1190 Broadway Road, Milton, PA 17847. Stamm Road and Muddy Run Road Improvements, in Turbot Township, **Northumberland County**, ACOE Baltimore District (Milton, PA Quadrangle; Latitude: 41° 2' 4.8"; Longitude: -76° 49' 1.4").



The proposed project includes maintenance and widening of 2.6 miles of roadway (Stamm Road and Muddy Run Road) within Turbot Township. A total of twenty-five (25) floodway and or floodplain impacts are proposed along the 2.6 miles of roadway. These impacts include temporary and permanent disturbances to two (2) unnamed tributaries to Limestone Run; Warm Water Fisheries (Watercourses 1 and 2), to Muddy Run; Warm Water Fishery (Watercourse 3) and an unnamed tributary to Muddy Run; Warm Water Fishery (Watercourse 4). The southern portion of the roadway improvements project is located within the watershed of an unnamed tributary to Limestone Run (Watercourses 1 and 2). The northern portion of the project is located within the watershed of Muddy Run (Watercourses 3, 4). Twelve (12) wetland areas (Wetlands 1—12) were observed within or along the study area for the proposed roadway improvements project, but no temporary or permanent wetland impacts are proposed as part of this project. Most of the work will occur within the cart path and along the shoulders of the existing roadways.

*Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E0306121-001, PADOT, Engineering District 10-0**, 2550 Oakland Ave., Indiana, PA 15701. SR 0028 Section 166 Poverty Hill Bridge Replacement, in Rayburn Township, **Armstrong County**, ACOE Pittsburgh District (Mosgrove, PA Quadrangle N: 40°, 49', 24.43"; W: 79°, 29', 7.21").

To abandon the existing concrete slab structure and to construct and maintain a 112-ft long concrete box culvert with a 16-ft wide by 7.5-ft high waterway opening along SR 0028, Section 166, Segment 0290, Offset 0052 over UNT Cowanshannock Creek in Rayburn Township, Armstrong County. The proposed structure will be constructed to better align with stream flow, resulting in the loss of 277 linear feet of stream channel, and the construction of 287 linear feet of new stream channel along UNT Cowanshannock Creek. An additional 100 linear feet of UNT Cowanshannock Creek will be temporarily impacted during construction. A total of 0.048-ac of permanent wetland impacts are proposed. No temporary wetland impacts are proposed. Once construction of the proposed box culvert is complete, the existing concrete slab structure is to be abandoned in place with flowable fill material.

**E1006221-004, Jackson Township**, 140 Magill Road, Zelenople, PA 16163. Reservoir Park Pedestrian Bridge, in Jackson Township, **Butler County**, ACOE Pittsburgh District (Zelenople & Evans City, PA Quadrangle N: 40.804952°; W: -80.133915°).

The Applicant proposes to construct and maintain an approximately 8 feet wide by 40 feet long pedestrian bridge over Scholars Run (WWF) in Reservoir Park and the construction and maintenance of a spillway and other basin features of a non-jurisdictional dam near the confluence of Scholars Run and Connequenessing Creek in Jackson Township, Butler County.

*Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.*

**E6383221-070. Pennsylvania Turnpike Commission**, 700 S. Eisenhower Blvd, Middletown, PA 17057. Cecil Township and McDonald Borough, **Washington County**, U.S. Army Corps of Engineers, Pittsburgh District.

To authorize and maintain the following activities associated with the PA Turnpike SR 0980 Drainage Improvement Project:

1. To remove and replace an existing stream enclosure that is carrying a tributary to Robinson Run (WWF). Total permanent impact of 717 LF of 24-inch pipe to be removed and replaced with 170 LF of new stream enclosure of 48-inch pipe. (Latitude: 40° 21' 55"; Longitude: -80° 14' 06")

2. To remove and relocate an existing open stream that is carrying a tributary to Robinson Run (WWF). Total permanent impact of 170 LF of open channel stream to be removed and relocated with 680 LF of open channel stream. (Latitude: 40° 21' 55"; Longitude: -80° 14' 06")

3. To remove and extend an existing stream enclosure that is carrying a tributary to Robinson Run (WWF). Total permanent impact of 545 LF of various-sized stream enclosure will be removed and replaced with a 670 LF, 66-inch stream enclosure. (Latitude: 40° 21' 55"; Longitude: -80° 14' 06")

4. To construct and maintain an outfall with riprap outlet protection in Robinson Run (WWF). Permanent impact of 228 SF to install a headwall and riprap rock. (Latitude: 40° 22' 02"; Longitude: -80° 14' 05")

5. To fill a PEM wetland for replacement of a storm drainage pipe system. Permanent impact of 200 SF because of grading associated with construction. (Latitude: 40° 21' 48"; Longitude: -80° 13' 59")

In total the project will result in 0.08 acre of permanent stream impact, 0.99 acre of permanent floodway impact, and less than 0.01 acre of permanent wetland impact.

This project is located along South McDonald Street (SR 0980) (Canonsburg, PA Quadrangle, Latitude: 40° 21' 52"; Longitude: -80° 14' 06") in Cecil Township and McDonald Borough, Washington County.

## ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**EA3803221-001. Doc Fritchey Chapter Trout Unlimited**, P.O. Box 227, Palmyra, PA 17078 in West Cornwall Township, **Lebanon County**, U.S. Army Corps of Engineers Baltimore District.

To conduct a stream restoration project along 2,000 feet of Beck Creek (TSF, MF) including 1.) the installation and maintenance of 65.0 feet of boulder toe benches; 2.) the installation and maintenance of 215 feet of Class I (12—18 inch) rip rap; 3.) the installation and maintenance of 956.0 feet of toe wood and soil lifts; 4.) the installation and maintenance of one Boulder J-Hook vane; 5.) the relocation and maintenance of 785 feet of Beck Creek (TSF, MF); 6.) the construction and maintenance of 368.0 feet of constructed riffles and boulder runs; 7.) the grading and maintenance of 5.15 acres of palustrine emergent, scrub-shrub and forested wetlands; and 8.) the installation and maintenance of two 6.0-inch diameter PVC intake pipes, all for the purposes of reducing erosion and enhancing habitat in the stream and wetlands. The project is located immediately downstream of US Route 322 (Latitude: 40° 17' 3.15" N; Longitude: 76° 27' 36.46" W) in West Cornwall Township, Lebanon County. Wetland loss is not proposed with this project.

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.*

**D10-000EA. Chris Adler**, 226 Brownsdale Road, Butler, PA 16002, Penn Township, **Butler County**. USACOE Pittsburgh District.

Applicant proposes to construct a dam across a tributary to Glade Run (WWF). The dam will inundate approximately 275 feet of the tributary and 0.74 acre of wetland (PEM, PSS). Applicant proposes 0.81 acre of onsite PEM/PSS wetland creation as mitigation (Butler, PA Quadrangle; Latitude: 40.7605, Longitude: -79.9448).

## DAM SAFETY

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.*

**D15-226. Leopard Lake Farm, Inc.**, 407 Lantern Lane Berwyn, PA 19312. To modify, operate, and maintain Leopard Lake Dam across Darby Creek (CWF, MF), for the purpose of modifying an existing dam and spillway structure in order to pass the required design storm (Valley Forge, PA Quadrangle Latitude: 40.0297; Longitude: -75.4383) in Easttown Township, **Chester County**.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0116201	Industrial Waste Individual WQM Permit	Issued	Rice Fruit Co. 2760 Carlisle Road Gardners, PA 17324-9684	Menallen Township Adams County	SCRO
3677204	Industrial Waste Individual WQM Permit	Issued	ASC Engineering Solutions 1411 Lancaster Avenue Columbia, PA 17512-1939	West Hempfield Township Lancaster County	SCRO
0813804	Joint DEP/PFBC Pesticides Permit	Issued	Ridgebury Lake Estates 660 Lakeside Drive Sayre, PA 18840-9603	Ridgebury Township Bradford County	NCRO
0921814	Joint DEP/PFBC Pesticides Permit	Issued	Malek John 4782 Coldspring Creamery Road Doylestown, PA 18902	Buckingham Township Bucks County	SERO
0921815	Joint DEP/PFBC Pesticides Permit	Issued	Colonial Heritage 857 East Butler Avenue Doylestown, PA 18901	Doylestown Township Bucks County	SERO
1021801	Joint DEP/PFBC Pesticides Permit	Issued	Shawn Richey 7690 Franklin Road Cranberry Twp, PA 16066	Cranberry Township Butler County	NWRO
3913802	Joint DEP/PFBC Pesticides Permit	Issued	Leiss Alan 1055 Cetronia Road Breinigsville, PA 18031-1681	Upper Macungie Township Lehigh County	NERO
4616825	Joint DEP/PFBC Pesticides Permit	Issued	Newbury Community Association 2131 N Broad Street Suite 201 Lansdale, PA 19446-1083	Upper Gwynedd Township Montgomery County	SERO
4621805	Joint DEP/PFBC Pesticides Permit	Issued	Perkiomen Watershed Conservancy 1 Skippack Pike Schwenksville, PA 19473	Marlborough Township Montgomery County	SERO
4816806	Joint DEP/PFBC Pesticides Permit	Issued	Victaulic Co. 4901 Kesslersville Road Easton, PA 18040-6714	Forks Township Northampton County	NERO
4821804	Joint DEP/PFBC Pesticides Permit	Issued	Matthews Tim 21 Reservoir Lane Belvidere, NJ 07823-2741	Lower Mount Bethel Township Northampton County	NERO
5213816	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5213817	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Hawley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5213818A-1	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Conyngham, PA 18428	Blooming Grove Township Pike County	NERO
5213819	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5213820	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO

## NOTICES

3279

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5213821	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5213822	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5213823	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5213824A-1	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5213825A-1	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5213826	Joint DEP/PFBC Pesticides Permit	Issued	Hemlock Farms Comm Association 1007 Hemlock Farms Lords Valley, PA 18428-9066	Blooming Grove Township Pike County	NERO
5621800	Joint DEP/PFBC Pesticides Permit	Issued	Pioneer Inc. 273 Trent Road Somerset, PA 15501-5638	Jefferson Township Somerset County	SWRO
6414808	Joint DEP/PFBC Pesticides Permit	Issued	Whitney Company 23 Twin Pond Way Hawley, PA 18428	Paupack Township Wayne County	NERO
6414809	Joint DEP/PFBC Pesticides Permit	Issued	Whitney Company 23 Twin Pond Way Hawley, PA 18428	Paupack Township Wayne County	NERO
6421802	Joint DEP/PFBC Pesticides Permit	Issued	Wood Michael 23 Log Cabin Lane Milanville, PA 18443	Damascus Township Wayne County	NERO
6421803	Joint DEP/PFBC Pesticides Permit	Issued	Island Lake Campco LLC 50 Island Lake Road Starrucca, PA 18462	Scott Township Wayne County	NERO
PA0028631	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Mid Cameron Municipal Authority 421 N Broad Street Emporium, PA 15834-1401	Emporium Borough Cameron County	NCRO
PA0080195	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	ASC Engineering Solutions 1411 Lancaster Avenue Columbia, PA 17512-1939	West Hempfield Township Lancaster County	SCRO
PA0088455	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Rice Fruit Co. 2760 Carlisle Road Gardners, PA 17324-9684	Menallen Township Adams County	SCRO
PA0113956	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Locust Township Municipal Authority Columbia County 1223A Numidia Drive Catawissa, PA 17820-8632	Locust Township Columbia County	NCRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0222798	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Westline Inn Inc. P.O. Box 7156 Mount Jewett, PA 16740-7156	Lafayette Township McKean County	NWRO
PA0228320	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Davidson Township Municipal Authority Sullivan County 32 Michelle Road Sonestown, PA 17758-5358	Davidson Township Sullivan County	NCRO
PA0232513	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Kelly Township Municipal Authority Union County 405 Winter Farm Lane Lewisburg, PA 17837-6358	Kelly Township Union County	NCRO
PA0024023	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Bernville Borough Berks County P.O. Box 40 Bernville, PA 19506-0040	Bernville Borough Berks County	SCRO
PA0057657	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Kendal Crosslands Communities P.O. Box 100 Kennett Square, PA 19348-0100	Kennett Township Chester County	SERO
PA0247910	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Bethel Township Municipal Authority Berks County P.O. Box 274 60 Klahr Road Bethel, PA 19507-0274	Bethel Township Berks County	SCRO
PAG030116	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	121 CD Assoc LP 3701 Sablewood Drive Doylestown, PA 18902-6610	Richland Township Bucks County	SERO
PAG033655	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Oldcastle BldgEnvelope Inc. 1551 Mount Rose Avenue York, PA 17403-2909	Spring Garden Township York County	SCRO
PAR600024	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Sd Richman Sons Inc. 2435 Wheatsheaf Lane Philadelphia, PA 19137	Philadelphia City Philadelphia County	SERO
PAR608311	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Liberty Iron & Metal Inc. 1431 East Avenue Erie, PA 16503-1570	Erie City Erie County	NWRO
PAG123783	PAG-12 NPDES General Permit for CAFOs	Issued	Meadow Vista Farms LLC 166 Risser Road Bainbridge, PA 17502-9407	Conoy Township Lancaster County	SCRO
PAG130069	PAG-13 NPDES General Permit for MS4s	Issued	Perkiomen Township Montgomery County 1 Trappe Road Collegeville, PA 19426-1829	Perkiomen Township Montgomery County	SERO
PAG136408	PAG-13 NPDES General Permit for MS4s	Waived	North Belle Vernon Borough Westmoreland County 503 Speer Street Belle Vernon, PA 15012-1568	North Belle Vernon Borough Westmoreland County	SWRO



## NOTICES

3281

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1592417	Sewage Land Application Individual WQM Permit	Issued	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976	West Vincent Township Chester County	SERO
5815401	Sewage Land Application Individual WQM Permit	Issued	Bahs Operating Inc. dba Camp Chen A Wanda 1 Ellis Court Woodcliff Lake, NJ 07677-7932	Ararat Township Susquehanna County	NERO
0220403	Sewage Treatment Facilities Individual WQM Permit	Issued	Phyllis Thomas Estate 116 Allegheny Center Mall P8-Yb35-02-6 Pittsburgh, PA 15212	Sewickley Heights Borough Allegheny County	SWRO
0471209	Sewage Treatment Facilities Individual WQM Permit	Issued	BVPV Styrenics LLC 400 Frankfort Road Monaca, PA 15061-2212	Potter Township Beaver County	SWRO
0606402	Sewage Treatment Facilities Individual WQM Permit	Issued	Bethel Township Municipal Authority Berks County P.O. Box 274 60 Klahr Road Bethel, PA 19507-0274	Bethel Township Berks County	SCRO
0721402	Sewage Treatment Facilities Individual WQM Permit	Issued	Blair Shonna 209 Yoders Drive Altoona, PA 16601-8424	Tyrone Township Blair County	SCRO
1021402	Sewage Treatment Facilities Individual WQM Permit	Issued	Petruska Gregory 112 Lilac Lane Valencia, PA 16059-2214	Middlesex Township Butler County	NWRO
1701407	Sewage Treatment Facilities Individual WQM Permit	Issued	Aqua Pennsylvania Wastewater Inc. 906 Beaver Drive DuBois, PA 15801-2539	Sandy Township Clearfield County	NCRO
2521402	Sewage Treatment Facilities Individual WQM Permit	Issued	Laurie and Randy Havern 6730 Dobler Road Girard, PA 16417-8710	Fairview Township Erie County	NWRO
2882419	Sewage Treatment Facilities Individual WQM Permit	Issued	Saint Thomas Township Municipal Authority Franklin County 175 Saint Thomas Edenville Road St Thomas, PA 17252	Saint Thomas Township Franklin County	SCRO
4112406	Sewage Treatment Facilities Individual WQM Permit	Issued	West Branch Region Authority P.O. Box 428 Muncy, PA 17756-0428	Clinton Township Lycoming County	NCRO
4121401	Sewage Treatment Facilities Individual WQM Permit	Issued	H P Holdings LLC 112 Sunset Circle Montoursville, PA 17754-1203	Loyalsock Township Lycoming County	NCRO
4601405	Sewage Treatment Facilities Individual WQM Permit	Issued	Montgomery Township Municipal Sewer Authority Montgomery County 1001 Stump Road Montgomeryville, PA 18936-9605	Montgomery Township Montgomery County	SERO
5021401	Sewage Treatment Facilities Individual WQM Permit	Issued	Raisner J Craig 384 Main Street Box 668 Southwest Harbor, ME 04679	Rye Township Perry County	SCRO
5620406	Sewage Treatment Facilities Individual WQM Permit	Issued	Yoder Pete A 6748 Mount Davis Road Meyersdale, PA 15552-6513	Summit Township Somerset County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6389402	Sewage Treatment Facilities Individual WQM Permit	Issued	Centerville Borough Sanitary Authority Washington County P.O. Box 332 Richeyville, PA 15358-0332	Centerville Borough Washington County	SWRO
3220401	Sewer Extensions and Pump Stations Individual WQM Permit	Issued	Indiana Borough Indiana County 80 N 8th Street Indiana, PA 15701	Indiana Borough Indiana County	NWRO
PA0232742	Single Residence STP Individual NPDES Permit	Issued	Anthony and Patricia Fiamingo 175 Sugar Branch Road Troy, PA 16947-9201	Sullivan Township Tioga County	NCRO
PA0233111	Single Residence STP Individual NPDES Permit	Issued	H P Holdings LLC 112 Sunset Circle Montoursville, PA 17754-1203	Loyalsock Township Lycoming County	NCRO
PA0255807	Single Residence STP Individual NPDES Permit	Issued	Phyllis Thomas Estate 116 Allegheny Center Mall P8-Yb35-02-6 Pittsburgh, PA 15212	Sewickley Heights Borough Allegheny County	SWRO
PA0255866	Single Residence STP Individual NPDES Permit	Issued	Yoder Pete A 6748 Mount Davis Road Meyersdale, PA 15552-6513	Summit Township Somerset County	SWRO
PA0267414	Single Residence STP Individual NPDES Permit	Issued	Blair Shonna 209 Yoders Drive Altoona, PA 16601-8424	Tyrone Township Blair County	SCRO
PA0267422	Single Residence STP Individual NPDES Permit	Issued	Raisner J Craig 384 Main Street Box 668 Southwest Harbor, ME 04679	Rye Township Perry County	SCRO
PA0289027	Single Residence STP Individual NPDES Permit	Issued	Laurie and Randy Havern 6730 Dobler Road Girard, PA 16417-8710	Fairview Township Erie County	NWRO
PA0289051	Single Residence STP Individual NPDES Permit	Issued	Hoegerl Nancy 23527 State Highway 77 Meadville, PA 16335-6026	East Mead Township Crawford County	NWRO
PA0289124	Single Residence STP Individual NPDES Permit	Issued	Petruska Gregory 112 Lilac Lane Valencia, PA 16059-2214	Middlesex Township Butler County	NWRO
PA0253774	Small Flow Treatment Facility Individual NPDES Permit	Issued	Hill Properties LLC 47866 Y and O Road East Liverpool, OH 43920-8724	Somerset Township Washington County	SWRO
WQG01202101	WQG-01 WQM General Permit	Issued	Hoegerl Nancy 23527 State Highway 77 Meadville, PA 16335-6026	East Mead Township Crawford County	NWRO
WQG02152106	WQG-02 WQM General Permit	Issued	Kennett Square Borough Chester County 120 Marshall Street Kennett Square, PA 19348-3108	Kennett Square Borough Chester County	SERO
WQG02462107	WQG-02 WQM General Permit	Issued	Rouse Chamberlin Ltd 1409 Farmington Avenue Pottstown, PA 19464-1829	Upper Pottsgrove Township Montgomery County	SERO

**II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.**

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090435	PAG-02 General Permit	Issued	Newtown Township 100 Municipal Drive Newtown, PA 18940	Newtown Township Bucks County	SERO

## NOTICES

3283

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090412	PAG-02 General Permit	Issued	Christine Cole 70 East Road Doylestown, PA 18901-3117	Doylestown Township Bucks County	SERO
PAC510186	PAG-02 General Permit	Issued	Berks Senior Living LP 1900 North 9th Street Philadelphia, PA 19122	City of Philadelphia Philadelphia County	SERO
PAD150113	Individual NPDES	Issued	Honey Brook Estates c/o Franklin Management, Inc. 120 East Uwchlan Avenue Suite 101 Exton, PA 19341	Honey Brook Township Chester County	SERO
PAD090036 A-1	Individual NPDES	Amendment	Zaveta Custom Homes, LLC 4030 Skyron Drive Suite H Doylestown, PA 18902-1135	Solebury Township Bucks County	SERO
PAD150204	Individual NPDES	Issued	Erik Evans 846 Grubbs Mill Road Berwyn, PA 19312-1534	Willistown Township Chester County	SERO
PAD090066	Individual NPDES	Issued	Richard DeAngelis Margaret DeAngelis 2301 Pointe View Drive Mars, PA 16046	Plumstead Township Bucks County	SERO
PAD150203	Individual NPDES	Issued	Villa Maria Academy 370 Central Avenue Malvern, PA 19355	Willistown Township Chester County	SERO
PAD090070	Individual NPDES	Issued	Sellersville Management, LLC 374 Easton Road Warrington, PA 18976-2418	West Rockhill Township Bucks County	SERO
PAD450052 A-1	Renewal	Issued	Kalahari Resorts 1305 Kalahari Drive Wisconsin Dells, WI 53965	Tobyhanna and Pocono Townships Monroe County	NERO
PAD400041	Individual NPDES	Issued	Bear Creek Foundation, Inc. 47 Charter School Way Bear Creek Township, PA 18702	Bear Creek Township Luzerne County	NERO
PAD450014 A-2	Individual NPDES	Issued	Pocono Mountains Municipal Airport Authority 188 Airport Road Tobyhanna, PA 18466	Coolbaugh Township Mount Pocono Borough Monroe County	NERO
PAC450020	PAG-02 General Permit	Issued	Filomina, Inc. P.O. Box 130 Tannersville, PA 18372	Polk Township Monroe County	Monroe County Conservation District 8050 Running Valley Road Stroudsburg, PA 18347 570-629-3060
PAC390121	PAG-02 General Permit	Issued	Cuda Properties, LLC 1940 Stonesthrow Road Bethlehem, PA 18015	Upper Saucon Township Lehigh County	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18104 610-391-9583
PAD390165	Individual NPDES	Issued	Darvin N. Marvin 8245 Holbens Valley Road New Tripoli, PA 18066	Weisenberg Township Lehigh County	NERO
PAD480142	Individual NPDES	Issued	Palmer Township c/o Thomas Adams, P.E. 3 Weller Place Palmer, PA 18045-1975	Palmer Township Wilson Borough Northampton County	NERO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD440011	Individual NPDES	Issued	Geisinger Clinic 100 North Academy Avenue Danville, PA 17822	Brown Township Mifflin County	SCRO
PAD670035 A-2	Individual NPDES	Issued	PennDOT Engineering District 8-0 2140 Herr Street Harrisburg, PA 17103	City of York Spring Garden Township Springettsbury Township York County	SCRO
PAD070013	Individual NPDES	Issued	Allegheny Township Sewer & Water Authority 3131 Colonial Drive Duncansville, PA 16648	Allegheny Township Blair County	SCRO
PAC010160	PAG-02 General Permit	Issued	Blue Mountain Group of Shippensburg, LLC 20 Park Place Suite 2 Shippensburg, PA 17257	Gettysburg Borough Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC220281	PAG-02 General Permit	Issued	Fishing Creek Valley Associates, LP 4712 Smith Street Harrisburg, PA 17109	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220212 A-1	PAG-02 General Permit	Issued	Advanced Scientifics, Inc. 163 Research Lane Millersburg, PA 17601	Mifflin Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220288	PAG-02 General Permit	Issued	PDC Property Holdings Two, LLC 173 South 32nd Street Camp Hill, PA 17011	Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC670468	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	Dover Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670470	PAG-02 General Permit	Issued	Marianne Drive Associates, LLC 2675 Eastern Boulevard York, PA 17402	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430

## NOTICES

3285

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD140073	PAG-02 Individual Permit	Issued	Anatoli and Irina Lutsik Meeks Lane & Grays Woods Blvd Port Matilda, PA 16870	Patton Township Centre County	NCRO
PAC020626	PAG-02 General Permit	Issued	Allegheny County Department of Public Works County Office Building 542 Forbes Avenue Room 501 Pittsburgh, PA 15219-2907	Robinson Township Collier Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020263 A-1	PAG-02 General Permit	Issued	Mero South Park Ventures, LLC 3895 Stoneridge Lane Dublin, OH 43017	South Park Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020670	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania, Inc. 4000 Energy Drive Bridgeville, PA 15017	Findlay Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020615	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania, Inc. 2021 West State Street New Castle, PA 16101	Marshall Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020682	PAG-02 General Permit	Issued	David Tesone Group 1251 Russellton Road Cheswick, PA 15024	Harrison Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020623 A-1	PAG-02 General Permit	Issued	The Mygrant Living Trust Suite 100 2007 South McClelland Salt Lake City, UT 84105	Aleppo Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020667	PAG-02 General Permit	Issued	Allegheny County Department of Facilities Management 107 County Office Building 542 Forbes Avenue Pittsburgh, PA 15219-2904	South Park Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010



<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC020644	PAG-02 General Permit	Issued	Maronda Homes, Inc. 11 Timberglen Drive Imperial, PA 15317	McCandless Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020662	PAG-02 General Permit	Issued	Port Authority of Allegheny County 345 Sixth Avenue Pittsburgh, PA 15222	Ross Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020729	PAG-02 General Permit	Issued	Glasso Development Company, LP 4201 Cohasset Lane Allison Park, PA 15101	West Deer Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC040001	PAG-02 General Permit	Issued	MPLX Terminals, LLC Midland Terminal 539 South Main Street Findlay, OH 45840	Midland Borough Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC630210	PAG-02 General Permit	Issued	Legacy Baptist Church 123 Meadowview Drive Canonsburg, PA 15317	Chartiers Township Washington County	Washington County Conservation District Suite 1 50 Old Hickory Ridge Road Washington, PA 15301 724-705-7098
PAC650267	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Rostraver Township Westmoreland County	Westmoreland County Conservation District J. Roy Houston Conservation Center 218 Donohoe Road Greensburg, PA 15601 724-837-5271
PAC100214	PAG-02 General Permit	Issued	Great Living LLC 1768 North Main Street Suite 4 Butler, PA 16001	Butler Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100238	PAG-02 General Permit	Issued	TMC Cranberry LLC 501 Pennsylvania Parkway Suite 106 Carmel, IN 46280	Cranberry Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

**Permit No. 2359008, Operations Permit**, Public Water Supply.

Applicant	<b>Pennsylvania American Water Company (PAWC)</b> 852 Wesley Drive Mechanicsburg, PA 17055
Township	Roaring Brook Township
County	<b>Lackawanna</b>
Type of Facility	PWS
Consulting Engineer	Richard Dudek, P.E. PAWC 2699 Stafford Avenue Scranton, PA 18505
Permit to Operate Issued	May 27, 2021

**Permit No. 2660020, Operations Permit**, Public Water Supply.

Applicant	<b>Mehoopany Township Municipal Authority</b> P.O. Box 61 Mehoopany, PA 18629
-----------	---

Township	Mehoopany Township
County	<b>Wyoming</b>
Type of Facility	PWS
Consulting Engineer	NA
Permit to Operate Issued	April 26, 2021

**Permit No. 2400039, Operations Permit**, Public Water Supply.

Applicant	<b>Hanson's Landing MHC, LLC</b> (Permit Transfer) 100 East 8th Street Milton, PA 17847
Borough	Harveys Lake Borough
County	<b>Luzerne</b>
Type of Facility	PWS
Consulting Engineer	N/A
Permit to Operate Issued	May 26, 2021

**Permit No. 3390817-E3, Operations Permit**, Public Water Supply.

**Permit No. 3390817-E3, Operations Permit**, Public Water Supply.

Applicant	<b>Yocco's, Inc.</b> <b>(Yocco's South Restaurant)</b> 16 East Minor Street Emmaus, PA 18049
-----------	---

Township	Upper Milford Township
County	<b>Lehigh</b>
Type of Facility	PWS
Consulting Engineer	Mr. Thomas G. Pullar, P.E. Senior Project Manager Earthres Group, Inc. P.O. Box 468 Pipersville, PA 18947

Permit to Operate Issued	May 24, 2021
--------------------------	--------------

**Permit No. 3921502MA**, Public Water Supply.

Applicant	<b>Lehigh County Authority LCA Central Division</b> (Reservoir Tank No. 1 Rehabilitation Project) 1053 Spruce Street P.O. Box 3348 Allentown, PA 18106-0348
-----------	---

Township	Upper Macungie Township
County	<b>Lehigh</b>
Type of Facility	PWS
Consulting Engineer	Mr. Jason G. Saylor, P.E. Utility Service Company, Inc. 1230 Peachtree Street NE Suite 1100—Promenade Atlanta, GA 30309
Permit to Construct Issued	May 26, 2021

**Permit No. 4520505**, Public Water Supply.

Applicant	<b>Les Deubler d/b/a Gilbert Mobile Home Park</b> P.O. Box 379 Gilbert, PA 18331
Township	Polk Township

County **Monroe**  
 Type of Facility PWS  
 Consulting Engineer Sarah Bue-Morris, P.E.  
 Bue-Morris Associates Inc.  
 P.O. Box 201  
 Newfoundland, PA 18445

Permit to Construct Issued May 19, 2021

**Permit No. 5220513**, Public Water Supply.  
 Applicant **Pennsylvania American Water Company-Saw Creek Estates**  
 852 Wesley Dr.  
 Mechanicsburg, PA 17055

Township Lehman Township

County **Pike**

Type of Facility PWS

Consulting Engineer Mr. Christopher J. Thiel, P.E.  
 Senior Design Engineer  
 American Water Engineering  
 1 Water Street  
 Camden, NJ 08102

Permit to Construct Issued May 18, 2021

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 3120503**, Public Water Supply.  
 Applicant **Alexandria Borough Water Authority**

Municipality Alexandria Borough

County **Huntingdon**

Responsible Official Kenneth Bost  
 Chairman  
 7561 Fridge Street  
 Suite No. 3  
 P.O. Box 336  
 Alexandria, PA 16611

Type of Facility Water treatment facility upgrades, waterline and meter replacements, and reservoir and intake upgrades.

Consulting Engineer Christopher M. Eckenrode, P.E.  
 Gwin, Dobson & Foreman, Inc.  
 3121 Fairway Drive  
 Altoona, PA 16602

Permit to Construct Issued April 29, 2021

**Permit No. 2920503**, Public Water Supply.  
 Applicant **Pleasant Ridge Holdings, LLC**

Municipality Todd Township

County **Fulton**

Responsible Official Jeff Gibson  
 Owner  
 11433 Lincoln Highway  
 McConnellsburg, PA 17233

Type of Facility Installation of filtration for Fe/Mn and turbidity removal.

Consulting Engineer Robert H. Schemmerling, P.E.  
 RHS Engineering, Inc.  
 41 S Antrim Way  
 Greencastle, PA 17225

Permit to Construct Issued May 19, 2021

**Permit No. 0620525**, Public Water Supply.  
 Applicant **Shillington Municipal Authority**

Municipality Cumru Township

County **Berks**

Responsible Official Scott D. Brossman  
 Borough Manager  
 75 Commerce Drive  
 Wyomissing, PA 19610

Type of Facility Modification of the Overbrook Pump Station.

Consulting Engineer Nicholas R. Johnson, P.E.  
 Great Valley Consultants  
 75 Commerce Drive  
 Wyomissing, PA 19610

Permit to Construct Issued May 12, 2021

**Permit No. 3620543**, Public Water Supply.  
 Applicant **Envigo Global Services Inc.**  
 Municipality West Cocalico Township

County **Lancaster**

Responsible Official Greg L. Daub  
 Facilities Supervisor  
 310 Swamp Bridge Road  
 Denver, PA 17517

Type of Facility Installation of a caustic soda feed system for use in conjunction with orthophosphate for LCR treatment.

Consulting Engineer Charles A. Kehew II, P.E.  
 James R. Holley & Associates, Inc.  
 18 South George Street  
 York, PA 17401

Permit to Construct Issued May 24, 2021

**Permit No. 2821501 MA, Minor Amendment**, Public Water Supply.

Applicant **Quincy Township**

Municipality Quincy Township

County **Franklin**

Responsible Official Edward Wilson Supervisor  
 7575 Mentzer Gap Road  
 Waynesboro, PA 17268

Type of Facility Conversion of disinfection system from gas to liquid sodium hypochlorite

Consulting Engineer Andrew T. Prosser, P.E.  
 ELA Group, Inc.  
 743 S Broad Street  
 Lititz, PA 17543

Permit to Construct Issued May 5, 2021

**Permit No. 0621511 MA, Minor Amendment**, Public Water Supply.

Applicant	<b>Urban Acres, Inc.</b>
Municipality	Alsace Township
County	<b>Berks</b>
Responsible Official	Ericka M. Thomas-Ernst Secretary/Treasurer 35 Ridge Drive Fleetwood, PA 19522
Type of Facility	Modification to existing 4-log virus inactivation contact segments.
Consulting Engineer	Ericka M. Thomas-Ernst, P.E. 35 Ridge Drive Fleetwood, PA 19522-9638
Permit to Construct Issued	May 19, 2021

**Operation Permit No. 3112502** issued to: **Huntingdon Borough (PWS ID No. 4310012)**, Huntingdon Borough, **Huntingdon County** on September 23, 2016 for facilities approved under Construction Permit No. 3112502.

**Operation Permit No. 3115502** issued to: **Jeff S. Long (PWS ID No. 4310051)**, Morris Township, **Huntingdon County** on May 5, 2021 for facilities at Emily Estates Public Water System approved under Construction Permit No. 3115502.

**Operation Permit No. 2820501** issued to: **Mercersburg Water Authority (PWS ID No. 7280021)**, Peters Township, **Franklin County** on May 20, 2021 for facilities approved under Construction Permit No. 2820501.

**Operation Permit No. 3620531 MA** issued to: **Ephrata Area Joint Authority (PWS ID No. 7360045)**, Ephrata Borough, **Lancaster County** on May 6, 2021 for facilities approved under Construction Permit No. 3620531 MA.

**Operation Permit No. 0720506** issued to: **McKee Tavern (PWS ID No. 1026570)**, Blair Township, **Blair County** on May 19, 2021 for facilities approved under Construction Permit No. 0720506.

**Operation Permit No. 0520506 MA** issued to: **Evitts Creek Water Company (PWS ID No. 4050028)**, Cumberland Valley Township, **Bedford County** on May 24, 2021 for facilities submitted under Application No. 0520506 MA.

**Operation Permit No. 0621501** issued to: **Borough of Boyertown (PWS ID No. 3060081)**, Boyerstown Borough, **Berks County** on April 19, 2021 for facilities approved under Construction Permit No. 0621501.

**Operation Permit No. 3621510 MA** issued to: **Safe Harbor Partners (PWS ID No. 7360122)**, Conestoga Township, **Lancaster County** on May 14, 2021 for facilities at The Village of Safe Harbor approved under Construction Permit No. 3621510 MA.

**Operation Permit No. 0121501 MA** issued to: **Gettysburg Municipal Authority (PWS ID No. 7010019)**, Cumberland Township, **Adams County** on May 31, 2021 for facilities approved under Construction Permit No. 0121501 MA.

**Comprehensive Operation Permit No. 7280053** issued to: **Mt Rock Manor Management, LLC (PWS ID No. 7280053)**, Southampton Township, **Franklin**

**County** on May 10, 2021 for the operation of facilities submitted under Application No. 7280053.

**Comprehensive Operation Permit No. 7360762** issued to: **WAWA Inc. # 8025 (PWS ID No. 7360762)**, Salisbury Township, **Lancaster County** on May 14, 2021 for the operation of facilities submitted under Application No. 7360762.

**Transferred Comprehensive Operation Permit No. 7226136** issued to: **Harrisburg Dairies, Inc. (PWS ID No. 7226136)**, Harrisburg, **Dauphin County** on May 13, 2021. Action is for a Change in Ownership for the operation of facilities previously issued to Sweet Arrow Springs, LLC.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Operations Permit** issued to: **Pennsylvania-American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, **PWSID No. 4490023**, West Chillisquaque Township, **Northumberland County** on May 26, 2021 for the operation of facilities approved under construction permit # 4920507. This permit authorizes operation of the recently constructed Montandon Booster Pump Station. Note that the generator has not been installed and is specifically excluded from this partial operation permit.

**Operations Permit** issued to: **Ulysses Municipal Authority**, 518 Main Street, Ulysses, PA 16948, **PWSID No. 6530006**, Ulysses Borough, **Potter County** on May 25, 2021 for the operation of facilities approved under construction permit # GWR-A1. This permit approves 4-log inactivation of viruses for Well No. 3 and Big Spring Reservoir (Entry Point 102) at Ulysses Municipal Authority. This approval is for the change of the max, peak-flow rate (from 50 gpm to 75 gpm) and to indicate that grab sampling will be the method for chlorine monitoring in the 4-log permit.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 0421501MA, Minor Amendment**. Public Water Supply.

Applicant	<b>Brighton Township Municipal Authority</b> 1300 Brighton Road Beaver, PA 15009
Borough or Township	Brighton Township
County	<b>Beaver</b>
Type of Facility	Rehabilitation of the Dawson Ridge tank, the Gypsy Glen Standpipe # 1 and Gypsy Glen Standpipe # 3.
Consulting Engineer	Lennon, Smith Souleret Engineering, Inc. 846 Fourth Avenue Coraopolis, PA 15108
Permit Issued	May 14, 2021

**Permit No. 1120511MA, Minor Amendment**. Public Water Supply.

Applicant	<b>Glendale Valley Municipal Authority</b> 1800 Beaver Valley Road Flinton, PA 16640
Borough or Township	Chest Township
County	<b>Cambria</b>



Type of Facility Rehabilitation of Tanks # 1 and # 2.

Consulting Engineer Keller Engineers, Inc.  
420 Allegheny Street  
P.O. Box 61  
Hollidaysburg, PA 16648

Permit Issued May 13, 2021

**Permit No. 6521501MA, Minor Amendment. Public Water Supply.**

Applicant **Municipal Authority of Westmoreland County**  
124 Park & Pool Road  
New Stanton, PA 15672

Borough or Township Adamsburg Borough

County **Westmoreland**

Type of Facility Rehabilitation of the Adamsburg # 2 water storage tank.

Consulting Engineer Gibson Thomas Engineering Co., Inc.  
1004 Ligonier Street  
P.O. Box 853  
Latrobe, PA 15650

Permit Issued May 6, 2021

#### SEWAGE FACILITIES ACT PLAN APPROVAL

#### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

##### Plan Location:

Township	Township Address	County
North Huntingdon Township	11279 Center Highway North Huntingdon, PA 15642	Westmoreland

##### Plan Description:

The approved plan consists of an upgrade of the existing Youghiogheny WWTF to address the aging infrastructure, improve downstream treatment efficiency, and comply with future nutrient removal requirements and future peak hydraulic loads. The Department's review of the sewage facilities Special Study has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the Authority.

#### SEWAGE FACILITIES ACT PLAN DISAPPROVAL

#### Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

##### Plan Location:

Borough	Borough Address	County
Lewistown Borough	2 East Third Street Lewistown, PA 17044	Mifflin

##### Plan Description:

The exemption from the requirement to revise the Official Plan for the Carl C. & Danna C. Smith subdivi-

sion, DEP Code No. A3-44001-028-3E, APS Id 1039443, is disapproved. The proposed subdivision consists of three new single-family residential lots with total flows of 1,200 gallons per day using Lewistown Borough sewers. The proposed subdivision is located on River View Lane in Lewistown Borough. This plan is disapproved because it does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the subdivision proposes the connection to or an extension of public sewers where the existing collection, conveyance, or treatment facilities have an existing or a 5-year projected hydraulic or organic overload under Chapter 94 and as per Chapter 71, Section 71.51(b)(2)(ii).

### HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

#### NOTICE OF PROMPT INTERIM RESPONSE

**Porter Elementary School Asbestos Site, Porter Township, Clarion County**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. §§ 6020.101—6020.1305) has initiated a prompt interim response at the Porter Elementary School Asbestos Site (Site), located at 1195 Rockville Road, New Bethlehem, PA 16242, approximately four miles northwest of New Bethlehem Borough. This response has been initiated pursuant to Sections 501(a) and 505(b) of the HSCA (35 P.S. §§ 6020.501(a) and 6020-505(b)).

The Site is located on a 5.5-acre parcel, that with a partially demolished, collapsed and fire damaged building that contains uncovered friable and non-friable asbestos containing material (ACM), including pipe insulation, pipe fitting insulation, and floor tile mastic.

The objectives of the proposed response are: 1.) protect the public and environmental receptors from direct contact exposure to asbestos contaminated building materials and physical risks associated with a structurally unsound building 2.) demolish and properly dispose of the structurally unsound building to protect the public and environment from Site-related asbestos; and 3.) comply with Federal, State, and local regulations.

DEP considered two alternatives for the Site: 1.) No action, and 2.) building demolition and off-site disposal of all ACM's to an appropriate landfill or waste facility.

The "No Action" alternative would not achieve any of the previously-mentioned objectives. Therefore, DEP has selected alternative for the Site, which consists of building demolition and disposal of all building materials at a landfill approved friable and non-friable ACM's. This alternative will achieve all three objectives previously identified for the prompt interim response.

This notice is being provided pursuant to section 506(b) of HSCA. The Administrative Record, which contains the information that forms the basis and documents the selection of this response action, is available for public review and comment. The Administrative Record is located at 230 Chestnut Street, Meadville, PA 16335 and is available for review Monday through Friday from 8:00 a.m. to 4:00 p.m.

The Administrative Record will be open for comment from June 12, 2021 until September 10, 2021. Persons may submit written comments into the record during this time only, by sending them to Richard Weber at Pennsylv-

vania Department of Environmental Protection 230 Chestnut Street, Meadville, PA 16335.

In addition, persons may present oral comments for inclusion in the Administrative Record, at a public hearing. DEP has scheduled the virtual hearing on July 20, 2021 at 6:00 p.m. Persons wishing to present comments must register with Tom Decker before July 9, 2021 by telephone at 814-332-6615, by email at thomadecke@pa.gov or in writing at 230 Chestnut Street, Meadville, PA 16335. DEP will only hold the Public Hearing if persons registered, otherwise, it will not be held. Persons interested in finding out if anyone has registered, and if the hearing will be held, should contact Richard Weber at 814-332-6302.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should call Mr. Weber or through the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how DEP can accommodate their needs.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

---

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

---

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the

appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**NP Falls Township Industrial, LLC—(KTC) 77 Acre Parcel**, Fairless Hills, PA 19030, Falls Township, **Bucks County**. John Garges, GHD Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA on behalf of Andy Mace, NP Falls Township Industrial, LLC, 2652 Township Lane, York, PA 17408 submitted a Remedial Investigation Report/Risk Assessment Report/Final Report concerning remediation of site soil contaminated with SVOCs, VOCs, metals, PCBs and cyanide. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**McLean Residence**, 181 Indian Creek Drive, Bristol Township, **Bucks County**. Richard Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pipersburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348 submitted a Final Report concerning remediation of soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

**209 Wawa Road**, 209 Wawa Road, Media, PA 19063, Borough of Chester Heights, **Delaware County**. Henry Bienkowski, PG, Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of John E. & Nancy S. Good, 12 Worthington Drive, West Grove, PA 19390 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

**Commercial Property**, 1140 Old York Road, Abington, PA 19001, Abington Township, **Montgomery County**. Joseph Jacobsen, Ph.D., PG, Intex Environmental Group, Inc., 33 Appletree Lane, Pipersville, PA 18947 on behalf of Rich Hasson, American Heritage Federal Credit Union, 2060 Red Lion Road, Philadelphia, PA 19115 submitted a Final Report concerning remediation of site soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide health standard.

**United States Steel Corporation—KIPC 143 Acre Parcel**, One Ben Fairless Drive, Fairless Hills, PA 19030, Falls Township, **Bucks County**. John A. Garges, GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341 on behalf of Andy Mace, NP Falls Township Industrial, LLC, 2652 Mayfair Lane, York, PA 17408 submitted a Remedial Investigation Report/Risk Assessment Report/Final Report concerning remediation of site soil contaminated with SVOCs, VOCs, metal, cyanide, and PCBs. The report is intended to document remediation of the site to meet the site-specific standard/Statewide health standard.

**3421 Aramingo Avenue**, 3421 Aramingo Avenue, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Jason Hanna, Langan Engineering and Environmental Services, Inc., 1818 Market Street, Suite 3300, Philadelphia, PA 19103 on behalf of Scott Montgomery, Map Real Estate, LLC c/o Raider Hill Advisors, LLC, 25700 Science Park Drive, Suite 270, Beachwood, OH

44122 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil contaminated with SVOCs and metals. The report is intended to document remediation of the site to meet the site-specific standard.

**Young & Diberandino Residences**, 656 & 658 East Broad Street, Quakertown, PA 18951, Quakertown Borough, **Bucks County**. Geoff Kristof, PG, Aquaterra Technologies, Inc., 122 South Church Street, West Chester, PA 19382 on behalf of Micheal Berger, Erie Insurance Group, 2200 West Broad Street, Bethlehem, PA 18018 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

**1828 Peach Street**, 1828 Peach Street, Chichester, PA 19061, Upper Chichester Township, **Delaware County**. Thomas Hippensteal, PG, Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477 on behalf of Federal National Mortgage Association, 14221 Dallas Parkway # 100, Dallas, TX 75265 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**2363 MacArthur Road Property**, 2363 Macarthur Road, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Bluestone Environmental, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of Saint Luke's Bethlehem Campus, 801 Ostrum Street, Fountain Hill, PA 18015, submitted a Final Report concerning remediation of soil contaminated by heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide health standards.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**14 South Washington Street**, Mechanicsburg, PA 17055, Mechanicsburg Borough, **Cumberland County**. Christopher G. Rigler, III, 14 South Washington Street, Mechanicsburg, PA 17055, also on behalf of Christopher G. Rigler, III, 14 South Washington Street, Mechanicsburg, PA 17055, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the residential Statewide health standard.

**Bear Road Farm**, Bear Road & Willow Springs Lane, York, PA 17404, Manchester Township, **York County**. United Environmental Services, Inc., 1143 Long Run Road, Schuylkill Haven, PA 17972, on behalf of Rutter Children LP, CHR Corporation, 2295 North Susquehanna Trail, Suite C, York, PA 17404, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the residential Statewide health standard.

**Stump Field Property**, 1350 Fruitville Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of MAC Land Company, LLC, 1350 Fruitville Pike, Lancaster, PA 17601, submit-

ted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil contaminated with historical contaminants from an above storage tank. The combined Report is intended to document remediation of the site to meet the site-specific standard.

*Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Claverack Limited Hydraulic Oil Release**, 2144 Sugar Hill Road, Sugar Run, PA 18846, Wilmot Township, **Bradford County**. Penn Environmental & Remediation, Inc., 14180 Route 6, Mansfield, PA 16933, on behalf of Claverack Rural Electric Cooperative, Inc., 32750 Route 6, Wysox, PA 18854, has submitted a Final Report concerning remediation of site soil contaminated with hydraulic oil. The report is intended to document remediation of the site to meet the Statewide health standard.

**Tanner & Hana 6HC**, 486 Brown Homestead Lane, Wyalusing, PA 18853, Wyalusing Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Final Report concerning site soil contaminated with oil-based drilling mud. The report is intended to document remediation of the site to meet the Statewide health standard.

**Second Cup Restaurant Building**, 204 Woodward Avenue, Lock Haven, PA 17745, Woodward Township, **Clinton County**. Converse Consultants, 2738 West College Avenue, State College, PA 16801, on behalf of John Wilt, 9 Pineview Drive, Lock Haven, PA 17745, has submitted a Final Report concerning remediation of site soil contaminated with heating oil release. The report is intended to document remediation of the site to meet the Statewide health standard.

**Sisters of Saints Cyril and Methodius**, 1002 Railroad Street, Danville, PA 17821, Danville Borough and Mahoning Township, **Montour County**. Keystone Consulting Engineers, Inc., 2870 Emrick Blvd, Bethlehem, PA 18020, on behalf of Sisters of Saints Cyril & Methodius, 1002 Railroad Street, Danville, PA 17821, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet the Statewide health standard for groundwater and site-specific standard for soil.

**Madison Intermodal Project**, Intersection of U.S. Routes 11 and 15 southbound, Shamokin Dam, PA 17876, Shamokin Dam Borough, **Snyder County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Madison Intermodal, LLC, P.O. Box 847, Mantua, OH 44255, has submitted a Final Report concerning remediation of site soils contaminated with diesel fuel and used motor oil. The report is intended to document remediation of the site to meet the Statewide health standard.

**The Federal National Mortgage Association Property**, 11 East Walker Street, McClure, PA 17841, McClure Borough, **Snyder County**. Envirosearch Consultants, Inc., P.O. Box 940, Spring House, PA 19477, on behalf of The Federal National Mortgage Association, 1000 Dallas Parkway # 1421, Dallas, TX 75265, has submitted a Final Report concerning site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.



## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Atlantic Track & Turnout-Tension Envelope Property**, 18 Tension Way, Pottsville, PA 17901, East Norwegian Township, **Schuylkill County**. United Environmen-

tal Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Atlantic Track & Turnout Company, Inc., 400 Broadacres Dr., Suite 415, Bloomfield, NJ 07003, submitted a Final Report concerning remediation of soil contaminated by releases of lubricating oil. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on May 26, 2021.

*Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**JKLM Energy, LLC—Headwater 145 Well Pad**, 420 Longfellow Lane, Ulysses, PA 16948, Ulysses Borough, **Potter County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of JKLM Energy, LLC, 2200 Georgetowne Drive, Sewickley, PA 15143, has submitted a Final Report concerning remediation of site soil contaminated with production water. The Final Report demonstrated attainment of the Background and Statewide health standards and was approved by the Department on May 14, 2021.

**The Federal National Mortgage Association Property**, 11 East Walker Street, McClure, PA 17841, McClure Borough, **Snyder County**. Envirosearch Consultants, Inc., P.O. Box 940, Spring House, PA 19477, on behalf of The Federal National Mortgage Association, 1000 Dallas Parkway # 1421, Dallas, TX 75265, has submitted a Final Report concerning site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on May 17, 2021.

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Chalfont Motor Lodge**, 413 West Butler Avenue, Chalfont, PA 18914, New Britain Township, **Bucks County**. Richard Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Hiran Patel, Jay Motor Di Hospitality, LLC, 413 West Butler Avenue, Chalfont, PA 18914 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 heating oil. The Final Report demonstrate attainment of the Statewide health standard and was approved by the Department on May 12, 2021.

**MacGowan Residence**, 1883 Pleasant View Road, Coopersburg, PA 18036, Springfield Township, **Bucks County**. David DeCar, Compliance Plus Services, 240 Gibraltar Road, Suite 100, Horsham, PA 19044 on behalf of Ryan Shelly, EWMI, Inc., 14 Brick Kiln Court, Northampton, PA 18067 submitted a Final Report concerning the remediation of site soil contaminated with benzene, toluene, ethylbenzene, isopropylbenzene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Final Report demonstrate attainment of the Statewide health standard and was approved by the Department on May 13, 2021.

**U-Haul Moving & Storage of Riverview**, 8 East Oregon Avenue, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. Aaron Epstein, PG, Partner Engineering and Science, on behalf of Haley Ziesemer, AMERCO Real Estate Company, 2727 North Central Avenue, Phoenix, AZ 85004 submitted a Final Report concerning the remediation of site groundwater and soil contaminated with benzene, naphthalene, chrysene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(g,h,i)perylene, and benzo(a,h)anthracene. The Report was reviewed by the Department which issued a technical deficiency letter on May 13, 2021.



**Willow Grove Oil Services Company**, 5, 35, 55 Davisville Road and 13 and 15 East Moreland Road, Willow Grove, PA 19090, Upper Moreland Township, **Montgomery County**. Christopher Zeliznak, PG, EnviroSure, Inc., 319 South High Street, First Floor, West Chester, PA 19382 on behalf of Andrew Stitzinger, James & Robert Stitzinger Partnership, P.O. Box 1329, Lansdale, PA 19446 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrate attainment of the Statewide health standard and was approved by the Department on May 18, 2021.

**East Tioga Lofts**, 2215 East Tioga Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Angelo Waters, PE, Urban Engineers, Inc., 530 Walnut Street, Philadelphia, PA 19106 on behalf of Justin Kaplan, East Tioga Lofts LLC, 1200 Callowhill Street, Suite 403, Philadelphia, PA 19123 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil contaminated with benzo(a)pyrene, benzo(a)anthracene, benzo(b)fluoranthene, indeno(1,2,3-cd)pyrene, arsenic and lead. The Report was approved by the Department on May 18, 2021.

**9th and Diamond Streets**, 900-940 West Diamond Street, City of Philadelphia, **Philadelphia County**. Mark Schaeffer, Stantec Consulting Services, Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380 on behalf of Kevin Grooms, Philadelphia Gas Works, 800 West Montgomery Avenue, Philadelphia, PA 19122 submitted a Cleanup Plan concerning the remediation of site soil and groundwater contaminated with unleaded gasoline, No. 2 fuel oil, chlorinated solvents and other organics. The Report was reviewed by the Department which issued a technical deficiency letter on May 19, 2021.

**La Azteca, Inc.**, 815 & 821 Bristol Pike, Bristol Borough, **Bucks County**. Craig Herr, PG, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Roy Fleming, Geo T. Fleming and Sons, 821 Route 13, Bristol, PA 19007 submitted a Remedial Investigation Report/Final Report concerning the remediation of site soil contaminated with lead. The Report was reviewed by the Department which issued an administrative deficiency letter on May 15, 2021.

**Dan Sensenig Truck Diesel Fuel**, 1230 Old Race-track Road, Coatesville, PA 19320, Highland Township, **Chester County**. Karl Heebner, HEPACO, LLC, 710 Lloyd Street, Allentown, PA 18109 on behalf of Daniel Sensenig, Dan Sensenig Trucking, 5 Becker Road, New Oxford, PA 17353 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Report was reviewed by the Department which issued an administrative deficiency letter on May 15, 2021.

**Mulloy Property (a.k.a. West Property)**, 34 Yale Avenue, Morton, PA 19070, Morton Borough, **Delaware County**. Joanne Van Rensselaer, Envirosearch Consultants, Inc., P.O. Box 940, Spring House, PA 19477 on behalf of Marshall Mulloy, 305 Freese Road, Oxford, PA 19363 submitted a Final Report concerning the remediation of site groundwater contaminated with PCE and TCE. The Final Report demonstrated attainment of the Background Standard/Statewide health standard and was approved by the Department on May 20, 2021.

**510 North Broad Street**, 1419-1437 Spring Garden Street, 510 North Broad Street and 559-563 North 15th

Street, Philadelphia, PA 19130, City of Philadelphia, **Philadelphia County**. Natalie Griffith, REPSG, 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Mark Cartella, 510 Broad Partners, LLC, 414 South 16th Street, Suite 100, Philadelphia, PA 19146 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil contaminated with PAHs, mercury and vanadium. The Report was disapproved by the Department on May 24, 2021.

**210 North Aberdeen Avenue**, 210 North Aberdeen Avenue, Wayne, PA 19087, Radnor Township, **Delaware County**. Paul White, PG, Brickhouse Environmental, Inc., 515 South Franklin Street, West Chester, PA 19382 on behalf of Christy Flynn, 210 North Aberdeen Associates, LLC, 126 East State Street, Media, PA 19063 submitted a Remedial Investigation Report/Final Report/Risk Assessment Report concerning the remediation of site soil contaminated with benzo(a)pyrene. The Final Report demonstrate attainment of the site-specific standard and was approved by the Department on May 25, 2021.

**Wedgewood Cleaners Services**, 4311-4313 West Lincoln Highway, Chester, PA 19335, Caln Township, **Chester County**. Shad Manning, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of Mike Weaver, Wedgewood Associates, LP, 409 Stenton Avenue, Flourtown, PA 19031 submitted a Final Report concerning the remediation of site groundwater contaminated with tetrachloroethene, trichloroethene, 1-1-dichloroethene, cis-1,2-dichloroethene, trans-1,2-dichloroethene, and vinyl chloride. The Final Report demonstrated attainment of the Statewide health standard/site-specific standard and was approved by the Department on May 25, 2021.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**GP3-40-008A: Allied Recycling Company** (1752 Limekiln Pike, Dresher, PA 19025) on May 24, 2021 for the operation of a portable crushing operation with water sprays located at the Barletta Materials site in Nescopeck Township, **Luzerne County**

**GP11-40-008A: Allied Recycling Company** (1752 Limekiln Pike, Dresher, PA 19025) on May 24, 2021 for the operation of a diesel IC engine located at the Barletta Materials site in Nescopeck Township, **Luzerne County**

**AG5A-58-00031A: Chesapeake Appalachia, LLC** (P.O. Box 18496, Oklahoma City, OK 73154-9528) on May 27, 2021 for the installation of a natural gas fired engine with existing equipment at the Holton SUS Wellpad located in Auburn Township, **Susquehanna County**.

**GP3-39-016: R.E. Pierson Material Corp.** (P.O. Box 714, Bridgeport, NJ 08014) on May 18, 2021 for the operation of a portable crushing operation with water sprays located at the Catasaqua site in Catasaqua Borough, **Lehigh County**.

**GP9-39-016: R.E. Pierson Material Corp.** (P.O. Box 714, Bridgeport, NJ 08014) on May 18, 2021 for the operation of a diesel IC engine located at the Catasaqua site in Catasaqua Borough, **Lehigh County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP3-07-03069: Scott's Hauling & Excavating** (1462 North Franklin Street, Chambersburg, PA 17202) on May 25, 2021, for portable nonmetallic mineral processing equipment under GP3 at the New Enterprise Roaring Spring Quarry located in Taylor Township, **Blair County**.

**GP9-07-03069: Scott's Hauling & Excavating** (1462 North Franklin Street, Chambersburg, PA 17202) on May 25, 2021, for two diesel engines to power portable nonmetallic mineral processing equipment at the New Enterprise Roaring Spring Quarry located in Taylor Township, **Blair County**.

**GP3-28-05035I: St. Thomas Development, Inc.** (409 Stenton Avenue, Flourtown, PA 19031) on May 25, 2021, for portable nonmetallic mineral processing equipment, under GP3, including a crusher, 12 screens and 5 conveyors at the St. Thomas Quarry located in St. Thomas Township, **Franklin County**.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**GP5-65-01124A: Kriebel Minerals, Inc.** (633 Mayfield Road, Clarion PA 16214-6161) issued authorization on June 1, 2021, for the construction and operation of: One (1) natural gas-fired Caterpillar engine rated at 265 bhp, two (2) natural gas-fired Waukesha engines each rated at 1,900 bhp, one (1) Natco Glycol dehydration unit rated at 1.25 MMsfc/day, with a natural gas fired reboiler rated at 0.25 MMBtu/hr, three (3) various capacities storage tanks, and two (2) low bleed continuous pneumatic bleeders each rated at 1.37 scfh at the Armburst Sony Compressor Station located in East Huntingdon Township, **Westmoreland County**.

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**09-0142G: Bank of America National Association** (35 Runaway Drive, Levittown, PA 19057-4700) on May 25, 2021 for the installation of a new 2,250-kW, diesel nonemergency generator at their facility in Bristol Township, **Bucks County**.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**PA-65-00016J: Carpenter Latrobe Specialty Metals** (2626 Ligonier Street, Latrobe, PA 15650-3246) plan approval issuance date effective May 25, 2021, to allow the construction and temporary operation of a Wet Electrostatic Precipitator (ESP) rated at 6,900 SCFM on Source 201, Vacuum Induction Melting (VIM 2) furnace by replacing the existing AAF RotoClone scrubber at their facility located in Latrobe Borough, **Westmoreland County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**15-0141A: Tin Tech & Ref LLC** (905 Fernhill Road, West Chester, PA 19380-4203) on May 28, 2021 for the installation of an additional recovery furnace and two (2) new melting pots in West Goshen Township, **Chester County**.

**46-0005AV: Merck, Sharp & Dohme, Corp.** (770 Sumneytown Pike, West Point, PA 19486-0004) for the construction of a new wing to Building 60A and to retrofit part of existing Building 69D to create additional good manufacturing practice (GMP) spaces at an existing permitted Title V facility in Upper Gwynedd Township, **Montgomery County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-05158A: Allan Myers, L.P.** (638 Lancaster Avenue, Malvern, PA 19355) on May 25, 2021, for an asphalt plant on Leesport Avenue in Ontelaunee Township, **Berks County**. The plan approval was extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**59-00021B: Phoenix Resources, Inc.** (782 Antrim Rd., Wellsboro, PA 16901) on May 25, 2021, to extend the plan approval expiration date to December 3, 2021 to allow continued operation and source testing of a leachate evaporator at the Phoenix Resources Landfill in Duncan Township, **Tioga County**.

**41-00001B: Transcontinental Gas Pipe Line Company, LLC** (2800 Post Oak Blvd, Houston, TX 77056) on May 19, 2021, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from May 19, 2021 to November 15, 2021, at their Compressor Station 520 located in Mifflin Township, **Lycoming County**. The plan approval has been extended.

**18-00009G: Clinton County Solid Waste Authority** (P.O. Box 209, McElhattan, PA 17748) on May 26, 2021, to extend the plan approval authorization for temporary operation of a landfill gas flare for an additional 180 days from June 1, 2021 to November 27, 2021, at their Wayne



township Landfill located in Wayne Township, **Clinton County**. The plan approval has been extended.

**14-00002S: Graymont (PA), Inc.** (375 Graymont Rd., Bellefonte, PA 16823) was issued an extension on May 27, 2021, to allow for continued usage of natural gas for operation of the rotary lime kilns No. 6 and 7 at their Pleasant Gap plant in Spring Township, **Centre County**, pending issuance of an operating permit for the modified sources. The extension is valid for 180 days. This plan approval authorization also contains the NO<sub>x</sub> and CO PAL requirements which will remain in effect for the facility.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**04-00748: ARDEX L.P.** (400 Ardex Park Drive, Aliquippa, PA 15001) on May 26, 2021, to ARDEX L.P. for the expansion of, and continued operation of the Aliquippa Plant to produce high performance dry and liquid flooring and tiling products located in Center Township, **Beaver County**. The new expiration date is November 28, 2021.

**26-00575A: Green Ridge Cemeteries, Inc.** (2901 Memorial Boulevard, Connellsville, PA 15425) plan approval extension effective on May 28, 2021, with expiration date of November 28, 2021, to extend the period of temporary operation of the crematory at the referenced facility in Bullskin Township, **Fayette County**.

**63-00936F: MarkWest Liberty Midstream & Resources, LLC** (1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202-2137) on May 20, 2021, to extend the period of temporary operation of the Houston Gas Plant located in Chartiers Township, **Washington County**. The new expiration date is November 28, 2021.

**65-00921A: Smithfield Packaged Meat Corp.** (2200 Rivers Edge Drive, New Kensington, PA 15068-4540) on May 26, 2021, to allow the continued temporary operation at the Arnold Plant located in City of Arnold, **Westmoreland County**. The new expiration date is November 28, 2021.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**18-00006: Eastern Gas Transmission and Storage, Inc.** (6603 West Broad Street, Richmond, VA 23230) was issued a renewed Title V operating permit on May 27, 2021, for continued operation of their Leidy Transmission Station located in Leidy Township, **Clinton County**. The Title V operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**11-00356: Equitrans, LP** (2200 Rice Drive, Canonsburg, PA 15317-1001). On May 24, 2021, the Department

of Environmental Protection issued a renewed Title V operating permit for the continued operation of a natural gas compressor station located in Jackson Township, **Cambria County**. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145 and 40 CFR Part 63 Subpart ZZZZ. The Title V operating permit includes emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**43-00310: NLMK Pa Corporation Farrell Plant** (15 Roemer Boulevard, Farrell, PA 16121). On May 20, 2021 the Department issued the Title V Permit renewal for the operation to convert slabs to coils in hot and cold rolled processes in Farrell City, **Mercer County**. The primary sources at the facility include two natural gas steam boilers, three slab reheat furnaces, a 60 inch hot strip mill, # 2 shot blast, # 7 pickle line, # 4 tandem mill, # 21 and # 22 annealing furnaces, # 26, # 27, # 28 and # 35 temper mills, # 2 shear, # 26 slitter, # 1 tension leveler, # 3 shotblast and rotoblast, miscellaneous combustion sources, slab cutting torch, emergency diesel engine for the fire pump, emergency generators for the IT building and # 7 pickle line, degreasers, four natural gas emergency generators, and fugitive emissions from the facility. The sources are part of two cold rolling lines and a hot rolling line. The # 27 temper mill and the # 4 tandem mill are each controlled by an oil mist collector. The # 2 and # 3 shotblast units are each controlled by a dust collector. The # 7 pickle line is controlled by a scrubber. The facility is a major facility due to its potential to emit Oxides of Nitrogen, Volatile Organic Compounds, and Hazardous Air Pollutants. Actual reported emissions for 2019 were: CO 52.2 TPY; NO<sub>x</sub> 188.3 TPY; PM<sub>10</sub> 19.5 TPY; PM<sub>2.5</sub> 4.8 TPY; SO<sub>x</sub> 1.0 TPY; VOC 20.0 TPY; and CO<sub>2</sub> 187,833 TPY. The natural gas emergency engines are subject to 40 CFR Part 60 Subpart JJJJ. Subpart JJJJ is for Stationary Spark Ignition Internal Combustion Engines (SI ICE). The pickle line is subject to National Emission Standards for Hazardous Air Pollutants for Steel Pickling 40 CFR 63 Subpart CCC. The two boilers and annealing furnaces are natural gas fired. They are subject to 40 CFR 63 Subpart DDDDD—NESHAPs for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters. The stationary engines for the emergency diesel generators are subject to 40 CFR 63 Subpart ZZZZ. Subpart ZZZZ is for Stationary Reciprocating Internal Combustion Engines (RICE). The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00196: Abington Reldan Metals, LLC** (550 Old Bordentown Road, Fairless Hills, PA 19030) on May 24, 2021 the renewal and minor modification for various metals recovery facility, located in Falls Township, **Bucks**

**County.** The modification of the permit addresses the installation of the new scrubber as Control C02C-R associated with Thermal Destructor, Source 002. The installation was previously approved through Request for Determination No. 5234, in accordance with 25 Pa. Code § 127.14(c)(3).

**46-00264: JNA Materials LLC** (P.O. Box 179, Ambler, PA 19002) on May 24, 2021, for a renewal of Synthetic Minor Operating Permit for a non-metallic mineral processing plant in Whitmarsh Township, **Montgomery County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**21-05030: Ahlstrom-Munksjo Filtration LLC** (122 West Butler Street, Mount Holly Springs, PA 17065-1218) on May 26, 2021, for the specialty filter paper manufacturing facility located in Mount Holly Springs Borough, **Cumberland County**. The State-Only Permit was renewed.

**05-05026: Steckman Ridge, LP** (5400 Westheimer Court, Houston, TX 77056-5353) on May 28, 2021, for the natural gas compressor station located in Monroe Township, **Bedford County**. The State-Only Permit was renewed.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**56-000181: GFL PA, LLC** (1192 McClellandtown Rd., McClellandtown, PA 15458-1118) on May 21, 2021 an Administrative Amendment to change the name of the ownership and Responsible Official in the Title V Operating Permit. This an operation of a municipal solid waste landfill in Conemaugh Township, **Somerset County**.

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**18-00016: Pine Creek Veterinary Associates, PC** (2161 Woodward Avenue, Lock Haven, PA 17745) on May 26, 2021, terminated the State Only Operating Permit, issued for the operation of an Incinerator Specialists, Inc. model ISI-27 animal crematory incinerator at their facility located in Pine Creek Township, **Clinton County** due to the removal of the source from the facility and a request by the permittee. The operating permit 18-00016 is terminated.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).** The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

### Coal Permits Issued

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).*

**Permit No. 33100105. Original Fuels, Inc.,** P.O. Box 343, Punxsutawney, PA 15767, renewal of an existing bituminous surface mine in Perry Township, **Jefferson County**, affecting 139.8 acres. This renewal is issued for reclamation only. Receiving stream(s): Unnamed tributary to Big Run. Application received: February 8, 2021. Permit issued: May 10, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. PAM113052R2. Gilberton Coal Company,** 10 Gilberton Road, Gilberton, PA 17934, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 49773204 in Mt. Carmel and Conyngham Townships, **Northumberland and Columbia Counties**, receiving stream: unnamed tributary to Mahanoy Creek. Application received: November 16, 2020. Renewal issued: May 24, 2021.

**Permit No. PAM114037R. Newport Aggregate, Inc.,** 76 Main Road, Glen Lyon, PA 18617, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 40940203 in Jenkins Township, **Luzerne County**, receiving stream: Susquehanna River. Application received: December 6, 2019. Renewal issued: May 24, 2021.

**Permit No. 40930102C4. Glenn O. Hawbaker, Inc.,** 1952 Waddle Road, State College, PA 16803, correction to an existing anthracite surface mine, refuse reprocessing, refuse disposal and preparation plant operation to increase the permit acres from 688.0 to 696.0 acres in Hazle and Butler Townships, **Luzerne County**. Receiving stream: Little Nescopeck Creek. Application received: January 8, 2021. Correction issued: May 27, 2021

**Permit No. PAM111008C. Glenn O. Hawbaker, Inc.,** 1952 Waddle Road, State College, PA 16803, corrected coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities



(BMP GP-104) on Surface Mining Permit No. 40930102 in Hazle and Butler Townships, **Luzerne County**, receiving stream: Little Nescopeck Creek. Application received: January 8, 2021. Correction issued: May 27, 2021.

**Permit No. 54773006R7. Reading Anthracite Company**, P.O. Box 1200, Pottsville, PA 17901, renewal of an existing anthracite surface mine and coal reprocessing operation in Cass, Foster and New Castle Townships, **Schuylkill County** affecting 3,500 acres. Receiving stream: West Branch Schuylkill River. Application received: September 17, 2020. Renewal issued: May 27, 2021.

**Permit No 54773006C29. Reading Anthracite Company**, P.O. Box 1200, Pottsville, PA 17901, correction to update the post-mining land use of an existing anthracite surface mine and coal reprocessing operation in Cass, Foster and New Castle Townships, **Schuylkill County** affecting 3,500 acres. Receiving stream: West Branch Schuylkill River. Application received: September 17, 2020. Correction issued: May 27, 2021.

**Permit No. PAM113008R2. Reading Anthracite Company**, P.O. Box 1200, Pottsville, PA 17901, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54773006 in Cass, Foster and New Castle Townships, **Schuylkill County**, receiving stream: West Branch Schuylkill River. Application received: September 27, 2020. Renewal issued: May 27, 2021.

**Permit No. PAM11008C2. Reading Anthracite Company**, P.O. Box 1200, Pottsville, PA 17901, correct coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54773006 in Cass, Foster and New Castle, **Schuylkill County**, receiving stream: West Branch Schuylkill River. Application received: January 28, 2021. Correction issued: May 27, 2021.

#### *Noncoal Permits Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).*

**Permit No. 10202803. Ben Hal Mining, Inc.**, 389 Irishtown Road, Grove City, PA 16127, commencement, operation, and restoration of a small industrial minerals mine in Marion Township, **Butler County**, affecting 8.0 acres. Receiving stream(s): Unnamed tributary to North Branch Slippery Rock Creek. Application received: November 2, 2020. Permit issued: May 3, 2021.

**Permit No. PAM620010. Ben Hal Mining, Inc.**, 389 Irishtown Road, Grove City, PA 16127, Coverage under General NPDES Permit for stormwater discharges (BMP GP-104) associated with mining activities on **Surface Mining Permit No. 10202803** in Marion Township, **Butler County**. Receiving stream(s): Unnamed tributary to North Branch Slippery Rock Creek. Application received: November 2, 2020. Permit issued: May 3, 2021.

**Permit No. 24210801. Pollino Excavating**, 645 Lovers Lane Extension, Kersey, PA 15846, Commencement, operation, and restoration of a small industrial minerals mine in Fox Township, **Elk County**, affecting 5.0 acres. Receiving stream(s): Little Toby Creek. Application received: February 8, 2021. Permit issued: May 19, 2021.

**Permit No. 43202802. H & H Materials, Inc.**, 190 Canon Road, Stoneboro, PA 16153, Commencement, operation, and restoration of a small industrial minerals mine in Sandy Lake Borough, **Mercer County**, affecting

4.8 acres. Receiving stream(s): McCutcheon Run. Application received: December 2, 2020. Permit issued: May 19, 2021.

**Permit No. PAM620011. H & H Materials, Inc.**, 190 Canon Road, Stoneboro, PA 16153, Coverage under General NPDES Permit for stormwater discharges (BMP GP-104) associated with mining activities on Surface Mining Permit No. 43202802 in Sandy Lake Borough, **Mercer County**. Receiving stream(s): McCutcheon Run. Application received: December 2, 2020. Permit issued: May 19, 2021.

**Permit No. 20200301. Lakeland Aggregates, Inc.**, 11203 Ellion Road, Conneaut Lake, PA 16316, commencement, operation, and restoration of a large industrial minerals surface mine in East Fallowfield Township, **Crawford County**, affecting 85.0 acres. Receiving stream(s): Unnamed tributary to Jackson Run and unnamed tributary to Crooked Creek. Application received: August 28, 2020. Permit issued: May 19, 2021.

**Permit No. PAM620008. Lakeland Aggregates, Inc.**, 11203 Ellion Road, Conneaut Lake, PA 16316, Coverage under General NPDES Permit for stormwater discharges (BMP GP-104) associated with mining activities on Surface Mining Permit No. 20200301 in East Fallowfield Township, **Crawford County**. Receiving stream(s): Unnamed tributary to Jackson Run and unnamed tributary to Crooked Creek. Application received: August 28, 2020. Permit issued: May 19, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 19810302C3. Sokol Quarries, Inc.**, P.O. Box 366, Bloomsburg, PA 17815, correction to an existing quarry to bond new mining area in Benton and Fishing Creek Townships and Stillwater Borough, **Columbia County** affecting 152.0 acres. Receiving stream: Fishing Creek. Application received: December 9, 2020. Correction issued: May 24, 2021.

**Permit No. PAM11051R2. Sokol Quarries, Inc.**, P.O. Box 366, Bloomsburg, PA 17815, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 19810302 in Benton and Fishing Creek Townships and Stillwater Borough, **Columbia County**, receiving stream: Fishing Creek. Application received: April 1, 2021. Renewal issued: May 24, 2021.

**Permit No. 40930301C4 and NPDES Permit No. PA0224474. Meckley's Limestone Products, Inc.**, P.O. Box 503, Herndon, PA 17830, renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Hazle Township, **Luzerne County**. Receiving streams: Black Creek and Hazle Creeks. Application received: July 10, 2020. Renewal issued: May 25, 2021.

**Permit No. 7475SM3C7 and NPDES Permit No. PA0612308. Keystone Cement Company**, P.O. Box A, Bath, PA 18014, correction to an existing quarry operation to increase the permit acres from 549.7 to 581.0 acres; update the depth of mining from 250 feet MSL to 150 feet MSL and update the NPDES Permit for discharge of treated mine drainage in East Allan Township and Bath Borough, **Northampton County**. Receiving stream: Monacacy Creek. Application received: August 15, 2018. Correction issued: May 28, 2021.

**Permit No. 39880302A1C11. Coplay Aggregates, Inc.**, 21 East 10th Street, Northampton, PA 18067, correction

to an existing quarry operation to authorize the use of Mine Reclamation Fill as a reclamation option in Whitehall Township, **Lehigh County** affecting 21.49 acres. Receiving stream: Coplay Creek. Application received: February 27, 2020. Correction issued: May 28, 2021.

### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 40214111. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, construction blasting for Hanover Street, Lot 11B & C in Hanover and Wilkes-Barre Townships, **Luzerne County** with an expiration date of May 26, 2022. Permit issued: May 26, 2021.

**Permit No. 46214108. Rock Work, Inc.**, 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Everleigh at Limerick Point in Limerick Township, **Montgomery County** with an expiration date of June 1, 2021. Permit issued: May 27, 2021.

**Permit No. 46214109. Rock Work, Inc.**, 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Stone Brooke in Upper Merion Township, **Montgomery County** with an expiration date of June 1, 2021. Permit issued: May 27, 2021.

**Permit No. 58214101. DW Drilling & Blasting**, 2733 East Battlefield Street # 320, Springfield, MO 65804, construction blasting for Benedikt K Pad 1 in Bridge-water Township, **Susquehanna County** with an expiration date of May 22, 2022. Permit issued: May 27, 2021.

**Permit No. 36214122. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, construction blasting for David Hess Pit & Barn in Pequea Township, **Lancaster County** with an expiration date of July 30, 2021. Permit issued: May 28, 2021.

**Permit No. 67214106. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, construction blasting for Homestead Acres trench in West Manheim Township, **York County** with an expiration date of May 14, 2022. Permit issued: May 28, 2021.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.*

**Permit No. E2301221-005, Gator Clifton Partners, LTD**, 7850 NW 146th Street, Miami Lakes, FL 33016, Clifton Heights Borough, **Delaware County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the Clifton Heights Multi-Tenant Plaza Project and are listed as follows:

1. To demolish the existing K-Mart Garden Center within the floodway of Darby Creek (TSF) resulting in 95 linear feet (3,800 sq ft, 0.087 acre) of permanent floodway impact.

2. To construct and maintain gas utility line within the floodway of Darby Creek (TSF) resulting in 32 linear feet (936 sq ft, 0.021 acre) of permanent floodway impact.

3. To construct and maintain dumpster enclosures within the floodway of Darby Creek (TSF) resulting in 140 linear feet (100 sq ft, 0.002 acre) of permanent floodway impact.

4. To construct and maintain loading dock within the floodway of Darby Creek (TSF) resulting in 67 linear feet (504 sq ft, 0.011 acre) of permanent floodway impact.

This project is located 713 East Baltimore Avenue in Clifton Heights Borough, Delaware County (USGS PA Lansdowne Quadrangle—Latitude: 39.934755 N, Longitude: -75.286144 W). Permit issued May 20, 2021.



**Permit No. E5101220-027, Philadelphia Parks & Recreation**, 1515 Arch Street, 10th Floor, Philadelphia, PA 19102, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To construct and maintain a new riverfront park on a 10.26-acre former industrial site, for multi-use recreational activities at 3101 Orthodox Street along the floodway/floodplain of the Delaware River (WWF/MF) associated with the new riverfront park. The project will include an upper meadow, great lawn, loop trail system, a parking lot to access the park and serve as a trailhead, and a restroom pavilion. In future phases of construction, miscellaneous structures (which are included in this permit application) will also be built, such as a landside boardwalk/overlook, a terraced lawn, a stage pavilion, and a picnic pavilion.

The site is located along the Delaware River at 3101 Orthodox Street (Camden, NJ, USGS Quadrangle Latitude: 39.991275; Longitude: -75.066794) in the City of Philadelphia, Philadelphia County. Permit issued May 27, 2021.

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E4002220-032. Wyoming Valley Sanitary Authority**, P.O. Box 33A, Hanover, PA 18706-1333, Hanover Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the 1,800-LF Spring Run and Solomon Creek Phase 2 Stream Restoration Project:

1) A channel change within a 1,200-LF section of Solomon Creek (CWF, MF) consisting of a 30-foot wide, trapezoidal channel with side slopes ranging from 2.5:1 to 4:1, longitudinal slopes ranging from 0.5% to 9.5%, a 1-foot wide "low flow" channel at the thalweg, and lined with 12-inches of natural streambed material. Other restoration measures include five (5) boulder revetment areas, four (4) log/rootwad revetment areas, twenty-three (23) randomly placed boulders, live stakes, live fascines, brush mattresses, and riparian buffer plantings.

2) A streambank retaining device within a 300-LF section of the western bank of Solomon Creek (CWF, MF) consisting of a boulder revetment wall comprised of 2-foot diameter boulders having an embedment depth ranging from 6-inches to 12-inches, brush mattresses, live stakes, and riparian buffer plantings.

3) A streambank retaining device within a 300-LF section of Spring Run (CWF, MF) consisting of one (1) log/rootwad revetment area and one (1) boulder revetment area along the western bank, seven (7) randomly placed boulders, brush mattresses, live stakes, and live fascines. This project will result in a total of 216,000 ft<sup>3</sup> in net cut within the stream and floodway.

The project is located approximately 0.12 mile east of the intersection of Patrick Henry Drive and Red Coat Lane (Wilkes-Barre West, PA Quadrangle Latitude: 41° 13' 25.71"; Longitude: -75° 54' 22.17") in Hanover Township, Luzerne County.

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E2203220-025. Core5 Industrial Partners, LLC**, 1250 North Mountain Road, Harrisburg, PA 17112.

Londonderry Township, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To 1.) place and maintain fill in palustrine emergent/forested wetlands permanently impacting 6.61 acres of wetlands; and 2.) place and maintain fill in unnamed tributaries to Lynch Run (TSF, MF), permanently impacting 1,110 linear feet of stream, all for the purpose of constructing proposed distribution warehouses. The project will occur on two separate properties located along S.R. 230 (Latitude: 40° 11' 22.45"N; Longitude: 76° 40' 22.34"W; and Latitude: 40° 12' 2.29"N; Longitude: 76° 42' 35.22"W) in Londonderry Township, Dauphin County. To compensate for wetland impacts, the applicant proposes to create 7.60 acres of palustrine emergent/scrub shrub wetlands and to enhance 4.0 acres of existing palustrine emergent wetlands through tree plantings on the property located at Latitude: 40° 12' 2.29"N; Longitude: 76° 42' 35.22"W. To compensate for stream impacts, the permittee will plant tree and shrub species along 1,060 feet of an agricultural swale, will enhance stream habitat in 1,385 feet of an unnamed tributary to Lynch Run (TSF, MF) utilizing vegetative plantings, will install 400 feet of bio-engineered stream revetments, and will purchase 500 perennial stream credits from the Codorus Creek Mitigation Bank in York County, PA. Permit issued May 26, 2021.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E1704221-001. City of DuBois**, 16 West Scribner Avenue, DuBois, PA 15801. Fuller Avenue, New Bridge and Access Road Construction, in the City of DuBois, **Clearfield County**, ACOE Pittsburgh District (Falls Creek, PA Quadrangle, Latitude: N: 41° 7' 46.49"; Longitude: W: -78° 46' 36.26").

The City of DuBois propose to construct and maintain a concrete box beam bridge over Sandy Lick Creek and a new access road to the Wastewater Treatment Plant. The proposed bridge is to be constructed along Fuller Avenue which is currently a dead end at Sandy Lick Creek. The proposed bridge will provide a more direct route to the treatment plant. Approximately 2,350 feet of access road with sidewalk and guiderail will be constructed along the northern bank of Sandy Lick Creek in the area of an existing flood control project for the City of DuBois and Sandy Township. There are wetlands within the parcel of the project, however no wetlands will be impacted as part of this project. Tree clearing will be required to construct the access roadway, however no other environmental impacts are anticipated. The proposed bridge will have a span of 90 Ft., a width of 32 Ft., a skew of 90 degrees, an under clearance of 12.16 Ft., and a hydraulic opening of 955 Ft<sup>2</sup>. R-8 Rip Rap Scour Protection will be utilized along the proposed Concrete Integral Abutments for scour protection. The abutment construction will require a temporary diversion of cofferdams and pumping to de-water the work area. Sandy Lick Creek is classified as a Trout Stocked Fishery by 25 Pa. Code Chapter 93 Water Quality Standards.

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

**E2605220-028, Masontown Borough**, 1 East Church Avenue, Masontown, PA 15461, Masontown Borough, **Fayette County**; Pittsburgh ACOE District.

Has been given consent to:

1. Construct, operate, and maintain a 15-foot by 40-foot concrete boat launch ramp with R-6 riprap scour protection along the Monongahela River (WWF-N);
2. Construct, operate, and maintain a 71-foot by 29-foot floating dock with a kayak launch and four 12-inch diameter composite piles along the Monongahela River;
3. Construct, operate, and maintain a 28-foot by 5-foot aluminum gangway within the floodway of and along the Monongahela River;
4. Construct, operate, and maintain a 17,413 square-foot parking area with two light posts and a concrete sidewalk within the floodway of the Monongahela River;
5. Construct, operate, and maintain a 138-foot by 24-foot rain garden and an 8-inch diameter, 49-foot long smooth lined corrugated plastic outlet pipe within the floodway of the Monongahela River;

For the purpose of providing recreational access to the Monongahela River. Cumulatively, the project will permanently impact 0.08 acre of the Monongahela River, and permanently impact 0.5 acre of the floodway of the Monongahela River. The project site is located on Madison Avenue, below McClellandtown Rd, in Masontown, PA 15461 (Masontown, PA USGS topographic quadrangle; N: 39°, 51', 8.00"; W: -79°, 55', 34.27"; Sub-basin 19G; USACE Pittsburgh District), in Masontown Borough, Fayette County.

**E6505220-021, Triple C Recycling Inc.**, 703 Fallen Timber Road, South Huntingdon, **Westmoreland County**; Pittsburgh ACOE District.

Has been given consent to:

1. Fill within 104 linear feet of an unnamed tributary (UNT) to Hunters Run (WWF). Impacts will include 104 linear feet of permanent impacts to the watercourse and 0.04 acre of associated floodway,
2. Fill within four PEM wetlands (W2—W5). Permanent impacts include 0.75 acre, and
3. The replacement of a 16-inch iron pipe with a new 18-inch, 66-foot-long reinforced concrete pipe. Impacts will include 66 LF of permanent impacts to a UNT to Hunters Run (WWF).

For the purpose of an expansion of the business stockyard and storage area. To mitigate for the wetland and stream impacts, the permittee will purchase stream and wetland mitigation credits through Land Reclamation Group, LLC at the Shrader Hollow Road Mitigation Bank. The project site is located at 2049 Mt. Pleasant Road, West Newton, PA 15089 (Smithton, PA USGS topographic quadrangle; N: 40°, 11', 33"; W: -79°, 42', 5"; Sub-basin 19D; USACE Pittsburgh District), in South Huntingdon Township, Westmoreland County.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E0829220-027: Regency Marcellus Gas Gathering, LLC**, 101 West Third Street, Williamsport, PA 17701, Leroy Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 12-inch steel gas line and a 12-inch HDPE waterline impacting 148 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.62417°, Longitude: -76.71333°);

2. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 3,538 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.62444°, Longitude: -76.71250°);

3. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 33 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.62222°, Longitude: -76.71000°);

4. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 15,559 square feet of floodway of an unnamed tributary to Wolf Run (EV, MF) (Leroy, PA Quadrangle, Latitude: 41.62111°, Longitude: -76.66028°);

5. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 76 linear feet of an unnamed tributary to Wolf Run (EV, MF), 7,787 square feet of its channel/floodway and impacting 640 square feet of an adjacent Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.62056°, Longitude: -76.71083°);

6. a temporary timber mat bridge impacting 56 linear feet of a unnamed tributary to Wolf Run (EV, MF) and 12,656 square feet of its channel/floodway (Leroy, PA Quadrangle, Latitude: 41.62000°, Longitude: -76.71083°);

7. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 90 linear feet of Wolf Run (EV, MF) and 2,594 square feet of its channel/floodway and impacting 12,848 square feet of an adjacent Palustrine Forested Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61944°, Longitude: -76.71056°);

8. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 13,461 square feet of a Palustrine Scrub Shrub Wetland (EV) and 838 square feet of a Palustrine Forested Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61778°, Longitude: -76.70667°);

9. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 95 linear feet of an unnamed tributary to Thomas Run (EV, MF), and 9,801 square feet of its channel/floodway (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.70361°);

10. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 88 linear feet of an unnamed tributary to Thomas Run (EV, MF), 8,592 square feet of its channel/floodway and impacting 18 square feet of an adjacent Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.70306°);

11. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 2,333 square feet of a Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.70194°);

12. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 116 linear feet of Thomas Run (EV, MF), 11,888 square feet of its channel/floodway and impacting 671 square feet of an adjacent Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.70167°);

13. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 413 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.61667°, Longitude: -76.70028°);

14. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 39 square



feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.69972°);

15. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 897 square feet of a Palustrine Forested Wetland (Leroy, PA Quadrangle, Latitude: 41.61667°, Longitude: -76.69472°);

16. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 173 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.61694°, Longitude: -76.69472°);

17. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 71 linear feet of an unnamed tributary to Thomas Run (EV, MF), and 7,582 square feet of its channel/floodway (Leroy, PA Quadrangle, Latitude: 41.61583°, Longitude: -76.69417°);

18. a 12-inch steel gas line, a 12-inch HDPE waterline and a temporary timber mat bridge impacting 79 linear feet of an unnamed tributary to Thomas Run (EV, MF), and 8,140 square feet of its channel/floodway (Leroy, PA Quadrangle, Latitude: 41.61500°, Longitude: -76.69222°);

The project will result in 671 linear feet of temporary stream impacts and 81,893 square feet floodway impacts, 8,006 square feet (0.18 acre) of temporary PEM impacts, 8,753 square feet (0.20 acre) of temporary PSS impacts, 4,708 square feet of permanent PSS impacts and, 14,583 square feet (0.33 acre) of permanent PFO wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Leroy Township, Bradford County.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**EA67-030. Aquatic Resource Restoration Company**, 12506 Susquehanna Trail South, New Freedom, PA 17349. Codorus Township and Springfield Township, **York County**, U.S. Army Corps of Engineers, Baltimore District.

To restore and maintain 1,500 linear feet of South Branch Codorus Creek (WWF-MF) and its floodplain by use of channel relocations, J-hook rock vane deflectors, rock cross vanes, single log vane deflectors, toe wood protection, bank grading and floodplain grading. The project is located north of SR 616 in Codorus and Springfield Townships, York County (39.8065°, -76.7468°). Permit issued May 28, 2021.

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.*

**D67-483EA. Jane Rineer**, 155 Oak Road, Dallastown, PA 17313, and **Harlowe and Susan Prindle**, 255 School Street, York, PA 17402, York Township, **York County**, USACOE Baltimore District.

Project proposes to remove the Kehm Run Dam to eliminate a threat to public safety and to restore approximately 1,000 feet of stream channel to a free-flowing condition. The project is located across a tributary to Mill Creek (WWF, MF) (York, PA Quadrangle, Latitude: 39.9233 Longitude: -76.6675).

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501–508 and 701–704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.*

ESCGP-3 # ESG073020011-00/Spleen Splitter Well Site  
Applicant Name EQT Prod Co.  
Contact Person Charity Fleenor  
Address 400 Woodcliff Drive  
City, State, Zip Canonsburg, PA 15317-5851  
County Greene  
Township(s) Springhill  
Receiving Stream(s) and Classification(s) (19) Nineteen UNTs to Herod Run WWF Herod Run WWF

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

ESCGP-3 # ESG295821008-00  
Applicant Name Chesapeake Appalachia, LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840-1567  
County Susquehanna  
Township(s) Rush  
Receiving Stream(s) and Classification(s) UNT East Branch Wyalusing (CWF, MF)  
Secondary: East Branch Wyalusing Creek (CWF, MF)

ESCGP-3 # ESG290821006-00  
Applicant Name Appalachia Midstream Services, LLC  
Contact Person Adam Weightman  
Address 30351 Route 6  
City, State, Zip Wysox, PA 18854  
County Bradford  
Township(s) Wyalusing  
Receiving Stream(s) and Classification(s) Brewer Creek (WWF-MF), Billings Creek (WWF-MF), Susquehanna River (WWF-MF)  
Secondary: Wyalusing Creek (WWF-MF), Wyalusing Creek (WWF-MF), Susquehanna River (WWF-MF)

ESCGP-3 # ESG294121007-00

Applicant Name Seneca Resources Company, LLC

Contact Person Ben Williams

Address 51 Zents Blvd

City, State, Zip Brookville, PA 15825

County Lycoming

Township(s) McIntyre and Lewis

Receiving Stream(s) and Classification(s) UNT to Trout

Run (HQ-CWF), Long Run (HQ-CWF), Hagerman Run (HQ-CWF), Dry Run (HQ-CWF)

Secondary: Trout Run (HQ-CWF), Grays Run (HQ-CWF), Lycoming Creek (EV), Grays Run (HQ-CWF)

ESCGP-3 # ESG290821027-00

Applicant Name Tilden Bradford LLC

Contact Person Regina Logue

Address 4600 J Barry Court, Suite 220

City, State, Zip Canonsburg, PA 15317

County Bradford

Township(s) Springfield

Receiving Stream(s) and Classification(s) UNT to Leonard Creek (TSF/MF)

Secondary: Sugar Creek (TSF/MF)

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Saint Mary's Cemetery Association**, Storage Tank ID # 40-50489, 1594 South Main Street, Wilkes-Barre, PA 18701, Hanover Township, **Luzerne County**. Terraphase Engineering, 1100 East Hector Street, Suite 416, Conshohocken, PA 19428, on behalf of Saint Mary's Cemetery Association, 134 South Washington Street, Wilkes-Barre, PA 18701, has submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide health standards.

*Northcentral Regional Office: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.*

*Contact: Randy Farmerie, Environmental Program Manager.*

**Kwik Fill M417 (Former Acorn Market #35)**, Storage Tank Facility ID # 59-36841, 208 Main Street, Blossburg, PA 16912, Blossburg Borough, **Tioga County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 16086, on behalf of United Refining Company, 15 Bradley Street, Warren, PA 16365, submitted a Site Characterization Report/Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting the Statewide health standard.

**Liberty Exxon**, Storage Tank Facility ID # 59-37298, 8489 Route 414, Liberty, PA 16930, Liberty Township, **Tioga County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Sandhoos, Inc., 165 Lamont Drive, Cogan Station, PA 17728, submitted a Site Characterization Report and Remedial Action Plan concerning remediation of groundwater contaminated with diesel fuel. The plan is intended to document the remedial actions for meeting the Statewide health standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**The Department of Environmental Protection (DEP) Has Taken Action on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling meth-

odology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Woodland Gardens**, 23-34639, 553 Church Ln., Yeadon, PA 19050, Yeadon Borough, **Delaware County**. Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of Woodland Gardens, LLC, 553 Church Lane, Yeadon Borough, PA 19050 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was not acceptable to meet nonresidential Statewide health and site-specific standards and was disapproved by the DEP on May 19, 2021.

**US Capital Investments 6**, 51-55064, 512 W. Montgomery Ave., Philadelphia, PA 19146, **City of Philadelphia**. Environmental Maintenance Company, 1420 E. Mermaid Lane, Glenside, PA 19038, on behalf of the US Capital Investments Inc., 2301 Washington Avenue, Suite 111, Philadelphia, PA 19146 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and heating oil. The Remedial Action Plan was not acceptable to meet residential Statewide health standards and was disapproved by the DEP on May 19, 2021.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Pilot Travel Center # 370**, Storage Tank ID # 40-24869, 417 State Route 315, Pittston, PA 18640, Pittston Township, **Luzerne County**. Sovereign Consulting Inc., 359 Northgate Drive, Suite 400, Warrendale, PA 15086, on behalf of Pilot Travel Centers LLC, P.O. Box 10146, 5508 Lonas Drive, Knoxville, TN 37939, has submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report was not acceptable to meet Statewide health standards and was disapproved by DEP on May 28, 2021.

*Northcentral Regional Office: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.*

*Contact: Randy Farmerie, Environmental Program Manager.*

**Kwik Fill M417 (Former Acorn Market # 35)**, Storage Tank Facility ID # 59-36841, 208 Main Street, Blossburg, PA 16912, Blossburg Borough, **Tioga County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 16086, on behalf of United Refining Company, 15 Bradley Street, Warren, PA 16365, submitted a Site Characterization Report/Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on May 19, 2021.

*Northwest Regional Office: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.*

*Contact: Kim Bontrager, Clerk Typist 3.*

**Tom Dylewski SVC**, Storage Tank Facility ID # 25-05386, 4421 Pine Avenue, Erie, PA 16504, City of Erie, **Erie County**. Environmental Remediation and Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Mark Dylewski, 4421 Pine Avenue, Erie, PA 16504 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene ethyl benzene, xylenes, cumene, naphthalene, MTBE, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on January 20, 2021.

**Vennards Crossroads Convenience**, Storage Tank Facility ID # 32-81802, 4895 Lucerne Road, Indiana, PA 15701-6001, White Township, **Indiana County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Mr. Richard Vennard, 5190 White Oak Drive, Indiana, PA 15701-9479, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on January 21, 2021.

**Dixonville Food N Gas**, Storage Tank Facility ID # 32-81438, 17659 State Route 403 Highway N, Dixonville, PA 15734, Green Township, **Indiana County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Mr. Naveed Chowdhry, 17659 State Route 403 Highway N, Dixonville, PA 15734, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on February 3, 2021.



---

**SPECIAL NOTICES**


---

**RADIATION PROTECTION**


---

**Notice of Certification to Perform Radon-Related Activities in Pennsylvania.**


---

In the months of May through June 2021, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Jay Bauder	110 S Line Rd Ephrata, PA 17522	Mitigation
Robert C. Bolus Jr.	3608 Springer St Moosic, PA 18507	Testing
Michael R. Bonura, Jr.	720 Anderson St New Kensington, PA 15068	Mitigation
Michael R. Bonura, Jr.	720 Anderson St New Kensington, PA 15068	Testing
	Rob Bruno 501 Sharp Ave Glenolden, PA 19036	Testing
George Curry	P.O. Box 508 Medford NJ 08055	Testing
Kevin Dunkle	P.O. Box 211 Worthington, PA 16262	Testing
Joseph Dunlap	115 Heather Dr Monaca, PA 15061	Testing
Eric Gertsen	1201 Pointe Ct Chester Springs, PA 19425	Testing
Charles P. Guttridge	1614 Laurel Wood Rd Pottstown, PA 19465	Testing
Robert Hamlin	1312 The Hideout Lake Ariel, PA 18436	Testing
Dan Hoffman	118 North Manheim St York, PA 17402	Testing
Corwin Jackson	5656 Cricket Ln Bensalem, PA 19020	Testing
Stephanie Lamb	1600 US Highway 22 E Union, NJ 07083	Testing
Joseph Lydic	P.O. Box 151 Muse, PA 15350	Testing
Valerie Matteo	462 Biddle Ave Pittsburgh, PA 15221	Testing
Joseph Mihalik	8020 Mine St Fogelsville, PA 18051	Mitigation
Donald Minehart	301 S Hills Vlg, Ste LL200-412 Pittsburgh, PA 15241	Testing
Sean Minogue	145 Fox Rd Dingmans Ferry, PA 18328	Testing
Thomas J. Moore	421 Redgate Rd Sewickley, PA 15143	Testing
Michael R. Nowicki	1223 Southgate Dr Pittsburgh, PA 15241	Mitigation
Robert Pecca	7492 Mount Eaton Rd Saylorsburg, PA 18353	Testing
Jerry Petrill	290 Forbes Trail Rd Greensburg, PA 15601	Mitigation



<i>Name</i>	<i>Address</i>	<i>Certification</i>
Gerald Petrone, Jr.	152 Orchard Dr McMurray, PA 15317	Testing
Greg Petruska	269 State Rd Valencia, PA 16059	Testing
Robbie D. Risley, II	119 Old Ridge Road Archbald, PA 18403	Testing
Eugene John J. Spoehr, Jr.	2207 Concord Pike # 291 Wilmington, DE 19803	Testing
Ryan Tipton	17 N State St. Warren, PA 16365	Testing
Michael Watson	129 Colonial Village Dr. Pittsburgh, PA 15235	Testing
Roger Weaver	P.O. Box 275 White Haven, PA 18661	Testing
Peter D. Weber	6 Boors Cove Ln. West Grove, PA 19390	Mitigation
Michael R. Webster	805 Pershing St. Lebanon, PA 17046	Mitigation
Michael R. Webster	805 Pershing St. Lebanon, PA 17046	Testing
Jeffrey Zimmerman	P.O. Box 179 Kutztown, PA 19530	Mitigation

---

**WATER PROGRAMS**


---

**REQUEST FOR COMMENT**


---

**Proposed Total Maximum Daily Loads (TMDLs) for a Subwatershed of Carr Run in Crawford County.**


---

*Central Office: Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774.*

The Department of Environmental Protection will accept comments on the proposed "TMDLs" developed for a subwatershed of Carr Run in Crawford County under Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included stream segments impaired for aquatic life in the watershed. The impairments addressed by this document were identified as being caused by excessive siltation due to agriculture.

There currently are no state or Federal in-stream numerical water quality criteria for sediment. Therefore, the Department utilized a reference watershed approach to develop the applicable narrative criteria. The proposed TMDL document sets allowable loading of sediment in the Carr Run Subwatershed. The "TMDLs" included allocations for nonpoint sources, reserves for current and future point sources, as well as margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land, and streambank source sectors present in the watershed. Data used in establishing the "TMDLs" were primarily generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loadings within the watershed, the prescribed "TMDL" values, and % reductions needed under annual average conditions.

<i>Summary of "TMDL"—Based Load Reductions (expressed as annual averages) in the Carr Run Subwatershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>"TMDL" (lbs/yr)</i>	<i>% Reduction</i>
Carr Run	Sediment	2,382,213	1,170,069	51

The following table shows the estimated current sediment loading within the watershed, the prescribed "TMDL" values, and % reductions needed under 99th percentile daily loading conditions.

<i>Summary of "TMDL"—Based Load Reductions (expressed as 99th percentile daily loading) in the Carr Run Subwatershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/d)</i>	<i>TMDL (lbs/d)</i>	<i>% Reduction</i>
Carr Run	Sediment	141,950	61,330	57

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/CarrRunTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by emailing Michael Morris at [michamorri@pa.gov](mailto:michamorri@pa.gov).

Written/typed comments will be accepted at the above email address. Comment submissions must be submitted within 30 days after publication of this notice in the June 12, 2021 issue of the *Pennsylvania Bulletin*. The Department will consider all written/typed comments submitted within the deadline prior to submitting the final TMDL to EPA for approval. To ensure timely receipt of comments given the office closure and work from home order, please do not mail hard copies of comments. Rather please submit them by email at [michamorri@pa.gov](mailto:michamorri@pa.gov). If comments cannot be emailed, please call Michael Morris at 717.772.5670 to request another method of comment submission.

[Pa.B. Doc. No. 21-925. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/). The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

#### Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

#### Draft Technical Guidance: Substantive Revision

**DEP ID:** 393-3301-003. **Title:** Turbidity Reporting Instructions for Public Water Systems Using Filtered Surface Water or Groundwater Under the Direct Influence of Surface Water (GUDI) Sources. **Description:** Guidance is necessary because of significant revisions due to the 2018 General Update to the Department's Safe Drinking Water regulations at 25 Pa. Code Chapter 109 (relating to safe drinking water). Revisions to the draft TGD include:

1. Removed specific references to individual regulations (for example, Filter Rule, IESWTR, LT1 ESWTR, LT2 ESTWR) and combined into "Filter Rules."
2. Updated CFE monitoring from every 4 hours to continuous.
3. Updated IFE monitoring to include all filtered systems.
4. Updated Membrane PLR requirements from 0.3 NTU to 0.15 NTU.
5. Updated SDWA-5 form (paper and DWELR formats).
6. Updated scenarios with new regulation requirements.
7. Other changes specified in the 2018 General Update.

**Written Comments:** Interested persons may submit written comments on this draft TGD through Monday,

July 12, 2021. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

**Contact:** Questions regarding this TGD can be directed to Kim Snook at [ksnook@pa.gov](mailto:ksnook@pa.gov) or (717) 787-0123.

**Effective Date:** Upon publication of notice as final in the *Pennsylvania Bulletin*.

PATRICK McDONNELL,  
Secretary

[Pa.B. Doc. No. 21-926. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Extension of National Pollutant Discharge Elimination System General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines (PAG-10)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department) is, by this notice, extending for 12 months the availability of the current National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines (PAG-10).

The existing PAG-10 General Permit in effect at this time will expire on July 10, 2021. Persons that are operating under the PAG-10 General Permit may continue to operate until July 10, 2022. The Department is extending the availability of this permit to adequately complete preparation of the renewal of the PAG-10 General Permit. During the period of administrative extension, no new coverage under the PAG-10 General Permit may be authorized by the Department.

To access the General Permit and related documents, visit the Department's eLibrary web site at [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/) (select "Permit and Authorization Packages," then "Clean Water," then "PAG-10 NPDES General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines (NOI) 3800-PM-BCW0173").

Questions regarding the PAG-10 General Permit can be directed to Sean M. Furjanic, PE, at (717) 787-2137 or sefurjanic@pa.gov.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 21-927. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Federal Consistency under the Coastal Zone Management Act; Maintenance Dredging of the Delaware River Federal Navigation Channels

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C.A. § 1455(d)(14)), regarding public participation in consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that the United States Army Corps of Engineers (USACE) is proposing the Fiscal Year 2021 maintenance dredging of the Delaware River Federal navigation channels.

The USACE Philadelphia District's Fiscal Year 2021 maintenance dredging of the Federally authorized navigation channels in the Delaware River is proposed to include the following activities. In the Philadelphia to Sea channel, hydraulic and mechanical dredging of approximately 900,000 cubic yards of predominately silt material between River Mile 78.5 and River Mile 81, utilizing a contractor, is scheduled to be conducted in the fall/winter of 2021/2022 with upland placement of the dredged material into the Pedricktown, Federally owned confined disposal facility (CDF) in Salem County, NJ. In the Philadelphia to Trenton channel, mechanical (bucket) dredging of approximately 75,000 cubic yards of primarily sand material between River Mile 106 and River Mile 112 is scheduled to be conducted by a contractor from October through December 2021 with upland disposal at either the Palmyra Cove CDF in Burlington County, NJ or the Fort Mifflin CDF in Philadelphia.

This project is subject to Department review for Federal consistency because it is a Federal agency activity and will have reasonably foreseeable effects on the Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C.A. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart C (relating to consistency for Federal agency activities), the applicant has determined that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Determination from the Department contact listed as follows.

Questions regarding this review can be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed\_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before Monday, June 28, 2021, before issuing a final Federal consistency concurrence or objection. Comments submitted by facsimile will not be accepted. All com-

ments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be mailed to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 21-928. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Home Health Agencies; Requests for Exception

The following home health agencies are seeking exceptions to 28 Pa. Code §§ 601.6 and 601.22(a)—(c) (relating to definitions; and agency evaluation and review), especially the definition of home health aide:

Bayada Home Health Care  
1611 Pond Road  
Suite 103  
Allentown, PA 18104  
LIC # 753305

Bayada Home Health Care  
512 Township Line Road  
Building 3  
Suite 303  
Blue Bell, PA 19422  
LIC # 06570501

Bayada Home Health Care  
390 Waterloo Boulevard  
Suite 220  
Exton, PA 19341  
LIC # 06300501

Bayada Home Health Care  
750 East Park Drive  
Suite 102  
Harrisburg, PA 17111  
LIC # 77700501

Bayada Home Health Care  
2500 York Road  
Suite 140  
Jamison, PA 18929  
LIC # 77910501

Bayada Home Health Care  
1400 North Providence Road  
Suite 210  
Media PA 19063  
LIC # 06380501

Bayada Home Health Care  
1020 North Delaware Avenue  
Suite 301  
Philadelphia, PA 10125  
LIC # 764305

Bayada Home Health Care  
2275 Bridge Street  
Suite 220  
Philadelphia, PA 19137  
LIC # 723105

Bayada Home Health Care  
100 Wilkes-Barre Boulevard  
Suite 207  
Wilkes-Barre, PA 18702  
LIC # 767505

Bayada Home Health Care  
2 Meridian Boulevard  
Wyomissing, PA 19610  
LIC # 02570501

The following home health agencies are seeking exceptions to 28 Pa. Code §§ 601.6, 601.22(a)—(c) and 601.35(c) (relating to home health aide services), especially the definition of home health aide:

Bayada Home Health Care  
317 South Cedar Crest Boulevard  
Allentown, PA 18103  
LIC # 772205

Bayada Home Health Care  
3565 Route 611  
Suite 100  
Bartonsville, PA 18321  
LIC # 03450501

Bayada Home Health Care  
95 Highland Avenue  
Suite 301  
Bethlehem, PA 18017  
LIC # 04300501

Bayada Home Health Care  
213 East Market Street  
Blairsville, PA 15717  
LIC # 05190501

Bayada Home Health Care  
2041 Columbia Boulevard  
Bloomsburg, PA 17815  
LIC # 02740501

Bayada Home Health Care  
233 Northern Boulevard  
Suite 5A  
Clarks Summit, PA 18411  
LIC # 03860501

Bayada Home Health Care  
120 East Pennsylvania Avenue  
Suite 325  
Downingtown, PA 19335

Bayada Home Health Care  
1600 Peninsula Drive  
Suite 17  
Erie, PA 16505  
LIC # 02680501

Bayada Home Health Care  
2500 York Road  
Suite 150  
Jamison, PA 8929  
LIC # 06810501

Bayada Home Health Care  
1050 William Penn Way  
Lancaster, PA 17055  
LIC # 700105

Bayada Home Health Care  
701 Bridge Street  
Suite 201  
Lehighton, PA 18235  
LIC # 05950501

Bayada Home Health Care  
1 Outlet Lane  
Suite 205/206  
Lock Haven, PA 17745  
LIC # 03660501

Bayada Home Health Care  
1305 South Main Street  
Suite 201  
Meadville, PA 16355  
LIC # 07220501

Bayada Home Health Care  
5001 Locust Drive  
Suite 203  
Mechanicsburg, PA 17055  
LIC # 04350501

Bayada Home Health Care  
300 Oxford Drive  
Suite 410  
Monroeville, PA 15146  
LIC # 77630501

Bayada Home Health Care  
3409 West. Chester Pike  
Suite 102  
Newtown Square, PA 19073  
LIC # 759805

Bayada Home Health Care  
2490 Boulevard of the Generals  
Suite 130  
Norristown, PA 19403  
LIC # 03430501

Bayada Home Health Care  
2133 Arch Street  
4th Floor  
Philadelphia, PA 19103  
LIC # 04940501

Bayada Home Health Care  
8 West Snyder Street  
Selinsgrove, PA 17870  
LIC # 04440501

Bayada Home Health Care  
2123 East College Avenue  
Suite 200  
State College, PA 16801  
LIC # 04460501

Bayada Home Health Care  
600 Main Street  
Suite 4  
Towanda, PA 18848  
LIC # 4170501

Bayada Home Health Care  
1189 Highway 315  
Suite 4  
Wilkes-Barre, PA 18702  
LIC # 02730501

Bayada Home Health Care  
209 East Third Street  
Williamsport, PA 17701  
LIC # 04260501

Bayada Home Health Care  
630 Fitzwatertown Road  
Suite B  
Willow Grove, PA 19090  
LIC # 03060501



Bayada Home Health Care  
115 East New Castle Street  
Zelienople, PA 6063  
LIC # 04600501

The following home health agencies are seeking exceptions to 28 Pa. Code §§ 601.6 and 601.35, especially the definition of home health aide:

Extended Family Care  
1860 Charter Lane  
Suite 208  
Lancaster, PA 17601  
LIC # 77440500

MOG Home Healthcare Services  
133 Heather Road  
Suite 102  
Bala Cynwyd, PA 19004  
LIC # 05020501

The following home health agency is seeking exceptions to 28 Pa. Code § 601.31 (relating to acceptance of patients, plan of treatment and medical supervision):

Tower Health at Home—Berks  
1170 Berkshire Boulevard  
Wyomissing, PA 19610  
LIC # 700105

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379, fax (717) 787-3188, ra-communityprogramlicensure@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-929. Filed for public inspection June 11, 2021, 9:00 a.m.]

A SmartCard EBT Pennsylvania certified Point of Sale (POS) device.

An established direct or indirect telecommunications connection for the routing of transactions and exchange of files with the eWIC card issuer or the eWIC card issuer's EBT card processor.

An active e-mail address monitored by store personnel.

The ability to view and apply a digital signature to forms presented in the Portable Document Format (PDF).

The ability to participate in designated online training classes accessible over the Internet.

However, these standards do "not apply to stores authorized prior to September 12, 2009, and maintaining an uninterrupted authorized status." 28 Pa. Code § 1103.4(15).

The Pennsylvania WIC program is funded by the United States Department of Agriculture (USDA). In accordance with Federal civil rights law and the USDA civil rights regulations and policies, the USDA, its agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, National origin, sex, disability, age or reprisal or retaliation for prior civil rights activity in any program or activity conducted or funded by the USDA.

Persons with disabilities who require alternative means of communication for program information (for example, Braille, large print, audiotape, American Sign Language, and the like), should contact the Agency (State or local) where they applied for benefits. Individuals who are deaf, hard of hearing or have speech disabilities may contact the USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program complaint of discrimination, complete the USDA Program Discrimination Complaint Form, (AD-3027) found online at [http://www.ascr.usda.gov/complaint\\_filing\\_cust.html](http://www.ascr.usda.gov/complaint_filing_cust.html), and at any USDA office, or write a letter addressed to the USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit the completed form or letter to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax (202) 690-7442, program.intake@usda.gov.

The USDA is an equal opportunity provider.

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-930. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Special Supplemental Nutrition Program for Women, Infants and Children (WIC) Vendor Minimum Technology

Under 28 Pa. Code § 1103.4(15) (relating to selection criteria for authorization and reauthorization), a store applying to become a WIC Authorized store must have all of the following to be considered for authorization. These standards become effective January 1, 2022.

## DEPARTMENT OF HUMAN SERVICES

### Availability of the Low-Income Home Energy Assistance Program; Proposed State Plan and Public Hearing Schedule

The Department of Human Services (Department) is making available for public review and comment the Fiscal Year (FY) 2021-2022 Low-Income Home Energy Assistance Program (LIHEAP) proposed State Plan. Comments on this notice and testimony received at public

hearings will be used to formulate the final State Plan for using Federal funds for FY 2021-2022 LIHEAP.

The Department has made the proposed State Plan available to the public at <https://www.dhs.pa.gov/Services/Assistance/Pages/LIHEAP.aspx>. In addition, copies of the proposed State Plan are available upon written request to the Division of Federal Programs and Program Management, Room 224, Willow Oak Building, 1006 Hemlock Drive, Harrisburg, PA 17110.

The Department will hold three public hearings to allow testimony on the proposed State Plan and to fulfill the Federal mandate for public input into the planning process. This mandate appears in Title XXVI (The Low-Income Home Energy Assistance Act of 1981) of the Omnibus Budget Reconciliation Act of 1981 (Pub.L. No. 97-35), (42 U.S.C.A. §§ 8621—8630) as amended by the Human Services Reauthorization Act of 1984 (Pub.L. No. 98-558), the Human Services Reauthorization Act of 1986 (Pub.L. No. 99-425), the Augustus F. Hawkins Human Services Reauthorization Act of 1990 (Pub.L. No. 101-501), the National Institutes of Health Revitalization Act of 1993 (Pub.L. No. 103-43), the Low-Income Home Energy Assistance Amendments of 1994 (Pub.L. No. 103-252), the Coats Human Services Reauthorization Act of 1998 (Pub.L. No. 105-285) and the Energy Policy Act of 2005 (Pub.L. No. 109-58).

#### Public Hearing Schedule

Three teleconference meetings are available for public participation:

Thursday, June 24, 2021

10 a.m.—12 p.m.

Call in: (267) 332-8737 Conference ID: 973251638#

Online: [https://teams.microsoft.com/\\_#/pre-join-calling/19:meeting\\_Y2RmYTIyZDIhMjY1ZC00NDg4LTk1YTQtZjg0ZGVINDFmYzUw@thread.v2](https://teams.microsoft.com/_#/pre-join-calling/19:meeting_Y2RmYTIyZDIhMjY1ZC00NDg4LTk1YTQtZjg0ZGVINDFmYzUw@thread.v2)

Tuesday, June 29, 2021

10 a.m.—12 p.m.

Call in: (267) 332-8737 Conference ID: 807431030#

Online: [https://teams.microsoft.com/\\_#/pre-join-calling/19:meeting\\_YzM1NjM2NGYtMGZlZC00YUwLWJlYiYWIzMmE3MWNjMjc0TRm@thread.v2](https://teams.microsoft.com/_#/pre-join-calling/19:meeting_YzM1NjM2NGYtMGZlZC00YUwLWJlYiYWIzMmE3MWNjMjc0TRm@thread.v2)

Thursday, July 1, 2021

10 a.m.—12 p.m.

Call in: (267) 332-8737 Conference ID: 735147896#

Online: [https://teams.microsoft.com/\\_#/pre-join-calling/19:meeting\\_MWY3Yjc0YmEtODRiNi00OWMzLWE0ODktNDQxOTA3N2VmMmRm@thread.v2](https://teams.microsoft.com/_#/pre-join-calling/19:meeting_MWY3Yjc0YmEtODRiNi00OWMzLWE0ODktNDQxOTA3N2VmMmRm@thread.v2)

This notice shall take effect upon publication in the *Pennsylvania Bulletin*.

#### Public Comment

Persons who wish to testify on the proposed State Plan at a public hearing should arrange a time by telephoning (717) 772-7906. Persons from outside the Harrisburg area should call (800) 692-7462 or send a written request, including telephone number, to Division of Federal Programs and Program Management, Room 224, Willow Oak Building, Harrisburg, PA 17110.

Individuals also may submit written comments at any of the public hearings, by e-mail to [LIHEAPmail@pa.gov](mailto:LIHEAPmail@pa.gov), or by mail to the previously listed address by July 16, 2021.

Persons with a hearing or speech impairment may submit comments through the Pennsylvania Telecommunications Relay Service by calling 711.

MEG SNEAD,  
*Acting Secretary*

**Fiscal Note:** 14-NOT-1436. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 21-931. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Findings

Under section 2002b of The Administrative Code of 1929 (71 P.S. § 512) establishing the Department of Transportation (Department), the Director of the Bureau of Project Delivery, as delegated by the Secretary of Transportation, makes the following written findings:

The Department is planning the following listed projects. Environmental and Section 4(f) Documentation have been developed for the following identified projects to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System at <http://www.dotdom2.state.pa.us/ceea/ceeamain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the following proposed identified projects, and all reasonable steps have been taken to minimize the effects.

- **SR 0000, Section L00—City of Titusville, Crawford County.**

*Project Description:* The project is the removal of the Crawford County owned bridge that carries South Perry Street over Oil Creek.

*Environmental Documents:* CE 2 Evaluation approved on March 23, 2021, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on February 8, 2021.

*Proposed Use of Section 4(f)/2002 Resource:* The existing structure was determined to be eligible for listing on the National Register of Historic Places (NRHP).

- **SR 0032, Section BSC—Morrisville Borough, Bucks County.**

*Project Description:* The project is to provide two bicycle/pedestrian ramps to provide access from the Delaware Canal Towpath up to Bridge Street (SR 0032).

*Environmental Documents:* CE 1b Evaluation approved on February 9, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on February 1, 2021.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.2-acre of right-of-way (ROW) will be required from the 2.46-acre Delaware Canal State Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 2043, Section BBR—Middletown Township and Lower Southampton Township, Bucks County.**

*Project Description:* The project involves the replacement of the structure that carries Brownsville Road (SR 2043) over Neshaminy Creek.

*Environmental Documents:* CE 1b Reevaluation approved on February 12, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved January 14, 2021.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.07-acre of ROW will be required from the 3.45-acre Periwinkle Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 7023, Section 007—Aston Township, Delaware County.**

*Project Description:* The project is the replacement of the bridge that carries New Road Bridge (Delaware County Bridge # 7) over the West Branch of the Chester Creek.

*Environmental Documents:* CE 1b Reevaluation approved on March 8, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved June 12, 2017.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.03-acre of ROW will be required from the 1.6-acre Robert Poore JR. Memorial Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 0095, Section BRI—Philadelphia City, Philadelphia County.**

*Project Description:* The project consists of improvement to improve safety, enhance mobility, increase capacity, increase efficiency and improve components along the SR 0095 mainline and surrounding city street network.

*Environmental Documents:* CE 2 Reevaluation approved on March 5, 2021, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that have Net Benefit Use approved on February 18, 2021.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.07-acre of ROW will be required from the Frankford Arsenal National Register Boundary, which is listed in the NRHP.

• **SR 1005, Section 009—Latimore Township, Adams County.**

*Project Description:* The project is the rehabilitation of the existing structure that carries Latimore Valley Road (SR 1005) over Bermudian Creek.

*Environmental Documents:* CE BRPA Reevaluation approved on March 2, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 18, 2020.

*Proposed Use of Section 4(f)/2002 Resource:* Approximately 0.003-acre of ROW from the 108.26-acre 1200 Latimore Valley Road Farm, which was determined to be eligible for listing in the NRHP.

• **SR 0997, Section 039—Upper Mifflin Township, Cumberland County.**

*Project Description:* The project is the replacement of the existing bridge that carries SR 0997 over an unnamed tributary to Three Square Hollow Run.

*Environmental Documents:* ED BRPA Evaluation approved on February 10, 2021, and Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on January 5, 2021.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.08-acre of ROW will be required from the McComb-Heberlig Farm, which was determined to be eligible for listing on the NRHP.

• **SR 0030, Section 131—Salisbury Township, Lancaster County.**

*Project Description:* The project is the replacement of the existing structure that carries SR 0030 over Houston Run.

*Environmental Documents:* CE BRPA Evaluation approved on February 17, 2021, and three forms of a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on December 3, 2020.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.03-acre of ROW will be required from the Pequea North Rural District, which was determined to be eligible for listing on the NRHP. Approximately 0.13-acre of ROW will be required from the approximately 3-acre Samuel Duffield Farm/Sign of John Addams Tavern, which was determined to be eligible for listing on the NRHP. Approximately 0.21-acre of ROW will be required from the 17-acre Slaymakertown Historic District, which was determined to be eligible for listing on the NRHP.

• **SR 7205, Section 378—Frankstown Township, Blair County.**

*Project Description:* The project is the replacement of the Blair County owned structure (Bridge 67) Bridge that carries West Loop Road (T-378) over Old Town Run.

*Environmental Documents:* CE BRPA Evaluation approved on January 19, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on December 10, 2020.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.4417-acre of ROW will be required from the 205-acre Frank and Nellie Thomas Farm, which was determined to be eligible for listing on the NRHP.

• **SR 0030, Section A30—Forest Hills Borough, Allegheny County.**

*Project Description:* The project is the replacement of the structure that carries Ardmore Boulevard (SR 0030) over Falls Run.

*Environmental Documents:* CE 1b Reevaluation approved on March 11, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on March 3, 2021.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.11-acre of ROW will be required from the 2.35-acre Cascade Glen Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 0030, Section A31—Forest Hills Borough, Allegheny County.**

*Project Description:* The project is the replacement of the structure that carries Ardmore Boulevard (SR 0030) over Falls Run.

*Environmental Documents:* CE 1b Reevaluation approved on March 12, 2021, and a Determination of



Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on March 3, 2021.

*Proposed Use of Section 4(f)/2002 Resource:* Approximately 0.038-acre of ROW will be required from the 23.23-acre Forest Hills Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 1060, Section A20—Bell Township, Westmoreland County and Kiskiminetas Township, Armstrong County.**

*Project Description:* The project is the replacement of Salina Bridge that carries Bridge Street (SR 1060) over the Kiskiminetas River and Norfolk Southern Railroad.

*Environmental Documents:* CE 2 Evaluation approved on January 26, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Bridges approved on December 28, 2020.

*Proposed Use of Section 4(f)/2002 Resources:* The Salina Bridge was determined to be eligible for listing in the NRHP.

• **SR 0367, Section 550—Auburn Township, Susquehanna County.**

*Project Description:* The project is the replacement of the structure that carries SR 0367 over a branch of Tuscarora Creek.

*Environmental Documents:* CE BRPA Evaluation approved on March 31, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on March 24, 2021.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.038-acre of ROW will be required from the Leroy B. Lacey House, which was determined to be eligible for listing in the NRHP.

• **SR 0023, Section 2NG—Tredyffrin Township and Upper Merriam Township, Montgomery County.**

*Project Description:* The project is the rehabilitation of a section of Gulph Road (SR 3031) at the National Memorial Arch within Valley Forge National Historical Park. Work will include minor roadway adjustments and improvements to the existing trail.

*Environmental Documents:* CE 2 Reevaluation approved on March 31, 2021, a Nationwide/Programmatic Section 4(f) Evaluation for Projects that have Net Benefit Use approved on June 29, 2006, and FHWA concurred that the Section 4(f) commitments were met with a memo June 1, 2020.

*Proposed Use of Section 4(f)/2002 Resources:* The proposed project includes construction in the Valley Forge National Historical Park, mainly of the relocation of a section of North Gulph Road to a new alignment closer to the edge of the Park and up to 300 feet further away from the Park's welcome center.

• **SR 3008, Section 003—Richland Township, Cambria County.**

*Project Description:* The project is the resurfacing of Arbutus Avenue/Hostetler Road (SR 3008) from Belmont Street (PA 756) to Scalp Avenue (SR 3016) as well as drainage improvements.

*Environmental Documents:* ED 1b Reevaluation approved on March 29, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved April 10, 2020.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.038-acre of ROW will be required from the 2.27-acre Arbutus Avenue Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 4012, Section A10—Hempfield Township and Manor Borough, Westmoreland County.**

*Project Description:* The project is the replacement of the existing structure that carries Brush Creek Road over Brush Creek.

*Environmental Documents:* CE BRPA Evaluation approved on March 29, 2021, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on March 12, 2021.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.09-acre of ROW will be required from the 12.2-acre Manor Borough Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 2003, Section 02M—Wharton Township, Fayette County.**

*Project Description:* The project is the replacement of the existing structure that carries SR 2003 over Chaney Run.

*Environmental Documents:* ED BRPA Evaluation approved on March 31, 2021, and a Section 4(f) Non-Applicability/No Use approved on March 25, 2021.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.12-acre of ROW will be required from the 4,707.18-acre Forbes State Forest, which qualifies as a Section 4(f)/2002 resource.

BRIAN G. THOMPSON, PE,  
*Director*  
*Bureau of Project Delivery*

[Pa.B. Doc. No. 21-932. Filed for public inspection June 11, 2021, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Transportation Revenue Options Commission Teleconference Meetings

The Transportation Revenue Options Commission (Commission) will meet two times in June 2021, holding public teleconference meetings on Monday, June 14, 2021, and Thursday, June 24, 2021, between 1 p.m. and 3 p.m.

The Commission will also meet two times in July 2021, holding public teleconference meetings on Wednesday, July 14, 2021, and Wednesday, July 28, 2021, between 1 p.m. and 3 p.m.

All attendees from the public should RSVP to the following e-mail address to receive call-in information. For more information or to RSVP, contact Shane Rice, Policy Office, (717) 319-7920, TROC@pa.gov.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 21-933. Filed for public inspection June 11, 2021, 9:00 a.m.]



## ENVIRONMENTAL QUALITY BOARD

### June Meeting

The next regular meeting of the Environmental Quality Board (Board) is scheduled for Tuesday, June 15, 2021. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. As the building is not currently open to the public, only Board members and Department staff essential to the Board may meet at the Harrisburg location. Members of the public who wish to join the meeting may do so remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Environmental Quality Board," then "2021 Meetings").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the June 15, 2021, meeting can be directed to Laura Griffin at [laurgriffi@pa.gov](mailto:laurgriffi@pa.gov) or (717) 783-8727.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-8727 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Chairperson*

[Pa.B. Doc. No. 21-934. Filed for public inspection June 11, 2021, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Special Regulation Designations

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates or redesignates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations and redesignations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meeting on July 26 and 27, 2021, the Commission will consider taking the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective January 1, 2022.

### 58 Pa. Code § 65.17. Catch and release lakes program

The Commission will consider removing the following waters from its list of "Catch-and-Release Lakes" regulated and managed under 58 Pa. Code § 65.17 (relating to catch and release lakes):

County	Water
Centre	Colyer Lake
Tioga	Lake Nessmuk

### 58 Pa. Code § 65.9. Big bass

The Commission will consider adding the following water to its list of "Big Bass" waters regulated and managed under 58 Pa. Code § 65.9 (relating to big bass):

County	Water
Centre	Colyer Lake
Tioga	Lake Nessmuk

### 58 Pa. Code § 65.11. Panfish enhancement

The Commission will consider adding the following waters to its list of "Panfish Enhancement" waters regulated and managed under 58 Pa. Code § 65.11 (relating to panfish enhancement):

County	Water	Species
Centre	Colyer Lake	Crappie and sunfish
Tioga	Lake Nessmuk	Crappie and sunfish

At this time, the Commission is soliciting public input concerning the previously listed designations. Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at [www.fishandboat.com/regcomments](http://www.fishandboat.com/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 21-935. Filed for public inspection June 11, 2021, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Removal of Waters from the Refuge Areas Program; July 2021

Under 58 Pa. Code § 67.2 (relating to refuge areas), the Executive Director of the Fish and Boat Commission (Commission), with the approval of the Commission, may designate waters as refuge areas to which 30 Pa.C.S. § 2306 (relating to refuge areas), shall apply. Section 2306 of 30 Pa.C.S. provides that the Commission may set aside, at its discretion, areas as it may judge best as refuge areas in which fishing, or entry shall be prohibited

for periods of time as the Commission prescribes. According to the regulation, the designation of waters as refuge areas shall be effective upon posting of the waters after publication of a notice that the waters have been so designated in the *Pennsylvania Bulletin*. Refuge areas are closed to public fishing except during the period from June 15 until the last day of February of the following year. It is unlawful to disturb fish or other aquatic life in refuge areas by any means, including wading, throwing stones, rocks or other objects, or otherwise agitating the waters. The regulation will not be construed to prohibit fishing in these areas during the extended trout season.

Based on current conditions, there is justification to remove the refuge area designation from 17 streams. Some streams are no longer being maintained as marked refuge areas, some streams are no longer stocked with trout and some streams are simply not being well utilized by anglers. These conditions are inconsistent with the premise for the use of refuge areas. Therefore, the Commission, at its next meeting on July 26 and 27, 2021, will consider taking action to remove the refuge area designations from the sections of the following waters that have been so designated.

County	Water Area
Cameron	Hicks Run
Cameron	Upper Jerry Run
Cameron	Wykoff Run
Cameron/Elk	East Branch Hicks Run
Cameron/Elk	Mix Run
Cameron/Elk	West Branch Hicks Run
Clearfield	Jack Dent Branch
Clearfield/Elk	Medix Run
McKean	Chappel Fork
McKean	Kinzua Creek
McKean	North Branch Sugar Run
McKean	Skinner Creek
McKean	South Branch Kinzua Creek
McKean	Sugar Run
McKean	Willow Creek
McKean/Warren	East Branch Tionesta Creek
McKean/Warren	Twomile Run

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at [www.fishandboat.com/regcomments](http://www.fishandboat.com/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 21-936. Filed for public inspection June 11, 2021, 9:00 a.m.]

## GAME COMMISSION

### Chronic Wasting Disease—Designation of Disease Management Areas and Endemic States and Canadian Provinces Order # 9

#### Executive Order

*Whereas*, Chronic Wasting Disease (CWD) is an infectious and progressive neurological disease that is found in, and always proves fatal to, members of the family Cervidae (deer, elk or moose, and other susceptible species, collectively called cervids); and

*Whereas*, There are no known treatments for CWD infection, no vaccines to protect against CWD infection, and no approved tests that can detect the presence of CWD in live cervids; and

*Whereas*, CWD is designated as a “dangerous transmissible disease” of animals by order of the Secretary of Agriculture under 3 Pa.C.S. § 2321(d) (relating to dangerous transmissible diseases); and

*Whereas*, The Game and Wildlife Code (Code) (34 Pa.C.S. §§ 101 et seq.) and regulations promulgated thereunder (58 Pa. Code §§ 131.1 et seq.) collectively provide broad authority to the PGC to regulate activities relating to the protection, preservation, and management of game and wildlife, including cervids; and

*Whereas*, On March 28, 2017 (effective May 16, 2017), the Commission added 58 Pa. Code § 137.35 (relating to Chronic Wasting Disease Restrictions) to give more permanent status and structure to the CWD requirements and restrictions previously established and maintained over the prior decade by and through executive orders; and

*Whereas*, Section 137.35(d) provides the Executive Director with the authority to designate CWD Disease Management Areas (DMAs) and Established Areas (EAs) within this Commonwealth; and

*Whereas*, Previous executive orders concerning designation of CWD DMAs and EAs within this Commonwealth were issued by the Commission on June 1, 2017, July 24, 2017, October 6, 2017, February 16, 2018, May 21, 2018, October 22, 2018, June 17, 2019 and June 2, 2020; and

*Whereas*, The Commission has determined that further designations of CWD DMAs and EAs are required to implement necessary updates to the Commission’s CWD program.

*Now Therefore*, I, BRYAN J. BURHANS, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct the following:

1. DMAs within this Commonwealth are designated as set forth below. These DMAs are more graphically illustrated on the maps titled “DMA2,” “DMA3,” “DMA4” and “DMA5” attached hereto and incorporated by reference herein. Should any conflict exist between the below-listed written boundaries and maps of DMA 2, DMA3, DMA4 and DMA5, the written descriptions shall prevail.

a. *DMA1*: Eliminated.

b. *DMA2*: Adams, Bedford, Blair, Cambria, Centre, Clearfield, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Indiana, Juniata, Mifflin, Northumberland, Perry, Snyder, Somerset, Union, and Westmoreland counties, bounded and described as follows: Beginning in the Southeastern extent of the DMA at the intersection of

Taneytown Road (State Highway 134) and the Maryland State Line, proceed north on Highway 134 for approximately 7.5 miles to the intersection of Steinwehr Avenue in Gettysburg. Follow right on Steinwehr Ave to Baltimore Street. Follow left on Baltimore Street through downtown Gettysburg. Proceed halfway around the traffic circle at the square onto Carlisle Street (State Highway 34). The DMA boundary follows Highway 34 north for approximately 21.2 miles to the intersection of the Baltimore Avenue (State Highway 94). Follow Highway 94 north for approximately 6.1 miles to the intersection of Interstate 81. Follow I-81 north for approximately 18.6 miles to the Susquehanna River. Follow the Susquehanna River north for approximately 11.2 miles to US Highway 22. Turn right onto US Highway 22 east for 0.2 miles, then exit to State Highway 147 towards Halifax. Follow State Highway 147 for 7.5 miles to the intersection with State Highway 225 in Halifax. Follow State Highway 255 for 33.1 miles to State Highway 890 in Treverton. Follow State Highway 890 north for 9.0 miles to State Highway 61 near Sunbury. Follow State Highway 61 west 3.2 miles to the intersection of US Highway 11 in Shamokin Dam. Follow US Highway 11 south for 3.3 miles to the intersection of US Highway 522. Follow US Highway 522 west for 10.4 miles to the intersection of Route 104. Follow route 104 north for approximately 8.9 miles to the intersection of State Highway 45. Turn left and the boundary follows State Highway 45 for approximately 34.2 miles to the intersection of State Highway 144 in Old Fort. The DMA boundary follows State Highway 144 south for approximately 3.8 miles to the intersection of US Highway 322 in Potters Mills. Proceed left on US 322 south for 11.2 miles to the intersection of State Highway 655 near Reedsville. Turn right and the boundary follows Highway 655 south for approximately 8.1 miles to the intersection of State Highway 305. The DMA boundary follows State Highway 305 west for 10.2 miles to State Highway 26, then west along State Highway 26 for 9.4 miles to intersection of State Highway 45. Follow State Highway 45 south for 6.5 miles to Marengo Road in Pennsylvania Furnace. Follow Marengo Road north 6.3 miles to the intersection of State Highway 550. Turn right onto State Highway 550 and follow for 0.3 miles north to the intersection with Port Mountain Road. Turn left onto Beckwith Road and follow 1.7 miles northwest towards Port Matilda. Continue on Beckwith Road through Port Matilda to Alternate Route 220. Follow Alternate Route 220 for 0.5 miles where the road becomes State Route 3042. Continue west on State Route 3042 for 0.7 miles to US Highway 322. Follow US Highway 322 west for 9.9 miles to the intersection with State Highway 504 in Phillipsburg. Turn left on State Highway 504 and follow 0.6 miles west to State Highway 53. Continue west on State Highway 53 for 9.5 miles to the intersection of Route 153 in Houtzdale. The DMA boundary follows Route 153 south for 5.9 miles to the intersection of State Highway 253 (Viola Pike) and then left on Route 253 for 8.6 miles to the intersection of State Highway 53 in Van Ormer. Continue left on State Highway 53 for 1.7 miles to the intersection of Marina Road. Continue west on Marina Road for 5.5 miles where the road becomes Glendale Lake Road. Continue on Glendale Lake Road for 3 miles to the intersection with State Highway 36. Follow State Highway 36 west for .5 miles into the town of Patton. The DMA boundary follows right on State Highway 36 south for 3.5 miles to Bridge Street. Turn left on Bridge Street and follow west for 1.6 miles to the intersection of Spangler Street. Follow Spangler Street south for .9 miles to the intersection of Municipal Road. Turn right on

Municipal Road and follow for 3.6 miles west to the intersection of US Highway 219 (Crawford Avenue) in Northern Cambria. Follow US Highway 219 south for 1.3 miles to the intersection of State Highway 271. Follow State Highway 271 south for 2.8 miles to the intersection of State Highway 553 near Nicktown. Follow State Highway 553 west for 6.9 miles to the intersection of State Highway 403 near Heilwood. Continue south on State Highway 403 for 15.8 miles to the intersection of US Highway 22. The boundary follows US Highway 22 west for 14 miles to the intersection of State Highway 217 South in Blairsville. Follow State Highway 217 South for 12.5 miles to the intersection of US Highway 30. Follow US Highway 30 east for 21.3 miles to intersection of US Highway 219. Finally, south along State Highway 219 for 32.6 miles to the Maryland border at the place of beginning.

c. *DMA3*: Armstrong, Cambria, Clarion, Clearfield, Indiana and Jefferson counties, bounded and described as follows: Beginning at the southernmost point at the intersection of State Highway 403 and State Highway 286 in the town of Clymer, proceed east on State Highway 286 for 4.9 miles to State Highway 240. Follow in State Highway 240 east for 8.5 miles to the intersection of US Highway 219. Follow US Highway 219 north for 2.4 miles to Sylvis Road. Follow Sylvis Road east for 5.8 miles to the intersection of State Highway 36. Follow State Highway 36 east for 8.8 miles to the intersection of La Jose Road (SR-3016) in Newburg. Follow La Jose Road east for 3.6 miles becoming Cherry Corner Road (SR-3005) for another .3 mile to the intersection of Marron Road (SR-3016). Turn left onto Marron Road and follow northeast for 2.7 miles to the intersection of State Road 729. Follow State Road 729 east for .9 miles to the intersection of Old Station Road. Follow Old Station Road (SR-2012) east for 2.4 miles to the intersection of Douglas Road (SR-3007). Continue east on Douglas Road for .3 miles to the intersection of Zion Road (SR-2012) near New Millport. Follow Zion Road east for 4.5 miles to the intersection of Faunce Road (SR-2012). Turn right and follow Faunce Road east for 3.1 miles becoming Sanborn Road (SR-2012) in Woodward Township. Continue east on Sanborn Road for 2.5 miles to the intersection of State Highway 153. Follow State Highway 153 north for 5 miles to the intersection of Valley Road (SR-2027). Follow Valley Road north for 2.1 miles becoming Hogback Hill Road (SR-2027). Continue north on Hogback Hill Road for 1 mile to the intersection of Main Street in Mineral Springs. Turn right on Main Street for .2 miles to the intersection of Bigler Cutoff Road. Turn left on Bigler Cutoff Road for .1 miles to the intersection of US Highway 322. Follow US Highway 322 east for .7 miles to the intersection of State Highway 970. Follow State Highway 970 north for 1.5 miles to the intersection of Interstate Highway 80. Follow I-80 west for 26.4 miles to the exit for State Highway 219 north. Follow State Highway 219 north for 7.5 miles to the intersection of State Highway 28 in Brockway. Follow State Highway 28 west for 2.8 miles to the intersection of Game School Road, turn right on Game School Road and then follow north for 7.4 miles to the intersection of Richardsville Road (SR-4005). Turn right on Richardsville Road and follow north for 2 miles to the intersection of State Highway 949. Follow State Highway 949 west for 23.4 miles to the intersection of US Highway 322 in Corsica. Follow US Highway 322 east for .3 miles to the intersection of State Highway 949. Follow State Highway 949 south for 4.2 miles to the intersection of State Highway 28. Follow State Highway 28 south for 13.2 miles to the intersection of State Highway 839 in



New Bethlehem. Follow State Highway 839 south for 21 miles to State Highway 85. Follow State Highway 85 south for 11.7 miles to the intersection of US Highway 119 in the town of Home. Turn left on US Highway 119 and follow 3.4 miles to the intersection of State Highway 403 in Marion Center. Follow State Highway 403 south for 8.5 miles to Clymer at the place of beginning.

d. *DMA4*: Lancaster, Lebanon and Berks Counties, bounded and described as follows: Beginning in the northwestern extent of the DMA in the city of Lebanon, at the intersection of state Route 897 and U.S. Route 422, proceed east on U.S. Route 422 for 12.3 miles to state Route 419. Turn left on state Route 419 and proceed north for 2.3 miles to Christmas Village Road (state Route 4010). Turn right, proceeding east on Christmas Village Road for 5.1 miles to North Heidelberg Road (state Route 3033). Turn left on North Heidelberg Road, proceeding northeast for 0.6 miles to state Route 183. Turn right on state Route 183, proceeding southeast for 7.7 miles to the U.S. 222. Turn right on U.S. 222 proceeding southwest for 3.2 miles to the interchange with U.S. Route 422 Bypass. Proceed on U.S. Route 422 Bypass for 2.4 miles to intersection with Business Route 222E (Lancaster Avenue). Proceed south on Business 222E for 0.6 miles to the intersection with state Route 625. Turn left onto state Route 625 and proceed south for 16.7 miles to the intersection with Route 23. Turn right onto Route 23 for 0.3 miles to the intersection with state Route 897. Turn left on State Route 897, proceeding south for 0.6 miles to the intersection with U.S. Route 322 (28th Division Highway). Turn left, proceeding east for 0.1 miles to the intersection with State Route 897 (Spring Valley Road). Turn right on State Route 897, proceeding south for 4.2 miles to the intersection with Seldomridge Road (T-513). Turn left, proceeding east for 1.8 miles to the intersection with Cambridge Road (T-907). Turn right on Cambridge Road, proceeding 1.6 miles to the intersection with State Route 340 (Old Philadelphia Pike). Turn right on State Route 340, proceeding 0.4 miles to the intersection with State Route 897 (White Horse Road). Turn left on State Route 897, proceeding 4.0 miles south to the intersection with U.S. Route 30. Turn right on U.S. Route 30, proceeding west for 0.3 miles to the intersection with State Route 41 (Newport Pike). Turn left on State Route 41, proceeding 2.8 miles south to the intersection with State Route 2027. Turn right on State Route 2027 and proceed for 0.3 miles at which point State Route 2027 becomes State Route 2025, proceed south on State Route 2025 for 0.6 miles to State Route 372 (Bridge Street). Stay on State Route 372, proceeding south for 0.5 miles to State Route 2009 (Noble Road). Turn right on State Route 2009, proceeding northeast for 13.2 miles to the intersection with State Route 2003 (Little Britain Road). Turn right on State Route 2003, proceeding north for 1.6 miles to U.S. Route 222 (Robert Fulton Highway). Turn left on U.S. Route 222, proceeding south for 4.5 miles to State Route 3004 (Furniss Road). Turn right on State Route 3004, proceeding 1.6 miles at which point State Route 3004 becomes State Route 10Z (Harmony Ridge Dr.). Proceed along State Route 10Z for 2.0 miles to Fishing Creek. Left following Fishing Creek approximately 0.5 miles to the Susquehanna River. Proceed northwest along the Susquehanna River shoreline for 20.0 miles to a point abeam State Route 999. Turn right on State Route 999 proceeding east for 7.0 miles to State Route 741 (Rohrerstown Road). Turn left on State Route 741, proceeding north for 3.6 miles to U.S. Route 30 (Lincoln Highway) interchange. Turn right on U.S. Route 30, proceeding east for 2.4 miles to State Route 4011

(Fruitville Pike). Turn left on State Route 4011, proceeding north for 6.7 miles to State Route 772 (Orange Street). Turn right on State Route 772, proceeding east for 3.6 miles to State Route 501. Turn left on state Route 501 in Lititz, proceeding northerly for 5 miles to the intersection with U.S. Route 322 (West 28th Division Highway). Turn left on U.S. Route 322, proceeding westerly for 1.3 miles to the Pennsylvania Turnpike (U.S. Route 76). Move right along U.S. Route 76, proceeding east for 0.7 miles to the western boundary of State Game Lands 46. Proceed north, then east for 1.2 miles along the game lands boundary to state Route 501 (Furnace Hills Pike). Turn left on state Route 501, proceeding north for 4.1 miles to the intersection with state Route 419. Turn left, proceeding west for 0.1 miles to state Route 897 (South 5th Street). Turn right on state Route 897, proceeding northwest for 6.2 miles to the starting point at the intersection of state Route 897 and U.S. Route 422 at the place of beginning.

e. *DMA5*: Warren County, bounded and described as follows: Beginning in the northeastern extent of the DMA at the New York State Line, at the intersection of the Allegheny River, proceed south on the west shore of the river for 27.8 miles to the bridge at Pennsylvania Ave East (Business U.S. Route 6). Turn left on Pennsylvania Ave East and proceed south for 0.1 mile to U.S. Route 6. Turn right, proceeding west on U.S. Route 6 for 11.6 miles to West Main St (State Route 27) at Youngsville. Turn sharp right on West Main St, proceeding northeast for 0.5 mile to State Route 27 (Matthews Run Rd). Turn left on State Route 27, proceeding north for 7.2 mile to the intersection of State Route 69 (Jackson Run Road). Turn left on state Route 69 proceeding north for 3 miles to the intersection of State Route 957 (Main St) in Sugar Grove. Turn right on State Route 957, proceeding east for 0.2 miles to Jamestown Street. Turn slight left on Jamestown Street, proceeding north for 0.7 miles to where Jamestown Street becomes Busti Road. Continue north for 1 mile to the New York border. The boundary follows east along the border for 18.1 miles to the Allegheny River at the place of beginning.

2. Established areas within this Commonwealth are designated as set forth below. The sole EA is more graphically illustrated on the map titled "Established Area In DMA2" attached hereto and incorporated by reference herein. Should any conflict exist between the below-listed written boundary and map of "Established Area In DMA2", the written descriptions shall prevail.

a. *Established Area in DMA2*: Bedford, Blair, Franklin, Fulton, and Huntingdon counties, bounded and described as follows: Beginning in the Southeastern extent of the Established Area at the intersection of State Highway 75 and the Maryland State Line, proceed north on Highway 75 for approximately 13.9 miles to the intersection of US Highway 30. Follow US Highway 30 west 7.8 miles to US Highway 522 just north of McConnellsburg. Follow US Highway 522 north 37.5 miles to US Highway 22. The Established Area boundary follows US 22 west for approximately 42.4 miles to the intersection of Old Route 22 in Duncansville. Follow Old Route 22 west for approximately 2 miles to the intersection of Valley Forge Road. Turn left onto Valley Forge Road for approximately 3.4 miles to the Poplar Run Road. Follow left on Poplar Run Road for approximately 0.5 miles to Knob Run Road. Turn right on Knob Run Road for 4.3 miles where the road becomes Knob Road. Continue on Knob Road for 3.4 miles to the Bedford/Blair County Line, where the



road becomes Blue Knob Road. Continue south on Blue Knob Road for approximately 1 mile to Blue Knob State Park. Continue south through Blue Knob State Park on State Forest Road for 3.5 miles where the road becomes Pavia Road. Follow Pavia Road 0.25 miles to the intersection with State Highway 869. Follow State Highway 869 for 3.4 miles to State Highway 96. Follow State Highway 96 south for 14.4 miles to US Highway 30 in Schellsburg. Follow US Highway 30 east 4.75 miles to the intersection of State Highway 31. Follow US Highway 31 south for 3.4 miles to the intersection of State Highway 96 in Manns Choice. Finally, follow State Highway 96 south for 22.25 miles to the Maryland border at the place of beginning.

3. The previous executive order concerning designation of CWD DMAs and CWD-endemic States and Canadian Provinces within this Commonwealth that was issued by the Commission on June 2, 2020 and published in the *Pennsylvania Bulletin* on June 13, 2020 at 50 Pa.B. 2987 is hereby rescinded in its entirety and replaced by this Order.


4. This Order is effective immediately and shall remain in effect until rescinded or modified by subsequent order.

Given under my hand and seal of the Pennsylvania Game Commission on this 28th day of May, 2021.

BRYAN J. BURHANS,  
*Executive Director*










**CWD DMA 2**

	Bounding_Roads		N
	CWD Established Area		
	WMUs		
	Limited Access Highway		
	Highway		
	Road		
	Stream		
	Lake or River		
	City/Town		
	State Game Lands		
	Army Corps Area 420		
	County Boundary		
	State Forest		
	State Park		
	DMA 2		
	DMA 3		









[Pa.B. Doc. No. 21-937. Filed for public inspection June 11, 2021, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
8-27	Department of General Services State Metrology Laboratory Fee Schedule	5/25/21	7/15/21

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 21-938. Filed for public inspection June 11, 2021, 9:00 a.m.]

## PATIENT SAFETY AUTHORITY

### Virtual Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a virtual public meeting of the Authority's Board to be held virtually by means of the Authority's webinar platform Zoom on Thursday, June 24, 2021, at 1 p.m.

There will be Zoom capabilities to attend the virtual public meeting remotely, so registration is required.

Individuals can register by going to <https://zoom.us/j/92162229802?pwd=TmZqSVVMQkrXd0QrSEwwbU5aKzVrUT09>.

After registering, individuals will receive a confirmation e-mail containing information about joining the virtual public meeting.

Individuals who are unable to sign in by the previously listed link may dial-in by using the following information:

*Meeting ID:* 921 6222 9802

*Passcode:* 6aW49t

*One tap mobile:*

+16465588656, 92162229802# US (New York)

13017158592, 92162229802# US +(Washington DC)

*Dial by individual's location:*

+1 646 558 8656 US (New York)

+1 301 715 8592 US (Washington DC)

+1 312 626 6799 US (Chicago)

+1 669 900 9128 US (San Jose)

+1 253 215 8782 US (Tacoma)

+1 346 248 7799 US (Houston)

*Meeting ID:* 921 6222 9802

*Find individual's local number:* <https://zoom.us/j/92162229802>

Individuals with questions regarding this virtual public meeting, which is open to the public, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,  
*Executive Director*

[Pa.B. Doc. No. 21-939. Filed for public inspection June 11, 2021, 9:00 a.m.]

## PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

### DEPARTMENT OF ENVIRONMENTAL PROTECTION

#### Environmental Assessment Approval for PENNVEST Funding Consideration

*Scope:* Clean Water and Drinking Water State Revolving Fund Projects for July 21, 2021, Pennsylvania Infrastructure Investment Authority (PENNVEST) Board meeting consideration

*Description:* PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF), is intended to be the funding source for the following projects. The Department of Environmental Protection's (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessment will be considered approved and funding for the project will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by Monday, July 12, 2021. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be mailed to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "PENNVEST SRF-Environmental Assessment" as the subject line in written communication.

For more information about the approval of the following Environmental Assessments or the Clean Water and Drinking Water State Revolving Loan Programs contact Richard Wright at [riwright@pa.gov](mailto:riwright@pa.gov), or the Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-4059,



or visit the Department's web site at [www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx](http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx).

Comments received during the comment period, along with the Department's comment and response document will be available on the Department's web site at [www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx](http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx).

Upon approval, the full list of approved projects and their costs can be found in a press release on PENNVEST's web site at [www.pennvest.pa.gov](http://www.pennvest.pa.gov).

*CWSRF Projects Being Considered:*

<i>Applicant:</i>	Frenchcreek Township
<i>County:</i>	Venango
<i>Applicant Address:</i>	3507 Georgetown Road Franklin, PA 16323

*Project Description:* The proposed project includes the design and construction of: (1) a new headworks facility; (2) two aerobic digesters, digester control system and equipment building; (3) a sequencing batch reactor treatment process and control building at the wastewater treatment plant (WWTP) to replace the existing trickling filter WWTP; (4) an ultraviolet (UV) effluent disinfection system; (5) a new natural gas powered generator; and (6) a reed bed for sludge disposal. The design and equipment location will reduce or eliminate the threat of flood damage.

*Problem Description:* The existing trickling filter WWTP, a portion of which is located within the 100-year flood plain, is at the end of its useful life. The project will replace the existing treatment facility to provide treatment of the sewage prior to discharge to Little Sandy Creek. The project also includes replacement of the existing emergency generator which is unable to supply power to the entire treatment process in the event of a power outage.

<i>Applicant:</i>	Jackson Center Borough Council
<i>County:</i>	Mercer
<i>Applicant Address:</i>	P.O. Box 28 Jackson Center, PA 16133

*Project Description:* The proposed project includes the design and construction of: (1) a 700-square foot treatment building to house electrical equipment, serve as an office space and serve as a chemical feed area; (2) two concrete sequencing batch reactor basins; (3) two concrete aerobic digester basins; (4) six blowers and concrete pads; (5) six submersible pumps; (6) a concrete headworks wet well with a comminutor and perforated screen; (7) a concrete influent pumping wet well; (8) an influent valve/metering concrete vault; (9) an effluent pipe gallery building to house effluent valves, effluent flowmeters and UV disinfection ancillary equipment; (10) a dual-channel UV disinfection unit and pavilion style shelter; (11) an effluent aeration tank and regenerative blower; and (12) bulk chemical storage tanks and concrete pad. In addition, the existing extended aeration treatment plant will be demolished.

*Problem Description:* The current WWTP is at the end of its useful life. It frequently requires repairs and recently violated its effluent limits. The project will replace the existing treatment facility to provide treatment of the sewage prior to discharge to Yellow Creek.

<i>Applicant:</i>	Perry Township
<i>County:</i>	Mercer
<i>Applicant Address:</i>	1096 Fredonia Road P.O. Box 69 Hadley, PA 16130

*Project Description:* The proposed project includes the installation of 4,800 linear feet of low-pressure sewer mains using directional drilling, 17 grinder pump units, 1 duplex grinder pump, service laterals and a new community onlot disposal system.

*Problem Description:* This project addresses sewage needs for the Clark Mills area of Perry Township that is currently served by onlot systems. A malfunction rate of approximately 87% exists. These onlot systems discharge untreated and partially treated wastewater onto the ground surface and into the waters of this Commonwealth. This project will eliminate the malfunctioning sewage systems thereby improving local water quality.

*DWSRF Projects Being Considered:*

<i>Applicant:</i>	Ligonier Township Municipal Authority (Authority)
<i>County:</i>	Westmoreland
<i>Applicant Address:</i>	1 Municipal Drive Ligonier, PA 15658

*Project Description:* The proposed project consists of upgrading the Authority's water distribution system. The project area includes Ligonier Township, Ligonier Borough and Fairfield Township. These upgrades include the construction of: (1) a 250,000-gallon glass-fused-to-steel water storage tank; (2) four pressure reducing vaults; (3) five new booster pump stations (PS); (4) upgrades to the existing Waterford Waterworks control building; (5) a new waterline for looping. This project also includes replacing approximately 8,250 linear feet of 6-inch waterline and 13,200 linear feet of 8-inch waterline. These improvements will remedy pressure issues within the system by boosting pressure in low pressure areas, reducing pressure in high pressure areas and creating distribution main looping to improve service pressures. The new storage tank will also mitigate the impact of high-volume users on the system. The project will result in minimum interruptions to water service due to most of the project involving the construction of new infrastructure.

*Problem Description:* The Authority currently owns and operates a public water supply system in Ligonier Township, Ligonier Borough and Fairfield Township. The Authority is facing issues of aging infrastructure resulting in customer service issues. These issues include low or high pressure, lack of capacity, water losses, lack of redundancy and general aging of existing distribution infrastructure. Significant users also create large pressure drops during periods of high use. These pressure fluctuations can damage water lines and leave residential users with low water pressure. The proposed project is to



remedy these issues with a new water tank, new waterlines, additional booster PS and additional pressure reducing stations.

PATRICK McDONNELL,  
*Secretary*  
*Department of Environmental Protection*

BRION JOHNSON,  
*Executive Director*  
*Pennsylvania Infrastructure Investment Authority*

[Pa.B. Doc. No. 21-940. Filed for public inspection June 11, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before June 28, 2021. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by June 28, 2021. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the previously listed docket number or by searching the applicant's web site.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.**

**A-2021-3026121. Primary Health Network** (63 Pitt Street, P.O. Box 716, Sharon, Mercer County, PA 16146) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Crawford, Lawrence and Mercer to points in Pennsylvania, and return, which is to be a transfer of all rights authorized under the certificate issued at A-6414300, to PHN Charitable Foundation, subject to the same limitations and conditions. *Attorney:* William H. Stewart III, Esq., 310 Grant Street, Suite 2310, Pittsburgh, PA 15219.

**A-2021-3026124. Primary Health Network** (63 Pitt Street, P.O. Box 716, Sharon, Mercer County, PA 16146)

to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Crawford, Lawrence and Mercer, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority, which is to be a transfer of all rights authorized under the certificate issued at A-6414300, to PHN Charitable Foundation, subject to the same limitations and conditions. *Attorney:* William H. Stewart III, Esq., 310 Grant Street, Suite 2310, Pittsburgh, PA 15219.

**Applications of the following for approval to begin operating as contract carriers for transportation of persons as described under each application.**

**A-2021-3025043. Nassah Group, LLC** (P.O. Box 545, Abington, Montgomery County, PA 19001) to transport persons, in contract carrier service, for Access2Care, LLC, from points in the Counties of Bucks, Chester, Delaware, Lehigh and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

**A-2021-3025109. Ant Transportation, LLC** (917 Arch Street, Philadelphia, PA 19107) for Friend's Senior Care Center, between points in the City and County of Philadelphia.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-941. Filed for public inspection June 11, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2021-3026046. Verizon Pennsylvania, LLC and BCM One, Inc., f/k/a McGraw Communications, Inc.** Joint petition of Verizon Pennsylvania, LLC and BCM One, Inc., f/k/a McGraw Communications, Inc. for approval of an amended interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and BCM One, Inc., f/k/a McGraw Communications, Inc., by their counsel, filed on May 25, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and BCM One, Inc., f/k/a McGraw Communications, Inc. joint petition are available for inspection at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-942. Filed for public inspection June 11, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2021-3026069. Verizon Pennsylvania, LLC and DISH Wireless, LLC.** Joint petition of Verizon Pennsylvania, LLC and DISH Wireless, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and DISH Wireless, LLC, by their counsel, filed on May 25, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. Documents filed in support of Verizon Pennsylvania, LLC and DISH Wireless, LLC joint petition are available for inspection at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-943. Filed for public inspection June 11, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications; Tri-Co Connections, LLC; Doc. No. P-2018-3005127

The Pennsylvania Public Utility Commission (Commission) invites comments on the following petition for expansion of existing eligible telecommunications carrier (ETC) status. The petition was filed because petitioner was awarded Federal high-cost support moneys from the Federal Communications Commission's Rural Digital Opportunity Fund Auction: Tri-Co Connections, LLC; Docket No. P-2018-3005127

On August 2, 2010, the Commission entered an Order adopting a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers at Docket No. M-2010-2164741. See 52 Pa. Code § 69.2501 (relating to standards applicable for designation and annual certification as an eligible telecommunications carrier, for purposes of obtaining Federal universal service support) for the Final Policy Statement, Standards applicable for designation and annual certification as an eligible telecommunications carrier, for purposes of obtaining Federal universal service support. The Final Policy Statement became effective on October 2, 2010.

This notice is to inform telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission. By this notice, the Commission extends the time for filing an answer to the petition under 52 Pa. Code § 5.61 (relating to answers to complaints, petitions, motions and preliminary objections). Interested persons may file an answer on or before 20 days after this notice is published in the *Pennsylvania Bulletin*. Thereafter, the petitioner has 10 days to file and serve its response. Filings must reference Docket No. P-2018-3005127.

In accordance with the Commission's Emergency Order at Docket No. M-2020-3019262 (issued on March 20, 2020; ratified on March 26, 2020; modified by Secretarial Letter issued September 27, 2020), all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. Documents filed relative to this docket are available for inspection by searching under the petitioner's docket number on the Commission's web site at <https://www.puc.pa.gov/search/document-search/>.

Confidential filings should be clearly marked as such and e-mailed directly to Commission Secretary Rosemary Chiavetta at [rchiavetta@pa.gov](mailto:rchiavetta@pa.gov).

The contact person for questions regarding this notice is Tiffany L. Tran, Assistant Counsel, Law Bureau, (717) 783-5413, [tiftran@pa.gov](mailto:tiftran@pa.gov).

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-944. Filed for public inspection June 11, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Wastewater Service

**A-2021-3026208. Aqua Pennsylvania Wastewater, Inc.** Application of Aqua Pennsylvania Wastewater, Inc. for approval to begin to offer, render, furnish and supply wastewater service to the public in an additional portion of New Garden Township, Chester County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before June 28, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

*Applicant:* Aqua Pennsylvania Wastewater, Inc.

*Through and By Counsel:* Thomas T. Niesen, Esquire,  
Thomas, Niesen and Thomas, LLC, 212 Locust Street,  
Suite 302, Harrisburg, PA 17101, (717) 255-7600, tniesen@  
tntlawfirm.com

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-945. Filed for public inspection June 11, 2021, 9:00 a.m.]

---

## STATE HORSE RACING COMMISSION

### **Amended Association Racing Commissioners International Restricted Therapeutic Use— Clenbuterol (Thoroughbred Horses Only); Ad- ministrative Policy SHRC 2021-3**

The State Horse Racing Commission (Commission), in accordance with 3 Pa.C.S. § 9312(6) (relating to additional powers of commission) of the Race Horse Industry Reform Act and 7 Pa. Code § 401.4(a) (relating to substances of therapeutic value), is authorized to adopt National standards relating to prohibited substances,

uniform drug threshold levels and to regulate or restrict substances of therapeutic value, including Clenbuterol in thoroughbred race horses.

In December 2020, the National regulatory organization known as the Association of Racing Commissioners International (ARCI) through the Racing Medication and Testing Consortium amended its ARCI Controlled Therapeutic Medication Schedule by restricting the use of the therapeutic medication Clenbuterol—with certain enumerated restrictions. ARCI also modified the threshold level for Clenbuterol to level of detection. These measures are designed to provide a complete regulation of Clenbuterol and to protect health and safety of the horse.

On May 25, 2021, at its monthly public meeting and in accordance with its statutory authority the Commission approved the previously listed ARCI amendment prohibiting the use of Clenbuterol in thoroughbred race horses except with enumerated conditions. This amendment shall take effect on July 19, 2021.

The Commission's specific administrative policy has been posted and published on the Commission's web site at <http://www.agriculture.pa.gov/Animals/RacingCommission/commission/Pages/Publications.aspx>.

THOMAS F. CHUCKAS, Jr.,  
*Director*  
*Bureau of Thoroughbred Horse Racing*

[Pa.B. Doc. No. 21-946. Filed for public inspection June 11, 2021, 9:00 a.m.]

---